

A revised mortality data file for 2014 was released on April 3, 2017 to include corrections from Tennessee and Massachusetts affecting 125 records previously coded to Accidental discharge of firearms (W32-W34). After the revision, 50% of the changed records are now classified as Assault (homicide) by discharge of firearms (*U01.4 and X93-X95); 42% as Intentional self-harm (suicide) by discharge of firearms (X72-X74); 4% as Discharge of firearms, undetermined intent (Y22-Y24); and the remaining 4% to various other causes. For more information, please see "[Deaths: Final Data for 2014](#)." This table was updated on May 3, 2017 to correct errors. The shaded areas in this table indicate the changes that were made.

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, all ages				
...	All causes	2,626,418	100.0	823.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	614,348	23.4	192.7
2	Malignant neoplasms (C00-C97)	591,700	22.5	185.6
3	Chronic lower respiratory diseases (J40-J47)	147,101	5.6	46.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	135,928	5.2	42.6
5	Cerebrovascular diseases (I60-I69)	133,103	5.1	41.7
6	Alzheimer's disease (G30)	93,541	3.6	29.3
7	Diabetes mellitus (E10-E14)	76,488	2.9	24.0
8	Influenza and pneumonia (J09-J18)	55,227	2.1	17.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	48,146	1.8	15.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	42,826	1.6	13.4
11	Septicemia (A40-A41)	38,940	1.5	12.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	38,170	1.5	12.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	30,221	1.2	9.5
14	Parkinson's disease (G20-G21)	26,150	1.0	8.2
15	Pneumonitis due to solids and liquids (J69)	18,792	0.7	5.9
...	All other causes (residual)	535,737	20.4	168.0
All races, both sexes, 1-4 years				
...	All causes	3,830	100.0	24.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,216	31.7	7.6
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	399	10.4	2.5
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	364	9.5	2.3
4	Malignant neoplasms (C00-C97)	321	8.4	2.0
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	149	3.9	0.9
6	Influenza and pneumonia (J09-J18)	109	2.8	0.7
7	Septicemia (A40-A41)	53	1.4	0.3
7	Chronic lower respiratory diseases (J40-J47)	53	1.4	0.3
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	38	1.0	0.2
9	Certain conditions originating in the perinatal period (P00-P96)	38	1.0	0.2
11	Cerebrovascular diseases (I60-I69)	33	0.9	0.2
12	Complications of medical and surgical care (Y40-Y84,Y88)	17	0.4	*
13	Meningitis (G00,G03)	16	0.4	*
13	Acute bronchitis and bronchiolitis (J20-J21)	16	0.4	*
15	Anemias (D50-D64)	15	0.4	*
...	All other causes (residual)	993	25.9	6.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, 5-14 years				
...	All causes	5,250	100.0	12.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,480	28.2	3.6
2	Malignant neoplasms (C00-C97)	852	16.2	2.1
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	428	8.2	1.0
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	348	6.6	0.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	279	5.3	0.7
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	191	3.6	0.5
7	Chronic lower respiratory diseases (J40-J47)	139	2.6	0.3
8	Influenza and pneumonia (J09-J18)	98	1.9	0.2
9	Cerebrovascular diseases (I60-I69)	88	1.7	0.2
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	74	1.4	0.2
11	Septicemia (A40-A41)	63	1.2	0.2
12	Anemias (D50-D64)	34	0.6	0.1
13	Certain conditions originating in the perinatal period (P00-P96)	32	0.6	0.1
14	Diabetes mellitus (E10-E14)	26	0.5	0.1
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	13	0.2	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	13	0.2	*
...	All other causes (residual)	1,092	20.8	2.7
All races, both sexes, 15-24 years				
...	All causes	28,791	100.0	65.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	11,797	41.0	26.8
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	5,090	17.7	11.6
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4,171	14.5	9.5
4	Malignant neoplasms (C00-C97)	1,569	5.4	3.6
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	953	3.3	2.2
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	377	1.3	0.9
7	Influenza and pneumonia (J09-J18)	199	0.7	0.5
8	Diabetes mellitus (E10-E14)	181	0.6	0.4
9	Chronic lower respiratory diseases (J40-J47)	178	0.6	0.4
10	Cerebrovascular diseases (I60-I69)	177	0.6	0.4
11	Pregnancy, childbirth and the puerperium (O00-O99)	163	0.6	0.4
12	Septicemia (A40-A41)	126	0.4	0.3
13	Human immunodeficiency virus (HIV) disease (B20-B24)	117	0.4	0.3
14	Anemias (D50-D64)	85	0.3	0.2
15	Legal intervention (Y35,Y89.0)	82	0.3	0.2
...	All other causes (residual)	3,526	12.2	8.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, 25-44 years				
...	All causes	118,173	100.0	140.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	33,366	28.2	39.7
2	Malignant neoplasms (C00-C97)	14,891	12.6	17.7
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,709	11.6	16.3
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	13,289	11.2	15.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	6,769	5.7	8.1
6	Chronic liver disease and cirrhosis (K70,K73-K74)	3,307	2.8	3.9
7	Diabetes mellitus (E10-E14)	2,708	2.3	3.2
8	Cerebrovascular diseases (I60-I69)	2,324	2.0	2.8
9	Human immunodeficiency virus (HIV) disease (B20-B24)	1,757	1.5	2.1
10	Influenza and pneumonia (J09-J18)	1,674	1.4	2.0
11	Septicemia (A40-A41)	1,191	1.0	1.4
12	Chronic lower respiratory diseases (J40-J47)	1,121	0.9	1.3
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	909	0.8	1.1
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	837	0.7	1.0
15	Pregnancy, childbirth and the puerperium (O00-O99)	755	0.6	0.9
...	All other causes (residual)	19,566	16.6	23.3
All races, both sexes, 45-64 years				
...	All causes	524,725	100.0	628.1
1	Malignant neoplasms (C00-C97)	160,116	30.5	191.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	109,264	20.8	130.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	38,607	7.4	46.2
4	Chronic liver disease and cirrhosis (K70,K73-K74)	21,419	4.1	25.6
5	Chronic lower respiratory diseases (J40-J47)	20,894	4.0	25.0
6	Diabetes mellitus (E10-E14)	19,404	3.7	23.2
7	Cerebrovascular diseases (I60-I69)	17,076	3.3	20.4
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	16,313	3.1	19.5
9	Septicemia (A40-A41)	8,223	1.6	9.8
10	Influenza and pneumonia (J09-J18)	8,121	1.5	9.7
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	7,095	1.4	8.5
12	Viral hepatitis (B15-B19)	5,704	1.1	6.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	4,790	0.9	5.7
14	Human immunodeficiency virus (HIV) disease (B20-B24)	4,044	0.8	4.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3,098	0.6	3.7
...	All other causes (residual)	80,557	15.4	96.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, both sexes, 65 years and over				
...	All causes	1,922,271	100.0	4,156.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	489,722	25.5	1,059.0
2	Malignant neoplasms (C00-C97)	413,886	21.5	895.0
3	Chronic lower respiratory diseases (J40-J47)	124,693	6.5	269.6
4	Cerebrovascular diseases (I60-I69)	113,308	5.9	245.0
5	Alzheimer's disease (G30)	92,604	4.8	200.3
6	Diabetes mellitus (E10-E14)	54,161	2.8	117.1
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	48,282	2.5	104.4
8	Influenza and pneumonia (J09-J18)	44,836	2.3	97.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	39,957	2.1	86.4
10	Septicemia (A40-A41)	29,124	1.5	63.0
11	Parkinson's disease (G20-G21)	25,482	1.3	55.1
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	24,861	1.3	53.8
13	Pneumonitis due to solids and liquids (J69)	16,615	0.9	35.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	13,411	0.7	29.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	13,153	0.7	28.4
...	All other causes (residual)	378,176	19.7	817.8
All races, male, all ages				
...	All causes	1,328,241	100.0	846.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	325,077	24.5	207.1
2	Malignant neoplasms (C00-C97)	311,296	23.4	198.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	85,340	6.4	54.4
4	Chronic lower respiratory diseases (J40-J47)	69,456	5.2	44.3
5	Cerebrovascular diseases (I60-I69)	55,471	4.2	35.3
6	Diabetes mellitus (E10-E14)	41,111	3.1	26.2
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	33,162	2.5	21.1
8	Alzheimer's disease (G30)	28,362	2.1	18.1
9	Influenza and pneumonia (J09-J18)	26,586	2.0	16.9
10	Chronic liver disease and cirrhosis (K70,K73-K74)	24,584	1.9	15.7
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	24,436	1.8	15.6
12	Septicemia (A40-A41)	18,333	1.4	11.7
13	Parkinson's disease (G20-G21)	15,681	1.2	10.0
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	12,989	1.0	8.3
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	12,546	0.9	8.0
...	All other causes (residual)	243,811	18.4	155.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, male, 1-4 years				
...	All causes	2,172	100.0	26.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	744	34.3	9.1
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	219	10.1	2.7
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	196	9.0	2.4
4	Malignant neoplasms (C00-C97)	182	8.4	2.2
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	76	3.5	0.9
6	Influenza and pneumonia (J09-J18)	57	2.6	0.7
7	Chronic lower respiratory diseases (J40-J47)	30	1.4	0.4
8	Certain conditions originating in the perinatal period (P00-P96)	24	1.1	0.3
9	Septicemia (A40-A41)	23	1.1	0.3
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	19	0.9	*
10	Cerebrovascular diseases (I60-I69)	19	0.9	*
12	Anemias (D50-D64)	10	0.5	*
13	Meningitis (G00,G03)	7	0.3	*
13	Acute bronchitis and bronchiolitis (J20-J21)	7	0.3	*
13	Complications of medical and surgical care (Y40-Y84,Y88)	7	0.3	*
...	All other causes (residual)	552	25.4	6.8
All races, male, 5-14 years				
...	All causes	3,128	100.0	14.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	968	30.9	4.6
2	Malignant neoplasms (C00-C97)	488	15.6	2.3
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	277	8.9	1.3
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	185	5.9	0.9
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	166	5.3	0.8
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	108	3.5	0.5
7	Chronic lower respiratory diseases (J40-J47)	90	2.9	0.4
8	Influenza and pneumonia (J09-J18)	50	1.6	0.2
9	Cerebrovascular diseases (I60-I69)	47	1.5	0.2
10	Septicemia (A40-A41)	34	1.1	0.2
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	33	1.1	0.2
12	Anemias (D50-D64)	17	0.5	*
13	Certain conditions originating in the perinatal period (P00-P96)	16	0.5	*
14	Diabetes mellitus (E10-E14)	15	0.5	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	9	0.3	*
...	All other causes (residual)	625	20.0	3.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, male, 15-24 years				
...	All causes	21,117	100.0	93.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,765	41.5	38.9
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,100	19.4	18.2
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3,624	17.2	16.1
4	Malignant neoplasms (C00-C97)	952	4.5	4.2
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	616	2.9	2.7
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	211	1.0	0.9
7	Influenza and pneumonia (J09-J18)	116	0.5	0.5
7	Chronic lower respiratory diseases (J40-J47)	116	0.5	0.5
9	Diabetes mellitus (E10-E14)	115	0.5	0.5
10	Cerebrovascular diseases (I60-I69)	102	0.5	0.5
11	Legal intervention (Y35,Y89.0)	78	0.4	0.3
12	Human immunodeficiency virus (HIV) disease (B20-B24)	76	0.4	0.3
13	Septicemia (A40-A41)	65	0.3	0.3
14	Anemias (D50-D64)	41	0.2	0.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	39	0.2	0.2
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	39	0.2	0.2
...	All other causes (residual)	2,062	9.8	9.2
All races, male, 25-44 years				
...	All causes	76,390	100.0	181.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	23,874	31.3	56.7
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	10,270	13.4	24.4
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,287	12.2	22.0
4	Malignant neoplasms (C00-C97)	6,623	8.7	15.7
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	5,557	7.3	13.2
6	Chronic liver disease and cirrhosis (K70,K73-K74)	2,054	2.7	4.9
7	Diabetes mellitus (E10-E14)	1,643	2.2	3.9
8	Cerebrovascular diseases (I60-I69)	1,332	1.7	3.2
9	Human immunodeficiency virus (HIV) disease (B20-B24)	1,187	1.6	2.8
10	Influenza and pneumonia (J09-J18)	904	1.2	2.1
11	Septicemia (A40-A41)	604	0.8	1.4
12	Chronic lower respiratory diseases (J40-J47)	572	0.7	1.4
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	528	0.7	1.3
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	472	0.6	1.1
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	371	0.5	0.9
...	All other causes (residual)	11,112	14.5	26.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, male, 45-64 years				
...	All causes	318,575	100.0	781.8
1	Malignant neoplasms (C00-C97)	85,878	27.0	210.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	76,111	23.9	186.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	25,988	8.2	63.8
4	Chronic liver disease and cirrhosis (K70,K73-K74)	14,598	4.6	35.8
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	12,116	3.8	29.7
6	Diabetes mellitus (E10-E14)	11,991	3.8	29.4
7	Chronic lower respiratory diseases (J40-J47)	10,551	3.3	25.9
8	Cerebrovascular diseases (I60-I69)	9,791	3.1	24.0
9	Influenza and pneumonia (J09-J18)	4,564	1.4	11.2
10	Septicemia (A40-A41)	4,350	1.4	10.7
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,149	1.3	10.2
12	Viral hepatitis (B15-B19)	3,983	1.3	9.8
13	Human immunodeficiency virus (HIV) disease (B20-B24)	3,051	1.0	7.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,999	0.9	7.4
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,313	0.7	5.7
...	All other causes (residual)	46,142	14.5	113.2
All races, male, 65 years and over				
...	All causes	893,863	100.0	4,392.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	238,678	26.7	1,172.8
2	Malignant neoplasms (C00-C97)	217,140	24.3	1,067.0
3	Chronic lower respiratory diseases (J40-J47)	58,078	6.5	285.4
4	Cerebrovascular diseases (I60-I69)	44,125	4.9	216.8
5	Alzheimer's disease (G30)	27,965	3.1	137.4
6	Diabetes mellitus (E10-E14)	27,341	3.1	134.3
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	24,323	2.7	119.5
8	Influenza and pneumonia (J09-J18)	20,804	2.3	102.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	19,658	2.2	96.6
10	Parkinson's disease (G20-G21)	15,240	1.7	74.9
11	Septicemia (A40-A41)	13,169	1.5	64.7
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	9,601	1.1	47.2
13	Pneumonitis due to solids and liquids (J69)	9,045	1.0	44.4
14	Chronic liver disease and cirrhosis (K70,K73-K74)	7,911	0.9	38.9
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6,907	0.8	33.9
...	All other causes (residual)	153,878	17.2	756.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, all ages				
...	All causes	1,298,177	100.0	801.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	289,271	22.3	178.6
2	Malignant neoplasms (C00-C97)	280,404	21.6	173.2
3	Chronic lower respiratory diseases (J40-J47)	77,645	6.0	48.0
4	Cerebrovascular diseases (I60-I69)	77,632	6.0	47.9
5	Alzheimer's disease (G30)	65,179	5.0	40.3
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	50,588	3.9	31.2
7	Diabetes mellitus (E10-E14)	35,377	2.7	21.8
8	Influenza and pneumonia (J09-J18)	28,641	2.2	17.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	23,710	1.8	14.6
10	Septicemia (A40-A41)	20,607	1.6	12.7
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	17,232	1.3	10.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	13,586	1.0	8.4
13	Parkinson's disease (G20-G21)	10,469	0.8	6.5
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	9,664	0.7	6.0
15	Pneumonitis due to solids and liquids (J69)	8,434	0.6	5.2
...	All other causes (residual)	289,738	22.3	178.9
All races, female, 1-4 years				
...	All causes	1,658	100.0	21.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	472	28.5	6.1
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	180	10.9	2.3
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	168	10.1	2.2
4	Malignant neoplasms (C00-C97)	139	8.4	1.8
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	73	4.4	0.9
6	Influenza and pneumonia (J09-J18)	52	3.1	0.7
7	Septicemia (A40-A41)	30	1.8	0.4
8	Chronic lower respiratory diseases (J40-J47)	23	1.4	0.3
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	19	1.1	*
10	Cerebrovascular diseases (I60-I69)	14	0.8	*
10	Certain conditions originating in the perinatal period (P00-P96)	14	0.8	*
12	Complications of medical and surgical care (Y40-Y84,Y88)	10	0.6	*
13	Meningitis (G00,G03)	9	0.5	*
13	Acute bronchitis and bronchiolitis (J20-J21)	9	0.5	*
15	Anemias (D50-D64)	5	0.3	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5	0.3	*
...	All other causes (residual)	436	26.3	5.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, 5-14 years				
...	All causes	2,122	100.0	10.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	512	24.1	2.5
2	Malignant neoplasms (C00-C97)	364	17.2	1.8
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	163	7.7	0.8
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	151	7.1	0.7
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	113	5.3	0.6
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	83	3.9	0.4
7	Chronic lower respiratory diseases (J40-J47)	49	2.3	0.2
8	Influenza and pneumonia (J09-J18)	48	2.3	0.2
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	41	1.9	0.2
9	Cerebrovascular diseases (I60-I69)	41	1.9	0.2
11	Septicemia (A40-A41)	29	1.4	0.1
12	Anemias (D50-D64)	17	0.8	*
13	Certain conditions originating in the perinatal period (P00-P96)	16	0.8	*
14	Diabetes mellitus (E10-E14)	11	0.5	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	6	0.3	*
...	All other causes (residual)	478	22.5	2.4
All races, female, 15-24 years				
...	All causes	7,674	100.0	35.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,032	39.5	14.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	990	12.9	4.6
3	Malignant neoplasms (C00-C97)	617	8.0	2.9
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	547	7.1	2.5
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	337	4.4	1.6
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	166	2.2	0.8
7	Pregnancy, childbirth and the puerperium (O00-O99)	163	2.1	0.8
8	Influenza and pneumonia (J09-J18)	83	1.1	0.4
9	Cerebrovascular diseases (I60-I69)	75	1.0	0.3
10	Diabetes mellitus (E10-E14)	66	0.9	0.3
11	Chronic lower respiratory diseases (J40-J47)	62	0.8	0.3
12	Septicemia (A40-A41)	61	0.8	0.3
13	Anemias (D50-D64)	44	0.6	0.2
14	Human immunodeficiency virus (HIV) disease (B20-B24)	41	0.5	0.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	37	0.5	0.2
...	All other causes (residual)	1,353	17.6	6.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, 25-44 years				
...	All causes	41,783	100.0	99.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,492	22.7	22.7
2	Malignant neoplasms (C00-C97)	8,268	19.8	19.7
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,422	10.6	10.6
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,019	7.2	7.2
5	Chronic liver disease and cirrhosis (K70,K73-K74)	1,253	3.0	3.0
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,212	2.9	2.9
7	Diabetes mellitus (E10-E14)	1,065	2.5	2.5
8	Cerebrovascular diseases (I60-I69)	992	2.4	2.4
9	Influenza and pneumonia (J09-J18)	770	1.8	1.8
10	Pregnancy, childbirth and the puerperium (O00-O99)	755	1.8	1.8
11	Septicemia (A40-A41)	587	1.4	1.4
12	Human immunodeficiency virus (HIV) disease (B20-B24)	570	1.4	1.4
13	Chronic lower respiratory diseases (J40-J47)	549	1.3	1.3
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	381	0.9	0.9
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	365	0.9	0.9
...	All other causes (residual)	8,083	19.3	19.3
All races, female, 45-64 years				
...	All causes	206,150	100.0	481.8
1	Malignant neoplasms (C00-C97)	74,238	36.0	173.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	33,153	16.1	77.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	12,619	6.1	29.5
4	Chronic lower respiratory diseases (J40-J47)	10,343	5.0	24.2
5	Diabetes mellitus (E10-E14)	7,413	3.6	17.3
6	Cerebrovascular diseases (I60-I69)	7,285	3.5	17.0
7	Chronic liver disease and cirrhosis (K70,K73-K74)	6,821	3.3	15.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,197	2.0	9.8
9	Septicemia (A40-A41)	3,873	1.9	9.1
10	Influenza and pneumonia (J09-J18)	3,557	1.7	8.3
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,946	1.4	6.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,791	0.9	4.2
13	Viral hepatitis (B15-B19)	1,721	0.8	4.0
14	Human immunodeficiency virus (HIV) disease (B20-B24)	993	0.5	2.3
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	955	0.5	2.2
...	All other causes (residual)	34,245	16.6	80.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
All races, female, 65 years and over				
...	All causes	1,028,408	100.0	3,971.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	251,044	24.4	969.6
2	Malignant neoplasms (C00-C97)	196,746	19.1	759.9
3	Cerebrovascular diseases (I60-I69)	69,183	6.7	267.2
4	Chronic lower respiratory diseases (J40-J47)	66,615	6.5	257.3
5	Alzheimer's disease (G30)	64,639	6.3	249.6
6	Diabetes mellitus (E10-E14)	26,820	2.6	103.6
7	Influenza and pneumonia (J09-J18)	24,032	2.3	92.8
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	23,959	2.3	92.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	20,299	2.0	78.4
10	Septicemia (A40-A41)	15,955	1.6	61.6
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	15,260	1.5	58.9
12	Parkinson's disease (G20-G21)	10,242	1.0	39.6
13	Pneumonitis due to solids and liquids (J69)	7,570	0.7	29.2
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6,246	0.6	24.1
15	Chronic liver disease and cirrhosis (K70,K73-K74)	5,500	0.5	21.2
...	All other causes (residual)	224,298	21.8	866.3
White, both sexes, all ages				
...	All causes	2,237,880	100.0	892.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	524,695	23.4	209.4
2	Malignant neoplasms (C00-C97)	502,933	22.5	200.7
3	Chronic lower respiratory diseases (J40-J47)	134,541	6.0	53.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	117,151	5.2	46.7
5	Cerebrovascular diseases (I60-I69)	111,035	5.0	44.3
6	Alzheimer's disease (G30)	84,990	3.8	33.9
7	Diabetes mellitus (E10-E14)	59,741	2.7	23.8
8	Influenza and pneumonia (J09-J18)	47,293	2.1	18.9
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	38,723	1.7	15.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	37,976	1.7	15.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	33,508	1.5	13.4
12	Septicemia (A40-A41)	31,512	1.4	12.6
13	Parkinson's disease (G20-G21)	24,294	1.1	9.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	23,639	1.1	9.4
15	Pneumonitis due to solids and liquids (J69)	16,487	0.7	6.6
...	All other causes (residual)	449,362	20.1	179.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, both sexes, 1-4 years				
...	All causes	2,592	100.0	21.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	859	33.1	7.2
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	271	10.5	2.3
3	Malignant neoplasms (C00-C97)	250	9.6	2.1
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	200	7.7	1.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	84	3.2	0.7
6	Influenza and pneumonia (J09-J18)	72	2.8	0.6
7	Septicemia (A40-A41)	37	1.4	0.3
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	28	1.1	0.2
9	Chronic lower respiratory diseases (J40-J47)	25	1.0	0.2
10	Certain conditions originating in the perinatal period (P00-P96)	24	0.9	0.2
11	Cerebrovascular diseases (I60-I69)	20	0.8	0.2
12	Meningitis (G00,G03)	12	0.5	*
13	Complications of medical and surgical care (Y40-Y84,Y88)	10	0.4	*
14	Acute bronchitis and bronchiolitis (J20-J21)	9	0.3	*
15	Anemias (D50-D64)	8	0.3	*
...	All other causes (residual)	683	26.4	5.7
White, both sexes, 5-14 years				
...	All causes	3,753	100.0	12.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,067	28.4	3.4
2	Malignant neoplasms (C00-C97)	666	17.7	2.1
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	348	9.3	1.1
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	254	6.8	0.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	160	4.3	0.5
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	116	3.1	0.4
7	Influenza and pneumonia (J09-J18)	73	1.9	0.2
8	Cerebrovascular diseases (I60-I69)	69	1.8	0.2
9	Chronic lower respiratory diseases (J40-J47)	59	1.6	0.2
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	50	1.3	0.2
11	Septicemia (A40-A41)	41	1.1	0.1
12	Certain conditions originating in the perinatal period (P00-P96)	21	0.6	0.1
13	Diabetes mellitus (E10-E14)	14	0.4	*
14	Anemias (D50-D64)	13	0.3	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	8	0.2	*
...	All other causes (residual)	794	21.2	2.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, both sexes, 15-24 years				
...	All causes	20,760	100.0	62.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,734	46.9	29.4
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,186	20.2	12.6
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,371	6.6	4.1
4	Malignant neoplasms (C00-C97)	1,209	5.8	3.6
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	621	3.0	1.9
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	288	1.4	0.9
7	Influenza and pneumonia (J09-J18)	154	0.7	0.5
8	Cerebrovascular diseases (I60-I69)	120	0.6	0.4
9	Diabetes mellitus (E10-E14)	118	0.6	0.4
10	Pregnancy, childbirth and the puerperium (O00-O99)	99	0.5	0.3
11	Chronic lower respiratory diseases (J40-J47)	95	0.5	0.3
12	Septicemia (A40-A41)	89	0.4	0.3
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	54	0.3	0.2
14	Legal intervention (Y35,Y89.0)	47	0.2	0.1
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	41	0.2	0.1
...	All other causes (residual)	2,534	12.2	7.6
White, both sexes, 25-44 years				
...	All causes	89,082	100.0	138.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	28,222	31.7	43.9
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	11,617	13.0	18.1
3	Malignant neoplasms (C00-C97)	11,381	12.8	17.7
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,312	10.5	14.5
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,947	3.3	4.6
6	Chronic liver disease and cirrhosis (K70,K73-K74)	2,759	3.1	4.3
7	Diabetes mellitus (E10-E14)	1,790	2.0	2.8
8	Cerebrovascular diseases (I60-I69)	1,516	1.7	2.4
9	Influenza and pneumonia (J09-J18)	1,287	1.4	2.0
10	Septicemia (A40-A41)	863	1.0	1.3
11	Chronic lower respiratory diseases (J40-J47)	764	0.9	1.2
12	Human immunodeficiency virus (HIV) disease (B20-B24)	705	0.8	1.1
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	676	0.8	1.1
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	516	0.6	0.8
15	Pregnancy, childbirth and the puerperium (O00-O99)	459	0.5	0.7
...	All other causes (residual)	14,268	16.0	22.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, both sexes, 45-64 years				
...	All causes	415,077	100.0	614.8
1	Malignant neoplasms (C00-C97)	128,472	31.0	190.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	83,612	20.1	123.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	32,428	7.8	48.0
4	Chronic liver disease and cirrhosis (K70,K73-K74)	18,604	4.5	27.6
5	Chronic lower respiratory diseases (J40-J47)	18,075	4.4	26.8
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	15,232	3.7	22.6
7	Diabetes mellitus (E10-E14)	14,216	3.4	21.1
8	Cerebrovascular diseases (I60-I69)	11,749	2.8	17.4
9	Influenza and pneumonia (J09-J18)	6,379	1.5	9.4
10	Septicemia (A40-A41)	6,080	1.5	9.0
11	Viral hepatitis (B15-B19)	4,634	1.1	6.9
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,589	1.1	6.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,107	0.7	4.6
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1,876	0.5	2.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,861	0.4	2.8
...	All other causes (residual)	64,163	15.5	95.0
White, both sexes, 65 years and over				
...	All causes	1,691,598	100.0	4,263.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	430,740	25.5	1,085.6
2	Malignant neoplasms (C00-C97)	360,901	21.3	909.6
3	Chronic lower respiratory diseases (J40-J47)	115,509	6.8	291.1
4	Cerebrovascular diseases (I60-I69)	97,494	5.8	245.7
5	Alzheimer's disease (G30)	84,177	5.0	212.2
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	44,125	2.6	111.2
7	Diabetes mellitus (E10-E14)	43,597	2.6	109.9
8	Influenza and pneumonia (J09-J18)	39,224	2.3	98.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	32,749	1.9	82.5
10	Septicemia (A40-A41)	24,306	1.4	61.3
11	Parkinson's disease (G20-G21)	23,705	1.4	59.7
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	20,238	1.2	51.0
13	Pneumonitis due to solids and liquids (J69)	14,743	0.9	37.2
14	Chronic liver disease and cirrhosis (K70,K73-K74)	12,119	0.7	30.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	11,891	0.7	30.0
...	All other causes (residual)	336,080	19.9	847.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, male, all ages				
...	All causes	1,128,993	100.0	909.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	277,921	24.6	223.9
2	Malignant neoplasms (C00-C97)	266,137	23.6	214.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	72,807	6.4	58.6
4	Chronic lower respiratory diseases (J40-J47)	62,989	5.6	50.7
5	Cerebrovascular diseases (I60-I69)	45,505	4.0	36.7
6	Diabetes mellitus (E10-E14)	32,920	2.9	26.5
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	30,015	2.7	24.2
8	Alzheimer's disease (G30)	25,937	2.3	20.9
9	Influenza and pneumonia (J09-J18)	22,643	2.0	18.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	21,781	1.9	17.5
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	19,587	1.7	15.8
12	Septicemia (A40-A41)	14,847	1.3	12.0
13	Parkinson's disease (G20-G21)	14,594	1.3	11.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	9,998	0.9	8.1
15	Pneumonitis due to solids and liquids (J69)	9,119	0.8	7.3
...	All other causes (residual)	202,193	17.9	162.9
White, male, 1-4 years				
...	All causes	1,452	100.0	23.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	521	35.9	8.6
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	146	10.1	2.4
3	Malignant neoplasms (C00-C97)	142	9.8	2.3
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	105	7.2	1.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	42	2.9	0.7
6	Influenza and pneumonia (J09-J18)	37	2.5	0.6
7	Septicemia (A40-A41)	15	1.0	*
8	Chronic lower respiratory diseases (J40-J47)	14	1.0	*
8	Certain conditions originating in the perinatal period (P00-P96)	14	1.0	*
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	12	0.8	*
10	Cerebrovascular diseases (I60-I69)	12	0.8	*
12	Anemias (D50-D64)	4	0.3	*
12	Meningitis (G00,G03)	4	0.3	*
12	Complications of medical and surgical care (Y40-Y84,Y88)	4	0.3	*
15	Diabetes mellitus (E10-E14)	3	0.2	*
15	Nutritional deficiencies (E40-E64)	3	0.2	*
15	Acute bronchitis and bronchiolitis (J20-J21)	3	0.2	*
...	All other causes (residual)	371	25.6	6.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, male, 5-14 years				
...	All causes	2,231	100.0	14.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	695	31.2	4.4
2	Malignant neoplasms (C00-C97)	387	17.3	2.4
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	225	10.1	1.4
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	133	6.0	0.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	88	3.9	0.6
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	59	2.6	0.4
7	Cerebrovascular diseases (I60-I69)	36	1.6	0.2
7	Influenza and pneumonia (J09-J18)	36	1.6	0.2
7	Chronic lower respiratory diseases (J40-J47)	36	1.6	0.2
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	26	1.2	0.2
11	Septicemia (A40-A41)	20	0.9	0.1
12	Diabetes mellitus (E10-E14)	10	0.4	*
13	Certain conditions originating in the perinatal period (P00-P96)	9	0.4	*
14	Anemias (D50-D64)	8	0.4	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	7	0.3	*
...	All other causes (residual)	456	20.4	2.9
White, male, 15-24 years				
...	All causes	15,041	100.0	88.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	7,246	48.2	42.5
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,382	22.5	19.9
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,102	7.3	6.5
4	Malignant neoplasms (C00-C97)	734	4.9	4.3
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	408	2.7	2.4
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	162	1.1	1.0
7	Influenza and pneumonia (J09-J18)	84	0.6	0.5
8	Diabetes mellitus (E10-E14)	79	0.5	0.5
9	Cerebrovascular diseases (I60-I69)	68	0.5	0.4
10	Chronic lower respiratory diseases (J40-J47)	61	0.4	0.4
11	Septicemia (A40-A41)	51	0.3	0.3
12	Legal intervention (Y35,Y89.0)	43	0.3	0.3
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	25	0.2	0.1
14	Human immunodeficiency virus (HIV) disease (B20-B24)	24	0.2	0.1
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	21	0.1	0.1
...	All other causes (residual)	1,551	10.3	9.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, male, 25-44 years				
...	All causes	58,054	100.0	177.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	20,164	34.7	61.8
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	8,972	15.5	27.5
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,474	11.2	19.8
4	Malignant neoplasms (C00-C97)	5,212	9.0	16.0
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,206	3.8	6.8
6	Chronic liver disease and cirrhosis (K70,K73-K74)	1,767	3.0	5.4
7	Diabetes mellitus (E10-E14)	1,129	1.9	3.5
8	Cerebrovascular diseases (I60-I69)	851	1.5	2.6
9	Influenza and pneumonia (J09-J18)	707	1.2	2.2
10	Human immunodeficiency virus (HIV) disease (B20-B24)	538	0.9	1.6
11	Septicemia (A40-A41)	439	0.8	1.3
12	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	379	0.7	1.2
13	Chronic lower respiratory diseases (J40-J47)	376	0.6	1.2
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	312	0.5	1.0
15	Aortic aneurysm and dissection (I71)	215	0.4	0.7
...	All other causes (residual)	8,313	14.3	25.5
White, male, 45-64 years				
...	All causes	254,980	100.0	765.7
1	Malignant neoplasms (C00-C97)	69,537	27.3	208.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	59,633	23.4	179.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	21,721	8.5	65.2
4	Chronic liver disease and cirrhosis (K70,K73-K74)	12,843	5.0	38.6
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	11,308	4.4	34.0
6	Chronic lower respiratory diseases (J40-J47)	9,144	3.6	27.5
7	Diabetes mellitus (E10-E14)	9,040	3.5	27.1
8	Cerebrovascular diseases (I60-I69)	6,789	2.7	20.4
9	Influenza and pneumonia (J09-J18)	3,594	1.4	10.8
10	Viral hepatitis (B15-B19)	3,252	1.3	9.8
11	Septicemia (A40-A41)	3,246	1.3	9.7
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,738	1.1	8.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,004	0.8	6.0
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1,570	0.6	4.7
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,331	0.5	4.0
...	All other causes (residual)	37,230	14.6	111.8

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, male, 65 years and over				
...	All causes	788,850	100.0	4,472.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	211,187	26.8	1,197.4
2	Malignant neoplasms (C00-C97)	190,094	24.1	1,077.8
3	Chronic lower respiratory diseases (J40-J47)	53,345	6.8	302.5
4	Cerebrovascular diseases (I60-I69)	37,710	4.8	213.8
5	Alzheimer's disease (G30)	25,589	3.2	145.1
6	Diabetes mellitus (E10-E14)	22,658	2.9	128.5
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	22,039	2.8	125.0
8	Influenza and pneumonia (J09-J18)	18,128	2.3	102.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	16,474	2.1	93.4
10	Parkinson's disease (G20-G21)	14,209	1.8	80.6
11	Septicemia (A40-A41)	11,019	1.4	62.5
12	Pneumonitis due to solids and liquids (J69)	8,069	1.0	45.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	7,787	1.0	44.2
14	Chronic liver disease and cirrhosis (K70,K73-K74)	7,154	0.9	40.6
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6,346	0.8	36.0
...	All other causes (residual)	137,042	17.4	777.0
White, female, all ages				
...	All causes	1,108,887	100.0	876.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	246,774	22.3	195.1
2	Malignant neoplasms (C00-C97)	236,796	21.4	187.2
3	Chronic lower respiratory diseases (J40-J47)	71,552	6.5	56.6
4	Cerebrovascular diseases (I60-I69)	65,530	5.9	51.8
5	Alzheimer's disease (G30)	59,053	5.3	46.7
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	44,344	4.0	35.1
7	Diabetes mellitus (E10-E14)	26,821	2.4	21.2
8	Influenza and pneumonia (J09-J18)	24,650	2.2	19.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	18,389	1.7	14.5
10	Septicemia (A40-A41)	16,665	1.5	13.2
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	13,641	1.2	10.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	11,727	1.1	9.3
13	Parkinson's disease (G20-G21)	9,700	0.9	7.7
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	8,708	0.8	6.9
15	Pneumonitis due to solids and liquids (J69)	7,368	0.7	5.8
...	All other causes (residual)	247,169	22.3	195.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, female, 1-4 years				
...	All causes	1,140	100.0	19.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	338	29.6	5.8
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	125	11.0	2.1
3	Malignant neoplasms (C00-C97)	108	9.5	1.9
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	95	8.3	1.6
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	42	3.7	0.7
6	Influenza and pneumonia (J09-J18)	35	3.1	0.6
7	Septicemia (A40-A41)	22	1.9	0.4
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	16	1.4	*
9	Chronic lower respiratory diseases (J40-J47)	11	1.0	*
10	Certain conditions originating in the perinatal period (P00-P96)	10	0.9	*
11	Meningitis (G00,G03)	8	0.7	*
11	Cerebrovascular diseases (I60-I69)	8	0.7	*
13	Acute bronchitis and bronchiolitis (J20-J21)	6	0.5	*
13	Complications of medical and surgical care (Y40-Y84,Y88)	6	0.5	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5	0.4	*
...	All other causes (residual)	305	26.8	5.2
White, female, 5-14 years				
...	All causes	1,522	100.0	10.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	372	24.4	2.4
2	Malignant neoplasms (C00-C97)	279	18.3	1.8
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	123	8.1	0.8
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	121	8.0	0.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	72	4.7	0.5
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	57	3.7	0.4
7	Influenza and pneumonia (J09-J18)	37	2.4	0.2
8	Cerebrovascular diseases (I60-I69)	33	2.2	0.2
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	24	1.6	0.2
10	Chronic lower respiratory diseases (J40-J47)	23	1.5	0.2
11	Septicemia (A40-A41)	21	1.4	0.1
12	Certain conditions originating in the perinatal period (P00-P96)	12	0.8	*
13	Anemias (D50-D64)	5	0.3	*
14	Diabetes mellitus (E10-E14)	4	0.3	*
15	Pneumonitis due to solids and liquids (J69)	3	0.2	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	3	0.2	*
...	All other causes (residual)	333	21.9	2.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, female, 15-24 years				
...	All causes	5,719	100.0	35.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,488	43.5	15.4
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	804	14.1	5.0
3	Malignant neoplasms (C00-C97)	475	8.3	2.9
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	269	4.7	1.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	213	3.7	1.3
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	126	2.2	0.8
7	Pregnancy, childbirth and the puerperium (O00-O99)	99	1.7	0.6
8	Influenza and pneumonia (J09-J18)	70	1.2	0.4
9	Cerebrovascular diseases (I60-I69)	52	0.9	0.3
10	Diabetes mellitus (E10-E14)	39	0.7	0.2
11	Septicemia (A40-A41)	38	0.7	0.2
12	Chronic lower respiratory diseases (J40-J47)	34	0.6	0.2
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	29	0.5	0.2
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	20	0.3	0.1
15	Pneumonitis due to solids and liquids (J69)	15	0.3	*
...	All other causes (residual)	948	16.6	5.9
White, female, 25-44 years				
...	All causes	31,028	100.0	98.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,058	26.0	25.5
2	Malignant neoplasms (C00-C97)	6,169	19.9	19.5
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,838	9.1	9.0
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,645	8.5	8.4
5	Chronic liver disease and cirrhosis (K70,K73-K74)	992	3.2	3.1
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	741	2.4	2.3
7	Cerebrovascular diseases (I60-I69)	665	2.1	2.1
8	Diabetes mellitus (E10-E14)	661	2.1	2.1
9	Influenza and pneumonia (J09-J18)	580	1.9	1.8
10	Pregnancy, childbirth and the puerperium (O00-O99)	459	1.5	1.5
11	Septicemia (A40-A41)	424	1.4	1.3
12	Chronic lower respiratory diseases (J40-J47)	388	1.3	1.2
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	297	1.0	0.9
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	204	0.7	0.6
15	Human immunodeficiency virus (HIV) disease (B20-B24)	167	0.5	0.5
...	All other causes (residual)	5,740	18.5	18.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
White, female, 45-64 years				
...	All causes	160,097	100.0	468.0
1	Malignant neoplasms (C00-C97)	58,935	36.8	172.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	23,979	15.0	70.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,707	6.7	31.3
4	Chronic lower respiratory diseases (J40-J47)	8,931	5.6	26.1
5	Chronic liver disease and cirrhosis (K70,K73-K74)	5,761	3.6	16.8
6	Diabetes mellitus (E10-E14)	5,176	3.2	15.1
7	Cerebrovascular diseases (I60-I69)	4,960	3.1	14.5
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,924	2.5	11.5
9	Septicemia (A40-A41)	2,834	1.8	8.3
10	Influenza and pneumonia (J09-J18)	2,785	1.7	8.1
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,851	1.2	5.4
12	Viral hepatitis (B15-B19)	1,382	0.9	4.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,103	0.7	3.2
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	754	0.5	2.2
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	725	0.5	2.1
...	All other causes (residual)	26,290	16.4	76.8
White, female, 65 years and over				
...	All causes	902,748	100.0	4,095.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	219,553	24.3	996.1
2	Malignant neoplasms (C00-C97)	170,807	18.9	775.0
3	Chronic lower respiratory diseases (J40-J47)	62,164	6.9	282.0
4	Cerebrovascular diseases (I60-I69)	59,784	6.6	271.2
5	Alzheimer's disease (G30)	58,588	6.5	265.8
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	22,086	2.4	100.2
7	Influenza and pneumonia (J09-J18)	21,096	2.3	95.7
8	Diabetes mellitus (E10-E14)	20,939	2.3	95.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	16,275	1.8	73.8
10	Septicemia (A40-A41)	13,287	1.5	60.3
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	12,451	1.4	56.5
12	Parkinson's disease (G20-G21)	9,496	1.1	43.1
13	Pneumonitis due to solids and liquids (J69)	6,674	0.7	30.3
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	5,545	0.6	25.2
15	Chronic liver disease and cirrhosis (K70,K73-K74)	4,965	0.5	22.5
...	All other causes (residual)	199,038	22.0	903.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, all ages				
...	All causes	308,960	100.0	697.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	73,095	23.7	165.0
2	Malignant neoplasms (C00-C97)	69,090	22.4	155.9
3	Cerebrovascular diseases (I60-I69)	17,088	5.5	38.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	14,135	4.6	31.9
5	Diabetes mellitus (E10-E14)	13,435	4.3	30.3
6	Chronic lower respiratory diseases (J40-J47)	9,934	3.2	22.4
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	8,586	2.8	19.4
8	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	7,903	2.6	17.8
9	Alzheimer's disease (G30)	6,567	2.1	14.8
10	Septicemia (A40-A41)	6,386	2.1	14.4
11	Influenza and pneumonia (J09-J18)	5,611	1.8	12.7
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	5,399	1.7	12.2
13	Certain conditions originating in the perinatal period (P00-P96)	4,032	1.3	9.1
14	Human immunodeficiency virus (HIV) disease (B20-B24)	3,591	1.2	8.1
15	Chronic liver disease and cirrhosis (K70,K73-K74)	3,103	1.0	7.0
...	All other causes (residual)	61,005	19.7	137.7
Black, both sexes, 1-4 years				
...	All causes	1,009	100.0	37.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	291	28.8	10.7
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	151	15.0	5.6
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	104	10.3	3.8
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	55	5.5	2.0
5	Malignant neoplasms (C00-C97)	54	5.4	2.0
6	Influenza and pneumonia (J09-J18)	29	2.9	1.1
7	Chronic lower respiratory diseases (J40-J47)	23	2.3	0.8
8	Septicemia (A40-A41)	12	1.2	*
8	Certain conditions originating in the perinatal period (P00-P96)	12	1.2	*
10	Cerebrovascular diseases (I60-I69)	9	0.9	*
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	7	0.7	*
11	Acute bronchitis and bronchiolitis (J20-J21)	7	0.7	*
11	Complications of medical and surgical care (Y40-Y84,Y88)	7	0.7	*
14	Anemias (D50-D64)	6	0.6	*
15	Meningitis (G00,G03)	4	0.4	*
...	All other causes (residual)	238	23.6	8.8

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, 5-14 years				
...	All causes	1,204	100.0	17.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	336	27.9	4.9
2	Malignant neoplasms (C00-C97)	146	12.1	2.1
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	105	8.7	1.5
4	Chronic lower respiratory diseases (J40-J47)	75	6.2	1.1
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	72	6.0	1.1
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	61	5.1	0.9
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	58	4.8	0.9
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	21	1.7	0.3
9	Anemias (D50-D64)	18	1.5	*
10	Influenza and pneumonia (J09-J18)	17	1.4	*
11	Septicemia (A40-A41)	16	1.3	*
12	Cerebrovascular diseases (I60-I69)	15	1.2	*
13	Diabetes mellitus (E10-E14)	11	0.9	*
14	Certain conditions originating in the perinatal period (P00-P96)	10	0.8	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5	0.4	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	5	0.4	*
...	All other causes (residual)	233	19.4	3.4
Black, both sexes, 15-24 years				
...	All causes	6,602	100.0	89.6
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,683	40.6	36.4
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,509	22.9	20.5
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	546	8.3	7.4
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	284	4.3	3.9
5	Malignant neoplasms (C00-C97)	272	4.1	3.7
6	Human immunodeficiency virus (HIV) disease (B20-B24)	86	1.3	1.2
7	Chronic lower respiratory diseases (J40-J47)	72	1.1	1.0
8	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	67	1.0	0.9
9	Anemias (D50-D64)	65	1.0	0.9
10	Diabetes mellitus (E10-E14)	60	0.9	0.8
11	Pregnancy, childbirth and the puerperium (O00-O99)	57	0.9	0.8
12	Cerebrovascular diseases (I60-I69)	49	0.7	0.7
13	Influenza and pneumonia (J09-J18)	38	0.6	0.5
14	Septicemia (A40-A41)	32	0.5	0.4
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	29	0.4	0.4
15	Legal intervention (Y35,Y89.0)	29	0.4	0.4
...	All other causes (residual)	724	11.0	9.8

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, 25-44 years				
...	All causes	23,546	100.0	195.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,809	16.2	31.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,785	16.1	31.4
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3,590	15.2	29.7
4	Malignant neoplasms (C00-C97)	2,605	11.1	21.6
5	Human immunodeficiency virus (HIV) disease (B20-B24)	1,016	4.3	8.4
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,010	4.3	8.4
7	Diabetes mellitus (E10-E14)	786	3.3	6.5
8	Cerebrovascular diseases (I60-I69)	671	2.8	5.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	349	1.5	2.9
10	Chronic lower respiratory diseases (J40-J47)	314	1.3	2.6
11	Influenza and pneumonia (J09-J18)	300	1.3	2.5
12	Septicemia (A40-A41)	270	1.1	2.2
12	Anemias (D50-D64)	270	1.1	2.2
14	Pregnancy, childbirth and the puerperium (O00-O99)	246	1.0	2.0
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	244	1.0	2.0
...	All other causes (residual)	4,281	18.2	35.5
Black, both sexes, 45-64 years				
...	All causes	91,787	100.0	878.4
1	Malignant neoplasms (C00-C97)	25,532	27.8	244.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	22,325	24.3	213.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,990	5.4	47.8
4	Cerebrovascular diseases (I60-I69)	4,436	4.8	42.5
5	Diabetes mellitus (E10-E14)	4,339	4.7	41.5
6	Chronic lower respiratory diseases (J40-J47)	2,483	2.7	23.8
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,243	2.4	21.5
8	Human immunodeficiency virus (HIV) disease (B20-B24)	2,096	2.3	20.1
9	Chronic liver disease and cirrhosis (K70,K73-K74)	2,036	2.2	19.5
10	Septicemia (A40-A41)	1,916	2.1	18.3
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,503	1.6	14.4
12	Influenza and pneumonia (J09-J18)	1,436	1.6	13.7
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,087	1.2	10.4
14	Viral hepatitis (B15-B19)	839	0.9	8.0
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	628	0.7	6.0
...	All other causes (residual)	13,898	15.1	133.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, both sexes, 65 years and over				
...	All causes	177,710	100.0	4,210.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	46,457	26.1	1,100.7
2	Malignant neoplasms (C00-C97)	40,470	22.8	958.9
3	Cerebrovascular diseases (I60-I69)	11,884	6.7	281.6
4	Diabetes mellitus (E10-E14)	8,237	4.6	195.2
5	Chronic lower respiratory diseases (J40-J47)	6,959	3.9	164.9
6	Alzheimer's disease (G30)	6,460	3.6	153.1
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5,936	3.3	140.6
8	Septicemia (A40-A41)	4,087	2.3	96.8
9	Influenza and pneumonia (J09-J18)	3,717	2.1	88.1
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,644	2.1	86.3
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,777	1.6	65.8
12	Pneumonitis due to solids and liquids (J69)	1,367	0.8	32.4
13	Parkinson's disease (G20-G21)	1,099	0.6	26.0
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	906	0.5	21.5
15	Chronic liver disease and cirrhosis (K70,K73-K74)	833	0.5	19.7
...	All other causes (residual)	32,877	18.5	779.0
Black, male, all ages				
...	All causes	157,733	100.0	742.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	37,962	24.1	178.7
2	Malignant neoplasms (C00-C97)	35,061	22.2	165.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,537	6.0	44.9
4	Cerebrovascular diseases (I60-I69)	7,747	4.9	36.5
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	6,823	4.3	32.1
6	Diabetes mellitus (E10-E14)	6,452	4.1	30.4
7	Chronic lower respiratory diseases (J40-J47)	5,035	3.2	23.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,034	2.6	19.0
9	Septicemia (A40-A41)	2,969	1.9	14.0
10	Influenza and pneumonia (J09-J18)	2,736	1.7	12.9
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,481	1.6	11.7
12	Human immunodeficiency virus (HIV) disease (B20-B24)	2,373	1.5	11.2
13	Certain conditions originating in the perinatal period (P00-P96)	2,266	1.4	10.7
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,951	1.2	9.2
15	Chronic liver disease and cirrhosis (K70,K73-K74)	1,940	1.2	9.1
...	All other causes (residual)	28,366	18.0	133.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, male, 1-4 years				
...	All causes	583	100.0	42.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	179	30.7	12.9
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	81	13.9	5.9
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	59	10.1	4.3
4	Malignant neoplasms (C00-C97)	28	4.8	2.0
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	26	4.5	1.9
6	Influenza and pneumonia (J09-J18)	19	3.3	*
7	Chronic lower respiratory diseases (J40-J47)	11	1.9	*
8	Certain conditions originating in the perinatal period (P00-P96)	9	1.5	*
9	Septicemia (A40-A41)	7	1.2	*
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6	1.0	*
11	Anemias (D50-D64)	5	0.9	*
11	Cerebrovascular diseases (I60-I69)	5	0.9	*
13	Acute bronchitis and bronchiolitis (J20-J21)	4	0.7	*
14	Meningitis (G00,G03)	3	0.5	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	3	0.5	*
...	All other causes (residual)	138	23.7	10.0
Black, male, 5-14 years				
...	All causes	725	100.0	21.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	225	31.0	6.5
2	Malignant neoplasms (C00-C97)	77	10.6	2.2
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	70	9.7	2.0
4	Chronic lower respiratory diseases (J40-J47)	51	7.0	1.5
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	42	5.8	1.2
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	42	5.8	1.2
7	Diseases of heart (I00-I09,I11,I13,I20-I51)	40	5.5	1.2
8	Influenza and pneumonia (J09-J18)	10	1.4	*
9	Septicemia (A40-A41)	9	1.2	*
10	Anemias (D50-D64)	8	1.1	*
11	Cerebrovascular diseases (I60-I69)	7	1.0	*
11	Certain conditions originating in the perinatal period (P00-P96)	7	1.0	*
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	5	0.7	*
13	Diabetes mellitus (E10-E14)	5	0.7	*
15	Diseases of appendix (K35-K38)	3	0.4	*
...	All other causes (residual)	124	17.1	3.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, male, 15-24 years				
...	All causes	5,058	100.0	135.4
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,428	48.0	65.0
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,121	22.2	30.0
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	450	8.9	12.0
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	172	3.4	4.6
5	Malignant neoplasms (C00-C97)	161	3.2	4.3
6	Human immunodeficiency virus (HIV) disease (B20-B24)	52	1.0	1.4
7	Chronic lower respiratory diseases (J40-J47)	47	0.9	1.3
8	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	38	0.8	1.0
9	Anemias (D50-D64)	33	0.7	0.9
9	Diabetes mellitus (E10-E14)	33	0.7	0.9
11	Cerebrovascular diseases (I60-I69)	29	0.6	0.8
11	Legal intervention (Y35,Y89.0)	29	0.6	0.8
13	Influenza and pneumonia (J09-J18)	27	0.5	0.7
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	17	0.3	*
15	Septicemia (A40-A41)	12	0.2	*
...	All other causes (residual)	409	8.1	11.0
Black, male, 25-44 years				
...	All causes	14,832	100.0	256.5
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3,171	21.4	54.8
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,756	18.6	47.7
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,346	15.8	40.6
4	Malignant neoplasms (C00-C97)	1,024	6.9	17.7
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	830	5.6	14.4
6	Human immunodeficiency virus (HIV) disease (B20-B24)	619	4.2	10.7
7	Diabetes mellitus (E10-E14)	431	2.9	7.5
8	Cerebrovascular diseases (I60-I69)	395	2.7	6.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	193	1.3	3.3
10	Chronic lower respiratory diseases (J40-J47)	175	1.2	3.0
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	159	1.1	2.7
12	Anemias (D50-D64)	154	1.0	2.7
13	Influenza and pneumonia (J09-J18)	151	1.0	2.6
14	Septicemia (A40-A41)	136	0.9	2.4
15	Chronic liver disease and cirrhosis (K70,K73-K74)	111	0.7	1.9
...	All other causes (residual)	2,181	14.7	37.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, male, 45-64 years				
...	All causes	52,854	100.0	1,091.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,011	26.5	289.3
2	Malignant neoplasms (C00-C97)	13,193	25.0	272.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,454	6.5	71.3
4	Cerebrovascular diseases (I60-I69)	2,510	4.7	51.8
5	Diabetes mellitus (E10-E14)	2,425	4.6	50.1
6	Human immunodeficiency virus (HIV) disease (B20-B24)	1,425	2.7	29.4
7	Chronic liver disease and cirrhosis (K70,K73-K74)	1,293	2.4	26.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,254	2.4	25.9
9	Chronic lower respiratory diseases (J40-J47)	1,219	2.3	25.2
10	Septicemia (A40-A41)	987	1.9	20.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	884	1.7	18.3
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	882	1.7	18.2
13	Influenza and pneumonia (J09-J18)	792	1.5	16.4
14	Viral hepatitis (B15-B19)	564	1.1	11.6
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	479	0.9	9.9
...	All other causes (residual)	7,482	14.2	154.5
Black, male, 65 years and over				
...	All causes	79,760	100.0	4,714.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	21,298	26.7	1,259.0
2	Malignant neoplasms (C00-C97)	20,576	25.8	1,216.3
3	Cerebrovascular diseases (I60-I69)	4,788	6.0	283.0
4	Diabetes mellitus (E10-E14)	3,556	4.5	210.2
5	Chronic lower respiratory diseases (J40-J47)	3,526	4.4	208.4
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,552	3.2	150.9
7	Alzheimer's disease (G30)	1,792	2.2	105.9
8	Septicemia (A40-A41)	1,791	2.2	105.9
9	Influenza and pneumonia (J09-J18)	1,709	2.1	101.0
10	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,566	2.0	92.6
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,432	1.8	84.7
12	Pneumonitis due to solids and liquids (J69)	694	0.9	41.0
13	Parkinson's disease (G20-G21)	632	0.8	37.4
14	Chronic liver disease and cirrhosis (K70,K73-K74)	536	0.7	31.7
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	375	0.5	22.2
...	All other causes (residual)	12,937	16.2	764.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, all ages				
...	All causes	151,227	100.0	655.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	35,133	23.2	152.3
2	Malignant neoplasms (C00-C97)	34,029	22.5	147.5
3	Cerebrovascular diseases (I60-I69)	9,341	6.2	40.5
4	Diabetes mellitus (E10-E14)	6,983	4.6	30.3
5	Chronic lower respiratory diseases (J40-J47)	4,899	3.2	21.2
6	Alzheimer's disease (G30)	4,730	3.1	20.5
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,598	3.0	19.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,552	3.0	19.7
9	Septicemia (A40-A41)	3,417	2.3	14.8
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,918	1.9	12.6
11	Influenza and pneumonia (J09-J18)	2,875	1.9	12.5
12	Certain conditions originating in the perinatal period (P00-P96)	1,766	1.2	7.7
13	Human immunodeficiency virus (HIV) disease (B20-B24)	1,218	0.8	5.3
14	Chronic liver disease and cirrhosis (K70,K73-K74)	1,163	0.8	5.0
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,080	0.7	4.7
...	All other causes (residual)	32,525	21.5	141.0
Black, female, 1-4 years				
...	All causes	426	100.0	31.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	112	26.3	8.4
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	70	16.4	5.2
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	45	10.6	3.4
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	29	6.8	2.2
5	Malignant neoplasms (C00-C97)	26	6.1	1.9
6	Chronic lower respiratory diseases (J40-J47)	12	2.8	*
7	Influenza and pneumonia (J09-J18)	10	2.3	*
8	Septicemia (A40-A41)	5	1.2	*
9	Cerebrovascular diseases (I60-I69)	4	0.9	*
9	Complications of medical and surgical care (Y40-Y84,Y88)	4	0.9	*
11	Acute bronchitis and bronchiolitis (J20-J21)	3	0.7	*
11	Certain conditions originating in the perinatal period (P00-P96)	3	0.7	*
13	Salmonella infections (A01-A02)	1	0.2	*
13	Meningococcal infection (A39)	1	0.2	*
13	Malaria (B50-B54)	1	0.2	*
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.2	*
13	Anemias (D50-D64)	1	0.2	*
13	Nutritional deficiencies (E40-E64)	1	0.2	*
13	Meningitis (G00,G03)	1	0.2	*
13	Pneumonitis due to solids and liquids (J69)	1	0.2	*
...	All other causes (residual)	95	22.3	7.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, 5-14 years				
...	All causes	479	100.0	14.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	111	23.2	3.3
2	Malignant neoplasms (C00-C97)	69	14.4	2.1
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	35	7.3	1.0
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	30	6.3	0.9
5	Chronic lower respiratory diseases (J40-J47)	24	5.0	0.7
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	21	4.4	0.6
7	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	16	3.3	*
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	16	3.3	*
9	Anemias (D50-D64)	10	2.1	*
10	Cerebrovascular diseases (I60-I69)	8	1.7	*
11	Septicemia (A40-A41)	7	1.5	*
11	Influenza and pneumonia (J09-J18)	7	1.5	*
13	Diabetes mellitus (E10-E14)	6	1.3	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3	0.6	*
14	Certain conditions originating in the perinatal period (P00-P96)	3	0.6	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	3	0.6	*
...	All other causes (residual)	110	23.0	3.3
Black, female, 15-24 years				
...	All causes	1,544	100.0	42.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	388	25.1	10.7
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	255	16.5	7.0
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	112	7.3	3.1
4	Malignant neoplasms (C00-C97)	111	7.2	3.1
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	96	6.2	2.6
6	Pregnancy, childbirth and the puerperium (O00-O99)	57	3.7	1.6
7	Human immunodeficiency virus (HIV) disease (B20-B24)	34	2.2	0.9
8	Anemias (D50-D64)	32	2.1	0.9
9	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	29	1.9	0.8
10	Diabetes mellitus (E10-E14)	27	1.7	0.7
11	Chronic lower respiratory diseases (J40-J47)	25	1.6	0.7
12	Septicemia (A40-A41)	20	1.3	0.6
12	Cerebrovascular diseases (I60-I69)	20	1.3	0.6
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	12	0.8	*
15	Influenza and pneumonia (J09-J18)	11	0.7	*
...	All other causes (residual)	315	20.4	8.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, 25-44 years				
...	All causes	8,714	100.0	138.6
1	Malignant neoplasms (C00-C97)	1,581	18.1	25.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,439	16.5	22.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,053	12.1	16.7
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	419	4.8	6.7
5	Human immunodeficiency virus (HIV) disease (B20-B24)	397	4.6	6.3
6	Diabetes mellitus (E10-E14)	355	4.1	5.6
7	Cerebrovascular diseases (I60-I69)	276	3.2	4.4
8	Pregnancy, childbirth and the puerperium (O00-O99)	246	2.8	3.9
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	180	2.1	2.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	156	1.8	2.5
11	Influenza and pneumonia (J09-J18)	149	1.7	2.4
12	Chronic lower respiratory diseases (J40-J47)	139	1.6	2.2
13	Septicemia (A40-A41)	134	1.5	2.1
14	Chronic liver disease and cirrhosis (K70,K73-K74)	121	1.4	1.9
15	Anemias (D50-D64)	116	1.3	1.8
...	All other causes (residual)	1,953	22.4	31.1
Black, female, 45-64 years				
...	All causes	38,933	100.0	694.4
1	Malignant neoplasms (C00-C97)	12,339	31.7	220.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,314	21.4	148.3
3	Cerebrovascular diseases (I60-I69)	1,926	4.9	34.4
4	Diabetes mellitus (E10-E14)	1,914	4.9	34.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,536	3.9	27.4
6	Chronic lower respiratory diseases (J40-J47)	1,264	3.2	22.5
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	989	2.5	17.6
8	Septicemia (A40-A41)	929	2.4	16.6
9	Chronic liver disease and cirrhosis (K70,K73-K74)	743	1.9	13.3
10	Human immunodeficiency virus (HIV) disease (B20-B24)	671	1.7	12.0
11	Influenza and pneumonia (J09-J18)	644	1.7	11.5
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	619	1.6	11.0
13	Viral hepatitis (B15-B19)	275	0.7	4.9
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	205	0.5	3.7
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	164	0.4	2.9
...	All other causes (residual)	6,401	16.4	114.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Black, female, 65 years and over				
...	All causes	97,950	100.0	3,873.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	25,159	25.7	994.9
2	Malignant neoplasms (C00-C97)	19,894	20.3	786.7
3	Cerebrovascular diseases (I60-I69)	7,096	7.2	280.6
4	Diabetes mellitus (E10-E14)	4,681	4.8	185.1
5	Alzheimer's disease (G30)	4,668	4.8	184.6
6	Chronic lower respiratory diseases (J40-J47)	3,433	3.5	135.8
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,384	3.5	133.8
8	Septicemia (A40-A41)	2,296	2.3	90.8
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,212	2.3	87.5
10	Influenza and pneumonia (J09-J18)	2,008	2.1	79.4
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,211	1.2	47.9
12	Pneumonitis due to solids and liquids (J69)	673	0.7	26.6
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	531	0.5	21.0
14	Parkinson's disease (G20-G21)	467	0.5	18.5
15	Chronic liver disease and cirrhosis (K70,K73-K74)	297	0.3	11.7
...	All other causes (residual)	19,940	20.4	788.5
American Indian, both sexes, all ages				
...	All causes	18,008	100.0	398.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,288	18.3	72.8
2	Malignant neoplasms (C00-C97)	3,153	17.5	69.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,996	11.1	44.2
4	Chronic liver disease and cirrhosis (K70,K73-K74)	951	5.3	21.0
5	Diabetes mellitus (E10-E14)	945	5.2	20.9
6	Chronic lower respiratory diseases (J40-J47)	788	4.4	17.4
7	Cerebrovascular diseases (I60-I69)	649	3.6	14.4
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	489	2.7	10.8
9	Influenza and pneumonia (J09-J18)	412	2.3	9.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	338	1.9	7.5
11	Alzheimer's disease (G30)	304	1.7	6.7
12	Septicemia (A40-A41)	289	1.6	6.4
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	264	1.5	5.8
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	176	1.0	3.9
15	Certain conditions originating in the perinatal period (P00-P96)	142	0.8	3.1
...	All other causes (residual)	3,824	21.2	84.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, both sexes, 1-4 years				
...	All causes	95	100.0	30.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	36	37.9	11.7
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	8	8.4	*
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	6	6.3	*
4	Malignant neoplasms (C00-C97)	5	5.3	*
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	4	4.2	*
6	Septicemia (A40-A41)	2	2.1	*
6	Chronic lower respiratory diseases (J40-J47)	2	2.1	*
6	Certain conditions originating in the perinatal period (P00-P96)	2	2.1	*
9	Meningococcal infection (A39)	1	1.1	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	1.1	*
9	Cerebrovascular diseases (I60-I69)	1	1.1	*
9	Influenza and pneumonia (J09-J18)	1	1.1	*
...	All other causes (residual)	26	27.4	8.4
American Indian, both sexes, 5-14 years				
...	All causes	89	100.0	11.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	37	41.6	4.8
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	12	13.5	*
3	Malignant neoplasms (C00-C97)	7	7.9	*
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	7	7.9	*
5	Influenza and pneumonia (J09-J18)	4	4.5	*
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	4	4.5	*
7	Diabetes mellitus (E10-E14)	1	1.1	*
7	Diseases of heart (I00-I09,I11,I13,I20-I51)	1	1.1	*
7	Cerebrovascular diseases (I60-I69)	1	1.1	*
7	Chronic lower respiratory diseases (J40-J47)	1	1.1	*
7	Diseases of appendix (K35-K38)	1	1.1	*
7	Complications of medical and surgical care (Y40-Y84,Y88)	1	1.1	*
...	All other causes (residual)	12	13.5	*

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, both sexes, 15-24 years				
...	All causes	586	100.0	76.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	282	48.1	36.6
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	129	22.0	16.7
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	56	9.6	7.3
4	Malignant neoplasms (C00-C97)	14	2.4	*
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	13	2.2	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	8	1.4	*
7	Chronic lower respiratory diseases (J40-J47)	5	0.9	*
8	Influenza and pneumonia (J09-J18)	4	0.7	*
8	Pregnancy, childbirth and the puerperium (O00-O99)	4	0.7	*
10	Chronic liver disease and cirrhosis (K70,K73-K74)	3	0.5	*
10	Legal intervention (Y35,Y89.0)	3	0.5	*
12	Septicemia (A40-A41)	2	0.3	*
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.2	*
13	Diabetes mellitus (E10-E14)	1	0.2	*
13	Meningitis (G00,G03)	1	0.2	*
13	Cerebrovascular diseases (I60-I69)	1	0.2	*
13	Aortic aneurysm and dissection (I71)	1	0.2	*
13	Pneumonitis due to solids and liquids (J69)	1	0.2	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.2	*
...	All other causes (residual)	56	9.6	7.3
American Indian, both sexes, 25-44 years				
...	All causes	2,263	100.0	175.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	734	32.4	56.9
2	Chronic liver disease and cirrhosis (K70,K73-K74)	248	11.0	19.2
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	235	10.4	18.2
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	195	8.6	15.1
5	Malignant neoplasms (C00-C97)	121	5.3	9.4
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	116	5.1	9.0
7	Diabetes mellitus (E10-E14)	69	3.0	5.3
8	Influenza and pneumonia (J09-J18)	43	1.9	3.3
9	Septicemia (A40-A41)	32	1.4	2.5
10	Cerebrovascular diseases (I60-I69)	20	0.9	1.5
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	15	0.7	*
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	11	0.5	*
12	Chronic lower respiratory diseases (J40-J47)	11	0.5	*
12	Pregnancy, childbirth and the puerperium (O00-O99)	11	0.5	*
15	Viral hepatitis (B15-B19)	10	0.4	*
...	All other causes (residual)	392	17.3	30.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, both sexes, 45-64 years				
...	All causes	5,678	100.0	585.1
1	Malignant neoplasms (C00-C97)	1,096	19.3	112.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,010	17.8	104.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	625	11.0	64.4
4	Chronic liver disease and cirrhosis (K70,K73-K74)	540	9.5	55.6
5	Diabetes mellitus (E10-E14)	361	6.4	37.2
6	Chronic lower respiratory diseases (J40-J47)	181	3.2	18.7
7	Cerebrovascular diseases (I60-I69)	161	2.8	16.6
8	Influenza and pneumonia (J09-J18)	111	2.0	11.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	104	1.8	10.7
10	Septicemia (A40-A41)	96	1.7	9.9
11	Viral hepatitis (B15-B19)	92	1.6	9.5
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	91	1.6	9.4
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	59	1.0	6.1
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	45	0.8	4.6
15	Human immunodeficiency virus (HIV) disease (B20-B24)	38	0.7	3.9
...	All other causes (residual)	1,068	18.8	110.1
American Indian, both sexes, 65 years and over				
...	All causes	8,937	100.0	2,685.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,064	23.1	620.3
2	Malignant neoplasms (C00-C97)	1,910	21.4	574.0
3	Chronic lower respiratory diseases (J40-J47)	587	6.6	176.4
4	Diabetes mellitus (E10-E14)	513	5.7	154.2
5	Cerebrovascular diseases (I60-I69)	463	5.2	139.1
6	Alzheimer's disease (G30)	298	3.3	89.6
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	258	2.9	77.5
8	Influenza and pneumonia (J09-J18)	244	2.7	73.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	217	2.4	65.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	160	1.8	48.1
11	Septicemia (A40-A41)	154	1.7	46.3
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	120	1.3	36.1
13	Parkinson's disease (G20-G21)	82	0.9	24.6
14	Pneumonitis due to solids and liquids (J69)	74	0.8	22.2
15	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	46	0.5	13.8
...	All other causes (residual)	1,747	19.5	525.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, male, all ages				
...	All causes	9,829	100.0	433.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,915	19.5	84.4
2	Malignant neoplasms (C00-C97)	1,727	17.6	76.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,331	13.5	58.7
4	Diabetes mellitus (E10-E14)	504	5.1	22.2
5	Chronic liver disease and cirrhosis (K70,K73-K74)	481	4.9	21.2
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	363	3.7	16.0
7	Chronic lower respiratory diseases (J40-J47)	360	3.7	15.9
8	Cerebrovascular diseases (I60-I69)	296	3.0	13.0
9	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	209	2.1	9.2
10	Influenza and pneumonia (J09-J18)	195	2.0	8.6
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	163	1.7	7.2
12	Septicemia (A40-A41)	123	1.3	5.4
13	Viral hepatitis (B15-B19)	86	0.9	3.8
14	Alzheimer's disease (G30)	80	0.8	3.5
14	Certain conditions originating in the perinatal period (P00-P96)	80	0.8	3.5
...	All other causes (residual)	1,916	19.5	84.4
American Indian, male, 1-4 years				
...	All causes	64	100.0	41.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	24	37.5	15.4
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	8	12.5	*
3	Malignant neoplasms (C00-C97)	5	7.8	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	3	4.7	*
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	3	4.7	*
6	Chronic lower respiratory diseases (J40-J47)	2	3.1	*
7	Meningococcal infection (A39)	1	1.6	*
7	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	1.6	*
7	Cerebrovascular diseases (I60-I69)	1	1.6	*
7	Certain conditions originating in the perinatal period (P00-P96)	1	1.6	*
...	All other causes (residual)	15	23.4	*

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, male, 5-14 years				
...	All causes	48	100.0	12.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	23	47.9	5.9
2	Malignant neoplasms (C00-C97)	4	8.3	*
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4	8.3	*
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3	6.3	*
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	2	4.2	*
6	Cerebrovascular diseases (I60-I69)	1	2.1	*
6	Influenza and pneumonia (J09-J18)	1	2.1	*
6	Chronic lower respiratory diseases (J40-J47)	1	2.1	*
6	Diseases of appendix (K35-K38)	1	2.1	*
6	Complications of medical and surgical care (Y40-Y84,Y88)	1	2.1	*
...	All other causes (residual)	7	14.6	*
American Indian, male, 15-24 years				
...	All causes	410	100.0	103.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	190	46.3	48.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	93	22.7	23.5
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	48	11.7	12.1
4	Malignant neoplasms (C00-C97)	10	2.4	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	10	2.4	*
6	Influenza and pneumonia (J09-J18)	4	1.0	*
7	Chronic lower respiratory diseases (J40-J47)	3	0.7	*
7	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	3	0.7	*
7	Legal intervention (Y35,Y89.0)	3	0.7	*
10	Chronic liver disease and cirrhosis (K70,K73-K74)	2	0.5	*
11	Diabetes mellitus (E10-E14)	1	0.2	*
11	Meningitis (G00,G03)	1	0.2	*
11	Cerebrovascular diseases (I60-I69)	1	0.2	*
11	Aortic aneurysm and dissection (I71)	1	0.2	*
...	All other causes (residual)	40	9.8	10.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, male, 25-44 years				
...	All causes	1,447	100.0	217.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	505	34.9	76.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	174	12.0	26.2
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	134	9.3	20.2
4	Chronic liver disease and cirrhosis (K70,K73-K74)	125	8.6	18.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	90	6.2	13.6
6	Malignant neoplasms (C00-C97)	63	4.4	9.5
7	Diabetes mellitus (E10-E14)	42	2.9	6.3
8	Influenza and pneumonia (J09-J18)	22	1.5	3.3
9	Septicemia (A40-A41)	16	1.1	*
10	Cerebrovascular diseases (I60-I69)	13	0.9	*
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	8	0.6	*
11	Legal intervention (Y35,Y89.0)	8	0.6	*
13	Human immunodeficiency virus (HIV) disease (B20-B24)	6	0.4	*
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	6	0.4	*
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	6	0.4	*
...	All other causes (residual)	229	15.8	34.5
American Indian, male, 45-64 years				
...	All causes	3,375	100.0	710.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	700	20.7	147.3
2	Malignant neoplasms (C00-C97)	606	18.0	127.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	431	12.8	90.7
4	Chronic liver disease and cirrhosis (K70,K73-K74)	277	8.2	58.3
5	Diabetes mellitus (E10-E14)	211	6.3	44.4
6	Chronic lower respiratory diseases (J40-J47)	84	2.5	17.7
7	Cerebrovascular diseases (I60-I69)	83	2.5	17.5
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	72	2.1	15.1
9	Viral hepatitis (B15-B19)	70	2.1	14.7
10	Influenza and pneumonia (J09-J18)	57	1.7	12.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	54	1.6	11.4
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	46	1.4	9.7
13	Septicemia (A40-A41)	44	1.3	9.3
14	Human immunodeficiency virus (HIV) disease (B20-B24)	26	0.8	5.5
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	24	0.7	5.0
...	All other causes (residual)	590	17.5	124.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, male, 65 years and over				
...	All causes	4,283	100.0	2,865.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,067	24.9	713.9
2	Malignant neoplasms (C00-C97)	1,039	24.3	695.2
3	Chronic lower respiratory diseases (J40-J47)	267	6.2	178.7
4	Diabetes mellitus (E10-E14)	250	5.8	167.3
5	Cerebrovascular diseases (I60-I69)	196	4.6	131.1
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	143	3.3	95.7
7	Influenza and pneumonia (J09-J18)	109	2.5	72.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	100	2.3	66.9
9	Alzheimer's disease (G30)	79	1.8	52.9
10	Chronic liver disease and cirrhosis (K70,K73-K74)	77	1.8	51.5
11	Septicemia (A40-A41)	62	1.4	41.5
12	Parkinson's disease (G20-G21)	46	1.1	30.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	45	1.1	30.1
14	Pneumonitis due to solids and liquids (J69)	41	1.0	27.4
15	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	23	0.5	15.4
...	All other causes (residual)	739	17.3	494.5
American Indian, female, all ages				
...	All causes	8,179	100.0	363.5
1	Malignant neoplasms (C00-C97)	1,426	17.4	63.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,373	16.8	61.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	665	8.1	29.6
4	Chronic liver disease and cirrhosis (K70,K73-K74)	470	5.7	20.9
5	Diabetes mellitus (E10-E14)	441	5.4	19.6
6	Chronic lower respiratory diseases (J40-J47)	428	5.2	19.0
7	Cerebrovascular diseases (I60-I69)	353	4.3	15.7
8	Alzheimer's disease (G30)	224	2.7	10.0
9	Influenza and pneumonia (J09-J18)	217	2.7	9.6
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	175	2.1	7.8
11	Septicemia (A40-A41)	166	2.0	7.4
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	126	1.5	5.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	101	1.2	4.5
14	Certain conditions originating in the perinatal period (P00-P96)	62	0.8	2.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	55	0.7	2.4
...	All other causes (residual)	1,897	23.2	84.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, female, 1-4 years				
...	All causes	31	100.0	20.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	12	38.7	*
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	3	9.7	*
3	Septicemia (A40-A41)	2	6.5	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	1	3.2	*
4	Influenza and pneumonia (J09-J18)	1	3.2	*
4	Certain conditions originating in the perinatal period (P00-P96)	1	3.2	*
...	All other causes (residual)	11	35.5	*
American Indian, female, 5-14 years				
...	All causes	41	100.0	10.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	14	34.1	*
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	8	19.5	*
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	4	9.8	*
4	Malignant neoplasms (C00-C97)	3	7.3	*
4	Influenza and pneumonia (J09-J18)	3	7.3	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	2	4.9	*
7	Diabetes mellitus (E10-E14)	1	2.4	*
7	Diseases of heart (I00-I09,I11,I13,I20-I51)	1	2.4	*
...	All other causes (residual)	5	12.2	*
American Indian, female, 15-24 years				
...	All causes	176	100.0	46.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	92	52.3	24.5
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	36	20.5	9.6
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	8	4.5	*
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	5	2.8	*
5	Malignant neoplasms (C00-C97)	4	2.3	*
5	Pregnancy, childbirth and the puerperium (O00-O99)	4	2.3	*
7	Diseases of heart (I00-I09,I11,I13,I20-I51)	3	1.7	*
8	Septicemia (A40-A41)	2	1.1	*
8	Chronic lower respiratory diseases (J40-J47)	2	1.1	*
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.6	*
10	Pneumonitis due to solids and liquids (J69)	1	0.6	*
10	Chronic liver disease and cirrhosis (K70,K73-K74)	1	0.6	*
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.6	*
...	All other causes (residual)	16	9.1	*

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, female, 25-44 years				
...	All causes	816	100.0	130.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	229	28.1	36.6
2	Chronic liver disease and cirrhosis (K70,K73-K74)	123	15.1	19.6
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	61	7.5	9.7
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	61	7.5	9.7
5	Malignant neoplasms (C00-C97)	58	7.1	9.3
6	Diabetes mellitus (E10-E14)	27	3.3	4.3
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	26	3.2	4.2
8	Influenza and pneumonia (J09-J18)	21	2.6	3.4
9	Septicemia (A40-A41)	16	2.0	*
10	Pregnancy, childbirth and the puerperium (O00-O99)	11	1.3	*
11	Chronic lower respiratory diseases (J40-J47)	8	1.0	*
12	Cerebrovascular diseases (I60-I69)	7	0.9	*
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	7	0.9	*
14	Viral hepatitis (B15-B19)	5	0.6	*
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	5	0.6	*
...	All other causes (residual)	151	18.5	24.1
American Indian, female, 45-64 years				
...	All causes	2,303	100.0	465.2
1	Malignant neoplasms (C00-C97)	490	21.3	99.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	310	13.5	62.6
3	Chronic liver disease and cirrhosis (K70,K73-K74)	263	11.4	53.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	194	8.4	39.2
5	Diabetes mellitus (E10-E14)	150	6.5	30.3
6	Chronic lower respiratory diseases (J40-J47)	97	4.2	19.6
7	Cerebrovascular diseases (I60-I69)	78	3.4	15.8
8	Influenza and pneumonia (J09-J18)	54	2.3	10.9
9	Septicemia (A40-A41)	52	2.3	10.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	50	2.2	10.1
11	Viral hepatitis (B15-B19)	22	1.0	4.4
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	21	0.9	4.2
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	19	0.8	*
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	13	0.6	*
15	Human immunodeficiency virus (HIV) disease (B20-B24)	12	0.5	*
...	All other causes (residual)	478	20.8	96.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
American Indian, female, 65 years and over				
...	All causes	4,654	100.0	2,539.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	997	21.4	543.9
2	Malignant neoplasms (C00-C97)	871	18.7	475.2
3	Chronic lower respiratory diseases (J40-J47)	320	6.9	174.6
4	Cerebrovascular diseases (I60-I69)	267	5.7	145.7
5	Diabetes mellitus (E10-E14)	263	5.7	143.5
6	Alzheimer's disease (G30)	219	4.7	119.5
7	Influenza and pneumonia (J09-J18)	135	2.9	73.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	117	2.5	63.8
9	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	115	2.5	62.7
10	Septicemia (A40-A41)	92	2.0	50.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	83	1.8	45.3
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	75	1.6	40.9
13	Parkinson's disease (G20-G21)	36	0.8	19.6
14	Pneumonitis due to solids and liquids (J69)	33	0.7	18.0
15	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	23	0.5	12.5
...	All other causes (residual)	1,008	21.7	549.9
Asian or Pacific Islander, both sexes, all ages				
...	All causes	61,570	100.0	317.4
1	Malignant neoplasms (C00-C97)	16,524	26.8	85.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,270	21.6	68.4
3	Cerebrovascular diseases (I60-I69)	4,331	7.0	22.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,646	4.3	13.6
5	Diabetes mellitus (E10-E14)	2,367	3.8	12.2
6	Influenza and pneumonia (J09-J18)	1,911	3.1	9.9
7	Chronic lower respiratory diseases (J40-J47)	1,838	3.0	9.5
8	Alzheimer's disease (G30)	1,680	2.7	8.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,246	2.0	6.4
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,188	1.9	6.1
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,007	1.6	5.2
12	Septicemia (A40-A41)	753	1.2	3.9
13	Parkinson's disease (G20-G21)	611	1.0	3.1
14	Chronic liver disease and cirrhosis (K70,K73-K74)	608	1.0	3.1
15	Certain conditions originating in the perinatal period (P00-P96)	508	0.8	2.6
...	All other causes (residual)	11,082	18.0	57.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, both sexes, 1-4 years				
...	All causes	134	100.0	13.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	30	22.4	3.0
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	18	13.4	*
3	Malignant neoplasms (C00-C97)	12	9.0	*
4	Influenza and pneumonia (J09-J18)	7	5.2	*
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	6	4.5	*
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	5	3.7	*
7	Cerebrovascular diseases (I60-I69)	3	2.2	*
7	Chronic lower respiratory diseases (J40-J47)	3	2.2	*
9	Septicemia (A40-A41)	2	1.5	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2	1.5	*
11	Anemias (D50-D64)	1	0.7	*
11	Hernia (K40-K46)	1	0.7	*
...	All other causes (residual)	44	32.8	4.4
Asian or Pacific Islander, both sexes, 5-14 years				
...	All causes	204	100.0	8.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	40	19.6	1.6
2	Malignant neoplasms (C00-C97)	33	16.2	1.3
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	18	8.8	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	13	6.4	*
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	10	4.9	*
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	7	3.4	*
7	Septicemia (A40-A41)	6	2.9	*
8	Influenza and pneumonia (J09-J18)	4	2.0	*
8	Chronic lower respiratory diseases (J40-J47)	4	2.0	*
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	3	1.5	*
10	Anemias (D50-D64)	3	1.5	*
10	Cerebrovascular diseases (I60-I69)	3	1.5	*
13	Nutritional deficiencies (E40-E64)	1	0.5	*
13	Atherosclerosis (I70)	1	0.5	*
13	Peptic ulcer (K25-K28)	1	0.5	*
13	Diseases of appendix (K35-K38)	1	0.5	*
13	Certain conditions originating in the perinatal period (P00-P96)	1	0.5	*
13	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	1	0.5	*
...	All other causes (residual)	54	26.5	2.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, both sexes, 15-24 years				
...	All causes	843	100.0	31.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	272	32.3	10.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	229	27.2	8.5
3	Malignant neoplasms (C00-C97)	74	8.8	2.8
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	61	7.2	2.3
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	35	4.2	1.3
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	14	1.7	*
7	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	10	1.2	*
8	Cerebrovascular diseases (I60-I69)	7	0.8	*
9	Chronic lower respiratory diseases (J40-J47)	6	0.7	*
10	Septicemia (A40-A41)	3	0.4	*
10	Influenza and pneumonia (J09-J18)	3	0.4	*
10	Pneumonitis due to solids and liquids (J69)	3	0.4	*
10	Pregnancy, childbirth and the puerperium (O00-O99)	3	0.4	*
10	Legal intervention (Y35,Y89.0)	3	0.4	*
15	Diabetes mellitus (E10-E14)	2	0.2	*
15	Meningitis (G00,G03)	2	0.2	*
15	Chronic liver disease and cirrhosis (K70,K73-K74)	2	0.2	*
...	All other causes (residual)	114	13.5	4.3
Asian or Pacific Islander, both sexes, 25-44 years				
...	All causes	3,282	100.0	51.6
1	Malignant neoplasms (C00-C97)	784	23.9	12.3
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	601	18.3	9.4
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	427	13.0	6.7
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	417	12.7	6.6
5	Cerebrovascular diseases (I60-I69)	117	3.6	1.8
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	116	3.5	1.8
7	Chronic liver disease and cirrhosis (K70,K73-K74)	68	2.1	1.1
8	Diabetes mellitus (E10-E14)	63	1.9	1.0
9	Influenza and pneumonia (J09-J18)	44	1.3	0.7
10	Pregnancy, childbirth and the puerperium (O00-O99)	39	1.2	0.6
11	Chronic lower respiratory diseases (J40-J47)	32	1.0	0.5
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	29	0.9	0.5
13	Human immunodeficiency virus (HIV) disease (B20-B24)	28	0.9	0.4
14	Septicemia (A40-A41)	26	0.8	0.4
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	26	0.8	0.4
...	All other causes (residual)	465	14.2	7.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, both sexes, 45-64 years				
...	All causes	12,183	100.0	264.4
1	Malignant neoplasms (C00-C97)	5,016	41.2	108.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,317	19.0	50.3
3	Cerebrovascular diseases (I60-I69)	730	6.0	15.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	564	4.6	12.2
5	Diabetes mellitus (E10-E14)	488	4.0	10.6
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	362	3.0	7.9
7	Chronic liver disease and cirrhosis (K70,K73-K74)	239	2.0	5.2
8	Influenza and pneumonia (J09-J18)	195	1.6	4.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	159	1.3	3.5
10	Chronic lower respiratory diseases (J40-J47)	155	1.3	3.4
11	Viral hepatitis (B15-B19)	139	1.1	3.0
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	135	1.1	2.9
13	Septicemia (A40-A41)	131	1.1	2.8
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	91	0.7	2.0
15	Aortic aneurysm and dissection (I71)	85	0.7	1.8
...	All other causes (residual)	1,377	11.3	29.9
Asian or Pacific Islander, both sexes, 65 years and over				
...	All causes	44,026	100.0	2,188.2
1	Malignant neoplasms (C00-C97)	10,605	24.1	527.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,461	23.8	519.9
3	Cerebrovascular diseases (I60-I69)	3,467	7.9	172.3
4	Diabetes mellitus (E10-E14)	1,814	4.1	90.2
5	Alzheimer's disease (G30)	1,669	3.8	83.0
6	Influenza and pneumonia (J09-J18)	1,651	3.8	82.1
7	Chronic lower respiratory diseases (J40-J47)	1,638	3.7	81.4
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,122	2.5	55.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,055	2.4	52.4
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	859	2.0	42.7
11	Parkinson's disease (G20-G21)	596	1.4	29.6
12	Septicemia (A40-A41)	577	1.3	28.7
13	Pneumonitis due to solids and liquids (J69)	431	1.0	21.4
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	317	0.7	15.8
15	Chronic liver disease and cirrhosis (K70,K73-K74)	299	0.7	14.9
...	All other causes (residual)	7,465	17.0	371.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, all ages				
...	All causes	31,686	100.0	341.3
1	Malignant neoplasms (C00-C97)	8,371	26.4	90.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,279	23.0	78.4
3	Cerebrovascular diseases (I60-I69)	1,923	6.1	20.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,665	5.3	17.9
5	Diabetes mellitus (E10-E14)	1,235	3.9	13.3
6	Chronic lower respiratory diseases (J40-J47)	1,072	3.4	11.5
7	Influenza and pneumonia (J09-J18)	1,012	3.2	10.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	833	2.6	9.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	652	2.1	7.0
10	Alzheimer's disease (G30)	508	1.6	5.5
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	435	1.4	4.7
12	Septicemia (A40-A41)	394	1.2	4.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	382	1.2	4.1
14	Parkinson's disease (G20-G21)	362	1.1	3.9
15	Certain conditions originating in the perinatal period (P00-P96)	281	0.9	3.0
...	All other causes (residual)	5,282	16.7	56.9
Asian or Pacific Islander, male, 1-4 years				
...	All causes	73	100.0	14.3
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	20	27.4	3.9
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	11	15.1	*
3	Malignant neoplasms (C00-C97)	7	9.6	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	5	6.8	*
5	Chronic lower respiratory diseases (J40-J47)	3	4.1	*
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2	2.7	*
7	Septicemia (A40-A41)	1	1.4	*
7	Anemias (D50-D64)	1	1.4	*
7	Cerebrovascular diseases (I60-I69)	1	1.4	*
7	Influenza and pneumonia (J09-J18)	1	1.4	*
...	All other causes (residual)	21	28.8	4.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, 5-14 years				
...	All causes	124	100.0	9.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	25	20.2	2.0
2	Malignant neoplasms (C00-C97)	20	16.1	1.6
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	9	7.3	*
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	8	6.5	*
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	6	4.8	*
6	Septicemia (A40-A41)	5	4.0	*
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	5	4.0	*
8	Cerebrovascular diseases (I60-I69)	3	2.4	*
8	Influenza and pneumonia (J09-J18)	3	2.4	*
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2	1.6	*
10	Chronic lower respiratory diseases (J40-J47)	2	1.6	*
12	Anemias (D50-D64)	1	0.8	*
12	Atherosclerosis (I70)	1	0.8	*
12	Peptic ulcer (K25-K28)	1	0.8	*
...	All other causes (residual)	33	26.6	2.6
Asian or Pacific Islander, male, 15-24 years				
...	All causes	608	100.0	44.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	208	34.2	15.3
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	175	28.8	12.9
3	Malignant neoplasms (C00-C97)	47	7.7	3.5
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	46	7.6	3.4
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	26	4.3	1.9
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	8	1.3	*
7	Chronic lower respiratory diseases (J40-J47)	5	0.8	*
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	4	0.7	*
8	Cerebrovascular diseases (I60-I69)	4	0.7	*
10	Pneumonitis due to solids and liquids (J69)	3	0.5	*
10	Legal intervention (Y35,Y89.0)	3	0.5	*
12	Septicemia (A40-A41)	2	0.3	*
12	Diabetes mellitus (E10-E14)	2	0.3	*
12	Chronic liver disease and cirrhosis (K70,K73-K74)	2	0.3	*
15	Parkinson's disease (G20-G21)	1	0.2	*
15	Influenza and pneumonia (J09-J18)	1	0.2	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.2	*
15	Certain conditions originating in the perinatal period (P00-P96)	1	0.2	*
...	All other causes (residual)	69	11.3	5.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, 25-44 years				
...	All causes	2,057	100.0	67.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	449	21.8	14.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	333	16.2	11.0
3	Malignant neoplasms (C00-C97)	324	15.8	10.7
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	294	14.3	9.7
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	90	4.4	3.0
6	Cerebrovascular diseases (I60-I69)	73	3.5	2.4
7	Chronic liver disease and cirrhosis (K70,K73-K74)	51	2.5	1.7
8	Diabetes mellitus (E10-E14)	41	2.0	1.4
9	Human immunodeficiency virus (HIV) disease (B20-B24)	24	1.2	0.8
9	Influenza and pneumonia (J09-J18)	24	1.2	0.8
11	Aortic aneurysm and dissection (I71)	20	1.0	0.7
12	Chronic lower respiratory diseases (J40-J47)	18	0.9	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	15	0.7	*
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	15	0.7	*
15	Viral hepatitis (B15-B19)	14	0.7	*
...	All other causes (residual)	272	13.2	9.0
Asian or Pacific Islander, male, 45-64 years				
...	All causes	7,366	100.0	345.9
1	Malignant neoplasms (C00-C97)	2,542	34.5	119.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,767	24.0	83.0
3	Cerebrovascular diseases (I60-I69)	409	5.6	19.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	382	5.2	17.9
5	Diabetes mellitus (E10-E14)	315	4.3	14.8
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	257	3.5	12.1
7	Chronic liver disease and cirrhosis (K70,K73-K74)	185	2.5	8.7
8	Influenza and pneumonia (J09-J18)	121	1.6	5.7
9	Chronic lower respiratory diseases (J40-J47)	104	1.4	4.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	103	1.4	4.8
11	Viral hepatitis (B15-B19)	97	1.3	4.6
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	87	1.2	4.1
13	Septicemia (A40-A41)	73	1.0	3.4
14	Aortic aneurysm and dissection (I71)	62	0.8	2.9
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	54	0.7	2.5
...	All other causes (residual)	808	11.0	37.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, male, 65 years and over				
...	All causes	20,970	100.0	2,402.1
1	Malignant neoplasms (C00-C97)	5,431	25.9	622.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,126	24.4	587.2
3	Cerebrovascular diseases (I60-I69)	1,431	6.8	163.9
4	Chronic lower respiratory diseases (J40-J47)	940	4.5	107.7
5	Diabetes mellitus (E10-E14)	877	4.2	100.5
6	Influenza and pneumonia (J09-J18)	858	4.1	98.3
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	575	2.7	65.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	532	2.5	60.9
9	Alzheimer's disease (G30)	505	2.4	57.8
10	Parkinson's disease (G20-G21)	353	1.7	40.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	337	1.6	38.6
12	Septicemia (A40-A41)	297	1.4	34.0
13	Pneumonitis due to solids and liquids (J69)	241	1.1	27.6
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	167	0.8	19.1
15	Chronic liver disease and cirrhosis (K70,K73-K74)	144	0.7	16.5
...	All other causes (residual)	3,156	15.1	361.5
Asian or Pacific Islander, female, all ages				
...	All causes	29,884	100.0	295.5
1	Malignant neoplasms (C00-C97)	8,153	27.3	80.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,991	20.0	59.2
3	Cerebrovascular diseases (I60-I69)	2,408	8.1	23.8
4	Alzheimer's disease (G30)	1,172	3.9	11.6
5	Diabetes mellitus (E10-E14)	1,132	3.8	11.2
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	981	3.3	9.7
7	Influenza and pneumonia (J09-J18)	899	3.0	8.9
8	Chronic lower respiratory diseases (J40-J47)	766	2.6	7.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	594	2.0	5.9
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	572	1.9	5.7
11	Septicemia (A40-A41)	359	1.2	3.5
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	355	1.2	3.5
13	Parkinson's disease (G20-G21)	249	0.8	2.5
14	Certain conditions originating in the perinatal period (P00-P96)	227	0.8	2.2
15	Chronic liver disease and cirrhosis (K70,K73-K74)	226	0.8	2.2
...	All other causes (residual)	5,800	19.4	57.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, female, 1-4 years				
...	All causes	61	100.0	12.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10	16.4	*
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	7	11.5	*
3	Influenza and pneumonia (J09-J18)	6	9.8	*
4	Malignant neoplasms (C00-C97)	5	8.2	*
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3	4.9	*
6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2	3.3	*
6	Cerebrovascular diseases (I60-I69)	2	3.3	*
8	Septicemia (A40-A41)	1	1.6	*
8	Diseases of heart (I00-I09,I11,I13,I20-I51)	1	1.6	*
8	Hernia (K40-K46)	1	1.6	*
...	All other causes (residual)	23	37.7	4.7
Asian or Pacific Islander, female, 5-14 years				
...	All causes	80	100.0	6.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	15	18.8	*
2	Malignant neoplasms (C00-C97)	13	16.3	*
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	10	12.5	*
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	4	5.0	*
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4	5.0	*
6	Anemias (D50-D64)	2	2.5	*
6	Chronic lower respiratory diseases (J40-J47)	2	2.5	*
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2	2.5	*
9	Septicemia (A40-A41)	1	1.3	*
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	1.3	*
9	Nutritional deficiencies (E40-E64)	1	1.3	*
9	Influenza and pneumonia (J09-J18)	1	1.3	*
9	Diseases of appendix (K35-K38)	1	1.3	*
9	Certain conditions originating in the perinatal period (P00-P96)	1	1.3	*
9	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	1	1.3	*
...	All other causes (residual)	21	26.3	1.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, female, 15-24 years				
...	All causes	235	100.0	17.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	64	27.2	4.8
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	54	23.0	4.1
3	Malignant neoplasms (C00-C97)	27	11.5	2.0
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	15	6.4	*
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	9	3.8	*
6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6	2.6	*
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	6	2.6	*
8	Cerebrovascular diseases (I60-I69)	3	1.3	*
8	Pregnancy, childbirth and the puerperium (O00-O99)	3	1.3	*
10	Meningitis (G00,G03)	2	0.9	*
10	Influenza and pneumonia (J09-J18)	2	0.9	*
12	Septicemia (A40-A41)	1	0.4	*
12	Human immunodeficiency virus (HIV) disease (B20-B24)	1	0.4	*
12	Anemias (D50-D64)	1	0.4	*
12	Chronic lower respiratory diseases (J40-J47)	1	0.4	*
...	All other causes (residual)	40	17.0	3.0
Asian or Pacific Islander, female, 25-44 years				
...	All causes	1,225	100.0	36.7
1	Malignant neoplasms (C00-C97)	460	37.6	13.8
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	152	12.4	4.6
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	133	10.9	4.0
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	84	6.9	2.5
5	Cerebrovascular diseases (I60-I69)	44	3.6	1.3
6	Pregnancy, childbirth and the puerperium (O00-O99)	39	3.2	1.2
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	26	2.1	0.8
8	Diabetes mellitus (E10-E14)	22	1.8	0.7
9	Influenza and pneumonia (J09-J18)	20	1.6	0.6
10	Chronic liver disease and cirrhosis (K70,K73-K74)	17	1.4	*
11	Chronic lower respiratory diseases (J40-J47)	14	1.1	*
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	14	1.1	*
13	Septicemia (A40-A41)	13	1.1	*
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	11	0.9	*
15	Viral hepatitis (B15-B19)	6	0.5	*
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6	0.5	*
...	All other causes (residual)	164	13.4	4.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014

LCWK3. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in selected age groups, by race and sex: United States, 2014

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Data for races other than white and black should be interpreted with caution because of inconsistencies between the reporting of race on death certificates and on censuses and surveys]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), race, sex, and age	Number	Percent of total deaths	Rate
Asian or Pacific Islander, female, 45-64 years				
...	All causes	4,817	100.0	194.4
1	Malignant neoplasms (C00-C97)	2,474	51.4	99.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	550	11.4	22.2
3	Cerebrovascular diseases (I60-I69)	321	6.7	13.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	182	3.8	7.3
5	Diabetes mellitus (E10-E14)	173	3.6	7.0
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	105	2.2	4.2
7	Influenza and pneumonia (J09-J18)	74	1.5	3.0
8	Septicemia (A40-A41)	58	1.2	2.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	56	1.2	2.3
10	Chronic liver disease and cirrhosis (K70,K73-K74)	54	1.1	2.2
11	Chronic lower respiratory diseases (J40-J47)	51	1.1	2.1
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	48	1.0	1.9
13	Viral hepatitis (B15-B19)	42	0.9	1.7
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	37	0.8	1.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	29	0.6	1.2
...	All other causes (residual)	563	11.7	22.7
Asian or Pacific Islander, female, 65 years and over				
...	All causes	23,056	100.0	2,024.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,335	23.1	468.4
2	Malignant neoplasms (C00-C97)	5,174	22.4	454.3
3	Cerebrovascular diseases (I60-I69)	2,036	8.8	178.8
4	Alzheimer's disease (G30)	1,164	5.0	102.2
5	Diabetes mellitus (E10-E14)	937	4.1	82.3
6	Influenza and pneumonia (J09-J18)	793	3.4	69.6
7	Chronic lower respiratory diseases (J40-J47)	698	3.0	61.3
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	547	2.4	48.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	523	2.3	45.9
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	522	2.3	45.8
11	Septicemia (A40-A41)	280	1.2	24.6
12	Parkinson's disease (G20-G21)	243	1.1	21.3
13	Pneumonitis due to solids and liquids (J69)	190	0.8	16.7
14	Chronic liver disease and cirrhosis (K70,K73-K74)	155	0.7	13.6
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	150	0.7	13.2
...	All other causes (residual)	4,309	18.7	378.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2014