

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, both sexes, all ages				
...	All causes	179,457	100.0	317.1
1	Malignant neoplasms (C00-C97)	37,804	21.1	66.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	36,401	20.3	64.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	13,806	7.7	24.4
4	Cerebrovascular diseases (I60-I69)	9,795	5.5	17.3
5	Diabetes mellitus (E10-E14)	8,278	4.6	14.6
6	Alzheimer's disease (G30)	6,444	3.6	11.4
7	Chronic liver disease and cirrhosis (K70,K73-K74)	6,018	3.4	10.6
8	Chronic lower respiratory diseases (J40-J47)	5,159	2.9	9.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,581	2.0	6.3
10	Influenza and pneumonia (J09-J18)	3,497	1.9	6.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,303	1.8	5.8
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,886	1.6	5.1
13	Septicemia (A40-A41)	2,692	1.5	4.8
14	Certain conditions originating in the perinatal period (P00-P96)	2,454	1.4	4.3
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,384	1.3	4.2
...	All other causes (residual)	34,955	19.5	61.8
Hispanic, both sexes, 1-4 years				
...	All causes	815	100.0	19.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	258	31.7	6.3
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	115	14.1	2.8
3	Malignant neoplasms (C00-C97)	75	9.2	1.8
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	69	8.5	1.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	29	3.6	0.7
6	Influenza and pneumonia (J09-J18)	18	2.2	*
7	Septicemia (A40-A41)	17	2.1	*
8	Cerebrovascular diseases (I60-I69)	7	0.9	*
8	Certain conditions originating in the perinatal period (P00-P96)	7	0.9	*
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6	0.7	*
11	Anemias (D50-D64)	4	0.5	*
11	Meningitis (G00,G03)	4	0.5	*
11	Acute bronchitis and bronchiolitis (J20-J21)	4	0.5	*
11	Chronic lower respiratory diseases (J40-J47)	4	0.5	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3	0.4	*
15	Complications of medical and surgical care (Y40-Y84,Y88)	3	0.4	*
...	All other causes (residual)	192	23.6	4.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, both sexes, 5-14 years				
...	All causes	1,063	100.0	10.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	308	29.0	3.0
2	Malignant neoplasms (C00-C97)	211	19.8	2.1
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	69	6.5	0.7
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	53	5.0	0.5
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	46	4.3	0.5
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	35	3.3	0.3
7	Chronic lower respiratory diseases (J40-J47)	23	2.2	0.2
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	17	1.6	*
9	Septicemia (A40-A41)	16	1.5	*
9	Cerebrovascular diseases (I60-I69)	16	1.5	*
11	Influenza and pneumonia (J09-J18)	14	1.3	*
12	Anemias (D50-D64)	5	0.5	*
13	Meningitis (G00,G03)	4	0.4	*
13	Certain conditions originating in the perinatal period (P00-P96)	4	0.4	*
15	Diabetes mellitus (E10-E14)	3	0.3	*
15	Acute bronchitis and bronchiolitis (J20-J21)	3	0.3	*
15	Pneumonitis due to solids and liquids (J69)	3	0.3	*
...	All other causes (residual)	233	21.9	2.3
Hispanic, both sexes, 15-24 years				
...	All causes	5,353	100.0	56.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,261	42.2	23.7
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	921	17.2	9.7
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	807	15.1	8.5
4	Malignant neoplasms (C00-C97)	332	6.2	3.5
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	145	2.7	1.5
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	69	1.3	0.7
7	Influenza and pneumonia (J09-J18)	36	0.7	0.4
8	Cerebrovascular diseases (I60-I69)	32	0.6	0.3
9	Septicemia (A40-A41)	30	0.6	0.3
10	Chronic lower respiratory diseases (J40-J47)	29	0.5	0.3
11	Pregnancy, childbirth and the puerperium (O00-O99)	27	0.5	0.3
12	Diabetes mellitus (E10-E14)	20	0.4	0.2
13	Legal intervention (Y35,Y89.0)	17	0.3	*
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	13	0.2	*
15	Human immunodeficiency virus (HIV) disease (B20-B24)	12	0.2	*
...	All other causes (residual)	602	11.2	6.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, both sexes, 25-34 years				
...	All causes	7,182	100.0	79.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,653	36.9	29.5
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	791	11.0	8.8
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	764	10.6	8.5
4	Malignant neoplasms (C00-C97)	714	9.9	7.9
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	439	6.1	4.9
6	Chronic liver disease and cirrhosis (K70,K73-K74)	169	2.4	1.9
7	Cerebrovascular diseases (I60-I69)	121	1.7	1.3
8	Diabetes mellitus (E10-E14)	106	1.5	1.2
9	Human immunodeficiency virus (HIV) disease (B20-B24)	96	1.3	1.1
10	Pregnancy, childbirth and the puerperium (O00-O99)	59	0.8	0.7
10	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	59	0.8	0.7
12	Influenza and pneumonia (J09-J18)	56	0.8	0.6
13	Septicemia (A40-A41)	46	0.6	0.5
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	44	0.6	0.5
15	Chronic lower respiratory diseases (J40-J47)	39	0.5	0.4
15	Legal intervention (Y35,Y89.0)	39	0.5	0.4
...	All other causes (residual)	987	13.7	11.0
Hispanic, both sexes, 35-44 years				
...	All causes	9,490	100.0	116.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,190	23.1	26.8
2	Malignant neoplasms (C00-C97)	1,718	18.1	21.0
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,082	11.4	13.2
4	Chronic liver disease and cirrhosis (K70,K73-K74)	594	6.3	7.3
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	587	6.2	7.2
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	506	5.3	6.2
7	Cerebrovascular diseases (I60-I69)	321	3.4	3.9
8	Diabetes mellitus (E10-E14)	274	2.9	3.4
9	Human immunodeficiency virus (HIV) disease (B20-B24)	191	2.0	2.3
10	Septicemia (A40-A41)	105	1.1	1.3
11	Influenza and pneumonia (J09-J18)	102	1.1	1.2
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	94	1.0	1.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	56	0.6	0.7
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	50	0.5	0.6
15	Pregnancy, childbirth and the puerperium (O00-O99)	48	0.5	0.6
...	All other causes (residual)	1,572	16.6	19.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, both sexes, 45-54 years				
...	All causes	17,189	100.0	262.8
1	Malignant neoplasms (C00-C97)	4,286	24.9	65.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,844	16.5	43.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,090	12.2	32.0
4	Chronic liver disease and cirrhosis (K70,K73-K74)	1,477	8.6	22.6
5	Diabetes mellitus (E10-E14)	772	4.5	11.8
6	Cerebrovascular diseases (I60-I69)	665	3.9	10.2
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	504	2.9	7.7
8	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	298	1.7	4.6
9	Human immunodeficiency virus (HIV) disease (B20-B24)	296	1.7	4.5
10	Viral hepatitis (B15-B19)	280	1.6	4.3
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	271	1.6	4.1
12	Septicemia (A40-A41)	269	1.6	4.1
13	Influenza and pneumonia (J09-J18)	209	1.2	3.2
14	Chronic lower respiratory diseases (J40-J47)	167	1.0	2.6
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	131	0.8	2.0
...	All other causes (residual)	2,630	15.3	40.2
Hispanic, both sexes, 55-64 years				
...	All causes	25,987	100.0	605.7
1	Malignant neoplasms (C00-C97)	7,908	30.4	184.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,096	19.6	118.8
3	Chronic liver disease and cirrhosis (K70,K73-K74)	1,767	6.8	41.2
4	Diabetes mellitus (E10-E14)	1,616	6.2	37.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,437	5.5	33.5
6	Cerebrovascular diseases (I60-I69)	1,107	4.3	25.8
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	511	2.0	11.9
8	Viral hepatitis (B15-B19)	493	1.9	11.5
9	Chronic lower respiratory diseases (J40-J47)	492	1.9	11.5
10	Septicemia (A40-A41)	421	1.6	9.8
11	Influenza and pneumonia (J09-J18)	352	1.4	8.2
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	318	1.2	7.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	303	1.2	7.1
14	Human immunodeficiency virus (HIV) disease (B20-B24)	208	0.8	4.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	135	0.5	3.1
...	All other causes (residual)	3,823	14.7	89.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, both sexes, 65-74 years				
...	All causes	30,275	100.0	1,332.4
1	Malignant neoplasms (C00-C97)	9,133	30.2	401.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,517	21.5	286.8
3	Diabetes mellitus (E10-E14)	2,056	6.8	90.5
4	Cerebrovascular diseases (I60-I69)	1,561	5.2	68.7
5	Chronic liver disease and cirrhosis (K70,K73-K74)	1,153	3.8	50.7
6	Chronic lower respiratory diseases (J40-J47)	957	3.2	42.1
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	833	2.8	36.7
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	800	2.6	35.2
9	Septicemia (A40-A41)	569	1.9	25.0
10	Influenza and pneumonia (J09-J18)	556	1.8	24.5
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	430	1.4	18.9
12	Alzheimer's disease (G30)	401	1.3	17.6
13	Parkinson's disease (G20-G21)	242	0.8	10.7
14	Viral hepatitis (B15-B19)	225	0.7	9.9
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	170	0.6	7.5
...	All other causes (residual)	4,672	15.4	205.6
Hispanic, both sexes, 75-84 years				
...	All causes	37,089	100.0	3,430.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,835	23.8	817.1
2	Malignant neoplasms (C00-C97)	8,490	22.9	785.2
3	Cerebrovascular diseases (I60-I69)	2,648	7.1	244.9
4	Diabetes mellitus (E10-E14)	2,053	5.5	189.9
5	Alzheimer's disease (G30)	1,855	5.0	171.6
6	Chronic lower respiratory diseases (J40-J47)	1,626	4.4	150.4
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	977	2.6	90.4
8	Influenza and pneumonia (J09-J18)	939	2.5	86.8
9	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	756	2.0	69.9
10	Chronic liver disease and cirrhosis (K70,K73-K74)	654	1.8	60.5
11	Parkinson's disease (G20-G21)	633	1.7	58.5
12	Septicemia (A40-A41)	618	1.7	57.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	605	1.6	56.0
14	Pneumonitis due to solids and liquids (J69)	280	0.8	25.9
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	235	0.6	21.7
...	All other causes (residual)	5,885	15.9	544.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, both sexes, 85 years and over				
...	All causes	40,203	100.0	9,585.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,334	28.2	2,702.3
2	Malignant neoplasms (C00-C97)	4,924	12.2	1,174.0
3	Alzheimer's disease (G30)	4,101	10.2	977.8
4	Cerebrovascular diseases (I60-I69)	3,297	8.2	786.1
5	Chronic lower respiratory diseases (J40-J47)	1,770	4.4	422.0
6	Diabetes mellitus (E10-E14)	1,375	3.4	327.8
7	Influenza and pneumonia (J09-J18)	1,185	2.9	282.5
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	865	2.2	206.2
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	830	2.1	197.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	818	2.0	195.0
11	Parkinson's disease (G20-G21)	609	1.5	145.2
12	Septicemia (A40-A41)	560	1.4	133.5
13	Pneumonitis due to solids and liquids (J69)	410	1.0	97.8
14	Chronic liver disease and cirrhosis (K70,K73-K74)	196	0.5	46.7
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	195	0.5	46.5
...	All other causes (residual)	7,734	19.2	1,843.9
Hispanic, male, all ages				
...	All causes	98,170	100.0	343.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	20,225	20.6	70.7
2	Malignant neoplasms (C00-C97)	19,847	20.2	69.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,067	10.3	35.2
4	Cerebrovascular diseases (I60-I69)	4,544	4.6	15.9
5	Diabetes mellitus (E10-E14)	4,426	4.5	15.5
6	Chronic liver disease and cirrhosis (K70,K73-K74)	4,109	4.2	14.4
7	Chronic lower respiratory diseases (J40-J47)	2,606	2.7	9.1
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,587	2.6	9.0
9	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,391	2.4	8.4
10	Alzheimer's disease (G30)	2,035	2.1	7.1
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,837	1.9	6.4
12	Influenza and pneumonia (J09-J18)	1,735	1.8	6.1
13	Septicemia (A40-A41)	1,370	1.4	4.8
14	Certain conditions originating in the perinatal period (P00-P96)	1,368	1.4	4.8
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,139	1.2	4.0
...	All other causes (residual)	17,884	18.2	62.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, male, 1-4 years				
...	All causes	461	100.0	22.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	154	33.4	7.3
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	58	12.6	2.8
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	45	9.8	2.1
4	Malignant neoplasms (C00-C97)	40	8.7	1.9
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	21	4.6	1.0
6	Influenza and pneumonia (J09-J18)	12	2.6	*
7	Septicemia (A40-A41)	8	1.7	*
8	Certain conditions originating in the perinatal period (P00-P96)	5	1.1	*
9	Cerebrovascular diseases (I60-I69)	3	0.7	*
9	Chronic lower respiratory diseases (J40-J47)	3	0.7	*
11	Meningitis (G00,G03)	2	0.4	*
11	Acute bronchitis and bronchiolitis (J20-J21)	2	0.4	*
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2	0.4	*
14	Salmonella infections (A01-A02)	1	0.2	*
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.2	*
14	Anemias (D50-D64)	1	0.2	*
14	Diabetes mellitus (E10-E14)	1	0.2	*
14	Nutritional deficiencies (E40-E64)	1	0.2	*
14	Pneumonitis due to solids and liquids (J69)	1	0.2	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	1	0.2	*
...	All other causes (residual)	99	21.5	4.7
Hispanic, male, 5-14 years				
...	All causes	633	100.0	12.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	206	32.5	4.0
2	Malignant neoplasms (C00-C97)	121	19.1	2.3
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	43	6.8	0.8
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	42	6.6	0.8
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	21	3.3	0.4
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	14	2.2	*
7	Chronic lower respiratory diseases (J40-J47)	13	2.1	*
8	Septicemia (A40-A41)	12	1.9	*
9	Cerebrovascular diseases (I60-I69)	8	1.3	*
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6	0.9	*
11	Influenza and pneumonia (J09-J18)	5	0.8	*
12	Anemias (D50-D64)	2	0.3	*
12	Meningitis (G00,G03)	2	0.3	*
12	Aortic aneurysm and dissection (I71)	2	0.3	*
12	Peptic ulcer (K25-K28)	2	0.3	*
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2	0.3	*
12	Certain conditions originating in the perinatal period (P00-P96)	2	0.3	*
...	All other causes (residual)	130	20.5	2.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, male, 15-24 years				
...	All causes	4,039	100.0	82.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,748	43.3	35.6
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	809	20.0	16.5
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	629	15.6	12.8
4	Malignant neoplasms (C00-C97)	208	5.1	4.2
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	97	2.4	2.0
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	36	0.9	0.7
7	Influenza and pneumonia (J09-J18)	21	0.5	0.4
7	Chronic lower respiratory diseases (J40-J47)	21	0.5	0.4
9	Septicemia (A40-A41)	19	0.5	*
9	Cerebrovascular diseases (I60-I69)	19	0.5	*
11	Legal intervention (Y35,Y89.0)	17	0.4	*
12	Diabetes mellitus (E10-E14)	15	0.4	*
13	Human immunodeficiency virus (HIV) disease (B20-B24)	9	0.2	*
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6	0.1	*
15	Aortic aneurysm and dissection (I71)	5	0.1	*
15	Pneumonitis due to solids and liquids (J69)	5	0.1	*
15	Chronic liver disease and cirrhosis (K70,K73-K74)	5	0.1	*
...	All other causes (residual)	370	9.2	7.5
Hispanic, male, 25-34 years				
...	All causes	5,268	100.0	111.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,129	40.4	45.2
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	674	12.8	14.3
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	612	11.6	13.0
4	Malignant neoplasms (C00-C97)	361	6.9	7.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	318	6.0	6.8
6	Chronic liver disease and cirrhosis (K70,K73-K74)	126	2.4	2.7
7	Cerebrovascular diseases (I60-I69)	84	1.6	1.8
8	Human immunodeficiency virus (HIV) disease (B20-B24)	78	1.5	1.7
9	Diabetes mellitus (E10-E14)	69	1.3	1.5
10	Influenza and pneumonia (J09-J18)	38	0.7	0.8
10	Legal intervention (Y35,Y89.0)	38	0.7	0.8
12	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	30	0.6	0.6
13	Septicemia (A40-A41)	27	0.5	0.6
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	24	0.5	0.5
15	Chronic lower respiratory diseases (J40-J47)	22	0.4	0.5
...	All other causes (residual)	638	12.1	13.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, male, 35-44 years				
...	All causes	6,385	100.0	152.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,729	27.1	41.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	810	12.7	19.4
3	Malignant neoplasms (C00-C97)	712	11.2	17.0
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	473	7.4	11.3
5	Chronic liver disease and cirrhosis (K70,K73-K74)	434	6.8	10.4
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	413	6.5	9.9
7	Cerebrovascular diseases (I60-I69)	203	3.2	4.9
8	Diabetes mellitus (E10-E14)	189	3.0	4.5
9	Human immunodeficiency virus (HIV) disease (B20-B24)	164	2.6	3.9
10	Septicemia (A40-A41)	66	1.0	1.6
11	Influenza and pneumonia (J09-J18)	63	1.0	1.5
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	52	0.8	1.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	42	0.7	1.0
14	Aortic aneurysm and dissection (I71)	37	0.6	0.9
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	32	0.5	0.8
...	All other causes (residual)	966	15.1	23.1
Hispanic, male, 45-54 years				
...	All causes	11,230	100.0	340.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,139	19.0	64.8
2	Malignant neoplasms (C00-C97)	2,088	18.6	63.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,602	14.3	48.5
4	Chronic liver disease and cirrhosis (K70,K73-K74)	1,148	10.2	34.8
5	Diabetes mellitus (E10-E14)	508	4.5	15.4
6	Cerebrovascular diseases (I60-I69)	379	3.4	11.5
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	377	3.4	11.4
8	Human immunodeficiency virus (HIV) disease (B20-B24)	246	2.2	7.5
9	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	230	2.0	7.0
10	Viral hepatitis (B15-B19)	216	1.9	6.5
11	Septicemia (A40-A41)	167	1.5	5.1
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	166	1.5	5.0
13	Influenza and pneumonia (J09-J18)	120	1.1	3.6
14	Chronic lower respiratory diseases (J40-J47)	85	0.8	2.6
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	82	0.7	2.5
...	All other causes (residual)	1,677	14.9	50.8

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, male, 55-64 years				
...	All causes	16,366	100.0	788.2
1	Malignant neoplasms (C00-C97)	4,336	26.5	208.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,663	22.4	176.4
3	Chronic liver disease and cirrhosis (K70,K73-K74)	1,272	7.8	61.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,082	6.6	52.1
5	Diabetes mellitus (E10-E14)	994	6.1	47.9
6	Cerebrovascular diseases (I60-I69)	680	4.2	32.7
7	Viral hepatitis (B15-B19)	352	2.2	17.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	313	1.9	15.1
9	Chronic lower respiratory diseases (J40-J47)	250	1.5	12.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	238	1.5	11.5
11	Septicemia (A40-A41)	227	1.4	10.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	200	1.2	9.6
13	Influenza and pneumonia (J09-J18)	196	1.2	9.4
14	Human immunodeficiency virus (HIV) disease (B20-B24)	167	1.0	8.0
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	111	0.7	5.3
...	All other causes (residual)	2,285	14.0	110.0
Hispanic, male, 65-74 years				
...	All causes	17,253	100.0	1,674.3
1	Malignant neoplasms (C00-C97)	5,028	29.1	487.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,076	23.6	395.6
3	Diabetes mellitus (E10-E14)	1,120	6.5	108.7
4	Cerebrovascular diseases (I60-I69)	890	5.2	86.4
5	Chronic liver disease and cirrhosis (K70,K73-K74)	705	4.1	68.4
6	Chronic lower respiratory diseases (J40-J47)	554	3.2	53.8
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	517	3.0	50.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	447	2.6	43.4
9	Septicemia (A40-A41)	325	1.9	31.5
10	Influenza and pneumonia (J09-J18)	306	1.8	29.7
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	244	1.4	23.7
12	Alzheimer's disease (G30)	179	1.0	17.4
13	Parkinson's disease (G20-G21)	145	0.8	14.1
14	Viral hepatitis (B15-B19)	143	0.8	13.9
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	126	0.7	12.2
...	All other causes (residual)	2,448	14.2	237.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, male, 75-84 years				
...	All causes	18,483	100.0	4,127.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,687	25.4	1,046.6
2	Malignant neoplasms (C00-C97)	4,552	24.6	1,016.4
3	Cerebrovascular diseases (I60-I69)	1,191	6.4	265.9
4	Diabetes mellitus (E10-E14)	963	5.2	215.0
5	Chronic lower respiratory diseases (J40-J47)	830	4.5	185.3
6	Alzheimer's disease (G30)	688	3.7	153.6
7	Influenza and pneumonia (J09-J18)	483	2.6	107.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	464	2.5	103.6
9	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	400	2.2	89.3
10	Parkinson's disease (G20-G21)	370	2.0	82.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	321	1.7	71.7
12	Septicemia (A40-A41)	289	1.6	64.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	283	1.5	63.2
14	Pneumonitis due to solids and liquids (J69)	147	0.8	32.8
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	121	0.7	27.0
...	All other causes (residual)	2,694	14.6	601.6
Hispanic, male, 85 years and over				
...	All causes	15,428	100.0	10,145.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,385	28.4	2,883.7
2	Malignant neoplasms (C00-C97)	2,393	15.5	1,573.7
3	Alzheimer's disease (G30)	1,132	7.3	744.4
4	Cerebrovascular diseases (I60-I69)	1,075	7.0	706.9
5	Chronic lower respiratory diseases (J40-J47)	804	5.2	528.7
6	Diabetes mellitus (E10-E14)	566	3.7	372.2
7	Influenza and pneumonia (J09-J18)	471	3.1	309.7
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	395	2.6	259.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	352	2.3	231.5
10	Parkinson's disease (G20-G21)	306	2.0	201.2
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	268	1.7	176.2
12	Septicemia (A40-A41)	210	1.4	138.1
13	Pneumonitis due to solids and liquids (J69)	199	1.3	130.9
14	Chronic liver disease and cirrhosis (K70,K73-K74)	98	0.6	64.4
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	79	0.5	52.0
...	All other causes (residual)	2,695	17.5	1,772.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, female, all ages				
...	All causes	81,287	100.0	290.4
1	Malignant neoplasms (C00-C97)	17,957	22.1	64.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	16,176	19.9	57.8
3	Cerebrovascular diseases (I60-I69)	5,251	6.5	18.8
4	Alzheimer's disease (G30)	4,409	5.4	15.8
5	Diabetes mellitus (E10-E14)	3,852	4.7	13.8
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,739	4.6	13.4
7	Chronic lower respiratory diseases (J40-J47)	2,553	3.1	9.1
8	Chronic liver disease and cirrhosis (K70,K73-K74)	1,909	2.3	6.8
9	Influenza and pneumonia (J09-J18)	1,762	2.2	6.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,744	2.1	6.2
11	Septicemia (A40-A41)	1,322	1.6	4.7
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,245	1.5	4.4
13	Certain conditions originating in the perinatal period (P00-P96)	1,086	1.3	3.9
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	837	1.0	3.0
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	716	0.9	2.6
...	All other causes (residual)	16,729	20.6	59.8
Hispanic, female, 1-4 years				
...	All causes	354	100.0	17.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	104	29.4	5.1
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	57	16.1	2.8
3	Malignant neoplasms (C00-C97)	35	9.9	1.7
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	24	6.8	1.2
5	Septicemia (A40-A41)	9	2.5	*
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	8	2.3	*
7	Influenza and pneumonia (J09-J18)	6	1.7	*
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	5	1.4	*
9	Cerebrovascular diseases (I60-I69)	4	1.1	*
10	Anemias (D50-D64)	3	0.8	*
11	Meningitis (G00,G03)	2	0.6	*
11	Acute bronchitis and bronchiolitis (J20-J21)	2	0.6	*
11	Certain conditions originating in the perinatal period (P00-P96)	2	0.6	*
11	Complications of medical and surgical care (Y40-Y84,Y88)	2	0.6	*
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1	0.3	*
15	Chronic lower respiratory diseases (J40-J47)	1	0.3	*
15	Pneumonitis due to solids and liquids (J69)	1	0.3	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.3	*
15	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	1	0.3	*
...	All other causes (residual)	86	24.3	4.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, female, 5-14 years				
...	All causes	430	100.0	8.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	102	23.7	2.0
2	Malignant neoplasms (C00-C97)	90	20.9	1.8
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	26	6.0	0.5
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	25	5.8	0.5
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	21	4.9	0.4
6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	11	2.6	*
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	11	2.6	*
8	Chronic lower respiratory diseases (J40-J47)	10	2.3	*
9	Influenza and pneumonia (J09-J18)	9	2.1	*
10	Cerebrovascular diseases (I60-I69)	8	1.9	*
11	Septicemia (A40-A41)	4	0.9	*
12	Anemias (D50-D64)	3	0.7	*
12	Diabetes mellitus (E10-E14)	3	0.7	*
12	Pneumonitis due to solids and liquids (J69)	3	0.7	*
15	Meningitis (G00,G03)	2	0.5	*
15	Acute bronchitis and bronchiolitis (J20-J21)	2	0.5	*
15	Certain conditions originating in the perinatal period (P00-P96)	2	0.5	*
...	All other causes (residual)	98	22.8	2.0
Hispanic, female, 15-24 years				
...	All causes	1,314	100.0	28.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	513	39.0	11.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	178	13.5	3.9
3	Malignant neoplasms (C00-C97)	124	9.4	2.7
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	112	8.5	2.4
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	48	3.7	1.0
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	33	2.5	0.7
7	Pregnancy, childbirth and the puerperium (O00-O99)	27	2.1	0.6
8	Influenza and pneumonia (J09-J18)	15	1.1	*
9	Cerebrovascular diseases (I60-I69)	13	1.0	*
10	Septicemia (A40-A41)	11	0.8	*
11	Chronic lower respiratory diseases (J40-J47)	8	0.6	*
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	7	0.5	*
13	Diabetes mellitus (E10-E14)	5	0.4	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5	0.4	*
15	Meningitis (G00,G03)	4	0.3	*
...	All other causes (residual)	211	16.1	4.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, female, 25-34 years				
...	All causes	1,914	100.0	44.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	524	27.4	12.3
2	Malignant neoplasms (C00-C97)	353	18.4	8.3
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	152	7.9	3.6
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	121	6.3	2.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	117	6.1	2.7
6	Pregnancy, childbirth and the puerperium (O00-O99)	59	3.1	1.4
7	Chronic liver disease and cirrhosis (K70,K73-K74)	43	2.2	1.0
8	Diabetes mellitus (E10-E14)	37	1.9	0.9
8	Cerebrovascular diseases (I60-I69)	37	1.9	0.9
10	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	29	1.5	0.7
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	20	1.0	0.5
12	Septicemia (A40-A41)	19	1.0	*
13	Human immunodeficiency virus (HIV) disease (B20-B24)	18	0.9	*
13	Influenza and pneumonia (J09-J18)	18	0.9	*
15	Chronic lower respiratory diseases (J40-J47)	17	0.9	*
...	All other causes (residual)	350	18.3	8.2
Hispanic, female, 35-44 years				
...	All causes	3,105	100.0	77.7
1	Malignant neoplasms (C00-C97)	1,006	32.4	25.2
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	461	14.8	11.5
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	272	8.8	6.8
4	Chronic liver disease and cirrhosis (K70,K73-K74)	160	5.2	4.0
5	Cerebrovascular diseases (I60-I69)	118	3.8	3.0
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	114	3.7	2.9
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	93	3.0	2.3
8	Diabetes mellitus (E10-E14)	85	2.7	2.1
9	Pregnancy, childbirth and the puerperium (O00-O99)	48	1.5	1.2
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	42	1.4	1.1
11	Septicemia (A40-A41)	39	1.3	1.0
11	Influenza and pneumonia (J09-J18)	39	1.3	1.0
13	Human immunodeficiency virus (HIV) disease (B20-B24)	27	0.9	0.7
13	Chronic lower respiratory diseases (J40-J47)	27	0.9	0.7
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	18	0.6	*
...	All other causes (residual)	556	17.9	13.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, female, 45-54 years				
...	All causes	5,959	100.0	184.0
1	Malignant neoplasms (C00-C97)	2,198	36.9	67.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	705	11.8	21.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	488	8.2	15.1
4	Chronic liver disease and cirrhosis (K70,K73-K74)	329	5.5	10.2
5	Cerebrovascular diseases (I60-I69)	286	4.8	8.8
6	Diabetes mellitus (E10-E14)	264	4.4	8.2
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	127	2.1	3.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	105	1.8	3.2
9	Septicemia (A40-A41)	102	1.7	3.1
10	Influenza and pneumonia (J09-J18)	89	1.5	2.7
11	Chronic lower respiratory diseases (J40-J47)	82	1.4	2.5
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	68	1.1	2.1
13	Viral hepatitis (B15-B19)	64	1.1	2.0
14	Human immunodeficiency virus (HIV) disease (B20-B24)	50	0.8	1.5
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	49	0.8	1.5
...	All other causes (residual)	953	16.0	29.4
Hispanic, female, 55-64 years				
...	All causes	9,621	100.0	434.6
1	Malignant neoplasms (C00-C97)	3,572	37.1	161.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,433	14.9	64.7
3	Diabetes mellitus (E10-E14)	622	6.5	28.1
4	Chronic liver disease and cirrhosis (K70,K73-K74)	495	5.1	22.4
5	Cerebrovascular diseases (I60-I69)	427	4.4	19.3
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	355	3.7	16.0
7	Chronic lower respiratory diseases (J40-J47)	242	2.5	10.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	198	2.1	8.9
9	Septicemia (A40-A41)	194	2.0	8.8
10	Influenza and pneumonia (J09-J18)	156	1.6	7.0
11	Viral hepatitis (B15-B19)	141	1.5	6.4
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	103	1.1	4.7
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	80	0.8	3.6
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	48	0.5	2.2
15	Alzheimer's disease (G30)	43	0.4	1.9
...	All other causes (residual)	1,512	15.7	68.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, female, 65-74 years				
...	All causes	13,022	100.0	1,048.7
1	Malignant neoplasms (C00-C97)	4,105	31.5	330.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,441	18.7	196.6
3	Diabetes mellitus (E10-E14)	936	7.2	75.4
4	Cerebrovascular diseases (I60-I69)	671	5.2	54.0
5	Chronic liver disease and cirrhosis (K70,K73-K74)	448	3.4	36.1
6	Chronic lower respiratory diseases (J40-J47)	403	3.1	32.5
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	386	3.0	31.1
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	283	2.2	22.8
9	Influenza and pneumonia (J09-J18)	250	1.9	20.1
10	Septicemia (A40-A41)	244	1.9	19.6
11	Alzheimer's disease (G30)	222	1.7	17.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	186	1.4	15.0
13	Parkinson's disease (G20-G21)	97	0.7	7.8
14	Viral hepatitis (B15-B19)	82	0.6	6.6
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	74	0.6	6.0
...	All other causes (residual)	2,194	16.8	176.7
Hispanic, female, 75-84 years				
...	All causes	18,606	100.0	2,937.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,148	22.3	654.8
2	Malignant neoplasms (C00-C97)	3,938	21.2	621.7
3	Cerebrovascular diseases (I60-I69)	1,457	7.8	230.0
4	Alzheimer's disease (G30)	1,167	6.3	184.2
5	Diabetes mellitus (E10-E14)	1,090	5.9	172.1
6	Chronic lower respiratory diseases (J40-J47)	796	4.3	125.7
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	513	2.8	81.0
8	Influenza and pneumonia (J09-J18)	456	2.5	72.0
9	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	356	1.9	56.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	333	1.8	52.6
11	Septicemia (A40-A41)	329	1.8	51.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	322	1.7	50.8
13	Parkinson's disease (G20-G21)	263	1.4	41.5
14	Pneumonitis due to solids and liquids (J69)	133	0.7	21.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	114	0.6	18.0
...	All other causes (residual)	3,191	17.2	503.8

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Hispanic, female, 85 years and over				
...	All causes	24,775	100.0	9,266.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,949	28.0	2,599.1
2	Alzheimer's disease (G30)	2,969	12.0	1,110.5
3	Malignant neoplasms (C00-C97)	2,531	10.2	946.7
4	Cerebrovascular diseases (I60-I69)	2,222	9.0	831.1
5	Chronic lower respiratory diseases (J40-J47)	966	3.9	361.3
6	Diabetes mellitus (E10-E14)	809	3.3	302.6
7	Influenza and pneumonia (J09-J18)	714	2.9	267.1
8	Essential hypertension and hypertensive renal disease (I10,I12,I15)	562	2.3	210.2
9	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	470	1.9	175.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	466	1.9	174.3
11	Septicemia (A40-A41)	350	1.4	130.9
12	Parkinson's disease (G20-G21)	303	1.2	113.3
13	Pneumonitis due to solids and liquids (J69)	211	0.9	78.9
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	116	0.5	43.4
15	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	106	0.4	39.6
...	All other causes (residual)	5,031	20.3	1,881.7
Non-Hispanic, white, both sexes, all ages				
...	All causes	2,123,631	100.0	1,055.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	503,172	23.7	250.0
2	Malignant neoplasms (C00-C97)	467,208	22.0	232.2
3	Chronic lower respiratory diseases (J40-J47)	136,228	6.4	67.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	111,827	5.3	55.6
5	Cerebrovascular diseases (I60-I69)	106,830	5.0	53.1
6	Alzheimer's disease (G30)	93,325	4.4	46.4
7	Diabetes mellitus (E10-E14)	53,590	2.5	26.6
8	Influenza and pneumonia (J09-J18)	45,242	2.1	22.5
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	36,465	1.7	18.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	35,481	1.7	17.6
11	Septicemia (A40-A41)	30,240	1.4	15.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	29,343	1.4	14.6
13	Parkinson's disease (G20-G21)	24,339	1.1	12.1
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	22,628	1.1	11.2
15	Pneumonitis due to solids and liquids (J69)	16,430	0.8	8.2
...	All other causes (residual)	411,283	19.4	204.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, both sexes, 1-4 years				
...	All causes	1,895	100.0	22.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	631	33.3	7.6
2	Malignant neoplasms (C00-C97)	206	10.9	2.5
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	196	10.3	2.4
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	145	7.7	1.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	55	2.9	0.7
6	Influenza and pneumonia (J09-J18)	37	2.0	0.4
7	Septicemia (A40-A41)	20	1.1	0.2
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	19	1.0	*
9	Cerebrovascular diseases (I60-I69)	17	0.9	*
10	Certain conditions originating in the perinatal period (P00-P96)	14	0.7	*
11	Chronic lower respiratory diseases (J40-J47)	11	0.6	*
12	Acute bronchitis and bronchiolitis (J20-J21)	10	0.5	*
13	Meningitis (G00,G03)	8	0.4	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	8	0.4	*
15	Anemias (D50-D64)	7	0.4	*
...	All other causes (residual)	511	27.0	6.2
Non-Hispanic, white, both sexes, 5-14 years				
...	All causes	2,835	100.0	12.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	798	28.1	3.6
2	Malignant neoplasms (C00-C97)	476	16.8	2.2
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	291	10.3	1.3
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	186	6.6	0.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	109	3.8	0.5
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	101	3.6	0.5
7	Influenza and pneumonia (J09-J18)	47	1.7	0.2
8	Chronic lower respiratory diseases (J40-J47)	45	1.6	0.2
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	41	1.4	0.2
9	Cerebrovascular diseases (I60-I69)	41	1.4	0.2
11	Septicemia (A40-A41)	28	1.0	0.1
12	Diabetes mellitus (E10-E14)	11	0.4	*
13	Anemias (D50-D64)	10	0.4	*
13	Certain conditions originating in the perinatal period (P00-P96)	10	0.4	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	8	0.3	*
...	All other causes (residual)	633	22.3	2.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, both sexes, 15-24 years				
...	All causes	16,536	100.0	67.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,079	48.9	33.0
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,677	22.2	15.0
3	Malignant neoplasms (C00-C97)	781	4.7	3.2
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	683	4.1	2.8
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	495	3.0	2.0
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	224	1.4	0.9
7	Influenza and pneumonia (J09-J18)	107	0.6	0.4
8	Diabetes mellitus (E10-E14)	104	0.6	0.4
9	Cerebrovascular diseases (I60-I69)	83	0.5	0.3
10	Chronic lower respiratory diseases (J40-J47)	72	0.4	0.3
11	Pregnancy, childbirth and the puerperium (O00-O99)	67	0.4	0.3
12	Septicemia (A40-A41)	61	0.4	0.2
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	49	0.3	0.2
14	Legal intervention (Y35,Y89.0)	32	0.2	0.1
15	Pneumonitis due to solids and liquids (J69)	29	0.2	0.1
...	All other causes (residual)	1,993	12.1	8.1
Non-Hispanic, white, both sexes, 25-34 years				
...	All causes	31,492	100.0	124.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	14,143	44.9	55.7
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	5,177	16.4	20.4
3	Malignant neoplasms (C00-C97)	2,131	6.8	8.4
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,928	6.1	7.6
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,035	3.3	4.1
6	Chronic liver disease and cirrhosis (K70,K73-K74)	523	1.7	2.1
7	Diabetes mellitus (E10-E14)	408	1.3	1.6
8	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	278	0.9	1.1
9	Cerebrovascular diseases (I60-I69)	256	0.8	1.0
10	Influenza and pneumonia (J09-J18)	226	0.7	0.9
11	Pregnancy, childbirth and the puerperium (O00-O99)	202	0.6	0.8
12	Septicemia (A40-A41)	198	0.6	0.8
13	Chronic lower respiratory diseases (J40-J47)	127	0.4	0.5
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	99	0.3	0.4
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	92	0.3	0.4
...	All other causes (residual)	4,669	14.8	18.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, both sexes, 35-44 years				
...	All causes	45,637	100.0	192.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	12,891	28.2	54.3
2	Malignant neoplasms (C00-C97)	6,536	14.3	27.5
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,983	13.1	25.2
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	5,623	12.3	23.7
5	Chronic liver disease and cirrhosis (K70,K73-K74)	1,832	4.0	7.7
6	Diabetes mellitus (E10-E14)	1,068	2.3	4.5
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	864	1.9	3.6
8	Cerebrovascular diseases (I60-I69)	796	1.7	3.4
9	Septicemia (A40-A41)	463	1.0	1.9
10	Chronic lower respiratory diseases (J40-J47)	444	1.0	1.9
11	Influenza and pneumonia (J09-J18)	424	0.9	1.8
12	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	340	0.7	1.4
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	282	0.6	1.2
14	Human immunodeficiency virus (HIV) disease (B20-B24)	229	0.5	1.0
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	182	0.4	0.8
...	All other causes (residual)	7,680	16.8	32.3
Non-Hispanic, white, both sexes, 45-54 years				
...	All causes	118,578	100.0	418.4
1	Malignant neoplasms (C00-C97)	29,566	24.9	104.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	22,647	19.1	79.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	15,877	13.4	56.0
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	7,546	6.4	26.6
5	Chronic liver disease and cirrhosis (K70,K73-K74)	6,214	5.2	21.9
6	Diabetes mellitus (E10-E14)	3,635	3.1	12.8
7	Chronic lower respiratory diseases (J40-J47)	3,463	2.9	12.2
8	Cerebrovascular diseases (I60-I69)	2,875	2.4	10.1
9	Septicemia (A40-A41)	1,550	1.3	5.5
10	Influenza and pneumonia (J09-J18)	1,329	1.1	4.7
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,080	0.9	3.8
12	Viral hepatitis (B15-B19)	982	0.8	3.5
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	924	0.8	3.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	781	0.7	2.8
15	Human immunodeficiency virus (HIV) disease (B20-B24)	703	0.6	2.5
...	All other causes (residual)	19,406	16.4	68.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, both sexes, 55-64 years				
...	All causes	257,512	100.0	872.0
1	Malignant neoplasms (C00-C97)	85,694	33.3	290.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	53,906	20.9	182.5
3	Chronic lower respiratory diseases (J40-J47)	14,657	5.7	49.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	14,575	5.7	49.4
5	Chronic liver disease and cirrhosis (K70,K73-K74)	9,728	3.8	32.9
6	Diabetes mellitus (E10-E14)	8,827	3.4	29.9
7	Cerebrovascular diseases (I60-I69)	7,348	2.9	24.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	6,929	2.7	23.5
9	Septicemia (A40-A41)	3,872	1.5	13.1
10	Influenza and pneumonia (J09-J18)	3,202	1.2	10.8
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,045	1.2	10.3
12	Viral hepatitis (B15-B19)	2,357	0.9	8.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,075	0.8	7.0
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,237	0.5	4.2
15	Pneumonitis due to solids and liquids (J69)	1,091	0.4	3.7
...	All other causes (residual)	38,969	15.1	132.0
Non-Hispanic, white, both sexes, 65-74 years				
...	All causes	384,094	100.0	1,811.0
1	Malignant neoplasms (C00-C97)	129,807	33.8	612.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	81,291	21.2	383.3
3	Chronic lower respiratory diseases (J40-J47)	33,252	8.7	156.8
4	Cerebrovascular diseases (I60-I69)	14,566	3.8	68.7
5	Diabetes mellitus (E10-E14)	13,113	3.4	61.8
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,311	2.7	48.6
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	6,328	1.6	29.8
8	Chronic liver disease and cirrhosis (K70,K73-K74)	6,327	1.6	29.8
9	Septicemia (A40-A41)	6,311	1.6	29.8
10	Influenza and pneumonia (J09-J18)	6,112	1.6	28.8
11	Alzheimer's disease (G30)	5,005	1.3	23.6
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,827	1.0	18.0
13	Parkinson's disease (G20-G21)	3,203	0.8	15.1
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,181	0.8	15.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2,560	0.7	12.1
...	All other causes (residual)	58,900	15.3	277.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, both sexes, 75-84 years				
...	All causes	517,686	100.0	4,717.9
1	Malignant neoplasms (C00-C97)	125,267	24.2	1,141.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	119,910	23.2	1,092.8
3	Chronic lower respiratory diseases (J40-J47)	44,473	8.6	405.3
4	Cerebrovascular diseases (I60-I69)	29,162	5.6	265.8
5	Alzheimer's disease (G30)	24,522	4.7	223.5
6	Diabetes mellitus (E10-E14)	13,764	2.7	125.4
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	13,233	2.6	120.6
8	Influenza and pneumonia (J09-J18)	11,165	2.2	101.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	10,169	2.0	92.7
10	Parkinson's disease (G20-G21)	9,984	1.9	91.0
11	Septicemia (A40-A41)	8,076	1.6	73.6
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	5,255	1.0	47.9
13	Pneumonitis due to solids and liquids (J69)	4,241	0.8	38.6
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	4,087	0.8	37.2
15	Chronic liver disease and cirrhosis (K70,K73-K74)	3,440	0.7	31.3
...	All other causes (residual)	90,938	17.6	828.8
Non-Hispanic, white, both sexes, 85 years and over				
...	All causes	737,032	100.0	14,324.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	216,704	29.4	4,211.7
2	Malignant neoplasms (C00-C97)	86,709	11.8	1,685.2
3	Alzheimer's disease (G30)	62,966	8.5	1,223.8
4	Cerebrovascular diseases (I60-I69)	51,648	7.0	1,003.8
5	Chronic lower respiratory diseases (J40-J47)	39,672	5.4	771.0
6	Influenza and pneumonia (J09-J18)	22,515	3.1	437.6
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	20,648	2.8	401.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	14,400	2.0	279.9
9	Diabetes mellitus (E10-E14)	12,657	1.7	246.0
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	11,097	1.5	215.7
11	Parkinson's disease (G20-G21)	10,591	1.4	205.8
12	Septicemia (A40-A41)	9,589	1.3	186.4
13	Pneumonitis due to solids and liquids (J69)	8,448	1.1	164.2
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	4,666	0.6	90.7
15	Atherosclerosis (I70)	2,919	0.4	56.7
...	All other causes (residual)	161,803	22.0	3,144.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, male, all ages				
...	All causes	1,063,705	100.0	1,072.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	264,784	24.9	267.0
2	Malignant neoplasms (C00-C97)	247,645	23.3	249.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	68,715	6.5	69.3
4	Chronic lower respiratory diseases (J40-J47)	62,857	5.9	63.4
5	Cerebrovascular diseases (I60-I69)	43,100	4.1	43.5
6	Diabetes mellitus (E10-E14)	29,813	2.8	30.1
7	Alzheimer's disease (G30)	28,631	2.7	28.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	28,045	2.6	28.3
9	Influenza and pneumonia (J09-J18)	20,995	2.0	21.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	18,546	1.7	18.7
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	18,351	1.7	18.5
12	Parkinson's disease (G20-G21)	14,778	1.4	14.9
13	Septicemia (A40-A41)	14,309	1.3	14.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	9,526	0.9	9.6
15	Pneumonitis due to solids and liquids (J69)	9,085	0.9	9.2
...	All other causes (residual)	184,525	17.3	186.0
Non-Hispanic, white, male, 1-4 years				
...	All causes	1,083	100.0	25.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	401	37.0	9.4
2	Malignant neoplasms (C00-C97)	116	10.7	2.7
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	104	9.6	2.4
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	88	8.1	2.1
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	23	2.1	0.5
6	Influenza and pneumonia (J09-J18)	17	1.6	*
7	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	12	1.1	*
8	Cerebrovascular diseases (I60-I69)	10	0.9	*
9	Septicemia (A40-A41)	9	0.8	*
9	Certain conditions originating in the perinatal period (P00-P96)	9	0.8	*
11	Acute bronchitis and bronchiolitis (J20-J21)	7	0.6	*
11	Chronic lower respiratory diseases (J40-J47)	7	0.6	*
13	Anemias (D50-D64)	4	0.4	*
14	Pneumonitis due to solids and liquids (J69)	3	0.3	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3	0.3	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	3	0.3	*
...	All other causes (residual)	267	24.7	6.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, male, 5-14 years				
...	All causes	1,634	100.0	14.5
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	493	30.2	4.4
2	Malignant neoplasms (C00-C97)	247	15.1	2.2
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	187	11.4	1.7
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	106	6.5	0.9
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	61	3.7	0.5
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	55	3.4	0.5
7	Chronic lower respiratory diseases (J40-J47)	27	1.7	0.2
8	Influenza and pneumonia (J09-J18)	25	1.5	0.2
9	Cerebrovascular diseases (I60-I69)	21	1.3	0.2
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	20	1.2	0.2
11	Septicemia (A40-A41)	12	0.7	*
12	Certain conditions originating in the perinatal period (P00-P96)	6	0.4	*
13	Anemias (D50-D64)	5	0.3	*
13	Diabetes mellitus (E10-E14)	5	0.3	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5	0.3	*
13	Complications of medical and surgical care (Y40-Y84,Y88)	5	0.3	*
...	All other causes (residual)	354	21.7	3.1
Non-Hispanic, white, male, 15-24 years				
...	All causes	11,753	100.0	93.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,805	49.4	46.2
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,948	25.1	23.4
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	481	4.1	3.8
4	Malignant neoplasms (C00-C97)	468	4.0	3.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	337	2.9	2.7
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	123	1.0	1.0
7	Influenza and pneumonia (J09-J18)	62	0.5	0.5
8	Diabetes mellitus (E10-E14)	58	0.5	0.5
9	Chronic lower respiratory diseases (J40-J47)	46	0.4	0.4
10	Cerebrovascular diseases (I60-I69)	43	0.4	0.3
11	Septicemia (A40-A41)	32	0.3	0.3
12	Legal intervention (Y35,Y89.0)	31	0.3	0.2
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	26	0.2	0.2
14	Pneumonitis due to solids and liquids (J69)	19	0.2	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	19	0.2	*
...	All other causes (residual)	1,255	10.7	10.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, male, 25-34 years				
...	All causes	21,596	100.0	168.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,306	47.7	80.2
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,107	19.0	32.0
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,256	5.8	9.8
4	Malignant neoplasms (C00-C97)	1,077	5.0	8.4
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	711	3.3	5.5
6	Chronic liver disease and cirrhosis (K70,K73-K74)	312	1.4	2.4
7	Diabetes mellitus (E10-E14)	245	1.1	1.9
8	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	168	0.8	1.3
9	Cerebrovascular diseases (I60-I69)	140	0.6	1.1
10	Influenza and pneumonia (J09-J18)	118	0.5	0.9
11	Septicemia (A40-A41)	98	0.5	0.8
12	Legal intervention (Y35,Y89.0)	72	0.3	0.6
13	Human immunodeficiency virus (HIV) disease (B20-B24)	69	0.3	0.5
14	Chronic lower respiratory diseases (J40-J47)	63	0.3	0.5
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	60	0.3	0.5
...	All other causes (residual)	2,794	12.9	21.7
Non-Hispanic, white, male, 35-44 years				
...	All causes	28,437	100.0	238.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,873	31.2	74.3
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,188	14.7	35.1
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,111	14.5	34.4
4	Malignant neoplasms (C00-C97)	2,925	10.3	24.5
5	Chronic liver disease and cirrhosis (K70,K73-K74)	1,146	4.0	9.6
6	Diabetes mellitus (E10-E14)	667	2.3	5.6
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	595	2.1	5.0
8	Cerebrovascular diseases (I60-I69)	412	1.4	3.4
9	Influenza and pneumonia (J09-J18)	229	0.8	1.9
10	Septicemia (A40-A41)	215	0.8	1.8
11	Chronic lower respiratory diseases (J40-J47)	202	0.7	1.7
12	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	179	0.6	1.5
13	Human immunodeficiency virus (HIV) disease (B20-B24)	161	0.6	1.3
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	153	0.5	1.3
15	Aortic aneurysm and dissection (I71)	131	0.5	1.1
...	All other causes (residual)	4,250	14.9	35.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, male, 45-54 years				
...	All causes	71,911	100.0	510.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	16,052	22.3	113.8
2	Malignant neoplasms (C00-C97)	14,804	20.6	105.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,313	14.3	73.1
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	5,528	7.7	39.2
5	Chronic liver disease and cirrhosis (K70,K73-K74)	3,936	5.5	27.9
6	Diabetes mellitus (E10-E14)	2,325	3.2	16.5
7	Chronic lower respiratory diseases (J40-J47)	1,578	2.2	11.2
8	Cerebrovascular diseases (I60-I69)	1,538	2.1	10.9
9	Septicemia (A40-A41)	795	1.1	5.6
10	Influenza and pneumonia (J09-J18)	735	1.0	5.2
11	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	658	0.9	4.7
12	Viral hepatitis (B15-B19)	655	0.9	4.6
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	638	0.9	4.5
14	Human immunodeficiency virus (HIV) disease (B20-B24)	600	0.8	4.3
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	523	0.7	3.7
...	All other causes (residual)	11,233	15.6	79.7
Non-Hispanic, white, male, 55-64 years				
...	All causes	157,623	100.0	1,093.3
1	Malignant neoplasms (C00-C97)	47,829	30.3	331.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	37,968	24.1	263.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,810	6.2	68.0
4	Chronic lower respiratory diseases (J40-J47)	7,586	4.8	52.6
5	Chronic liver disease and cirrhosis (K70,K73-K74)	6,607	4.2	45.8
6	Diabetes mellitus (E10-E14)	5,559	3.5	38.6
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	5,094	3.2	35.3
8	Cerebrovascular diseases (I60-I69)	4,170	2.6	28.9
9	Septicemia (A40-A41)	2,121	1.3	14.7
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,803	1.1	12.5
11	Influenza and pneumonia (J09-J18)	1,768	1.1	12.3
12	Viral hepatitis (B15-B19)	1,665	1.1	11.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,368	0.9	9.5
14	Aortic aneurysm and dissection (I71)	750	0.5	5.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	724	0.5	5.0
...	All other causes (residual)	22,801	14.5	158.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, male, 65-74 years				
...	All causes	220,260	100.0	2,184.0
1	Malignant neoplasms (C00-C97)	71,914	32.6	713.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	52,665	23.9	522.2
3	Chronic lower respiratory diseases (J40-J47)	16,633	7.6	164.9
4	Diabetes mellitus (E10-E14)	7,937	3.6	78.7
5	Cerebrovascular diseases (I60-I69)	7,720	3.5	76.5
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	6,663	3.0	66.1
7	Chronic liver disease and cirrhosis (K70,K73-K74)	4,050	1.8	40.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,547	1.6	35.2
9	Influenza and pneumonia (J09-J18)	3,323	1.5	33.0
10	Septicemia (A40-A41)	3,222	1.5	31.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,071	1.4	30.5
12	Parkinson's disease (G20-G21)	2,187	1.0	21.7
13	Alzheimer's disease (G30)	2,089	0.9	20.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,789	0.8	17.7
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,529	0.7	15.2
...	All other causes (residual)	31,921	14.5	316.5
Non-Hispanic, white, male, 75-84 years				
...	All causes	265,528	100.0	5,500.5
1	Malignant neoplasms (C00-C97)	67,155	25.3	1,391.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	66,590	25.1	1,379.4
3	Chronic lower respiratory diseases (J40-J47)	20,890	7.9	432.7
4	Cerebrovascular diseases (I60-I69)	13,130	4.9	272.0
5	Alzheimer's disease (G30)	9,296	3.5	192.6
6	Diabetes mellitus (E10-E14)	7,511	2.8	155.6
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	7,290	2.7	151.0
8	Parkinson's disease (G20-G21)	6,447	2.4	133.6
9	Influenza and pneumonia (J09-J18)	5,702	2.1	118.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5,459	2.1	113.1
11	Septicemia (A40-A41)	3,950	1.5	81.8
12	Pneumonitis due to solids and liquids (J69)	2,480	0.9	51.4
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2,337	0.9	48.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,337	0.9	48.4
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,942	0.7	40.2
...	All other causes (residual)	43,012	16.2	891.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, male, 85 years and over				
...	All causes	278,085	100.0	15,526.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	85,635	30.8	4,781.2
2	Malignant neoplasms (C00-C97)	41,090	14.8	2,294.1
3	Alzheimer's disease (G30)	16,884	6.1	942.7
4	Cerebrovascular diseases (I60-I69)	15,892	5.7	887.3
5	Chronic lower respiratory diseases (J40-J47)	15,816	5.7	883.0
6	Influenza and pneumonia (J09-J18)	8,968	3.2	500.7
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,359	3.0	466.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	6,654	2.4	371.5
9	Parkinson's disease (G20-G21)	5,759	2.1	321.5
10	Diabetes mellitus (E10-E14)	5,505	2.0	307.4
11	Pneumonitis due to solids and liquids (J69)	4,324	1.6	241.4
12	Septicemia (A40-A41)	3,816	1.4	213.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,357	1.2	187.4
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2,180	0.8	121.7
15	Aortic aneurysm and dissection (I71)	1,056	0.4	59.0
...	All other causes (residual)	52,790	19.0	2,947.4
Non-Hispanic, white, female, all ages				
...	All causes	1,059,926	100.0	1,038.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	238,388	22.5	233.6
2	Malignant neoplasms (C00-C97)	219,563	20.7	215.1
3	Chronic lower respiratory diseases (J40-J47)	73,371	6.9	71.9
4	Alzheimer's disease (G30)	64,694	6.1	63.4
5	Cerebrovascular diseases (I60-I69)	63,730	6.0	62.4
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	43,112	4.1	42.2
7	Influenza and pneumonia (J09-J18)	24,247	2.3	23.8
8	Diabetes mellitus (E10-E14)	23,777	2.2	23.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	17,130	1.6	16.8
10	Septicemia (A40-A41)	15,931	1.5	15.6
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	13,102	1.2	12.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	10,797	1.0	10.6
13	Parkinson's disease (G20-G21)	9,561	0.9	9.4
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	8,420	0.8	8.3
15	Pneumonitis due to solids and liquids (J69)	7,345	0.7	7.2
...	All other causes (residual)	226,758	21.4	222.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, female, 1-4 years				
...	All causes	812	100.0	20.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	230	28.3	5.7
2	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	92	11.3	2.3
3	Malignant neoplasms (C00-C97)	90	11.1	2.2
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	57	7.0	1.4
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	32	3.9	0.8
6	Influenza and pneumonia (J09-J18)	20	2.5	0.5
7	Septicemia (A40-A41)	11	1.4	*
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	7	0.9	*
8	Cerebrovascular diseases (I60-I69)	7	0.9	*
10	Meningitis (G00,G03)	6	0.7	*
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	5	0.6	*
11	Certain conditions originating in the perinatal period (P00-P96)	5	0.6	*
13	Chronic lower respiratory diseases (J40-J47)	4	0.5	*
14	Anemias (D50-D64)	3	0.4	*
14	Acute bronchitis and bronchiolitis (J20-J21)	3	0.4	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	3	0.4	*
...	All other causes (residual)	237	29.2	5.9
Non-Hispanic, white, female, 5-14 years				
...	All causes	1,201	100.0	11.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	305	25.4	2.8
2	Malignant neoplasms (C00-C97)	229	19.1	2.1
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	104	8.7	1.0
4	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	80	6.7	0.7
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	48	4.0	0.4
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	46	3.8	0.4
7	Influenza and pneumonia (J09-J18)	22	1.8	0.2
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	21	1.7	0.2
9	Cerebrovascular diseases (I60-I69)	20	1.7	0.2
10	Chronic lower respiratory diseases (J40-J47)	18	1.5	*
11	Septicemia (A40-A41)	16	1.3	*
12	Diabetes mellitus (E10-E14)	6	0.5	*
13	Anemias (D50-D64)	5	0.4	*
14	Certain conditions originating in the perinatal period (P00-P96)	4	0.3	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3	0.2	*
...	All other causes (residual)	274	22.8	2.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, female, 15-24 years				
...	All causes	4,783	100.0	40.1
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,274	47.5	19.1
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	729	15.2	6.1
3	Malignant neoplasms (C00-C97)	313	6.5	2.6
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	202	4.2	1.7
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	158	3.3	1.3
6	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	101	2.1	0.8
7	Pregnancy, childbirth and the puerperium (O00-O99)	67	1.4	0.6
8	Diabetes mellitus (E10-E14)	46	1.0	0.4
9	Influenza and pneumonia (J09-J18)	45	0.9	0.4
10	Cerebrovascular diseases (I60-I69)	40	0.8	0.3
11	Septicemia (A40-A41)	29	0.6	0.2
12	Chronic lower respiratory diseases (J40-J47)	26	0.5	0.2
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	23	0.5	0.2
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	13	0.3	*
15	Pneumonitis due to solids and liquids (J69)	10	0.2	*
...	All other causes (residual)	707	14.8	5.9
Non-Hispanic, white, female, 25-34 years				
...	All causes	9,896	100.0	78.8
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,837	38.8	30.6
2	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,070	10.8	8.5
3	Malignant neoplasms (C00-C97)	1,054	10.7	8.4
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	672	6.8	5.4
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	324	3.3	2.6
6	Chronic liver disease and cirrhosis (K70,K73-K74)	211	2.1	1.7
7	Pregnancy, childbirth and the puerperium (O00-O99)	202	2.0	1.6
8	Diabetes mellitus (E10-E14)	163	1.6	1.3
9	Cerebrovascular diseases (I60-I69)	116	1.2	0.9
10	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	110	1.1	0.9
11	Influenza and pneumonia (J09-J18)	108	1.1	0.9
12	Septicemia (A40-A41)	100	1.0	0.8
13	Chronic lower respiratory diseases (J40-J47)	64	0.6	0.5
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	41	0.4	0.3
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	39	0.4	0.3
...	All other causes (residual)	1,785	18.0	14.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, female, 35-44 years				
...	All causes	17,200	100.0	145.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,018	23.4	34.0
2	Malignant neoplasms (C00-C97)	3,611	21.0	30.6
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,872	10.9	15.9
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,435	8.3	12.2
5	Chronic liver disease and cirrhosis (K70,K73-K74)	686	4.0	5.8
6	Diabetes mellitus (E10-E14)	401	2.3	3.4
7	Cerebrovascular diseases (I60-I69)	384	2.2	3.3
8	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	269	1.6	2.3
9	Septicemia (A40-A41)	248	1.4	2.1
10	Chronic lower respiratory diseases (J40-J47)	242	1.4	2.0
11	Influenza and pneumonia (J09-J18)	195	1.1	1.7
12	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	161	0.9	1.4
13	Pregnancy, childbirth and the puerperium (O00-O99)	130	0.8	1.1
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	129	0.8	1.1
15	Viral hepatitis (B15-B19)	80	0.5	0.7
...	All other causes (residual)	3,339	19.4	28.3
Non-Hispanic, white, female, 45-54 years				
...	All causes	46,667	100.0	327.7
1	Malignant neoplasms (C00-C97)	14,762	31.6	103.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,595	14.1	46.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,564	11.9	39.1
4	Chronic liver disease and cirrhosis (K70,K73-K74)	2,278	4.9	16.0
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,018	4.3	14.2
6	Chronic lower respiratory diseases (J40-J47)	1,885	4.0	13.2
7	Cerebrovascular diseases (I60-I69)	1,337	2.9	9.4
8	Diabetes mellitus (E10-E14)	1,310	2.8	9.2
9	Septicemia (A40-A41)	755	1.6	5.3
10	Influenza and pneumonia (J09-J18)	594	1.3	4.2
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	442	0.9	3.1
12	Viral hepatitis (B15-B19)	327	0.7	2.3
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	282	0.6	2.0
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	266	0.6	1.9
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	258	0.6	1.8
...	All other causes (residual)	7,994	17.1	56.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, female, 55-64 years				
...	All causes	99,889	100.0	661.0
1	Malignant neoplasms (C00-C97)	37,865	37.9	250.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,938	16.0	105.5
3	Chronic lower respiratory diseases (J40-J47)	7,071	7.1	46.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,765	4.8	31.5
5	Diabetes mellitus (E10-E14)	3,268	3.3	21.6
6	Cerebrovascular diseases (I60-I69)	3,178	3.2	21.0
7	Chronic liver disease and cirrhosis (K70,K73-K74)	3,121	3.1	20.7
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,835	1.8	12.1
9	Septicemia (A40-A41)	1,751	1.8	11.6
10	Influenza and pneumonia (J09-J18)	1,434	1.4	9.5
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,242	1.2	8.2
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	707	0.7	4.7
13	Viral hepatitis (B15-B19)	692	0.7	4.6
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	513	0.5	3.4
15	Alzheimer's disease (G30)	434	0.4	2.9
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	434	0.4	2.9
...	All other causes (residual)	15,641	15.7	103.5
Non-Hispanic, white, female, 65-74 years				
...	All causes	163,834	100.0	1,472.8
1	Malignant neoplasms (C00-C97)	57,893	35.3	520.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	28,626	17.5	257.3
3	Chronic lower respiratory diseases (J40-J47)	16,619	10.1	149.4
4	Cerebrovascular diseases (I60-I69)	6,846	4.2	61.5
5	Diabetes mellitus (E10-E14)	5,176	3.2	46.5
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,648	2.2	32.8
7	Septicemia (A40-A41)	3,089	1.9	27.8
8	Alzheimer's disease (G30)	2,916	1.8	26.2
9	Influenza and pneumonia (J09-J18)	2,789	1.7	25.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,781	1.7	25.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	2,277	1.4	20.5
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,392	0.8	12.5
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,031	0.6	9.3
14	Parkinson's disease (G20-G21)	1,016	0.6	9.1
15	Pneumonitis due to solids and liquids (J69)	792	0.5	7.1
...	All other causes (residual)	26,943	16.4	242.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, white, female, 75-84 years				
...	All causes	252,158	100.0	4,103.1
1	Malignant neoplasms (C00-C97)	58,112	23.0	945.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	53,320	21.1	867.6
3	Chronic lower respiratory diseases (J40-J47)	23,583	9.4	383.7
4	Cerebrovascular diseases (I60-I69)	16,032	6.4	260.9
5	Alzheimer's disease (G30)	15,226	6.0	247.8
6	Diabetes mellitus (E10-E14)	6,253	2.5	101.7
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,943	2.4	96.7
8	Influenza and pneumonia (J09-J18)	5,463	2.2	88.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,710	1.9	76.6
10	Septicemia (A40-A41)	4,126	1.6	67.1
11	Parkinson's disease (G20-G21)	3,537	1.4	57.6
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,918	1.2	47.5
13	Pneumonitis due to solids and liquids (J69)	1,761	0.7	28.7
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,750	0.7	28.5
15	Chronic liver disease and cirrhosis (K70,K73-K74)	1,552	0.6	25.3
...	All other causes (residual)	47,872	19.0	779.0
Non-Hispanic, white, female, 85 years and over				
...	All causes	458,947	100.0	13,682.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	131,069	28.6	3,907.6
2	Alzheimer's disease (G30)	46,082	10.0	1,373.8
3	Malignant neoplasms (C00-C97)	45,619	9.9	1,360.0
4	Cerebrovascular diseases (I60-I69)	35,756	7.8	1,066.0
5	Chronic lower respiratory diseases (J40-J47)	23,856	5.2	711.2
6	Influenza and pneumonia (J09-J18)	13,547	3.0	403.9
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	12,289	2.7	366.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	7,746	1.7	230.9
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	7,740	1.7	230.8
10	Diabetes mellitus (E10-E14)	7,152	1.6	213.2
11	Septicemia (A40-A41)	5,773	1.3	172.1
12	Parkinson's disease (G20-G21)	4,832	1.1	144.1
13	Pneumonitis due to solids and liquids (J69)	4,124	0.9	122.9
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2,486	0.5	74.1
15	Atherosclerosis (I70)	1,965	0.4	58.6
...	All other causes (residual)	108,911	23.7	3,247.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, both sexes, all ages				
...	All causes	315,254	100.0	754.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	74,093	23.5	177.4
2	Malignant neoplasms (C00-C97)	68,523	21.7	164.0
3	Cerebrovascular diseases (I60-I69)	17,760	5.6	42.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	15,366	4.9	36.8
5	Diabetes mellitus (E10-E14)	13,693	4.3	32.8
6	Chronic lower respiratory diseases (J40-J47)	10,327	3.3	24.7
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	9,083	2.9	21.7
8	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	9,038	2.9	21.6
9	Alzheimer's disease (G30)	8,072	2.6	19.3
10	Septicemia (A40-A41)	6,576	2.1	15.7
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	5,740	1.8	13.7
12	Influenza and pneumonia (J09-J18)	5,554	1.8	13.3
13	Certain conditions originating in the perinatal period (P00-P96)	3,827	1.2	9.2
14	Human immunodeficiency virus (HIV) disease (B20-B24)	3,379	1.1	8.1
15	Chronic liver disease and cirrhosis (K70,K73-K74)	3,185	1.0	7.6
...	All other causes (residual)	61,038	19.4	146.1
Non-Hispanic, black, both sexes, 1-4 years				
...	All causes	1,016	100.0	41.6
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	286	28.1	11.7
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	139	13.7	5.7
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	93	9.2	3.8
4	Malignant neoplasms (C00-C97)	53	5.2	2.2
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	52	5.1	2.1
6	Influenza and pneumonia (J09-J18)	27	2.7	1.1
6	Certain conditions originating in the perinatal period (P00-P96)	27	2.7	1.1
8	Chronic lower respiratory diseases (J40-J47)	23	2.3	0.9
9	Cerebrovascular diseases (I60-I69)	17	1.7	*
10	Septicemia (A40-A41)	14	1.4	*
11	Anemias (D50-D64)	13	1.3	*
12	Complications of medical and surgical care (Y40-Y84,Y88)	9	0.9	*
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6	0.6	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4	0.4	*
15	Meningitis (G00,G03)	3	0.3	*
...	All other causes (residual)	250	24.6	10.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, both sexes, 5-14 years				
...	All causes	1,187	100.0	19.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	327	27.5	5.3
2	Malignant neoplasms (C00-C97)	126	10.6	2.0
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	121	10.2	2.0
4	Chronic lower respiratory diseases (J40-J47)	102	8.6	1.7
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	66	5.6	1.1
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	58	4.9	0.9
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	47	4.0	0.8
8	Cerebrovascular diseases (I60-I69)	22	1.9	0.4
9	Influenza and pneumonia (J09-J18)	19	1.6	*
10	Septicemia (A40-A41)	16	1.3	*
10	Anemias (D50-D64)	16	1.3	*
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	10	0.8	*
13	Diabetes mellitus (E10-E14)	9	0.8	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	7	0.6	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	6	0.5	*
...	All other causes (residual)	235	19.8	3.8
Non-Hispanic, black, both sexes, 15-24 years				
...	All causes	7,096	100.0	104.5
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	3,013	42.5	44.4
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,649	23.2	24.3
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	574	8.1	8.5
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	302	4.3	4.4
5	Malignant neoplasms (C00-C97)	252	3.6	3.7
6	Chronic lower respiratory diseases (J40-J47)	86	1.2	1.3
7	Human immunodeficiency virus (HIV) disease (B20-B24)	73	1.0	1.1
8	Anemias (D50-D64)	70	1.0	1.0
9	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	67	0.9	1.0
10	Diabetes mellitus (E10-E14)	64	0.9	0.9
11	Pregnancy, childbirth and the puerperium (O00-O99)	63	0.9	0.9
12	Cerebrovascular diseases (I60-I69)	39	0.5	0.6
13	Influenza and pneumonia (J09-J18)	35	0.5	0.5
14	Septicemia (A40-A41)	34	0.5	0.5
14	Legal intervention (Y35,Y89.0)	34	0.5	0.5
...	All other causes (residual)	741	10.4	10.9

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, both sexes, 25-34 years				
...	All causes	10,316	100.0	169.1
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,882	27.9	47.2
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,154	20.9	35.3
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	978	9.5	16.0
4	Malignant neoplasms (C00-C97)	631	6.1	10.3
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	589	5.7	9.7
6	Human immunodeficiency virus (HIV) disease (B20-B24)	326	3.2	5.3
7	Diabetes mellitus (E10-E14)	252	2.4	4.1
8	Cerebrovascular diseases (I60-I69)	151	1.5	2.5
9	Pregnancy, childbirth and the puerperium (O00-O99)	133	1.3	2.2
10	Anemias (D50-D64)	119	1.2	2.0
11	Septicemia (A40-A41)	116	1.1	1.9
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	106	1.0	1.7
13	Chronic lower respiratory diseases (J40-J47)	102	1.0	1.7
14	Influenza and pneumonia (J09-J18)	98	0.9	1.6
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	88	0.9	1.4
...	All other causes (residual)	1,591	15.4	26.1
Non-Hispanic, black, both sexes, 35-44 years				
...	All causes	14,302	100.0	269.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,821	19.7	53.2
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,083	14.6	39.3
3	Malignant neoplasms (C00-C97)	1,908	13.3	36.0
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,408	9.8	26.6
5	Human immunodeficiency virus (HIV) disease (B20-B24)	593	4.1	11.2
6	Diabetes mellitus (E10-E14)	540	3.8	10.2
7	Cerebrovascular diseases (I60-I69)	524	3.7	9.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	428	3.0	8.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	283	2.0	5.3
10	Septicemia (A40-A41)	217	1.5	4.1
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	212	1.5	4.0
12	Chronic lower respiratory diseases (J40-J47)	186	1.3	3.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	186	1.3	3.5
14	Influenza and pneumonia (J09-J18)	142	1.0	2.7
15	Anemias (D50-D64)	112	0.8	2.1
...	All other causes (residual)	2,659	18.6	50.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, both sexes, 45-54 years				
...	All causes	31,172	100.0	577.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,417	23.8	137.5
2	Malignant neoplasms (C00-C97)	7,037	22.6	130.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,718	8.7	50.4
4	Diabetes mellitus (E10-E14)	1,486	4.8	27.5
5	Cerebrovascular diseases (I60-I69)	1,434	4.6	26.6
6	Human immunodeficiency virus (HIV) disease (B20-B24)	954	3.1	17.7
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	790	2.5	14.6
8	Chronic liver disease and cirrhosis (K70,K73-K74)	729	2.3	13.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	685	2.2	12.7
10	Septicemia (A40-A41)	634	2.0	11.8
11	Chronic lower respiratory diseases (J40-J47)	605	1.9	11.2
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	504	1.6	9.3
13	Influenza and pneumonia (J09-J18)	421	1.4	7.8
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	366	1.2	6.8
15	Viral hepatitis (B15-B19)	158	0.5	2.9
...	All other causes (residual)	5,234	16.8	97.0
Non-Hispanic, black, both sexes, 55-64 years				
...	All causes	60,886	100.0	1,298.5
1	Malignant neoplasms (C00-C97)	17,970	29.5	383.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,068	24.7	321.4
3	Diabetes mellitus (E10-E14)	3,058	5.0	65.2
4	Cerebrovascular diseases (I60-I69)	2,998	4.9	63.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,707	4.4	57.7
6	Chronic lower respiratory diseases (J40-J47)	1,921	3.2	41.0
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,667	2.7	35.6
8	Septicemia (A40-A41)	1,291	2.1	27.5
9	Chronic liver disease and cirrhosis (K70,K73-K74)	1,273	2.1	27.1
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,066	1.8	22.7
11	Human immunodeficiency virus (HIV) disease (B20-B24)	978	1.6	20.9
12	Influenza and pneumonia (J09-J18)	860	1.4	18.3
13	Viral hepatitis (B15-B19)	579	1.0	12.3
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	413	0.7	8.8
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	238	0.4	5.1
...	All other causes (residual)	8,799	14.5	187.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, both sexes, 65-74 years				
...	All causes	63,318	100.0	2,425.7
1	Malignant neoplasms (C00-C97)	18,928	29.9	725.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,771	24.9	604.2
3	Cerebrovascular diseases (I60-I69)	3,632	5.7	139.1
4	Diabetes mellitus (E10-E14)	3,298	5.2	126.3
5	Chronic lower respiratory diseases (J40-J47)	2,702	4.3	103.5
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,148	3.4	82.3
7	Septicemia (A40-A41)	1,494	2.4	57.2
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,301	2.1	49.8
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,151	1.8	44.1
10	Influenza and pneumonia (J09-J18)	1,069	1.7	41.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	675	1.1	25.9
12	Alzheimer's disease (G30)	635	1.0	24.3
13	Human immunodeficiency virus (HIV) disease (B20-B24)	360	0.6	13.8
14	Pneumonitis due to solids and liquids (J69)	324	0.5	12.4
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	319	0.5	12.2
...	All other causes (residual)	9,511	15.0	364.4
Non-Hispanic, black, both sexes, 75-84 years				
...	All causes	61,461	100.0	5,152.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,562	25.3	1,304.7
2	Malignant neoplasms (C00-C97)	14,113	23.0	1,183.2
3	Cerebrovascular diseases (I60-I69)	4,519	7.4	378.9
4	Diabetes mellitus (E10-E14)	3,024	4.9	253.5
5	Chronic lower respiratory diseases (J40-J47)	2,729	4.4	228.8
6	Alzheimer's disease (G30)	2,435	4.0	204.1
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,221	3.6	186.2
8	Septicemia (A40-A41)	1,485	2.4	124.5
9	Influenza and pneumonia (J09-J18)	1,317	2.1	110.4
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,302	2.1	109.2
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	950	1.5	79.6
12	Parkinson's disease (G20-G21)	495	0.8	41.5
13	Pneumonitis due to solids and liquids (J69)	457	0.7	38.3
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	372	0.6	31.2
15	Chronic liver disease and cirrhosis (K70,K73-K74)	205	0.3	17.2
...	All other causes (residual)	10,275	16.7	861.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, both sexes, 85 years and over				
...	All causes	57,576	100.0	12,364.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,971	27.7	3,429.8
2	Malignant neoplasms (C00-C97)	7,496	13.0	1,609.8
3	Alzheimer's disease (G30)	4,885	8.5	1,049.1
4	Cerebrovascular diseases (I60-I69)	4,397	7.6	944.3
5	Diabetes mellitus (E10-E14)	1,957	3.4	420.3
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,917	3.3	411.7
7	Chronic lower respiratory diseases (J40-J47)	1,859	3.2	399.2
8	Influenza and pneumonia (J09-J18)	1,509	2.6	324.1
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,453	2.5	312.0
10	Septicemia (A40-A41)	1,216	2.1	261.1
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	779	1.4	167.3
12	Pneumonitis due to solids and liquids (J69)	547	1.0	117.5
13	Parkinson's disease (G20-G21)	401	0.7	86.1
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	324	0.6	69.6
15	Nutritional deficiencies (E40-E64)	260	0.5	55.8
...	All other causes (residual)	12,605	21.9	2,706.9
Non-Hispanic, black, male, all ages				
...	All causes	161,850	100.0	809.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	38,638	23.9	193.2
2	Malignant neoplasms (C00-C97)	34,787	21.5	174.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,516	6.5	52.6
4	Cerebrovascular diseases (I60-I69)	7,962	4.9	39.8
5	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	7,909	4.9	39.6
6	Diabetes mellitus (E10-E14)	6,806	4.2	34.0
7	Chronic lower respiratory diseases (J40-J47)	5,236	3.2	26.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,351	2.7	21.8
9	Septicemia (A40-A41)	3,061	1.9	15.3
10	Influenza and pneumonia (J09-J18)	2,729	1.7	13.6
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,599	1.6	13.0
12	Human immunodeficiency virus (HIV) disease (B20-B24)	2,230	1.4	11.2
13	Alzheimer's disease (G30)	2,154	1.3	10.8
14	Certain conditions originating in the perinatal period (P00-P96)	2,130	1.3	10.7
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,951	1.2	9.8
...	All other causes (residual)	28,791	17.8	144.0

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, male, 1-4 years				
...	All causes	608	100.0	48.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	180	29.6	14.5
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	90	14.8	7.2
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	52	8.6	4.2
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	28	4.6	2.3
5	Malignant neoplasms (C00-C97)	26	4.3	2.1
6	Certain conditions originating in the perinatal period (P00-P96)	19	3.1	*
7	Influenza and pneumonia (J09-J18)	17	2.8	*
8	Chronic lower respiratory diseases (J40-J47)	15	2.5	*
9	Cerebrovascular diseases (I60-I69)	12	2.0	*
10	Complications of medical and surgical care (Y40-Y84,Y88)	8	1.3	*
11	Septicemia (A40-A41)	7	1.2	*
11	Anemias (D50-D64)	7	1.2	*
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3	0.5	*
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1	0.2	*
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1	0.2	*
14	Diabetes mellitus (E10-E14)	1	0.2	*
14	Nutritional deficiencies (E40-E64)	1	0.2	*
14	Meningitis (G00,G03)	1	0.2	*
14	Pneumonitis due to solids and liquids (J69)	1	0.2	*
14	Diseases of appendix (K35-K38)	1	0.2	*
...	All other causes (residual)	137	22.5	11.0
Non-Hispanic, black, male, 5-14 years				
...	All causes	703	100.0	22.4
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	187	26.6	6.0
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	83	11.8	2.6
3	Malignant neoplasms (C00-C97)	68	9.7	2.2
4	Chronic lower respiratory diseases (J40-J47)	63	9.0	2.0
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	38	5.4	1.2
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	35	5.0	1.1
7	Diseases of heart (I00-I09,I11,I13,I20-I51)	32	4.6	1.0
8	Cerebrovascular diseases (I60-I69)	13	1.8	*
9	Influenza and pneumonia (J09-J18)	9	1.3	*
10	Septicemia (A40-A41)	7	1.0	*
10	Anemias (D50-D64)	7	1.0	*
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	6	0.9	*
12	Diabetes mellitus (E10-E14)	6	0.9	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3	0.4	*
14	Certain conditions originating in the perinatal period (P00-P96)	3	0.4	*
...	All other causes (residual)	143	20.3	4.6

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, male, 15-24 years				
...	All causes	5,486	100.0	159.2
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,744	50.0	79.6
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,226	22.3	35.6
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	452	8.2	13.1
4	Diseases of heart (I00-I09,I11,I13,I20-I51)	194	3.5	5.6
5	Malignant neoplasms (C00-C97)	138	2.5	4.0
6	Chronic lower respiratory diseases (J40-J47)	55	1.0	1.6
7	Human immunodeficiency virus (HIV) disease (B20-B24)	45	0.8	1.3
7	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	45	0.8	1.3
9	Diabetes mellitus (E10-E14)	39	0.7	1.1
10	Anemias (D50-D64)	35	0.6	1.0
11	Legal intervention (Y35,Y89.0)	32	0.6	0.9
12	Influenza and pneumonia (J09-J18)	21	0.4	0.6
13	Cerebrovascular diseases (I60-I69)	20	0.4	0.6
14	Septicemia (A40-A41)	15	0.3	*
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	11	0.2	*
...	All other causes (residual)	414	7.5	12.0
Non-Hispanic, black, male, 25-34 years				
...	All causes	7,229	100.0	243.1
1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	2,592	35.9	87.2
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,602	22.2	53.9
3	Diseases of heart (I00-I09,I11,I13,I20-I51)	596	8.2	20.0
4	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	491	6.8	16.5
5	Malignant neoplasms (C00-C97)	268	3.7	9.0
6	Human immunodeficiency virus (HIV) disease (B20-B24)	220	3.0	7.4
7	Diabetes mellitus (E10-E14)	131	1.8	4.4
8	Cerebrovascular diseases (I60-I69)	76	1.1	2.6
9	Chronic lower respiratory diseases (J40-J47)	68	0.9	2.3
10	Influenza and pneumonia (J09-J18)	67	0.9	2.3
11	Septicemia (A40-A41)	61	0.8	2.1
12	Anemias (D50-D64)	59	0.8	2.0
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	52	0.7	1.7
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	52	0.7	1.7
15	Legal intervention (Y35,Y89.0)	39	0.5	1.3
...	All other causes (residual)	855	11.8	28.8

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, male, 35-44 years				
...	All causes	8,610	100.0	344.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,802	20.9	72.1
2	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,498	17.4	60.0
3	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,237	14.4	49.5
4	Malignant neoplasms (C00-C97)	697	8.1	27.9
5	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	357	4.1	14.3
6	Human immunodeficiency virus (HIV) disease (B20-B24)	333	3.9	13.3
7	Diabetes mellitus (E10-E14)	317	3.7	12.7
8	Cerebrovascular diseases (I60-I69)	299	3.5	12.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	150	1.7	6.0
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	133	1.5	5.3
11	Chronic lower respiratory diseases (J40-J47)	100	1.2	4.0
12	Septicemia (A40-A41)	94	1.1	3.8
13	Chronic liver disease and cirrhosis (K70,K73-K74)	81	0.9	3.2
14	Influenza and pneumonia (J09-J18)	80	0.9	3.2
15	Aortic aneurysm and dissection (I71)	75	0.9	3.0
...	All other causes (residual)	1,357	15.8	54.3
Non-Hispanic, black, male, 45-54 years				
...	All causes	17,812	100.0	703.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,660	26.2	184.1
2	Malignant neoplasms (C00-C97)	3,266	18.3	129.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,900	10.7	75.0
4	Diabetes mellitus (E10-E14)	858	4.8	33.9
5	Cerebrovascular diseases (I60-I69)	795	4.5	31.4
6	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	660	3.7	26.1
7	Human immunodeficiency virus (HIV) disease (B20-B24)	608	3.4	24.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	406	2.3	16.0
9	Chronic liver disease and cirrhosis (K70,K73-K74)	403	2.3	15.9
10	Septicemia (A40-A41)	317	1.8	12.5
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	293	1.6	11.6
12	Chronic lower respiratory diseases (J40-J47)	286	1.6	11.3
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	277	1.6	10.9
14	Influenza and pneumonia (J09-J18)	256	1.4	10.1
15	Aortic aneurysm and dissection (I71)	110	0.6	4.3
...	All other causes (residual)	2,717	15.3	107.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, male, 55-64 years				
...	All causes	35,443	100.0	1,656.8
1	Malignant neoplasms (C00-C97)	9,646	27.2	450.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,451	26.7	441.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,987	5.6	92.9
4	Cerebrovascular diseases (I60-I69)	1,730	4.9	80.9
5	Diabetes mellitus (E10-E14)	1,724	4.9	80.6
6	Chronic lower respiratory diseases (J40-J47)	956	2.7	44.7
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	932	2.6	43.6
8	Chronic liver disease and cirrhosis (K70,K73-K74)	842	2.4	39.4
9	Human immunodeficiency virus (HIV) disease (B20-B24)	707	2.0	33.0
10	Septicemia (A40-A41)	659	1.9	30.8
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	608	1.7	28.4
12	Influenza and pneumonia (J09-J18)	504	1.4	23.6
13	Viral hepatitis (B15-B19)	405	1.1	18.9
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	332	0.9	15.5
15	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	188	0.5	8.8
...	All other causes (residual)	4,772	13.5	223.1
Non-Hispanic, black, male, 65-74 years				
...	All causes	34,867	100.0	3,109.3
1	Malignant neoplasms (C00-C97)	10,276	29.5	916.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,160	26.3	816.9
3	Cerebrovascular diseases (I60-I69)	1,957	5.6	174.5
4	Diabetes mellitus (E10-E14)	1,751	5.0	156.1
5	Chronic lower respiratory diseases (J40-J47)	1,508	4.3	134.5
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,099	3.2	98.0
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	851	2.4	75.9
8	Septicemia (A40-A41)	784	2.2	69.9
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	585	1.7	52.2
10	Influenza and pneumonia (J09-J18)	553	1.6	49.3
11	Chronic liver disease and cirrhosis (K70,K73-K74)	460	1.3	41.0
12	Alzheimer's disease (G30)	265	0.8	23.6
13	Human immunodeficiency virus (HIV) disease (B20-B24)	252	0.7	22.5
14	Viral hepatitis (B15-B19)	196	0.6	17.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	176	0.5	15.7
15	Pneumonitis due to solids and liquids (J69)	176	0.5	15.7
...	All other causes (residual)	4,818	13.8	429.7

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, male, 75-84 years				
...	All causes	28,940	100.0	6,345.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,647	26.4	1,676.7
2	Malignant neoplasms (C00-C97)	7,136	24.7	1,564.7
3	Cerebrovascular diseases (I60-I69)	1,915	6.6	419.9
4	Chronic lower respiratory diseases (J40-J47)	1,391	4.8	305.0
5	Diabetes mellitus (E10-E14)	1,350	4.7	296.0
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	998	3.4	218.8
7	Alzheimer's disease (G30)	831	2.9	182.2
8	Influenza and pneumonia (J09-J18)	670	2.3	146.9
9	Septicemia (A40-A41)	664	2.3	145.6
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	536	1.9	117.5
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	533	1.8	116.9
12	Parkinson's disease (G20-G21)	301	1.0	66.0
13	Pneumonitis due to solids and liquids (J69)	250	0.9	54.8
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	175	0.6	38.4
15	Chronic liver disease and cirrhosis (K70,K73-K74)	101	0.3	22.1
...	All other causes (residual)	4,442	15.3	974.0
Non-Hispanic, black, male, 85 years and over				
...	All causes	18,325	100.0	13,344.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,020	27.4	3,655.5
2	Malignant neoplasms (C00-C97)	3,261	17.8	2,374.6
3	Cerebrovascular diseases (I60-I69)	1,131	6.2	823.6
4	Alzheimer's disease (G30)	1,008	5.5	734.0
5	Chronic lower respiratory diseases (J40-J47)	789	4.3	574.5
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	691	3.8	503.2
7	Diabetes mellitus (E10-E14)	627	3.4	456.6
8	Influenza and pneumonia (J09-J18)	515	2.8	375.0
9	Septicemia (A40-A41)	419	2.3	305.1
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	414	2.3	301.5
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	329	1.8	239.6
12	Pneumonitis due to solids and liquids (J69)	234	1.3	170.4
13	Parkinson's disease (G20-G21)	194	1.1	141.3
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	112	0.6	81.6
15	Nutritional deficiencies (E40-E64)	88	0.5	64.1
...	All other causes (residual)	3,493	19.1	2,543.5

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, female, all ages				
...	All causes	153,404	100.0	704.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	35,455	23.1	162.8
2	Malignant neoplasms (C00-C97)	33,736	22.0	154.9
3	Cerebrovascular diseases (I60-I69)	9,798	6.4	45.0
4	Diabetes mellitus (E10-E14)	6,887	4.5	31.6
5	Alzheimer's disease (G30)	5,918	3.9	27.2
6	Chronic lower respiratory diseases (J40-J47)	5,091	3.3	23.4
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,850	3.2	22.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	4,732	3.1	21.7
9	Septicemia (A40-A41)	3,515	2.3	16.1
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	3,141	2.0	14.4
11	Influenza and pneumonia (J09-J18)	2,825	1.8	13.0
12	Certain conditions originating in the perinatal period (P00-P96)	1,697	1.1	7.8
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,252	0.8	5.7
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1,149	0.7	5.3
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,129	0.7	5.2
...	All other causes (residual)	32,229	21.0	148.0
Non-Hispanic, black, female, 1-4 years				
...	All causes	408	100.0	34.0
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	106	26.0	8.8
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	49	12.0	4.1
3	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	41	10.0	3.4
4	Malignant neoplasms (C00-C97)	27	6.6	2.3
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	24	5.9	2.0
6	Influenza and pneumonia (J09-J18)	10	2.5	*
7	Chronic lower respiratory diseases (J40-J47)	8	2.0	*
7	Certain conditions originating in the perinatal period (P00-P96)	8	2.0	*
9	Septicemia (A40-A41)	7	1.7	*
10	Anemias (D50-D64)	6	1.5	*
11	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	5	1.2	*
11	Cerebrovascular diseases (I60-I69)	5	1.2	*
13	Meningitis (G00,G03)	2	0.5	*
14	Meningococcal infection (A39)	1	0.2	*
14	Human immunodeficiency virus (HIV) disease (B20-B24)	1	0.2	*
14	Nutritional deficiencies (E40-E64)	1	0.2	*
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1	0.2	*
14	Acute bronchitis and bronchiolitis (J20-J21)	1	0.2	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1	0.2	*
14	Infections of kidney (N10-N12,N13.6,N15.1)	1	0.2	*
14	Complications of medical and surgical care (Y40-Y84,Y88)	1	0.2	*
14	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	1	0.2	*
...	All other causes (residual)	101	24.8	8.4

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, female, 5-14 years				
...	All causes	484	100.0	15.9
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	140	28.9	4.6
2	Malignant neoplasms (C00-C97)	58	12.0	1.9
3	Chronic lower respiratory diseases (J40-J47)	39	8.1	1.3
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	38	7.9	1.2
5	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	28	5.8	0.9
6	Diseases of heart (I00-I09,I11,I13,I20-I51)	26	5.4	0.9
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	12	2.5	*
8	Influenza and pneumonia (J09-J18)	10	2.1	*
9	Septicemia (A40-A41)	9	1.9	*
9	Anemias (D50-D64)	9	1.9	*
9	Cerebrovascular diseases (I60-I69)	9	1.9	*
12	Complications of medical and surgical care (Y40-Y84,Y88)	5	1.0	*
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	4	0.8	*
14	Diabetes mellitus (E10-E14)	3	0.6	*
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3	0.6	*
...	All other causes (residual)	91	18.8	3.0
Non-Hispanic, black, female, 15-24 years				
...	All causes	1,610	100.0	48.2
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	423	26.3	12.7
2	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	269	16.7	8.0
3	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	122	7.6	3.7
4	Malignant neoplasms (C00-C97)	114	7.1	3.4
5	Diseases of heart (I00-I09,I11,I13,I20-I51)	108	6.7	3.2
6	Pregnancy, childbirth and the puerperium (O00-O99)	63	3.9	1.9
7	Anemias (D50-D64)	35	2.2	1.0
8	Chronic lower respiratory diseases (J40-J47)	31	1.9	0.9
9	Human immunodeficiency virus (HIV) disease (B20-B24)	28	1.7	0.8
10	Diabetes mellitus (E10-E14)	25	1.6	0.7
11	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	22	1.4	0.7
12	Septicemia (A40-A41)	19	1.2	*
12	Cerebrovascular diseases (I60-I69)	19	1.2	*
14	Influenza and pneumonia (J09-J18)	14	0.9	*
15	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	13	0.8	*
...	All other causes (residual)	305	18.9	9.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, female, 25-34 years				
...	All causes	3,087	100.0	98.7
1	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	552	17.9	17.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	382	12.4	12.2
3	Malignant neoplasms (C00-C97)	363	11.8	11.6
4	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	290	9.4	9.3
5	Pregnancy, childbirth and the puerperium (O00-O99)	133	4.3	4.3
6	Diabetes mellitus (E10-E14)	121	3.9	3.9
7	Human immunodeficiency virus (HIV) disease (B20-B24)	106	3.4	3.4
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	98	3.2	3.1
9	Cerebrovascular diseases (I60-I69)	75	2.4	2.4
10	Anemias (D50-D64)	60	1.9	1.9
11	Septicemia (A40-A41)	55	1.8	1.8
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	54	1.7	1.7
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	36	1.2	1.2
14	Chronic lower respiratory diseases (J40-J47)	34	1.1	1.1
15	Chronic liver disease and cirrhosis (K70,K73-K74)	33	1.1	1.1
...	All other causes (residual)	695	22.5	22.2
Non-Hispanic, black, female, 35-44 years				
...	All causes	5,692	100.0	203.3
1	Malignant neoplasms (C00-C97)	1,211	21.3	43.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,019	17.9	36.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	585	10.3	20.9
4	Human immunodeficiency virus (HIV) disease (B20-B24)	260	4.6	9.3
5	Cerebrovascular diseases (I60-I69)	225	4.0	8.0
6	Diabetes mellitus (E10-E14)	223	3.9	8.0
7	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	171	3.0	6.1
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	133	2.3	4.7
9	Septicemia (A40-A41)	123	2.2	4.4
10	Chronic liver disease and cirrhosis (K70,K73-K74)	105	1.8	3.7
10	Pregnancy, childbirth and the puerperium (O00-O99)	105	1.8	3.7
12	Chronic lower respiratory diseases (J40-J47)	86	1.5	3.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	79	1.4	2.8
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	71	1.2	2.5
15	Influenza and pneumonia (J09-J18)	62	1.1	2.2
...	All other causes (residual)	1,234	21.7	44.1

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, female, 45-54 years				
...	All causes	13,360	100.0	466.5
1	Malignant neoplasms (C00-C97)	3,771	28.2	131.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,757	20.6	96.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	818	6.1	28.6
4	Cerebrovascular diseases (I60-I69)	639	4.8	22.3
5	Diabetes mellitus (E10-E14)	628	4.7	21.9
6	Human immunodeficiency virus (HIV) disease (B20-B24)	346	2.6	12.1
7	Chronic liver disease and cirrhosis (K70,K73-K74)	326	2.4	11.4
8	Chronic lower respiratory diseases (J40-J47)	319	2.4	11.1
9	Septicemia (A40-A41)	317	2.4	11.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	279	2.1	9.7
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	211	1.6	7.4
12	Influenza and pneumonia (J09-J18)	165	1.2	5.8
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	130	1.0	4.5
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	89	0.7	3.1
15	Anemias (D50-D64)	76	0.6	2.7
...	All other causes (residual)	2,489	18.6	86.9
Non-Hispanic, black, female, 55-64 years				
...	All causes	25,443	100.0	997.9
1	Malignant neoplasms (C00-C97)	8,324	32.7	326.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,617	22.1	220.3
3	Diabetes mellitus (E10-E14)	1,334	5.2	52.3
4	Cerebrovascular diseases (I60-I69)	1,268	5.0	49.7
5	Chronic lower respiratory diseases (J40-J47)	965	3.8	37.8
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	735	2.9	28.8
7	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	720	2.8	28.2
8	Septicemia (A40-A41)	632	2.5	24.8
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	458	1.8	18.0
10	Chronic liver disease and cirrhosis (K70,K73-K74)	431	1.7	16.9
11	Influenza and pneumonia (J09-J18)	356	1.4	14.0
12	Human immunodeficiency virus (HIV) disease (B20-B24)	271	1.1	10.6
13	Viral hepatitis (B15-B19)	174	0.7	6.8
14	Pneumonitis due to solids and liquids (J69)	100	0.4	3.9
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	98	0.4	3.8
...	All other causes (residual)	3,960	15.6	155.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, female, 65-74 years				
...	All causes	28,451	100.0	1,910.9
1	Malignant neoplasms (C00-C97)	8,652	30.4	581.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,611	23.2	444.0
3	Cerebrovascular diseases (I60-I69)	1,675	5.9	112.5
4	Diabetes mellitus (E10-E14)	1,547	5.4	103.9
5	Chronic lower respiratory diseases (J40-J47)	1,194	4.2	80.2
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,049	3.7	70.5
7	Septicemia (A40-A41)	710	2.5	47.7
8	Essential hypertension and hypertensive renal disease (I10,I12,I15)	566	2.0	38.0
9	Influenza and pneumonia (J09-J18)	516	1.8	34.7
10	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	450	1.6	30.2
11	Alzheimer's disease (G30)	370	1.3	24.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	215	0.8	14.4
13	Pneumonitis due to solids and liquids (J69)	148	0.5	9.9
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	143	0.5	9.6
15	Human immunodeficiency virus (HIV) disease (B20-B24)	108	0.4	7.3
...	All other causes (residual)	4,497	15.8	302.0
Non-Hispanic, black, female, 75-84 years				
...	All causes	32,521	100.0	4,414.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,915	24.3	1,074.4
2	Malignant neoplasms (C00-C97)	6,977	21.5	947.1
3	Cerebrovascular diseases (I60-I69)	2,604	8.0	353.5
4	Diabetes mellitus (E10-E14)	1,674	5.1	227.2
5	Alzheimer's disease (G30)	1,604	4.9	217.7
6	Chronic lower respiratory diseases (J40-J47)	1,338	4.1	181.6
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,223	3.8	166.0
8	Septicemia (A40-A41)	821	2.5	111.4
9	Essential hypertension and hypertensive renal disease (I10,I12,I15)	766	2.4	104.0
10	Influenza and pneumonia (J09-J18)	647	2.0	87.8
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	417	1.3	56.6
12	Pneumonitis due to solids and liquids (J69)	207	0.6	28.1
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	197	0.6	26.7
14	Parkinson's disease (G20-G21)	194	0.6	26.3
15	Aortic aneurysm and dissection (I71)	116	0.4	15.7
...	All other causes (residual)	5,821	17.9	790.2

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015

LCWK5. Deaths, percent of total deaths, and death rates for the 15 leading causes of death in 10-year age groups, by Hispanic origin, race for non-Hispanic population and sex: United States, 2015

[Rates per 100,000 population in specified group. Rates for "all ages" include deaths for age "Under 1 year." Figures for "age not stated" are included in "all ages" but are not distributed among age groups. Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated by race; data for non-Hispanic persons are tabulated by race]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>), Hispanic origin, sex, and age	Number	Percent of total deaths	Rate
Non-Hispanic, black, female, 85 years and over				
...	All causes	39,251	100.0	11,954.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,951	27.9	3,335.4
2	Malignant neoplasms (C00-C97)	4,235	10.8	1,289.9
3	Alzheimer's disease (G30)	3,877	9.9	1,180.8
4	Cerebrovascular diseases (I60-I69)	3,266	8.3	994.7
5	Diabetes mellitus (E10-E14)	1,330	3.4	405.1
6	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,226	3.1	373.4
7	Chronic lower respiratory diseases (J40-J47)	1,070	2.7	325.9
8	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,039	2.6	316.4
9	Influenza and pneumonia (J09-J18)	994	2.5	302.7
10	Septicemia (A40-A41)	797	2.0	242.7
11	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	450	1.1	137.1
12	Pneumonitis due to solids and liquids (J69)	313	0.8	95.3
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	212	0.5	64.6
14	Parkinson's disease (G20-G21)	207	0.5	63.0
15	Nutritional deficiencies (E40-E64)	172	0.4	52.4
...	All other causes (residual)	9,112	23.2	2,775.3

... Category not applicable

* Figure does not meet standards of reliability or precision

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2015