

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
United States				
...	All causes	2,515,458	100.0	807.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	596,577	23.7	191.5
2	Malignant neoplasms (C00-C97)	576,691	22.9	185.1
3	Chronic lower respiratory diseases (J40-J47)	142,943	5.7	45.9
4	Cerebrovascular diseases (I60-I69)	128,932	5.1	41.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	126,438	5.0	40.6
6	Alzheimer's disease (G30)	84,974	3.4	27.3
7	Diabetes mellitus (E10-E14)	73,831	2.9	23.7
8	Influenza and pneumonia (J09-J18)	53,826	2.1	17.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	45,591	1.8	14.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	39,518	1.6	12.7
11	Septicemia (A40-A41)	35,748	1.4	11.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	33,642	1.3	10.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	27,853	1.1	8.9
14	Parkinson's disease (G20-G21)	23,111	0.9	7.4
15	Pneumonitis due to solids and liquids (J69)	18,195	0.7	5.8
...	All other causes (Residual)	507,588	20.2	162.9
Alabama				
...	All causes	48,681	100.0	1,013.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,942	24.5	248.6
2	Malignant neoplasms (C00-C97)	10,233	21.0	213.1
3	Chronic lower respiratory diseases (J40-J47)	2,912	6.0	60.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,662	5.5	55.4
5	Cerebrovascular diseases (I60-I69)	2,568	5.3	53.5
6	Alzheimer's disease (G30)	1,486	3.1	30.9
7	Diabetes mellitus (E10-E14)	1,278	2.6	26.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,047	2.2	21.8
9	Influenza and pneumonia (J09-J18)	951	2.0	19.8
10	Septicemia (A40-A41)	912	1.9	19.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	654	1.3	13.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	551	1.1	11.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	539	1.1	11.2
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	392	0.8	8.2
15	Parkinson's disease (G20-G21)	374	0.8	7.8
...	All other causes (Residual)	10,180	20.9	212.0

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Alaska				
...	All causes	3,849	100.0	532.6
1	Malignant neoplasms (C00-C97)	935	24.3	129.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	739	19.2	102.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	385	10.0	53.3
4	Chronic lower respiratory diseases (J40-J47)	194	5.0	26.8
5	Cerebrovascular diseases (I60-I69)	168	4.4	23.2
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	143	3.7	19.8
7	Diabetes mellitus (E10-E14)	107	2.8	14.8
8	Chronic liver disease and cirrhosis (K70,K73-K74)	99	2.6	13.7
9	Alzheimer's disease (G30)	72	1.9	10.0
10	Influenza and pneumonia (J09-J18)	58	1.5	8.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	53	1.4	7.3
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	36	0.9	5.0
13	Septicemia (A40-A41)	33	0.9	4.6
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	29	0.8	4.0
15	Parkinson's disease (G20-G21)	24	0.6	3.3
...	All other causes (Residual)	774	20.1	107.1
Arizona				
...	All causes	48,381	100.0	746.3
1	Malignant neoplasms (C00-C97)	10,690	22.1	164.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,662	22.0	164.5
3	Chronic lower respiratory diseases (J40-J47)	3,166	6.5	48.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,096	6.4	47.8
5	Alzheimer's disease (G30)	2,348	4.9	36.2
6	Cerebrovascular diseases (I60-I69)	2,148	4.4	33.1
7	Diabetes mellitus (E10-E14)	1,740	3.6	26.8
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,160	2.4	17.9
9	Chronic liver disease and cirrhosis (K70,K73-K74)	959	2.0	14.8
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	754	1.6	11.6
11	Influenza and pneumonia (J09-J18)	690	1.4	10.6
12	Parkinson's disease (G20-G21)	551	1.1	8.5
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	402	0.8	6.2
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	395	0.8	6.1
15	Septicemia (A40-A41)	340	0.7	5.2
...	All other causes (Residual)	9,280	19.2	143.2

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Arkansas				
...	All causes	29,653	100.0	1,009.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,168	24.2	244.0
2	Malignant neoplasms (C00-C97)	6,497	21.9	221.1
3	Chronic lower respiratory diseases (J40-J47)	1,985	6.7	67.6
4	Cerebrovascular diseases (I60-I69)	1,692	5.7	57.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,510	5.1	51.4
6	Alzheimer's disease (G30)	1,002	3.4	34.1
7	Diabetes mellitus (E10-E14)	908	3.1	30.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	787	2.7	26.8
9	Influenza and pneumonia (J09-J18)	727	2.5	24.7
10	Septicemia (A40-A41)	514	1.7	17.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	462	1.6	15.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	319	1.1	10.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	254	0.9	8.6
14	Pneumonitis due to solids and liquids (J69)	228	0.8	7.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	208	0.7	7.1
...	All other causes (Residual)	5,392	18.2	183.5
California				
...	All causes	239,942	100.0	636.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	59,772	24.9	158.6
2	Malignant neoplasms (C00-C97)	56,449	23.5	149.8
3	Cerebrovascular diseases (I60-I69)	13,503	5.6	35.8
4	Chronic lower respiratory diseases (J40-J47)	13,357	5.6	35.4
5	Alzheimer's disease (G30)	11,555	4.8	30.7
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	10,824	4.5	28.7
7	Diabetes mellitus (E10-E14)	7,695	3.2	20.4
8	Influenza and pneumonia (J09-J18)	6,200	2.6	16.4
9	Chronic liver disease and cirrhosis (K70,K73-K74)	4,568	1.9	12.1
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	4,198	1.7	11.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,996	1.7	10.6
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,599	1.1	6.9
13	Parkinson's disease (G20-G21)	2,331	1.0	6.2
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,916	0.8	5.1
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,399	0.6	3.7
...	All other causes (Residual)	39,580	16.5	105.0

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Colorado				
...	All causes	32,563	100.0	636.4
1	Malignant neoplasms (C00-C97)	7,051	21.7	137.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,177	19.0	120.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,330	7.2	45.5
4	Chronic lower respiratory diseases (J40-J47)	2,151	6.6	42.0
5	Cerebrovascular diseases (I60-I69)	1,606	4.9	31.4
6	Alzheimer's disease (G30)	1,307	4.0	25.5
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	913	2.8	17.8
8	Diabetes mellitus (E10-E14)	790	2.4	15.4
9	Chronic liver disease and cirrhosis (K70,K73-K74)	671	2.1	13.1
10	Influenza and pneumonia (J09-J18)	618	1.9	12.1
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	450	1.4	8.8
12	Septicemia (A40-A41)	411	1.3	8.0
13	Parkinson's disease (G20-G21)	356	1.1	7.0
14	Pneumonitis due to solids and liquids (J69)	282	0.9	5.5
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	237	0.7	4.6
...	All other causes (Residual)	7,213	22.2	141.0
Connecticut				
...	All causes	29,526	100.0	824.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,206	24.4	201.2
2	Malignant neoplasms (C00-C97)	6,837	23.2	190.9
3	Chronic lower respiratory diseases (J40-J47)	1,415	4.8	39.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,339	4.5	37.4
5	Cerebrovascular diseases (I60-I69)	1,315	4.5	36.7
6	Alzheimer's disease (G30)	813	2.8	22.7
7	Influenza and pneumonia (J09-J18)	696	2.4	19.4
8	Diabetes mellitus (E10-E14)	692	2.3	19.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	602	2.0	16.8
10	Septicemia (A40-A41)	565	1.9	15.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	370	1.3	10.3
12	Pneumonitis due to solids and liquids (J69)	346	1.2	9.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	316	1.1	8.8
14	Chronic liver disease and cirrhosis (K70,K73-K74)	312	1.1	8.7
15	Parkinson's disease (G20-G21)	284	1.0	7.9
...	All other causes (Residual)	6,418	21.7	179.2

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Delaware				
...	All causes	7,845	100.0	864.8
1	Malignant neoplasms (C00-C97)	1,906	24.3	210.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,809	23.1	199.4
3	Chronic lower respiratory diseases (J40-J47)	460	5.9	50.7
4	Cerebrovascular diseases (I60-I69)	418	5.3	46.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	338	4.3	37.3
6	Diabetes mellitus (E10-E14)	224	2.9	24.7
7	Alzheimer's disease (G30)	203	2.6	22.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	149	1.9	16.4
9	Influenza and pneumonia (J09-J18)	133	1.7	14.7
10	Septicemia (A40-A41)	114	1.5	12.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	105	1.3	11.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	92	1.2	10.1
13	Parkinson's disease (G20-G21)	79	1.0	8.7
14	Certain conditions originating in the perinatal period (P00-P96)	59	0.8	6.5
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	52	0.7	5.7
15	Pneumonitis due to solids and liquids (J69)	52	0.7	5.7
...	All other causes (Residual)	1,652	21.1	182.1
District of Columbia				
...	All causes	4,589	100.0	742.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,171	25.5	189.5
2	Malignant neoplasms (C00-C97)	1,070	23.3	173.1
3	Cerebrovascular diseases (I60-I69)	209	4.6	33.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	185	4.0	29.9
5	Diabetes mellitus (E10-E14)	152	3.3	24.6
6	Chronic lower respiratory diseases (J40-J47)	151	3.3	24.4
7	Alzheimer's disease (G30)	120	2.6	19.4
8	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	109	2.4	17.6
9	Human immunodeficiency virus (HIV) disease (B20-B24)	96	2.1	15.5
9	Influenza and pneumonia (J09-J18)	96	2.1	15.5
11	Septicemia (A40-A41)	91	2.0	14.7
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	80	1.7	12.9
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	60	1.3	9.7
14	Certain conditions originating in the perinatal period (P00-P96)	51	1.1	8.3
15	Viral hepatitis (B15-B19)	44	1.0	7.1
...	All other causes (Residual)	904	19.7	146.3

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Florida				
...	All causes	173,976	100.0	912.9
1	Malignant neoplasms (C00-C97)	41,681	24.0	218.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	40,919	23.5	214.7
3	Chronic lower respiratory diseases (J40-J47)	10,279	5.9	53.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,901	5.1	46.7
5	Cerebrovascular diseases (I60-I69)	8,411	4.8	44.1
6	Diabetes mellitus (E10-E14)	5,093	2.9	26.7
7	Alzheimer's disease (G30)	4,507	2.6	23.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,012	1.7	15.8
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,880	1.7	15.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	2,590	1.5	13.6
11	Influenza and pneumonia (J09-J18)	2,453	1.4	12.9
12	Septicemia (A40-A41)	1,960	1.1	10.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,829	1.1	9.6
14	Parkinson's disease (G20-G21)	1,757	1.0	9.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,199	0.7	6.3
...	All other causes (Residual)	36,505	21.0	191.6
Georgia				
...	All causes	71,248	100.0	725.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,773	22.1	160.7
2	Malignant neoplasms (C00-C97)	15,602	21.9	159.0
3	Chronic lower respiratory diseases (J40-J47)	3,837	5.4	39.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,785	5.3	38.6
5	Cerebrovascular diseases (I60-I69)	3,564	5.0	36.3
6	Alzheimer's disease (G30)	2,218	3.1	22.6
7	Diabetes mellitus (E10-E14)	2,121	3.0	21.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,571	2.2	16.0
9	Influenza and pneumonia (J09-J18)	1,457	2.0	14.8
10	Septicemia (A40-A41)	1,400	2.0	14.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,157	1.6	11.8
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,028	1.4	10.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	767	1.1	7.8
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	618	0.9	6.3
15	Parkinson's disease (G20-G21)	515	0.7	5.2
...	All other causes (Residual)	15,835	22.2	161.3

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Hawaii				
...	All causes	9,923	100.0	721.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,312	23.3	168.2
2	Malignant neoplasms (C00-C97)	2,278	23.0	165.7
3	Cerebrovascular diseases (I60-I69)	621	6.3	45.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	517	5.2	37.6
5	Influenza and pneumonia (J09-J18)	325	3.3	23.6
6	Chronic lower respiratory diseases (J40-J47)	318	3.2	23.1
7	Diabetes mellitus (E10-E14)	264	2.7	19.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	201	2.0	14.6
9	Alzheimer's disease (G30)	197	2.0	14.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	181	1.8	13.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	131	1.3	9.5
12	Septicemia (A40-A41)	115	1.2	8.4
13	Pneumonitis due to solids and liquids (J69)	109	1.1	7.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	97	1.0	7.1
15	Parkinson's disease (G20-G21)	90	0.9	6.5
...	All other causes (Residual)	2,167	21.8	157.6
Idaho				
...	All causes	12,027	100.0	758.8
1	Malignant neoplasms (C00-C97)	2,573	21.4	162.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,522	21.0	159.1
3	Chronic lower respiratory diseases (J40-J47)	824	6.9	52.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	710	5.9	44.8
5	Cerebrovascular diseases (I60-I69)	623	5.2	39.3
6	Alzheimer's disease (G30)	409	3.4	25.8
7	Diabetes mellitus (E10-E14)	393	3.3	24.8
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	281	2.3	17.7
9	Influenza and pneumonia (J09-J18)	217	1.8	13.7
10	Chronic liver disease and cirrhosis (K70,K73-K74)	173	1.4	10.9
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	154	1.3	9.7
12	Parkinson's disease (G20-G21)	140	1.2	8.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	127	1.1	8.0
14	Septicemia (A40-A41)	95	0.8	6.0
15	Pneumonitis due to solids and liquids (J69)	81	0.7	5.1
...	All other causes (Residual)	2,705	22.5	170.7

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Illinois				
...	All causes	101,906	100.0	791.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	24,987	24.5	194.2
2	Malignant neoplasms (C00-C97)	24,007	23.6	186.5
3	Chronic lower respiratory diseases (J40-J47)	5,390	5.3	41.9
4	Cerebrovascular diseases (I60-I69)	5,372	5.3	41.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,166	4.1	32.4
6	Alzheimer's disease (G30)	2,910	2.9	22.6
7	Diabetes mellitus (E10-E14)	2,693	2.6	20.9
8	Influenza and pneumonia (J09-J18)	2,424	2.4	18.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,386	2.3	18.5
10	Septicemia (A40-A41)	1,851	1.8	14.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,226	1.2	9.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,140	1.1	8.9
13	Parkinson's disease (G20-G21)	1,023	1.0	7.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	974	1.0	7.6
15	Pneumonitis due to solids and liquids (J69)	877	0.9	6.8
...	All other causes (Residual)	20,480	20.1	159.1
Indiana				
...	All causes	58,202	100.0	893.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,372	23.0	205.2
2	Malignant neoplasms (C00-C97)	13,180	22.6	202.2
3	Chronic lower respiratory diseases (J40-J47)	4,064	7.0	62.4
4	Cerebrovascular diseases (I60-I69)	3,127	5.4	48.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,699	4.6	41.4
6	Alzheimer's disease (G30)	2,058	3.5	31.6
7	Diabetes mellitus (E10-E14)	1,808	3.1	27.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,367	2.3	21.0
9	Influenza and pneumonia (J09-J18)	1,031	1.8	15.8
10	Septicemia (A40-A41)	917	1.6	14.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	881	1.5	13.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	680	1.2	10.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	547	0.9	8.4
14	Parkinson's disease (G20-G21)	496	0.9	7.6
15	Pneumonitis due to solids and liquids (J69)	459	0.8	7.0
...	All other causes (Residual)	11,516	19.8	176.7

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Iowa				
...	All causes	28,184	100.0	920.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,736	23.9	220.0
2	Malignant neoplasms (C00-C97)	6,481	23.0	211.6
3	Chronic lower respiratory diseases (J40-J47)	1,833	6.5	59.9
4	Cerebrovascular diseases (I60-I69)	1,432	5.1	46.8
5	Alzheimer's disease (G30)	1,406	5.0	45.9
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,369	4.9	44.7
7	Diabetes mellitus (E10-E14)	770	2.7	25.1
8	Influenza and pneumonia (J09-J18)	660	2.3	21.6
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	422	1.5	13.8
10	Parkinson's disease (G20-G21)	333	1.2	10.9
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	324	1.1	10.6
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	316	1.1	10.3
13	Pneumonitis due to solids and liquids (J69)	248	0.9	8.1
14	Chronic liver disease and cirrhosis (K70,K73-K74)	244	0.9	8.0
15	Septicemia (A40-A41)	212	0.8	6.9
...	All other causes (Residual)	5,398	19.2	176.3
Kansas				
...	All causes	25,116	100.0	874.7
1	Malignant neoplasms (C00-C97)	5,440	21.7	189.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,327	21.2	185.5
3	Chronic lower respiratory diseases (J40-J47)	1,647	6.6	57.4
4	Cerebrovascular diseases (I60-I69)	1,338	5.3	46.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,333	5.3	46.4
6	Alzheimer's disease (G30)	795	3.2	27.7
7	Diabetes mellitus (E10-E14)	711	2.8	24.8
8	Influenza and pneumonia (J09-J18)	647	2.6	22.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	574	2.3	20.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	394	1.6	13.7
11	Septicemia (A40-A41)	368	1.5	12.8
12	Atherosclerosis (I70)	343	1.4	11.9
13	Parkinson's disease (G20-G21)	289	1.2	10.1
14	Chronic liver disease and cirrhosis (K70,K73-K74)	260	1.0	9.1
15	Pneumonitis due to solids and liquids (J69)	183	0.7	6.4
...	All other causes (Residual)	5,467	21.8	190.4

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Kentucky				
...	All causes	42,626	100.0	975.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,905	23.2	226.7
2	Malignant neoplasms (C00-C97)	9,733	22.8	222.8
3	Chronic lower respiratory diseases (J40-J47)	3,020	7.1	69.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,608	6.1	59.7
5	Cerebrovascular diseases (I60-I69)	2,064	4.8	47.2
6	Alzheimer's disease (G30)	1,459	3.4	33.4
7	Diabetes mellitus (E10-E14)	1,268	3.0	29.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	971	2.3	22.2
9	Influenza and pneumonia (J09-J18)	961	2.3	22.0
10	Septicemia (A40-A41)	684	1.6	15.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	675	1.6	15.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	471	1.1	10.8
13	Pneumonitis due to solids and liquids (J69)	331	0.8	7.6
14	Parkinson's disease (G20-G21)	322	0.8	7.4
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	287	0.7	6.6
...	All other causes (Residual)	7,867	18.5	180.0
Louisiana				
...	All causes	40,890	100.0	893.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,781	23.9	213.8
2	Malignant neoplasms (C00-C97)	9,233	22.6	201.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,091	5.1	45.7
4	Cerebrovascular diseases (I60-I69)	2,071	5.1	45.3
5	Chronic lower respiratory diseases (J40-J47)	1,904	4.7	41.6
6	Alzheimer's disease (G30)	1,406	3.4	30.7
7	Diabetes mellitus (E10-E14)	1,265	3.1	27.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,169	2.9	25.6
9	Influenza and pneumonia (J09-J18)	851	2.1	18.6
10	Septicemia (A40-A41)	816	2.0	17.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	573	1.4	12.5
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	549	1.3	12.0
13	Chronic liver disease and cirrhosis (K70,K73-K74)	386	0.9	8.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	378	0.9	8.3
15	Parkinson's disease (G20-G21)	276	0.7	6.0
...	All other causes (Residual)	8,141	19.9	178.0

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Maine				
...	All causes	13,001	100.0	978.9
1	Malignant neoplasms (C00-C97)	3,201	24.6	241.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,648	20.4	199.4
3	Chronic lower respiratory diseases (J40-J47)	842	6.5	63.4
4	Cerebrovascular diseases (I60-I69)	630	4.8	47.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	574	4.4	43.2
6	Alzheimer's disease (G30)	481	3.7	36.2
7	Diabetes mellitus (E10-E14)	353	2.7	26.6
8	Influenza and pneumonia (J09-J18)	302	2.3	22.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	257	2.0	19.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	235	1.8	17.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	157	1.2	11.8
12	Parkinson's disease (G20-G21)	130	1.0	9.8
13	Septicemia (A40-A41)	122	0.9	9.2
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	94	0.7	7.1
15	Pneumonitis due to solids and liquids (J69)	90	0.7	6.8
...	All other causes (Residual)	2,885	22.2	217.2
Maryland				
...	All causes	43,745	100.0	750.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,557	24.1	181.1
2	Malignant neoplasms (C00-C97)	10,249	23.4	175.8
3	Cerebrovascular diseases (I60-I69)	2,306	5.3	39.6
4	Chronic lower respiratory diseases (J40-J47)	2,050	4.7	35.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,569	3.6	26.9
6	Diabetes mellitus (E10-E14)	1,297	3.0	22.3
7	Influenza and pneumonia (J09-J18)	1,036	2.4	17.8
8	Alzheimer's disease (G30)	922	2.1	15.8
9	Septicemia (A40-A41)	803	1.8	13.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	713	1.6	12.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	558	1.3	9.6
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	478	1.1	8.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	465	1.1	8.0
14	Parkinson's disease (G20-G21)	436	1.0	7.5
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	418	1.0	7.2
...	All other causes (Residual)	9,888	22.6	169.7

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Massachusetts				
...	All causes	53,710	100.0	815.3
1	Malignant neoplasms (C00-C97)	12,895	24.0	195.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,765	21.9	178.6
3	Chronic lower respiratory diseases (J40-J47)	2,651	4.9	40.2
4	Cerebrovascular diseases (I60-I69)	2,466	4.6	37.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,224	4.1	33.8
6	Alzheimer's disease (G30)	1,819	3.4	27.6
7	Influenza and pneumonia (J09-J18)	1,418	2.6	21.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,234	2.3	18.7
9	Diabetes mellitus (E10-E14)	1,140	2.1	17.3
10	Septicemia (A40-A41)	741	1.4	11.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	585	1.1	8.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	583	1.1	8.9
13	Pneumonitis due to solids and liquids (J69)	534	1.0	8.1
14	Parkinson's disease (G20-G21)	519	1.0	7.9
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	454	0.8	6.9
...	All other causes (Residual)	12,682	23.6	192.5
Michigan				
...	All causes	89,508	100.0	906.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	23,358	26.1	236.5
2	Malignant neoplasms (C00-C97)	20,420	22.8	206.8
3	Chronic lower respiratory diseases (J40-J47)	5,192	5.8	52.6
4	Cerebrovascular diseases (I60-I69)	4,442	5.0	45.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,951	4.4	40.0
6	Alzheimer's disease (G30)	2,876	3.2	29.1
7	Diabetes mellitus (E10-E14)	2,811	3.1	28.5
8	Influenza and pneumonia (J09-J18)	1,750	2.0	17.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,642	1.8	16.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,221	1.4	12.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,166	1.3	11.8
12	Septicemia (A40-A41)	1,006	1.1	10.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	926	1.0	9.4
14	Parkinson's disease (G20-G21)	847	0.9	8.6
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	654	0.7	6.6
...	All other causes (Residual)	17,246	19.3	174.6

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Minnesota				
...	All causes	39,820	100.0	745.0
1	Malignant neoplasms (C00-C97)	9,489	23.8	177.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,240	18.2	135.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,319	5.8	43.4
4	Chronic lower respiratory diseases (J40-J47)	2,170	5.4	40.6
5	Cerebrovascular diseases (I60-I69)	2,154	5.4	40.3
6	Alzheimer's disease (G30)	1,451	3.6	27.1
7	Diabetes mellitus (E10-E14)	1,189	3.0	22.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	696	1.7	13.0
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	683	1.7	12.8
10	Influenza and pneumonia (J09-J18)	680	1.7	12.7
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	502	1.3	9.4
12	Parkinson's disease (G20-G21)	473	1.2	8.8
13	Chronic liver disease and cirrhosis (K70,K73-K74)	437	1.1	8.2
14	Septicemia (A40-A41)	338	0.8	6.3
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	321	0.8	6.0
...	All other causes (Residual)	9,678	24.3	181.1
Mississippi				
...	All causes	29,278	100.0	983.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,335	25.1	246.3
2	Malignant neoplasms (C00-C97)	6,278	21.4	210.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,724	5.9	57.9
4	Chronic lower respiratory diseases (J40-J47)	1,694	5.8	56.9
5	Cerebrovascular diseases (I60-I69)	1,526	5.2	51.2
6	Diabetes mellitus (E10-E14)	996	3.4	33.4
7	Alzheimer's disease (G30)	975	3.3	32.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	664	2.3	22.3
9	Influenza and pneumonia (J09-J18)	603	2.1	20.2
10	Septicemia (A40-A41)	538	1.8	18.1
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	519	1.8	17.4
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	389	1.3	13.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	339	1.2	11.4
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	312	1.1	10.5
15	Pneumonitis due to solids and liquids (J69)	183	0.6	6.1
...	All other causes (Residual)	5,203	17.8	174.7

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Missouri				
...	All causes	55,848	100.0	929.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,810	24.7	229.8
2	Malignant neoplasms (C00-C97)	12,473	22.3	207.5
3	Chronic lower respiratory diseases (J40-J47)	3,492	6.3	58.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,169	5.7	52.7
5	Cerebrovascular diseases (I60-I69)	3,033	5.4	50.5
6	Alzheimer's disease (G30)	1,927	3.5	32.1
7	Diabetes mellitus (E10-E14)	1,438	2.6	23.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,245	2.2	20.7
9	Influenza and pneumonia (J09-J18)	1,205	2.2	20.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	933	1.7	15.5
11	Septicemia (A40-A41)	794	1.4	13.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	516	0.9	8.6
13	Parkinson's disease (G20-G21)	508	0.9	8.5
14	Pneumonitis due to solids and liquids (J69)	507	0.9	8.4
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	462	0.8	7.7
...	All other causes (Residual)	10,336	18.5	172.0
Montana				
...	All causes	9,115	100.0	913.1
1	Malignant neoplasms (C00-C97)	2,022	22.2	202.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,921	21.1	192.4
3	Chronic lower respiratory diseases (J40-J47)	637	7.0	63.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	609	6.7	61.0
5	Cerebrovascular diseases (I60-I69)	460	5.0	46.1
6	Alzheimer's disease (G30)	258	2.8	25.8
7	Diabetes mellitus (E10-E14)	252	2.8	25.2
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	232	2.5	23.2
9	Influenza and pneumonia (J09-J18)	156	1.7	15.6
10	Chronic liver disease and cirrhosis (K70,K73-K74)	128	1.4	12.8
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	104	1.1	10.4
12	Septicemia (A40-A41)	83	0.9	8.3
13	Parkinson's disease (G20-G21)	79	0.9	7.9
14	Pneumonitis due to solids and liquids (J69)	65	0.7	6.5
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	59	0.6	5.9
...	All other causes (Residual)	2,050	22.5	205.4

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Nebraska				
...	All causes	15,476	100.0	839.9
1	Malignant neoplasms (C00-C97)	3,410	22.0	185.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,265	21.1	177.2
3	Chronic lower respiratory diseases (J40-J47)	1,068	6.9	58.0
4	Cerebrovascular diseases (I60-I69)	810	5.2	44.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	678	4.4	36.8
6	Alzheimer's disease (G30)	597	3.9	32.4
7	Diabetes mellitus (E10-E14)	460	3.0	25.0
8	Influenza and pneumonia (J09-J18)	325	2.1	17.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	214	1.4	11.6
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	212	1.4	11.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	193	1.2	10.5
12	Parkinson's disease (G20-G21)	191	1.2	10.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	129	0.8	7.0
14	Pneumonitis due to solids and liquids (J69)	125	0.8	6.8
15	Septicemia (A40-A41)	117	0.8	6.3
...	All other causes (Residual)	3,682	23.8	199.8
Nevada				
...	All causes	20,343	100.0	747.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,043	24.8	185.2
2	Malignant neoplasms (C00-C97)	4,606	22.6	169.1
3	Chronic lower respiratory diseases (J40-J47)	1,243	6.1	45.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,155	5.7	42.4
5	Cerebrovascular diseases (I60-I69)	889	4.4	32.6
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	516	2.5	18.9
7	Influenza and pneumonia (J09-J18)	499	2.5	18.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	412	2.0	15.1
9	Diabetes mellitus (E10-E14)	400	2.0	14.7
10	Alzheimer's disease (G30)	349	1.7	12.8
11	Chronic liver disease and cirrhosis (K70,K73-K74)	317	1.6	11.6
12	Septicemia (A40-A41)	309	1.5	11.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	162	0.8	5.9
14	Parkinson's disease (G20-G21)	136	0.7	5.0
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	130	0.6	4.8
...	All other causes (Residual)	4,177	20.5	153.4

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
New Hampshire				
...	All causes	10,823	100.0	821.0
1	Malignant neoplasms (C00-C97)	2,740	25.3	207.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,333	21.6	177.0
3	Chronic lower respiratory diseases (J40-J47)	650	6.0	49.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	553	5.1	42.0
5	Cerebrovascular diseases (I60-I69)	490	4.5	37.2
6	Alzheimer's disease (G30)	395	3.6	30.0
7	Diabetes mellitus (E10-E14)	280	2.6	21.2
8	Influenza and pneumonia (J09-J18)	220	2.0	16.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	198	1.8	15.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	172	1.6	13.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	152	1.4	11.5
12	Septicemia (A40-A41)	115	1.1	8.7
13	Parkinson's disease (G20-G21)	100	0.9	7.6
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	99	0.9	7.5
15	Pneumonitis due to solids and liquids (J69)	80	0.7	6.1
...	All other causes (Residual)	2,246	20.8	170.4
New Jersey				
...	All causes	70,558	100.0	799.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,330	26.0	207.8
2	Malignant neoplasms (C00-C97)	16,708	23.7	189.4
3	Cerebrovascular diseases (I60-I69)	3,418	4.8	38.7
4	Chronic lower respiratory diseases (J40-J47)	3,157	4.5	35.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,685	3.8	30.4
6	Diabetes mellitus (E10-E14)	2,222	3.1	25.2
7	Alzheimer's disease (G30)	1,960	2.8	22.2
8	Septicemia (A40-A41)	1,726	2.4	19.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,490	2.1	16.9
10	Influenza and pneumonia (J09-J18)	1,257	1.8	14.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	784	1.1	8.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	736	1.0	8.3
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	689	1.0	7.8
14	Parkinson's disease (G20-G21)	666	0.9	7.6
15	Pneumonitis due to solids and liquids (J69)	573	0.8	6.5
...	All other causes (Residual)	14,157	20.1	160.5

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
New Mexico				
...	All causes	16,452	100.0	790.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,333	20.3	160.1
2	Malignant neoplasms (C00-C97)	3,328	20.2	159.8
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,336	8.1	64.2
4	Chronic lower respiratory diseases (J40-J47)	1,024	6.2	49.2
5	Cerebrovascular diseases (I60-I69)	727	4.4	34.9
6	Diabetes mellitus (E10-E14)	612	3.7	29.4
7	Chronic liver disease and cirrhosis (K70,K73-K74)	468	2.8	22.5
8	Alzheimer's disease (G30)	423	2.6	20.3
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	420	2.6	20.2
10	Influenza and pneumonia (J09-J18)	355	2.2	17.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	268	1.6	12.9
12	Septicemia (A40-A41)	211	1.3	10.1
13	Parkinson's disease (G20-G21)	170	1.0	8.2
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	148	0.9	7.1
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	136	0.8	6.5
...	All other causes (Residual)	3,493	21.2	167.8
New York				
...	All causes	149,174	100.0	766.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	44,501	29.8	228.6
2	Malignant neoplasms (C00-C97)	35,469	23.8	182.2
3	Chronic lower respiratory diseases (J40-J47)	6,963	4.7	35.8
4	Cerebrovascular diseases (I60-I69)	6,254	4.2	32.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,537	3.7	28.4
6	Influenza and pneumonia (J09-J18)	4,915	3.3	25.3
7	Diabetes mellitus (E10-E14)	3,988	2.7	20.5
8	Alzheimer's disease (G30)	2,563	1.7	13.2
9	Septicemia (A40-A41)	2,210	1.5	11.4
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,197	1.5	11.3
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,069	1.4	10.6
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,658	1.1	8.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,498	1.0	7.7
14	Parkinson's disease (G20-G21)	1,033	0.7	5.3
15	Human immunodeficiency virus (HIV) disease (B20-B24)	913	0.6	4.7
...	All other causes (Residual)	27,406	18.4	140.8

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
North Carolina				
...	All causes	79,882	100.0	827.2
1	Malignant neoplasms (C00-C97)	18,284	22.9	189.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,003	21.3	176.1
3	Chronic lower respiratory diseases (J40-J47)	4,708	5.9	48.8
4	Cerebrovascular diseases (I60-I69)	4,299	5.4	44.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,297	5.4	44.5
6	Alzheimer's disease (G30)	2,828	3.5	29.3
7	Diabetes mellitus (E10-E14)	2,278	2.9	23.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,705	2.1	17.7
9	Influenza and pneumonia (J09-J18)	1,619	2.0	16.8
10	Septicemia (A40-A41)	1,333	1.7	13.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,213	1.5	12.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,030	1.3	10.7
13	Pneumonitis due to solids and liquids (J69)	819	1.0	8.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	733	0.9	7.6
15	Parkinson's disease (G20-G21)	705	0.9	7.3
...	All other causes (Residual)	17,028	21.3	176.3
North Dakota				
...	All causes	5,965	100.0	872.2
1	Malignant neoplasms (C00-C97)	1,321	22.1	193.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,290	21.6	188.6
3	Alzheimer's disease (G30)	410	6.9	59.9
4	Chronic lower respiratory diseases (J40-J47)	342	5.7	50.0
5	Cerebrovascular diseases (I60-I69)	337	5.6	49.3
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	298	5.0	43.6
7	Diabetes mellitus (E10-E14)	207	3.5	30.3
8	Influenza and pneumonia (J09-J18)	120	2.0	17.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	110	1.8	16.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	106	1.8	15.5
11	Pneumonitis due to solids and liquids (J69)	85	1.4	12.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	84	1.4	12.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	65	1.1	9.5
14	Parkinson's disease (G20-G21)	56	0.9	8.2
15	Septicemia (A40-A41)	49	0.8	7.2
...	All other causes (Residual)	1,085	18.2	158.6

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Ohio				
...	All causes	111,427	100.0	965.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	26,298	23.6	227.8
2	Malignant neoplasms (C00-C97)	25,140	22.6	217.8
3	Chronic lower respiratory diseases (J40-J47)	6,996	6.3	60.6
4	Cerebrovascular diseases (I60-I69)	5,691	5.1	49.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,275	4.7	45.7
6	Alzheimer's disease (G30)	4,037	3.6	35.0
7	Diabetes mellitus (E10-E14)	3,668	3.3	31.8
8	Influenza and pneumonia (J09-J18)	2,291	2.1	19.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,943	1.7	16.8
10	Septicemia (A40-A41)	1,602	1.4	13.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,465	1.3	12.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,311	1.2	11.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,293	1.2	11.2
14	Parkinson's disease (G20-G21)	973	0.9	8.4
15	Pneumonitis due to solids and liquids (J69)	877	0.8	7.6
...	All other causes (Residual)	22,567	20.3	195.5
Oklahoma				
...	All causes	37,175	100.0	980.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,399	25.3	247.9
2	Malignant neoplasms (C00-C97)	7,997	21.5	210.9
3	Chronic lower respiratory diseases (J40-J47)	2,637	7.1	69.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,261	6.1	59.6
5	Cerebrovascular diseases (I60-I69)	1,864	5.0	49.2
6	Diabetes mellitus (E10-E14)	1,221	3.3	32.2
7	Alzheimer's disease (G30)	1,130	3.0	29.8
8	Influenza and pneumonia (J09-J18)	863	2.3	22.8
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	693	1.9	18.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	550	1.5	14.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	527	1.4	13.9
12	Septicemia (A40-A41)	437	1.2	11.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	370	1.0	9.8
14	Pneumonitis due to solids and liquids (J69)	273	0.7	7.2
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	261	0.7	6.9
...	All other causes (Residual)	6,692	18.0	176.5

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Oregon				
...	All causes	32,788	100.0	846.8
1	Malignant neoplasms (C00-C97)	7,802	23.8	201.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,255	19.1	161.6
3	Chronic lower respiratory diseases (J40-J47)	2,023	6.2	52.2
4	Cerebrovascular diseases (I60-I69)	1,913	5.8	49.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,722	5.3	44.5
6	Alzheimer's disease (G30)	1,324	4.0	34.2
7	Diabetes mellitus (E10-E14)	1,113	3.4	28.7
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	656	2.0	16.9
9	Chronic liver disease and cirrhosis (K70,K73-K74)	545	1.7	14.1
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	459	1.4	11.9
11	Influenza and pneumonia (J09-J18)	401	1.2	10.4
12	Parkinson's disease (G20-G21)	350	1.1	9.0
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	316	1.0	8.2
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	243	0.7	6.3
15	Septicemia (A40-A41)	195	0.6	5.0
...	All other causes (Residual)	7,471	22.8	193.0
Pennsylvania				
...	All causes	128,237	100.0	1,006.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	31,934	24.9	250.6
2	Malignant neoplasms (C00-C97)	28,895	22.5	226.8
3	Cerebrovascular diseases (I60-I69)	6,825	5.3	53.6
4	Chronic lower respiratory diseases (J40-J47)	6,627	5.2	52.0
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	6,216	4.8	48.8
6	Alzheimer's disease (G30)	3,496	2.7	27.4
7	Diabetes mellitus (E10-E14)	3,462	2.7	27.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,873	2.2	22.5
9	Influenza and pneumonia (J09-J18)	2,771	2.2	21.7
10	Septicemia (A40-A41)	2,310	1.8	18.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,747	1.4	13.7
12	Parkinson's disease (G20-G21)	1,295	1.0	10.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,216	0.9	9.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,150	0.9	9.0
15	Pneumonitis due to solids and liquids (J69)	1,087	0.8	8.5
...	All other causes (Residual)	26,333	20.5	206.6

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Rhode Island				
...	All causes	9,581	100.0	911.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,390	24.9	227.3
2	Malignant neoplasms (C00-C97)	2,170	22.6	206.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	541	5.6	51.5
4	Chronic lower respiratory diseases (J40-J47)	526	5.5	50.0
5	Cerebrovascular diseases (I60-I69)	404	4.2	38.4
6	Alzheimer's disease (G30)	320	3.3	30.4
7	Influenza and pneumonia (J09-J18)	226	2.4	21.5
8	Diabetes mellitus (E10-E14)	180	1.9	17.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	174	1.8	16.6
10	Septicemia (A40-A41)	169	1.8	16.1
11	Chronic liver disease and cirrhosis (K70,K73-K74)	142	1.5	13.5
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	101	1.1	9.6
13	Parkinson's disease (G20-G21)	93	1.0	8.8
14	Pneumonitis due to solids and liquids (J69)	77	0.8	7.3
15	Enterocolitis due to <i>Clostridium difficile</i> (A04.7)	75	0.8	7.1
...	All other causes (Residual)	1,993	20.8	189.6
South Carolina				
...	All causes	42,072	100.0	899.1
1	Malignant neoplasms (C00-C97)	9,543	22.7	203.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,295	22.1	198.6
3	Chronic lower respiratory diseases (J40-J47)	2,402	5.7	51.3
4	Cerebrovascular diseases (I60-I69)	2,287	5.4	48.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,285	5.4	48.8
6	Alzheimer's disease (G30)	1,560	3.7	33.3
7	Diabetes mellitus (E10-E14)	1,090	2.6	23.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	802	1.9	17.1
9	Septicemia (A40-A41)	781	1.9	16.7
10	Influenza and pneumonia (J09-J18)	768	1.8	16.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	658	1.6	14.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	580	1.4	12.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	404	1.0	8.6
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	355	0.8	7.6
15	Parkinson's disease (G20-G21)	317	0.8	6.8
...	All other causes (Residual)	8,945	21.3	191.2

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
South Dakota				
...	All causes	7,314	100.0	887.5
1	Malignant neoplasms (C00-C97)	1,665	22.8	202.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,625	22.2	197.2
3	Chronic lower respiratory diseases (J40-J47)	486	6.6	59.0
4	Cerebrovascular diseases (I60-I69)	444	6.1	53.9
5	Alzheimer's disease (G30)	424	5.8	51.5
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	411	5.6	49.9
7	Diabetes mellitus (E10-E14)	263	3.6	31.9
8	Influenza and pneumonia (J09-J18)	178	2.4	21.6
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	128	1.8	15.5
10	Chronic liver disease and cirrhosis (K70,K73-K74)	102	1.4	12.4
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	96	1.3	11.6
12	Parkinson's disease (G20-G21)	72	1.0	8.7
13	Septicemia (A40-A41)	71	1.0	8.6
14	Pneumonitis due to solids and liquids (J69)	58	0.8	7.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	56	0.8	6.8
...	All other causes (Residual)	1,235	16.9	149.9
Tennessee				
...	All causes	60,541	100.0	945.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,235	23.5	222.3
2	Malignant neoplasms (C00-C97)	13,562	22.4	211.8
3	Chronic lower respiratory diseases (J40-J47)	3,658	6.0	57.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,485	5.8	54.4
5	Cerebrovascular diseases (I60-I69)	3,218	5.3	50.3
6	Alzheimer's disease (G30)	2,589	4.3	40.4
7	Diabetes mellitus (E10-E14)	1,748	2.9	27.3
8	Influenza and pneumonia (J09-J18)	1,480	2.4	23.1
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	955	1.6	14.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	810	1.3	12.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	775	1.3	12.1
12	Septicemia (A40-A41)	698	1.2	10.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	611	1.0	9.5
14	Pneumonitis due to solids and liquids (J69)	520	0.9	8.1
15	Parkinson's disease (G20-G21)	500	0.8	7.8
...	All other causes (Residual)	11,697	19.3	182.7

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Texas				
...	All causes	168,640	100.0	656.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	38,094	22.6	148.4
2	Malignant neoplasms (C00-C97)	37,351	22.1	145.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,410	5.6	36.7
4	Chronic lower respiratory diseases (J40-J47)	9,097	5.4	35.4
5	Cerebrovascular diseases (I60-I69)	9,065	5.4	35.3
6	Alzheimer's disease (G30)	5,415	3.2	21.1
7	Diabetes mellitus (E10-E14)	5,091	3.0	19.8
8	Septicemia (A40-A41)	3,432	2.0	13.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,397	2.0	13.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	3,089	1.8	12.0
11	Influenza and pneumonia (J09-J18)	3,055	1.8	11.9
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,896	1.7	11.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,531	0.9	6.0
14	Parkinson's disease (G20-G21)	1,496	0.9	5.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,266	0.8	4.9
...	All other causes (Residual)	34,955	20.7	136.1
Utah				
...	All causes	15,266	100.0	541.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,036	19.9	107.8
2	Malignant neoplasms (C00-C97)	2,746	18.0	97.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,058	6.9	37.6
4	Cerebrovascular diseases (I60-I69)	782	5.1	27.8
5	Chronic lower respiratory diseases (J40-J47)	647	4.2	23.0
6	Diabetes mellitus (E10-E14)	561	3.7	19.9
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	502	3.3	17.8
8	Alzheimer's disease (G30)	402	2.6	14.3
9	Influenza and pneumonia (J09-J18)	358	2.3	12.7
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	228	1.5	8.1
11	Parkinson's disease (G20-G21)	194	1.3	6.9
12	Chronic liver disease and cirrhosis (K70,K73-K74)	174	1.1	6.2
13	Septicemia (A40-A41)	151	1.0	5.4
14	Certain conditions originating in the perinatal period (P00-P96)	132	0.9	4.7
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	131	0.9	4.6
...	All other causes (Residual)	4,164	27.3	147.8

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Vermont				
...	All causes	5,433	100.0	867.3
1	Malignant neoplasms (C00-C97)	1,347	24.8	215.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,187	21.8	189.5
3	Chronic lower respiratory diseases (J40-J47)	349	6.4	55.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	301	5.5	48.0
5	Alzheimer's disease (G30)	257	4.7	41.0
6	Cerebrovascular diseases (I60-I69)	227	4.2	36.2
7	Diabetes mellitus (E10-E14)	168	3.1	26.8
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	120	2.2	19.2
9	Chronic liver disease and cirrhosis (K70,K73-K74)	74	1.4	11.8
10	Influenza and pneumonia (J09-J18)	68	1.3	10.9
11	Parkinson's disease (G20-G21)	57	1.0	9.1
12	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	46	0.8	7.3
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	43	0.8	6.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	42	0.8	6.7
15	Septicemia (A40-A41)	29	0.5	4.6
...	All other causes (Residual)	1,118	20.6	178.5
Virginia				
...	All causes	60,804	100.0	751.0
1	Malignant neoplasms (C00-C97)	14,376	23.6	177.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,272	21.8	163.9
3	Cerebrovascular diseases (I60-I69)	3,347	5.5	41.3
4	Chronic lower respiratory diseases (J40-J47)	3,112	5.1	38.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,809	4.6	34.7
6	Alzheimer's disease (G30)	1,807	3.0	22.3
7	Diabetes mellitus (E10-E14)	1,643	2.7	20.3
8	Influenza and pneumonia (J09-J18)	1,421	2.3	17.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,419	2.3	17.5
10	Septicemia (A40-A41)	1,390	2.3	17.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,054	1.7	13.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	739	1.2	9.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	585	1.0	7.2
14	Pneumonitis due to solids and liquids (J69)	563	0.9	7.0
15	Parkinson's disease (G20-G21)	549	0.9	6.8
...	All other causes (Residual)	12,718	20.9	157.1

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Washington				
...	All causes	49,691	100.0	727.5
1	Malignant neoplasms (C00-C97)	12,002	24.2	175.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,439	21.0	152.8
3	Alzheimer's disease (G30)	3,138	6.3	45.9
4	Chronic lower respiratory diseases (J40-J47)	3,080	6.2	45.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,709	5.5	39.7
6	Cerebrovascular diseases (I60-I69)	2,557	5.1	37.4
7	Diabetes mellitus (E10-E14)	1,633	3.3	23.9
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,021	2.1	14.9
9	Chronic liver disease and cirrhosis (K70,K73-K74)	773	1.6	11.3
10	Influenza and pneumonia (J09-J18)	734	1.5	10.7
11	Parkinson's disease (G20-G21)	598	1.2	8.8
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	557	1.1	8.2
13	Pneumonitis due to solids and liquids (J69)	515	1.0	7.5
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	492	1.0	7.2
15	Septicemia (A40-A41)	457	0.9	6.7
...	All other causes (Residual)	8,986	18.1	131.6
West Virginia				
...	All causes	21,867	100.0	1,178.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,914	22.5	264.9
2	Malignant neoplasms (C00-C97)	4,782	21.9	257.7
3	Chronic lower respiratory diseases (J40-J47)	1,571	7.2	84.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,432	6.5	77.2
5	Cerebrovascular diseases (I60-I69)	1,049	4.8	56.5
6	Diabetes mellitus (E10-E14)	790	3.6	42.6
7	Alzheimer's disease (G30)	610	2.8	32.9
8	Influenza and pneumonia (J09-J18)	455	2.1	24.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	445	2.0	24.0
10	Septicemia (A40-A41)	316	1.4	17.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	306	1.4	16.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	278	1.3	15.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	242	1.1	13.0
14	Parkinson's disease (G20-G21)	172	0.8	9.3
15	Pneumonitis due to solids and liquids (J69)	121	0.6	6.5
...	All other causes (Residual)	4,384	20.0	236.3

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2011

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision, Second Edition, 2004</i>) and State	Number	Percent of total deaths	Rate
Wisconsin				
...	All causes	48,410	100.0	847.5
1	Malignant neoplasms (C00-C97)	11,608	24.0	203.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,266	23.3	197.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,680	5.5	46.9
4	Chronic lower respiratory diseases (J40-J47)	2,615	5.4	45.8
5	Cerebrovascular diseases (I60-I69)	2,554	5.3	44.7
6	Alzheimer's disease (G30)	1,807	3.7	31.6
7	Diabetes mellitus (E10-E14)	1,197	2.5	21.0
8	Influenza and pneumonia (J09-J18)	986	2.0	17.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	979	2.0	17.1
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	745	1.5	13.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	522	1.1	9.1
12	Parkinson's disease (G20-G21)	499	1.0	8.7
13	Septicemia (A40-A41)	479	1.0	8.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	402	0.8	7.0
15	Pneumonitis due to solids and liquids (J69)	387	0.8	6.8
...	All other causes (Residual)	9,684	20.0	169.5
Wyoming				
...	All causes	4,387	100.0	772.1
1	Malignant neoplasms (C00-C97)	936	21.3	164.7
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	926	21.1	163.0
3	Chronic lower respiratory diseases (J40-J47)	327	7.5	57.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	317	7.2	55.8
5	Cerebrovascular diseases (I60-I69)	214	4.9	37.7
6	Alzheimer's disease (G30)	153	3.5	26.9
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	132	3.0	23.2
8	Influenza and pneumonia (J09-J18)	116	2.6	20.4
9	Diabetes mellitus (E10-E14)	108	2.5	19.0
10	Chronic liver disease and cirrhosis (K70,K73-K74)	86	2.0	15.1
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	85	1.9	15.0
12	Septicemia (A40-A41)	48	1.1	8.4
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	33	0.8	5.8
13	Parkinson's disease (G20-G21)	33	0.8	5.8
15	Aortic aneurysm and dissection (I71)	26	0.6	4.6
...	All other causes (Residual)	847	19.3	149.1

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2011