

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Shigellosis and amebiasis (A03,A06)													
All origins, both sexes.....	3	-	-	1	1	-	-	-	-	1	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Hispanic, both sexes.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic white, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (A04,A07-A09)													
All origins, both sexes.....	4,357	13	15	1	2	12	31	94	252	608	1,662	1,667	-
Male.....	1,622	8	5	-	1	5	19	48	125	264	665	482	-
Female.....	2,735	5	10	1	1	7	12	46	127	344	997	1,185	-
Hispanic, both sexes.....	149	2	3	-	1	1	1	9	17	26	50	39	-
Male.....	57	1	1	-	-	1	-	6	5	12	16	15	-
Female.....	92	1	2	-	1	-	1	3	12	14	34	24	-
Non-Hispanic 1/, both sexes.....	4,200	9	12	1	1	11	30	85	234	582	1,610	1,625	-
Male.....	1,560	5	4	-	1	4	19	42	119	252	648	466	-
Female.....	2,640	4	8	1	-	7	11	43	115	330	962	1,159	-
Non-Hispanic white, both sexes.....	3,919	6	9	1	1	8	21	67	206	528	1,511	1,561	-
Male.....	1,440	3	2	-	1	3	13	31	102	227	612	446	-
Female.....	2,479	3	7	1	-	5	8	36	104	301	899	1,115	-
Non-Hispanic black, both sexes.....	237	1	2	-	-	3	7	16	26	45	81	56	-
Male.....	96	1	1	-	-	1	4	10	16	21	26	16	-
Female.....	141	-	1	-	-	2	3	6	10	24	55	40	-
Origin not stated 2/, both sexes.....	8	2	-	-	-	-	-	-	1	-	2	3	-
Male.....	5	2	-	-	-	-	-	-	1	-	1	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	2	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Measles (B05)													
All origins, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic white, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)													
All origins, both sexes.....	5,382	1	-	2	11	61	610	2,226	1,244	634	464	129	-
Male.....	3,513	-	-	1	7	33	399	1,645	860	334	189	45	-
Female.....	1,869	1	-	1	4	28	211	581	384	300	275	84	-
Hispanic, both sexes.....	716	-	-	1	2	9	110	275	171	89	51	8	-
Male.....	470	-	-	1	1	6	85	206	110	45	14	2	-
Female.....	246	-	-	-	1	3	25	69	61	44	37	6	-
Non-Hispanic 1/, both sexes.....	4,647	1	-	1	9	52	497	1,943	1,071	542	410	121	-
Male.....	3,031	-	-	-	6	27	311	1,434	749	287	174	43	-
Female.....	1,616	1	-	1	3	25	186	509	322	255	236	78	-
Non-Hispanic white, both sexes.....	3,533	1	-	-	3	31	390	1,517	766	401	322	102	-
Male.....	2,330	-	-	-	2	17	251	1,132	536	216	141	35	-
Female.....	1,203	1	-	-	1	14	139	385	230	185	181	67	-
Non-Hispanic black, both sexes.....	846	-	-	1	4	14	79	362	247	78	49	12	-
Male.....	554	-	-	-	3	6	39	262	177	47	16	4	-
Female.....	292	-	-	1	1	8	40	100	70	31	33	8	-
Origin not stated 2/, both sexes.....	19	-	-	-	-	-	3	8	2	3	3	-	-
Male.....	12	-	-	-	-	-	3	5	1	2	1	-	-
Female.....	7	-	-	-	-	-	-	3	1	1	2	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)													
All origins, both sexes.....	7,540	167	65	47	95	144	434	1,236	1,237	1,309	1,714	1,092	-
Male.....	4,097	100	35	25	59	81	257	834	760	710	790	446	-
Female.....	3,443	67	30	22	36	63	177	402	477	599	924	646	-
Hispanic, both sexes.....	726	31	20	10	17	22	82	174	134	97	100	39	-
Male.....	439	15	11	6	15	15	56	122	88	50	49	12	-
Female.....	287	16	9	4	2	7	26	52	46	47	51	27	-
Non-Hispanic 1/, both sexes.....	6,797	136	45	37	77	121	352	1,059	1,102	1,208	1,610	1,050	-
Male.....	3,651	85	24	19	43	66	201	711	671	658	739	434	-
Female.....	3,146	51	21	18	34	55	151	348	431	550	871	616	-
Non-Hispanic white, both sexes.....	5,545	86	28	23	53	67	243	848	868	986	1,399	944	-
Male.....	2,977	55	14	13	29	35	138	574	527	547	647	398	-
Female.....	2,568	31	14	10	24	32	105	274	341	439	752	546	-
Non-Hispanic black, both sexes.....	955	43	11	10	19	42	92	163	178	148	163	86	-
Male.....	520	24	8	5	11	23	49	110	114	75	71	30	-
Female.....	435	19	3	5	8	19	43	53	64	73	92	56	-
Origin not stated 2/, both sexes.....	17	-	-	-	1	1	-	3	1	4	4	3	-
Male.....	7	-	-	-	1	-	-	1	1	2	2	-	-
Female.....	10	-	-	-	-	1	-	2	-	2	2	3	-
Malignant neoplasms (C00-C97)													
All origins, both sexes.....	553,888	74	399	1,019	1,709	3,633	14,723	49,520	96,956	139,417	166,085	80,345	8
Male.....	286,830	37	212	572	1,027	1,750	6,408	25,432	52,738	76,487	86,734	35,427	6
Female.....	267,058	37	187	447	682	1,883	8,315	24,088	44,218	62,930	79,351	44,918	2
Hispanic, both sexes.....	24,522	19	70	211	305	526	1,345	3,040	4,659	5,996	5,970	2,378	3
Male.....	13,002	7	29	118	207	267	604	1,566	2,528	3,313	3,283	1,077	3
Female.....	11,520	12	41	93	98	259	741	1,474	2,131	2,683	2,687	1,301	-
Non-Hispanic 1/, both sexes.....	528,395	54	328	804	1,397	3,098	13,352	46,391	92,093	133,165	159,862	77,847	4
Male.....	273,282	29	182	452	816	1,477	5,794	23,812	50,078	73,022	83,325	34,293	2
Female.....	255,113	25	146	352	581	1,621	7,558	22,579	42,015	60,143	76,537	43,554	2
Non-Hispanic white, both sexes.....	453,534	44	244	587	1,016	2,270	10,062	36,016	76,400	114,148	142,461	70,283	3
Male.....	234,392	24	134	339	593	1,144	4,467	18,556	41,468	62,610	74,178	30,878	1
Female.....	219,142	20	110	248	423	1,126	5,595	17,460	34,932	51,538	68,283	39,405	2
Non-Hispanic black, both sexes.....	61,842	7	62	165	307	651	2,649	8,661	13,149	15,712	14,244	6,234	1
Male.....	32,089	2	35	82	174	254	1,025	4,439	7,276	8,642	7,422	2,737	1
Female.....	29,753	5	27	83	133	397	1,624	4,222	5,873	7,070	6,822	3,497	-
Origin not stated 2/, both sexes.....	971	1	1	4	7	9	26	89	204	256	253	120	1
Male.....	546	1	1	2	4	6	10	54	132	152	126	57	1
Female.....	425	-	-	2	3	3	16	35	72	104	127	63	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)													
All origins, both sexes.....	7,826	-	2	5	23	43	256	1,193	1,781	1,874	1,774	875	-
Male.....	5,312	-	-	2	18	35	176	937	1,400	1,312	1,057	375	-
Female.....	2,514	-	2	3	5	8	80	256	381	562	717	500	-
Hispanic, both sexes.....	332	-	1	-	2	5	12	62	80	82	59	29	-
Male.....	241	-	-	-	2	5	6	52	63	62	36	15	-
Female.....	91	-	1	-	-	-	6	10	17	20	23	14	-
Non-Hispanic 1/, both sexes.....	7,473	-	1	5	21	38	243	1,125	1,698	1,786	1,712	844	-
Male.....	5,055	-	-	2	16	30	169	881	1,334	1,245	1,020	358	-
Female.....	2,418	-	1	3	5	8	74	244	364	541	692	486	-
Non-Hispanic white, both sexes.....	6,106	-	1	3	12	24	151	789	1,322	1,500	1,522	782	-
Male.....	4,028	-	-	-	8	20	104	614	1,037	1,024	900	321	-
Female.....	2,078	-	1	3	4	4	47	175	285	476	622	461	-
Non-Hispanic black, both sexes.....	1,137	-	-	2	5	11	74	294	321	237	149	44	-
Male.....	863	-	-	2	5	9	49	235	254	190	92	27	-
Female.....	274	-	-	-	-	2	25	59	67	47	57	17	-
Origin not stated 2/, both sexes.....	21	-	-	-	-	-	1	6	3	6	3	2	-
Male.....	16	-	-	-	-	-	1	4	3	5	1	2	-
Female.....	5	-	-	-	-	-	-	2	-	1	2	-	-
Malignant neoplasm of esophagus (C15)													
All origins, both sexes.....	13,023	-	-	-	5	36	291	1,423	2,991	3,554	3,467	1,256	-
Male.....	10,081	-	-	-	4	28	242	1,211	2,502	2,817	2,546	731	-
Female.....	2,942	-	-	-	1	8	49	212	489	737	921	525	-
Hispanic, both sexes.....	440	-	-	-	-	4	19	39	105	131	103	39	-
Male.....	346	-	-	-	-	3	13	39	91	103	76	21	-
Female.....	94	-	-	-	-	1	6	-	14	28	27	18	-
Non-Hispanic 1/, both sexes.....	12,557	-	-	-	5	32	272	1,377	2,877	3,418	3,360	1,216	-
Male.....	9,715	-	-	-	4	25	229	1,166	2,406	2,710	2,466	709	-
Female.....	2,842	-	-	-	1	7	43	211	471	708	894	507	-
Non-Hispanic white, both sexes.....	10,809	-	-	-	3	24	227	1,095	2,381	2,934	3,036	1,109	-
Male.....	8,482	-	-	-	3	19	200	959	2,034	2,363	2,256	648	-
Female.....	2,327	-	-	-	-	5	27	136	347	571	780	461	-
Non-Hispanic black, both sexes.....	1,509	-	-	-	2	6	39	251	444	425	266	76	-
Male.....	1,047	-	-	-	1	5	26	187	326	296	167	39	-
Female.....	462	-	-	-	1	1	13	64	118	129	99	37	-
Origin not stated 2/, both sexes.....	26	-	-	-	-	-	-	7	9	5	4	1	-
Male.....	20	-	-	-	-	-	-	6	5	4	4	1	-
Female.....	6	-	-	-	-	-	-	1	4	1	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasm of stomach (C16)													
All origins, both sexes.....	11,859	-	-	-	12	122	478	1,142	1,887	2,752	3,415	2,051	-
Male.....	6,958	-	-	-	7	63	269	722	1,273	1,734	1,941	949	-
Female.....	4,901	-	-	-	5	59	209	420	614	1,018	1,474	1,102	-
Hispanic, both sexes.....	1,355	-	-	-	4	37	125	187	259	310	301	132	-
Male.....	771	-	-	-	4	22	64	96	157	181	187	60	-
Female.....	584	-	-	-	-	15	61	91	102	129	114	72	-
Non-Hispanic 1/, both sexes.....	10,481	-	-	-	8	84	352	953	1,623	2,439	3,105	1,917	-
Male.....	6,173	-	-	-	3	40	204	624	1,112	1,552	1,751	887	-
Female.....	4,308	-	-	-	5	44	148	329	511	887	1,354	1,030	-
Non-Hispanic white, both sexes.....	7,732	-	-	-	3	46	209	601	1,121	1,745	2,436	1,571	-
Male.....	4,575	-	-	-	1	25	128	412	784	1,114	1,375	736	-
Female.....	3,157	-	-	-	2	21	81	189	337	631	1,061	835	-
Non-Hispanic black, both sexes.....	2,004	-	-	-	4	26	93	255	364	519	495	248	-
Male.....	1,171	-	-	-	2	10	50	161	246	338	266	98	-
Female.....	833	-	-	-	2	16	43	94	118	181	229	150	-
Origin not stated 2/, both sexes.....	23	-	-	-	-	1	1	2	5	3	9	2	-
Male.....	14	-	-	-	-	1	1	2	4	1	3	2	-
Female.....	9	-	-	-	-	-	-	-	1	2	6	-	-
Malignant neoplasms of colon, rectum and anus (C18-C21)													
All origins, both sexes.....	53,772	-	-	1	54	279	1,326	4,273	8,208	11,954	16,714	10,963	-
Male.....	26,930	-	-	1	34	152	695	2,442	4,785	6,792	8,189	3,840	-
Female.....	26,842	-	-	-	20	127	631	1,831	3,423	5,162	8,525	7,123	-
Hispanic, both sexes.....	2,438	-	-	-	9	42	114	289	471	604	599	310	-
Male.....	1,327	-	-	-	3	21	72	172	281	336	319	123	-
Female.....	1,111	-	-	-	6	21	42	117	190	268	280	187	-
Non-Hispanic 1/, both sexes.....	51,252	-	-	1	45	236	1,210	3,978	7,728	11,326	16,088	10,640	-
Male.....	25,561	-	-	1	31	130	622	2,268	4,499	6,442	7,855	3,713	-
Female.....	25,691	-	-	-	14	106	588	1,710	3,229	4,884	8,233	6,927	-
Non-Hispanic white, both sexes.....	43,390	-	-	1	26	166	885	3,011	6,213	9,414	14,120	9,554	-
Male.....	21,715	-	-	1	18	92	470	1,753	3,683	5,421	6,919	3,358	-
Female.....	21,675	-	-	-	8	74	415	1,258	2,530	3,993	7,201	6,196	-
Non-Hispanic black, both sexes.....	6,578	-	-	-	12	53	250	807	1,289	1,626	1,629	912	-
Male.....	3,173	-	-	-	10	27	121	428	685	862	767	273	-
Female.....	3,405	-	-	-	2	26	129	379	604	764	862	639	-
Origin not stated 2/, both sexes.....	82	-	-	-	-	1	2	6	9	24	27	13	-
Male.....	42	-	-	-	-	1	1	2	5	14	15	4	-
Female.....	40	-	-	-	-	-	1	4	4	10	12	9	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of liver and intrahepatic bile ducts (C22)													
All origins, both sexes.....	15,321	1	22	16	43	84	380	2,348	3,123	3,670	4,059	1,575	-
Male.....	9,832	1	12	8	25	55	289	1,889	2,318	2,382	2,227	626	-
Female.....	5,489	-	10	8	18	29	91	459	805	1,288	1,832	949	-
Hispanic, both sexes.....	1,565	1	2	-	1	11	61	289	369	391	333	107	-
Male.....	1,046	1	1	-	-	9	52	226	291	239	176	51	-
Female.....	519	-	1	-	1	2	9	63	78	152	157	56	-
Non-Hispanic 1/, both sexes.....	13,718	-	20	16	42	73	318	2,052	2,742	3,272	3,718	1,465	-
Male.....	8,761	-	11	8	25	46	237	1,657	2,017	2,139	2,047	574	-
Female.....	4,957	-	9	8	17	27	81	395	725	1,133	1,671	891	-
Non-Hispanic white, both sexes.....	10,554	-	17	10	26	36	188	1,390	1,962	2,527	3,140	1,258	-
Male.....	6,656	-	10	5	14	22	132	1,132	1,419	1,663	1,767	492	-
Female.....	3,898	-	7	5	12	14	56	258	543	864	1,373	766	-
Non-Hispanic black, both sexes.....	1,988	-	2	5	14	22	77	466	498	440	337	127	-
Male.....	1,330	-	-	2	9	14	59	372	382	290	155	47	-
Female.....	658	-	2	3	5	8	18	94	116	150	182	80	-
Origin not stated 2/, both sexes.....	38	-	-	-	-	-	1	7	12	7	8	3	-
Male.....	25	-	-	-	-	-	-	6	10	4	4	1	-
Female.....	13	-	-	-	-	-	1	1	2	3	4	2	-
Malignant neoplasm of pancreas (C25)													
All origins, both sexes.....	31,772	-	-	-	11	62	521	2,641	5,756	8,178	9,853	4,749	1
Male.....	15,776	-	-	-	6	39	323	1,647	3,377	4,430	4,416	1,538	-
Female.....	15,996	-	-	-	5	23	198	994	2,379	3,748	5,437	3,211	1
Hispanic, both sexes.....	1,570	-	-	-	3	10	45	166	321	448	430	147	-
Male.....	789	-	-	-	1	5	31	96	184	240	191	41	-
Female.....	781	-	-	-	2	5	14	70	137	208	239	106	-
Non-Hispanic 1/, both sexes.....	30,148	-	-	-	8	52	476	2,473	5,420	7,716	9,405	4,597	1
Male.....	14,953	-	-	-	5	34	292	1,550	3,180	4,180	4,217	1,495	-
Female.....	15,195	-	-	-	3	18	184	923	2,240	3,536	5,188	3,102	1
Non-Hispanic white, both sexes.....	25,662	-	-	-	3	37	358	1,931	4,427	6,496	8,305	4,104	1
Male.....	12,814	-	-	-	1	26	219	1,233	2,633	3,550	3,794	1,358	-
Female.....	12,848	-	-	-	2	11	139	698	1,794	2,946	4,511	2,746	1
Non-Hispanic black, both sexes.....	3,631	-	-	-	5	10	91	453	811	995	866	400	-
Male.....	1,717	-	-	-	4	5	55	256	458	518	320	101	-
Female.....	1,914	-	-	-	1	5	36	197	353	477	546	299	-
Origin not stated 2/, both sexes.....	54	-	-	-	-	-	-	2	15	14	18	5	-
Male.....	34	-	-	-	-	-	-	1	13	10	8	2	-
Female.....	20	-	-	-	-	-	-	1	2	4	10	3	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasm of larynx (C32)													
All origins, both sexes.....	3,668	-	-	1	1	3	59	443	936	1,051	858	316	-
Male.....	2,935	-	-	-	1	3	48	362	756	854	676	235	-
Female.....	733	-	-	1	-	-	11	81	180	197	182	81	-
Hispanic, both sexes.....	190	-	-	-	-	-	2	21	45	62	47	13	-
Male.....	178	-	-	-	-	-	2	21	42	60	42	11	-
Female.....	12	-	-	-	-	-	-	-	3	2	5	2	-
Non-Hispanic 1/, both sexes.....	3,463	-	-	1	-	3	57	422	885	983	809	303	-
Male.....	2,745	-	-	-	-	3	46	341	709	789	633	224	-
Female.....	718	-	-	1	-	-	11	81	176	194	176	79	-
Non-Hispanic white, both sexes.....	2,793	-	-	1	-	3	40	304	689	799	691	266	-
Male.....	2,192	-	-	-	-	3	34	242	543	639	537	194	-
Female.....	601	-	-	1	-	-	6	62	146	160	154	72	-
Non-Hispanic black, both sexes.....	625	-	-	-	-	-	17	111	185	173	111	28	-
Male.....	518	-	-	-	-	-	12	94	158	142	89	23	-
Female.....	107	-	-	-	-	-	5	17	27	31	22	5	-
Origin not stated 2/, both sexes.....	15	-	-	-	1	-	-	-	6	6	2	-	-
Male.....	12	-	-	-	1	-	-	-	5	5	1	-	-
Female.....	3	-	-	-	-	-	-	-	1	1	1	-	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)													
All origins, both sexes.....	158,091	2	4	4	23	147	2,426	12,448	31,086	49,029	48,464	14,455	3
Male.....	89,630	1	1	3	14	87	1,280	7,317	18,440	28,453	26,992	7,039	3
Female.....	68,461	1	3	1	9	60	1,146	5,131	12,646	20,576	21,472	7,416	-
Hispanic, both sexes.....	4,215	-	1	2	2	25	86	379	786	1,303	1,223	406	2
Male.....	2,704	-	-	1	1	15	56	255	529	858	782	205	2
Female.....	1,511	-	1	1	1	10	30	124	257	445	441	201	-
Non-Hispanic 1/, both sexes.....	153,581	2	3	2	21	121	2,335	12,045	30,234	47,629	47,164	14,024	1
Male.....	86,740	1	1	2	13	71	1,222	7,049	17,867	27,527	26,166	6,820	1
Female.....	66,841	1	2	-	8	50	1,113	4,996	12,367	20,102	20,998	7,204	-
Non-Hispanic white, both sexes.....	134,118	1	2	-	16	83	1,818	9,507	25,573	41,792	42,515	12,809	-
Male.....	74,960	1	-	2	10	48	935	5,448	14,857	23,981	23,465	6,213	-
Female.....	59,158	-	2	-	6	35	883	4,059	10,716	17,811	19,050	6,596	-
Non-Hispanic black, both sexes.....	16,324	1	1	-	4	26	438	2,216	4,058	4,810	3,791	978	1
Male.....	9,906	-	1	-	3	14	233	1,414	2,646	2,940	2,173	481	1
Female.....	6,418	1	-	-	1	12	205	802	1,412	1,870	1,618	497	-
Origin not stated 2/, both sexes.....	295	-	-	-	-	1	5	24	66	97	77	25	-
Male.....	186	-	-	-	-	1	2	13	44	68	44	14	-
Female.....	109	-	-	-	-	-	3	11	22	29	33	11	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant melanoma of skin (C43)													
All origins, both sexes.....	7,952	-	2	-	39	194	526	1,162	1,547	1,711	1,912	859	-
Male.....	5,125	-	2	-	17	117	312	749	1,058	1,158	1,239	473	-
Female.....	2,827	-	-	-	22	77	214	413	489	553	673	386	-
Hispanic, both sexes.....	138	-	-	-	4	6	16	29	30	23	24	6	-
Male.....	79	-	-	-	1	4	9	19	18	13	12	3	-
Female.....	59	-	-	-	3	2	7	10	12	10	12	3	-
Non-Hispanic 1/, both sexes.....	7,804	-	2	-	35	188	510	1,129	1,516	1,686	1,885	853	-
Male.....	5,038	-	2	-	16	113	303	727	1,039	1,143	1,225	470	-
Female.....	2,766	-	-	-	19	75	207	402	477	543	660	383	-
Non-Hispanic white, both sexes.....	7,654	-	1	-	32	185	500	1,112	1,494	1,651	1,845	834	-
Male.....	4,967	-	1	-	15	111	297	718	1,026	1,131	1,205	463	-
Female.....	2,687	-	-	-	17	74	203	394	468	520	640	371	-
Non-Hispanic black, both sexes.....	118	-	1	-	3	2	8	12	16	27	33	16	-
Male.....	56	-	1	-	1	1	5	6	10	9	17	6	-
Female.....	62	-	-	-	2	1	3	6	6	18	16	10	-
Origin not stated 2/, both sexes.....	10	-	-	-	-	-	-	4	1	2	3	-	-
Male.....	8	-	-	-	-	-	-	3	1	2	2	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Malignant neoplasm of breast (C50)													
All origins, both sexes.....	41,316	-	-	-	11	396	2,511	6,232	8,474	8,285	9,371	6,036	-
Male.....	362	-	-	-	1	1	10	33	67	91	109	50	-
Female.....	40,954	-	-	-	10	395	2,501	6,199	8,407	8,194	9,262	5,986	-
Hispanic, both sexes.....	1,926	-	-	-	1	48	225	397	448	373	282	152	-
Male.....	17	-	-	-	-	-	-	5	3	6	2	1	-
Female.....	1,909	-	-	-	1	48	225	392	445	367	280	151	-
Non-Hispanic 1/, both sexes.....	39,329	-	-	-	10	347	2,282	5,828	8,017	7,897	9,077	5,871	-
Male.....	343	-	-	-	1	1	10	28	64	85	107	47	-
Female.....	38,986	-	-	-	9	346	2,272	5,800	7,953	7,812	8,970	5,824	-
Non-Hispanic white, both sexes.....	32,833	-	-	-	6	215	1,560	4,305	6,523	6,763	8,157	5,304	-
Male.....	282	-	-	-	-	-	6	20	50	70	98	38	-
Female.....	32,551	-	-	-	6	215	1,554	4,285	6,473	6,693	8,059	5,266	-
Non-Hispanic black, both sexes.....	5,546	-	-	-	2	115	619	1,272	1,258	967	807	506	-
Male.....	56	-	-	-	-	1	3	8	12	14	9	9	-
Female.....	5,490	-	-	-	2	114	616	1,264	1,246	953	798	497	-
Origin not stated 2/, both sexes.....	61	-	-	-	-	1	4	7	9	15	12	13	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Female.....	59	-	-	-	-	1	4	7	9	15	12	11	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasm of cervix uteri (C53)													
All origins, both sexes.....	3,850	-	-	-	19	213	622	850	815	601	484	246	-
Male.....
Female.....	3,850	-	-	-	19	213	622	850	815	601	484	246	-
Hispanic, both sexes.....	430	-	-	-	3	32	97	96	95	54	39	14	-
Male.....
Female.....	430	-	-	-	3	32	97	96	95	54	39	14	-
Non-Hispanic 1/, both sexes.....	3,415	-	-	-	16	181	523	753	720	547	443	232	-
Male.....
Female.....	3,415	-	-	-	16	181	523	753	720	547	443	232	-
Non-Hispanic white, both sexes.....	2,474	-	-	-	11	128	372	539	540	385	335	164	-
Male.....
Female.....	2,474	-	-	-	11	128	372	539	540	385	335	164	-
Non-Hispanic black, both sexes.....	782	-	-	-	4	43	125	182	153	130	88	57	-
Male.....
Female.....	782	-	-	-	4	43	125	182	153	130	88	57	-
Origin not stated 2/, both sexes.....	5	-	-	-	-	-	2	1	-	-	2	-	-
Male.....
Female.....	5	-	-	-	-	-	2	1	-	-	2	-	-
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)													
All origins, both sexes.....	6,990	-	-	-	5	20	168	557	1,290	1,856	2,011	1,083	-
Male.....
Female.....	6,990	-	-	-	5	20	168	557	1,290	1,856	2,011	1,083	-
Hispanic, both sexes.....	325	-	-	-	-	3	17	35	78	100	72	20	-
Male.....
Female.....	325	-	-	-	-	3	17	35	78	100	72	20	-
Non-Hispanic 1/, both sexes.....	6,654	-	-	-	5	17	151	519	1,210	1,753	1,938	1,061	-
Male.....
Female.....	6,654	-	-	-	5	17	151	519	1,210	1,753	1,938	1,061	-
Non-Hispanic white, both sexes.....	5,392	-	-	-	3	13	115	397	934	1,314	1,654	962	-
Male.....
Female.....	5,392	-	-	-	3	13	115	397	934	1,314	1,654	962	-
Non-Hispanic black, both sexes.....	1,102	-	-	-	2	4	29	93	229	395	258	92	-
Male.....
Female.....	1,102	-	-	-	2	4	29	93	229	395	258	92	-
Origin not stated 2/, both sexes.....	11	-	-	-	-	-	-	3	2	3	1	2	-
Male.....
Female.....	11	-	-	-	-	-	-	3	2	3	1	2	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of kidney and renal pelvis (C64-C65)													
All origins, both sexes.....	12,313	4	18	29	16	49	268	1,256	2,534	3,075	3,474	1,590	-
Male.....	7,640	2	9	11	9	34	183	889	1,786	2,015	1,993	709	-
Female.....	4,673	2	9	18	7	15	85	367	748	1,060	1,481	881	-
Hispanic, both sexes.....	763	2	3	1	3	7	43	125	182	178	160	59	-
Male.....	507	1	2	1	2	6	27	90	118	132	97	31	-
Female.....	256	1	1	-	1	1	16	35	64	46	63	28	-
Non-Hispanic 1/, both sexes.....	11,531	2	15	28	13	42	225	1,130	2,346	2,891	3,310	1,529	-
Male.....	7,121	1	7	10	7	28	156	798	1,665	1,878	1,894	677	-
Female.....	4,410	1	8	18	6	14	69	332	681	1,013	1,416	852	-
Non-Hispanic white, both sexes.....	10,218	2	10	23	8	22	170	952	2,067	2,551	2,999	1,414	-
Male.....	6,329	1	4	8	5	12	120	680	1,477	1,664	1,729	629	-
Female.....	3,889	1	6	15	3	10	50	272	590	887	1,270	785	-
Non-Hispanic black, both sexes.....	1,084	-	4	4	5	19	44	151	231	270	256	100	-
Male.....	649	-	3	1	2	15	29	102	155	169	134	39	-
Female.....	435	-	1	3	3	4	15	49	76	101	122	61	-
Origin not stated 2/, both sexes.....	19	-	-	-	-	-	-	1	6	6	4	2	-
Male.....	12	-	-	-	-	-	-	1	3	5	2	1	-
Female.....	7	-	-	-	-	-	-	-	3	1	2	1	-
Malignant neoplasm of bladder (C67)													
All origins, both sexes.....	13,030	-	-	1	1	12	120	545	1,452	2,753	4,847	3,299	-
Male.....	8,995	-	-	1	1	7	69	411	1,103	2,021	3,376	2,006	-
Female.....	4,035	-	-	-	-	5	51	134	349	732	1,471	1,293	-
Hispanic, both sexes.....	397	-	-	-	-	1	6	26	61	93	142	68	-
Male.....	253	-	-	-	-	-	2	22	45	62	80	42	-
Female.....	144	-	-	-	-	1	4	4	16	31	62	26	-
Non-Hispanic 1/, both sexes.....	12,608	-	-	1	1	10	114	518	1,385	2,656	4,696	3,227	-
Male.....	8,724	-	-	1	1	6	67	388	1,052	1,957	3,291	1,961	-
Female.....	3,884	-	-	-	-	4	47	130	333	699	1,405	1,266	-
Non-Hispanic white, both sexes.....	11,544	-	-	1	-	8	79	433	1,253	2,420	4,375	2,975	-
Male.....	8,140	-	-	1	-	5	46	331	965	1,825	3,116	1,851	-
Female.....	3,404	-	-	-	-	3	33	102	288	595	1,259	1,124	-
Non-Hispanic black, both sexes.....	904	-	-	-	1	2	27	76	117	200	268	213	-
Male.....	474	-	-	-	1	1	18	51	75	105	141	82	-
Female.....	430	-	-	-	-	1	9	25	42	95	127	131	-
Origin not stated 2/, both sexes.....	25	-	-	-	-	1	-	1	6	4	9	4	-
Male.....	18	-	-	-	-	1	-	1	6	4	5	3	-
Female.....	7	-	-	-	-	-	-	-	-	2	4	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)													
All origins, both sexes.....	12,829	19	102	325	223	359	904	1,902	2,750	2,895	2,543	807	-
Male.....	7,074	10	56	173	133	218	560	1,191	1,653	1,551	1,237	292	-
Female.....	5,755	9	46	152	90	141	344	711	1,097	1,344	1,306	515	-
Hispanic, both sexes.....	671	6	16	57	38	33	66	95	131	114	85	30	-
Male.....	365	2	8	25	23	19	44	59	76	57	43	9	-
Female.....	306	4	8	32	15	14	22	36	55	57	42	21	-
Non-Hispanic 1/, both sexes.....	12,137	13	86	267	183	326	835	1,806	2,612	2,777	2,455	777	-
Male.....	6,699	8	48	148	109	199	513	1,131	1,573	1,493	1,194	283	-
Female.....	5,438	5	38	119	74	127	322	675	1,039	1,284	1,261	494	-
Non-Hispanic white, both sexes.....	11,121	12	68	194	145	274	737	1,616	2,427	2,598	2,321	729	-
Male.....	6,139	7	37	110	89	168	447	1,009	1,462	1,416	1,122	272	-
Female.....	4,982	5	31	84	56	106	290	607	965	1,182	1,199	457	-
Non-Hispanic black, both sexes.....	750	-	17	48	32	36	70	137	141	134	98	37	-
Male.....	406	-	10	24	14	19	48	88	87	57	51	8	-
Female.....	344	-	7	24	18	17	22	49	54	77	47	29	-
Origin not stated 2/, both sexes.....	21	-	-	1	2	-	3	1	7	4	3	-	-
Male.....	10	-	-	-	1	-	3	1	4	1	-	-	-
Female.....	11	-	-	1	1	-	-	-	3	3	3	-	-
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)													
All origins, both sexes.....	54,645	25	122	359	645	822	1,514	3,741	7,491	12,588	18,132	9,206	-
Male.....	29,522	10	72	214	399	489	915	2,253	4,497	7,368	9,462	3,843	-
Female.....	25,123	15	50	145	246	333	599	1,488	2,994	5,220	8,670	5,363	-
Hispanic, both sexes.....	2,866	8	26	109	141	149	197	312	441	613	653	217	-
Male.....	1,619	3	12	69	100	93	133	200	253	344	327	85	-
Female.....	1,247	5	14	40	41	56	64	112	188	269	326	132	-
Non-Hispanic 1/, both sexes.....	51,695	17	96	247	501	673	1,312	3,423	7,038	11,959	17,455	8,974	-
Male.....	27,865	7	60	143	297	396	780	2,047	4,237	7,020	9,127	3,751	-
Female.....	23,830	10	36	104	204	277	532	1,376	2,801	4,939	8,328	5,223	-
Non-Hispanic white, both sexes.....	45,383	13	69	183	373	479	1,002	2,705	5,933	10,394	15,920	8,312	-
Male.....	24,604	6	41	109	219	295	607	1,627	3,630	6,160	8,406	3,504	-
Female.....	20,779	7	28	74	154	184	395	1,078	2,303	4,234	7,514	4,808	-
Non-Hispanic black, both sexes.....	5,163	3	18	46	104	163	253	609	926	1,281	1,217	543	-
Male.....	2,608	-	13	24	61	86	139	352	505	698	536	194	-
Female.....	2,555	3	5	22	43	77	114	257	421	583	681	349	-
Origin not stated 2/, both sexes.....	84	-	-	3	3	-	5	6	12	16	24	15	-
Male.....	38	-	-	2	2	-	2	6	7	4	8	7	-
Female.....	46	-	-	1	1	-	3	-	5	12	16	8	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Hodgkin's disease (C81)													
All origins, both sexes.....	1,276	-	-	6	65	134	120	168	205	222	249	107	-
Male.....	730	-	-	4	37	70	70	103	132	136	129	49	-
Female.....	546	-	-	2	28	64	50	65	73	86	120	58	-
Hispanic, both sexes.....	95	-	-	2	8	12	8	11	12	17	15	10	-
Male.....	57	-	-	1	6	7	6	8	6	13	5	5	-
Female.....	38	-	-	1	2	5	2	3	6	4	10	5	-
Non-Hispanic 1/, both sexes.....	1,176	-	-	4	56	122	110	157	193	205	233	96	-
Male.....	669	-	-	3	30	63	62	95	126	123	123	44	-
Female.....	507	-	-	1	26	59	48	62	67	82	110	52	-
Non-Hispanic white, both sexes.....	1,020	-	-	3	43	86	91	135	169	184	220	89	-
Male.....	587	-	-	3	23	49	51	82	110	109	117	43	-
Female.....	433	-	-	-	20	37	40	53	59	75	103	46	-
Non-Hispanic black, both sexes.....	133	-	-	1	13	32	17	20	18	18	11	3	-
Male.....	70	-	-	-	7	13	9	13	12	11	5	-	-
Female.....	63	-	-	1	6	19	8	7	6	7	6	3	-
Origin not stated 2/, both sexes.....	5	-	-	-	1	-	2	-	-	-	1	1	-
Male.....	4	-	-	-	1	-	2	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Non-Hodgkin's lymphoma (C82-C85)													
All origins, both sexes.....	20,938	1	2	41	144	256	543	1,538	2,866	4,820	7,080	3,647	-
Male.....	11,056	-	2	28	93	164	367	983	1,725	2,738	3,511	1,445	-
Female.....	9,882	1	-	13	51	92	176	555	1,141	2,082	3,569	2,202	-
Hispanic, both sexes.....	1,062	-	-	9	25	47	75	131	167	238	278	92	-
Male.....	605	-	-	6	17	28	58	99	93	136	132	36	-
Female.....	457	-	-	3	8	19	17	32	74	102	146	56	-
Non-Hispanic 1/, both sexes.....	19,842	1	2	31	119	209	465	1,404	2,694	4,575	6,793	3,549	-
Male.....	10,437	-	2	22	76	136	309	881	1,628	2,601	3,377	1,405	-
Female.....	9,405	1	-	9	43	73	156	523	1,066	1,974	3,416	2,144	-
Non-Hispanic white, both sexes.....	17,970	1	2	20	85	139	362	1,125	2,360	4,142	6,379	3,355	-
Male.....	9,440	-	2	16	52	95	248	710	1,431	2,361	3,186	1,339	-
Female.....	8,530	1	-	4	33	44	114	415	929	1,781	3,193	2,016	-
Non-Hispanic black, both sexes.....	1,391	-	-	8	30	59	84	231	257	311	274	137	-
Male.....	728	-	-	3	20	36	50	145	150	165	117	42	-
Female.....	663	-	-	5	10	23	34	86	107	146	157	95	-
Origin not stated 2/, both sexes.....	34	-	-	1	-	-	3	3	5	7	9	6	-
Male.....	14	-	-	-	-	-	-	3	4	1	2	4	-
Female.....	20	-	-	1	-	-	3	-	1	6	7	2	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Leukemia (C91-C95)													
All origins, both sexes.....	21,395	23	120	312	435	416	713	1,367	2,688	4,694	6,797	3,830	-
Male.....	12,007	9	70	182	268	242	398	782	1,663	2,903	3,821	1,669	-
Female.....	9,388	14	50	130	167	174	315	585	1,025	1,791	2,976	2,161	-
Hispanic, both sexes.....	1,150	8	26	98	108	86	95	119	139	199	196	76	-
Male.....	669	3	12	62	77	54	57	67	86	114	106	31	-
Female.....	481	5	14	36	31	32	38	52	53	85	90	45	-
Non-Hispanic 1/, both sexes.....	20,214	15	94	212	325	330	618	1,246	2,543	4,487	6,596	3,748	-
Male.....	11,322	6	58	118	190	188	341	713	1,574	2,787	3,711	1,636	-
Female.....	8,892	9	36	94	135	142	277	533	969	1,700	2,885	2,112	-
Non-Hispanic white, both sexes.....	17,936	11	67	160	244	246	470	1,018	2,194	3,956	6,074	3,496	-
Male.....	10,098	5	39	90	143	145	260	580	1,383	2,466	3,450	1,537	-
Female.....	7,838	6	28	70	101	101	210	438	811	1,490	2,624	1,959	-
Non-Hispanic black, both sexes.....	1,831	3	18	37	61	70	113	190	294	429	405	211	-
Male.....	959	-	13	21	34	36	60	107	161	262	185	80	-
Female.....	872	3	5	16	27	34	53	83	133	167	220	131	-
Origin not stated 2/, both sexes.....	31	-	-	2	2	-	-	2	6	8	5	6	-
Male.....	16	-	-	2	1	-	-	2	3	2	4	2	-
Female.....	15	-	-	-	1	-	-	-	3	6	1	4	-
Multiple myeloma and immunoproliferative neoplasms (C88,C90)													
All origins, both sexes.....	10,965	1	-	-	1	14	136	663	1,720	2,840	3,980	1,610	-
Male.....	5,694	1	-	-	1	11	78	381	972	1,587	1,990	673	-
Female.....	5,271	-	-	-	-	3	58	282	748	1,253	1,990	937	-
Hispanic, both sexes.....	558	-	-	-	-	4	19	51	123	158	164	39	-
Male.....	287	-	-	-	-	4	12	26	68	80	84	13	-
Female.....	271	-	-	-	-	-	7	25	55	78	80	26	-
Non-Hispanic 1/, both sexes.....	10,393	1	-	-	1	10	117	611	1,596	2,681	3,807	1,569	-
Male.....	5,403	1	-	-	1	7	66	354	904	1,506	1,905	659	-
Female.....	4,990	-	-	-	-	3	51	257	692	1,175	1,902	910	-
Non-Hispanic white, both sexes.....	8,397	1	-	-	1	7	77	423	1,200	2,101	3,225	1,362	-
Male.....	4,448	1	-	-	1	5	46	251	701	1,221	1,643	579	-
Female.....	3,949	-	-	-	-	2	31	172	499	880	1,582	783	-
Non-Hispanic black, both sexes.....	1,800	-	-	-	-	2	39	167	355	523	524	190	-
Male.....	850	-	-	-	-	1	20	87	182	260	229	71	-
Female.....	950	-	-	-	-	1	19	80	173	263	295	119	-
Origin not stated 2/, both sexes.....	14	-	-	-	-	-	-	1	1	1	9	2	-
Male.....	4	-	-	-	-	-	-	1	-	1	1	1	-
Female.....	10	-	-	-	-	-	-	-	1	-	8	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)													
All origins, both sexes.....	71	-	-	-	-	2	2	5	12	12	26	12	-
Male.....	35	-	-	-	-	2	2	4	5	4	11	7	-
Female.....	36	-	-	-	-	-	-	1	7	8	15	5	-
Hispanic, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	70	-	-	-	-	2	2	5	12	11	26	12	-
Male.....	34	-	-	-	-	2	2	4	5	3	11	7	-
Female.....	36	-	-	-	-	-	-	1	7	8	15	5	-
Non-Hispanic white, both sexes.....	60	-	-	-	-	1	2	4	10	11	22	10	-
Male.....	31	-	-	-	-	1	2	4	5	3	10	6	-
Female.....	29	-	-	-	-	-	-	-	5	8	12	4	-
Non-Hispanic black, both sexes.....	8	-	-	-	-	-	-	1	2	-	3	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	-	-	1	2	-	3	1	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31, C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)													
All origins, both sexes.....	61,911	23	126	275	548	696	1,876	5,276	9,997	14,187	18,549	10,356	2
Male.....	31,654	13	59	158	357	420	1,014	2,945	5,679	7,798	9,281	3,929	1
Female.....	30,257	10	67	117	191	276	862	2,331	4,318	6,389	9,268	6,427	1
Hispanic, both sexes.....	2,973	2	21	41	90	102	163	357	503	669	729	296	-
Male.....	1,521	-	6	22	70	65	93	189	268	336	367	105	-
Female.....	1,452	2	15	19	20	37	70	168	235	333	362	191	-
Non-Hispanic 1/, both sexes.....	58,818	20	104	234	457	590	1,712	4,910	9,467	13,490	17,792	10,040	2
Male.....	30,066	12	52	136	287	353	921	2,748	5,393	7,444	8,902	3,817	1
Female.....	28,752	8	52	98	170	237	791	2,162	4,074	6,046	8,890	6,223	1
Non-Hispanic white, both sexes.....	50,810	16	75	167	332	465	1,308	3,785	7,818	11,615	16,001	9,226	2
Male.....	26,000	9	40	102	209	296	705	2,114	4,457	6,442	8,101	3,524	1
Female.....	24,810	7	35	65	123	169	603	1,671	3,361	5,173	7,900	5,702	1
Non-Hispanic black, both sexes.....	6,582	3	19	60	101	96	339	944	1,367	1,550	1,449	654	-
Male.....	3,347	2	7	29	61	47	174	545	784	827	651	220	-
Female.....	3,235	1	12	31	40	49	165	399	583	723	798	434	-
Origin not stated 2/, both sexes.....	120	1	1	-	1	4	1	9	27	28	28	20	-
Male.....	67	1	1	-	-	2	-	8	18	18	12	7	-
Female.....	53	-	-	-	1	2	1	1	9	10	16	13	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)													
All origins, both sexes.....	13,580	71	53	84	110	173	318	698	1,310	2,343	4,644	3,774	2
Male.....	6,764	35	28	46	63	94	172	382	750	1,322	2,378	1,492	2
Female.....	6,816	36	25	38	47	79	146	316	560	1,021	2,266	2,282	-
Hispanic, both sexes.....	617	18	5	8	15	29	32	54	84	110	160	102	-
Male.....	311	11	2	4	11	15	18	33	43	55	78	41	-
Female.....	306	7	3	4	4	14	14	21	41	55	82	61	-
Non-Hispanic 1/, both sexes.....	12,939	53	48	76	95	144	286	643	1,222	2,225	4,477	3,669	1
Male.....	6,440	24	26	42	52	79	154	349	704	1,263	2,295	1,451	1
Female.....	6,499	29	22	34	43	65	132	294	518	962	2,182	2,218	-
Non-Hispanic white, both sexes.....	11,469	41	39	52	72	100	210	503	1,008	1,949	4,081	3,413	1
Male.....	5,754	19	21	29	41	59	115	279	585	1,128	2,111	1,366	1
Female.....	5,715	22	18	23	31	41	95	224	423	821	1,970	2,047	-
Non-Hispanic black, both sexes.....	1,181	10	7	21	19	38	66	111	177	220	311	201	-
Male.....	547	4	4	12	10	16	33	57	100	110	140	61	-
Female.....	634	6	3	9	9	22	33	54	77	110	171	140	-
Origin not stated 2/, both sexes.....	24	-	-	-	-	-	-	1	4	8	7	3	1
Male.....	13	-	-	-	-	-	-	-	3	4	5	-	1
Female.....	11	-	-	-	-	-	-	1	1	4	2	3	-
Anemias (D50-D64)													
All origins, both sexes.....	4,575	15	33	46	128	164	201	236	309	473	1,119	1,850	1
Male.....	1,833	9	18	21	69	90	107	112	164	226	466	550	1
Female.....	2,742	6	15	25	59	74	94	124	145	247	653	1,300	-
Hispanic, both sexes.....	193	2	5	3	9	12	10	17	15	18	43	59	-
Male.....	75	1	3	2	1	5	4	10	8	4	20	17	-
Female.....	118	1	2	1	8	7	6	7	7	14	23	42	-
Non-Hispanic 1/, both sexes.....	4,371	13	28	43	119	152	190	219	292	454	1,071	1,790	-
Male.....	1,751	8	15	19	68	85	102	102	154	222	443	533	-
Female.....	2,620	5	13	24	51	67	88	117	138	232	628	1,257	-
Non-Hispanic white, both sexes.....	3,269	6	8	17	29	24	45	82	169	362	935	1,592	-
Male.....	1,247	3	3	6	18	14	26	45	87	183	380	482	-
Female.....	2,022	3	5	11	11	10	19	37	82	179	555	1,110	-
Non-Hispanic black, both sexes.....	1,013	4	19	23	90	126	139	132	114	81	115	170	-
Male.....	465	3	12	12	50	70	74	55	62	35	49	43	-
Female.....	548	1	7	11	40	56	65	77	52	46	66	127	-
Origin not stated 2/, both sexes.....	11	-	-	-	-	-	1	-	2	1	5	1	1
Male.....	7	-	-	-	-	-	1	-	2	-	3	-	1
Female.....	4	-	-	-	-	-	-	-	-	1	2	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Diabetes mellitus (E10-E14)													
All origins, both sexes.....	73,138	1	8	37	161	599	2,026	5,567	10,780	16,093	22,945	14,918	3
Male.....	35,267	1	5	16	83	340	1,258	3,376	6,153	8,430	10,569	5,035	1
Female.....	37,871	-	3	21	78	259	768	2,191	4,627	7,663	12,376	9,883	2
Hispanic, both sexes.....	5,999	-	2	-	13	64	187	535	1,073	1,587	1,769	769	-
Male.....	2,855	-	2	-	8	37	111	323	602	759	781	232	-
Female.....	3,144	-	-	-	5	27	76	212	471	828	988	537	-
Non-Hispanic 1/, both sexes.....	66,953	1	6	37	148	532	1,833	5,014	9,669	14,471	21,128	14,111	3
Male.....	32,315	1	3	16	75	301	1,143	3,041	5,527	7,653	9,763	4,791	1
Female.....	34,638	-	3	21	73	231	690	1,973	4,142	6,818	11,365	9,320	2
Non-Hispanic white, both sexes.....	52,101	-	4	19	87	333	1,238	3,462	6,965	10,875	17,220	11,896	2
Male.....	25,773	-	2	7	45	191	795	2,184	4,128	5,984	8,276	4,161	-
Female.....	26,328	-	2	12	42	142	443	1,278	2,837	4,891	8,944	7,735	2
Non-Hispanic black, both sexes.....	12,685	1	1	16	60	180	540	1,371	2,304	3,078	3,269	1,864	1
Male.....	5,498	1	-	8	30	101	314	748	1,171	1,417	1,207	500	1
Female.....	7,187	-	1	8	30	79	226	623	1,133	1,661	2,062	1,364	-
Origin not stated 2/, both sexes.....	186	-	-	-	-	3	6	18	38	35	48	38	-
Male.....	97	-	-	-	-	2	4	12	24	18	25	12	-
Female.....	89	-	-	-	-	1	2	6	14	17	23	26	-
Nutritional deficiencies (E40-E64)													
All origins, both sexes.....	3,019	7	2	3	6	13	39	117	162	298	897	1,474	1
Male.....	1,087	5	1	2	5	6	15	50	87	145	357	413	1
Female.....	1,932	2	1	1	1	7	24	67	75	153	540	1,061	-
Hispanic, both sexes.....	107	1	-	1	-	1	2	4	8	17	32	41	-
Male.....	36	-	-	1	-	-	-	2	3	9	11	10	-
Female.....	71	1	-	-	-	1	2	2	5	8	21	31	-
Non-Hispanic 1/, both sexes.....	2,906	6	2	2	6	12	37	113	153	281	862	1,432	-
Male.....	1,047	5	1	1	5	6	15	48	83	136	345	402	-
Female.....	1,859	1	1	1	1	6	22	65	70	145	517	1,030	-
Non-Hispanic white, both sexes.....	2,421	4	1	1	3	9	23	78	116	217	732	1,237	-
Male.....	847	3	-	-	3	5	7	31	60	101	289	348	-
Female.....	1,574	1	1	1	-	4	16	47	56	116	443	889	-
Non-Hispanic black, both sexes.....	412	1	1	1	2	3	12	32	34	58	104	164	-
Male.....	170	1	1	1	2	1	7	16	21	32	43	45	-
Female.....	242	-	-	-	-	2	5	16	13	26	61	119	-
Origin not stated 2/, both sexes.....	6	-	-	-	-	-	-	-	1	-	3	1	1
Male.....	4	-	-	-	-	-	-	-	1	-	1	1	1
Female.....	2	-	-	-	-	-	-	-	-	-	2	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Meningitis (G00,G03)													
All origins, both sexes.....	674	66	25	25	26	37	67	117	92	92	85	42	-
Male.....	349	32	15	13	10	22	46	73	48	33	38	19	-
Female.....	325	34	10	12	16	15	21	44	44	59	47	23	-
Hispanic, both sexes.....	74	8	3	2	5	5	8	15	11	11	4	2	-
Male.....	40	3	2	2	2	5	6	8	6	4	2	-	-
Female.....	34	5	1	-	3	-	2	7	5	7	2	2	-
Non-Hispanic 1/, both sexes.....	600	58	22	23	21	32	59	102	81	81	81	40	-
Male.....	309	29	13	11	8	17	40	65	42	29	36	19	-
Female.....	291	29	9	12	13	15	19	37	39	52	45	21	-
Non-Hispanic white, both sexes.....	417	38	16	17	14	14	41	62	57	58	65	35	-
Male.....	220	22	10	9	5	8	28	43	26	21	30	18	-
Female.....	197	16	6	8	9	6	13	19	31	37	35	17	-
Non-Hispanic black, both sexes.....	158	17	5	6	5	15	18	36	21	19	13	3	-
Male.....	76	7	2	2	2	7	12	20	13	6	5	-	-
Female.....	82	10	3	4	3	8	6	16	8	13	8	3	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Parkinson's disease (G20-G21)													
All origins, both sexes.....	17,989	-	1	-	1	2	8	64	349	2,214	8,752	6,598	-
Male.....	10,366	-	-	-	1	2	6	49	227	1,457	5,306	3,318	-
Female.....	7,623	-	1	-	-	-	2	15	122	757	3,446	3,280	-
Hispanic, both sexes.....	594	-	-	-	-	1	-	2	23	87	302	179	-
Male.....	348	-	-	-	-	1	-	2	15	54	186	90	-
Female.....	246	-	-	-	-	-	-	-	8	33	116	89	-
Non-Hispanic 1/, both sexes.....	17,368	-	1	-	1	1	8	62	324	2,126	8,434	6,411	-
Male.....	10,000	-	-	-	1	1	6	47	210	1,402	5,109	3,224	-
Female.....	7,368	-	1	-	-	-	2	15	114	724	3,325	3,187	-
Non-Hispanic white, both sexes.....	16,428	-	1	-	-	1	7	53	296	1,988	7,999	6,083	-
Male.....	9,469	-	-	-	-	1	5	40	190	1,313	4,864	3,056	-
Female.....	6,959	-	1	-	-	-	2	13	106	675	3,135	3,027	-
Non-Hispanic black, both sexes.....	623	-	-	-	-	-	1	5	21	92	290	214	-
Male.....	342	-	-	-	-	-	1	5	15	60	156	105	-
Female.....	281	-	-	-	-	-	-	-	6	32	134	109	-
Origin not stated 2/, both sexes.....	27	-	-	-	-	-	-	-	2	1	16	8	-
Male.....	18	-	-	-	-	-	-	-	2	1	11	4	-
Female.....	9	-	-	-	-	-	-	-	-	-	5	4	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Alzheimer's disease (G30)													
All origins, both sexes.....	65,965	-	-	-	1	1	7	101	542	3,641	21,882	39,790	-
Male.....	18,974	-	-	-	-	1	4	38	253	1,558	7,777	9,343	-
Female.....	46,991	-	-	-	1	-	3	63	289	2,083	14,105	30,447	-
Hispanic, both sexes.....	1,897	-	-	-	1	-	-	8	22	153	681	1,032	-
Male.....	606	-	-	-	-	-	-	4	10	65	260	267	-
Female.....	1,291	-	-	-	1	-	-	4	12	88	421	765	-
Non-Hispanic 1/, both sexes.....	63,981	-	-	-	-	1	7	93	519	3,477	21,173	38,711	-
Male.....	18,345	-	-	-	-	1	4	34	242	1,490	7,507	9,067	-
Female.....	45,636	-	-	-	-	-	3	59	277	1,987	13,666	29,644	-
Non-Hispanic white, both sexes.....	59,153	-	-	-	-	1	6	89	472	3,107	19,438	36,040	-
Male.....	16,989	-	-	-	-	1	3	33	221	1,335	6,945	8,451	-
Female.....	42,164	-	-	-	-	-	3	56	251	1,772	12,493	27,589	-
Non-Hispanic black, both sexes.....	4,196	-	-	-	-	-	1	4	37	327	1,510	2,317	-
Male.....	1,138	-	-	-	-	-	1	1	15	136	486	499	-
Female.....	3,058	-	-	-	-	-	-	3	22	191	1,024	1,818	-
Origin not stated 2/, both sexes.....	87	-	-	-	-	-	-	-	1	11	28	47	-
Male.....	23	-	-	-	-	-	-	-	-	3	10	9	-
Female.....	64	-	-	-	-	-	-	-	-	8	18	38	-
Major cardiovascular diseases (I00-I78)													
All origins, both sexes.....	861,190	564	234	336	1,333	4,006	16,138	46,153	77,984	128,816	264,037	321,544	45
Male.....	406,458	307	120	170	867	2,602	10,806	32,057	52,014	76,179	128,490	102,808	38
Female.....	454,732	257	114	166	466	1,404	5,332	14,096	25,970	52,637	135,547	218,736	7
Hispanic, both sexes.....	36,900	104	43	46	179	424	1,304	2,874	4,494	7,058	10,733	9,636	5
Male.....	19,348	54	28	21	132	323	948	2,044	2,986	4,132	5,391	3,284	5
Female.....	17,552	50	15	25	47	101	356	830	1,508	2,926	5,342	6,352	-
Non-Hispanic 1/, both sexes.....	822,392	457	191	288	1,149	3,575	14,778	43,114	73,224	121,373	252,787	311,423	33
Male.....	386,042	252	92	147	732	2,273	9,822	29,889	48,830	71,787	122,820	99,372	26
Female.....	436,350	205	99	141	417	1,302	4,956	13,225	24,394	49,586	129,967	212,051	7
Non-Hispanic white, both sexes.....	705,435	277	109	182	721	2,157	10,113	30,593	56,141	98,940	222,269	283,914	19
Male.....	330,160	154	54	96	463	1,421	7,039	22,122	38,358	59,798	109,504	91,136	15
Female.....	375,275	123	55	86	258	736	3,074	8,471	17,783	39,142	112,765	192,778	4
Non-Hispanic black, both sexes.....	99,408	142	74	98	372	1,246	4,216	11,254	15,073	19,232	25,325	22,363	13
Male.....	46,787	80	37	47	242	725	2,467	6,873	9,157	10,200	10,768	6,181	10
Female.....	52,621	62	37	51	130	521	1,749	4,381	5,916	9,032	14,557	16,182	3
Origin not stated 2/, both sexes.....	1,898	3	-	2	5	7	56	165	266	385	517	485	7
Male.....	1,068	1	-	2	3	6	36	124	198	260	279	152	7
Female.....	830	2	-	-	2	1	20	41	68	125	238	333	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Diseases of heart (I00-I09,I11,I13,I20-I51)													
All origins, both sexes.....	652,486	421	187	245	1,038	3,163	12,925	37,556	63,613	99,999	195,379	237,924	36
Male.....	321,973	228	94	122	691	2,143	9,011	27,050	43,788	61,000	98,812	79,002	32
Female.....	330,513	193	93	123	347	1,020	3,914	10,506	19,825	38,999	96,567	158,922	4
Hispanic, both sexes.....	27,788	81	39	34	129	302	934	2,110	3,460	5,389	8,061	7,246	3
Male.....	14,983	41	24	15	101	244	715	1,569	2,376	3,236	4,163	2,496	3
Female.....	12,805	40	15	19	28	58	219	541	1,084	2,153	3,898	4,750	-
Non-Hispanic 1/, both sexes.....	623,165	338	148	209	904	2,855	11,942	35,311	59,930	94,288	186,908	230,305	27
Male.....	306,083	186	70	105	587	1,893	8,263	25,378	41,242	57,539	94,418	76,379	23
Female.....	317,082	152	78	104	317	962	3,679	9,933	18,688	36,749	92,490	153,926	4
Non-Hispanic white, both sexes.....	537,512	210	80	125	553	1,745	8,411	25,858	46,934	77,652	165,259	210,669	16
Male.....	263,638	116	37	67	363	1,194	6,080	19,329	33,078	48,417	84,694	70,250	13
Female.....	273,874	94	43	58	190	551	2,331	6,529	13,856	29,235	80,565	140,419	3
Non-Hispanic black, both sexes.....	73,373	99	61	78	310	971	3,202	8,572	11,541	14,372	18,139	16,018	10
Male.....	35,749	55	32	35	202	588	1,936	5,393	7,149	7,798	7,931	4,621	9
Female.....	37,624	44	29	43	108	383	1,266	3,179	4,392	6,574	10,208	11,397	1
Origin not stated 2/, both sexes.....	1,533	2	-	2	5	6	49	135	223	322	410	373	6
Male.....	907	1	-	2	3	6	33	103	170	225	231	127	6
Female.....	626	1	-	-	2	-	16	32	53	97	179	246	-
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)													
All origins, both sexes.....	3,254	2	3	4	7	27	96	207	321	612	1,146	829	-
Male.....	1,009	2	3	2	4	9	38	88	107	202	380	174	-
Female.....	2,245	-	-	2	3	18	58	119	214	410	766	655	-
Hispanic, both sexes.....	158	-	1	1	1	2	14	15	29	44	43	8	-
Male.....	56	-	1	1	1	1	3	6	5	18	17	3	-
Female.....	102	-	-	-	-	1	11	9	24	26	26	5	-
Non-Hispanic 1/, both sexes.....	3,091	2	2	3	6	25	81	192	291	568	1,100	821	-
Male.....	950	2	2	1	3	8	34	82	101	184	362	171	-
Female.....	2,141	-	-	2	3	17	47	110	190	384	738	650	-
Non-Hispanic white, both sexes.....	2,754	2	1	1	3	14	43	139	228	499	1,034	790	-
Male.....	840	2	1	-	2	1	19	59	77	167	346	166	-
Female.....	1,914	-	-	1	1	13	24	80	151	332	688	624	-
Non-Hispanic black, both sexes.....	245	-	1	2	3	6	33	48	46	45	40	21	-
Male.....	83	-	1	1	1	4	14	20	19	12	8	3	-
Female.....	162	-	-	1	2	2	19	28	27	33	32	18	-
Origin not stated 2/, both sexes.....	5	-	-	-	-	-	1	-	1	-	3	-	-
Male.....	3	-	-	-	-	-	1	-	1	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Hypertensive heart disease (I11)													
All origins, both sexes.....	28,585	-	-	2	44	302	1,317	3,265	3,885	4,001	6,398	9,368	3
Male.....	12,929	-	-	-	32	223	896	2,192	2,584	2,303	2,504	2,192	3
Female.....	15,656	-	-	2	12	79	421	1,073	1,301	1,698	3,894	7,176	-
Hispanic, both sexes.....	1,491	-	-	1	4	24	105	193	244	282	322	316	-
Male.....	806	-	-	-	2	19	86	124	169	157	155	94	-
Female.....	685	-	-	1	2	5	19	69	75	125	167	222	-
Non-Hispanic 1/, both sexes.....	26,972	-	-	1	39	278	1,204	3,049	3,618	3,690	6,059	9,032	2
Male.....	12,051	-	-	-	29	204	806	2,050	2,396	2,129	2,343	2,092	2
Female.....	14,921	-	-	1	10	74	398	999	1,222	1,561	3,716	6,940	-
Non-Hispanic white, both sexes.....	19,630	-	-	-	19	121	652	1,718	2,229	2,508	4,661	7,720	2
Male.....	8,401	-	-	-	16	102	473	1,258	1,507	1,475	1,810	1,758	2
Female.....	11,229	-	-	-	3	19	179	460	722	1,033	2,851	5,962	-
Non-Hispanic black, both sexes.....	6,718	-	-	1	20	147	524	1,273	1,290	1,102	1,254	1,107	-
Male.....	3,336	-	-	-	13	92	312	749	820	614	469	267	-
Female.....	3,382	-	-	1	7	55	212	524	470	488	785	840	-
Origin not stated 2/, both sexes.....	122	-	-	-	1	-	8	23	23	29	17	20	1
Male.....	72	-	-	-	1	-	4	18	19	17	6	6	1
Female.....	50	-	-	-	-	-	4	5	4	12	11	14	-
Hypertensive heart and renal disease (I13)													
All origins, both sexes.....	3,046	-	-	1	7	23	96	209	271	379	854	1,206	-
Male.....	1,301	-	-	-	4	14	69	123	158	189	377	367	-
Female.....	1,745	-	-	1	3	9	27	86	113	190	477	839	-
Hispanic, both sexes.....	190	-	-	-	1	4	12	18	29	23	61	42	-
Male.....	96	-	-	-	1	4	8	10	16	11	29	17	-
Female.....	94	-	-	-	-	-	4	8	13	12	32	25	-
Non-Hispanic 1/, both sexes.....	2,845	-	-	1	6	19	83	189	241	353	793	1,160	-
Male.....	1,199	-	-	-	3	10	60	112	141	175	348	350	-
Female.....	1,646	-	-	1	3	9	23	77	100	178	445	810	-
Non-Hispanic white, both sexes.....	1,878	-	-	1	1	4	16	41	90	187	576	962	-
Male.....	748	-	-	-	1	3	10	25	57	100	257	295	-
Female.....	1,130	-	-	1	-	1	6	16	33	87	319	667	-
Non-Hispanic black, both sexes.....	877	-	-	-	5	15	65	139	142	146	194	171	-
Male.....	404	-	-	-	2	7	49	80	79	62	83	42	-
Female.....	473	-	-	-	3	8	16	59	63	84	111	129	-
Origin not stated 2/, both sexes.....	11	-	-	-	-	-	1	2	1	3	-	4	-
Male.....	6	-	-	-	-	-	1	1	1	3	-	-	-
Female.....	5	-	-	-	-	-	-	1	-	-	-	4	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Ischemic heart diseases (I20-I25)													
All origins, both sexes.....	451,326	13	10	17	125	1,092	7,132	24,923	46,002	73,102	139,128	159,756	26
Male.....	233,538	8	1	9	96	822	5,366	18,986	32,868	46,273	73,591	55,495	23
Female.....	217,788	5	9	8	29	270	1,766	5,937	13,134	26,829	65,537	104,261	3
Hispanic, both sexes.....	20,482	4	2	4	15	95	477	1,424	2,609	4,147	6,208	5,494	3
Male.....	11,245	2	-	3	14	81	387	1,116	1,852	2,577	3,286	1,924	3
Female.....	9,237	2	2	1	1	14	90	308	757	1,570	2,922	3,570	-
Non-Hispanic 1/, both sexes.....	429,713	9	8	13	110	995	6,629	23,414	43,225	68,698	132,602	153,992	18
Male.....	221,607	6	1	6	82	739	4,960	17,804	30,891	43,510	70,118	53,475	15
Female.....	208,106	3	7	7	28	256	1,669	5,610	12,334	25,188	62,484	100,517	3
Non-Hispanic white, both sexes.....	374,900	6	5	7	57	690	5,128	18,140	34,877	57,266	117,816	140,898	10
Male.....	193,976	4	1	4	43	527	3,956	14,218	25,505	37,062	63,313	49,335	8
Female.....	180,924	2	4	3	14	163	1,172	3,922	9,372	20,204	54,503	91,563	2
Non-Hispanic black, both sexes.....	46,064	2	1	6	46	257	1,315	4,664	7,292	9,717	12,200	10,557	7
Male.....	22,720	2	-	2	36	169	848	3,107	4,615	5,410	5,441	3,084	6
Female.....	23,344	-	1	4	10	88	467	1,557	2,677	4,307	6,759	7,473	1
Origin not stated 2/, both sexes.....	1,131	-	-	-	-	2	26	85	168	257	318	270	5
Male.....	686	-	-	-	-	2	19	66	125	186	187	96	5
Female.....	445	-	-	-	-	-	7	19	43	71	131	174	-
Acute myocardial infarction (I21-I22)													
All origins, both sexes.....	156,816	9	2	5	51	447	2,838	10,084	18,758	28,327	48,037	48,252	6
Male.....	82,909	7	-	4	39	322	2,113	7,632	13,342	17,658	24,893	16,895	4
Female.....	73,907	2	2	1	12	125	725	2,452	5,416	10,669	23,144	31,357	2
Hispanic, both sexes.....	7,132	2	1	2	5	35	178	518	982	1,530	2,161	1,717	1
Male.....	3,931	2	-	2	4	27	141	406	692	928	1,128	600	1
Female.....	3,201	-	1	-	1	8	37	112	290	602	1,033	1,117	-
Non-Hispanic 1/, both sexes.....	149,368	7	1	3	46	411	2,653	9,543	17,730	26,726	45,786	46,457	5
Male.....	78,788	5	-	2	35	294	1,965	7,207	12,617	16,675	23,716	16,269	3
Female.....	70,580	2	1	1	11	117	688	2,336	5,113	10,051	22,070	30,188	2
Non-Hispanic white, both sexes.....	130,419	4	1	1	22	303	2,089	7,605	14,748	22,566	40,840	42,237	3
Male.....	69,443	3	-	1	17	229	1,603	5,916	10,768	14,388	21,556	14,960	2
Female.....	60,976	1	1	-	5	74	486	1,689	3,980	8,178	19,284	27,277	1
Non-Hispanic black, both sexes.....	16,035	2	-	2	21	93	497	1,725	2,616	3,511	4,123	3,444	1
Male.....	7,721	2	-	1	17	53	309	1,135	1,582	1,894	1,724	1,004	1
Female.....	8,314	-	-	1	4	40	188	590	1,034	1,617	2,399	2,440	-
Origin not stated 2/, both sexes.....	316	-	-	-	-	1	7	23	46	71	90	78	-
Male.....	190	-	-	-	-	1	7	19	33	55	49	26	-
Female.....	126	-	-	-	-	-	-	4	13	16	41	52	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other acute ischemic heart diseases (I24)													
All origins, both sexes.....	2,462	1	2	1	5	10	80	217	359	399	670	717	1
Male.....	1,301	-	-	-	4	6	59	151	251	254	329	246	1
Female.....	1,161	1	2	1	1	4	21	66	108	145	341	471	-
Hispanic, both sexes.....	35	1	1	1	-	1	2	3	6	6	11	2	1
Male.....	21	-	-	-	-	1	2	3	4	3	6	1	1
Female.....	14	1	1	1	-	-	-	-	2	3	5	1	-
Non-Hispanic 1/, both sexes.....	2,419	-	1	-	5	9	78	211	352	392	658	713	-
Male.....	1,275	-	-	-	4	5	57	146	246	250	323	244	-
Female.....	1,144	-	1	-	1	4	21	65	106	142	335	469	-
Non-Hispanic white, both sexes.....	1,988	-	1	-	3	2	58	140	262	311	559	652	-
Male.....	1,019	-	-	-	2	2	44	99	184	191	279	218	-
Female.....	969	-	1	-	1	-	14	41	78	120	280	434	-
Non-Hispanic black, both sexes.....	389	-	-	-	1	7	18	66	85	70	88	54	-
Male.....	232	-	-	-	1	3	12	42	59	50	42	23	-
Female.....	157	-	-	-	-	4	6	24	26	20	46	31	-
Origin not stated 2/, both sexes.....	8	-	-	-	-	-	-	3	1	1	1	2	-
Male.....	5	-	-	-	-	-	-	2	1	1	-	1	-
Female.....	3	-	-	-	-	-	-	1	-	-	1	1	-
Other forms of chronic ischemic heart disease (I20,I25)													
All origins, both sexes.....	292,048	3	6	11	69	635	4,214	14,622	26,885	44,376	90,421	110,787	19
Male.....	149,328	1	1	5	53	494	3,194	11,203	19,275	28,361	48,369	38,354	18
Female.....	142,720	2	5	6	16	141	1,020	3,419	7,610	16,015	42,052	72,433	1
Hispanic, both sexes.....	13,315	1	-	1	10	59	297	903	1,621	2,611	4,036	3,775	1
Male.....	7,293	-	-	1	10	53	244	707	1,156	1,646	2,152	1,323	1
Female.....	6,022	1	-	-	-	6	53	196	465	965	1,884	2,452	-
Non-Hispanic 1/, both sexes.....	277,926	2	6	10	59	575	3,898	13,660	25,143	41,580	86,158	106,822	13
Male.....	141,544	1	1	4	43	440	2,938	10,451	18,028	26,585	46,079	36,962	12
Female.....	136,382	1	5	6	16	135	960	3,209	7,115	14,995	40,079	69,860	1
Non-Hispanic white, both sexes.....	242,493	2	3	6	32	385	2,981	10,395	19,867	34,389	76,417	98,009	7
Male.....	123,514	1	1	3	24	296	2,309	8,203	14,553	22,483	41,478	34,157	6
Female.....	118,979	1	2	3	8	89	672	2,192	5,314	11,906	34,939	63,852	1
Non-Hispanic black, both sexes.....	29,640	-	1	4	24	157	800	2,873	4,591	6,136	7,989	7,059	6
Male.....	14,767	-	-	1	18	113	527	1,930	2,974	3,466	3,675	2,057	6
Female.....	14,873	-	1	3	6	44	273	943	1,617	2,670	4,314	5,002	-
Origin not stated 2/, both sexes.....	807	-	-	-	-	1	19	59	121	185	227	190	5
Male.....	491	-	-	-	-	1	12	45	91	130	138	69	5
Female.....	316	-	-	-	-	-	7	14	30	55	89	121	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)													
All origins, both sexes.....	63,661	-	1	-	9	193	1,463	5,665	9,297	10,830	16,730	19,459	14
Male.....	34,574	-	-	-	8	157	1,143	4,495	6,864	7,046	8,606	6,242	13
Female.....	29,087	-	1	-	1	36	320	1,170	2,433	3,784	8,124	13,217	1
Hispanic, both sexes.....	3,277	-	-	-	3	17	102	392	652	709	814	588	-
Male.....	2,098	-	-	-	3	16	88	336	498	471	474	212	-
Female.....	1,179	-	-	-	-	1	14	56	154	238	340	376	-
Non-Hispanic 1/, both sexes.....	60,067	-	1	-	6	176	1,354	5,248	8,587	10,032	15,836	18,817	10
Male.....	32,271	-	-	-	5	141	1,050	4,140	6,323	6,511	8,083	6,009	9
Female.....	27,796	-	1	-	1	35	304	1,108	2,264	3,521	7,753	12,808	1
Non-Hispanic white, both sexes.....	49,197	-	-	-	4	115	1,036	3,856	6,443	7,739	13,280	16,720	4
Male.....	26,188	-	-	-	3	91	826	3,166	4,804	5,133	6,825	5,337	3
Female.....	23,009	-	-	-	1	24	210	690	1,639	2,606	6,455	11,383	1
Non-Hispanic black, both sexes.....	9,497	-	1	-	2	49	271	1,244	1,893	2,036	2,226	1,769	6
Male.....	5,231	-	-	-	2	39	182	848	1,324	1,215	1,083	532	6
Female.....	4,266	-	1	-	-	10	89	396	569	821	1,143	1,237	-
Origin not stated 2/, both sexes.....	317	-	-	-	-	-	7	25	58	89	80	54	4
Male.....	205	-	-	-	-	-	5	19	43	64	49	21	4
Female.....	112	-	-	-	-	-	2	6	15	25	31	33	-
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)													
All origins, both sexes.....	228,387	3	5	11	60	442	2,751	8,957	17,588	33,546	73,691	91,328	5
Male.....	114,754	1	1	5	45	337	2,051	6,708	12,411	21,315	39,763	32,112	5
Female.....	113,633	2	4	6	15	105	700	2,249	5,177	12,231	33,928	59,216	-
Hispanic, both sexes.....	10,038	1	-	1	7	42	195	511	969	1,902	3,222	3,187	1
Male.....	5,195	-	-	1	7	37	156	371	658	1,175	1,678	1,111	1
Female.....	4,843	1	-	-	-	5	39	140	311	727	1,544	2,076	-
Non-Hispanic 1/, both sexes.....	217,859	2	5	10	53	399	2,544	8,412	16,556	31,548	70,322	88,005	3
Male.....	109,273	1	1	4	38	299	1,888	6,311	11,705	20,074	37,996	30,953	3
Female.....	108,586	1	4	6	15	100	656	2,101	4,851	11,474	32,326	57,052	-
Non-Hispanic white, both sexes.....	193,296	2	3	6	28	270	1,945	6,539	13,424	26,650	63,137	81,289	3
Male.....	97,326	1	1	3	21	205	1,483	5,037	9,749	17,350	34,653	28,820	3
Female.....	95,970	1	2	3	7	65	462	1,502	3,675	9,300	28,484	52,469	-
Non-Hispanic black, both sexes.....	20,143	-	-	4	22	108	529	1,629	2,698	4,100	5,763	5,290	-
Male.....	9,536	-	-	1	16	74	345	1,082	1,650	2,251	2,592	1,525	-
Female.....	10,607	-	-	3	6	34	184	547	1,048	1,849	3,171	3,765	-
Origin not stated 2/, both sexes.....	490	-	-	-	-	1	12	34	63	96	147	136	1
Male.....	286	-	-	-	-	1	7	26	48	66	89	48	1
Female.....	204	-	-	-	-	-	5	8	15	30	58	88	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other heart diseases (I26-I51)													
All origins, both sexes.....	166,275	406	174	221	855	1,719	4,284	8,952	13,134	21,905	47,853	66,765	7
Male.....	73,196	218	90	111	555	1,075	2,642	5,661	8,071	12,033	21,960	20,774	6
Female.....	93,079	188	84	110	300	644	1,642	3,291	5,063	9,872	25,893	45,991	1
Hispanic, both sexes.....	5,467	77	36	28	108	177	326	460	549	893	1,427	1,386	-
Male.....	2,780	39	23	11	83	139	231	313	334	473	676	458	-
Female.....	2,687	38	13	17	25	38	95	147	215	420	751	928	-
Non-Hispanic 1/, both sexes.....	160,544	327	138	191	743	1,538	3,945	8,467	12,555	20,979	46,354	65,300	7
Male.....	70,276	178	67	98	470	932	2,403	5,330	7,713	11,541	21,247	20,291	6
Female.....	90,268	149	71	93	273	606	1,542	3,137	4,842	9,438	25,107	45,009	1
Non-Hispanic white, both sexes.....	138,350	202	74	116	473	916	2,572	5,820	9,510	17,192	41,172	60,299	4
Male.....	59,673	110	35	63	301	561	1,622	3,769	5,932	9,613	18,968	18,696	3
Female.....	78,677	92	39	53	172	355	950	2,051	3,578	7,579	22,204	41,603	1
Non-Hispanic black, both sexes.....	19,469	97	59	69	236	546	1,265	2,448	2,771	3,362	4,451	4,162	3
Male.....	9,206	53	31	32	150	316	713	1,437	1,616	1,700	1,930	1,225	3
Female.....	10,263	44	28	37	86	230	552	1,011	1,155	1,662	2,521	2,937	-
Origin not stated 2/, both sexes.....	264	2	-	2	4	4	13	25	30	33	72	79	-
Male.....	140	1	-	2	2	4	8	18	24	19	37	25	-
Female.....	124	1	-	-	2	-	5	7	6	14	35	54	-
Acute and subacute endocarditis (I33)													
All origins, both sexes.....	1,196	1	1	-	12	35	84	190	165	234	318	155	1
Male.....	659	-	-	-	8	22	55	122	98	119	162	72	1
Female.....	537	1	1	-	4	13	29	68	67	115	156	83	-
Hispanic, both sexes.....	98	-	-	-	2	6	19	18	18	15	16	4	-
Male.....	68	-	-	-	1	6	15	15	13	8	7	3	-
Female.....	30	-	-	-	1	-	4	3	5	7	9	1	-
Non-Hispanic 1/, both sexes.....	1,097	1	1	-	10	29	65	172	146	219	302	151	1
Male.....	591	-	-	-	7	16	40	107	85	111	155	69	1
Female.....	506	1	1	-	3	13	25	65	61	108	147	82	-
Non-Hispanic white, both sexes.....	859	1	-	-	8	21	47	96	107	180	263	136	-
Male.....	468	-	-	-	5	10	32	60	66	93	138	64	-
Female.....	391	1	-	-	3	11	15	36	41	87	125	72	-
Non-Hispanic black, both sexes.....	203	-	1	-	1	6	14	68	35	35	27	15	1
Male.....	104	-	-	-	1	4	7	42	18	16	10	5	1
Female.....	99	-	1	-	-	2	7	26	17	19	17	10	-
Origin not stated 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Diseases of pericardium and acute myocarditis (I30-I31,I40)													
All origins, both sexes.....	779	21	25	17	31	39	67	107	111	115	159	87	-
Male.....	404	11	15	10	18	18	40	63	65	62	68	34	-
Female.....	375	10	10	7	13	21	27	44	46	53	91	53	-
Hispanic, both sexes.....	64	7	8	3	4	3	6	7	11	4	9	2	-
Male.....	38	3	7	1	3	1	4	6	8	1	4	-	-
Female.....	26	4	1	2	1	2	2	1	3	3	5	2	-
Non-Hispanic 1/, both sexes.....	715	14	17	14	27	36	61	100	100	111	150	85	-
Male.....	366	8	8	9	15	17	36	57	57	61	64	34	-
Female.....	349	6	9	5	12	19	25	43	43	50	86	51	-
Non-Hispanic white, both sexes.....	533	4	5	6	14	20	34	73	83	92	126	76	-
Male.....	268	4	-	4	11	9	22	38	48	47	55	30	-
Female.....	265	-	5	2	3	11	12	35	35	45	71	46	-
Non-Hispanic black, both sexes.....	162	8	11	8	10	12	26	26	16	17	22	6	-
Male.....	88	3	7	5	4	6	14	18	8	13	9	1	-
Female.....	74	5	4	3	6	6	12	8	8	4	13	5	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart failure (I50)													
All origins, both sexes.....	57,120	30	11	10	33	90	313	1,039	2,444	5,951	17,012	30,186	1
Male.....	22,292	16	4	7	19	59	186	615	1,420	3,163	7,673	9,130	-
Female.....	34,828	14	7	3	14	31	127	424	1,024	2,788	9,339	21,056	1
Hispanic, both sexes.....	1,545	5	5	-	3	5	22	54	104	244	499	604	-
Male.....	668	4	3	-	2	3	10	34	64	125	235	188	-
Female.....	877	1	2	-	1	2	12	20	40	119	264	416	-
Non-Hispanic 1/, both sexes.....	55,488	25	6	10	30	85	291	981	2,334	5,698	16,487	29,540	1
Male.....	21,580	12	1	7	17	56	176	579	1,350	3,032	7,425	8,925	-
Female.....	33,908	13	5	3	13	29	115	402	984	2,666	9,062	20,615	1
Non-Hispanic white, both sexes.....	49,628	15	5	5	18	46	171	601	1,719	4,767	14,804	27,476	1
Male.....	19,125	6	1	4	11	28	110	362	995	2,580	6,711	8,317	-
Female.....	30,503	9	4	1	7	18	61	239	724	2,187	8,093	19,159	1
Non-Hispanic black, both sexes.....	5,198	8	1	4	11	36	111	367	561	829	1,487	1,783	-
Male.....	2,154	5	-	3	6	25	59	210	321	397	626	502	-
Female.....	3,044	3	1	1	5	11	52	157	240	432	861	1,281	-
Origin not stated 2/, both sexes.....	87	-	-	-	-	-	-	4	6	9	26	42	-
Male.....	44	-	-	-	-	-	-	2	6	6	13	17	-
Female.....	43	-	-	-	-	-	-	2	-	3	13	25	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)													
All origins, both sexes.....	107,180	354	137	194	779	1,555	3,820	7,616	10,414	15,605	30,364	36,337	5
Male.....	49,841	191	71	94	510	976	2,361	4,861	6,488	8,689	14,057	11,538	5
Female.....	57,339	163	66	100	269	579	1,459	2,755	3,926	6,916	16,307	24,799	-
Hispanic, both sexes.....	3,760	65	23	25	99	163	279	381	416	630	903	776	-
Male.....	2,006	32	13	10	77	129	202	258	249	339	430	267	-
Female.....	1,754	33	10	15	22	34	77	123	167	291	473	509	-
Non-Hispanic 1/, both sexes.....	103,244	287	114	167	676	1,388	3,528	7,214	9,975	14,951	29,415	35,524	5
Male.....	47,739	158	58	82	431	843	2,151	4,587	6,221	8,337	13,603	11,263	5
Female.....	55,505	129	56	85	245	545	1,377	2,627	3,754	6,614	15,812	24,261	-
Non-Hispanic white, both sexes.....	87,330	182	64	105	433	829	2,320	5,050	7,601	12,153	25,979	32,611	3
Male.....	39,812	100	34	55	274	514	1,458	3,309	4,823	6,893	12,064	10,285	3
Female.....	47,518	82	30	50	159	315	862	1,741	2,778	5,260	13,915	22,326	-
Non-Hispanic black, both sexes.....	13,906	81	46	57	214	492	1,114	1,987	2,159	2,481	2,915	2,358	2
Male.....	6,860	45	24	24	139	281	633	1,167	1,269	1,274	1,285	717	2
Female.....	7,046	36	22	33	75	211	481	820	890	1,207	1,630	1,641	-
Origin not stated 2/, both sexes.....	176	2	-	2	4	4	13	21	23	24	46	37	-
Male.....	96	1	-	2	2	4	8	16	18	13	24	8	-
Female.....	80	1	-	-	2	-	5	5	5	11	22	29	-
Essential (primary) hypertension and hypertensive renal disease (I10,I12)													
All origins, both sexes.....	23,076	2	1	1	21	103	348	1,138	1,839	3,152	6,819	9,648	4
Male.....	8,869	1	1	-	13	59	222	714	1,036	1,535	2,782	2,503	3
Female.....	14,207	1	-	1	8	44	126	424	803	1,617	4,037	7,145	1
Hispanic, both sexes.....	1,116	-	1	-	4	9	22	89	121	205	303	362	-
Male.....	492	-	1	-	3	6	11	58	68	104	136	105	-
Female.....	624	-	-	-	1	3	11	31	53	101	167	257	-
Non-Hispanic 1/, both sexes.....	21,905	2	-	1	17	94	325	1,045	1,709	2,933	6,505	9,270	4
Male.....	8,353	1	-	-	10	53	210	653	963	1,422	2,643	2,395	3
Female.....	13,552	1	-	1	7	41	115	392	746	1,511	3,862	6,875	1
Non-Hispanic white, both sexes.....	16,569	-	-	-	9	35	139	510	960	1,940	5,098	7,875	3
Male.....	6,147	-	-	-	7	23	100	336	572	968	2,075	2,064	2
Female.....	10,422	-	-	-	2	12	39	174	388	972	3,023	5,811	1
Non-Hispanic black, both sexes.....	4,709	2	-	1	7	55	177	497	685	890	1,214	1,180	1
Male.....	1,945	1	-	-	3	29	103	291	361	404	488	264	1
Female.....	2,764	1	-	1	4	26	74	206	324	486	726	916	-
Origin not stated 2/, both sexes.....	55	-	-	-	-	-	1	4	9	14	11	16	-
Male.....	24	-	-	-	-	-	1	3	5	9	3	3	-
Female.....	31	-	-	-	-	-	-	1	4	5	8	13	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Cerebrovascular diseases (I60-I69)													
All origins, both sexes.....	150,074	127	41	77	211	567	2,361	6,181	9,966	19,901	50,092	60,545	5
Male.....	58,800	71	23	40	116	284	1,240	3,409	5,523	10,207	21,025	16,859	3
Female.....	91,274	56	18	37	95	283	1,121	2,772	4,443	9,694	29,067	43,686	2
Hispanic, both sexes.....	6,781	20	3	10	36	93	304	590	776	1,232	2,006	1,709	2
Male.....	3,207	11	3	5	20	61	190	354	454	647	904	556	2
Female.....	3,574	9	-	5	16	32	114	236	322	585	1,102	1,153	-
Non-Hispanic 1/, both sexes.....	143,044	106	38	67	175	473	2,051	5,571	9,163	18,631	48,009	58,758	2
Male.....	55,489	60	20	35	96	223	1,048	3,041	5,053	9,541	20,086	16,286	-
Female.....	87,555	46	18	32	79	250	1,003	2,530	4,110	9,090	27,923	42,472	2
Non-Hispanic white, both sexes.....	121,065	59	25	48	117	280	1,256	3,355	6,321	14,563	41,670	53,371	-
Male.....	46,087	34	15	24	63	137	653	1,841	3,447	7,505	17,553	14,815	-
Female.....	74,978	25	10	24	54	143	603	1,514	2,874	7,058	24,117	38,556	-
Non-Hispanic black, both sexes.....	17,980	39	12	17	48	173	698	1,905	2,420	3,362	5,044	4,260	2
Male.....	7,586	23	5	10	30	77	344	1,012	1,381	1,685	1,959	1,060	-
Female.....	10,394	16	7	7	18	96	354	893	1,039	1,677	3,085	3,200	2
Origin not stated 2/, both sexes.....	249	1	-	-	-	1	6	20	27	38	77	78	1
Male.....	104	-	-	-	-	-	2	14	16	19	35	17	1
Female.....	145	1	-	-	-	1	4	6	11	19	42	61	-
Atherosclerosis (I70)													
All origins, both sexes.....	11,861	-	1	-	2	6	43	153	459	1,132	3,406	6,659	-
Male.....	4,510	-	-	-	2	3	25	104	275	619	1,549	1,933	-
Female.....	7,351	-	1	-	-	3	18	49	184	513	1,857	4,726	-
Hispanic, both sexes.....	369	-	-	-	-	-	3	5	22	55	127	157	-
Male.....	172	-	-	-	-	-	2	3	11	29	64	63	-
Female.....	197	-	-	-	-	-	1	2	11	26	63	94	-
Non-Hispanic 1/, both sexes.....	11,478	-	1	-	2	6	40	148	435	1,075	3,275	6,496	-
Male.....	4,331	-	-	-	2	3	23	101	262	589	1,482	1,869	-
Female.....	7,147	-	1	-	-	3	17	47	173	486	1,793	4,627	-
Non-Hispanic white, both sexes.....	10,514	-	1	-	2	5	28	120	366	921	3,007	6,064	-
Male.....	3,980	-	-	-	2	3	18	88	221	518	1,361	1,769	-
Female.....	6,534	-	1	-	-	2	10	32	145	403	1,646	4,295	-
Non-Hispanic black, both sexes.....	823	-	-	-	-	1	11	26	63	126	236	360	-
Male.....	296	-	-	-	-	-	4	12	37	60	106	77	-
Female.....	527	-	-	-	-	1	7	14	26	66	130	283	-
Origin not stated 2/, both sexes.....	14	-	-	-	-	-	-	-	2	2	4	6	-
Male.....	7	-	-	-	-	-	-	-	2	1	3	1	-
Female.....	7	-	-	-	-	-	-	-	-	1	1	5	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other diseases of circulatory system (I71-I78)													
All origins, both sexes.....	23,693	14	4	13	61	167	461	1,125	2,107	4,632	8,341	6,768	-
Male.....	12,306	7	2	8	45	113	308	780	1,392	2,818	4,322	2,511	-
Female.....	11,387	7	2	5	16	54	153	345	715	1,814	4,019	4,257	-
Hispanic, both sexes.....	846	3	-	2	10	20	41	80	115	177	236	162	-
Male.....	494	2	-	1	8	12	30	60	77	116	124	64	-
Female.....	352	1	-	1	2	8	11	20	38	61	112	98	-
Non-Hispanic 1/, both sexes.....	22,800	11	4	11	51	147	420	1,039	1,987	4,446	8,090	6,594	-
Male.....	11,786	5	2	7	37	101	278	716	1,310	2,696	4,191	2,443	-
Female.....	11,014	6	2	4	14	46	142	323	677	1,750	3,899	4,151	-
Non-Hispanic white, both sexes.....	19,775	8	3	9	40	92	279	750	1,560	3,864	7,235	5,935	-
Male.....	10,308	4	2	5	28	64	188	528	1,040	2,390	3,821	2,238	-
Female.....	9,467	4	1	4	12	28	91	222	520	1,474	3,414	3,697	-
Non-Hispanic black, both sexes.....	2,523	2	1	2	7	46	128	254	364	482	692	545	-
Male.....	1,211	1	-	2	7	31	80	165	229	253	284	159	-
Female.....	1,312	1	1	-	-	15	48	89	135	229	408	386	-
Origin not stated 2/, both sexes.....	47	-	-	-	-	-	-	6	5	9	15	12	-
Male.....	26	-	-	-	-	-	-	4	5	6	7	4	-
Female.....	21	-	-	-	-	-	-	2	-	3	8	8	-
Aortic aneurysm and dissection (I71)													
All origins, both sexes.....	13,753	1	1	5	45	126	318	729	1,318	2,932	5,131	3,147	-
Male.....	8,140	1	-	3	36	93	246	552	972	1,946	2,859	1,432	-
Female.....	5,613	-	1	2	9	33	72	177	346	986	2,272	1,715	-
Hispanic, both sexes.....	465	1	-	1	8	16	26	52	74	100	123	64	-
Male.....	315	1	-	-	7	10	24	44	58	71	71	29	-
Female.....	150	-	-	1	1	6	2	8	16	29	52	35	-
Non-Hispanic 1/, both sexes.....	13,266	-	1	4	37	110	292	675	1,239	2,826	5,003	3,079	-
Male.....	7,807	-	-	3	29	83	222	506	909	1,870	2,785	1,400	-
Female.....	5,459	-	1	1	8	27	70	169	330	956	2,218	1,679	-
Non-Hispanic white, both sexes.....	11,719	-	-	4	28	69	189	479	985	2,533	4,573	2,859	-
Male.....	6,906	-	-	3	22	52	146	367	730	1,695	2,579	1,312	-
Female.....	4,813	-	-	1	6	17	43	112	255	838	1,994	1,547	-
Non-Hispanic black, both sexes.....	1,215	-	1	-	6	33	93	173	215	224	315	155	-
Male.....	688	-	-	-	6	26	68	122	148	130	131	57	-
Female.....	527	-	1	-	-	7	25	51	67	94	184	98	-
Origin not stated 2/, both sexes.....	22	-	-	-	-	-	-	2	5	6	5	4	-
Male.....	18	-	-	-	-	-	-	2	5	5	3	3	-
Female.....	4	-	-	-	-	-	-	-	-	1	2	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other diseases of arteries, arterioles and capillaries (I72-I78)													
All origins, both sexes.....	9,940	13	3	8	16	41	143	396	789	1,700	3,210	3,621	-
Male.....	4,166	6	2	5	9	20	62	228	420	872	1,463	1,079	-
Female.....	5,774	7	1	3	7	21	81	168	369	828	1,747	2,542	-
Hispanic, both sexes.....	381	2	-	1	2	4	15	28	41	77	113	98	-
Male.....	179	1	-	1	1	2	6	16	19	45	53	35	-
Female.....	202	1	-	-	1	2	9	12	22	32	60	63	-
Non-Hispanic 1/, both sexes.....	9,534	11	3	7	14	37	128	364	748	1,620	3,087	3,515	-
Male.....	3,979	5	2	4	8	18	56	210	401	826	1,406	1,043	-
Female.....	5,555	6	1	3	6	19	72	154	347	794	1,681	2,472	-
Non-Hispanic white, both sexes.....	8,056	8	3	5	12	23	90	271	575	1,331	2,662	3,076	-
Male.....	3,402	4	2	2	6	12	42	161	310	695	1,242	926	-
Female.....	4,654	4	1	3	6	11	48	110	265	636	1,420	2,150	-
Non-Hispanic black, both sexes.....	1,308	2	-	2	1	13	35	81	149	258	377	390	-
Male.....	523	1	-	2	1	5	12	43	81	123	153	102	-
Female.....	785	1	-	-	-	8	23	38	68	135	224	288	-
Origin not stated 2/, both sexes.....	25	-	-	-	-	-	-	4	-	3	10	8	-
Male.....	8	-	-	-	-	-	-	2	-	1	4	1	-
Female.....	17	-	-	-	-	-	-	2	-	2	6	7	-
Other disorders of circulatory system (I80-I99)													
All origins, both sexes.....	4,673	29	2	5	35	137	313	559	623	672	1,165	1,133	-
Male.....	2,083	18	-	3	19	72	162	329	351	328	505	296	-
Female.....	2,590	11	2	2	16	65	151	230	272	344	660	837	-
Hispanic, both sexes.....	224	5	1	-	4	15	20	47	36	26	33	37	-
Male.....	106	3	-	-	1	9	11	29	23	13	13	4	-
Female.....	118	2	1	-	3	6	9	18	13	13	20	33	-
Non-Hispanic 1/, both sexes.....	4,439	24	1	5	31	122	293	512	584	644	1,130	1,093	-
Male.....	1,971	15	-	3	18	63	151	300	326	314	491	290	-
Female.....	2,468	9	1	2	13	59	142	212	258	330	639	803	-
Non-Hispanic white, both sexes.....	3,571	17	1	3	19	68	181	354	456	517	978	977	-
Male.....	1,576	12	-	2	9	32	98	216	264	256	425	262	-
Female.....	1,995	5	1	1	10	36	83	138	192	261	553	715	-
Non-Hispanic black, both sexes.....	790	7	-	1	10	50	108	145	118	115	135	101	-
Male.....	355	3	-	-	7	28	52	78	57	51	54	25	-
Female.....	435	4	-	1	3	22	56	67	61	64	81	76	-
Origin not stated 2/, both sexes.....	10	-	-	-	-	-	-	-	3	2	2	3	-
Male.....	6	-	-	-	-	-	-	-	2	1	1	2	-
Female.....	4	-	-	-	-	-	-	-	1	1	1	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Influenza and pneumonia (J10-J18)													
All origins, both sexes.....	59,664	273	119	82	185	303	891	1,897	3,154	6,382	18,066	28,312	-
Male.....	26,861	166	47	47	118	194	494	1,142	1,823	3,605	9,013	10,212	-
Female.....	32,803	107	72	35	67	109	397	755	1,331	2,777	9,053	18,100	-
Hispanic, both sexes.....	2,912	53	24	13	32	48	82	153	214	422	857	1,014	-
Male.....	1,403	37	9	10	24	31	48	100	122	220	425	377	-
Female.....	1,509	16	15	3	8	17	34	53	92	202	432	637	-
Non-Hispanic 1/, both sexes.....	56,581	220	95	68	151	255	801	1,734	2,917	5,930	17,165	27,245	-
Male.....	25,359	129	38	37	93	163	441	1,033	1,683	3,360	8,568	9,814	-
Female.....	31,222	91	57	31	58	92	360	701	1,234	2,570	8,597	17,431	-
Non-Hispanic white, both sexes.....	49,456	112	55	43	108	183	552	1,242	2,295	4,894	15,143	24,829	-
Male.....	21,905	65	23	22	73	115	300	741	1,328	2,750	7,549	8,939	-
Female.....	27,551	47	32	21	35	68	252	501	967	2,144	7,594	15,890	-
Non-Hispanic black, both sexes.....	5,620	93	34	20	40	63	223	443	537	850	1,539	1,778	-
Male.....	2,729	55	12	12	19	41	126	266	311	514	775	598	-
Female.....	2,891	38	22	8	21	22	97	177	226	336	764	1,180	-
Origin not stated 2/, both sexes.....	171	-	-	1	2	-	8	10	23	30	44	53	-
Male.....	99	-	-	-	1	-	5	9	18	25	20	21	-
Female.....	72	-	-	1	1	-	3	1	5	5	24	32	-
Influenza (J10-J11)													
All origins, both sexes.....	1,100	18	18	13	7	4	16	25	55	99	291	554	-
Male.....	421	10	8	8	2	2	7	8	25	58	125	168	-
Female.....	679	8	10	5	5	2	9	17	30	41	166	386	-
Hispanic, both sexes.....	26	6	2	2	1	-	3	-	4	2	6	6	-
Male.....	11	3	-	2	1	-	-	-	2	2	1	1	-
Female.....	15	3	2	-	-	-	3	-	2	-	5	5	-
Non-Hispanic 1/, both sexes.....	1,071	12	16	10	6	4	16	22	55	95	288	547	-
Male.....	410	7	8	6	1	2	7	8	25	56	123	167	-
Female.....	661	5	8	4	5	2	9	14	30	39	165	380	-
Non-Hispanic white, both sexes.....	1,004	6	12	8	5	3	14	17	50	88	268	533	-
Male.....	377	2	5	5	1	1	6	6	23	52	112	164	-
Female.....	627	4	7	3	4	2	8	11	27	36	156	369	-
Non-Hispanic black, both sexes.....	50	4	3	1	1	1	1	3	4	7	16	9	-
Male.....	25	4	2	-	-	1	-	2	1	4	10	1	-
Female.....	25	-	1	1	1	-	1	3	3	3	6	8	-
Origin not stated 2/, both sexes.....	3	-	-	1	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	1	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Emphysema (J43)													
All origins, both sexes.....	13,639	3	2	1	3	10	80	413	1,583	3,793	5,324	2,427	-
Male.....	7,075	2	-	1	3	5	49	244	873	2,051	2,725	1,122	-
Female.....	6,564	1	2	-	-	5	31	169	710	1,742	2,599	1,305	-
Hispanic, both sexes.....	269	1	1	-	-	1	4	6	20	63	110	63	-
Male.....	152	-	-	-	-	1	4	4	15	37	57	34	-
Female.....	117	1	1	-	-	-	-	2	5	26	53	29	-
Non-Hispanic 1/, both sexes.....	13,348	2	1	1	3	9	76	405	1,560	3,724	5,209	2,358	-
Male.....	6,909	2	-	1	3	4	45	238	856	2,009	2,666	1,085	-
Female.....	6,439	-	1	-	-	5	31	167	704	1,715	2,543	1,273	-
Non-Hispanic white, both sexes.....	12,471	-	-	1	2	6	58	334	1,408	3,491	4,938	2,233	-
Male.....	6,348	-	-	1	2	2	32	190	755	1,855	2,499	1,012	-
Female.....	6,123	-	-	-	-	4	26	144	653	1,636	2,439	1,221	-
Non-Hispanic black, both sexes.....	716	2	-	-	1	2	15	64	131	185	219	97	-
Male.....	458	2	-	-	1	1	11	45	89	122	130	57	-
Female.....	258	-	-	-	-	1	4	19	42	63	89	40	-
Origin not stated 2/, both sexes.....	22	-	-	-	-	-	-	2	3	6	5	6	-
Male.....	14	-	-	-	-	-	-	2	2	5	2	3	-
Female.....	8	-	-	-	-	-	-	-	1	1	3	3	-
Asthma (J45-J46)													
All origins, both sexes.....	3,816	7	29	105	159	197	376	562	520	504	673	684	-
Male.....	1,386	7	19	64	99	113	158	213	187	178	181	167	-
Female.....	2,430	-	10	41	60	84	218	349	333	326	492	517	-
Hispanic, both sexes.....	281	3	7	11	14	23	33	46	42	42	36	24	-
Male.....	111	3	4	6	9	15	19	16	9	15	8	7	-
Female.....	170	-	3	5	5	8	14	30	33	27	28	17	-
Non-Hispanic 1/, both sexes.....	3,524	4	22	94	145	173	341	516	477	460	634	658	-
Male.....	1,272	4	15	58	90	98	139	197	177	163	172	159	-
Female.....	2,252	-	7	36	55	75	202	319	300	297	462	499	-
Non-Hispanic white, both sexes.....	2,377	2	7	34	63	80	195	274	296	342	507	577	-
Male.....	743	2	5	18	39	37	74	99	97	114	124	134	-
Female.....	1,634	-	2	16	24	43	121	175	199	228	383	443	-
Non-Hispanic black, both sexes.....	1,001	2	13	57	74	91	139	221	162	98	91	53	-
Male.....	452	2	9	39	45	60	60	89	66	40	31	11	-
Female.....	549	-	4	18	29	31	79	132	96	58	60	42	-
Origin not stated 2/, both sexes.....	11	-	-	-	-	1	2	-	1	2	3	2	-
Male.....	3	-	-	-	-	-	-	-	1	-	1	1	-
Female.....	8	-	-	-	-	1	2	-	-	2	2	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)													
All origins, both sexes.....	16,780	12	9	11	39	68	159	394	743	1,767	5,564	8,014	-
Male.....	8,593	4	5	6	20	40	97	250	451	1,085	3,059	3,576	-
Female.....	8,187	8	4	5	19	28	62	144	292	682	2,505	4,438	-
Hispanic, both sexes.....	536	2	3	1	8	5	6	18	35	65	180	213	-
Male.....	268	2	2	1	5	2	3	10	25	42	89	87	-
Female.....	268	-	1	-	3	3	3	8	10	23	91	126	-
Non-Hispanic 1/, both sexes.....	16,213	10	6	10	31	63	153	376	706	1,698	5,375	7,785	-
Male.....	8,312	2	3	5	15	38	94	240	424	1,039	2,966	3,486	-
Female.....	7,901	8	3	5	16	25	59	136	282	659	2,409	4,299	-
Non-Hispanic white, both sexes.....	14,411	3	4	8	20	47	116	297	551	1,430	4,811	7,124	-
Male.....	7,367	-	2	4	10	30	74	194	321	868	2,664	3,200	-
Female.....	7,044	3	2	4	10	17	42	103	230	562	2,147	3,924	-
Non-Hispanic black, both sexes.....	1,488	6	2	1	11	14	35	65	140	239	463	512	-
Male.....	762	1	1	-	5	8	20	39	92	151	241	204	-
Female.....	726	5	1	1	6	6	15	26	48	88	222	308	-
Origin not stated 2/, both sexes.....	31	-	-	-	-	-	-	-	2	4	9	16	-
Male.....	13	-	-	-	-	-	-	-	2	4	4	3	-
Female.....	18	-	-	-	-	-	-	-	-	-	5	13	-
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)													
All origins, both sexes.....	27,310	266	105	62	123	174	537	1,349	2,769	5,523	9,629	6,773	-
Male.....	13,434	138	59	35	61	90	269	723	1,509	3,106	4,898	2,546	-
Female.....	13,876	128	46	27	62	84	268	626	1,260	2,417	4,731	4,227	-
Hispanic, both sexes.....	1,508	53	16	11	17	18	54	97	173	346	486	237	-
Male.....	725	26	9	7	8	8	27	58	96	176	230	80	-
Female.....	783	27	7	4	9	10	27	39	77	170	256	157	-
Non-Hispanic 1/, both sexes.....	25,769	212	89	51	106	156	482	1,252	2,590	5,168	9,131	6,532	-
Male.....	12,687	112	50	28	53	82	241	665	1,408	2,923	4,660	2,465	-
Female.....	13,082	100	39	23	53	74	241	587	1,182	2,245	4,471	4,067	-
Non-Hispanic white, both sexes.....	22,756	104	52	32	76	100	322	904	2,140	4,559	8,389	6,078	-
Male.....	11,218	54	30	17	40	53	155	492	1,178	2,603	4,302	2,294	-
Female.....	11,538	50	22	15	36	47	167	412	962	1,956	4,087	3,784	-
Non-Hispanic black, both sexes.....	2,374	97	28	15	23	49	150	306	384	470	524	328	-
Male.....	1,147	53	15	9	11	27	82	151	194	244	245	116	-
Female.....	1,227	44	13	6	12	22	68	155	190	226	279	212	-
Origin not stated 2/, both sexes.....	33	1	-	-	-	-	1	-	6	9	12	4	-
Male.....	22	-	-	-	-	-	1	-	5	7	8	1	-
Female.....	11	1	-	-	-	-	-	-	1	2	4	3	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Hernia (K40-K46)													
All origins, both sexes.....	1,602	40	4	4	9	10	36	88	130	239	509	533	-
Male.....	652	20	1	2	5	7	22	45	62	120	198	170	-
Female.....	950	20	3	2	4	3	14	43	68	119	311	363	-
Hispanic, both sexes.....	88	11	-	1	-	2	2	7	8	19	24	14	-
Male.....	31	4	-	-	-	2	2	4	1	8	6	4	-
Female.....	57	7	-	1	-	-	-	3	7	11	18	10	-
Non-Hispanic 1/, both sexes.....	1,510	29	4	3	9	8	34	79	121	220	484	519	-
Male.....	617	16	1	2	5	5	20	39	60	112	191	166	-
Female.....	893	13	3	1	4	3	14	40	61	108	293	353	-
Non-Hispanic white, both sexes.....	1,335	22	2	3	7	7	23	61	99	189	444	478	-
Male.....	540	12	-	2	4	4	13	33	51	95	175	151	-
Female.....	795	10	2	1	3	3	10	28	48	94	269	327	-
Non-Hispanic black, both sexes.....	148	6	2	-	2	1	9	16	20	28	31	33	-
Male.....	65	4	1	-	1	1	5	6	9	16	11	11	-
Female.....	83	2	1	-	1	-	4	10	11	12	20	22	-
Origin not stated 2/, both sexes.....	4	-	-	-	-	-	-	2	1	-	1	-	-
Male.....	4	-	-	-	-	-	-	2	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (K70,K73-K74)													
All origins, both sexes.....	27,013	9	1	1	19	309	2,799	7,496	6,569	5,119	3,733	957	1
Male.....	17,545	6	-	-	9	221	1,916	5,382	4,587	3,122	1,917	385	-
Female.....	9,468	3	1	1	10	88	883	2,114	1,982	1,997	1,816	572	1
Hispanic, both sexes.....	3,383	1	-	1	5	73	468	998	769	601	412	55	-
Male.....	2,376	1	-	-	3	61	377	825	554	336	198	21	-
Female.....	1,007	-	-	1	2	12	91	173	215	265	214	34	-
Non-Hispanic 1/, both sexes.....	23,542	8	1	-	14	236	2,325	6,455	5,779	4,505	3,317	901	1
Male.....	15,104	5	-	-	6	160	1,535	4,527	4,016	2,775	1,717	363	-
Female.....	8,438	3	1	-	8	76	790	1,928	1,763	1,730	1,600	538	1
Non-Hispanic white, both sexes.....	20,144	6	1	-	7	178	1,863	5,330	4,838	4,003	3,084	833	1
Male.....	12,931	3	-	-	4	121	1,240	3,765	3,387	2,463	1,606	342	-
Female.....	7,213	3	1	-	3	57	623	1,565	1,451	1,540	1,478	491	1
Non-Hispanic black, both sexes.....	2,506	2	-	-	4	22	307	890	728	371	140	42	-
Male.....	1,650	2	-	-	-	14	197	608	501	242	72	14	-
Female.....	856	-	-	-	4	8	110	282	227	129	68	28	-
Origin not stated 2/, both sexes.....	88	-	-	-	-	-	6	43	21	13	4	1	-
Male.....	65	-	-	-	-	-	4	30	17	11	2	1	-
Female.....	23	-	-	-	-	-	2	13	4	2	2	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Alcoholic liver disease (K70)													
All origins, both sexes.....	12,548	-	-	-	11	228	1,871	4,392	3,393	1,841	709	102	1
Male.....	9,155	-	-	-	8	167	1,267	3,176	2,549	1,392	527	69	-
Female.....	3,393	-	-	-	3	61	604	1,216	844	449	182	33	1
Hispanic, both sexes.....	1,685	-	-	-	2	55	325	611	383	205	100	4	-
Male.....	1,414	-	-	-	2	48	266	539	314	162	79	4	-
Female.....	271	-	-	-	-	7	59	72	69	43	21	-	-
Non-Hispanic 1/, both sexes.....	10,814	-	-	-	9	173	1,545	3,753	2,997	1,630	608	98	1
Male.....	7,700	-	-	-	6	119	1,000	2,615	2,223	1,225	447	65	-
Female.....	3,114	-	-	-	3	54	545	1,138	774	405	161	33	1
Non-Hispanic white, both sexes.....	9,153	-	-	-	5	134	1,261	3,153	2,524	1,429	555	91	1
Male.....	6,558	-	-	-	4	92	818	2,219	1,883	1,073	408	61	-
Female.....	2,595	-	-	-	1	42	443	934	641	356	147	30	1
Non-Hispanic black, both sexes.....	1,160	-	-	-	2	9	164	437	360	154	31	3	-
Male.....	805	-	-	-	-	7	106	290	260	121	19	2	-
Female.....	355	-	-	-	2	2	58	147	100	33	12	1	-
Origin not stated 2/, both sexes.....	49	-	-	-	-	-	1	28	13	6	1	-	-
Male.....	41	-	-	-	-	-	1	22	12	5	1	-	-
Female.....	8	-	-	-	-	-	-	6	1	1	-	-	-
Other chronic liver disease and cirrhosis (K73-K74)													
All origins, both sexes.....	14,465	9	1	1	8	81	928	3,104	3,176	3,278	3,024	855	-
Male.....	8,390	6	-	-	1	54	649	2,206	2,038	1,730	1,390	316	-
Female.....	6,075	3	1	1	7	27	279	898	1,138	1,548	1,634	539	-
Hispanic, both sexes.....	1,698	1	-	1	3	18	143	387	386	396	312	51	-
Male.....	962	1	-	-	1	13	111	286	240	174	119	17	-
Female.....	736	-	-	1	2	5	32	101	146	222	193	34	-
Non-Hispanic 1/, both sexes.....	12,728	8	1	-	5	63	780	2,702	2,782	2,875	2,709	803	-
Male.....	7,404	5	-	-	-	41	535	1,912	1,793	1,550	1,270	298	-
Female.....	5,324	3	1	-	5	22	245	790	989	1,325	1,439	505	-
Non-Hispanic white, both sexes.....	10,991	6	1	-	2	44	602	2,177	2,314	2,574	2,529	742	-
Male.....	6,373	3	-	-	-	29	422	1,546	1,504	1,390	1,198	281	-
Female.....	4,618	3	1	-	2	15	180	631	810	1,184	1,331	461	-
Non-Hispanic black, both sexes.....	1,346	2	-	-	2	13	143	453	368	217	109	39	-
Male.....	845	2	-	-	-	7	91	318	241	121	53	12	-
Female.....	501	-	-	-	2	6	52	135	127	96	56	27	-
Origin not stated 2/, both sexes.....	39	-	-	-	-	-	5	15	8	7	3	1	-
Male.....	24	-	-	-	-	-	3	8	5	6	1	1	-
Female.....	15	-	-	-	-	-	2	7	3	1	2	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Cholelithiasis and other disorders of gallbladder (K80-K82)													
All origins, both sexes.....	3,086	-	-	-	8	17	55	138	247	458	1,008	1,155	-
Male.....	1,370	-	-	-	3	10	30	73	138	248	483	385	-
Female.....	1,716	-	-	-	5	7	25	65	109	210	525	770	-
Hispanic, both sexes.....	215	-	-	-	4	1	10	18	23	36	66	57	-
Male.....	97	-	-	-	2	1	5	9	16	16	34	14	-
Female.....	118	-	-	-	2	-	5	9	7	20	32	43	-
Non-Hispanic 1/, both sexes.....	2,867	-	-	-	4	16	45	120	224	421	941	1,096	-
Male.....	1,272	-	-	-	1	9	25	64	122	231	449	371	-
Female.....	1,595	-	-	-	3	7	20	56	102	190	492	725	-
Non-Hispanic white, both sexes.....	2,460	-	-	-	2	9	35	78	170	338	823	1,005	-
Male.....	1,110	-	-	-	1	6	19	41	98	195	401	349	-
Female.....	1,350	-	-	-	1	3	16	37	72	143	422	656	-
Non-Hispanic black, both sexes.....	313	-	-	-	-	4	9	36	45	61	90	68	-
Male.....	120	-	-	-	-	2	5	21	20	26	32	14	-
Female.....	193	-	-	-	-	2	4	15	25	35	58	54	-
Origin not stated 2/, both sexes.....	4	-	-	-	-	-	-	-	-	1	1	2	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	2	-
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)													
All origins, both sexes.....	42,480	174	14	21	87	246	801	2,067	3,963	7,119	14,058	13,928	2
Male.....	20,370	110	10	11	50	113	451	1,208	2,120	3,677	7,007	5,612	1
Female.....	22,110	64	4	10	37	133	350	859	1,843	3,442	7,051	8,316	1
Hispanic, both sexes.....	2,196	37	3	11	12	22	72	182	319	523	629	386	-
Male.....	1,101	25	2	4	8	8	45	107	180	251	306	165	-
Female.....	1,095	12	1	7	4	14	27	75	139	272	323	221	-
Non-Hispanic 1/, both sexes.....	40,192	137	10	10	75	223	729	1,876	3,637	6,579	13,392	13,523	1
Male.....	19,220	85	7	7	42	104	406	1,096	1,936	3,415	6,684	5,438	-
Female.....	20,972	52	3	3	33	119	323	780	1,701	3,164	6,708	8,085	1
Non-Hispanic white, both sexes.....	31,508	61	6	7	41	108	394	1,005	2,238	4,745	11,106	11,796	1
Male.....	15,247	37	4	4	21	47	228	586	1,234	2,540	5,721	4,825	-
Female.....	16,261	24	2	3	20	61	166	419	1,004	2,205	5,385	6,971	1
Non-Hispanic black, both sexes.....	7,759	66	4	2	31	103	316	813	1,283	1,629	1,993	1,519	-
Male.....	3,505	40	3	2	19	51	166	474	640	771	827	512	-
Female.....	4,254	26	1	-	12	52	150	339	643	858	1,166	1,007	-
Origin not stated 2/, both sexes.....	92	-	1	-	-	1	-	9	7	17	37	19	1
Male.....	49	-	1	-	-	1	-	5	4	11	17	9	1
Female.....	43	-	-	-	-	-	-	4	3	6	20	10	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Inflammatory diseases of female pelvic organs (N70-N76)													
All origins, both sexes.....	112	1	-	-	2	4	8	11	15	16	21	34	-
Male.....
Female.....	112	1	-	-	2	4	8	11	15	16	21	34	-
Hispanic, both sexes.....	9	1	-	-	1	1	-	-	-	2	3	1	-
Male.....
Female.....	9	1	-	-	1	1	-	-	-	2	3	1	-
Non-Hispanic 1/, both sexes.....	102	-	-	-	1	3	8	11	14	14	18	33	-
Male.....
Female.....	102	-	-	-	1	3	8	11	14	14	18	33	-
Non-Hispanic white, both sexes.....	83	-	-	-	1	2	6	6	13	12	13	30	-
Male.....
Female.....	83	-	-	-	1	2	6	6	13	12	13	30	-
Non-Hispanic black, both sexes.....	19	-	-	-	-	1	2	5	1	2	5	3	-
Male.....
Female.....	19	-	-	-	-	1	2	5	1	2	5	3	-
Origin not stated 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Pregnancy, childbirth and the puerperium (000-099)													
All origins, both sexes.....	697	2	168	287	157	79	1	1	2	-	-
Male.....
Female.....	697	2	168	287	157	79	1	1	2	-	-
Hispanic, both sexes.....	115	-	29	49	26	11	-	-	-	-	-
Male.....
Female.....	115	-	29	49	26	11	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	581	2	139	238	130	68	1	1	2	-	-
Male.....
Female.....	581	2	139	238	130	68	1	1	2	-	-
Non-Hispanic white, both sexes.....	302	-	60	122	74	43	1	1	1	-	-
Male.....
Female.....	302	-	60	122	74	43	1	1	1	-	-
Non-Hispanic black, both sexes.....	245	-	73	106	44	22	-	-	-	-	-
Male.....
Female.....	245	-	73	106	44	22	-	-	-	-	-
Origin not stated 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Pregnancy with abortive outcome (000-007)													
All origins, both sexes.....	32	-	14	11	6	1	-	-	-	-	-
Male.....
Female.....	32	-	14	11	6	1	-	-	-	-	-
Hispanic, both sexes.....	1	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	1	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	31	-	14	10	6	1	-	-	-	-	-
Male.....
Female.....	31	-	14	10	6	1	-	-	-	-	-
Non-Hispanic white, both sexes.....	10	-	5	4	-	1	-	-	-	-	-
Male.....
Female.....	10	-	5	4	-	1	-	-	-	-	-
Non-Hispanic black, both sexes.....	19	-	8	6	5	-	-	-	-	-	-
Male.....
Female.....	19	-	8	6	5	-	-	-	-	-	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth and the puerperium (010-099)													
All origins, both sexes.....	665	2	154	276	151	78	1	1	2	-	-
Male.....
Female.....	665	2	154	276	151	78	1	1	2	-	-
Hispanic, both sexes.....	114	-	29	48	26	11	-	-	-	-	-
Male.....
Female.....	114	-	29	48	26	11	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	550	2	125	228	124	67	1	1	2	-	-
Male.....
Female.....	550	2	125	228	124	67	1	1	2	-	-
Non-Hispanic white, both sexes.....	292	-	55	118	74	42	1	1	1	-	-
Male.....
Female.....	292	-	55	118	74	42	1	1	1	-	-
Non-Hispanic black, both sexes.....	226	-	65	100	39	22	-	-	-	-	-
Male.....
Female.....	226	-	65	100	39	22	-	-	-	-	-
Origin not stated 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Certain conditions originating in the perinatal period (P00-P96)													
All origins, both sexes.....	14,213	14,079	61	37	11	10	6	3	3	1	1	1	-
Male.....	8,093	8,013	38	23	5	3	5	1	3	1	1	-	-
Female.....	6,120	6,066	23	14	6	7	1	2	-	-	-	1	-
Hispanic, both sexes.....	2,681	2,660	10	8	2	-	-	1	-	-	-	-	-
Male.....	1,538	1,527	6	5	-	-	-	-	-	-	-	-	-
Female.....	1,143	1,133	4	3	2	-	-	1	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	11,371	11,258	51	29	9	10	6	2	3	1	1	1	-
Male.....	6,469	6,400	32	18	5	3	5	1	3	1	1	-	-
Female.....	4,902	4,858	19	11	4	7	1	1	-	-	-	1	-
Non-Hispanic white, both sexes.....	6,118	6,049	24	18	8	8	4	2	3	-	1	1	-
Male.....	3,529	3,485	17	11	5	3	3	1	3	-	1	-	-
Female.....	2,589	2,564	7	7	3	5	1	1	-	-	-	1	-
Non-Hispanic black, both sexes.....	4,740	4,703	23	9	1	2	2	-	-	-	-	-	-
Male.....	2,653	2,633	13	5	-	-	2	-	-	-	-	-	-
Female.....	2,087	2,070	10	4	1	2	-	-	-	-	-	-	-
Origin not stated 2/, both sexes.....	161	161	-	-	-	-	-	-	-	-	-	-	-
Male.....	86	86	-	-	-	-	-	-	-	-	-	-	-
Female.....	75	75	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)													
All origins, both sexes.....	10,498	5,622	569	389	483	420	493	692	634	428	472	296	-
Male.....	5,423	2,898	318	211	282	235	279	375	320	208	195	102	-
Female.....	5,075	2,724	251	178	201	185	214	317	314	220	277	194	-
Hispanic, both sexes.....	1,765	1,278	138	70	61	53	40	44	32	20	23	6	-
Male.....	902	622	82	49	40	24	22	27	16	8	10	2	-
Female.....	863	656	56	21	21	29	18	17	16	12	13	4	-
Non-Hispanic 1/, both sexes.....	8,686	4,309	430	316	421	366	452	647	599	408	449	289	-
Male.....	4,493	2,256	235	159	242	210	256	347	303	200	185	100	-
Female.....	4,193	2,053	195	157	179	156	196	300	296	208	264	189	-
Non-Hispanic white, both sexes.....	6,598	3,016	270	217	290	295	369	555	540	373	401	272	-
Male.....	3,375	1,572	145	111	156	168	205	303	271	184	164	96	-
Female.....	3,223	1,444	125	106	134	127	164	252	269	189	237	176	-
Non-Hispanic black, both sexes.....	1,697	1,041	127	82	111	59	69	82	47	27	39	13	-
Male.....	914	551	74	38	73	36	42	39	25	14	18	4	-
Female.....	783	490	53	44	38	23	27	43	22	13	21	9	-
Origin not stated 2/, both sexes.....	47	35	1	3	1	1	1	1	3	-	-	1	-
Male.....	28	20	1	3	-	1	1	1	1	-	-	-	-
Female.....	19	15	-	-	1	-	-	-	2	-	-	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)													
All origins, both sexes.....	30,126	3,361	189	120	658	1,092	1,900	2,402	2,041	2,323	5,159	10,762	119
Male.....	13,712	2,021	100	59	452	732	1,235	1,546	1,268	1,264	2,181	2,768	86
Female.....	16,414	1,340	89	61	206	360	665	856	773	1,059	2,978	7,994	33
Hispanic, both sexes.....	1,621	457	37	18	115	161	192	147	87	79	112	209	7
Male.....	971	278	21	11	88	116	145	99	61	40	44	62	6
Female.....	650	179	16	7	27	45	47	48	26	39	68	147	1
Non-Hispanic 1/, both sexes.....	28,297	2,881	150	101	538	923	1,690	2,230	1,935	2,235	5,028	10,541	45
Male.....	12,607	1,730	78	48	361	609	1,076	1,431	1,192	1,218	2,130	2,701	33
Female.....	15,690	1,151	72	53	177	314	614	799	743	1,017	2,898	7,840	12
Non-Hispanic white, both sexes.....	23,344	1,654	91	60	404	673	1,281	1,725	1,518	1,841	4,447	9,617	33
Male.....	10,064	984	47	31	275	458	832	1,103	930	1,015	1,893	2,470	26
Female.....	13,280	670	44	29	129	215	449	622	588	826	2,554	7,147	7
Non-Hispanic black, both sexes.....	4,376	1,106	49	35	111	216	364	465	376	351	516	776	11
Male.....	2,244	673	28	16	72	132	210	304	237	178	208	180	6
Female.....	2,132	433	21	19	39	84	154	161	139	173	308	596	5
Origin not stated 2/, both sexes.....	208	23	2	1	5	8	18	25	19	9	19	12	67
Male.....	134	13	1	-	3	7	14	16	15	6	7	5	47
Female.....	74	10	1	1	2	1	4	9	4	3	12	7	20
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12, G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99, N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39, N41-N64,N80-N98)													
All origins, both sexes.....	201,914	1,192	611	893	1,956	3,232	8,072	16,205	19,486	26,104	53,123	71,028	12
Male.....	82,725	704	328	490	1,158	1,861	4,739	9,767	10,796	12,805	21,422	18,646	9
Female.....	119,189	488	283	403	798	1,371	3,333	6,438	8,690	13,299	31,701	52,382	3
Hispanic, both sexes.....	9,217	237	115	148	260	412	807	1,118	1,090	1,283	1,894	1,851	2
Male.....	4,541	133	62	81	169	260	556	759	609	620	740	550	2
Female.....	4,676	104	53	67	91	152	251	359	481	663	1,154	1,301	-
Non-Hispanic 1/, both sexes.....	192,252	950	494	741	1,691	2,811	7,238	15,018	18,340	24,761	51,148	69,054	6
Male.....	77,963	567	265	408	986	1,595	4,166	8,959	10,148	12,153	20,649	18,064	3
Female.....	114,289	383	229	333	705	1,216	3,072	6,059	8,192	12,608	30,499	50,990	3
Non-Hispanic white, both sexes.....	165,312	573	322	516	1,188	1,843	5,211	11,337	14,723	20,787	45,589	63,218	5
Male.....	66,039	350	176	296	722	1,102	3,156	6,942	8,221	10,233	18,367	16,472	2
Female.....	99,273	223	146	220	466	741	2,055	4,395	6,502	10,554	27,222	46,746	3
Non-Hispanic black, both sexes.....	23,295	320	134	181	428	836	1,750	3,306	3,185	3,443	4,758	4,953	1
Male.....	10,222	184	73	86	219	421	853	1,794	1,696	1,675	1,924	1,296	1
Female.....	13,073	136	61	95	209	415	897	1,512	1,489	1,768	2,834	3,657	-
Origin not stated 2/, both sexes.....	445	5	2	4	5	9	27	69	56	60	81	123	4
Male.....	221	4	1	1	3	6	17	49	39	32	33	32	4
Female.....	224	1	1	3	2	3	10	20	17	28	48	91	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Accidents (unintentional injuries) (V01-X59,Y85-Y86)													
All origins, both sexes.....	112,012	1,052	1,641	2,666	15,449	13,032	16,471	16,942	9,651	8,116	13,457	13,447	88
Male.....	72,050	604	964	1,661	11,423	9,871	11,671	11,988	6,562	4,992	7,030	5,210	74
Female.....	39,962	448	677	1,005	4,026	3,161	4,800	4,954	3,089	3,124	6,427	8,237	14
Hispanic, both sexes.....	10,408	159	313	391	2,372	2,086	1,823	1,249	678	473	508	338	18
Male.....	7,796	87	186	241	1,926	1,733	1,454	968	474	294	278	138	17
Female.....	2,612	72	127	150	446	353	369	281	204	179	230	200	1
Non-Hispanic 1/, both sexes.....	101,235	891	1,323	2,263	13,045	10,901	14,597	15,607	8,938	7,619	12,924	13,089	38
Male.....	63,982	516	775	1,415	9,476	8,103	10,179	10,948	6,061	4,677	6,738	5,063	31
Female.....	37,253	375	548	848	3,569	2,798	4,418	4,659	2,877	2,942	6,186	8,026	7
Non-Hispanic white, both sexes.....	85,466	557	933	1,573	10,847	8,712	12,025	12,744	7,390	6,532	11,774	12,344	35
Male.....	53,465	335	553	991	7,885	6,458	8,412	8,935	4,955	4,027	6,140	4,745	29
Female.....	32,001	222	380	582	2,962	2,254	3,613	3,809	2,435	2,505	5,634	7,599	6
Non-Hispanic black, both sexes.....	12,446	298	317	557	1,614	1,704	2,072	2,418	1,251	818	857	539	1
Male.....	8,430	159	182	343	1,191	1,303	1,434	1,714	901	520	467	215	1
Female.....	4,016	139	135	214	423	401	638	704	350	298	390	324	-
Origin not stated 2/, both sexes.....	369	2	5	12	32	45	51	86	35	24	25	20	32
Male.....	272	1	3	5	21	35	38	72	27	21	14	9	26
Female.....	97	1	2	7	11	10	13	14	8	3	11	11	6
Transport accidents (V01-V99,Y85)													
All origins, both sexes.....	48,053	145	659	1,755	11,377	7,521	7,247	6,953	4,510	3,229	3,310	1,320	27
Male.....	33,311	81	359	1,039	8,113	5,641	5,297	5,042	3,114	1,998	1,905	701	21
Female.....	14,742	64	300	716	3,264	1,880	1,950	1,911	1,396	1,231	1,405	619	6
Hispanic, both sexes.....	6,010	40	164	302	1,866	1,381	915	575	353	216	150	42	6
Male.....	4,551	18	95	181	1,492	1,123	720	436	229	135	97	20	5
Female.....	1,459	22	69	121	374	258	195	139	124	81	53	22	1
Non-Hispanic 1/, both sexes.....	41,892	104	494	1,444	9,488	6,117	6,312	6,346	4,146	3,004	3,151	1,277	9
Male.....	28,652	63	263	854	6,608	4,501	4,564	4,580	2,876	1,855	1,801	680	7
Female.....	13,240	41	231	590	2,880	1,616	1,748	1,766	1,270	1,149	1,350	597	2
Non-Hispanic white, both sexes.....	34,315	66	338	1,085	7,812	4,652	5,065	5,152	3,498	2,593	2,842	1,203	9
Male.....	23,403	39	177	656	5,437	3,396	3,677	3,732	2,418	1,603	1,620	641	7
Female.....	10,912	27	161	429	2,375	1,256	1,388	1,420	1,080	990	1,222	562	2
Non-Hispanic black, both sexes.....	5,744	32	129	284	1,228	1,134	956	946	496	276	211	52	-
Male.....	4,109	20	68	158	884	880	704	693	353	185	135	29	-
Female.....	1,635	12	61	126	344	254	252	253	143	91	76	23	-
Origin not stated 2/, both sexes.....	151	1	1	9	23	23	20	32	11	9	9	1	12
Male.....	108	-	1	4	13	17	13	26	9	8	7	1	9
Female.....	43	1	-	5	10	6	7	6	2	1	2	-	3

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)													
All origins, both sexes.....	1,921	1	5	45	200	301	373	455	285	163	67	26	-
Male.....	1,548	-	3	26	147	246	303	374	242	141	48	18	-
Female.....	373	1	2	19	53	55	70	81	43	22	19	8	-
Hispanic, both sexes.....	110	-	1	-	21	32	22	19	12	3	-	-	-
Male.....	92	-	-	-	17	27	18	16	11	3	-	-	-
Female.....	18	-	1	-	4	5	4	3	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	1,805	1	4	45	177	268	351	434	272	160	67	26	-
Male.....	1,450	-	3	26	128	218	285	356	230	138	48	18	-
Female.....	355	1	1	19	49	50	66	78	42	22	19	8	-
Non-Hispanic white, both sexes.....	1,602	1	3	39	159	234	300	387	247	146	61	25	-
Male.....	1,283	-	2	23	111	187	242	321	208	127	45	17	-
Female.....	319	1	1	16	48	47	58	66	39	19	16	8	-
Non-Hispanic black, both sexes.....	155	-	1	5	13	25	36	39	22	9	5	-	-
Male.....	130	-	1	2	12	23	30	32	20	7	3	-	-
Female.....	25	-	-	3	1	2	6	7	2	2	2	-	-
Origin not stated 2/, both sexes.....	6	-	-	-	2	1	-	2	1	-	-	-	-
Male.....	6	-	-	-	2	1	-	2	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Nontransport accidents (W00-X59,Y86)													
All origins, both sexes.....	63,959	907	982	911	4,072	5,511	9,224	9,989	5,141	4,887	10,147	12,127	61
Male.....	38,739	523	605	622	3,310	4,230	6,374	6,946	3,448	2,994	5,125	4,509	53
Female.....	25,220	384	377	289	762	1,281	2,850	3,043	1,693	1,893	5,022	7,618	8
Hispanic, both sexes.....	4,398	119	149	89	506	705	908	674	325	257	358	296	12
Male.....	3,245	69	91	60	434	610	734	532	245	159	181	118	12
Female.....	1,153	50	58	29	72	95	174	142	80	98	177	178	-
Non-Hispanic 1/, both sexes.....	59,343	787	829	819	3,557	4,784	8,285	9,261	4,792	4,615	9,773	11,812	29
Male.....	35,330	453	512	561	2,868	3,602	5,615	6,368	3,185	2,822	4,937	4,383	24
Female.....	24,013	334	317	258	689	1,182	2,670	2,893	1,607	1,793	4,836	7,429	5
Non-Hispanic white, both sexes.....	51,151	491	595	488	3,035	4,060	6,960	7,592	3,892	3,939	8,932	11,141	26
Male.....	30,062	296	376	335	2,448	3,062	4,735	5,203	2,537	2,424	4,520	4,104	22
Female.....	21,089	195	219	153	587	998	2,225	2,389	1,355	1,515	4,412	7,037	4
Non-Hispanic black, both sexes.....	6,702	266	188	273	386	570	1,116	1,472	755	542	646	487	1
Male.....	4,321	139	114	185	307	423	730	1,021	548	335	332	186	1
Female.....	2,381	127	74	88	79	147	386	451	207	207	314	301	-
Origin not stated 2/, both sexes.....	218	1	4	3	9	22	31	54	24	15	16	19	20
Male.....	164	1	2	1	8	18	25	46	18	13	7	8	17
Female.....	54	-	2	2	1	4	6	8	6	2	9	11	3

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Accidental drowning and submersion (W65-W74)													
All origins, both sexes.....	3,308	62	430	269	574	385	435	444	271	188	158	78	14
Male.....	2,594	38	265	194	522	332	367	358	208	140	113	43	14
Female.....	714	24	165	75	52	53	68	86	63	48	45	35	-
Hispanic, both sexes.....	427	17	78	31	102	73	61	30	10	9	6	4	6
Male.....	355	7	48	19	95	72	53	28	9	9	5	4	6
Female.....	72	10	30	12	7	1	8	2	1	-	1	-	-
Non-Hispanic 1/, both sexes.....	2,856	44	350	237	469	310	373	408	257	178	152	74	4
Male.....	2,220	30	217	174	425	258	313	325	197	130	108	39	4
Female.....	636	14	133	63	44	52	60	83	60	48	44	35	-
Non-Hispanic white, both sexes.....	2,133	34	291	112	306	222	289	328	207	148	130	62	4
Male.....	1,646	21	179	84	275	181	242	261	158	111	96	34	4
Female.....	487	13	112	28	31	41	47	67	49	37	34	28	-
Non-Hispanic black, both sexes.....	519	8	46	103	115	59	61	64	28	19	9	7	-
Male.....	416	7	35	74	106	49	52	50	22	14	6	1	-
Female.....	103	1	11	29	9	10	9	14	6	5	3	6	-
Origin not stated 2/, both sexes.....	25	1	2	1	3	2	1	6	4	1	-	-	4
Male.....	19	1	-	1	2	2	1	5	2	1	-	-	4
Female.....	6	-	2	-	1	-	-	1	2	-	-	-	-
Accidental exposure to smoke, fire and flames (X00-X09)													
All origins, both sexes.....	3,229	26	223	255	186	240	313	490	412	349	459	273	3
Male.....	1,902	14	120	152	107	165	209	329	251	210	234	109	2
Female.....	1,327	12	103	103	79	75	104	161	161	139	225	164	1
Hispanic, both sexes.....	179	5	19	13	15	24	17	18	9	22	26	11	-
Male.....	107	3	9	8	9	16	14	12	6	14	12	4	-
Female.....	72	2	10	5	6	8	3	6	3	8	14	7	-
Non-Hispanic 1/, both sexes.....	3,038	21	204	242	171	213	293	470	401	327	432	262	2
Male.....	1,785	11	111	144	98	147	192	315	243	196	221	105	2
Female.....	1,253	10	93	98	73	66	101	155	158	131	211	157	-
Non-Hispanic white, both sexes.....	2,151	10	120	123	126	154	215	338	296	232	331	205	1
Male.....	1,265	6	67	72	74	108	137	222	182	139	173	84	1
Female.....	886	4	53	51	52	46	78	116	114	93	158	121	-
Non-Hispanic black, both sexes.....	791	11	73	105	38	51	65	118	98	84	94	53	1
Male.....	468	5	38	64	21	33	44	85	57	54	47	19	1
Female.....	323	6	35	41	17	18	21	33	41	30	47	34	-
Origin not stated 2/, both sexes.....	12	-	-	-	-	3	3	2	2	-	1	-	1
Male.....	10	-	-	-	-	2	3	2	2	-	1	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Accidental poisoning and exposure to noxious substances (X40-X49)													
All origins, both sexes.....	20,950	13	18	55	2,259	3,641	6,444	6,033	1,577	421	315	165	9
Male.....	13,934	5	13	30	1,765	2,673	4,176	3,910	929	222	143	64	4
Female.....	7,016	8	5	25	494	968	2,268	2,123	648	199	172	101	5
Hispanic, both sexes.....	1,716	2	3	10	202	372	567	390	119	30	15	5	1
Male.....	1,327	1	2	5	158	316	439	287	89	18	8	3	1
Female.....	389	1	1	5	44	56	128	103	30	12	7	2	-
Non-Hispanic 1/, both sexes.....	19,153	11	14	45	2,054	3,259	5,852	5,615	1,450	390	299	160	4
Male.....	12,541	4	10	25	1,604	2,349	3,718	3,599	834	203	134	61	-
Female.....	6,612	7	4	20	450	910	2,134	2,016	616	187	165	99	4
Non-Hispanic white, both sexes.....	16,313	8	8	30	1,900	2,888	5,009	4,613	1,131	318	259	146	3
Male.....	10,684	2	4	20	1,493	2,099	3,204	2,937	602	155	112	56	-
Female.....	5,629	6	4	10	407	789	1,805	1,676	529	163	147	90	3
Non-Hispanic black, both sexes.....	2,460	3	6	11	113	288	733	915	281	64	33	13	-
Male.....	1,607	2	6	3	81	195	439	606	207	45	18	5	-
Female.....	853	1	-	8	32	93	294	309	74	19	15	8	-
Origin not stated 2/, both sexes.....	81	-	1	-	3	10	25	28	8	1	1	-	4
Male.....	66	-	1	-	3	8	19	24	6	1	1	-	3
Female.....	15	-	-	-	-	2	6	4	2	-	-	-	1
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)													
All origins, both sexes.....	17,016	782	250	247	640	825	1,276	1,732	1,453	1,634	3,505	4,641	31
Male.....	9,880	453	165	184	550	694	1,009	1,347	1,044	995	1,754	1,655	30
Female.....	7,136	329	85	63	90	131	267	385	409	639	1,751	2,986	1
Hispanic, both sexes.....	1,042	89	42	28	120	143	146	133	77	66	100	93	5
Male.....	752	54	28	23	107	121	127	114	54	39	49	31	5
Female.....	290	35	14	5	13	22	19	19	23	27	51	62	-
Non-Hispanic 1/, both sexes.....	15,923	693	207	218	518	678	1,129	1,592	1,371	1,560	3,398	4,544	15
Male.....	9,092	399	136	161	441	569	881	1,228	987	948	1,703	1,624	15
Female.....	6,831	294	71	57	77	109	248	364	384	612	1,695	2,920	-
Non-Hispanic white, both sexes.....	13,724	426	144	163	433	553	928	1,327	1,147	1,314	3,041	4,234	14
Male.....	7,754	260	102	116	372	465	725	1,025	831	810	1,528	1,506	14
Female.....	5,970	166	42	47	61	88	203	302	316	504	1,513	2,728	-
Non-Hispanic black, both sexes.....	1,825	241	47	41	61	106	163	228	186	200	304	248	-
Male.....	1,101	125	22	34	47	88	126	171	131	117	152	88	-
Female.....	724	116	25	7	14	18	37	57	55	83	152	160	-
Origin not stated 2/, both sexes.....	51	-	1	1	2	4	1	7	5	8	7	4	11
Male.....	36	-	1	-	2	4	1	5	3	8	2	-	10
Female.....	15	-	-	1	-	-	-	2	2	-	5	4	1

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)													
All origins, both sexes.....	32,439	285	4,316	5,074	6,638	6,906	4,011	2,279	2,120	799	11
Male.....	25,566	187	3,596	4,142	5,067	5,078	3,088	1,901	1,817	679	11
Female.....	6,873	98	720	932	1,571	1,828	923	378	303	120	-
Hispanic, both sexes.....	2,207	39	571	545	421	304	156	87	62	19	3
Male.....	1,840	24	487	467	351	242	120	77	55	14	3
Female.....	367	15	84	78	70	62	36	10	7	5	-
Non-Hispanic 1/, both sexes.....	30,111	245	3,728	4,516	6,186	6,576	3,841	2,184	2,054	779	2
Male.....	23,633	162	3,095	3,666	4,692	4,818	2,956	1,818	1,760	664	2
Female.....	6,478	83	633	850	1,494	1,758	885	366	294	115	-
Non-Hispanic white, both sexes.....	27,001	180	3,045	3,747	5,598	6,101	3,584	2,043	1,954	748	1
Male.....	21,214	119	2,535	3,064	4,249	4,465	2,754	1,701	1,682	644	1
Female.....	5,787	61	510	683	1,349	1,636	830	342	272	104	-
Non-Hispanic black, both sexes.....	1,970	49	450	510	369	279	164	76	60	12	1
Male.....	1,614	30	382	420	293	214	140	71	54	9	1
Female.....	356	19	68	90	76	65	24	5	6	3	-
Origin not stated 2/, both sexes.....	121	1	17	13	31	26	14	8	4	1	6
Male.....	93	1	14	9	24	18	12	6	2	1	6
Female.....	28	-	3	4	7	8	2	2	2	-	-
Intentional self-harm (suicide) by discharge of firearms (X72-X74)													
All origins, both sexes.....	16,750	59	2,104	2,283	2,868	3,349	2,328	1,631	1,588	537	3
Male.....	14,523	50	1,889	1,978	2,376	2,761	1,994	1,475	1,479	518	3
Female.....	2,227	9	215	305	492	588	334	156	109	19	-
Hispanic, both sexes.....	888	2	266	206	147	122	60	45	34	6	-
Male.....	799	2	246	181	132	108	53	40	32	5	-
Female.....	89	-	20	25	15	14	7	5	2	1	-
Non-Hispanic 1/, both sexes.....	15,823	57	1,830	2,075	2,711	3,223	2,261	1,583	1,552	530	1
Male.....	13,691	48	1,636	1,795	2,235	2,651	1,936	1,432	1,445	512	1
Female.....	2,132	9	194	280	476	572	325	151	107	18	-
Non-Hispanic white, both sexes.....	14,507	47	1,509	1,733	2,484	3,053	2,154	1,507	1,498	521	1
Male.....	12,534	39	1,349	1,491	2,042	2,511	1,844	1,360	1,393	504	1
Female.....	1,973	8	160	242	442	542	310	147	105	17	-
Non-Hispanic black, both sexes.....	995	8	251	264	154	114	87	61	48	8	-
Male.....	891	7	223	238	137	98	75	60	46	7	-
Female.....	104	1	28	26	17	16	12	1	2	1	-
Origin not stated 2/, both sexes.....	39	-	8	2	10	4	7	3	2	1	2
Male.....	33	-	7	2	9	2	5	3	2	1	2
Female.....	6	-	1	-	1	2	2	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)													
All origins, both sexes.....	15,689	226	2,212	2,791	3,770	3,557	1,683	648	532	262	8
Male.....	11,043	137	1,707	2,164	2,691	2,317	1,094	426	338	161	8
Female.....	4,646	89	505	627	1,079	1,240	589	222	194	101	-
Hispanic, both sexes.....	1,319	37	305	339	274	182	96	42	28	13	3
Male.....	1,041	22	241	286	219	134	67	37	23	9	3
Female.....	278	15	64	53	55	48	29	5	5	4	-
Non-Hispanic 1/, both sexes.....	14,288	188	1,898	2,441	3,475	3,353	1,580	601	502	249	1
Male.....	9,942	114	1,459	1,871	2,457	2,167	1,020	386	315	152	1
Female.....	4,346	74	439	570	1,018	1,186	560	215	187	97	-
Non-Hispanic white, both sexes.....	12,494	133	1,536	2,014	3,114	3,048	1,430	536	456	227	-
Male.....	8,680	80	1,186	1,573	2,207	1,954	910	341	289	140	-
Female.....	3,814	53	350	441	907	1,094	520	195	167	87	-
Non-Hispanic black, both sexes.....	975	41	199	246	215	165	77	15	12	4	1
Male.....	723	23	159	182	156	116	65	11	8	2	1
Female.....	252	18	40	64	59	49	12	4	4	2	-
Origin not stated 2/, both sexes.....	82	1	9	11	21	22	7	5	2	-	4
Male.....	60	1	7	7	15	16	7	3	-	-	4
Female.....	22	-	2	4	6	6	-	2	2	-	-
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)													
All origins, both sexes.....	17,357	325	377	329	5,085	4,495	2,984	2,008	879	446	289	104	36
Male.....	13,578	167	204	200	4,380	3,764	2,224	1,492	637	302	138	41	29
Female.....	3,779	158	173	129	705	731	760	516	242	144	151	63	7
Hispanic, both sexes.....	3,271	73	80	67	1,235	962	477	238	84	29	9	11	6
Male.....	2,782	42	45	40	1,125	844	384	193	69	23	5	6	6
Female.....	489	31	35	27	110	118	93	45	15	6	4	5	-
Non-Hispanic 1/, both sexes.....	13,965	247	297	261	3,830	3,506	2,488	1,745	793	415	279	93	11
Male.....	10,699	121	159	159	3,240	2,898	1,824	1,278	566	277	133	35	9
Female.....	3,266	126	138	102	590	608	664	467	227	138	146	58	2
Non-Hispanic white, both sexes.....	5,427	137	131	119	917	976	1,124	933	504	292	210	75	9
Male.....	3,561	72	73	70	624	672	751	649	343	180	95	25	7
Female.....	1,866	65	58	49	293	304	373	284	161	112	115	50	2
Non-Hispanic black, both sexes.....	8,000	100	154	130	2,771	2,405	1,276	732	247	104	62	17	2
Male.....	6,730	45	79	81	2,495	2,130	1,005	574	190	83	36	10	2
Female.....	1,270	55	75	49	276	275	271	158	57	21	26	7	-
Origin not stated 2/, both sexes.....	121	5	-	1	20	27	19	25	2	2	1	-	19
Male.....	97	4	-	1	15	22	16	21	2	2	-	-	14
Female.....	24	1	-	-	5	5	3	4	-	-	1	-	5

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)													
All origins, both sexes.....	11,624	6	36	184	4,127	3,503	1,895	1,062	468	193	100	29	21
Male.....	9,921	2	18	134	3,718	3,111	1,556	821	347	138	41	15	20
Female.....	1,703	4	18	50	409	392	339	241	121	55	59	14	1
Hispanic, both sexes.....	2,241	3	7	38	991	715	310	110	44	11	3	5	4
Male.....	2,031	1	4	26	924	660	268	92	37	10	1	4	4
Female.....	210	2	3	12	67	55	42	18	7	1	2	1	-
Non-Hispanic 1/, both sexes.....	9,323	3	29	145	3,123	2,771	1,574	947	424	181	97	24	5
Male.....	7,837	1	14	107	2,784	2,436	1,278	724	310	127	40	11	5
Female.....	1,486	-	15	38	339	335	296	223	114	54	57	13	-
Non-Hispanic white, both sexes.....	2,921	-	7	56	561	640	650	498	273	132	81	19	4
Male.....	2,083	-	3	39	416	492	471	353	186	80	32	7	4
Female.....	838	-	4	17	145	148	179	145	87	52	49	12	-
Non-Hispanic black, both sexes.....	6,119	3	19	80	2,474	2,063	879	408	132	41	14	5	1
Male.....	5,518	1	9	61	2,292	1,889	767	341	107	39	7	4	1
Female.....	601	2	10	19	182	174	112	67	25	2	7	1	-
Origin not stated 2/, both sexes.....	60	-	-	1	13	17	11	5	-	1	-	-	12
Male.....	53	-	-	1	10	15	10	5	-	1	-	-	11
Female.....	7	-	-	-	3	2	1	-	-	-	-	-	1
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)													
All origins, both sexes.....	5,733	319	341	145	958	992	1,089	946	411	253	189	75	15
Male.....	3,657	165	186	66	662	653	668	671	290	164	97	26	9
Female.....	2,076	154	155	79	296	339	421	275	121	89	92	49	6
Hispanic, both sexes.....	1,030	70	73	29	244	247	167	128	40	18	6	6	2
Male.....	751	41	41	14	201	184	116	101	32	13	4	2	2
Female.....	279	29	32	15	43	63	51	27	8	5	2	4	-
Non-Hispanic 1/, both sexes.....	4,642	244	268	116	707	735	914	798	369	234	182	69	6
Male.....	2,862	120	145	52	456	462	546	554	256	150	93	24	4
Female.....	1,780	124	123	64	251	273	368	244	113	84	89	45	2
Non-Hispanic white, both sexes.....	2,506	137	124	63	356	336	474	435	231	160	129	56	5
Male.....	1,478	72	70	31	208	180	280	296	157	100	63	18	3
Female.....	1,028	65	54	32	148	156	194	139	74	60	66	38	2
Non-Hispanic black, both sexes.....	1,881	97	135	50	297	342	397	324	115	63	48	12	1
Male.....	1,212	44	70	20	203	241	238	233	83	44	29	6	1
Female.....	669	53	65	30	94	101	159	91	32	19	19	6	-
Origin not stated 2/, both sexes.....	61	5	-	-	7	10	8	20	2	1	1	-	7
Male.....	44	4	-	-	5	7	6	16	2	1	-	-	3
Female.....	17	1	-	-	2	3	2	4	-	-	1	-	4

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Legal intervention (Y35,Y89.0)													
All origins, both sexes.....	372	-	-	-	80	106	104	58	12	7	5	-	-
Male.....	363	-	-	-	79	104	103	55	11	6	5	-	-
Female.....	9	-	-	-	1	2	1	3	1	1	-	-	-
Hispanic, both sexes.....	77	-	-	-	30	30	13	4	-	-	-	-	-
Male.....	77	-	-	-	30	30	13	4	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	293	-	-	-	50	75	90	54	12	7	5	-	-
Male.....	284	-	-	-	49	73	89	51	11	6	5	-	-
Female.....	9	-	-	-	1	2	1	3	1	1	-	-	-
Non-Hispanic white, both sexes.....	187	-	-	-	27	37	67	38	8	5	5	-	-
Male.....	181	-	-	-	26	36	66	36	8	4	5	-	-
Female.....	6	-	-	-	1	1	1	2	-	1	-	-	-
Non-Hispanic black, both sexes.....	90	-	-	-	19	33	19	13	4	2	-	-	-
Male.....	88	-	-	-	19	33	19	12	3	2	-	-	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Origin not stated 2/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)													
All origins, both sexes.....	4,976	104	47	64	501	806	1,389	1,302	399	156	119	80	9
Male.....	3,164	65	26	43	380	559	872	808	231	91	52	28	9
Female.....	1,812	39	21	21	121	247	517	494	168	65	67	52	-
Hispanic, both sexes.....	329	13	5	6	51	75	80	57	24	7	4	6	1
Male.....	234	11	5	4	37	55	55	38	16	6	3	3	1
Female.....	95	2	-	2	14	20	25	19	8	1	1	3	-
Non-Hispanic 1/, both sexes.....	4,625	89	42	58	449	729	1,305	1,239	375	149	114	74	2
Male.....	2,910	53	21	39	342	503	813	764	215	85	48	25	2
Female.....	1,715	36	21	19	107	226	492	475	160	64	66	49	-
Non-Hispanic white, both sexes.....	3,811	54	25	30	380	605	1,083	1,030	319	116	101	67	1
Male.....	2,365	32	11	20	291	417	667	619	175	66	42	24	1
Female.....	1,446	22	14	10	89	188	416	411	144	50	59	43	-
Non-Hispanic black, both sexes.....	691	31	15	26	56	97	189	189	50	22	10	5	1
Male.....	472	18	9	18	43	71	124	131	38	14	5	-	1
Female.....	219	13	6	8	13	26	65	58	12	8	5	5	-
Origin not stated 2/, both sexes.....	22	2	-	-	1	2	4	6	-	-	1	-	6
Male.....	20	1	-	-	1	1	4	6	-	-	1	-	6
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Discharge of firearms, undetermined intent (Y22-Y24)													
All origins, both sexes.....	235	-	1	9	58	45	44	29	20	16	8	2	3
Male.....	179	-	-	7	50	33	30	22	14	13	6	1	3
Female.....	56	-	1	2	8	12	14	7	6	3	2	1	-
Hispanic, both sexes.....	20	-	-	1	5	8	2	3	1	-	-	-	-
Male.....	19	-	-	1	5	8	2	3	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Non-Hispanic 1/, both sexes.....	212	-	1	8	53	37	42	26	19	16	8	2	-
Male.....	157	-	-	6	45	25	28	19	14	13	6	1	-
Female.....	55	-	1	2	8	12	14	7	5	3	2	1	-
Non-Hispanic white, both sexes.....	166	-	-	3	37	24	37	22	18	15	8	2	-
Male.....	122	-	-	3	32	15	24	15	14	12	6	1	-
Female.....	44	-	-	-	5	9	13	7	4	3	2	1	-
Non-Hispanic black, both sexes.....	37	-	1	4	15	8	4	3	1	1	-	-	-
Male.....	29	-	-	3	12	7	3	3	-	1	-	-	-
Female.....	8	-	1	1	3	1	1	-	1	-	-	-	-
Origin not stated 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	-	3
Male.....	3	-	-	-	-	-	-	-	-	-	-	-	3
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)													
All origins, both sexes.....	4,741	104	46	55	443	761	1,345	1,273	379	140	111	78	6
Male.....	2,985	65	26	36	330	526	842	786	217	78	46	27	6
Female.....	1,756	39	20	19	113	235	503	487	162	62	65	51	-
Hispanic, both sexes.....	309	13	5	5	46	67	78	54	23	7	4	6	1
Male.....	215	11	5	3	32	47	53	35	16	6	3	3	1
Female.....	94	2	-	2	14	20	25	19	7	1	1	3	-
Non-Hispanic 1/, both sexes.....	4,413	89	41	50	396	692	1,263	1,213	356	133	106	72	2
Male.....	2,753	53	21	33	297	478	785	745	201	72	42	24	2
Female.....	1,660	36	20	17	99	214	478	468	155	61	64	48	-
Non-Hispanic white, both sexes.....	3,645	54	25	27	343	581	1,046	1,008	301	101	93	65	1
Male.....	2,243	32	11	17	259	402	643	604	161	54	36	23	1
Female.....	1,402	22	14	10	84	179	403	404	140	47	57	42	-
Non-Hispanic black, both sexes.....	654	31	14	22	41	89	185	186	49	21	10	5	1
Male.....	443	18	9	15	31	64	121	128	38	13	5	-	1
Female.....	211	13	5	7	10	25	64	58	11	8	5	5	-
Origin not stated 2/, both sexes.....	19	2	-	-	1	2	4	6	-	-	1	-	3
Male.....	17	1	-	-	1	1	4	6	-	-	1	-	3
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Operations of war and their sequelae (Y36,Y89.1)													
All origins, both sexes.....	28	-	-	-	4	1	3	-	4	1	14	1	-
Male.....	28	-	-	-	4	1	3	-	4	1	14	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic 1/, both sexes.....	27	-	-	-	4	1	3	-	4	1	13	1	-
Male.....	27	-	-	-	4	1	3	-	4	1	13	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic white, both sexes.....	25	-	-	-	3	1	2	-	4	1	13	1	-
Male.....	25	-	-	-	3	1	2	-	4	1	13	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Non-Hispanic black, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Origin not stated 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of medical and surgical care (Y40-Y84,Y88)													
All origins, both sexes.....	2,883	16	19	19	48	71	157	293	403	557	787	513	-
Male.....	1,364	6	10	12	24	31	68	148	220	280	385	180	-
Female.....	1,519	10	9	7	24	40	89	145	183	277	402	333	-
Hispanic, both sexes.....	172	6	5	6	5	15	15	25	24	29	32	10	-
Male.....	79	1	2	3	3	6	5	13	13	14	18	1	-
Female.....	93	5	3	3	2	9	10	12	11	15	14	9	-
Non-Hispanic 1/, both sexes.....	2,708	10	14	13	43	56	142	268	379	528	753	502	-
Male.....	1,285	5	8	9	21	25	63	135	207	266	367	179	-
Female.....	1,423	5	6	4	22	31	79	133	172	262	386	323	-
Non-Hispanic white, both sexes.....	2,219	5	11	10	28	42	98	201	300	431	649	444	-
Male.....	1,084	3	6	7	13	20	49	107	167	227	326	159	-
Female.....	1,135	2	5	3	15	22	49	94	133	204	323	285	-
Non-Hispanic black, both sexes.....	435	2	3	3	13	10	43	60	74	86	92	49	-
Male.....	172	1	2	2	6	3	14	23	37	33	36	15	-
Female.....	263	1	1	1	7	7	29	37	37	53	56	34	-
Origin not stated 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	2	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	2	1	-

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
--	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------	----------------

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65,Y15) 3/

All origins, both sexes.....	21,081	-	-	6	139	610	3,359	7,215	5,442	2,892	1,200	211	7
Male.....	15,906	-	-	5	107	468	2,434	5,401	4,224	2,232	894	135	6
Female.....	5,175	-	-	1	32	142	925	1,814	1,218	660	306	76	1
Hispanic, both sexes.....	2,406	-	-	3	41	144	498	829	501	263	117	8	2
Male.....	2,056	-	-	2	38	132	425	728	416	213	93	7	2
Female.....	350	-	-	1	3	12	73	101	85	50	24	1	-
Non-Hispanic 1/, both sexes.....	18,567	-	-	3	98	464	2,850	6,336	4,913	2,616	1,081	203	3
Male.....	13,761	-	-	3	69	334	2,000	4,632	3,784	2,010	799	128	2
Female.....	4,806	-	-	-	29	130	850	1,704	1,129	606	282	75	1
Non-Hispanic white, both sexes.....	15,418	-	-	1	70	337	2,323	5,267	4,068	2,190	972	188	2
Male.....	11,428	-	-	1	51	242	1,633	3,860	3,133	1,668	719	120	1
Female.....	3,990	-	-	-	19	95	690	1,407	935	522	253	68	1
Non-Hispanic black, both sexes.....	2,318	-	-	-	13	52	319	830	674	343	76	10	1
Male.....	1,754	-	-	-	8	42	231	605	529	281	52	5	1
Female.....	564	-	-	-	5	10	88	225	145	62	24	5	-
Origin not stated 2/, both sexes.....	108	-	-	-	-	2	11	50	28	13	2	-	2
Male.....	89	-	-	-	-	2	9	41	24	9	2	-	2
Female.....	19	-	-	-	-	-	2	9	4	4	-	-	-

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F13.7-F13.9,G72.0,I95.2,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0-F17.3-F17.5, F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 3/

All origins, both sexes.....	30,711	30	24	63	2,913	5,061	9,228	9,021	2,651	785	619	304	12
Male.....	19,362	11	16	25	2,187	3,554	5,737	5,528	1,496	393	278	130	7
Female.....	11,349	19	8	38	726	1,507	3,491	3,493	1,155	392	341	174	5
Hispanic, both sexes.....	2,257	-	1	7	233	482	746	527	185	39	24	12	1
Male.....	1,671	-	1	3	175	386	556	370	132	27	13	7	1
Female.....	586	-	-	4	58	96	190	157	53	12	11	5	-
Non-Hispanic 1/, both sexes.....	28,339	29	22	56	2,674	4,568	8,447	8,451	2,458	744	592	292	6
Male.....	17,605	11	14	22	2,008	3,160	5,154	5,124	1,358	365	264	123	2
Female.....	10,734	18	8	34	666	1,408	3,293	3,327	1,100	379	328	169	4
Non-Hispanic white, both sexes.....	24,201	18	13	41	2,477	4,026	7,225	6,942	1,993	650	544	268	4
Male.....	14,952	7	6	20	1,871	2,808	4,419	4,155	1,020	296	237	112	1
Female.....	9,249	11	7	21	606	1,218	2,806	2,787	973	354	307	156	3
Non-Hispanic black, both sexes.....	3,577	11	9	12	137	429	1,062	1,366	414	80	37	19	1
Male.....	2,309	4	8	2	96	286	633	877	309	61	23	9	1
Female.....	1,268	7	1	10	41	143	429	489	105	19	14	10	-
Origin not stated 2/, both sexes.....	115	1	1	-	6	11	35	43	8	2	3	-	5
Male.....	86	-	1	-	4	8	27	34	6	1	1	-	4
Female.....	29	1	-	-	2	3	8	9	2	1	2	-	1

Worktable Orig250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, Hispanic origin, race for non-Hispanic population, and sex: United States, 2004

[Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin may be of any race. Data for Hispanic persons are not tabulated separately by race; data for non-Hispanic persons are tabulated by race. Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for Hispanic origin should be interpreted with caution because of inconsistencies between reporting Hispanic origin on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/													
All origins, both sexes.....	29,569	7	51	300	6,540	6,021	4,986	4,588	2,859	1,885	1,729	576	27
Male.....	25,498	2	29	231	5,895	5,302	4,130	3,733	2,391	1,663	1,554	542	26
Female.....	4,071	5	22	69	645	719	856	855	468	222	175	34	1
Hispanic, both sexes.....	3,278	3	7	46	1,315	970	475	248	106	56	37	11	4
Male.....	2,973	1	4	33	1,228	888	418	214	91	50	33	9	4
Female.....	305	2	3	13	87	82	57	34	15	6	4	2	-
Non-Hispanic 1/, both sexes.....	26,189	4	44	253	5,204	5,032	4,490	4,331	2,746	1,825	1,690	564	6
Male.....	22,436	1	25	197	4,650	4,397	3,693	3,512	2,295	1,609	1,519	532	6
Female.....	3,753	3	19	56	554	635	797	819	451	216	171	32	-
Non-Hispanic white, both sexes.....	18,200	1	13	138	2,231	2,480	3,302	3,691	2,480	1,694	1,616	549	5
Male.....	15,283	-	8	108	1,912	2,076	2,657	2,984	2,074	1,485	1,455	519	5
Female.....	2,917	1	5	30	319	404	645	707	406	209	161	30	-
Non-Hispanic black, both sexes.....	7,347	3	27	101	2,803	2,394	1,063	540	227	108	66	14	1
Male.....	6,620	1	15	78	2,588	2,191	933	453	187	104	57	12	1
Female.....	727	2	12	23	215	203	130	87	40	4	9	2	-
Origin not stated 2/, both sexes.....	102	-	-	1	21	19	21	9	7	4	2	1	17
Male.....	89	-	-	1	17	17	19	7	5	4	2	1	16
Female.....	13	-	-	-	4	2	2	2	2	-	-	-	1

- Quantity zero.

... Category not applicable.

1/ Includes races other than white and black.

2/ Includes deaths for which Hispanic origin was not reported on the death certificate.

3/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.