

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nchsed@cdc.gov, or call 301-458-4688

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] (G12.0)															
All ages.....	21	14	7	14	11	3	4	3	1	-	-	-	3	-	3
Under 1 year.....	15	11	4	14	11	3	-	-	-	-	-	-	1	-	1
1-4 years.....	3	-	3	-	-	-	1	-	1	-	-	-	2	-	2
5-9 years.....	2	2	-	-	-	-	2	2	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Alzheimer's disease (G30)															
All ages.....	71,599	20,559	51,040	66,191	18,990	47,201	4,620	1,292	3,328	173	48	125	615	229	386
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
35-39 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
40-44 years.....	7	5	2	7	5	2	-	-	-	-	-	-	-	-	-
45-49 years.....	20	8	12	16	6	10	2	2	-	-	-	-	2	-	2
50-54 years.....	60	22	38	56	20	36	4	2	2	-	-	-	-	-	-
55-59 years.....	195	87	108	179	77	102	12	8	4	-	-	-	4	2	2
60-64 years.....	453	200	253	413	188	225	35	10	25	-	-	-	5	2	3
65-69 years.....	983	453	530	869	399	470	102	49	53	4	3	1	8	2	6
70-74 years.....	2,830	1,195	1,635	2,514	1,066	1,448	288	114	174	6	3	3	22	12	10
75-79 years.....	7,596	2,989	4,607	6,895	2,715	4,180	601	232	369	32	9	23	68	33	35
80-84 years.....	15,543	5,337	10,206	14,377	4,954	9,423	995	317	678	37	10	27	134	56	78
85-89 years.....	19,870	5,778	14,092	18,555	5,400	13,155	1,104	307	797	42	10	32	169	61	108
90-94 years.....	16,058	3,431	12,627	14,977	3,196	11,781	922	188	734	33	11	22	126	36	90
95-99 years.....	6,770	954	5,816	6,264	877	5,387	418	50	368	16	2	14	72	25	47
100 years & over.	1,208	99	1,109	1,064	86	978	136	13	123	3	-	3	5	-	5
Age not stated...	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Alzheimer's disease, unspecified (G30.9)															
All ages.....	69,437	20,021	49,416	64,148	18,483	45,665	4,520	1,265	3,255	168	47	121	601	226	375
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
35-39 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
40-44 years.....	7	5	2	7	5	2	-	-	-	-	-	-	-	-	-
45-49 years.....	19	7	12	16	6	10	1	1	-	-	-	-	2	-	2
50-54 years.....	59	21	38	55	19	36	4	2	2	-	-	-	-	-	-
55-59 years.....	192	87	105	176	77	99	12	8	4	-	-	-	4	2	2
60-64 years.....	438	194	244	398	182	216	35	10	25	-	-	-	5	2	3
65-69 years.....	968	446	522	856	394	462	100	47	53	4	3	1	8	2	6
70-74 years.....	2,756	1,161	1,595	2,448	1,036	1,412	281	111	170	6	3	3	21	11	10
75-79 years.....	7,422	2,927	4,495	6,731	2,657	4,074	592	228	364	32	9	23	67	33	34
80-84 years.....	15,118	5,216	9,902	13,975	4,837	9,138	973	313	660	37	10	27	133	56	77
85-89 years.....	19,281	5,609	13,672	17,990	5,236	12,754	1,090	302	788	38	10	28	163	61	102
90-94 years.....	15,524	3,327	12,197	14,474	3,101	11,373	894	181	713	33	11	22	123	34	89
95-99 years.....	6,492	925	5,567	5,999	850	5,149	407	49	358	15	1	14	71	25	46
100 years & over.	1,155	95	1,060	1,018	82	936	130	13	117	3	-	3	4	-	4
Age not stated...	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/					
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other polyneuropathies (G62)																		
All ages.....	347	184	163	320	174	146	19	8	11	5	-	5	3	2	1			
Under 1 year.....	5	4	1	4	3	1	1	1	-	-	-	-	-	-	-			
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-			
10-14 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-			
15-19 years.....	2	1	1	1	1	-	-	-	-	1	-	1	-	-	-			
20-24 years.....	4	-	4	3	-	3	-	-	-	1	-	1	-	-	-			
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-			
35-39 years.....	2	1	1	1	1	-	-	-	-	1	-	1	-	-	-			
40-44 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-			
45-49 years.....	6	3	3	2	2	-	3	1	2	1	-	1	-	-	-			
50-54 years.....	14	9	5	12	8	4	1	1	-	1	-	1	-	-	-			
55-59 years.....	26	15	11	19	11	8	6	3	3	-	-	-	1	1	-			
60-64 years.....	21	7	14	19	7	12	2	-	2	-	-	-	-	-	-			
65-69 years.....	24	16	8	23	15	8	1	1	-	-	-	-	-	-	-			
70-74 years.....	35	25	10	32	25	7	3	-	3	-	-	-	-	-	-			
75-79 years.....	57	28	29	56	28	28	-	-	-	-	-	-	1	-	1			
80-84 years.....	71	31	40	69	29	40	1	1	-	-	-	-	1	1	-			
85-89 years.....	50	28	22	50	28	22	-	-	-	-	-	-	-	-	-			
90-94 years.....	21	11	10	20	11	9	1	-	1	-	-	-	-	-	-			
95-99 years.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-			
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Acute myocardial infarction (I21)															
All ages.....	150,939	80,047	70,892	132,304	70,761	61,543	15,533	7,526	8,007	589	339	250	2,513	1,421	1,092
Under 1 year.....	11	6	5	6	4	2	4	2	2	-	-	-	1	-	1
1-4 years.....	2	2	-	-	-	-	1	1	-	-	-	-	1	1	-
5-9 years.....	5	2	3	4	2	2	1	-	1	-	-	-	-	-	-
10-14 years.....	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-
15-19 years.....	14	11	3	10	9	1	4	2	2	-	-	-	-	-	-
20-24 years.....	54	43	11	40	33	7	12	10	2	-	-	-	2	-	2
25-29 years.....	124	98	26	78	64	14	40	29	11	-	-	-	6	5	1
30-34 years.....	268	199	69	200	150	50	55	38	17	6	4	2	7	7	-
35-39 years.....	744	537	207	572	420	152	150	98	52	7	6	1	15	13	2
40-44 years.....	1,990	1,488	502	1,588	1,226	362	348	217	131	12	11	1	42	34	8
45-49 years.....	3,891	2,938	953	3,134	2,423	711	672	445	227	30	21	9	55	49	6
50-54 years.....	6,177	4,623	1,554	5,036	3,883	1,153	996	627	369	42	33	9	103	80	23
55-59 years.....	8,286	6,080	2,206	6,795	5,085	1,710	1,262	818	444	67	49	18	162	128	34
60-64 years.....	10,261	7,068	3,193	8,692	6,131	2,561	1,354	799	555	58	35	23	157	103	54
65-69 years.....	11,649	7,519	4,130	9,876	6,540	3,336	1,484	803	681	64	35	29	225	141	84
70-74 years.....	15,017	9,154	5,863	12,969	8,072	4,897	1,689	880	809	63	32	31	296	170	126
75-79 years.....	20,154	11,274	8,880	17,677	10,109	7,568	2,067	952	1,115	78	43	35	332	170	162
80-84 years.....	25,275	12,254	13,021	22,721	11,155	11,566	2,056	852	1,204	78	34	44	420	213	207
85-89 years.....	23,667	9,774	13,893	21,623	9,046	12,577	1,640	536	1,104	49	21	28	355	171	184
90-94 years.....	16,153	5,345	10,808	14,822	4,937	9,885	1,069	298	771	22	11	11	240	99	141
95-99 years.....	5,976	1,447	4,529	5,426	1,321	4,105	463	91	372	9	1	8	78	34	44
100 years & over.	1,216	181	1,035	1,032	148	884	164	27	137	4	3	1	16	3	13
Age not stated...	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Acute myocardial infarction, unspecified (I21.9)															
All ages.....	150,667	79,918	70,749	132,052	70,640	61,412	15,518	7,521	7,997	589	339	250	2,508	1,418	1,090
Under 1 year.....	11	6	5	6	4	2	4	2	2	-	-	-	1	-	1
1-4 years.....	2	2	-	-	-	-	1	1	-	-	-	-	1	1	-
5-9 years.....	5	2	3	4	2	2	1	-	1	-	-	-	-	-	-
10-14 years.....	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-
15-19 years.....	14	11	3	10	9	1	4	2	2	-	-	-	-	-	-
20-24 years.....	54	43	11	40	33	7	12	10	2	-	-	-	2	-	2
25-29 years.....	124	98	26	78	64	14	40	29	11	-	-	-	6	5	1
30-34 years.....	267	199	68	199	150	49	55	38	17	6	4	2	7	7	-
35-39 years.....	740	533	207	568	416	152	150	98	52	7	6	1	15	13	2
40-44 years.....	1,985	1,483	502	1,583	1,221	362	348	217	131	12	11	1	42	34	8
45-49 years.....	3,889	2,936	953	3,132	2,421	711	672	445	227	30	21	9	55	49	6
50-54 years.....	6,171	4,619	1,552	5,031	3,879	1,152	995	627	368	42	33	9	103	80	23
55-59 years.....	8,278	6,074	2,204	6,787	5,079	1,708	1,262	818	444	67	49	18	162	128	34
60-64 years.....	10,245	7,057	3,188	8,676	6,120	2,556	1,354	799	555	58	35	23	157	103	54
65-69 years.....	11,638	7,511	4,127	9,865	6,532	3,333	1,484	803	681	64	35	29	225	141	84
70-74 years.....	14,992	9,142	5,850	12,947	8,060	4,887	1,687	880	807	63	32	31	295	170	125
75-79 years.....	20,125	11,260	8,865	17,653	10,097	7,556	2,062	950	1,112	78	43	35	332	170	162
80-84 years.....	25,220	12,231	12,989	22,670	11,134	11,536	2,054	851	1,203	78	34	44	418	212	206
85-89 years.....	23,613	9,756	13,857	21,574	9,030	12,544	1,636	535	1,101	49	21	28	354	170	184
90-94 years.....	16,112	5,325	10,787	14,783	4,919	9,864	1,068	297	771	22	11	11	239	98	141
95-99 years.....	5,962	1,445	4,517	5,412	1,319	4,093	463	91	372	9	1	8	78	34	44
100 years & over.	1,215	181	1,034	1,031	148	883	164	27	137	4	3	1	16	3	13
Age not stated...	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Chronic ischemic heart disease (I25)															
All ages.....	290,889	150,133	140,756	254,937	131,588	123,349	29,903	15,097	14,806	1,155	663	492	4,894	2,785	2,109
Under 1 year.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
1-4 years.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
5-9 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
10-14 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
15-19 years.....	14	12	2	10	9	1	4	3	1	-	-	-	-	-	-
20-24 years.....	65	52	13	43	36	7	15	10	5	-	-	1	6	6	-
25-29 years.....	153	127	26	113	93	20	32	28	4	-	-	-	8	6	2
30-34 years.....	457	342	115	339	252	87	89	63	26	10	9	1	19	18	1
35-39 years.....	1,149	885	264	837	652	185	273	201	72	15	11	4	24	21	3
40-44 years.....	2,890	2,217	673	2,265	1,792	473	524	339	185	23	18	5	78	68	10
45-49 years.....	5,630	4,331	1,299	4,361	3,420	941	1,096	769	327	58	45	13	115	97	18
50-54 years.....	9,251	7,091	2,160	7,077	5,566	1,511	1,903	1,314	589	78	53	25	193	158	35
55-59 years.....	12,442	9,221	3,221	9,776	7,432	2,344	2,329	1,541	788	98	67	31	239	181	58
60-64 years.....	15,272	10,792	4,480	12,248	8,834	3,414	2,615	1,660	955	122	92	30	287	206	81
65-69 years.....	18,024	11,920	6,104	14,765	9,937	4,828	2,733	1,630	1,103	117	72	45	409	281	128
70-74 years.....	24,796	15,527	9,269	20,939	13,352	7,587	3,221	1,799	1,422	135	78	57	501	298	203
75-79 years.....	37,112	21,355	15,757	32,442	19,014	13,428	3,887	1,915	1,972	138	76	62	645	350	295
80-84 years.....	50,868	25,979	24,889	45,774	23,674	22,100	4,129	1,809	2,320	120	64	56	845	432	413
85-89 years.....	52,271	22,616	29,655	48,172	21,115	27,057	3,253	1,128	2,125	114	48	66	732	325	407
90-94 years.....	40,001	13,178	26,823	37,021	12,289	24,732	2,375	636	1,739	85	21	64	520	232	288
95-99 years.....	16,609	3,881	12,728	15,306	3,589	11,717	1,054	200	854	30	9	21	219	83	136
100 years & over.	3,849	585	3,264	3,422	515	2,907	363	48	315	11	-	11	53	22	31
Age not stated...	25	15	10	17	10	7	7	4	3	-	-	-	1	1	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Atherosclerotic cardiovascular disease, so described (I25.0)															
All ages.....	62,799	34,453	28,346	51,717	28,155	23,562	9,576	5,372	4,204	344	216	128	1,162	710	452
Under 1 year.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
20-24 years.....	14	13	1	12	11	1	1	-	-	-	-	-	1	1	-
25-29 years.....	45	39	6	32	26	6	12	12	-	-	-	-	1	1	-
30-34 years.....	137	107	30	92	71	21	30	22	8	6	5	1	9	9	-
35-39 years.....	403	318	85	283	227	56	106	79	27	9	8	1	5	4	1
40-44 years.....	1,017	802	215	790	649	141	190	123	67	10	6	4	27	24	3
45-49 years.....	2,159	1,702	457	1,663	1,345	318	431	299	132	23	20	3	42	38	4
50-54 years.....	3,725	2,941	784	2,757	2,238	519	857	612	245	34	24	10	77	67	10
55-59 years.....	4,665	3,580	1,085	3,493	2,753	740	1,023	715	308	43	29	14	106	83	23
60-64 years.....	4,900	3,580	1,320	3,707	2,750	957	1,047	717	330	37	28	9	109	85	24
65-69 years.....	4,746	3,224	1,522	3,693	2,541	1,152	913	590	323	34	23	11	106	70	36
70-74 years.....	5,500	3,485	2,015	4,333	2,763	1,570	1,015	635	380	38	17	21	114	70	44
75-79 years.....	7,151	3,961	3,190	5,886	3,307	2,579	1,096	563	533	32	18	14	137	73	64
80-84 years.....	9,135	4,423	4,712	7,834	3,795	4,039	1,092	515	577	34	21	13	175	92	83
85-89 years.....	8,651	3,451	5,200	7,694	3,130	4,564	818	268	550	20	10	10	119	43	76
90-94 years.....	6,855	2,059	4,796	6,150	1,862	4,288	602	160	442	14	4	10	89	33	56
95-99 years.....	2,953	656	2,297	2,665	592	2,073	247	48	199	7	3	4	34	13	21
100 years & over.	723	100	623	620	88	532	90	9	81	3	-	3	10	3	7
Age not stated...	17	10	7	11	5	6	5	4	1	-	-	-	1	1	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races			White			Black			American Indian 1/			Asian or Pacific Islander 2/		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Atherosclerotic heart disease (I25.1)															
All ages.....	200,721	100,225	100,496	178,698	89,506	89,192	17,976	8,489	9,487	692	376	316	3,355	1,854	1,501
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
15-19 years.....	10	9	1	7	7	-	3	2	1	-	-	-	-	-	-
20-24 years.....	35	29	6	25	22	3	7	4	3	-	-	-	3	3	-
25-29 years.....	95	79	16	70	59	11	19	15	4	-	-	-	6	5	1
30-34 years.....	276	205	71	217	161	56	49	35	14	2	2	-	8	7	1
35-39 years.....	647	496	151	483	376	107	141	102	39	5	2	3	18	16	2
40-44 years.....	1,629	1,226	403	1,290	1,002	288	282	175	107	9	8	1	48	41	7
45-49 years.....	3,036	2,302	734	2,361	1,815	546	581	413	168	28	20	8	66	54	12
50-54 years.....	4,838	3,628	1,210	3,812	2,937	875	886	586	300	38	24	14	102	81	21
55-59 years.....	6,726	4,866	1,860	5,449	4,044	1,405	1,129	715	414	45	30	15	103	77	26
60-64 years.....	8,971	6,179	2,792	7,389	5,211	2,178	1,350	803	547	75	57	18	157	108	49
65-69 years.....	11,557	7,522	4,035	9,604	6,372	3,232	1,613	921	692	72	43	29	268	186	82
70-74 years.....	16,736	10,329	6,407	14,362	9,050	5,312	1,943	1,024	919	82	49	33	349	206	143
75-79 years.....	26,182	14,998	11,184	23,140	13,513	9,627	2,491	1,190	1,301	90	48	42	461	247	214
80-84 years.....	36,601	18,618	17,983	33,189	17,120	16,069	2,725	1,153	1,572	73	36	37	614	309	305
85-89 years.....	38,545	16,656	21,889	35,730	15,613	20,117	2,178	756	1,422	83	35	48	554	252	302
90-94 years.....	29,531	9,750	19,781	27,498	9,135	18,363	1,579	419	1,160	63	16	47	391	180	211
95-99 years.....	12,399	2,882	9,517	11,464	2,673	8,791	749	140	609	20	6	14	166	63	103
100 years & over.	2,896	443	2,453	2,598	388	2,210	250	36	214	7	-	7	41	19	22
Age not stated...	5	3	2	4	3	1	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Chronic ischemic heart disease, unspecified (I25.9)															
All ages.....	12,772	6,835	5,937	11,216	6,025	5,191	1,324	680	644	59	38	21	173	92	81
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
20-24 years.....	10	7	3	4	2	2	5	4	1	-	-	-	1	1	-
25-29 years.....	9	7	2	7	6	1	1	1	-	-	-	-	1	-	1
30-34 years.....	26	21	5	20	15	5	3	3	-	2	2	-	1	1	-
35-39 years.....	74	57	17	54	41	13	19	15	4	1	1	-	-	-	-
40-44 years.....	172	136	36	130	101	29	37	30	7	3	3	-	2	2	-
45-49 years.....	280	206	74	215	162	53	56	37	19	5	4	1	4	3	1
50-54 years.....	420	329	91	316	252	64	96	69	27	4	4	-	4	4	-
55-59 years.....	604	445	159	474	363	111	109	66	43	6	5	1	15	11	4
60-64 years.....	696	506	190	570	424	146	114	75	39	3	2	1	9	5	4
65-69 years.....	813	539	274	679	461	218	111	62	49	8	5	3	15	11	4
70-74 years.....	1,116	720	396	960	636	324	132	69	63	8	6	2	16	9	7
75-79 years.....	1,568	935	633	1,393	840	553	155	83	72	3	1	2	17	11	6
80-84 years.....	2,208	1,164	1,044	2,004	1,076	928	177	73	104	3	2	1	24	13	11
85-89 years.....	2,232	978	1,254	2,069	916	1,153	132	53	79	5	2	3	26	7	19
90-94 years.....	1,748	600	1,148	1,600	557	1,043	118	31	87	5	1	4	25	11	14
95-99 years.....	647	160	487	594	151	443	38	6	32	3	-	3	12	3	9
100 years & over.	144	21	123	124	19	105	19	2	17	-	-	-	1	-	1
Age not stated...	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Nonrheumatic aortic valve disorders (I35)															
All ages.....	13,137	5,095	8,042	12,397	4,793	7,604	572	242	330	35	20	15	133	40	93
Under 1 year.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
1-4 years.....	2	2	-	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	4	3	1	3	2	1	1	1	-	-	-	-	-	-	-
15-19 years.....	4	4	-	3	3	-	1	1	-	-	-	-	-	-	-
20-24 years.....	10	7	3	9	6	3	1	1	-	-	-	-	-	-	-
25-29 years.....	12	11	1	10	9	1	1	1	-	-	-	-	1	1	-
30-34 years.....	27	19	8	20	16	4	6	3	3	1	-	1	-	-	-
35-39 years.....	26	19	7	18	16	2	8	3	5	-	-	-	-	-	-
40-44 years.....	53	41	12	44	33	11	6	5	1	1	1	-	2	2	-
45-49 years.....	95	65	30	72	51	21	18	13	5	2	1	1	3	-	3
50-54 years.....	135	92	43	104	76	28	28	16	12	1	-	1	2	-	2
55-59 years.....	214	141	73	185	119	66	26	20	6	2	2	-	1	-	1
60-64 years.....	280	178	102	242	154	88	34	23	11	2	1	1	2	-	2
65-69 years.....	376	216	160	331	197	134	35	17	18	3	1	2	7	1	6
70-74 years.....	667	340	327	595	308	287	57	25	32	3	3	-	12	4	8
75-79 years.....	1,316	648	668	1,244	616	628	62	29	33	-	-	-	10	3	7
80-84 years.....	2,428	1,023	1,405	2,310	979	1,331	86	32	54	5	4	1	27	8	19
85-89 years.....	3,368	1,216	2,152	3,240	1,173	2,067	93	30	63	7	3	4	28	10	18
90-94 years.....	2,776	801	1,975	2,687	781	1,906	60	11	49	4	1	3	25	8	17
95-99 years.....	1,166	234	932	1,114	221	893	39	9	30	3	2	1	10	2	8
100 years & over.	175	34	141	164	32	132	8	1	7	-	-	-	3	1	2
Age not stated...	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Aortic (valve) stenosis (I35.0)															
All ages.....	10,945	3,954	6,991	10,433	3,767	6,666	376	135	241	29	16	13	107	36	71
Under 1 year.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
15-19 years.....	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years.....	4	4	-	3	3	-	1	1	-	-	-	-	-	-	-
25-29 years.....	5	5	-	4	4	-	-	-	-	-	-	-	1	1	-
30-34 years.....	10	6	4	8	5	3	1	1	-	1	-	1	-	-	-
35-39 years.....	7	5	2	5	5	-	2	-	2	-	-	-	-	-	-
40-44 years.....	20	16	4	16	13	3	2	1	1	1	1	-	1	1	-
45-49 years.....	27	19	8	24	16	8	2	2	-	1	1	-	-	-	-
50-54 years.....	65	43	22	60	40	20	5	3	2	-	-	-	-	-	-
55-59 years.....	108	71	37	95	62	33	10	7	3	2	2	-	1	-	1
60-64 years.....	177	109	68	160	99	61	14	9	5	2	1	1	1	-	1
65-69 years.....	235	127	108	212	121	91	16	5	11	3	1	2	4	-	4
70-74 years.....	462	226	236	418	206	212	35	16	19	1	1	-	8	3	5
75-79 years.....	1,021	488	533	975	467	508	39	18	21	-	-	-	7	3	4
80-84 years.....	2,042	822	1,220	1,947	787	1,160	67	25	42	4	3	1	24	7	17
85-89 years.....	3,002	1,063	1,939	2,885	1,023	1,862	84	27	57	7	3	4	26	10	16
90-94 years.....	2,523	701	1,822	2,445	683	1,762	52	9	43	4	1	3	22	8	14
95-99 years.....	1,073	212	861	1,024	200	824	37	8	29	3	2	1	9	2	7
100 years & over.	157	32	125	149	31	118	5	-	5	-	-	-	3	1	2
Age not stated...	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Endocarditis, valve unspecified (I38)															
All ages.....	5,109	2,005	3,104	4,513	1,752	2,761	489	219	270	27	7	20	80	27	53
Under 1 year.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
1-4 years.....	5	5	-	4	4	-	1	1	-	-	-	-	-	-	-
5-9 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
10-14 years.....	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-
15-19 years.....	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-
20-24 years.....	17	8	9	14	7	7	2	-	2	-	-	-	1	1	-
25-29 years.....	20	12	8	15	10	5	5	2	3	-	-	-	-	-	-
30-34 years.....	31	14	17	21	10	11	8	3	5	-	-	-	2	1	1
35-39 years.....	48	34	14	26	22	4	20	11	9	1	-	1	1	1	-
40-44 years.....	80	45	35	52	39	13	26	5	21	1	-	1	1	1	-
45-49 years.....	148	99	49	108	74	34	37	23	14	2	1	1	1	1	-
50-54 years.....	187	107	80	127	74	53	56	33	23	1	-	1	3	-	3
55-59 years.....	201	125	76	143	88	55	55	36	19	3	1	2	-	-	-
60-64 years.....	235	123	112	176	96	80	49	23	26	2	1	1	8	3	5
65-69 years.....	306	136	170	262	120	142	37	13	24	2	1	1	5	2	3
70-74 years.....	379	167	212	321	142	179	51	25	26	1	-	1	6	-	6
75-79 years.....	676	280	396	606	256	350	55	19	36	5	-	5	10	5	5
80-84 years.....	873	323	550	812	301	511	40	14	26	2	2	-	19	6	13
85-89 years.....	952	308	644	914	296	618	23	8	15	4	1	3	11	3	8
90-94 years.....	655	164	491	632	161	471	15	1	14	1	-	1	7	2	5
95-99 years.....	243	43	200	235	43	192	4	-	4	2	-	2	2	-	2
100 years & over.	46	6	40	40	4	36	3	1	2	-	-	-	3	1	2
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/					
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Dilated cardiomyopathy (I42.0)																		
All ages.....	5,600	3,476	2,124	4,216	2,596	1,620	1,234	785	449	34	19	15	116	76	40			
Under 1 year.....	11	3	8	9	3	6	1	-	1	-	-	-	1	-	1			
1-4 years.....	6	4	2	2	2	-	3	1	2	-	-	-	1	1	-			
5-9 years.....	7	3	4	3	2	1	3	-	3	-	-	-	1	1	-			
10-14 years.....	11	7	4	7	4	3	3	3	-	-	-	-	1	-	1			
15-19 years.....	25	18	7	14	12	2	11	6	5	-	-	-	-	-	-			
20-24 years.....	70	45	25	42	28	14	24	15	9	1	-	1	3	2	1			
25-29 years.....	92	73	19	56	49	7	34	23	11	1	-	1	1	1	-			
30-34 years.....	143	111	32	72	57	15	64	49	15	1	1	-	6	4	2			
35-39 years.....	192	141	51	115	85	30	71	51	20	2	2	-	4	3	1			
40-44 years.....	310	251	59	212	178	34	91	69	22	5	3	2	2	1	1			
45-49 years.....	426	316	110	262	202	60	152	105	47	2	1	1	10	8	2			
50-54 years.....	434	320	114	268	204	64	153	107	46	4	3	1	9	6	3			
55-59 years.....	426	297	129	303	218	85	105	67	38	4	1	3	14	11	3			
60-64 years.....	381	257	124	266	179	87	97	66	31	6	3	3	12	9	3			
65-69 years.....	395	261	134	288	191	97	97	63	34	4	3	1	6	4	2			
70-74 years.....	418	263	155	327	203	124	75	47	28	2	1	1	14	12	2			
75-79 years.....	523	300	223	435	258	177	85	41	44	-	-	-	3	1	2			
80-84 years.....	627	345	282	543	301	242	76	40	36	1	-	1	7	4	3			
85-89 years.....	587	269	318	528	250	278	47	14	33	1	1	-	11	4	7			
90-94 years.....	361	150	211	327	134	193	26	13	13	-	-	-	8	3	5			
95-99 years.....	124	38	86	113	32	81	9	5	4	-	-	-	2	1	1			
100 years & over.	31	4	27	24	4	20	7	-	7	-	-	-	-	-	-			
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Obstructive hypertrophic cardiomyopathy (I42.1)															
All ages.....	185	52	133	161	42	119	18	8	10	-	-	-	6	2	4
Under 1 year.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
20-24 years.....	3	1	2	2	1	1	1	-	1	-	-	-	-	-	-
25-29 years.....	6	3	3	6	3	3	-	-	-	-	-	-	-	-	-
30-34 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
35-39 years.....	4	-	4	3	-	3	-	-	-	-	-	-	1	-	1
40-44 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
45-49 years.....	13	10	3	9	6	3	3	3	-	-	-	-	1	1	-
50-54 years.....	13	7	6	9	4	5	4	3	1	-	-	-	-	-	-
55-59 years.....	12	3	9	8	2	6	4	1	3	-	-	-	-	-	-
60-64 years.....	9	4	5	8	4	4	-	-	-	-	-	-	1	-	1
65-69 years.....	11	4	7	10	4	6	1	-	1	-	-	-	-	-	-
70-74 years.....	21	5	16	18	4	14	2	-	2	-	-	-	1	1	-
75-79 years.....	17	2	15	17	2	15	-	-	-	-	-	-	-	-	-
80-84 years.....	21	3	18	19	3	16	1	-	1	-	-	-	1	-	1
85-89 years.....	26	2	24	24	1	23	1	1	-	-	-	-	1	-	1
90-94 years.....	13	1	12	12	1	11	1	-	1	-	-	-	-	-	-
95-99 years.....	9	1	8	9	1	8	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Intracerebral hemorrhage (I61)															
All ages.....	18,383	8,559	9,824	15,081	6,918	8,163	2,585	1,306	1,279	98	53	45	619	282	337
Under 1 year.....	33	21	12	23	15	8	10	6	4	-	-	-	-	-	-
1-4 years.....	7	6	1	4	3	1	3	3	-	-	-	-	-	-	-
5-9 years.....	12	7	5	6	3	3	6	4	2	-	-	-	-	-	-
10-14 years.....	7	6	1	5	4	1	1	1	-	-	-	-	1	1	-
15-19 years.....	15	7	8	10	5	5	5	2	3	-	-	-	-	-	-
20-24 years.....	34	18	16	26	14	12	6	4	2	1	-	1	1	-	1
25-29 years.....	53	27	26	34	18	16	19	9	10	-	-	-	-	-	-
30-34 years.....	74	51	23	47	35	12	27	16	11	-	-	-	-	-	-
35-39 years.....	177	112	65	112	67	45	53	36	17	3	2	1	9	7	2
40-44 years.....	437	240	197	253	145	108	158	79	79	7	6	1	19	10	9
45-49 years.....	756	429	327	445	266	179	276	147	129	4	2	2	31	14	17
50-54 years.....	1,078	644	434	639	372	267	382	238	144	7	4	3	50	30	20
55-59 years.....	1,132	693	439	741	451	290	329	199	130	12	11	1	50	32	18
60-64 years.....	1,160	672	488	854	496	358	241	146	95	8	4	4	57	26	31
65-69 years.....	1,369	755	614	1,088	614	474	214	107	107	9	5	4	58	29	29
70-74 years.....	1,866	933	933	1,575	803	772	219	102	117	12	4	8	60	24	36
75-79 years.....	2,768	1,277	1,491	2,443	1,152	1,291	214	77	137	16	7	9	95	41	54
80-84 years.....	3,296	1,358	1,938	2,998	1,242	1,756	197	71	126	10	3	7	91	42	49
85-89 years.....	2,559	909	1,650	2,356	849	1,507	136	37	99	5	4	1	62	19	43
90-94 years.....	1,210	315	895	1,121	295	826	59	15	44	3	1	2	27	4	23
95-99 years.....	298	72	226	269	66	203	20	3	17	1	-	1	8	3	5
100 years & over.	40	5	35	32	3	29	8	2	6	-	-	-	-	-	-
Age not stated...	2	2	-	-	-	-	2	2	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Intracerebral hemorrhage, unspecified (I61.9)															
All ages.....	15,835	7,261	8,574	13,097	5,931	7,166	2,125	1,048	1,077	75	39	36	538	243	295
Under 1 year.....	7	6	1	5	4	1	2	2	-	-	-	-	-	-	-
1-4 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
5-9 years.....	6	4	2	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years.....	5	4	1	4	3	1	1	1	-	-	-	-	-	-	-
15-19 years.....	12	5	7	9	4	5	3	1	2	-	-	-	-	-	-
20-24 years.....	31	17	14	23	13	10	6	4	2	1	-	1	1	-	1
25-29 years.....	42	23	19	27	16	11	15	7	8	-	-	-	-	-	-
30-34 years.....	57	40	17	38	28	10	19	12	7	-	-	-	-	-	-
35-39 years.....	140	87	53	89	52	37	39	26	13	3	2	1	9	7	2
40-44 years.....	345	183	162	198	107	91	124	63	61	5	4	1	18	9	9
45-49 years.....	578	322	256	337	204	133	218	109	109	2	1	1	21	8	13
50-54 years.....	848	495	353	510	292	218	295	179	116	4	3	1	39	21	18
55-59 years.....	923	563	360	597	364	233	272	162	110	9	8	1	45	29	16
60-64 years.....	946	542	404	694	395	299	203	124	79	6	3	3	43	20	23
65-69 years.....	1,171	629	542	930	514	416	181	86	95	7	4	3	53	25	28
70-74 years.....	1,633	821	812	1,377	708	669	192	88	104	9	2	7	55	23	32
75-79 years.....	2,452	1,122	1,330	2,174	1,016	1,158	182	63	119	12	5	7	84	38	46
80-84 years.....	2,929	1,224	1,705	2,666	1,119	1,547	173	65	108	8	2	6	82	38	44
85-89 years.....	2,291	810	1,481	2,111	754	1,357	118	34	84	5	4	1	57	18	39
90-94 years.....	1,102	287	815	1,024	269	755	52	13	39	3	1	2	23	4	19
95-99 years.....	276	69	207	250	63	187	17	3	14	1	-	1	8	3	5
100 years & over.	36	4	32	28	2	26	8	2	6	-	-	-	-	-	-
Age not stated...	2	2	-	-	-	-	2	2	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Subdural hemorrhage (acute) (nontraumatic) (I62.0)															
All ages.....	2,020	1,082	938	1,752	941	811	210	103	107	13	8	5	45	30	15
Under 1 year.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	3	-	3	1	-	1	2	-	2	-	-	-	-	-	-
35-39 years.....	7	2	5	3	1	2	2	-	2	2	1	1	-	-	-
40-44 years.....	12	7	5	9	6	3	3	1	2	-	-	-	-	-	-
45-49 years.....	28	11	17	23	9	14	5	2	3	-	-	-	-	-	-
50-54 years.....	34	19	15	27	17	10	6	1	5	-	-	-	1	1	-
55-59 years.....	63	42	21	50	35	15	12	7	5	-	-	-	1	-	1
60-64 years.....	90	43	47	68	34	34	18	7	11	2	1	1	2	1	1
65-69 years.....	108	67	41	85	53	32	16	9	7	-	-	-	7	5	2
70-74 years.....	169	111	58	132	87	45	29	19	10	3	2	1	5	3	2
75-79 years.....	321	194	127	279	167	112	34	21	13	3	2	1	5	4	1
80-84 years.....	401	220	181	361	196	165	30	16	14	1	1	-	9	7	2
85-89 years.....	421	214	207	390	200	190	23	10	13	1	-	1	7	4	3
90-94 years.....	269	110	159	240	100	140	23	7	16	1	1	-	5	2	3
95-99 years.....	82	36	46	75	31	44	4	2	2	-	-	-	3	3	-
100 years & over.	8	4	4	6	3	3	2	1	1	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Stroke, not specified as hemorrhage or infarction (I64)															
All ages.....	74,416	27,963	46,453	63,946	23,570	40,376	8,637	3,573	5,064	298	101	197	1,535	719	816
Under 1 year.....	4	1	3	4	1	3	-	-	-	-	-	-	-	-	-
1-4 years.....	4	2	2	3	1	2	1	1	-	-	-	-	-	-	-
5-9 years.....	8	3	5	7	3	4	1	-	1	-	-	-	-	-	-
10-14 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
15-19 years.....	5	2	3	4	1	3	1	1	-	-	-	-	-	-	-
20-24 years.....	7	2	5	6	1	5	1	1	-	-	-	-	-	-	-
25-29 years.....	30	17	13	16	9	7	14	8	6	-	-	-	-	-	-
30-34 years.....	40	20	20	24	11	13	15	8	7	1	1	-	-	-	-
35-39 years.....	109	55	54	63	33	30	38	20	18	4	-	4	4	2	2
40-44 years.....	292	163	129	180	99	81	106	59	47	1	1	-	5	4	1
45-49 years.....	571	324	247	357	211	146	198	106	92	4	2	2	12	5	7
50-54 years.....	1,044	644	400	659	425	234	345	192	153	17	9	8	23	18	5
55-59 years.....	1,485	882	603	1,006	597	409	434	261	173	11	6	5	34	18	16
60-64 years.....	2,251	1,329	922	1,594	951	643	573	334	239	19	6	13	65	38	27
65-69 years.....	3,427	1,862	1,565	2,555	1,383	1,172	722	401	321	34	13	21	116	65	51
70-74 years.....	5,562	2,823	2,739	4,370	2,236	2,134	1,000	487	513	36	15	21	156	85	71
75-79 years.....	9,810	4,521	5,289	8,312	3,859	4,453	1,238	531	707	42	19	23	218	112	106
80-84 years.....	15,331	5,933	9,398	13,520	5,230	8,290	1,446	537	909	48	12	36	317	154	163
85-89 years.....	16,798	5,471	11,327	15,234	4,959	10,275	1,224	379	845	39	11	28	301	122	179
90-94 years.....	12,271	3,061	9,210	11,184	2,798	8,386	852	185	667	28	5	23	207	73	134
95-99 years.....	4,507	750	3,757	4,099	677	3,422	332	52	280	9	1	8	67	20	47
100 years & over.	856	96	760	746	84	662	95	9	86	5	-	5	10	3	7
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other cerebrovascular diseases (I67)															
All ages.....	8,506	3,060	5,446	7,280	2,589	4,691	1,089	410	679	30	10	20	107	51	56
Under 1 year.....	59	38	21	35	22	13	22	15	7	1	-	1	1	1	-
1-4 years.....	27	16	11	21	12	9	5	3	2	-	-	-	1	1	-
5-9 years.....	15	9	6	9	5	4	4	3	1	-	-	-	2	1	1
10-14 years.....	10	8	2	7	5	2	1	1	-	-	-	-	2	2	-
15-19 years.....	12	5	7	5	3	2	6	1	5	-	-	-	1	1	-
20-24 years.....	10	5	5	6	3	3	4	2	2	-	-	-	-	-	-
25-29 years.....	13	6	7	9	4	5	4	2	2	-	-	-	-	-	-
30-34 years.....	15	7	8	12	7	5	3	-	3	-	-	-	-	-	-
35-39 years.....	26	13	13	21	12	9	5	1	4	-	-	-	-	-	-
40-44 years.....	52	22	30	36	15	21	14	6	8	1	1	-	1	-	1
45-49 years.....	90	39	51	59	27	32	30	12	18	-	-	-	1	-	1
50-54 years.....	121	53	68	87	31	56	30	19	11	1	1	-	3	2	1
55-59 years.....	132	63	69	98	46	52	31	17	14	1	-	1	2	-	2
60-64 years.....	224	121	103	159	80	79	57	38	19	3	-	3	5	3	2
65-69 years.....	300	161	139	232	123	109	59	31	28	3	2	1	6	5	1
70-74 years.....	518	248	270	402	202	200	105	42	63	-	-	-	11	4	7
75-79 years.....	942	422	520	765	355	410	160	59	101	5	1	4	12	7	5
80-84 years.....	1,692	649	1,043	1,472	564	908	195	74	121	5	2	3	20	9	11
85-89 years.....	1,876	619	1,257	1,700	564	1,136	156	49	107	6	2	4	14	4	10
90-94 years.....	1,543	384	1,159	1,408	355	1,053	117	22	95	3	1	2	15	6	9
95-99 years.....	664	149	515	597	135	462	58	9	49	-	-	-	9	5	4
100 years & over.	164	22	142	140	19	121	22	3	19	1	-	1	1	-	1
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Cerebrovascular disease, unspecified (I67.9)															
All ages.....	5,836	2,091	3,745	5,006	1,789	3,217	744	267	477	19	6	13	67	29	38
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
25-29 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
40-44 years.....	6	4	2	2	2	-	4	2	2	-	-	-	-	-	-
45-49 years.....	17	10	7	11	8	3	6	2	4	-	-	-	-	-	-
50-54 years.....	41	23	18	28	14	14	13	9	4	-	-	-	-	-	-
55-59 years.....	54	26	28	41	18	23	13	8	5	-	-	-	-	-	-
60-64 years.....	119	70	49	81	46	35	34	22	12	1	-	1	3	2	1
65-69 years.....	190	105	85	140	75	65	43	24	19	2	1	1	5	5	-
70-74 years.....	352	171	181	262	138	124	82	31	51	-	-	-	8	2	6
75-79 years.....	670	302	368	547	254	293	113	44	69	2	-	2	8	4	4
80-84 years.....	1,245	497	748	1,063	423	640	167	68	99	4	2	2	11	4	7
85-89 years.....	1,409	477	932	1,271	437	834	120	35	85	6	2	4	12	3	9
90-94 years.....	1,135	279	856	1,032	258	774	88	15	73	3	1	2	12	5	7
95-99 years.....	485	109	376	435	101	334	43	4	39	-	-	-	7	4	3
100 years & over.	108	16	92	90	14	76	16	2	14	1	-	1	1	-	1
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Abdominal aortic aneurysm, without mention of rupture (I71.4)															
All ages.....	2,049	1,245	804	1,851	1,143	708	156	75	81	8	2	6	34	25	9
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	2	1	1	-	-	-	1	-	1	-	-	-	1	1	-
35-39 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
40-44 years.....	6	4	2	5	3	2	1	1	-	-	-	-	-	-	-
45-49 years.....	3	1	2	2	1	1	1	-	1	-	-	-	-	-	-
50-54 years.....	16	13	3	13	11	2	3	2	1	-	-	-	-	-	-
55-59 years.....	35	29	6	31	26	5	4	3	1	-	-	-	-	-	-
60-64 years.....	72	55	17	62	47	15	8	6	2	-	-	-	2	2	-
65-69 years.....	136	91	45	115	80	35	18	8	10	-	-	-	3	3	-
70-74 years.....	269	177	92	245	167	78	22	8	14	-	-	-	2	2	-
75-79 years.....	401	262	139	361	238	123	33	20	13	2	1	1	5	3	2
80-84 years.....	453	272	181	413	252	161	31	17	14	3	1	2	6	2	4
85-89 years.....	379	209	170	353	200	153	19	5	14	2	-	2	5	4	1
90-94 years.....	200	103	97	185	94	91	8	4	4	-	-	-	7	5	2
95-99 years.....	70	25	45	60	21	39	6	1	5	1	-	1	3	3	-
100 years & over.	6	2	4	5	2	3	1	-	1	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other chronic obstructive pulmonary disease (J44)															
All ages.....	111,209	53,228	57,981	103,483	48,887	54,596	6,314	3,497	2,817	426	215	211	986	629	357
Under 1 year.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
1-4 years.....	6	2	4	4	2	2	2	-	2	-	-	-	-	-	-
5-9 years.....	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	6	5	1	5	4	1	1	1	-	-	-	-	-	-	-
20-24 years.....	4	2	2	2	1	1	2	1	1	-	-	-	-	-	-
25-29 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
30-34 years.....	32	17	15	19	8	11	10	7	3	1	1	-	2	1	1
35-39 years.....	92	46	46	77	38	39	14	8	6	-	-	-	1	-	1
40-44 years.....	324	159	165	263	130	133	52	24	28	4	2	2	5	3	2
45-49 years.....	951	472	479	803	391	412	136	77	59	7	3	4	5	1	4
50-54 years.....	1,934	1,039	895	1,636	868	768	274	153	121	16	10	6	8	8	-
55-59 years.....	3,714	1,906	1,808	3,281	1,649	1,632	381	222	159	28	14	14	24	21	3
60-64 years.....	6,709	3,477	3,232	6,119	3,141	2,978	510	288	222	46	23	23	34	25	9
65-69 years.....	10,146	5,291	4,855	9,300	4,796	4,504	726	432	294	54	21	33	66	42	24
70-74 years.....	15,282	7,835	7,447	14,181	7,199	6,982	930	540	390	67	33	34	104	63	41
75-79 years.....	21,130	10,588	10,542	19,772	9,783	9,989	1,110	657	453	74	38	36	174	110	64
80-84 years.....	22,484	10,709	11,775	21,258	10,008	11,250	949	516	433	69	40	29	208	145	63
85-89 years.....	16,828	7,356	9,472	15,915	6,860	9,055	672	350	322	32	18	14	209	128	81
90-94 years.....	8,656	3,413	5,243	8,162	3,183	4,979	369	165	204	20	11	9	105	54	51
95-99 years.....	2,551	827	1,724	2,368	752	1,616	143	51	92	7	1	6	33	23	10
100 years & over.	349	77	272	309	68	241	31	4	27	1	-	1	8	5	3
Age not stated...	3	2	1	2	1	1	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Chronic obstructive pulmonary disease, unspecified (J44.9)															
All ages.....	107,276	51,410	55,866	99,862	47,230	52,632	6,054	3,363	2,691	409	208	201	951	609	342
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	3	-	3	1	-	1	2	-	2	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-
20-24 years.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
25-29 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
30-34 years.....	24	12	12	16	6	10	7	5	2	1	1	-	-	-	-
35-39 years.....	83	44	39	69	36	33	13	8	5	-	-	-	1	-	1
40-44 years.....	288	139	149	238	117	121	44	19	25	2	1	1	4	2	2
45-49 years.....	860	426	434	738	359	379	112	64	48	6	2	4	4	1	3
50-54 years.....	1,795	974	821	1,528	819	709	245	139	106	16	10	6	6	6	-
55-59 years.....	3,537	1,815	1,722	3,126	1,574	1,552	364	211	153	26	12	14	21	18	3
60-64 years.....	6,401	3,331	3,070	5,835	3,006	2,829	490	278	212	44	23	21	32	24	8
65-69 years.....	9,718	5,069	4,649	8,909	4,592	4,317	693	416	277	53	21	32	63	40	23
70-74 years.....	14,758	7,580	7,178	13,703	6,968	6,735	892	519	373	65	32	33	98	61	37
75-79 years.....	20,418	10,232	10,186	19,096	9,444	9,652	1,082	643	439	71	37	34	169	108	61
80-84 years.....	21,834	10,418	11,416	20,636	9,730	10,906	928	506	422	66	40	26	204	142	62
85-89 years.....	16,330	7,172	9,158	15,442	6,692	8,750	653	338	315	31	17	14	204	125	79
90-94 years.....	8,404	3,317	5,087	7,920	3,092	4,828	360	160	200	20	11	9	104	54	50
95-99 years.....	2,475	799	1,676	2,296	724	1,572	139	51	88	7	1	6	33	23	10
100 years & over.	338	75	263	301	66	235	28	4	24	1	-	1	8	5	3
Age not stated...	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Respiratory failure, not elsewhere classified (J96)															
All ages.....	3,583	1,454	2,129	2,946	1,177	1,769	578	246	332	10	3	7	49	28	21
Under 1 year.....	11	5	6	3	2	1	8	3	5	-	-	-	-	-	-
1-4 years.....	7	4	3	5	3	2	2	1	1	-	-	-	-	-	-
5-9 years.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
10-14 years.....	4	1	3	3	1	2	1	-	1	-	-	-	-	-	-
15-19 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
20-24 years.....	7	4	3	6	3	3	-	-	-	-	-	-	1	1	-
25-29 years.....	3	1	2	-	-	-	3	1	2	-	-	-	-	-	-
30-34 years.....	16	7	9	11	5	6	5	2	3	-	-	-	-	-	-
35-39 years.....	14	7	7	10	5	5	4	2	2	-	-	-	-	-	-
40-44 years.....	33	19	14	24	13	11	8	5	3	1	1	-	-	-	-
45-49 years.....	55	29	26	31	14	17	22	15	7	1	-	1	1	-	1
50-54 years.....	96	46	50	62	30	32	33	16	17	1	-	1	-	-	-
55-59 years.....	119	61	58	87	44	43	31	17	14	-	-	-	1	-	1
60-64 years.....	174	89	85	126	61	65	44	25	19	-	-	-	4	3	1
65-69 years.....	262	123	139	197	95	102	61	26	35	2	1	1	2	1	1
70-74 years.....	361	167	194	296	143	153	59	21	38	1	-	1	5	3	2
75-79 years.....	538	250	288	444	206	238	86	40	46	2	1	1	6	3	3
80-84 years.....	655	282	373	574	248	326	72	30	42	1	-	1	8	4	4
85-89 years.....	618	202	416	540	171	369	64	22	42	-	-	-	14	9	5
90-94 years.....	404	115	289	350	99	251	49	14	35	1	-	1	4	2	2
95-99 years.....	162	32	130	141	26	115	18	4	14	-	-	-	3	2	1
100 years & over.	36	7	29	29	5	24	7	2	5	-	-	-	-	-	-
Age not stated...	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Respiratory failure, unspecified (J96.9)															
All ages.....	2,858	1,180	1,678	2,347	956	1,391	459	197	262	9	2	7	43	25	18
Under 1 year.....	8	4	4	2	1	1	6	3	3	-	-	-	-	-	-
1-4 years.....	5	2	3	4	2	2	1	-	1	-	-	-	-	-	-
5-9 years.....	4	2	2	4	2	2	-	-	-	-	-	-	-	-	-
10-14 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
15-19 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
20-24 years.....	6	3	3	5	2	3	-	-	-	-	-	-	1	1	-
25-29 years.....	3	1	2	-	-	-	3	1	2	-	-	-	-	-	-
30-34 years.....	12	5	7	9	4	5	3	1	2	-	-	-	-	-	-
35-39 years.....	11	6	5	7	4	3	4	2	2	-	-	-	-	-	-
40-44 years.....	23	13	10	16	8	8	6	4	2	1	1	-	-	-	-
45-49 years.....	41	23	18	24	11	13	15	12	3	1	-	1	1	-	1
50-54 years.....	77	40	37	46	26	20	30	14	16	1	-	1	-	-	-
55-59 years.....	93	53	40	68	39	29	24	14	10	-	-	-	1	-	1
60-64 years.....	133	71	62	96	51	45	34	18	16	-	-	-	3	2	1
65-69 years.....	196	92	104	155	76	79	39	15	24	1	-	1	1	1	-
70-74 years.....	272	132	140	217	111	106	49	18	31	1	-	1	5	3	2
75-79 years.....	423	202	221	347	166	181	69	33	36	2	1	1	5	2	3
80-84 years.....	525	238	287	455	207	248	62	27	35	1	-	1	7	4	3
85-89 years.....	500	160	340	436	134	302	51	17	34	-	-	-	13	9	4
90-94 years.....	346	102	244	304	89	215	38	12	26	1	-	1	3	1	2
95-99 years.....	141	23	118	121	17	104	17	4	13	-	-	-	3	2	1
100 years & over.	33	6	27	26	4	22	7	2	5	-	-	-	-	-	-
Age not stated...	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/					
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Duodenal ulcer (K26)																		
All ages.....	1,246	695	551	1,079	589	490	122	81	41	2	2	-	43	23	20			
Under 1 year.....	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-			
1-4 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-			
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-			
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years.....	4	4	-	2	2	-	2	2	-	-	-	-	-	-	-			
25-29 years.....	3	2	1	1	1	-	2	1	1	-	-	-	-	-	-			
30-34 years.....	6	4	2	4	3	1	2	1	1	-	-	-	-	-	-			
35-39 years.....	13	8	5	8	4	4	5	4	1	-	-	-	-	-	-			
40-44 years.....	31	22	9	23	18	5	7	3	4	-	-	-	1	1	-			
45-49 years.....	49	39	10	35	28	7	13	10	3	-	-	-	1	1	-			
50-54 years.....	54	44	10	45	36	9	7	6	1	1	1	-	1	1	-			
55-59 years.....	66	48	18	57	40	17	9	8	1	-	-	-	-	-	-			
60-64 years.....	89	67	22	74	55	19	10	9	1	-	-	-	5	3	2			
65-69 years.....	81	52	29	72	45	27	7	6	1	-	-	-	2	1	1			
70-74 years.....	120	81	39	100	68	32	15	10	5	1	1	-	4	2	2			
75-79 years.....	161	90	71	137	77	60	14	8	6	-	-	-	10	5	5			
80-84 years.....	211	108	103	197	103	94	9	3	6	-	-	-	5	2	3			
85-89 years.....	202	81	121	184	73	111	9	4	5	-	-	-	9	4	5			
90-94 years.....	114	34	80	105	28	77	5	3	2	-	-	-	4	3	1			
95-99 years.....	34	9	25	29	6	23	4	3	1	-	-	-	1	-	1			
100 years & over.	4	-	4	4	-	4	-	-	-	-	-	-	-	-	-			
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Diaphragmatic hernia without obstruction or gangrene (K44.9)															
All ages.....	358	110	248	339	102	237	14	5	9	3	1	2	2	2	-
Under 1 year.....	37	23	14	31	19	12	4	3	1	1	-	1	1	1	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
35-39 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
40-44 years.....	3	1	2	2	1	1	1	-	1	-	-	-	-	-	-
45-49 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
50-54 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
55-59 years.....	8	5	3	7	4	3	-	-	-	1	1	-	-	-	-
60-64 years.....	12	4	8	11	4	7	1	-	1	-	-	-	-	-	-
65-69 years.....	13	6	7	12	6	6	1	-	1	-	-	-	-	-	-
70-74 years.....	22	7	15	22	7	15	-	-	-	-	-	-	-	-	-
75-79 years.....	26	10	16	25	9	16	1	1	-	-	-	-	-	-	-
80-84 years.....	58	12	46	56	12	44	2	-	2	-	-	-	-	-	-
85-89 years.....	79	21	58	77	21	56	2	-	2	-	-	-	-	-	-
90-94 years.....	75	14	61	73	14	59	1	-	1	1	-	1	-	-	-
95-99 years.....	15	2	13	14	1	13	-	-	-	-	-	-	1	1	-
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Vascular disorder of intestine, unspecified (K55.9)															
All ages.....	6,057	2,054	4,003	5,337	1,772	3,565	586	223	363	36	11	25	98	48	50
Under 1 year.....	12	8	4	8	4	4	4	4	-	-	-	-	-	-	-
1-4 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
20-24 years.....	7	3	4	4	2	2	3	1	2	-	-	-	-	-	-
25-29 years.....	6	2	4	5	1	4	1	1	-	-	-	-	-	-	-
30-34 years.....	8	2	6	7	1	6	1	1	-	-	-	-	-	-	-
35-39 years.....	15	6	9	10	3	7	5	3	2	-	-	-	-	-	-
40-44 years.....	31	10	21	22	8	14	9	2	7	-	-	-	-	-	-
45-49 years.....	77	36	41	61	28	33	15	7	8	-	-	-	1	1	-
50-54 years.....	117	54	63	85	36	49	27	14	13	2	1	1	3	3	-
55-59 years.....	198	88	110	158	72	86	32	13	19	4	1	3	4	2	2
60-64 years.....	292	138	154	231	104	127	54	31	23	3	2	1	4	1	3
65-69 years.....	421	173	248	342	141	201	61	26	35	11	2	9	7	4	3
70-74 years.....	673	260	413	590	229	361	69	25	44	3	1	2	11	5	6
75-79 years.....	989	380	609	871	332	539	98	37	61	4	1	3	16	10	6
80-84 years.....	1,174	374	800	1,059	336	723	88	27	61	3	1	2	24	10	14
85-89 years.....	1,102	316	786	1,021	292	729	64	16	48	4	1	3	13	7	6
90-94 years.....	651	146	505	604	133	471	35	8	27	1	1	-	11	4	7
95-99 years.....	239	45	194	215	37	178	19	7	12	1	-	1	4	1	3
100 years & over.	39	9	30	38	9	29	1	-	1	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female				
Diverticular disease of intestine, part unspecified, with perforation and abscess (K57.8)																
All ages.....	1,178	386	792	1,089	353	736	77	26	51	2	-	2	10	7	3	
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20-24 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
25-29 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	
30-34 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
40-44 years.....	8	8	-	6	6	-	2	2	-	-	-	-	-	-	-	
45-49 years.....	18	11	7	17	11	6	1	-	1	-	-	-	-	-	-	
50-54 years.....	26	14	12	22	11	11	4	3	1	-	-	-	-	-	-	
55-59 years.....	49	26	23	39	21	18	9	4	5	-	-	-	1	1	-	
60-64 years.....	55	24	31	47	20	27	8	4	4	-	-	-	-	-	-	
65-69 years.....	89	38	51	84	36	48	4	2	2	1	-	1	-	-	-	
70-74 years.....	117	39	78	106	35	71	9	2	7	-	-	-	2	2	-	
75-79 years.....	174	63	111	160	59	101	12	3	9	-	-	-	2	1	1	
80-84 years.....	229	68	161	217	63	154	8	2	6	-	-	-	4	3	1	
85-89 years.....	214	52	162	206	51	155	7	1	6	-	-	-	1	-	1	
90-94 years.....	151	36	115	143	33	110	7	3	4	1	-	1	-	-	-	
95-99 years.....	45	5	40	40	5	35	5	-	5	-	-	-	-	-	-	
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other chronic hepatitis, not elsewhere classified (K73.8)															
All ages.....	2	-	2	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years.....	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
80-84 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Fibrosis and cirrhosis of liver (K74)															
All ages.....	14,503	8,463	6,040	12,719	7,387	5,332	1,349	850	499	186	90	96	249	136	113
Under 1 year.....	10	6	4	8	5	3	2	1	1	-	-	-	-	-	-
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	4	-	4	3	-	3	-	-	-	1	-	1	-	-	-
20-24 years.....	12	7	5	8	4	4	2	-	-	1	1	-	1	-	1
25-29 years.....	17	7	10	15	7	8	1	-	1	1	-	1	-	-	-
30-34 years.....	76	42	34	52	29	23	16	8	8	6	3	3	2	2	-
35-39 years.....	211	140	71	178	119	59	20	12	8	9	6	3	4	3	1
40-44 years.....	661	453	208	575	391	184	65	48	17	12	6	6	9	8	1
45-49 years.....	1,278	885	393	1,059	740	319	179	117	62	26	15	11	14	13	1
50-54 years.....	1,725	1,245	480	1,406	1,041	365	263	174	89	33	14	19	23	16	7
55-59 years.....	1,833	1,254	579	1,547	1,053	494	245	175	70	20	10	10	21	16	5
60-64 years.....	1,555	980	575	1,334	838	496	168	110	58	25	17	8	28	15	13
65-69 years.....	1,512	817	695	1,366	734	632	109	65	44	15	7	8	22	11	11
70-74 years.....	1,687	875	812	1,552	812	740	94	52	42	16	4	12	25	7	18
75-79 years.....	1,719	807	912	1,576	741	835	86	46	40	11	3	8	46	17	29
80-84 years.....	1,296	570	726	1,202	524	678	58	26	32	6	2	4	30	18	12
85-89 years.....	667	282	385	621	260	361	25	10	15	3	2	1	18	10	8
90-94 years.....	205	74	131	190	72	118	9	2	7	1	-	1	5	-	5
95-99 years.....	28	15	13	23	15	8	4	-	4	-	-	-	1	-	1
100 years & over.	4	1	3	2	-	2	2	1	1	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age	All races		White		Black		American Indian 1/			Asian or Pacific Islander 2/					
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Other and unspecified cirrhosis of liver (K74.6)															
All ages.....	13,986	8,388	5,598	12,245	7,318	4,927	1,325	846	479	183	90	93	233	134	99
Under 1 year.....	7	5	2	5	4	1	2	1	1	-	-	-	-	-	-
1-4 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
5-9 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	4	-	4	3	-	3	-	-	-	1	-	1	-	-	-
20-24 years.....	10	7	3	6	4	2	2	2	-	1	1	-	1	-	1
25-29 years.....	14	7	7	12	7	5	1	-	1	1	-	1	-	-	-
30-34 years.....	72	39	33	48	26	22	16	8	8	6	3	3	2	2	-
35-39 years.....	206	139	67	174	119	55	19	11	8	9	6	3	4	3	1
40-44 years.....	652	451	201	567	390	177	64	47	17	12	6	6	9	8	1
45-49 years.....	1,266	882	384	1,048	737	311	179	117	62	25	15	10	14	13	1
50-54 years.....	1,707	1,241	466	1,393	1,038	355	260	173	87	32	14	18	22	16	6
55-59 years.....	1,790	1,248	542	1,511	1,048	463	240	174	66	19	10	9	20	16	4
60-64 years.....	1,507	976	531	1,289	834	455	166	110	56	25	17	8	27	15	12
65-69 years.....	1,448	808	640	1,307	726	581	106	65	41	15	7	8	20	10	10
70-74 years.....	1,604	863	741	1,472	800	672	93	52	41	16	4	12	23	7	16
75-79 years.....	1,617	794	823	1,486	728	758	81	46	35	11	3	8	39	17	22
80-84 years.....	1,241	563	678	1,151	518	633	56	26	30	6	2	4	28	17	11
85-89 years.....	617	274	343	571	252	319	25	10	15	3	2	1	18	10	8
90-94 years.....	189	72	117	175	70	105	8	2	6	1	-	1	5	-	5
95-99 years.....	28	15	13	23	15	8	4	-	4	-	-	-	1	-	1
100 years & over.	4	1	3	2	-	2	2	1	1	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2005

[Race categories are consistent with the 1977 Office of Management and Budget standards. In 2005, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New York, Oklahoma, South Carolina, South Dakota, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2005"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992) and age

	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/					
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Inflammatory liver disease, unspecified (K75.9)																		
All ages.....	342	197	145	278	163	115	47	27	20	2	-	2	15	7	8			
Under 1 year.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-			
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-			
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years.....	5	3	2	5	3	2	-	-	-	-	-	-	-	-	-			
35-39 years.....	11	7	4	8	6	2	2	1	1	-	-	-	1	-	-			1
40-44 years.....	14	4	10	12	3	9	1	1	-	1	-	1	-	-	-			-
45-49 years.....	31	23	8	21	18	3	8	4	4	-	-	-	2	1	1			-
50-54 years.....	43	30	13	33	26	7	9	4	5	1	-	1	-	-	-			-
55-59 years.....	39	28	11	32	22	10	5	4	1	-	-	-	2	2	-			-
60-64 years.....	24	18	6	17	13	4	7	5	2	-	-	-	-	-	-			-
65-69 years.....	32	18	14	27	15	12	1	1	-	-	-	-	4	2	2			-
70-74 years.....	37	22	15	26	16	10	8	5	3	-	-	-	3	1	2			-
75-79 years.....	30	13	17	28	13	15	2	-	2	-	-	-	-	-	-			-
80-84 years.....	26	13	13	25	12	13	1	1	-	-	-	-	-	-	-			-
85-89 years.....	26	10	16	23	8	15	2	1	1	-	-	-	1	1	-			-
90-94 years.....	15	5	10	12	5	7	1	-	1	-	-	-	2	-	2			-
95-99 years.....	4	-	4	4	-	4	-	-	-	-	-	-	-	-	-			-
100 years & over.	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-			-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-

