

Person with disabilities experiencing problems accessing  
NCHS birth and death tables should contact  
[nchsed@cdc.gov](mailto:nchsed@cdc.gov), or call 301-458-4688



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Shigellosis and amebiasis (A03,A06)</b>													
All races, both sexes.....	6	-	3	-	-	-	-	1	1	-	1	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	4	-	2	-	-	-	-	-	1	-	1	-	-
White, both sexes.....	5	-	2	-	-	-	-	1	1	-	1	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	1	-	1	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Certain other intestinal infections (A04,A07-A09)</b>													
All races, both sexes.....	6,639	13	9	4	10	11	33	124	363	911	2,484	2,677	-
Male.....	2,550	5	6	2	4	8	21	64	193	420	983	844	-
Female.....	4,089	8	3	2	6	3	12	60	170	491	1,501	1,833	-
White, both sexes.....	6,165	8	4	3	9	8	24	88	302	819	2,347	2,553	-
Male.....	2,353	4	3	2	4	7	15	45	162	380	924	807	-
Female.....	3,812	4	1	1	5	1	9	43	140	439	1,423	1,746	-
Black, both sexes.....	379	3	3	1	-	3	8	32	53	78	106	92	-
Male.....	145	-	2	-	-	1	5	15	27	32	41	22	-
Female.....	234	3	1	1	-	2	3	17	26	46	65	70	-
American Indian 1/, both sexes.....	30	1	-	-	-	-	1	3	3	5	8	9	-
Male.....	16	1	-	-	-	-	1	3	1	4	3	3	-
Female.....	14	-	-	-	-	-	-	-	2	1	5	6	-
Asian or Pacific Islander 2/, both sexes	65	1	2	-	1	-	-	1	5	9	23	23	-
Male.....	36	-	1	-	-	-	-	1	3	4	15	12	-
Female.....	29	1	1	-	1	-	-	-	2	5	8	11	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Tuberculosis (A16-A19)</b>													
All races, both sexes.....	652	-	4	1	4	18	31	97	101	117	168	111	-
Male.....	425	-	1	-	2	11	26	77	81	77	98	52	-
Female.....	227	-	3	1	2	7	5	20	20	40	70	59	-
White, both sexes.....	388	-	2	1	4	9	17	45	55	65	112	78	-
Male.....	237	-	-	-	2	5	15	36	43	41	63	32	-
Female.....	151	-	2	1	2	4	2	9	12	24	49	46	-
Black, both sexes.....	160	-	1	-	-	6	11	36	34	36	26	10	-
Male.....	115	-	-	-	-	4	9	27	29	24	16	6	-
Female.....	45	-	1	-	-	2	2	9	5	12	10	4	-
American Indian 1/, both sexes.....	19	-	-	-	-	2	1	7	2	2	4	1	-
Male.....	11	-	-	-	-	1	-	6	1	2	1	-	-
Female.....	8	-	-	-	-	1	1	1	1	-	3	1	-
Asian or Pacific Islander 2/, both sexes	85	-	1	-	-	1	2	9	10	14	26	22	-
Male.....	62	-	1	-	-	1	2	8	8	10	18	14	-
Female.....	23	-	-	-	-	-	-	1	2	4	8	8	-
<b>Respiratory tuberculosis (A16)</b>													
All races, both sexes.....	490	-	-	1	2	14	22	67	83	84	132	85	-
Male.....	335	-	-	-	1	8	20	54	70	59	82	41	-
Female.....	155	-	-	1	1	6	2	13	13	25	50	44	-
White, both sexes.....	287	-	-	1	2	5	13	32	44	45	88	57	-
Male.....	182	-	-	-	1	2	12	26	35	30	53	23	-
Female.....	105	-	-	1	1	3	1	6	9	15	35	34	-
Black, both sexes.....	121	-	-	-	-	6	8	24	30	26	19	8	-
Male.....	91	-	-	-	-	4	7	17	27	19	13	4	-
Female.....	30	-	-	-	-	2	1	7	3	7	6	4	-
American Indian 1/, both sexes.....	11	-	-	-	-	2	-	4	-	2	3	-	-
Male.....	7	-	-	-	-	1	-	4	-	2	-	-	-
Female.....	4	-	-	-	-	1	-	-	-	-	3	-	-
Asian or Pacific Islander 2/, both sexes	71	-	-	-	-	1	1	7	9	11	22	20	-
Male.....	55	-	-	-	-	1	1	7	8	8	16	14	-
Female.....	16	-	-	-	-	-	-	-	1	3	6	6	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Scarlet fever and erysipelas (A38,A46)</b>													
All races, both sexes.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Meningococcal infection (A39)</b>													
All races, both sexes.....	105	11	14	7	22	13	6	13	9	4	4	2	-
Male.....	67	10	10	3	16	9	4	8	4	2	1	-	-
Female.....	38	1	4	4	6	4	2	5	5	2	3	2	-
White, both sexes.....	79	10	13	4	16	7	4	8	8	4	3	2	-
Male.....	50	9	9	1	11	5	2	6	4	2	1	-	-
Female.....	29	1	4	3	5	2	2	2	4	2	2	2	-
Black, both sexes.....	23	1	1	3	6	3	2	5	1	-	1	-	-
Male.....	15	1	1	2	5	2	2	2	-	-	-	-	-
Female.....	8	-	-	1	1	1	-	3	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	-	-	-	3	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Acute poliomyelitis (A80)</b>													
All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Arthropod-borne viral encephalitis (A83-A84,A85.2)</b>													
All races, both sexes.....	5	-	-	1	1	-	-	2	-	1	-	-	-
Male.....	4	-	-	1	1	-	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Measles (B05)</b>													
All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Viral hepatitis (B15-B19)</b>													
All races, both sexes.....	7,250	1	1	-	11	61	534	2,911	2,127	843	598	163	-
Male.....	4,745	-	-	-	6	39	370	2,102	1,502	432	243	51	-
Female.....	2,505	1	1	-	5	22	164	809	625	411	355	112	-
White, both sexes.....	5,759	1	1	-	7	47	421	2,415	1,626	638	468	135	-
Male.....	3,822	-	-	-	2	30	291	1,770	1,154	330	198	47	-
Female.....	1,937	1	1	-	5	17	130	645	472	308	270	88	-
Black, both sexes.....	1,094	-	-	-	2	10	73	396	396	129	71	17	-
Male.....	694	-	-	-	2	6	43	259	283	69	29	3	-
Female.....	400	-	-	-	-	4	30	137	113	60	42	14	-
American Indian 1/, both sexes.....	102	-	-	-	-	1	18	41	28	7	6	1	-
Male.....	66	-	-	-	-	1	16	30	15	2	2	-	-
Female.....	36	-	-	-	-	-	2	11	13	5	4	1	-
Asian or Pacific Islander 2/, both sexes	295	-	-	-	2	3	22	59	77	69	53	10	-
Male.....	163	-	-	-	2	2	20	43	50	31	14	1	-
Female.....	132	-	-	-	-	1	2	16	27	38	39	9	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09, B25-B49,B55-B99)</b>													
All races, both sexes.....	5,897	167	64	67	87	129	269	562	864	1,106	1,502	1,079	1
Male.....	3,028	95	41	35	44	68	169	343	492	581	736	423	1
Female.....	2,869	72	23	32	43	61	100	219	372	525	766	656	-
White, both sexes.....	4,874	89	47	54	66	79	178	413	692	944	1,333	978	1
Male.....	2,488	54	30	27	39	43	111	253	383	504	652	391	1
Female.....	2,386	35	17	27	27	36	67	160	309	440	681	587	-
Black, both sexes.....	836	67	13	11	18	39	75	133	139	130	126	85	-
Male.....	428	35	9	6	4	20	47	82	85	58	59	23	-
Female.....	408	32	4	5	14	19	28	51	54	72	67	62	-
American Indian 1/, both sexes.....	47	5	-	-	-	3	8	5	10	8	5	3	-
Male.....	29	4	-	-	-	2	6	4	8	2	2	1	-
Female.....	18	1	-	-	-	1	2	1	2	6	3	2	-
Asian or Pacific Islander 2/, both sexes	140	6	4	2	3	8	8	11	23	24	38	13	-
Male.....	83	2	2	2	1	3	5	4	16	17	23	8	-
Female.....	57	4	2	-	2	5	3	7	7	7	15	5	-
<b>Malignant neoplasms (C00-C97)</b>													
All races, both sexes.....	559,888	76	377	907	1,644	3,656	13,917	50,334	101,454	137,554	164,889	85,072	8
Male.....	290,069	39	207	507	1,007	1,770	5,979	25,341	55,348	75,468	86,434	37,964	5
Female.....	269,819	37	170	400	637	1,886	7,938	24,993	46,106	62,086	78,455	47,108	3
White, both sexes.....	482,575	64	286	720	1,294	2,799	10,755	39,795	84,421	118,280	147,150	77,005	6
Male.....	250,322	33	162	401	805	1,396	4,726	20,163	46,069	64,913	77,316	34,334	4
Female.....	232,253	31	124	319	489	1,403	6,029	19,632	38,352	53,367	69,834	42,671	2
Black, both sexes.....	63,082	9	65	145	264	639	2,515	8,800	14,171	15,767	14,237	6,469	1
Male.....	32,556	3	35	83	153	272	980	4,369	7,805	8,695	7,314	2,846	1
Female.....	30,526	6	30	62	111	367	1,535	4,431	6,366	7,072	6,923	3,623	-
American Indian 1/, both sexes.....	2,447	-	7	5	16	32	93	308	543	680	560	203	-
Male.....	1,217	-	2	3	10	13	35	151	280	352	280	91	-
Female.....	1,230	-	5	2	6	19	58	157	263	328	280	112	-
Asian or Pacific Islander 2/, both sexes	11,784	3	19	37	70	186	554	1,431	2,319	2,827	2,942	1,395	1
Male.....	5,974	3	8	20	39	89	238	658	1,194	1,508	1,524	693	-
Female.....	5,810	-	11	17	31	97	316	773	1,125	1,319	1,418	702	1

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)</b>													
All races, both sexes.....	7,720	1	-	2	14	41	272	1,128	1,823	1,814	1,760	865	-
Male.....	5,266	1	-	-	7	29	189	881	1,423	1,286	1,081	369	-
Female.....	2,454	-	-	2	7	12	83	247	400	528	679	496	-
White, both sexes.....	6,419	1	-	2	7	32	197	855	1,448	1,501	1,571	805	-
Male.....	4,321	1	-	-	2	23	137	678	1,128	1,053	958	341	-
Female.....	2,098	-	-	2	5	9	60	177	320	448	613	464	-
Black, both sexes.....	1,015	-	-	-	7	6	47	222	306	249	138	40	-
Male.....	751	-	-	-	5	5	33	166	243	190	93	16	-
Female.....	264	-	-	-	2	1	14	56	63	59	45	24	-
American Indian 1/, both sexes.....	45	-	-	-	-	-	3	10	6	16	7	3	-
Male.....	29	-	-	-	-	-	2	6	5	11	4	1	-
Female.....	16	-	-	-	-	-	1	4	1	5	3	2	-
Asian or Pacific Islander 2/, both sexes	241	-	-	-	-	3	25	41	63	48	44	17	-
Male.....	165	-	-	-	-	1	17	31	47	32	26	11	-
Female.....	76	-	-	-	-	2	8	10	16	16	18	6	-
<b>Malignant neoplasm of esophagus (C15)</b>													
All races, both sexes.....	13,686	-	-	-	3	29	279	1,524	3,289	3,691	3,515	1,355	1
Male.....	10,723	-	-	-	3	25	241	1,274	2,801	2,974	2,585	819	1
Female.....	2,963	-	-	-	-	4	38	250	488	717	930	536	-
White, both sexes.....	11,959	-	-	-	1	27	244	1,235	2,786	3,216	3,194	1,255	1
Male.....	9,476	-	-	-	1	23	213	1,056	2,424	2,615	2,384	759	1
Female.....	2,483	-	-	-	-	4	31	179	362	601	810	496	-
Black, both sexes.....	1,452	-	-	-	1	2	31	260	440	398	250	70	-
Male.....	1,045	-	-	-	1	2	25	196	326	300	156	39	-
Female.....	407	-	-	-	-	-	6	64	114	98	94	31	-
American Indian 1/, both sexes.....	66	-	-	-	-	-	-	13	18	21	12	2	-
Male.....	45	-	-	-	-	-	-	9	13	18	4	1	-
Female.....	21	-	-	-	-	-	-	4	5	3	8	1	-
Asian or Pacific Islander 2/, both sexes	209	-	-	-	1	-	4	16	45	56	59	28	-
Male.....	157	-	-	-	1	-	3	13	38	41	41	20	-
Female.....	52	-	-	-	-	-	1	3	7	15	18	8	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasm of stomach (C16)</b>													
All races, both sexes.....	11,345	-	-	1	18	124	465	1,165	1,870	2,462	3,343	1,897	-
Male.....	6,653	-	-	1	10	58	233	729	1,262	1,564	1,949	847	-
Female.....	4,692	-	-	-	8	66	232	436	608	898	1,394	1,050	-
White, both sexes.....	8,582	-	-	-	12	89	305	833	1,369	1,836	2,595	1,543	-
Male.....	5,102	-	-	-	7	39	155	535	939	1,190	1,540	697	-
Female.....	3,480	-	-	-	5	50	150	298	430	646	1,055	846	-
Black, both sexes.....	1,916	-	-	1	3	20	99	226	351	435	523	258	-
Male.....	1,092	-	-	1	2	13	51	145	233	255	298	94	-
Female.....	824	-	-	-	1	7	48	81	118	180	225	164	-
American Indian 1/, both sexes.....	84	-	-	-	-	2	6	13	16	20	19	8	-
Male.....	58	-	-	-	-	2	5	6	10	15	12	8	-
Female.....	26	-	-	-	-	-	1	7	6	5	7	-	-
Asian or Pacific Islander 2/, both sexes	763	-	-	-	3	13	55	93	134	171	206	88	-
Male.....	401	-	-	-	1	4	22	43	80	104	99	48	-
Female.....	362	-	-	-	2	9	33	50	54	67	107	40	-
<b>Malignant neoplasms of colon, rectum and anus (C18-C21)</b>													
All races, both sexes.....	53,549	-	-	1	42	323	1,330	4,499	8,626	11,709	16,024	10,992	3
Male.....	26,921	-	-	1	20	166	697	2,474	5,018	6,662	7,921	3,960	2
Female.....	26,628	-	-	-	22	157	633	2,025	3,608	5,047	8,103	7,032	1
White, both sexes.....	45,245	-	-	-	34	229	984	3,462	6,940	9,789	13,934	9,871	2
Male.....	22,775	-	-	-	19	122	520	1,916	4,106	5,620	6,928	3,543	1
Female.....	22,470	-	-	-	15	107	464	1,546	2,834	4,169	7,006	6,328	1
Black, both sexes.....	6,895	-	-	-	5	71	286	888	1,392	1,606	1,718	928	1
Male.....	3,438	-	-	-	1	34	147	482	743	874	810	346	1
Female.....	3,457	-	-	-	4	37	139	406	649	732	908	582	-
American Indian 1/, both sexes.....	230	-	-	-	1	3	3	32	64	52	58	17	-
Male.....	124	-	-	-	-	-	1	19	37	32	28	7	-
Female.....	106	-	-	-	1	3	2	13	27	20	30	10	-
Asian or Pacific Islander 2/, both sexes	1,179	-	-	1	2	20	57	117	230	262	314	176	-
Male.....	584	-	-	1	-	10	29	57	132	136	155	64	-
Female.....	595	-	-	-	2	10	28	60	98	126	159	112	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasms of liver and intrahepatic bile ducts (C22)</b>													
All races, both sexes.....	16,525	2	15	16	31	87	361	2,406	3,842	3,830	4,161	1,774	-
Male.....	10,759	2	10	9	14	54	251	1,890	2,892	2,537	2,361	739	-
Female.....	5,766	-	5	7	17	33	110	516	950	1,293	1,800	1,035	-
White, both sexes.....	13,103	1	12	14	28	51	224	1,727	2,856	3,075	3,539	1,576	-
Male.....	8,419	1	8	8	13	24	143	1,361	2,114	2,036	2,046	665	-
Female.....	4,684	-	4	6	15	27	81	366	742	1,039	1,493	911	-
Black, both sexes.....	2,187	-	2	2	2	20	73	489	702	437	340	120	-
Male.....	1,515	-	1	1	1	16	56	369	568	296	168	39	-
Female.....	672	-	1	1	1	4	17	120	134	141	172	81	-
American Indian 1/, both sexes.....	134	-	-	-	-	1	2	24	33	38	31	5	-
Male.....	88	-	-	-	-	-	1	21	25	22	18	1	-
Female.....	46	-	-	-	-	1	1	3	8	16	13	4	-
Asian or Pacific Islander 2/, both sexes	1,101	1	1	-	1	15	62	166	251	280	251	73	-
Male.....	737	1	1	-	-	14	51	139	185	183	129	34	-
Female.....	364	-	-	-	1	1	11	27	66	97	122	39	-
<b>Malignant neoplasm of pancreas (C25)</b>													
All races, both sexes.....	33,454	-	2	1	5	49	506	2,730	6,298	8,473	10,260	5,130	-
Male.....	16,559	-	1	-	3	21	308	1,661	3,735	4,537	4,569	1,724	-
Female.....	16,895	-	1	1	2	28	198	1,069	2,563	3,936	5,691	3,406	-
White, both sexes.....	28,677	-	-	1	5	38	392	2,170	5,224	7,191	9,081	4,575	-
Male.....	14,374	-	-	-	3	18	244	1,342	3,140	3,926	4,129	1,572	-
Female.....	14,303	-	-	1	2	20	148	828	2,084	3,265	4,952	3,003	-
Black, both sexes.....	3,868	-	1	-	-	8	89	474	898	1,031	930	437	-
Male.....	1,768	-	-	-	-	2	52	269	509	496	338	102	-
Female.....	2,100	-	1	-	-	6	37	205	389	535	592	335	-
American Indian 1/, both sexes.....	138	-	-	-	-	-	5	8	34	38	38	15	-
Male.....	55	-	-	-	-	-	3	5	18	13	10	6	-
Female.....	83	-	-	-	-	-	2	3	16	25	28	9	-
Asian or Pacific Islander 2/, both sexes	771	-	1	-	-	3	20	78	142	213	211	103	-
Male.....	362	-	1	-	-	1	9	45	68	102	92	44	-
Female.....	409	-	-	-	-	2	11	33	74	111	119	59	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasm of larynx (C32)</b>													
All races, both sexes.....	3,821	-	-	-	-	2	58	451	978	1,071	928	333	-
Male.....	2,991	-	-	-	-	1	40	364	781	846	709	250	-
Female.....	830	-	-	-	-	1	18	87	197	225	219	83	-
White, both sexes.....	3,123	-	-	-	-	1	40	329	777	870	811	295	-
Male.....	2,420	-	-	-	-	-	26	260	620	676	615	223	-
Female.....	703	-	-	-	-	1	14	69	157	194	196	72	-
Black, both sexes.....	635	-	-	-	-	1	16	111	189	186	101	31	-
Male.....	515	-	-	-	-	1	12	93	152	155	81	21	-
Female.....	120	-	-	-	-	-	4	18	37	31	20	10	-
American Indian 1/, both sexes.....	18	-	-	-	-	-	1	5	3	2	4	3	-
Male.....	15	-	-	-	-	-	1	5	3	2	2	2	-
Female.....	3	-	-	-	-	-	-	-	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes	45	-	-	-	-	-	1	6	9	13	12	4	-
Male.....	41	-	-	-	-	-	1	6	6	13	11	4	-
Female.....	4	-	-	-	-	-	-	-	3	-	1	-	-
<b>Malignant neoplasms of trachea, bronchus and lung (C33-C34)</b>													
All races, both sexes.....	158,664	1	1	2	27	155	2,023	12,608	31,317	47,882	48,732	15,915	1
Male.....	89,279	1	1	1	10	85	1,034	7,196	18,514	27,695	27,015	7,727	-
Female.....	69,385	-	-	1	17	70	989	5,412	12,803	20,187	21,717	8,188	1
White, both sexes.....	138,814	-	1	-	18	112	1,593	9,935	26,499	41,987	44,102	14,566	1
Male.....	77,476	-	1	-	6	61	816	5,625	15,443	24,082	24,388	7,054	-
Female.....	61,338	-	-	-	12	51	777	4,310	11,056	17,905	19,714	7,512	1
Black, both sexes.....	16,493	1	-	1	8	32	347	2,334	4,123	4,910	3,717	1,020	-
Male.....	9,823	1	-	1	4	19	176	1,365	2,650	3,028	2,084	495	-
Female.....	6,670	-	-	-	4	13	171	969	1,473	1,882	1,633	525	-
American Indian 1/, both sexes.....	635	-	-	-	1	-	10	63	162	223	145	31	-
Male.....	339	-	-	-	-	-	5	37	81	122	81	13	-
Female.....	296	-	-	-	1	-	5	26	81	101	64	18	-
Asian or Pacific Islander 2/, both sexes	2,722	-	-	1	-	11	73	276	533	762	768	298	-
Male.....	1,641	-	-	-	-	5	37	169	340	463	462	165	-
Female.....	1,081	-	-	1	-	6	36	107	193	299	306	133	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant melanoma of skin (C43)</b>													
All races, both sexes.....	8,441	-	2	2	47	187	505	1,168	1,642	1,780	2,041	1,067	-
Male.....	5,477	-	2	1	28	111	308	745	1,122	1,186	1,355	619	-
Female.....	2,964	-	-	1	19	76	197	423	520	594	686	448	-
White, both sexes.....	8,250	-	2	-	45	183	486	1,148	1,605	1,751	1,995	1,035	-
Male.....	5,381	-	2	-	27	108	300	735	1,099	1,174	1,332	604	-
Female.....	2,869	-	-	-	18	75	186	413	506	577	663	431	-
Black, both sexes.....	126	-	-	1	1	3	11	12	26	17	34	21	-
Male.....	66	-	-	1	1	2	5	7	17	6	17	10	-
Female.....	60	-	-	-	-	1	6	5	9	11	17	11	-
American Indian 1/, both sexes.....	21	-	-	-	-	-	3	2	4	3	4	5	-
Male.....	12	-	-	-	-	-	1	-	3	2	3	3	-
Female.....	9	-	-	-	-	-	2	2	1	1	1	2	-
Asian or Pacific Islander 2/, both sexes	44	-	-	1	1	1	5	6	7	9	8	6	-
Male.....	18	-	-	-	-	1	2	3	3	4	3	2	-
Female.....	26	-	-	1	1	-	3	3	4	5	5	4	-
<b>Malignant neoplasm of breast (C50)</b>													
All races, both sexes.....	41,210	-	1	-	13	368	2,352	6,115	8,871	7,961	9,346	6,182	1
Male.....	389	-	-	-	1	3	6	43	88	86	111	51	-
Female.....	40,821	-	1	-	12	365	2,346	6,072	8,783	7,875	9,235	6,131	1
White, both sexes.....	34,464	-	1	-	6	245	1,692	4,616	7,220	6,803	8,316	5,565	-
Male.....	327	-	-	-	-	3	4	28	72	73	99	48	-
Female.....	34,137	-	1	-	6	242	1,688	4,588	7,148	6,730	8,217	5,517	-
Black, both sexes.....	5,752	-	-	-	6	108	576	1,259	1,375	972	908	548	-
Male.....	58	-	-	-	1	-	2	15	14	13	10	3	-
Female.....	5,694	-	-	-	5	108	574	1,244	1,361	959	898	545	-
American Indian 1/, both sexes.....	160	-	-	-	-	3	17	34	42	30	20	14	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	160	-	-	-	-	3	17	34	42	30	20	14	-
Asian or Pacific Islander 2/, both sexes	834	-	-	-	1	12	67	206	234	156	102	55	1
Male.....	4	-	-	-	-	-	-	-	2	-	2	-	-
Female.....	830	-	-	-	1	12	67	206	232	156	100	55	1



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasm of cervix uteri (C53)</b>													
All races, both sexes.....	3,976	-	-	1	8	181	627	963	821	604	493	278	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3,976	-	-	1	8	181	627	963	821	604	493	278	-
White, both sexes.....	3,014	-	-	1	5	126	466	736	654	443	383	200	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3,014	-	-	1	5	126	466	736	654	443	383	200	-
Black, both sexes.....	784	-	-	-	3	42	137	184	128	135	87	68	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	784	-	-	-	3	42	137	184	128	135	87	68	-
American Indian 1/, both sexes.....	26	-	-	-	-	3	3	6	7	6	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	26	-	-	-	-	3	3	6	7	6	1	-	-
Asian or Pacific Islander 2/, both sexes	152	-	-	-	-	10	21	37	32	20	22	10	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	152	-	-	-	-	10	21	37	32	20	22	10	-
<b>Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)</b>													
All races, both sexes.....	7,384	1	-	-	2	27	145	599	1,522	1,897	2,049	1,142	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	7,384	1	-	-	2	27	145	599	1,522	1,897	2,049	1,142	-
White, both sexes.....	5,954	1	-	-	-	20	118	474	1,160	1,428	1,722	1,031	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5,954	1	-	-	-	20	118	474	1,160	1,428	1,722	1,031	-
Black, both sexes.....	1,240	-	-	-	1	7	19	89	314	415	295	100	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1,240	-	-	-	1	7	19	89	314	415	295	100	-
American Indian 1/, both sexes.....	30	-	-	-	-	-	2	5	5	8	6	4	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	30	-	-	-	-	-	2	5	5	8	6	4	-
Asian or Pacific Islander 2/, both sexes	160	-	-	-	1	-	6	31	43	46	26	7	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	160	-	-	-	1	-	6	31	43	46	26	7	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasms of kidney and renal pelvis (C64-C65)</b>													
All races, both sexes.....	12,379	2	11	30	20	59	267	1,216	2,462	3,085	3,412	1,815	-
Male.....	7,699	2	4	18	11	37	188	858	1,733	2,004	1,964	880	-
Female.....	4,680	-	7	12	9	22	79	358	729	1,081	1,448	935	-
White, both sexes.....	10,961	2	10	22	11	31	201	1,004	2,164	2,736	3,119	1,661	-
Male.....	6,811	2	4	11	5	14	141	716	1,515	1,781	1,810	812	-
Female.....	4,150	-	6	11	6	17	60	288	649	955	1,309	849	-
Black, both sexes.....	1,138	-	-	8	8	24	55	185	238	266	225	129	-
Male.....	714	-	-	7	5	20	42	124	173	169	119	55	-
Female.....	424	-	-	1	3	4	13	61	65	97	106	74	-
American Indian 1/, both sexes.....	79	-	1	-	-	-	4	8	18	24	18	6	-
Male.....	52	-	-	-	-	-	3	4	13	17	11	4	-
Female.....	27	-	1	-	-	-	1	4	5	7	7	2	-
Asian or Pacific Islander 2/, both sexes	201	-	-	-	1	4	7	19	42	59	50	19	-
Male.....	122	-	-	-	1	3	2	14	32	37	24	9	-
Female.....	79	-	-	-	-	1	5	5	10	22	26	10	-
<b>Malignant neoplasm of bladder (C67)</b>													
All races, both sexes.....	13,474	-	-	-	1	18	104	528	1,568	2,810	4,874	3,571	-
Male.....	9,412	-	-	-	1	11	69	387	1,192	2,059	3,472	2,221	-
Female.....	4,062	-	-	-	-	7	35	141	376	751	1,402	1,350	-
White, both sexes.....	12,286	-	-	-	1	13	82	458	1,392	2,522	4,495	3,323	-
Male.....	8,735	-	-	-	1	8	56	340	1,067	1,896	3,270	2,097	-
Female.....	3,551	-	-	-	-	5	26	118	325	626	1,225	1,226	-
Black, both sexes.....	1,007	-	-	-	-	4	17	64	154	242	316	210	-
Male.....	558	-	-	-	-	2	11	44	108	134	155	104	-
Female.....	449	-	-	-	-	2	6	20	46	108	161	106	-
American Indian 1/, both sexes.....	37	-	-	-	-	1	3	2	4	7	14	6	-
Male.....	26	-	-	-	-	1	1	-	4	5	12	3	-
Female.....	11	-	-	-	-	-	2	2	-	2	2	3	-
Asian or Pacific Islander 2/, both sexes	144	-	-	-	-	-	2	4	18	39	49	32	-
Male.....	93	-	-	-	-	-	1	3	13	24	35	17	-
Female.....	51	-	-	-	-	-	1	1	5	15	14	15	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)</b>													
All races, both sexes.....	12,886	16	101	305	206	377	863	1,951	2,925	2,781	2,476	885	-
Male.....	7,198	5	56	166	118	215	535	1,161	1,737	1,575	1,272	358	-
Female.....	5,688	11	45	139	88	162	328	790	1,188	1,206	1,204	527	-
White, both sexes.....	11,850	13	77	246	164	327	770	1,788	2,705	2,583	2,347	830	-
Male.....	6,650	5	47	140	93	192	485	1,068	1,610	1,468	1,206	336	-
Female.....	5,200	8	30	106	71	135	285	720	1,095	1,115	1,141	494	-
Black, both sexes.....	765	3	18	47	29	25	66	130	170	144	96	37	-
Male.....	409	-	7	20	20	13	39	75	101	76	46	12	-
Female.....	356	3	11	27	9	12	27	55	69	68	50	25	-
American Indian 1/, both sexes.....	40	-	3	2	1	4	4	3	7	10	5	1	-
Male.....	21	-	1	1	1	1	2	2	2	6	5	-	-
Female.....	19	-	2	1	-	3	2	1	5	4	-	1	-
Asian or Pacific Islander 2/, both sexes	231	-	3	10	12	21	23	30	43	44	28	17	-
Male.....	118	-	1	5	4	9	9	16	24	25	15	10	-
Female.....	113	-	2	5	8	12	14	14	19	19	13	7	-
<b>Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)</b>													
All races, both sexes.....	55,045	32	132	298	662	828	1,536	3,696	7,695	12,335	17,974	9,856	1
Male.....	30,007	18	71	177	435	500	906	2,234	4,694	7,141	9,699	4,131	1
Female.....	25,038	14	61	121	227	328	630	1,462	3,001	5,194	8,275	5,725	-
White, both sexes.....	48,549	26	108	236	523	647	1,191	2,953	6,447	10,812	16,460	9,145	1
Male.....	26,521	14	57	137	348	397	702	1,799	3,970	6,312	8,953	3,831	1
Female.....	22,028	12	51	99	175	250	489	1,154	2,477	4,500	7,507	5,314	-
Black, both sexes.....	5,267	4	17	48	107	135	287	627	1,055	1,242	1,192	553	-
Male.....	2,813	2	10	32	65	75	173	368	617	685	568	218	-
Female.....	2,454	2	7	16	42	60	114	259	438	557	624	335	-
American Indian 1/, both sexes.....	194	-	1	-	7	6	12	24	34	46	44	20	-
Male.....	105	-	1	-	5	3	5	17	23	22	20	9	-
Female.....	89	-	-	-	2	3	7	7	11	24	24	11	-
Asian or Pacific Islander 2/, both sexes	1,035	2	6	14	25	40	46	92	159	235	278	138	-
Male.....	568	2	3	8	17	25	26	50	84	122	158	73	-
Female.....	467	-	3	6	8	15	20	42	75	113	120	65	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Hodgkin's disease (C81)</b>													
All races, both sexes.....	1,327	-	-	5	65	136	154	148	188	205	288	138	-
Male.....	770	-	-	3	42	83	103	97	125	119	136	62	-
Female.....	557	-	-	2	23	53	51	51	63	86	152	76	-
White, both sexes.....	1,160	-	-	5	52	107	131	123	164	183	269	126	-
Male.....	666	-	-	3	36	63	87	81	108	105	126	57	-
Female.....	494	-	-	2	16	44	44	42	56	78	143	69	-
Black, both sexes.....	137	-	-	-	8	23	21	24	20	18	14	9	-
Male.....	82	-	-	-	4	15	14	15	13	11	7	3	-
Female.....	55	-	-	-	4	8	7	9	7	7	7	6	-
American Indian 1/, both sexes.....	6	-	-	-	1	1	2	-	-	-	2	-	-
Male.....	4	-	-	-	-	1	2	-	-	-	1	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	24	-	-	-	4	5	-	1	4	4	3	3	-
Male.....	18	-	-	-	2	4	-	1	4	3	2	2	-
Female.....	6	-	-	-	2	1	-	-	-	1	1	1	-
<b>Non-Hodgkin's lymphoma (C82-C85)</b>													
All races, both sexes.....	20,594	1	7	36	131	219	515	1,417	2,886	4,543	7,007	3,831	1
Male.....	10,933	1	6	28	94	134	320	918	1,795	2,577	3,546	1,513	1
Female.....	9,661	-	1	8	37	85	195	499	1,091	1,966	3,461	2,318	-
White, both sexes.....	18,636	1	5	28	94	162	371	1,148	2,491	4,114	6,585	3,636	1
Male.....	9,871	1	4	23	70	101	235	741	1,560	2,345	3,360	1,430	1
Female.....	8,765	-	1	5	24	61	136	407	931	1,769	3,225	2,206	-
Black, both sexes.....	1,475	-	2	6	29	46	120	229	322	307	283	131	-
Male.....	801	-	2	4	18	26	74	153	196	163	118	47	-
Female.....	674	-	-	2	11	20	46	76	126	144	165	84	-
American Indian 1/, both sexes.....	68	-	-	-	-	1	5	7	8	18	17	12	-
Male.....	31	-	-	-	-	-	-	5	4	8	8	6	-
Female.....	37	-	-	-	-	1	5	2	4	10	9	6	-
Asian or Pacific Islander 2/, both sexes	415	-	-	2	8	10	19	33	65	104	122	52	-
Male.....	230	-	-	1	6	7	11	19	35	61	60	30	-
Female.....	185	-	-	1	2	3	8	14	30	43	62	22	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Leukemia (C91-C95)</b>													
All races, both sexes.....	21,944	31	124	256	465	460	715	1,398	2,823	4,735	6,863	4,074	-
Male.....	12,385	17	64	146	298	274	393	796	1,733	2,869	4,021	1,774	-
Female.....	9,559	14	60	110	167	186	322	602	1,090	1,866	2,842	2,300	-
White, both sexes.....	19,654	25	102	203	377	370	580	1,182	2,445	4,239	6,329	3,802	-
Male.....	11,110	13	52	111	242	228	313	676	1,515	2,582	3,726	1,652	-
Female.....	8,544	12	50	92	135	142	267	506	930	1,657	2,603	2,150	-
Black, both sexes.....	1,804	4	15	41	69	62	105	170	306	408	410	214	-
Male.....	999	2	8	28	42	30	64	90	179	240	221	95	-
Female.....	805	2	7	13	27	32	41	80	127	168	189	119	-
American Indian 1/, both sexes.....	71	-	1	-	6	4	4	10	15	12	13	6	-
Male.....	45	-	1	-	5	2	2	9	11	8	6	1	-
Female.....	26	-	-	-	1	2	2	1	4	4	7	5	-
Asian or Pacific Islander 2/, both sexes	415	2	6	12	13	24	26	36	57	76	111	52	-
Male.....	231	2	3	7	9	14	14	21	28	39	68	26	-
Female.....	184	-	3	5	4	10	12	15	29	37	43	26	-
<b>Multiple myeloma and immunoproliferative neoplasms (C88,C90)</b>													
All races, both sexes.....	11,111	-	-	-	1	12	150	731	1,789	2,843	3,793	1,792	-
Male.....	5,882	-	-	-	1	8	89	422	1,035	1,569	1,985	773	-
Female.....	5,229	-	-	-	-	4	61	309	754	1,274	1,808	1,019	-
White, both sexes.....	9,038	-	-	-	-	8	108	499	1,340	2,268	3,254	1,561	-
Male.....	4,843	-	-	-	-	5	67	301	782	1,274	1,730	684	-
Female.....	4,195	-	-	-	-	3	41	198	558	994	1,524	877	-
Black, both sexes.....	1,844	-	-	-	1	3	40	203	405	508	485	199	-
Male.....	926	-	-	-	1	3	20	109	228	270	222	73	-
Female.....	918	-	-	-	-	-	20	94	177	238	263	126	-
American Indian 1/, both sexes.....	49	-	-	-	-	-	1	7	11	16	12	2	-
Male.....	25	-	-	-	-	-	1	3	8	6	5	2	-
Female.....	24	-	-	-	-	-	-	4	3	10	7	-	-
Asian or Pacific Islander 2/, both sexes	180	-	-	-	-	1	1	22	33	51	42	30	-
Male.....	88	-	-	-	-	-	1	9	17	19	28	14	-
Female.....	92	-	-	-	-	1	-	13	16	32	14	16	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)</b>													
All races, both sexes.....	69	-	1	1	-	1	2	2	9	9	23	21	-
Male.....	37	-	1	-	-	1	1	1	6	7	11	9	-
Female.....	32	-	-	1	-	-	1	1	3	2	12	12	-
White, both sexes.....	61	-	1	-	-	-	1	1	7	8	23	20	-
Male.....	31	-	1	-	-	-	-	-	5	6	11	8	-
Female.....	30	-	-	-	-	-	1	1	2	2	12	12	-
Black, both sexes.....	7	-	-	1	-	1	1	1	2	1	-	-	-
Male.....	5	-	-	-	-	1	1	1	1	1	-	-	-
Female.....	2	-	-	1	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)</b>													
All races, both sexes.....	63,100	20	111	244	521	717	1,783	5,516	10,584	14,193	18,283	11,127	1
Male.....	32,364	10	62	132	345	449	934	3,039	6,083	7,713	9,214	4,382	1
Female.....	30,736	10	49	112	176	268	849	2,477	4,501	6,480	9,069	6,745	-
White, both sexes.....	54,834	19	75	194	414	559	1,408	4,373	8,809	12,288	16,512	10,182	1
Male.....	28,332	10	43	104	280	362	757	2,416	5,139	6,774	8,396	4,050	1
Female.....	26,502	9	32	90	134	197	651	1,957	3,670	5,514	8,116	6,132	-
Black, both sexes.....	6,659	1	26	37	80	120	298	950	1,495	1,543	1,392	717	-
Male.....	3,293	-	17	20	46	65	144	535	810	765	652	239	-
Female.....	3,366	1	9	17	34	55	154	415	685	778	740	478	-
American Indian 1/, both sexes.....	344	-	2	3	6	9	14	43	61	90	76	40	-
Male.....	144	-	-	2	4	6	5	19	28	34	32	14	-
Female.....	200	-	2	1	2	3	9	24	33	56	44	26	-
Asian or Pacific Islander 2/, both sexes	1,263	-	8	10	21	29	63	150	219	272	303	188	-
Male.....	595	-	2	6	15	16	28	69	106	140	134	79	-
Female.....	668	-	6	4	6	13	35	81	113	132	169	109	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)</b>													
All races, both sexes.....	14,122	65	60	76	100	143	316	794	1,315	2,369	4,750	4,134	-
Male.....	6,984	33	24	41	51	67	167	432	732	1,360	2,519	1,558	-
Female.....	7,138	32	36	35	49	76	149	362	583	1,009	2,231	2,576	-
White, both sexes.....	12,553	50	51	59	70	107	233	641	1,109	2,089	4,335	3,809	-
Male.....	6,254	26	19	33	39	52	130	364	629	1,215	2,322	1,425	-
Female.....	6,299	24	32	26	31	55	103	277	480	874	2,013	2,384	-
Black, both sexes.....	1,232	13	9	15	25	31	64	129	174	210	322	240	-
Male.....	567	6	5	7	11	13	25	56	90	111	153	90	-
Female.....	665	7	4	8	14	18	39	73	84	99	169	150	-
American Indian 1/, both sexes.....	65	1	-	1	3	-	6	4	6	11	15	18	-
Male.....	31	-	-	-	-	-	4	3	4	5	8	7	-
Female.....	34	1	-	1	3	-	2	1	2	6	7	11	-
Asian or Pacific Islander 2/, both sexes	272	1	-	1	2	5	13	20	26	59	78	67	-
Male.....	132	1	-	1	1	2	8	9	9	29	36	36	-
Female.....	140	-	-	-	1	3	5	11	17	30	42	31	-
<b>Anemias (D50-D64)</b>													
All races, both sexes.....	3,996	11	26	34	93	141	192	232	304	401	975	1,587	-
Male.....	1,592	5	15	16	55	71	89	99	143	179	421	499	-
Female.....	2,404	6	11	18	38	70	103	133	161	222	554	1,088	-
White, both sexes.....	2,989	3	13	13	25	23	43	95	198	320	849	1,407	-
Male.....	1,163	2	5	6	16	13	22	43	88	145	368	455	-
Female.....	1,826	1	8	7	9	10	21	52	110	175	481	952	-
Black, both sexes.....	917	3	12	20	64	112	146	131	100	74	105	150	-
Male.....	388	-	9	9	37	55	65	55	51	30	44	33	-
Female.....	529	3	3	11	27	57	81	76	49	44	61	117	-
American Indian 1/, both sexes.....	14	-	-	-	-	1	-	2	2	1	3	5	-
Male.....	5	-	-	-	-	-	-	-	1	1	1	2	-
Female.....	9	-	-	-	-	1	-	2	1	-	2	3	-
Asian or Pacific Islander 2/, both sexes	76	5	1	1	4	5	3	4	4	6	18	25	-
Male.....	36	3	1	1	2	3	2	1	3	3	8	9	-
Female.....	40	2	-	-	2	2	1	3	1	3	10	16	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Diabetes mellitus (E10-E14)</b>													
All races, both sexes.....	72,449	6	7	28	165	673	2,094	5,692	11,432	15,483	21,763	15,105	1
Male.....	36,006	4	3	13	96	376	1,279	3,515	6,670	8,344	10,286	5,419	1
Female.....	36,443	2	4	15	69	297	815	2,177	4,762	7,139	11,477	9,686	-
White, both sexes.....	57,204	5	5	19	106	406	1,441	4,059	8,482	11,915	17,898	12,867	1
Male.....	29,060	4	3	11	60	224	894	2,583	5,094	6,658	8,785	4,743	1
Female.....	28,144	1	2	8	46	182	547	1,476	3,388	5,257	9,113	8,124	-
Black, both sexes.....	12,813	1	2	9	55	240	583	1,418	2,500	3,008	3,181	1,816	-
Male.....	5,772	-	-	2	32	137	346	804	1,306	1,415	1,211	519	-
Female.....	7,041	1	2	7	23	103	237	614	1,194	1,593	1,970	1,297	-
American Indian 1/, both sexes.....	811	-	-	-	1	15	39	103	190	190	184	89	-
Male.....	362	-	-	-	1	6	19	56	103	82	66	29	-
Female.....	449	-	-	-	-	9	20	47	87	108	118	60	-
Asian or Pacific Islander 2/, both sexes	1,621	-	-	-	3	12	31	112	260	370	500	333	-
Male.....	812	-	-	-	3	9	20	72	167	189	224	128	-
Female.....	809	-	-	-	-	3	11	40	93	181	276	205	-
<b>Nutritional deficiencies (E40-E64)</b>													
All races, both sexes.....	2,556	9	2	4	6	11	46	98	185	275	720	1,200	-
Male.....	913	7	-	2	3	7	20	45	82	133	299	315	-
Female.....	1,643	2	2	2	3	4	26	53	103	142	421	885	-
White, both sexes.....	2,161	6	2	4	2	7	35	71	148	219	614	1,053	-
Male.....	740	5	-	2	1	4	13	32	60	103	244	276	-
Female.....	1,421	1	2	2	1	3	22	39	88	116	370	777	-
Black, both sexes.....	341	2	-	-	4	4	11	27	35	53	87	118	-
Male.....	153	2	-	-	2	3	7	13	20	30	44	32	-
Female.....	188	-	-	-	2	1	4	14	15	23	43	86	-
American Indian 1/, both sexes.....	14	1	-	-	-	-	-	-	1	1	3	8	-
Male.....	4	-	-	-	-	-	-	-	1	-	1	2	-
Female.....	10	1	-	-	-	-	-	-	-	1	2	6	-
Asian or Pacific Islander 2/, both sexes	40	-	-	-	-	-	-	-	1	2	16	21	-
Male.....	16	-	-	-	-	-	-	-	1	-	10	5	-
Female.....	24	-	-	-	-	-	-	-	-	2	6	16	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Malnutrition (E40-E46)</b>													
All races, both sexes.....	2,377	7	2	2	5	11	44	93	173	262	673	1,105	-
Male.....	848	5	-	1	3	7	18	43	76	123	276	296	-
Female.....	1,529	2	2	1	2	4	26	50	97	139	397	809	-
White, both sexes.....	2,000	5	2	2	1	7	33	66	140	206	574	964	-
Male.....	682	4	-	1	1	4	11	30	56	93	225	257	-
Female.....	1,318	1	2	1	-	3	22	36	84	113	349	707	-
Black, both sexes.....	325	1	-	-	4	4	11	27	31	53	81	113	-
Male.....	146	1	-	-	2	3	7	13	18	30	40	32	-
Female.....	179	-	-	-	2	1	4	14	13	23	41	81	-
American Indian 1/, both sexes.....	14	1	-	-	-	-	-	-	1	1	3	8	-
Male.....	4	-	-	-	-	-	-	-	1	-	1	2	-
Female.....	10	1	-	-	-	-	-	-	-	1	2	6	-
Asian or Pacific Islander 2/, both sexes	38	-	-	-	-	-	-	-	1	2	15	20	-
Male.....	16	-	-	-	-	-	-	-	1	-	10	5	-
Female.....	22	-	-	-	-	-	-	-	-	2	5	15	-
<b>Other nutritional deficiencies (E50-E64)</b>													
All races, both sexes.....	179	2	-	2	1	-	2	5	12	13	47	95	-
Male.....	65	2	-	1	-	-	2	2	6	10	23	19	-
Female.....	114	-	-	1	1	-	-	3	6	3	24	76	-
White, both sexes.....	161	1	-	2	1	-	2	5	8	13	40	89	-
Male.....	58	1	-	1	-	-	2	2	4	10	19	19	-
Female.....	103	-	-	1	1	-	-	3	4	3	21	70	-
Black, both sexes.....	16	1	-	-	-	-	-	-	4	-	6	5	-
Male.....	7	1	-	-	-	-	-	-	2	-	4	-	-
Female.....	9	-	-	-	-	-	-	-	2	-	2	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Meningitis (G00,G03)</b>													
All races, both sexes.....	634	61	20	15	25	35	80	108	77	76	89	48	-
Male.....	315	29	6	8	15	20	43	63	40	33	39	19	-
Female.....	319	32	14	7	10	15	37	45	37	43	50	29	-
White, both sexes.....	487	44	15	7	17	28	48	85	56	65	77	45	-
Male.....	241	20	4	5	13	16	24	49	26	28	38	18	-
Female.....	246	24	11	2	4	12	24	36	30	37	39	27	-
Black, both sexes.....	131	16	4	8	8	7	26	20	21	8	10	3	-
Male.....	66	9	1	3	2	4	16	12	14	3	1	1	-
Female.....	65	7	3	5	6	3	10	8	7	5	9	2	-
American Indian 1/, both sexes.....	8	1	-	-	-	-	4	3	-	-	-	-	-
Male.....	4	-	-	-	-	-	2	2	-	-	-	-	-
Female.....	4	1	-	-	-	-	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	-	1	-	-	-	2	-	-	3	2	-	-
Male.....	4	-	1	-	-	-	1	-	-	2	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	1	2	-	-
<b>Parkinson's disease (G20-G21)</b>													
All races, both sexes.....	19,566	1	1	-	2	4	15	66	397	2,310	9,101	7,669	-
Male.....	11,300	1	-	-	1	2	10	45	262	1,522	5,546	3,911	-
Female.....	8,266	-	1	-	1	2	5	21	135	788	3,555	3,758	-
White, both sexes.....	18,517	1	-	-	2	3	13	51	354	2,120	8,641	7,332	-
Male.....	10,706	1	-	-	1	1	9	38	235	1,398	5,263	3,760	-
Female.....	7,811	-	-	-	1	2	4	13	119	722	3,378	3,572	-
Black, both sexes.....	682	-	1	-	-	1	2	10	31	133	306	198	-
Male.....	381	-	-	-	-	1	1	6	19	88	187	79	-
Female.....	301	-	1	-	-	-	1	4	12	45	119	119	-
American Indian 1/, both sexes.....	57	-	-	-	-	-	-	1	1	11	24	20	-
Male.....	32	-	-	-	-	-	-	-	-	7	17	8	-
Female.....	25	-	-	-	-	-	-	1	1	4	7	12	-
Asian or Pacific Islander 2/, both sexes	310	-	-	-	-	-	-	4	11	46	130	119	-
Male.....	181	-	-	-	-	-	-	1	8	29	79	64	-
Female.....	129	-	-	-	-	-	-	3	3	17	51	55	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Alzheimer's disease (630)</b>													
All races, both sexes.....	72,432	-	-	-	-	1	12	104	655	3,812	22,915	44,933	-
Male.....	21,151	-	-	-	-	-	8	53	304	1,709	8,295	10,782	-
Female.....	51,281	-	-	-	-	1	4	51	351	2,103	14,620	34,151	-
White, both sexes.....	67,088	-	-	-	-	1	9	94	598	3,433	21,126	41,827	-
Male.....	19,654	-	-	-	-	-	7	50	278	1,546	7,701	10,072	-
Female.....	47,434	-	-	-	-	1	2	44	320	1,887	13,425	31,755	-
Black, both sexes.....	4,455	-	-	-	-	-	3	9	53	336	1,495	2,559	-
Male.....	1,190	-	-	-	-	-	1	3	25	143	491	527	-
Female.....	3,265	-	-	-	-	-	2	6	28	193	1,004	2,032	-
American Indian 1/, both sexes.....	169	-	-	-	-	-	-	-	1	15	73	80	-
Male.....	62	-	-	-	-	-	-	-	-	9	25	28	-
Female.....	107	-	-	-	-	-	-	-	1	6	48	52	-
Asian or Pacific Islander 2/, both sexes	720	-	-	-	-	-	-	1	3	28	221	467	-
Male.....	245	-	-	-	-	-	-	-	1	11	78	155	-
Female.....	475	-	-	-	-	-	-	1	2	17	143	312	-
<b>Major cardiovascular diseases (I00-I78)</b>													
All races, both sexes.....	823,746	508	218	363	1,376	4,099	15,420	47,037	80,714	119,102	240,862	314,006	41
Male.....	394,840	283	115	207	882	2,765	10,370	32,633	54,055	71,210	118,431	103,859	30
Female.....	428,906	225	103	156	494	1,334	5,050	14,404	26,659	47,892	122,431	210,147	11
White, both sexes.....	707,419	314	151	249	955	2,642	10,764	34,227	62,546	97,032	211,545	286,961	33
Male.....	337,670	172	76	156	636	1,840	7,531	24,569	42,742	58,935	105,402	95,587	24
Female.....	369,749	142	75	93	319	802	3,233	9,658	19,804	38,097	106,143	191,374	9
Black, both sexes.....	97,389	170	57	90	373	1,287	4,109	11,424	15,841	18,620	23,874	21,536	8
Male.....	47,276	98	35	42	217	802	2,449	7,093	9,773	10,274	10,423	6,064	6
Female.....	50,113	72	22	48	156	485	1,660	4,331	6,068	8,346	13,451	15,472	2
American Indian 1/, both sexes.....	3,496	9	2	5	19	40	178	404	583	725	875	656	-
Male.....	1,855	4	2	2	7	26	129	289	379	420	395	202	-
Female.....	1,641	5	-	3	12	14	49	115	204	305	480	454	-
Asian or Pacific Islander 2/, both sexes	15,442	15	8	19	29	130	369	982	1,744	2,725	4,568	4,853	-
Male.....	8,039	9	2	7	22	97	261	682	1,161	1,581	2,211	2,006	-
Female.....	7,403	6	6	12	7	33	108	300	583	1,144	2,357	2,847	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Diseases of heart (I00-I09,I11,I13,I20-I51)</b>													
All races, both sexes.....	631,636	346	161	253	1,076	3,307	12,339	38,095	65,477	92,752	180,451	237,339	40
Male.....	315,706	187	89	140	711	2,298	8,625	27,433	45,177	57,265	92,378	81,373	30
Female.....	315,930	159	72	113	365	1,009	3,714	10,662	20,300	35,487	88,073	155,966	10
White, both sexes.....	545,974	210	110	170	730	2,143	8,879	28,462	51,715	76,373	159,346	217,804	32
Male.....	272,117	114	60	99	505	1,537	6,437	21,158	36,407	47,936	82,625	75,215	24
Female.....	273,857	96	50	71	225	606	2,442	7,304	15,308	28,437	76,721	142,589	8
Black, both sexes.....	72,253	116	44	67	308	1,033	3,078	8,612	12,050	13,932	17,370	15,635	8
Male.....	36,230	62	27	35	183	663	1,892	5,511	7,568	7,854	7,871	4,558	6
Female.....	36,023	54	17	32	125	370	1,186	3,101	4,482	6,078	9,499	11,077	2
American Indian 1/, both sexes.....	2,736	7	-	3	14	35	141	332	492	571	671	470	-
Male.....	1,532	3	-	1	5	23	104	242	322	346	324	162	-
Female.....	1,204	4	-	2	9	12	37	90	170	225	347	308	-
Asian or Pacific Islander 2/, both sexes	10,673	13	7	13	24	96	241	689	1,220	1,876	3,064	3,430	-
Male.....	5,827	8	2	5	18	75	192	522	880	1,129	1,558	1,438	-
Female.....	4,846	5	5	8	6	21	49	167	340	747	1,506	1,992	-
<b>Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)</b>													
All races, both sexes.....	3,257	3	-	7	7	31	66	176	352	608	1,123	884	-
Male.....	1,008	2	-	2	5	17	28	81	135	208	327	203	-
Female.....	2,249	1	-	5	2	14	38	95	217	400	796	681	-
White, both sexes.....	2,903	3	-	2	3	20	42	124	277	528	1,046	858	-
Male.....	887	2	-	-	3	11	22	59	105	180	309	196	-
Female.....	2,016	1	-	2	-	9	20	65	172	348	737	662	-
Black, both sexes.....	249	-	-	3	2	7	20	39	54	53	54	17	-
Male.....	87	-	-	1	1	4	6	16	23	19	14	3	-
Female.....	162	-	-	2	1	3	14	23	31	34	40	14	-
American Indian 1/, both sexes.....	20	-	-	1	2	-	-	3	6	2	6	-	-
Male.....	6	-	-	1	1	-	-	2	2	-	-	-	-
Female.....	14	-	-	-	1	-	-	1	4	2	6	-	-
Asian or Pacific Islander 2/, both sexes	85	-	-	1	-	4	4	10	15	25	17	9	-
Male.....	28	-	-	-	-	2	-	4	5	9	4	4	-
Female.....	57	-	-	1	-	2	4	6	10	16	13	5	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Hypertensive heart disease (I11)</b>													
All races, both sexes.....	29,788	1	-	2	52	288	1,358	3,586	4,130	3,860	6,232	10,277	2
Male.....	13,677	1	-	1	42	211	925	2,486	2,737	2,226	2,631	2,415	2
Female.....	16,111	-	-	1	10	77	433	1,100	1,393	1,634	3,601	7,862	-
White, both sexes.....	22,220	-	-	-	34	140	814	2,183	2,697	2,577	4,877	8,896	2
Male.....	9,755	-	-	-	28	108	600	1,618	1,838	1,488	2,028	2,045	2
Female.....	12,465	-	-	-	6	32	214	565	859	1,089	2,849	6,851	-
Black, both sexes.....	6,845	1	-	2	17	139	507	1,315	1,346	1,171	1,192	1,155	-
Male.....	3,559	1	-	1	14	96	294	808	842	667	531	305	-
Female.....	3,286	-	-	1	3	43	213	507	504	504	661	850	-
American Indian 1/, both sexes.....	133	-	-	-	-	4	15	33	20	23	23	15	-
Male.....	80	-	-	-	-	2	14	20	13	16	10	5	-
Female.....	53	-	-	-	-	2	1	13	7	7	13	10	-
Asian or Pacific Islander 2/, both sexes	590	-	-	-	1	5	22	55	67	89	140	211	-
Male.....	283	-	-	-	-	5	17	40	44	55	62	60	-
Female.....	307	-	-	-	1	-	5	15	23	34	78	151	-
<b>Hypertensive heart and renal disease (I13)</b>													
All races, both sexes.....	2,918	-	-	-	6	31	81	179	259	359	806	1,197	-
Male.....	1,290	-	-	-	3	24	57	101	162	177	365	401	-
Female.....	1,628	-	-	-	3	7	24	78	97	182	441	796	-
White, both sexes.....	1,985	-	-	-	-	13	27	63	111	190	587	994	-
Male.....	836	-	-	-	-	11	22	35	70	88	268	342	-
Female.....	1,149	-	-	-	-	2	5	28	41	102	319	652	-
Black, both sexes.....	824	-	-	-	4	16	51	110	140	153	189	161	-
Male.....	404	-	-	-	2	11	33	63	87	79	85	44	-
Female.....	420	-	-	-	2	5	18	47	53	74	104	117	-
American Indian 1/, both sexes.....	17	-	-	-	-	1	1	2	2	3	3	5	-
Male.....	8	-	-	-	-	1	-	-	1	3	1	2	-
Female.....	9	-	-	-	-	-	1	2	1	-	2	3	-
Asian or Pacific Islander 2/, both sexes	92	-	-	-	2	1	2	4	6	13	27	37	-
Male.....	42	-	-	-	1	1	2	3	4	7	11	13	-
Female.....	50	-	-	-	1	-	-	1	2	6	16	24	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Ischemic heart diseases (I20-I25)</b>													
All races, both sexes.....	425,425	22	7	13	138	1,054	6,699	24,990	46,706	66,685	125,225	153,855	31
Male.....	224,510	15	5	7	106	829	5,075	18,972	33,593	42,848	67,275	55,763	22
Female.....	200,915	7	2	6	32	225	1,624	6,018	13,113	23,837	57,950	98,092	9
White, both sexes.....	371,445	15	5	10	106	770	5,209	19,610	37,909	55,721	110,990	141,074	26
Male.....	196,396	12	3	7	86	620	4,065	15,294	27,772	36,434	60,452	51,632	19
Female.....	175,049	3	2	3	20	150	1,144	4,316	10,137	19,287	50,538	89,442	7
Black, both sexes.....	44,530	6	2	2	32	234	1,278	4,704	7,526	9,159	11,498	10,084	5
Male.....	22,713	2	2	-	20	166	833	3,140	4,890	5,300	5,384	2,973	3
Female.....	21,817	4	-	2	12	68	445	1,564	2,636	3,859	6,114	7,111	2
American Indian 1/, both sexes.....	1,880	-	-	-	-	14	67	211	357	420	490	321	-
Male.....	1,082	-	-	-	-	11	49	164	241	256	248	113	-
Female.....	798	-	-	-	-	3	18	47	116	164	242	208	-
Asian or Pacific Islander 2/, both sexes	7,570	1	-	1	-	36	145	465	914	1,385	2,247	2,376	-
Male.....	4,319	1	-	-	-	32	128	374	690	858	1,191	1,045	-
Female.....	3,251	-	-	1	-	4	17	91	224	527	1,056	1,331	-
<b>Acute myocardial infarction (I21-I22)</b>													
All races, both sexes.....	141,462	11	5	6	60	422	2,676	9,746	18,373	24,795	41,624	43,739	5
Male.....	76,089	8	4	3	42	315	2,011	7,278	13,031	15,767	21,819	15,807	4
Female.....	65,373	3	1	3	18	107	665	2,468	5,342	9,028	19,805	27,932	1
White, both sexes.....	123,549	10	3	4	49	316	2,140	7,879	15,341	21,065	36,950	39,788	4
Male.....	66,946	8	2	3	38	240	1,651	6,049	11,078	13,689	19,660	14,525	3
Female.....	56,603	2	1	1	11	76	489	1,830	4,263	7,376	17,290	25,263	1
Black, both sexes.....	14,776	1	2	2	11	92	471	1,639	2,596	3,109	3,753	3,099	1
Male.....	7,392	-	2	-	4	64	308	1,055	1,648	1,718	1,681	911	1
Female.....	7,384	1	-	2	7	28	163	584	948	1,391	2,072	2,188	-
American Indian 1/, both sexes.....	665	-	-	-	-	7	26	81	131	142	175	103	-
Male.....	371	-	-	-	-	5	17	65	86	76	87	35	-
Female.....	294	-	-	-	-	2	9	16	45	66	88	68	-
Asian or Pacific Islander 2/, both sexes	2,472	-	-	-	-	7	39	147	305	479	746	749	-
Male.....	1,380	-	-	-	-	6	35	109	219	284	391	336	-
Female.....	1,092	-	-	-	-	1	4	38	86	195	355	413	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other acute ischemic heart diseases (I24)</b>													
All races, both sexes.....	3,932	2	1	-	7	21	92	354	596	676	1,041	1,139	3
Male.....	2,016	1	-	-	6	17	54	254	400	402	511	368	3
Female.....	1,916	1	1	-	1	4	38	100	196	274	530	771	-
White, both sexes.....	3,289	2	1	-	5	15	60	250	474	548	902	1,030	2
Male.....	1,664	1	-	-	4	13	36	188	320	331	438	331	2
Female.....	1,625	1	1	-	1	2	24	62	154	217	464	699	-
Black, both sexes.....	534	-	-	-	2	6	28	86	109	108	114	80	1
Male.....	291	-	-	-	2	4	15	54	73	60	56	26	1
Female.....	243	-	-	-	-	2	13	32	36	48	58	54	-
American Indian 1/, both sexes.....	52	-	-	-	-	-	3	11	9	8	12	9	-
Male.....	29	-	-	-	-	-	2	6	5	3	9	4	-
Female.....	23	-	-	-	-	-	1	5	4	5	3	5	-
Asian or Pacific Islander 2/, both sexes	57	-	-	-	-	-	1	7	4	12	13	20	-
Male.....	32	-	-	-	-	-	1	6	2	8	8	7	-
Female.....	25	-	-	-	-	-	-	1	2	4	5	13	-
<b>Other forms of chronic ischemic heart disease (I20,I25)</b>													
All races, both sexes.....	280,031	9	1	7	71	611	3,931	14,890	27,737	41,214	82,560	108,977	23
Male.....	146,405	6	1	4	58	497	3,010	11,440	20,162	26,679	44,945	39,588	15
Female.....	133,626	3	-	3	13	114	921	3,450	7,575	14,535	37,615	69,389	8
White, both sexes.....	244,607	3	1	6	52	439	3,009	11,481	22,094	34,108	73,138	100,256	20
Male.....	127,786	3	1	4	44	367	2,378	9,057	16,374	22,414	40,354	36,776	14
Female.....	116,821	-	-	2	8	72	631	2,424	5,720	11,694	32,784	63,480	6
Black, both sexes.....	29,220	5	-	-	19	136	779	2,979	4,821	5,942	7,631	6,905	3
Male.....	15,030	2	-	-	14	98	510	2,031	3,169	3,522	3,647	2,036	1
Female.....	14,190	3	-	-	5	38	269	948	1,652	2,420	3,984	4,869	2
American Indian 1/, both sexes.....	1,163	-	-	-	-	7	38	119	217	270	303	209	-
Male.....	682	-	-	-	-	6	30	93	150	177	152	74	-
Female.....	481	-	-	-	-	1	8	26	67	93	151	135	-
Asian or Pacific Islander 2/, both sexes	5,041	1	-	1	-	29	105	311	605	894	1,488	1,607	-
Male.....	2,907	1	-	-	-	26	92	259	469	566	792	702	-
Female.....	2,134	-	-	1	-	3	13	52	136	328	696	905	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Atherosclerotic cardiovascular disease, so described (I25.0)</b>													
All races, both sexes.....	61,030	-	-	-	20	210	1,441	5,820	9,900	10,420	14,905	18,298	16
Male.....	34,157	-	-	-	17	173	1,119	4,612	7,427	6,854	7,777	6,168	10
Female.....	26,873	-	-	-	3	37	322	1,208	2,473	3,566	7,128	12,130	6
White, both sexes.....	50,146	-	-	-	16	138	1,072	4,352	7,579	8,114	12,529	16,333	13
Male.....	27,777	-	-	-	13	121	857	3,541	5,764	5,377	6,581	5,514	9
Female.....	22,369	-	-	-	3	17	215	811	1,815	2,737	5,948	10,819	4
Black, both sexes.....	9,362	-	-	-	4	58	317	1,296	2,017	1,987	2,030	1,650	3
Male.....	5,410	-	-	-	4	40	216	917	1,428	1,268	1,015	521	1
Female.....	3,952	-	-	-	-	18	101	379	589	719	1,015	1,129	2
American Indian 1/, both sexes.....	317	-	-	-	-	4	13	47	77	70	69	37	-
Male.....	210	-	-	-	-	3	10	39	55	50	35	18	-
Female.....	107	-	-	-	-	1	3	8	22	20	34	19	-
Asian or Pacific Islander 2/, both sexes	1,205	-	-	-	-	10	39	125	227	249	277	278	-
Male.....	760	-	-	-	-	9	36	115	180	159	146	115	-
Female.....	445	-	-	-	-	1	3	10	47	90	131	163	-
<b>All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)</b>													
All races, both sexes.....	219,001	9	1	7	51	401	2,490	9,070	17,837	30,794	67,655	90,679	7
Male.....	112,248	6	1	4	41	324	1,891	6,828	12,735	19,825	37,168	33,420	5
Female.....	106,753	3	-	3	10	77	599	2,242	5,102	10,969	30,487	57,259	2
White, both sexes.....	194,461	3	1	6	36	301	1,937	7,129	14,515	25,994	60,609	83,923	7
Male.....	100,009	3	1	4	31	246	1,521	5,516	10,610	17,037	33,773	31,262	5
Female.....	94,452	-	-	2	5	55	416	1,613	3,905	8,957	26,836	52,661	2
Black, both sexes.....	19,858	5	-	-	15	78	462	1,683	2,804	3,955	5,601	5,255	-
Male.....	9,620	2	-	-	10	58	294	1,114	1,741	2,254	2,632	1,515	-
Female.....	10,238	3	-	-	5	20	168	569	1,063	1,701	2,969	3,740	-
American Indian 1/, both sexes.....	846	-	-	-	-	3	25	72	140	200	234	172	-
Male.....	472	-	-	-	-	3	20	54	95	127	117	56	-
Female.....	374	-	-	-	-	-	5	18	45	73	117	116	-
Asian or Pacific Islander 2/, both sexes	3,836	1	-	1	-	19	66	186	378	645	1,211	1,329	-
Male.....	2,147	1	-	-	-	17	56	144	289	407	646	587	-
Female.....	1,689	-	-	1	-	2	10	42	89	238	565	742	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other heart diseases (I26-I51)</b>													
All races, both sexes.....	170,248	320	154	231	873	1,903	4,135	9,164	14,030	21,240	47,065	71,126	7
Male.....	75,221	169	84	130	555	1,217	2,540	5,793	8,550	11,806	21,780	22,591	6
Female.....	95,027	151	70	101	318	686	1,595	3,371	5,480	9,434	25,285	48,535	1
White, both sexes.....	147,421	192	105	158	587	1,200	2,787	6,482	10,721	17,357	41,846	65,982	4
Male.....	64,243	100	57	92	388	787	1,728	4,152	6,622	9,746	19,568	21,000	3
Female.....	83,178	92	48	66	199	413	1,059	2,330	4,099	7,611	22,278	44,982	1
Black, both sexes.....	19,805	109	42	60	253	637	1,222	2,444	2,984	3,396	4,437	4,218	3
Male.....	9,467	59	25	33	146	386	726	1,484	1,726	1,789	1,857	1,233	3
Female.....	10,338	50	17	27	107	251	496	960	1,258	1,607	2,580	2,985	-
American Indian 1/, both sexes.....	686	7	-	2	12	16	58	83	107	123	149	129	-
Male.....	356	3	-	-	4	9	41	56	65	71	65	42	-
Female.....	330	4	-	2	8	7	17	27	42	52	84	87	-
Asian or Pacific Islander 2/, both sexes	2,336	12	7	11	21	50	68	155	218	364	633	797	-
Male.....	1,155	7	2	5	17	35	45	101	137	200	290	316	-
Female.....	1,181	5	5	6	4	15	23	54	81	164	343	481	-
<b>Acute and subacute endocarditis (I33)</b>													
All races, both sexes.....	1,216	-	1	2	10	33	85	203	228	219	319	116	-
Male.....	660	-	-	1	4	18	51	140	142	120	145	39	-
Female.....	556	-	1	1	6	15	34	63	86	99	174	77	-
White, both sexes.....	958	-	1	2	9	22	62	140	159	184	278	101	-
Male.....	518	-	-	1	4	12	36	96	101	102	128	38	-
Female.....	440	-	1	1	5	10	26	44	58	82	150	63	-
Black, both sexes.....	228	-	-	-	1	11	20	56	62	30	35	13	-
Male.....	122	-	-	-	-	6	12	37	37	15	15	-	-
Female.....	106	-	-	-	1	5	8	19	25	15	20	13	-
American Indian 1/, both sexes.....	9	-	-	-	-	-	2	3	1	2	1	-	-
Male.....	6	-	-	-	-	-	2	3	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes	21	-	-	-	-	-	1	4	6	3	5	2	-
Male.....	14	-	-	-	-	-	1	4	4	2	2	1	-
Female.....	7	-	-	-	-	-	-	-	2	1	3	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Diseases of pericardium and acute myocarditis (I30-I31,I40)</b>													
All races, both sexes.....	816	18	24	21	36	48	78	107	122	116	151	95	-
Male.....	431	12	14	8	19	30	45	68	71	63	71	30	-
Female.....	385	6	10	13	17	18	33	39	51	53	80	65	-
White, both sexes.....	675	11	19	12	27	38	58	82	103	99	138	88	-
Male.....	364	7	11	6	15	25	32	53	64	55	68	28	-
Female.....	311	4	8	6	12	13	26	29	39	44	70	60	-
Black, both sexes.....	109	5	4	4	8	9	14	22	15	13	11	4	-
Male.....	55	3	3	1	3	4	10	14	6	8	2	1	-
Female.....	54	2	1	3	5	5	4	8	9	5	9	3	-
American Indian 1/, both sexes.....	10	-	-	1	-	1	3	2	1	1	1	-	-
Male.....	4	-	-	-	-	1	2	1	-	-	-	-	-
Female.....	6	-	-	1	-	-	1	1	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes	22	2	1	4	1	-	3	1	3	3	1	3	-
Male.....	8	2	-	1	1	-	1	-	1	-	1	1	-
Female.....	14	-	1	3	-	-	2	1	2	3	-	2	-
<b>Heart failure (I50)</b>													
All races, both sexes.....	60,337	19	9	12	37	86	332	1,225	2,801	5,960	17,309	32,544	3
Male.....	23,918	11	5	5	22	56	199	780	1,648	3,202	7,875	10,113	2
Female.....	36,419	8	4	7	15	30	133	445	1,153	2,758	9,434	22,431	1
White, both sexes.....	53,980	8	8	8	18	38	192	757	2,123	4,936	15,566	30,323	3
Male.....	21,236	4	4	3	10	26	109	490	1,284	2,674	7,164	9,466	2
Female.....	32,744	4	4	5	8	12	83	267	839	2,262	8,402	20,857	1
Black, both sexes.....	5,564	11	1	4	17	44	128	434	627	930	1,499	1,869	-
Male.....	2,335	7	1	2	12	27	78	267	337	476	609	519	-
Female.....	3,229	4	-	2	5	17	50	167	290	454	890	1,350	-
American Indian 1/, both sexes.....	218	-	-	-	2	1	9	15	22	40	65	64	-
Male.....	101	-	-	-	-	-	9	8	12	24	24	24	-
Female.....	117	-	-	-	2	1	-	7	10	16	41	40	-
Asian or Pacific Islander 2/, both sexes	575	-	-	-	-	3	3	19	29	54	179	288	-
Male.....	246	-	-	-	-	3	3	15	15	28	78	104	-
Female.....	329	-	-	-	-	-	-	4	14	26	101	184	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)</b>													
All races, both sexes.....	107,879	283	120	196	790	1,736	3,640	7,629	10,879	14,945	29,286	38,371	4
Male.....	50,212	146	65	116	510	1,113	2,245	4,805	6,689	8,421	13,689	12,409	4
Female.....	57,667	137	55	80	280	623	1,395	2,824	4,190	6,524	15,597	25,962	-
White, both sexes.....	91,808	173	77	136	533	1,102	2,475	5,503	8,336	12,138	25,864	35,470	1
Male.....	42,125	89	42	82	359	724	1,551	3,513	5,173	6,915	12,208	11,468	1
Female.....	49,683	84	35	54	174	378	924	1,990	3,163	5,223	13,656	24,002	-
Black, both sexes.....	13,904	93	37	52	227	573	1,060	1,932	2,280	2,423	2,892	2,332	3
Male.....	6,955	49	21	30	131	349	626	1,166	1,346	1,290	1,231	713	3
Female.....	6,949	44	16	22	96	224	434	766	934	1,133	1,661	1,619	-
American Indian 1/, both sexes.....	449	7	-	1	10	14	44	63	83	80	82	65	-
Male.....	245	3	-	-	4	8	28	44	53	46	41	18	-
Female.....	204	4	-	1	6	6	16	19	30	34	41	47	-
Asian or Pacific Islander 2/, both sexes	1,718	10	6	7	20	47	61	131	180	304	448	504	-
Male.....	887	5	2	4	16	32	40	82	117	170	209	210	-
Female.....	831	5	4	3	4	15	21	49	63	134	239	294	-
<b>Essential hypertension and hypertensive renal disease (I10,I12,I15)</b>													
All races, both sexes.....	23,855	-	1	3	21	110	385	1,299	2,178	3,174	6,654	10,030	-
Male.....	9,415	-	-	2	11	66	242	813	1,273	1,606	2,714	2,688	-
Female.....	14,440	-	1	1	10	44	143	486	905	1,568	3,940	7,342	-
White, both sexes.....	18,264	-	1	3	10	44	164	693	1,361	2,180	5,266	8,542	-
Male.....	6,990	-	-	2	4	28	109	458	827	1,098	2,164	2,300	-
Female.....	11,274	-	1	1	6	16	55	235	534	1,082	3,102	6,242	-
Black, both sexes.....	4,900	-	-	-	10	64	209	570	740	887	1,193	1,227	-
Male.....	2,126	-	-	-	6	36	127	332	404	450	467	304	-
Female.....	2,774	-	-	-	4	28	82	238	336	437	726	923	-
American Indian 1/, both sexes.....	106	-	-	-	1	-	4	10	13	22	23	33	-
Male.....	52	-	-	-	1	-	2	9	7	13	11	9	-
Female.....	54	-	-	-	-	-	2	1	6	9	12	24	-
Asian or Pacific Islander 2/, both sexes	585	-	-	-	-	2	8	26	64	85	172	228	-
Male.....	247	-	-	-	-	2	4	14	35	45	72	75	-
Female.....	338	-	-	-	-	-	4	12	29	40	100	153	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Cerebrovascular diseases (I60-I69)</b>													
All races, both sexes.....	137,119	142	54	95	210	527	2,221	6,341	10,518	18,223	43,719	55,068	1
Male.....	54,524	83	26	56	115	290	1,163	3,482	5,897	9,363	18,307	15,742	-
Female.....	82,595	59	28	39	95	237	1,058	2,859	4,621	8,860	25,412	39,326	1
White, both sexes.....	115,864	89	39	67	159	345	1,389	4,135	7,417	14,230	37,984	50,009	1
Male.....	45,198	48	16	46	91	195	749	2,279	4,110	7,312	16,041	14,311	-
Female.....	70,666	41	23	21	68	150	640	1,856	3,307	6,918	21,943	35,698	1
Black, both sexes.....	17,045	49	12	21	44	151	697	1,919	2,613	3,209	4,442	3,888	-
Male.....	7,424	33	8	7	20	75	342	1,044	1,523	1,644	1,741	987	-
Female.....	9,621	16	4	14	24	76	355	875	1,090	1,565	2,701	2,901	-
American Indian 1/, both sexes.....	548	2	2	2	3	5	31	52	66	105	147	133	-
Male.....	231	1	2	1	1	3	21	33	44	50	48	27	-
Female.....	317	1	-	1	2	2	10	19	22	55	99	106	-
Asian or Pacific Islander 2/, both sexes	3,662	2	1	5	4	26	104	235	422	679	1,146	1,038	-
Male.....	1,671	1	-	2	3	17	51	126	220	357	477	417	-
Female.....	1,991	1	1	3	1	9	53	109	202	322	669	621	-
<b>Atherosclerosis (I70)</b>													
All races, both sexes.....	8,652	2	1	-	1	7	31	140	388	849	2,469	4,764	-
Male.....	3,359	1	-	-	1	5	21	99	244	463	1,085	1,440	-
Female.....	5,293	1	1	-	-	2	10	41	144	386	1,384	3,324	-
White, both sexes.....	7,820	2	-	-	1	5	21	104	315	720	2,217	4,435	-
Male.....	2,992	1	-	-	1	3	13	78	199	389	971	1,337	-
Female.....	4,828	1	-	-	-	2	8	26	116	331	1,246	3,098	-
Black, both sexes.....	709	-	1	-	-	2	9	29	68	115	209	276	-
Male.....	312	-	-	-	-	2	7	17	43	65	94	84	-
Female.....	397	-	1	-	-	-	2	12	25	50	115	192	-
American Indian 1/, both sexes.....	27	-	-	-	-	-	-	4	1	4	7	11	-
Male.....	6	-	-	-	-	-	-	2	1	2	-	1	-
Female.....	21	-	-	-	-	-	-	2	-	2	7	10	-
Asian or Pacific Islander 2/, both sexes	96	-	-	-	-	-	1	3	4	10	36	42	-
Male.....	49	-	-	-	-	-	1	2	1	7	20	18	-
Female.....	47	-	-	-	-	-	-	1	3	3	16	24	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other diseases of circulatory system (I71-I78)</b>													
All races, both sexes.....	22,484	18	1	12	68	148	444	1,162	2,153	4,104	7,569	6,805	-
Male.....	11,836	12	-	9	44	106	319	806	1,464	2,513	3,947	2,616	-
Female.....	10,648	6	1	3	24	42	125	356	689	1,591	3,622	4,189	-
White, both sexes.....	19,497	13	1	9	55	105	311	833	1,738	3,529	6,732	6,171	-
Male.....	10,373	9	-	9	35	77	223	596	1,199	2,200	3,601	2,424	-
Female.....	9,124	4	1	-	20	28	88	237	539	1,329	3,131	3,747	-
Black, both sexes.....	2,482	5	-	2	11	37	116	294	370	477	660	510	-
Male.....	1,184	3	-	-	8	26	81	189	235	261	250	131	-
Female.....	1,298	2	-	2	3	11	35	105	135	216	410	379	-
American Indian 1/, both sexes.....	79	-	-	-	1	-	2	6	11	23	27	9	-
Male.....	34	-	-	-	-	-	2	3	5	9	12	3	-
Female.....	45	-	-	-	1	-	-	3	6	14	15	6	-
Asian or Pacific Islander 2/, both sexes	426	-	-	1	1	6	15	29	34	75	150	115	-
Male.....	245	-	-	-	1	3	13	18	25	43	84	58	-
Female.....	181	-	-	1	-	3	2	11	9	32	66	57	-
<b>Aortic aneurysm and dissection (I71)</b>													
All races, both sexes.....	13,238	2	-	7	43	107	340	795	1,366	2,635	4,622	3,321	-
Male.....	7,732	1	-	7	32	87	269	600	1,004	1,687	2,566	1,479	-
Female.....	5,506	1	-	-	11	20	71	195	362	948	2,056	1,842	-
White, both sexes.....	11,613	-	-	7	36	74	240	561	1,122	2,302	4,213	3,058	-
Male.....	6,836	-	-	7	27	62	194	443	843	1,499	2,386	1,375	-
Female.....	4,777	-	-	-	9	12	46	118	279	803	1,827	1,683	-
Black, both sexes.....	1,267	2	-	-	6	28	85	207	213	259	285	182	-
Male.....	678	1	-	-	5	22	62	140	138	143	110	57	-
Female.....	589	1	-	-	1	6	23	67	75	116	175	125	-
American Indian 1/, both sexes.....	38	-	-	-	1	-	-	3	4	11	13	6	-
Male.....	20	-	-	-	-	-	-	2	3	5	8	2	-
Female.....	18	-	-	-	1	-	-	1	1	6	5	4	-
Asian or Pacific Islander 2/, both sexes	320	-	-	-	-	5	15	24	27	63	111	75	-
Male.....	198	-	-	-	-	3	13	15	20	40	62	45	-
Female.....	122	-	-	-	-	2	2	9	7	23	49	30	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Other diseases of arteries, arterioles and capillaries (I72-I78)</b>													
All races, both sexes.....	9,246	16	1	5	25	41	104	367	787	1,469	2,947	3,484	-
Male.....	4,104	11	-	2	12	19	50	206	460	826	1,381	1,137	-
Female.....	5,142	5	1	3	13	22	54	161	327	643	1,566	2,347	-
White, both sexes.....	7,884	13	1	2	19	31	71	272	616	1,227	2,519	3,113	-
Male.....	3,537	9	-	2	8	15	29	153	356	701	1,215	1,049	-
Female.....	4,347	4	1	-	11	16	42	119	260	526	1,304	2,064	-
Black, both sexes.....	1,215	3	-	2	5	9	31	87	157	218	375	328	-
Male.....	506	2	-	-	3	4	19	49	97	118	140	74	-
Female.....	709	1	-	2	2	5	12	38	60	100	235	254	-
American Indian 1/, both sexes.....	41	-	-	-	-	-	2	3	7	12	14	3	-
Male.....	14	-	-	-	-	-	2	1	2	4	4	1	-
Female.....	27	-	-	-	-	-	-	2	5	8	10	2	-
Asian or Pacific Islander 2/, both sexes	106	-	-	1	1	1	-	5	7	12	39	40	-
Male.....	47	-	-	-	1	-	-	3	5	3	22	13	-
Female.....	59	-	-	1	-	1	-	2	2	9	17	27	-
<b>Other disorders of circulatory system (I80-I99)</b>													
All races, both sexes.....	3,995	35	3	5	46	114	278	537	540	553	908	976	-
Male.....	1,772	18	1	3	19	54	149	323	314	248	369	274	-
Female.....	2,223	17	2	2	27	60	129	214	226	305	539	702	-
White, both sexes.....	3,213	29	3	3	28	72	179	377	419	456	784	863	-
Male.....	1,414	14	1	2	9	33	104	233	250	209	315	244	-
Female.....	1,799	15	2	1	19	39	75	144	169	247	469	619	-
Black, both sexes.....	713	4	-	2	18	41	92	148	110	88	111	99	-
Male.....	324	2	-	1	10	20	40	85	60	38	43	25	-
Female.....	389	2	-	1	8	21	52	63	50	50	68	74	-
American Indian 1/, both sexes.....	22	1	-	-	-	1	3	6	3	3	1	4	-
Male.....	8	1	-	-	-	1	2	3	-	-	-	1	-
Female.....	14	-	-	-	-	-	1	3	3	3	1	3	-
Asian or Pacific Islander 2/, both sexes	47	1	-	-	-	-	4	6	8	6	12	10	-
Male.....	26	1	-	-	-	-	3	2	4	1	11	4	-
Female.....	21	-	-	-	-	-	1	4	4	5	1	6	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Influenza and pneumonia (J10-J18)</b>													
All races, both sexes.....	56,326	263	125	68	184	335	841	2,007	3,154	6,061	16,668	26,617	3
Male.....	25,650	163	63	35	101	175	462	1,186	1,877	3,371	8,315	9,900	2
Female.....	30,676	100	62	33	83	160	379	821	1,277	2,690	8,353	16,717	1
White, both sexes.....	49,401	161	83	53	138	238	628	1,492	2,557	5,061	14,750	24,237	3
Male.....	22,310	103	43	31	75	128	349	874	1,522	2,810	7,382	8,991	2
Female.....	27,091	58	40	22	63	110	279	618	1,035	2,251	7,368	15,246	1
Black, both sexes.....	5,311	90	34	9	41	77	186	457	511	806	1,425	1,675	-
Male.....	2,486	55	16	3	23	37	98	276	306	438	669	565	-
Female.....	2,825	35	18	6	18	40	88	181	205	368	756	1,110	-
American Indian 1/, both sexes.....	267	3	4	2	3	7	16	24	26	40	67	75	-
Male.....	137	-	3	-	1	2	10	14	11	27	36	33	-
Female.....	130	3	1	2	2	5	6	10	15	13	31	42	-
Asian or Pacific Islander 2/, both sexes	1,347	9	4	4	2	13	11	34	60	154	426	630	-
Male.....	717	5	1	1	2	8	5	22	38	96	228	311	-
Female.....	630	4	3	3	-	5	6	12	22	58	198	319	-
<b>Influenza (J10-J11)</b>													
All races, both sexes.....	849	18	19	25	13	6	10	26	43	81	236	372	-
Male.....	362	11	12	11	5	4	4	13	20	42	104	136	-
Female.....	487	7	7	14	8	2	6	13	23	39	132	236	-
White, both sexes.....	788	13	11	20	9	4	8	23	41	75	225	359	-
Male.....	332	9	8	9	2	3	3	12	19	40	97	130	-
Female.....	456	4	3	11	7	1	5	11	22	35	128	229	-
Black, both sexes.....	41	5	4	1	3	2	1	3	2	3	10	7	-
Male.....	21	2	3	1	2	1	-	1	1	1	6	3	-
Female.....	20	3	1	-	1	1	1	2	1	2	4	4	-
American Indian 1/, both sexes.....	3	-	-	1	-	-	1	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes	17	-	4	3	1	-	-	-	-	3	1	5	-
Male.....	8	-	1	1	1	-	-	-	-	1	1	3	-
Female.....	9	-	3	2	-	-	-	-	-	2	-	2	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Pneumonia (J12-J18)</b>													
All races, both sexes.....	55,477	245	106	43	171	329	831	1,981	3,111	5,980	16,432	26,245	3
Male.....	25,288	152	51	24	96	171	458	1,173	1,857	3,329	8,211	9,764	2
Female.....	30,189	93	55	19	75	158	373	808	1,254	2,651	8,221	16,481	1
White, both sexes.....	48,613	148	72	33	129	234	620	1,469	2,516	4,986	14,525	23,878	3
Male.....	21,978	94	35	22	73	125	346	862	1,503	2,770	7,285	8,861	2
Female.....	26,635	54	37	11	56	109	274	607	1,013	2,216	7,240	15,017	1
Black, both sexes.....	5,270	85	30	8	38	75	185	454	509	803	1,415	1,668	-
Male.....	2,465	53	13	2	21	36	98	275	305	437	663	562	-
Female.....	2,805	32	17	6	17	39	87	179	204	366	752	1,106	-
American Indian 1/, both sexes.....	264	3	4	1	3	7	15	24	26	40	67	74	-
Male.....	136	-	3	-	1	2	9	14	11	27	36	33	-
Female.....	128	3	1	1	2	5	6	10	15	13	31	41	-
Asian or Pacific Islander 2/, both sexes	1,330	9	-	1	1	13	11	34	60	151	425	625	-
Male.....	709	5	-	-	1	8	5	22	38	95	227	308	-
Female.....	621	4	-	1	-	5	6	12	22	56	198	317	-
<b>Other acute lower respiratory infections (J20-J22)</b>													
All races, both sexes.....	297	52	14	3	4	-	8	10	13	24	61	108	-
Male.....	119	30	6	-	4	-	4	7	6	8	23	31	-
Female.....	178	22	8	3	-	-	4	3	7	16	38	77	-
White, both sexes.....	251	35	8	2	3	-	6	6	8	22	57	104	-
Male.....	93	21	3	-	3	-	3	4	3	7	20	29	-
Female.....	158	14	5	2	-	-	3	2	5	15	37	75	-
Black, both sexes.....	37	14	5	1	1	-	2	3	5	2	2	2	-
Male.....	22	7	3	-	1	-	1	2	3	1	2	2	-
Female.....	15	7	2	1	-	-	1	1	2	1	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	3	1	-	-	-	-	-	-	-	1	2	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	1	1	-	-	-	-	-	-	-	1	2	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Chronic lower respiratory diseases (J40-J47)</b>													
All races, both sexes.....	124,583	30	43	115	151	255	841	3,924	12,375	28,236	47,406	31,203	4
Male.....	59,260	20	29	78	93	137	396	1,958	6,382	14,152	23,167	12,845	3
Female.....	65,323	10	14	37	58	118	445	1,966	5,993	14,084	24,239	18,358	1
White, both sexes.....	114,993	15	26	42	69	141	591	3,236	11,000	26,055	44,390	29,425	3
Male.....	54,043	10	17	32	40	70	282	1,604	5,595	12,916	21,486	11,989	2
Female.....	60,950	5	9	10	29	71	309	1,632	5,405	13,139	22,904	17,436	1
Black, both sexes.....	7,730	11	15	69	75	108	226	621	1,205	1,818	2,303	1,279	-
Male.....	4,136	6	12	44	47	61	103	319	690	1,028	1,253	573	-
Female.....	3,594	5	3	25	28	47	123	302	515	790	1,050	706	-
American Indian 1/, both sexes.....	508	2	-	2	1	1	12	33	86	137	166	68	-
Male.....	234	2	-	1	1	1	7	15	44	62	73	28	-
Female.....	274	-	-	1	-	-	5	18	42	75	93	40	-
Asian or Pacific Islander 2/, both sexes	1,352	2	2	2	6	5	12	34	84	226	547	431	1
Male.....	847	2	-	1	5	5	4	20	53	146	355	255	1
Female.....	505	-	2	1	1	-	8	14	31	80	192	176	-
<b>Bronchitis, chronic and unspecified (J40-J42)</b>													
All races, both sexes.....	740	19	12	2	9	5	10	27	49	89	200	318	-
Male.....	299	12	9	1	6	4	9	13	23	40	82	100	-
Female.....	441	7	3	1	3	1	1	14	26	49	118	218	-
White, both sexes.....	657	9	9	1	8	4	8	21	42	80	178	297	-
Male.....	259	6	7	-	5	4	7	9	18	36	71	96	-
Female.....	398	3	2	1	3	-	1	12	24	44	107	201	-
Black, both sexes.....	66	8	3	1	-	1	2	5	7	9	16	14	-
Male.....	31	4	2	1	-	-	2	3	5	4	8	2	-
Female.....	35	4	1	-	-	1	-	2	2	5	8	12	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes	15	2	-	-	1	-	-	1	-	-	5	6	-
Male.....	9	2	-	-	1	-	-	1	-	-	3	2	-
Female.....	6	-	-	-	-	-	-	-	-	-	2	4	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Emphysema (J43)</b>													
All races, both sexes.....	12,551	2	-	2	1	9	86	454	1,523	3,273	4,799	2,400	2
Male.....	6,318	2	-	1	-	6	49	267	811	1,697	2,408	1,075	2
Female.....	6,233	-	-	1	1	3	37	187	712	1,576	2,391	1,325	-
White, both sexes.....	11,689	1	-	1	1	7	66	396	1,379	3,049	4,511	2,276	2
Male.....	5,784	1	-	1	-	4	38	221	709	1,567	2,230	1,011	2
Female.....	5,905	-	-	-	1	3	28	175	670	1,482	2,281	1,265	-
Black, both sexes.....	707	1	-	-	-	1	20	51	136	181	225	92	-
Male.....	430	1	-	-	-	1	11	40	96	104	132	45	-
Female.....	277	-	-	-	-	-	9	11	40	77	93	47	-
American Indian 1/, both sexes.....	32	-	-	-	-	1	-	2	3	13	10	3	-
Male.....	16	-	-	-	-	1	-	2	2	5	6	-	-
Female.....	16	-	-	-	-	-	-	-	1	8	4	3	-
Asian or Pacific Islander 2/, both sexes	123	-	-	1	-	-	-	5	5	30	53	29	-
Male.....	88	-	-	-	-	-	-	4	4	21	40	19	-
Female.....	35	-	-	1	-	-	-	1	1	9	13	10	-
<b>Asthma (J45-J46)</b>													
All races, both sexes.....	3,613	6	26	99	135	194	373	566	492	443	626	653	-
Male.....	1,296	3	17	71	82	105	155	211	168	146	185	153	-
Female.....	2,317	3	9	28	53	89	218	355	324	297	441	500	-
White, both sexes.....	2,497	4	13	33	55	98	220	341	311	320	525	577	-
Male.....	805	2	7	27	31	48	90	115	95	99	153	138	-
Female.....	1,692	2	6	6	24	50	130	226	216	221	372	439	-
Black, both sexes.....	957	2	12	63	74	91	139	204	164	99	61	48	-
Male.....	423	1	10	42	46	52	62	84	68	35	16	7	-
Female.....	534	1	2	21	28	39	77	120	96	64	45	41	-
American Indian 1/, both sexes.....	20	-	-	2	1	-	5	3	2	4	2	1	-
Male.....	7	-	-	1	1	-	1	1	-	1	2	-	-
Female.....	13	-	-	1	-	-	4	2	2	3	-	1	-
Asian or Pacific Islander 2/, both sexes	139	-	1	1	5	5	9	18	15	20	38	27	-
Male.....	61	-	-	1	4	5	2	11	5	11	14	8	-
Female.....	78	-	1	-	1	-	7	7	10	9	24	19	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Pneumonitis due to solids and liquids (J69)</b>													
All races, both sexes.....	16,887	11	9	13	30	78	166	437	855	1,750	5,284	8,254	-
Male.....	8,916	5	3	11	15	53	103	272	537	1,092	3,029	3,796	-
Female.....	7,971	6	6	2	15	25	63	165	318	658	2,255	4,458	-
White, both sexes.....	15,136	7	6	10	19	57	126	359	721	1,464	4,751	7,616	-
Male.....	7,984	2	1	8	10	38	79	227	453	916	2,726	3,524	-
Female.....	7,152	5	5	2	9	19	47	132	268	548	2,025	4,092	-
Black, both sexes.....	1,439	4	-	3	9	20	37	73	119	250	429	495	-
Male.....	757	3	-	3	4	14	22	40	75	155	247	194	-
Female.....	682	1	-	-	5	6	15	33	44	95	182	301	-
American Indian 1/, both sexes.....	68	-	-	-	1	1	2	3	7	15	16	23	-
Male.....	39	-	-	-	-	1	1	3	4	9	8	13	-
Female.....	29	-	-	-	1	-	1	-	3	6	8	10	-
Asian or Pacific Islander 2/, both sexes	244	-	3	-	1	-	1	2	8	21	88	120	-
Male.....	136	-	2	-	1	-	1	2	5	12	48	65	-
Female.....	108	-	1	-	-	-	-	-	3	9	40	55	-
<b>Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)</b>													
All races, both sexes.....	27,644	334	97	70	103	204	523	1,354	2,805	5,344	9,572	7,238	-
Male.....	13,728	195	61	38	66	96	269	699	1,573	3,033	4,934	2,764	-
Female.....	13,916	139	36	32	37	108	254	655	1,232	2,311	4,638	4,474	-
White, both sexes.....	24,463	182	66	50	70	158	377	1,009	2,299	4,726	8,800	6,726	-
Male.....	12,183	99	42	26	43	72	195	541	1,327	2,705	4,571	2,562	-
Female.....	12,280	83	24	24	27	86	182	468	972	2,021	4,229	4,164	-
Black, both sexes.....	2,442	132	22	17	30	43	125	304	418	459	525	367	-
Male.....	1,168	82	15	10	21	21	62	135	201	246	245	130	-
Female.....	1,274	50	7	7	9	22	63	169	217	213	280	237	-
American Indian 1/, both sexes.....	225	9	4	2	1	1	8	20	34	53	60	33	-
Male.....	110	7	2	1	-	1	3	13	13	25	31	14	-
Female.....	115	2	2	1	1	-	5	7	21	28	29	19	-
Asian or Pacific Islander 2/, both sexes	514	11	5	1	2	2	13	21	54	106	187	112	-
Male.....	267	7	2	1	2	2	9	10	32	57	87	58	-
Female.....	247	4	3	-	-	-	4	11	22	49	100	54	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Peptic ulcer (K25-K28)</b>													
All races, both sexes.....	3,323	1	-	1	8	18	73	285	383	520	937	1,097	-
Male.....	1,591	-	-	-	5	10	43	196	250	280	436	371	-
Female.....	1,732	1	-	1	3	8	30	89	133	240	501	726	-
White, both sexes.....	2,857	1	-	-	5	13	49	207	307	429	837	1,009	-
Male.....	1,321	-	-	-	4	6	25	136	203	225	388	334	-
Female.....	1,536	1	-	-	1	7	24	71	104	204	449	675	-
Black, both sexes.....	361	-	-	1	3	4	22	68	66	67	73	57	-
Male.....	209	-	-	-	1	3	16	53	40	43	34	19	-
Female.....	152	-	-	1	2	1	6	15	26	24	39	38	-
American Indian 1/, both sexes.....	17	-	-	-	-	1	1	2	2	5	5	1	-
Male.....	15	-	-	-	-	1	1	2	2	5	3	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes	88	-	-	-	-	-	1	8	8	19	22	30	-
Male.....	46	-	-	-	-	-	1	5	5	7	11	17	-
Female.....	42	-	-	-	-	-	-	3	3	12	11	13	-
<b>Diseases of appendix (K35-K38)</b>													
All races, both sexes.....	424	3	4	10	8	11	24	33	58	83	99	91	-
Male.....	253	1	1	6	6	6	19	21	33	57	65	38	-
Female.....	171	2	3	4	2	5	5	12	25	26	34	53	-
White, both sexes.....	350	2	3	5	6	7	20	23	41	72	86	85	-
Male.....	208	-	1	2	6	4	17	15	25	48	55	35	-
Female.....	142	2	2	3	-	3	3	8	16	24	31	50	-
Black, both sexes.....	59	-	1	2	2	4	4	8	16	7	11	4	-
Male.....	33	-	-	2	-	2	2	5	7	5	9	1	-
Female.....	26	-	1	-	2	2	2	3	9	2	2	3	-
American Indian 1/, both sexes.....	5	-	-	2	-	-	-	2	-	-	1	-	-
Male.....	3	-	-	1	-	-	-	1	-	-	1	-	-
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	10	1	-	1	-	-	-	-	1	4	1	2	-
Male.....	9	1	-	1	-	-	-	-	1	4	-	2	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Hernia (K40-K46)</b>													
All races, both sexes.....	1,744	34	3	2	7	9	40	87	178	234	510	640	-
Male.....	739	20	2	1	5	6	22	45	83	112	215	228	-
Female.....	1,005	14	1	1	2	3	18	42	95	122	295	412	-
White, both sexes.....	1,547	27	3	1	6	7	30	69	154	200	452	598	-
Male.....	654	16	2	-	5	6	18	38	71	96	189	213	-
Female.....	893	11	1	1	1	1	12	31	83	104	263	385	-
Black, both sexes.....	172	4	-	1	-	2	10	18	24	31	46	36	-
Male.....	72	2	-	1	-	-	4	7	12	14	19	13	-
Female.....	100	2	-	-	-	2	6	11	12	17	27	23	-
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	3	5	-	-
Male.....	5	-	-	-	-	-	-	-	-	2	3	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	2	-	-
Asian or Pacific Islander 2/, both sexes	17	3	-	-	1	-	-	-	-	-	7	6	-
Male.....	8	2	-	-	-	-	-	-	-	-	4	2	-
Female.....	9	1	-	-	1	-	-	-	-	-	3	4	-
<b>Chronic liver disease and cirrhosis (K70,K73-K74)</b>													
All races, both sexes.....	27,555	5	3	-	26	316	2,551	7,712	7,217	4,917	3,778	1,026	4
Male.....	17,866	2	3	-	14	215	1,666	5,517	5,095	3,008	1,902	441	3
Female.....	9,689	3	-	-	12	101	885	2,195	2,122	1,909	1,876	585	1
White, both sexes.....	24,191	3	2	-	17	250	2,136	6,610	6,285	4,424	3,499	961	4
Male.....	15,739	2	2	-	10	174	1,424	4,772	4,464	2,708	1,766	414	3
Female.....	8,452	1	-	-	7	76	712	1,838	1,821	1,716	1,733	547	1
Black, both sexes.....	2,349	2	1	-	6	22	256	804	710	340	167	41	-
Male.....	1,519	-	1	-	3	9	155	542	481	220	91	17	-
Female.....	830	2	-	-	3	13	101	262	229	120	76	24	-
American Indian 1/, both sexes.....	596	-	-	-	3	31	121	201	135	73	25	7	-
Male.....	330	-	-	-	1	21	59	119	82	37	10	1	-
Female.....	266	-	-	-	2	10	62	82	53	36	15	6	-
Asian or Pacific Islander 2/, both sexes	419	-	-	-	-	13	38	97	87	80	87	17	-
Male.....	278	-	-	-	-	11	28	84	68	43	35	9	-
Female.....	141	-	-	-	-	2	10	13	19	37	52	8	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Alcoholic liver disease (K70)</b>													
All races, both sexes.....	13,050	-	-	-	14	245	1,732	4,562	3,823	1,783	773	117	1
Male.....	9,443	-	-	-	6	175	1,122	3,295	2,870	1,357	538	79	1
Female.....	3,607	-	-	-	8	70	610	1,267	953	426	235	38	-
White, both sexes.....	11,413	-	-	-	8	191	1,467	3,961	3,381	1,579	713	112	1
Male.....	8,346	-	-	-	3	140	977	2,887	2,558	1,206	499	75	1
Female.....	3,067	-	-	-	5	51	490	1,074	823	373	214	37	-
Black, both sexes.....	1,045	-	-	-	3	17	143	393	303	141	42	3	-
Male.....	712	-	-	-	2	8	83	269	214	105	28	3	-
Female.....	333	-	-	-	1	9	60	124	89	36	14	-	-
American Indian 1/, both sexes.....	426	-	-	-	3	29	95	155	96	39	9	-	-
Male.....	246	-	-	-	1	20	43	91	61	25	5	-	-
Female.....	180	-	-	-	2	9	52	64	35	14	4	-	-
Asian or Pacific Islander 2/, both sexes	166	-	-	-	-	8	27	53	43	24	9	2	-
Male.....	139	-	-	-	-	7	19	48	37	21	6	1	-
Female.....	27	-	-	-	-	1	8	5	6	3	3	1	-
<b>Other chronic liver disease and cirrhosis (K73-K74)</b>													
All races, both sexes.....	14,505	5	3	-	12	71	819	3,150	3,394	3,134	3,005	909	3
Male.....	8,423	2	3	-	8	40	544	2,222	2,225	1,651	1,364	362	2
Female.....	6,082	3	-	-	4	31	275	928	1,169	1,483	1,641	547	1
White, both sexes.....	12,778	3	2	-	9	59	669	2,649	2,904	2,845	2,786	849	3
Male.....	7,393	2	2	-	7	34	447	1,885	1,906	1,502	1,267	339	2
Female.....	5,385	1	-	-	2	25	222	764	998	1,343	1,519	510	1
Black, both sexes.....	1,304	2	1	-	3	5	113	411	407	199	125	38	-
Male.....	807	-	1	-	1	1	72	273	267	115	63	14	-
Female.....	497	2	-	-	2	4	41	138	140	84	62	24	-
American Indian 1/, both sexes.....	170	-	-	-	-	2	26	46	39	34	16	7	-
Male.....	84	-	-	-	-	1	16	28	21	12	5	1	-
Female.....	86	-	-	-	-	1	10	18	18	22	11	6	-
Asian or Pacific Islander 2/, both sexes	253	-	-	-	-	5	11	44	44	56	78	15	-
Male.....	139	-	-	-	-	4	9	36	31	22	29	8	-
Female.....	114	-	-	-	-	1	2	8	13	34	49	7	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Cholelithiasis and other disorders of gallbladder (K80-K82)</b>													
All races, both sexes.....	3,114	-	-	1	9	20	44	125	270	467	1,022	1,156	-
Male.....	1,376	-	-	1	2	8	22	68	133	266	510	366	-
Female.....	1,738	-	-	-	7	12	22	57	137	201	512	790	-
White, both sexes.....	2,671	-	-	1	7	16	31	87	207	361	900	1,061	-
Male.....	1,195	-	-	1	1	6	19	51	100	213	457	347	-
Female.....	1,476	-	-	-	6	10	12	36	107	148	443	714	-
Black, both sexes.....	324	-	-	-	2	2	13	32	46	71	92	66	-
Male.....	117	-	-	-	1	1	3	14	23	28	35	12	-
Female.....	207	-	-	-	1	1	10	18	23	43	57	54	-
American Indian 1/, both sexes.....	24	-	-	-	-	1	-	1	5	8	3	6	-
Male.....	14	-	-	-	-	-	-	-	3	7	2	2	-
Female.....	10	-	-	-	-	1	-	1	2	1	1	4	-
Asian or Pacific Islander 2/, both sexes	95	-	-	-	-	1	-	5	12	27	27	23	-
Male.....	50	-	-	-	-	1	-	3	7	18	16	5	-
Female.....	45	-	-	-	-	-	-	2	5	9	11	18	-
<b>Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)</b>													
All races, both sexes.....	45,344	162	14	18	99	276	785	2,245	4,368	7,453	14,536	15,388	-
Male.....	22,094	101	9	12	56	157	458	1,338	2,442	3,909	7,246	6,366	-
Female.....	23,250	61	5	6	43	119	327	907	1,926	3,544	7,290	9,022	-
White, both sexes.....	35,793	112	12	13	66	158	411	1,334	2,875	5,357	12,060	13,395	-
Male.....	17,715	72	8	8	43	95	252	820	1,659	2,918	6,157	5,683	-
Female.....	18,078	40	4	5	23	63	159	514	1,216	2,439	5,903	7,712	-
Black, both sexes.....	8,397	43	2	2	30	107	336	841	1,346	1,846	2,138	1,706	-
Male.....	3,812	24	1	2	11	57	183	480	717	863	927	547	-
Female.....	4,585	19	1	-	19	50	153	361	629	983	1,211	1,159	-
American Indian 1/, both sexes.....	288	1	-	1	3	7	17	33	52	81	52	41	-
Male.....	135	1	-	1	2	4	10	18	21	36	24	18	-
Female.....	153	-	-	-	1	3	7	15	31	45	28	23	-
Asian or Pacific Islander 2/, both sexes	866	6	-	2	-	4	21	37	95	169	286	246	-
Male.....	432	4	-	1	-	1	13	20	45	92	138	118	-
Female.....	434	2	-	1	-	3	8	17	50	77	148	128	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)</b>													
All races, both sexes.....	138	5	4	4	4	4	4	11	10	17	41	34	-
Male.....	70	4	2	3	1	3	1	9	6	7	18	16	-
Female.....	68	1	2	1	3	1	3	2	4	10	23	18	-
White, both sexes.....	111	3	4	3	2	3	3	5	8	12	37	31	-
Male.....	55	3	2	2	1	2	1	4	5	5	15	15	-
Female.....	56	-	2	1	1	1	2	1	3	7	22	16	-
Black, both sexes.....	20	1	-	-	2	1	1	6	1	4	3	1	-
Male.....	11	1	-	-	-	1	-	5	-	1	2	1	-
Female.....	9	-	-	-	2	-	1	1	1	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	7	1	-	1	-	-	-	-	1	1	1	2	-
Male.....	4	-	-	1	-	-	-	-	1	1	1	-	-
Female.....	3	1	-	-	-	-	-	-	-	-	-	2	-
<b>Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)</b>													
All races, both sexes.....	1,841	3	-	1	6	21	34	82	149	260	575	710	-
Male.....	897	3	-	1	3	14	19	44	89	132	302	290	-
Female.....	944	-	-	-	3	7	15	38	60	128	273	420	-
White, both sexes.....	1,421	3	-	1	5	9	14	47	98	182	466	596	-
Male.....	692	3	-	1	3	6	10	26	55	97	249	242	-
Female.....	729	-	-	-	2	3	4	21	43	85	217	354	-
Black, both sexes.....	349	-	-	-	1	10	12	32	49	70	84	91	-
Male.....	169	-	-	-	-	8	4	16	33	32	39	37	-
Female.....	180	-	-	-	1	2	8	16	16	38	45	54	-
American Indian 1/, both sexes.....	13	-	-	-	-	1	2	-	-	5	3	2	-
Male.....	6	-	-	-	-	-	1	-	-	2	2	1	-
Female.....	7	-	-	-	-	1	1	-	-	3	1	1	-
Asian or Pacific Islander 2/, both sexes	58	-	-	-	-	1	6	3	2	3	22	21	-
Male.....	30	-	-	-	-	-	4	2	1	1	12	10	-
Female.....	28	-	-	-	-	1	2	1	1	2	10	11	-





Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Inflammatory diseases of female pelvic organs (N70-N76)</b>													
All races, both sexes.....	112	1	-	-	2	3	7	13	12	12	35	27	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	112	1	-	-	2	3	7	13	12	12	35	27	-
White, both sexes.....	90	-	-	-	2	1	6	7	9	9	31	25	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	90	-	-	-	2	1	6	7	9	9	31	25	-
Black, both sexes.....	20	1	-	-	-	2	1	5	3	3	3	2	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	20	1	-	-	-	2	1	5	3	3	3	2	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Pregnancy, childbirth and the puerperium (000-099)</b>													
All races, both sexes.....	760	...	...	2	179	324	192	59	3	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	760	...	...	2	179	324	192	59	3	-	-	1	-
White, both sexes.....	446	...	...	1	116	180	113	32	3	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	446	...	...	1	116	180	113	32	3	-	-	1	-
Black, both sexes.....	259	...	...	1	58	118	61	21	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	259	...	...	1	58	118	61	21	-	-	-	-	-
American Indian 1/, both sexes.....	12	...	...	-	2	4	3	3	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	12	...	...	-	2	4	3	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	43	...	...	-	3	22	15	3	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	43	...	...	-	3	22	15	3	-	-	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Pregnancy with abortive outcome (000-007)</b>													
All races, both sexes.....	26	...	...	-	6	15	4	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	26	...	...	-	6	15	4	1	-	-	-	-	-
White, both sexes.....	10	...	...	-	4	5	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	10	...	...	-	4	5	-	1	-	-	-	-	-
Black, both sexes.....	12	...	...	-	2	7	3	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	12	...	...	-	2	7	3	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	...	...	-	-	1	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	...	...	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	...	...	-	-	2	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	...	...	-	-	2	1	-	-	-	-	-	-
<b>Other complications of pregnancy, childbirth and the puerperium (010-099)</b>													
All races, both sexes.....	734	...	...	2	173	309	188	58	3	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	734	...	...	2	173	309	188	58	3	-	-	1	-
White, both sexes.....	436	...	...	1	112	175	113	31	3	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	436	...	...	1	112	175	113	31	3	-	-	1	-
Black, both sexes.....	247	...	...	1	56	111	58	21	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	247	...	...	1	56	111	58	21	-	-	-	-	-
American Indian 1/, both sexes.....	11	...	...	-	2	3	3	3	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	11	...	...	-	2	3	3	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	40	...	...	-	3	20	14	3	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	40	...	...	-	3	20	14	3	-	-	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Certain conditions originating in the perinatal period (P00-P96)													
All races, both sexes.....	14,442	14,321	65	24	14	4	4	4	1	-	2	-	3
Male.....	8,097	8,025	37	14	11	3	2	2	1	-	1	-	1
Female.....	6,345	6,296	28	10	3	1	2	2	-	-	1	-	2
White, both sexes.....	8,730	8,646	40	18	11	4	4	4	1	-	-	-	2
Male.....	4,938	4,882	26	12	9	3	2	2	1	-	-	-	1
Female.....	3,792	3,764	14	6	2	1	2	2	-	-	-	-	1
Black, both sexes.....	5,121	5,087	22	6	3	-	-	-	-	-	2	-	1
Male.....	2,811	2,797	9	2	2	-	-	-	-	-	1	-	-
Female.....	2,310	2,290	13	4	1	-	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	137	136	1	-	-	-	-	-	-	-	-	-	-
Male.....	91	90	1	-	-	-	-	-	-	-	-	-	-
Female.....	46	46	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	454	452	2	-	-	-	-	-	-	-	-	-	-
Male.....	257	256	1	-	-	-	-	-	-	-	-	-	-
Female.....	197	196	1	-	-	-	-	-	-	-	-	-	-
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)													
All races, both sexes.....	10,489	5,819	515	344	460	437	468	668	720	367	392	297	2
Male.....	5,587	3,098	244	181	279	263	265	376	395	180	191	114	1
Female.....	4,902	2,721	271	163	181	174	203	292	325	187	201	183	1
White, both sexes.....	8,246	4,383	376	259	343	349	381	555	646	324	356	272	2
Male.....	4,403	2,326	191	148	206	212	218	311	353	159	175	103	1
Female.....	3,843	2,057	185	111	137	137	163	244	293	165	181	169	1
Black, both sexes.....	1,808	1,161	107	67	88	73	74	96	63	28	30	21	-
Male.....	947	614	42	29	53	44	38	55	33	16	14	9	-
Female.....	861	547	65	38	35	29	36	41	30	12	16	12	-
American Indian 1/, both sexes.....	117	73	10	5	11	2	4	5	2	5	-	-	-
Male.....	65	41	3	2	9	-	3	2	2	3	-	-	-
Female.....	52	32	7	3	2	2	1	3	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes	318	202	22	13	18	13	9	12	9	10	6	4	-
Male.....	172	117	8	2	11	7	6	8	7	2	2	2	-
Female.....	146	85	14	11	7	6	3	4	2	8	4	2	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)													
All races, both sexes.....	31,725	3,462	239	126	659	1,013	1,627	2,266	2,039	2,307	5,435	12,508	44
Male.....	13,981	2,012	134	75	436	712	1,039	1,431	1,256	1,287	2,343	3,227	29
Female.....	17,744	1,450	105	51	223	301	588	835	783	1,020	3,092	9,281	15
White, both sexes.....	26,672	2,244	152	86	512	785	1,265	1,763	1,649	1,917	4,788	11,476	35
Male.....	11,422	1,337	84	54	344	560	816	1,109	1,032	1,054	2,060	2,947	25
Female.....	15,250	907	68	32	168	225	449	654	617	863	2,728	8,529	10
Black, both sexes.....	4,379	1,059	74	36	120	191	319	457	342	345	565	863	8
Male.....	2,202	576	42	21	75	127	191	296	195	206	253	217	3
Female.....	2,177	483	32	15	45	64	128	161	147	139	312	646	5
American Indian 1/, both sexes.....	224	90	8	2	11	10	20	17	16	9	16	24	1
Male.....	125	55	4	-	6	8	17	9	10	3	6	6	1
Female.....	99	35	4	2	5	2	3	8	6	6	10	18	-
Asian or Pacific Islander 2/, both sexes	450	69	5	2	16	27	23	29	32	36	66	145	-
Male.....	232	44	4	-	11	17	15	17	19	24	24	57	-
Female.....	218	25	1	2	5	10	8	12	13	12	42	88	-
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)													
All races, both sexes.....	237,421	1,173	548	792	2,120	3,364	8,029	17,354	22,624	28,683	61,387	91,329	18
Male.....	96,201	687	299	433	1,263	1,954	4,682	10,280	12,597	14,291	25,135	24,564	16
Female.....	141,220	486	249	359	857	1,410	3,347	7,074	10,027	14,392	36,252	66,765	2
White, both sexes.....	206,332	762	394	595	1,591	2,453	5,975	13,440	18,396	24,269	54,794	83,650	13
Male.....	82,811	447	214	326	1,000	1,519	3,619	8,187	10,320	12,175	22,463	22,529	12
Female.....	123,521	315	180	269	591	934	2,356	5,253	8,076	12,094	32,331	61,121	1
Black, both sexes.....	26,205	352	118	166	439	762	1,712	3,468	3,684	3,709	5,482	6,309	4
Male.....	11,201	205	66	95	226	349	860	1,843	1,982	1,793	2,199	1,580	3
Female.....	15,004	147	52	71	213	413	852	1,625	1,702	1,916	3,283	4,729	1
American Indian 1/, both sexes.....	1,483	15	11	5	27	67	188	226	243	221	240	240	-
Male.....	695	9	8	2	11	39	108	119	132	101	91	75	-
Female.....	788	6	3	3	16	28	80	107	111	120	149	165	-
Asian or Pacific Islander 2/, both sexes	3,401	44	25	26	63	82	154	220	301	484	871	1,130	1
Male.....	1,494	26	11	10	26	47	95	131	163	222	382	380	1
Female.....	1,907	18	14	16	37	35	59	89	138	262	489	750	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Accidents (unintentional injuries) (V01-X59,Y85-Y86)</b>													
All races, both sexes.....	121,599	1,147	1,610	2,258	16,229	14,954	17,534	19,675	11,446	8,420	13,708	14,561	57
Male.....	78,941	667	927	1,385	12,234	11,466	12,431	13,837	7,848	5,212	7,194	5,692	48
Female.....	42,658	480	683	873	3,995	3,488	5,103	5,838	3,598	3,208	6,514	8,869	9
White, both sexes.....	103,853	730	1,170	1,668	13,824	12,473	14,647	16,245	9,514	7,266	12,529	13,737	50
Male.....	66,843	421	675	1,017	10,423	9,564	10,393	11,380	6,483	4,502	6,584	5,358	43
Female.....	37,010	309	495	651	3,401	2,909	4,254	4,865	3,031	2,764	5,945	8,379	7
Black, both sexes.....	13,917	358	371	471	1,750	1,933	2,347	2,856	1,557	865	824	580	5
Male.....	9,605	213	214	295	1,331	1,503	1,669	2,055	1,122	548	428	223	4
Female.....	4,312	145	157	176	419	430	678	801	435	317	396	357	1
American Indian 1/, both sexes.....	1,704	36	32	43	328	305	300	313	157	85	68	36	1
Male.....	1,184	21	15	26	237	225	210	229	114	55	39	13	-
Female.....	520	15	17	17	91	80	90	84	43	30	29	23	1
Asian or Pacific Islander 2/, both sexes	2,125	23	37	76	327	243	240	261	218	204	287	208	1
Male.....	1,309	12	23	47	243	174	159	173	129	107	143	98	1
Female.....	816	11	14	29	84	69	81	88	89	97	144	110	-
<b>Transport accidents (V01-V99,Y85)</b>													
All races, both sexes.....	48,412	142	615	1,453	11,392	7,753	7,249	7,264	4,986	3,170	3,082	1,290	16
Male.....	34,065	70	329	849	8,281	5,951	5,233	5,347	3,483	2,026	1,758	724	14
Female.....	14,347	72	286	604	3,111	1,802	2,016	1,917	1,503	1,144	1,324	566	2
White, both sexes.....	40,422	100	445	1,121	9,598	6,193	5,975	6,055	4,193	2,762	2,764	1,203	13
Male.....	28,429	52	233	645	6,979	4,758	4,319	4,472	2,946	1,764	1,580	669	12
Female.....	11,993	48	212	476	2,619	1,435	1,656	1,583	1,247	998	1,184	534	1
Black, both sexes.....	5,983	31	137	257	1,282	1,209	992	929	601	279	204	60	2
Male.....	4,333	15	77	158	946	946	735	685	422	190	116	41	2
Female.....	1,650	16	60	99	336	263	257	244	179	89	88	19	-
American Indian 1/, both sexes.....	930	8	16	28	261	191	152	138	77	30	26	2	1
Male.....	638	2	8	18	178	134	102	103	56	20	16	1	-
Female.....	292	6	8	10	83	57	50	35	21	10	10	1	1
Asian or Pacific Islander 2/, both sexes	1,077	3	17	47	251	160	130	142	115	99	88	25	-
Male.....	665	1	11	28	178	113	77	87	59	52	46	13	-
Female.....	412	2	6	19	73	47	53	55	56	47	42	12	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)</b>													
All races, both sexes.....	45,316	140	588	1,339	11,015	7,348	6,677	6,615	4,518	2,916	2,906	1,240	14
Male.....	31,633	70	316	765	7,986	5,628	4,765	4,817	3,119	1,832	1,631	692	12
Female.....	13,683	70	272	574	3,029	1,720	1,912	1,798	1,399	1,084	1,275	548	2
White, both sexes.....	37,769	99	426	1,023	9,272	5,864	5,495	5,503	3,777	2,531	2,606	1,161	12
Male.....	26,348	52	224	574	6,724	4,495	3,926	4,024	2,626	1,589	1,461	642	11
Female.....	11,421	47	202	449	2,548	1,369	1,569	1,479	1,151	942	1,145	519	1
Black, both sexes.....	5,660	30	133	246	1,250	1,153	923	852	561	265	192	54	1
Male.....	4,068	15	76	149	920	898	679	617	388	178	110	37	1
Female.....	1,592	15	57	97	330	255	244	235	173	87	82	17	-
American Indian 1/, both sexes.....	867	8	13	25	253	177	137	125	74	27	25	2	1
Male.....	593	2	6	15	172	126	90	95	53	18	15	1	-
Female.....	274	6	7	10	81	51	47	30	21	9	10	1	1
Asian or Pacific Islander 2/, both sexes	1,020	3	16	45	240	154	122	135	106	93	83	23	-
Male.....	624	1	10	27	170	109	70	81	52	47	45	12	-
Female.....	396	2	6	18	70	45	52	54	54	46	38	11	-
<b>Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)</b>													
All races, both sexes.....	1,181	1	12	50	168	136	217	244	151	95	78	27	2
Male.....	921	-	5	40	134	104	182	196	112	72	55	19	2
Female.....	260	1	7	10	34	32	35	48	39	23	23	8	-
White, both sexes.....	959	-	7	42	141	104	168	193	127	83	68	25	1
Male.....	748	-	3	32	114	80	145	152	91	62	51	17	1
Female.....	211	-	4	10	27	24	23	41	36	21	17	8	-
Black, both sexes.....	152	1	2	5	18	22	33	40	17	7	5	1	1
Male.....	122	-	-	5	13	17	25	36	15	6	3	1	1
Female.....	30	1	2	-	5	5	8	4	2	1	2	-	-
American Indian 1/, both sexes.....	40	-	3	2	4	8	11	7	2	3	-	-	-
Male.....	29	-	2	2	3	5	8	5	2	2	-	-	-
Female.....	11	-	1	-	1	3	3	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	30	-	-	1	5	2	5	4	5	2	5	1	-
Male.....	22	-	-	1	4	2	4	3	4	2	1	1	-
Female.....	8	-	-	-	1	-	1	1	1	-	4	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)</b>													
All races, both sexes.....	1,915	1	15	64	209	269	355	405	317	159	98	23	-
Male.....	1,511	-	8	44	161	219	286	334	252	122	72	13	-
Female.....	404	1	7	20	48	50	69	71	65	37	26	10	-
White, both sexes.....	1,694	1	12	56	185	225	312	359	289	148	90	17	-
Male.....	1,333	-	6	39	141	183	248	296	229	113	68	10	-
Female.....	361	1	6	17	44	42	64	63	60	35	22	7	-
Black, both sexes.....	171	-	2	6	14	34	36	37	23	7	7	5	-
Male.....	143	-	1	4	13	31	31	32	19	6	3	3	-
Female.....	28	-	1	2	1	3	5	5	4	1	4	2	-
American Indian 1/, both sexes.....	23	-	-	1	4	6	4	6	1	-	1	-	-
Male.....	16	-	-	1	3	3	4	3	1	-	1	-	-
Female.....	7	-	-	-	1	3	-	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	27	-	1	1	6	4	3	3	4	4	-	1	-
Male.....	19	-	1	-	4	2	3	3	3	3	-	-	-
Female.....	8	-	-	1	2	2	-	-	1	1	-	1	-
<b>Nontransport accidents (W00-X59,Y86)</b>													
All races, both sexes.....	73,187	1,005	995	805	4,837	7,201	10,285	12,411	6,460	5,250	10,626	13,271	41
Male.....	44,876	597	598	536	3,953	5,515	7,198	8,490	4,365	3,186	5,436	4,968	34
Female.....	28,311	408	397	269	884	1,686	3,087	3,921	2,095	2,064	5,190	8,303	7
White, both sexes.....	63,431	630	725	547	4,226	6,280	8,672	10,190	5,321	4,504	9,765	12,534	37
Male.....	38,414	369	442	372	3,444	4,806	6,074	6,908	3,537	2,738	5,004	4,689	31
Female.....	25,017	261	283	175	782	1,474	2,598	3,282	1,784	1,766	4,761	7,845	6
Black, both sexes.....	7,934	327	234	214	468	724	1,355	1,927	956	586	620	520	3
Male.....	5,272	198	137	137	385	557	934	1,370	700	358	312	182	2
Female.....	2,662	129	97	77	83	167	421	557	256	228	308	338	1
American Indian 1/, both sexes.....	774	28	16	15	67	114	148	175	80	55	42	34	-
Male.....	546	19	7	8	59	91	108	126	58	35	23	12	-
Female.....	228	9	9	7	8	23	40	49	22	20	19	22	-
Asian or Pacific Islander 2/, both sexes	1,048	20	20	29	76	83	110	119	103	105	199	183	1
Male.....	644	11	12	19	65	61	82	86	70	55	97	85	1
Female.....	404	9	8	10	11	22	28	33	33	50	102	98	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Accidental drowning and submersion (W65-W74)</b>													
All races, both sexes.....	3,579	51	458	256	616	436	466	491	310	217	194	73	11
Male.....	2,774	27	289	193	550	393	371	387	235	149	129	41	10
Female.....	805	24	169	63	66	43	95	104	75	68	65	32	1
White, both sexes.....	2,837	45	370	159	449	336	381	408	256	184	174	66	9
Male.....	2,174	23	231	118	390	303	300	321	190	133	118	39	8
Female.....	663	22	139	41	59	33	81	87	66	51	56	27	1
Black, both sexes.....	538	5	69	80	129	65	56	56	39	24	7	6	2
Male.....	451	4	49	62	124	61	50	48	32	12	5	2	2
Female.....	87	1	20	18	5	4	6	8	7	12	2	4	-
American Indian 1/, both sexes.....	50	1	6	4	8	8	8	9	3	3	-	-	-
Male.....	38	-	2	3	8	7	6	7	2	3	-	-	-
Female.....	12	1	4	1	-	1	2	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	154	-	13	13	30	27	21	18	12	6	13	1	-
Male.....	111	-	7	10	28	22	15	11	11	1	6	-	-
Female.....	43	-	6	3	2	5	6	7	1	5	7	1	-
<b>Accidental exposure to smoke, fire and flames (X00-X09)</b>													
All races, both sexes.....	3,109	27	199	181	185	199	296	476	461	404	448	228	5
Male.....	1,819	14	117	87	117	132	185	300	292	227	238	106	4
Female.....	1,290	13	82	94	68	67	111	176	169	177	210	122	1
White, both sexes.....	2,349	18	118	110	143	146	227	370	366	322	347	178	4
Male.....	1,389	8	77	54	94	96	140	231	230	180	185	91	3
Female.....	960	10	41	56	49	50	87	139	136	142	162	87	1
Black, both sexes.....	699	7	78	67	35	49	60	98	86	76	96	47	-
Male.....	389	5	40	30	17	33	38	61	56	43	51	15	-
Female.....	310	2	38	37	18	16	22	37	30	33	45	32	-
American Indian 1/, both sexes.....	28	1	2	1	4	3	2	4	4	4	1	2	-
Male.....	22	1	-	1	4	3	2	4	4	2	1	-	-
Female.....	6	-	2	-	-	-	-	-	-	2	-	2	-
Asian or Pacific Islander 2/, both sexes	33	1	1	3	3	1	7	4	5	2	4	1	1
Male.....	19	-	-	2	2	-	5	4	2	2	1	-	1
Female.....	14	1	1	1	1	1	2	-	3	-	3	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Accidental poisoning and exposure to noxious substances (X40-X49)</b>													
All races, both sexes.....	27,531	16	27	58	2,936	5,267	7,542	8,234	2,415	483	340	202	11
Male.....	18,581	7	16	35	2,319	3,894	5,020	5,291	1,512	249	152	78	8
Female.....	8,950	9	11	23	617	1,373	2,522	2,943	903	234	188	124	3
White, both sexes.....	23,476	9	19	42	2,742	4,714	6,405	6,762	1,909	381	303	179	11
Male.....	15,784	5	12	24	2,177	3,478	4,272	4,289	1,130	181	136	72	8
Female.....	7,692	4	7	18	565	1,236	2,133	2,473	779	200	167	107	3
Black, both sexes.....	3,526	6	8	7	143	452	995	1,322	462	82	28	21	-
Male.....	2,439	1	4	6	101	342	651	906	353	57	13	5	-
Female.....	1,087	5	4	1	42	110	344	416	109	25	15	16	-
American Indian 1/, both sexes.....	324	1	-	4	26	68	87	100	26	10	2	-	-
Male.....	220	1	-	2	22	53	55	63	17	7	-	-	-
Female.....	104	-	-	2	4	15	32	37	9	3	2	-	-
Asian or Pacific Islander 2/, both sexes	205	-	-	5	25	33	55	50	18	10	7	2	-
Male.....	138	-	-	3	19	21	42	33	12	4	3	1	-
Female.....	67	-	-	2	6	12	13	17	6	6	4	1	-
<b>Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)</b>													
All races, both sexes.....	17,503	888	260	231	665	868	1,279	1,836	1,633	1,721	3,383	4,729	10
Male.....	10,327	533	139	165	568	724	1,054	1,445	1,173	1,098	1,741	1,678	9
Female.....	7,176	355	121	66	97	144	225	391	460	623	1,642	3,051	1
White, both sexes.....	15,090	541	192	180	561	726	1,057	1,497	1,377	1,447	3,068	4,434	10
Male.....	8,818	321	104	134	486	620	874	1,173	997	936	1,591	1,573	9
Female.....	6,272	220	88	46	75	106	183	324	380	511	1,477	2,861	1
Black, both sexes.....	1,965	304	59	44	71	104	173	279	214	228	251	238	-
Male.....	1,213	185	29	28	54	75	140	221	144	135	118	84	-
Female.....	752	119	30	16	17	29	33	58	70	93	133	154	-
American Indian 1/, both sexes.....	239	24	6	3	26	28	36	40	25	20	19	12	-
Male.....	177	16	3	1	22	22	32	36	20	12	12	1	-
Female.....	62	8	3	2	4	6	4	4	5	8	7	11	-
Asian or Pacific Islander 2/, both sexes	209	19	3	4	7	10	13	20	17	26	45	45	-
Male.....	119	11	3	2	6	7	8	15	12	15	20	20	-
Female.....	90	8	-	2	1	3	5	5	5	11	25	25	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)</b>													
All races, both sexes.....	33,300	...	...	219	4,189	4,985	6,591	7,426	4,583	2,384	2,075	840	8
Male.....	26,308	...	...	153	3,528	4,053	5,065	5,576	3,463	1,968	1,765	729	8
Female.....	6,992	...	...	66	661	932	1,526	1,850	1,120	416	310	111	-
White, both sexes.....	30,138	...	...	167	3,477	4,259	5,945	6,924	4,322	2,243	1,991	806	4
Male.....	23,767	...	...	117	2,939	3,441	4,548	5,192	3,259	1,862	1,704	701	4
Female.....	6,371	...	...	50	538	818	1,397	1,732	1,063	381	287	105	-
Black, both sexes.....	1,954	...	...	37	416	474	418	310	156	75	45	22	1
Male.....	1,669	...	...	30	358	421	352	251	128	66	43	19	1
Female.....	285	...	...	7	58	53	66	59	28	9	2	3	-
American Indian 1/, both sexes.....	395	...	...	12	136	77	86	51	22	8	2	1	-
Male.....	309	...	...	4	110	63	63	39	20	7	2	1	-
Female.....	86	...	...	8	26	14	23	12	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes	813	...	...	3	160	175	142	141	83	58	37	11	3
Male.....	563	...	...	2	121	128	102	94	56	33	16	8	3
Female.....	250	...	...	1	39	47	40	47	27	25	21	3	-
<b>Intentional self-harm (suicide) by discharge of firearms (X72-X74)</b>													
All races, both sexes.....	16,883	...	...	62	1,978	2,150	2,821	3,481	2,562	1,689	1,562	577	1
Male.....	14,734	...	...	52	1,796	1,892	2,358	2,907	2,184	1,522	1,470	552	1
Female.....	2,149	...	...	10	182	258	463	574	378	167	92	25	-
White, both sexes.....	15,539	...	...	57	1,632	1,817	2,578	3,303	2,454	1,622	1,520	555	1
Male.....	13,527	...	...	48	1,485	1,589	2,141	2,756	2,085	1,460	1,429	533	1
Female.....	2,012	...	...	9	147	228	437	547	369	162	91	22	-
Black, both sexes.....	1,015	...	...	2	250	261	184	129	78	53	39	19	-
Male.....	922	...	...	2	228	238	168	112	71	49	38	16	-
Female.....	93	...	...	-	22	23	16	17	7	4	1	3	-
American Indian 1/, both sexes.....	154	...	...	2	50	29	33	23	11	4	1	1	-
Male.....	132	...	...	1	45	27	26	18	9	4	1	1	-
Female.....	22	...	...	1	5	2	7	5	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes	175	...	...	1	46	43	26	26	19	10	2	2	-
Male.....	153	...	...	1	38	38	23	21	19	9	2	2	-
Female.....	22	...	...	-	8	5	3	5	-	1	-	-	-



Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)</b>													
All races, both sexes.....	16,417	...	...	157	2,211	2,835	3,770	3,945	2,021	695	513	263	7
Male.....	11,574	...	...	101	1,732	2,161	2,707	2,669	1,279	446	295	177	7
Female.....	4,843	...	...	56	479	674	1,063	1,276	742	249	218	86	-
White, both sexes.....	14,599	...	...	110	1,845	2,442	3,367	3,621	1,868	621	471	251	3
Male.....	10,240	...	...	69	1,454	1,852	2,407	2,436	1,174	402	275	168	3
Female.....	4,359	...	...	41	391	590	960	1,185	694	219	196	83	-
Black, both sexes.....	939	...	...	35	166	213	234	181	78	22	6	3	1
Male.....	747	...	...	28	130	183	184	139	57	17	5	3	1
Female.....	192	...	...	7	36	30	50	42	21	5	1	-	-
American Indian 1/, both sexes.....	241	...	...	10	86	48	53	28	11	4	1	-	-
Male.....	177	...	...	3	65	36	37	21	11	3	1	-	-
Female.....	64	...	...	7	21	12	16	7	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes	638	...	...	2	114	132	116	115	64	48	35	9	3
Male.....	410	...	...	1	83	90	79	73	37	24	14	6	3
Female.....	228	...	...	1	31	42	37	42	27	24	21	3	-
<b>Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)</b>													
All races, both sexes.....	18,573	336	366	390	5,717	4,725	3,020	2,209	1,012	398	279	102	19
Male.....	14,717	199	208	246	4,991	3,983	2,269	1,628	738	260	141	38	16
Female.....	3,856	137	158	144	726	742	751	581	274	138	138	64	3
White, both sexes.....	8,860	220	190	227	2,213	1,902	1,569	1,283	656	275	225	83	17
Male.....	6,514	121	109	130	1,824	1,520	1,131	910	458	162	105	30	14
Female.....	2,346	99	81	97	389	382	438	373	198	113	120	53	3
Black, both sexes.....	9,032	109	154	149	3,295	2,670	1,347	825	309	109	45	18	2
Male.....	7,677	72	84	105	2,982	2,346	1,068	650	245	86	30	7	2
Female.....	1,355	37	70	44	313	324	279	175	64	23	15	11	-
American Indian 1/, both sexes.....	254	4	11	2	77	67	48	30	10	3	2	-	-
Male.....	206	4	9	2	69	53	34	21	9	3	2	-	-
Female.....	48	-	2	-	8	14	14	9	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	427	3	11	12	132	86	56	71	37	11	7	1	-
Male.....	320	2	6	9	116	64	36	47	26	9	4	1	-
Female.....	107	1	5	3	16	22	20	24	11	2	3	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Assault (homicide) by discharge of firearms (*U01.4,X93-X95)</b>													
All races, both sexes.....	12,791	6	42	237	4,827	3,767	1,987	1,185	468	158	84	22	8
Male.....	10,886	2	25	167	4,375	3,322	1,586	909	339	104	41	8	8
Female.....	1,905	4	17	70	452	445	401	276	129	54	43	14	-
White, both sexes.....	5,279	2	22	129	1,676	1,338	964	640	314	102	68	17	7
Male.....	4,179	-	14	85	1,465	1,130	731	447	213	57	26	4	7
Female.....	1,100	2	8	44	211	208	233	193	101	45	42	13	-
Black, both sexes.....	7,113	4	20	100	2,989	2,331	974	490	135	51	14	4	1
Male.....	6,374	2	11	75	2,760	2,111	823	420	113	42	13	3	1
Female.....	739	2	9	25	229	220	151	70	22	9	1	1	-
American Indian 1/, both sexes.....	119	-	-	2	52	33	18	8	3	2	1	-	-
Male.....	105	-	-	2	50	29	12	6	3	2	1	-	-
Female.....	14	-	-	-	2	4	6	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	280	-	-	6	110	65	31	47	16	3	1	1	-
Male.....	228	-	-	5	100	52	20	36	10	3	1	1	-
Female.....	52	-	-	1	10	13	11	11	6	-	-	-	-
<b>Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)</b>													
All races, both sexes.....	5,782	330	324	153	890	958	1,033	1,024	544	240	195	80	11
Male.....	3,831	197	183	79	616	661	683	719	399	156	100	30	8
Female.....	1,951	133	141	74	274	297	350	305	145	84	95	50	3
White, both sexes.....	3,581	218	168	98	537	564	605	643	342	173	157	66	10
Male.....	2,335	121	95	45	359	390	400	463	245	105	79	26	7
Female.....	1,246	97	73	53	178	174	205	180	97	68	78	40	3
Black, both sexes.....	1,919	105	134	49	306	339	373	335	174	58	31	14	1
Male.....	1,303	70	73	30	222	235	245	230	132	44	17	4	1
Female.....	616	35	61	19	84	104	128	105	42	14	14	10	-
American Indian 1/, both sexes.....	135	4	11	-	25	34	30	22	7	1	1	-	-
Male.....	101	4	9	-	19	24	22	15	6	1	1	-	-
Female.....	34	-	2	-	6	10	8	7	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	147	3	11	6	22	21	25	24	21	8	6	-	-
Male.....	92	2	6	4	16	12	16	11	16	6	3	-	-
Female.....	55	1	5	2	6	9	9	13	5	2	3	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Legal intervention (Y35,Y89.0)</b>													
All races, both sexes.....	434	-	-	1	85	141	115	66	17	7	1	1	-
Male.....	417	-	-	1	82	139	112	61	15	6	1	-	-
Female.....	17	-	-	-	3	2	3	5	2	1	-	1	-
White, both sexes.....	300	-	-	-	52	91	82	53	14	7	1	-	-
Male.....	286	-	-	-	50	89	79	49	12	6	1	-	-
Female.....	14	-	-	-	2	2	3	4	2	1	-	-	-
Black, both sexes.....	117	-	-	1	27	44	29	12	3	-	-	1	-
Male.....	114	-	-	1	26	44	29	11	3	-	-	-	-
Female.....	3	-	-	-	1	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	9	-	-	-	3	3	3	-	-	-	-	-	-
Male.....	9	-	-	-	3	3	3	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	8	-	-	-	3	3	1	1	-	-	-	-	-
Male.....	8	-	-	-	3	3	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)</b>													
All races, both sexes.....	5,131	92	52	59	602	817	1,278	1,362	492	163	136	72	6
Male.....	3,249	57	29	43	452	569	767	832	289	92	76	37	6
Female.....	1,882	35	23	16	150	248	511	530	203	71	60	35	-
White, both sexes.....	4,220	63	28	41	521	696	1,057	1,114	401	133	107	54	5
Male.....	2,616	41	12	29	391	479	618	658	228	70	55	30	5
Female.....	1,604	22	16	12	130	217	439	456	173	63	52	24	-
Black, both sexes.....	718	23	22	16	57	87	184	205	75	24	15	9	1
Male.....	508	12	15	12	45	66	126	149	51	18	11	2	1
Female.....	210	11	7	4	12	21	58	56	24	6	4	7	-
American Indian 1/, both sexes.....	95	2	2	2	14	17	23	22	9	2	2	-	-
Male.....	62	1	2	2	8	15	15	10	6	1	2	-	-
Female.....	33	1	-	-	6	2	8	12	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes	98	4	-	-	10	17	14	21	7	4	12	9	-
Male.....	63	3	-	-	8	9	8	15	4	3	8	5	-
Female.....	35	1	-	-	2	8	6	6	3	1	4	4	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Discharge of firearms, undetermined intent (Y22-Y24)</b>													
All races, both sexes.....	220	-	2	5	76	45	39	22	20	8	3	-	-
Male.....	181	-	2	5	68	37	31	16	14	5	3	-	-
Female.....	39	-	-	-	8	8	8	6	6	3	-	-	-
White, both sexes.....	169	-	1	4	52	30	32	19	20	8	3	-	-
Male.....	133	-	1	4	44	23	25	14	14	5	3	-	-
Female.....	36	-	-	-	8	7	7	5	6	3	-	-	-
Black, both sexes.....	48	-	1	1	23	13	7	3	-	-	-	-	-
Male.....	45	-	1	1	23	12	6	2	-	-	-	-	-
Female.....	3	-	-	-	-	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)</b>													
All races, both sexes.....	4,911	92	50	54	526	772	1,239	1,340	472	155	133	72	6
Male.....	3,068	57	27	38	384	532	736	816	275	87	73	37	6
Female.....	1,843	35	23	16	142	240	503	524	197	68	60	35	-
White, both sexes.....	4,051	63	27	37	469	666	1,025	1,095	381	125	104	54	5
Male.....	2,483	41	11	25	347	456	593	644	214	65	52	30	5
Female.....	1,568	22	16	12	122	210	432	451	167	60	52	24	-
Black, both sexes.....	670	23	21	15	34	74	177	202	75	24	15	9	1
Male.....	463	12	14	11	22	54	120	147	51	18	11	2	1
Female.....	207	11	7	4	12	20	57	55	24	6	4	7	-
American Indian 1/, both sexes.....	93	2	2	2	13	16	23	22	9	2	2	-	-
Male.....	60	1	2	2	7	14	15	10	6	1	2	-	-
Female.....	33	1	-	-	6	2	8	12	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes	97	4	-	-	10	16	14	21	7	4	12	9	-
Male.....	62	3	-	-	8	8	8	15	4	3	8	5	-
Female.....	35	1	-	-	2	8	6	6	3	1	4	4	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
<b>Operations of war and their sequelae (Y36,Y89.1)</b>													
All races, both sexes.....	28	-	-	-	13	4	2	1	2	2	4	-	-
Male.....	28	-	-	-	13	4	2	1	2	2	4	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	27	-	-	-	13	4	1	1	2	2	4	-	-
Male.....	27	-	-	-	13	4	1	1	2	2	4	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Complications of medical and surgical care (Y40-Y84,Y88)</b>													
All races, both sexes.....	2,521	23	22	19	45	62	118	276	351	475	688	442	-
Male.....	1,121	13	11	11	23	25	51	145	164	210	319	149	-
Female.....	1,400	10	11	8	22	37	67	131	187	265	369	293	-
White, both sexes.....	2,046	16	17	14	35	44	84	201	257	396	588	394	-
Male.....	926	9	8	8	18	15	42	109	123	177	283	134	-
Female.....	1,120	7	9	6	17	29	42	92	134	219	305	260	-
Black, both sexes.....	427	7	4	4	7	17	31	70	85	73	89	40	-
Male.....	179	4	3	2	3	10	9	34	37	30	35	12	-
Female.....	248	3	1	2	4	7	22	36	48	43	54	28	-
American Indian 1/, both sexes.....	12	-	-	-	-	-	2	2	3	3	2	-	-
Male.....	4	-	-	-	-	-	-	-	1	2	1	-	-
Female.....	8	-	-	-	-	-	2	2	2	1	1	-	-
Asian or Pacific Islander 2/, both sexes	36	-	1	1	3	1	1	3	6	3	9	8	-
Male.....	12	-	-	1	2	-	-	2	3	1	-	3	-
Female.....	24	-	1	-	1	1	1	1	3	2	9	5	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15) 3/													
All races, both sexes.....	22,073	-	-	2	149	637	3,237	7,596	6,127	2,788	1,269	258	10
Male.....	16,472	-	-	2	123	496	2,246	5,636	4,736	2,158	905	160	10
Female.....	5,601	-	-	-	26	141	991	1,960	1,391	630	364	98	-
White, both sexes.....	18,917	-	-	-	124	501	2,694	6,515	5,268	2,411	1,159	238	7
Male.....	14,186	-	-	-	103	404	1,906	4,858	4,071	1,859	830	148	7
Female.....	4,731	-	-	-	21	97	788	1,657	1,197	552	329	90	-
Black, both sexes.....	2,172	-	-	1	14	54	303	762	657	283	84	12	2
Male.....	1,599	-	-	1	12	33	189	552	516	227	59	8	2
Female.....	573	-	-	-	2	21	114	210	141	56	25	4	-
American Indian 1/, both sexes.....	717	-	-	1	11	63	189	233	142	59	15	4	-
Male.....	458	-	-	1	8	42	109	148	97	43	9	1	-
Female.....	259	-	-	-	3	21	80	85	45	16	6	3	-
Asian or Pacific Islander 2/, both sexes	267	-	-	-	-	19	51	86	60	35	11	4	1
Male.....	229	-	-	-	-	17	42	78	52	29	7	3	1
Female.....	38	-	-	-	-	2	9	8	8	6	4	1	-
Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0, G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 3/													
All races, both sexes.....	38,396	44	36	58	3,652	6,787	10,166	11,545	3,868	1,008	788	428	16
Male.....	24,507	23	20	33	2,781	4,808	6,433	7,082	2,261	504	368	181	13
Female.....	13,889	21	16	25	871	1,979	3,733	4,463	1,607	504	420	247	3
White, both sexes.....	32,866	28	22	45	3,414	6,074	8,649	9,531	3,124	851	719	394	15
Male.....	20,786	16	12	24	2,617	4,289	5,465	5,735	1,713	394	338	171	12
Female.....	12,080	12	10	21	797	1,785	3,184	3,796	1,411	457	381	223	3
Black, both sexes.....	4,790	15	12	11	169	572	1,319	1,815	681	124	46	25	1
Male.....	3,261	6	7	7	113	422	849	1,231	505	94	21	5	1
Female.....	1,529	9	5	4	56	150	470	584	176	30	25	20	-
American Indian 1/, both sexes.....	407	1	2	-	35	82	112	116	35	13	9	2	-
Male.....	253	1	1	-	27	63	62	66	24	6	2	1	-
Female.....	154	-	1	-	8	19	50	50	11	7	7	1	-
Asian or Pacific Islander 2/, both sexes	333	-	-	2	34	59	86	83	28	20	14	7	-
Male.....	207	-	-	2	24	34	57	50	19	10	7	4	-
Female.....	126	-	-	-	10	25	29	33	9	10	7	3	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/													
All races, both sexes.....	30,896	6	57	346	7,155	6,189	5,012	4,828	3,111	1,892	1,683	608	9
Male.....	26,712	2	38	258	6,503	5,463	4,121	3,949	2,592	1,667	1,543	567	9
Female.....	4,184	4	19	88	652	726	891	879	519	225	140	41	-
White, both sexes.....	21,721	2	27	219	3,525	3,338	3,708	4,080	2,845	1,766	1,623	580	8
Male.....	18,496	-	18	162	3,151	2,882	3,012	3,316	2,363	1,555	1,485	544	8
Female.....	3,225	2	9	57	374	456	696	764	482	211	138	36	-
Black, both sexes.....	8,409	4	29	113	3,358	2,670	1,190	642	217	107	54	24	1
Male.....	7,563	2	19	86	3,105	2,424	1,022	551	188	94	52	19	1
Female.....	846	2	10	27	253	246	168	91	29	13	2	5	-
American Indian 1/, both sexes.....	291	-	-	6	107	67	55	32	14	6	3	1	-
Male.....	253	-	-	4	100	61	42	24	12	6	3	1	-
Female.....	38	-	-	2	7	6	13	8	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes	475	-	1	8	165	114	59	74	35	13	3	3	-
Male.....	400	-	1	6	147	96	45	58	29	12	3	3	-
Female.....	75	-	-	2	18	18	14	16	6	1	-	-	-

- Quantity zero.  
 ... Category not applicable.  
 1/ Includes Aleuts and Eskimos.  
 2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.  
 3/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.