

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Esophagitis (K20)													
All races, both sexes.....	153	12	14	10	14	10	16	17	5	17	6	16	16
Male.....	85	5	10	5	8	8	9	11	4	7	3	9	6
Female.....	68	7	4	5	6	2	7	6	1	10	3	7	10
White, both sexes.....	135	10	13	8	12	10	15	15	4	14	5	14	15
Male.....	73	4	9	5	6	8	8	9	3	5	3	7	6
Female.....	62	6	4	3	6	2	7	6	1	9	2	7	9
Black, both sexes.....	17	2	-	2	2	-	1	2	1	3	1	2	1
Male.....	11	1	-	-	2	-	1	2	1	2	-	2	-
Female.....	6	1	-	2	-	-	-	-	-	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastroesophageal reflux disease (K21)													
All races, both sexes.....	501	44	47	53	46	39	49	21	29	50	40	40	43
Male.....	228	23	18	25	25	15	23	7	13	24	18	22	15
Female.....	273	21	29	28	21	24	26	14	16	26	22	18	28
White, both sexes.....	468	38	46	49	46	36	45	19	27	47	38	38	39
Male.....	210	19	18	24	25	14	22	6	11	21	18	20	12
Female.....	258	19	28	25	21	22	23	13	16	26	20	18	27
Black, both sexes.....	27	4	1	3	-	3	2	2	2	3	1	2	4
Male.....	16	3	-	1	-	1	-	1	2	3	-	2	3
Female.....	11	1	1	2	-	2	2	1	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	-	1	-	-	2	-	-	-	1	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	4	1	-	1	-	-	1	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gastroesophageal reflux disease with esophagitis (K21.0)													
All races, both sexes.....	37	3	3	6	1	3	4	2	-	3	5	4	3
Male.....	14	2	-	-	1	3	3	-	-	1	2	1	1
Female.....	23	1	3	6	-	-	1	2	-	2	3	3	2
White, both sexes.....	34	3	3	4	1	3	3	2	-	3	5	4	3
Male.....	13	2	-	-	1	3	2	-	-	1	2	1	1
Female.....	21	1	3	4	-	-	1	2	-	2	3	3	2
Black, both sexes.....	2	-	-	2	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	2	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastroesophageal reflux disease without esophagitis (K21.9)													
All races, both sexes.....	464	41	44	47	45	36	45	19	29	47	35	36	40
Male.....	214	21	18	25	24	12	20	7	13	23	16	21	14
Female.....	250	20	26	22	21	24	25	12	16	24	19	15	26
White, both sexes.....	434	35	43	45	45	33	42	17	27	44	33	34	36
Male.....	197	17	18	24	24	11	20	6	11	20	16	19	11
Female.....	237	18	25	21	21	22	22	11	16	24	17	15	25
Black, both sexes.....	25	4	1	1	-	3	2	2	2	3	1	2	4
Male.....	16	3	-	1	-	1	-	1	2	3	-	2	3
Female.....	9	1	1	-	-	2	2	1	-	-	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	-	1	-	-	1	-	-	-	1	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	1	-	-	1	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other diseases of esophagus (K22)													
All races, both sexes.....	1,213	110	84	108	100	123	107	99	97	80	99	103	103
Male.....	581	53	44	59	39	59	61	50	39	35	42	56	44
Female.....	632	57	40	49	61	64	46	49	58	45	57	47	59
White, both sexes.....	1,112	100	78	101	94	108	96	91	89	77	88	92	98
Male.....	527	48	38	55	36	52	53	45	35	34	39	52	40
Female.....	585	52	40	46	58	56	43	46	54	43	49	40	58
Black, both sexes.....	78	6	5	6	3	14	7	8	7	1	8	8	5
Male.....	40	3	5	3	1	7	4	5	3	-	3	2	4
Female.....	38	3	-	3	2	7	3	3	4	1	5	6	1
American Indian 1/, both sexes.....	9	1	1	-	2	-	1	-	-	1	2	1	-
Male.....	5	1	1	-	1	-	1	-	-	1	-	-	-
Female.....	4	-	-	-	1	-	-	-	-	-	2	1	-
Asian or Pacific Islander 2/, both sexes.....	14	3	-	1	1	1	3	-	1	1	1	2	-
Male.....	9	1	-	1	1	-	3	-	1	-	-	2	-
Female.....	5	2	-	-	-	1	-	-	-	1	1	-	-
Achalasia of cardia (K22.0)													
All races, both sexes.....	116	6	9	11	11	8	7	19	12	8	13	9	3
Male.....	43	3	5	6	6	2	2	8	2	-	6	2	1
Female.....	73	3	4	5	5	6	5	11	10	8	7	7	2
White, both sexes.....	108	4	9	11	10	8	7	18	11	7	13	7	3
Male.....	38	1	5	6	5	2	2	7	2	-	6	1	1
Female.....	70	3	4	5	5	6	5	11	9	7	7	6	2
Black, both sexes.....	6	2	-	-	1	-	-	1	1	-	-	1	-
Male.....	4	2	-	-	1	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of esophagus, unspecified (K22.9)													
All races, both sexes.....	66	7	2	6	7	7	10	3	4	7	3	6	4
Male.....	38	3	2	3	3	5	6	1	2	5	1	4	3
Female.....	28	4	-	3	4	2	4	2	2	2	2	2	1
White, both sexes.....	56	6	1	5	7	6	7	3	4	7	2	4	4
Male.....	33	2	1	3	3	5	5	1	2	5	1	2	3
Female.....	23	4	-	2	4	1	2	2	2	2	1	2	1
Black, both sexes.....	5	-	1	1	-	-	2	-	-	-	-	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	1	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	1	-	-	-	1	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Gastric ulcer (K25)													
All races, both sexes.....	1,006	89	81	103	67	103	76	85	71	65	74	93	99
Male.....	446	36	35	50	31	41	35	28	32	30	29	43	56
Female.....	560	53	46	53	36	62	41	57	39	35	45	50	43
White, both sexes.....	850	77	63	87	56	88	69	64	65	55	66	76	84
Male.....	359	29	25	40	23	33	31	20	30	22	25	33	48
Female.....	491	48	38	47	33	55	38	44	35	33	41	43	36
Black, both sexes.....	122	12	15	13	9	11	3	18	5	8	6	10	12
Male.....	68	7	9	8	6	5	2	7	2	6	4	6	6
Female.....	54	5	6	5	3	6	1	11	3	2	2	4	6
American Indian 1/, both sexes.....	7	-	2	1	-	-	-	-	-	1	-	2	1
Male.....	6	-	1	1	-	-	-	-	-	1	-	2	1
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	-	1	2	2	4	4	3	1	1	2	5	2
Male.....	13	-	-	1	2	3	2	1	-	1	-	2	1
Female.....	14	-	1	1	-	1	2	2	1	-	2	3	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gastric ulcer, Chronic or unspecified with haemorrhage (K25.4)													
All races, both sexes.....	494	50	38	44	34	54	36	38	33	34	38	43	52
Male.....	252	21	21	27	17	24	21	17	16	20	17	23	28
Female.....	242	29	17	17	17	30	15	21	17	14	21	20	24
White, both sexes.....	418	45	30	35	29	49	32	26	31	28	34	33	46
Male.....	206	20	17	21	12	19	18	11	15	15	15	18	25
Female.....	212	25	13	14	17	30	14	15	16	13	19	15	21
Black, both sexes.....	54	5	6	7	3	3	2	9	2	4	2	7	4
Male.....	33	1	3	4	3	3	2	5	1	3	2	4	2
Female.....	21	4	3	3	-	-	-	4	1	1	-	3	2
American Indian 1/, both sexes.....	4	-	1	1	-	-	-	-	-	1	-	-	1
Male.....	4	-	1	1	-	-	-	-	-	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	1	1	2	2	2	3	-	1	2	3	1
Male.....	9	-	-	1	2	2	1	1	-	1	-	1	-
Female.....	9	-	1	-	-	-	1	2	-	-	2	2	1
Gastric ulcer, Chronic or unspecified with perforation (K25.5)													
All races, both sexes.....	355	28	30	43	23	26	28	29	26	23	28	36	35
Male.....	129	12	9	16	9	9	8	4	10	7	8	17	20
Female.....	226	16	21	27	14	17	20	25	16	16	20	19	15
White, both sexes.....	295	22	22	40	18	22	25	23	23	19	24	30	27
Male.....	95	7	4	14	6	8	7	3	9	4	6	12	15
Female.....	200	15	18	26	12	14	18	20	14	15	18	18	12
Black, both sexes.....	52	6	7	3	5	4	1	6	2	4	4	3	7
Male.....	29	5	5	2	3	1	-	1	1	3	2	2	4
Female.....	23	1	2	1	2	3	1	5	1	1	2	1	3
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	-	-	-	2	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	2	-	1	-	-	1	1
Male.....	3	-	-	-	-	-	1	-	-	-	-	1	1
Female.....	2	-	-	-	-	-	1	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gastric ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K25.9)													
All races, both sexes.....	115	10	11	9	7	16	10	16	9	3	6	10	8
Male.....	44	3	3	3	2	7	5	6	4	1	3	1	6
Female.....	71	7	8	6	5	9	5	10	5	2	3	9	2
White, both sexes.....	100	9	9	7	6	13	10	13	8	3	6	9	7
Male.....	38	2	2	2	2	5	5	5	4	1	3	1	6
Female.....	62	7	7	5	4	8	5	8	4	2	3	8	1
Black, both sexes.....	12	1	2	1	1	2	-	3	1	-	-	-	1
Male.....	5	1	1	1	-	1	-	1	-	-	-	-	-
Female.....	7	-	1	-	1	1	-	2	1	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	1	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Duodenal ulcer (K26)													
All races, both sexes.....	1,184	127	118	111	80	103	93	107	86	92	97	79	91
Male.....	623	70	56	54	34	65	43	61	50	44	56	40	50
Female.....	561	57	62	57	46	38	50	46	36	48	41	39	41
White, both sexes.....	1,020	103	107	96	63	89	83	92	73	83	86	70	75
Male.....	520	57	51	46	25	57	37	49	42	38	46	34	38
Female.....	500	46	56	50	38	32	46	43	31	45	40	36	37
Black, both sexes.....	128	18	9	10	9	12	9	13	9	9	9	7	14
Male.....	84	9	4	6	4	7	6	11	6	6	9	5	11
Female.....	44	9	5	4	5	5	3	2	3	3	-	2	3
American Indian 1/, both sexes.....	5	1	-	1	2	1	-	-	-	-	-	-	-
Male.....	4	1	-	1	1	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	31	5	2	4	6	1	1	2	4	-	2	2	2
Male.....	15	3	1	1	4	-	-	1	2	-	1	1	1
Female.....	16	2	1	3	2	1	1	1	2	-	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Duodenal ulcer, Acute without haemorrhage or perforation (K26.3)													
All races, both sexes.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Duodenal ulcer, Chronic or unspecified with haemorrhage (K26.4)													
All races, both sexes.....	468	48	51	42	27	44	38	37	37	36	50	22	36
Male.....	252	26	24	22	9	29	15	19	25	17	32	12	22
Female.....	216	22	27	20	18	15	23	18	12	19	18	10	14
White, both sexes.....	413	42	47	36	21	38	34	36	31	34	44	19	31
Male.....	217	22	21	19	7	26	13	18	21	16	26	10	18
Female.....	196	20	26	17	14	12	21	18	10	18	18	9	13
Black, both sexes.....	40	3	4	3	3	5	4	1	4	2	5	1	5
Male.....	27	2	3	2	-	3	2	1	3	1	5	1	4
Female.....	13	1	1	1	3	2	2	-	1	1	-	-	1
American Indian 1/, both sexes.....	3	1	-	1	1	-	-	-	-	-	-	-	-
Male.....	3	1	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	2	-	2	2	1	-	-	2	-	1	2	-
Male.....	5	1	-	-	1	-	-	-	1	-	1	1	-
Female.....	7	1	-	2	1	1	-	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Duodenal ulcer, Chronic or unspecified with perforation (K26.5)													
All races, both sexes.....	555	67	51	53	41	47	42	48	39	44	38	42	43
Male.....	278	34	23	27	18	26	21	27	19	22	20	23	18
Female.....	277	33	28	26	23	21	21	21	20	22	18	19	25
White, both sexes.....	473	54	45	47	32	40	38	36	33	39	35	39	35
Male.....	229	29	22	23	13	22	18	17	15	18	18	21	13
Female.....	244	25	23	24	19	18	20	19	18	21	17	18	22
Black, both sexes.....	70	12	5	5	6	7	3	10	5	5	2	3	7
Male.....	46	5	1	4	4	4	3	9	3	4	2	2	5
Female.....	24	7	4	1	2	3	-	1	2	1	-	1	2
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	1	1	2	-	1	2	1	-	1	-	1
Male.....	3	-	-	-	1	-	-	1	1	-	-	-	-
Female.....	8	1	1	1	1	-	1	1	-	-	1	-	1
Duodenal ulcer, Chronic or unspecified with haemorrhage and perforation (K26.6)													
All races, both sexes.....	46	3	5	6	3	2	4	6	4	4	3	3	3
Male.....	19	3	2	2	1	1	1	3	2	-	2	-	2
Female.....	27	-	3	4	2	1	3	3	2	4	1	3	1
White, both sexes.....	42	3	5	5	3	2	4	6	3	3	3	3	2
Male.....	17	3	2	1	1	1	1	3	2	-	2	-	1
Female.....	25	-	3	4	2	1	3	3	1	3	1	3	1
Black, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Dyspepsia (K30)													
All races, both sexes.....	4	2	-	-	-	1	-	-	-	-	1	-	-
Male.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Other diseases of stomach and duodenum (K31)													
All races, both sexes.....	548	50	46	53	44	41	57	38	40	46	45	40	48
Male.....	217	19	19	25	16	20	25	12	22	17	13	16	13
Female.....	331	31	27	28	28	21	32	26	18	29	32	24	35
White, both sexes.....	489	44	42	50	36	37	47	31	37	42	43	37	43
Male.....	194	16	18	25	13	19	21	9	20	14	13	14	12
Female.....	295	28	24	25	23	18	26	22	17	28	30	23	31
Black, both sexes.....	50	6	3	3	8	3	9	6	2	3	1	2	4
Male.....	18	3	1	-	3	-	4	3	1	2	-	1	-
Female.....	32	3	2	3	5	3	5	3	1	1	1	1	4
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	1	1	-	1	1	1	-	-
Male.....	3	-	-	-	-	1	-	-	1	1	-	-	-
Female.....	3	-	1	-	-	-	1	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Polyp of stomach and duodenum (K31.7)													
All races, both sexes.....	7	1	1	1	-	1	1	-	1	-	1	-	-
Male.....	4	-	1	-	-	1	-	-	1	-	1	-	-
Female.....	3	1	-	1	-	-	1	-	-	-	-	-	-
White, both sexes.....	7	1	1	1	-	1	1	-	1	-	1	-	-
Male.....	4	-	1	-	-	1	-	-	1	-	1	-	-
Female.....	3	1	-	1	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases of stomach and duodenum (K31.8)													
All races, both sexes.....	293	28	25	28	27	26	28	19	20	23	21	22	26
Male.....	111	9	13	15	8	13	12	8	9	7	3	7	7
Female.....	182	19	12	13	19	13	16	11	11	16	18	15	19
White, both sexes.....	267	25	22	27	24	23	26	14	18	23	20	22	23
Male.....	103	8	12	15	7	12	12	6	8	7	3	7	6
Female.....	164	17	10	12	17	11	14	8	10	16	17	15	17
Black, both sexes.....	21	3	2	1	3	2	1	5	1	-	1	-	2
Male.....	5	1	1	-	1	-	-	2	-	-	-	-	-
Female.....	16	2	1	1	2	2	1	3	1	-	1	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	1	1	-	1	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	2	-	1	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified diseases of appendix (K38.8)													
All races, both sexes.....	3	-	-	1	-	-	-	1	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Inguinal hernia (K40)													
All races, both sexes.....	226	13	22	18	16	23	18	17	21	19	24	13	22
Male.....	170	12	16	10	12	17	12	13	18	15	18	10	17
Female.....	56	1	6	8	4	6	6	4	3	4	6	3	5
White, both sexes.....	200	10	19	18	15	20	16	13	19	15	21	12	22
Male.....	146	9	14	10	11	14	10	9	16	12	15	9	17
Female.....	54	1	5	8	4	6	6	4	3	3	6	3	5
Black, both sexes.....	20	2	3	-	1	1	1	3	2	3	3	1	-
Male.....	19	2	2	-	1	1	1	3	2	3	3	1	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	1	1	-	1	-	-	-
Male.....	3	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bilateral inguinal hernia, without obstruction or gangrene (K40.2)													
All races, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unilateral or unspecified inguinal hernia, with obstruction, without gangrene (K40.3)													
All races, both sexes.....	170	9	13	12	14	17	12	14	18	15	24	10	12
Male.....	123	9	8	6	10	11	7	11	15	11	18	8	9
Female.....	47	-	5	6	4	6	5	3	3	4	6	2	3
White, both sexes.....	152	6	11	12	13	15	11	11	17	13	21	10	12
Male.....	106	6	6	6	9	9	6	8	14	10	15	8	9
Female.....	46	-	5	6	4	6	5	3	3	3	6	2	3
Black, both sexes.....	12	2	2	-	1	-	-	2	1	1	3	-	-
Male.....	12	2	2	-	1	-	-	2	1	1	3	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	1	1	-	1	-	-	-
Male.....	3	-	-	-	-	1	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diaphragmatic hernia with gangrene (K44.1)													
All races, both sexes.....	7	-	-	-	-	2	-	-	-	2	1	1	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	1	-	-	-	2	1	1	-
White, both sexes.....	7	-	-	-	-	2	-	-	-	2	1	1	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	1	-	-	-	2	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Diaphragmatic hernia without obstruction or gangrene (K44.9)													
All races, both sexes.....	363	20	27	33	22	38	29	19	31	33	37	35	39
Male.....	130	8	9	14	7	9	9	6	12	12	12	16	16
Female.....	233	12	18	19	15	29	20	13	19	21	25	19	23
White, both sexes.....	341	19	24	29	21	37	28	17	27	33	35	33	38
Male.....	118	8	8	11	7	9	8	5	9	12	10	16	15
Female.....	223	11	16	18	14	28	20	12	18	21	25	17	23
Black, both sexes.....	14	1	-	3	1	-	1	2	2	-	1	2	1
Male.....	8	-	-	3	-	-	1	1	1	-	1	-	1
Female.....	6	1	-	-	1	-	-	1	1	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	3	1	-	1	-	-	2	-	1	-	-
Male.....	4	-	1	-	-	-	-	-	2	-	1	-	-
Female.....	4	-	2	1	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified abdominal hernia (K46)													
All races, both sexes.....	578	48	40	49	56	54	32	43	49	47	55	51	54
Male.....	253	16	18	17	26	22	14	16	19	20	29	28	28
Female.....	325	32	22	32	30	32	18	27	30	27	26	23	26
White, both sexes.....	492	40	31	41	48	44	26	43	45	38	47	42	47
Male.....	213	13	12	14	23	18	13	16	17	16	24	21	26
Female.....	279	27	19	27	25	26	13	27	28	22	23	21	21
Black, both sexes.....	80	8	9	8	8	9	5	-	4	9	8	7	5
Male.....	37	3	6	3	3	4	-	-	2	4	5	5	2
Female.....	43	5	3	5	5	5	5	-	2	5	3	2	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Unspecified abdominal hernia with obstruction, without gangrene (K46.0)													
All races, both sexes.....	373	33	23	30	39	35	24	28	25	28	36	34	38
Male.....	159	11	7	10	20	13	12	11	8	9	17	18	23
Female.....	214	22	16	20	19	22	12	17	17	19	19	16	15
White, both sexes.....	318	27	20	25	34	26	20	28	22	22	31	30	33
Male.....	138	9	6	7	19	10	11	11	7	7	15	15	21
Female.....	180	18	14	18	15	16	9	17	15	15	16	15	12
Black, both sexes.....	52	6	3	5	5	8	3	-	3	6	5	4	4
Male.....	20	2	1	3	1	3	-	-	1	2	2	3	2
Female.....	32	4	2	2	4	5	3	-	2	4	3	1	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Crohn's disease, unspecified (K50.9)													
All races, both sexes.....	571	54	50	45	49	41	56	47	50	50	43	45	41
Male.....	229	21	18	15	21	18	23	19	20	20	17	15	22
Female.....	342	33	32	30	28	23	33	28	30	30	26	30	19
White, both sexes.....	524	50	46	42	47	37	53	43	43	42	41	41	39
Male.....	209	18	17	15	21	17	20	19	15	17	15	14	21
Female.....	315	32	29	27	26	20	33	24	28	25	26	27	18
Black, both sexes.....	42	4	4	3	2	4	2	3	6	7	2	4	1
Male.....	18	3	1	-	-	1	2	-	4	3	2	1	1
Female.....	24	1	3	3	2	3	-	3	2	4	-	3	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	1	1	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcerative colitis (K51)													
All races, both sexes.....	312	28	19	28	20	27	23	24	30	22	36	28	27
Male.....	137	15	7	12	7	12	14	10	14	8	17	9	12
Female.....	175	13	12	16	13	15	9	14	16	14	19	19	15
White, both sexes.....	290	26	19	27	18	26	21	22	25	21	34	26	25
Male.....	131	15	7	12	6	11	13	10	13	8	16	8	12
Female.....	159	11	12	15	12	15	8	12	12	13	18	18	13
Black, both sexes.....	19	2	-	1	2	-	2	2	5	-	2	1	2
Male.....	5	-	-	-	1	-	1	-	1	-	1	1	-
Female.....	14	2	-	1	1	-	1	2	4	-	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	-	1	-	1	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other ulcerative colitis (K51.8)													
All races, both sexes.....	5	1	-	1	-	-	-	2	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	4	1	-	1	-	-	-	2	-	-	-	-	-
White, both sexes.....	4	1	-	1	-	-	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	1	-	1	-	-	-	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcerative colitis, unspecified (K51.9)													
All races, both sexes.....	304	27	18	27	20	27	23	22	30	22	35	27	26
Male.....	135	15	7	12	7	12	14	10	14	8	16	8	12
Female.....	169	12	11	15	13	15	9	12	16	14	19	19	14
White, both sexes.....	283	25	18	26	18	26	21	21	25	21	33	25	24
Male.....	129	15	7	12	6	11	13	10	13	8	15	7	12
Female.....	154	10	11	14	12	15	8	11	12	13	18	18	12
Black, both sexes.....	18	2	-	1	2	-	2	1	5	-	2	1	2
Male.....	5	-	-	-	1	-	1	-	1	-	1	1	-
Female.....	13	2	-	1	1	-	1	1	4	-	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	-	1	-	1	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified noninfective gastroenteritis and colitis (K52.8)													
All races, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Noninfective gastroenteritis and colitis, unspecified (K52.9)													
All races, both sexes.....	2,340	193	184	227	212	194	199	163	164	181	178	196	249
Male.....	875	73	63	84	72	77	69	68	59	77	59	85	89
Female.....	1,465	120	121	143	140	117	130	95	105	104	119	111	160
White, both sexes.....	1,994	153	159	197	182	168	169	129	142	147	157	163	228
Male.....	705	53	46	71	59	65	57	50	48	60	48	66	82
Female.....	1,289	100	113	126	123	103	112	79	94	87	109	97	146
Black, both sexes.....	290	36	20	27	25	19	26	31	17	26	19	26	18
Male.....	146	18	16	12	12	8	11	16	9	14	9	15	6
Female.....	144	18	4	15	13	11	15	15	8	12	10	11	12
American Indian 1/, both sexes.....	15	1	3	1	2	3	-	1	-	-	-	3	1
Male.....	10	-	-	1	1	3	-	1	-	-	-	3	1
Female.....	5	1	3	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	41	3	2	2	3	4	4	2	5	8	2	4	2
Male.....	14	2	1	-	-	1	1	1	2	3	2	1	-
Female.....	27	1	1	2	3	3	3	1	3	5	-	3	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vascular disorders of intestine (K55)													
All races, both sexes.....	8,722	753	742	799	771	742	686	665	704	684	689	714	773
Male.....	2,973	248	244	265	279	255	219	225	249	228	240	254	267
Female.....	5,749	505	498	534	492	487	467	440	455	456	449	460	506
White, both sexes.....	7,771	679	658	709	687	657	610	586	641	613	619	614	698
Male.....	2,582	214	210	231	248	218	197	188	222	204	208	205	237
Female.....	5,189	465	448	478	439	439	413	398	419	409	411	409	461
Black, both sexes.....	780	66	70	78	69	69	60	65	51	53	56	81	62
Male.....	317	29	27	28	27	32	16	28	21	18	28	39	24
Female.....	463	37	43	50	42	37	44	37	30	35	28	42	38
American Indian 1/, both sexes.....	53	3	4	3	5	4	1	6	5	7	4	9	2
Male.....	22	2	2	1	-	-	-	3	3	1	3	6	1
Female.....	31	1	2	2	5	4	1	3	2	6	1	3	1
Asian or Pacific Islander 2/, both sexes.....	118	5	10	9	10	12	15	8	7	11	10	10	11
Male.....	52	3	5	5	4	5	6	6	3	5	1	4	5
Female.....	66	2	5	4	6	7	9	2	4	6	9	6	6
Acute vascular disorders of intestine (K55.0)													
All races, both sexes.....	2,347	225	183	213	219	215	184	164	186	167	199	189	203
Male.....	812	77	67	71	84	77	54	62	66	56	66	61	71
Female.....	1,535	148	116	142	135	138	130	102	120	111	133	128	132
White, both sexes.....	2,076	195	164	188	196	198	160	142	171	145	178	157	182
Male.....	696	62	60	63	76	69	45	47	59	48	56	49	62
Female.....	1,380	133	104	125	120	129	115	95	112	97	122	108	120
Black, both sexes.....	231	26	17	24	19	12	22	19	15	16	19	26	16
Male.....	97	13	6	7	7	7	8	12	7	6	9	8	7
Female.....	134	13	11	17	12	5	14	7	8	10	10	18	9
American Indian 1/, both sexes.....	14	2	1	-	-	1	-	2	-	3	-	4	1
Male.....	9	2	-	-	-	-	-	2	-	1	-	3	1
Female.....	5	-	1	-	-	1	-	-	-	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	26	2	1	1	4	4	2	1	-	3	2	2	4
Male.....	10	-	1	1	1	1	1	1	-	1	1	1	1
Female.....	16	2	-	-	3	3	1	-	-	2	1	1	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other vascular disorders of intestine (K55.8)													
All races, both sexes.....	4	-	-	-	-	1	1	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	1	1	-	-	1	-	1	-
White, both sexes.....	4	-	-	-	-	1	1	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	1	1	-	-	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Vascular disorder of intestine, unspecified (K55.9)													
All races, both sexes.....	6,174	517	533	573	533	512	487	483	498	499	477	509	553
Male.....	2,108	168	171	192	190	174	162	155	179	167	169	188	193
Female.....	4,066	349	362	381	343	338	325	328	319	332	308	321	360
White, both sexes.....	5,508	476	468	510	475	444	435	427	450	452	428	444	499
Male.....	1,836	150	144	166	167	145	149	133	159	152	147	152	172
Female.....	3,672	326	324	344	308	299	286	294	291	300	281	292	327
Black, both sexes.....	540	37	53	53	48	57	38	45	36	36	37	54	46
Male.....	218	15	21	21	20	25	8	16	14	11	19	31	17
Female.....	322	22	32	32	28	32	30	29	22	25	18	23	29
American Indian 1/, both sexes.....	38	1	3	3	5	3	1	4	5	3	4	5	1
Male.....	13	-	2	1	-	-	-	1	3	-	3	3	-
Female.....	25	1	1	2	5	3	1	3	2	3	1	2	1
Asian or Pacific Islander 2/, both sexes.....	88	3	9	7	5	8	13	7	7	8	8	6	7
Male.....	41	3	4	4	3	4	5	5	3	4	-	2	4
Female.....	47	-	5	3	2	4	8	2	4	4	8	4	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intussusception (K56.1)													
All races, both sexes.....	29	1	1	5	-	2	3	3	1	-	2	6	5
Male.....	13	-	1	2	-	1	1	-	-	-	-	4	4
Female.....	16	1	-	3	-	1	2	3	1	-	2	2	1
White, both sexes.....	17	1	1	3	-	-	3	2	-	-	2	1	4
Male.....	7	-	1	1	-	-	1	-	-	-	-	1	3
Female.....	10	1	-	2	-	-	2	2	-	-	2	-	1
Black, both sexes.....	9	-	-	2	-	1	-	-	1	-	-	4	1
Male.....	6	-	-	1	-	1	-	-	-	-	-	3	1
Female.....	3	-	-	1	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	1	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	1	-	-	-	1	-
Volvulus (K56.2)													
All races, both sexes.....	542	46	52	45	39	43	34	37	48	44	44	55	55
Male.....	260	22	25	22	19	21	13	19	28	23	12	28	28
Female.....	282	24	27	23	20	22	21	18	20	21	32	27	27
White, both sexes.....	442	39	46	38	35	34	31	26	41	33	32	43	44
Male.....	211	18	21	20	17	16	12	11	22	18	9	22	25
Female.....	231	21	25	18	18	18	19	15	19	15	23	21	19
Black, both sexes.....	85	6	6	6	3	9	3	10	7	9	8	10	8
Male.....	43	3	4	2	2	5	1	7	6	4	3	4	2
Female.....	42	3	2	4	1	4	2	3	1	5	5	6	6
American Indian 1/, both sexes.....	6	1	-	1	-	-	-	-	-	-	2	1	1
Male.....	3	1	-	-	-	-	-	-	-	-	-	1	1
Female.....	3	-	-	1	-	-	-	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	1	-	-	1	-	2	2	1	2
Male.....	3	-	-	-	-	-	-	1	-	1	-	1	-
Female.....	6	-	-	-	1	-	-	-	-	1	2	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intestinal adhesions [bands] with obstruction (K56.5)													
All races, both sexes.....	355	31	26	31	32	37	27	31	23	27	25	28	37
Male.....	134	9	11	15	13	14	8	9	11	7	9	13	15
Female.....	221	22	15	16	19	23	19	22	12	20	16	15	22
White, both sexes.....	307	26	24	24	30	28	24	27	20	23	22	26	33
Male.....	111	7	9	11	12	11	8	6	9	6	8	11	13
Female.....	196	19	15	13	18	17	16	21	11	17	14	15	20
Black, both sexes.....	37	4	1	6	2	6	2	2	2	4	3	1	4
Male.....	18	2	1	4	1	2	-	2	1	1	1	1	2
Female.....	19	2	-	2	1	4	2	-	1	3	2	-	2
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	1	1	-	2	1	1	1	-	-	1	-
Male.....	4	-	1	-	-	-	-	1	1	-	-	1	-
Female.....	5	1	-	1	-	2	1	-	-	-	-	-	-
Other and unspecified intestinal obstruction (K56.6)													
All races, both sexes.....	4,324	381	349	360	342	383	344	363	386	327	351	326	412
Male.....	1,576	143	103	133	126	147	114	143	143	131	115	128	150
Female.....	2,748	238	246	227	216	236	230	220	243	196	236	198	262
White, both sexes.....	3,782	333	306	309	303	332	307	309	334	267	319	288	375
Male.....	1,357	124	89	110	110	125	100	126	125	103	102	109	134
Female.....	2,425	209	217	199	193	207	207	183	209	164	217	179	241
Black, both sexes.....	486	42	41	41	35	49	30	51	49	54	28	35	31
Male.....	192	17	13	17	13	22	13	15	17	23	13	17	12
Female.....	294	25	28	24	22	27	17	36	32	31	15	18	19
American Indian 1/, both sexes.....	19	3	-	2	1	2	1	1	2	1	1	3	2
Male.....	12	2	-	2	1	-	-	1	1	1	-	2	2
Female.....	7	1	-	-	-	2	1	-	1	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	37	3	2	8	3	-	6	2	1	5	3	-	4
Male.....	15	-	1	4	2	-	1	1	-	4	-	-	2
Female.....	22	3	1	4	1	-	5	1	1	1	3	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ileus, unspecified (K56.7)													
All races, both sexes.....	374	46	30	30	30	30	26	21	33	28	36	30	34
Male.....	176	25	17	11	10	13	13	9	18	13	19	12	16
Female.....	198	21	13	19	20	17	13	12	15	15	17	18	18
White, both sexes.....	323	37	27	28	26	26	21	20	28	24	29	27	30
Male.....	146	20	16	10	9	9	10	8	15	11	13	11	14
Female.....	177	17	11	18	17	17	11	12	13	13	16	16	16
Black, both sexes.....	45	7	3	1	4	4	4	1	5	3	7	2	4
Male.....	26	3	1	-	1	4	2	1	3	2	6	1	2
Female.....	19	4	2	1	3	-	2	-	2	1	1	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	-	1	-	-	1	-	-	1	-	1	-
Male.....	4	2	-	1	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Diverticular disease of intestine (K57)													
All races, both sexes.....	3,212	275	248	286	272	274	263	245	287	236	272	273	281
Male.....	1,025	90	68	85	87	100	95	67	95	68	78	96	96
Female.....	2,187	185	180	201	185	174	168	178	192	168	194	177	185
White, both sexes.....	2,932	253	226	263	246	250	239	223	261	220	246	244	261
Male.....	923	84	63	75	79	91	86	54	85	63	69	82	92
Female.....	2,009	169	163	188	167	159	153	169	176	157	177	162	169
Black, both sexes.....	236	19	19	18	25	20	20	18	24	13	21	23	16
Male.....	73	4	4	7	7	7	6	11	8	3	5	9	2
Female.....	163	15	15	11	18	13	14	7	16	10	16	14	14
American Indian 1/, both sexes.....	10	1	-	2	-	1	1	1	1	-	1	1	1
Male.....	8	1	-	2	-	1	1	1	1	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	34	2	3	3	1	3	3	3	1	3	4	5	3
Male.....	21	1	1	1	1	1	2	1	1	2	4	4	2
Female.....	13	1	2	2	-	2	1	2	-	1	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diverticular disease of large intestine with perforation and abscess (K57.2)													
All races, both sexes.....	287	27	18	22	20	21	26	28	24	25	26	25	25
Male.....	101	9	3	8	8	6	9	9	7	8	8	16	10
Female.....	186	18	15	14	12	15	17	19	17	17	18	9	15
White, both sexes.....	256	25	17	20	15	19	24	23	23	23	25	21	21
Male.....	88	8	3	6	6	5	8	7	6	8	8	13	10
Female.....	168	17	14	14	9	14	16	16	17	15	17	8	11
Black, both sexes.....	24	2	1	2	4	1	2	3	1	2	1	2	3
Male.....	10	1	-	2	1	-	1	2	1	-	-	2	-
Female.....	14	1	1	-	3	1	1	1	-	2	1	-	3
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	1	-	-	2	-	-	-	2	1
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	-	-	2	-	-	-	1	1
Diverticular disease of large intestine without perforation or abscess (K57.3)													
All races, both sexes.....	156	11	10	16	11	12	16	11	14	8	13	18	16
Male.....	66	6	5	6	5	4	7	5	7	4	6	7	4
Female.....	90	5	5	10	6	8	9	6	7	4	7	11	12
White, both sexes.....	131	8	8	12	9	11	13	10	13	7	9	16	15
Male.....	60	5	5	5	5	4	7	4	7	3	5	6	4
Female.....	71	3	3	7	4	7	6	6	6	4	4	10	11
Black, both sexes.....	18	2	2	3	2	1	2	-	1	-	3	2	-
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	16	2	2	2	2	1	2	-	1	-	3	1	-
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	1	-	-	-	-	1
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	1	-	-	1	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diverticular disease of both small and large intestine without perforation or abscess (K57.5)													
All races, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Diverticular disease of intestine, part unspecified, with perforation and abscess (K57.8)													
All races, both sexes.....	1,303	114	115	108	121	114	109	107	112	96	94	115	98
Male.....	397	40	37	29	37	37	38	25	41	23	26	36	28
Female.....	906	74	78	79	84	77	71	82	71	73	68	79	70
White, both sexes.....	1,218	105	111	103	113	104	101	102	100	90	87	106	96
Male.....	368	37	36	27	34	35	33	23	36	22	25	32	28
Female.....	850	68	75	76	79	69	68	79	64	68	62	74	68
Black, both sexes.....	72	8	4	3	8	7	5	5	11	5	7	7	2
Male.....	19	2	1	-	3	1	2	2	4	1	1	2	-
Female.....	53	6	3	3	5	6	3	3	7	4	6	5	2
American Indian 1/, both sexes.....	3	-	-	1	-	-	1	-	-	-	-	1	-
Male.....	3	-	-	1	-	-	1	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	-	1	-	3	2	-	1	1	-	1	-
Male.....	7	1	-	1	-	1	2	-	1	-	-	1	-
Female.....	3	-	-	-	-	2	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Perforation of intestine (nontraumatic) (K63.1)													
All races, both sexes.....	1,841	159	160	171	145	160	147	163	143	161	126	145	161
Male.....	664	65	64	60	59	51	45	52	59	54	44	59	52
Female.....	1,177	94	96	111	86	109	102	111	84	107	82	86	109
White, both sexes.....	1,624	131	138	153	127	146	135	149	125	147	106	127	140
Male.....	582	49	58	53	51	49	42	44	51	49	39	52	45
Female.....	1,042	82	80	100	76	97	93	105	74	98	67	75	95
Black, both sexes.....	172	21	19	13	14	11	10	10	13	11	15	16	19
Male.....	62	13	5	5	6	1	2	5	4	4	5	6	6
Female.....	110	8	14	8	8	10	8	5	9	7	10	10	13
American Indian 1/, both sexes.....	15	2	1	-	3	2	2	1	1	-	2	-	1
Male.....	7	1	1	-	1	1	1	-	1	-	-	-	1
Female.....	8	1	-	-	2	1	1	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	30	5	2	5	1	1	-	3	4	3	3	2	1
Male.....	13	2	-	2	1	-	-	3	3	1	-	1	-
Female.....	17	3	2	3	-	1	-	-	1	2	3	1	1
Fistula of intestine (K63.2)													
All races, both sexes.....	218	14	15	27	15	19	15	18	12	14	27	20	22
Male.....	84	3	5	14	5	6	6	11	6	3	12	6	7
Female.....	134	11	10	13	10	13	9	7	6	11	15	14	15
White, both sexes.....	184	9	14	27	10	17	13	12	11	12	21	17	21
Male.....	72	1	5	14	3	6	6	6	5	3	11	6	6
Female.....	112	8	9	13	7	11	7	6	6	9	10	11	15
Black, both sexes.....	27	4	1	-	4	1	1	5	-	2	5	3	1
Male.....	10	2	-	-	2	-	-	4	-	-	1	-	1
Female.....	17	2	1	-	2	1	1	1	-	2	4	3	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	1	1	1	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	5	1	-	-	1	1	1	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of intestine, unspecified (K63.9)													
All races, both sexes.....	411	33	33	41	39	33	29	27	37	29	38	31	41
Male.....	187	18	15	16	20	15	9	14	16	12	21	14	17
Female.....	224	15	18	25	19	18	20	13	21	17	17	17	24
White, both sexes.....	365	28	30	35	36	29	26	24	35	26	32	27	37
Male.....	166	17	14	15	18	14	7	12	16	11	17	12	13
Female.....	199	11	16	20	18	15	19	12	19	15	15	15	24
Black, both sexes.....	39	4	3	6	3	3	2	2	2	3	5	2	4
Male.....	20	1	1	1	2	1	2	1	-	1	4	2	4
Female.....	19	3	2	5	1	2	-	1	2	2	1	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	1	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	-	1	-	-	-	2	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	-	-	-	2	-
Peritonitis (K65)													
All races, both sexes.....	1,434	127	104	132	136	111	99	110	120	124	126	126	119
Male.....	607	63	41	47	53	46	43	52	49	59	58	47	49
Female.....	827	64	63	85	83	65	56	58	71	65	68	79	70
White, both sexes.....	1,234	107	96	120	119	88	80	91	104	107	106	111	105
Male.....	516	53	39	43	45	34	35	42	43	46	47	43	46
Female.....	718	54	57	77	74	54	45	49	61	61	59	68	59
Black, both sexes.....	169	16	7	10	14	20	15	17	15	12	19	11	13
Male.....	79	9	2	4	7	10	7	8	5	10	10	4	3
Female.....	90	7	5	6	7	10	8	9	10	2	9	7	10
American Indian 1/, both sexes.....	9	1	1	-	-	-	1	2	-	2	1	1	-
Male.....	4	-	-	-	-	-	-	2	-	1	1	-	-
Female.....	5	1	1	-	-	-	1	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	22	3	-	2	3	3	3	-	1	3	-	3	1
Male.....	8	1	-	-	1	2	1	-	1	2	-	-	-
Female.....	14	2	-	2	2	1	2	-	-	1	-	3	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peritonitis, unspecified (K65.9)													
All races, both sexes.....	814	75	60	73	74	72	61	59	67	69	67	71	66
Male.....	321	33	22	25	29	28	30	24	26	29	28	23	24
Female.....	493	42	38	48	45	44	31	35	41	40	39	48	42
White, both sexes.....	706	66	57	69	67	60	48	45	60	61	56	62	55
Male.....	275	28	21	23	25	24	25	17	23	24	20	23	22
Female.....	431	38	36	46	42	36	23	28	37	37	36	39	33
Black, both sexes.....	92	9	3	3	6	10	10	13	7	4	11	6	10
Male.....	41	5	1	2	4	3	4	6	3	3	8	-	2
Female.....	51	4	2	1	2	7	6	7	4	1	3	6	8
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	1	-	2	-	1	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	1	1	2	2	-	-	2	-	2	1
Male.....	3	-	-	-	-	1	1	-	-	1	-	-	-
Female.....	8	-	-	1	1	1	1	-	-	1	-	2	1
Other disorders of peritoneum (K66)													
All races, both sexes.....	327	30	22	30	29	33	24	26	19	33	24	27	30
Male.....	134	11	12	9	12	10	8	11	8	13	10	12	18
Female.....	193	19	10	21	17	23	16	15	11	20	14	15	12
White, both sexes.....	276	25	19	24	27	32	19	21	15	27	21	23	23
Male.....	112	9	9	7	11	10	6	9	5	13	9	9	15
Female.....	164	16	10	17	16	22	13	12	10	14	12	14	8
Black, both sexes.....	39	2	3	6	2	1	3	4	2	6	3	4	3
Male.....	15	1	3	2	1	-	-	2	1	-	1	3	1
Female.....	24	1	-	4	1	1	3	2	1	6	2	1	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	10	3	-	-	-	-	2	1	1	-	-	-	3
Male.....	6	1	-	-	-	-	2	-	1	-	-	-	2
Female.....	4	2	-	-	-	-	-	1	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peritoneal adhesions (K66.0)													
All races, both sexes.....	68	10	9	7	1	8	3	6	4	9	6	3	2
Male.....	16	-	4	2	-	1	-	2	1	3	1	-	2
Female.....	52	10	5	5	1	7	3	4	3	6	5	3	-
White, both sexes.....	57	8	9	6	1	7	2	5	2	9	5	2	1
Male.....	12	-	4	1	-	1	-	1	-	3	1	-	1
Female.....	45	8	5	5	1	6	2	4	2	6	4	2	-
Black, both sexes.....	8	-	-	1	-	1	1	1	2	-	1	1	-
Male.....	3	-	-	1	-	-	-	1	1	-	-	-	-
Female.....	5	-	-	-	-	1	1	-	1	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Hemoperitoneum (K66.1)													
All races, both sexes.....	183	14	8	16	21	17	16	15	12	16	14	16	18
Male.....	84	8	4	3	9	6	6	8	7	7	7	8	11
Female.....	99	6	4	13	12	11	10	7	5	9	7	8	7
White, both sexes.....	153	11	6	12	19	17	13	14	10	13	12	13	13
Male.....	68	6	2	2	8	6	4	8	5	7	6	5	9
Female.....	85	5	4	10	11	11	9	6	5	6	6	8	4
Black, both sexes.....	22	2	2	4	2	-	1	-	-	3	2	3	3
Male.....	10	1	2	1	1	-	-	-	-	-	1	3	1
Female.....	12	1	-	3	1	-	1	-	-	3	1	-	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	-	-	2	1	1	-	-	-	1
Male.....	5	1	-	-	-	-	2	-	1	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alcoholic cirrhosis of liver (K70.3)													
All races, both sexes.....	8,784	800	715	755	725	726	691	719	710	713	735	742	753
Male.....	6,456	581	534	545	549	525	492	551	515	514	550	551	549
Female.....	2,328	219	181	210	176	201	199	168	195	199	185	191	204
White, both sexes.....	7,741	699	634	672	627	656	594	636	631	634	662	645	651
Male.....	5,754	517	480	486	475	484	429	494	457	464	502	488	478
Female.....	1,987	182	154	186	152	172	165	142	174	170	160	157	173
Black, both sexes.....	664	68	53	58	72	50	63	49	44	44	41	56	66
Male.....	458	46	36	42	51	28	43	35	35	31	26	37	48
Female.....	206	22	17	16	21	22	20	14	9	13	15	19	18
American Indian 1/, both sexes.....	266	22	20	15	18	14	20	20	27	29	22	31	28
Male.....	147	8	10	9	15	7	10	11	16	13	15	16	17
Female.....	119	14	10	6	3	7	10	9	11	16	7	15	11
Asian or Pacific Islander 2/, both sexes.....	113	11	8	10	8	6	14	14	8	6	10	10	8
Male.....	97	10	8	8	8	6	10	11	7	6	7	10	6
Female.....	16	1	-	2	-	-	4	3	1	-	3	-	2
Alcoholic hepatic failure (K70.4)													
All races, both sexes.....	1,296	129	80	119	96	104	124	98	98	114	115	106	113
Male.....	873	80	57	71	67	81	93	71	68	67	88	67	63
Female.....	423	49	23	48	29	23	31	27	30	47	27	39	50
White, both sexes.....	1,129	115	66	107	87	93	102	85	84	105	100	89	96
Male.....	764	75	45	61	64	72	76	62	60	64	73	60	52
Female.....	365	40	21	46	23	21	26	23	24	41	27	29	44
Black, both sexes.....	105	9	11	5	7	3	14	9	11	7	11	9	9
Male.....	69	4	9	4	2	3	11	5	7	3	11	5	5
Female.....	36	5	2	1	5	-	3	4	4	4	-	4	4
American Indian 1/, both sexes.....	46	5	-	7	2	8	6	1	2	1	4	5	5
Male.....	27	1	-	6	1	6	4	1	-	-	4	1	3
Female.....	19	4	-	1	1	2	2	-	2	1	-	4	2
Asian or Pacific Islander 2/, both sexes.....	16	-	3	-	-	-	2	3	1	1	-	3	3
Male.....	13	-	3	-	-	-	2	3	1	-	-	1	3
Female.....	3	-	-	-	-	-	-	-	-	1	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hepatic failure, not elsewhere classified (K72)													
All races, both sexes.....	3,897	354	302	323	334	317	299	347	310	330	306	329	346
Male.....	2,217	211	168	173	187	205	165	204	175	183	160	187	199
Female.....	1,680	143	134	150	147	112	134	143	135	147	146	142	147
White, both sexes.....	3,248	292	245	264	276	257	251	292	260	276	265	277	293
Male.....	1,860	177	138	146	155	166	139	175	152	148	136	159	169
Female.....	1,388	115	107	118	121	91	112	117	108	128	129	118	124
Black, both sexes.....	496	49	44	41	44	44	36	44	38	44	32	43	37
Male.....	282	28	24	20	23	33	20	20	18	30	20	24	22
Female.....	214	21	20	21	21	11	16	24	20	14	12	19	15
American Indian 1/, both sexes.....	73	9	6	13	2	10	6	4	8	6	4	3	2
Male.....	34	4	3	4	2	5	2	3	4	2	2	2	1
Female.....	39	5	3	9	-	5	4	1	4	4	2	1	1
Asian or Pacific Islander 2/, both sexes.....	80	4	7	5	12	6	6	7	4	4	5	6	14
Male.....	41	2	3	3	7	1	4	6	1	3	2	2	7
Female.....	39	2	4	2	5	5	2	1	3	1	3	4	7
Acute and subacute hepatic failure (K72.0)													
All races, both sexes.....	279	21	12	28	24	24	20	31	23	24	22	17	33
Male.....	138	12	6	14	12	13	7	14	12	14	11	11	12
Female.....	141	9	6	14	12	11	13	17	11	10	11	6	21
White, both sexes.....	232	17	6	27	21	20	15	25	23	17	18	15	28
Male.....	118	10	5	13	10	11	7	13	12	8	9	10	10
Female.....	114	7	1	14	11	9	8	12	11	9	9	5	18
Black, both sexes.....	38	3	5	1	1	3	2	6	-	7	3	2	5
Male.....	18	1	1	1	1	2	-	1	-	6	2	1	2
Female.....	20	2	4	-	-	1	2	5	-	1	1	1	3
American Indian 1/, both sexes.....	5	-	1	-	1	-	2	-	-	-	1	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	4	-	1	-	-	-	2	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	1	1	1	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	1	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic hepatic failure (K72.1)													
All races, both sexes.....	85	5	7	6	8	5	7	10	2	8	10	9	8
Male.....	50	3	6	2	6	3	4	7	1	6	5	4	3
Female.....	35	2	1	4	2	2	3	3	1	2	5	5	5
White, both sexes.....	72	4	6	5	8	3	6	8	2	7	8	8	7
Male.....	43	2	5	2	6	2	4	6	1	6	4	3	2
Female.....	29	2	1	3	2	1	2	2	1	1	4	5	5
Black, both sexes.....	7	1	1	-	-	1	1	1	-	-	-	1	1
Male.....	4	1	1	-	-	-	-	-	-	-	-	1	1
Female.....	3	-	-	-	-	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	1	-	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	-	-	2	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Hepatic failure, unspecified (K72.9)													
All races, both sexes.....	3,533	328	283	289	302	288	272	306	285	298	274	303	305
Male.....	2,029	196	156	157	169	189	154	183	162	163	144	172	184
Female.....	1,504	132	127	132	133	99	118	123	123	135	130	131	121
White, both sexes.....	2,944	271	233	232	247	234	230	259	235	252	239	254	258
Male.....	1,699	165	128	131	139	153	128	156	139	134	123	146	157
Female.....	1,245	106	105	101	108	81	102	103	96	118	116	108	101
Black, both sexes.....	451	45	38	40	43	40	33	37	38	37	29	40	31
Male.....	260	26	22	19	22	31	20	19	18	24	18	22	19
Female.....	191	19	16	21	21	9	13	18	20	13	11	18	12
American Indian 1/, both sexes.....	65	9	5	12	1	10	4	3	8	5	3	3	2
Male.....	32	4	3	4	1	5	2	2	4	2	2	2	1
Female.....	33	5	2	8	-	5	2	1	4	3	1	1	1
Asian or Pacific Islander 2/, both sexes.....	73	3	7	5	11	4	5	7	4	4	3	6	14
Male.....	38	1	3	3	7	-	4	6	1	3	1	2	7
Female.....	35	2	4	2	4	4	1	1	3	1	2	4	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other chronic hepatitis, not elsewhere classified (K73.8)													
All races, both sexes.....	5	-	-	1	-	-	-	1	-	-	-	-	3
Male.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	3	-	-	1	-	-	-	1	-	-	-	-	1
White, both sexes.....	3	-	-	1	-	-	-	-	-	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic hepatitis, unspecified (K73.9)													
All races, both sexes.....	96	10	9	6	5	5	9	8	7	9	8	10	10
Male.....	53	4	9	3	3	3	6	6	5	2	3	5	4
Female.....	43	6	-	3	2	2	3	2	2	7	5	5	6
White, both sexes.....	79	9	8	6	5	5	8	4	5	6	6	8	9
Male.....	45	4	8	3	3	3	5	4	3	2	3	4	3
Female.....	34	5	-	3	2	2	3	-	2	4	3	4	6
Black, both sexes.....	10	-	-	-	-	-	1	3	2	2	1	1	-
Male.....	5	-	-	-	-	-	1	1	2	-	-	1	-
Female.....	5	-	-	-	-	-	-	2	-	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	1	-	-	-	-	1	-	1	1	1	1
Male.....	3	-	1	-	-	-	-	1	-	-	-	-	1
Female.....	4	1	-	-	-	-	-	-	-	1	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hepatic sclerosis (K74.1)													
All races, both sexes.....	7	2	-	1	2	-	-	1	-	-	1	-	-
Male.....	6	1	-	1	2	-	-	1	-	-	1	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	6	1	-	1	2	-	-	1	-	-	1	-	-
Male.....	5	-	-	1	2	-	-	1	-	-	1	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Primary biliary cirrhosis (K74.3)													
All races, both sexes.....	424	34	42	30	33	29	30	32	41	32	41	40	40
Male.....	58	3	8	6	6	2	3	4	4	4	7	6	5
Female.....	366	31	34	24	27	27	27	28	37	28	34	34	35
White, both sexes.....	395	32	40	26	32	28	27	31	38	27	38	37	39
Male.....	55	3	8	5	6	2	3	4	4	3	6	6	5
Female.....	340	29	32	21	26	26	24	27	34	24	32	31	34
Black, both sexes.....	16	2	1	3	-	1	2	-	2	5	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	14	2	1	2	-	1	2	-	2	4	-	-	-
American Indian 1/, both sexes.....	8	-	-	-	-	-	1	-	1	-	2	3	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	7	-	-	-	-	-	1	-	1	-	1	3	1
Asian or Pacific Islander 2/, both sexes.....	5	-	1	1	1	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	1	1	1	-	-	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Secondary biliary cirrhosis (K74.4)													
All races, both sexes.....	3	-	-	-	-	-	-	-	-	2	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
White, both sexes.....	3	-	-	-	-	-	-	-	-	2	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Biliary cirrhosis, unspecified (K74.5)													
All races, both sexes.....	80	6	7	4	5	10	9	6	4	12	4	6	7
Male.....	11	-	3	-	-	1	-	-	2	2	1	1	1
Female.....	69	6	4	4	5	9	9	6	2	10	3	5	6
White, both sexes.....	73	4	7	4	5	9	8	6	3	11	3	6	7
Male.....	10	-	3	-	-	1	-	-	1	2	1	1	1
Female.....	63	4	4	4	5	8	8	6	2	9	2	5	6
Black, both sexes.....	4	1	-	-	-	-	1	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	1	-	-	-	-	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified cirrhosis of liver (K74.6)													
All races, both sexes.....	13,863	1,248	1,147	1,228	1,158	1,149	1,140	1,106	1,075	1,100	1,128	1,148	1,236
Male.....	8,277	758	692	719	702	679	689	662	642	642	664	670	758
Female.....	5,586	490	455	509	456	470	451	444	433	458	464	478	478
White, both sexes.....	12,197	1,108	1,004	1,076	1,027	1,016	994	956	955	965	991	1,006	1,099
Male.....	7,263	668	610	631	611	604	606	573	567	562	583	582	666
Female.....	4,934	440	394	445	416	412	388	383	388	403	408	424	433
Black, both sexes.....	1,268	104	114	118	109	111	109	108	92	98	98	99	108
Male.....	797	71	66	74	78	66	64	68	58	55	59	63	75
Female.....	471	33	48	44	31	45	45	40	34	43	39	36	33
American Indian 1/, both sexes.....	161	17	14	14	9	7	9	15	13	18	16	19	10
Male.....	82	7	9	5	5	3	4	7	8	11	9	10	4
Female.....	79	10	5	9	4	4	5	8	5	7	7	9	6
Asian or Pacific Islander 2/, both sexes.....	237	19	15	20	13	15	28	27	15	19	23	24	19
Male.....	135	12	7	9	8	6	15	14	9	14	13	15	13
Female.....	102	7	8	11	5	9	13	13	6	5	10	9	6
Other inflammatory liver diseases (K75)													
All races, both sexes.....	894	68	88	86	67	77	58	77	82	65	93	69	64
Male.....	323	17	27	32	35	29	24	23	29	29	28	24	26
Female.....	571	51	61	54	32	48	34	54	53	36	65	45	38
White, both sexes.....	732	59	65	77	55	59	43	64	69	52	82	58	49
Male.....	268	14	22	26	28	26	16	21	26	24	25	19	21
Female.....	464	45	43	51	27	33	27	43	43	28	57	39	28
Black, both sexes.....	123	7	17	8	10	13	11	8	11	10	8	9	11
Male.....	42	3	4	5	5	1	5	2	3	3	1	5	5
Female.....	81	4	13	3	5	12	6	6	8	7	7	4	6
American Indian 1/, both sexes.....	16	1	1	-	2	1	3	2	2	1	2	-	1
Male.....	8	-	-	-	2	1	3	-	-	1	1	-	-
Female.....	8	1	1	-	-	-	-	2	2	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	23	1	5	1	-	4	1	3	-	2	1	2	3
Male.....	5	-	1	1	-	1	-	-	-	1	1	-	-
Female.....	18	1	4	-	-	3	1	3	-	1	-	2	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Inflammatory liver disease, unspecified (K75.9)													
All races, both sexes.....	327	26	34	38	26	27	26	25	27	25	28	24	21
Male.....	172	10	18	19	21	10	15	15	12	16	14	12	10
Female.....	155	16	16	19	5	17	11	10	15	9	14	12	11
White, both sexes.....	260	21	28	31	21	19	18	21	22	22	25	18	14
Male.....	142	8	15	14	17	10	9	15	9	15	13	9	8
Female.....	118	13	13	17	4	9	9	6	13	7	12	9	6
Black, both sexes.....	51	4	4	6	3	6	6	3	5	2	2	5	5
Male.....	23	2	3	4	2	-	4	-	3	-	-	3	2
Female.....	28	2	1	2	1	6	2	3	2	2	2	2	3
American Indian 1/, both sexes.....	5	-	1	-	2	-	2	-	-	-	-	-	-
Male.....	4	-	-	-	2	-	2	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	1	1	-	2	-	1	-	1	1	1	2
Male.....	3	-	-	1	-	-	-	-	-	1	1	-	-
Female.....	8	1	1	-	-	2	-	1	-	-	-	1	2
Other diseases of liver (K76)													
All races, both sexes.....	4,693	443	384	383	358	363	371	408	361	381	408	404	429
Male.....	2,832	268	215	234	217	228	226	246	222	222	241	245	268
Female.....	1,861	175	169	149	141	135	145	162	139	159	167	159	161
White, both sexes.....	3,965	372	335	333	307	299	313	333	302	321	345	337	368
Male.....	2,416	230	193	206	185	190	195	205	185	188	203	204	232
Female.....	1,549	142	142	127	122	109	118	128	117	133	142	133	136
Black, both sexes.....	560	54	39	38	41	46	43	60	44	47	44	54	50
Male.....	329	30	17	20	28	30	24	31	29	27	25	36	32
Female.....	231	24	22	18	13	16	19	29	15	20	19	18	18
American Indian 1/, both sexes.....	86	10	5	7	6	10	4	11	7	7	8	7	4
Male.....	46	4	3	5	2	5	3	8	4	3	5	2	2
Female.....	40	6	2	2	4	5	1	3	3	4	3	5	2
Asian or Pacific Islander 2/, both sexes.....	82	7	5	5	4	8	11	4	8	6	11	6	7
Male.....	41	4	2	3	2	3	4	2	4	4	8	3	2
Female.....	41	3	3	2	2	5	7	2	4	2	3	3	5

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Liver disease, unspecified (K76.9)													
All races, both sexes.....	3,453	338	283	293	270	264	273	285	255	269	304	317	302
Male.....	2,175	213	163	191	163	167	176	185	163	161	190	201	202
Female.....	1,278	125	120	102	107	97	97	100	92	108	114	116	100
White, both sexes.....	2,897	278	246	257	230	213	230	230	212	227	255	265	254
Male.....	1,847	181	145	170	140	138	153	152	134	137	156	170	171
Female.....	1,050	97	101	87	90	75	77	78	78	90	99	95	83
Black, both sexes.....	433	45	32	30	32	35	31	44	32	33	34	42	43
Male.....	264	26	14	17	20	22	17	26	23	20	23	28	28
Female.....	169	19	18	13	12	13	14	18	9	13	11	14	15
American Indian 1/, both sexes.....	63	9	3	3	4	9	4	7	6	4	6	6	2
Male.....	34	3	3	2	1	5	3	5	4	1	5	1	1
Female.....	29	6	-	1	3	4	1	2	2	3	1	5	1
Asian or Pacific Islander 2/, both sexes.....	60	6	2	3	4	7	8	4	5	5	9	4	3
Male.....	30	3	1	2	2	2	3	2	2	3	6	2	2
Female.....	30	3	1	1	2	5	5	2	3	2	3	2	1
Cholelithiasis (K80)													
All races, both sexes.....	1,010	93	79	89	92	83	80	82	85	77	85	76	89
Male.....	438	39	29	40	37	39	31	41	33	36	45	28	40
Female.....	572	54	50	49	55	44	49	41	52	41	40	48	49
White, both sexes.....	870	84	69	78	81	68	67	67	73	68	73	67	75
Male.....	378	35	26	35	30	33	25	34	28	35	38	23	36
Female.....	492	49	43	43	51	35	42	33	45	33	35	44	39
Black, both sexes.....	92	7	7	5	6	10	8	9	8	7	10	7	8
Male.....	34	3	2	1	3	3	3	4	3	1	5	4	2
Female.....	58	4	5	4	3	7	5	5	5	6	5	3	6
American Indian 1/, both sexes.....	8	1	-	-	1	-	-	2	-	1	1	-	2
Male.....	4	1	-	-	-	-	-	1	-	-	1	-	1
Female.....	4	-	-	-	1	-	-	1	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	40	1	3	6	4	5	5	4	4	1	1	2	4
Male.....	22	-	1	4	4	3	3	2	2	-	1	1	1
Female.....	18	1	2	2	-	2	2	2	2	1	-	1	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Calculus of gallbladder with acute cholecystitis (K80.0)													
All races, both sexes.....	90	6	4	7	6	10	8	12	9	9	1	12	6
Male.....	43	3	2	4	3	3	2	7	4	5	1	5	4
Female.....	47	3	2	3	3	7	6	5	5	4	-	7	2
White, both sexes.....	80	6	3	7	6	8	6	12	8	6	1	12	5
Male.....	39	3	1	4	3	3	-	7	3	5	1	5	4
Female.....	41	3	2	3	3	5	6	5	5	1	-	7	1
Black, both sexes.....	7	-	1	-	-	2	1	-	-	3	-	-	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	5	-	-	-	-	2	-	-	-	3	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Calculus of gallbladder with other cholecystitis (K80.1)													
All races, both sexes.....	163	15	13	16	12	15	13	12	16	11	13	14	13
Male.....	74	8	6	7	4	10	5	7	7	6	7	4	3
Female.....	89	7	7	9	8	5	8	5	9	5	6	10	10
White, both sexes.....	138	11	11	14	11	14	11	10	15	9	10	13	9
Male.....	63	6	5	6	3	9	5	6	7	5	5	4	2
Female.....	75	5	6	8	8	5	6	4	8	4	5	9	7
Black, both sexes.....	16	3	1	1	-	-	1	1	1	2	3	1	2
Male.....	4	1	-	-	-	-	-	-	-	1	2	-	-
Female.....	12	2	1	1	-	-	1	1	1	1	1	1	2
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	1	1	1	1	1	-	-	-	-	2
Male.....	6	-	1	1	1	1	-	1	-	-	-	-	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Calculus of gallbladder without cholecystitis (K80.2)													
All races, both sexes.....	567	52	46	46	50	45	45	47	48	45	46	41	56
Male.....	252	22	17	23	23	21	21	22	16	19	24	19	25
Female.....	315	30	29	23	27	24	24	25	32	26	22	22	31
White, both sexes.....	488	48	40	42	40	37	38	37	39	42	43	34	48
Male.....	215	20	16	20	17	17	18	17	13	19	22	14	22
Female.....	273	28	24	22	23	20	20	20	26	23	21	20	26
Black, both sexes.....	53	3	5	2	6	5	5	6	7	2	2	5	5
Male.....	24	2	1	1	3	2	2	3	3	-	1	4	2
Female.....	29	1	4	1	3	3	3	3	4	2	1	1	3
American Indian 1/, both sexes.....	4	-	-	-	1	-	-	1	-	-	1	-	1
Male.....	3	-	-	-	-	-	-	1	-	-	1	-	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	1	1	2	3	3	2	3	2	1	-	2	2
Male.....	10	-	-	2	3	2	1	1	-	-	-	1	-
Female.....	12	1	1	-	-	1	1	2	2	1	-	1	2
Calculus of bile duct with cholangitis (K80.3)													
All races, both sexes.....	51	4	5	6	6	1	4	3	2	3	8	5	4
Male.....	18	-	-	1	2	-	2	3	2	2	5	-	1
Female.....	33	4	5	5	4	1	2	-	-	1	3	5	3
White, both sexes.....	43	4	5	5	6	-	3	2	1	3	7	4	3
Male.....	15	-	-	1	2	-	2	2	1	2	4	-	1
Female.....	28	4	5	4	4	-	1	-	-	1	3	4	2
Black, both sexes.....	6	-	-	1	-	-	1	1	-	-	1	1	1
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	4	-	-	1	-	-	1	-	-	-	-	1	1
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cholelithiasis (K80.8)													
All races, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholecystitis (K81)													
All races, both sexes.....	1,823	165	140	153	140	145	130	135	161	151	171	177	155
Male.....	818	78	63	66	71	72	67	56	75	57	72	80	61
Female.....	1,005	87	77	87	69	73	63	79	86	94	99	97	94
White, both sexes.....	1,570	147	123	128	124	133	112	117	135	120	145	153	133
Male.....	714	74	56	50	65	68	58	47	62	47	59	74	54
Female.....	856	73	67	78	59	65	54	70	73	73	86	79	79
Black, both sexes.....	188	11	10	20	12	10	13	12	21	23	22	20	14
Male.....	68	-	4	11	5	3	7	7	10	5	9	5	2
Female.....	120	11	6	9	7	7	6	5	11	18	13	15	12
American Indian 1/, both sexes.....	13	1	-	-	1	-	3	2	1	2	-	1	2
Male.....	9	-	-	-	1	-	1	2	1	2	-	-	2
Female.....	4	1	-	-	-	-	2	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	52	6	7	5	3	2	2	4	4	6	4	3	6
Male.....	27	4	3	5	-	1	1	-	2	3	4	1	3
Female.....	25	2	4	-	3	1	1	4	2	3	-	2	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cholecystitis (K81.8)													
All races, both sexes.....	8	1	-	-	-	1	1	1	-	-	1	1	2
Male.....	5	1	-	-	-	-	-	1	-	-	-	1	2
Female.....	3	-	-	-	-	1	1	-	-	-	1	-	-
White, both sexes.....	8	1	-	-	-	1	1	1	-	-	1	1	2
Male.....	5	1	-	-	-	-	-	1	-	-	-	1	2
Female.....	3	-	-	-	-	1	1	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholecystitis, unspecified (K81.9)													
All races, both sexes.....	956	92	65	76	71	75	65	83	80	83	87	94	85
Male.....	402	43	26	30	38	35	31	33	35	32	32	38	29
Female.....	554	49	39	46	33	40	34	50	45	51	55	56	56
White, both sexes.....	823	86	59	64	62	66	55	71	65	66	75	83	71
Male.....	350	42	24	22	34	32	26	28	28	27	27	35	25
Female.....	473	44	35	42	28	34	29	43	37	39	48	48	46
Black, both sexes.....	100	4	4	10	7	7	8	8	12	12	12	8	8
Male.....	36	-	1	6	3	2	4	4	6	2	5	2	1
Female.....	64	4	3	4	4	5	4	4	6	10	7	6	7
American Indian 1/, both sexes.....	8	-	-	-	1	-	2	1	-	2	-	1	1
Male.....	6	-	-	-	1	-	1	1	-	2	-	-	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	25	2	2	2	1	2	-	3	3	3	-	2	5
Male.....	10	1	1	2	-	1	-	-	1	1	-	1	2
Female.....	15	1	1	-	1	1	-	3	2	2	-	1	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of gallbladder, unspecified (K82.9)													
All races, both sexes.....	227	18	18	23	26	13	17	19	15	22	24	15	17
Male.....	90	5	7	9	14	2	6	9	6	6	12	7	7
Female.....	137	13	11	14	12	11	11	10	9	16	12	8	10
White, both sexes.....	186	17	14	16	24	11	15	16	13	15	21	11	13
Male.....	78	5	7	8	13	2	5	7	6	5	10	4	6
Female.....	108	12	7	8	11	9	10	9	7	10	11	7	7
Black, both sexes.....	37	1	4	7	2	2	2	3	1	5	3	3	4
Male.....	11	-	-	1	1	-	1	2	-	1	2	2	1
Female.....	26	1	4	6	1	2	1	1	1	4	1	1	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Other diseases of biliary tract (K83)													
All races, both sexes.....	1,040	91	95	95	80	97	79	83	81	81	70	106	82
Male.....	467	33	49	40	38	50	34	34	40	33	34	45	37
Female.....	573	58	46	55	42	47	45	49	41	48	36	61	45
White, both sexes.....	914	79	80	86	71	86	73	74	70	71	61	92	71
Male.....	412	26	44	37	34	46	32	31	34	30	30	38	30
Female.....	502	53	36	49	37	40	41	43	36	41	31	54	41
Black, both sexes.....	86	9	12	7	4	7	5	5	6	7	5	10	9
Male.....	37	5	3	2	3	2	2	2	3	1	2	6	6
Female.....	49	4	9	5	1	5	3	3	3	6	3	4	3
American Indian 1/, both sexes.....	9	2	-	-	1	-	-	2	1	1	1	1	-
Male.....	5	1	-	-	1	-	-	-	1	1	1	-	-
Female.....	4	1	-	-	-	-	-	2	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	31	1	3	2	4	4	1	2	4	2	3	3	2
Male.....	13	1	2	1	-	2	-	1	2	1	1	1	1
Female.....	18	-	1	1	4	2	1	1	2	1	2	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cholangitis (K83.0)													
All races, both sexes.....	612	58	48	65	44	67	42	47	57	44	39	54	47
Male.....	294	23	27	30	24	36	19	22	32	17	21	22	21
Female.....	318	35	21	35	20	31	23	25	25	27	18	32	26
White, both sexes.....	535	47	38	57	39	59	39	42	51	37	33	49	44
Male.....	262	17	24	27	23	33	17	21	28	14	18	21	19
Female.....	273	30	14	30	16	26	22	21	23	23	15	28	25
Black, both sexes.....	49	8	7	6	1	5	3	3	4	4	3	2	3
Male.....	21	4	1	2	1	2	2	1	3	1	1	1	2
Female.....	28	4	6	4	-	3	1	2	1	3	2	1	1
American Indian 1/, both sexes.....	8	2	-	-	-	-	-	2	1	1	1	1	-
Male.....	4	1	-	-	-	-	-	-	1	1	1	-	-
Female.....	4	1	-	-	-	-	-	2	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	20	1	3	2	4	3	-	-	1	2	2	2	-
Male.....	7	1	2	1	-	1	-	-	-	1	1	-	-
Female.....	13	-	1	1	4	2	-	-	1	1	1	2	-
Obstruction of bile duct (K83.1)													
All races, both sexes.....	358	26	43	27	32	25	29	27	19	29	28	43	30
Male.....	150	9	20	10	12	12	14	10	8	15	10	17	13
Female.....	208	17	23	17	20	13	15	17	11	14	18	26	17
White, both sexes.....	315	25	38	26	29	22	26	23	14	26	25	37	24
Male.....	132	8	18	10	10	11	14	8	6	15	9	14	9
Female.....	183	17	20	16	19	11	12	15	8	11	16	23	15
Black, both sexes.....	32	1	5	1	2	2	2	2	2	3	2	6	4
Male.....	12	1	2	-	1	-	-	1	-	-	1	3	3
Female.....	20	-	3	1	1	2	2	1	2	3	1	3	1
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	1	1	2	3	-	1	-	2
Male.....	5	-	-	-	-	1	-	1	2	-	-	-	1
Female.....	5	-	-	-	-	-	1	1	1	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of biliary tract, unspecified (K83.9)													
All races, both sexes.....	39	3	4	3	3	3	5	4	2	4	1	6	1
Male.....	16	-	2	-	2	2	1	1	-	1	1	5	1
Female.....	23	3	2	3	1	1	4	3	2	3	-	1	-
White, both sexes.....	35	3	4	3	2	3	5	4	2	4	1	3	1
Male.....	12	-	2	-	1	2	1	1	-	1	1	2	1
Female.....	23	3	2	3	1	1	4	3	2	3	-	1	-
Black, both sexes.....	3	-	-	-	1	-	-	-	-	-	-	2	-
Male.....	3	-	-	-	1	-	-	-	-	-	-	2	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute pancreatitis (K85)													
All races, both sexes.....	3,070	261	234	262	256	260	224	255	228	265	276	248	301
Male.....	1,709	138	140	145	133	157	124	136	123	147	151	148	167
Female.....	1,361	123	94	117	123	103	100	119	105	118	125	100	134
White, both sexes.....	2,607	217	198	222	220	221	191	217	195	224	243	206	253
Male.....	1,432	113	120	113	112	135	106	117	106	121	131	123	135
Female.....	1,175	104	78	109	108	86	85	100	89	103	112	83	118
Black, both sexes.....	388	34	30	32	28	35	25	34	29	35	28	37	41
Male.....	232	20	17	25	19	19	13	17	14	21	17	22	28
Female.....	156	14	13	7	9	16	12	17	15	14	11	15	13
American Indian 1/, both sexes.....	15	1	3	1	1	3	1	1	-	-	1	1	2
Male.....	10	-	2	1	-	3	1	1	-	-	1	-	1
Female.....	5	1	1	-	1	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	60	9	3	7	7	1	7	3	4	6	4	4	5
Male.....	35	5	1	6	2	-	4	1	3	5	2	3	3
Female.....	25	4	2	1	5	1	3	2	1	1	2	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute pancreatitis, unspecified (K85.9)													
All races, both sexes.....	2,723	229	206	237	215	236	199	223	200	232	246	222	278
Male.....	1,454	114	118	127	104	136	105	112	101	129	129	129	150
Female.....	1,269	115	88	110	111	100	94	111	99	103	117	93	128
White, both sexes.....	2,318	190	176	203	185	202	167	189	172	197	217	187	233
Male.....	1,222	94	104	101	89	118	88	96	86	105	112	108	121
Female.....	1,096	96	72	102	96	84	79	93	86	92	105	79	112
Black, both sexes.....	335	31	25	27	22	30	24	30	24	29	24	30	39
Male.....	192	17	12	20	13	15	12	14	12	19	14	18	26
Female.....	143	14	13	7	9	15	12	16	12	10	10	12	13
American Indian 1/, both sexes.....	12	1	2	-	1	3	1	1	-	-	1	1	1
Male.....	7	-	1	-	-	3	1	1	-	-	1	-	-
Female.....	5	1	1	-	1	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	58	7	3	7	7	1	7	3	4	6	4	4	5
Male.....	33	3	1	6	2	-	4	1	3	5	2	3	3
Female.....	25	4	2	1	5	1	3	2	1	1	2	1	2
Other diseases of pancreas (K86)													
All races, both sexes.....	867	75	67	74	70	66	58	85	82	72	78	80	60
Male.....	446	43	40	36	35	23	26	43	41	34	39	54	32
Female.....	421	32	27	38	35	43	32	42	41	38	39	26	28
White, both sexes.....	711	60	48	59	56	55	51	68	67	65	68	66	48
Male.....	356	34	30	26	27	20	22	32	30	31	33	46	25
Female.....	355	26	18	33	29	35	29	36	37	34	35	20	23
Black, both sexes.....	133	13	17	12	12	8	5	17	10	6	9	13	11
Male.....	78	7	9	8	8	3	4	11	6	3	5	8	6
Female.....	55	6	8	4	4	5	1	6	4	3	4	5	5
American Indian 1/, both sexes.....	4	1	-	-	1	-	-	-	1	-	-	1	-
Male.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	19	1	2	3	1	3	2	-	4	1	1	-	1
Male.....	10	1	1	2	-	-	-	-	4	-	1	-	1
Female.....	9	-	1	1	1	3	2	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alcohol-induced chronic pancreatitis (K86.0)													
All races, both sexes.....	111	10	11	4	9	7	4	12	13	8	8	12	13
Male.....	89	9	9	2	6	4	2	11	11	7	5	12	11
Female.....	22	1	2	2	3	3	2	1	2	1	3	-	2
White, both sexes.....	83	8	8	3	3	7	4	9	9	8	7	9	8
Male.....	64	7	6	1	2	4	2	8	7	7	4	9	7
Female.....	19	1	2	2	1	3	2	1	2	1	3	-	1
Black, both sexes.....	23	2	3	1	5	-	-	3	1	-	1	3	4
Male.....	21	2	3	1	4	-	-	3	1	-	1	3	3
Female.....	2	-	-	-	1	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	2	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	2	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic pancreatitis (K86.1)													
All races, both sexes.....	322	31	25	29	25	34	19	29	26	30	32	27	15
Male.....	165	16	17	15	13	11	9	15	11	19	15	19	5
Female.....	157	15	8	14	12	23	10	14	15	11	17	8	10
White, both sexes.....	263	26	16	21	22	28	17	21	22	28	28	21	13
Male.....	133	13	12	9	13	9	8	10	8	18	14	15	4
Female.....	130	13	4	12	9	19	9	11	14	10	14	6	9
Black, both sexes.....	50	5	8	5	2	5	1	8	3	2	4	5	2
Male.....	29	3	5	4	-	2	1	5	2	1	1	4	1
Female.....	21	2	3	1	2	3	-	3	1	1	3	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	3	1	1	1	-	1	-	-	-	-
Male.....	3	-	-	2	-	-	-	-	1	-	-	-	-
Female.....	5	-	1	1	1	1	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified diseases of pancreas (K86.8)													
All races, both sexes.....	68	4	7	13	5	6	6	4	6	6	6	3	2
Male.....	43	4	6	8	2	4	2	3	3	2	5	2	2
Female.....	25	-	1	5	3	2	4	1	3	4	1	1	-
White, both sexes.....	62	3	6	12	4	6	6	3	6	6	5	3	2
Male.....	37	3	5	7	1	4	2	2	3	2	4	2	2
Female.....	25	-	1	5	3	2	4	1	3	4	1	1	-
Black, both sexes.....	4	-	-	1	1	-	-	1	-	-	1	-	-
Male.....	4	-	-	1	1	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disease of pancreas, unspecified (K86.9)													
All races, both sexes.....	311	24	22	25	26	15	27	34	28	27	28	29	26
Male.....	118	10	7	10	10	2	12	11	12	6	11	15	12
Female.....	193	14	15	15	16	13	15	23	16	21	17	14	14
White, both sexes.....	255	19	17	21	22	11	22	29	23	22	24	24	21
Male.....	94	8	6	8	7	2	9	9	9	4	8	14	10
Female.....	161	11	11	13	15	9	13	20	14	18	16	10	11
Black, both sexes.....	49	4	5	4	4	2	4	5	4	4	3	5	5
Male.....	21	1	1	2	3	-	3	2	2	2	2	1	2
Female.....	28	3	4	2	1	2	1	3	2	2	1	4	3
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	2	1	-	1	1	1	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	4	-	-	-	-	2	1	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intestinal malabsorption, unspecified (K90.9)													
All races, both sexes.....	71	8	4	4	8	3	8	6	10	3	8	6	3
Male.....	24	2	2	2	3	1	4	1	3	1	2	2	1
Female.....	47	6	2	2	5	2	4	5	7	2	6	4	2
White, both sexes.....	62	6	4	4	7	3	7	5	10	2	7	4	3
Male.....	22	2	2	2	3	1	4	1	3	-	2	1	1
Female.....	40	4	2	2	4	2	3	4	7	2	5	3	2
Black, both sexes.....	8	2	-	-	1	-	1	1	-	1	-	2	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Female.....	6	2	-	-	1	-	1	1	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Other diseases of the digestive system (K92)													
All races, both sexes.....	7,541	744	646	666	642	619	560	609	559	602	588	617	689
Male.....	3,579	360	316	317	288	296	255	295	256	267	287	300	342
Female.....	3,962	384	330	349	354	323	305	314	303	335	301	317	347
White, both sexes.....	6,510	642	564	578	542	535	490	518	479	522	499	534	607
Male.....	3,088	306	278	277	244	251	220	248	222	230	241	270	301
Female.....	3,422	336	286	301	298	284	270	270	257	292	258	264	306
Black, both sexes.....	870	76	71	75	92	73	60	75	68	65	76	66	73
Male.....	415	41	34	34	42	40	30	36	28	31	40	23	36
Female.....	455	35	37	41	50	33	30	39	40	34	36	43	37
American Indian 1/, both sexes.....	39	2	2	2	5	3	2	4	4	5	2	7	1
Male.....	17	1	1	1	-	1	1	2	3	2	-	4	1
Female.....	22	1	1	1	5	2	1	2	1	3	2	3	-
Asian or Pacific Islander 2/, both sexes.....	122	24	9	11	3	8	8	12	8	10	11	10	8
Male.....	59	12	3	5	2	4	4	9	3	4	6	3	4
Female.....	63	12	6	6	1	4	4	3	5	6	5	7	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cutaneous abscess, furuncle, and carbuncle of buttock (L02.3)													
All races, both sexes.....	15	-	2	2	1	3	2	1	1	-	2	-	1
Male.....	3	-	-	-	-	2	-	1	-	-	-	-	-
Female.....	12	-	2	2	1	1	2	-	1	-	2	-	1
White, both sexes.....	9	-	-	2	1	2	-	1	1	-	2	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	7	-	-	2	1	1	-	-	1	-	2	-	-
Black, both sexes.....	6	-	2	-	-	1	2	-	-	-	-	-	1
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	5	-	2	-	-	-	2	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cutaneous abscess, furuncle, and carbuncle of limb (L02.4)													
All races, both sexes.....	73	5	5	9	8	3	8	11	6	7	1	4	6
Male.....	30	1	3	4	4	1	5	3	1	4	-	1	3
Female.....	43	4	2	5	4	2	3	8	5	3	1	3	3
White, both sexes.....	54	3	4	7	6	1	7	10	4	6	-	2	4
Male.....	25	1	3	3	3	1	5	3	1	3	-	-	2
Female.....	29	2	1	4	3	-	2	7	3	3	-	2	2
Black, both sexes.....	16	2	-	2	2	2	-	1	1	1	1	2	2
Male.....	5	-	-	1	1	-	-	-	-	1	-	1	1
Female.....	11	2	-	1	1	2	-	1	1	-	1	1	1
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute lymphadenitis of upper limb (L04.2)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other local infections of skin and subcutaneous tissue (L08)													
All races, both sexes.....	452	37	35	38	37	38	37	48	30	34	39	34	45
Male.....	189	14	17	16	18	10	19	18	13	15	17	13	19
Female.....	263	23	18	22	19	28	18	30	17	19	22	21	26
White, both sexes.....	373	34	30	28	31	30	30	40	28	24	34	29	35
Male.....	156	14	12	12	16	7	16	15	12	10	15	10	17
Female.....	217	20	18	16	15	23	14	25	16	14	19	19	18
Black, both sexes.....	71	3	4	9	5	7	6	7	2	9	5	5	9
Male.....	31	-	4	4	2	3	2	3	1	5	2	3	2
Female.....	40	3	-	5	3	4	4	4	1	4	3	2	7
American Indian 1/, both sexes.....	3	-	-	1	-	-	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	1	1	1	1	-	-	-	-	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	1	1	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Local infection of skin and subcutaneous tissue, unspecified (L08.9)													
All races, both sexes.....	450	37	35	38	37	38	37	48	30	33	38	34	45
Male.....	189	14	17	16	18	10	19	18	13	15	17	13	19
Female.....	261	23	18	22	19	28	18	30	17	18	21	21	26
White, both sexes.....	372	34	30	28	31	30	30	40	28	24	33	29	35
Male.....	156	14	12	12	16	7	16	15	12	10	15	10	17
Female.....	216	20	18	16	15	23	14	25	16	14	18	19	18
Black, both sexes.....	70	3	4	9	5	7	6	7	2	8	5	5	9
Male.....	31	-	4	4	2	3	2	3	1	5	2	3	2
Female.....	39	3	-	5	3	4	4	4	1	3	3	2	7
American Indian 1/, both sexes.....	3	-	-	1	-	-	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	1	1	1	1	-	-	-	-	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	1	1	-	1	-	-	-	-	-
Pemphigus (L10)													
All races, both sexes.....	56	5	5	7	2	6	3	4	3	5	8	3	5
Male.....	21	3	1	3	-	3	1	1	1	2	4	1	1
Female.....	35	2	4	4	2	3	2	3	2	3	4	2	4
White, both sexes.....	47	5	3	6	2	4	3	4	3	4	6	3	4
Male.....	19	3	1	2	-	3	1	1	1	1	4	1	1
Female.....	28	2	2	4	2	1	2	3	2	3	2	2	3
Black, both sexes.....	8	-	2	1	-	1	-	-	-	1	2	-	1
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	6	-	2	-	-	1	-	-	-	-	2	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acantholytic disorder, unspecified (L11.9)													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigoid (L12)													
All races, both sexes.....	74	6	5	4	8	7	6	8	5	5	5	7	8
Male.....	24	-	2	1	2	2	2	3	1	1	3	4	3
Female.....	50	6	3	3	6	5	4	5	4	4	2	3	5
White, both sexes.....	56	4	4	3	7	6	3	5	3	5	4	6	6
Male.....	19	-	2	1	2	1	1	3	-	1	2	4	2
Female.....	37	4	2	2	5	5	2	2	3	4	2	2	4
Black, both sexes.....	16	2	1	1	1	1	1	3	2	-	1	1	2
Male.....	5	-	-	-	-	1	1	-	1	-	1	-	1
Female.....	11	2	1	1	1	-	-	3	1	-	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Erythema multiforme (L51)													
All races, both sexes.....	126	15	8	8	9	13	12	10	8	11	9	11	12
Male.....	43	5	4	-	3	3	5	1	3	4	6	4	5
Female.....	83	10	4	8	6	10	7	9	5	7	3	7	7
White, both sexes.....	66	10	7	5	8	5	9	5	5	5	1	4	2
Male.....	21	3	3	-	3	3	3	-	2	1	1	-	2
Female.....	45	7	4	5	5	2	6	5	3	4	-	4	-
Black, both sexes.....	47	4	1	3	-	5	3	3	3	4	6	6	9
Male.....	21	2	1	-	-	-	2	1	1	3	4	4	3
Female.....	26	2	-	3	-	5	1	2	2	1	2	2	6
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	-	-	1	2	-	2	-	2	2	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	11	1	-	-	1	2	-	2	-	2	1	1	1
Bullous erythema multiforme (L51.1)													
All races, both sexes.....	61	7	4	5	4	6	5	5	3	5	3	4	10
Male.....	22	2	2	-	2	2	2	1	1	2	2	1	5
Female.....	39	5	2	5	2	4	3	4	2	3	1	3	5
White, both sexes.....	32	5	4	4	3	3	4	3	2	2	-	-	2
Male.....	12	2	2	-	2	2	1	-	1	-	-	-	2
Female.....	20	3	2	4	1	1	3	3	1	2	-	-	-
Black, both sexes.....	22	2	-	1	-	3	1	1	1	2	1	3	7
Male.....	9	-	-	-	-	-	1	1	-	2	1	1	3
Female.....	13	2	-	1	-	3	-	-	1	-	-	2	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	1	-	-	1	-	1	2	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	6	-	-	-	1	-	-	1	-	1	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pyoderma gangrenosum (L88)													
All races, both sexes.....	11	-	1	1	-	3	2	-	1	-	1	2	-
Male.....	5	-	1	1	-	2	-	-	-	-	-	1	-
Female.....	6	-	-	-	-	1	2	-	1	-	1	1	-
White, both sexes.....	9	-	1	1	-	3	2	-	-	-	-	2	-
Male.....	5	-	1	1	-	2	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	1	2	-	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Decubitus ulcer (L89)													
All races, both sexes.....	1,212	117	95	114	107	102	91	92	98	91	91	114	100
Male.....	465	38	26	36	42	43	37	41	44	38	35	45	40
Female.....	747	79	69	78	65	59	54	51	54	53	56	69	60
White, both sexes.....	823	80	68	73	71	68	56	62	69	67	65	79	65
Male.....	323	28	20	24	28	31	22	30	32	29	25	29	25
Female.....	500	52	48	49	43	37	34	32	37	38	40	50	40
Black, both sexes.....	365	35	25	37	33	34	31	29	26	23	24	34	34
Male.....	135	10	6	12	12	12	13	10	11	9	10	15	15
Female.....	230	25	19	25	21	22	18	19	15	14	14	19	19
American Indian 1/, both sexes.....	13	1	1	1	1	-	3	1	2	-	1	1	1
Male.....	6	-	-	-	1	-	2	1	1	-	-	1	-
Female.....	7	1	1	1	-	-	1	-	1	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	11	1	1	3	2	-	1	-	1	1	1	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	10	1	1	3	1	-	1	-	1	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorder of skin and subcutaneous tissue, unspecified (L98.9)													
All races, both sexes.....	18	-	1	-	4	2	3	1	1	1	1	-	4
Male.....	8	-	-	-	3	2	-	-	-	1	-	-	2
Female.....	10	-	1	-	1	-	3	1	1	-	1	-	2
White, both sexes.....	17	-	1	-	4	2	3	1	1	1	-	-	4
Male.....	8	-	-	-	3	2	-	-	-	1	-	-	2
Female.....	9	-	1	-	1	-	3	1	1	-	-	-	2
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyogenic arthritis (M00)													
All races, both sexes.....	275	37	26	21	26	23	20	19	21	23	20	18	21
Male.....	139	19	15	13	9	11	9	6	10	13	12	10	12
Female.....	136	18	11	8	17	12	11	13	11	10	8	8	9
White, both sexes.....	235	28	20	16	23	19	20	17	17	22	19	16	18
Male.....	117	15	11	10	8	10	9	6	6	12	11	10	9
Female.....	118	13	9	6	15	9	11	11	11	10	8	6	9
Black, both sexes.....	34	9	5	4	2	3	-	2	3	1	1	1	3
Male.....	18	4	3	2	-	1	-	-	3	1	1	-	3
Female.....	16	5	2	2	2	2	-	2	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	1	1	1	-	-	1	-	-	1	-
Male.....	4	-	1	1	1	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Reiter's disease (M02.3)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Seropositive rheumatoid arthritis (M05)													
All races, both sexes.....	253	21	24	29	24	19	14	13	18	23	29	16	23
Male.....	67	3	10	5	6	7	4	4	5	5	9	1	8
Female.....	186	18	14	24	18	12	10	9	13	18	20	15	15
White, both sexes.....	225	19	20	24	21	16	12	12	18	20	26	15	22
Male.....	56	3	8	3	5	5	3	4	5	4	7	1	8
Female.....	169	16	12	21	16	11	9	8	13	16	19	14	14
Black, both sexes.....	21	2	3	4	3	2	1	1	-	2	2	1	-
Male.....	7	-	1	1	1	1	1	-	-	1	1	-	-
Female.....	14	2	2	3	2	1	-	1	-	1	1	1	-
American Indian 1/, both sexes.....	3	-	1	1	-	-	-	-	-	1	-	-	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	1	-	-	-	1	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rheumatoid vasculitis (M05.2)													
All races, both sexes.....	34	5	5	2	2	2	2	1	2	2	2	4	5
Male.....	11	2	3	-	-	1	1	-	-	-	2	-	2
Female.....	23	3	2	2	2	1	1	1	2	2	-	4	3
White, both sexes.....	29	4	4	1	2	1	2	1	2	2	2	4	4
Male.....	9	2	2	-	-	-	1	-	-	-	2	-	2
Female.....	20	2	2	1	2	1	1	1	2	2	-	4	2
Black, both sexes.....	4	1	1	1	-	1	-	-	-	-	-	-	-
Male.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Rheumatoid arthritis with involvement of other organs and systems (M05.3)													
All races, both sexes.....	41	7	2	-	3	3	2	4	3	6	5	2	4
Male.....	9	1	-	-	1	1	-	1	-	3	-	-	2
Female.....	32	6	2	-	2	2	2	3	3	3	5	2	2
White, both sexes.....	36	7	2	-	2	3	1	3	3	5	5	1	4
Male.....	8	1	-	-	1	1	-	1	-	2	-	-	2
Female.....	28	6	2	-	1	2	1	2	3	3	5	1	2
Black, both sexes.....	4	-	-	-	1	-	-	1	-	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	1	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gout due to impairment of renal function (M10.3)													
All races, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout, unspecified (M10.9)													
All races, both sexes.....	73	8	3	9	5	11	1	6	2	9	2	7	10
Male.....	39	3	2	5	4	4	1	3	2	3	2	4	6
Female.....	34	5	1	4	1	7	-	3	-	6	-	3	4
White, both sexes.....	60	8	3	7	4	9	1	5	2	7	2	5	7
Male.....	30	3	2	3	3	3	1	2	2	3	2	2	4
Female.....	30	5	1	4	1	6	-	3	-	4	-	3	3
Black, both sexes.....	9	-	-	2	1	1	-	1	-	1	-	1	2
Male.....	6	-	-	2	1	-	-	1	-	-	-	1	1
Female.....	3	-	-	-	-	1	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	-	-	1	-	1	1
Male.....	3	-	-	-	-	1	-	-	-	-	-	1	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Coxarthrosis, unspecified (M16.9)													
All races, both sexes.....	23	1	2	4	1	4	1	1	2	2	-	5	-
Male.....	9	1	1	2	1	1	1	1	-	1	-	-	-
Female.....	14	-	1	2	-	3	-	-	2	1	-	5	-
White, both sexes.....	22	1	2	4	1	4	1	1	2	2	-	4	-
Male.....	9	1	1	2	1	1	1	1	-	1	-	-	-
Female.....	13	-	1	2	-	3	-	-	2	1	-	4	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonarthrosis [arthrosis of knee] (M17)													
All races, both sexes.....	32	1	-	4	2	8	4	1	-	3	4	2	3
Male.....	12	-	-	-	1	3	1	1	-	2	1	2	1
Female.....	20	1	-	4	1	5	3	-	1	3	-	2	2
White, both sexes.....	28	1	-	4	2	8	3	1	-	2	3	2	2
Male.....	12	-	-	-	1	3	1	1	-	2	1	2	1
Female.....	16	1	-	4	1	5	2	-	-	2	-	1	1
Black, both sexes.....	3	-	-	-	-	-	-	-	-	1	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gonarthrosis, unspecified (M17.9)													
All races, both sexes.....	32	1	-	4	2	8	4	1	-	3	4	2	3
Male.....	12	-	-	-	1	3	1	1	-	2	1	2	1
Female.....	20	1	-	4	1	5	3	-	-	1	3	-	2
White, both sexes.....	28	1	-	4	2	8	3	1	-	2	3	2	2
Male.....	12	-	-	-	1	3	1	1	-	2	1	2	1
Female.....	16	1	-	4	1	5	2	-	-	-	2	-	1
Black, both sexes.....	3	-	-	-	-	-	-	-	-	1	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Other arthrosis (M19)													
All races, both sexes.....	743	73	69	59	73	64	57	51	54	68	52	63	60
Male.....	191	16	18	18	18	16	17	11	13	20	9	20	15
Female.....	552	57	51	41	55	48	40	40	41	48	43	43	45
White, both sexes.....	686	68	63	55	69	56	52	46	52	62	50	58	55
Male.....	177	16	15	18	16	14	16	11	12	17	9	19	14
Female.....	509	52	48	37	53	42	36	35	40	45	41	39	41
Black, both sexes.....	46	5	4	3	3	6	5	4	1	6	2	4	3
Male.....	10	-	1	-	2	2	1	-	-	3	-	1	-
Female.....	36	5	3	3	1	4	4	4	1	3	2	3	3
American Indian 1/, both sexes.....	3	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	2	-	-	2	-	-	1	-	-	1	2
Male.....	4	-	2	-	-	-	-	-	1	-	-	-	1
Female.....	4	-	-	-	-	2	-	-	-	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified arthrosis (M19.8)													
All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthrosis, unspecified (M19.9)													
All races, both sexes.....	739	72	69	59	73	64	57	51	54	68	50	62	60
Male.....	189	16	18	18	18	16	17	11	13	20	8	19	15
Female.....	550	56	51	41	55	48	40	40	41	48	42	43	45
White, both sexes.....	682	67	63	55	69	56	52	46	52	62	48	57	55
Male.....	175	16	15	18	16	14	16	11	12	17	8	18	14
Female.....	507	51	48	37	53	42	36	35	40	45	40	39	41
Black, both sexes.....	46	5	4	3	3	6	5	4	1	6	2	4	3
Male.....	10	-	1	-	2	2	1	-	-	3	-	1	-
Female.....	36	5	3	3	1	4	4	4	1	3	2	3	3
American Indian 1/, both sexes.....	3	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	2	-	-	2	-	-	1	-	-	1	2
Male.....	4	-	2	-	-	-	-	-	1	-	-	-	1
Female.....	4	-	-	-	-	2	-	-	-	-	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other conditions related to polyarteritis nodosa (M30.8)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other necrotizing vasculopathies (M31)													
All races, both sexes.....	831	58	58	96	73	76	67	65	85	55	58	68	72
Male.....	320	19	25	36	27	32	28	27	32	24	22	27	21
Female.....	511	39	33	60	46	44	39	38	53	31	36	41	51
White, both sexes.....	695	55	50	85	61	55	55	56	69	43	45	60	61
Male.....	283	19	24	33	21	26	25	25	26	20	21	26	17
Female.....	412	36	26	52	40	29	30	31	43	23	24	34	44
Black, both sexes.....	107	3	6	9	7	19	10	8	9	9	11	7	9
Male.....	29	-	1	2	4	6	2	2	5	3	-	1	3
Female.....	78	3	5	7	3	13	8	6	4	6	11	6	6
American Indian 1/, both sexes.....	9	-	-	-	2	-	2	-	2	1	-	-	2
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	7	-	-	-	2	-	1	-	2	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	20	-	2	2	3	2	-	1	5	2	2	1	-
Male.....	6	-	-	1	2	-	-	-	1	1	1	-	-
Female.....	14	-	2	1	1	2	-	1	4	1	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypersensitivity angiitis (M31.0)													
All races, both sexes.....	63	4	5	10	6	1	3	4	7	4	5	9	5
Male.....	26	2	4	3	3	-	-	2	2	3	2	3	2
Female.....	37	2	1	7	3	1	3	2	5	1	3	6	3
White, both sexes.....	55	4	5	10	3	1	2	4	6	4	4	8	4
Male.....	25	2	4	3	2	-	-	2	2	3	2	3	2
Female.....	30	2	1	7	1	1	2	2	4	1	2	5	2
Black, both sexes.....	5	-	-	-	1	-	1	-	1	-	1	-	1
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	1	-	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Thrombotic microangiopathy (M31.1)													
All races, both sexes.....	260	17	21	26	17	30	18	21	22	24	27	18	19
Male.....	86	5	9	9	4	11	7	4	12	8	6	6	5
Female.....	174	12	12	17	13	19	11	17	10	16	21	12	14
White, both sexes.....	168	15	13	18	12	14	15	14	14	14	15	12	12
Male.....	63	5	8	7	2	6	5	2	8	6	5	6	3
Female.....	105	10	5	11	10	8	10	12	6	8	10	6	9
Black, both sexes.....	78	2	6	6	5	14	3	7	5	8	10	6	6
Male.....	20	-	1	1	2	5	2	2	3	2	-	-	2
Female.....	58	2	5	5	3	9	1	5	2	6	10	6	4
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	11	-	2	2	-	2	-	-	2	1	2	-	-
Male.....	3	-	-	1	-	-	-	-	1	-	1	-	-
Female.....	8	-	2	1	-	2	-	-	1	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lethal midline granuloma (M31.2)													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Wegener's granulomatosis (M31.3)													
All races, both sexes.....	355	27	23	41	41	30	30	28	40	18	17	32	28
Male.....	164	10	9	21	17	17	15	15	16	7	10	18	9
Female.....	191	17	14	20	24	13	15	13	24	11	7	14	19
White, both sexes.....	333	26	23	39	38	27	25	27	35	18	17	31	27
Male.....	156	10	9	20	15	17	14	15	14	7	10	17	8
Female.....	177	16	14	19	23	10	11	12	21	11	7	14	19
Black, both sexes.....	14	1	-	2	-	3	3	1	3	-	-	1	-
Male.....	4	-	-	1	-	-	-	-	2	-	-	1	-
Female.....	10	1	-	1	-	3	3	1	1	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	1	-	2	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	2	-	-	-	2	-	-	-	-
Male.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	2	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Necrotizing vasculopathy, unspecified (M31.9)													
All races, both sexes.....	17	2	1	2	2	-	1	2	1	1	2	-	3
Male.....	7	1	-	-	1	-	-	2	-	1	-	-	2
Female.....	10	1	1	2	1	-	1	-	1	-	2	-	1
White, both sexes.....	13	2	1	2	1	-	-	2	1	-	2	-	2
Male.....	4	1	-	-	-	-	-	2	-	-	-	-	1
Female.....	9	1	1	2	1	-	-	-	1	-	2	-	1
Black, both sexes.....	4	-	-	-	1	-	1	-	-	1	-	-	1
Male.....	3	-	-	-	1	-	-	-	-	1	-	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Systemic lupus erythematosus (M32)													
All races, both sexes.....	1,304	129	119	120	99	110	93	99	104	107	122	110	92
Male.....	195	12	12	19	16	14	18	22	12	19	18	16	17
Female.....	1,109	117	107	101	83	96	75	77	92	88	104	94	75
White, both sexes.....	790	73	76	82	55	61	60	58	62	65	69	74	55
Male.....	125	7	6	12	9	7	13	18	9	10	8	12	14
Female.....	665	66	70	70	46	54	47	40	53	55	61	62	41
Black, both sexes.....	447	52	36	33	37	43	26	38	31	37	46	32	36
Male.....	67	5	5	7	7	7	5	3	3	9	9	4	3
Female.....	380	47	31	26	30	36	21	35	28	28	37	28	33
American Indian 1/, both sexes.....	14	-	3	1	-	1	1	1	3	2	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	14	-	3	1	-	1	1	1	3	2	1	1	-
Asian or Pacific Islander 2/, both sexes.....	53	4	4	4	7	5	6	2	8	3	6	3	1
Male.....	3	-	1	-	-	-	-	1	-	-	1	-	-
Female.....	50	4	3	4	7	5	6	1	8	3	5	3	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Systemic lupus erythematosus with organ or system involvement (M32.1)													
All races, both sexes.....	1,155	118	106	107	92	98	77	84	93	96	108	93	83
Male.....	168	10	11	16	15	12	14	18	11	17	15	13	16
Female.....	987	108	95	91	77	86	63	66	82	79	93	80	67
White, both sexes.....	697	64	67	72	53	55	52	49	54	58	63	61	49
Male.....	108	6	5	10	9	5	10	14	9	10	7	10	13
Female.....	589	58	62	62	44	50	42	35	45	48	56	51	36
Black, both sexes.....	395	50	32	30	33	37	19	32	29	33	39	28	33
Male.....	57	4	5	6	6	7	4	3	2	7	7	3	3
Female.....	338	46	27	24	27	30	15	29	27	26	32	25	30
American Indian 1/, both sexes.....	14	-	3	1	-	1	1	1	3	2	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	14	-	3	1	-	1	1	1	3	2	1	1	-
Asian or Pacific Islander 2/, both sexes.....	49	4	4	4	6	5	5	2	7	3	5	3	1
Male.....	3	-	1	-	-	-	-	1	-	-	1	-	-
Female.....	46	4	3	4	6	5	5	1	7	3	4	3	1
Systemic lupus erythematosus, unspecified (M32.9)													
All races, both sexes.....	149	11	13	13	7	12	16	15	11	11	14	17	9
Male.....	27	2	1	3	1	2	4	4	1	2	3	3	1
Female.....	122	9	12	10	6	10	12	11	10	9	11	14	8
White, both sexes.....	93	9	9	10	2	6	8	9	8	7	6	13	6
Male.....	17	1	1	2	-	2	3	4	-	-	1	2	1
Female.....	76	8	8	8	2	4	5	5	8	7	5	11	5
Black, both sexes.....	52	2	4	3	4	6	7	6	2	4	7	4	3
Male.....	10	1	-	1	1	-	1	-	1	2	2	1	-
Female.....	42	1	4	2	3	6	6	6	1	2	5	3	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	1	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	1	-	1	-	1	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Dermatopolymyositis (M33)													
All races, both sexes.....	303	19	30	35	24	22	37	21	19	14	34	23	25
Male.....	89	6	8	14	2	7	10	6	7	4	16	2	7
Female.....	214	13	22	21	22	15	27	15	12	10	18	21	18
White, both sexes.....	241	15	18	30	20	18	29	20	16	10	26	18	21
Male.....	78	5	7	14	2	6	7	6	7	3	12	2	7
Female.....	163	10	11	16	18	12	22	14	9	7	14	16	14
Black, both sexes.....	48	3	10	2	4	4	7	-	1	2	7	4	4
Male.....	9	1	-	-	-	1	3	-	-	1	3	-	-
Female.....	39	2	10	2	4	3	4	-	1	1	4	4	4
American Indian 1/, both sexes.....	5	-	-	2	-	-	1	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	2	-	-	1	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	9	1	2	1	-	-	-	1	2	1	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	7	1	1	1	-	-	-	1	2	1	-	-	-
Other dermatomyositis (M33.1)													
All races, both sexes.....	111	4	8	15	8	11	11	10	10	4	9	8	13
Male.....	32	1	2	5	1	2	4	3	4	1	4	1	4
Female.....	79	3	6	10	7	9	7	7	6	3	5	7	9
White, both sexes.....	93	3	6	12	7	9	8	9	9	3	8	7	12
Male.....	29	1	1	5	1	2	2	3	4	1	4	1	4
Female.....	64	2	5	7	6	7	6	6	5	2	4	6	8
Black, both sexes.....	11	-	-	2	1	2	3	-	-	1	1	-	1
Male.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Female.....	9	-	-	2	1	2	1	-	-	1	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	6	1	2	1	-	-	-	1	1	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	5	1	1	1	-	-	-	1	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
CR(E)ST syndrome (M34.1)													
All races, both sexes.....	99	6	6	5	9	7	7	16	7	10	9	11	6
Male.....	10	2	1	1	1	1	-	3	-	-	-	-	1
Female.....	89	4	5	4	8	6	7	13	7	10	9	11	5
White, both sexes.....	94	6	6	5	8	6	7	14	7	10	8	11	6
Male.....	8	2	1	1	1	-	-	2	-	-	-	-	1
Female.....	86	4	5	4	7	6	7	12	7	10	8	11	5
Black, both sexes.....	4	-	-	-	-	1	-	2	-	-	1	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of systemic sclerosis (M34.8)													
All races, both sexes.....	838	82	88	66	73	61	60	67	70	58	69	77	67
Male.....	175	15	15	15	12	11	11	13	13	11	18	21	20
Female.....	663	67	73	51	61	50	49	54	57	47	51	56	47
White, both sexes.....	672	66	67	51	58	55	49	52	56	40	60	62	56
Male.....	136	10	11	13	9	9	8	11	10	7	15	17	16
Female.....	536	56	56	38	49	46	41	41	46	33	45	45	40
Black, both sexes.....	136	14	18	12	12	6	6	12	11	15	8	12	10
Male.....	37	5	4	2	3	2	2	2	3	4	3	3	4
Female.....	99	9	14	10	9	4	4	10	8	11	5	9	6
American Indian 1/, both sexes.....	13	-	2	1	1	-	1	1	1	2	1	2	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	12	-	2	1	1	-	1	1	1	2	1	1	1
Asian or Pacific Islander 2/, both sexes.....	17	2	1	2	2	-	4	2	2	1	-	1	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	16	2	1	2	2	-	3	2	2	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Systemic sclerosis, unspecified (M34.9)													
All races, both sexes.....	339	23	23	34	27	31	27	34	23	23	32	36	26
Male.....	74	9	4	7	5	8	6	6	4	7	6	7	5
Female.....	265	14	19	27	22	23	21	28	19	16	26	29	21
White, both sexes.....	264	19	15	31	21	24	21	24	15	19	25	29	21
Male.....	51	7	2	6	4	4	4	5	3	5	4	4	3
Female.....	213	12	13	25	17	20	17	19	12	14	21	25	18
Black, both sexes.....	69	4	7	3	6	6	4	10	7	4	7	7	4
Male.....	23	2	2	1	1	4	2	1	1	2	2	3	2
Female.....	46	2	5	2	5	2	2	9	6	2	5	4	2
American Indian 1/, both sexes.....	4	-	1	-	-	1	-	-	1	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	1	-	-	1	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Other systemic involvement of connective tissue (M35)													
All races, both sexes.....	494	46	39	41	33	54	31	45	48	37	27	48	45
Male.....	149	15	12	13	13	12	9	14	20	4	9	13	15
Female.....	345	31	27	28	20	42	22	31	28	33	18	35	30
White, both sexes.....	387	40	31	35	23	40	27	34	40	32	22	35	28
Male.....	108	12	7	10	10	8	7	9	16	4	7	12	6
Female.....	279	28	24	25	13	32	20	25	24	28	15	23	22
Black, both sexes.....	97	4	8	5	8	14	4	10	7	5	4	12	16
Male.....	39	2	5	3	3	4	2	4	4	-	2	1	9
Female.....	58	2	3	2	5	10	2	6	3	5	2	11	7
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	2	-	1	2	-	-	-	1	-	1	-	1
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	1	-	1	2	-	-	-	1	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Behcet's disease (M35.2)													
All races, both sexes.....	12	-	1	2	-	-	2	-	4	2	-	1	-
Male.....	4	-	-	1	-	-	1	-	2	-	-	-	-
Female.....	8	-	1	1	-	-	1	-	2	2	-	1	-
White, both sexes.....	10	-	1	2	-	-	1	-	3	2	-	1	-
Male.....	3	-	-	1	-	-	-	-	2	-	-	-	-
Female.....	7	-	1	1	-	-	1	-	1	2	-	1	-
Black, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Polymyalgia rheumatica (M35.3)													
All races, both sexes.....	99	12	7	8	7	12	5	8	5	10	6	12	7
Male.....	21	1	1	-	4	2	2	2	1	1	3	2	2
Female.....	78	11	6	8	3	10	3	6	4	9	3	10	5
White, both sexes.....	95	12	7	7	7	12	5	8	5	10	5	11	6
Male.....	21	1	1	-	4	2	2	2	1	1	3	2	2
Female.....	74	11	6	7	3	10	3	6	4	9	2	9	4
Black, both sexes.....	3	-	-	1	-	-	-	-	-	-	-	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified kyphosis (M40.2)													
All races, both sexes.....	82	11	7	6	8	7	6	6	3	2	15	7	4
Male.....	14	-	-	2	1	2	-	2	-	-	6	-	1
Female.....	68	11	7	4	7	5	6	4	3	2	9	7	3
White, both sexes.....	80	10	7	5	8	7	6	6	3	2	15	7	4
Male.....	14	-	-	2	1	2	-	2	-	-	6	-	1
Female.....	66	10	7	3	7	5	6	4	3	2	9	7	3
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Scoliosis (M41)													
All races, both sexes.....	271	22	22	31	19	21	17	24	22	29	21	27	16
Male.....	65	6	6	9	5	4	6	3	4	9	3	5	5
Female.....	206	16	16	22	14	17	11	21	18	20	18	22	11
White, both sexes.....	242	21	19	27	17	16	15	24	21	25	17	24	16
Male.....	51	5	5	7	3	2	4	3	4	8	2	3	5
Female.....	191	16	14	20	14	14	11	21	17	17	15	21	11
Black, both sexes.....	22	1	2	3	2	3	1	-	1	3	3	3	-
Male.....	10	1	-	1	2	1	1	-	-	1	1	2	-
Female.....	12	-	2	2	-	2	-	-	1	2	2	1	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	-	2	1	-	-	-	1	-	-
Male.....	3	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other forms of scoliosis (M41.8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Scoliosis, unspecified (M41.9)													
All races, both sexes.....	264	22	21	31	19	21	17	23	20	27	21	27	15
Male.....	62	6	6	9	5	4	6	3	3	8	3	5	4
Female.....	202	16	15	22	14	17	11	20	17	19	18	22	11
White, both sexes.....	235	21	18	27	17	16	15	23	19	23	17	24	15
Male.....	48	5	5	7	3	2	4	3	3	7	2	3	4
Female.....	187	16	13	20	14	14	11	20	16	16	15	21	11
Black, both sexes.....	22	1	2	3	2	3	1	-	1	3	3	3	-
Male.....	10	1	-	1	2	1	1	-	-	1	1	2	-
Female.....	12	-	2	2	-	2	-	-	1	2	2	1	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	-	2	1	-	-	-	1	-	-
Male.....	3	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ankylosing spondylitis (M45)													
All races, both sexes.....	50	1	4	8	8	4	4	3	6	2	5	3	2
Male.....	42	1	4	8	7	3	3	3	4	2	4	1	2
Female.....	8	-	-	-	1	1	1	-	2	-	1	2	-
White, both sexes.....	48	1	4	8	8	4	4	3	4	2	5	3	2
Male.....	41	1	4	8	7	3	3	3	3	2	4	1	2
Female.....	7	-	-	-	1	1	1	-	1	-	1	2	-
Black, both sexes.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other inflammatory spondylopathies (M46)													
All races, both sexes.....	246	18	28	23	19	20	18	25	18	22	21	17	17
Male.....	114	9	17	8	6	7	6	14	12	10	8	8	9
Female.....	132	9	11	15	13	13	12	11	6	12	13	9	8
White, both sexes.....	206	15	23	17	17	18	14	23	16	21	18	11	13
Male.....	97	8	13	6	6	7	5	13	12	10	6	4	7
Female.....	109	7	10	11	11	11	9	10	4	11	12	7	6
Black, both sexes.....	38	3	4	6	2	2	3	2	2	1	3	6	4
Male.....	16	1	3	2	-	-	1	1	-	-	2	4	2
Female.....	22	2	1	4	2	2	2	1	2	1	1	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ischemic infarction of muscle (M62.2)													
All races, both sexes.....	25	2	1	2	2	1	1	-	5	5	3	2	1
Male.....	17	2	-	2	2	1	1	-	1	3	3	1	1
Female.....	8	-	1	-	-	-	-	-	4	2	-	1	-
White, both sexes.....	22	2	1	2	1	1	1	-	4	4	3	2	1
Male.....	15	2	-	2	1	1	1	-	1	2	3	1	1
Female.....	7	-	1	-	-	-	-	-	3	2	-	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Immobility syndrome (paraplegic) (M62.3)													
All races, both sexes.....	35	2	6	4	3	2	1	7	-	3	3	1	3
Male.....	9	-	2	1	1	2	-	1	-	2	-	-	-
Female.....	26	2	4	3	2	-	1	6	-	1	3	1	3
White, both sexes.....	30	1	5	3	3	2	-	7	-	3	3	1	2
Male.....	9	-	2	1	1	2	-	1	-	2	-	-	-
Female.....	21	1	3	2	2	-	-	6	-	1	3	1	2
Black, both sexes.....	4	1	1	1	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	1	1	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fibroblastic disorders (M72)													
All races, both sexes.....	500	43	49	53	34	50	36	39	43	42	32	37	42
Male.....	267	20	28	33	17	27	23	16	23	16	16	25	23
Female.....	233	23	21	20	17	23	13	23	20	26	16	12	19
White, both sexes.....	377	33	35	38	30	39	25	32	33	28	25	28	31
Male.....	208	17	21	24	15	21	16	13	20	12	14	20	15
Female.....	169	16	14	14	15	18	9	19	13	16	11	8	16
Black, both sexes.....	108	9	13	13	3	11	9	5	8	13	6	8	10
Male.....	50	2	6	7	1	6	5	3	2	4	2	5	7
Female.....	58	7	7	6	2	5	4	2	6	9	4	3	3
American Indian 1/, both sexes.....	9	-	1	1	1	-	1	1	2	-	-	1	1
Male.....	6	-	1	1	1	-	1	-	1	-	-	-	1
Female.....	3	-	-	-	-	-	-	1	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	1	-	-	1	1	-	1	1	-	-
Male.....	3	1	-	1	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	1	1	-	-
Necrotizing fasciitis (M72.6)													
All races, both sexes.....	463	41	46	49	28	48	35	34	40	38	30	35	39
Male.....	249	19	27	30	15	27	22	14	20	15	15	24	21
Female.....	214	22	19	19	13	21	13	20	20	23	15	11	18
White, both sexes.....	349	33	33	37	25	37	24	28	30	25	23	26	28
Male.....	194	17	20	23	13	21	15	12	17	11	13	19	13
Female.....	155	16	13	14	12	16	9	16	13	14	10	7	15
Black, both sexes.....	101	7	12	12	2	11	9	4	8	12	6	8	10
Male.....	48	1	6	7	1	6	5	2	2	4	2	5	7
Female.....	53	6	6	5	1	5	4	2	6	8	4	3	3
American Indian 1/, both sexes.....	8	-	1	-	1	-	1	1	2	-	-	1	1
Male.....	5	-	1	-	1	-	1	-	1	-	-	-	1
Female.....	3	-	-	-	-	-	-	1	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	-	-	1	1	-	1	1	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	1	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Soft tissue disorder, unspecified (M79.9)													
All races, both sexes.....	4	1	-	-	1	2	-	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	2	-	-	-	-	-	-	-
White, both sexes.....	3	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteoporosis with pathological fracture (M80)													
All races, both sexes.....	722	81	63	66	64	61	57	52	49	53	58	53	65
Male.....	111	12	6	8	13	7	8	14	6	7	10	8	12
Female.....	611	69	57	58	51	54	49	38	43	46	48	45	53
White, both sexes.....	704	77	61	64	64	60	57	49	48	53	54	53	64
Male.....	107	12	6	7	13	7	8	13	6	7	9	8	11
Female.....	597	65	55	57	51	53	49	36	42	46	45	45	53
Black, both sexes.....	11	2	2	1	-	-	-	1	1	-	3	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	9	2	2	1	-	-	-	1	1	-	2	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	1	-	1	-	2	-	-	1	-	-
Male.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	4	1	-	-	-	1	-	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified osteoporosis with pathological fracture (M80.9)													
All races, both sexes.....	715	80	63	66	63	60	56	52	49	52	58	51	65
Male.....	110	12	6	8	12	7	8	14	6	7	10	8	12
Female.....	605	68	57	58	51	53	48	38	43	45	48	43	53
White, both sexes.....	697	76	61	64	63	59	56	49	48	52	54	51	64
Male.....	106	12	6	7	12	7	8	13	6	7	9	8	11
Female.....	591	64	55	57	51	52	48	36	42	45	45	43	53
Black, both sexes.....	11	2	2	1	-	-	-	1	1	-	3	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	9	2	2	1	-	-	-	1	1	-	2	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	1	-	1	-	2	-	-	1	-	-
Male.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	4	1	-	-	-	1	-	1	-	-	1	-	-
Osteoporosis without pathological fracture (M81)													
All races, both sexes.....	797	79	74	68	83	72	61	58	66	45	54	71	66
Male.....	79	11	9	7	3	8	3	8	7	5	3	7	8
Female.....	718	68	65	61	80	64	58	50	59	40	51	64	58
White, both sexes.....	767	75	71	65	82	68	60	58	63	43	53	68	61
Male.....	76	11	9	7	3	7	3	8	7	5	3	6	7
Female.....	691	64	62	58	79	61	57	50	56	38	50	62	54
Black, both sexes.....	12	2	1	-	1	1	-	-	2	-	1	2	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	10	2	1	-	1	1	-	-	2	-	1	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	16	2	2	3	-	3	-	-	1	2	-	-	3
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	15	2	2	3	-	2	-	-	1	2	-	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disorder of bone density and structure, unspecified (M85.9)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteomyelitis (M86)													
All races, both sexes.....	1,295	100	99	110	98	99	116	114	116	97	106	129	111
Male.....	648	48	48	57	58	43	63	56	57	53	52	59	54
Female.....	647	52	51	53	40	56	53	58	59	44	54	70	57
White, both sexes.....	1,057	78	80	93	83	83	103	84	95	72	89	109	88
Male.....	535	42	42	48	49	35	57	39	48	42	42	48	43
Female.....	522	36	38	45	34	48	46	45	47	30	47	61	45
Black, both sexes.....	223	21	17	17	12	16	10	29	19	24	17	19	22
Male.....	104	6	4	9	6	8	3	16	9	11	10	11	11
Female.....	119	15	13	8	6	8	7	13	10	13	7	8	11
American Indian 1/, both sexes.....	6	-	1	-	1	-	1	-	1	1	-	1	-
Male.....	3	-	1	-	1	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	9	1	1	-	2	-	2	1	1	-	-	-	1
Male.....	6	-	1	-	2	-	2	1	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Paget's disease of bone [osteitis deformans] (M88)													
All races, both sexes.....	49	5	5	5	7	2	5	4	5	2	5	3	1
Male.....	26	3	3	1	3	1	5	1	4	1	2	2	-
Female.....	23	2	2	4	4	1	-	3	1	1	3	1	1
White, both sexes.....	44	5	5	3	7	2	5	4	5	2	3	3	-
Male.....	24	3	3	-	3	1	5	1	4	1	1	2	-
Female.....	20	2	2	3	4	1	-	3	1	1	2	1	-
Black, both sexes.....	4	-	-	2	-	-	-	-	-	-	1	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Paget's disease of bone, unspecified (M88.9)													
All races, both sexes.....	49	5	5	5	7	2	5	4	5	2	5	3	1
Male.....	26	3	3	1	3	1	5	1	4	1	2	2	-
Female.....	23	2	2	4	4	1	-	3	1	1	3	1	1
White, both sexes.....	44	5	5	3	7	2	5	4	5	2	3	3	-
Male.....	24	3	3	-	3	1	5	1	4	1	1	2	-
Female.....	20	2	2	3	4	1	-	3	1	1	2	1	-
Black, both sexes.....	4	-	-	2	-	-	-	-	-	-	1	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified (N03.9)													
All races, both sexes.....	1,618	113	103	112	126	125	128	130	118	141	175	145	202
Male.....	767	48	56	53	65	59	58	64	54	67	78	62	103
Female.....	851	65	47	59	61	66	70	66	64	74	97	83	99
White, both sexes.....	1,234	83	74	88	95	95	98	93	89	108	135	117	159
Male.....	577	33	35	43	49	46	41	43	43	53	59	51	81
Female.....	657	50	39	45	46	49	57	50	46	55	76	66	78
Black, both sexes.....	322	25	25	20	26	23	26	29	26	26	33	24	39
Male.....	157	12	18	8	13	8	16	15	9	13	15	10	20
Female.....	165	13	7	12	13	15	10	14	17	13	18	14	19
American Indian 1/, both sexes.....	10	1	1	-	-	3	1	-	-	-	1	2	1
Male.....	6	1	1	-	-	2	-	-	-	-	1	-	1
Female.....	4	-	-	-	-	1	1	-	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	52	4	3	4	5	4	3	8	3	7	6	2	3
Male.....	27	2	2	2	3	3	1	6	2	1	3	1	1
Female.....	25	2	1	2	2	1	2	2	1	6	3	1	2
Nephrotic syndrome (N04)													
All races, both sexes.....	108	11	7	5	15	7	12	5	8	3	15	7	13
Male.....	53	5	1	3	7	5	8	1	4	2	8	1	8
Female.....	55	6	6	2	8	2	4	4	4	1	7	6	5
White, both sexes.....	85	10	7	3	12	6	11	4	6	1	10	6	9
Male.....	41	4	1	2	5	5	7	1	3	1	4	1	7
Female.....	44	6	6	1	7	1	4	3	3	-	6	5	2
Black, both sexes.....	17	-	-	2	-	1	1	1	1	2	5	1	3
Male.....	9	-	-	1	-	-	1	-	1	1	4	-	1
Female.....	8	-	-	1	-	1	-	1	-	1	1	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	3	-	-	-	1	-	-	-	1
Male.....	3	1	-	-	2	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Renal tubulo-interstitial disease, unspecified (N15.9)													
All races, both sexes.....	23	-	1	6	3	3	1	4	-	1	3	1	-
Male.....	6	-	-	3	-	1	-	1	-	-	-	1	-
Female.....	17	-	1	3	3	2	1	3	-	1	3	-	-
White, both sexes.....	20	-	-	6	1	3	1	4	-	1	3	1	-
Male.....	6	-	-	3	-	1	-	1	-	-	-	1	-
Female.....	14	-	-	3	1	2	1	3	-	1	3	-	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Acute renal failure (N17)													
All races, both sexes.....	7,602	678	671	737	593	648	589	537	624	561	631	627	706
Male.....	3,481	295	313	343	287	283	275	249	274	266	278	283	335
Female.....	4,121	383	358	394	306	365	314	288	350	295	353	344	371
White, both sexes.....	6,426	569	568	619	509	555	505	444	530	479	531	534	583
Male.....	2,951	247	268	292	237	246	233	210	233	232	229	246	278
Female.....	3,475	322	300	327	272	309	272	234	297	247	302	288	305
Black, both sexes.....	1,046	97	92	102	77	78	73	85	88	71	89	83	111
Male.....	457	41	40	41	45	33	35	34	37	29	42	31	49
Female.....	589	56	52	61	32	45	38	51	51	42	47	52	62
American Indian 1/, both sexes.....	37	2	4	2	4	2	2	4	2	4	6	4	1
Male.....	24	2	2	2	2	2	1	4	2	2	3	1	1
Female.....	13	-	2	-	2	-	1	-	-	2	3	3	-
Asian or Pacific Islander 2/, both sexes.....	93	10	7	14	3	13	9	4	4	7	5	6	11
Male.....	49	5	3	8	3	2	6	1	2	3	4	5	7
Female.....	44	5	4	6	-	11	3	3	2	4	1	1	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute renal failure with medullary necrosis (N17.2)													
All races, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute renal failure, unspecified (N17.9)													
All races, both sexes.....	7,395	665	651	710	583	629	573	524	602	544	617	605	692
Male.....	3,385	291	303	333	280	275	268	245	263	254	273	272	328
Female.....	4,010	374	348	377	303	354	305	279	339	290	344	333	364
White, both sexes.....	6,246	558	549	598	500	541	491	433	512	464	518	513	569
Male.....	2,865	243	258	284	231	239	228	206	225	221	224	235	271
Female.....	3,381	315	291	314	269	302	263	227	287	243	294	278	298
Black, both sexes.....	1,024	96	91	96	76	75	71	83	85	70	88	82	111
Male.....	449	41	40	39	44	32	33	34	35	29	42	31	49
Female.....	575	55	51	57	32	43	38	49	50	41	46	51	62
American Indian 1/, both sexes.....	37	2	4	2	4	2	2	4	2	4	6	4	1
Male.....	24	2	2	2	2	2	1	4	2	2	3	1	1
Female.....	13	-	2	-	2	-	1	-	-	2	3	3	-
Asian or Pacific Islander 2/, both sexes.....	88	9	7	14	3	11	9	4	3	6	5	6	11
Male.....	47	5	3	8	3	2	6	1	1	2	4	5	7
Female.....	41	4	4	6	-	9	3	3	2	4	1	1	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic renal failure (N18)													
All races, both sexes.....	18,966	1,674	1,570	1,786	1,479	1,604	1,459	1,529	1,542	1,471	1,602	1,499	1,751
Male.....	9,538	855	761	893	753	776	734	770	748	740	831	768	909
Female.....	9,428	819	809	893	726	828	725	759	794	731	771	731	842
White, both sexes.....	13,819	1,266	1,142	1,302	1,100	1,165	1,070	1,100	1,129	1,036	1,136	1,079	1,294
Male.....	7,177	669	571	674	581	586	562	564	562	522	614	578	694
Female.....	6,642	597	571	628	519	579	508	536	567	514	522	501	600
Black, both sexes.....	4,505	347	378	438	329	380	346	376	366	370	422	356	397
Male.....	2,063	159	169	202	148	166	155	177	168	180	193	159	187
Female.....	2,442	188	209	236	181	214	191	199	198	190	229	197	210
American Indian 1/, both sexes.....	148	15	11	15	14	18	6	12	8	13	10	17	9
Male.....	64	5	3	7	9	8	-	6	2	9	5	8	2
Female.....	84	10	8	8	5	10	6	6	6	4	5	9	7
Asian or Pacific Islander 2/, both sexes.....	494	46	39	31	36	41	37	41	39	52	34	47	51
Male.....	234	22	18	10	15	16	17	23	16	29	19	23	26
Female.....	260	24	21	21	21	25	20	18	23	23	15	24	25
End-stage renal disease (N18.0)													
All races, both sexes.....	11,603	980	951	1,055	881	1,016	894	916	924	931	1,026	932	1,097
Male.....	5,844	503	466	537	451	484	448	462	427	465	540	491	570
Female.....	5,759	477	485	518	430	532	446	454	497	466	486	441	527
White, both sexes.....	7,812	690	638	716	600	685	616	596	624	599	674	619	755
Male.....	4,125	370	326	389	322	342	328	310	296	302	383	346	411
Female.....	3,687	320	312	327	278	343	288	286	328	297	291	273	344
Black, both sexes.....	3,367	248	283	307	247	297	251	281	274	287	322	269	301
Male.....	1,524	115	127	135	114	128	109	132	123	136	140	123	142
Female.....	1,843	133	156	172	133	169	142	149	151	151	182	146	159
American Indian 1/, both sexes.....	106	11	7	12	10	13	4	9	6	10	7	11	6
Male.....	43	2	2	6	6	7	-	5	-	7	3	5	-
Female.....	63	9	5	6	4	6	4	4	6	3	4	6	6
Asian or Pacific Islander 2/, both sexes.....	318	31	23	20	24	21	23	30	20	35	23	33	35
Male.....	152	16	11	7	9	7	11	15	8	20	14	17	17
Female.....	166	15	12	13	15	14	12	15	12	15	9	16	18

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other chronic renal failure (N18.8)													
All races, both sexes.....	177	13	11	11	28	14	19	24	14	14	6	6	17
Male.....	87	7	4	7	13	6	11	13	5	8	3	3	7
Female.....	90	6	7	4	15	8	8	11	9	6	3	3	10
White, both sexes.....	139	11	10	8	16	13	15	20	9	13	4	6	14
Male.....	67	5	4	5	8	6	8	9	4	7	2	3	6
Female.....	72	6	6	3	8	7	7	11	5	6	2	3	8
Black, both sexes.....	35	2	1	3	10	1	4	4	5	1	1	-	3
Male.....	17	2	-	2	3	-	3	4	1	1	-	-	1
Female.....	18	-	1	1	7	1	1	-	4	-	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	2	-	-	-	-	-	1	-	-
Male.....	3	-	-	-	2	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic renal failure, unspecified (N18.9)													
All races, both sexes.....	7,186	681	608	720	570	574	546	589	604	526	570	561	637
Male.....	3,607	345	291	349	289	286	275	295	316	267	288	274	332
Female.....	3,579	336	317	371	281	288	271	294	288	259	282	287	305
White, both sexes.....	5,868	565	494	578	484	467	439	484	496	424	458	454	525
Male.....	2,985	294	241	280	251	238	226	245	262	213	229	229	277
Female.....	2,883	271	253	298	233	229	213	239	234	211	229	225	248
Black, both sexes.....	1,103	97	94	128	72	82	91	91	87	82	99	87	93
Male.....	522	42	42	65	31	38	43	41	44	43	53	36	44
Female.....	581	55	52	63	41	44	48	50	43	39	46	51	49
American Indian 1/, both sexes.....	42	4	4	3	4	5	2	3	2	3	3	6	3
Male.....	21	3	1	1	3	1	-	1	2	2	2	3	2
Female.....	21	1	3	2	1	4	2	2	-	1	1	3	1
Asian or Pacific Islander 2/, both sexes.....	173	15	16	11	10	20	14	11	19	17	10	14	16
Male.....	79	6	7	3	4	9	6	8	8	9	4	6	9
Female.....	94	9	9	8	6	11	8	3	11	8	6	8	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified renal failure (N19)													
All races, both sexes.....	16,776	1,551	1,438	1,631	1,380	1,392	1,234	1,282	1,325	1,231	1,380	1,413	1,519
Male.....	8,096	749	681	783	671	671	591	623	640	567	692	674	754
Female.....	8,680	802	757	848	709	721	643	659	685	664	688	739	765
White, both sexes.....	13,996	1,313	1,195	1,365	1,152	1,152	1,024	1,061	1,107	1,041	1,151	1,173	1,262
Male.....	6,828	647	565	659	559	569	504	528	542	480	586	563	626
Female.....	7,168	666	630	706	593	583	520	533	565	561	565	610	636
Black, both sexes.....	2,477	214	219	229	199	215	186	194	198	172	205	216	230
Male.....	1,112	88	103	108	95	92	77	85	86	76	95	97	110
Female.....	1,365	126	116	121	104	123	109	109	112	96	110	119	120
American Indian 1/, both sexes.....	89	6	11	14	5	9	8	6	6	5	8	6	5
Male.....	41	4	6	5	3	1	5	2	1	2	5	5	2
Female.....	48	2	5	9	2	8	3	4	5	3	3	1	3
Asian or Pacific Islander 2/, both sexes.....	214	18	13	23	24	16	16	21	14	13	16	18	22
Male.....	115	10	7	11	14	9	5	8	11	9	6	9	16
Female.....	99	8	6	12	10	7	11	13	3	4	10	9	6
Calculus of kidney and ureter (N20)													
All races, both sexes.....	286	25	25	24	21	27	25	22	16	29	25	23	24
Male.....	107	11	9	8	7	7	10	4	6	12	14	8	11
Female.....	179	14	16	16	14	20	15	18	10	17	11	15	13
White, both sexes.....	257	23	19	22	20	25	22	21	15	26	22	19	23
Male.....	96	11	9	7	6	6	9	3	6	11	12	5	11
Female.....	161	12	10	15	14	19	13	18	9	15	10	14	12
Black, both sexes.....	22	2	5	1	1	2	2	1	-	2	3	2	1
Male.....	9	-	-	1	1	1	-	1	-	1	2	2	-
Female.....	13	2	5	-	-	1	2	-	-	1	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	1	-	-	1	-	1	-	-	2	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	4	-	1	1	-	-	-	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cystitis, unspecified (N30.9)													
All races, both sexes.....	76	8	7	8	9	2	3	10	6	8	4	8	3
Male.....	24	2	4	1	4	1	1	5	1	1	2	-	2
Female.....	52	6	3	7	5	1	2	5	5	7	2	8	1
White, both sexes.....	64	6	7	7	8	2	3	10	6	6	2	5	2
Male.....	21	-	4	1	4	1	1	5	1	1	1	-	2
Female.....	43	6	3	6	4	1	2	5	5	5	1	5	-
Black, both sexes.....	12	2	-	1	1	-	-	-	-	2	2	3	1
Male.....	3	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	9	-	-	1	1	-	-	-	-	2	1	3	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuromuscular dysfunction of bladder, not elsewhere classified (N31)													
All races, both sexes.....	120	10	13	16	9	8	8	9	5	14	13	5	10
Male.....	62	5	7	8	5	3	6	7	3	5	5	2	6
Female.....	58	5	6	8	4	5	2	2	2	9	8	3	4
White, both sexes.....	110	9	12	16	8	8	8	8	5	12	11	4	9
Male.....	57	4	6	8	4	3	6	7	3	5	4	2	5
Female.....	53	5	6	8	4	5	2	1	2	7	7	2	4
Black, both sexes.....	9	1	1	-	1	-	-	1	-	2	1	1	1
Male.....	5	1	1	-	1	-	-	-	-	-	1	-	1
Female.....	4	-	-	-	-	-	-	1	-	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Flaccid neuropathic bladder, not elsewhere classified (N31.2)													
All races, both sexes.....	13	2	5	2	1	-	-	-	-	1	1	-	1
Male.....	6	1	2	1	-	-	-	-	-	-	1	-	1
Female.....	7	1	3	1	1	-	-	-	-	1	-	-	-
White, both sexes.....	12	2	5	2	1	-	-	-	-	-	1	-	1
Male.....	6	1	2	1	-	-	-	-	-	-	1	-	1
Female.....	6	1	3	1	1	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuromuscular dysfunction of bladder, unspecified (N31.9)													
All races, both sexes.....	107	8	8	14	8	8	8	9	5	13	12	5	9
Male.....	56	4	5	7	5	3	6	7	3	5	4	2	5
Female.....	51	4	3	7	3	5	2	2	2	8	8	3	4
White, both sexes.....	98	7	7	14	7	8	8	8	5	12	10	4	8
Male.....	51	3	4	7	4	3	6	7	3	5	3	2	4
Female.....	47	4	3	7	3	5	2	1	2	7	7	2	4
Black, both sexes.....	8	1	1	-	1	-	-	1	-	1	1	1	1
Male.....	5	1	1	-	1	-	-	-	-	-	1	-	1
Female.....	3	-	-	-	-	-	-	1	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified disorders of bladder (N32.8)													
All races, both sexes.....	15	1	1	-	-	2	-	1	1	-	-	4	5
Male.....	10	1	1	-	-	2	-	1	1	-	-	1	3
Female.....	5	-	-	-	-	-	-	-	-	-	-	3	2
White, both sexes.....	12	-	1	-	-	2	-	-	1	-	-	3	5
Male.....	7	-	1	-	-	2	-	-	1	-	-	-	3
Female.....	5	-	-	-	-	-	-	-	-	-	-	3	2
Black, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bladder disorder, unspecified (N32.9)													
All races, both sexes.....	28	-	5	2	1	3	2	3	4	1	2	2	3
Male.....	19	-	4	2	1	2	2	2	2	1	1	2	-
Female.....	9	-	1	-	-	1	-	1	2	-	1	-	3
White, both sexes.....	23	-	5	2	-	2	2	3	3	1	1	1	3
Male.....	15	-	4	2	-	1	2	2	2	1	-	1	-
Female.....	8	-	1	-	-	1	-	1	1	-	1	-	3
Black, both sexes.....	3	-	-	-	1	-	-	-	-	-	1	1	-
Male.....	3	-	-	-	1	-	-	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of urinary system (N39)													
All races, both sexes.....	14,437	1,391	1,104	1,334	1,144	1,190	1,129	1,115	1,132	1,150	1,208	1,219	1,321
Male.....	4,560	407	363	446	347	397	330	378	360	349	402	368	413
Female.....	9,877	984	741	888	797	793	799	737	772	801	806	851	908
White, both sexes.....	12,656	1,225	967	1,154	992	1,049	1,003	996	993	995	1,060	1,067	1,155
Male.....	3,968	349	316	386	305	349	294	339	321	294	349	312	354
Female.....	8,688	876	651	768	687	700	709	657	672	701	711	755	801
Black, both sexes.....	1,524	143	129	157	126	126	105	101	109	134	131	124	139
Male.....	520	46	45	53	38	44	30	37	29	50	47	48	53
Female.....	1,004	97	84	104	88	82	75	64	80	84	84	76	86
American Indian 1/, both sexes.....	56	1	1	6	2	3	6	4	11	10	-	5	7
Male.....	14	-	-	3	1	-	2	-	2	2	-	1	3
Female.....	42	1	1	3	1	3	4	4	9	8	-	4	4
Asian or Pacific Islander 2/, both sexes.....	201	22	7	17	24	12	15	14	19	11	17	23	20
Male.....	58	12	2	4	3	4	4	2	8	3	6	7	3
Female.....	143	10	5	13	21	8	11	12	11	8	11	16	17
Urinary tract infection, site not specified (N39.0)													
All races, both sexes.....	14,421	1,389	1,103	1,333	1,144	1,189	1,128	1,113	1,130	1,146	1,206	1,219	1,321
Male.....	4,552	406	363	446	347	397	330	376	358	347	401	368	413
Female.....	9,869	983	740	887	797	792	798	737	772	799	805	851	908
White, both sexes.....	12,641	1,223	966	1,153	992	1,048	1,002	994	992	991	1,058	1,067	1,155
Male.....	3,961	348	316	386	305	349	294	337	320	292	348	312	354
Female.....	8,680	875	650	767	687	699	708	657	672	699	710	755	801
Black, both sexes.....	1,523	143	129	157	126	126	105	101	108	134	131	124	139
Male.....	519	46	45	53	38	44	30	37	28	50	47	48	53
Female.....	1,004	97	84	104	88	82	75	64	80	84	84	76	86
American Indian 1/, both sexes.....	56	1	1	6	2	3	6	4	11	10	-	5	7
Male.....	14	-	-	3	1	-	2	-	2	2	-	1	3
Female.....	42	1	1	3	1	3	4	4	9	8	-	4	4
Asian or Pacific Islander 2/, both sexes.....	201	22	7	17	24	12	15	14	19	11	17	23	20
Male.....	58	12	2	4	3	4	4	2	8	3	6	7	3
Female.....	143	10	5	13	21	8	11	12	11	8	11	16	17

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified abortion (006)													
All races, both sexes.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Male.....
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Complete or unspecified, complicated by genital tract and pelvic infection (006.5)													
All races, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Complete or unspecified, without complication (006.9)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Failed attempted abortion (007)													
All races, both sexes.....	3	1	1	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	3	1	1	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified failed attempted abortion, complicated by genital tract and pelvic infection (007.5)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified failed attempted abortion, complicated by delayed or excessive hemorrhage (007.6)													
All races, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	2	1	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Venous complication in pregnancy, unspecified (O22.9)													
All races, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Male.....
Female.....	2	1	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Male.....
Female.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of genitourinary tract in pregnancy (O23)													
All races, both sexes.....	3	-	-	1	-	-	-	-	1	-	1	-	-
Male.....
Female.....	3	-	-	1	-	-	-	-	1	-	1	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Antepartum hemorrhage, unspecified (O46.9)													
All races, both sexes.....	5	-	1	1	1	-	-	-	-	-	1	1	-
Male.....
Female.....	5	-	1	1	1	-	-	-	-	-	1	1	-
White, both sexes.....	3	-	1	1	-	-	-	-	-	-	-	1	-
Male.....
Female.....	3	-	1	1	-	-	-	-	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Abnormality of forces of labor (O62)													
All races, both sexes.....	5	-	-	-	-	1	-	-	2	-	-	1	1
Male.....
Female.....	5	-	-	-	-	1	-	-	2	-	-	1	1
White, both sexes.....	4	-	-	-	-	-	-	-	2	-	-	1	1
Male.....
Female.....	4	-	-	-	-	-	-	-	2	-	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Venous complication in the puerperium, unspecified (O87.9)													
All races, both sexes.....	3	-	-	-	-	-	-	1	-	-	2	-	-
Male.....
Female.....	3	-	-	-	-	-	-	1	-	-	2	-	-
White, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Obstetric embolism (O88)													
All races, both sexes.....	41	3	6	3	3	7	3	1	4	2	2	3	4
Male.....
Female.....	41	3	6	3	3	7	3	1	4	2	2	3	4
White, both sexes.....	21	2	4	1	3	3	1	-	2	-	-	2	3
Male.....
Female.....	21	2	4	1	3	3	1	-	2	-	-	2	3
Black, both sexes.....	15	-	2	1	-	3	2	-	1	2	2	1	1
Male.....
Female.....	15	-	2	1	-	3	2	-	1	2	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	1	-	1	-	1	1	-	-	-	-
Male.....
Female.....	5	1	-	1	-	1	-	1	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other complications of the puerperium, not elsewhere classified (O90.8)													
All races, both sexes.....	4	-	-	-	-	-	2	1	-	-	1	-	-
Male.....
Female.....	4	-	-	-	-	-	2	1	-	-	1	-	-
White, both sexes.....	3	-	-	-	-	-	2	1	-	-	-	-	-
Male.....
Female.....	3	-	-	-	-	-	2	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Obstetric death of unspecified cause (O95)													
All races, both sexes.....	23	-	-	1	1	1	1	2	2	4	3	4	4
Male.....
Female.....	23	-	-	1	1	1	1	2	2	4	3	4	4
White, both sexes.....	17	-	-	1	1	1	1	2	1	3	2	2	3
Male.....
Female.....	17	-	-	1	1	1	1	2	1	3	2	2	3
Black, both sexes.....	5	-	-	-	-	-	-	-	1	1	-	2	1
Male.....
Female.....	5	-	-	-	-	-	-	-	1	1	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other maternal infectious and parasitic diseases complicating pregnancy, childbirth, and the puerperium (O98.8)													
All races, both sexes.....	4	1	-	-	-	-	1	-	-	1	-	-	1
Male.....
Female.....	4	1	-	-	-	-	1	-	-	1	-	-	1
White, both sexes.....	3	1	-	-	-	-	-	-	-	1	-	-	1
Male.....
Female.....	3	1	-	-	-	-	-	-	-	1	-	-	1
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (O99)													
All races, both sexes.....	121	10	9	12	10	6	8	19	7	10	7	9	14
Male.....
Female.....	121	10	9	12	10	6	8	19	7	10	7	9	14
White, both sexes.....	75	7	4	6	7	4	7	11	5	6	4	8	6
Male.....
Female.....	75	7	4	6	7	4	7	11	5	6	4	8	6
Black, both sexes.....	40	3	4	4	3	2	1	7	2	2	3	1	8
Male.....
Female.....	40	3	4	4	3	2	1	7	2	2	3	1	8
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	2	-	-	-	-	-	2	-	-	-
Male.....
Female.....	5	-	1	2	-	-	-	-	-	2	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diseases of the digestive system complicating pregnancy, childbirth, and the puerperium (099.6)													
All races, both sexes.....	3	-	1	-	-	-	-	1	-	-	1	-	-
Male.....
Female.....	3	-	1	-	-	-	-	1	-	-	1	-	-
White, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Male.....
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases and conditions complicating pregnancy, childbirth, and the puerperium (099.8)													
All races, both sexes.....	57	3	4	4	6	2	2	11	2	9	3	5	6
Male.....
Female.....	57	3	4	4	6	2	2	11	2	9	3	5	6
White, both sexes.....	36	2	1	1	5	1	2	8	1	5	2	5	3
Male.....
Female.....	36	2	1	1	5	1	2	8	1	5	2	5	3
Black, both sexes.....	17	1	2	2	1	1	-	3	1	2	1	-	3
Male.....
Female.....	17	1	2	2	1	1	-	3	1	2	1	-	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	1	-	-	-	-	-	2	-	-	-
Male.....
Female.....	4	-	1	1	-	-	-	-	-	2	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by maternal complications of pregnancy (P01)													
All races, both sexes.....	1,684	133	136	142	143	152	140	151	140	141	141	137	128
Male.....	940	76	71	84	75	85	78	73	83	77	79	89	70
Female.....	744	57	65	58	68	67	62	78	57	64	62	48	58
White, both sexes.....	1,027	83	85	92	73	98	77	93	85	77	86	94	84
Male.....	570	47	44	47	39	56	41	49	50	41	48	62	46
Female.....	457	36	41	45	34	42	36	44	35	36	38	32	38
Black, both sexes.....	597	42	44	46	64	51	56	55	48	60	50	40	41
Male.....	330	23	22	34	31	28	31	23	29	32	30	25	22
Female.....	267	19	22	12	33	23	25	32	19	28	20	15	19
American Indian 1/, both sexes.....	14	2	3	1	1	-	1	1	2	2	1	-	-
Male.....	10	1	3	1	-	-	1	-	2	2	-	-	-
Female.....	4	1	-	-	1	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	46	6	4	3	5	3	6	2	5	2	4	3	3
Male.....	30	5	2	2	5	1	5	1	2	2	1	2	2
Female.....	16	1	2	1	-	2	1	1	3	-	3	1	1
Newborn affected by incompetent cervix (P01.0)													
All races, both sexes.....	444	31	43	39	34	33	45	46	43	25	41	29	35
Male.....	244	21	21	23	18	21	28	24	20	17	20	17	14
Female.....	200	10	22	16	16	12	17	22	23	8	21	12	21
White, both sexes.....	250	15	23	23	16	22	24	31	20	10	29	20	17
Male.....	138	11	12	9	9	16	17	16	10	7	15	12	4
Female.....	112	4	11	14	7	6	7	15	10	3	14	8	13
Black, both sexes.....	175	13	15	14	16	11	18	14	22	15	12	9	16
Male.....	93	9	6	12	7	5	9	7	9	10	5	5	9
Female.....	82	4	9	2	9	6	9	7	13	5	7	4	7
American Indian 1/, both sexes.....	4	1	2	1	-	-	-	-	-	-	-	-	-
Male.....	3	-	2	1	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	2	3	1	2	-	3	1	1	-	-	-	2
Male.....	10	1	1	1	2	-	2	1	1	-	-	-	1
Female.....	5	1	2	-	-	-	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by premature rupture of membranes (P01.1)													
All races, both sexes.....	825	67	63	66	71	82	75	62	66	84	53	69	67
Male.....	466	38	34	36	39	44	40	28	40	46	31	47	43
Female.....	359	29	29	30	32	38	35	34	26	38	22	22	24
White, both sexes.....	487	42	37	44	33	48	40	34	49	48	25	42	45
Male.....	273	25	18	20	19	24	19	18	29	28	11	31	31
Female.....	214	17	19	24	14	24	21	16	20	20	14	11	14
Black, both sexes.....	313	23	24	22	34	34	32	27	14	32	26	24	21
Male.....	174	11	14	16	17	20	18	10	10	14	19	14	11
Female.....	139	12	10	6	17	14	14	17	4	18	7	10	10
American Indian 1/, both sexes.....	8	1	1	-	1	-	1	1	1	2	-	-	-
Male.....	6	1	1	-	-	-	1	-	1	2	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	1	1	-	3	-	2	-	2	2	2	3	1
Male.....	13	1	1	-	3	-	2	-	-	2	1	2	1
Female.....	4	-	-	-	-	-	-	-	2	-	1	1	-
Newborn affected by oligohydramnios (P01.2)													
All races, both sexes.....	121	7	9	14	6	19	8	14	13	8	7	10	6
Male.....	81	5	4	11	3	13	4	8	11	5	5	8	4
Female.....	40	2	5	3	3	6	4	6	2	3	2	2	2
White, both sexes.....	86	7	9	10	6	12	4	9	6	5	4	8	6
Male.....	61	5	4	9	3	10	2	6	4	3	4	7	4
Female.....	25	2	5	1	3	2	2	3	2	2	-	1	2
Black, both sexes.....	28	-	-	3	-	5	3	5	5	3	2	2	-
Male.....	16	-	-	2	-	2	1	2	5	2	1	1	-
Female.....	12	-	-	1	-	3	2	3	-	1	1	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	-	2	1	-	1	-	-	-	-
Male.....	3	-	-	-	-	1	1	-	1	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by polyhydramnios (P01.3)													
All races, both sexes.....	11	-	1	-	-	1	1	2	-	5	-	-	1
Male.....	5	-	1	-	-	-	-	-	-	3	-	-	1
Female.....	6	-	-	-	-	1	1	2	-	2	-	-	-
White, both sexes.....	7	-	1	-	-	1	1	1	-	2	-	-	1
Male.....	3	-	1	-	-	-	-	-	-	1	-	-	1
Female.....	4	-	-	-	-	1	1	1	-	1	-	-	-
Black, both sexes.....	3	-	-	-	-	-	-	-	-	3	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Newborn affected by multiple pregnancy (P01.5)													
All races, both sexes.....	214	26	13	18	24	12	9	21	12	12	31	21	15
Male.....	100	10	7	11	9	4	4	9	9	4	16	12	5
Female.....	114	16	6	7	15	8	5	12	3	8	15	9	10
White, both sexes.....	156	17	8	13	15	12	7	15	8	9	22	17	13
Male.....	68	4	5	8	5	4	2	7	6	2	13	8	4
Female.....	88	13	3	5	10	8	5	8	2	7	9	9	9
Black, both sexes.....	53	6	5	5	9	-	2	6	4	3	7	4	2
Male.....	29	3	2	3	4	-	2	2	3	2	3	4	1
Female.....	24	3	3	2	5	-	-	4	1	1	4	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	3	-	-	-	-	-	-	-	-	2	-	-
Male.....	3	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Slow fetal growth, unspecified (P05.9)													
All races, both sexes.....	92	8	6	12	10	8	8	9	7	7	4	3	10
Male.....	45	3	4	10	4	4	1	6	4	3	1	1	4
Female.....	47	5	2	2	6	4	7	3	3	4	3	2	6
White, both sexes.....	60	2	4	10	7	4	4	5	7	4	2	2	9
Male.....	31	-	3	9	3	1	1	3	4	2	-	1	4
Female.....	29	2	1	1	4	3	3	2	3	2	2	1	5
Black, both sexes.....	25	6	2	2	3	3	3	3	-	2	1	-	-
Male.....	10	3	1	1	1	2	-	2	-	-	-	-	-
Female.....	15	3	1	1	2	1	3	1	-	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	1	1	1	-	1	1	1	1
Male.....	4	-	-	-	-	1	-	1	-	1	1	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	1	1
Disorders related to short gestation and low birthweight, not elsewhere classified (P07)													
All races, both sexes.....	4,857	370	353	438	457	397	429	422	429	370	405	369	418
Male.....	2,689	202	211	260	261	225	239	225	250	189	201	200	226
Female.....	2,168	168	142	178	196	172	190	197	179	181	204	169	192
White, both sexes.....	2,674	210	203	235	230	210	241	223	248	195	239	217	223
Male.....	1,507	114	122	143	130	113	137	122	138	107	125	128	128
Female.....	1,167	96	81	92	100	97	104	101	110	88	114	89	95
Black, both sexes.....	1,995	142	132	190	209	166	171	187	168	162	154	143	171
Male.....	1,076	77	77	108	123	99	92	96	104	75	72	69	84
Female.....	919	65	55	82	86	67	79	91	64	87	82	74	87
American Indian 1/, both sexes.....	44	6	3	5	3	4	6	3	2	3	1	2	6
Male.....	27	3	2	3	1	3	5	2	2	2	-	-	4
Female.....	17	3	1	2	2	1	1	1	-	1	1	2	2
Asian or Pacific Islander 2/, both sexes.....	144	12	15	8	15	17	11	9	11	10	11	7	18
Male.....	79	8	10	6	7	10	5	5	6	5	4	3	10
Female.....	65	4	5	2	8	7	6	4	5	5	7	4	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Extremely low birthweight (P07.0)													
All races, both sexes.....	68	7	4	7	7	8	6	9	4	5	5	4	2
Male.....	35	3	4	4	4	3	4	2	3	2	2	2	2
Female.....	33	4	-	3	3	5	2	7	1	3	3	2	-
White, both sexes.....	30	1	2	2	-	4	3	5	3	4	3	2	1
Male.....	14	-	2	2	-	1	1	1	2	2	2	-	1
Female.....	16	1	-	-	-	3	2	4	1	2	1	2	-
Black, both sexes.....	34	4	2	4	7	4	3	4	1	1	1	2	1
Male.....	18	1	2	1	4	2	3	1	1	-	-	2	1
Female.....	16	3	-	3	3	2	-	3	-	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Other low birthweight (P07.1)													
All races, both sexes.....	5	-	-	-	-	1	1	1	-	2	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	3	-	-	-	-	1	1	1	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	3	-	-	-	-	-	-	1	-	2	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Extreme immaturity (P07.2)													
All races, both sexes.....	3,620	258	270	325	335	284	343	314	346	263	299	276	307
Male.....	1,980	136	150	196	191	158	190	167	201	132	143	151	165
Female.....	1,640	122	120	129	144	126	153	147	145	131	156	125	142
White, both sexes.....	2,010	151	153	184	172	152	193	160	197	149	176	166	157
Male.....	1,113	82	83	112	96	81	108	90	111	77	87	97	89
Female.....	897	69	70	72	76	71	85	70	86	72	89	69	68
Black, both sexes.....	1,476	98	105	136	151	116	135	144	137	106	117	102	129
Male.....	792	49	60	81	90	66	72	71	83	50	55	51	64
Female.....	684	49	45	55	61	50	63	73	54	56	62	51	65
American Indian 1/, both sexes.....	32	3	2	3	2	4	5	3	1	3	1	1	4
Male.....	22	2	1	2	1	3	5	2	1	2	-	-	3
Female.....	10	1	1	1	1	1	-	1	-	1	1	1	1
Asian or Pacific Islander 2/, both sexes.....	102	6	10	2	10	12	10	7	11	5	5	7	17
Male.....	53	3	6	1	4	8	5	4	6	3	1	3	9
Female.....	49	3	4	1	6	4	5	3	5	2	4	4	8
Other preterm infants (P07.3)													
All races, both sexes.....	1,164	105	79	106	115	104	79	98	79	100	101	89	109
Male.....	672	63	57	60	66	64	45	56	46	53	56	47	59
Female.....	492	42	22	46	49	40	34	42	33	47	45	42	50
White, both sexes.....	633	58	48	49	58	53	45	58	48	42	60	49	65
Male.....	380	32	37	29	34	31	28	31	25	28	36	31	38
Female.....	253	26	11	20	24	22	17	27	23	14	24	18	27
Black, both sexes.....	482	40	25	50	51	46	33	38	30	53	36	39	41
Male.....	264	27	15	26	29	31	17	24	20	23	17	16	19
Female.....	218	13	10	24	22	15	16	14	10	30	19	23	22
American Indian 1/, both sexes.....	11	3	1	1	1	-	1	-	1	-	-	1	2
Male.....	4	1	1	-	-	-	-	-	1	-	-	-	1
Female.....	7	2	-	1	1	-	1	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	38	4	5	6	5	5	-	2	-	5	5	-	1
Male.....	24	3	4	5	3	2	-	1	-	2	3	-	1
Female.....	14	1	1	1	2	3	-	1	-	3	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Birth injury, unspecified (P15.9)													
All races, both sexes.....	4	-	1	1	-	1	1	-	-	-	-	-	-
Male.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Male.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia (P20)													
All races, both sexes.....	110	7	8	9	9	11	4	11	11	4	10	15	11
Male.....	62	3	4	6	5	9	3	8	4	2	5	7	6
Female.....	48	4	4	3	4	2	1	3	7	2	5	8	5
White, both sexes.....	75	6	7	6	5	6	4	8	10	3	4	10	6
Male.....	40	2	4	4	4	6	3	5	3	1	1	4	3
Female.....	35	4	3	2	1	-	1	3	7	2	3	6	3
Black, both sexes.....	29	1	1	2	2	5	-	3	-	1	5	4	5
Male.....	20	1	-	1	1	3	-	3	-	1	4	3	3
Female.....	9	-	1	1	1	2	-	-	-	-	1	1	2
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	2	-	-	-	1	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	4	-	-	-	2	-	-	-	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intrauterine hypoxia, unspecified (P20.9)													
All races, both sexes.....	107	6	8	9	9	10	4	11	11	4	10	14	11
Male.....	62	3	4	6	5	9	3	8	4	2	5	7	6
Female.....	45	3	4	3	4	1	1	3	7	2	5	7	5
White, both sexes.....	74	5	7	6	5	6	4	8	10	3	4	10	6
Male.....	40	2	4	4	4	6	3	5	3	1	1	4	3
Female.....	34	3	3	2	1	-	1	3	7	2	3	6	3
Black, both sexes.....	27	1	1	2	2	4	-	3	-	1	5	3	5
Male.....	20	1	-	1	1	3	-	3	-	1	4	3	3
Female.....	7	-	1	1	1	1	-	-	-	-	1	-	2
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	2	-	-	-	1	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	4	-	-	-	2	-	-	-	-	-	1	1	-
Birth asphyxia (P21)													
All races, both sexes.....	255	26	22	28	18	22	19	24	17	27	22	18	12
Male.....	141	10	15	16	9	15	11	11	11	15	8	12	8
Female.....	114	16	7	12	9	7	8	13	6	12	14	6	4
White, both sexes.....	184	20	15	21	16	18	12	16	10	20	14	14	8
Male.....	102	7	11	10	7	14	6	9	7	12	4	9	6
Female.....	82	13	4	11	9	4	6	7	3	8	10	5	2
Black, both sexes.....	58	6	6	5	2	4	5	6	3	7	7	4	3
Male.....	31	3	3	4	2	1	4	2	2	3	3	3	1
Female.....	27	3	3	1	-	3	1	4	1	4	4	1	2
American Indian 1/, both sexes.....	3	-	-	1	-	-	-	1	-	-	1	-	-
Male.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	1	1	-	-	2	1	4	-	-	-	1
Male.....	6	-	1	1	-	-	1	-	2	-	-	-	1
Female.....	4	-	-	-	-	-	1	1	2	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Severe birth asphyxia (P21.0)													
All races, both sexes.....	10	-	-	1	1	1	-	-	2	2	1	2	-
Male.....	7	-	-	1	1	1	-	-	1	1	1	1	-
Female.....	3	-	-	-	-	-	-	-	1	1	-	1	-
White, both sexes.....	6	-	-	1	-	1	-	-	1	1	-	2	-
Male.....	3	-	-	1	-	1	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	1	1	-	1	-
Black, both sexes.....	3	-	-	-	1	-	-	-	-	1	1	-	-
Male.....	3	-	-	-	1	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth asphyxia, unspecified (P21.9)													
All races, both sexes.....	245	26	22	27	17	21	19	24	15	25	21	16	12
Male.....	134	10	15	15	8	14	11	11	10	14	7	11	8
Female.....	111	16	7	12	9	7	8	13	5	11	14	5	4
White, both sexes.....	178	20	15	20	16	17	12	16	9	19	14	12	8
Male.....	99	7	11	9	7	13	6	9	7	12	4	8	6
Female.....	79	13	4	11	9	4	6	7	2	7	10	4	2
Black, both sexes.....	55	6	6	5	1	4	5	6	3	6	6	4	3
Male.....	28	3	3	4	1	1	4	2	2	2	2	3	1
Female.....	27	3	3	1	-	3	1	4	1	4	4	1	2
American Indian 1/, both sexes.....	3	-	-	1	-	-	-	1	-	-	1	-	-
Male.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	1	-	-	2	1	3	-	-	-	1
Male.....	5	-	1	1	-	-	1	-	1	-	-	-	1
Female.....	4	-	-	-	-	-	1	1	2	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Respiratory distress of newborn (P22)													
All races, both sexes.....	825	57	56	76	66	71	68	67	87	82	72	63	60
Male.....	470	33	26	39	45	40	41	37	46	44	45	37	37
Female.....	355	24	30	37	21	31	27	30	41	38	27	26	23
White, both sexes.....	513	40	42	45	47	40	43	39	45	50	41	40	41
Male.....	303	25	22	18	32	24	26	24	24	35	25	24	24
Female.....	210	15	20	27	15	16	17	15	21	15	16	16	17
Black, both sexes.....	279	13	12	29	16	27	24	28	38	29	26	21	16
Male.....	146	6	3	19	10	12	15	13	19	8	17	12	12
Female.....	133	7	9	10	6	15	9	15	19	21	9	9	4
American Indian 1/, both sexes.....	10	1	-	-	2	-	-	-	1	2	3	1	-
Male.....	9	1	-	-	2	-	-	-	1	1	3	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	3	2	2	1	4	1	-	3	1	2	1	3
Male.....	12	1	1	2	1	4	-	-	2	-	-	-	1
Female.....	11	2	1	-	-	-	1	-	1	1	2	1	2
Respiratory distress syndrome of newborn (P22.0)													
All races, both sexes.....	736	53	53	69	50	63	59	62	82	74	65	55	51
Male.....	422	29	24	36	36	35	37	32	44	41	43	34	31
Female.....	314	24	29	33	14	28	22	30	38	33	22	21	20
White, both sexes.....	456	37	41	40	35	33	38	35	43	45	37	37	35
Male.....	271	22	21	17	25	20	23	20	23	32	24	24	20
Female.....	185	15	20	23	10	13	15	15	20	13	13	13	15
Black, both sexes.....	250	12	10	28	12	26	21	27	35	26	23	17	13
Male.....	131	5	2	18	8	11	14	12	18	8	16	9	10
Female.....	119	7	8	10	4	15	7	15	17	18	7	8	3
American Indian 1/, both sexes.....	10	1	-	-	2	-	-	-	1	2	3	1	-
Male.....	9	1	-	-	2	-	-	-	1	1	3	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	3	2	1	1	4	-	-	3	1	2	-	3
Male.....	11	1	1	1	1	4	-	-	2	-	-	-	1
Female.....	9	2	1	-	-	-	-	-	1	1	2	-	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Respiratory distress of newborn, unspecified (P22.9)													
All races, both sexes.....	89	4	3	7	16	8	9	5	5	8	7	8	9
Male.....	48	4	2	3	9	5	4	5	2	3	2	3	6
Female.....	41	-	1	4	7	3	5	-	3	5	5	5	3
White, both sexes.....	57	3	1	5	12	7	5	4	2	5	4	3	6
Male.....	32	3	1	1	7	4	3	4	1	3	1	-	4
Female.....	25	-	-	4	5	3	2	-	1	2	3	3	2
Black, both sexes.....	29	1	2	1	4	1	3	1	3	3	3	4	3
Male.....	15	1	1	1	2	1	1	1	1	-	1	3	2
Female.....	14	-	1	-	2	-	2	-	2	3	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	1	-	-	-	-	1	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Congenital pneumonia (P23)													
All races, both sexes.....	104	9	19	10	9	5	5	11	9	6	6	5	10
Male.....	54	5	9	7	5	3	2	7	4	5	-	2	5
Female.....	50	4	10	3	4	2	3	4	5	1	6	3	5
White, both sexes.....	68	7	14	8	7	3	2	7	5	4	5	1	5
Male.....	34	5	4	5	4	2	1	5	2	3	-	-	3
Female.....	34	2	10	3	3	1	1	2	3	1	5	1	2
Black, both sexes.....	32	2	4	2	1	2	3	4	3	1	1	4	5
Male.....	18	-	4	2	1	1	1	2	2	1	-	2	2
Female.....	14	2	-	-	-	1	2	2	1	-	1	2	3
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neonatal aspiration syndrome, unspecified (P24.9)													
All races, both sexes.....	10	-	-	-	2	1	-	1	1	2	1	2	-
Male.....	6	-	-	-	1	1	-	1	1	-	1	1	-
Female.....	4	-	-	-	1	-	-	-	-	2	-	1	-
White, both sexes.....	9	-	-	-	2	1	-	1	1	2	1	1	-
Male.....	6	-	-	-	1	1	-	1	1	-	1	1	-
Female.....	3	-	-	-	1	-	-	-	-	2	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Interstitial emphysema and related conditions originating in the perinatal period (P25)													
All races, both sexes.....	150	9	11	8	13	24	13	14	5	16	13	14	10
Male.....	90	3	5	4	11	14	7	11	3	10	6	9	7
Female.....	60	6	6	4	2	10	6	3	2	6	7	5	3
White, both sexes.....	110	7	6	5	11	18	10	10	3	11	11	11	7
Male.....	67	2	4	3	9	10	6	9	1	6	6	7	4
Female.....	43	5	2	2	2	8	4	1	2	5	5	4	3
Black, both sexes.....	35	2	4	3	2	5	1	4	2	5	2	3	2
Male.....	20	1	1	1	2	3	-	2	2	4	-	2	2
Female.....	15	1	3	2	-	2	1	2	-	1	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	-	1	2	-	-	-	-	-	1
Male.....	3	-	-	-	-	1	1	-	-	-	-	-	1
Female.....	2	-	1	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Interstitial emphysema originating in the perinatal period (P25.0)													
All races, both sexes.....	63	3	4	3	4	13	3	7	-	8	9	5	4
Male.....	40	2	2	2	4	6	2	6	-	4	4	5	3
Female.....	23	1	2	1	-	7	1	1	-	4	5	-	1
White, both sexes.....	47	2	3	2	3	10	3	5	-	6	7	3	3
Male.....	31	1	2	2	3	4	2	5	-	3	4	3	2
Female.....	16	1	1	-	-	6	1	-	-	3	3	-	1
Black, both sexes.....	13	1	-	1	1	2	-	2	-	2	2	2	-
Male.....	7	1	-	-	1	1	-	1	-	1	-	2	-
Female.....	6	-	-	1	-	1	-	1	-	1	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	1	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Pneumothorax originating in the perinatal period (P25.1)													
All races, both sexes.....	80	6	7	5	8	9	8	7	5	7	4	8	6
Male.....	46	1	3	2	6	7	4	5	3	5	2	4	4
Female.....	34	5	4	3	2	2	4	2	2	2	2	4	2
White, both sexes.....	58	5	3	3	7	7	6	5	3	4	4	7	4
Male.....	32	1	2	1	5	5	3	4	1	2	2	4	2
Female.....	26	4	1	2	2	2	3	1	2	2	2	3	2
Black, both sexes.....	20	1	4	2	1	2	-	2	2	3	-	1	2
Male.....	13	-	1	1	1	2	-	1	2	3	-	-	2
Female.....	7	1	3	1	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified chronic respiratory disease originating in the perinatal period (P27.9)													
All races, both sexes.....	32	3	5	2	1	1	2	6	3	1	3	4	1
Male.....	22	2	5	2	1	-	-	5	1	-	2	3	1
Female.....	10	1	-	-	-	1	2	1	2	1	1	1	-
White, both sexes.....	19	1	4	2	1	-	1	2	3	-	2	2	1
Male.....	14	1	4	2	1	-	-	2	1	-	1	1	1
Female.....	5	-	-	-	-	-	1	-	2	-	1	1	-
Black, both sexes.....	13	2	1	-	-	1	1	4	-	1	1	2	-
Male.....	8	1	1	-	-	-	-	3	-	-	1	2	-
Female.....	5	1	-	-	-	1	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other respiratory conditions originating in the perinatal period (P28)													
All races, both sexes.....	468	29	36	39	39	40	45	41	40	33	33	43	50
Male.....	287	19	25	24	20	22	27	28	25	18	19	26	34
Female.....	181	10	11	15	19	18	18	13	15	15	14	17	16
White, both sexes.....	315	18	25	28	23	25	32	29	30	18	22	28	37
Male.....	198	12	15	16	10	16	22	20	20	12	13	18	24
Female.....	117	6	10	12	13	9	10	9	10	6	9	10	13
Black, both sexes.....	132	10	10	11	16	10	10	11	10	13	9	14	8
Male.....	79	7	9	8	10	4	4	7	5	5	5	8	7
Female.....	53	3	1	3	6	6	6	4	5	8	4	6	1
American Indian 1/, both sexes.....	4	-	-	-	-	1	1	-	-	-	-	-	2
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	17	1	1	-	-	4	2	1	-	2	2	1	3
Male.....	8	-	1	-	-	1	1	1	-	1	1	-	2
Female.....	9	1	-	-	-	3	1	-	-	1	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other apnea of newborn (P28.4)													
All races, both sexes.....	16	1	1	1	1	2	-	3	2	1	-	-	4
Male.....	8	-	1	-	-	2	-	2	1	-	-	-	2
Female.....	8	1	-	1	1	-	-	1	1	1	-	-	2
White, both sexes.....	13	1	1	1	1	1	-	3	2	-	-	-	3
Male.....	6	-	1	-	-	1	-	2	1	-	-	-	1
Female.....	7	1	-	1	1	-	-	1	1	-	-	-	2
Black, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory failure of newborn (P28.5)													
All races, both sexes.....	24	2	2	4	1	2	5	-	2	2	3	1	-
Male.....	14	1	1	2	1	1	3	-	1	1	3	-	-
Female.....	10	1	1	2	-	1	2	-	1	1	-	1	-
White, both sexes.....	14	2	2	2	1	2	1	-	1	1	1	1	-
Male.....	9	1	1	1	1	1	1	-	1	1	1	-	-
Female.....	5	1	1	1	-	1	-	-	-	-	-	1	-
Black, both sexes.....	8	-	-	2	-	-	4	-	1	-	1	-	-
Male.....	4	-	-	1	-	-	2	-	-	-	1	-	-
Female.....	4	-	-	1	-	-	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified respiratory conditions of newborn (P28.8)													
All races, both sexes.....	14	-	-	1	1	1	1	2	2	2	-	2	2
Male.....	8	-	-	-	-	1	-	1	1	2	-	2	1
Female.....	6	-	-	1	1	-	1	1	-	-	-	-	1
White, both sexes.....	10	-	-	-	1	1	-	1	2	2	-	1	2
Male.....	6	-	-	-	-	1	-	-	1	2	-	1	1
Female.....	4	-	-	-	1	-	-	1	1	-	-	-	1
Black, both sexes.....	3	-	-	1	-	-	-	1	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Respiratory condition of newborn, unspecified (P28.9)													
All races, both sexes.....	15	2	1	2	-	1	2	1	2	-	2	1	1
Male.....	9	1	1	-	-	1	2	1	1	-	-	1	1
Female.....	6	1	-	2	-	-	-	-	1	-	2	-	-
White, both sexes.....	9	2	1	2	-	-	2	1	-	-	1	-	-
Male.....	5	1	1	-	-	-	2	1	-	-	-	-	-
Female.....	4	1	-	2	-	-	-	-	-	-	1	-	-
Black, both sexes.....	3	-	-	-	-	-	-	-	2	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiovascular disorders originating in the perinatal period (P29)													
All races, both sexes.....	988	86	79	77	78	86	72	96	92	74	73	89	86
Male.....	548	50	48	38	47	53	42	47	51	38	35	52	47
Female.....	440	36	31	39	31	33	30	49	41	36	38	37	39
White, both sexes.....	601	47	49	50	45	48	41	59	56	48	41	59	58
Male.....	327	29	30	24	27	33	23	23	33	25	19	32	29
Female.....	274	18	19	26	18	15	18	36	23	23	22	27	29
Black, both sexes.....	350	35	30	25	31	35	27	33	32	25	27	25	25
Male.....	198	20	18	12	18	19	17	22	15	12	12	17	16
Female.....	152	15	12	13	13	16	10	11	17	13	15	8	9
American Indian 1/, both sexes.....	4	-	-	-	-	2	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	2	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	4	-	2	2	1	4	3	3	1	5	5	3
Male.....	22	1	-	2	2	1	2	2	2	1	4	3	2
Female.....	11	3	-	-	-	-	2	1	1	-	1	2	1
Neonatal cardiac failure (P29.0)													
All races, both sexes.....	352	31	22	25	29	32	33	24	41	27	31	30	27
Male.....	181	18	11	11	19	19	17	12	22	13	12	14	13
Female.....	171	13	11	14	10	13	16	12	19	14	19	16	14
White, both sexes.....	218	16	14	18	19	16	16	18	29	15	14	24	19
Male.....	113	10	7	8	12	11	8	8	15	10	4	11	9
Female.....	105	6	7	10	7	5	8	10	14	5	10	13	10
Black, both sexes.....	125	13	8	7	10	16	15	5	11	11	16	5	8
Male.....	65	8	4	3	7	8	8	4	6	2	8	3	4
Female.....	60	5	4	4	3	8	7	1	5	9	8	2	4
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	2	-	-	-	-	2	-	-	1	1	1	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	5	2	-	-	-	-	1	-	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital viral disease, unspecified (P35.9)													
All races, both sexes.....	4	1	-	-	1	-	-	-	-	-	1	1	-
Male.....	4	1	-	-	1	-	-	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	1	-	-	1	-	-	-	-	-	1	-	-
Male.....	3	1	-	-	1	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial sepsis of newborn (P36)													
All races, both sexes.....	807	56	50	59	56	70	91	82	75	63	78	51	76
Male.....	435	26	29	30	25	39	56	54	38	34	41	27	36
Female.....	372	30	21	29	31	31	35	28	37	29	37	24	40
White, both sexes.....	492	39	29	31	37	45	51	53	47	33	48	32	47
Male.....	254	20	15	15	15	24	30	37	23	16	27	12	20
Female.....	238	19	14	16	22	21	21	16	24	17	21	20	27
Black, both sexes.....	280	14	19	27	16	25	35	24	25	26	28	15	26
Male.....	157	4	13	15	8	15	23	13	13	15	12	12	14
Female.....	123	10	6	12	8	10	12	11	12	11	16	3	12
American Indian 1/, both sexes.....	11	1	-	1	-	-	1	3	1	1	-	3	-
Male.....	8	1	-	-	-	-	2	1	1	-	3	-	-
Female.....	3	-	-	1	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	2	2	-	3	-	4	2	2	3	2	1	3
Male.....	16	1	1	-	2	-	3	2	1	2	2	-	2
Female.....	8	1	1	-	1	-	1	-	1	1	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified congenital infectious and parasitic diseases (P37.8)													
All races, both sexes.....	35	4	1	2	5	2	1	4	3	3	4	4	2
Male.....	26	2	1	2	2	2	1	3	1	3	3	4	2
Female.....	9	2	-	-	3	-	-	1	2	-	1	-	-
White, both sexes.....	20	4	1	1	3	1	-	2	-	2	2	2	2
Male.....	16	2	1	1	2	1	-	1	-	2	2	2	2
Female.....	4	2	-	-	1	-	-	1	-	-	-	-	-
Black, both sexes.....	14	-	-	-	2	1	1	2	3	1	2	2	-
Male.....	9	-	-	-	-	1	1	2	1	1	1	2	-
Female.....	5	-	-	-	2	-	-	-	2	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infections specific to the perinatal period (P39)													
All races, both sexes.....	66	6	6	5	2	8	5	3	8	3	6	10	4
Male.....	38	5	4	2	1	6	4	1	4	1	2	5	3
Female.....	28	1	2	3	1	2	1	2	4	2	4	5	1
White, both sexes.....	45	5	5	3	2	6	4	1	4	3	3	8	1
Male.....	28	4	4	2	1	5	3	1	3	1	1	3	-
Female.....	17	1	1	1	1	1	1	-	1	2	2	5	1
Black, both sexes.....	16	1	1	2	-	1	1	1	3	-	1	2	3
Male.....	10	1	-	-	-	1	1	-	1	-	1	2	3
Female.....	6	-	1	2	-	-	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified infections specific to the perinatal period (P39.8)													
All races, both sexes.....	9	1	-	2	1	1	1	-	1	-	-	2	-
Male.....	5	1	-	2	-	1	1	-	-	-	-	-	-
Female.....	4	-	-	-	1	-	-	-	1	-	-	2	-
White, both sexes.....	8	1	-	2	1	1	1	-	-	-	-	2	-
Male.....	5	1	-	2	-	1	1	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	-	-	-	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Infection specific to the perinatal period, unspecified (P39.9)													
All races, both sexes.....	46	5	6	3	1	5	4	3	4	2	4	7	2
Male.....	27	4	4	-	1	4	3	1	1	1	2	5	1
Female.....	19	1	2	3	-	1	1	2	3	1	2	2	1
White, both sexes.....	30	4	5	1	1	5	3	1	1	2	1	5	1
Male.....	20	3	4	-	1	4	2	1	-	1	1	3	-
Female.....	10	1	1	1	-	1	1	-	1	1	-	2	1
Black, both sexes.....	13	1	1	2	-	-	1	1	3	-	1	2	1
Male.....	7	1	-	-	-	-	1	-	1	-	1	2	1
Female.....	6	-	1	2	-	-	-	1	2	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disseminated intravascular coagulation of newborn (P60)													
All races, both sexes.....	48	4	6	2	4	3	3	6	2	10	2	5	1
Male.....	27	2	3	1	2	1	1	5	1	8	1	2	-
Female.....	21	2	3	1	2	2	2	1	1	2	1	3	1
White, both sexes.....	32	2	5	2	4	2	2	4	-	5	-	5	1
Male.....	18	1	2	1	2	1	1	4	-	4	-	2	-
Female.....	14	1	3	1	2	1	1	-	-	1	-	3	1
Black, both sexes.....	12	1	1	-	-	1	-	2	1	5	1	-	-
Male.....	7	-	1	-	-	-	-	1	-	4	1	-	-
Female.....	5	1	-	-	-	1	-	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	1	-	1	-	1	-	-
Male.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Other perinatal hematological disorders (P61)													
All races, both sexes.....	45	1	4	2	3	2	7	5	4	6	3	4	4
Male.....	18	1	2	2	-	1	2	2	1	4	-	2	1
Female.....	27	-	2	-	3	1	5	3	3	2	3	2	3
White, both sexes.....	31	1	4	1	2	-	6	4	3	2	3	2	3
Male.....	9	1	2	1	-	-	1	1	-	1	-	1	1
Female.....	22	-	2	-	2	-	5	3	3	1	3	1	2
Black, both sexes.....	12	-	-	1	1	2	1	1	1	3	-	1	1
Male.....	9	-	-	1	-	1	1	1	1	3	-	1	-
Female.....	3	-	-	-	1	1	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other conditions of integument specific to newborn (P83)													
All races, both sexes.....	172	10	14	15	22	11	17	18	12	18	15	10	10
Male.....	92	3	5	10	14	5	12	12	6	7	7	6	5
Female.....	80	7	9	5	8	6	5	6	6	11	8	4	5
White, both sexes.....	132	7	12	10	18	8	14	15	9	16	10	7	6
Male.....	72	3	5	7	11	4	9	10	4	6	5	4	4
Female.....	60	4	7	3	7	4	5	5	5	10	5	3	2
Black, both sexes.....	23	2	1	3	3	3	2	1	1	-	4	1	2
Male.....	11	-	-	1	2	1	2	1	1	-	1	1	1
Female.....	12	2	1	2	1	2	-	-	-	-	3	-	1
American Indian 1/, both sexes.....	5	-	-	2	1	-	-	1	-	1	-	-	-
Male.....	4	-	-	2	1	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	1	-	-	-	1	1	2	1	1	2	2
Male.....	5	-	-	-	-	-	1	1	1	-	1	1	-
Female.....	7	1	1	-	-	-	-	-	1	1	-	1	2
Hydrops fetalis not due to hemolytic disease (P83.2)													
All races, both sexes.....	169	10	14	15	21	11	17	18	12	18	14	10	9
Male.....	91	3	5	10	13	5	12	12	6	7	7	6	5
Female.....	78	7	9	5	8	6	5	6	6	11	7	4	4
White, both sexes.....	129	7	12	10	17	8	14	15	9	16	9	7	5
Male.....	71	3	5	7	10	4	9	10	4	6	5	4	4
Female.....	58	4	7	3	7	4	5	5	5	10	4	3	1
Black, both sexes.....	23	2	1	3	3	3	2	1	1	-	4	1	2
Male.....	11	-	-	1	2	1	2	1	1	-	1	1	1
Female.....	12	2	1	2	1	2	-	-	-	-	3	-	1
American Indian 1/, both sexes.....	5	-	-	2	1	-	-	1	-	1	-	-	-
Male.....	4	-	-	2	1	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	1	-	-	-	1	1	2	1	1	2	2
Male.....	5	-	-	-	-	-	1	1	1	-	1	1	-
Female.....	7	1	1	-	-	-	-	-	1	1	-	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acquired periventricular cysts of newborn (P91.1)													
All races, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal cerebral leukomalacia (P91.2)													
All races, both sexes.....	8	-	1	1	-	1	1	-	3	-	-	1	-
Male.....	4	-	-	-	-	-	1	-	2	-	-	1	-
Female.....	4	-	1	1	-	1	-	-	1	-	-	-	-
White, both sexes.....	5	-	1	1	-	1	-	-	2	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neonatal cerebral depression (P91.4)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypoxic ischemic encephalopathy of newborn (P91.6)													
All races, both sexes.....	133	14	8	12	2	12	10	11	17	10	18	9	10
Male.....	68	9	2	6	1	5	5	7	10	4	12	4	3
Female.....	65	5	6	6	1	7	5	4	7	6	6	5	7
White, both sexes.....	97	9	5	9	2	10	8	10	12	7	10	6	9
Male.....	50	5	1	4	1	4	5	7	8	3	6	3	3
Female.....	47	4	4	5	1	6	3	3	4	4	4	3	6
Black, both sexes.....	27	5	3	2	-	-	1	-	3	2	7	3	1
Male.....	15	4	1	2	-	-	-	-	1	1	5	1	-
Female.....	12	1	2	-	-	-	1	-	2	1	2	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	1	-	2	1	1	2	1	1	-	-
Male.....	3	-	-	-	-	1	-	-	1	-	1	-	-
Female.....	6	-	-	1	-	1	1	1	1	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Feeding problem of newborn, unspecified (P92.9)													
All races, both sexes.....	3	-	1	-	-	-	-	1	1	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of muscle tone of newborn (P94)													
All races, both sexes.....	13	2	1	1	1	1	-	2	-	1	1	2	1
Male.....	7	1	1	1	-	-	-	1	-	1	-	1	1
Female.....	6	1	-	-	1	1	-	1	-	-	1	1	-
White, both sexes.....	12	2	1	1	1	-	-	2	-	1	1	2	1
Male.....	7	1	1	1	-	-	-	1	-	1	-	1	1
Female.....	5	1	-	-	1	-	-	1	-	-	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital hypotonia (P94.2)													
All races, both sexes.....	13	2	1	1	1	1	-	2	-	1	1	2	1
Male.....	7	1	1	1	-	-	-	1	-	1	-	1	1
Female.....	6	1	-	-	1	1	-	1	-	-	1	1	-
White, both sexes.....	12	2	1	1	1	-	-	2	-	1	1	2	1
Male.....	7	1	1	1	-	-	-	1	-	1	-	1	1
Female.....	5	1	-	-	1	-	-	1	-	-	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (P96)													
All races, both sexes.....	133	15	14	6	11	15	10	12	9	11	9	10	11
Male.....	77	5	7	5	5	12	3	9	7	6	4	7	7
Female.....	56	10	7	1	6	3	7	3	2	5	5	3	4
White, both sexes.....	78	10	7	5	4	10	8	2	2	9	6	6	9
Male.....	41	3	1	4	2	9	3	2	2	4	3	3	5
Female.....	37	7	6	1	2	1	5	-	-	5	3	3	4
Black, both sexes.....	47	5	6	1	5	5	2	9	6	1	2	4	1
Male.....	31	2	5	1	2	3	-	7	4	1	1	4	1
Female.....	16	3	1	-	3	2	2	2	2	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	-	2	-	-	1	-	1	1	-	1
Male.....	4	-	1	-	1	-	-	-	-	1	-	-	1
Female.....	3	-	-	-	1	-	-	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital renal failure (P96.0)													
All races, both sexes.....	30	2	2	3	3	2	3	1	3	4	4	1	2
Male.....	21	2	2	3	3	1	1	1	3	2	2	-	1
Female.....	9	-	-	-	-	1	2	-	-	2	2	1	1
White, both sexes.....	20	1	-	2	2	1	2	1	2	3	3	1	2
Male.....	13	1	-	2	2	1	1	1	2	1	1	-	1
Female.....	7	-	-	-	-	-	1	-	-	2	2	1	1
Black, both sexes.....	9	1	2	1	1	1	1	-	1	-	1	-	-
Male.....	7	1	2	1	1	-	-	-	1	-	1	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Termination of pregnancy, fetus, and newborn (P96.4)													
All races, both sexes.....	24	2	5	1	2	1	3	2	-	-	3	3	2
Male.....	11	1	2	-	-	1	-	1	-	-	1	3	2
Female.....	13	1	3	1	2	-	3	1	-	-	2	-	-
White, both sexes.....	14	2	3	1	2	1	2	-	-	-	1	1	1
Male.....	5	1	-	-	-	1	-	-	-	-	1	1	1
Female.....	9	1	3	1	2	-	2	-	-	-	-	-	-
Black, both sexes.....	8	-	1	-	-	-	1	2	-	-	1	2	1
Male.....	5	-	1	-	-	-	-	1	-	-	-	2	1
Female.....	3	-	-	-	-	-	1	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Anencephaly and similar malformations (Q00)													
All races, both sexes.....	341	25	30	31	37	21	37	24	19	29	33	27	28
Male.....	139	9	12	13	11	11	18	6	8	11	12	13	15
Female.....	202	16	18	18	26	10	19	18	11	18	21	14	13
White, both sexes.....	280	19	25	26	29	17	30	22	14	23	26	24	25
Male.....	118	6	11	13	10	10	16	5	6	6	8	13	14
Female.....	162	13	14	13	19	7	14	17	8	17	18	11	11
Black, both sexes.....	44	4	4	3	5	2	5	2	5	6	5	1	2
Male.....	17	2	1	-	-	1	1	1	2	5	3	-	1
Female.....	27	2	3	3	5	1	4	1	3	1	2	1	1
American Indian 1/, both sexes.....	7	-	-	1	1	1	1	-	-	-	-	2	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	6	-	-	1	1	1	-	-	-	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	10	2	1	1	2	1	1	-	-	-	2	-	-
Male.....	3	1	-	-	1	-	-	-	-	-	1	-	-
Female.....	7	1	1	1	1	1	1	-	-	-	1	-	-
Anencephaly (Q00.0)													
All races, both sexes.....	341	25	30	31	37	21	37	24	19	29	33	27	28
Male.....	139	9	12	13	11	11	18	6	8	11	12	13	15
Female.....	202	16	18	18	26	10	19	18	11	18	21	14	13
White, both sexes.....	280	19	25	26	29	17	30	22	14	23	26	24	25
Male.....	118	6	11	13	10	10	16	5	6	6	8	13	14
Female.....	162	13	14	13	19	7	14	17	8	17	18	11	11
Black, both sexes.....	44	4	4	3	5	2	5	2	5	6	5	1	2
Male.....	17	2	1	-	-	1	1	1	2	5	3	-	1
Female.....	27	2	3	3	5	1	4	1	3	1	2	1	1
American Indian 1/, both sexes.....	7	-	-	1	1	1	1	-	-	-	-	2	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	6	-	-	1	1	1	-	-	-	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	10	2	1	1	2	1	1	-	-	-	2	-	-
Male.....	3	1	-	-	1	-	-	-	-	-	1	-	-
Female.....	7	1	1	1	1	1	1	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Encephalocele, unspecified (Q01.9)													
All races, both sexes.....	51	6	5	6	7	7	3	3	-	3	4	3	4
Male.....	29	3	2	2	3	5	1	2	-	3	3	2	3
Female.....	22	3	3	4	4	2	2	1	-	-	1	1	1
White, both sexes.....	43	6	3	6	7	5	1	2	-	2	4	3	4
Male.....	25	3	2	2	3	3	-	2	-	2	3	2	3
Female.....	18	3	1	4	4	2	1	-	-	-	1	1	1
Black, both sexes.....	7	-	1	-	-	2	2	1	-	-	1	-	-
Male.....	4	-	-	-	-	2	1	-	-	1	-	-	-
Female.....	3	-	1	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Microcephaly (Q02)													
All races, both sexes.....	77	5	8	11	-	3	6	6	7	5	9	9	8
Male.....	38	2	2	5	-	1	3	3	5	3	6	6	2
Female.....	39	3	6	6	-	2	3	3	2	2	3	3	6
White, both sexes.....	59	4	8	8	-	1	4	5	5	2	7	9	6
Male.....	33	2	2	5	-	1	3	2	4	2	4	6	2
Female.....	26	2	6	3	-	-	1	3	1	-	3	3	4
Black, both sexes.....	12	-	-	2	-	2	1	-	2	2	2	-	1
Male.....	4	-	-	-	-	-	-	-	1	1	2	-	-
Female.....	8	-	-	2	-	2	1	-	1	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	1	-	-	1	1	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	5	1	-	1	-	-	1	-	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital hydrocephalus, unspecified (Q03.9)													
All races, both sexes.....	160	13	8	14	11	14	12	19	13	14	20	11	11
Male.....	91	7	5	6	6	12	9	8	5	8	12	6	7
Female.....	69	6	3	8	5	2	3	11	8	6	8	5	4
White, both sexes.....	125	11	8	12	10	11	9	15	9	9	13	9	9
Male.....	76	6	5	6	6	11	8	6	4	4	9	6	5
Female.....	49	5	3	6	4	-	1	9	5	5	4	3	4
Black, both sexes.....	32	1	-	2	1	3	3	4	4	5	5	2	2
Male.....	13	-	-	-	-	1	1	2	1	4	2	-	2
Female.....	19	1	-	2	1	2	2	2	3	1	3	2	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Other congenital malformations of brain (Q04)													
All races, both sexes.....	491	46	43	44	36	41	47	35	34	40	49	43	33
Male.....	238	22	22	23	15	22	26	17	15	18	25	16	17
Female.....	253	24	21	21	21	19	21	18	19	22	24	27	16
White, both sexes.....	376	37	31	35	19	34	36	27	31	30	38	31	27
Male.....	180	19	15	20	6	17	19	13	14	14	18	11	14
Female.....	196	18	16	15	13	17	17	14	17	16	20	20	13
Black, both sexes.....	96	7	11	8	12	7	10	6	3	10	9	10	3
Male.....	48	1	6	3	5	5	7	4	1	4	6	5	1
Female.....	48	6	5	5	7	2	3	2	2	6	3	5	2
American Indian 1/, both sexes.....	4	-	-	1	2	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	15	2	1	-	3	-	1	2	-	-	2	1	3
Male.....	9	2	1	-	3	-	-	-	-	-	1	-	2
Female.....	6	-	-	-	-	-	1	2	-	-	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformations of corpus callosum (Q04.0)													
All races, both sexes.....	21	5	1	3	2	3	3	1	1	-	-	1	1
Male.....	10	1	1	2	-	1	2	1	1	-	-	-	1
Female.....	11	4	-	1	2	2	1	-	-	-	-	1	-
White, both sexes.....	17	5	1	2	1	2	2	1	1	-	-	1	1
Male.....	10	1	1	2	-	1	2	1	1	-	-	-	1
Female.....	7	4	-	-	1	1	-	-	-	-	-	1	-
Black, both sexes.....	4	-	-	1	1	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	1	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Holoprosencephaly (Q04.2)													
All races, both sexes.....	145	7	13	9	11	13	12	10	10	14	15	19	12
Male.....	54	3	2	4	5	3	6	4	6	7	6	3	5
Female.....	91	4	11	5	6	10	6	6	4	7	9	16	7
White, both sexes.....	102	6	9	7	3	10	9	7	9	10	9	15	8
Male.....	35	3	1	3	1	1	4	3	5	6	3	2	3
Female.....	67	3	8	4	2	9	5	4	4	4	6	13	5
Black, both sexes.....	36	1	4	2	6	3	3	2	1	4	5	3	2
Male.....	16	-	1	1	2	2	2	1	1	1	3	1	1
Female.....	20	1	3	1	4	1	1	1	-	3	2	2	1
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	1	-	-	1	-	-	1	1	2
Male.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	-	-	-	1	-	-	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified congenital malformations of brain (Q04.8)													
All races, both sexes.....	22	3	-	2	-	2	1	4	1	2	3	1	3
Male.....	12	2	-	2	-	2	1	2	-	1	-	1	1
Female.....	10	1	-	-	-	-	-	2	1	1	3	-	2
White, both sexes.....	20	3	-	2	-	2	-	4	1	2	3	1	2
Male.....	11	2	-	2	-	2	-	2	-	1	-	1	1
Female.....	9	1	-	-	-	-	-	2	1	1	3	-	1
Black, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation of brain, unspecified (Q04.9)													
All races, both sexes.....	122	16	9	12	7	12	13	9	7	12	13	6	6
Male.....	61	9	7	8	3	7	6	2	2	4	6	3	4
Female.....	61	7	2	4	4	5	7	7	5	8	7	3	2
White, both sexes.....	96	12	6	11	4	10	11	8	6	9	8	5	6
Male.....	45	7	5	8	1	5	5	2	2	2	2	2	4
Female.....	51	5	1	3	3	5	6	6	4	7	6	3	2
Black, both sexes.....	20	3	2	-	3	2	1	-	1	3	4	1	-
Male.....	13	1	1	-	2	2	1	-	-	2	3	1	-
Female.....	7	2	1	-	1	-	-	-	1	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	-	1	1	-	-	1	-	-
Male.....	3	1	1	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spina bifida (Q05)													
All races, both sexes.....	174	21	14	16	18	22	9	12	11	17	14	6	14
Male.....	85	11	4	9	9	9	5	8	8	5	8	1	8
Female.....	89	10	10	7	9	13	4	4	3	12	6	5	6
White, both sexes.....	146	18	12	14	17	18	8	11	9	14	13	4	8
Male.....	71	9	3	9	8	7	5	7	6	4	8	-	5
Female.....	75	9	9	5	9	11	3	4	3	10	5	4	3
Black, both sexes.....	20	2	1	1	1	4	1	1	2	2	1	1	3
Male.....	11	1	-	-	1	2	-	1	2	1	-	1	2
Female.....	9	1	1	1	-	2	1	-	-	1	1	-	1
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	-	1	1	-	-	-	-	-	1	-	1	2
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	1	-	-	-	-	-	1	-	1	1
Unspecified spina bifida with hydrocephalus (Q05.4)													
All races, both sexes.....	41	2	4	8	4	3	2	4	3	5	5	-	1
Male.....	18	1	-	4	2	1	1	2	2	2	2	-	1
Female.....	23	1	4	4	2	2	1	2	1	3	3	-	-
White, both sexes.....	34	1	3	7	4	2	2	4	2	4	5	-	-
Male.....	15	1	-	4	2	-	1	2	1	2	2	-	-
Female.....	19	-	3	3	2	2	1	2	1	2	3	-	-
Black, both sexes.....	6	1	1	1	-	1	-	-	1	-	-	-	1
Male.....	3	-	-	-	-	1	-	-	1	-	-	-	1
Female.....	3	1	1	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other congenital malformations of cardiac septa (Q21.8)													
All races, both sexes.....	10	2	1	-	-	-	-	4	-	-	1	1	1
Male.....	6	1	-	-	-	-	-	2	-	-	1	1	1
Female.....	4	1	1	-	-	-	-	2	-	-	-	-	-
White, both sexes.....	10	2	1	-	-	-	-	4	-	-	1	1	1
Male.....	6	1	-	-	-	-	-	2	-	-	1	1	1
Female.....	4	1	1	-	-	-	-	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation of cardiac septum, unspecified (Q21.9)													
All races, both sexes.....	8	-	1	2	-	-	-	-	1	1	1	2	-
Male.....	3	-	1	1	-	-	-	-	-	1	-	-	-
Female.....	5	-	-	1	-	-	-	-	1	-	1	2	-
White, both sexes.....	6	-	1	2	-	-	-	-	-	1	1	1	-
Male.....	3	-	1	1	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	1	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformations of aortic and mitral valves (Q23)													
All races, both sexes.....	498	38	43	37	42	40	43	39	40	44	43	40	49
Male.....	296	20	25	22	27	26	29	28	17	24	23	22	33
Female.....	202	18	18	15	15	14	14	11	23	20	20	18	16
White, both sexes.....	402	35	32	28	32	35	36	30	30	35	38	34	37
Male.....	249	18	19	17	22	24	25	23	14	19	22	20	26
Female.....	153	17	13	11	10	11	11	7	16	16	16	14	11
Black, both sexes.....	80	2	10	8	9	4	5	9	10	7	3	5	8
Male.....	35	1	6	4	4	1	2	5	3	3	1	1	4
Female.....	45	1	4	4	5	3	3	4	7	4	2	4	4
American Indian 1/, both sexes.....	4	-	-	-	-	1	1	-	-	1	-	-	1
Male.....	3	-	-	-	-	1	1	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	12	1	1	1	1	-	1	-	-	1	2	1	3
Male.....	9	1	-	1	1	-	1	-	-	1	-	1	3
Female.....	3	-	1	-	-	-	-	-	-	-	2	-	-
Congenital stenosis of aortic valve (Q23.0)													
All races, both sexes.....	51	3	3	5	3	5	2	5	3	4	7	4	7
Male.....	30	-	3	3	2	4	2	3	2	2	3	1	5
Female.....	21	3	-	2	1	1	-	2	1	2	4	3	2
White, both sexes.....	45	3	3	2	2	5	2	5	3	3	6	4	7
Male.....	27	-	3	1	2	4	2	3	2	1	3	1	5
Female.....	18	3	-	1	-	1	-	2	1	2	3	3	2
Black, both sexes.....	3	-	-	2	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital mitral insufficiency (Q23.3)													
All races, both sexes.....	11	-	1	-	-	5	1	1	1	-	-	2	-
Male.....	6	-	-	-	-	3	1	1	1	-	-	-	-
Female.....	5	-	1	-	-	2	-	-	-	-	-	2	-
White, both sexes.....	10	-	1	-	-	4	1	1	1	-	-	2	-
Male.....	6	-	-	-	-	3	1	1	1	-	-	-	-
Female.....	4	-	1	-	-	1	-	-	-	-	-	2	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypoplastic left heart syndrome (Q23.4)													
All races, both sexes.....	336	28	31	28	28	20	31	26	29	36	27	25	27
Male.....	188	15	18	15	16	11	20	17	11	18	14	16	17
Female.....	148	13	13	13	12	9	11	9	18	18	13	9	10
White, both sexes.....	257	26	21	22	20	16	27	17	20	28	23	20	17
Male.....	148	13	12	12	12	9	18	12	8	14	13	14	11
Female.....	109	13	9	10	8	7	9	5	12	14	10	6	6
Black, both sexes.....	69	1	10	6	7	3	3	9	9	7	3	4	7
Male.....	32	1	6	3	3	1	1	5	3	3	1	1	4
Female.....	37	-	4	3	4	2	2	4	6	4	2	3	3
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	8	1	-	-	1	-	1	-	-	1	1	1	2
Male.....	7	1	-	-	1	-	1	-	-	1	-	1	2
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital subaortic stenosis (Q24.4)													
All races, both sexes.....	24	2	2	3	2	3	4	-	2	-	2	3	1
Male.....	13	1	1	2	1	1	3	-	1	-	1	1	1
Female.....	11	1	1	1	1	2	1	-	1	-	1	2	-
White, both sexes.....	18	2	2	3	1	2	3	-	1	-	2	1	1
Male.....	11	1	1	2	1	1	2	-	1	-	1	-	1
Female.....	7	1	1	1	-	1	1	-	-	-	1	1	-
Black, both sexes.....	5	-	-	-	-	1	1	-	1	-	-	2	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	3	-	-	-	-	1	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malformation of coronary vessels (Q24.5)													
All races, both sexes.....	176	6	20	15	19	12	10	12	28	12	18	12	12
Male.....	103	5	13	8	10	9	6	8	16	8	10	5	5
Female.....	73	1	7	7	9	3	4	4	12	4	8	7	7
White, both sexes.....	114	3	11	9	13	10	7	6	22	9	10	5	9
Male.....	64	2	7	6	6	8	3	4	11	7	6	2	2
Female.....	50	1	4	3	7	2	4	2	11	2	4	3	7
Black, both sexes.....	56	3	8	5	6	1	3	4	6	3	8	7	2
Male.....	35	3	5	2	4	-	3	3	5	1	4	3	2
Female.....	21	-	3	3	2	1	-	1	1	2	4	4	-
American Indian 1/, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	-	2	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformation of the heart, unspecified (Q24.9)													
All races, both sexes.....	1,090	101	86	95	83	84	92	96	83	84	101	99	86
Male.....	616	56	54	56	42	50	53	56	38	45	55	58	53
Female.....	474	45	32	39	41	34	39	40	45	39	46	41	33
White, both sexes.....	819	78	68	73	57	54	69	69	67	70	79	74	61
Male.....	470	43	43	42	33	31	38	43	30	40	45	45	37
Female.....	349	35	25	31	24	23	31	26	37	30	34	29	24
Black, both sexes.....	215	22	12	17	20	27	17	23	13	11	19	16	18
Male.....	118	13	7	11	6	18	11	11	8	5	9	8	11
Female.....	97	9	5	6	14	9	6	12	5	6	10	8	7
American Indian 1/, both sexes.....	10	-	1	2	2	-	1	1	-	-	1	1	1
Male.....	7	-	-	2	2	-	-	1	-	-	-	1	1
Female.....	3	-	1	-	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	46	1	5	3	4	3	5	3	3	3	2	8	6
Male.....	21	-	4	1	1	1	4	1	-	-	1	4	4
Female.....	25	1	1	2	3	2	1	2	3	3	1	4	2
Congenital malformations of great arteries (Q25)													
All races, both sexes.....	244	19	18	19	17	28	15	21	16	24	33	14	20
Male.....	141	11	10	14	10	16	9	13	11	15	15	7	10
Female.....	103	8	8	5	7	12	6	8	5	9	18	7	10
White, both sexes.....	173	12	8	11	16	21	10	16	13	18	24	11	13
Male.....	96	7	6	9	9	11	5	8	8	11	10	6	6
Female.....	77	5	2	2	7	10	5	8	5	7	14	5	7
Black, both sexes.....	59	6	10	6	1	5	4	5	3	5	8	1	5
Male.....	36	3	4	3	1	3	3	5	3	3	5	-	3
Female.....	23	3	6	3	-	2	1	-	-	2	3	1	2
American Indian 1/, both sexes.....	3	-	-	-	-	2	-	-	-	-	-	-	1
Male.....	3	-	-	-	-	2	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	-	2	-	-	1	-	-	1	1	2	1
Male.....	6	1	-	2	-	-	1	-	-	1	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformation of peripheral vascular system, unspecified (Q27.9)													
All races, both sexes.....	53	4	6	5	4	5	3	7	4	3	2	5	5
Male.....	24	2	3	2	2	1	1	3	2	3	1	3	1
Female.....	29	2	3	3	2	4	2	4	2	-	1	2	4
White, both sexes.....	43	4	4	4	3	5	3	4	4	2	2	5	3
Male.....	19	2	1	1	2	1	1	2	2	2	1	3	1
Female.....	24	2	3	3	1	4	2	2	2	-	1	2	2
Black, both sexes.....	8	-	2	1	1	-	-	2	-	1	-	-	1
Male.....	5	-	2	1	-	-	-	1	-	1	-	-	-
Female.....	3	-	-	-	1	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Other congenital malformations of circulatory system (Q28)													
All races, both sexes.....	100	7	7	5	5	13	2	19	13	10	5	5	9
Male.....	60	4	4	3	3	8	2	10	6	7	5	3	5
Female.....	40	3	3	2	2	5	-	9	7	3	-	2	4
White, both sexes.....	81	6	7	3	5	8	1	15	12	6	4	5	9
Male.....	49	3	4	3	3	4	1	8	6	5	4	3	5
Female.....	32	3	3	-	2	4	-	7	6	1	-	2	4
Black, both sexes.....	14	1	-	2	-	4	-	3	-	3	1	-	-
Male.....	9	1	-	-	-	3	-	2	-	2	1	-	-
Female.....	5	-	-	2	-	1	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Arteriovenous malformation of precerebral vessels (Q28.0)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Arteriovenous malformation of cerebral vessels (Q28.2)													
All races, both sexes.....	54	5	5	3	4	7	1	9	8	2	3	3	4
Male.....	31	3	2	1	2	4	1	5	4	2	3	2	2
Female.....	23	2	3	2	2	3	-	4	4	-	-	1	2
White, both sexes.....	43	4	5	1	4	4	-	7	7	2	2	3	4
Male.....	25	2	2	1	2	2	-	4	4	2	2	2	2
Female.....	18	2	3	-	2	2	-	3	3	-	-	1	2
Black, both sexes.....	9	1	-	2	-	3	-	2	-	-	1	-	-
Male.....	5	1	-	-	-	2	-	1	-	-	1	-	-
Female.....	4	-	-	2	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformations of trachea and bronchus (Q32)													
All races, both sexes.....	30	4	1	2	3	4	1	4	4	1	1	4	1
Male.....	20	2	1	2	2	3	-	-	3	1	1	4	1
Female.....	10	2	-	-	1	1	1	4	1	-	-	-	-
White, both sexes.....	21	4	1	1	2	2	1	4	2	1	-	3	-
Male.....	12	2	1	1	1	2	-	-	1	1	-	3	-
Female.....	9	2	-	-	1	-	1	4	1	-	-	-	-
Black, both sexes.....	6	-	-	1	1	-	-	-	2	-	1	1	-
Male.....	6	-	-	1	1	-	-	-	2	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	2	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Congenital tracheomalacia (Q32.0)													
All races, both sexes.....	5	-	1	-	1	1	1	1	-	-	-	-	-
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	1	1	-	-	-	-	-
White, both sexes.....	4	-	1	-	1	-	1	1	-	-	-	-	-
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital bronchiectasis (Q33.4)													
All races, both sexes.....	3	-	-	-	-	2	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
White, both sexes.....	3	-	-	-	-	2	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypoplasia and dysplasia of lung (Q33.6)													
All races, both sexes.....	366	36	23	36	23	41	30	32	30	34	35	19	27
Male.....	224	20	18	22	12	21	19	18	18	26	19	16	15
Female.....	142	16	5	14	11	20	11	14	12	8	16	3	12
White, both sexes.....	275	28	18	26	17	29	25	25	21	27	23	14	22
Male.....	170	15	16	18	8	15	17	14	13	20	11	12	11
Female.....	105	13	2	8	9	14	8	11	8	7	12	2	11
Black, both sexes.....	72	5	4	9	6	8	5	5	8	5	9	4	4
Male.....	41	2	2	4	4	4	2	3	4	5	5	3	3
Female.....	31	3	2	5	2	4	3	2	4	-	4	1	1
American Indian 1/, both sexes.....	8	2	-	1	-	1	-	1	-	1	2	-	-
Male.....	5	2	-	-	-	-	-	1	-	-	2	-	-
Female.....	3	-	-	1	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	1	-	-	3	-	1	1	1	1	1	1
Male.....	8	1	-	-	-	2	-	-	1	1	1	1	1
Female.....	3	-	1	-	-	1	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformation of respiratory system, unspecified (Q34.9)													
All races, both sexes.....	9	3	-	-	-	-	1	-	-	3	1	1	-
Male.....	4	1	-	-	-	-	-	-	-	1	1	1	-
Female.....	5	2	-	-	-	-	1	-	-	2	-	-	-
White, both sexes.....	8	2	-	-	-	-	1	-	-	3	1	1	-
Male.....	3	-	-	-	-	-	-	-	-	1	1	1	-
Female.....	5	2	-	-	-	-	1	-	-	2	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cleft palate (Q35)													
All races, both sexes.....	5	-	1	-	-	-	2	-	1	-	-	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	4	-	1	-	-	-	1	-	1	-	-	-	1
White, both sexes.....	3	-	1	-	-	-	1	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformation of stomach, unspecified (Q40.3)													
All races, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital absence, atresia, and stenosis of small intestine (Q41)													
All races, both sexes.....	14	-	1	-	1	2	1	-	1	1	1	2	4
Male.....	9	-	1	-	-	2	1	-	1	-	-	1	3
Female.....	5	-	-	-	1	-	-	-	-	1	1	1	1
White, both sexes.....	8	-	-	-	-	1	1	-	1	-	1	2	2
Male.....	5	-	-	-	-	1	1	-	1	-	-	1	1
Female.....	3	-	-	-	-	-	-	-	-	-	1	1	1
Black, both sexes.....	3	-	1	-	-	1	-	-	-	-	-	-	1
Male.....	3	-	1	-	-	1	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital absence, atresia, and stenosis of large intestine, part unspecified (Q42.9)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of intestine (Q43)													
All races, both sexes.....	97	10	13	8	10	8	10	5	4	3	9	8	9
Male.....	58	9	7	5	4	6	7	2	1	1	8	3	5
Female.....	39	1	6	3	6	2	3	3	3	2	1	5	4
White, both sexes.....	72	8	10	6	10	6	8	2	4	2	6	6	4
Male.....	41	7	5	3	4	4	6	-	1	1	6	2	2
Female.....	31	1	5	3	6	2	2	2	3	1	-	4	2
Black, both sexes.....	20	2	3	2	-	1	2	1	-	1	2	1	5
Male.....	15	2	2	2	-	1	1	1	-	-	2	1	3
Female.....	5	-	1	-	-	-	1	-	-	1	-	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	-	2	-	-	1	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformations of intestinal fixation (Q43.3)													
All races, both sexes.....	31	3	2	3	4	3	3	-	1	1	3	6	2
Male.....	18	3	2	2	1	1	3	-	-	-	2	3	1
Female.....	13	-	-	1	3	2	-	-	1	1	1	3	1
White, both sexes.....	26	3	2	2	4	3	3	-	1	1	2	4	1
Male.....	16	3	2	1	1	1	3	-	-	-	2	2	1
Female.....	10	-	-	1	3	2	-	-	1	1	-	2	-
Black, both sexes.....	3	-	-	1	-	-	-	-	-	-	-	1	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Other specified congenital malformations of intestine (Q43.8)													
All races, both sexes.....	20	3	2	2	-	3	2	3	1	-	2	-	2
Male.....	12	2	2	2	-	3	-	1	-	-	2	-	-
Female.....	8	1	-	-	-	-	2	2	1	-	-	-	2
White, both sexes.....	13	2	1	2	-	2	2	1	1	-	1	-	1
Male.....	7	1	1	2	-	2	-	-	-	-	1	-	-
Female.....	6	1	-	-	-	-	2	1	1	-	-	-	1
Black, both sexes.....	5	1	1	-	-	1	-	-	-	-	1	-	1
Male.....	4	1	1	-	-	1	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Indeterminate sex, unspecified (Q56.4)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal agenesis and other reduction defects of kidney (Q60)													
All races, both sexes.....	263	16	23	14	21	33	29	18	23	22	20	18	26
Male.....	163	11	15	6	7	23	18	12	16	14	10	11	20
Female.....	100	5	8	8	14	10	11	6	7	8	10	7	6
White, both sexes.....	202	10	18	8	17	29	22	15	20	16	17	14	16
Male.....	127	7	12	2	6	20	13	11	13	13	9	9	12
Female.....	75	3	6	6	11	9	9	4	7	3	8	5	4
Black, both sexes.....	48	3	4	4	3	4	6	3	3	5	3	2	8
Male.....	28	2	2	2	1	3	5	1	3	1	1	1	6
Female.....	20	1	2	2	2	1	1	2	-	4	2	1	2
American Indian 1/, both sexes.....	4	2	1	-	-	-	1	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	-	2	1	-	-	-	-	1	-	2	2
Male.....	6	1	-	2	-	-	-	-	-	-	-	1	2
Female.....	3	-	-	-	1	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Polycystic kidney, unspecified (Q61.3)													
All races, both sexes.....	421	37	45	47	30	38	26	35	37	26	41	32	27
Male.....	217	20	25	26	13	21	13	15	21	12	21	18	12
Female.....	204	17	20	21	17	17	13	20	16	14	20	14	15
White, both sexes.....	359	28	38	42	25	33	23	31	32	22	34	27	24
Male.....	184	16	19	23	12	17	12	13	19	10	17	14	12
Female.....	175	12	19	19	13	16	11	18	13	12	17	13	12
Black, both sexes.....	54	8	5	3	4	5	3	3	5	3	7	5	3
Male.....	27	4	4	2	-	4	1	1	2	1	4	4	-
Female.....	27	4	1	1	4	1	2	2	3	2	3	1	3
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	1	2	1	-	-	1	-	1	-	-	-
Male.....	5	-	1	1	1	-	-	1	-	1	-	-	-
Female.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Renal dysplasia (Q61.4)													
All races, both sexes.....	72	11	5	6	7	9	6	5	8	4	3	5	3
Male.....	47	6	2	2	7	7	5	4	4	3	2	3	2
Female.....	25	5	3	4	-	2	1	1	4	1	1	2	1
White, both sexes.....	48	5	3	5	3	5	5	4	5	3	3	4	3
Male.....	32	4	1	2	3	4	5	3	2	2	2	2	2
Female.....	16	1	2	3	-	1	-	1	3	1	1	2	1
Black, both sexes.....	18	3	2	1	3	3	-	1	3	1	-	1	-
Male.....	13	1	1	-	3	3	-	1	2	1	-	1	-
Female.....	5	2	1	1	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	3	2	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified congenital malformations of limb(s) (Q74. 8)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of skull and face bones (Q75)													
All races, both sexes.....	19	4	2	1	1	1	3	1	1	-	1	2	2
Male.....	6	-	1	-	1	-	1	-	1	-	-	2	-
Female.....	13	4	1	1	-	1	2	1	-	-	1	-	2
White, both sexes.....	14	4	2	-	1	-	2	1	1	-	1	1	1
Male.....	5	-	1	-	1	-	1	-	1	-	-	1	-
Female.....	9	4	1	-	-	-	1	1	-	-	1	-	1
Black, both sexes.....	4	-	-	1	-	-	1	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	1	-	-	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Craniosynostosis (Q75.0)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Macrocephaly (Q75.3)													
All races, both sexes.....	3	1	-	-	-	1	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	-	-	-	-	-	1
White, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Spondyloepiphyseal dysplasia (Q77.7)													
All races, both sexes.....	4	-	-	2	-	-	-	2	-	-	-	-	-
Male.....	3	-	-	1	-	-	-	2	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	4	-	-	2	-	-	-	2	-	-	-	-	-
Male.....	3	-	-	1	-	-	-	2	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other osteochondrodysplasias (Q78)													
All races, both sexes.....	124	10	10	6	15	12	9	12	11	8	6	14	11
Male.....	68	6	5	4	9	7	5	7	6	3	2	7	7
Female.....	56	4	5	2	6	5	4	5	5	5	4	7	4
White, both sexes.....	93	7	7	5	8	9	9	10	10	5	6	8	9
Male.....	53	4	4	3	4	7	5	5	6	2	2	5	6
Female.....	40	3	3	2	4	2	4	5	4	3	4	3	3
Black, both sexes.....	28	3	3	1	6	2	-	2	1	3	-	6	1
Male.....	13	2	1	1	4	-	-	2	-	1	-	2	-
Female.....	15	1	2	-	2	2	-	-	1	2	-	4	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	1	-	-	-	-	-	-	1
Male.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Osteochondrodysplasia, unspecified (Q78.9)													
All races, both sexes.....	51	7	2	1	11	5	3	3	5	2	1	8	3
Male.....	29	5	1	-	7	3	1	1	3	1	1	4	2
Female.....	22	2	1	1	4	2	2	2	2	1	-	4	1
White, both sexes.....	35	5	1	1	4	4	3	3	5	-	1	5	3
Male.....	19	3	-	-	2	3	1	1	3	-	1	3	2
Female.....	16	2	1	1	2	1	2	2	2	-	-	2	1
Black, both sexes.....	15	2	1	-	6	1	-	-	-	2	-	3	-
Male.....	9	2	1	-	4	-	-	-	-	1	-	1	-
Female.....	6	-	-	-	2	1	-	-	-	1	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of musculoskeletal system, not elsewhere classified (Q79)													
All races, both sexes.....	444	29	31	39	34	42	35	34	47	37	45	37	34
Male.....	258	15	16	18	25	25	20	19	26	26	30	20	18
Female.....	186	14	15	21	9	17	15	15	21	11	15	17	16
White, both sexes.....	341	25	23	25	25	32	30	26	37	29	34	27	28
Male.....	197	13	11	11	19	19	16	15	21	22	21	13	16
Female.....	144	12	12	14	6	13	14	11	16	7	13	14	12
Black, both sexes.....	82	4	8	8	6	8	4	8	7	6	9	9	5
Male.....	48	2	5	4	3	5	3	4	5	3	7	6	1
Female.....	34	2	3	4	3	3	1	4	2	3	2	3	4
American Indian 1/, both sexes.....	7	-	-	1	1	2	-	-	1	1	-	-	1
Male.....	5	-	-	1	1	1	-	-	-	1	-	-	1
Female.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	5	2	-	1	-	2	1	2	1	-
Male.....	8	-	-	2	2	-	1	-	-	-	2	1	-
Female.....	6	-	-	3	-	-	-	-	2	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformation of breast, unspecified (Q83.9)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Phakomatoses, not elsewhere classified (Q85)													
All races, both sexes.....	149	11	11	11	13	17	9	10	11	16	16	16	8
Male.....	78	6	5	7	6	8	5	5	7	7	10	9	3
Female.....	71	5	6	4	7	9	4	5	4	9	6	7	5
White, both sexes.....	116	11	8	8	9	14	6	9	9	12	12	12	6
Male.....	63	6	4	4	4	7	4	5	6	5	8	7	3
Female.....	53	5	4	4	5	7	2	4	3	7	4	5	3
Black, both sexes.....	27	-	2	3	4	2	2	1	1	3	4	3	2
Male.....	12	-	-	3	2	1	1	-	1	1	2	1	-
Female.....	15	-	2	-	2	1	1	1	-	2	2	2	2
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	-	-	1	-	1	1	-	1	-
Male.....	3	-	1	-	-	-	-	-	-	1	-	1	-
Female.....	2	-	-	-	-	-	1	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Neurofibromatosis (nonmalignant) (Q85.0)													
All races, both sexes.....	92	8	6	8	9	10	7	6	5	10	8	10	5
Male.....	47	4	3	5	3	5	4	3	4	3	6	5	2
Female.....	45	4	3	3	6	5	3	3	1	7	2	5	3
White, both sexes.....	73	8	5	6	7	7	4	5	5	8	5	9	4
Male.....	38	4	2	3	2	4	3	3	4	2	4	5	2
Female.....	35	4	3	3	5	3	1	2	1	6	1	4	2
Black, both sexes.....	16	-	-	2	2	2	2	1	-	2	3	1	1
Male.....	8	-	-	2	1	1	1	-	-	1	2	-	-
Female.....	8	-	-	-	1	1	1	1	-	1	1	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Tuberous sclerosis (Q85.1)													
All races, both sexes.....	36	2	4	2	2	7	2	2	4	3	4	4	-
Male.....	20	1	2	1	2	3	1	1	2	2	3	2	-
Female.....	16	1	2	1	-	4	1	1	2	1	1	2	-
White, both sexes.....	30	2	3	2	1	7	2	2	2	3	4	2	-
Male.....	17	1	2	1	1	3	1	1	1	2	3	1	-
Female.....	13	1	1	1	-	4	1	1	1	1	1	1	-
Black, both sexes.....	5	-	1	-	1	-	-	-	1	-	-	2	-
Male.....	3	-	-	-	1	-	-	-	1	-	-	1	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified congenital malformation syndromes, not elsewhere classified (Q87.8)													
All races, both sexes.....	62	7	6	5	2	3	7	6	3	3	8	6	6
Male.....	42	6	4	4	1	1	5	4	2	2	6	3	4
Female.....	20	1	2	1	1	2	2	2	1	1	2	3	2
White, both sexes.....	57	6	6	4	2	3	6	5	3	3	7	6	6
Male.....	38	5	4	3	1	1	4	4	2	2	5	3	4
Female.....	19	1	2	1	1	2	2	1	1	1	2	3	2
Black, both sexes.....	5	1	-	1	-	-	1	1	-	-	1	-	-
Male.....	4	1	-	1	-	-	1	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations, not elsewhere classified (Q89)													
All races, both sexes.....	708	59	51	74	55	48	50	54	67	56	60	57	77
Male.....	341	21	27	39	36	23	28	23	31	29	28	20	36
Female.....	367	38	24	35	19	25	22	31	36	27	32	37	41
White, both sexes.....	551	48	40	58	42	41	41	39	48	44	50	41	59
Male.....	268	18	23	32	26	20	22	19	21	23	24	13	27
Female.....	283	30	17	26	16	21	19	20	27	21	26	28	32
Black, both sexes.....	123	9	9	12	11	4	8	12	15	8	8	14	13
Male.....	58	3	4	6	9	1	5	2	8	5	2	6	7
Female.....	65	6	5	6	2	3	3	10	7	3	6	8	6
American Indian 1/, both sexes.....	7	1	-	-	1	-	-	-	1	1	-	-	3
Male.....	3	-	-	-	1	-	-	-	1	-	-	-	1
Female.....	4	1	-	-	-	-	-	-	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	27	1	2	4	1	3	1	3	3	3	2	2	2
Male.....	12	-	-	1	-	2	1	2	1	1	2	1	1
Female.....	15	1	2	3	1	1	-	1	2	2	-	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Conjoined twins (Q89.4)													
All races, both sexes.....	17	-	-	4	-	-	1	4	2	2	2	2	-
Male.....	6	-	-	-	-	-	1	2	2	-	1	-	-
Female.....	11	-	-	4	-	-	-	2	-	2	1	2	-
White, both sexes.....	13	-	-	4	-	-	1	4	-	-	2	2	-
Male.....	4	-	-	-	-	-	1	2	-	-	1	-	-
Female.....	9	-	-	4	-	-	-	2	-	-	1	2	-
Black, both sexes.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Multiple congenital malformations, not elsewhere classified (Q89.7)													
All races, both sexes.....	316	25	25	31	27	16	21	22	29	27	29	25	39
Male.....	160	9	9	20	17	6	11	9	14	17	15	14	19
Female.....	156	16	16	11	10	10	10	13	15	10	14	11	20
White, both sexes.....	237	20	18	25	21	12	19	15	21	21	21	15	29
Male.....	127	7	7	16	14	6	10	9	10	15	11	8	14
Female.....	110	13	11	9	7	6	9	6	11	6	10	7	15
Black, both sexes.....	64	5	6	5	4	3	2	6	7	4	6	9	7
Male.....	26	2	2	3	2	-	1	-	3	1	2	5	5
Female.....	38	3	4	2	2	3	1	6	4	3	4	4	2
American Indian 1/, both sexes.....	5	-	-	-	1	-	-	-	1	1	-	-	2
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	10	-	1	1	1	1	-	1	-	1	2	1	1
Male.....	5	-	-	1	-	-	-	-	-	1	2	1	-
Female.....	5	-	1	-	1	1	-	1	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified congenital malformations (Q89.8)													
All races, both sexes.....	60	4	2	11	5	5	5	6	5	2	3	8	4
Male.....	27	-	2	3	5	1	4	2	2	-	2	2	4
Female.....	33	4	-	8	-	4	1	4	3	2	1	6	-
White, both sexes.....	46	3	2	8	3	5	3	3	4	2	3	7	3
Male.....	20	-	2	2	3	1	2	1	2	-	2	2	3
Female.....	26	3	-	6	-	4	1	2	2	2	1	5	-
Black, both sexes.....	8	-	-	1	2	-	2	2	-	-	-	1	-
Male.....	5	-	-	1	2	-	2	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	2	-	-	-	1	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	2	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	2	-	-	-	-	1	-	-	-	-
Congenital malformation, unspecified (Q89.9)													
All races, both sexes.....	255	23	19	27	17	21	21	21	23	18	18	16	31
Male.....	119	8	12	16	10	11	11	10	10	10	8	2	11
Female.....	136	15	7	11	7	10	10	11	13	8	10	14	20
White, both sexes.....	207	21	16	21	13	20	16	16	16	15	16	12	25
Male.....	95	8	10	14	6	10	8	7	6	7	8	2	9
Female.....	112	13	6	7	7	10	8	9	10	8	8	10	16
Black, both sexes.....	41	2	3	5	4	1	4	4	5	3	2	3	5
Male.....	20	-	2	2	4	1	2	2	3	3	-	-	1
Female.....	21	2	1	3	-	-	2	2	2	-	2	3	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	1	-	-	1	1	2	-	-	1	1
Male.....	4	-	-	-	-	-	1	1	1	-	-	-	1
Female.....	3	-	-	1	-	-	-	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Down's syndrome (Q90)													
All races, both sexes.....	855	73	76	96	73	55	58	78	70	68	66	65	77
Male.....	474	40	41	57	41	30	31	49	40	37	38	33	37
Female.....	381	33	35	39	32	25	27	29	30	31	28	32	40
White, both sexes.....	754	65	66	85	67	50	48	68	65	56	58	57	69
Male.....	417	36	35	50	37	27	26	42	38	30	35	29	32
Female.....	337	29	31	35	30	23	22	26	27	26	23	28	37
Black, both sexes.....	82	6	8	8	6	4	8	7	4	11	6	8	6
Male.....	44	3	5	4	4	2	4	4	1	7	2	4	4
Female.....	38	3	3	4	2	2	4	3	3	4	4	4	2
American Indian 1/, both sexes.....	5	2	-	1	-	-	-	-	1	1	-	-	-
Male.....	3	1	-	1	-	-	-	-	1	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	2	2	-	1	2	3	-	-	2	-	2
Male.....	10	-	1	2	-	1	1	3	-	-	1	-	1
Female.....	4	-	1	-	-	-	1	-	-	-	1	-	1
Down's syndrome, unspecified (Q90.9)													
All races, both sexes.....	855	73	76	96	73	55	58	78	70	68	66	65	77
Male.....	474	40	41	57	41	30	31	49	40	37	38	33	37
Female.....	381	33	35	39	32	25	27	29	30	31	28	32	40
White, both sexes.....	754	65	66	85	67	50	48	68	65	56	58	57	69
Male.....	417	36	35	50	37	27	26	42	38	30	35	29	32
Female.....	337	29	31	35	30	23	22	26	27	26	23	28	37
Black, both sexes.....	82	6	8	8	6	4	8	7	4	11	6	8	6
Male.....	44	3	5	4	4	2	4	4	1	7	2	4	4
Female.....	38	3	3	4	2	2	4	3	3	4	4	4	2
American Indian 1/, both sexes.....	5	2	-	1	-	-	-	-	1	1	-	-	-
Male.....	3	1	-	1	-	-	-	-	1	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	2	2	-	1	2	3	-	-	2	-	2
Male.....	10	-	1	2	-	1	1	3	-	-	1	-	1
Female.....	4	-	1	-	-	-	1	-	-	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Trisomy 13, translocation (Q91.6)													
All races, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Patau's syndrome, unspecified (Q91.7)													
All races, both sexes.....	330	24	33	28	21	24	25	36	28	32	19	28	32
Male.....	172	14	12	13	12	12	14	18	18	14	12	19	14
Female.....	158	10	21	15	9	12	11	18	10	18	7	9	18
White, both sexes.....	252	20	26	21	16	21	20	28	21	21	13	20	25
Male.....	128	13	8	10	8	11	9	14	13	11	8	14	9
Female.....	124	7	18	11	8	10	11	14	8	10	5	6	16
Black, both sexes.....	63	3	5	5	5	3	4	7	7	8	5	6	5
Male.....	34	1	2	1	4	1	4	3	5	2	3	4	4
Female.....	29	2	3	4	1	2	-	4	2	6	2	2	1
American Indian 1/, both sexes.....	5	-	1	1	-	-	1	-	-	1	-	-	1
Male.....	3	-	1	1	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	10	1	1	1	-	-	-	1	-	2	1	2	1
Male.....	7	-	1	1	-	-	-	1	-	1	1	1	1
Female.....	3	1	-	-	-	-	-	-	-	1	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Nausea and vomiting (R11)													
All races, both sexes.....	7	-	1	1	2	1	-	-	-	-	-	2	-
Male.....	5	-	1	1	1	1	-	-	-	-	-	1	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
White, both sexes.....	5	-	-	1	1	1	-	-	-	-	-	2	-
Male.....	3	-	-	1	-	1	-	-	-	-	-	1	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysphagia (R13)													
All races, both sexes.....	93	9	3	11	11	7	5	7	9	6	5	11	9
Male.....	31	4	3	-	3	4	-	2	4	3	1	4	3
Female.....	62	5	-	11	8	3	5	5	5	3	4	7	6
White, both sexes.....	89	9	3	10	10	7	5	6	8	6	5	11	9
Male.....	30	4	3	-	3	4	-	2	3	3	1	4	3
Female.....	59	5	-	10	7	3	5	4	5	3	4	7	6
Black, both sexes.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pain, unspecified (R52.9)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaise and fatigue (R53)													
All races, both sexes.....	1,191	86	80	100	114	92	88	107	86	97	112	106	123
Male.....	366	17	26	33	28	25	31	33	25	32	32	39	45
Female.....	825	69	54	67	86	67	57	74	61	65	80	67	78
White, both sexes.....	1,072	80	66	89	100	84	81	99	77	85	106	97	108
Male.....	314	15	20	26	21	20	28	31	23	26	30	35	39
Female.....	758	65	46	63	79	64	53	68	54	59	76	62	69
Black, both sexes.....	105	6	13	10	14	7	5	5	9	11	6	8	11
Male.....	45	2	6	6	7	4	1	1	2	6	2	4	4
Female.....	60	4	7	4	7	3	4	4	7	5	4	4	7
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	1	1	-	1	1	2	-	1	-	1	4
Male.....	6	-	-	1	-	1	1	1	-	-	-	-	2
Female.....	6	-	1	-	-	-	-	1	-	1	-	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lack of expected normal physiological development (R62)													
All races, both sexes.....	3,978	285	270	335	333	279	299	353	359	319	385	369	392
Male.....	1,064	82	84	86	73	70	83	80	91	103	101	100	111
Female.....	2,914	203	186	249	260	209	216	273	268	216	284	269	281
White, both sexes.....	3,568	261	247	304	296	256	269	317	314	285	355	328	336
Male.....	930	69	74	82	65	63	71	68	76	91	91	88	92
Female.....	2,638	192	173	222	231	193	198	249	238	194	264	240	244
Black, both sexes.....	362	22	22	29	35	18	26	33	41	34	23	36	43
Male.....	118	12	10	3	8	5	10	11	13	12	9	10	15
Female.....	244	10	12	26	27	13	16	22	28	22	14	26	28
American Indian 1/, both sexes.....	7	1	-	-	-	2	2	-	-	-	-	-	2
Male.....	4	1	-	-	-	1	1	-	-	-	-	-	1
Female.....	3	-	-	-	-	1	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	41	1	1	2	2	3	2	3	4	-	7	5	11
Male.....	12	-	-	1	-	1	1	1	2	-	1	2	3
Female.....	29	1	1	1	2	2	1	2	2	-	6	3	8
Other lack of expected normal physiological development (R62.8)													
All races, both sexes.....	3,969	282	270	335	333	277	296	353	358	319	385	369	392
Male.....	1,058	81	84	86	73	69	80	80	90	103	101	100	111
Female.....	2,911	201	186	249	260	208	216	273	268	216	284	269	281
White, both sexes.....	3,561	259	247	304	296	255	266	317	313	285	355	328	336
Male.....	924	68	74	82	65	62	68	68	75	91	91	88	92
Female.....	2,637	191	173	222	231	193	198	249	238	194	264	240	244
Black, both sexes.....	362	22	22	29	35	18	26	33	41	34	23	36	43
Male.....	118	12	10	3	8	5	10	11	13	12	9	10	15
Female.....	244	10	12	26	27	13	16	22	28	22	14	26	28
American Indian 1/, both sexes.....	7	1	-	-	-	2	2	-	-	-	-	-	2
Male.....	4	1	-	-	-	1	1	-	-	-	-	-	1
Female.....	3	-	-	-	-	1	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	39	-	1	2	2	2	2	3	4	-	7	5	11
Male.....	12	-	-	1	-	1	1	1	2	-	1	2	3
Female.....	27	-	1	1	2	1	1	2	2	-	6	3	8

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lack of expected normal physiological development, unspecified (R62.9)													
All races, both sexes.....	9	3	-	-	-	2	3	-	1	-	-	-	-
Male.....	6	1	-	-	-	1	3	-	1	-	-	-	-
Female.....	3	2	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	7	2	-	-	-	1	3	-	1	-	-	-	-
Male.....	6	1	-	-	-	1	3	-	1	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Symptoms and signs concerning food and fluid intake (R63)													
All races, both sexes.....	123	7	11	12	8	12	7	8	7	7	14	12	18
Male.....	26	3	2	-	2	2	-	1	3	1	4	4	4
Female.....	97	4	9	12	6	10	7	7	4	6	10	8	14
White, both sexes.....	108	5	9	11	8	10	6	7	5	7	14	11	15
Male.....	23	2	2	-	2	2	-	1	2	1	4	3	4
Female.....	85	3	7	11	6	8	6	6	3	6	10	8	11
Black, both sexes.....	10	1	2	1	-	-	-	1	2	-	-	1	2
Male.....	3	1	-	-	-	-	-	-	1	-	-	1	-
Female.....	7	-	2	1	-	-	-	1	1	-	-	-	2
American Indian 1/, both sexes.....	3	1	-	-	-	1	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cachexia (R64)													
All races, both sexes.....	284	22	21	21	25	31	13	29	24	25	19	24	30
Male.....	70	4	4	6	7	8	2	9	7	10	7	1	5
Female.....	214	18	17	15	18	23	11	20	17	15	12	23	25
White, both sexes.....	260	19	19	21	25	27	12	29	20	23	18	22	25
Male.....	63	2	4	6	7	7	2	9	4	10	7	1	4
Female.....	197	17	15	15	18	20	10	20	16	13	11	21	21
Black, both sexes.....	17	2	2	-	-	2	-	-	4	2	-	2	3
Male.....	5	2	-	-	-	-	-	-	3	-	-	-	-
Female.....	12	-	2	-	-	2	-	-	1	2	-	2	3
American Indian 1/, both sexes.....	3	-	-	-	-	2	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	1	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	1	-	-	-	-	1	-	-	-	1	-	-
Other general symptoms and signs (R68)													
All races, both sexes.....	1,417	92	119	114	127	125	111	114	106	104	117	147	141
Male.....	584	37	47	57	48	55	44	49	45	42	42	64	54
Female.....	833	55	72	57	79	70	67	65	61	62	75	83	87
White, both sexes.....	1,184	70	103	95	104	108	97	93	85	87	95	127	120
Male.....	485	28	42	48	37	45	39	40	33	35	36	57	45
Female.....	699	42	61	47	67	63	58	53	52	52	59	70	75
Black, both sexes.....	218	22	16	18	21	16	12	21	18	15	20	19	20
Male.....	93	9	5	8	10	10	4	9	11	6	5	7	9
Female.....	125	13	11	10	11	6	8	12	7	9	15	12	11
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	1	2	1	1	-	3	2	2	1	1
Male.....	5	-	-	1	1	-	-	-	1	1	1	-	-
Female.....	9	-	-	-	1	1	1	-	2	1	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypothermia, not associated with low environmental temperature (R68.0)													
All races, both sexes.....	5	-	3	-	-	1	-	-	-	-	1	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	1	-	-	-	-	1	-	-
White, both sexes.....	5	-	3	-	-	1	-	-	-	-	1	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	-	-	1	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified general symptoms and signs (R68.8)													
All races, both sexes.....	1,412	92	116	114	127	124	111	114	106	104	116	147	141
Male.....	582	37	45	57	48	55	44	49	45	42	42	64	54
Female.....	830	55	71	57	79	69	67	65	61	62	74	83	87
White, both sexes.....	1,179	70	100	95	104	107	97	93	85	87	94	127	120
Male.....	483	28	40	48	37	45	39	40	33	35	36	57	45
Female.....	696	42	60	47	67	62	58	53	52	52	58	70	75
Black, both sexes.....	218	22	16	18	21	16	12	21	18	15	20	19	20
Male.....	93	9	5	8	10	10	4	9	11	6	5	7	9
Female.....	125	13	11	10	11	6	8	12	7	9	15	12	11
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	1	2	1	1	-	3	2	2	1	1
Male.....	5	-	-	1	1	-	-	-	1	1	1	-	-
Female.....	9	-	-	-	1	1	1	-	2	1	1	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Abnormal results of cardiovascular function studies (R94.3)													
All races, both sexes.....	6	-	2	-	1	-	-	-	1	-	2	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	1	-	1	-	-	-	1	-	1	-	-
White, both sexes.....	5	-	1	-	1	-	-	-	1	-	2	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	1	-	-	-	1	-	1	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden infant death syndrome (R95)													
All races, both sexes.....	2,323	195	181	197	195	207	175	179	176	189	203	194	232
Male.....	1,358	121	102	119	101	126	99	100	101	117	114	111	147
Female.....	965	74	79	78	94	81	76	79	75	72	89	83	85
White, both sexes.....	1,516	122	127	128	120	135	121	107	113	126	132	130	155
Male.....	906	78	68	82	61	82	72	60	65	79	80	83	96
Female.....	610	44	59	46	59	53	49	47	48	47	52	47	59
Black, both sexes.....	717	64	44	63	70	68	47	65	57	55	63	56	65
Male.....	391	36	27	33	35	41	24	37	32	32	29	24	41
Female.....	326	28	17	30	35	27	23	28	25	23	34	32	24
American Indian 1/, both sexes.....	51	5	1	5	3	2	5	3	5	5	4	4	9
Male.....	35	4	-	4	3	2	2	2	3	3	3	1	8
Female.....	16	1	1	1	-	-	3	1	2	2	1	3	1
Asian or Pacific Islander 2/, both sexes.....	39	4	9	1	2	2	2	4	1	3	4	4	3
Male.....	26	3	7	-	2	1	1	1	1	3	2	3	2
Female.....	13	1	2	1	-	1	1	3	-	-	2	1	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unattended death (R98)													
All races, both sexes.....	27	1	2	3	1	-	2	1	6	1	-	5	5
Male.....	17	-	1	3	1	-	1	1	4	1	-	2	3
Female.....	10	1	1	-	-	-	1	-	2	-	-	3	2
White, both sexes.....	24	1	2	3	1	-	2	1	5	1	-	4	4
Male.....	15	-	1	3	1	-	1	1	3	1	-	1	3
Female.....	9	1	1	-	-	-	1	-	2	-	-	3	1
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined and unspecified causes of mortality (R99)													
All races, both sexes.....	11,648	823	813	918	897	899	914	1,003	969	964	1,004	1,152	1,292
Male.....	6,383	418	469	516	449	487	496	579	536	517	551	631	734
Female.....	5,265	405	344	402	448	412	418	424	433	447	453	521	558
White, both sexes.....	9,728	695	682	765	751	756	755	836	790	804	851	966	1,077
Male.....	5,259	349	386	429	365	404	398	482	435	416	463	533	599
Female.....	4,469	346	296	336	386	352	357	354	355	388	388	433	478
Black, both sexes.....	1,629	108	111	124	126	116	137	131	155	142	139	161	179
Male.....	959	59	71	67	75	66	84	77	88	90	79	90	113
Female.....	670	49	40	57	51	50	53	54	67	52	60	71	66
American Indian 1/, both sexes.....	111	10	10	12	8	9	5	17	10	5	5	9	11
Male.....	62	5	5	9	5	5	2	10	6	2	3	3	7
Female.....	49	5	5	3	3	4	3	7	4	3	2	6	4
Asian or Pacific Islander 2/, both sexes.....	180	10	10	17	12	18	17	19	14	13	9	16	25
Male.....	103	5	7	11	4	12	12	10	7	9	6	5	15
Female.....	77	5	3	6	8	6	5	9	7	4	3	11	10

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with car, pick-up truck, or van (V03)													
All races, both sexes.....	3,018	274	225	252	209	200	213	232	261	288	295	262	307
Male.....	2,096	177	155	175	152	147	151	160	189	201	204	171	214
Female.....	922	97	70	77	57	53	62	72	72	87	91	91	93
White, both sexes.....	2,325	216	181	189	154	154	152	185	213	206	233	211	231
Male.....	1,620	142	131	129	108	112	109	129	154	146	159	140	161
Female.....	705	74	50	60	46	42	43	56	59	60	74	71	70
Black, both sexes.....	517	42	28	43	41	40	47	37	33	61	48	37	60
Male.....	359	27	18	33	33	30	32	24	24	39	35	20	44
Female.....	158	15	10	10	8	10	15	13	9	22	13	17	16
American Indian 1/, both sexes.....	68	6	3	2	7	3	6	7	5	10	5	6	8
Male.....	56	4	1	1	7	3	6	5	5	8	5	6	5
Female.....	12	2	2	1	-	-	-	2	-	2	-	-	3
Asian or Pacific Islander 2/, both sexes.....	108	10	13	18	7	3	8	3	10	11	9	8	8
Male.....	61	4	5	12	4	2	4	2	6	8	5	5	4
Female.....	47	6	8	6	3	1	4	1	4	3	4	3	4
Pedestrian injured in collision with car, pick-up truck, or van, nontraffic accident (V03.0)													
All races, both sexes.....	230	13	8	29	15	22	25	22	23	24	22	14	13
Male.....	153	6	4	20	9	15	19	13	17	17	16	8	9
Female.....	77	7	4	9	6	7	6	9	6	7	6	6	4
White, both sexes.....	201	12	8	23	14	18	21	20	19	22	20	11	13
Male.....	132	6	4	15	8	11	17	12	14	15	15	6	9
Female.....	69	6	4	8	6	7	4	8	5	7	5	5	4
Black, both sexes.....	23	-	-	4	1	4	4	1	3	1	2	3	-
Male.....	18	-	-	4	1	4	2	1	2	1	1	2	-
Female.....	5	-	-	-	-	-	2	-	1	-	1	1	-
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	1	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	2	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in other and unspecified transport accidents (V09)													
All races, both sexes.....	2,365	225	172	172	161	172	169	172	203	196	242	250	231
Male.....	1,627	150	124	115	106	133	117	115	133	141	163	179	151
Female.....	738	75	48	57	55	39	52	57	70	55	79	71	80
White, both sexes.....	1,764	162	126	128	119	129	118	134	147	140	182	193	186
Male.....	1,210	105	93	85	78	99	78	90	93	104	125	139	121
Female.....	554	57	33	43	41	30	40	44	54	36	57	54	65
Black, both sexes.....	423	47	32	29	33	24	41	24	39	37	47	42	28
Male.....	302	36	24	19	23	18	31	18	27	22	32	30	22
Female.....	121	11	8	10	10	6	10	6	12	15	15	12	6
American Indian 1/, both sexes.....	84	9	3	8	6	9	7	5	6	11	6	6	8
Male.....	59	6	2	5	4	8	6	3	5	9	2	5	4
Female.....	25	3	1	3	2	1	1	2	1	2	4	1	4
Asian or Pacific Islander 2/, both sexes.....	94	7	11	7	3	10	3	9	11	8	7	9	9
Male.....	56	3	5	6	1	8	2	4	8	6	4	5	4
Female.....	38	4	6	1	2	2	1	5	3	2	3	4	5
Pedestrian injured in nontraffic accident involving other and unspecified motor vehicles (V09.0)													
All races, both sexes.....	153	14	13	13	16	19	12	12	11	15	8	13	7
Male.....	95	10	10	9	7	10	7	9	5	12	5	7	4
Female.....	58	4	3	4	9	9	5	3	6	3	3	6	3
White, both sexes.....	125	11	12	11	12	15	10	9	9	10	7	13	6
Male.....	79	9	10	9	6	7	6	7	3	8	4	7	3
Female.....	46	2	2	2	6	8	4	2	6	2	3	6	3
Black, both sexes.....	15	1	1	1	4	3	2	1	1	1	-	-	-
Male.....	8	1	-	-	1	2	1	1	1	1	-	-	-
Female.....	7	-	1	1	3	1	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	1	-	-	-	4	-	-	-
Male.....	4	-	-	-	-	1	-	-	-	3	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	2	-	1	-	-	-	2	1	-	1	-	1
Male.....	4	-	-	-	-	-	-	1	1	-	1	-	1
Female.....	4	2	-	1	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in unspecified nontraffic accident (V09.1)													
All races, both sexes.....	190	25	9	16	10	12	14	16	16	11	22	21	18
Male.....	123	18	6	8	7	8	10	9	12	9	14	13	9
Female.....	67	7	3	8	3	4	4	7	4	2	8	8	9
White, both sexes.....	153	20	9	14	9	10	9	12	12	6	18	19	15
Male.....	100	15	6	7	6	7	6	7	9	6	12	12	7
Female.....	53	5	3	7	3	3	3	5	3	-	6	7	8
Black, both sexes.....	16	3	-	-	1	-	1	2	2	3	2	1	1
Male.....	11	2	-	-	1	-	1	1	1	1	2	1	1
Female.....	5	1	-	-	-	-	-	1	1	2	-	-	-
American Indian 1/, both sexes.....	14	1	-	1	-	1	4	1	2	1	1	1	1
Male.....	8	-	-	-	-	1	3	-	2	1	-	-	1
Female.....	6	1	-	1	-	-	1	1	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	1	-	1	-	1	-	1	1	-	1
Male.....	4	1	-	1	-	-	-	1	-	1	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	1	-	1
Pedestrian injured in traffic accident involving other and unspecified motor vehicles (V09.2)													
All races, both sexes.....	1,938	179	142	134	129	137	140	139	169	167	202	207	193
Male.....	1,346	117	103	92	87	111	98	94	111	118	134	151	130
Female.....	592	62	39	42	42	26	42	45	58	49	68	56	63
White, both sexes.....	1,421	129	100	95	93	102	96	109	120	121	148	154	154
Male.....	981	79	74	63	62	83	64	74	77	88	100	114	103
Female.....	440	50	26	32	31	19	32	35	43	33	48	40	51
Black, both sexes.....	376	38	28	27	27	19	38	21	35	33	44	40	26
Male.....	272	30	22	19	20	14	29	16	24	20	29	28	21
Female.....	104	8	6	8	7	5	9	5	11	13	15	12	5
American Indian 1/, both sexes.....	63	8	3	7	6	7	3	4	4	6	5	4	6
Male.....	46	6	2	5	4	6	3	3	3	5	2	4	3
Female.....	17	2	1	2	2	1	-	1	1	1	3	-	3
Asian or Pacific Islander 2/, both sexes.....	78	4	11	5	3	9	3	5	10	7	5	9	7
Male.....	47	2	5	5	1	8	2	1	7	5	3	5	3
Female.....	31	2	6	-	2	1	1	4	3	2	2	4	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedal cyclist injured in collision with car, pick-up truck, or van, person injured while boarding or alighting (V13.3)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist injured in collision with car, pick-up truck, or van, driver injured in traffic accident (V13.4)													
All races, both sexes.....	206	15	9	22	13	12	18	16	25	29	23	12	12
Male.....	181	14	8	20	13	10	15	13	21	25	22	9	11
Female.....	25	1	1	2	-	2	3	3	4	4	1	3	1
White, both sexes.....	169	10	8	20	9	10	16	13	20	23	20	9	11
Male.....	147	9	7	18	9	9	13	10	17	20	19	6	10
Female.....	22	1	1	2	-	1	3	3	3	3	1	3	1
Black, both sexes.....	29	3	-	2	2	2	2	3	4	6	1	3	1
Male.....	27	3	-	2	2	1	2	3	4	5	1	3	1
Female.....	2	-	-	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	2	1	-	2	-	-	-	1	-	2	-	-
Male.....	7	2	1	-	2	-	-	-	-	-	2	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedal cyclist injured in noncollision transport accident, unspecified pedal cyclist injured in traffic accident (V18.9)													
All races, both sexes.....	50	2	3	3	4	6	9	3	7	6	3	2	2
Male.....	46	2	2	3	3	5	9	3	7	6	2	2	2
Female.....	4	-	1	-	1	1	-	-	-	-	1	-	-
White, both sexes.....	43	2	3	2	3	6	7	3	7	4	2	2	2
Male.....	40	2	2	2	2	5	7	3	7	4	2	2	2
Female.....	3	-	1	-	1	1	-	-	-	-	-	-	-
Black, both sexes.....	4	-	-	-	-	-	2	-	-	1	1	-	-
Male.....	3	-	-	-	-	-	2	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist injured in other and unspecified transport accidents (V19)													
All races, both sexes.....	329	23	20	13	18	33	37	34	41	48	20	22	20
Male.....	300	21	20	12	15	30	30	32	36	45	18	22	19
Female.....	29	2	-	1	3	3	7	2	5	3	2	-	1
White, both sexes.....	258	20	17	10	16	23	27	28	26	44	14	17	16
Male.....	237	18	17	9	14	21	23	26	23	42	12	17	15
Female.....	21	2	-	1	2	2	4	2	3	2	2	-	1
Black, both sexes.....	55	2	1	2	2	9	9	4	13	1	5	4	3
Male.....	49	2	1	2	1	8	6	4	12	1	5	4	3
Female.....	6	-	-	-	1	1	3	-	1	-	-	-	-
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	1	-	2	-	-	-
Male.....	3	-	1	-	-	-	-	1	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	1	1	-	1	1	1	2	1	1	1	1
Male.....	11	1	1	1	-	1	1	1	1	1	1	1	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motorcycle rider injured in collision with car, pick-up truck, or van, passenger injured in nontraffic accident (V23.1)													
All races, both sexes.....	3	-	-	-	-	1	1	-	-	-	1	-	-
Male.....	3	-	-	-	-	1	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider injured in collision with car, pick-up truck, or van, driver injured in traffic accident (V23.4)													
All races, both sexes.....	1,071	52	41	66	98	123	128	139	138	114	68	61	43
Male.....	1,031	48	41	65	91	122	117	134	133	112	66	60	42
Female.....	40	4	-	1	7	1	11	5	5	2	2	1	1
White, both sexes.....	952	45	37	61	87	107	119	121	121	101	63	52	38
Male.....	914	42	37	60	80	106	109	116	116	99	61	51	37
Female.....	38	3	-	1	7	1	10	5	5	2	2	1	1
Black, both sexes.....	91	3	1	2	8	14	7	17	13	12	3	8	3
Male.....	90	2	1	2	8	14	7	17	13	12	3	8	3
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	9	1	2	-	1	1	-	-	2	1	-	-	1
Male.....	9	1	2	-	1	1	-	-	2	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	3	1	3	2	1	2	1	2	-	2	1	1
Male.....	18	3	1	3	2	1	1	1	2	-	2	1	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motorcycle rider injured in collision with other nonmotor vehicle, unspecified motorcycle rider injured in traffic accident (V26.9)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider injured in collision with fixed or stationary object (V27)													
All races, both sexes.....	863	22	24	49	79	85	116	118	117	112	64	47	30
Male.....	798	22	22	48	72	75	105	105	114	100	63	44	28
Female.....	65	-	2	1	7	10	11	13	3	12	1	3	2
White, both sexes.....	742	20	21	41	70	69	94	104	96	104	54	45	24
Male.....	683	20	19	40	63	62	85	91	93	93	53	42	22
Female.....	59	-	2	1	7	7	9	13	3	11	1	3	2
Black, both sexes.....	102	2	3	7	9	14	19	12	17	8	6	1	4
Male.....	97	2	3	7	9	12	17	12	17	7	6	1	4
Female.....	5	-	-	-	-	2	2	-	-	1	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	-	2	-	2	-	-
Male.....	5	-	-	-	-	-	1	-	2	-	2	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	1	-	2	2	2	2	-	2	1	2
Male.....	13	-	-	1	-	1	2	2	2	-	2	1	2
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motorcycle rider injured in collision with fixed or stationary object, unspecified motorcycle rider injured in nontraffic accident (V27.2)													
All races, both sexes.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider injured in collision with fixed or stationary object, driver injured in traffic accident (V27.4)													
All races, both sexes.....	713	18	16	40	65	71	94	96	97	96	52	42	26
Male.....	680	18	16	39	62	65	90	89	94	89	52	41	25
Female.....	33	-	-	1	3	6	4	7	3	7	-	1	1
White, both sexes.....	609	16	14	36	56	58	73	86	80	88	42	40	20
Male.....	579	16	14	35	53	53	70	79	77	82	42	39	19
Female.....	30	-	-	1	3	5	3	7	3	6	-	1	1
Black, both sexes.....	88	2	2	4	9	11	18	9	14	8	6	1	4
Male.....	86	2	2	4	9	11	17	9	14	7	6	1	4
Female.....	2	-	-	-	-	-	1	-	1	1	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	-	1	-	2	-	-
Male.....	4	-	-	-	-	-	1	-	1	-	2	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	-	-	2	2	1	2	-	2	1	2
Male.....	11	-	-	-	-	1	2	1	2	-	2	1	2
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with two- or three-wheeled motor vehicle, unspecified car occupant injured in traffic accident (V42.9)													
All races, both sexes.....	3	-	-	1	-	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in collision with car, pick-up truck, or van (V43)													
All races, both sexes.....	4,296	325	351	400	342	400	351	325	361	349	453	308	331
Male.....	2,332	174	174	239	174	224	197	176	217	188	239	162	168
Female.....	1,964	151	177	161	168	176	154	149	144	161	214	146	163
White, both sexes.....	3,590	255	301	328	271	334	300	267	314	296	386	250	288
Male.....	1,911	137	145	192	135	177	168	143	189	159	199	128	139
Female.....	1,679	118	156	136	136	157	132	124	125	137	187	122	149
Black, both sexes.....	516	51	44	44	52	49	41	41	37	46	41	37	33
Male.....	316	27	27	30	32	36	25	23	22	25	22	24	23
Female.....	200	24	17	14	20	13	16	18	15	21	19	13	10
American Indian 1/, both sexes.....	41	1	1	7	5	5	1	4	1	2	6	6	2
Male.....	20	-	-	5	3	1	-	2	1	1	4	2	1
Female.....	21	1	1	2	2	4	1	2	-	1	2	4	1
Asian or Pacific Islander 2/, both sexes.....	149	18	5	21	14	12	9	13	9	5	20	15	8
Male.....	85	10	2	12	4	10	4	8	5	3	14	8	5
Female.....	64	8	3	9	10	2	5	5	4	2	6	7	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with car, pick-up truck, or van, driver injured in traffic accident (V43.5)													
All races, both sexes.....	2,726	208	223	252	218	250	229	182	242	224	282	199	217
Male.....	1,591	115	125	155	123	145	140	103	162	124	163	112	124
Female.....	1,135	93	98	97	95	105	89	79	80	100	119	87	93
White, both sexes.....	2,291	170	192	205	172	210	197	150	211	194	241	162	187
Male.....	1,312	92	105	122	98	115	120	85	142	107	134	90	102
Female.....	979	78	87	83	74	95	77	65	69	87	107	72	85
Black, both sexes.....	335	30	27	31	38	32	28	24	26	25	28	26	20
Male.....	210	17	18	22	21	24	18	11	16	14	18	15	16
Female.....	125	13	9	9	17	8	10	13	10	11	10	11	4
American Indian 1/, both sexes.....	28	1	1	5	3	3	-	3	1	1	4	4	2
Male.....	16	-	-	4	2	1	-	2	1	1	3	1	1
Female.....	12	1	1	1	1	2	-	1	-	-	1	3	1
Asian or Pacific Islander 2/, both sexes.....	72	7	3	11	5	5	4	5	4	4	9	7	8
Male.....	53	6	2	7	2	5	2	5	3	2	8	6	5
Female.....	19	1	1	4	3	-	2	-	1	2	1	1	3
Car occupant injured in collision with car, pick-up truck, or van, passenger injured in traffic accident (V43.6)													
All races, both sexes.....	1,254	93	105	119	101	126	93	122	95	100	126	84	90
Male.....	558	46	34	65	40	65	43	58	42	49	50	33	33
Female.....	696	47	71	54	61	61	50	64	53	51	76	51	57
White, both sexes.....	1,017	65	88	96	78	100	75	98	82	82	105	69	79
Male.....	440	33	26	53	28	48	35	45	37	40	43	26	26
Female.....	577	32	62	43	50	52	40	53	45	42	62	43	53
Black, both sexes.....	154	18	15	11	13	17	12	16	9	16	10	6	11
Male.....	87	9	8	6	10	12	6	11	4	8	2	4	7
Female.....	67	9	7	5	3	5	6	5	5	8	8	2	4
American Indian 1/, both sexes.....	11	-	-	2	2	2	1	1	-	1	1	1	-
Male.....	3	-	-	1	1	-	-	-	-	-	-	1	-
Female.....	8	-	-	1	1	2	1	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	72	10	2	10	8	7	5	7	4	1	10	8	-
Male.....	28	4	-	5	1	5	2	2	1	1	5	2	-
Female.....	44	6	2	5	7	2	3	5	3	-	5	6	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with heavy transport vehicle or bus, unspecified car occupant injured in nontraffic accident (V44.3)													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in collision with heavy transport vehicle or bus, driver injured in traffic accident (V44.5)													
All races, both sexes.....	699	60	51	73	48	66	53	65	63	67	59	40	54
Male.....	428	35	29	47	29	37	29	48	38	44	38	20	34
Female.....	271	25	22	26	19	29	24	17	25	23	21	20	20
White, both sexes.....	610	53	40	64	43	55	44	60	57	63	49	34	48
Male.....	372	32	24	41	26	31	24	43	33	41	30	17	30
Female.....	238	21	16	23	17	24	20	17	24	22	19	17	18
Black, both sexes.....	72	5	11	9	5	7	7	4	4	4	9	3	4
Male.....	48	2	5	6	3	4	5	4	3	3	8	2	3
Female.....	24	3	6	3	2	3	2	-	1	1	1	1	1
American Indian 1/, both sexes.....	6	1	-	-	-	2	1	-	1	-	-	-	1
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	4	1	-	-	-	1	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	11	1	-	-	-	2	1	1	1	-	1	3	1
Male.....	6	1	-	-	-	1	-	1	1	-	-	1	1
Female.....	5	-	-	-	-	1	1	-	-	-	1	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with fixed or stationary object, person injured while boarding or alighting (V47.4)													
All races, both sexes.....	3	1	-	-	-	-	-	1	-	-	-	1	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	3	1	-	-	-	-	-	1	-	-	-	1	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in collision with fixed or stationary object, driver injured in traffic accident (V47.5)													
All races, both sexes.....	2,231	162	178	210	194	180	176	185	185	194	209	169	189
Male.....	1,616	125	136	143	138	130	124	132	130	141	155	120	142
Female.....	615	37	42	67	56	50	52	53	55	53	54	49	47
White, both sexes.....	1,820	124	146	176	155	146	146	154	156	156	169	138	154
Male.....	1,311	94	107	119	109	103	104	113	113	112	125	97	115
Female.....	509	30	39	57	46	43	42	41	43	44	44	41	39
Black, both sexes.....	331	28	27	24	32	27	27	24	25	30	33	25	29
Male.....	248	24	25	18	25	21	17	15	13	23	25	19	23
Female.....	83	4	2	6	7	6	10	9	12	7	8	6	6
American Indian 1/, both sexes.....	26	4	-	5	1	3	-	4	1	2	1	1	4
Male.....	19	4	-	3	1	2	-	2	1	2	-	1	3
Female.....	7	-	-	2	-	1	-	2	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	54	6	5	5	6	4	3	3	3	6	6	5	2
Male.....	38	3	4	3	3	4	3	2	3	4	5	3	1
Female.....	16	3	1	2	3	-	-	1	-	2	1	2	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with fixed or stationary object, passenger injured in traffic accident (V47.6)													
All races, both sexes.....	811	66	61	69	89	58	75	70	71	58	75	53	66
Male.....	496	43	32	46	56	32	47	45	43	41	39	32	40
Female.....	315	23	29	23	33	26	28	25	28	17	36	21	26
White, both sexes.....	631	57	48	57	75	44	51	52	55	47	56	36	53
Male.....	380	39	25	36	43	26	32	34	31	34	29	19	32
Female.....	251	18	23	21	32	18	19	18	24	13	27	17	21
Black, both sexes.....	139	6	10	9	13	11	20	11	12	9	17	12	9
Male.....	93	2	6	8	12	5	12	9	9	5	9	9	7
Female.....	46	4	4	1	1	6	8	2	3	4	8	3	2
American Indian 1/, both sexes.....	19	2	-	2	-	1	1	3	2	2	-	4	2
Male.....	15	1	-	2	-	1	1	2	1	2	-	4	1
Female.....	4	1	-	-	-	-	-	1	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	22	1	3	1	1	2	3	4	2	-	2	1	2
Male.....	8	1	1	-	1	-	2	-	2	-	1	-	-
Female.....	14	-	2	1	-	2	1	4	-	-	1	1	2
Car occupant injured in collision with fixed or stationary object, unspecified car occupant injured in traffic accident (V47.9)													
All races, both sexes.....	227	21	16	22	17	13	13	25	14	22	20	24	20
Male.....	159	13	12	15	13	9	10	18	10	11	15	18	15
Female.....	68	8	4	7	4	4	3	7	4	11	5	6	5
White, both sexes.....	167	17	13	15	12	9	11	19	8	17	14	16	16
Male.....	121	10	9	10	9	7	8	15	7	10	11	13	12
Female.....	46	7	4	5	3	2	3	4	1	7	3	3	4
Black, both sexes.....	53	4	2	5	4	4	2	5	6	4	5	8	4
Male.....	34	3	2	4	3	2	2	3	3	1	3	5	3
Female.....	19	1	-	1	1	2	-	2	3	3	2	3	1
American Indian 1/, both sexes.....	5	-	1	2	1	-	-	-	-	1	-	-	-
Male.....	3	-	1	1	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in noncollision transport accident, driver injured in traffic accident (V48.5)													
All races, both sexes.....	1,600	136	108	126	136	150	140	147	149	123	135	124	126
Male.....	1,091	83	76	85	100	91	93	112	104	87	89	85	86
Female.....	509	53	32	41	36	59	47	35	45	36	46	39	40
White, both sexes.....	1,337	120	90	99	114	127	114	119	123	99	116	108	108
Male.....	899	72	63	68	82	75	75	90	85	68	74	74	73
Female.....	438	48	27	31	32	52	39	29	38	31	42	34	35
Black, both sexes.....	196	12	11	19	15	21	17	23	19	19	12	13	15
Male.....	142	9	10	12	13	14	11	17	14	14	10	8	10
Female.....	54	3	1	7	2	7	6	6	5	5	2	5	5
American Indian 1/, both sexes.....	45	2	2	5	5	2	7	4	5	4	5	1	3
Male.....	37	1	2	3	4	2	5	4	4	4	4	1	3
Female.....	8	1	-	2	1	-	2	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	22	2	5	3	2	-	2	1	2	1	2	2	-
Male.....	13	1	1	2	1	-	2	1	1	1	1	2	-
Female.....	9	1	4	1	1	-	-	-	1	-	1	-	-
Car occupant injured in noncollision transport accident, passenger injured in traffic accident (V48.6)													
All races, both sexes.....	755	61	52	64	67	70	74	78	84	64	52	50	39
Male.....	413	37	30	34	38	37	30	42	49	36	31	28	21
Female.....	342	24	22	30	29	33	44	36	35	28	21	22	18
White, both sexes.....	585	48	38	51	53	50	60	59	60	53	43	40	30
Male.....	321	28	24	28	32	24	22	31	32	32	28	23	17
Female.....	264	20	14	23	21	26	38	28	28	21	15	17	13
Black, both sexes.....	92	8	13	6	3	9	10	9	13	4	5	6	6
Male.....	53	7	6	4	1	7	6	5	10	1	1	2	3
Female.....	39	1	7	2	2	2	4	4	3	3	4	4	3
American Indian 1/, both sexes.....	58	1	1	4	9	11	2	7	8	7	3	2	3
Male.....	29	-	-	1	5	6	1	3	5	3	2	2	1
Female.....	29	1	1	3	4	5	1	4	3	4	1	-	2
Asian or Pacific Islander 2/, both sexes.....	20	4	-	3	2	-	2	3	3	-	1	2	-
Male.....	10	2	-	1	-	-	1	3	2	-	-	1	-
Female.....	10	2	-	2	2	-	1	-	1	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in noncollision transport accident, person on outside of vehicle injured in traffic accident (V48.7)													
All races, both sexes.....	5	-	1	1	-	-	-	-	-	-	3	-	-
Male.....	5	-	1	1	-	-	-	-	-	-	3	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	5	-	1	1	-	-	-	-	-	-	3	-	-
Male.....	5	-	1	1	-	-	-	-	-	-	3	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in noncollision transport accident, unspecified car occupant injured in traffic accident (V48.9)													
All races, both sexes.....	266	24	22	19	17	26	23	25	28	14	14	27	27
Male.....	170	16	16	13	12	19	14	14	18	10	11	14	13
Female.....	96	8	6	6	5	7	9	11	10	4	3	13	14
White, both sexes.....	205	18	18	15	16	17	20	16	23	10	10	21	21
Male.....	132	11	14	11	12	12	13	9	14	8	8	10	10
Female.....	73	7	4	4	4	5	7	7	9	2	2	11	11
Black, both sexes.....	46	5	2	3	1	8	1	6	5	3	3	4	5
Male.....	29	4	1	2	-	6	-	4	4	1	2	3	2
Female.....	17	1	1	1	1	2	1	2	1	2	1	1	3
American Indian 1/, both sexes.....	9	1	2	1	-	-	1	1	-	1	-	2	-
Male.....	5	1	1	-	-	-	-	1	-	1	-	1	-
Female.....	4	-	1	1	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	1	1	2	-	-	1	-	1
Male.....	4	-	-	-	-	1	1	-	-	-	1	-	1
Female.....	2	-	-	-	-	-	-	2	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Driver (car) injured in collision with other and unspecified motor vehicles in traffic accident (V49.4)													
All races, both sexes.....	544	59	32	38	36	39	45	37	48	46	46	50	68
Male.....	336	40	18	25	22	23	27	22	30	31	33	26	39
Female.....	208	19	14	13	14	16	18	15	18	15	13	24	29
White, both sexes.....	447	49	22	26	32	34	40	30	38	36	36	43	61
Male.....	273	33	13	18	19	20	24	18	25	25	26	20	32
Female.....	174	16	9	8	13	14	16	12	13	11	10	23	29
Black, both sexes.....	77	10	8	11	3	5	3	6	4	9	8	5	5
Male.....	50	7	4	6	2	3	1	4	2	6	6	4	5
Female.....	27	3	4	5	1	2	2	2	2	3	2	1	-
American Indian 1/, both sexes.....	10	-	1	1	1	-	2	-	2	1	2	-	-
Male.....	6	-	-	1	1	-	2	-	1	-	1	-	-
Female.....	4	-	1	-	-	-	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	1	-	-	-	-	1	4	-	-	2	2
Male.....	7	-	1	-	-	-	-	-	2	-	-	2	2
Female.....	3	-	-	-	-	-	-	1	2	-	-	-	-
Passenger (car) injured in collision with other and unspecified motor vehicles in traffic accident (V49.5)													
All races, both sexes.....	414	38	28	35	33	34	37	30	38	30	32	34	45
Male.....	221	20	14	17	17	21	19	14	23	13	21	16	26
Female.....	193	18	14	18	16	13	18	16	15	17	11	18	19
White, both sexes.....	345	30	25	28	24	27	33	24	32	22	29	31	40
Male.....	184	16	12	12	13	16	16	12	19	11	18	15	24
Female.....	161	14	13	16	11	11	17	12	13	11	11	16	16
Black, both sexes.....	49	6	3	6	6	5	2	4	4	7	2	2	2
Male.....	26	2	2	4	3	3	2	1	2	2	2	1	2
Female.....	23	4	1	2	3	2	-	3	2	5	-	1	-
American Indian 1/, both sexes.....	5	-	-	-	1	1	-	1	-	-	1	1	-
Male.....	3	-	-	-	1	1	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	15	2	-	1	2	1	2	1	2	1	-	-	3
Male.....	8	2	-	1	-	1	1	1	2	-	-	-	-
Female.....	7	-	-	-	2	-	1	-	-	1	-	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in collision with car, pick-up truck, or van, driver injured in traffic accident (V53.5)													
All races, both sexes.....	477	37	45	43	42	41	46	32	34	37	50	39	31
Male.....	394	26	39	38	34	33	38	27	27	32	40	32	28
Female.....	83	11	6	5	8	8	8	5	7	5	10	7	3
White, both sexes.....	443	33	40	39	41	39	41	31	30	36	48	36	29
Male.....	362	22	34	35	34	31	33	26	23	31	38	29	26
Female.....	81	11	6	4	7	8	8	5	7	5	10	7	3
Black, both sexes.....	21	3	3	3	-	1	4	1	2	1	2	-	1
Male.....	20	3	3	2	-	1	4	1	2	1	2	-	1
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	1	-	-	1	-	1	-	1	-	-	1	-
Male.....	4	1	-	-	-	-	1	-	1	-	-	1	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	2	1	-	1	-	-	1	-	-	2	1
Male.....	8	-	2	1	-	1	-	-	1	-	-	2	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pick-up truck or van injured in collision with car, pick-up truck, or van, passenger injured in traffic accident (V53.6)													
All races, both sexes.....	179	18	13	14	21	10	14	13	10	11	21	20	14
Male.....	84	5	8	5	11	5	7	5	3	4	13	11	7
Female.....	95	13	5	9	10	5	7	8	7	7	8	9	7
White, both sexes.....	156	17	10	10	14	8	14	13	10	9	19	18	14
Male.....	73	4	7	5	7	4	7	5	3	3	11	10	7
Female.....	83	13	3	5	7	4	7	8	7	6	8	8	7
Black, both sexes.....	16	1	1	3	7	1	-	-	-	1	2	-	-
Male.....	10	1	1	-	4	1	-	-	-	1	2	-	-
Female.....	6	-	-	3	3	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	-	-	1	-	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	1	-	-	-	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	1	1	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

Total Jan. Feb. March April May June July August Sept. Oct. Nov. Dec.

Occupant of pick-up truck or van injured in collision with fixed or stationary object, unspecified occupant of pick-up truck or van injured in traffic accident (V57.9)

All races, both sexes.....	31	1	1	2	5	3	5	6	2	3	2	1	-
Male.....	29	1	1	2	4	3	5	6	2	2	2	1	-
Female.....	2	-	-	-	1	-	-	-	-	1	-	-	-
White, both sexes.....	29	-	-	2	5	3	5	6	2	3	2	1	-
Male.....	27	-	-	2	4	3	5	6	2	2	2	1	-
Female.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Black, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of pick-up truck or van injured in noncollision transport accident (V58)

All races, both sexes.....	1,091	85	91	88	85	104	92	102	96	77	102	77	92
Male.....	901	68	70	73	70	91	73	87	79	61	86	71	72
Female.....	190	17	21	15	15	13	19	15	17	16	16	6	20
White, both sexes.....	955	75	79	78	79	85	78	87	86	69	89	70	80
Male.....	798	62	59	66	64	76	64	77	72	56	75	66	61
Female.....	157	13	20	12	15	9	14	10	14	13	14	4	19
Black, both sexes.....	63	4	4	3	4	7	10	8	5	6	3	2	7
Male.....	48	2	3	3	4	5	8	4	4	4	2	2	7
Female.....	15	2	1	-	-	2	2	4	1	2	1	-	-
American Indian 1/, both sexes.....	56	6	6	6	1	9	4	4	2	2	9	4	3
Male.....	42	4	6	4	1	8	1	3	1	1	8	2	3
Female.....	14	2	-	2	-	1	3	1	1	1	1	2	-
Asian or Pacific Islander 2/, both sexes.....	17	-	2	1	1	3	-	3	3	-	1	1	2
Male.....	13	-	2	-	1	2	-	3	2	-	1	1	1
Female.....	4	-	-	1	-	1	-	-	1	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in noncollision transport accident, person injured while boarding or alighting (V58.4)													
All races, both sexes.....	8	-	-	-	1	1	1	-	2	-	1	-	2
Male.....	3	-	-	-	-	-	-	-	1	-	1	-	1
Female.....	5	-	-	-	1	1	1	-	1	-	-	-	1
White, both sexes.....	8	-	-	-	1	1	1	-	2	-	1	-	2
Male.....	3	-	-	-	-	-	-	-	1	-	1	-	1
Female.....	5	-	-	-	1	1	1	-	1	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pick-up truck or van injured in noncollision transport accident, driver injured in traffic accident (V58.5)													
All races, both sexes.....	685	62	59	57	55	66	54	56	53	46	67	54	56
Male.....	601	51	48	53	46	60	47	51	49	40	57	50	49
Female.....	84	11	11	4	9	6	7	5	4	6	10	4	7
White, both sexes.....	627	57	53	53	51	59	48	51	50	43	62	49	51
Male.....	555	48	42	50	42	55	42	48	46	38	53	47	44
Female.....	72	9	11	3	9	4	6	3	4	5	9	2	7
Black, both sexes.....	24	2	1	1	2	2	6	2	2	2	-	1	3
Male.....	20	1	1	1	2	1	5	1	2	2	-	1	3
Female.....	4	1	-	-	-	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	27	3	5	2	1	3	-	1	1	1	5	3	2
Male.....	21	2	5	2	1	3	-	-	1	-	4	1	2
Female.....	6	1	-	-	-	-	-	1	-	1	1	2	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	1	1	2	-	2	-	-	-	1	-
Male.....	5	-	-	-	1	1	-	2	-	-	-	1	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bus occupant injured in collision with other nonmotor vehicle, unspecified bus occupant injured in traffic accident (V76.9)													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bus occupant injured in collision with fixed or stationary object (V77)													
All races, both sexes.....	5	-	-	-	2	-	-	-	1	1	-	1	-
Male.....	4	-	-	-	2	-	-	-	-	1	-	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	4	-	-	-	2	-	-	-	-	1	-	1	-
Male.....	4	-	-	-	2	-	-	-	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bus occupant injured in collision with fixed or stationary object, driver injured in traffic accident (V77.5)													
All races, both sexes.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bus occupant injured in collision with fixed or stationary object, passenger injured in traffic accident (V77.6)													
All races, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident (V86)													
All races, both sexes.....	1,073	81	86	74	113	105	95	110	112	98	79	52	68
Male.....	915	72	70	66	90	93	84	95	94	80	69	42	60
Female.....	158	9	16	8	23	12	11	15	18	18	10	10	8
White, both sexes.....	980	73	82	67	99	98	90	95	104	85	73	50	64
Male.....	831	65	66	60	78	86	80	82	87	67	63	41	56
Female.....	149	8	16	7	21	12	10	13	17	18	10	9	8
Black, both sexes.....	59	6	2	5	10	5	1	11	5	8	2	1	3
Male.....	54	5	2	4	8	5	1	11	5	8	2	-	3
Female.....	5	1	-	1	2	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	28	2	1	2	4	2	2	3	2	5	4	-	1
Male.....	26	2	1	2	4	2	2	2	1	5	4	-	1
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	2	1	1	-	-	1	-
Male.....	4	-	1	-	-	-	1	-	1	-	-	1	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Driver of all-terrain or other off-road motor vehicle injured in traffic accident (V86.0)													
All races, both sexes.....	252	14	17	20	28	24	25	28	28	24	17	16	11
Male.....	228	12	16	19	25	21	25	26	26	20	15	13	10
Female.....	24	2	1	1	3	3	-	2	2	4	2	3	1
White, both sexes.....	218	11	15	16	23	23	25	23	22	19	15	16	10
Male.....	196	9	14	15	21	20	25	22	20	15	13	13	9
Female.....	22	2	1	1	2	3	-	1	2	4	2	3	1
Black, both sexes.....	24	3	2	4	3	1	-	3	4	2	1	-	1
Male.....	23	3	2	4	2	1	-	3	4	2	1	-	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	-	-	-	2	-	-	1	1	3	1	-	-
Male.....	8	-	-	-	2	-	-	1	1	3	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person on outside of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.7)													
All races, both sexes.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified occupant of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.9)													
All races, both sexes.....	325	17	15	25	35	32	29	24	36	34	30	16	32
Male.....	289	16	12	22	29	30	25	21	33	28	27	15	31
Female.....	36	1	3	3	6	2	4	3	3	6	3	1	1
White, both sexes.....	298	16	14	23	30	29	26	21	36	30	27	16	30
Male.....	265	15	11	21	25	27	23	18	33	24	24	15	29
Female.....	33	1	3	2	5	2	3	3	3	6	3	1	1
Black, both sexes.....	14	1	-	1	3	2	-	3	-	3	-	-	1
Male.....	12	1	-	-	2	2	-	3	-	3	-	-	1
Female.....	2	-	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	11	-	1	1	2	1	1	-	-	1	3	-	1
Male.....	11	-	1	1	2	1	1	-	-	1	3	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured in collision between other motor vehicle and two- or three-wheeled motor vehicle (traffic) (V87.1)													
All races, both sexes.....	47	3	2	3	4	10	2	5	6	7	2	-	3
Male.....	42	2	2	3	3	10	2	4	5	7	1	-	3
Female.....	5	1	-	-	1	-	-	1	1	-	1	-	-
White, both sexes.....	43	3	2	3	2	8	2	5	6	7	2	-	3
Male.....	38	2	2	3	1	8	2	4	5	7	1	-	3
Female.....	5	1	-	-	1	-	-	1	1	-	1	-	-
Black, both sexes.....	4	-	-	-	2	2	-	-	-	-	-	-	-
Male.....	4	-	-	-	2	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in collision between car and pick-up truck or van (traffic) (V87.2)													
All races, both sexes.....	78	5	2	5	7	11	2	10	4	7	9	4	12
Male.....	45	1	1	5	4	4	2	5	3	5	5	3	7
Female.....	33	4	1	-	3	7	-	5	1	2	4	1	5
White, both sexes.....	70	5	2	5	7	9	2	10	4	6	7	3	10
Male.....	41	1	1	5	4	4	2	5	3	5	4	2	5
Female.....	29	4	1	-	3	5	-	5	1	1	3	1	5
Black, both sexes.....	4	-	-	-	-	1	-	-	-	-	2	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured in collision between car and bus (traffic) (V87.3)													
All races, both sexes.....	4	1	-	1	-	-	1	-	-	-	-	-	1
Male.....	3	1	-	-	-	-	1	-	-	-	-	-	1
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	1	-	1	-	-	1	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in collision between car and heavy transport vehicle (traffic) (V87.4)													
All races, both sexes.....	64	7	3	4	7	5	6	3	8	6	4	7	4
Male.....	42	5	2	2	6	2	5	2	4	4	2	5	3
Female.....	22	2	1	2	1	3	1	1	4	2	2	2	1
White, both sexes.....	52	5	3	2	4	4	6	3	6	6	3	6	4
Male.....	35	4	2	1	4	1	5	2	3	4	2	4	3
Female.....	17	1	1	1	-	3	1	1	3	2	1	2	1
Black, both sexes.....	7	1	-	1	3	-	-	-	1	-	-	1	-
Male.....	4	-	-	-	2	-	-	-	1	-	-	1	-
Female.....	3	1	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	1	-	-	-	-	1	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured in collision between railway train or railway vehicle and car (traffic) (V87.6)													
All races, both sexes.....	25	-	3	2	3	4	2	1	1	1	-	5	3
Male.....	12	-	2	2	2	2	1	1	-	-	-	1	1
Female.....	13	-	1	-	1	2	1	-	1	1	-	4	2
White, both sexes.....	24	-	3	2	2	4	2	1	1	1	-	5	3
Male.....	11	-	2	2	1	2	1	1	-	-	-	1	1
Female.....	13	-	1	-	1	2	1	-	1	1	-	4	2
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in collision between other specified motor vehicles (traffic) (V87.7)													
All races, both sexes.....	3,586	285	253	267	265	295	271	307	292	301	334	363	353
Male.....	2,156	164	158	155	164	190	153	188	186	182	197	213	206
Female.....	1,430	121	95	112	101	105	118	119	106	119	137	150	147
White, both sexes.....	3,017	236	205	226	218	249	229	257	241	244	297	321	294
Male.....	1,813	133	123	131	134	166	131	160	150	147	173	189	176
Female.....	1,204	103	82	95	84	83	98	97	91	97	124	132	118
Black, both sexes.....	435	36	42	34	42	40	31	33	31	47	24	29	46
Male.....	271	26	31	20	26	22	16	21	22	29	18	16	24
Female.....	164	10	11	14	16	18	15	12	9	18	6	13	22
American Indian 1/, both sexes.....	40	5	-	3	-	-	7	1	5	2	9	7	1
Male.....	22	2	-	3	-	-	3	1	4	1	5	3	-
Female.....	18	3	-	-	-	-	4	-	1	4	4	4	1
Asian or Pacific Islander 2/, both sexes.....	94	8	6	4	5	6	4	16	15	8	4	6	12
Male.....	50	3	4	1	4	2	3	6	10	5	1	5	6
Female.....	44	5	2	3	1	4	1	10	5	3	3	1	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motor- or nonmotor-vehicle accident, type of vehicle unspecified (V89)													
All races, both sexes.....	11,253	813	803	885	946	928	905	989	973	944	984	1,043	1,040
Male.....	7,586	551	538	604	645	622	600	667	654	659	653	707	686
Female.....	3,667	262	265	281	301	306	305	322	319	285	331	336	354
White, both sexes.....	9,385	688	684	710	769	790	752	814	822	781	837	863	875
Male.....	6,286	465	468	477	511	529	496	538	552	545	554	583	568
Female.....	3,099	223	216	233	258	261	256	276	270	236	283	280	307
Black, both sexes.....	1,392	93	86	125	130	99	129	126	109	117	109	141	128
Male.....	1,009	67	53	94	104	73	87	101	80	82	77	98	93
Female.....	383	26	33	31	26	26	42	25	29	35	32	43	35
American Indian 1/, both sexes.....	272	18	17	24	32	23	19	28	21	25	20	22	23
Male.....	172	10	8	17	21	12	13	17	13	19	11	13	18
Female.....	100	8	9	7	11	11	6	11	8	6	9	9	5
Asian or Pacific Islander 2/, both sexes.....	204	14	16	26	15	16	5	21	21	21	18	17	14
Male.....	119	9	9	16	9	8	4	11	9	13	11	13	7
Female.....	85	5	7	10	6	8	1	10	12	8	7	4	7
Person injured in unspecified motor-vehicle accident, nontraffic (V89.0)													
All races, both sexes.....	114	7	8	9	7	14	6	13	8	12	10	10	10
Male.....	82	4	8	7	7	11	4	6	5	7	8	7	8
Female.....	32	3	-	2	-	3	2	7	3	5	2	3	2
White, both sexes.....	103	7	7	8	5	13	6	13	6	11	10	9	8
Male.....	74	4	7	6	5	10	4	6	4	7	8	7	6
Female.....	29	3	-	2	-	3	2	7	2	4	2	2	2
Black, both sexes.....	6	-	-	1	2	1	-	-	1	-	-	1	-
Male.....	5	-	-	1	2	1	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	-	1	-	-	-	1
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured in unspecified nonmotor-vehicle accident, nontraffic (V89.1)													
All races, both sexes.....	3	-	-	-	-	-	1	-	-	2	-	-	-
Male.....	3	-	-	-	-	-	1	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	1	-	-	2	-	-	-
Male.....	3	-	-	-	-	-	1	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified motor-vehicle accident, traffic (V89.2)													
All races, both sexes.....	11,030	795	782	869	932	907	891	969	948	923	966	1,023	1,025
Male.....	7,424	540	519	592	633	608	589	654	637	644	640	694	674
Female.....	3,606	255	263	277	299	299	302	315	311	279	326	329	351
White, both sexes.....	9,190	671	664	696	757	772	740	794	800	762	820	849	865
Male.....	6,143	455	450	467	501	516	487	525	537	531	541	573	560
Female.....	3,047	216	214	229	256	256	253	269	263	231	279	276	305
Black, both sexes.....	1,373	92	86	123	128	96	127	126	108	117	108	136	126
Male.....	997	66	53	92	102	72	85	101	79	82	77	96	92
Female.....	376	26	33	31	26	24	42	25	29	35	31	40	34
American Indian 1/, both sexes.....	269	18	17	24	32	23	19	28	21	23	20	22	22
Male.....	170	10	8	17	21	12	13	17	13	18	11	13	17
Female.....	99	8	9	7	11	11	6	11	8	5	9	9	5
Asian or Pacific Islander 2/, both sexes.....	198	14	15	26	15	16	5	21	19	21	18	16	12
Male.....	114	9	8	16	9	8	4	11	8	13	11	12	5
Female.....	84	5	7	10	6	8	1	10	11	8	7	4	7

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accident to watercraft causing drowning and submersion, unspecified watercraft (V90.9)													
All races, both sexes.....	117	5	6	7	9	18	17	16	13	13	3	8	2
Male.....	101	5	5	7	9	17	13	12	11	9	3	8	2
Female.....	16	-	1	-	-	1	4	4	2	4	-	-	-
White, both sexes.....	99	5	6	6	7	17	13	13	10	12	2	6	2
Male.....	84	5	5	6	7	16	9	9	9	8	2	6	2
Female.....	15	-	1	-	-	1	4	4	1	4	-	-	-
Black, both sexes.....	15	-	-	1	2	-	4	1	3	1	1	2	-
Male.....	14	-	-	1	2	-	4	1	2	1	1	2	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Accident to watercraft causing other injury (V91)													
All races, both sexes.....	88	3	2	8	4	12	13	18	13	9	4	2	-
Male.....	65	2	1	7	4	9	10	11	10	5	4	2	-
Female.....	23	1	1	1	-	3	3	7	3	4	-	-	-
White, both sexes.....	83	3	2	7	2	12	13	18	12	8	4	2	-
Male.....	62	2	1	6	2	9	10	11	10	5	4	2	-
Female.....	21	1	1	1	-	3	3	7	2	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	1	2	-	-	-	-	1	-	-	-
Male.....	3	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accident to watercraft causing other injury, other unpowered watercraft (V91.8)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Accident to watercraft causing other injury, unspecified watercraft (V91.9)													
All races, both sexes.....	55	2	2	5	3	9	9	8	6	7	3	1	-
Male.....	38	1	1	4	3	6	7	3	5	4	3	1	-
Female.....	17	1	1	1	-	3	2	5	1	3	-	-	-
White, both sexes.....	52	2	2	5	1	9	9	8	5	7	3	1	-
Male.....	36	1	1	4	1	6	7	3	5	4	3	1	-
Female.....	16	1	1	1	-	3	2	5	-	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fall on same level involving ice and snow (W00)													
All races, both sexes.....	61	14	15	10	-	3	-	1	-	1	-	2	15
Male.....	46	10	11	9	-	2	-	-	-	1	-	2	11
Female.....	15	4	4	1	-	1	-	1	-	-	-	-	4
White, both sexes.....	59	13	15	10	-	2	-	1	-	1	-	2	15
Male.....	45	9	11	9	-	2	-	-	-	1	-	2	11
Female.....	14	4	4	1	-	-	-	1	-	-	-	-	4
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Fall on same level from slipping, tripping, and stumbling (W01)													
All races, both sexes.....	687	58	55	56	65	48	51	49	53	61	70	63	58
Male.....	299	22	26	24	27	22	18	21	24	29	28	29	29
Female.....	388	36	29	32	38	26	33	28	29	32	42	34	29
White, both sexes.....	654	54	53	55	60	48	48	48	49	58	66	59	56
Male.....	282	19	24	24	24	22	17	20	22	28	26	28	28
Female.....	372	35	29	31	36	26	31	28	27	30	40	31	28
Black, both sexes.....	22	1	1	1	3	-	2	-	3	3	4	3	1
Male.....	9	1	1	-	1	-	1	-	1	1	2	-	1
Female.....	13	-	-	1	2	-	1	-	2	2	2	3	-
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	1	-	-	-	1	-
Male.....	3	1	-	-	-	-	-	1	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	2	1	-	2	-	1	-	1	-	-	-	1
Male.....	5	1	1	-	2	-	-	-	1	-	-	-	-
Female.....	3	1	-	-	-	-	1	-	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fall while being carried or supported by other persons (W04)													
All races, both sexes.....	8	1	1	-	1	-	-	-	2	-	1	2	-
Male.....	4	1	1	-	-	-	-	-	1	-	1	-	-
Female.....	4	-	-	-	1	-	-	-	1	-	-	2	-
White, both sexes.....	7	1	1	-	1	-	-	-	1	-	1	2	-
Male.....	4	1	1	-	-	-	-	-	1	-	1	-	-
Female.....	3	-	-	-	1	-	-	-	-	-	-	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Fall involving wheelchair (W05)													
All races, both sexes.....	377	37	17	32	35	29	35	36	27	35	29	36	29
Male.....	165	8	8	18	16	16	16	20	10	13	11	16	13
Female.....	212	29	9	14	19	13	19	16	17	22	18	20	16
White, both sexes.....	347	33	16	27	31	26	33	35	24	34	29	32	27
Male.....	150	5	8	17	15	14	15	19	8	12	11	15	11
Female.....	197	28	8	10	16	12	18	16	16	22	18	17	16
Black, both sexes.....	19	3	1	4	2	1	1	-	2	1	-	3	1
Male.....	9	2	-	1	1	1	1	-	1	1	-	-	1
Female.....	10	1	1	3	1	-	-	-	1	-	-	3	-
American Indian 1/, both sexes.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	-	-	1	2	1	1	1	-	-	1	1
Male.....	6	1	-	-	-	1	-	1	1	-	-	1	1
Female.....	3	-	-	-	1	1	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fall involving bed (W06)													
All races, both sexes.....	626	64	35	66	50	56	60	40	47	40	61	46	61
Male.....	229	28	11	23	14	19	21	21	19	19	23	16	15
Female.....	397	36	24	43	36	37	39	19	28	21	38	30	46
White, both sexes.....	580	57	31	61	49	49	57	38	45	35	59	42	57
Male.....	205	23	9	22	13	16	20	19	18	16	23	14	12
Female.....	375	34	22	39	36	33	37	19	27	19	36	28	45
Black, both sexes.....	32	6	3	2	1	6	1	2	1	4	2	3	1
Male.....	17	4	1	1	1	3	-	2	-	3	-	1	1
Female.....	15	2	2	1	-	3	1	-	1	1	2	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	1	1	3	-	1	2	-	1	1	-	1	2
Male.....	6	1	1	-	-	-	1	-	1	-	-	1	1
Female.....	7	-	-	3	-	1	1	-	-	1	-	-	1
Fall involving chair (W07)													
All races, both sexes.....	193	15	15	22	14	17	13	10	15	19	23	15	15
Male.....	89	8	6	11	9	5	7	7	4	10	8	9	5
Female.....	104	7	9	11	5	12	6	3	11	9	15	6	10
White, both sexes.....	180	15	12	21	13	15	13	9	14	18	23	14	13
Male.....	84	8	5	11	8	5	7	6	3	10	8	8	5
Female.....	96	7	7	10	5	10	6	3	11	8	15	6	8
Black, both sexes.....	8	-	3	1	-	1	-	-	1	-	-	1	1
Male.....	3	-	1	-	-	-	-	-	1	-	-	1	-
Female.....	5	-	2	1	-	1	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	1	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fall on and from stairs and steps (W10)													
All races, both sexes.....	1,818	168	151	158	147	133	144	124	151	164	147	162	169
Male.....	1,053	101	91	101	83	73	86	62	92	102	75	88	99
Female.....	765	67	60	57	64	60	58	62	59	62	72	74	70
White, both sexes.....	1,641	146	133	147	137	120	135	112	136	146	130	145	154
Male.....	945	86	80	92	75	66	80	58	81	95	66	78	88
Female.....	696	60	53	55	62	54	55	54	55	51	64	67	66
Black, both sexes.....	127	16	11	6	7	10	8	10	11	14	11	12	11
Male.....	80	10	7	5	5	6	6	4	8	5	6	9	9
Female.....	47	6	4	1	2	4	2	6	3	9	5	3	2
American Indian 1/, both sexes.....	11	1	2	-	2	1	-	-	-	1	1	2	1
Male.....	7	1	1	-	2	-	-	-	-	1	-	1	1
Female.....	4	-	1	-	-	1	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	39	5	5	5	1	2	1	2	4	3	5	3	3
Male.....	21	4	3	4	1	1	-	-	3	1	3	-	1
Female.....	18	1	2	1	-	1	1	2	1	2	2	3	2
Fall on and from ladder (W11)													
All races, both sexes.....	401	17	25	22	27	44	33	40	31	32	36	52	42
Male.....	370	15	22	21	24	41	32	39	27	28	31	49	41
Female.....	31	2	3	1	3	3	1	1	4	4	5	3	1
White, both sexes.....	366	16	24	18	26	43	31	38	26	28	30	50	36
Male.....	339	14	21	17	23	40	30	37	23	26	25	47	36
Female.....	27	2	3	1	3	3	1	1	3	2	5	3	-
Black, both sexes.....	20	-	1	3	-	1	2	1	3	2	4	2	1
Male.....	20	-	1	3	-	1	2	1	3	2	4	2	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	1	-	-	-	2	-	-	-	2
Male.....	4	-	-	-	1	-	-	-	1	-	-	-	2
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	-	1	-	-	-	1	-	2	2	-	3
Male.....	7	1	-	1	-	-	-	1	-	-	2	-	2
Female.....	3	-	-	-	-	-	-	-	-	2	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other fall on same level (W18)													
All races, both sexes.....	5,394	477	418	484	431	451	417	467	424	451	458	440	476
Male.....	2,649	262	190	230	218	222	210	220	206	221	219	212	239
Female.....	2,745	215	228	254	213	229	207	247	218	230	239	228	237
White, both sexes.....	4,985	433	391	448	405	423	385	422	393	413	417	411	444
Male.....	2,408	234	176	210	205	204	191	192	186	199	195	196	220
Female.....	2,577	199	215	238	200	219	194	230	207	214	222	215	224
Black, both sexes.....	208	23	17	18	15	16	18	18	14	17	22	15	15
Male.....	131	13	9	11	8	11	11	12	10	9	16	9	12
Female.....	77	10	8	7	7	5	7	6	4	8	6	6	3
American Indian 1/, both sexes.....	42	6	2	3	4	2	3	4	3	4	4	5	2
Male.....	23	4	1	1	1	2	3	2	1	3	3	1	1
Female.....	19	2	1	2	3	-	-	2	2	1	1	4	1
Asian or Pacific Islander 2/, both sexes.....	159	15	8	15	7	10	11	23	14	17	15	9	15
Male.....	87	11	4	8	4	5	5	14	9	10	5	6	6
Female.....	72	4	4	7	3	5	6	9	5	7	10	3	9
Unspecified fall (W19)													
All races, both sexes.....	9,692	836	796	879	762	763	724	790	761	783	844	845	909
Male.....	4,583	389	405	399	335	389	350	348	362	386	396	394	430
Female.....	5,109	447	391	480	427	374	374	442	399	397	448	451	479
White, both sexes.....	8,985	776	739	793	710	718	675	743	708	731	771	783	838
Male.....	4,197	351	376	351	312	363	319	326	331	357	355	361	395
Female.....	4,788	425	363	442	398	355	356	417	377	374	416	422	443
Black, both sexes.....	505	43	44	64	38	28	32	38	39	35	50	40	54
Male.....	272	30	23	32	15	16	18	20	21	20	28	23	26
Female.....	233	13	21	32	23	12	14	18	18	15	22	17	28
American Indian 1/, both sexes.....	44	4	4	5	1	3	7	-	5	1	6	6	2
Male.....	29	3	1	4	1	2	5	-	5	-	4	4	-
Female.....	15	1	3	1	-	1	2	-	-	1	2	2	2
Asian or Pacific Islander 2/, both sexes.....	158	13	9	17	13	14	10	9	9	16	17	16	15
Male.....	85	5	5	12	7	8	8	2	5	9	9	6	9
Female.....	73	8	4	5	6	6	2	7	4	7	8	10	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Striking against or struck by other objects (W22)													
All races, both sexes.....	122	8	10	6	8	7	10	15	8	9	13	13	15
Male.....	87	5	9	5	4	4	8	10	7	7	9	9	10
Female.....	35	3	1	1	4	3	2	5	1	2	4	4	5
White, both sexes.....	111	8	10	5	7	7	9	12	8	6	12	12	15
Male.....	80	5	9	4	4	4	7	9	7	5	8	8	10
Female.....	31	3	1	1	3	3	2	3	1	1	4	4	5
Black, both sexes.....	9	-	-	1	1	-	1	2	-	2	1	1	-
Male.....	7	-	-	1	-	-	1	1	-	2	1	1	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Caught, crushed, jammed, or pinched in or between objects (W23)													
All races, both sexes.....	119	11	9	9	8	13	10	13	7	7	16	9	7
Male.....	97	10	9	7	8	10	8	10	7	5	13	4	6
Female.....	22	1	-	2	-	3	2	3	-	2	3	5	1
White, both sexes.....	104	9	7	8	7	13	10	12	4	5	15	7	7
Male.....	87	9	7	6	7	10	8	10	4	4	12	4	6
Female.....	17	-	-	2	-	3	2	2	-	1	3	3	1
Black, both sexes.....	13	2	2	1	1	-	-	-	3	2	-	2	-
Male.....	9	1	2	1	1	-	-	-	3	1	-	-	-
Female.....	4	1	-	-	-	-	-	-	-	1	-	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Exposure to other and unspecified animate mechanical forces (W64)													
All races, both sexes.....	9	1	1	-	1	-	-	1	2	1	1	1	-
Male.....	8	-	1	-	1	-	-	1	2	1	1	1	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	6	1	-	-	1	-	-	1	1	1	-	1	-
Male.....	5	-	-	-	1	-	-	1	1	1	-	1	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning and submersion while in bathtub (W65)													
All races, both sexes.....	381	32	30	36	37	39	24	36	31	22	26	36	32
Male.....	171	12	12	20	19	12	11	19	15	12	9	18	12
Female.....	210	20	18	16	18	27	13	17	16	10	17	18	20
White, both sexes.....	307	28	24	26	31	34	19	29	26	17	18	31	24
Male.....	132	11	10	12	14	10	9	14	12	10	6	15	9
Female.....	175	17	14	14	17	24	10	15	14	7	12	16	15
Black, both sexes.....	55	3	3	9	5	4	4	4	5	2	7	5	4
Male.....	35	1	1	8	4	2	2	3	3	2	3	3	3
Female.....	20	2	2	1	1	2	2	1	2	-	4	2	1
American Indian 1/, both sexes.....	4	-	-	1	-	-	-	2	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	15	1	3	-	1	1	1	1	-	3	1	-	3
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	13	1	2	-	-	1	1	1	-	3	1	-	3

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Drowning and submersion following fall into bathtub (W66)													
All races, both sexes.....	32	4	2	6	1	4	2	2	3	2	1	4	1
Male.....	12	2	-	2	-	2	1	-	2	1	-	2	-
Female.....	20	2	2	4	1	2	1	2	1	1	1	2	1
White, both sexes.....	26	3	1	6	1	3	2	2	2	1	1	3	1
Male.....	9	2	-	2	-	1	1	-	1	-	-	2	-
Female.....	17	1	1	4	1	2	1	2	1	1	1	1	1
Black, both sexes.....	5	1	-	-	-	1	-	-	1	1	-	1	-
Male.....	3	-	-	-	-	1	-	-	1	1	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning and submersion while in swimming pool (W67)													
All races, both sexes.....	600	13	10	22	26	52	132	144	95	51	25	12	18
Male.....	416	8	7	13	20	33	91	106	66	36	19	7	10
Female.....	184	5	3	9	6	19	41	38	29	15	6	5	8
White, both sexes.....	439	11	8	14	20	39	88	104	69	41	20	10	15
Male.....	294	7	5	10	16	24	54	73	47	30	16	5	7
Female.....	145	4	3	4	4	15	34	31	22	11	4	5	8
Black, both sexes.....	127	1	2	5	4	11	32	35	21	7	4	2	3
Male.....	104	1	2	3	4	8	28	31	15	5	2	2	3
Female.....	23	-	-	2	-	3	4	4	6	2	2	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	32	1	-	3	2	-	12	5	5	3	1	-	-
Male.....	17	-	-	-	-	-	9	2	4	1	1	-	-
Female.....	15	1	-	3	2	-	3	3	1	2	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Drowning and submersion following fall into swimming pool (W68)													
All races, both sexes.....	98	5	2	7	14	14	17	18	6	6	4	4	1
Male.....	57	-	1	7	7	12	8	7	5	3	3	3	1
Female.....	41	5	1	-	7	2	9	11	1	3	1	1	-
White, both sexes.....	82	5	2	7	6	11	15	17	6	5	4	3	1
Male.....	48	-	1	7	3	9	8	6	5	3	3	2	1
Female.....	34	5	1	-	3	2	7	11	1	2	1	1	-
Black, both sexes.....	11	-	-	-	6	2	2	-	-	-	-	1	-
Male.....	6	-	-	-	3	2	-	-	-	-	-	1	-
Female.....	5	-	-	-	3	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	2	1	-	1	-	1	-	-	-
Male.....	3	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Drowning and submersion while in natural water (W69)													
All races, both sexes.....	1,325	43	23	54	113	160	214	318	169	86	61	52	32
Male.....	1,186	36	21	48	105	146	193	284	147	78	52	44	32
Female.....	139	7	2	6	8	14	21	34	22	8	9	8	-
White, both sexes.....	1,042	37	18	40	80	128	165	242	149	67	50	40	26
Male.....	928	30	17	37	72	116	147	220	127	59	44	33	26
Female.....	114	7	1	3	8	12	18	22	22	8	6	7	-
Black, both sexes.....	192	4	4	9	27	23	30	49	18	14	7	5	2
Male.....	178	4	3	7	27	21	29	43	18	14	5	5	2
Female.....	14	-	1	2	-	2	1	6	-	-	2	-	-
American Indian 1/, both sexes.....	17	-	-	2	2	1	3	7	-	-	-	2	-
Male.....	14	-	-	1	2	1	3	5	-	-	-	2	-
Female.....	3	-	-	1	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	74	2	1	3	4	8	16	20	2	5	4	5	4
Male.....	66	2	1	3	4	8	14	16	2	5	3	4	4
Female.....	8	-	-	-	-	-	2	4	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified drowning and submersion (W74)													
All races, both sexes.....	695	41	28	33	49	69	81	140	99	64	30	22	39
Male.....	548	35	22	26	37	54	61	113	80	50	23	20	27
Female.....	147	6	6	7	12	15	20	27	19	14	7	2	12
White, both sexes.....	569	36	25	22	43	49	65	115	81	54	28	18	33
Male.....	445	31	20	17	32	39	48	93	63	43	21	16	22
Female.....	124	5	5	5	11	10	17	22	18	11	7	2	11
Black, both sexes.....	88	3	2	9	5	15	14	13	12	7	1	3	4
Male.....	72	2	1	8	4	12	11	10	11	5	1	3	4
Female.....	16	1	1	1	1	3	3	3	1	2	-	-	-
American Indian 1/, both sexes.....	14	2	-	1	1	3	-	2	-	2	1	-	2
Male.....	12	2	-	-	1	3	-	2	-	2	1	-	1
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	24	-	1	1	-	2	2	10	6	1	-	1	-
Male.....	19	-	1	1	-	-	2	8	6	-	-	1	-
Female.....	5	-	-	-	-	2	-	2	-	1	-	-	-
Accidental suffocation and strangulation in bed (W75)													
All races, both sexes.....	661	50	43	54	55	55	57	68	65	52	44	59	59
Male.....	383	28	30	31	36	33	35	36	39	20	26	40	29
Female.....	278	22	13	23	19	22	22	32	26	32	18	19	30
White, both sexes.....	396	35	26	25	29	37	28	43	35	34	25	38	41
Male.....	224	17	19	16	16	21	20	22	20	13	12	28	20
Female.....	172	18	7	9	13	16	8	21	15	21	13	10	21
Black, both sexes.....	229	11	16	28	24	14	26	22	21	16	16	20	15
Male.....	138	9	10	14	18	9	14	14	13	6	11	12	8
Female.....	91	2	6	14	6	5	12	8	8	10	5	8	7
American Indian 1/, both sexes.....	23	2	1	-	1	1	3	1	6	1	3	1	3
Male.....	14	2	1	-	1	-	1	-	5	-	3	-	1
Female.....	9	-	-	-	-	1	2	1	1	1	-	1	2
Asian or Pacific Islander 2/, both sexes.....	13	2	-	1	1	3	-	2	3	1	-	-	-
Male.....	7	-	-	1	1	3	-	-	1	1	-	-	-
Female.....	6	2	-	-	-	-	-	2	2	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Inhalation of gastric contents (W78)													
All races, both sexes.....	351	23	34	42	32	27	23	36	26	26	21	26	35
Male.....	189	13	16	20	18	14	10	23	16	12	11	15	21
Female.....	162	10	18	22	14	13	13	13	10	14	10	11	14
White, both sexes.....	297	17	29	36	26	25	20	30	20	24	19	22	29
Male.....	153	9	12	15	16	13	8	19	13	11	9	13	15
Female.....	144	8	17	21	10	12	12	11	7	13	10	9	14
Black, both sexes.....	48	6	5	5	6	1	1	6	6	2	2	3	5
Male.....	32	4	4	4	2	1	1	4	3	1	2	1	5
Female.....	16	2	1	1	4	-	-	2	3	1	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	-	1	2	-	-	-	-	1	1
Male.....	4	-	-	1	-	-	1	-	-	-	-	1	1
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Inhalation and ingestion of food causing obstruction of respiratory tract (W79)													
All races, both sexes.....	872	68	76	77	46	67	70	76	84	70	77	75	86
Male.....	487	42	42	40	25	38	37	40	42	44	40	50	47
Female.....	385	26	34	37	21	29	33	36	42	26	37	25	39
White, both sexes.....	787	64	72	71	41	59	62	71	74	62	69	61	81
Male.....	437	39	40	36	22	33	35	37	38	37	35	40	45
Female.....	350	25	32	35	19	26	27	34	36	25	34	21	36
Black, both sexes.....	65	4	3	2	5	6	7	4	7	7	6	10	4
Male.....	39	3	2	2	3	4	2	2	4	6	4	6	1
Female.....	26	1	1	-	2	2	5	2	3	1	2	4	3
American Indian 1/, both sexes.....	5	-	-	1	-	1	-	1	-	-	-	2	-
Male.....	4	-	-	-	-	1	-	1	-	-	-	2	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	1	3	-	1	1	-	3	1	2	2	1
Male.....	7	-	-	2	-	-	-	-	-	1	1	2	1
Female.....	8	-	1	1	-	1	1	-	3	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Exposure to high and low air pressure and changes in air pressure (W94)													
All races, both sexes.....	10	-	1	-	-	2	1	2	1	1	2	-	-
Male.....	7	-	1	-	-	2	-	1	1	1	1	-	-
Female.....	3	-	-	-	-	-	1	1	-	-	1	-	-
White, both sexes.....	10	-	1	-	-	2	1	2	1	1	2	-	-
Male.....	7	-	1	-	-	2	-	1	1	1	1	-	-
Female.....	3	-	-	-	-	-	1	1	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to uncontrolled fire in building or structure (X00)													
All races, both sexes.....	2,511	258	273	313	208	167	150	155	172	134	173	229	279
Male.....	1,414	131	150	176	130	92	86	98	89	65	102	130	165
Female.....	1,097	127	123	137	78	75	64	57	83	69	71	99	114
White, both sexes.....	1,869	189	214	234	158	128	107	114	122	105	128	169	201
Male.....	1,061	95	114	139	101	72	65	73	65	47	74	97	119
Female.....	808	94	100	95	57	56	42	41	57	58	54	72	82
Black, both sexes.....	589	64	54	68	49	36	42	39	47	29	38	53	70
Male.....	318	32	33	31	28	18	20	23	23	18	24	29	39
Female.....	271	32	21	37	21	18	22	16	24	11	14	24	31
American Indian 1/, both sexes.....	25	3	2	1	1	1	1	1	-	-	5	7	3
Male.....	20	3	1	1	1	1	1	1	-	-	4	4	3
Female.....	5	-	1	-	-	-	-	-	-	-	1	3	-
Asian or Pacific Islander 2/, both sexes.....	28	2	3	10	-	2	-	1	3	-	2	-	5
Male.....	15	1	2	5	-	1	-	1	1	-	-	-	4
Female.....	13	1	1	5	-	1	-	-	2	-	2	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Exposure to other specified smoke, fire, and flames (X08)													
All races, both sexes.....	57	7	4	8	5	3	4	5	3	3	4	5	6
Male.....	29	5	-	5	1	2	3	3	2	1	1	5	1
Female.....	28	2	4	3	4	1	1	2	1	2	3	-	5
White, both sexes.....	44	6	3	4	5	2	3	5	2	2	3	4	5
Male.....	22	4	-	2	1	2	2	3	1	1	1	4	1
Female.....	22	2	3	2	4	-	1	2	1	1	2	-	4
Black, both sexes.....	11	1	1	3	-	1	1	-	1	-	1	1	1
Male.....	6	1	-	2	-	-	1	-	1	-	-	1	-
Female.....	5	-	1	1	-	1	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to unspecified smoke, fire, and flames (X09)													
All races, both sexes.....	234	32	23	25	21	13	17	13	10	17	7	29	27
Male.....	146	21	16	11	14	5	10	10	7	13	4	20	15
Female.....	88	11	7	14	7	8	7	3	3	4	3	9	12
White, both sexes.....	179	23	20	20	12	10	13	12	7	14	7	19	22
Male.....	112	15	14	9	6	3	8	9	5	11	4	14	14
Female.....	67	8	6	11	6	7	5	3	2	3	3	5	8
Black, both sexes.....	51	9	3	5	8	3	2	1	3	3	-	9	5
Male.....	31	6	2	2	7	2	1	1	2	2	-	5	1
Female.....	20	3	1	3	1	1	1	-	1	1	-	4	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	2	-	-	-	-	1	-
Male.....	3	-	-	-	1	-	1	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Contact with hot drinks, food, fats, and cooking oils (X10)													
All races, both sexes.....	4	-	1	-	-	-	1	-	-	1	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	3	-	1	-	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Contact with hot tap water (X11)													
All races, both sexes.....	32	4	-	5	3	3	2	3	-	3	2	4	3
Male.....	15	2	-	2	2	2	-	3	-	-	1	2	1
Female.....	17	2	-	3	1	1	2	-	-	3	1	2	2
White, both sexes.....	21	2	-	3	1	2	1	3	-	1	2	3	3
Male.....	13	2	-	2	1	2	-	3	-	-	1	1	1
Female.....	8	-	-	1	-	-	1	-	-	1	1	2	2
Black, both sexes.....	9	1	-	2	2	1	1	-	-	1	-	1	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	7	1	-	2	1	1	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Exposure to other and unspecified forces of nature (X39)													
All races, both sexes.....	42	4	-	5	5	3	3	7	5	2	2	4	2
Male.....	29	4	-	3	4	2	2	5	2	1	2	3	1
Female.....	13	-	-	2	1	1	1	2	3	1	-	1	1
White, both sexes.....	39	4	-	4	5	3	2	7	4	2	2	4	2
Male.....	28	4	-	3	4	2	1	5	2	1	2	3	1
Female.....	11	-	-	1	1	1	1	2	2	1	-	1	1
Black, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics (X40)													
All races, both sexes.....	246	20	16	16	16	28	22	13	19	22	21	24	29
Male.....	89	7	9	6	3	6	8	4	9	4	12	9	12
Female.....	157	13	7	10	13	22	14	9	10	18	9	15	17
White, both sexes.....	213	20	15	16	14	25	15	12	17	20	16	22	21
Male.....	77	7	9	6	3	4	6	4	8	4	9	8	9
Female.....	136	13	6	10	11	21	9	8	9	16	7	14	12
Black, both sexes.....	25	-	1	-	1	2	4	1	1	2	5	2	6
Male.....	10	-	-	-	-	1	2	-	1	-	3	1	2
Female.....	15	-	1	-	1	1	2	1	-	2	2	1	4
American Indian 1/, both sexes.....	6	-	-	-	1	-	2	-	1	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	1	-	2	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified (X41)													
All races, both sexes.....	1,486	102	107	97	105	124	128	166	154	116	120	132	135
Male.....	944	59	62	58	56	79	77	111	104	76	75	87	100
Female.....	542	43	45	39	49	45	51	55	50	40	45	45	35
White, both sexes.....	1,332	95	94	85	97	112	109	146	141	100	112	121	120
Male.....	842	54	55	51	51	71	64	100	95	65	70	78	88
Female.....	490	41	39	34	46	41	45	46	46	35	42	43	32
Black, both sexes.....	87	2	12	7	2	10	12	9	9	8	3	6	7
Male.....	55	2	6	4	1	6	7	5	6	4	3	5	6
Female.....	32	-	6	3	1	4	5	4	3	4	-	1	1
American Indian 1/, both sexes.....	27	4	-	2	2	1	1	4	1	5	1	1	5
Male.....	17	2	-	2	-	1	1	2	-	5	-	-	4
Female.....	10	2	-	-	2	-	-	2	1	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	40	1	1	3	4	1	6	7	3	3	4	4	3
Male.....	30	1	1	1	4	1	5	4	3	2	2	4	2
Female.....	10	-	-	2	-	-	1	3	-	1	2	-	1
Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified (X42)													
All races, both sexes.....	13,302	1,038	977	1,151	1,125	1,186	1,183	1,249	1,177	1,084	1,095	1,008	1,029
Male.....	9,751	736	720	841	806	894	861	933	860	803	813	730	754
Female.....	3,551	302	257	310	319	292	322	316	317	281	282	278	275
White, both sexes.....	10,699	827	782	924	937	940	917	1,015	938	881	880	813	845
Male.....	7,867	589	579	677	675	700	670	742	694	663	656	593	629
Female.....	2,832	238	203	247	262	240	247	273	244	218	224	220	216
Black, both sexes.....	2,399	193	178	209	170	229	243	216	221	191	197	181	171
Male.....	1,739	135	130	150	118	181	175	176	155	133	147	125	114
Female.....	660	58	48	59	52	48	68	40	66	58	50	56	57
American Indian 1/, both sexes.....	133	13	10	13	12	11	16	11	10	7	14	8	8
Male.....	93	8	6	10	8	7	10	9	8	4	8	7	8
Female.....	40	5	4	3	4	4	6	2	2	3	6	1	-
Asian or Pacific Islander 2/, both sexes.....	71	5	7	5	6	6	7	7	8	5	4	6	5
Male.....	52	4	5	4	5	6	6	6	3	3	2	5	3
Female.....	19	1	2	1	1	-	1	1	5	2	2	1	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system (X43)													
All races, both sexes.....	16	3	-	1	3	2	1	1	1	-	2	1	1
Male.....	8	1	-	-	-	1	1	1	1	-	1	1	1
Female.....	8	2	-	1	3	1	-	-	-	1	-	-	-
White, both sexes.....	14	2	-	1	3	2	1	-	1	-	2	1	1
Male.....	6	-	-	-	-	1	1	-	1	-	1	1	1
Female.....	8	2	-	1	3	1	-	-	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances (X44)													
All races, both sexes.....	11,350	871	885	933	925	947	998	981	936	985	948	985	956
Male.....	6,948	540	508	553	563	600	626	622	584	577	586	594	595
Female.....	4,402	331	377	380	362	347	372	359	352	408	362	391	361
White, both sexes.....	10,303	796	799	845	827	869	920	874	847	887	868	902	869
Male.....	6,305	493	458	501	505	554	572	560	529	513	535	542	543
Female.....	3,998	303	341	344	322	315	348	314	318	374	333	360	326
Black, both sexes.....	875	66	69	69	80	65	71	85	81	86	67	64	72
Male.....	536	39	38	43	46	39	51	48	50	56	42	39	45
Female.....	339	27	31	26	34	26	20	37	31	30	25	25	27
American Indian 1/, both sexes.....	107	6	11	13	8	10	5	10	5	9	5	13	12
Male.....	69	5	9	7	7	5	3	7	3	6	2	9	6
Female.....	38	1	2	6	1	5	2	3	2	3	3	4	6
Asian or Pacific Islander 2/, both sexes.....	65	3	6	6	10	3	2	12	3	3	8	6	3
Male.....	38	3	3	2	5	2	-	7	2	2	7	4	1
Female.....	27	-	3	4	5	1	2	5	1	1	1	2	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accidental poisoning by and exposure to alcohol (X45)													
All races, both sexes.....	352	30	28	29	32	22	20	34	31	24	30	28	44
Male.....	272	22	25	23	24	16	16	26	23	19	24	21	33
Female.....	80	8	3	6	8	6	4	8	8	5	6	7	11
White, both sexes.....	282	22	23	25	25	18	17	29	19	20	21	25	38
Male.....	216	16	21	20	18	12	14	21	14	16	17	20	27
Female.....	66	6	2	5	7	6	3	8	5	4	4	5	11
Black, both sexes.....	36	4	4	3	4	3	2	2	7	1	3	1	2
Male.....	28	3	3	2	3	3	1	2	6	1	2	-	2
Female.....	8	1	1	1	1	-	1	-	1	-	1	1	-
American Indian 1/, both sexes.....	30	4	-	1	3	-	1	3	5	2	6	2	3
Male.....	24	3	-	1	3	-	1	3	3	1	5	1	3
Female.....	6	1	-	-	-	-	-	-	2	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	1	-	-	-	1	-	-	1
Male.....	4	-	1	-	-	1	-	-	-	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors (X46)													
All races, both sexes.....	71	5	5	6	4	6	6	6	9	7	6	4	7
Male.....	64	5	4	5	4	6	6	6	8	5	6	4	5
Female.....	7	-	1	1	-	-	-	-	1	2	-	-	2
White, both sexes.....	60	5	2	5	4	5	6	4	7	6	5	4	7
Male.....	56	5	2	5	4	5	6	4	7	4	5	4	5
Female.....	4	-	-	-	-	-	-	-	-	2	-	-	2
Black, both sexes.....	5	-	3	-	-	-	-	-	1	1	-	-	-
Male.....	4	-	2	-	-	-	-	-	1	1	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	-	-	1	-	1	-	2	-	-	1	-	-
Male.....	4	-	-	-	-	1	-	2	-	-	1	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Exposure to other specified factors (X58)													
All races, both sexes.....	68	7	8	4	4	7	7	6	5	4	6	5	5
Male.....	48	5	5	3	4	5	5	3	4	4	5	3	2
Female.....	20	2	3	1	-	2	2	3	1	-	1	2	3
White, both sexes.....	53	5	7	1	4	5	6	6	3	4	5	4	3
Male.....	40	4	5	1	4	4	4	3	2	4	5	3	1
Female.....	13	1	2	-	-	1	2	3	1	-	-	1	2
Black, both sexes.....	11	2	1	3	-	1	1	-	1	-	1	-	1
Male.....	5	1	-	2	-	-	1	-	1	-	-	-	-
Female.....	6	1	1	1	-	1	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	1	-	-	-	1
Male.....	3	-	-	-	-	1	-	-	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to unspecified factor (X59)													
All races, both sexes.....	6,345	571	503	582	513	534	511	514	481	521	551	509	555
Male.....	2,860	226	259	247	230	247	235	247	194	244	238	240	253
Female.....	3,485	345	244	335	283	287	276	267	287	277	313	269	302
White, both sexes.....	5,717	515	451	531	455	482	452	466	434	469	499	466	497
Male.....	2,501	195	228	221	196	220	199	216	168	215	209	212	222
Female.....	3,216	320	223	310	259	262	253	250	266	254	290	254	275
Black, both sexes.....	521	48	43	39	47	41	51	44	37	44	47	34	46
Male.....	297	28	24	19	29	20	31	28	20	26	26	21	25
Female.....	224	20	19	20	18	21	20	16	17	18	21	13	21
American Indian 1/, both sexes.....	35	3	4	3	3	6	1	2	3	2	1	2	5
Male.....	19	2	4	1	-	2	1	2	1	1	-	2	3
Female.....	16	1	-	2	3	4	-	-	2	1	1	-	2
Asian or Pacific Islander 2/, both sexes.....	72	5	5	9	8	5	7	2	7	6	4	7	7
Male.....	43	1	3	6	5	5	4	1	5	2	3	5	3
Female.....	29	4	2	3	3	-	3	1	2	4	1	2	4

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics, and antirheumatics (X60)													
All races, both sexes.....	200	12	14	15	19	17	21	16	16	15	16	25	14
Male.....	81	8	5	8	9	9	7	6	7	5	6	7	4
Female.....	119	4	9	7	10	8	14	10	9	10	10	18	10
White, both sexes.....	183	12	13	12	18	16	18	15	15	14	14	24	12
Male.....	74	8	4	6	9	9	6	6	6	5	5	6	4
Female.....	109	4	9	6	9	7	12	9	9	9	9	18	8
Black, both sexes.....	9	-	1	1	-	1	-	1	1	1	2	1	-
Male.....	5	-	1	1	-	-	-	-	1	-	1	1	-
Female.....	4	-	-	-	-	1	-	1	-	1	1	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	1	-	3	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	5	-	-	1	1	-	2	-	-	-	-	-	1
Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified (X61)													
All races, both sexes.....	946	77	72	65	83	93	85	70	87	77	71	76	90
Male.....	420	35	31	30	33	46	37	29	31	37	37	37	37
Female.....	526	42	41	35	50	47	48	41	56	40	34	39	53
White, both sexes.....	877	70	67	60	76	89	77	63	79	69	69	74	84
Male.....	387	32	30	27	32	43	31	25	27	32	36	36	36
Female.....	490	38	37	33	44	46	46	38	52	37	33	38	48
Black, both sexes.....	38	2	2	4	5	3	3	5	3	6	-	1	4
Male.....	18	1	-	3	1	2	1	4	2	3	-	-	1
Female.....	20	1	2	1	4	1	2	1	1	3	-	1	3
American Indian 1/, both sexes.....	11	2	-	1	1	1	1	-	3	1	-	-	1
Male.....	5	1	-	-	-	1	1	-	1	1	-	-	-
Female.....	6	1	-	1	1	-	-	-	2	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	20	3	3	-	1	-	4	2	2	1	2	1	1
Male.....	10	1	1	-	-	-	4	-	1	1	1	1	-
Female.....	10	2	2	-	1	-	-	2	1	-	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self-poisoning (suicide) by and exposure to organic solvents and halogenated hydrocarbons and their vapors (X66)													
All races, both sexes.....	120	3	16	10	9	7	10	12	15	8	15	9	6
Male.....	95	3	11	8	8	5	8	7	14	8	11	6	6
Female.....	25	-	5	2	1	2	2	5	1	-	4	3	-
White, both sexes.....	107	2	13	9	8	6	9	12	13	7	14	8	6
Male.....	84	2	9	7	7	4	7	7	13	7	10	5	6
Female.....	23	-	4	2	1	2	2	5	-	-	4	3	-
Black, both sexes.....	7	-	2	1	1	1	-	-	1	-	1	-	-
Male.....	6	-	1	1	1	1	-	-	1	-	1	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	-	-	1	-	1	1	-	1	-
Male.....	4	1	-	-	-	-	1	-	-	1	-	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)													
All races, both sexes.....	1,288	141	85	111	119	125	95	80	82	98	121	123	108
Male.....	991	107	69	87	95	96	82	55	59	74	91	86	90
Female.....	297	34	16	24	24	29	13	25	23	24	30	37	18
White, both sexes.....	1,224	131	83	106	115	114	89	76	80	93	114	119	104
Male.....	940	100	67	82	91	89	77	51	58	69	87	83	86
Female.....	284	31	16	24	24	25	12	25	22	24	27	36	18
Black, both sexes.....	35	6	1	2	3	4	4	3	1	2	3	4	2
Male.....	28	4	1	2	3	2	3	3	1	2	2	3	2
Female.....	7	2	-	-	-	2	1	-	-	-	1	1	-
American Indian 1/, both sexes.....	5	-	1	-	-	1	1	-	-	-	-	-	2
Male.....	5	-	1	-	-	1	1	-	-	-	-	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	4	-	3	1	6	1	1	1	3	4	-	-
Male.....	18	3	-	3	1	4	1	1	-	3	2	-	-
Female.....	6	1	-	-	-	2	-	-	1	-	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self-poisoning (suicide) by and exposure to pesticides (X68)													
All races, both sexes.....	17	-	2	-	2	3	1	2	2	-	1	3	1
Male.....	12	-	1	-	2	3	-	1	2	-	-	2	1
Female.....	5	-	1	-	-	-	1	1	-	-	1	1	-
White, both sexes.....	16	-	2	-	2	2	1	2	2	-	1	3	1
Male.....	11	-	1	-	2	2	-	1	2	-	-	2	1
Female.....	5	-	1	-	-	-	1	1	-	-	1	1	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self-poisoning (suicide) by and exposure to other and unspecified chemicals and noxious substances (X69)													
All races, both sexes.....	86	9	2	8	14	9	3	6	6	5	6	8	10
Male.....	57	7	2	5	10	5	1	4	5	2	4	4	8
Female.....	29	2	-	3	4	4	2	2	1	3	2	4	2
White, both sexes.....	75	8	2	7	13	9	3	5	5	5	4	5	9
Male.....	51	6	2	5	10	5	1	3	4	2	3	3	7
Female.....	24	2	-	2	3	4	2	2	1	3	1	2	2
Black, both sexes.....	5	1	-	1	-	-	-	1	-	-	-	2	-
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	1	-	-	-	1	-	2	1	1
Male.....	4	-	-	-	-	-	-	-	1	-	1	1	1
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self harm (suicide) by hanging, strangulation, and suffocation (X70)													
All races, both sexes.....	7,491	638	534	611	651	624	646	690	669	607	633	607	581
Male.....	6,173	523	431	518	537	507	533	585	552	497	521	486	483
Female.....	1,318	115	103	93	114	117	113	105	117	110	112	121	98
White, both sexes.....	6,494	560	470	515	551	544	560	605	582	524	561	522	500
Male.....	5,388	456	383	436	458	446	464	515	489	432	470	418	421
Female.....	1,106	104	87	79	93	98	96	90	93	92	91	104	79
Black, both sexes.....	477	40	32	45	44	37	45	45	32	39	38	38	42
Male.....	425	38	28	42	40	31	41	39	28	35	32	36	35
Female.....	52	2	4	3	4	6	4	6	4	4	6	2	7
American Indian 1/, both sexes.....	163	14	9	13	24	15	13	15	15	15	9	8	13
Male.....	123	11	6	11	16	12	11	11	12	11	6	6	10
Female.....	40	3	3	2	8	3	2	4	3	4	3	2	3
Asian or Pacific Islander 2/, both sexes.....	357	24	23	38	32	28	28	25	40	29	25	39	26
Male.....	237	18	14	29	23	18	17	20	23	19	13	26	17
Female.....	120	6	9	9	9	10	11	5	17	10	12	13	9
Intentional self harm (suicide) by drowning and submersion (X71)													
All races, both sexes.....	402	24	26	42	36	38	34	45	39	35	31	28	24
Male.....	254	15	14	28	26	19	21	30	23	20	21	22	15
Female.....	148	9	12	14	10	19	13	15	16	15	10	6	9
White, both sexes.....	314	17	24	30	26	32	25	35	32	27	23	23	20
Male.....	195	10	14	20	18	14	16	22	19	17	15	18	12
Female.....	119	7	10	10	8	18	9	13	13	10	8	5	8
Black, both sexes.....	56	4	1	11	6	3	6	4	6	4	3	5	3
Male.....	38	3	-	7	4	2	4	4	4	1	2	4	3
Female.....	18	1	1	4	2	1	2	-	2	3	1	1	-
American Indian 1/, both sexes.....	4	1	-	1	-	1	-	1	-	-	-	-	-
Male.....	4	1	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	2	1	-	4	2	3	5	1	4	5	-	1
Male.....	17	1	-	-	4	2	1	3	-	2	4	-	-
Female.....	11	1	1	-	-	-	2	2	1	2	1	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self harm (suicide) by handgun discharge (X72)													
All races, both sexes.....	3,655	293	264	297	293	325	317	353	341	292	308	290	282
Male.....	3,089	249	224	261	248	262	264	302	292	243	264	244	236
Female.....	566	44	40	36	45	63	53	51	49	49	44	46	46
White, both sexes.....	3,380	276	244	278	277	300	299	327	312	275	281	252	259
Male.....	2,838	233	207	243	233	238	248	276	266	226	240	211	217
Female.....	542	43	37	35	44	62	51	51	46	49	41	41	42
Black, both sexes.....	200	12	16	12	12	20	11	17	20	12	20	29	19
Male.....	186	12	14	12	11	20	11	17	18	12	18	25	16
Female.....	14	-	2	-	1	-	-	-	2	-	2	4	3
American Indian 1/, both sexes.....	27	-	1	2	1	2	2	4	4	3	3	4	1
Male.....	23	-	1	2	1	2	1	4	3	3	3	3	-
Female.....	4	-	-	-	-	-	1	-	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	48	5	3	5	3	3	5	5	5	2	4	5	3
Male.....	42	4	2	4	3	2	4	5	5	2	3	5	3
Female.....	6	1	1	1	-	1	1	-	-	-	1	-	-
Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge (X73)													
All races, both sexes.....	2,758	209	206	221	226	266	228	266	205	245	251	226	209
Male.....	2,603	204	197	208	215	252	214	248	194	227	230	218	196
Female.....	155	5	9	13	11	14	14	18	11	18	21	8	13
White, both sexes.....	2,614	195	197	209	213	254	215	257	192	235	238	213	196
Male.....	2,470	190	189	198	203	241	203	240	182	218	217	206	183
Female.....	144	5	8	11	10	13	12	17	10	17	21	7	13
Black, both sexes.....	78	7	6	6	6	7	8	5	7	7	5	5	9
Male.....	74	7	6	5	6	6	7	5	7	7	5	4	9
Female.....	4	-	-	1	-	1	1	-	-	-	-	1	-
American Indian 1/, both sexes.....	44	5	3	5	5	4	4	3	3	1	5	2	4
Male.....	38	5	2	4	4	4	3	2	2	1	5	2	4
Female.....	6	-	1	1	1	-	1	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	2	-	1	2	1	1	1	3	2	3	6	-
Male.....	21	2	-	1	2	1	1	1	3	1	3	6	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self harm (suicide) by jumping from a high place (X80)													
All races, both sexes.....	725	50	51	64	64	67	79	58	55	58	56	51	72
Male.....	535	40	35	46	49	49	61	45	38	37	39	40	56
Female.....	190	10	16	18	15	18	18	13	17	21	17	11	16
White, both sexes.....	589	39	42	49	50	57	62	45	43	50	48	43	61
Male.....	429	32	29	35	37	41	48	35	29	30	31	36	46
Female.....	160	7	13	14	13	16	14	10	14	20	17	7	15
Black, both sexes.....	75	8	4	10	8	5	7	8	3	3	5	6	8
Male.....	60	7	2	8	7	3	5	6	3	3	5	4	7
Female.....	15	1	2	2	1	2	2	2	-	-	-	2	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	1	1	-	-
Male.....	3	-	-	-	-	-	-	1	-	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	58	3	5	5	6	5	10	4	9	4	2	2	3
Male.....	43	1	4	3	5	5	8	3	6	3	2	-	3
Female.....	15	2	1	2	1	-	2	1	3	1	-	2	-
Intentional self harm (suicide) by jumping or lying before moving object (X81)													
All races, both sexes.....	355	26	17	35	27	36	26	34	30	32	29	38	25
Male.....	262	22	14	25	17	30	23	22	20	24	18	29	18
Female.....	93	4	3	10	10	6	3	12	10	8	11	9	7
White, both sexes.....	300	25	15	29	22	28	24	26	26	28	28	30	19
Male.....	220	21	14	20	13	24	21	19	16	20	17	21	14
Female.....	80	4	1	9	9	4	3	7	10	8	11	9	5
Black, both sexes.....	32	-	-	3	2	5	1	5	3	3	-	6	4
Male.....	27	-	-	3	1	5	1	2	3	3	-	6	3
Female.....	5	-	-	-	1	-	-	3	-	-	-	-	1
American Indian 1/, both sexes.....	6	-	1	-	1	-	1	2	-	-	-	-	1
Male.....	4	-	-	-	1	-	1	1	-	-	-	-	1
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	1	1	3	2	3	-	1	1	1	1	2	1
Male.....	11	1	-	2	2	1	-	-	1	1	1	2	-
Female.....	6	-	1	1	-	2	-	1	-	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self harm (suicide) by unspecified means (X84)													
All races, both sexes.....	141	13	11	4	19	15	16	10	12	13	8	7	13
Male.....	108	10	9	2	14	12	11	5	12	11	7	7	8
Female.....	33	3	2	2	5	3	5	5	-	2	1	-	5
White, both sexes.....	127	13	8	3	18	12	15	9	11	12	8	7	11
Male.....	100	10	7	2	13	9	11	5	11	10	7	7	8
Female.....	27	3	1	1	5	3	4	4	-	2	1	-	3
Black, both sexes.....	4	-	-	-	-	1	-	1	-	1	-	-	1
Male.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	3	1	1	1	1	-	1	-	-	-	1
Male.....	5	-	2	-	1	1	-	-	1	-	-	-	-
Female.....	4	-	1	1	-	-	1	-	-	-	-	-	1
Assault (homicide) by drugs, medicaments, and biological substances (X85)													
All races, both sexes.....	75	6	7	7	3	13	7	4	7	5	7	3	6
Male.....	46	3	5	4	2	9	5	1	5	3	4	-	5
Female.....	29	3	2	3	1	4	2	3	2	2	3	3	1
White, both sexes.....	51	3	5	6	2	9	6	3	2	5	5	2	3
Male.....	33	2	4	4	2	6	5	-	2	3	3	-	2
Female.....	18	1	1	2	-	3	1	3	-	2	2	2	1
Black, both sexes.....	21	3	2	-	1	3	1	1	4	-	2	1	3
Male.....	13	1	1	-	-	3	-	1	3	-	1	-	3
Female.....	8	2	1	-	1	-	1	-	1	-	1	1	-
American Indian 1/, both sexes.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by unspecified chemical or noxious substance (X90)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Assault (homicide) by hanging, strangulation, and suffocation (X91)													
All races, both sexes.....	624	66	38	58	47	51	55	49	55	58	51	46	50
Male.....	226	22	13	24	11	14	21	16	23	27	23	14	18
Female.....	398	44	25	34	36	37	34	33	32	31	28	32	32
White, both sexes.....	406	44	25	42	30	29	38	33	41	33	34	28	29
Male.....	144	14	9	16	6	7	14	10	17	19	15	6	11
Female.....	262	30	16	26	24	22	24	23	24	14	19	22	18
Black, both sexes.....	194	21	11	13	14	20	15	13	14	22	16	15	20
Male.....	73	8	3	6	4	6	7	6	6	7	8	6	6
Female.....	121	13	8	7	10	14	8	7	8	15	8	9	14
American Indian 1/, both sexes.....	7	-	-	1	1	-	1	2	-	-	-	1	1
Male.....	3	-	-	1	-	-	-	-	-	-	-	1	1
Female.....	4	-	-	-	1	-	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	1	2	2	2	2	1	1	-	3	1	2	-
Male.....	6	-	1	1	1	1	-	-	-	1	-	1	-
Female.....	11	1	1	1	1	1	1	1	-	2	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by drowning and submersion (X92)													
All races, both sexes.....	43	5	4	1	2	6	6	5	3	6	1	1	3
Male.....	22	4	-	-	1	4	3	2	1	3	1	1	2
Female.....	21	1	4	1	1	2	3	3	2	3	-	-	1
White, both sexes.....	25	3	3	1	1	5	5	3	-	2	-	1	1
Male.....	13	2	-	-	-	4	3	1	-	1	-	1	1
Female.....	12	1	3	1	1	1	2	2	-	1	-	-	-
Black, both sexes.....	16	2	1	-	1	1	1	1	3	4	1	-	1
Male.....	9	2	-	-	1	-	-	1	1	2	1	-	1
Female.....	7	-	1	-	-	1	1	-	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Assault (homicide) by handgun discharge (X93)													
All races, both sexes.....	997	73	63	85	64	82	82	103	80	92	100	79	94
Male.....	795	62	48	67	58	69	70	85	63	71	79	56	67
Female.....	202	11	15	18	6	13	12	18	17	21	21	23	27
White, both sexes.....	471	34	27	39	28	43	34	42	36	48	54	39	47
Male.....	346	26	21	29	23	32	27	32	26	35	40	24	31
Female.....	125	8	6	10	5	11	7	10	10	13	14	15	16
Black, both sexes.....	480	34	33	42	33	33	44	55	41	41	42	37	45
Male.....	410	32	25	35	32	32	39	48	35	33	35	30	34
Female.....	70	2	8	7	1	1	5	7	6	8	7	7	11
American Indian 1/, both sexes.....	11	2	1	1	1	1	-	1	-	1	2	-	1
Male.....	10	2	1	1	1	1	-	-	-	1	2	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	3	2	3	2	5	4	5	3	2	2	3	1
Male.....	29	2	1	2	2	4	4	5	2	2	2	2	1
Female.....	6	1	1	1	-	1	-	-	1	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by rifle, shotgun, and larger firearm discharge (X94)													
All races, both sexes.....	768	66	50	68	62	88	66	67	52	73	64	54	58
Male.....	583	54	37	59	47	60	53	48	43	56	45	42	39
Female.....	185	12	13	9	15	28	13	19	9	17	19	12	19
White, both sexes.....	472	36	31	44	35	54	38	41	32	46	38	34	43
Male.....	333	26	24	38	24	32	28	25	28	33	22	27	26
Female.....	139	10	7	6	11	22	10	16	4	13	16	7	17
Black, both sexes.....	265	26	19	21	25	33	24	24	19	23	23	17	11
Male.....	225	25	13	18	22	27	21	21	15	20	20	13	10
Female.....	40	1	6	3	3	6	3	3	4	3	3	4	1
American Indian 1/, both sexes.....	21	4	-	3	1	-	2	2	-	2	3	2	2
Male.....	19	3	-	3	1	-	2	2	-	2	3	2	1
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	1	1	2	-	1	2	-	1	2
Male.....	6	-	-	-	-	1	2	-	-	1	-	-	2
Female.....	4	-	-	-	1	-	-	-	1	1	-	1	-
Assault (homicide) by other and unspecified firearm discharge (X95)													
All races, both sexes.....	11,026	859	735	753	921	941	965	1,106	942	958	951	913	982
Male.....	9,508	737	628	662	796	810	842	958	810	816	820	789	840
Female.....	1,518	122	107	91	125	131	123	148	132	142	131	124	142
White, both sexes.....	4,336	358	327	306	359	359	353	424	362	366	394	360	368
Male.....	3,500	290	253	259	289	291	291	354	286	292	308	294	293
Female.....	836	68	74	47	70	68	62	70	76	74	86	66	75
Black, both sexes.....	6,368	481	388	426	535	561	580	649	540	563	529	530	586
Male.....	5,739	432	357	384	484	502	523	577	492	498	488	477	525
Female.....	629	49	31	42	51	59	57	72	48	65	41	53	61
American Indian 1/, both sexes.....	87	5	7	4	5	5	10	12	11	5	14	3	6
Male.....	76	2	7	3	4	5	10	11	9	4	12	3	6
Female.....	11	3	-	1	1	-	-	1	2	1	2	-	-
Asian or Pacific Islander 2/, both sexes.....	235	15	13	17	22	16	22	21	29	24	14	20	22
Male.....	193	13	11	16	19	12	18	16	23	22	12	15	16
Female.....	42	2	2	1	3	4	4	5	6	2	2	5	6

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by explosive material (X96)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Assault (homicide) by smoke, fire, and flames (X97)													
All races, both sexes.....	148	12	14	12	11	9	10	13	10	12	17	19	9
Male.....	86	5	8	8	5	4	4	6	5	8	13	13	7
Female.....	62	7	6	4	6	5	6	7	5	4	4	6	2
White, both sexes.....	85	7	9	9	5	5	4	6	3	7	13	12	5
Male.....	50	4	5	6	2	1	1	4	2	4	9	9	3
Female.....	35	3	4	3	3	4	3	2	1	3	4	3	2
Black, both sexes.....	53	4	4	3	4	4	3	7	6	5	4	6	3
Male.....	31	-	3	2	2	3	2	2	3	4	4	3	3
Female.....	22	4	1	1	2	1	1	5	3	1	-	3	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	1	-	2	-	3	-	1	-	-	-	-
Male.....	3	1	-	-	1	-	1	-	-	-	-	-	-
Female.....	5	-	1	-	1	-	2	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by steam, hot vapors, and hot objects (X98)													
All races, both sexes.....	4	1	-	1	-	-	-	1	-	-	-	-	1
Male.....	3	1	-	1	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Assault (homicide) by sharp object (X99)													
All races, both sexes.....	2,080	205	126	161	187	168	188	202	179	165	172	160	167
Male.....	1,513	154	87	112	131	115	133	147	132	123	127	129	123
Female.....	567	51	39	49	56	53	55	55	47	42	45	31	44
White, both sexes.....	1,183	120	58	85	98	101	102	118	107	100	112	90	92
Male.....	856	91	43	59	67	69	76	86	74	75	80	72	64
Female.....	327	29	15	26	31	32	26	32	33	25	32	18	28
Black, both sexes.....	793	73	61	63	84	60	75	76	63	59	54	59	66
Male.....	581	54	39	46	60	42	50	55	50	43	44	46	52
Female.....	212	19	22	17	24	18	25	21	13	16	10	13	14
American Indian 1/, both sexes.....	54	6	1	6	4	3	8	4	6	3	2	4	7
Male.....	42	5	1	4	4	2	5	3	6	2	1	4	5
Female.....	12	1	-	2	-	1	3	1	-	1	1	-	2
Asian or Pacific Islander 2/, both sexes.....	50	6	6	7	1	4	3	4	3	3	4	7	2
Male.....	34	4	4	3	-	2	2	3	2	3	2	7	2
Female.....	16	2	2	4	1	2	1	1	1	-	2	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by crashing of motor vehicle (Y03)													
All races, both sexes.....	38	-	2	-	5	2	2	3	10	3	2	6	3
Male.....	28	-	1	-	5	2	-	-	8	3	1	6	2
Female.....	10	-	1	-	-	-	2	3	2	-	1	-	1
White, both sexes.....	33	-	2	-	4	2	2	3	8	2	2	6	2
Male.....	24	-	1	-	4	2	-	-	7	2	1	6	1
Female.....	9	-	1	-	-	-	2	3	1	-	1	-	1
Black, both sexes.....	4	-	-	-	1	-	-	-	1	1	-	-	1
Male.....	3	-	-	-	1	-	-	-	-	1	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Assault (homicide) by bodily force (Y04)													
All races, both sexes.....	89	3	7	5	3	8	12	11	8	7	12	5	8
Male.....	71	3	6	3	2	7	9	9	6	6	9	5	6
Female.....	18	-	1	2	1	1	3	2	2	1	3	-	2
White, both sexes.....	57	3	5	2	2	6	4	7	7	3	10	3	5
Male.....	49	3	5	2	2	5	4	5	5	3	8	3	4
Female.....	8	-	-	-	-	1	-	2	2	-	2	-	1
Black, both sexes.....	30	-	2	3	1	2	7	4	1	4	1	2	3
Male.....	21	-	1	1	-	2	4	4	1	3	1	2	2
Female.....	9	-	1	2	1	-	3	-	-	1	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sexual assault (homicide) by bodily force (Y05)													
All races, both sexes.....	3	-	-	1	-	-	-	-	-	-	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	1	-	1
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect and abandonment (Y06)													
All races, both sexes.....	34	1	4	3	3	7	1	3	2	3	4	3	-
Male.....	8	-	1	-	2	2	-	-	-	1	1	1	-
Female.....	26	1	3	3	1	5	1	3	2	2	3	2	-
White, both sexes.....	27	1	4	3	2	5	1	2	1	3	4	1	-
Male.....	4	-	1	-	1	-	-	-	-	1	1	-	-
Female.....	23	1	3	3	1	5	1	2	1	2	3	1	-
Black, both sexes.....	4	-	-	-	1	1	-	1	-	-	-	1	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by other specified means (Y08)													
All races, both sexes.....	332	36	18	23	28	28	21	39	33	36	21	31	18
Male.....	254	25	15	19	23	24	17	32	24	30	15	19	11
Female.....	78	11	3	4	5	4	4	7	9	6	6	12	7
White, both sexes.....	203	24	14	14	17	19	14	26	20	17	8	18	12
Male.....	152	15	12	12	14	17	12	23	14	12	3	11	7
Female.....	51	9	2	2	3	2	2	3	6	5	5	7	5
Black, both sexes.....	101	9	4	5	7	7	7	12	7	16	12	9	6
Male.....	80	7	3	3	5	6	5	8	6	16	11	6	4
Female.....	21	2	1	2	2	1	2	4	1	-	1	3	2
American Indian 1/, both sexes.....	21	2	-	3	3	2	-	1	5	1	1	3	-
Male.....	16	2	-	3	3	1	-	1	3	1	1	1	-
Female.....	5	-	-	-	-	1	-	-	2	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	1	1	-	-	-	2	2	-	1	-
Male.....	6	1	-	1	1	-	-	-	1	1	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Assault (homicide) by unspecified means (Y09)													
All races, both sexes.....	1,758	161	114	137	153	146	157	149	159	129	151	156	146
Male.....	1,174	116	76	89	96	96	122	101	98	84	99	96	101
Female.....	584	45	38	48	57	50	35	48	61	45	52	60	45
White, both sexes.....	1,194	112	76	90	93	96	103	100	112	99	98	110	105
Male.....	792	78	53	60	63	66	79	70	66	62	60	66	69
Female.....	402	34	23	30	30	30	24	30	46	37	38	44	36
Black, both sexes.....	484	39	32	41	56	43	50	39	40	25	45	41	33
Male.....	326	30	20	25	30	25	42	22	28	19	31	28	26
Female.....	158	9	12	16	26	18	8	17	12	6	14	13	7
American Indian 1/, both sexes.....	36	6	1	1	1	4	2	4	6	1	3	2	5
Male.....	27	5	-	1	1	3	1	4	4	1	3	1	3
Female.....	9	1	1	-	-	1	-	-	2	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	44	4	5	5	3	3	2	6	1	4	5	3	3
Male.....	29	3	3	3	2	2	-	5	-	2	5	1	3
Female.....	15	1	2	2	1	1	2	1	1	2	-	2	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Poisoning by and exposure to other and unspecified chemicals and noxious substances, undetermined intent (Y19)													
All races, both sexes.....	36	2	2	3	2	1	4	6	5	4	2	4	1
Male.....	25	2	1	2	2	1	3	4	3	3	-	4	-
Female.....	11	-	1	1	-	-	1	2	2	1	2	-	1
White, both sexes.....	27	-	1	2	2	1	2	5	5	3	2	3	1
Male.....	18	-	-	1	2	1	2	4	3	2	-	3	-
Female.....	9	-	1	1	-	-	1	1	2	1	2	-	1
Black, both sexes.....	5	2	-	1	-	-	1	-	-	1	-	-	-
Male.....	5	2	-	1	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	1	-	-	-	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Hanging, strangulation, and suffocation, undetermined intent (Y20)													
All races, both sexes.....	152	13	13	15	14	17	8	10	11	7	15	17	12
Male.....	115	11	9	10	10	16	6	7	7	7	12	13	7
Female.....	37	2	4	5	4	1	2	3	4	-	3	4	5
White, both sexes.....	120	10	11	11	11	14	7	9	9	6	11	13	8
Male.....	91	8	7	9	7	13	5	6	7	6	9	10	4
Female.....	29	2	4	2	4	1	2	3	2	-	2	3	4
Black, both sexes.....	25	3	1	3	3	2	-	1	1	1	4	4	2
Male.....	19	3	1	-	3	2	-	1	-	1	3	3	2
Female.....	6	-	-	3	-	-	-	-	1	-	1	1	-
American Indian 1/, both sexes.....	4	-	1	1	-	1	-	-	-	-	-	-	1
Male.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	1	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Crashing of motor vehicle, undetermined intent (Y32)													
All races, both sexes.....	18	-	-	1	2	1	3	1	2	3	2	-	3
Male.....	10	-	-	-	1	1	2	-	-	2	2	-	2
Female.....	8	-	-	1	1	-	1	1	2	1	-	-	1
White, both sexes.....	14	-	-	1	2	-	2	1	2	3	2	-	1
Male.....	8	-	-	-	1	-	2	-	-	2	2	-	1
Female.....	6	-	-	1	1	-	-	1	2	1	-	-	-
Black, both sexes.....	3	-	-	-	-	1	-	-	-	-	-	-	2
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Other specified events, undetermined intent (Y33)													
All races, both sexes.....	119	8	11	13	5	2	9	20	15	4	10	13	9
Male.....	87	7	5	6	5	2	7	16	12	3	7	8	9
Female.....	32	1	6	7	-	-	2	4	3	1	3	5	-
White, both sexes.....	92	6	10	10	2	1	8	13	12	2	8	11	9
Male.....	68	5	5	5	2	1	6	10	11	1	6	7	9
Female.....	24	1	5	5	-	-	2	3	1	1	2	4	-
Black, both sexes.....	17	1	-	2	2	-	1	4	3	2	1	1	-
Male.....	14	1	-	1	2	-	1	4	1	2	1	1	-
Female.....	3	-	-	1	-	-	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	1	1	1	-	-	3	-	-	1	1	-
Male.....	4	1	-	-	1	-	-	2	-	-	-	-	-
Female.....	5	-	1	1	-	-	-	1	-	-	1	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sedative, hypnotic, and antianxiety drug, unspecified (Y47.9)													
All races, both sexes.....	3	-	-	-	-	1	-	-	-	-	1	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Anesthetics and therapeutic gases (Y48)													
All races, both sexes.....	14	-	1	1	1	1	1	3	-	2	1	1	2
Male.....	7	-	1	1	-	1	-	2	-	1	-	1	-
Female.....	7	-	-	-	1	-	1	1	-	1	1	-	2
White, both sexes.....	10	-	1	1	1	1	-	2	-	1	-	1	2
Male.....	7	-	1	1	-	1	-	2	-	1	-	1	-
Female.....	3	-	-	-	1	-	-	-	-	-	-	-	2
Black, both sexes.....	3	-	-	-	-	-	1	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Local anesthetics (Y48.3)													
All races, both sexes.....	6	-	-	1	-	-	1	3	-	-	-	-	1
Male.....	3	-	-	1	-	-	-	2	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	1	-	-	-	-	1
White, both sexes.....	4	-	-	1	-	-	-	2	-	-	-	-	1
Male.....	3	-	-	1	-	-	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Anesthetic, unspecified (Y48.4)													
All races, both sexes.....	8	-	1	-	1	1	-	-	-	2	1	1	1
Male.....	4	-	1	-	-	1	-	-	-	1	-	1	-
Female.....	4	-	-	-	1	-	-	-	-	1	1	-	1
White, both sexes.....	6	-	1	-	1	1	-	-	-	1	-	1	1
Male.....	4	-	1	-	-	1	-	-	-	1	-	1	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Drug or medicament, unspecified (Y57.9)													
All races, both sexes.....	150	14	16	14	11	10	13	7	19	14	12	7	13
Male.....	67	5	7	9	6	4	6	1	9	8	6	2	4
Female.....	83	9	9	5	5	6	7	6	10	6	6	5	9
White, both sexes.....	116	10	12	14	10	7	12	5	18	10	6	5	7
Male.....	57	4	5	9	5	4	6	-	9	6	4	1	4
Female.....	59	6	7	5	5	3	6	5	9	4	2	4	3
Black, both sexes.....	30	3	4	-	1	2	1	2	1	4	5	2	5
Male.....	10	1	2	-	1	-	-	1	-	2	2	1	-
Female.....	20	2	2	-	-	2	1	1	1	2	3	1	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care (Y60)													
All races, both sexes.....	123	7	6	10	11	13	14	7	13	12	14	7	9
Male.....	40	3	2	3	4	3	4	4	6	3	3	3	2
Female.....	83	4	4	7	7	10	10	3	7	9	11	4	7
White, both sexes.....	85	5	5	7	7	7	9	4	7	9	10	6	9
Male.....	27	2	2	2	4	1	2	3	3	2	2	2	2
Female.....	58	3	3	5	3	6	7	1	4	7	8	4	7
Black, both sexes.....	34	1	1	3	4	6	5	2	5	3	3	1	-
Male.....	13	1	-	1	-	2	2	1	3	1	1	1	-
Female.....	21	-	1	2	4	4	3	1	2	2	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	1	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
During kidney dialysis or other perfusion (Y60.2)													
All races, both sexes.....	8	1	-	1	-	2	1	-	1	-	2	-	-
Male.....	5	1	-	1	-	-	1	-	1	-	1	-	-
Female.....	3	-	-	-	-	2	-	-	-	-	1	-	-
White, both sexes.....	3	-	-	1	-	-	1	-	-	-	1	-	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	5	1	-	-	-	2	-	-	1	-	1	-	-
Male.....	3	1	-	-	-	-	-	-	1	-	1	-	-
Female.....	2	-	-	-	-	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
During endoscopic examination (Y60.4)													
All races, both sexes.....	17	-	1	-	2	2	3	1	1	2	1	-	4
Male.....	5	-	-	-	1	1	1	-	1	-	-	-	1
Female.....	12	-	1	-	1	1	2	1	-	2	1	-	3
White, both sexes.....	13	-	1	-	2	-	3	-	-	2	1	-	4
Male.....	3	-	-	-	1	-	1	-	-	-	-	-	1
Female.....	10	-	1	-	1	-	2	-	-	2	1	-	3
Black, both sexes.....	3	-	-	-	-	2	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Miscellaneous devices, not elsewhere classified (Y82.8)													
All races, both sexes.....	4	1	-	-	-	-	1	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	-	2	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	-	1	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y83)													
All races, both sexes.....	1,491	136	96	131	104	123	128	116	133	122	143	123	136
Male.....	651	59	39	58	49	56	58	56	65	55	45	54	57
Female.....	840	77	57	73	55	67	70	60	68	67	98	69	79
White, both sexes.....	1,233	111	71	109	89	106	104	96	112	97	123	103	112
Male.....	542	46	31	49	38	49	46	48	54	45	40	48	48
Female.....	691	65	40	60	51	57	58	48	58	52	83	55	64
Black, both sexes.....	232	23	21	21	13	15	23	19	19	22	17	18	21
Male.....	99	12	7	8	9	6	12	8	10	7	5	6	9
Female.....	133	11	14	13	4	9	11	11	9	15	12	12	12
American Indian 1/, both sexes.....	8	-	-	1	1	-	1	-	1	1	2	-	1
Male.....	4	-	-	1	1	-	-	-	1	1	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	-	2	-	1
Asian or Pacific Islander 2/, both sexes.....	18	2	4	-	1	2	-	1	1	2	1	2	2
Male.....	6	1	1	-	1	1	-	-	-	2	-	-	-
Female.....	12	1	3	-	-	1	-	1	1	-	1	2	2

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Surgical operation with transplant of whole organ (Y83.0)													
All races, both sexes.....	36	4	2	5	2	4	3	3	3	2	3	2	3
Male.....	18	2	-	3	1	2	1	1	3	1	1	-	3
Female.....	18	2	2	2	1	2	2	2	-	1	2	2	-
White, both sexes.....	31	4	2	3	2	3	3	3	2	2	3	2	2
Male.....	15	2	-	3	1	1	1	1	2	1	1	-	2
Female.....	16	2	2	-	1	2	2	2	-	1	2	2	-
Black, both sexes.....	5	-	-	2	-	1	-	-	1	-	-	-	1
Male.....	3	-	-	-	-	1	-	-	1	-	-	-	1
Female.....	2	-	-	2	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Surgical operation with implant of artificial internal device (Y83.1)													
All races, both sexes.....	290	28	21	26	28	26	29	24	17	25	20	23	23
Male.....	124	14	5	11	11	9	14	14	10	11	8	9	8
Female.....	166	14	16	15	17	17	15	10	7	14	12	14	15
White, both sexes.....	255	22	17	25	23	24	26	18	16	22	20	19	23
Male.....	107	10	5	11	7	9	12	10	9	10	8	8	8
Female.....	148	12	12	14	16	15	14	8	7	12	12	11	15
Black, both sexes.....	28	5	3	1	4	1	3	6	-	2	-	3	-
Male.....	13	3	-	-	3	-	2	4	-	-	-	1	-
Female.....	15	2	3	1	1	1	1	2	-	2	-	2	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	1	-	-	1	-	-	-	1	-	1	-
Male.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	1	-	-	1	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Surgical procedure, unspecified (Y83.9)													
All races, both sexes.....	507	42	25	42	37	40	40	38	54	34	57	35	63
Male.....	201	16	12	17	17	23	19	15	20	13	11	14	24
Female.....	306	26	13	25	20	17	21	23	34	21	46	21	39
White, both sexes.....	434	37	19	34	32	38	32	34	47	30	50	32	49
Male.....	173	12	10	13	15	22	15	14	17	10	10	14	21
Female.....	261	25	9	21	17	16	17	20	30	20	40	18	28
Black, both sexes.....	64	5	5	8	5	2	8	3	6	3	6	2	11
Male.....	27	4	2	4	2	1	4	1	3	2	1	-	3
Female.....	37	1	3	4	3	1	4	2	3	1	5	2	8
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	1	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	-	1	1	-	-	1	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	1	-	-	-	-	1	1	-	-	1	2
Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y84)													
All races, both sexes.....	435	37	38	44	43	31	35	39	37	37	28	31	35
Male.....	217	21	18	21	16	15	18	15	20	20	14	19	20
Female.....	218	16	20	23	27	16	17	24	17	17	14	12	15
White, both sexes.....	346	33	31	39	31	25	28	33	22	27	23	28	26
Male.....	177	19	13	18	10	12	16	13	14	16	12	19	15
Female.....	169	14	18	21	21	13	12	20	8	11	11	9	11
Black, both sexes.....	80	4	7	4	10	5	6	5	13	10	5	3	8
Male.....	37	2	5	3	5	2	1	2	6	4	2	-	5
Female.....	43	2	2	1	5	3	5	3	7	6	3	3	3
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	1	1	1	1	1	2	-	-	-	1
Male.....	3	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	5	-	-	1	-	-	-	1	2	-	-	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Aspiration of fluid (Y84.4)													
All races, both sexes.....	3	-	-	-	1	-	-	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
White, both sexes.....	3	-	-	-	1	-	-	-	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Urinary catheterization (Y84.6)													
All races, both sexes.....	55	7	3	2	5	5	2	2	8	6	4	6	5
Male.....	28	4	2	-	3	3	1	-	3	4	1	4	3
Female.....	27	3	1	2	2	2	1	2	5	2	3	2	2
White, both sexes.....	44	7	3	2	4	4	2	2	4	3	4	6	3
Male.....	22	4	2	-	2	2	1	-	2	3	1	4	1
Female.....	22	3	1	2	2	2	1	2	2	-	3	2	2
Black, both sexes.....	9	-	-	-	-	1	-	-	3	3	-	-	2
Male.....	5	-	-	-	-	1	-	-	1	1	-	-	2
Female.....	4	-	-	-	-	-	-	-	2	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of transport accidents (Y85)													
All races, both sexes.....	727	84	58	60	53	69	61	49	53	51	64	52	73
Male.....	537	59	42	36	42	53	45	38	40	42	43	40	57
Female.....	190	25	16	24	11	16	16	11	13	9	21	12	16
White, both sexes.....	600	76	47	55	46	54	49	37	44	37	53	40	62
Male.....	444	54	32	34	38	41	36	30	33	30	36	31	49
Female.....	156	22	15	21	8	13	13	7	11	7	17	9	13
Black, both sexes.....	103	6	11	3	6	13	10	11	7	10	7	11	8
Male.....	80	4	10	2	4	10	7	7	5	8	7	9	7
Female.....	23	2	1	1	2	3	3	4	2	2	-	2	1
American Indian 1/, both sexes.....	10	-	-	1	1	-	1	1	2	1	1	1	1
Male.....	5	-	-	-	-	-	1	1	2	1	-	-	-
Female.....	5	-	-	1	1	-	-	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	14	2	-	1	-	2	1	-	-	3	3	-	2
Male.....	8	1	-	-	-	2	1	-	-	3	-	-	1
Female.....	6	1	-	1	-	-	-	-	-	-	3	-	1
Sequelae of motor-vehicle accident (Y85.0)													
All races, both sexes.....	714	84	56	60	50	68	59	49	52	50	64	52	70
Male.....	527	59	41	36	40	52	43	38	39	41	43	40	55
Female.....	187	25	15	24	10	16	16	11	13	9	21	12	15
White, both sexes.....	588	76	45	55	43	53	47	37	43	37	53	40	59
Male.....	435	54	31	34	36	40	34	30	32	30	36	31	47
Female.....	153	22	14	21	7	13	13	7	11	7	17	9	12
Black, both sexes.....	102	6	11	3	6	13	10	11	7	9	7	11	8
Male.....	79	4	10	2	4	10	7	7	5	7	7	9	7
Female.....	23	2	1	1	2	3	3	4	2	2	-	2	1
American Indian 1/, both sexes.....	10	-	-	1	1	-	1	1	2	1	1	1	1
Male.....	5	-	-	-	-	-	1	1	2	1	-	-	-
Female.....	5	-	-	1	1	-	-	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	14	2	-	1	-	2	1	-	-	3	3	-	2
Male.....	8	1	-	-	-	2	1	-	-	3	-	-	1
Female.....	6	1	-	1	-	-	-	-	-	-	3	-	1

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of other and unspecified transport accidents (Y85.9)													
All races, both sexes.....	13	-	2	-	3	1	2	-	1	1	-	-	3
Male.....	10	-	1	-	2	1	2	-	1	1	-	-	2
Female.....	3	-	1	-	1	-	-	-	-	-	-	-	1
White, both sexes.....	12	-	2	-	3	1	2	-	1	-	-	-	3
Male.....	9	-	1	-	2	1	2	-	1	-	-	-	2
Female.....	3	-	1	-	1	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of other accidents (Y86)													
All races, both sexes.....	996	103	101	99	82	73	72	72	81	80	85	68	80
Male.....	666	65	72	68	54	46	47	53	48	54	60	48	51
Female.....	330	38	29	31	28	27	25	19	33	26	25	20	29
White, both sexes.....	860	90	86	89	66	59	62	68	76	68	72	57	67
Male.....	568	56	60	60	44	37	40	49	44	46	51	41	40
Female.....	292	34	26	29	22	22	22	19	32	22	21	16	27
Black, both sexes.....	109	9	13	8	14	10	9	2	4	9	12	8	11
Male.....	80	6	11	7	9	8	6	2	3	5	8	6	9
Female.....	29	3	2	1	5	2	3	-	1	4	4	2	2
American Indian 1/, both sexes.....	17	3	-	1	2	3	1	1	1	3	1	1	-
Male.....	11	2	-	-	1	1	1	1	1	3	1	-	-
Female.....	6	1	-	1	1	2	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	10	1	2	1	-	1	-	1	-	-	-	2	2
Male.....	7	1	1	1	-	-	-	1	-	-	-	1	2
Female.....	3	-	1	-	-	1	-	-	-	-	-	1	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of misadventures to patients during surgical and medical procedures (Y88.1)													
All races, both sexes.....	3	-	-	-	-	-	1	-	-	1	-	1	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-
White, both sexes.....	3	-	-	-	-	-	1	-	-	1	-	1	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of surgical and medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y88.3)													
All races, both sexes.....	74	6	6	5	5	7	8	8	7	2	8	7	5
Male.....	32	3	2	3	3	1	1	5	2	2	4	3	3
Female.....	42	3	4	2	2	6	7	3	5	-	4	4	2
White, both sexes.....	68	5	6	5	5	7	5	8	7	2	6	7	5
Male.....	30	3	2	3	3	1	-	5	2	2	3	3	3
Female.....	38	2	4	2	2	6	5	3	5	-	3	4	2
Black, both sexes.....	5	1	-	-	-	-	2	-	-	-	2	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	3	1	-	-	-	-	1	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data - mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Revision, 2004), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of war operations (Y89.1)													
All races, both sexes.....	9	1	1	1	1	1	1	1	1	-	-	-	1
Male.....	9	1	1	1	1	1	1	1	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	9	1	1	1	1	1	1	1	1	-	-	-	1
Male.....	9	1	1	1	1	1	1	1	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of unspecified external cause (Y89.9)													
All races, both sexes.....	6	-	1	1	1	2	-	-	1	-	-	-	-
Male.....	3	-	-	-	1	1	-	-	1	-	-	-	-
Female.....	3	-	1	1	-	1	-	-	-	-	-	-	-
White, both sexes.....	5	-	1	1	1	1	-	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	3	-	1	1	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

- Quantity zero.
 1/ Includes Aleuts and Eskimos.
 2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

Note: Complete confirmation of deaths from selected causes of death, considered to be of public health concern, were not provided by the following states-- California, Connecticut, Florida, Indiana, Kentucky, Louisiana, Maryland, Michigan, Nevada, New Hampshire, North Carolina, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, Washington, and West Virginia.

Source: CDC/NCHS, National Vital Statistics System, Mortality.