

2009 DOCUMENTATION INITIAL RELEASE
Mortality Multiple Cause-of-Death Public Use Record

The file layout is separate for US and territories data but both are included in this package. Look for Deaths: Final data for 2009 at <http://www.cdc.gov/nchs/data/nvsr/> for other notes about the file.

2009
Mortality Multiple Cause-of-Death Public Use Record

| VI. List of File Data Elements and Tape Locations | Tape Locations |
|---|-------------------|
| Data Items | |
| 1. General | |
| a. Resident status | 20 |
| b. Place of death and decedent's status | 83 |
| c. Day of week of death | 85 |
| d. Date of data receipt | 94-101 |
| e. Data year | 102-105 |
| 2. The Decedent | |
| a. Month of Death | 65-66 |
| b. Sex | 69 |
| c. Race | 445-450 |
| d. Age | 70-82 |
| e. Marital status | 84 |
| f. Hispanic origin | 484-488 |
| h. Education | 61-64 |
| 3. Underlying Cause | |
| a. ICD-10 code | 146-149 |
| b. 358 cause recode | 150-152 |
| c. 113 cause recode | 154-156 |
| d. 130 cause recode | 157-159 |
| e. 39 cause recode | 160-161 |
| 4. Multiple Conditions | |
| a. Entity-Axis conditions | |
| 1. Number of | 163-164 |
| 2. The conditions | 165-304 |
| b. Record-Axis conditions | |
| 1. Number of | 341-342 |
| 2. The conditions | 344-443 |
| 5. Other medical items | |
| a. Place of injury | 145 |
| b. Injury at work | 106 |
| c. Method of disposition | 108 |
| d. Autopsy | 109 |
| e. Activity code | 144 |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 1-19 | 19 | <u>Reserved Positions</u> These positions are blank. |
| 20 | 1 | <u>Resident Status</u> |
| | | United States Occurrence |
| | 1 | ... RESIDENTS State and County of Occurrence and Residence are the same. |
| | 2 | ... INTRASTATE NONRESIDENTS State of Occurrence and Residence are the same, but County is different. |
| | 3 | ... INTERSTATE NONRESIDENTS State of Occurrence and Residence are different, but both are in the U.S. |
| | 4 | ... FOREIGN RESIDENTS State of Occurrence is one of the 50 States or the District of Columbia, but Place of Residence is outside of the U.S. |
| | | Puerto Rico Occurrence |
| | 1 | ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. |
| | 2 | ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. |
| | 3 | ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. |
| | 4 | ... FOREIGN RESIDENTS Occurred in Puerto Rico to a resident of any other place. |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|--|
| 20 | 1 | <u>Resident Status- Con.</u> <u>Virgin Islands Occurrence</u> |
| | 1 | ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. |
| | 2 | ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. |
| | 3 | ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. |
| | 4 | ... FOREIGN RESIDENTS Occurred in Virgin Islands to a resident of any other place. |
| | | <u>Guam Occurrence</u> |
| | 1 | ... RESIDENTS Occurred in Guam to a resident of Guam or to a resident of the U.S. |
| | 3 | ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. |
| | 4 | ... FOREIGN RESIDENTS Occurred in Guam to a resident of any place other than Guam or the U.S. |
| | | <u>American Samoa Occurrence</u> |
| | 1 | ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. |
| | 2 | ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. |
| | 3 | ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. |
| | 4 | ... FOREIGN RESIDENTS Occurred in American Samoa to a resident of any other place. |
| | | <u>Northern Marianas Occurrence</u> |
| | 1 | ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. |
| | 2 | ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. |
| | 3 | ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. |
| | 4 | ... FOREIGN RESIDENTS Occurred in Northern Marianas to a resident of any other place. |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 21-60 | 40 | <u>Reserved Positions</u> These positions are blank. |
| 61-64 | 4 | EDUCATION |
| 61-62 | 2 | <u>Education (1989 revision)</u> 00 ... No formal education 01-08 ... Years of elementary school 09 ... 1 year of high school 10 ... 2 years of high school 11 ... 3 years of high school 12 ... 4 years of high school 13 ... 1 year of college 14 ... 2 years of college 15 ... 3 years of college 16 ... 4 years of college 17 ... 5 or more years of college 99 ... Not stated |
| 63 | 1 | <u>Education (2003 revision)</u> Field is blank for registration areas that are using the 1989 revision format of the item. 1 ... 8th grade or less 2 ... 9 - 12th grade, no diploma 3 ... high school graduate or GED completed 4 ... some college credit, but no degree 5 ... Associate degree 6 ... Bachelor's degree 7 ... Master's degree 8 ... Doctorate or professional degree 9 ... Unknown |
| 64 | 1 | <u>Education reporting flag</u> 0 ... 1989 revision of education item on certificate 1 ... 2003 revision of education item on certificate 2 ... no education item on certificate |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 65-66 | 2 | <u>Month of Death</u> 01 ... January 02 ... February 03 ... March 04 ... April 05 ... May 06 ... June 07 ... July 08 ... August 09 ... September 10 ... October 11 ... November 12 ... December |
| 67-68 | 2 | <u>Reserved Positions</u> |
| 69 | 1 | <u>Sex</u> M ... Male F ... Female |
| 70-82 | 13 | <u>REPORTED AGE</u> |
| 70-73 | 4 | <u>Detail Age</u> Four positions are used to code detail age. Location 70 identifies age in years, months, days, etc. Locations 71-73 are the number of years, months, days, etc. 1 001-135,999 ... Years 2 001-011,999 ... Months 4 001-027,999 ... Days 5 001-023,999 ... Hours 6 001-059,999 ... Minutes 9 999 ... Age not stated |
| 74 | 1 | <u>Age Substitution Flag</u> If reported age is unknown but a valid age is calculated using dates of birth and death, the calculated age is substituted for the unknown reported age. Blank ... Calculated age is not substituted for reported age 1 ... Calculated age is substituted for reported age |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 75-76 | 2 | <u>Age Recode 52</u> |
| | | 01 ... Under 1 hour (includes not stated hours and minutes) |
| | | 02 ... 1 - 23 hours |
| | | 03 ... 1 day (includes not stated days) |
| | | 04 ... 2 days |
| | | 05 ... 3 days |
| | | 06 ... 4 days |
| | | 07 ... 5 days |
| | | 08 ... 6 days |
| | | 09 ... 7 - 13 days (includes not stated weeks) |
| | | 10 ... 14 - 20 days |
| | | 11 ... 21 - 27 days |
| | | 12 ... 1 month (includes not stated months) |
| | | 13 ... 2 months |
| | | 14 ... 3 months |
| | | 15 ... 4 months |
| | | 16 ... 5 months |
| | | 17 ... 6 months |
| | | 18 ... 7 months |
| | | 19 ... 8 months |
| | | 20 ... 9 months |
| | | 21 ... 10 months |
| | | 22 ... 11 months |
| | | 23 ... 1 year |
| | | 24 ... 2 years |
| | | 25 ... 3 years |
| | | 26 ... 4 years |
| | | 27 ... 5 - 9 years |
| | | 28 ... 10 - 14 years |
| | | 29 ... 15 - 19 years |
| | | 30 ... 20 - 24 years |
| | | 31 ... 25 - 29 years |
| | | 32 ... 30 - 34 years |
| | | 33 ... 35 - 39 years |
| | | 34 ... 40 - 44 years |
| | | 35 ... 45 - 49 years |
| | | 36 ... 50 - 54 years |
| | | 37 ... 55 - 59 years |
| | | 38 ... 60 - 64 years |
| | | 39 ... 65 - 69 years |
| | | 40 ... 70 - 74 years |
| | | 41 ... 75 - 79 years |
| | | 42 ... 80 - 84 years |
| | | 43 ... 85 - 89 years |
| | | 44 ... 90 - 94 years |
| | | 45 ... 95 - 99 years |
| | | 46 ... 100 - 104 years |
| | | 47 ... 105 - 109 years |
| | | 48 ... 110 - 114 years |
| | | 49 ... 115 - 119 years |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 75-76 | 2 | <u>Age Recode 52- Con.</u> 50 ... 120 - 124 years 51 ... 125 years and over 52 ... Age not stated |
| 77-78 | 2 | <u>Age Recode 27</u> 01 ... Under 1 month (includes not stated weeks, days, hours, and minutes) 02 ... 1 month - 11 months (includes not stated months) 03 ... 1 years 04 ... 2 years 05 ... 3 years 06 ... 4 years 07 ... 5 - 9 years 08 ... 10 - 14 years 09 ... 15 - 19 years 10 ... 20 - 24 years 11 ... 25 - 29 years 12 ... 30 - 34 years 13 ... 35 - 39 years 14 ... 40 - 44 years 15 ... 45 - 49 years 16 ... 50 - 54 years 17 ... 55 - 59 years 18 ... 60 - 64 years 19 ... 65 - 69 years 20 ... 70 - 74 years 21 ... 75 - 79 years 22 ... 80 - 84 years 23 ... 85 - 89 years 24 ... 90 - 94 years 25 ... 95 - 99 years 26 ... 100 years and over 27 ... Age not stated |
| 79-80 | 2 | <u>Age Recode 12</u> 01 ... Under 1 year (includes not stated infant ages) 02 ... 1 - 4 years 03 ... 5 - 14 years 04 ... 15 - 24 years 05 ... 25 - 34 years 06 ... 35 - 44 years 07 ... 45 - 54 years 08 ... 55 - 64 years 09 ... 65 - 74 years 10 ... 75 - 84 years 11 ... 85 years and over 12 ... Age not stated |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 81-82 | 2 | <u>Infant Age Recode 22</u> Blank ... Age 1 year and over or not stated 01 ... Under 1 hour (includes not stated hours and minutes) 02 ... 1 - 23 hours 03 ... 1 day (includes not stated days) 04 ... 2 days 05 ... 3 days 06 ... 4 days 07 ... 5 days 08 ... 6 days 09 ... 7-13 days (includes not stated weeks) 10 ... 14 - 20 days 11 ... 21 - 27 days 12 ... 1 month (includes not stated months) 13 ... 2 months 14 ... 3 months 15 ... 4 months 16 ... 5 months 17 ... 6 months 18 ... 7 months 19 ... 8 months 20 ... 9 months 21 ... 10 months 22 ... 11 months |
| 83 | 1 | <u>Place of Death and Decedent's Status</u> 1 ... Hospital, clinic or Medical Center - Inpatient 2 ... Hospital, Clinic or Medical Center - Outpatient or admitted to Emergency Room 3 ... Hospital, Clinic or Medical Center - Dead on Arrival 4 ... Decedent's home 5 ... Hospice facility 6 ... Nursing home/long term care 7 ... Other 9 ... Place of death unknown |
| 84 | 1 | <u>Marital Status</u> S ... Never married, single M ... Married W ... Widowed D ... Divorced U ... Marital Status unknown |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 85 | 1 | <u>Day of Week of Death</u> 1 ... Sunday 2 ... Monday 3 ... Tuesday 4 ... Wednesday 5 ... Thursday 6 ... Friday 7 ... Saturday 9 ... Unknown |
| 86-101 | 16 | Reserved Positions |
| 102-105 | 4 | <u>Current Data Year</u> 2008 ...2008 |
| 106 | 1 | <u>Injury at Work</u> Y ... Yes N ... No U ... Unknown |
| 107 | 1 | <u>Manner of Death</u> 1 ... Accident 2 ... Suicide 3 ... Homicide 4 ... Pending investigation 5 ... Could not determine 6 ... Self-Inflicted 7 ... Natural blank ... Not specified |
| 108 | 1 | <u>Method of Disposition</u> B ... Burial C ... Cremation O ... Other U ... Unknown |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 109 | 1 | <u>Autopsy</u> Y ... Yes N ... No U ... Unknown |
| 110-143 | 34 | <u>Reserved Positions</u> |
| 144 | 1 | <u>Activity Code</u> 0 ... While engaged in sports activity 1 ... While engaged in leisure activity 2 ... While working for income 3 ... While engaged in other types of work 4 ... While resting, sleeping, eating (vital activities) 8 ... While engaged in other specified activities 9 ... During unspecified activity blank ... Not applicable |
| 145 | 1 | <u>Place of Injury for Causes W00-Y34, except Y06.- and Y07.-</u> 0 ... Home 1 ... Residential institution 2 ... School, other institution and public administrative area 3 ... Sports and athletics area 4 ... Street and highway 5 ... Trade and service area 6 ... Industrial and construction area 7 ... Farm 8 ... Other Specified Places 9 ... Unspecified place Blank ... Causes other than W00-Y34, except Y06.- and Y07.- |
| 146-162 | 18 | <u>UNDERLYING CAUSE OF DEATH</u> |
| 146-149 | 4 | <u>ICD Code (10th Revision)</u> See the <u>International Classification of Diseases</u> , 1992 Revision, Volume 1. |
| 150-152 | 3 | <u>358 Cause Recode</u> A recode of the ICD cause code into 358 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. 001-456 ... Code range (not inclusive) |
| 153 | 1 | <u>Reserved Positions</u> |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> | | | | | | | | | | | | | | | | | | |
|----------------------|-------------------|---|---|-----|--------------------|---|-----|--------------------|---|-----|--------------------|---|-----|--------------------|---|-----|--------------------|---|-----|---------|
| 154-156 | 3 | <p><u>113 Cause Recode</u></p> <p>A recode of the ICD cause code into 113 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.</p> <p>001-135 ... Code range (not inclusive)</p> | | | | | | | | | | | | | | | | | | |
| 157-159 | 3 | <p><u>130 Infant Cause Recode</u></p> <p>A recode of the ICD cause code into 130 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. Beginning in 2002 non-infant records are blank in this field.</p> <p>001-158 ... Code range (not inclusive)</p> | | | | | | | | | | | | | | | | | | |
| 160-161 | 2 | <p><u>39 Cause Recode</u></p> <p>A recode of the ICD cause code into 39 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.</p> <p>01-42 ... Code range (not inclusive)</p> | | | | | | | | | | | | | | | | | | |
| 162 | 1 | Reserved Position | | | | | | | | | | | | | | | | | | |
| 163-443 | 281 | <u>MULTIPLE CONDITIONS</u> | | | | | | | | | | | | | | | | | | |
| 163-164 | 2 | <p><u>Number of Entity-Axis Conditions</u></p> <p>00-20 ... Code range</p> | | | | | | | | | | | | | | | | | | |
| 165-304 | 140 | <p><u>ENTITY - AXIS CONDITIONS</u></p> <p>Space has been provided for maximum of 20 conditions. Each condition takes 7 positions in the record. The 7th position will be blank. Records that do not have 20 conditions are blank in the unused area.</p> <p>Position 1: Part/line number on certificate</p> <table style="margin-left: 40px;"> <tr><td>1</td><td>...</td><td>Part I, line 1 (a)</td></tr> <tr><td>2</td><td>...</td><td>Part I, line 2 (b)</td></tr> <tr><td>3</td><td>...</td><td>Part I, line 3 (c)</td></tr> <tr><td>4</td><td>...</td><td>Part I, line 4 (d)</td></tr> <tr><td>5</td><td>...</td><td>Part I, line 5 (e)</td></tr> <tr><td>6</td><td>...</td><td>Part II</td></tr> </table> <p>Position 2: Sequence of condition within part/line</p> <p>1-7 ... Code range</p> | 1 | ... | Part I, line 1 (a) | 2 | ... | Part I, line 2 (b) | 3 | ... | Part I, line 3 (c) | 4 | ... | Part I, line 4 (d) | 5 | ... | Part I, line 5 (e) | 6 | ... | Part II |
| 1 | ... | Part I, line 1 (a) | | | | | | | | | | | | | | | | | | |
| 2 | ... | Part I, line 2 (b) | | | | | | | | | | | | | | | | | | |
| 3 | ... | Part I, line 3 (c) | | | | | | | | | | | | | | | | | | |
| 4 | ... | Part I, line 4 (d) | | | | | | | | | | | | | | | | | | |
| 5 | ... | Part I, line 5 (e) | | | | | | | | | | | | | | | | | | |
| 6 | ... | Part II | | | | | | | | | | | | | | | | | | |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 165-304 | 140 | <u>ENTITY - AXIS CONDITIONS- Con.</u> Position 3 - 6: Condition code See Table 1 for a complete list of codes |
| 165-171 | 7 | 1 st Condition |
| 172-178 | 7 | 2 nd Condition |
| 179-185 | 7 | 3 rd Condition |
| 186-192 | 7 | 4 th Condition |
| 193-199 | 7 | 5 th Condition |
| 200-206 | 7 | 6 th Condition |
| 207-213 | 7 | 7 th Condition |
| 214-220 | 7 | 8 th Condition |
| 221-227 | 7 | 9 th Condition |
| 228-234 | 7 | 10 th Condition |
| 235-241 | 7 | 11 th Condition |
| 242-248 | 7 | 12 th Condition |
| 249-255 | 7 | 13 th Condition |
| 256-262 | 7 | 14 th Condition |
| 263-269 | 7 | 15 th Condition |
| 270-276 | 7 | 16 th Condition |
| 277-283 | 7 | 17 th Condition |
| 284-290 | 7 | 18 th Condition |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|--|
| 165-304 | 140 | <u>ENTITY - AXIS CONDITIONS – Con.</u> |
| 291-297 | 7 | 19 th Condition |
| 298-304 | 7 | 20 th Condition |
| 305-340 | 36 | <u>Reserved Positions</u> |
| 341-342 | 2 | <u>Number of Record-Axis Conditions</u> 00-20 ... Code range |
| 343 | 1 | <u>Reserved Position</u> |
| 344-443 | 100 | <u>RECORD - AXIS CONDITIONS</u> Space has been provided for a maximum of 20 conditions. Each condition takes 5 positions in the record. The 5 th position will be blank. Records that do not have 20 conditions are blank in the unused area. Positions 1 - 4: Condition Code See Table 1 for a complete list of codes |
| 344-348 | 5 | 1 st Condition |
| 349-353 | 5 | 2 nd Condition |
| 354-358 | 5 | 3 rd Condition |
| 359-363 | 5 | 4 th Condition |
| 364-368 | 5 | 5 th Condition |
| 369-373 | 5 | 6 th Condition |
| 374-378 | 5 | 7 th Condition |
| 379-383 | 5 | 8 th Condition |
| 384-388 | 5 | 9 th Condition |
| 389-393 | 5 | 10 th Condition |
| 394-398 | 5 | 11 th Condition |
| 399-403 | 5 | 12 th Condition |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|--|
| 344-443 | 100 | <u>RECORD - AXIS CONDITIONS – Con.</u> |
| 404-408 | 5 | 13 th Condition |
| 409-413 | 5 | 14 th Condition |
| 414-418 | 5 | 15 th Condition |
| 419-433 | 5 | 16 th Condition |
| 424-428 | 5 | 17 th Condition |
| 429-433 | 5 | 18 th Condition |
| 434-438 | 5 | 19 th Condition |
| 439-443 | 5 | 20 th Condition |
| 444 | 1 | <u>Reserved position</u> |
| 445-482 | 38 | <u>RACE</u> |
| 445-446 | 2 | <u>Race</u> |

This item is: a) the reported race for States that are reporting single race or b) the bridged race for States that are reporting multiple race. Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18 - 68 replace old code 08 for these areas. Code 78 replaces old 08 for all other areas. For consistency with Census races, the category all other races has been imputed.

US Occurrence

| | |
|----|---|
| 01 | ... White |
| 02 | ... Black |
| 03 | ... American Indian (includes Aleuts and Eskimos) |
| 04 | ... Chinese |
| 05 | ... Japanese |
| 06 | ... Hawaiian (includes Part-Hawaiian) |
| 07 | ... Filipino |
| 18 | ... Asian Indian |
| 28 | ... Korean |
| 38 | ... Samoan |
| 48 | ... Vietnamese |
| 58 | ... Guamanian |
| 68 | ... Other Asian or Pacific Islander in areas reporting codes 18-58 |
| 78 | ... Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not report them separately |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 445-446 | 2 | <u>Race- Con.</u> Puerto Rico Occurrence 00 ... Other races 01 ... White 02 ... Black Virgin Islands Occurrence 01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes Part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander Guam Occurrence 01 ... White 02 ... Black 03 ... American Indian (Includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes Part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander 58 ... Guamanian American Samoa Occurrence 01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes Part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander Northern Marianas Occurrence 01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|--|
| 445-446 | 2 | 06 ... Hawaiian (includes Part-Hawaiian) <u>Race- Con.</u> |
| | | 07 ... Filipino |
| | | 18 ... Asian Indian |
| | | 28 ... Korean |
| | | 38 ... Samoan |
| | | 48 ... Vietnamese |
| | | 58 ... Guamanian |
| | | 68 ... Other Asian or Pacific Islander in areas reporting codes 18-58 |
| | | 78 ... Combined other Asian or Pacific Islander, includes 18-68 for areas that do not report them separately |
| 447 | 1 | <u>Bridged Race Flag</u> |
| | | Blank ... Race is not bridged |
| | | 1 ... Race is bridged |
| 448 | 1 | <u>Race Imputation Flag</u> |
| | | Blank ... Race is not imputed |
| | | 1 ... Unknown race is imputed |
| | | 2 ... All other races is imputed |
| 449 | 1 | <u>Race Recode 3</u> |
| | | 1 ... White |
| | | 2 ... Races other than White or Black |
| | | 3 ... Black |
| 450 | 1 | <u>Race Recode 5</u> |
| | | 0 ... Other (Puerto Rico only) |
| | | 1 ... White |
| | | 2 ... Black |
| | | 3 ... American Indian |
| | | 4 ... Asian or Pacific Islander |
| 451-483 | 33 | <u>Reserved</u> |

2009
Mortality Multiple Cause-of-Death Public Use Record

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 484-486 | 3 | <u>Hispanic Origin</u> |
| | | 100-199 ... Non – Hispanic |
| | | 200-209 ... Spaniard |
| | | 210-219 ... Mexican |
| | | 260-269 ... Puerto Rican |
| | | 270-274 ... Cuban |
| | | 275-279 ... Dominican |
| | | 220 ... Central and South American |
| | | 221-230 ... Central American |
| | | 231-249 ... South American |
| | | 250-259 ... Latin American |
| | | 280-299 ... Other Hispanic |
| | | 996-999 ... Unknown |
| 487 | 1 | <u>Reserved</u> |
| 488 | 1 | <u>Hispanic Origin/Race Recode</u> |
| | | 1 ... Mexican |
| | | 2 ... Puerto Rican |
| | | 3 ... Cuban |
| | | 4 ... Central or South American |
| | | 5 ... Other or unknown Hispanic |
| | | 6 ... Non - Hispanic white |
| | | 7 ... Non - Hispanic black |
| | | 8 ... Non - Hispanic other races |
| | | 9 ... Hispanic origin unknown |

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over;
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

| 39 | S Limited | | | |
|--------|-----------|--|--|--|
| Recode | T Sex Age | Cause Title and ICD-10 Codes Included | | |
| 001 | | Tuberculosis (A16-A19) | | |
| 002 | | Syphilis (A50-A53) | | |
| 003 | | Human immunodeficiency virus (HIV) disease (B20-B24) | | |
| 004 | 1 | Malignant neoplasms (C00-C97) | | |
| 005 | | Malignant neoplasm of stomach (C16) | | |
| 006 | | Malignant neoplasms of colon, rectum and anus (C18-C21) | | |
| 007 | | Malignant neoplasm of pancreas (C25) | | |
| 008 | | Malignant neoplasms of trachea, bronchus and lung (C33-C34) | | |
| 009 | | Malignant neoplasm of breast (C50) | | |
| 010 | 2 | Malignant neoplasms of cervix uteri, corpus uteri and ovary (C53-C56) | | |
| 011 | 1 | Malignant neoplasm of prostate (C61) | | |
| 012 | | Malignant neoplasms of urinary tract (C64-C68) | | |
| 013 | | Non-Hodgkin's lymphoma (C82-C85) | | |
| 014 | | Leukemia (C91-C95) | | |
| 015 | | Other malignant neoplasms (C00-C15,C17,C22-C24,C26-C32,C37-C49,C51-C52, C57-C60,C62-C63,C69-C81,C88,C90,C96-C97) | | |
| 016 | 3 | Diabetes mellitus (E10-E14) | | |
| 017 | | Alzheimer's disease (G30) | | |
| 018 | 1 | Major cardiovascular diseases (I00-I78) | | |
| 019 | 1 | Diseases of heart (I00-I09,I11,I13,I20-I51) | | |
| 020 | | Hypertensive heart disease with or without renal disease (I11,I13) | | |
| 021 | | Ischemic heart diseases (I20-I25) | | |
| 022 | | Other diseases of heart (I00-I09,I26-I51) | | |
| 023 | | Essential (primary) hypertension and hypertensive renal disease (I10,I12) | | |
| 024 | | Cerebrovascular diseases (I60-I69) | | |
| 025 | | Atherosclerosis (I70) | | |
| 026 | | Other diseases of circulatory system (I71-I78) | | |
| 027 | | Influenza and pneumonia (J10-J18) | | |
| 028 | | Chronic lower respiratory diseases (J40-J47) | | |
| 029 | | Peptic ulcer (K25-K28) | | |
| 030 | | Chronic liver disease and cirrhosis (K70,K73-K74) | | |
| 031 | | Nephritis, nephrotic syndrome, and nephrosis (N00-N07,N17-N19,N25-N27) | | |
| 032 | 2 7 | Pregnancy, childbirth and the puerperium (O00-O99) | | |
| 033 | | Certain conditions originating in the perinatal period (P00-P96) | | |
| 034 | | Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99) | | |
| 035 | 4 | Sudden infant death syndrome (R95) | | |
| 036 | | Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (excluding Sudden infant death syndrome) (R00-R94,R96-R99) | | |
| 037 | | All other diseases (Residual) (A00-A09,A20-A49,A54-B19,B25-B99,D00-E07, E15-G25,G31-H93,I80-J06,J20-J39,J60-K22,K29-K66,K71-K72, K75-M99,N10-N15,N20-N23,N28-N98) | | |
| 038 | | Motor vehicle accidents (V02-V04,V09.0,V12-V14,V19.0-V19.2,V19.4-V19.6, V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8, V88.0-V88.8,V89.0,V89.2) | | |
| 039 | | All other and unspecified accidents and adverse effects (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9, V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1, V89.3,V89.9,V90-X59,Y40-Y86,Y88) | | |
| 040 | 1 | Intentional self-harm (suicide) (*U03,X60-X84,Y87.0) | | |
| 041 | | Assault (homicide) (*U01-*U02,X85-Y09,Y87.1) | | |
| 042 | | All other external causes (Y10-Y36,Y87.2,Y89) | | |

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over;
7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

113 S Limited

Recode T Sex Age Cause Title and ICD-10 Codes Included

115 Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9, V10-V11,
V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,
V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

116 Water, air and space, and other and unspecified transport accidents and their
sequelae (V90-V99,Y85)

117 1 Nontransport accidents (W00-X59,Y86)

118 Falls (W00-W19)

119 Accidental discharge of firearms (W32-W34)

120 Accidental drowning and submersion (W65-W74)

121 Accidental exposure to smoke, fire and flames (X00-X09)

122 Accidental poisoning and exposure to noxious substances (X40-X49)

123 Other and unspecified nontransport accidents and their sequelae
(W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

124 1 1 Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

125 1 Intentional self-harm (suicide) by discharge of firearms (X72-X74)

126 1 Intentional self-harm (suicide) by other and unspecified means and their sequelae
(*U03,X60-X71,X75-X84,Y87.0)

127 1 Assault (homicide) (*U01-U02,X85-Y09,Y87.1)

128 Assault (homicide) by discharge of firearms (*U01.4,X93-X95)

129 Assault (homicide) by other and unspecified means and their sequelae
(*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)

130 Legal intervention (Y35,Y89.0)

131 1 Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

132 Discharge of firearms, undetermined intent (Y22-Y24)

133 Other and unspecified events of undetermined intent and their sequelae
(Y10-Y21,Y25-Y34,Y87.2,Y89.9)

134 Operations of war and their sequelae (Y36,Y89.1)

135 Complications of medical and surgical care (Y40-Y84,Y88)

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

130 S Limited

Recode T Sex Age Cause Title and ICD-10 Codes Included

| | | |
|-----|---|--|
| 001 | 1 | Certain infectious and parasitic diseases (A00-B99) |
| 002 | | Certain intestinal infectious diseases (A00-A08) |
| 003 | | Diarrhea and gastroenteritis of infectious origin (A09) |
| 004 | | Tuberculosis (A16-A19) |
| 005 | | Tetanus (A33,A35) |
| 006 | | Diphtheria (A36) |
| 007 | | Whooping cough (A37) |
| 008 | | Meningococcal infection (A39) |
| 009 | 3 | Septicemia (A40-A41) |
| 010 | | Congenital syphilis (A50) |
| 011 | | Gonococcal infection (A54) |
| 012 | 1 | Viral diseases (A80-B34) |
| 013 | | Acute poliomyelitis (A80) |
| 014 | | Varicella (chickenpox) (B01) |
| 015 | | Measles (B05) |
| 016 | | Human immunodeficiency virus (HIV) disease (B20-B24) |
| 017 | | Mumps (B26) |
| 018 | | Other and unspecified viral diseases (A81-B00,B02-B04,B06-B19,B25,B27-B34) |
| 019 | | Candidiasis (B37) |
| 020 | | Malaria (B50-B54) |
| 021 | | Pneumocystosis (B59) |
| 022 | | All other and unspecified infectious and parasitic diseases (A20-A32,A38,A42-A49,A51-A53,A55-A79,B35-B36,B38-B49,B55-B58,B60-B99) |
| 023 | 1 | Neoplasms (C00-D48) |
| 024 | 1 | Malignant neoplasms (C00-C97) |
| 025 | | Hodgkin's disease and non-Hodgkin's lymphomas (C81-C85) |
| 026 | | Leukemia (C91-C95) |
| 027 | | Other and unspecified malignant neoplasms (C00-C80,C88,C90,C96-C97) |
| 028 | | In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48) |
| 029 | 1 | Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89) |
| 030 | | Anemias (D50-D64) |
| 031 | | Hemorrhagic conditions and other diseases of blood and blood-forming organs (D65-D76) |
| 032 | | Certain disorders involving the immune mechanism (D80-D89) |
| 033 | 1 | Endocrine, nutritional and metabolic diseases (E00-E88) |
| 034 | | Short stature, not elsewhere classified (E34.3) |
| 035 | | Nutritional deficiencies (E40-E64) |
| 036 | | Cystic fibrosis (E84) |
| 037 | 3 | Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87) |
| 038 | | All other endocrine, nutritional and metabolic diseases (E00-E32,E34.0-E34.2,E34.4-E34.9,E65-E83,E85,E88) |
| 039 | 1 | Diseases of the nervous system (G00-G98) |
| 040 | | Meningitis (G00,G03) |
| 041 | | Infantile spinal muscular atrophy, type I (Werdnig-Hoffman) (G12.0) |
| 042 | | Infantile cerebral palsy (G80) |
| 043 | | Anoxic brain damage, not elsewhere classified (G93.1) |
| 044 | | Other diseases of nervous system (G04,G06-G11,G12.1-G12.9,G20-G72,G81-G92,G93.0,G93.2-G93.9,G95-G98) |
| 045 | | Diseases of the ear and mastoid process (H60-H93) |
| 046 | 1 | Diseases of the circulatory system (I00-I99) |
| 047 | | Pulmonary heart disease and diseases of pulmonary circulation (I26-I28) |
| 048 | | Pericarditis, endocarditis and myocarditis (I30,I33,I40) |
| 049 | | Cardiomyopathy (I42) |
| 050 | | Cardiac arrest (I46) |
| 051 | | Cerebrovascular diseases (I60-I69) |
| 052 | | All other diseases of circulatory system (I00-I25,I31,I34-I38,I44-I45,I47-I51, I70-I99) |
| 053 | 1 | Diseases of the respiratory system (J00-J98) |
| 054 | | Acute upper respiratory infections (J00-J06) |
| 055 | 1 | Influenza and pneumonia (J10-J18) |

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

130 S Limited
Recode T Sex Age Cause Title and ICD-10 Codes Included

108 All other infections specific to the perinatal period (P35,P37,P39)
109 1 Hemorrhagic and hematological disorders of newborn (P50-P61)
110 Neonatal hemorrhage (P50-P52,P54)
111 Hemorrhagic disease of newborn (P53)
112 Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice
 (P55-P59)
113 Hematological disorders (P60-P61)
114 Syndrome of infant of a diabetic mother and neonatal diabetes mellitus
 (P70.0-P70.2)
115 Necrotizing enterocolitis of newborn (P77)
116 Hydrops fetalis not due to hemolytic disease (P83.2)
117 Other perinatal conditions (P29,P70.3-P70.9,P71-P76,P78-P81,P83.0-P83.1,
 P83.3-P83.9,P90-P96)
118 1 Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)
119 Anencephaly and similar malformations (Q00)
120 Congenital hydrocephalus (Q03)
121 Spina bifida (Q05)
122 Other congenital malformations of nervous system (Q01-Q02,Q04,Q06-Q07)
123 Congenital malformations of heart (Q20-Q24)
124 Other congenital malformations of circulatory system (Q25-Q28)
125 Congenital malformations of respiratory system (Q30-Q34)
126 Congenital malformations of digestive system (Q35-Q45)
127 Congenital malformations of genitourinary system (Q50-Q64)
128 Congenital malformations and deformations of musculoskeletal system, limbs and
 integument (Q65-Q85)
129 Down's syndrome (Q90)
130 Edward's syndrome (Q91.0-Q91.3)
131 Patau's syndrome (Q91.4-Q91.7)
132 Other congenital malformations and deformations (Q10-Q18,Q86-Q89)
133 Other chromosomal abnormalities, not elsewhere classified (Q92-Q99)
134 1 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere
 classified (R00-R99)
135 Sudden infant death syndrome (R95)
136 Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere
 classified (R00-R53,R55-R94,R96-R99)
137 All other diseases (Residual) (F01-F99,H00-H57,L00-M99)
138 1 External causes of mortality (*U01,V01-Y84)
139 1 Accidents (unintentional injuries) (V01-X59)
140 1 Transport accidents (V01-V99)
141 Motor vehicle accidents(V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,
 V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,
 V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)
142 Other and unspecified transport accidents
 (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,
 V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,
 V87.9,V88.9,V89.1,V89.3,V89.9,V90-V99)
143 Falls (W00-W19)
144 Accidental discharge of firearms (W32-W34)
145 Accidental drowning and submersion (W65-W74)
146 Accidental suffocation and strangulation in bed (W75)
147 Other accidental suffocation and strangulation (W76-W77,W81-W84)
148 Accidental inhalation and ingestion of food or other objects causing obstruction
 of respiratory tract (W78-W80)
149 Accidents caused by exposure to smoke, fire and flames (X00-X09)
150 Accidental poisoning and exposure to noxious substances (X40-X49)
151 Other and unspecified accidents (W20-W31,W35-W64,W85-W99,X10-X39,X50-X59)
152 1 Assault (homicide) (*U01,X85-Y09)
153 Assault (homicide) by hanging, strangulation and suffocation (X91)
154 Assault (homicide) by discharge of firearms (*U01.4,X93-X95)
155 Neglect, abandonment and other maltreatment syndromes (Y06-Y07)
156 Assault (homicide) by other and unspecified means
 (*U01.0-*U01.3,*U01.5-*U01.9,X85-X90,X92,X96-X99,Y00-Y05,Y08-Y09)
157 Complications of medical and surgical care (Y40-Y84)

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

130 S Limited
Recode T Sex Age Cause Title and ICD-10 Codes Included

158 Other external causes (Y10-Y36)

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

| 358 Recode | S T Sex Age | Limited Cause Title and ICD-10 Codes Included |
|---------------|----------------|---|
| 001 | 1 | I. Certain infectious and parasitic diseases (A00-B99) |
| 002 | 1 | Intestinal infectious diseases (A00-A09) |
| 003 | | Cholera (A00) |
| 004 | 1 | Other intestinal infectious diseases (A01-A08) |
| 005 | | Typhoid fever (A01.0) |
| 006 | | Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02) |
| 007 | | Shigellosis (A03) |
| 008 | | Other bacterial food-borne intoxications (A05) |
| 009 | | Amebiasis (A06) |
| 010 | | Intestinal infections due to other specified organisms (A04,A07-A08) |
| 011 | | Diarrhea and gastroenteritis of infectious origin (A09) |
| 012 | 1 | Tuberculosis (A16-A19) |
| 013 | | Respiratory tuberculosis (A16) |
| 014 | | Other tuberculosis (A17-A19) |
| 015 | 1 | Zoonotic and other bacterial diseases (A20-A49) |
| 016 | | Plague (A20) |
| 017 | | Brucellosis (A23) |
| 018 | | Tetanus (A33-A35) |
| 019 | | Diphtheria (A36) |
| 020 | | Whooping cough (A37) |
| 021 | | Scarlet fever and erysipelas (A38,A46) |
| 022 | | Meningococcal infection (A39) |
| 023 | 3 | Septicemia (A40-A41) |
| 024 | | Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44, A48-A49) |
| 025 | 1 | Infections with a predominately sexual mode of transmission (A50-A64) |
| 026 | 1 | Syphilis (A50-A53) |
| 027 | | Cardiovascular syphilis (A52.0) |
| 028 | | Neurosyphilis (A52.1-A52.3) |
| 029 | | Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53) |
| 030 | | Gonococcal infection (A54) |
| 031 | | Other infections with a predominately sexual mode of transmission (A55-A64) |
| 032 | 1 | Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79) |
| 033 | | Lyme disease (A69.2) |
| 034 | | Typhus fever (A75) |
| 035 | | All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79) |
| 036 | 1 | Viral diseases (A80-B34) |
| 037 | | Acute poliomyelitis (A80) |
| 038 | | Rabies (A82) |
| 039 | | Arthropod-borne viral encephalitis (A83-A84,A85.2) |
| 040 | | Yellow fever (A95) |
| 041 | | Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99) |
| 042 | | Herpesviral (herpes simplex) infections (B00) |
| 043 | | Zoster (herpes zoster) (B02) |
| 044 | | Smallpox (B03) |
| 045 | | Measles (B05) |
| 046 | | Rubella (German measles) (B06) |
| 047 | | Viral hepatitis (B15-B19) |
| 048 | 1 | Human immunodeficiency virus (HIV) disease (B20-B24) |
| 049 | | Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20) |
| 050 | | Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21) |
| 051 | | Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22) |
| 052 | | Human immunodeficiency virus (HIV) disease resulting in other conditions (B23) |
| 053 | | Unspecified human immunodeficiency virus (HIV) disease (B24) |
| 054 | | All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8, |

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

| 358 Recode | S Limited T Sex Age | Cause Title and ICD-10 Codes Included |
|---------------|------------------------|--|
| | | A86-A89,B01,B04,B07-B09,B25-B34) |
| 055 | 1 | Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99) |
| 056 | | Mycoses (B35-B49) |
| 057 | 1 | Protozoal diseases (B50-B64) |
| 058 | | Malaria (B50-B54) |
| 059 | | Leishmaniasis (B55) |
| 060 | | Trypanosomiasis (B56-B57) |
| 061 | | Pneumocystosis (B59) |
| 062 | | Other and unspecified protozoal diseases (B58,B60-B64) |
| 063 | 1 | Helminthiases (B65-B83) |
| 064 | | Schistosomiasis (bilharziasis) (B65) |
| 065 | | Other and unspecified helminthiases (B66-B83) |
| 066 | 6 | Sequelae of tuberculosis (B90) |
| 067 | 6 | Sequelae of poliomyelitis (B91) |
| 068 | | All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99) |
| 069 | 1 | II. Neoplasms (C00-D48) |
| 070 | 1 | Malignant neoplasms (C00-C97) |
| 071 | 1 | Malignant neoplasms of lip, oral cavity and pharynx (C00-C14) |
| 072 | | Of lip (C00) |
| 073 | | Of tongue (C01-C02) |
| 074 | | Of pharynx (C10-C13,C14.0) |
| 075 | | Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8) |
| 076 | 1 | Malignant neoplasms of digestive organs (C15-C26) |
| 077 | | Of esophagus (C15) |
| 078 | | Of stomach (C16) |
| 079 | | Of small intestine (C17) |
| 080 | | Of colon, rectum and anus (C18-C21) |
| 081 | | Colon (C18) |
| 082 | | Rectosigmoid junction and rectum (C19-C20) |
| 083 | | Anus and anus canal (C21) |
| 084 | 1 | Of liver and intrahepatic bile ducts (C22) |
| 085 | | Liver (C22.0,C22.2-C22.9) |
| 086 | | Intrahepatic bile duct carcinoma (C22.1) |
| 087 | | Of gallbladder and extrahepatic bile ducts (C23-C24) |
| 088 | | Of pancreas (C25) |
| 089 | | Of other and ill-defined digestive organs (C26) |
| 090 | 1 | Malignant neoplasms of respiratory and intrathoracic organs (C30-C39) |
| 091 | | Of nasal cavity, middle ear and accessory sinuses (C30-C31) |
| 092 | | Of larynx (C32) |
| 093 | | Of trachea, bronchus and lung (C33-C34) |
| 094 | | Of thymus, heart, mediastinum and pleura (C37-C38) |
| 095 | | Of other and ill-defined sites in respiratory system and intrathoracic organs (C39) |
| 096 | | Malignant neoplasms of bone and articular cartilage (C40-C41) |
| 097 | 1 | Melanoma and other malignant neoplasms of skin (C43-C44) |
| 098 | | Malignant melanoma of skin (C43) |
| 099 | | Other malignant neoplasms of skin (C44) |
| 100 | 1 | Malignant neoplasms of mesothelial and soft tissue (C45-C49) |
| 101 | | Mesothelioma (C45) |
| 102 | | Kaposi=s sarcoma (C46) |
| 103 | | Of other mesothelial and soft tissue (C47-C49) |
| 104 | | Malignant neoplasm of breast (C50) |
| 105 | 1 2 | Malignant neoplasms of female genital organs (C51-C58) |
| 106 | 2 | Of vulva and vagina (C51-C52) |
| 107 | 2 | Of cervix uteri (C53) |
| 108 | 2 | Of corpus uteri and uterus, part unspecified (C54-C55) |
| 109 | 2 | Of ovary (C56) |
| 110 | 2 | Of other and unspecified female genital organs (C57) |
| 111 | 2 2 | Of placenta (C58) |

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

| 358 Recode | S T | Limited Sex Age | Cause Title and ICD-10 Codes Included |
|---------------|--------|--------------------|--|
| 112 | 1 | 1 | Malignant neoplasms of male genital organs (C60-C63) |
| 113 | | 1 | Of prostate (C61) |
| 114 | | 1 | Of testis (C62) |
| 115 | | 1 | Of penis and other and unspecified male genital organs (C60,C63) |
| 116 | 1 | | Malignant neoplasms of urinary tract (C64-C68) |
| 117 | | | Of kidney and renal pelvis (C64-C65) |
| 118 | | | Of bladder (C67) |
| 119 | | | Of other and unspecified sites within the urinary tract (C66,C68) |
| 120 | | | Malignant neoplasm of eye and adnexa (C69) |
| 121 | 1 | | Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) |
| 122 | | | Of brain (C71) |
| 123 | | | Of other parts of central nervous system (C70,C72) |
| 124 | | | Malignant neoplasms of thyroid and other endocrine glands (C73-C75) |
| 125 | | | Other malignant neoplasms of other and unspecified sites (C76-C80,C97) |
| 126 | 1 | | Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) |
| 127 | | | Hodgkin=s disease (C81) |
| 128 | 1 | | Of other lymphoid, hematopoietic and related tissue (C82-C85,C96) |
| 129 | | | Non-Hodgkin=s lymphoma (C82-C85) |
| 130 | | | Of other and unspecified lymphoid, hematopoietic and related tissue (C96) |
| 131 | | | Malignant immunoproliferative diseases (C88) |
| 132 | | | Multiple myeloma and malignant plasma cell neoplasms (C90) |
| 133 | 1 | | Leukemia (C91-C95) |
| 134 | | | Lymphoid leukemia (C91) |
| 135 | | | Myeloid leukemia (C92) |
| 136 | | | Monocytic leukemia (C93) |
| 137 | | | Other and unspecified leukemia (C94-C95) |
| 138 | 1 | | In situ neoplasms (D00-D09) |
| 139 | | | Carcinoma in situ of breast and genitourinary system (D05-D07) |
| 140 | | | Carcinoma in situ of other and unspecified sites (D00-D04,D09) |
| 141 | 1 | | Benign neoplasms (D10-D36) |
| 142 | | 2 | Of female genital organs (D25-D28) |
| 143 | | | Of eye, brain and other parts of central nervous system (D31-D33) |
| 144 | | | Of other and unspecified sites (D10-D24,D29-D30,D34-D36) |
| 145 | | | Neoplasms of uncertain or unknown behavior of specified sites (D37-D47) |
| 146 | | | Neoplasms of uncertain or unknown behavior of unspecified sites (D48) |
| 147 | 1 | | III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89) |
| 148 | 1 | | Anemias (D50-D64) |
| 149 | | | Nutritional anemias (D50-D53) |
| 150 | | | Hemolytic anemias (D55-D59) |
| 151 | | | Aplastic anemias (D60-D61) |
| 152 | | | Acute posthemorrhagic and other anemias (D62,D64) |
| 153 | | | Coagulation defects, purpura and other hemorrhagic conditions (D65-D69) |
| 154 | | | Other diseases of blood and blood-forming organs (D70-D76) |
| 155 | | | Certain disorders involving the immune mechanism (D80-D89) |
| 156 | 1 | | IV. Endocrine, nutritional and metabolic diseases (E00-E88) |
| 157 | 1 | | Endocrine diseases (E00-E34) |
| 158 | | | Disorders of thyroid gland (E00-E07) |
| 159 | | 3 | Diabetes mellitus (E10-E14) |
| 160 | | | Disorders of pituitary gland (E22-E23) |
| 161 | | | Disorders of adrenal glands (E24-E27) |
| 162 | | | Diseases of thymus (E32) |
| 163 | | | Other endocrine diseases (E15-E21,E28-E31,E34) |
| 164 | 1 | | Nutritional diseases (E40-E68) |
| 165 | 1 | | Malnutrition (E40-E46) |
| 166 | | | Nutritional marasmus (E41) |
| 167 | | | Other and unspecified malnutrition (E40,E42-E46) |

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

| 358 | S | Limited | | | |
|--------|---|---------|--|--|--|
| Recode | T | Sex Age | Cause Title and ICD-10 Codes Included | | |
| 168 | | | Other nutritional deficiencies (E50-E64) | | |
| 169 | | | Obesity and other hyperalimentation (E65-E68) | | |
| 170 | 1 | 3 | Metabolic disorders (E70-E88) | | |
| 171 | | | Cystic fibrosis (E84) | | |
| 172 | | | Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87) | | |
| 173 | | | Other metabolic disorders (E70-E83,E85,E88) | | |
| 174 | 1 | | V. Mental and behavioral disorders (F01-F99) | | |
| 175 | | | Organic dementia (F01,F03) | | |
| 176 | | | Other and unspecified organic mental disorders (F04-F09) | | |
| 177 | 1 | 3 | Mental and behavioral disorders due to psychoactive substance use (F10-F19) | | |
| 178 | | 3 | Mental and behavioral disorders due to use of alcohol (F10) | | |
| 179 | | 3 | Mental and behavioral disorders due to other psychoactive substance use (F11-F19) | | |
| 180 | | | Schizophrenia, schizotypal and delusional disorders (F20-F29) | | |
| 181 | | | Mood (affective) disorders (F30-F39) | | |
| 182 | | | Neurotic, stress-related and somatoform disorders (F40-F48) | | |
| 183 | | | Mental retardation (F70-F79) | | |
| 184 | | | Other and unspecified mental and behavioral disorders (F50-F69,F80-F99) | | |
| 185 | 1 | | VI. Diseases of the nervous system (G00-G98) | | |
| 186 | | | Meningitis (G00,G03) | | |
| 187 | | | Other inflammatory diseases of central nervous system (G04-G09) | | |
| 188 | | | Parkinson=s disease (G20-G21) | | |
| 189 | | | Alzheimer=s disease (G30) | | |
| 190 | | | Multiple sclerosis (G35) | | |
| 191 | | | Epilepsy (G40-G41) | | |
| 192 | | | Transient cerebral ischemic attacks and related syndromes (G45) | | |
| 193 | | | Infantile cerebral palsy (G80) | | |
| 194 | | | All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98) | | |
| 195 | | | VII. Diseases of the eye and adnexa (H00-H57) | | |
| 196 | | | VIII. Diseases of the ear and mastoid process (H60-H93) | | |
| 197 | 1 | | IX. Diseases of the circulatory system (I00-I99) | | |
| 198 | 1 | | Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09) | | |
| 199 | | | Acute rheumatic fever (I00-I02) | | |
| 200 | 1 | | Chronic rheumatic heart diseases (I05-I09) | | |
| 201 | | | Rheumatic mitral valve diseases (I05) | | |
| 202 | | | Rheumatic aortic valve diseases (I06) | | |
| 203 | | | Disorders of both mitral and aortic valves (I08.0) | | |
| 204 | | | Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09) | | |
| 205 | 1 | | Hypertensive diseases (I10-I13) | | |
| 206 | | | Essential (primary) hypertension (I10) | | |
| 207 | | | Hypertensive heart disease (I11) | | |
| 208 | | | Hypertensive renal disease (I12) | | |
| 209 | | | Hypertensive heart and renal disease (I13) | | |
| 210 | 1 | | Ischemic heart diseases (I20-I25) | | |
| 211 | | | Acute myocardial infarction (I21-I22) | | |
| 212 | | | Other acute ischemic heart diseases (I24) | | |
| 213 | | | Other forms of chronic ischemic heart diseases (I20,I25) | | |
| 214 | | | Atherosclerotic cardiovascular disease, so described (I25.0) | | |
| 215 | | | All other forms of chronic ischemic heart disease (I20,I25.1-I25.9) | | |
| 216 | 1 | | Other heart diseases (I26-I51) | | |
| 217 | 1 | | Pulmonary heart disease and diseases of pulmonary circulation (I26-I28) | | |
| 218 | | | Pulmonary embolism (I26) | | |
| 219 | | | Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28) | | |

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

| 358 | S Limited | | |
|--------|-----------|---|--|
| Recode | T Sex Age | Cause Title and ICD-10 Codes Included | |
| 220 | 1 | Other non-pulmonary forms of heart disease (I30-I51) | |
| 221 | | Acute and subacute endocarditis (I33) | |
| 222 | | Diseases of pericardium and acute myocarditis (I30-I31,I40) | |
| 223 | 1 | Other diseases of endocardium (I34-I38) | |
| 224 | | Nonrheumatic mitral valve disorders (I34) | |
| 225 | | Nonrheumatic aortic valve disorders (I35) | |
| 226 | | All other diseases of endocardium (I36-I38) | |
| 227 | | Cardiomyopathy (I42) | |
| 228 | | Conduction disorders and cardiac dysrhythmias (I44-I49) | |
| 229 | 1 | Heart failure (I50) | |
| 230 | | Congestive heart failure (I50.0) | |
| 231 | | Other and unspecified heart failure (I50.1-I50.9) | |
| 232 | | Myocarditis, unspecified and myocardial degeneration (I51.4-I51.5) | |
| 233 | | All other and ill-defined forms of heart disease (I50.0-I51.3, I51.6-I51.9) | |
| 234 | 1 | Cerebrovascular diseases (I60-I69) | |
| 235 | | Subarachnoid hemorrhage (I60) | |
| 236 | 3 | Intracerebral and other intracranial hemorrhage (I61-I62) | |
| 237 | | Cerebral infarction (I63) | |
| 238 | | Stroke, not specified as hemorrhage or infarction (I64) | |
| 239 | | Other cerebrovascular diseases and their sequelae (I67,I69) | |
| 240 | 1 | Diseases of arteries, arterioles and capillaries (I70-I78) | |
| 241 | | Atherosclerosis (I70) | |
| 242 | | Aortic aneurysm and dissection (I71) | |
| 243 | | Other diseases of arteries, arterioles and capillaries (I70-I78) | |
| 244 | 1 | Other disorders of circulatory system (I80-I99) | |
| 245 | | Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82) | |
| 246 | | All other and unspecified disorders of circulatory system (I83-I99) | |
| 247 | 1 | X. Diseases of the respiratory system (J00-J98) | |
| 248 | 1 | Acute upper respiratory infections (J00-J06) | |
| 249 | | Acute pharyngitis and tonsillitis (J02-J03) | |
| 250 | | Acute laryngitis and tracheitis ((J04) | |
| 251 | | Other and unspecified acute upper respiratory infections (J00-J01,J05-J06) | |
| 252 | 1 | Other diseases of the respiratory system (J10-J98) | |
| 253 | | Influenza (J10-J11) | |
| 254 | 1 | Pneumonia(J12-J18) | |
| 255 | | Viral pneumonia, not elsewhere classified (J12) | |
| 256 | | Bacterial pneumonia (J13-J15) | |
| 257 | | Pneumonia due to other or unspecified organisms (J16,J18) | |
| 258 | 1 | Other acute lower respiratory infections (J20-J22) | |
| 259 | | Acute bronchitis and bronchiolitis(J20-J21) | |
| 260 | | Unspecified acute lower respiratory infection (J22) | |
| 261 | | Other diseases of upper respiratory tract (J30-J39) | |
| 262 | 1 | Chronic lower respiratory diseases (J40-J47) | |
| 263 | 1 | Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46) | |
| 264 | | Bronchitis, not specified as acute or chronic (J40) | |
| 265 | | Chronic bronchitis (J41-J42) | |
| 266 | 3 | Emphysema (J43) | |
| 267 | | Other chronic obstructive pulmonary disease (J44) | |
| 268 | | Asthma (J45-J46) | |
| 269 | | Bronchiectasis (J47) | |
| 270 | 1 | Lung diseases due to external agents (J60-J70) | |
| 271 | | Pneumoconioses and chemical effects (J60-J66,J68) | |
| 272 | 1 | Pneumonitis due to solids and liquids (J69) | |
| 273 | | Pneumonitis due to food and vomit (J69.0) | |
| 274 | | Other pneumonitis due to solids and liquids (J69.1-J69.8) | |
| 275 | | Other lung diseases due to external agents (J67,J70) | |
| 276 | | Suppurative and necrotic conditions of lower respiratory tract (J85-J86) | |
| 277 | | Pleural effusion and plaque (J90, J92) | |
| 278 | | All other diseases of respiratory system (J80-J84,J93-J98) | |

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

| 358 | S Limited | | |
|--------|-----------|--|--|
| Recode | T Sex Age | Cause Title and ICD-10 Codes Included | |
| 279 | 1 | XI. Diseases of the digestive system (K00-K92) | |
| 280 | | Diseases of oral cavity, salivary glands and jaws (K00-K14) | |
| 281 | 1 | Diseases of other parts of digestive system (K20-K92) | |
| 282 | | Diseases of esophagus (K20-K22) | |
| 283 | 1 | Peptic ulcer (K25-K28) | |
| 284 | | Gastric ulcer(K25) | |
| 285 | | Duodenal ulcer(K26) | |
| 286 | 3 | Peptic ulcer, site unspecified (K27) | |
| 287 | | Gastrojejunal ulcer (K28) | |
| 288 | | Gastritis and duodenitis (K29) | |
| 289 | | Dyspepsia and other diseases of stomach and duodenum (K30-K31) | |
| 290 | | Diseases of appendix (K35-K38) | |
| 291 | | Hernia (K40-K46) | |
| 292 | | Crohn=s disease and ulcerative colitis (K50-K51) | |
| 293 | | Vascular disorders and obstruction of intestine without hernia (K55-K56) | |
| 294 | | Diverticular disease of intestine (K57) | |
| 295 | | Other diseases of intestines and peritoneum (K52,K58-K63) | |
| 296 | | Diseases of peritoneum (K65-K66) | |
| 297 | 1 | Diseases of liver (K70-K76) | |
| 298 | | Alcoholic liver disease (K70) | |
| 299 | | Chronic hepatitis, not elsewhere classified (K73) | |
| 300 | | Fibrosis and cirrhosis of liver (K74) | |
| 301 | | Other diseases of liver (K71-K72,K75-K76) | |
| 302 | | Cholelithiasis and other disorders of gallbladder (K80-K82) | |
| 303 | 1 | Disorders of biliary tract and pancreas (K83-K86) | |
| 304 | | Pancreatitis (K85,K86.0-K86.1) | |
| 305 | | Other disorders of biliary tract and pancreas (K83,K86.2-K86.9) | |
| 306 | | All other diseases of digestive system (K90-K92) | |
| 307 | 1 | XII. Diseases of the skin and subcutaneous tissue (L00-L98) | |
| 308 | | Infections of skin and subcutaneous tissue (L00-L08) | |
| 309 | | Other and unspecified diseases of skin and sub-cutaneous tissue (L10-L98) | |
| 310 | 1 | XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99) | |
| 311 | | Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08) | |
| 312 | | Systemic lupus erythematosus (M32) | |
| 313 | | Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35) | |
| 314 | | Dorsopathies (M40-M54) | |
| 315 | | Soft tissue disorders (M60-M79) | |
| 316 | 1 | Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99) | |
| 317 | | Osteoporosis (M80-M81) | |
| 318 | | Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99) | |
| 319 | 1 | XIV. Diseases of the genitourinary system (N00-N98) | |
| 320 | 1 | Diseases of urinary system (N00-N39) | |
| 321 | 1 | Glomerular and renal tubulo-interstitial diseases (N00-N15) | |
| 322 | 1 | Glomerular diseases (N00-N07) | |
| 323 | | Acute and rapidly progressive nephritic syndrome (N00-N01) | |
| 324 | | Nephrotic syndrome (N04) | |
| 325 | | Other and unspecified glomerular diseases (N02-N03,N05-N07) | |
| 326 | | Renal tubulo-interstitial diseases (N10-N15) | |
| 327 | | Renal failure (N17-N19) | |
| 328 | | Urolithiasis (N20-N23) | |
| 329 | | Other and unspecified disorders of kidney (N25-N27) | |
| 330 | | Urinary tract infection, site not specified (N39.0) | |

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

| 358 | S Limited | | |
|--------|-----------|---|--|
| Recode | T Sex Age | Cause Title and ICD-10 Codes Included | |
| 331 | | Other diseases of urinary system (N28-N36,N39.1-N39.9) | |
| 332 | 1 1 | Diseases of male genital organs (N40-N50) | |
| 333 | 1 | Hyperplasia of prostate (N40) | |
| 334 | 1 | Other diseases of male genital organs (N41-N50) | |
| 335 | | Disorders of breast (N60-N64) | |
| 336 | 1 2 | Disorders of female genital organs (N70-N98) | |
| 337 | 2 | Inflammatory diseases of female pelvic organs (N70-N76) | |
| 338 | 2 | Noninflammatory disorders of female genital tract (N80-N98) | |
| 339 | 1 2 7 | XV. Pregnancy, childbirth and the puerperium (000-099) | |
| 340 | 1 2 7 | Pregnancy with abortive outcome (000-007) | |
| 341 | 2 7 | Ectopic pregnancy (000) | |
| 342 | 2 7 | Spontaneous abortion (003) | |
| 343 | 2 7 | Medical abortion (004) | |
| 344 | 2 7 | Other abortion (005) | |
| 345 | 2 7 | Other and unspecified pregnancy with abortive outcome (001-002,006-007) | |
| 346 | 1 2 7 | Other direct obstetric deaths (010-092) | |
| 347 | 2 7 | Eclampsia and pre-eclampsia (011,013-016) | |
| 348 | 2 7 | Hemorrhage of pregnancy and childbirth and placenta previa (020,044-046,067,072) | |
| 349 | 1 2 7 | Complications predominately related to the puerperium (085-092) | |
| 350 | 2 7 | Obstetric embolism (088) | |
| 351 | 2 7 | Other complications predominately related to the puerperium (085-087,089-092) | |
| 352 | 2 7 | All other direct obstetric causes (010,012,021-043,047-066,068-071, 073-075) | |
| 353 | 2 7 | Obstetric death of unspecified cause (095) | |
| 354 | 2 7 | Other deaths related to pregnancy, childbirth and the puerperium (096-097) | |
| 355 | 2 7 | Indirect obstetric deaths (098-099) | |
| 356 | 1 | XVI. Certain conditions originating in the perinatal period (P00-P96) | |
| 357 | | Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04) | |
| 358 | | Disorders related to short gestation and low birth weight, not elsewhere classified (P07) | |
| 359 | | Birth trauma (P10-P15) | |
| 360 | | Intrauterine hypoxia and birth asphyxia (P20-P21) | |
| 361 | | Respiratory distress of newborn (P22) | |
| 362 | | Other respiratory conditions originating in the perinatal period (P23-P28) | |
| 363 | | Infections specific to the perinatal period (P35-P39) | |
| 364 | | Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96) | |
| 365 | 1 | XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99) | |
| 366 | | Anencephaly and similar malformations (Q00) | |
| 367 | | Spina bifida (Q05) | |
| 368 | | All other congenital malformations of nervous system (Q01-Q04,Q06-Q07) | |
| 369 | | Congenital malformations of heart (Q20-Q24) | |
| 370 | | Other congenital malformations of circulatory system (Q25-Q28) | |
| 371 | | Congenital malformations of respiratory system (Q30-Q34) | |
| 372 | | Other congenital malformations and deformations (Q10-Q18,Q35-Q89) | |
| 373 | | Down=s syndrome (Q90) | |
| 374 | | All other chromosomal abnormalities, not elsewhere classified (Q91-Q99) | |

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

| 358 | S | Limited | | | |
|--------|---|---------|-----|---|--|
| Recode | T | Sex | Age | Cause Title and ICD-10 Codes Included | |
| 375 | 1 | | | XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99) | |
| 376 | | | | Senility (R54) | |
| 377 | 1 | | | Ill-defined and unknown causes of mortality (R95-R99) | |
| 378 | | 4 | | Sudden infant death syndrome (R95) | |
| 379 | | | | Other ill-defined and unknown causes of mortality (R96-R99) | |
| 380 | | | | All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94) | |
| 381 | 1 | | | XX. External causes of mortality (*U01-*U03,V01-Y89) | |
| 382 | 1 | | | Accidents (unintentional injuries) (V01-X59,Y85-Y86) | |
| 383 | 1 | | | Transport accidents (V01-V99, Y85) | |
| 384 | | | | Railway accidents (V05,V15,V80.6,V81.2-V81.9,V80.3-V80.5, V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0, V89.2) | |
| 385 | 1 | | | Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2, V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86, V87.0-V87.8,V88.0-V88.8,V89.0,V89.2) | |
| 386 | | | | Pedestrian involved in collision with motor vehicle (V02-V04) | |
| 387 | | | | Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0,V19.2-V19.4-V19.6) | |
| 388 | | | | Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39) | |
| 389 | 1 | | | Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6) | |
| 390 | | | | Motorcyclist involved in collision with railway train (V25,V35) | |
| 391 | | | | Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6) | |
| 392 | | | | Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71, V76-V77) | |
| 393 | | | | Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59) | |
| 394 | | | | Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64,V69,V72-V74,V79) | |
| 395 | | | | Occupant of motor vehicle involved in non-collision accident (V48,V58,V68,V78) | |
| 396 | | | | Occupant of special-use motor vehicle involved in any accident (V83-V86) | |
| 397 | | | | Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8, V88.0-V88.5,V88.7-V88.8,V89.0,V89.2) | |
| 398 | | | | Streetcar accidents (V82.2-V82.9) | |
| 399 | | | | Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9, V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9) | |
| 400 | | | | Water transport accidents (V90-V94) | |
| 401 | | | | Air and space transport accidents (V95-V97) | |
| 402 | | | | Other and unspecified transport accidents and their sequelae (V98-V99,Y85) | |
| 403 | 1 | | | Falls (W00-W19) | |
| 404 | | | | Fall on same level (W00-W09,W18) | |
| 405 | | | | Fall from one level to another (W10-W17) | |
| 406 | | | | Unspecified fall (W19) | |
| 407 | | | | Accidental discharge of firearms (W32-W34) | |
| 408 | | | | Accidental explosion (W39-W40) | |
| 409 | | | | Accidental drowning and submersion (W65-W74) | |
| 410 | | | | Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80) | |
| 411 | | | | Other accidental and unspecified threats to breathing | |

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

| 358 | S | Limited | | | |
|--------|---|---------|-----|---|--|
| Recode | T | Sex | Age | Cause Title and ICD-10 Codes Included | |
| | | | | (W75-W77,W81-W84) | |
| 412 | | | | Accidental exposure to electrical current (W85-W87) | |
| 413 | | | | Accidental exposure to radiation (W88-W91) | |
| 414 | | | | Accidental exposure to smoke, fire and flames (X00-X09) | |
| 415 | | | | Accidental contact with heat and hot substances (X10-X19) | |
| 416 | | | | Lightning (X33) | |
| 417 | | | | Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36) | |
| 418 | | | | Cataclysmic storm and flood (X37-X38) | |
| 419 | 1 | | | Accidental poisoning and exposure to noxious substances (X40-X49) | |
| 420 | | | | Accidental poisoning by and exposure to drugs and other biological substances (X40-X44) | |
| 421 | | | | Accidental poisoning by and exposure to other and unspecified solid or liquids substances (X45-X46,X48-X49) | |
| 422 | | | | Accidental poisoning by and exposure to other gases and vapors (X47) | |
| 423 | | | | All other and unspecified accidents | |
| | | | | (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86) | |
| 424 | 1 | 1 | | Intentional self-harm (suicide) (*U03,X60-X84,Y87.0) | |
| 425 | | 1 | | Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64) | |
| 426 | | 1 | | Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69) | |
| 427 | | 1 | | Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67) | |
| 428 | | 1 | | Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70) | |
| 429 | | 1 | | Intentional self-harm (suicide) by discharge of firearms (X72-X74) | |
| 430 | | 1 | | Intentional self-harm (suicide) by jumping from a high place (X80) | |
| 431 | | 1 | | Intentional self-harm (suicide) by all other and unspecified means and their sequelae (*U03,X71,X75-X79,X81-X84,X87.0) | |
| 432 | 1 | | | Assault (homicide) (*U01-*U02,X85-Y09,X87.1) | |
| 433 | | | | Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (*U01.6-*U01.7,X85-X90) | |
| 434 | | | | Assault (homicide) by hanging, strangulation and suffocation (X91) | |
| 435 | | | | Assault (homicide) by discharge of firearms (*U01.4,X93-X95) | |
| 436 | | | | Assault (homicide) by sharp object (X99) | |
| 437 | | | | Assault (homicide) by blunt object (Y00) | |
| 438 | | | | Assault (homicide) by bodily force (Y04) | |
| 439 | | | | Sexual assault (homicide) by bodily force (Y05) | |
| 440 | | | | Neglect, abandonment and other maltreatment syndromes (Y06-Y07) | |
| 441 | | | | Assault (homicide) by all other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5,*U01.8-*U01.9,*U02,X92,X96-X98, Y01-Y03,Y08-Y09,Y87.1) | |
| 442 | 1 | | | Event of undetermined intent (Y10-Y34,Y87.2,Y89.9) | |
| 443 | | | | Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14) | |
| 444 | | | | Poisoning by and exposure to other and unspecified solid or liquid substance undetermined intent (Y15-Y16,Y18-Y19) | |
| 445 | | | | Poisoning by and exposure to other gases and vapors, undetermined intent (Y17) | |
| 446 | | | | Discharge of firearms, undetermined intent (Y22-Y24) | |
| 447 | | | | Falling, jumping or pushed from a high place, undetermined intent (Y30) | |
| 448 | | | | All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9) | |
| 449 | 1 | | | Legal intervention (Y35,Y89.0) | |
| 450 | | | | Legal intervention (Y35.5) | |
| 451 | | | | Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0) | |
| 452 | | | | Operations of war and their sequelae (Y36,Y89.1) | |
| 453 | 1 | | | Complications of medical and surgical care (Y40-Y84,Y88) | |
| 454 | | | | Drugs, medicaments and biological substances causing adverse effects in therapeutic use and their sequelae (Y40-Y59,Y88.0) | |
| 455 | | | | Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1) | |
| 456 | | | | Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3) | |

Mortality Multiple Cause-of-Death Public Use Record
Territories File
2009

VI. List of File Data Elements and Tape Locations

| Data Items | Tape Locations |
|---|----------------|
| 1. General | |
| a. Record Type | 19 |
| b. Resident status | 20 |
| c. Place of death and decedent's status | 83 |
| d. Day of week of death | 85 |
| e. Date of data receipt | 94-101 |
| f. Data year | 102-105 |
| 2. Occurrence | |
| a. State (FIPS) | 21-22 |
| b. County (FIPS) | 23-25 |
| c. County Population size | 28 |
| 3. Residence | |
| a. State (FIPS) | 29-30 |
| b. State/Country Recode | 33-34 |
| c. County (FIPS) | 35-37 |
| d. County Population size | 51 |
| 4. The Decedent | |
| a. Month of Death | 65-66 |
| b. Sex | 69 |
| c. Race | 445-450 |
| d. Age | 70-82 |
| e. Marital status | 84 |
| f. State of birth | 55-60 |
| g. Hispanic origin | 484-488 |
| h. Education | 61-64 |
| 5. Underlying Cause | |
| a. ICD-10 code | 146-149 |
| b. 358 cause recode | 150-152 |
| c. 113 cause recode | 154-156 |
| d. 130 cause recode | 157-159 |
| e. 39 cause recode | 160-161 |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| | | | |
|----|---------------------|------------------------|---------|
| 6. | Multiple Conditions | | |
| | a. | Entity-Axis conditions | |
| | | 1. Number of | 163-164 |
| | | 2. The conditions | 165-304 |
| | b. | Record-Axis conditions | |
| | | 1. Number of | 341-342 |
| | | 2. The conditions | 344-443 |
| 7. | Other medical items | | |
| | a. | Place of injury | 145 |
| | b. | Injury at work | 106 |
| | c. | Method of disposition | 108 |
| | d. | Autopsy | 109 |
| | e. | Activity code | 144 |

Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 1-18 | 18 | <u>Reserved Positions</u> These positions are blank. |
| 19 | 1 | <u>Record Type</u> <ul style="list-style-type: none"> 1 ... RESIDENTS State and County of Occurrence and Residence are the same. 2 ... NONRESIDENTS State and/or County of Occurrence and Residence are different. |
| 20 | 1 | <u>Resident Status</u> <p>United States Occurrence</p> <ul style="list-style-type: none"> 1 ... RESIDENTS State and County of Occurrence and Residence are the same. 2 ... INTRASTATE NONRESIDENTS State of Occurrence and Residence are the same, but County is different. 3 ... INTERSTATE NONRESIDENTS State of Occurrence and Residence are different, but both are in the U.S. 4 ... FOREIGN RESIDENTS State of Occurrence is one of the 50 States or the District of Columbia, but Place of Residence is outside of the U.S. <p>Puerto Rico Occurrence</p> <ul style="list-style-type: none"> 1 ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. 2 ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. 3 ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. 4 ... FOREIGN RESIDENTS Occurred in Puerto Rico to a resident of any other place. |

Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|--|
| 20 | 1 | <u>Resident Status - Con.</u> |
| | | Virgin Islands Occurrence |
| | 1 | ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. |
| | 2 | ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. |
| | 3 | ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. |
| | 4 | ... FOREIGN RESIDENTS Occurred in Virgin Islands to a resident of any other place. |
| | | Guam Occurrence |
| | 1 | ... RESIDENTS Occurred in Guam to a resident of Guam or to a resident of the U.S. |
| | 3 | ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. |
| | 4 | ... FOREIGN RESIDENTS Occurred in Guam to a resident of any place other than Guam or the U.S. |
| | | American Samoa Occurrence |
| | 1 | ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. |
| | 2 | ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. |
| | 3 | ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. |
| | 4 | ... FOREIGN RESIDENTS Occurred in American Samoa to a resident of any other place. |
| | | Northern Marianas Occurrence |
| | 1 | ... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same. |
| | 2 | ... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different. |
| | 3 | ... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory. |
| | 4 | ... FOREIGN RESIDENTS Occurred in Northern Marianas to a resident of any other place. |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|--|
| 21-54 | 34 | <p><u>FEDERAL INFORMATION PROCESSING STANDARDS (FIPS) GEOGRAPHIC CODES</u></p> <p>Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications. Some geographic codes have been changed to reflect the results of the 2000 Census.</p> |
| 21-28 | 8 | <u>PLACE OF OCCURRENCE</u> |
| 21-22 | 2 | <p><u>State of Occurrence (FIPS)</u></p> <p>Puerto Rico</p> <p>PR ... Puerto Rico</p> <p>Virgin Islands</p> <p>VI ... Virgin Islands</p> <p>Guam</p> <p>GU ... Guam</p> <p>American Samoa</p> <p>AS ... American Samoa</p> <p>Northern Marianas</p> <p>MP ... Northern Marianas</p> |
| 23-25 | 3 | <p><u>County of Occurrence (FIPS)</u></p> <p>Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 2000. (Note: To uniquely identify a county, both the state and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document.</p> <p>001-999 ... Code range 999 ... County of less than 100,000 population</p> |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 26-27 | 2 | <u>Reserved Positions</u> These positions are blank. |
| 28 | 1 | <u>Population Size of County of Occurrence</u> Based on the results of the 2000 Census 0 ... County of 1,000,000 or more 1 ... County of 500,000 to 1,000,000 2 ... County of 250,000 to 500,000 3 ... County of 100,000 to 250,000 9 ... County of less than 100,000 |
| 29-54 | 24 | <u>PLACE OF RESIDENCE</u> Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. Beginning with 2003 data, some areas started reporting additional codes for foreign residents. |
| 29-30 | 2 | <u>State of Residence (FIPS)</u> Territories Residents PR ... Puerto Rico VI ... Virgin Islands GU ... Guam AS ... American Samoa MP ... Northern Marianas Foreign residents CC ... Canada MX ... Mexico CU ... Cuba YY ... Remainder of the world Puerto Rico Occurrence PR ... Puerto Rico US, ZZ ... Foreign residents Virgin Islands Occurrence VI ... Virgin Islands US, ZZ ... Foreign residents |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 29-30 | 2 | <u>State of Residence (FIPS) - Con</u> Guam Occurrence GU ... Guam US ... U.S. resident. Also considered a resident of Guam. ZZ ... Foreign residents: refer to U.S. for specific code structure. American Samoa Occurrence AS ... American Samoa US, ZZ ... Foreign residents Northern Marianas Occurrence MP ... Northern Marianas US, ZZ ... Foreign residents |
| 31-32 | 2 | <u>Reserved Positions</u> These positions are blank. |
| 33-34 | 2 | <u>State/Country of Residence Recode</u> Territorial residents PR ... Puerto Rico VI ... Virgin Islands GU ... Guam AS ... American Samoa MP ... Northern Marianas Foreign residents CC ... Canada MX ... Mexico CU ... Cuba YY ... Remainder of the world Puerto Rico Occurrence PR ... Puerto Rico US, ZZ ... Foreign residents. |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|--|
| 33-34 | 2 | <p><u>State/Country of Residence Recode – Con.</u></p> <p>Virgin Islands Occurrence</p> <p>VI ... Virgin Islands US, ZZ ... Foreign residents.</p> <p>Guam Occurrence</p> <p>GU ... Guam US ... U.S. resident. Also considered a resident of Guam ZZ ... Foreign residents.</p> <p>American Samoa Occurrence</p> <p>AS ... American Samoa US, ZZ ... Foreign residents.</p> <p>Northern Marianas Occurrence</p> <p>MP ... Northern Marianas US, ZZ ... Foreign residents.</p> |
| 35-37 | 3 | <p><u>County of Residence (FIPS)</u></p> <p>Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 2000. (Note: To uniquely identify a county, both the state and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document.</p> <p>000 ... Foreign residents 001-999 ... Code range 999 ... County of less than 100,000 population</p> |
| 38-50 | 13 | <p><u>Reserved Positions</u></p> <p>These positions are blank.</p> |
| 51 | 1 | <p><u>Population Size of County of Residence</u></p> <p>Based on the results of the 2000 Census</p> <p>0 ... County of 1,000,000 or more 1 ... County of 500,000 to 1,000,000 2 ... County of 250,000 to 500,000 3 ... County of 100,000 to 250,000 9 ... County of less than 100,000 Z ... Foreign residents</p> |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|--|
| 52-58 | 7 | <u>Reserved Positions</u> These positions are blank. |
| 59-60 | 2 | <u>State/Country Birth Recode</u> Territorial residents PR ... Puerto Rico VI ... Virgin Islands GU ... Guam AS ... American Samoa MP ... Northern Marianas Foreign residents US ... United States CC ... Canada MX ... Mexico CU ... Cuba YY ... Remainder of the world ZZ ... Unknown place of birth |
| 61-64 | 4 | EDUCATION |
| 61-62 | 2 | <u>Education (1989 revision)</u> 00 ... No formal education 01-08 ... Years of elementary school 09 ... 1 year of high school 10 ... 2 years of high school 11 ... 3 years of high school 12 ... 4 years of high school 13 ... 1 year of college 14 ... 2 years of college 15 ... 3 years of college 16 ... 4 years of college 17 ... 5 or more years of college 99 ... Not stated |
| 63 | 1 | <u>Education (2003 revision)</u> Field is blank for registration areas that are using the 1989 revision format of the item. 1 ... 8th grade or less 2 ... 9 - 12th grade, no diploma 3 ... high school graduate or GED completed 4 ... some college credit, but no degree 5 ... Associate degree 6 ... Bachelor's degree 7 ... Master's degree 8 ... Doctorate or professional degree |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 64 | 1 | <p>9 ... Unknown <u>Education reporting flag</u></p> <p>0 ... 1989 revision of education item on certificate 1 ... 2003 revision of education item on certificate 2 ... no education item on certificate</p> |
| 65-66 | 2 | <p><u>Month of Death</u></p> <p>01 ... January 02 ... February 03 ... March 04 ... April 05 ... May 06 ... June 07 ... July 08 ... August 09 ... September 10 ... October 11 ... November 12 ... December</p> |
| 67-68 | 2 | <u>Reserved Positions</u> |
| 69 | 1 | <p><u>Sex</u></p> <p>M ... Male F ... Female</p> |
| 70-82 | 13 | <u>REPORTED AGE</u> |
| 70-73 | 4 | <p><u>Detail Age</u></p> <p>Four positions are used to code detail age. Location 70 identifies age in years, months, days, etc. Locations 71-73 are the number of years, months, days, etc.</p> <p>1 001-135,999 ... Years 2 001-011,999 ... Months 4 001-027,999 ... Days 5 001-023,999 ... Hours 6 001-059,999 ... Minutes 9 999 ... Age not stated</p> |
| 74 | 1 | <p><u>Age Substitution Flag</u></p> <p>If reported age is unknown but a valid age is calculated using dates of birth and death, the calculated age is substituted for the unknown reported age.</p> <p>Blank ... Calculated age is not substituted for reported age 1 ... Calculated age is substituted for reported age</p> |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 75-76 | 2 | <u>Age Recode 52</u> |
| | | 01 ... Under 1 hour (includes not stated hours and minutes) |
| | | 02 ... 1 - 23 hours |
| | | 03 ... 1 day (includes not stated days) |
| | | 04 ... 2 days |
| | | 05 ... 3 days |
| | | 06 ... 4 days |
| | | 07 ... 5 days |
| | | 08 ... 6 days |
| | | 09 ... 7 - 13 days (includes not stated weeks) |
| | | 10 ... 14 - 20 days |
| | | 11 ... 21 - 27 days |
| | | 12 ... 1 month (includes not stated months) |
| | | 13 ... 2 months |
| | | 14 ... 3 months |
| | | 15 ... 4 months |
| | | 16 ... 5 months |
| | | 17 ... 6 months |
| | | 18 ... 7 months |
| | | 19 ... 8 months |
| | | 20 ... 9 months |
| | | 21 ... 10 months |
| | | 22 ... 11 months |
| | | 23 ... 1 year |
| | | 24 ... 2 years |
| | | 25 ... 3 years |
| | | 26 ... 4 years |
| | | 27 ... 5 - 9 years |
| | | 28 ... 10 - 14 years |
| | | 29 ... 15 - 19 years |
| | | 30 ... 20 - 24 years |
| | | 31 ... 25 - 29 years |
| | | 32 ... 30 - 34 years |
| | | 33 ... 35 - 39 years |
| | | 34 ... 40 - 44 years |
| | | 35 ... 45 - 49 years |
| | | 36 ... 50 - 54 years |
| | | 37 ... 55 - 59 years |
| | | 38 ... 60 - 64 years |
| | | 39 ... 65 - 69 years |
| | | 40 ... 70 - 74 years |
| | | 41 ... 75 - 79 years |
| | | 42 ... 80 - 84 years |
| | | 43 ... 85 - 89 years |
| | | 44 ... 90 - 94 years |
| | | 45 ... 95 - 99 years |
| | | 46 ... 100 - 104 years |
| | | 47 ... 105 - 109 years |
| | | 48 ... 110 - 114 years |
| | | 49 ... 115 - 119 years |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 75-76 | 2 | <u>Age Recode 52- Con.</u> 50 ... 120 - 124 years 51 ... 125 years and over 52 ... Age not stated |
| 77-78 | 2 | <u>Age Recode 27</u> 01 ... Under 1 month (includes not stated weeks, days, hours, and minutes) 02 ... 1 month - 11 months (includes not stated months) 03 ... 1 years 04 ... 2 years 05 ... 3 years 06 ... 4 years 07 ... 5 - 9 years 08 ... 10 - 14 years 09 ... 15 - 19 years 10 ... 20 - 24 years 11 ... 25 - 29 years 12 ... 30 - 34 years 13 ... 35 - 39 years 14 ... 40 - 44 years 15 ... 45 - 49 years 16 ... 50 - 54 years 17 ... 55 - 59 years 18 ... 60 - 64 years 19 ... 65 - 69 years 20 ... 70 - 74 years 21 ... 75 - 79 years 22 ... 80 - 84 years 23 ... 85 - 89 years 24 ... 90 - 94 years 25 ... 95 - 99 years 26 ... 100 years and over 27 ... Age not stated |
| 79-80 | 2 | <u>Age Recode 12</u> 01 ... Under 1 year (includes not stated infant ages) 02 ... 1 - 4 years 03 ... 5 - 14 years 04 ... 15 - 24 years 05 ... 25 - 34 years 06 ... 35 - 44 years 07 ... 45 - 54 years 08 ... 55 - 64 years 09 ... 65 - 74 years 10 ... 75 - 84 years 11 ... 85 years and over 12 ... Age not stated |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|--|
| 81-82 | 2 | <u>Infant Age Recode 22</u> |
| | | Blank ... Age 1 year and over or not stated |
| | | 01 ... Under 1 hour (includes not stated hours and minutes) |
| | | 02 ... 1 - 23 hours |
| | | 03 ... 1 day (includes not stated days) |
| | | 04 ... 2 days |
| | | 05 ... 3 days |
| | | 06 ... 4 days |
| | | 07 ... 5 days |
| | | 08 ... 6 days |
| | | 09 ... 7-13 days (includes not stated weeks) |
| | | 10 ... 14 - 20 days |
| | | 11 ... 21 - 27 days |
| | | 12 ... 1 month (includes not stated months) |
| | | 13 ... 2 months |
| | | 14 ... 3 months |
| | | 15 ... 4 months |
| | | 16 ... 5 months |
| | | 17 ... 6 months |
| | | 18 ... 7 months |
| | | 19 ... 8 months |
| | | 20 ... 9 months |
| | | 21 ... 10 months |
| | | 22 ... 11 months |
| 83 | 1 | <u>Place of Death and Decedent's Status</u> |
| | | 1 ... Hospital, clinic or Medical Center - Inpatient |
| | | 2 ... Hospital, Clinic or Medical Center - Outpatient or admitted to Emergency Room |
| | | 3 ... Hospital, Clinic or Medical Center - Dead on Arrival |
| | | 4 ... Decedent's home |
| | | 5 ... Hospice facility |
| | | 6 ... Nursing home/long term care |
| | | 7 ... Other |
| | | 9 ... Place of death unknown |
| 84 | 1 | <u>Marital Status</u> |
| | | S ... Never married, single |
| | | M ... Married |
| | | W ... Widowed |
| | | D ... Divorced |
| | | U ... Marital Status unknown |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 85 | 1 | <u>Day of Week of Death</u> 1 ... Sunday 2 ... Monday 3 ... Tuesday 4 ... Wednesday 5 ... Thursday 6 ... Friday 7 ... Saturday 9 ... Unknown |
| 86-101 | 16 | <u>Reserved Position</u> This position is blank. |
| 102-105 | 4 | <u>Current Data Year</u> 2008 ...2008 |
| 106 | 1 | <u>Injury at Work</u> Y ... Yes N ... No U ... Unknown |
| 107 | 1 | <u>Manner of Death</u> 1 ... Accident 2 ... Suicide 3 ... Homicide 4 ... Pending investigation 5 ... Could not determine 6 ... Self-Inflicted 7 ... Natural blank ... Not specified |
| 108 | 1 | <u>Method of Disposition</u> B ... Burial C ... Cremation O ... Other U ... Unknown |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 109 | 1 | <u>Autopsy</u> Y ... Yes N ... No U ... Unknown |
| 110-143 | 34 | <u>Reserved Position</u> This position is blank. |
| 144 | 1 | <u>Activity Code</u> 0 ... While engaged in sports activity 1 ... While engaged in leisure activity 2 ... While working for income 3 ... While engaged in other types of work 4 ... While resting, sleeping, eating (vital activities) 8 ... While engaged in other specified activities 9 ... During unspecified activity blank ... Not applicable |
| 145 | 1 | <u>Place of Injury for Causes W00-Y34, except Y06.- and Y07.-</u> 0 ... Home 1 ... Residential institution 2 ... School, other institution and public administrative area 3 ... Sports and athletics area 4 ... Street and highway 5 ... Trade and service area 6 ... Industrial and construction area 7 ... Farm 8 ... Other Specified Places 9 ... Unspecified place Blank ... Causes other than W00-Y34, except Y06.- and Y07.- |
| 146-162 | 18 | <u>UNDERLYING CAUSE OF DEATH</u> |
| 146-149 | 4 | <u>ICD Code (10th Revision)</u> See the <u>International Classification of Diseases</u> , 1992 Revision, Volume 1. |
| 150-152 | 3 | <u>358 Cause Recode</u> A recode of the ICD cause code into 358 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. 001-456 ... Code range (not inclusive) |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> | | | | | | | | | | | | | | | | | | |
|----------------------|-------------------|--|---|-----|--------------------|---|-----|--------------------|---|-----|--------------------|---|-----|--------------------|---|-----|--------------------|---|-----|---------|
| 153 | 1 | <u>Reserved Position</u> This position is blank. | | | | | | | | | | | | | | | | | | |
| 154-156 | 3 | <u>113 Cause Recode</u> A recode of the ICD cause code into 113 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. 001-135 ... Code range (not inclusive) | | | | | | | | | | | | | | | | | | |
| 157-159 | 3 | <u>130 Infant Cause Recode</u> A recode of the ICD cause code into 130 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. Beginning in 2002 non-infant records are blank in this field. 001-158 ... Code range (not inclusive) | | | | | | | | | | | | | | | | | | |
| 160-161 | 2 | <u>39 Cause Recode</u> A recode of the ICD cause code into 39 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. 01-42 ... Code range (not inclusive) | | | | | | | | | | | | | | | | | | |
| 162 | 1 | <u>Reserved Position</u> This position is blank. | | | | | | | | | | | | | | | | | | |
| 163-443 | 281 | <u>MULTIPLE CONDITIONS</u> | | | | | | | | | | | | | | | | | | |
| 163-164 | 2 | <u>Number of Entity-Axis Conditions</u> 00-20 ... Code range | | | | | | | | | | | | | | | | | | |
| 165-304 | 140 | <u>ENTITY - AXIS CONDITIONS</u> Space has been provided for maximum of 20 conditions. Each condition takes 7 positions in the record. The 7 th position will be blank. Records that do not have 20 conditions are blank in the unused area. Position 1: Part/line number on certificate <table style="margin-left: 40px;"> <tr><td>1</td><td>...</td><td>Part I, line 1 (a)</td></tr> <tr><td>2</td><td>...</td><td>Part I, line 2 (b)</td></tr> <tr><td>3</td><td>...</td><td>Part I, line 3 (c)</td></tr> <tr><td>4</td><td>...</td><td>Part I, line 4 (d)</td></tr> <tr><td>5</td><td>...</td><td>Part I, line 5 (e)</td></tr> <tr><td>6</td><td>...</td><td>Part II</td></tr> </table> | 1 | ... | Part I, line 1 (a) | 2 | ... | Part I, line 2 (b) | 3 | ... | Part I, line 3 (c) | 4 | ... | Part I, line 4 (d) | 5 | ... | Part I, line 5 (e) | 6 | ... | Part II |
| 1 | ... | Part I, line 1 (a) | | | | | | | | | | | | | | | | | | |
| 2 | ... | Part I, line 2 (b) | | | | | | | | | | | | | | | | | | |
| 3 | ... | Part I, line 3 (c) | | | | | | | | | | | | | | | | | | |
| 4 | ... | Part I, line 4 (d) | | | | | | | | | | | | | | | | | | |
| 5 | ... | Part I, line 5 (e) | | | | | | | | | | | | | | | | | | |
| 6 | ... | Part II | | | | | | | | | | | | | | | | | | |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 165-304 | 140 | <u>ENTITY - AXIS CONDITIONS- Con.</u> Position 2: Sequence of condition within part/line 1-7 ... Code range Position 3 - 6: Condition code See Table 1 for a complete list of codes |
| 165-171 | 7 | 1 st Condition |
| 172-178 | 7 | 2 nd Condition |
| 179-185 | 7 | 3 rd Condition |
| 186-192 | 7 | 4 th Condition |
| 193-199 | 7 | 5 th Condition |
| 200-206 | 7 | 6 th Condition |
| 207-213 | 7 | 7 th Condition |
| 214-220 | 7 | 8 th Condition |
| 221-227 | 7 | 9 th Condition |
| 228-234 | 7 | 10 th Condition |
| 235-241 | 7 | 11 th Condition |
| 242-248 | 7 | 12 th Condition |
| 249-255 | 7 | 13 th Condition |
| 256-262 | 7 | 14 th Condition |
| 263-269 | 7 | 15 th Condition |
| 270-276 | 7 | 16 th Condition |
| 277-283 | 7 | 17 th Condition |
| 284-290 | 7 | 18 th Condition |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|--|
| 165-304 | 140 | <u>ENTITY - AXIS CONDITIONS – Con.</u> |
| 291-297 | 7 | 19 th Condition |
| 298-304 | 7 | 20 th Condition |
| 305-340 | 36 | <u>Reserved Positions</u> |
| 341-342 | 2 | <u>Number of Record-Axis Conditions</u> 00-20 ... Code range |
| 343 | 1 | <u>Reserved Position</u> This position is blank. |
| 344-443 | 100 | <u>RECORD - AXIS CONDITIONS</u> Space has been provided for a maximum of 20 conditions. Each condition takes 5 positions in the record. The 5 th position will be blank. Records that do not have 20 conditions are blank in the unused area. Positions 1 - 4: Condition Code See Table 1 for a complete list of codes |
| 344-348 | 5 | 1 st Condition |
| 349-353 | 5 | 2 nd Condition |
| 354-358 | 5 | 3 rd Condition |
| 359-363 | 5 | 4 th Condition |
| 364-368 | 5 | 5 th Condition |
| 369-373 | 5 | 6 th Condition |
| 374-378 | 5 | 7 th Condition |
| 379-383 | 5 | 8 th Condition |
| 384-388 | 5 | 9 th Condition |
| 389-393 | 5 | 10 th Condition |
| 394-398 | 5 | 11 th Condition |
| 399-403 | 5 | 12 th Condition |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 344-443 | 100 | <u>RECORD - AXIS CONDITIONS – Con.</u> |
| 404-408 | 5 | 13 th Condition |
| 409-413 | 5 | 14 th Condition |
| 414-418 | 5 | 15 th Condition |
| 419-433 | 5 | 16 th Condition |
| 424-428 | 5 | 17 th Condition |
| 429-433 | 5 | 18 th Condition |
| 434-438 | 5 | 19 th Condition |
| 439-443 | 5 | 20 th Condition |
| 444 | 1 | <u>Reserved position</u> This position is blank. |
| 445-482 | 38 | <u>RACE</u> |
| 445-446 | 2 | <u>Race</u> |

This item is: a) the reported race for States that are reporting single race or b) the bridged race for States that are reporting multiple race. Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18 - 68 replace old code 08 for these areas. Code 78 replaces old 08 for all other areas. For consistency with Census races, the category all other races has been imputed.

US Occurrence

| | |
|----|--|
| 01 | ... White |
| 02 | ... Black |
| 03 | ... American Indian (includes Aleuts and Eskimos) |
| 04 | ... Chinese |
| 05 | ... Japanese |
| 06 | ... Hawaiian (includes Part-Hawaiian) |
| 07 | ... Filipino |
| 18 | ... Asian Indian |
| 28 | ... Korean |
| 38 | ... Samoan |
| 48 | ... Vietnamese |
| 58 | ... Guamanian |
| 68 | ... Other Asian or Pacific Islander in areas reporting codes 18-58 |
| 78 | ... Combined other Asian or Pacific Islander, includes codes 18-68 |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|--|
| 445-446 | 2 | <p style="text-align: center;">for areas that do not report them separately <u>Race- Con.</u></p> <p>Puerto Rico Occurrence</p> <p>00 ... Other races 01 ... White 02 ... Black</p> <p>Virgin Islands Occurrence</p> <p>01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes Part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander</p> <p>Guam Occurrence</p> <p>01 ... White 02 ... Black 03 ... American Indian (Includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes Part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander 58 ... Guamanian</p> <p>American Samoa Occurrence</p> <p>01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes Part-Hawaiian) 07 ... Filipino 08 ... Other Asian or Pacific Islander</p> <p>Northern Marianas Occurrence</p> <p>01 ... White 02 ... Black 03 ... American Indian (includes Aleuts and Eskimos) 04 ... Chinese 05 ... Japanese 06 ... Hawaiian (includes Part-Hawaiian)</p> |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 445-446 | 2 | <u>Race- Con.</u> 07 ... Filipino 18 ... Asian Indian 28 ... Korean 38 ... Samoan 48 ... Vietnamese 58 ... Guamanian 68 ... Other Asian or Pacific Islander in areas reporting codes 18-58 78 ... Combined other Asian or Pacific Islander, includes 18-68 for areas that do not report them separately |
| 447 | 1 | <u>Bridged Race Flag</u> Blank ... Race is not bridged 1 ... Race is bridged |
| 448 | 1 | <u>Race Imputation Flag</u> Blank ... Race is not imputed 1 ... Unknown race is imputed 2 ... All other races is imputed |
| 449 | 1 | <u>Race Recode 3</u> 1 ... White 2 ... Races other than White or Black 3 ... Black |
| 450 | 1 | <u>Race Recode 5</u> 0 ... Other (Puerto Rico only) 1 ... White 2 ... Black 3 ... American Indian 4 ... Asian or Pacific Islander |
| 451-483 | 33 | <u>Reserved Positions</u> These positions are blank. |

2009
Mortality Multiple Cause-of-Death Public Use Record for Territories

| <u>Tape Location</u> | <u>Field Size</u> | <u>Item and Code Outline</u> |
|----------------------|-------------------|---|
| 484-486 | 3 | <u>Hispanic Origin</u> 100-199 ... Non – Hispanic 200-209 ... Spaniard 210-219 ... Mexican 260-269 ... Puerto Rican 270-274 ... Cuban 275-279 ... Dominican 220 ... Central and South American 221-230 ... Central American 231-249 ... South American 250-259 ... Latin American 280-299 ... Other Hispanic 996-999 ... Unknown |
| 487 | 1 | <u>Reserved Position</u> This position is blank. |
| 488 | 1 | <u>Hispanic Origin/Race Recode</u> 1 ... Mexican 2 ... Puerto Rican 3 ... Cuban 4 ... Central or South American 5 ... Other or unknown Hispanic 6 ... Non - Hispanic white 7 ... Non - Hispanic black 8 ... Non - Hispanic other races 9 ... Hispanic origin unknown |

Vital Statistics Geographic Code Outline For Puerto Rico,
 Virgin Islands, Guam, American Samoa and Northern Marianas
 Effective with 2003 Data

| Vital Statistics Codes | | | | FIPS Codes | | |
|------------------------|------|-------|------|--------------|-------------|---------------------|
| St | Cnty | P/MSA | M/NM | City | Area Names | St Cnty P/MSA Place |
| PR | | | | | Puerto Rico | PR |
| 001 | 000 | 2 | 999 | Adjuntas | | 001 0000 |
| 002 | 001 | 1 | 999 | Aguada | | 003 0060 |
| 003 | 001 | 1 | 999 | Aguadilla | | 005 0060 |
| 004 | 006 | 1 | 999 | Aguas Buenas | | 007 7440 |
| 005 | 000 | 2 | 999 | Aibonito | | 009 0000 |
| 006 | 004 | 1 | 999 | Anasco | | 011 4840 |
| 007 | 002 | 1 | 999 | Arecibo | | 013 0470 |
| 008 | 000 | 2 | 999 | Arroyo | | 015 0000 |
| 009 | 006 | 1 | 999 | Barceloneta | | 017 7440 |
| 010 | 000 | 2 | 999 | Barranquitas | | 019 0000 |
| 011 | 006 | 1 | 999 | Bayamon | | 021 7440 |
| 012 | 004 | 1 | 999 | Cabo Rojo | | 023 4840 |
| 013 | 003 | 1 | 999 | Caguas | | 025 1310 |
| 014 | 002 | 1 | 999 | Camuy | | 027 0470 |
| 015 | 006 | 1 | 999 | Canovanas | | 029 7440 |
| 016 | 006 | 1 | 999 | Carolina | | 031 7440 |
| 017 | 006 | 1 | 999 | Catano | | 033 7440 |
| 018 | 003 | 1 | 999 | Cayey | | 035 1310 |
| 019 | 006 | 1 | 999 | Ceiba | | 037 7440 |
| 020 | 000 | 2 | 999 | Ciales | | 039 0000 |
| 021 | 003 | 1 | 999 | Cidra | | 041 1310 |
| 022 | 000 | 2 | 999 | Coamo | | 043 0000 |
| 023 | 006 | 1 | 999 | Comerio | | 045 7440 |
| 024 | 006 | 1 | 999 | Corozal | | 047 7440 |
| 025 | 000 | 2 | 999 | Culebra | | 049 0000 |
| 026 | 006 | 1 | 999 | Dorado | | 051 7440 |
| 027 | 006 | 1 | 999 | Fajardo | | 053 7440 |
| 028 | 006 | 1 | 999 | Florida | | 054 7440 |
| 029 | 000 | 2 | 999 | Guanica | | 055 0000 |
| 030 | 000 | 2 | 999 | Guayama | | 057 0000 |
| 031 | 005 | 1 | 999 | Guayanilla | | 059 6360 |
| 032 | 006 | 1 | 999 | Guaynabo | | 061 7440 |
| 033 | 003 | 1 | 999 | Gurabo | | 063 1310 |
| 034 | 002 | 1 | 999 | Hatillo | | 065 0470 |
| 035 | 004 | 1 | 999 | Hormigueros | | 067 4840 |
| 036 | 006 | 1 | 999 | Humacao | | 069 7440 |
| 037 | 000 | 2 | 999 | Isabela | | 071 0000 |
| 038 | 000 | 2 | 999 | Jayuya | | 073 0000 |
| 039 | 005 | 1 | 999 | Juana Diaz | | 075 6360 |
| 040 | 006 | 1 | 999 | Juncos | | 077 7440 |

Vital Statistics Geographic Code Outline For Puerto Rico,
Virgin Islands, Guam, American Samoa and Northern Marianas
Effective with 2003 Data

| | | | | | |
|-----|-----|---|-----|---------------|----------|
| 041 | 000 | 2 | 999 | Lajas | 079 0000 |
| 042 | 000 | 2 | 999 | Lares | 081 0000 |
| 043 | 000 | 2 | 999 | Las Marias | 083 0000 |
| 044 | 006 | 1 | 999 | Las Piedras | 085 7440 |
| 045 | 006 | 1 | 999 | Loiza | 087 7440 |
| 046 | 006 | 1 | 999 | Luquillo | 089 7440 |
| 047 | 006 | 1 | 999 | Manati | 091 7440 |
| 048 | 000 | 2 | 999 | Maricao | 093 0000 |
| 049 | 000 | 2 | 999 | Maunabo | 095 0000 |
| 050 | 004 | 1 | 999 | Mayaguez | 097 4840 |
| 051 | 001 | 1 | 999 | Moca | 099 0060 |
| 052 | 006 | 1 | 999 | Morovis | 101 7440 |
| 053 | 006 | 1 | 999 | Naguabo | 103 7440 |
| 054 | 006 | 1 | 999 | Naranjito | 105 7440 |
| 055 | 000 | 2 | 999 | Orocovis | 107 0000 |
| 056 | 000 | 2 | 999 | Patillas | 109 0000 |
| 057 | 005 | 1 | 999 | Penuelas | 111 6360 |
| 058 | 005 | 1 | 999 | Ponce | 113 6360 |
| 059 | 000 | 2 | 999 | Quebradillas | 115 0000 |
| 060 | 000 | 2 | 999 | Rincon | 117 0000 |
| 061 | 006 | 1 | 999 | Rio Grande | 119 7440 |
| 062 | 004 | 1 | 999 | Sabana Grande | 121 4840 |
| 063 | 000 | 2 | 999 | Salinas | 123 0000 |
| 064 | 004 | 1 | 999 | San German | 125 4840 |
| 065 | 006 | 1 | 999 | San Juan | 127 7440 |
| 066 | 003 | 1 | 999 | San Lorenzo | 129 1310 |
| 067 | 000 | 2 | 999 | San Sebastian | 131 0000 |
| 068 | 000 | 2 | 999 | Santa Isabel | 133 0000 |
| 069 | 006 | 1 | 999 | Toa Alta | 135 7440 |
| 070 | 006 | 1 | 999 | Toa Baja | 137 7440 |
| 071 | 006 | 1 | 999 | Trujillo Alto | 139 7440 |
| 072 | 000 | 2 | 999 | Utua | 141 0000 |
| 073 | 006 | 1 | 999 | Vega Alta | 143 7440 |
| 074 | 006 | 1 | 999 | Vega Baja | 145 7440 |

Vital Statistics Geographic Code Outline For Puerto Rico,
 Virgin Islands, Guam, American Samoa and Northern Marianas
 Effective with 2003 Data

| Vital Statistics Codes | | | | | FIPS Codes | | | | |
|------------------------|------|-------|------|------|--------------------|----|------|-------|-------|
| St | Cnty | P/MSA | M/NM | City | Area Names | St | Cnty | P/MSA | Place |
| PR | | | | | Puerto Rico | PR | | | |
| | 075 | 000 | 2 | 999 | Vieques | | 147 | 0000 | |
| | 076 | 005 | 1 | 999 | Villalba | | 149 | 6360 | |
| | 077 | 006 | 1 | 999 | Yabucoa | | 151 | 7440 | |
| | 078 | 005 | 1 | 999 | Yauco | | 153 | 6360 | |
| VI | | | | | Virgin Islands | VI | | | |
| | 001 | 000 | 2 | 999 | St. Croix | | 010 | 0000 | |
| | 002 | 000 | 2 | 999 | St. John | | 020 | 0000 | |
| | 003 | 000 | 2 | | St. Thomas | | 030 | 0000 | |
| | | | | 001 | Charlotte Amalie | | | | 99999 |
| | | | | 999 | Balance of area | | | | 99999 |
| GU | | | | | Guam | GU | | | |
| | 000 | 000 | 2 | | Guam | | 010 | 0000 | |
| | | | | 000 | Guam | | | | 99999 |
| CC | ZZZ | ZZZ | Z | ZZZ | Canada | CC | 000 | 0000 | 00000 |
| CU | ZZZ | ZZZ | Z | ZZZ | Cuba | CU | 000 | 0000 | 00000 |
| MX | ZZZ | ZZZ | Z | ZZZ | Mexico | MX | 000 | 0000 | 00000 |
| YY | ZZZ | ZZZ | Z | ZZZ | Remainder of World | YY | 000 | 0000 | 00000 |
| AS | | | | | American Samoa | AS | | | |
| | 000 | 000 | 2 | | American Samoa | | 000 | 0000 | |
| | | | | 000 | American Samoa | | | | 99999 |
| MP | | | | | Northern Marianas | MP | | | |
| | 000 | 000 | 2 | | Northern Marianas | | 000 | 0000 | |
| | | | | 000 | Northern Marianas | | | | 99999 |