



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diseases of pulp and periapical tissues (K04)													
All races, both sexes.....	20	3	1	2	1	2	2	1	1	-	3	2	2
Male.....	9	2	1	2	-	1	1	1	-	-	1	-	-
Female.....	11	1	-	-	1	1	1	-	1	-	2	2	2
White, both sexes.....	17	3	1	2	1	2	1	1	1	-	1	2	2
Male.....	8	2	1	2	-	1	1	1	-	-	-	-	-
Female.....	9	1	-	-	1	1	-	-	1	-	1	2	2
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Periapical abscess without sinus (K04.7)													
All races, both sexes.....	20	3	1	2	1	2	2	1	1	-	3	2	2
Male.....	9	2	1	2	-	1	1	1	-	-	1	-	-
Female.....	11	1	-	-	1	1	1	-	1	-	2	2	2
White, both sexes.....	17	3	1	2	1	2	1	1	1	-	1	2	2
Male.....	8	2	1	2	-	1	1	1	-	-	-	-	-
Female.....	9	1	-	-	1	1	-	-	1	-	1	2	2
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Glossitis (K14.0)													
All races, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Esophagitis (K20)													
All races, both sexes.....	195	22	14	15	18	17	17	12	14	14	12	16	24
Male.....	102	12	5	10	10	7	9	4	11	7	8	10	9
Female.....	93	10	9	5	8	10	8	8	3	7	4	6	15
White, both sexes.....	170	16	12	14	15	15	15	11	14	12	11	16	19
Male.....	93	9	4	9	9	6	9	4	11	5	8	10	9
Female.....	77	7	8	5	6	9	6	7	3	7	3	6	10
Black, both sexes.....	19	6	2	-	2	1	1	-	-	1	1	-	5
Male.....	6	3	1	-	1	-	-	-	-	1	-	-	-
Female.....	13	3	1	-	1	1	1	-	-	-	1	-	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	1	1	1	-	-	-	-	-	-
Male.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	1	-	-	-	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gastroesophageal reflux disease without esophagitis (K21.9)													
All races, both sexes.....	626	67	61	51	49	50	57	60	40	36	54	49	52
Male.....	264	25	27	17	20	24	28	21	17	19	23	20	23
Female.....	362	42	34	34	29	26	29	39	23	17	31	29	29
White, both sexes.....	570	62	55	45	47	45	49	57	38	35	49	43	45
Male.....	236	24	24	13	20	23	22	20	16	18	21	16	19
Female.....	334	38	31	32	27	22	27	37	22	17	28	27	26
Black, both sexes.....	47	4	6	4	2	5	5	2	2	1	5	6	5
Male.....	22	1	3	2	-	1	4	1	1	1	2	4	2
Female.....	25	3	3	2	2	4	1	1	1	-	3	2	3
American Indian 1/, both sexes.....	3	-	-	1	-	-	-	1	-	-	-	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	1	-	-	3	-	-	-	-	-	1
Male.....	4	-	-	1	-	-	2	-	-	-	-	-	1
Female.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Other diseases of esophagus (K22)													
All races, both sexes.....	1,142	96	82	112	112	107	98	86	80	85	111	77	96
Male.....	547	52	42	57	57	39	40	41	41	41	47	38	52
Female.....	595	44	40	55	55	68	58	45	39	44	64	39	44
White, both sexes.....	1,055	91	75	100	103	97	93	77	72	81	101	76	89
Male.....	499	49	39	48	53	34	37	36	37	38	42	38	48
Female.....	556	42	36	52	50	63	56	41	35	43	59	38	41
Black, both sexes.....	71	4	7	9	7	9	3	8	7	4	6	1	6
Male.....	39	2	3	6	3	4	3	4	4	3	3	-	4
Female.....	32	2	4	3	4	5	-	4	3	1	3	1	2
American Indian 1/, both sexes.....	5	1	-	1	-	-	-	-	1	-	1	-	1
Male.....	3	1	-	1	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	11	-	-	2	2	1	2	1	-	-	3	-	-
Male.....	6	-	-	2	1	1	-	1	-	-	1	-	-
Female.....	5	-	-	-	1	-	2	-	-	-	2	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Esophageal obstruction (K22.2)													
All races, both sexes.....	252	21	20	17	20	28	26	22	15	20	23	18	22
Male.....	96	11	8	5	8	9	8	10	5	7	9	8	8
Female.....	156	10	12	12	12	19	18	12	10	13	14	10	14
White, both sexes.....	235	19	20	14	18	26	23	22	13	20	21	18	21
Male.....	92	10	8	4	7	9	7	10	5	7	9	8	8
Female.....	143	9	12	10	11	17	16	12	8	13	12	10	13
Black, both sexes.....	13	2	-	2	1	2	1	-	2	-	2	-	1
Male.....	3	1	-	-	1	-	1	-	-	-	-	-	-
Female.....	10	1	-	2	-	2	-	-	2	-	2	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	1	-	2	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	2	-	-	-	-	-	-
Perforation of esophagus (K22.3)													
All races, both sexes.....	179	13	15	17	24	17	14	7	14	11	15	11	21
Male.....	98	6	9	12	14	10	9	4	10	5	4	5	10
Female.....	81	7	6	5	10	7	5	3	4	6	11	6	11
White, both sexes.....	159	13	12	15	22	14	14	6	13	8	14	10	18
Male.....	89	6	8	10	14	7	9	4	10	3	4	5	9
Female.....	70	7	4	5	8	7	5	2	3	5	10	5	9
Black, both sexes.....	18	-	3	2	2	3	-	1	1	3	-	1	2
Male.....	9	-	1	2	-	3	-	-	-	2	-	-	1
Female.....	9	-	2	-	2	-	-	1	1	1	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gastroesophageal laceration-hemorrhage syndrome (K22.6)													
All races, both sexes.....	63	4	6	10	6	7	8	9	6	2	2	-	3
Male.....	32	2	2	8	3	2	3	5	3	1	-	-	3
Female.....	31	2	4	2	3	5	5	4	3	1	2	-	-
White, both sexes.....	56	4	6	9	5	4	8	7	6	2	2	-	3
Male.....	28	2	2	7	2	1	3	4	3	1	-	-	3
Female.....	28	2	4	2	3	3	5	3	3	1	2	-	-
Black, both sexes.....	5	-	-	1	-	2	-	2	-	-	-	-	-
Male.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	2	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases of esophagus (K22.8)													
All races, both sexes.....	123	10	12	13	8	9	12	9	11	12	10	10	7
Male.....	56	6	9	5	5	2	5	2	2	4	4	5	7
Female.....	67	4	3	8	3	7	7	7	9	8	6	5	-
White, both sexes.....	111	10	11	11	7	9	11	7	9	12	8	10	6
Male.....	49	6	8	4	5	2	4	1	1	4	3	5	6
Female.....	62	4	3	7	2	7	7	6	8	8	5	5	-
Black, both sexes.....	10	-	1	2	1	-	1	2	1	-	1	-	1
Male.....	7	-	1	1	-	-	1	1	1	-	1	-	1
Female.....	3	-	-	1	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of esophagus, unspecified (K22.9)													
All races, both sexes.....	52	4	1	6	4	4	2	5	6	1	6	7	6
Male.....	31	4	-	2	4	1	1	3	4	1	4	4	3
Female.....	21	-	1	4	-	3	1	2	2	-	2	3	3
White, both sexes.....	49	3	1	6	4	4	2	5	4	1	6	7	6
Male.....	28	3	-	2	4	1	1	3	2	1	4	4	3
Female.....	21	-	1	4	-	3	1	2	2	-	2	3	3
Black, both sexes.....	3	1	-	-	-	-	-	-	2	-	-	-	-
Male.....	3	1	-	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric ulcer (K25)													
All races, both sexes.....	1,154	93	99	104	87	98	91	102	91	91	106	89	103
Male.....	498	40	41	39	43	46	38	47	38	30	48	44	44
Female.....	656	53	58	65	44	52	53	55	53	61	58	45	59
White, both sexes.....	978	75	84	85	75	86	75	82	78	77	98	77	86
Male.....	400	30	35	29	33	39	30	36	31	23	44	38	32
Female.....	578	45	49	56	42	47	45	46	47	54	54	39	54
Black, both sexes.....	145	16	12	15	12	10	15	14	9	11	4	11	16
Male.....	79	8	5	7	10	5	7	6	5	6	3	6	11
Female.....	66	8	7	8	2	5	8	8	4	5	1	5	5
American Indian 1/, both sexes.....	7	-	1	2	-	-	1	1	1	-	1	-	-
Male.....	4	-	-	2	-	-	1	1	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	24	2	2	2	-	2	-	5	3	3	3	1	1
Male.....	15	2	1	1	-	2	-	4	2	1	1	-	1
Female.....	9	-	1	1	-	-	-	1	1	2	2	1	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gastric ulcer, Acute without haemorrhage or perforation (K25.3)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric ulcer, Chronic or unspecified with haemorrhage (K25.4)													
All races, both sexes.....	578	38	57	54	45	45	48	58	47	43	56	41	46
Male.....	268	18	26	19	28	21	21	28	21	16	32	20	18
Female.....	310	20	31	35	17	24	27	30	26	27	24	21	28
White, both sexes.....	485	31	49	46	38	39	39	42	40	39	50	35	37
Male.....	220	14	23	16	22	19	18	18	17	14	29	17	13
Female.....	265	17	26	30	16	20	21	24	23	25	21	18	24
Black, both sexes.....	73	6	5	6	7	6	8	12	5	3	2	5	8
Male.....	36	3	2	2	6	2	2	6	3	1	2	3	4
Female.....	37	3	3	4	1	4	6	6	2	2	-	2	4
American Indian 1/, both sexes.....	5	-	1	1	-	-	1	1	-	-	1	-	-
Male.....	3	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	15	1	2	1	-	-	-	3	2	1	3	1	1
Male.....	9	1	1	-	-	-	-	3	1	1	1	-	1
Female.....	6	-	1	1	-	-	-	-	1	-	2	1	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gastric ulcer, Chronic without haemorrhage or perforation (K25.7)													
All races, both sexes.....	7	-	-	2	-	-	-	1	3	-	1	-	-
Male.....	4	-	-	2	-	-	-	1	1	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	2	-	1	-	-
White, both sexes.....	5	-	-	-	-	-	-	1	3	-	1	-	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	2	-	1	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K25.9)													
All races, both sexes.....	140	11	15	12	11	10	13	7	12	16	10	16	7
Male.....	65	6	8	5	4	6	4	5	5	6	3	9	4
Female.....	75	5	7	7	7	4	9	2	7	10	7	7	3
White, both sexes.....	117	6	12	11	10	10	11	6	11	9	9	15	7
Male.....	52	3	7	4	3	6	2	5	4	3	3	8	4
Female.....	65	3	5	7	7	4	9	1	7	6	6	7	3
Black, both sexes.....	18	4	3	-	1	-	2	-	1	5	1	1	-
Male.....	11	2	1	-	1	-	2	-	1	3	-	1	-
Female.....	7	2	2	-	-	-	-	-	-	2	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	1	-	-	-	1	-	2	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	2	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Duodenal ulcer, Acute without haemorrhage or perforation (K26.3)													
All races, both sexes.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Duodenal ulcer, Chronic or unspecified with haemorrhage (K26.4)													
All races, both sexes.....	547	54	50	47	44	35	51	40	48	46	36	45	51
Male.....	319	32	36	22	27	17	30	24	27	25	24	25	30
Female.....	228	22	14	25	17	18	21	16	21	21	12	20	21
White, both sexes.....	476	45	46	40	42	30	43	35	42	42	30	40	41
Male.....	277	27	33	18	25	16	26	21	24	22	20	22	23
Female.....	199	18	13	22	17	14	17	14	18	20	10	18	18
Black, both sexes.....	51	5	4	5	1	3	4	5	5	3	6	3	7
Male.....	28	2	3	2	1	1	3	3	2	2	4	1	4
Female.....	23	3	1	3	-	2	1	2	3	1	2	2	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	4	-	2	1	2	4	-	1	-	-	2	3
Male.....	13	3	-	2	1	-	1	-	1	-	-	2	3
Female.....	6	1	-	-	-	2	3	-	-	-	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Duodenal ulcer, Chronic without haemorrhage or perforation (K26.7)													
All races, both sexes.....	3	1	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Duodenal ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K26.9)													
All races, both sexes.....	123	13	10	8	6	9	7	11	8	11	10	15	15
Male.....	61	8	6	3	2	6	3	6	3	4	4	7	9
Female.....	62	5	4	5	4	3	4	5	5	7	6	8	6
White, both sexes.....	106	12	8	7	6	8	4	8	5	11	9	15	13
Male.....	52	8	5	2	2	5	1	5	2	4	4	7	7
Female.....	54	4	3	5	4	3	3	3	3	7	5	8	6
Black, both sexes.....	12	1	2	-	-	1	2	1	3	-	1	-	1
Male.....	7	-	1	-	-	1	2	1	1	-	-	-	1
Female.....	5	1	1	-	-	-	-	-	2	-	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	1	1	-	-	-	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peptic ulcer, site unspecified, Acute without haemorrhage or perforation (K27.3)													
All races, both sexes.....	3	-	-	-	-	2	-	-	1	-	-	-	-
Male.....	3	-	-	-	-	2	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	-	-	-	-	2	-	-	1	-	-	-	-
Male.....	3	-	-	-	-	2	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Peptic ulcer, site unspecified, Chronic or unspecified with haemorrhage (K27.4)													
All races, both sexes.....	790	66	57	67	65	56	71	72	76	61	63	63	73
Male.....	400	32	26	42	35	27	33	34	39	32	37	31	32
Female.....	390	34	31	25	30	29	38	38	37	29	26	32	41
White, both sexes.....	681	60	52	55	58	48	62	61	63	54	51	53	64
Male.....	334	28	24	33	31	22	30	26	31	27	30	24	28
Female.....	347	32	28	22	27	26	32	35	32	27	21	29	36
Black, both sexes.....	74	3	5	10	5	5	5	8	10	5	8	7	3
Male.....	50	2	2	7	4	2	3	7	8	3	6	5	1
Female.....	24	1	3	3	1	3	2	1	2	2	2	2	2
American Indian 1/, both sexes.....	5	1	-	-	-	-	-	-	1	-	2	-	1
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	2	-	1
Asian or Pacific Islander 2/, both sexes.....	30	2	-	2	2	3	4	3	2	2	2	3	5
Male.....	15	1	-	2	-	3	-	1	-	2	1	2	3
Female.....	15	1	-	-	2	-	4	2	2	-	1	1	2



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peptic ulcer, site unspecified, Chronic without haemorrhage or perforation (K27.7)													
All races, both sexes.....	4	-	-	-	-	-	-	1	1	1	1	-	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
White, both sexes.....	3	-	-	-	-	-	-	1	1	-	1	-	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Peptic ulcer, site unspecified, Unspecified as acute or chronic, without haemorrhage or perforation (K27.9)													
All races, both sexes.....	243	29	18	19	25	22	26	13	20	15	21	13	22
Male.....	107	12	6	10	10	16	13	5	5	6	9	6	9
Female.....	136	17	12	9	15	6	13	8	15	9	12	7	13
White, both sexes.....	215	27	16	17	22	20	22	11	17	14	17	11	21
Male.....	95	12	4	9	8	14	11	5	4	6	8	6	8
Female.....	120	15	12	8	14	6	11	6	13	8	9	5	13
Black, both sexes.....	22	2	1	2	3	1	4	2	1	-	3	2	1
Male.....	9	-	1	1	2	1	2	-	-	-	1	-	1
Female.....	13	2	-	1	1	-	2	2	1	-	2	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	1	-	-	2	1	1	-	-
Male.....	3	-	1	-	-	1	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	1	1	-	-









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gastrojejunal ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K28.9)													
All races, both sexes.....	8	4	-	-	1	-	-	-	1	-	2	-	-
Male.....	3	1	-	-	1	-	-	-	-	-	1	-	-
Female.....	5	3	-	-	-	-	-	-	1	-	1	-	-
White, both sexes.....	8	4	-	-	1	-	-	-	1	-	2	-	-
Male.....	3	1	-	-	1	-	-	-	-	-	1	-	-
Female.....	5	3	-	-	-	-	-	-	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis and duodenitis (K29)													
All races, both sexes.....	387	37	35	38	24	40	26	31	31	37	32	19	37
Male.....	191	16	16	26	9	12	13	17	16	20	16	11	19
Female.....	196	21	19	12	15	28	13	14	15	17	16	8	18
White, both sexes.....	326	33	32	32	20	32	23	26	25	31	28	16	28
Male.....	158	14	15	21	7	9	13	14	12	14	15	10	14
Female.....	168	19	17	11	13	23	10	12	13	17	13	6	14
Black, both sexes.....	46	3	2	6	4	7	2	3	3	3	4	3	6
Male.....	24	1	-	5	2	3	-	2	2	3	1	1	4
Female.....	22	2	2	1	2	4	2	1	1	-	3	2	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	1	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	12	1	1	-	-	1	1	2	2	3	-	-	1
Male.....	7	1	1	-	-	-	-	1	1	3	-	-	-
Female.....	5	-	-	-	-	1	1	1	1	-	-	-	1

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute hemorrhagic gastritis (K29.0)													
All races, both sexes.....	24	-	2	2	-	3	1	3	2	6	3	-	2
Male.....	16	-	1	2	-	2	1	2	1	5	1	-	1
Female.....	8	-	1	-	-	1	-	1	1	1	2	-	1
White, both sexes.....	18	-	2	-	-	1	1	2	2	5	3	-	2
Male.....	10	-	1	-	-	-	1	1	1	4	1	-	1
Female.....	8	-	1	-	-	1	-	1	1	1	2	-	1
Black, both sexes.....	6	-	-	2	-	2	-	1	-	1	-	-	-
Male.....	6	-	-	2	-	2	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute gastritis (K29.1)													
All races, both sexes.....	16	2	2	1	1	2	-	3	1	1	-	1	2
Male.....	9	2	1	-	1	2	-	-	1	-	-	1	1
Female.....	7	-	1	1	-	-	-	3	-	1	-	-	1
White, both sexes.....	13	2	1	1	-	2	-	2	1	1	-	1	2
Male.....	7	2	-	-	-	2	-	-	1	-	-	1	1
Female.....	6	-	1	1	-	-	-	2	-	1	-	-	1
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic gastritis, unspecified (K29.5)													
All races, both sexes.....	28	2	2	4	1	2	2	2	2	1	3	1	6
Male.....	15	-	-	3	-	1	1	2	1	1	2	1	3
Female.....	13	2	2	1	1	1	1	-	1	-	1	-	3
White, both sexes.....	26	2	2	4	1	2	2	2	2	1	3	1	4
Male.....	14	-	-	3	-	1	1	2	1	1	2	1	2
Female.....	12	2	2	1	1	1	1	-	1	-	1	-	2
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other gastritis (K29.6)													
All races, both sexes.....	101	10	7	9	9	14	9	9	3	8	12	4	7
Male.....	59	8	3	8	4	3	3	7	3	6	7	1	6
Female.....	42	2	4	1	5	11	6	2	-	2	5	3	1
White, both sexes.....	83	9	7	8	8	11	7	8	3	6	10	1	5
Male.....	49	7	3	7	4	2	3	6	3	4	6	-	4
Female.....	34	2	4	1	4	9	4	2	-	2	4	1	1
Black, both sexes.....	14	-	-	1	1	3	1	-	-	1	2	3	2
Male.....	7	-	-	1	-	1	-	-	-	1	1	1	2
Female.....	7	-	-	-	1	2	1	-	-	-	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	-	1	1	-	1	-	-	-
Male.....	3	1	-	-	-	-	-	1	-	1	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-





















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other appendicitis (K36)													
All races, both sexes.....	3	-	-	1	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
White, both sexes.....	3	-	-	1	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified appendicitis (K37)													
All races, both sexes.....	69	7	6	5	3	4	4	6	7	7	4	7	9
Male.....	38	4	3	2	2	1	3	1	4	5	4	4	5
Female.....	31	3	3	3	1	3	1	5	3	2	-	3	4
White, both sexes.....	56	7	6	3	2	2	4	5	5	5	4	7	6
Male.....	33	4	3	2	1	-	3	1	3	4	4	4	4
Female.....	23	3	3	1	1	2	1	4	2	1	-	3	2
Black, both sexes.....	10	-	-	2	1	2	-	-	2	2	-	-	1
Male.....	4	-	-	-	1	1	-	-	1	1	-	-	-
Female.....	6	-	-	2	-	1	-	-	1	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1



































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified abdominal hernia (K46)													
All races, both sexes.....	407	36	23	39	35	22	32	41	25	41	40	38	35
Male.....	177	14	14	17	14	7	18	13	11	23	15	15	16
Female.....	230	22	9	22	21	15	14	28	14	18	25	23	19
White, both sexes.....	349	33	20	34	29	21	26	36	20	37	32	31	30
Male.....	153	14	13	14	12	7	17	10	9	21	11	13	12
Female.....	196	19	7	20	17	14	9	26	11	16	21	18	18
Black, both sexes.....	48	3	3	3	5	1	5	4	4	4	6	5	5
Male.....	20	-	1	2	2	-	1	2	1	2	3	2	4
Female.....	28	3	2	1	3	1	4	2	3	2	3	3	1
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	1	1	-	1	1	-
Male.....	3	-	-	-	-	-	-	1	1	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	2	1	-	1	-	-	-	1	1	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	1	1	-	1	-	-	-	1	1	-
Unspecified abdominal hernia with obstruction, without gangrene (K46.0)													
All races, both sexes.....	238	23	11	23	20	16	23	20	19	21	21	19	22
Male.....	100	7	9	8	8	4	11	5	8	12	8	9	11
Female.....	138	16	2	15	12	12	12	15	11	9	13	10	11
White, both sexes.....	208	21	10	21	17	15	18	19	14	18	19	17	19
Male.....	87	7	8	6	6	4	10	5	6	11	7	9	8
Female.....	121	14	2	15	11	11	8	14	8	7	12	8	11
Black, both sexes.....	25	2	1	2	3	1	4	1	4	3	-	1	3
Male.....	11	-	1	2	2	-	1	-	1	1	-	-	3
Female.....	14	2	-	-	1	1	3	1	3	2	-	1	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	-	1	1	-
Male.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Crohn's disease, unspecified (K50.9)													
All races, both sexes.....	549	47	37	55	31	39	39	46	52	41	45	51	66
Male.....	237	21	19	25	11	16	11	24	26	18	16	21	29
Female.....	312	26	18	30	20	23	28	22	26	23	29	30	37
White, both sexes.....	507	41	32	53	29	39	37	42	48	36	42	46	62
Male.....	217	19	16	25	10	16	11	20	23	16	15	18	28
Female.....	290	22	16	28	19	23	26	22	25	20	27	28	34
Black, both sexes.....	36	5	4	2	1	-	2	4	2	5	3	5	3
Male.....	17	2	3	-	-	-	-	4	1	2	1	3	1
Female.....	19	3	1	2	1	-	2	-	1	3	2	2	2
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	1	-	-	-	2	-	-	-	1
Male.....	3	-	-	-	1	-	-	-	2	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Ulcerative colitis (K51)													
All races, both sexes.....	285	30	23	29	29	20	18	18	21	21	27	30	19
Male.....	131	18	5	12	14	9	11	8	10	9	13	14	8
Female.....	154	12	18	17	15	11	7	10	11	12	14	16	11
White, both sexes.....	265	29	22	28	27	17	17	16	19	21	24	26	19
Male.....	122	18	5	11	12	8	10	8	10	9	13	10	8
Female.....	143	11	17	17	15	9	7	8	9	12	11	16	11
Black, both sexes.....	18	1	1	1	1	3	1	2	2	-	2	4	-
Male.....	8	-	-	1	1	1	-	-	-	-	-	4	-
Female.....	10	1	1	-	-	2	-	2	2	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ulcerative colitis, unspecified (K51.9)													
All races, both sexes.....	277	29	22	28	28	20	17	17	21	20	27	29	19
Male.....	129	17	5	12	13	9	11	8	10	9	13	14	8
Female.....	148	12	17	16	15	11	6	9	11	11	14	15	11
White, both sexes.....	257	28	21	27	26	17	16	15	19	20	24	25	19
Male.....	120	17	5	11	11	8	10	8	10	9	13	10	8
Female.....	137	11	16	16	15	9	6	7	9	11	11	15	11
Black, both sexes.....	18	1	1	1	1	3	1	2	2	-	2	4	-
Male.....	8	-	-	1	1	1	1	-	-	-	-	4	-
Female.....	10	1	1	-	-	2	-	2	2	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Other noninfective gastroenteritis and colitis (K52)													
All races, both sexes.....	1,618	201	170	156	122	129	111	127	109	87	111	111	184
Male.....	570	65	61	44	44	40	44	58	40	36	35	40	63
Female.....	1,048	136	109	112	78	89	67	69	69	51	76	71	121
White, both sexes.....	1,454	189	152	144	110	125	101	113	100	72	93	97	158
Male.....	502	61	54	40	39	38	37	51	39	30	25	36	52
Female.....	952	128	98	104	71	87	64	62	61	42	68	61	106
Black, both sexes.....	145	11	17	10	9	3	7	13	9	13	16	12	25
Male.....	56	3	6	3	4	1	4	7	1	5	9	2	11
Female.....	89	8	11	7	5	2	3	6	8	8	7	10	14
American Indian 1/, both sexes.....	8	-	1	-	1	-	1	-	-	1	2	2	-
Male.....	6	-	1	-	-	-	1	-	-	1	1	2	-
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	-	2	2	1	2	1	-	1	-	-	1
Male.....	6	1	-	1	1	1	2	-	-	-	-	-	-
Female.....	5	-	-	1	1	-	-	1	-	1	-	-	1



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified noninfective gastroenteritis and colitis (K52.8)													
All races, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Noninfective gastroenteritis and colitis, unspecified (K52.9)													
All races, both sexes.....	1,567	197	162	153	118	122	107	121	106	83	109	109	180
Male.....	550	62	59	43	43	38	42	57	39	32	34	39	62
Female.....	1,017	135	103	110	75	84	65	64	67	51	75	70	118
White, both sexes.....	1,407	185	145	141	106	118	98	108	97	69	91	95	154
Male.....	486	58	53	39	38	36	36	51	38	27	24	35	51
Female.....	921	127	92	102	68	82	62	57	59	42	67	60	103
Black, both sexes.....	142	11	17	10	9	3	6	12	9	12	16	12	25
Male.....	53	3	6	3	4	1	3	6	1	4	9	2	11
Female.....	89	8	11	7	5	2	3	6	8	8	7	10	14
American Indian 1/, both sexes.....	7	-	-	-	1	-	1	-	-	1	2	2	-
Male.....	5	-	-	-	-	-	1	-	-	1	1	2	-
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	-	2	2	1	2	1	-	1	-	-	1
Male.....	6	1	-	1	1	1	2	-	-	-	-	-	-
Female.....	5	-	-	1	1	-	-	1	-	1	-	-	1

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vascular disorders of intestine (K55)													
All races, both sexes.....	9,168	900	754	795	758	814	717	750	681	703	740	759	797
Male.....	3,169	306	251	269	265	279	249	255	245	240	258	282	270
Female.....	5,999	594	503	526	493	535	468	495	436	463	482	477	527
White, both sexes.....	8,081	780	660	691	691	726	630	660	610	606	656	670	701
Male.....	2,710	258	214	221	236	244	212	218	212	196	224	240	235
Female.....	5,371	522	446	470	455	482	418	442	398	410	432	430	466
Black, both sexes.....	899	92	82	82	54	69	71	81	60	83	67	76	82
Male.....	381	39	32	35	23	29	32	34	28	35	26	37	31
Female.....	518	53	50	47	31	40	39	47	32	48	41	39	51
American Indian 1/, both sexes.....	64	8	4	10	4	4	4	-	4	3	8	8	7
Male.....	19	3	2	5	1	-	-	-	1	1	2	2	2
Female.....	45	5	2	5	3	4	4	-	3	2	6	6	5
Asian or Pacific Islander 2/, both sexes.....	124	20	8	12	9	15	12	9	7	11	9	5	7
Male.....	59	6	3	8	5	6	5	3	4	8	6	3	2
Female.....	65	14	5	4	4	9	7	6	3	3	3	2	5
Acute vascular disorders of intestine (K55.0)													
All races, both sexes.....	3,038	311	267	275	251	254	212	264	221	241	233	243	266
Male.....	1,148	119	98	100	107	92	84	100	82	91	90	95	90
Female.....	1,890	192	169	175	144	162	128	164	139	150	143	148	176
White, both sexes.....	2,608	255	222	235	227	221	180	232	196	207	200	211	222
Male.....	962	98	80	82	94	78	67	87	68	75	77	82	74
Female.....	1,646	157	142	153	133	143	113	145	128	132	123	129	148
Black, both sexes.....	366	42	39	33	20	28	28	29	21	30	28	29	39
Male.....	161	18	15	16	11	12	16	12	12	12	10	12	15
Female.....	205	24	24	17	9	16	12	17	9	18	18	17	24
American Indian 1/, both sexes.....	24	4	2	5	1	2	2	-	1	-	2	2	3
Male.....	6	1	-	2	-	-	-	-	1	-	1	1	-
Female.....	18	3	2	3	1	2	2	-	-	-	1	1	3
Asian or Pacific Islander 2/, both sexes.....	40	10	4	2	3	3	2	3	3	4	3	1	2
Male.....	19	2	3	-	2	2	1	1	1	4	2	-	1
Female.....	21	8	1	2	1	1	1	2	2	-	1	1	1





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other vascular disorders of intestine (K55.8)													
All races, both sexes.....	4	-	1	-	-	1	1	-	-	-	1	-	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
White, both sexes.....	4	-	1	-	-	1	1	-	-	-	1	-	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Vascular disorder of intestine, unspecified (K55.9)													
All races, both sexes.....	5,889	565	467	501	488	538	486	474	443	435	487	493	512
Male.....	1,941	180	149	164	152	181	158	151	159	138	162	178	169
Female.....	3,948	385	318	337	336	357	328	323	284	297	325	315	343
White, both sexes.....	5,250	503	419	438	448	486	432	418	397	375	437	437	460
Male.....	1,676	154	130	135	137	160	139	128	140	112	141	150	150
Female.....	3,574	349	289	303	311	326	293	290	257	263	296	287	310
Black, both sexes.....	519	49	42	49	32	38	42	50	39	50	39	46	43
Male.....	215	21	17	19	12	17	15	21	16	21	16	24	16
Female.....	304	28	25	30	20	21	27	29	23	29	23	22	27
American Indian 1/, both sexes.....	37	4	2	4	2	2	2	-	3	3	5	6	4
Male.....	11	2	2	2	-	-	-	-	-	1	1	1	2
Female.....	26	2	-	2	2	2	2	-	3	2	4	5	2
Asian or Pacific Islander 2/, both sexes.....	83	9	4	10	6	12	10	6	4	7	6	4	5
Male.....	39	3	-	8	3	4	4	2	3	4	4	3	1
Female.....	44	6	4	2	3	8	6	4	1	3	2	1	4



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intussusception (K56.1)													
All races, both sexes.....	20	1	1	2	4	-	2	-	1	2	2	3	2
Male.....	7	1	-	1	1	-	1	-	-	1	-	-	2
Female.....	13	-	1	1	3	-	1	-	1	1	2	3	-
White, both sexes.....	11	-	1	1	1	-	2	-	-	1	1	2	2
Male.....	5	-	-	1	-	-	1	-	-	1	-	-	2
Female.....	6	-	1	-	1	-	1	-	-	-	1	2	-
Black, both sexes.....	7	1	-	1	2	-	-	-	1	1	-	1	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	5	-	-	1	1	-	-	-	1	1	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Volvulus (K56.2)													
All races, both sexes.....	556	52	29	62	57	48	35	40	52	46	44	48	43
Male.....	288	28	14	32	29	30	13	22	27	24	20	26	23
Female.....	268	24	15	30	28	18	22	18	25	22	24	22	20
White, both sexes.....	467	44	25	54	43	40	32	33	44	38	36	40	38
Male.....	236	21	13	29	20	25	12	18	22	19	16	20	21
Female.....	231	23	12	25	23	15	20	15	22	19	20	20	17
Black, both sexes.....	80	7	4	8	11	8	3	7	7	7	8	5	5
Male.....	45	6	1	3	6	5	1	4	5	5	4	3	2
Female.....	35	1	3	5	5	3	2	3	2	2	4	2	3
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	2	-	-	-	1	1	-	2	-
Male.....	5	1	-	-	2	-	-	-	-	-	-	2	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intestinal adhesions [bands] with obstruction (K56.5)													
All races, both sexes.....	362	37	30	28	30	26	33	33	29	32	30	20	34
Male.....	156	17	17	10	14	7	14	9	14	15	12	8	19
Female.....	206	20	13	18	16	19	19	24	15	17	18	12	15
White, both sexes.....	310	32	25	26	27	24	28	25	27	24	28	17	27
Male.....	124	14	14	9	11	7	11	6	13	8	10	7	14
Female.....	186	18	11	17	16	17	17	19	14	16	18	10	13
Black, both sexes.....	47	4	5	1	3	2	4	7	2	8	2	2	7
Male.....	30	2	3	1	3	-	3	2	1	7	2	1	5
Female.....	17	2	2	-	-	2	1	5	1	1	-	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	1	-	-	1	1	-	-	-	1	-
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	1	-	-	1	-	-	-	-	1	-
Other and unspecified intestinal obstruction (K56.6)													
All races, both sexes.....	4,193	382	381	368	280	341	345	360	331	325	355	319	406
Male.....	1,414	130	137	123	83	113	120	122	114	108	125	102	137
Female.....	2,779	252	244	245	197	228	225	238	217	217	230	217	269
White, both sexes.....	3,670	342	331	317	245	302	304	321	279	290	312	275	352
Male.....	1,176	113	107	99	71	96	100	108	87	97	103	83	112
Female.....	2,494	229	224	218	174	206	204	213	192	193	209	192	240
Black, both sexes.....	470	36	47	45	32	33	38	36	46	31	38	38	50
Male.....	206	14	27	21	11	12	20	13	22	8	19	15	24
Female.....	264	22	20	24	21	21	18	23	24	23	19	23	26
American Indian 1/, both sexes.....	15	1	-	2	1	4	-	1	1	-	2	1	2
Male.....	9	1	-	1	-	3	-	-	1	-	2	1	-
Female.....	6	-	-	1	1	1	-	1	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	38	3	3	4	2	2	3	2	5	4	3	5	2
Male.....	23	2	3	2	1	2	-	1	4	3	1	3	1
Female.....	15	1	-	2	1	-	3	1	1	1	2	2	1

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Ileus, unspecified (K56.7)													
All races, both sexes.....	346	35	28	32	25	34	30	28	27	24	18	26	39
Male.....	162	13	14	18	13	17	14	12	17	11	7	11	15
Female.....	184	22	14	14	12	17	16	16	10	13	11	15	24
White, both sexes.....	290	31	25	24	20	29	25	19	23	23	13	20	38
Male.....	134	12	13	13	10	14	12	7	14	11	5	8	15
Female.....	156	19	12	11	10	15	13	12	9	12	8	12	23
Black, both sexes.....	50	3	3	8	4	5	5	8	4	1	2	6	1
Male.....	26	1	1	5	3	3	2	5	3	-	-	3	-
Female.....	24	2	2	3	1	2	3	3	1	1	2	3	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	1	-	-	1	-	-	2	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	3	1	-	-	1	-	-	1	-	-	-	-	-
Diverticular disease of intestine (K57)													
All races, both sexes.....	3,480	307	284	291	267	325	280	271	263	313	260	292	327
Male.....	1,080	103	86	83	86	101	100	80	77	98	87	82	97
Female.....	2,400	204	198	208	181	224	180	191	186	215	173	210	230
White, both sexes.....	3,193	282	263	275	245	289	263	251	244	296	233	263	289
Male.....	994	91	82	77	81	89	97	75	73	92	77	76	84
Female.....	2,199	191	181	198	164	200	166	176	171	204	156	187	205
Black, both sexes.....	242	23	17	16	19	31	14	18	15	13	22	21	33
Male.....	70	12	2	6	5	11	1	5	2	5	5	4	12
Female.....	172	11	15	10	14	20	13	13	13	8	17	17	21
American Indian 1/, both sexes.....	12	-	2	-	-	2	-	-	2	-	2	2	2
Male.....	6	-	2	-	-	1	-	-	1	-	2	-	-
Female.....	6	-	-	-	-	1	-	-	1	-	-	2	2
Asian or Pacific Islander 2/, both sexes.....	33	2	2	-	3	3	3	2	2	4	3	6	3
Male.....	10	-	-	-	-	-	2	-	1	1	3	2	1
Female.....	23	2	2	-	3	3	1	2	1	3	-	4	2





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diverticular disease of large intestine with perforation and abscess (K57.2)													
All races, both sexes.....	331	29	22	25	26	35	30	26	23	35	18	24	38
Male.....	107	9	8	7	7	12	11	6	9	7	9	8	14
Female.....	224	20	14	18	19	23	19	20	14	28	9	16	24
White, both sexes.....	312	26	19	24	26	33	28	24	22	35	16	23	36
Male.....	102	9	7	7	7	12	11	6	9	7	7	8	12
Female.....	210	17	12	17	19	21	17	18	13	28	9	15	24
Black, both sexes.....	16	3	2	1	-	2	2	2	1	-	1	-	2
Male.....	3	-	-	-	-	-	-	-	-	-	1	-	2
Female.....	13	3	2	1	-	2	2	2	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Diverticular disease of large intestine without perforation or abscess (K57.3)													
All races, both sexes.....	163	7	15	13	9	13	12	14	13	19	15	14	19
Male.....	48	1	3	5	5	3	2	3	5	2	5	6	8
Female.....	115	6	12	8	4	10	10	11	8	17	10	8	11
White, both sexes.....	147	7	15	9	9	10	12	12	13	18	13	13	16
Male.....	44	1	3	4	5	3	2	3	5	2	4	5	7
Female.....	103	6	12	5	4	7	10	9	8	16	9	8	9
Black, both sexes.....	13	-	-	4	-	2	-	1	-	1	2	-	3
Male.....	3	-	-	1	-	-	-	-	-	-	1	-	1
Female.....	10	-	-	3	-	2	-	1	-	1	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	1	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	1	-	1	-	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diverticular disease of both small and large intestine with perforation and abscess (K57.4)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Diverticular disease of intestine, part unspecified, with perforation and abscess (K57.8)													
All races, both sexes.....	1,319	121	99	118	108	140	110	89	94	108	105	102	125
Male.....	395	43	31	31	33	46	33	27	28	32	31	24	36
Female.....	924	78	68	87	75	94	77	62	66	76	74	78	89
White, both sexes.....	1,220	113	91	115	97	126	102	85	89	104	95	91	112
Male.....	367	40	30	30	31	41	32	26	27	31	26	22	31
Female.....	853	73	61	85	66	85	70	59	62	73	69	69	81
Black, both sexes.....	83	7	7	3	8	11	7	4	4	3	8	9	12
Male.....	23	3	-	1	2	5	-	1	1	1	3	2	4
Female.....	60	4	7	2	6	6	7	3	3	2	5	7	8
American Indian 1/, both sexes.....	6	-	1	-	-	1	-	-	1	-	1	2	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	1	-	-	1	-	-	2	-
Asian or Pacific Islander 2/, both sexes.	10	1	-	-	3	2	1	-	-	1	1	-	1
Male.....	3	-	-	-	-	-	1	-	-	-	1	-	1
Female.....	7	1	-	-	3	2	-	-	-	1	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other functional intestinal disorders (K59)													
All races, both sexes.....	420	38	24	45	39	35	31	37	37	38	32	30	34
Male.....	168	15	13	19	13	16	12	18	10	14	11	11	16
Female.....	252	23	11	26	26	19	19	19	27	24	21	19	18
White, both sexes.....	363	33	18	38	33	29	23	34	34	33	29	27	32
Male.....	140	13	11	13	11	13	7	15	9	11	10	11	16
Female.....	223	20	7	25	22	16	16	19	25	22	19	16	16
Black, both sexes.....	53	5	6	7	6	4	7	3	3	5	2	3	2
Male.....	27	2	2	6	2	2	5	3	1	3	1	-	-
Female.....	26	3	4	1	4	2	2	-	2	2	1	3	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	2	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Constipation (K59.0)													
All races, both sexes.....	148	15	9	15	9	14	13	11	16	11	14	9	12
Male.....	47	7	4	3	1	3	3	5	5	4	4	4	4
Female.....	101	8	5	12	8	11	10	6	11	7	10	5	8
White, both sexes.....	131	13	5	13	9	13	9	11	14	10	13	9	12
Male.....	39	5	3	2	1	3	-	5	5	3	4	4	4
Female.....	92	8	2	11	8	10	9	6	9	7	9	5	8
Black, both sexes.....	14	2	4	2	-	-	3	-	2	1	-	-	-
Male.....	8	2	1	1	-	-	3	-	-	1	-	-	-
Female.....	6	-	3	1	-	-	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Stenosis of anus and rectum (K62.4)													
All races, both sexes.....	7	1	-	-	2	-	1	1	-	1	-	1	-
Male.....	3	-	-	-	1	-	1	1	-	-	-	-	-
Female.....	4	1	-	-	1	-	-	-	-	1	-	1	-
White, both sexes.....	6	1	-	-	2	-	-	1	-	1	-	1	-
Male.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	4	1	-	-	1	-	-	-	-	1	-	1	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhage of anus and rectum (K62.5)													
All races, both sexes.....	139	14	7	16	13	11	5	10	15	12	11	5	20
Male.....	51	4	1	9	6	4	2	3	4	5	5	1	7
Female.....	88	10	6	7	7	7	3	7	11	7	6	4	13
White, both sexes.....	119	13	6	14	11	9	4	8	11	10	9	5	19
Male.....	42	4	1	7	4	3	2	3	3	4	4	1	6
Female.....	77	9	5	7	7	6	2	5	8	6	5	4	13
Black, both sexes.....	18	1	1	2	2	2	1	1	4	2	2	-	-
Male.....	8	-	-	2	2	1	-	-	1	1	1	-	-
Female.....	10	1	1	-	-	1	1	1	3	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other diseases of intestine (K63)													
All races, both sexes.....	2,500	223	190	226	196	209	212	190	205	197	234	194	224
Male.....	994	81	73	98	79	90	80	76	81	78	91	73	94
Female.....	1,506	142	117	128	117	119	132	114	124	119	143	121	130
White, both sexes.....	2,195	199	167	194	177	183	196	170	167	172	201	172	197
Male.....	870	73	66	87	70	79	73	65	62	67	79	63	86
Female.....	1,325	126	101	107	107	104	123	105	105	105	122	109	111
Black, both sexes.....	260	21	20	27	15	22	14	17	32	19	31	18	24
Male.....	107	7	6	8	8	9	7	10	15	10	11	9	7
Female.....	153	14	14	19	7	13	7	7	17	9	20	9	17
American Indian 1/, both sexes.....	15	-	2	3	2	2	-	1	2	-	-	2	1
Male.....	5	-	1	1	-	1	-	1	1	-	-	-	-
Female.....	10	-	1	2	2	1	-	-	1	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	30	3	1	2	2	2	2	2	4	6	2	2	2
Male.....	12	1	-	2	1	1	-	-	3	1	1	1	1
Female.....	18	2	1	-	1	1	2	2	1	5	1	1	1
Abscess of intestine (K63.0)													
All races, both sexes.....	25	1	1	-	3	3	2	2	2	1	4	3	3
Male.....	11	-	1	-	1	1	-	1	1	1	1	2	2
Female.....	14	1	-	-	2	2	2	1	1	-	3	1	1
White, both sexes.....	21	-	1	-	2	2	2	1	1	1	4	3	3
Male.....	9	-	1	-	-	1	-	1	-	1	1	2	2
Female.....	12	-	-	-	2	1	2	1	1	-	3	1	1
Black, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Perforation of intestine (nontraumatic) (K63.1)													
All races, both sexes.....	1,752	157	135	167	135	147	154	141	135	129	170	126	156
Male.....	671	56	49	68	49	66	53	56	47	50	69	39	69
Female.....	1,081	101	86	99	86	81	101	85	88	79	101	87	87
White, both sexes.....	1,564	148	116	145	122	131	145	127	111	116	150	114	139
Male.....	594	52	43	60	44	60	48	48	37	45	61	33	63
Female.....	970	96	73	85	78	71	97	79	74	71	89	81	76
Black, both sexes.....	161	9	17	20	11	14	7	11	20	8	19	10	15
Male.....	69	4	5	7	5	5	5	7	8	4	8	5	6
Female.....	92	5	12	13	6	9	2	4	12	4	11	5	9
American Indian 1/, both sexes.....	8	-	1	1	1	1	-	1	1	-	-	1	1
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	6	-	-	1	1	1	-	-	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	19	-	1	1	1	1	2	2	3	5	1	1	1
Male.....	6	-	-	1	-	1	-	-	2	1	-	1	-
Female.....	13	-	1	-	1	-	2	2	1	4	1	-	1
Fistula of intestine (K63.2)													
All races, both sexes.....	215	24	17	15	17	14	17	10	19	23	21	20	18
Male.....	82	6	8	7	9	4	7	4	8	6	5	10	8
Female.....	133	18	9	8	8	10	10	6	11	17	16	10	10
White, both sexes.....	177	19	15	12	14	13	15	8	17	18	17	15	14
Male.....	69	5	7	6	6	4	7	2	7	4	5	9	7
Female.....	108	14	8	6	8	9	8	6	10	14	12	6	7
Black, both sexes.....	32	5	1	2	2	1	2	2	2	4	4	3	4
Male.....	11	1	1	-	2	-	-	2	1	2	-	1	1
Female.....	21	4	-	2	-	1	2	-	1	2	4	2	3
American Indian 1/, both sexes.....	3	-	1	1	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	-	-	-	1	-	1	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Disease of intestine, unspecified (K63.9)													
All races, both sexes.....	378	32	26	34	28	35	27	26	39	32	27	32	40
Male.....	165	15	11	19	13	14	14	9	18	14	9	15	14
Female.....	213	17	15	15	15	21	13	17	21	18	18	17	26
White, both sexes.....	325	26	24	29	27	29	24	25	30	25	22	29	35
Male.....	146	14	11	17	13	11	13	9	12	10	9	14	13
Female.....	179	12	13	12	14	18	11	16	18	15	13	15	22
Black, both sexes.....	46	5	2	3	1	5	3	1	7	7	5	3	4
Male.....	14	1	-	1	-	2	1	-	4	4	-	1	-
Female.....	32	4	2	2	1	3	2	1	3	3	5	2	4
American Indian 1/, both sexes.....	3	-	-	1	-	1	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	1	-	-	-	-	1	-	-	-	1
Male.....	3	-	-	1	-	-	-	-	1	-	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (K65)													
All races, both sexes.....	1,531	158	131	132	121	124	118	116	124	112	121	141	133
Male.....	683	62	53	51	56	61	58	46	63	49	63	63	58
Female.....	848	96	78	81	65	63	60	70	61	63	58	78	75
White, both sexes.....	1,281	131	109	110	104	101	97	96	106	93	102	117	115
Male.....	575	53	42	42	47	53	48	39	54	38	53	54	52
Female.....	706	78	67	68	57	48	49	57	52	55	49	63	63
Black, both sexes.....	218	22	20	18	15	20	20	17	15	18	16	22	15
Male.....	90	6	10	7	8	6	9	7	8	10	7	7	5
Female.....	128	16	10	11	7	14	11	10	7	8	9	15	10
American Indian 1/, both sexes.....	10	3	-	1	1	-	1	1	1	-	-	1	1
Male.....	5	2	-	1	-	-	1	-	-	-	-	1	-
Female.....	5	1	-	-	1	-	-	1	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	22	2	2	3	1	3	-	2	2	1	3	1	2
Male.....	13	1	1	1	1	2	-	-	1	1	3	1	1
Female.....	9	1	1	2	-	1	-	2	1	-	-	-	1



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peritonitis, unspecified (K65.9)													
All races, both sexes.....	885	86	78	76	75	67	68	67	76	61	67	98	66
Male.....	374	30	29	30	33	34	29	23	36	23	38	44	25
Female.....	511	56	49	46	42	33	39	44	40	38	29	54	41
White, both sexes.....	757	72	66	66	66	55	60	56	70	51	55	81	59
Male.....	318	25	23	26	28	30	27	21	33	16	30	37	22
Female.....	439	47	43	40	38	25	33	35	37	35	25	44	37
Black, both sexes.....	111	11	11	9	9	10	8	8	4	9	11	15	6
Male.....	46	2	5	4	5	3	2	2	2	6	7	5	3
Female.....	65	9	6	5	4	7	6	6	2	3	4	10	3
American Indian 1/, both sexes.....	6	2	-	-	-	-	-	1	1	-	-	1	1
Male.....	3	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	1	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	11	1	1	1	-	2	-	2	1	1	1	1	-
Male.....	7	1	1	-	-	1	-	-	1	1	1	1	-
Female.....	4	-	-	1	-	1	-	2	-	-	-	-	-
Other disorders of peritoneum (K66)													
All races, both sexes.....	331	31	18	26	27	31	31	24	25	16	33	37	32
Male.....	130	18	6	8	7	7	12	9	9	9	18	15	12
Female.....	201	13	12	18	20	24	19	15	16	7	15	22	20
White, both sexes.....	276	23	15	20	23	28	23	18	22	15	31	34	24
Male.....	111	13	3	6	7	7	9	6	9	8	18	15	10
Female.....	165	10	12	14	16	21	14	12	13	7	13	19	14
Black, both sexes.....	45	7	3	5	3	2	7	5	3	-	2	2	6
Male.....	16	5	3	2	-	-	3	2	-	-	-	-	1
Female.....	29	2	-	3	3	2	4	3	3	-	2	2	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	8	1	-	1	1	1	-	1	-	1	-	-	2
Male.....	3	-	-	-	-	-	-	1	-	1	-	-	1
Female.....	5	1	-	1	1	1	-	-	-	-	-	-	1

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Peritoneal adhesions (K66.0)													
All races, both sexes.....	85	8	6	7	10	13	6	4	5	5	3	11	7
Male.....	27	4	2	2	3	2	-	2	2	3	2	3	2
Female.....	58	4	4	5	7	11	6	2	3	2	1	8	5
White, both sexes.....	73	6	5	4	9	13	5	2	5	4	3	11	6
Male.....	20	3	1	-	3	2	-	-	2	2	2	3	2
Female.....	53	3	4	4	6	11	5	2	3	2	1	8	4
Black, both sexes.....	10	2	1	3	1	-	-	2	-	-	-	-	1
Male.....	6	1	1	2	-	-	-	2	-	-	-	-	-
Female.....	4	1	-	1	1	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemoperitoneum (K66.1)													
All races, both sexes.....	180	16	8	16	12	15	15	13	16	9	19	22	19
Male.....	77	9	2	5	3	4	8	7	5	5	11	10	8
Female.....	103	7	6	11	9	11	7	6	11	4	8	12	11
White, both sexes.....	149	11	7	14	10	13	11	10	13	9	17	20	14
Male.....	67	6	1	5	3	4	5	6	5	5	11	10	6
Female.....	82	5	6	9	7	9	6	4	8	4	6	10	8
Black, both sexes.....	27	4	1	2	2	1	4	2	3	-	2	2	4
Male.....	8	3	1	-	-	-	3	-	-	-	-	-	1
Female.....	19	1	-	2	2	1	1	2	3	-	2	2	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	1	-	1	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-



















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hepatic failure, not elsewhere classified (K72)													
All races, both sexes.....	4,115	375	336	403	371	287	329	325	324	326	374	327	338
Male.....	2,366	212	196	243	202	162	196	199	190	186	202	190	188
Female.....	1,749	163	140	160	169	125	133	126	134	140	172	137	150
White, both sexes.....	3,429	319	281	319	304	232	280	280	269	275	314	268	288
Male.....	1,977	186	163	199	164	129	168	170	160	153	169	160	156
Female.....	1,452	133	118	120	140	103	112	110	109	122	145	108	132
Black, both sexes.....	558	44	44	74	58	41	41	38	46	43	44	46	39
Male.....	315	20	28	39	32	22	24	25	26	28	24	22	25
Female.....	243	24	16	35	26	19	17	13	20	15	20	24	14
American Indian 1/, both sexes.....	69	5	8	6	5	8	3	4	6	3	7	10	4
Male.....	40	2	3	4	3	6	-	3	4	2	5	6	2
Female.....	29	3	5	2	2	2	3	1	2	1	2	4	2
Asian or Pacific Islander 2/, both sexes.....	59	7	3	4	4	6	5	3	3	5	9	3	7
Male.....	34	4	2	1	3	5	4	1	-	3	4	2	5
Female.....	25	3	1	3	1	1	1	2	3	2	5	1	2
Acute and subacute hepatic failure (K72.0)													
All races, both sexes.....	276	23	22	34	30	21	16	21	26	25	24	17	17
Male.....	130	14	7	18	16	11	6	13	10	11	7	9	8
Female.....	146	9	15	16	14	10	10	8	16	14	17	8	9
White, both sexes.....	212	17	21	25	22	15	13	18	19	19	17	12	14
Male.....	98	12	6	14	13	5	5	11	8	7	4	7	6
Female.....	114	5	15	11	9	10	8	7	11	12	13	5	8
Black, both sexes.....	55	5	1	9	8	3	3	3	6	5	4	5	3
Male.....	26	1	1	4	3	3	1	2	2	3	2	2	2
Female.....	29	4	-	5	5	-	2	1	4	2	2	3	1
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	-	-	1	1	-	-
Male.....	3	-	-	-	-	1	-	-	-	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	-	2	-	-	1	-	2	-	-
Male.....	3	1	-	-	-	2	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	2	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic hepatic failure (K72.1)													
All races, both sexes.....	89	3	9	8	13	3	6	8	9	8	9	6	7
Male.....	59	2	5	4	10	2	5	5	6	7	6	2	5
Female.....	30	1	4	4	3	1	1	3	3	1	3	4	2
White, both sexes.....	84	3	9	7	12	3	6	8	9	7	8	6	6
Male.....	55	2	5	4	9	2	5	5	6	6	5	2	4
Female.....	29	1	4	3	3	1	1	3	3	1	3	4	2
Black, both sexes.....	3	-	-	-	1	-	-	-	-	1	-	-	1
Male.....	3	-	-	-	1	-	-	-	-	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatic failure, unspecified (K72.9)													
All races, both sexes.....	3,750	349	305	361	328	263	307	296	289	293	341	304	314
Male.....	2,177	196	184	221	176	149	185	181	174	168	189	179	175
Female.....	1,573	153	121	140	152	114	122	115	115	125	152	125	139
White, both sexes.....	3,133	299	251	287	270	214	261	254	241	249	289	250	268
Male.....	1,824	172	152	181	142	122	158	154	146	140	160	151	146
Female.....	1,309	127	99	106	128	92	103	100	95	109	129	99	122
Black, both sexes.....	500	39	43	65	49	38	38	35	40	37	40	41	35
Male.....	286	19	27	35	28	19	23	23	24	24	22	20	22
Female.....	214	20	16	30	21	19	15	12	16	13	18	21	13
American Indian 1/, both sexes.....	64	5	8	5	5	7	3	4	6	2	5	10	4
Male.....	36	2	3	4	3	5	-	3	4	1	3	6	2
Female.....	28	3	5	1	2	2	3	1	2	1	2	4	2
Asian or Pacific Islander 2/, both sexes.....	53	6	3	4	4	4	5	3	2	5	7	3	7
Male.....	31	3	2	1	3	3	4	1	-	3	4	2	5
Female.....	22	3	1	3	1	1	1	2	2	2	3	1	2







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic hepatitis, unspecified (K73.9)													
All races, both sexes.....	110	15	5	8	13	10	3	5	8	14	8	9	12
Male.....	62	6	2	5	8	6	1	4	4	9	4	5	8
Female.....	48	9	3	3	5	4	2	1	4	5	4	4	4
White, both sexes.....	97	14	4	7	11	10	2	5	7	12	7	7	11
Male.....	58	6	1	5	7	6	1	4	4	9	4	4	7
Female.....	39	8	3	2	4	4	1	1	3	3	3	3	4
Black, both sexes.....	9	1	1	1	1	-	1	-	-	1	-	2	1
Male.....	4	-	1	-	1	-	-	-	-	-	-	1	1
Female.....	5	1	-	1	-	-	1	-	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	-	-	1	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	1	-	-	-	1	1	1	-	-
Fibrosis and cirrhosis of liver (K74)													
All races, both sexes.....	14,999	1,352	1,169	1,257	1,260	1,165	1,167	1,215	1,307	1,210	1,246	1,248	1,403
Male.....	8,732	802	682	706	719	685	688	709	764	702	728	748	799
Female.....	6,267	550	487	551	541	480	479	506	543	508	518	500	604
White, both sexes.....	13,253	1,205	1,022	1,118	1,117	1,019	1,040	1,073	1,150	1,071	1,113	1,101	1,224
Male.....	7,687	709	583	628	636	605	602	627	678	618	647	660	694
Female.....	5,566	496	439	490	481	414	438	446	472	453	466	441	530
Black, both sexes.....	1,387	122	117	113	104	117	103	111	121	109	110	117	143
Male.....	857	81	84	64	59	65	74	66	69	66	66	77	86
Female.....	530	41	33	49	45	52	29	45	52	43	44	40	57
American Indian 1/, both sexes.....	166	10	14	10	20	15	10	12	20	17	10	16	12
Male.....	75	7	6	4	9	8	4	3	9	10	6	5	4
Female.....	91	3	8	6	11	7	6	9	11	7	4	11	8
Asian or Pacific Islander 2/, both sexes.....	193	15	16	16	19	14	14	19	16	13	13	14	24
Male.....	113	5	9	10	15	7	8	13	8	8	9	6	15
Female.....	80	10	7	6	4	7	6	6	8	5	4	8	9





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Biliary cirrhosis, unspecified (K74.5)</b>													
All races, both sexes.....	87	11	10	7	11	7	3	9	4	4	7	5	9
Male.....	24	2	3	1	5	2	-	2	2	1	3	2	1
Female.....	63	9	7	6	6	5	3	7	2	3	4	3	8
White, both sexes.....	79	10	7	7	9	6	3	9	3	4	7	5	9
Male.....	20	1	3	1	3	1	-	2	2	1	3	2	1
Female.....	59	9	4	6	6	5	3	7	1	3	4	3	8
Black, both sexes.....	5	1	1	-	1	1	-	-	1	-	-	-	-
Male.....	3	1	-	-	1	1	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	2	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	2	-	-	-	-	-	-	-	-	-	-
<b>Other and unspecified cirrhosis of liver (K74.6)</b>													
All races, both sexes.....	14,461	1,301	1,128	1,211	1,210	1,124	1,126	1,179	1,261	1,167	1,201	1,202	1,351
Male.....	8,644	792	675	702	709	679	682	704	757	697	714	742	791
Female.....	5,817	509	453	509	501	445	444	475	504	470	487	460	560
White, both sexes.....	12,759	1,160	984	1,075	1,071	982	1,003	1,038	1,106	1,031	1,074	1,057	1,178
Male.....	7,611	700	576	624	629	600	597	622	672	613	636	655	687
Female.....	5,148	460	408	451	442	382	406	416	434	418	438	402	491
Black, both sexes.....	1,363	121	116	111	102	114	100	110	119	107	106	117	140
Male.....	850	80	84	64	58	64	73	66	68	66	65	77	85
Female.....	513	41	32	47	44	50	27	44	51	41	41	40	55
American Indian 1/, both sexes.....	162	10	14	10	19	15	10	12	20	16	10	15	11
Male.....	73	7	6	4	8	8	4	3	9	10	6	4	4
Female.....	89	3	8	6	11	7	6	9	11	6	4	11	7
Asian or Pacific Islander 2/, both sexes.....	177	10	14	15	18	13	13	19	16	13	11	13	22
Male.....	110	5	9	10	14	7	8	13	8	8	7	6	15
Female.....	67	5	5	5	4	6	5	6	8	5	4	7	7

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other inflammatory liver diseases (K75)													
All races, both sexes.....	872	93	67	80	79	80	67	57	72	58	58	69	92
Male.....	342	40	22	36	30	32	24	26	24	21	18	30	39
Female.....	530	53	45	44	49	48	43	31	48	37	40	39	53
White, both sexes.....	687	73	57	57	62	61	59	44	57	45	47	53	72
Male.....	267	33	18	24	25	23	20	22	17	18	15	20	32
Female.....	420	40	39	33	37	38	39	22	40	27	32	33	40
Black, both sexes.....	137	13	7	15	12	16	6	12	10	9	8	13	16
Male.....	60	5	3	7	3	8	4	3	6	3	2	10	6
Female.....	77	8	4	8	9	8	2	9	4	6	6	3	10
American Indian 1/, both sexes.....	9	1	1	2	-	1	-	-	1	1	-	1	1
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	2	-	1	-	-	1	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	39	6	2	6	5	2	2	1	4	3	3	2	3
Male.....	13	1	-	5	2	1	-	1	1	-	1	-	1
Female.....	26	5	2	1	3	1	2	-	3	3	2	2	2
Abscess of liver (K75.0)													
All races, both sexes.....	127	18	10	11	11	9	11	8	10	7	6	12	14
Male.....	72	10	5	7	3	6	6	6	3	3	5	7	11
Female.....	55	8	5	4	8	3	5	2	7	4	1	5	3
White, both sexes.....	96	15	7	6	8	7	8	7	7	6	6	9	10
Male.....	52	7	2	3	2	4	5	6	2	3	5	5	8
Female.....	44	8	5	3	6	3	3	1	5	3	1	4	2
Black, both sexes.....	19	1	2	2	1	2	3	1	2	-	-	3	2
Male.....	14	1	2	2	1	2	1	-	1	-	-	2	2
Female.....	5	-	-	-	-	-	2	1	1	-	-	1	-
American Indian 1/, both sexes.....	4	1	1	1	-	-	-	-	-	-	-	-	1
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	8	1	-	2	2	-	-	-	1	1	-	-	1
Male.....	4	1	-	2	-	-	-	-	-	-	-	-	1
Female.....	4	-	-	-	2	-	-	-	1	1	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Granulomatous hepatitis, not elsewhere classified (K75.3)													
All races, both sexes.....	12	2	1	-	2	1	1	2	-	-	1	-	2
Male.....	5	1	-	-	2	-	-	2	-	-	-	-	-
Female.....	7	1	1	-	-	1	1	-	-	-	1	-	2
White, both sexes.....	12	2	1	-	2	1	1	2	-	-	1	-	2
Male.....	5	1	-	-	2	-	-	2	-	-	-	-	-
Female.....	7	1	1	-	-	1	1	-	-	-	1	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Autoimmune hepatitis (K75.4)													
All races, both sexes.....	338	37	23	27	28	36	31	18	28	18	30	23	39
Male.....	53	3	3	6	5	8	2	2	9	2	3	2	8
Female.....	285	34	20	21	23	28	29	16	19	16	27	21	31
White, both sexes.....	270	27	21	22	22	29	29	13	22	12	22	21	30
Male.....	41	3	3	5	4	7	1	1	7	1	2	2	5
Female.....	229	24	18	17	18	22	28	12	15	11	20	19	25
Black, both sexes.....	52	5	2	3	5	7	1	5	5	4	7	-	8
Male.....	11	-	-	-	1	1	1	1	2	1	1	-	3
Female.....	41	5	2	3	4	6	-	4	3	3	6	-	5
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	13	5	-	2	1	-	1	-	-	1	1	1	1
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	12	5	-	1	1	-	1	-	-	1	1	1	1



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified inflammatory liver diseases (K75.8)													
All races, both sexes.....	12	-	1	2	-	2	-	2	1	1	2	1	-
Male.....	5	-	-	1	-	-	-	2	-	-	1	1	-
Female.....	7	-	1	1	-	2	-	-	1	1	1	-	-
White, both sexes.....	12	-	1	2	-	2	-	2	1	1	2	1	-
Male.....	5	-	-	1	-	-	-	2	-	-	1	1	-
Female.....	7	-	1	1	-	2	-	-	1	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Inflammatory liver disease, unspecified (K75.9)													
All races, both sexes.....	383	36	32	40	38	32	24	27	33	32	19	33	37
Male.....	207	26	14	22	20	18	16	14	12	16	9	20	20
Female.....	176	10	18	18	18	14	8	13	21	16	10	13	17
White, both sexes.....	297	29	27	27	30	22	21	20	27	26	16	22	30
Male.....	164	22	13	15	17	12	14	11	8	14	7	12	19
Female.....	133	7	14	12	13	10	7	9	19	12	9	10	11
Black, both sexes.....	66	7	3	10	6	7	2	6	3	5	1	10	6
Male.....	35	4	1	5	1	5	2	2	3	2	1	8	1
Female.....	31	3	2	5	5	2	-	4	-	3	-	2	5
American Indian 1/, both sexes.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	2	2	2	2	1	1	3	1	2	1	1
Male.....	8	-	-	2	2	1	-	1	1	-	1	-	-
Female.....	10	-	2	-	-	1	1	-	2	1	1	1	1

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other diseases of liver (K76)													
All races, both sexes.....	4,010	345	304	319	355	329	307	331	332	336	354	328	370
Male.....	2,433	205	171	189	224	206	191	206	204	207	221	191	218
Female.....	1,577	140	133	130	131	123	116	125	128	129	133	137	152
White, both sexes.....	3,364	289	261	269	292	285	263	270	282	277	295	272	309
Male.....	2,044	173	146	162	181	176	163	169	176	168	182	160	188
Female.....	1,320	116	115	107	111	109	100	101	106	109	113	112	121
Black, both sexes.....	509	46	34	42	52	35	34	46	38	45	45	46	46
Male.....	317	30	21	22	35	23	23	28	20	30	31	28	26
Female.....	192	16	13	20	17	12	11	18	18	15	14	18	20
American Indian 1/, both sexes.....	77	8	5	3	5	6	4	10	7	10	4	5	10
Male.....	40	2	3	2	4	5	2	6	5	6	3	-	2
Female.....	37	6	2	1	1	1	2	4	2	4	1	5	8
Asian or Pacific Islander 2/, both sexes.....	60	2	4	5	6	3	6	5	5	4	10	5	5
Male.....	32	-	1	3	4	2	3	3	3	3	5	3	2
Female.....	28	2	3	2	2	1	3	2	2	1	5	2	3
Fatty (change of) liver, not elsewhere classified (K76.0)													
All races, both sexes.....	469	43	41	40	31	42	42	33	47	31	41	32	46
Male.....	212	18	19	15	15	22	22	9	24	18	19	16	15
Female.....	257	25	22	25	16	20	20	24	23	13	22	16	31
White, both sexes.....	402	34	36	36	29	37	39	24	43	25	35	26	38
Male.....	183	13	15	14	14	19	20	7	23	13	18	13	14
Female.....	219	21	21	22	15	18	19	17	20	12	17	13	24
Black, both sexes.....	55	8	4	4	2	3	3	6	4	4	5	6	6
Male.....	24	5	3	1	1	2	2	1	1	3	1	3	1
Female.....	31	3	1	3	1	1	1	5	3	1	4	3	5
American Indian 1/, both sexes.....	6	1	1	-	-	1	-	1	-	2	-	-	-
Male.....	4	-	1	-	-	1	-	-	-	2	-	-	-
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	1	-	2	-	-	1	-	2
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	5	-	-	-	-	1	-	1	-	-	1	-	2





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hepatic veno-occlusive disease (K76.5)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Portal hypertension (K76.6)													
All races, both sexes.....	113	6	6	12	8	11	2	12	11	6	12	14	13
Male.....	74	3	3	7	6	8	2	8	7	4	10	5	11
Female.....	39	3	3	5	2	3	-	4	4	2	2	9	2
White, both sexes.....	97	5	6	11	7	9	2	11	10	6	9	11	10
Male.....	63	3	3	7	6	6	2	7	7	4	7	3	8
Female.....	34	2	3	4	1	3	-	4	3	2	2	8	2
Black, both sexes.....	14	1	-	1	1	1	-	1	-	-	3	3	3
Male.....	10	-	-	-	-	1	-	1	-	-	3	2	3
Female.....	4	1	-	1	1	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hepatorenal syndrome (K76.7)													
All races, both sexes.....	485	45	35	41	57	44	37	33	41	29	42	33	48
Male.....	308	24	19	27	37	26	25	21	26	18	25	25	35
Female.....	177	21	16	14	20	18	12	12	15	11	17	8	13
White, both sexes.....	403	36	29	33	45	37	33	26	35	21	37	29	42
Male.....	255	20	14	23	29	21	23	15	22	13	21	23	31
Female.....	148	16	15	10	16	16	10	11	13	8	16	6	11
Black, both sexes.....	62	7	5	8	7	5	3	3	6	5	5	4	4
Male.....	40	4	5	4	4	3	2	2	4	3	4	2	3
Female.....	22	3	-	4	3	2	1	1	2	2	1	2	1
American Indian 1/, both sexes.....	14	1	1	-	2	2	1	3	-	3	-	-	1
Male.....	9	-	-	-	2	2	-	3	-	2	-	-	-
Female.....	5	1	1	-	-	-	1	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	3	-	-	1	-	-	-	-	1
Male.....	4	-	-	-	2	-	-	1	-	-	-	-	1
Female.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Other specified diseases of liver (K76.8)													
All races, both sexes.....	122	9	10	10	7	13	13	6	11	18	6	8	11
Male.....	62	6	3	8	2	8	6	5	4	10	3	1	6
Female.....	60	3	7	2	5	5	7	1	7	8	3	7	5
White, both sexes.....	100	9	6	9	6	12	12	3	10	13	4	6	10
Male.....	49	6	1	7	2	7	6	2	4	6	1	1	6
Female.....	51	3	5	2	4	5	6	1	6	7	3	5	4
Black, both sexes.....	16	-	4	1	1	-	-	1	1	4	1	2	1
Male.....	8	-	2	1	-	-	-	1	-	3	1	-	-
Female.....	8	-	2	-	1	-	-	-	1	1	-	2	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	1	1	1	-	1	1	-	-
Male.....	4	-	-	-	-	1	-	1	-	1	1	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Liver disease, unspecified (K76.9)													
All races, both sexes.....	2,763	234	205	215	247	210	210	240	219	249	246	238	250
Male.....	1,747	152	124	132	161	137	134	159	141	156	160	141	150
Female.....	1,016	82	81	83	86	73	76	81	78	93	86	97	100
White, both sexes.....	2,310	197	179	179	201	182	174	200	181	209	204	197	207
Male.....	1,468	129	111	111	128	119	110	135	118	131	131	117	128
Female.....	842	68	68	68	73	63	64	65	63	78	73	80	79
Black, both sexes.....	356	30	19	28	40	25	28	34	27	32	30	31	32
Male.....	231	21	10	16	29	16	19	22	15	21	22	21	19
Female.....	125	9	9	12	11	9	9	12	12	11	8	10	13
American Indian 1/, both sexes.....	55	6	3	3	3	2	3	5	7	5	4	5	9
Male.....	25	2	2	2	2	1	2	2	5	2	3	-	2
Female.....	30	4	1	1	1	1	1	3	2	3	1	5	7
Asian or Pacific Islander 2/, both sexes.....	42	1	4	5	3	1	5	1	4	3	8	5	2
Male.....	23	-	1	3	2	1	3	-	3	2	4	3	1
Female.....	19	1	3	2	1	-	2	1	1	1	4	2	1
Cholelithiasis (K80)													
All races, both sexes.....	1,049	89	90	95	76	78	89	89	88	98	94	85	78
Male.....	451	40	50	36	37	28	44	37	36	40	33	40	30
Female.....	598	49	40	59	39	50	45	52	52	58	61	45	48
White, both sexes.....	929	79	76	87	70	65	77	81	80	88	82	75	69
Male.....	394	36	38	31	35	23	39	33	32	36	28	34	29
Female.....	535	43	38	56	35	42	38	48	48	52	54	41	40
Black, both sexes.....	84	7	8	6	3	11	9	5	6	7	8	7	7
Male.....	42	1	7	4	1	5	3	4	4	3	4	5	1
Female.....	42	6	1	2	2	6	6	1	2	4	4	2	6
American Indian 1/, both sexes.....	12	2	1	-	1	1	2	1	-	2	1	1	-
Male.....	5	2	-	-	1	-	2	-	-	-	-	-	-
Female.....	7	-	1	-	-	1	-	1	-	2	1	1	-
Asian or Pacific Islander 2/, both sexes.....	24	1	5	2	2	1	1	2	2	1	3	2	2
Male.....	10	1	5	1	-	-	-	-	-	1	1	1	-
Female.....	14	-	-	1	2	1	1	2	2	-	2	1	2









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cholelithiasis (K80.8)													
All races, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholecystitis (K81)													
All races, both sexes.....	1,573	123	125	148	128	131	126	118	135	120	141	140	138
Male.....	721	50	55	74	61	52	54	62	53	56	67	67	70
Female.....	852	73	70	74	67	79	72	56	82	64	74	73	68
White, both sexes.....	1,365	104	99	131	117	115	108	105	119	104	122	120	121
Male.....	637	45	44	64	57	46	46	53	50	49	61	60	62
Female.....	728	59	55	67	60	69	62	52	69	55	61	60	59
Black, both sexes.....	164	16	21	13	9	13	15	10	15	9	14	15	14
Male.....	65	4	8	6	2	5	7	8	3	4	6	6	6
Female.....	99	12	13	7	7	8	8	2	12	5	8	9	8
American Indian 1/, both sexes.....	15	-	1	1	-	1	2	-	1	3	3	2	1
Male.....	6	-	1	1	-	-	1	-	-	2	-	-	1
Female.....	9	-	-	-	-	1	1	-	1	1	3	2	-
Asian or Pacific Islander 2/, both sexes.....	29	3	4	3	2	2	1	3	-	4	2	3	2
Male.....	13	1	2	3	2	1	-	1	-	1	-	1	1
Female.....	16	2	2	-	-	1	1	2	-	3	2	2	1

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute cholecystitis (K81.0)													
All races, both sexes.....	758	62	58	67	61	64	60	66	64	54	62	74	66
Male.....	368	28	30	31	26	24	25	36	33	25	37	39	34
Female.....	390	34	28	36	35	40	35	30	31	29	25	35	32
White, both sexes.....	663	56	49	60	54	56	54	59	55	45	54	63	58
Male.....	332	27	25	30	24	21	22	33	31	20	34	35	30
Female.....	331	29	24	30	30	35	32	26	24	25	20	28	28
Black, both sexes.....	80	6	8	7	6	6	6	5	8	6	7	8	7
Male.....	30	1	4	1	1	2	3	3	2	4	3	3	3
Female.....	50	5	4	6	5	4	3	2	6	2	4	5	4
American Indian 1/, both sexes.....	6	-	-	-	-	1	-	-	1	1	1	1	1
Male.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Female.....	4	-	-	-	-	1	-	-	1	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	9	-	1	-	1	1	-	2	-	2	-	2	-
Male.....	4	-	1	-	1	1	-	-	-	-	-	1	-
Female.....	5	-	-	-	-	-	-	2	-	2	-	1	-
Chronic cholecystitis (K81.1)													
All races, both sexes.....	56	7	3	4	1	8	5	4	4	6	6	5	3
Male.....	25	3	1	2	-	3	3	2	2	1	3	3	2
Female.....	31	4	2	2	1	5	2	2	2	5	3	2	1
White, both sexes.....	50	6	2	4	1	7	4	4	4	6	5	4	3
Male.....	22	3	1	2	-	2	3	2	2	1	2	2	2
Female.....	28	3	1	2	1	5	1	2	2	5	3	2	1
Black, both sexes.....	5	1	1	-	-	1	-	-	-	-	1	1	-
Male.....	3	-	-	-	-	1	-	-	-	-	1	1	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other cholecystitis (K81.8)													
All races, both sexes.....	7	-	1	-	1	1	-	-	2	-	1	1	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	5	-	1	-	-	1	-	-	2	-	1	-	-
White, both sexes.....	6	-	1	-	1	1	-	-	2	-	-	1	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	4	-	1	-	-	1	-	-	2	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholecystitis, unspecified (K81.9)													
All races, both sexes.....	752	54	63	77	65	58	61	48	65	60	72	60	69
Male.....	326	19	24	41	34	25	26	24	18	30	27	24	34
Female.....	426	35	39	36	31	33	35	24	47	30	45	36	35
White, both sexes.....	646	42	47	67	61	51	50	42	58	53	63	52	60
Male.....	281	15	18	32	32	23	21	18	17	28	25	22	30
Female.....	365	27	29	35	29	28	29	24	41	25	38	30	30
Black, both sexes.....	78	9	12	6	3	6	9	5	7	3	5	6	7
Male.....	32	3	4	5	1	2	4	5	1	-	2	2	3
Female.....	46	6	8	1	2	4	5	-	6	3	3	4	4
American Indian 1/, both sexes.....	9	-	1	1	-	-	2	-	-	2	2	1	-
Male.....	4	-	1	1	-	-	1	-	-	1	-	-	-
Female.....	5	-	-	-	-	-	1	-	-	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	19	3	3	3	1	1	-	1	-	2	2	1	2
Male.....	9	1	1	3	1	-	-	1	-	1	-	-	1
Female.....	10	2	2	-	-	1	-	-	-	1	2	1	1



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hydrops of gallbladder (K82.1)													
All races, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Perforation of gallbladder (K82.2)													
All races, both sexes.....	49	5	2	7	4	2	4	4	4	6	4	4	3
Male.....	29	3	2	4	2	-	3	2	2	4	3	2	2
Female.....	20	2	-	3	2	2	1	2	2	2	1	2	1
White, both sexes.....	42	4	1	6	4	2	4	3	3	4	4	4	3
Male.....	24	2	1	3	2	-	3	2	1	3	3	2	2
Female.....	18	2	-	3	2	2	1	1	2	1	1	2	1
Black, both sexes.....	4	1	-	-	-	-	-	-	1	2	-	-	-
Male.....	3	1	-	-	-	-	-	-	1	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other diseases of biliary tract (K83)													
All races, both sexes.....	1,115	98	84	85	89	85	99	96	86	94	91	99	109
Male.....	517	42	40	42	39	39	50	46	46	38	37	46	52
Female.....	598	56	44	43	50	46	49	50	40	56	54	53	57
White, both sexes.....	965	80	76	78	74	71	90	79	75	76	83	89	94
Male.....	451	34	34	38	35	33	44	39	41	33	35	40	45
Female.....	514	46	42	40	39	38	46	40	34	43	48	49	49
Black, both sexes.....	117	15	8	7	11	7	6	16	10	11	6	9	11
Male.....	50	8	6	4	2	2	3	7	5	3	1	5	4
Female.....	67	7	2	3	9	5	3	9	5	8	5	4	7
American Indian 1/, both sexes.....	5	-	-	-	-	1	-	-	-	3	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	1	-	-	-	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	3	-	-	4	6	3	1	1	4	2	-	4
Male.....	15	-	-	-	2	4	3	-	-	2	1	-	3
Female.....	13	3	-	-	2	2	-	1	1	2	1	-	1
Cholangitis (K83.0)													
All races, both sexes.....	608	45	53	48	49	51	58	52	40	53	42	53	64
Male.....	298	18	27	25	27	26	33	24	21	21	16	27	33
Female.....	310	27	26	23	22	25	25	28	19	32	26	26	31
White, both sexes.....	520	34	47	42	41	42	53	42	34	43	39	46	57
Male.....	261	15	22	21	25	23	29	19	17	20	15	23	32
Female.....	259	19	25	21	16	19	24	23	17	23	24	23	25
Black, both sexes.....	68	8	6	6	6	5	2	9	6	6	3	6	5
Male.....	29	3	5	4	1	1	1	5	4	1	1	3	-
Female.....	39	5	1	2	5	4	1	4	2	5	2	3	5
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	2	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	3	-	-	2	4	3	1	-	2	-	-	2
Male.....	7	-	-	-	1	2	3	-	-	-	-	-	1
Female.....	10	3	-	-	1	2	-	1	-	2	-	-	1







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute pancreatitis (K85)													
All races, both sexes.....	2,945	267	212	252	228	244	253	239	232	230	258	232	298
Male.....	1,541	128	112	122	117	136	130	131	127	111	139	122	166
Female.....	1,404	139	100	130	111	108	123	108	105	119	119	110	132
White, both sexes.....	2,440	211	167	207	199	205	217	193	197	183	204	202	255
Male.....	1,249	96	84	96	99	115	103	110	107	86	106	109	138
Female.....	1,191	115	83	111	100	90	114	83	90	97	98	93	117
Black, both sexes.....	429	46	36	40	26	36	29	35	26	41	47	27	40
Male.....	247	29	24	23	16	20	22	14	14	21	26	12	26
Female.....	182	17	12	17	10	16	7	21	12	20	21	15	14
American Indian 1/, both sexes.....	21	3	1	1	-	1	3	2	2	2	3	-	3
Male.....	15	1	1	1	-	-	3	1	1	2	3	-	2
Female.....	6	2	-	-	-	1	-	1	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	55	7	8	4	3	2	4	9	7	4	4	3	-
Male.....	30	2	3	2	2	1	2	6	5	2	4	1	-
Female.....	25	5	5	2	1	1	2	3	2	2	-	2	-
Other diseases of pancreas (K86)													
All races, both sexes.....	878	72	66	77	69	87	57	70	76	79	73	77	75
Male.....	504	39	36	50	37	53	29	39	42	51	43	39	46
Female.....	374	33	30	27	32	34	28	31	34	28	30	38	29
White, both sexes.....	692	54	50	60	48	68	46	57	65	62	61	62	59
Male.....	387	29	24	38	25	41	24	34	34	37	36	29	36
Female.....	305	25	26	22	23	27	22	23	31	25	25	33	23
Black, both sexes.....	164	14	15	16	20	17	10	12	9	17	8	11	15
Male.....	106	10	12	11	11	11	5	5	6	14	5	7	9
Female.....	58	4	3	5	9	6	5	7	3	3	3	4	6
American Indian 1/, both sexes.....	6	2	-	-	-	-	1	-	-	-	1	2	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	4	2	-	-	-	-	1	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	16	2	1	1	2	-	-	1	2	-	3	2	1
Male.....	9	-	-	1	1	1	-	-	2	-	1	2	1
Female.....	7	2	1	-	-	1	-	1	-	-	2	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Alcohol-induced chronic pancreatitis (K86.0)													
All races, both sexes.....	284	23	22	28	28	24	16	23	24	27	19	27	23
Male.....	218	16	17	25	21	18	10	16	17	24	14	22	18
Female.....	66	7	5	3	7	6	6	7	7	3	5	5	5
White, both sexes.....	202	14	12	22	17	18	11	20	19	16	17	19	17
Male.....	156	10	9	20	13	15	6	14	13	14	13	15	14
Female.....	46	4	3	2	4	3	5	6	6	2	4	4	3
Black, both sexes.....	77	8	10	6	11	6	5	3	4	11	2	5	6
Male.....	59	6	8	5	8	3	4	2	3	10	1	5	4
Female.....	18	2	2	1	3	3	1	1	1	1	1	-	2
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	-	-	-	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic pancreatitis (K86.1)													
All races, both sexes.....	261	25	20	21	16	31	21	21	17	22	20	24	23
Male.....	145	13	12	12	11	20	11	8	7	13	12	11	15
Female.....	116	12	8	9	5	11	10	13	10	9	8	13	8
White, both sexes.....	201	19	16	16	11	21	18	17	15	17	15	18	18
Male.....	106	11	8	8	7	13	10	6	6	9	8	8	12
Female.....	95	8	8	8	4	8	8	11	9	8	7	10	6
Black, both sexes.....	46	3	4	4	4	8	2	4	1	5	2	5	4
Male.....	31	2	4	3	3	6	1	2	-	4	2	2	2
Female.....	15	1	-	1	1	2	1	2	1	1	-	3	2
American Indian 1/, both sexes.....	3	1	-	-	-	-	1	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	2	-	1	1	2	-	-	1	-	2	1	1
Male.....	7	-	-	1	1	1	-	-	1	-	1	1	1
Female.....	4	2	-	-	-	1	-	-	-	-	1	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified diseases of pancreas (K86.8)													
All races, both sexes.....	56	3	4	7	2	8	4	5	7	3	6	1	6
Male.....	34	1	2	2	1	6	2	4	6	3	3	-	4
Female.....	22	2	2	5	1	2	2	1	1	-	3	1	2
White, both sexes.....	47	3	4	5	2	6	3	4	6	3	5	1	5
Male.....	31	1	2	2	1	4	2	4	6	3	3	-	3
Female.....	16	2	2	3	1	2	1	-	-	-	2	1	2
Black, both sexes.....	8	-	-	2	-	2	1	1	1	-	-	-	1
Male.....	3	-	-	-	-	2	-	-	-	-	-	-	1
Female.....	5	-	-	2	-	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Disease of pancreas, unspecified (K86.9)													
All races, both sexes.....	224	17	16	17	21	18	10	19	22	22	19	22	21
Male.....	79	8	3	9	4	5	3	9	8	8	8	6	8
Female.....	145	9	13	8	17	13	7	10	14	14	11	16	13
White, both sexes.....	194	15	14	13	16	17	8	14	20	21	18	21	17
Male.....	69	6	3	6	4	5	3	8	6	8	8	6	6
Female.....	125	9	11	7	12	12	5	6	14	13	10	15	11
Black, both sexes.....	28	2	1	4	5	1	2	4	2	1	1	1	4
Male.....	10	2	-	3	-	-	-	1	2	-	-	-	2
Female.....	18	-	1	1	5	1	2	3	-	1	1	1	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tropical sprue (K90.1)													
All races, both sexes.....	35	4	3	1	1	3	2	1	3	2	3	4	8
Male.....	18	3	2	-	-	2	2	-	-	1	3	2	3
Female.....	17	1	1	1	1	1	-	1	3	1	-	2	5
White, both sexes.....	34	4	2	1	1	3	2	1	3	2	3	4	8
Male.....	18	3	2	-	-	2	2	-	-	1	3	2	3
Female.....	16	1	-	1	1	1	-	1	3	1	-	2	5
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Blind loop syndrome, not elsewhere classified (K90.2)													
All races, both sexes.....	138	10	14	12	12	16	5	14	10	8	7	12	18
Male.....	47	3	8	4	5	4	2	8	5	2	2	1	3
Female.....	91	7	6	8	7	12	3	6	5	6	5	11	15
White, both sexes.....	112	8	10	10	11	11	4	11	8	6	7	10	16
Male.....	34	2	5	3	4	2	2	5	4	1	2	1	3
Female.....	78	6	5	7	7	9	2	6	4	5	5	9	13
Black, both sexes.....	22	2	4	2	1	4	-	2	2	1	-	2	2
Male.....	11	1	3	1	1	1	-	2	1	1	-	-	-
Female.....	11	1	1	1	-	3	-	-	1	-	-	2	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	1	1	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intestinal malabsorption, unspecified (K90.9)													
All races, both sexes.....	74	6	9	3	7	5	5	5	9	5	7	6	7
Male.....	26	4	6	-	1	4	-	3	3	2	2	-	1
Female.....	48	2	3	3	6	1	5	2	6	3	5	6	6
White, both sexes.....	66	6	9	3	6	4	5	5	9	5	3	5	6
Male.....	23	4	6	-	1	3	-	3	3	2	-	-	1
Female.....	43	2	3	3	5	1	5	2	6	3	3	5	5
Black, both sexes.....	8	-	-	-	1	1	-	-	-	-	4	1	1
Male.....	3	-	-	-	-	1	-	-	-	-	2	-	-
Female.....	5	-	-	-	1	-	-	-	-	-	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of the digestive system (K92)													
All races, both sexes.....	7,979	731	651	762	671	642	616	607	609	635	630	624	801
Male.....	3,584	303	306	335	312	278	287	253	247	300	300	288	375
Female.....	4,395	428	345	427	359	364	329	354	362	335	330	336	426
White, both sexes.....	6,986	660	560	662	578	557	544	532	540	541	557	551	704
Male.....	3,110	271	258	288	270	248	257	222	216	244	259	248	329
Female.....	3,876	389	302	374	308	309	287	310	324	297	298	303	375
Black, both sexes.....	862	66	76	84	87	73	61	70	61	75	64	65	80
Male.....	401	29	40	37	40	23	27	28	28	40	34	37	38
Female.....	461	37	36	47	47	50	34	42	33	35	30	28	42
American Indian 1/, both sexes.....	42	2	6	1	2	2	6	2	3	7	3	2	6
Male.....	21	1	3	-	1	1	2	1	1	6	2	1	2
Female.....	21	1	3	1	1	1	4	1	2	1	1	1	4
Asian or Pacific Islander 2/, both sexes.....	89	3	9	15	4	10	5	3	5	12	6	6	11
Male.....	52	2	5	10	1	6	1	2	2	10	5	2	6
Female.....	37	1	4	5	3	4	4	1	3	2	1	4	5



































































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pityriasis rubra pilaris (L44.0)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Erythema multiforme (L51)													
All races, both sexes.....	137	10	16	11	8	8	10	14	10	16	7	19	8
Male.....	57	3	7	5	1	3	4	5	4	6	5	10	4
Female.....	80	7	9	6	7	5	6	9	6	10	2	9	4
White, both sexes.....	73	5	8	8	5	4	4	7	7	10	2	7	6
Male.....	32	1	3	4	1	2	2	4	2	5	1	4	3
Female.....	41	4	5	4	4	2	2	3	5	5	1	3	3
Black, both sexes.....	55	4	7	3	1	4	5	6	3	6	3	11	2
Male.....	20	1	3	1	-	1	1	1	2	1	2	6	1
Female.....	35	3	4	2	1	3	4	5	1	5	1	5	1
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	1	-	1	-	1	1	-	-	2	1	-
Male.....	5	1	1	-	-	-	1	-	-	-	2	-	-
Female.....	3	-	-	-	1	-	-	1	-	-	-	1	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Bullous erythema multiforme (L51.1)													
All races, both sexes.....	67	4	6	6	3	5	4	7	5	7	2	13	5
Male.....	30	1	3	2	1	1	2	4	1	4	1	7	3
Female.....	37	3	3	4	2	4	2	3	4	3	1	6	2
White, both sexes.....	38	2	3	5	2	3	1	4	4	5	1	4	4
Male.....	21	-	2	2	1	1	1	3	1	3	1	3	3
Female.....	17	2	1	3	1	2	-	1	3	2	-	1	1
Black, both sexes.....	26	1	3	1	1	2	2	3	1	2	1	8	1
Male.....	7	-	1	-	-	-	-	1	-	1	-	4	-
Female.....	19	1	2	1	1	2	2	2	1	1	1	4	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	1	-	-	-	-	1	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Toxic epidermal necrolysis [Lyell] (L51.2)													
All races, both sexes.....	67	5	9	5	5	3	5	7	5	9	5	6	3
Male.....	26	2	4	3	-	2	1	1	3	2	4	3	1
Female.....	41	3	5	2	5	1	4	6	2	7	1	3	2
White, both sexes.....	33	3	4	3	3	1	2	3	3	5	1	3	2
Male.....	10	1	1	2	-	1	-	1	1	2	-	1	-
Female.....	23	2	3	1	3	-	2	2	2	3	1	2	2
Black, both sexes.....	28	2	4	2	-	2	3	3	2	4	2	3	1
Male.....	13	1	2	1	-	1	1	-	2	-	2	2	1
Female.....	15	1	2	1	-	1	2	3	-	4	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	1	-	-	1	-	-	2	-	-
Male.....	3	-	1	-	-	-	-	-	-	-	2	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-





























## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Lupus erythematosus (L93)													
All races, both sexes.....	271	17	17	14	24	31	20	21	15	29	30	23	30
Male.....	31	3	2	1	2	3	2	3	2	6	1	3	3
Female.....	240	14	15	13	22	28	18	18	13	23	29	20	27
White, both sexes.....	171	11	9	11	15	20	14	10	9	17	18	17	20
Male.....	20	2	-	1	1	3	2	1	-	5	1	2	2
Female.....	151	9	9	10	14	17	12	9	9	12	17	15	18
Black, both sexes.....	96	6	8	2	9	11	6	11	6	11	10	6	10
Male.....	11	1	2	-	1	-	-	2	2	1	-	1	1
Female.....	85	5	6	2	8	11	6	9	4	10	10	5	9
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Discoid lupus erythematosus (L93.0)													
All races, both sexes.....	269	17	17	14	24	31	20	20	15	29	30	22	30
Male.....	31	3	2	1	2	3	2	3	2	6	1	3	3
Female.....	238	14	15	13	22	28	18	17	13	23	29	19	27
White, both sexes.....	169	11	9	11	15	20	14	9	9	17	18	16	20
Male.....	20	2	-	1	1	3	2	1	-	5	1	2	2
Female.....	149	9	9	10	14	17	12	8	9	12	17	14	18
Black, both sexes.....	96	6	8	2	9	11	6	11	6	11	10	6	10
Male.....	11	1	2	-	1	-	-	2	2	1	-	1	1
Female.....	85	5	6	2	8	11	6	9	4	10	10	5	9
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Mucinosis of skin (L98.5)													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified disorders of skin and subcutaneous tissue (L98.8)													
All races, both sexes.....	22	1	5	-	1	3	3	-	2	2	3	1	1
Male.....	12	1	3	-	1	2	2	-	-	1	1	-	1
Female.....	10	-	2	-	-	1	1	-	2	1	2	1	-
White, both sexes.....	17	1	4	-	1	3	2	-	1	2	2	1	-
Male.....	9	1	2	-	1	2	1	-	-	1	1	-	-
Female.....	8	-	2	-	-	1	1	-	1	1	1	1	-
Black, both sexes.....	3	-	1	-	-	-	-	-	-	-	1	-	1
Male.....	2	-	1	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Reiter's disease (M02.3)													
All races, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Seropositive rheumatoid arthritis (M05)													
All races, both sexes.....	281	30	23	23	22	22	29	24	18	21	25	21	23
Male.....	81	4	8	7	5	6	8	9	6	5	6	9	8
Female.....	200	26	15	16	17	16	21	15	12	16	19	12	15
White, both sexes.....	256	28	21	21	18	22	26	21	18	21	21	18	21
Male.....	77	4	7	7	5	6	8	8	6	5	6	7	8
Female.....	179	24	14	14	13	16	18	13	12	16	15	11	13
Black, both sexes.....	19	2	2	2	3	-	3	2	-	-	2	-	1
Male.....	3	-	1	-	-	-	-	-	-	-	-	2	-
Female.....	16	2	1	2	3	-	3	2	-	-	2	-	1
American Indian 1/, both sexes.....	5	-	-	-	1	-	-	1	-	-	1	1	1
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	-	1	-	-	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Felty's syndrome (M05.0)													
All races, both sexes.....	24	3	2	2	1	3	4	5	-	-	2	2	-
Male.....	8	-	1	1	-	-	1	2	-	-	2	1	-
Female.....	16	3	1	1	1	3	3	3	-	-	-	1	-
White, both sexes.....	24	3	2	2	1	3	4	5	-	-	2	2	-
Male.....	8	-	1	1	-	-	1	2	-	-	2	1	-
Female.....	16	3	1	1	1	3	3	3	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatoid lung disease (M05.1)													
All races, both sexes.....	176	19	16	11	12	16	20	12	12	13	13	14	18
Male.....	51	2	5	3	3	5	5	4	3	4	4	7	6
Female.....	125	17	11	8	9	11	15	8	9	9	9	7	12
White, both sexes.....	156	17	14	11	9	16	17	10	12	13	10	11	16
Male.....	47	2	4	3	3	5	5	3	3	4	4	5	6
Female.....	109	15	10	8	6	11	12	7	9	9	6	6	10
Black, both sexes.....	15	2	2	-	2	-	3	1	-	-	2	2	1
Male.....	3	-	1	-	-	-	-	-	-	-	-	2	-
Female.....	12	2	1	-	2	-	3	1	-	-	2	-	1
American Indian 1/, both sexes.....	4	-	-	-	1	-	-	1	-	-	-	1	1
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified rheumatoid arthritis (M06.8)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatoid arthritis, unspecified (M06.9)													
All races, both sexes.....	2,364	211	228	217	185	197	171	167	169	182	195	195	247
Male.....	549	47	55	58	46	41	43	48	40	42	36	37	56
Female.....	1,815	164	173	159	139	156	128	119	129	140	159	158	191
White, both sexes.....	2,164	194	211	201	169	183	158	144	156	171	170	179	228
Male.....	496	46	50	54	42	37	38	40	35	40	32	33	49
Female.....	1,668	148	161	147	127	146	120	104	121	131	138	146	179
Black, both sexes.....	147	13	10	13	13	12	9	16	10	7	21	9	14
Male.....	40	1	3	3	3	4	4	6	5	1	3	1	6
Female.....	107	12	7	10	10	8	5	10	5	6	18	8	8
American Indian 1/, both sexes.....	19	2	3	1	2	3	1	1	1	1	1	2	-
Male.....	7	-	-	1	1	-	1	1	-	1	1	1	-
Female.....	12	2	3	-	1	2	2	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	34	2	4	2	1	-	1	6	2	3	3	5	5
Male.....	6	-	2	-	-	-	-	1	-	-	-	2	1
Female.....	28	2	2	2	1	-	1	5	2	3	3	3	4















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Traumatic arthropathy (M12.5)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other arthritis (M13)													
All races, both sexes.....	332	25	31	31	28	25	28	24	24	18	28	25	45
Male.....	99	8	5	15	9	12	6	11	4	5	7	7	10
Female.....	233	17	26	16	19	13	22	13	20	13	21	18	35
White, both sexes.....	295	23	27	29	26	22	25	21	21	14	25	21	41
Male.....	91	7	5	14	9	11	5	10	4	3	6	7	10
Female.....	204	16	22	15	17	11	20	11	17	11	19	14	31
Black, both sexes.....	27	1	1	2	2	3	3	2	1	3	2	4	3
Male.....	6	1	-	1	-	1	1	-	-	1	1	-	-
Female.....	21	-	1	1	2	2	2	2	1	2	1	4	3
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	2	-	-	-	-	1	2	1	1	-	1
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	7	1	2	-	-	-	-	-	2	-	1	-	1

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Polyarthrititis, unspecified (M13.0)													
All races, both sexes.....	8	-	-	-	1	1	-	1	-	-	3	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	1	1	-	1	-	-	3	-	2
White, both sexes.....	7	-	-	-	1	-	-	1	-	-	3	-	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	1	-	-	1	-	-	3	-	2
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis, unspecified (M13.9)													
All races, both sexes.....	324	25	31	31	27	24	28	23	24	18	25	25	43
Male.....	99	8	5	15	9	12	6	11	4	5	7	7	10
Female.....	225	17	26	16	18	12	22	12	20	13	18	18	33
White, both sexes.....	288	23	27	29	25	22	25	20	21	14	22	21	39
Male.....	91	7	5	14	9	11	5	10	4	3	6	7	10
Female.....	197	16	22	15	16	11	20	10	17	11	16	14	29
Black, both sexes.....	26	1	1	2	2	2	3	2	1	3	2	4	3
Male.....	6	1	-	1	-	1	-	-	-	1	1	-	-
Female.....	20	-	1	1	2	1	2	2	1	2	1	4	3
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	2	-	-	-	-	1	2	1	1	-	1
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	7	1	2	-	-	-	-	-	2	-	1	-	1































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Polyarteritis nodosa and related conditions (M30)													
All races, both sexes.....	88	3	2	13	9	7	10	5	7	12	8	8	4
Male.....	39	1	2	3	3	4	5	3	3	6	3	4	2
Female.....	49	2	-	10	6	3	5	2	4	6	5	4	2
White, both sexes.....	76	2	2	12	8	6	9	4	7	10	7	6	3
Male.....	34	1	2	3	2	3	5	2	3	5	2	4	2
Female.....	42	1	-	9	6	3	4	2	4	5	5	2	1
Black, both sexes.....	6	-	-	1	-	1	-	1	-	-	1	1	1
Male.....	3	-	-	-	-	1	-	1	-	-	1	-	-
Female.....	3	-	-	1	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	1	-	1	-	-	2	-	1	-
Male.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	4	1	-	-	-	-	1	-	-	1	-	1	-
Polyarteritis nodosa (M30.0)													
All races, both sexes.....	46	3	-	7	4	3	7	1	5	6	4	3	3
Male.....	18	1	-	2	1	2	4	1	1	2	2	1	1
Female.....	28	2	-	5	3	1	3	-	4	4	2	2	2
White, both sexes.....	40	2	-	7	4	2	6	1	5	6	3	2	2
Male.....	16	1	-	2	1	1	4	1	1	2	1	1	1
Female.....	24	1	-	5	3	1	2	-	4	4	2	1	1
Black, both sexes.....	4	-	-	-	-	1	-	-	-	-	1	1	1
Male.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	1	-	-	-	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other conditions related to polyarteritis nodosa (M30.8)													
All races, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other necrotizing vasculopathies (M31)													
All races, both sexes.....	801	62	63	80	56	70	71	73	71	63	66	60	66
Male.....	325	21	29	27	20	28	34	26	28	26	30	28	28
Female.....	476	41	34	53	36	42	37	47	43	37	36	32	38
White, both sexes.....	659	56	57	69	44	53	57	61	59	51	54	45	53
Male.....	284	19	27	26	19	23	28	22	26	23	24	24	23
Female.....	375	37	30	43	25	30	29	39	33	28	30	21	30
Black, both sexes.....	120	5	6	8	9	14	13	9	11	11	9	13	12
Male.....	36	1	2	1	1	4	5	3	2	3	5	4	5
Female.....	84	4	4	7	8	10	8	6	9	8	4	9	7
American Indian 1/, both sexes.....	6	-	-	1	1	-	1	-	1	-	-	1	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	5	-	-	1	1	-	-	-	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	16	1	-	2	2	3	-	3	-	1	3	1	-
Male.....	4	1	-	-	-	1	-	1	-	-	1	-	-
Female.....	12	-	-	2	2	2	-	2	-	1	2	1	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hypersensitivity angitis (M31.0)													
All races, both sexes.....	46	2	3	4	2	4	6	5	2	3	8	1	6
Male.....	28	-	3	4	1	2	3	3	1	1	4	1	5
Female.....	18	2	-	-	1	2	3	2	1	2	4	-	1
White, both sexes.....	41	2	3	4	2	4	5	4	2	3	7	1	4
Male.....	24	-	3	4	1	2	3	2	1	1	3	1	3
Female.....	17	2	-	-	1	2	2	2	1	2	4	-	1
Black, both sexes.....	4	-	-	-	-	-	1	1	-	-	-	-	2
Male.....	3	-	-	-	-	-	-	1	-	-	-	-	2
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrombotic microangiopathy (M31.1)													
All races, both sexes.....	316	19	24	34	26	29	27	33	25	26	20	26	27
Male.....	105	7	10	9	8	6	13	8	8	8	8	10	10
Female.....	211	12	14	25	18	23	14	25	17	18	12	16	17
White, both sexes.....	209	13	19	25	15	17	18	27	18	15	11	12	19
Male.....	81	5	8	8	7	5	9	8	7	5	4	6	9
Female.....	128	8	11	17	8	12	9	19	11	10	7	6	10
Black, both sexes.....	95	5	5	8	9	10	8	5	7	11	7	13	7
Male.....	22	1	2	1	1	1	3	-	1	3	4	4	1
Female.....	73	4	3	7	8	9	5	5	6	8	3	9	6
American Indian 1/, both sexes.....	3	-	-	-	1	-	1	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	9	1	-	1	1	2	-	1	-	-	2	1	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	1	1	2	-	1	-	-	2	1	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Necrotizing vasculopathy, unspecified (M31.9)													
All races, both sexes.....	7	1	1	-	2	-	-	1	1	1	-	-	-
Male.....	5	1	-	-	2	-	-	1	-	1	-	-	-
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	6	1	1	-	2	-	-	-	1	1	-	-	-
Male.....	4	1	-	-	2	-	-	-	-	1	-	-	-
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Systemic lupus erythematosus (M32)													
All races, both sexes.....	1,324	120	113	120	113	95	110	107	96	99	108	110	133
Male.....	193	14	20	20	22	14	16	15	15	17	17	12	11
Female.....	1,131	106	93	100	91	81	94	92	81	82	91	98	122
White, both sexes.....	849	79	80	77	76	59	71	67	61	60	69	68	82
Male.....	140	11	16	16	17	10	10	12	8	15	11	6	8
Female.....	709	68	64	61	59	49	61	55	53	45	58	62	74
Black, both sexes.....	421	38	28	38	32	31	34	38	33	34	32	36	47
Male.....	42	2	2	4	5	4	4	3	6	1	3	5	3
Female.....	379	36	26	34	27	27	30	35	27	33	29	31	44
American Indian 1/, both sexes.....	13	-	1	-	3	1	2	1	-	2	1	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	13	-	1	-	3	1	2	1	-	2	1	1	1
Asian or Pacific Islander 2/, both sexes.....	41	3	4	5	2	4	3	1	2	3	6	5	3
Male.....	11	1	2	-	-	-	2	-	1	1	3	1	-
Female.....	30	2	2	5	2	4	1	1	1	2	3	4	3



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Dermatopolymyositis (M33)</b>													
All races, both sexes.....	297	25	29	18	27	33	22	25	26	23	22	20	27
Male.....	111	12	9	7	7	14	9	9	10	9	7	11	7
Female.....	186	13	20	11	20	19	13	16	16	14	15	9	20
White, both sexes.....	223	16	22	14	22	24	19	17	22	18	16	18	15
Male.....	90	9	8	5	7	9	8	9	8	8	6	10	3
Female.....	133	7	14	9	15	15	11	8	14	10	10	8	12
Black, both sexes.....	57	7	5	3	3	7	3	8	2	3	3	2	11
Male.....	16	2	1	1	-	3	1	-	1	1	1	1	4
Female.....	41	5	4	2	3	4	2	8	1	2	2	1	7
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	2	2	1	2	2	-	-	2	-	3	-	1
Male.....	5	1	-	1	-	2	-	-	1	-	-	-	-
Female.....	10	1	2	-	2	-	-	-	1	-	3	-	1
<b>Other dermatomyositis (M33.1)</b>													
All races, both sexes.....	104	9	10	6	5	11	8	9	11	8	11	8	8
Male.....	35	4	1	2	1	5	4	3	4	2	3	5	1
Female.....	69	5	9	4	4	6	4	6	7	6	8	3	7
White, both sexes.....	81	7	7	4	4	7	8	7	10	7	7	8	5
Male.....	30	4	1	1	1	2	4	3	4	2	3	5	-
Female.....	51	3	6	3	3	5	4	4	6	5	4	3	5
Black, both sexes.....	12	2	1	1	-	2	-	2	-	1	1	-	2
Male.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Female.....	10	2	1	1	-	1	-	2	-	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	2	1	1	2	-	-	1	-	3	-	1
Male.....	3	-	-	1	-	2	-	-	-	-	-	-	-
Female.....	8	-	2	-	1	-	-	-	1	-	3	-	1





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
CR(E)ST syndrome (M34.1)													
All races, both sexes.....	123	11	7	4	10	12	5	17	12	13	12	6	14
Male.....	15	2	-	-	2	1	-	2	2	1	2	2	1
Female.....	108	9	7	4	8	11	5	15	10	12	10	4	13
White, both sexes.....	118	10	7	4	10	12	5	16	12	12	12	5	13
Male.....	13	1	-	-	2	1	-	2	2	1	2	1	1
Female.....	105	9	7	4	8	11	5	14	10	11	10	4	12
Black, both sexes.....	4	1	-	-	-	-	-	1	-	-	-	1	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Other forms of systemic sclerosis (M34.8)													
All races, both sexes.....	450	45	44	30	41	46	34	30	26	43	33	32	46
Male.....	98	11	11	6	10	9	11	6	3	11	7	5	8
Female.....	352	34	33	24	31	37	23	24	23	32	26	27	38
White, both sexes.....	355	39	40	24	36	37	26	19	19	38	20	24	33
Male.....	76	10	10	3	8	6	11	4	3	9	3	4	5
Female.....	279	29	30	21	28	31	15	15	16	29	17	20	28
Black, both sexes.....	81	6	3	5	5	9	8	8	6	5	11	7	8
Male.....	21	1	1	3	2	3	-	2	-	2	4	1	2
Female.....	60	5	2	2	3	6	8	6	6	3	7	6	6
American Indian 1/, both sexes.....	6	-	1	-	-	-	-	2	-	-	-	1	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	1	-	-	-	-	2	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	8	-	-	1	-	-	-	1	1	-	2	-	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	1	-	-	-	1	1	-	2	-	3



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Systemic sclerosis, unspecified (M34.9)													
All races, both sexes.....	720	65	60	64	66	55	73	53	58	48	73	41	64
Male.....	148	16	11	14	16	13	15	8	13	7	12	6	17
Female.....	572	49	49	50	50	42	58	45	45	41	61	35	47
White, both sexes.....	573	49	51	55	49	44	63	37	47	38	61	29	50
Male.....	113	13	10	11	13	9	13	5	8	5	7	5	14
Female.....	460	36	41	44	36	35	50	32	39	33	54	24	36
Black, both sexes.....	125	13	6	8	14	8	8	15	11	9	9	12	12
Male.....	31	2	1	3	2	3	2	3	5	2	4	1	3
Female.....	94	11	5	5	12	5	6	12	6	7	5	11	9
American Indian 1/, both sexes.....	10	1	2	1	-	3	1	-	-	-	1	-	1
Male.....	3	1	-	-	-	1	-	-	-	-	1	-	-
Female.....	7	-	2	1	-	2	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	12	2	1	-	3	-	1	1	-	1	2	-	1
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	11	2	1	-	2	-	1	1	-	1	2	-	1
Other systemic involvement of connective tissue (M35)													
All races, both sexes.....	535	40	51	47	42	40	50	41	41	41	38	53	51
Male.....	162	20	16	12	14	8	13	10	15	14	8	16	16
Female.....	373	20	35	35	28	32	37	31	26	27	30	37	35
White, both sexes.....	404	32	40	33	31	30	40	35	28	33	28	33	41
Male.....	108	14	9	8	9	6	9	6	11	11	6	8	11
Female.....	296	18	31	25	22	24	31	29	17	22	22	25	30
Black, both sexes.....	119	7	11	12	10	10	10	5	11	8	10	15	10
Male.....	51	5	7	4	5	2	4	3	3	3	2	8	5
Female.....	68	2	4	8	5	8	6	2	8	5	8	7	5
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	11	1	-	2	1	-	-	1	2	-	-	4	-
Male.....	3	1	-	-	-	-	-	1	1	-	-	-	-
Female.....	8	-	-	2	1	-	-	-	1	-	-	4	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified systemic involvement of connective tissue (M35.8)													
All races, both sexes.....	26	5	2	4	-	1	3	1	3	2	4	1	-
Male.....	11	4	1	2	-	1	1	-	-	-	2	-	-
Female.....	15	1	1	2	-	-	2	1	3	2	2	1	-
White, both sexes.....	22	5	2	3	-	-	2	1	3	2	3	1	-
Male.....	9	4	1	2	-	-	-	-	-	-	2	-	-
Female.....	13	1	1	1	-	-	2	1	3	2	1	1	-
Black, both sexes.....	3	-	-	-	-	1	1	-	-	-	1	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Systemic involvement of connective tissue, unspecified (M35.9)													
All races, both sexes.....	310	26	21	29	25	29	26	18	26	24	20	31	35
Male.....	123	15	13	9	12	4	9	7	10	12	4	13	15
Female.....	187	11	8	20	13	25	17	11	16	12	16	18	20
White, both sexes.....	196	18	12	18	16	20	18	13	15	18	11	11	26
Male.....	73	9	6	5	7	3	6	4	7	9	2	5	10
Female.....	123	9	6	13	9	17	12	9	8	9	9	6	16
Black, both sexes.....	104	7	9	10	8	9	8	4	10	6	9	15	9
Male.....	48	5	7	4	5	1	3	2	3	3	2	8	5
Female.....	56	2	2	6	3	8	5	2	7	3	7	7	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	9	1	-	1	1	-	-	1	1	-	-	4	-
Male.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	7	-	-	1	1	-	-	-	1	-	-	4	-





















































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified dorsopathies (M53.8)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Dorsalgia (M54)													
All races, both sexes.....	70	4	4	8	4	6	7	7	5	6	7	3	9
Male.....	26	2	2	2	1	-	2	4	1	1	4	2	5
Female.....	44	2	2	6	3	6	5	3	4	5	3	1	4
White, both sexes.....	67	4	4	7	4	5	6	7	5	6	7	3	9
Male.....	25	2	2	2	1	-	1	4	1	1	4	2	5
Female.....	42	2	2	5	3	5	5	3	4	5	3	1	4
Black, both sexes.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other dorsalgia (M54.8)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Dorsalgia, unspecified (M54.9)													
All races, both sexes.....	52	3	3	7	3	6	5	5	4	5	4	2	5
Male.....	18	1	2	2	1	-	2	3	-	1	3	1	2
Female.....	34	2	1	5	2	6	3	2	4	4	1	1	3
White, both sexes.....	50	3	3	7	3	5	4	5	4	5	4	2	5
Male.....	17	1	2	2	1	-	1	3	-	1	3	1	2
Female.....	33	2	1	5	2	5	3	2	4	4	1	1	3
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-





















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other disorders of synovium and tendon (M67)													
All races, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Ganglion (M67.4)													
All races, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Fibroblastic disorders (M72)</b>													
All races, both sexes.....	511	53	50	50	31	39	48	44	36	28	44	40	48
Male.....	223	26	27	20	14	15	22	23	17	13	19	14	13
Female.....	288	27	23	30	17	24	26	21	19	15	25	26	35
White, both sexes.....	395	44	33	37	22	28	37	33	32	22	36	31	40
Male.....	174	21	19	15	10	10	16	19	14	11	16	11	12
Female.....	221	23	14	22	12	18	21	14	18	11	20	20	28
Black, both sexes.....	93	6	15	9	6	9	8	11	3	5	7	8	6
Male.....	37	3	8	2	3	3	4	4	2	2	2	3	1
Female.....	56	3	7	7	3	6	4	7	1	3	5	5	5
American Indian 1/, both sexes.....	10	2	1	1	1	1	2	-	-	1	1	-	-
Male.....	7	1	-	1	1	1	2	-	-	-	1	-	-
Female.....	3	1	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	1	1	3	2	1	1	-	1	-	-	1	2
Male.....	5	1	-	2	-	1	-	-	1	-	-	-	-
Female.....	8	-	1	1	2	-	1	-	-	-	-	1	2
<b>Necrotizing fasciitis (M72.6)</b>													
All races, both sexes.....	467	49	42	44	31	35	44	42	30	25	41	39	45
Male.....	204	24	23	18	14	15	20	22	13	12	17	14	12
Female.....	263	25	19	26	17	20	24	20	17	13	24	25	33
White, both sexes.....	363	40	28	33	22	24	34	31	28	20	34	31	38
Male.....	162	19	16	14	10	10	15	18	12	11	15	11	11
Female.....	201	21	12	19	12	14	19	13	16	9	19	20	27
Black, both sexes.....	83	6	12	8	6	9	7	11	2	4	6	7	5
Male.....	32	3	7	2	3	3	3	4	1	1	1	3	1
Female.....	51	3	5	6	3	6	4	7	1	3	5	4	4
American Indian 1/, both sexes.....	10	2	1	1	1	1	2	-	-	1	1	-	-
Male.....	7	1	-	1	1	1	2	-	-	-	1	-	-
Female.....	3	1	1	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	1	2	2	1	1	-	-	-	-	1	2
Male.....	3	1	-	1	-	1	-	-	-	-	-	-	-
Female.....	8	-	1	1	2	-	1	-	-	-	-	1	2

















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Soft tissue disorder, unspecified (M79.9)													
All races, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteoporosis with pathological fracture (M80)													
All races, both sexes.....	779	62	73	72	62	64	53	61	64	53	81	64	70
Male.....	106	9	5	12	7	11	4	7	7	5	11	14	14
Female.....	673	53	68	60	55	53	49	54	57	48	70	50	56
White, both sexes.....	756	62	71	69	59	60	53	60	60	52	79	63	68
Male.....	97	9	5	10	7	8	4	7	6	4	11	13	13
Female.....	659	53	66	59	52	52	49	53	54	48	68	50	55
Black, both sexes.....	11	-	1	2	1	4	-	-	1	-	1	-	1
Male.....	5	-	-	2	-	3	-	-	-	-	-	-	-
Female.....	6	-	1	-	1	1	-	-	1	-	1	-	1
American Indian 1/, both sexes.....	7	-	1	1	1	-	-	1	3	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	6	-	1	1	1	-	-	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	-	-	-	-	1	1	1	1
Male.....	3	-	-	-	-	-	-	-	-	1	-	1	1
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified osteoporosis with pathological fracture (M80.9)													
All races, both sexes.....	776	62	73	72	62	63	53	60	64	53	81	63	70
Male.....	106	9	5	12	7	11	4	7	7	5	11	14	14
Female.....	670	53	68	60	55	52	49	53	57	48	70	49	56
White, both sexes.....	753	62	71	69	59	59	53	59	60	52	79	62	68
Male.....	97	9	5	10	7	8	4	7	6	4	11	13	13
Female.....	656	53	66	59	52	51	49	52	54	48	68	49	55
Black, both sexes.....	11	-	1	2	1	4	-	-	1	-	1	-	1
Male.....	5	-	-	2	-	3	-	-	-	-	-	-	-
Female.....	6	-	1	-	1	1	-	-	1	-	1	-	1
American Indian 1/, both sexes.....	7	-	1	1	1	-	-	1	3	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	6	-	1	1	1	-	-	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	-	-	-	-	1	1	1	1
Male.....	3	-	-	-	-	-	-	-	-	1	-	1	1
Female.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Osteoporosis without pathological fracture (M81)													
All races, both sexes.....	1,005	84	97	93	88	79	69	76	73	83	77	83	103
Male.....	84	10	7	7	6	4	11	6	7	5	8	4	9
Female.....	921	74	90	86	82	75	58	70	66	78	69	79	94
White, both sexes.....	979	82	95	90	83	76	67	75	71	79	76	83	102
Male.....	81	10	5	6	6	4	11	6	7	5	8	4	9
Female.....	898	72	90	84	77	72	56	69	64	74	68	79	93
Black, both sexes.....	8	1	1	2	1	-	1	-	-	2	-	-	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	6	1	-	1	1	-	1	-	-	2	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	2	1	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	2	1	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	13	1	1	1	2	2	1	1	2	1	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	12	1	-	1	2	2	1	1	2	1	1	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other osteoporosis (M81.8)													
All races, both sexes.....	11	2	-	1	1	-	-	-	-	2	1	2	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	2	-	1	1	-	-	-	-	2	1	2	2
White, both sexes.....	11	2	-	1	1	-	-	-	-	2	1	2	2
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	11	2	-	1	1	-	-	-	-	2	1	2	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteoporosis, unspecified (M81.9)													
All races, both sexes.....	992	82	97	92	87	79	68	76	73	81	75	81	101
Male.....	84	10	7	7	6	4	11	6	7	5	8	4	9
Female.....	908	72	90	85	81	75	57	70	66	76	67	77	92
White, both sexes.....	966	80	95	89	82	76	66	75	71	77	74	81	100
Male.....	81	10	5	6	6	4	11	6	7	5	8	4	9
Female.....	885	70	90	83	76	72	55	69	64	72	66	77	91
Black, both sexes.....	8	1	1	2	1	-	1	-	-	2	-	-	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	6	1	-	1	1	-	1	-	-	2	-	-	-
American Indian 1/, both sexes.....	5	-	-	-	2	1	-	-	-	1	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	2	1	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	13	1	1	1	2	2	1	1	2	1	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	12	1	-	1	2	2	1	1	2	1	1	-	-











## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other acute osteomyelitis (M86.1)													
All races, both sexes.....	6	1	-	-	1	-	-	-	2	-	2	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	4	1	-	-	-	-	-	-	1	-	2	-	-
White, both sexes.....	4	1	-	-	-	-	-	-	2	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	3	1	-	-	-	-	-	-	1	-	1	-	-
Black, both sexes.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic osteomyelitis (M86.6)													
All races, both sexes.....	96	9	8	8	6	5	11	11	7	10	7	6	8
Male.....	51	4	5	6	2	2	6	5	6	2	5	5	3
Female.....	45	5	3	2	4	3	5	6	1	8	2	1	5
White, both sexes.....	84	9	8	8	5	3	10	10	5	9	4	5	8
Male.....	43	4	5	6	1	-	5	5	4	2	4	4	3
Female.....	41	5	3	2	4	3	5	5	1	7	-	1	5
Black, both sexes.....	9	-	-	-	-	2	1	-	1	1	3	1	-
Male.....	6	-	-	-	-	2	1	-	1	-	1	1	-
Female.....	3	-	-	-	-	-	-	-	-	1	2	-	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other osteomyelitis (M86.8)													
All races, both sexes.....	55	3	4	3	8	12	4	1	2	2	5	6	5
Male.....	27	-	4	2	3	11	1	-	-	1	2	1	2
Female.....	28	3	-	1	5	1	3	1	2	1	3	5	3
White, both sexes.....	50	1	3	3	8	11	4	1	2	2	5	5	5
Male.....	25	-	3	2	3	10	1	-	-	1	2	1	2
Female.....	25	1	-	1	5	1	3	1	2	1	3	4	3
Black, both sexes.....	5	2	1	-	-	1	-	-	-	-	-	1	-
Male.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	3	2	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteomyelitis, unspecified (M86.9)													
All races, both sexes.....	1,150	102	71	96	106	108	86	77	107	95	112	82	108
Male.....	549	43	33	49	53	46	51	33	48	44	54	44	51
Female.....	601	59	38	47	53	62	35	44	59	51	58	38	57
White, both sexes.....	913	87	54	77	83	87	64	65	89	74	86	65	82
Male.....	426	36	23	40	39	36	39	31	38	32	41	36	35
Female.....	487	51	31	37	44	51	25	34	51	42	45	29	47
Black, both sexes.....	218	15	15	18	22	19	19	12	18	17	24	15	24
Male.....	108	7	8	8	13	9	10	2	10	8	12	6	15
Female.....	110	8	7	10	9	10	9	10	8	9	12	9	9
American Indian 1/, both sexes.....	7	-	1	1	1	-	1	-	-	2	-	1	-
Male.....	7	-	1	1	1	-	1	-	-	2	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	1	-	-	2	2	-	-	2	2	1	2
Male.....	8	-	1	-	-	1	1	-	-	2	1	1	1
Female.....	4	-	-	-	-	1	1	-	-	-	1	-	1





























## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other (N02.8)													
All races, both sexes.....	30	2	5	1	2	2	2	3	2	3	3	2	3
Male.....	23	1	5	-	2	2	1	2	1	3	3	1	2
Female.....	7	1	-	1	-	-	1	1	1	-	-	1	1
White, both sexes.....	26	2	5	1	2	2	1	2	1	2	3	2	3
Male.....	20	1	5	-	2	2	-	1	1	2	3	1	2
Female.....	6	1	-	1	-	-	1	1	-	-	-	1	1
Black, both sexes.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic nephritic syndrome (N03)													
All races, both sexes.....	277	26	26	23	22	19	21	21	19	20	30	21	29
Male.....	129	14	13	11	12	6	12	10	8	9	12	8	14
Female.....	148	12	13	12	10	13	9	11	11	11	18	13	15
White, both sexes.....	215	22	23	19	18	13	18	12	13	12	27	15	23
Male.....	99	11	12	8	9	6	10	5	5	6	10	5	12
Female.....	116	11	11	11	9	7	8	7	8	6	17	10	11
Black, both sexes.....	45	3	2	3	3	3	5	4	4	7	2	6	4
Male.....	21	2	-	2	2	-	2	4	1	2	1	3	2
Female.....	24	1	2	1	1	3	1	1	3	5	1	3	2
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	1	-	1	1	3	-	4	1	1	1	-	2
Male.....	7	1	-	1	1	-	-	1	1	1	1	-	-
Female.....	8	-	-	-	-	3	-	3	-	-	-	-	2

















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified (N07.9)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute tubulo-interstitial nephritis (N10)													
All races, both sexes.....	140	14	11	5	11	15	8	12	13	13	7	13	18
Male.....	47	5	5	1	5	6	1	3	5	6	1	3	6
Female.....	93	9	6	4	6	9	7	9	8	7	6	10	12
White, both sexes.....	111	11	10	3	7	12	8	10	9	11	5	9	16
Male.....	37	4	4	1	3	5	1	3	3	4	1	3	5
Female.....	74	7	6	2	4	7	7	7	6	7	4	6	11
Black, both sexes.....	23	3	1	2	3	3	-	2	3	2	1	1	2
Male.....	10	1	1	-	2	1	-	-	2	2	-	-	1
Female.....	13	2	-	2	1	2	-	2	1	-	1	1	1
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	1	-	1	2	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	1	2	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Tubulo-interstitial nephritis, not specified as acute or chronic (N12)													
All races, both sexes.....	561	56	41	62	45	54	37	43	42	39	46	47	49
Male.....	157	21	13	13	8	20	13	10	13	15	4	15	12
Female.....	404	35	28	49	37	34	24	33	29	24	42	32	37
White, both sexes.....	487	50	38	53	39	42	32	34	36	34	41	43	45
Male.....	142	19	13	13	7	14	12	8	12	15	4	14	11
Female.....	345	31	25	40	32	28	20	26	24	19	37	29	34
Black, both sexes.....	59	6	2	6	5	10	4	7	5	4	3	4	3
Male.....	14	2	-	-	1	5	1	2	1	-	-	1	1
Female.....	45	4	2	6	4	5	3	5	4	4	3	3	2
American Indian 1/, both sexes.....	3	-	-	1	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	1	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	1	2	1	1	1	2	1	1	1	-	1
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	11	-	1	2	1	-	1	2	1	1	1	-	1
Obstructive and reflux uropathy (N13)													
All races, both sexes.....	454	33	41	42	39	35	37	39	35	36	38	33	46
Male.....	278	19	24	24	27	24	21	23	22	23	23	22	26
Female.....	176	14	17	18	12	11	16	16	13	13	15	11	20
White, both sexes.....	394	28	34	36	31	30	32	32	31	32	33	32	43
Male.....	247	15	21	21	23	21	19	19	20	21	21	22	24
Female.....	147	13	13	15	8	9	13	13	11	11	12	10	19
Black, both sexes.....	54	5	6	6	7	5	5	6	4	4	3	1	2
Male.....	29	4	3	3	4	3	2	3	2	2	1	-	2
Female.....	25	1	3	3	3	2	3	3	2	2	2	1	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	-	-	1	-	-	2	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	1	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Hydronephrosis with ureteropelvic junction obstruction (N13.0)</b>													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Hydronephrosis with renal and ureteral calculous obstruction (N13.2)</b>													
All races, both sexes.....	18	2	1	1	3	-	1	3	1	1	3	-	2
Male.....	6	-	1	-	2	-	-	-	1	1	1	-	-
Female.....	12	2	-	1	1	-	1	3	-	-	2	-	2
White, both sexes.....	14	2	-	1	3	-	1	2	1	1	1	-	2
Male.....	5	-	-	-	2	-	-	-	1	1	1	-	-
Female.....	9	2	-	1	1	-	1	2	-	-	-	-	2
Black, both sexes.....	3	-	1	-	-	-	-	1	-	-	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-





















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Acute renal failure, unspecified (N17.9)													
All races, both sexes.....	6,357	625	514	568	533	477	483	466	482	468	532	500	709
Male.....	2,889	297	237	264	227	225	222	195	233	203	250	203	333
Female.....	3,468	328	277	304	306	252	261	271	249	265	282	297	376
White, both sexes.....	5,401	535	444	480	453	409	404	399	405	388	454	408	622
Male.....	2,452	248	208	221	191	193	186	166	193	174	219	163	290
Female.....	2,949	287	236	259	262	216	218	233	212	214	235	245	332
Black, both sexes.....	874	81	60	80	75	60	74	60	68	78	74	81	83
Male.....	395	43	25	36	34	29	34	24	36	29	29	35	41
Female.....	479	38	35	44	41	31	40	36	32	49	45	46	42
American Indian 1/, both sexes.....	29	2	2	4	1	2	5	3	3	1	-	4	2
Male.....	14	2	-	3	-	1	2	2	2	-	-	1	1
Female.....	15	-	2	1	1	1	3	1	1	1	-	3	1
Asian or Pacific Islander 2/, both sexes.....	53	7	8	4	4	6	-	4	6	1	4	7	2
Male.....	28	4	4	4	2	2	-	3	2	-	2	4	1
Female.....	25	3	4	-	2	4	-	1	4	1	2	3	1
Chronic renal failure (N18)													
All races, both sexes.....	17,470	1,597	1,393	1,467	1,417	1,369	1,390	1,409	1,433	1,397	1,447	1,400	1,751
Male.....	8,618	806	709	682	700	653	682	691	731	668	724	693	879
Female.....	8,852	791	684	785	717	716	708	718	702	729	723	707	872
White, both sexes.....	12,738	1,176	1,028	1,077	1,045	1,006	1,010	1,033	1,000	1,020	1,059	1,005	1,279
Male.....	6,426	599	549	516	539	490	501	533	521	497	535	499	647
Female.....	6,312	577	479	561	506	516	509	500	479	523	524	506	632
Black, both sexes.....	4,217	377	328	349	326	319	341	340	393	330	352	344	418
Male.....	1,954	186	143	147	138	139	165	138	189	153	173	173	210
Female.....	2,263	191	185	202	188	180	176	202	204	177	179	171	208
American Indian 1/, both sexes.....	128	11	13	11	10	10	10	13	7	15	7	9	12
Male.....	59	3	5	6	7	7	3	6	5	5	3	4	5
Female.....	69	8	8	5	3	3	7	7	2	10	4	5	7
Asian or Pacific Islander 2/, both sexes.....	387	33	24	30	36	34	29	23	33	32	29	42	42
Male.....	179	18	12	13	16	17	13	14	16	13	13	17	17
Female.....	208	15	12	17	20	17	16	9	17	19	16	25	25

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
End-stage renal disease (N18.0)													
All races, both sexes.....	9,558	865	760	788	779	746	762	758	789	795	815	774	927
Male.....	4,718	428	409	378	383	344	369	370	391	384	403	379	480
Female.....	4,840	437	351	410	396	402	393	388	398	411	412	395	447
White, both sexes.....	6,333	582	519	516	541	500	508	498	491	533	535	495	615
Male.....	3,233	291	297	261	287	237	250	259	251	263	270	242	325
Female.....	3,100	291	222	255	254	263	258	239	240	270	265	253	290
Black, both sexes.....	2,900	252	222	244	209	216	231	238	278	229	254	249	278
Male.....	1,336	122	103	103	84	92	107	98	133	108	122	125	139
Female.....	1,564	130	119	141	125	124	124	140	145	121	132	124	139
American Indian 1/, both sexes.....	88	9	9	9	8	6	8	8	4	10	6	6	5
Male.....	40	3	3	6	5	4	3	3	3	3	2	2	3
Female.....	48	6	6	3	3	2	5	5	1	7	4	4	2
Asian or Pacific Islander 2/, both sexes.....	237	22	10	19	21	24	15	14	16	23	20	24	29
Male.....	109	12	6	8	7	11	9	10	4	10	9	10	13
Female.....	128	10	4	11	14	13	6	4	12	13	11	14	16
Other chronic renal failure (N18.8)													
All races, both sexes.....	241	25	21	18	17	20	24	28	17	13	21	15	22
Male.....	102	12	8	4	6	13	7	15	8	7	9	8	5
Female.....	139	13	13	14	11	7	17	13	9	6	12	7	17
White, both sexes.....	193	16	18	14	17	13	19	24	15	11	17	11	18
Male.....	85	9	8	3	6	8	7	14	6	6	7	6	5
Female.....	108	7	10	11	11	5	12	10	9	5	10	5	13
Black, both sexes.....	41	9	3	3	-	5	4	4	1	2	3	3	4
Male.....	13	3	-	1	-	4	-	1	1	1	1	1	-
Female.....	28	6	3	2	-	1	4	3	-	1	2	2	4
American Indian 1/, both sexes.....	3	-	-	1	-	1	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	1	-	-	-	1	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic renal failure, unspecified (N18.9)													
All races, both sexes.....	7,671	707	612	661	621	603	604	623	627	589	611	611	802
Male.....	3,798	366	292	300	311	296	306	306	332	277	312	306	394
Female.....	3,873	341	320	361	310	307	298	317	295	312	299	305	408
White, both sexes.....	6,212	578	491	547	487	493	483	511	494	476	507	499	646
Male.....	3,108	299	244	252	246	245	244	260	264	228	258	251	317
Female.....	3,104	279	247	295	241	248	239	251	230	248	249	248	329
Black, both sexes.....	1,276	116	103	102	117	98	106	98	114	99	95	92	136
Male.....	605	61	40	43	54	43	58	39	55	44	50	47	71
Female.....	671	55	63	59	63	55	48	59	59	55	45	45	65
American Indian 1/, both sexes.....	37	2	4	1	2	3	2	5	2	5	1	3	7
Male.....	17	-	2	-	2	2	-	3	1	2	1	2	2
Female.....	20	2	2	1	-	1	2	2	1	3	-	1	5
Asian or Pacific Islander 2/, both sexes.....	146	11	14	11	15	9	13	9	17	9	8	17	13
Male.....	68	6	6	5	9	6	4	4	12	3	3	6	4
Female.....	78	5	8	6	6	3	9	5	5	6	5	11	9
Unspecified renal failure (N19)													
All races, both sexes.....	17,673	1,695	1,510	1,521	1,377	1,415	1,356	1,466	1,340	1,346	1,430	1,446	1,771
Male.....	8,507	826	728	713	648	685	628	718	672	642	715	700	832
Female.....	9,166	869	782	808	729	730	728	748	668	704	715	746	939
White, both sexes.....	14,783	1,407	1,289	1,240	1,163	1,187	1,130	1,198	1,123	1,105	1,229	1,199	1,513
Male.....	7,152	695	614	587	555	570	520	597	566	525	620	586	717
Female.....	7,631	712	675	653	608	617	610	601	557	580	609	613	796
Black, both sexes.....	2,638	251	205	249	200	207	209	244	202	222	188	232	229
Male.....	1,226	115	106	112	86	104	95	109	99	106	90	106	98
Female.....	1,412	136	99	137	114	103	114	135	103	116	98	126	131
American Indian 1/, both sexes.....	91	10	5	15	7	6	6	8	9	4	4	6	11
Male.....	49	3	1	7	4	4	6	4	6	1	2	4	7
Female.....	42	7	4	8	3	2	-	4	3	3	2	2	4
Asian or Pacific Islander 2/, both sexes.....	161	27	11	17	7	15	11	16	6	15	9	9	18
Male.....	80	13	7	7	3	7	7	8	1	10	3	4	10
Female.....	81	14	4	10	4	8	4	8	5	5	6	5	8

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Calculus of kidney and ureter (N20)													
All races, both sexes.....	290	24	25	25	22	23	25	14	28	25	27	31	21
Male.....	115	4	11	11	9	9	15	4	15	7	9	15	6
Female.....	175	20	14	14	13	14	10	10	13	18	18	16	15
White, both sexes.....	259	22	20	22	18	22	23	12	23	23	27	26	21
Male.....	97	4	7	8	6	8	14	4	13	6	9	12	6
Female.....	162	18	13	14	12	14	9	8	10	17	18	14	15
Black, both sexes.....	22	2	3	2	3	1	2	1	3	1	-	4	-
Male.....	13	-	2	2	2	1	1	-	2	1	-	2	-
Female.....	9	2	1	-	1	-	1	1	1	-	-	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	2	1	1	-	-	1	2	1	-	-	-
Male.....	4	-	2	1	1	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	2	1	-	-	-
Calculus of kidney (N20.0)													
All races, both sexes.....	251	20	21	25	21	15	23	11	26	22	25	25	17
Male.....	99	3	10	11	8	7	13	4	13	5	8	13	4
Female.....	152	17	11	14	13	8	10	7	13	17	17	12	13
White, both sexes.....	225	19	17	22	17	14	21	10	22	20	25	21	17
Male.....	83	3	6	8	5	6	12	4	12	4	8	11	4
Female.....	142	16	11	14	12	8	9	6	10	16	17	10	13
Black, both sexes.....	18	1	2	2	3	1	2	1	2	1	-	3	-
Male.....	11	-	2	2	2	1	1	-	1	1	-	1	-
Female.....	7	1	-	-	1	-	1	1	1	-	-	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	2	1	1	-	-	-	2	1	-	-	-
Male.....	4	-	2	1	1	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	2	1	-	-	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Calculus in urethra (N21.1)													
All races, both sexes.....	4	1	-	-	2	-	-	-	-	1	-	-	-
Male.....	3	-	-	-	2	-	-	-	-	1	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	4	1	-	-	2	-	-	-	-	1	-	-	-
Male.....	3	-	-	-	2	-	-	-	-	1	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders resulting from impaired renal tubular function (N25)													
All races, both sexes.....	31	1	4	1	6	3	4	1	-	3	4	3	1
Male.....	12	-	1	-	2	1	1	1	-	1	3	2	-
Female.....	19	1	3	1	4	2	3	-	-	2	1	1	1
White, both sexes.....	24	-	3	1	5	3	3	1	-	2	2	3	1
Male.....	8	-	1	-	1	1	1	1	-	-	1	2	-
Female.....	16	-	2	1	4	2	2	-	-	2	1	1	1
Black, both sexes.....	6	1	1	-	1	-	-	-	-	1	2	-	-
Male.....	4	-	-	-	1	-	-	-	-	1	2	-	-
Female.....	2	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified contracted kidney (N26)													
All races, both sexes.....	57	6	6	5	5	10	2	4	3	5	3	3	5
Male.....	27	1	3	2	3	4	1	1	1	5	2	1	3
Female.....	30	5	3	3	2	6	1	3	2	-	1	2	2
White, both sexes.....	49	6	4	5	4	10	2	4	2	3	1	3	5
Male.....	21	1	2	2	2	4	1	1	1	3	-	1	3
Female.....	28	5	2	3	2	6	1	3	1	-	1	2	2
Black, both sexes.....	8	-	2	-	1	-	-	-	1	2	2	-	-
Male.....	6	-	1	-	1	-	-	-	-	2	2	-	-
Female.....	2	-	1	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of kidney and ureter, not elsewhere classified (N28)													
All races, both sexes.....	640	66	49	54	44	44	51	37	64	57	47	58	69
Male.....	324	36	20	32	27	19	24	16	30	36	25	25	34
Female.....	316	30	29	22	17	25	27	21	34	21	22	33	35
White, both sexes.....	485	48	37	45	37	31	36	26	48	45	32	46	54
Male.....	244	24	15	26	23	14	17	9	22	28	18	21	27
Female.....	241	24	22	19	14	17	19	17	26	17	14	25	27
Black, both sexes.....	144	16	12	8	7	13	13	11	14	12	13	12	13
Male.....	75	10	5	5	4	5	6	7	8	8	6	4	7
Female.....	69	6	7	3	3	8	7	4	6	4	7	8	6
American Indian 1/, both sexes.....	4	1	-	-	-	-	1	-	-	-	1	-	1
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	7	1	-	1	-	-	1	-	2	-	1	-	1
Male.....	4	1	-	1	-	-	1	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	2	-	-	-	1



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified disorders of kidney and ureter (N28.8)													
All races, both sexes.....	113	10	14	8	6	9	8	7	11	10	6	12	12
Male.....	53	4	6	4	3	4	3	3	3	9	2	5	7
Female.....	60	6	8	4	3	5	5	4	8	1	4	7	5
White, both sexes.....	97	8	12	7	5	7	5	7	11	8	6	10	11
Male.....	46	3	5	3	3	3	2	3	3	8	2	5	6
Female.....	51	5	7	4	2	4	3	4	8	-	4	5	5
Black, both sexes.....	15	2	2	-	1	2	3	-	-	2	-	2	1
Male.....	6	1	1	-	-	1	1	-	-	1	-	-	1
Female.....	9	1	1	-	1	1	2	-	-	1	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of kidney and ureter, unspecified (N28.9)													
All races, both sexes.....	474	48	33	42	33	34	37	25	50	41	37	41	53
Male.....	245	28	13	25	21	14	17	11	26	25	21	18	26
Female.....	229	20	20	17	12	20	20	14	24	16	16	23	27
White, both sexes.....	339	33	23	35	27	23	25	15	34	32	22	31	39
Male.....	174	17	9	21	17	10	11	5	18	18	14	14	20
Female.....	165	16	14	14	10	13	14	10	16	14	8	17	19
Black, both sexes.....	125	13	10	7	6	11	10	10	14	9	13	10	12
Male.....	67	9	4	4	4	4	5	6	8	7	6	4	6
Female.....	58	4	6	3	2	7	5	4	6	2	7	6	6
American Indian 1/, both sexes.....	4	1	-	-	-	-	1	-	-	-	1	-	1
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	6	1	-	-	-	-	1	-	2	-	1	-	1
Male.....	3	1	-	-	-	-	1	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	2	-	-	-	1































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Urethral disorder, unspecified (N36.9)													
All races, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of urinary system (N39)													
All races, both sexes.....	13,842	1,280	1,162	1,203	1,087	1,060	1,003	1,052	1,139	1,074	1,147	1,179	1,456
Male.....	4,303	381	362	381	336	298	317	342	377	319	353	374	463
Female.....	9,539	899	800	822	751	762	686	710	762	755	794	805	993
White, both sexes.....	12,048	1,126	1,015	1,033	952	924	859	918	979	935	1,007	1,013	1,287
Male.....	3,735	330	315	324	297	259	270	302	330	280	301	321	406
Female.....	8,313	796	700	709	655	665	589	616	649	655	706	692	881
Black, both sexes.....	1,586	138	130	153	124	117	127	118	138	123	120	147	151
Male.....	510	46	41	50	37	37	45	34	42	36	45	46	51
Female.....	1,076	92	89	103	87	80	82	84	96	87	75	101	100
American Indian 1/, both sexes.....	65	4	2	5	4	5	8	3	11	5	4	5	9
Male.....	14	1	2	-	-	1	-	2	-	-	2	3	3
Female.....	51	3	-	5	4	4	8	1	11	5	2	2	6
Asian or Pacific Islander 2/, both sexes.....	143	12	15	12	7	14	9	13	11	11	16	14	9
Male.....	44	4	4	7	2	1	2	4	5	3	5	4	3
Female.....	99	8	11	5	5	13	7	9	6	8	11	10	6





































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified lump in breast (N63)													
All races, both sexes.....	19	2	-	-	-	1	1	3	1	1	3	3	4
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	19	2	-	-	-	1	1	3	1	1	3	3	4
White, both sexes.....	15	2	-	-	-	1	1	2	1	1	2	2	3
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	15	2	-	-	-	1	1	2	1	1	2	2	3
Black, both sexes.....	4	-	-	-	-	-	-	1	-	-	1	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	-	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other disorders of breast (N64)													
All races, both sexes.....	18	1	1	1	-	2	3	1	2	1	4	1	1
Male.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	16	1	-	1	-	2	2	1	2	1	4	1	1
White, both sexes.....	16	1	1	1	-	2	3	1	1	1	4	1	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	14	1	-	1	-	2	2	1	1	1	4	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified disorders of breast (N64.8)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorder of breast, unspecified (N64.9)													
All races, both sexes.....	17	1	-	1	-	2	3	1	2	1	4	1	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	16	1	-	1	-	2	2	1	2	1	4	1	1
White, both sexes.....	15	1	-	1	-	2	3	1	1	1	4	1	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	14	1	-	1	-	2	2	1	1	1	4	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Inflammatory disease of cervix uteri (N72)													
All races, both sexes.....	3	-	1	1	-	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	-	1	1	-	-	-	-	-	1	-	-	-
White, both sexes.....	3	-	1	1	-	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	-	1	1	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other female pelvic inflammatory diseases (N73)													
All races, both sexes.....	81	5	8	5	4	9	5	5	8	7	5	8	12
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	81	5	8	5	4	9	5	5	8	7	5	8	12
White, both sexes.....	69	3	8	4	4	8	2	3	7	6	5	8	11
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	69	3	8	4	4	8	2	3	7	6	5	8	11
Black, both sexes.....	10	2	-	1	-	1	2	2	1	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	10	2	-	1	-	1	2	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chronic parametritis and pelvic cellulitis (N73.1)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female pelvic inflammatory disease, unspecified (N73.9)													
All races, both sexes.....	80	5	7	5	4	9	5	5	8	7	5	8	12
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	80	5	7	5	4	9	5	5	8	7	5	8	12
White, both sexes.....	68	3	7	4	4	8	2	3	7	6	5	8	11
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	68	3	7	4	4	8	2	3	7	6	5	8	11
Black, both sexes.....	10	2	-	1	-	1	2	2	1	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	10	2	-	1	-	1	2	2	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	1































































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Missed abortion (002.1)													
All races, both sexes.....	3	-	-	1	-	-	-	-	-	-	-	1	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	-	-	1	-	-	-	-	-	-	-	1	1
White, both sexes.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	1	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Spontaneous abortion (003)													
All races, both sexes.....	6	1	-	1	-	-	-	2	1	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6	1	-	1	-	-	-	2	1	-	-	1	-
White, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Complete or unspecified, complicated by genital tract and pelvic infection (003.5)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Complete or unspecified, complicated by delayed or excessive hemorrhage (003.6)													
All races, both sexes.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-





Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Complete or unspecified, complicated by genital tract and pelvic infection (004.5)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	-	-	-	-	-	-	1	-	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified abortion (006)													
All races, both sexes.....	4	-	1	-	1	-	1	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	-	1	-	1	-	1	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	3	-	1	-	1	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	-	1	-	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Complete or unspecified, complicated by genital tract and pelvic infection (006.5)													
All races, both sexes.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	1	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	1	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Complete or unspecified, complicated by delayed or excessive hemorrhage (006.6)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Gestational edema (O12.0)													
All races, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Gestational [pregnancy-induced] hypertension without significant proteinuria (O13)													
All races, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Eclampsia, unspecified as to time period (O15.9)													
All races, both sexes.....	18	2	2	2	2	-	4	1	-	1	2	-	2
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	18	2	2	2	2	-	4	1	-	1	2	-	2
White, both sexes.....	9	1	-	-	1	-	3	1	-	1	1	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	9	1	-	-	1	-	3	1	-	1	1	-	1
Black, both sexes.....	8	1	1	2	1	-	1	-	-	-	1	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	8	1	1	2	1	-	1	-	-	-	1	-	1
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified maternal hypertension (O16)													
All races, both sexes.....	11	-	-	2	1	1	1	2	1	1	1	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	11	-	-	2	1	1	1	2	1	1	1	1	-
White, both sexes.....	4	-	-	-	-	-	-	2	-	1	1	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	-	-	-	-	-	-	2	-	1	1	-	-
Black, both sexes.....	6	-	-	2	1	-	1	-	1	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6	-	-	2	1	-	1	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Infections of the genital tract in pregnancy (O23.5)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus in pregnancy (O24)													
All races, both sexes.....	7	-	1	1	-	1	-	1	-	1	-	1	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	7	-	1	1	-	1	-	1	-	1	-	1	1
White, both sexes.....	5	-	1	1	-	-	-	1	-	-	-	1	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5	-	1	1	-	-	-	1	-	-	-	1	1
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diabetes mellitus in pregnancy, unspecified (O24.9)													
All races, both sexes.....	5	-	1	-	-	1	-	1	-	1	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5	-	1	-	-	1	-	1	-	1	-	1	-
White, both sexes.....	3	-	1	-	-	-	-	1	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	-	1	-	-	-	-	1	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Maternal care for other conditions predominantly related to pregnancy (O26)													
All races, both sexes.....	45	-	4	4	1	5	6	5	7	2	3	3	5
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	45	-	4	4	1	5	6	5	7	2	3	3	5
White, both sexes.....	24	-	1	2	1	4	2	2	3	2	1	2	4
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	24	-	1	2	1	4	2	2	3	2	1	2	4
Black, both sexes.....	18	-	2	2	-	1	4	3	2	-	2	1	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	18	-	2	2	-	1	4	3	2	-	2	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	-	2	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	-	1	-	-	-	-	-	2	-	-	-	-











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Triplet pregnancy (O30.1)													
All races, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Maternal care for other known or suspected fetal problems (O36)													
All races, both sexes.....	6	1	-	1	-	-	1	1	1	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	6	1	-	1	-	-	1	1	1	-	-	1	-
White, both sexes.....	3	1	-	1	-	-	-	-	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	3	1	-	1	-	-	-	-	-	-	-	1	-
Black, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	-	-	-	-	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-



















































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Obstetric embolism (O88)													
All races, both sexes.....	49	2	6	3	4	3	10	4	7	-	1	4	5
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	49	2	6	3	4	3	10	4	7	-	1	4	5
White, both sexes.....	26	2	2	-	2	2	6	2	4	-	1	2	3
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	26	2	2	-	2	2	6	2	4	-	1	2	3
Black, both sexes.....	18	-	3	2	2	1	3	1	3	-	-	2	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	18	-	3	2	2	1	3	1	3	-	-	2	1
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	-	1	1	-	-	-	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	-	1	-	-	-	1	1	-	-	-	-	1
Amniotic fluid embolism (O88.1)													
All races, both sexes.....	34	1	5	1	4	2	7	2	4	-	1	3	4
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	34	1	5	1	4	2	7	2	4	-	1	3	4
White, both sexes.....	14	1	1	-	2	1	3	1	1	-	1	1	2
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	14	1	1	-	2	1	3	1	1	-	1	1	2
Black, both sexes.....	16	-	3	1	2	1	3	-	3	-	-	2	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	16	-	3	1	2	1	3	-	3	-	-	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	-	1	1	-	-	-	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	-	1	-	-	-	1	1	-	-	-	-	1



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiomyopathy in the puerperium (O90.3)													
All races, both sexes.....	29	2	2	4	2	2	1	-	-	3	3	4	6
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	29	2	2	4	2	2	1	-	-	3	3	4	6
White, both sexes.....	17	1	1	4	1	2	-	-	-	1	2	3	2
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	17	1	1	4	1	2	-	-	-	1	2	3	2
Black, both sexes.....	12	1	1	-	1	-	1	-	-	2	1	1	4
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	12	1	1	-	1	-	1	-	-	2	1	1	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Obstetric death of unspecified cause (O95)													
All races, both sexes.....	22	1	1	1	1	3	2	3	3	1	2	2	2
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	22	1	1	1	1	3	2	3	3	1	2	2	2
White, both sexes.....	17	1	-	1	1	2	1	2	2	1	2	2	2
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	17	1	-	1	1	2	1	2	2	1	2	2	2
Black, both sexes.....	4	-	1	-	-	1	1	-	1	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	-	1	-	-	1	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-













## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Diseases of the digestive system complicating pregnancy, childbirth, and the puerperium (O99.6)													
All races, both sexes.....	5	1	-	-	1	-	1	1	-	-	-	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	5	1	-	-	1	-	1	1	-	-	-	-	1
White, both sexes.....	4	1	-	-	1	-	-	1	-	-	-	-	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	4	1	-	-	1	-	-	1	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other specified diseases and conditions complicating pregnancy, childbirth, and the puerperium (O99.8)													
All races, both sexes.....	39	5	-	3	5	4	1	5	-	3	3	3	7
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	39	5	-	3	5	4	1	5	-	3	3	3	7
White, both sexes.....	30	4	-	3	3	2	1	5	-	2	2	2	6
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	30	4	-	3	3	2	1	5	-	2	2	2	6
Black, both sexes.....	7	-	-	-	2	1	-	-	-	1	1	1	1
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	7	-	-	-	2	1	-	-	-	1	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	2	1	-	-	-	1	-	-	-	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by maternal conditions that may be unrelated to present pregnancy (P00)													
All races, both sexes.....	153	11	12	15	8	20	9	13	13	10	21	13	8
Male.....	86	7	7	10	4	11	8	7	6	5	11	7	3
Female.....	67	4	5	5	4	9	1	6	7	5	10	6	5
White, both sexes.....	86	4	4	6	7	10	5	7	9	6	14	7	7
Male.....	53	3	2	5	4	6	4	5	5	3	8	5	3
Female.....	33	1	2	1	3	4	1	2	4	3	6	2	4
Black, both sexes.....	62	7	8	9	1	8	4	6	3	3	7	6	-
Male.....	32	4	5	5	-	5	4	2	-	2	3	2	-
Female.....	30	3	3	4	1	3	-	4	3	1	4	4	-
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Newborn affected by maternal hypertensive disorders (P00.0)													
All races, both sexes.....	69	5	5	7	5	12	5	7	4	3	8	3	5
Male.....	39	4	3	4	3	7	4	3	1	2	6	-	2
Female.....	30	1	2	3	2	5	1	4	3	1	2	3	3
White, both sexes.....	42	2	2	3	5	8	2	3	3	3	6	1	4
Male.....	25	2	1	3	3	4	1	2	1	2	4	-	2
Female.....	17	-	1	-	2	4	1	1	2	1	2	1	2
Black, both sexes.....	25	3	3	4	-	3	3	4	1	-	2	2	-
Male.....	14	2	2	1	-	3	3	1	-	-	2	-	-
Female.....	11	1	1	3	-	-	-	3	1	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by unspecified maternal condition (P00.9)													
All races, both sexes.....	5	-	-	-	-	-	-	-	1	-	3	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	-	-	1	-	2	1	-
White, both sexes.....	3	-	-	-	-	-	-	-	1	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	1	1	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (P01)													
All races, both sexes.....	1,711	150	116	147	162	147	137	164	156	129	139	131	133
Male.....	958	86	65	86	92	85	71	89	84	73	83	70	74
Female.....	753	64	51	61	70	62	66	75	72	56	56	61	59
White, both sexes.....	1,082	85	74	98	106	102	81	111	106	72	87	86	74
Male.....	612	53	41	56	62	60	39	64	59	36	49	50	43
Female.....	470	32	33	42	44	42	42	47	47	36	38	36	31
Black, both sexes.....	573	62	38	45	52	40	52	47	44	49	49	44	51
Male.....	316	30	22	27	30	23	31	23	21	30	33	19	27
Female.....	257	32	16	18	22	17	21	24	23	19	16	25	24
American Indian 1/, both sexes.....	12	2	-	1	-	1	2	1	-	3	-	-	2
Male.....	8	2	-	1	-	1	1	-	-	3	-	-	-
Female.....	4	-	-	-	-	-	1	1	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	44	1	4	3	4	4	2	5	6	5	3	1	6
Male.....	22	1	2	2	-	1	-	2	4	4	1	1	4
Female.....	22	-	2	1	4	3	2	3	2	1	2	-	2

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by incompetent cervix (P01.0)													
All races, both sexes.....	444	41	22	43	39	40	29	48	40	37	37	34	34
Male.....	237	24	7	27	23	20	16	24	19	21	21	16	19
Female.....	207	17	15	16	16	20	13	24	21	16	16	18	15
White, both sexes.....	264	27	15	28	21	25	17	30	27	16	25	15	18
Male.....	142	15	4	16	12	14	9	15	12	9	13	10	13
Female.....	122	12	11	12	9	11	8	15	15	7	12	5	5
Black, both sexes.....	160	13	6	12	18	13	11	14	10	19	11	18	15
Male.....	87	8	3	9	11	6	7	8	5	11	8	5	6
Female.....	73	5	3	3	7	7	4	6	5	8	3	13	9
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	1	3	-	2	1	4	3	2	1	1	1
Male.....	7	-	-	2	-	-	-	1	2	1	-	1	-
Female.....	12	-	1	1	-	2	1	3	1	1	1	-	1
Newborn affected by premature rupture of membranes (P01.1)													
All races, both sexes.....	732	72	45	66	68	54	57	61	73	57	63	58	58
Male.....	396	41	23	36	42	35	25	32	36	31	37	28	30
Female.....	336	31	22	30	26	19	32	29	37	26	26	30	28
White, both sexes.....	455	39	21	41	44	39	40	42	50	33	32	43	31
Male.....	242	26	10	20	29	25	17	23	25	16	18	21	12
Female.....	213	13	11	21	15	14	23	19	25	17	14	22	19
Black, both sexes.....	251	32	22	24	20	13	15	18	22	19	29	15	22
Male.....	139	14	12	15	13	8	8	8	11	10	18	7	15
Female.....	112	18	10	9	7	5	7	10	11	9	11	8	7
American Indian 1/, both sexes.....	8	1	-	1	-	1	1	-	-	2	-	-	2
Male.....	5	1	-	1	-	1	-	-	-	2	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	18	-	2	-	4	1	1	1	1	3	2	-	3
Male.....	10	-	1	-	-	1	-	1	-	3	1	-	3
Female.....	8	-	1	-	4	-	1	-	1	-	1	-	-



















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Newborn affected by abnormality of membranes, unspecified (P02.9)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by other complications of labor and delivery (P03)													
All races, both sexes.....	165	15	12	15	11	17	9	14	11	12	20	19	10
Male.....	87	7	7	9	3	11	5	6	5	7	11	7	9
Female.....	78	8	5	6	8	6	4	8	6	5	9	12	1
White, both sexes.....	117	9	10	11	8	8	8	12	8	5	16	14	8
Male.....	59	4	5	6	1	4	5	6	4	4	8	5	7
Female.....	58	5	5	5	7	4	3	6	4	1	8	9	1
Black, both sexes.....	44	5	2	4	3	9	-	2	3	7	4	3	2
Male.....	27	3	2	3	2	7	-	-	1	3	3	1	2
Female.....	17	2	-	1	1	2	-	2	2	4	1	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	1	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	1	-	-	-	-	1	-	-	-	-	1	-























## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Slow fetal growth, unspecified (P05.9)													
All races, both sexes.....	52	1	1	5	5	4	3	5	7	5	8	3	5
Male.....	28	1	1	2	4	2	2	2	3	1	5	1	4
Female.....	24	-	-	3	1	2	1	3	4	4	3	2	1
White, both sexes.....	31	1	1	2	4	1	2	4	4	3	5	2	2
Male.....	17	1	1	1	3	-	1	2	1	1	3	1	2
Female.....	14	-	-	1	1	1	1	2	3	2	2	1	-
Black, both sexes.....	20	-	-	3	1	3	1	1	3	2	3	1	2
Male.....	10	-	-	1	1	2	1	-	2	-	2	-	1
Female.....	10	-	-	2	-	1	-	1	1	2	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders related to short gestation and low birthweight, not elsewhere classified (P07)													
All races, both sexes.....	4,857	384	346	415	416	451	423	430	383	385	428	370	426
Male.....	2,740	196	191	247	246	246	238	241	238	218	225	203	251
Female.....	2,117	188	155	168	170	205	185	189	145	167	203	167	175
White, both sexes.....	2,771	221	215	219	242	243	241	224	218	230	243	218	257
Male.....	1,562	120	122	130	139	134	145	125	131	129	116	122	149
Female.....	1,209	101	93	89	103	109	96	99	87	101	127	96	108
Black, both sexes.....	1,916	148	126	179	163	193	164	187	153	147	166	137	153
Male.....	1,090	69	66	106	101	108	85	110	97	85	98	73	92
Female.....	826	79	60	73	62	85	79	77	56	62	68	64	61
American Indian 1/, both sexes.....	34	2	-	5	3	5	4	2	1	-	5	3	4
Male.....	20	2	-	3	1	1	-	1	-	-	4	3	4
Female.....	14	-	-	2	2	4	3	2	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	136	13	5	12	8	10	14	17	11	8	14	12	12
Male.....	68	5	3	8	5	3	7	6	9	4	7	5	6
Female.....	68	8	2	4	3	7	7	11	2	4	7	7	6



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Extreme immaturity (P07.2)													
All races, both sexes.....	3,555	275	254	295	293	351	300	313	285	287	334	269	299
Male.....	2,018	135	141	176	181	192	165	179	181	165	181	147	175
Female.....	1,537	140	113	119	112	159	135	134	104	122	153	122	124
White, both sexes.....	2,039	164	162	164	158	196	171	164	161	174	190	161	174
Male.....	1,155	85	91	98	95	109	100	92	99	101	96	88	101
Female.....	884	79	71	66	63	87	71	72	62	73	94	73	73
Black, both sexes.....	1,403	102	89	122	126	146	115	139	113	105	133	97	116
Male.....	805	46	48	74	81	81	58	83	73	60	80	53	68
Female.....	598	56	41	48	45	65	57	56	40	45	53	44	48
American Indian 1/, both sexes.....	18	1	-	4	2	1	2	1	1	-	1	2	3
Male.....	12	1	-	2	1	-	1	-	1	-	1	2	3
Female.....	6	-	-	2	1	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	95	8	3	5	7	8	12	9	10	8	10	9	6
Male.....	46	3	2	2	4	2	6	4	8	4	4	4	3
Female.....	49	5	1	3	3	6	6	5	2	4	6	5	3
Other preterm infants (P07.3)													
All races, both sexes.....	1,168	102	85	108	107	85	111	105	93	90	80	90	112
Male.....	647	59	44	63	57	45	67	56	54	47	38	51	66
Female.....	521	43	41	45	50	40	44	49	39	43	42	39	46
White, both sexes.....	675	55	48	52	76	40	62	56	55	53	49	55	74
Male.....	371	35	26	29	38	21	40	31	30	26	18	34	43
Female.....	304	20	22	23	38	19	22	25	25	27	31	21	31
Black, both sexes.....	442	42	35	51	29	39	45	41	37	37	24	31	31
Male.....	250	21	17	30	18	22	26	23	23	21	15	15	19
Female.....	192	21	18	21	11	17	19	18	14	16	9	16	12
American Indian 1/, both sexes.....	16	1	-	1	1	4	2	1	-	-	4	1	1
Male.....	8	1	-	1	-	1	-	-	-	-	3	1	1
Female.....	8	-	-	-	1	3	2	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	35	4	2	4	1	2	2	7	1	-	3	3	6
Male.....	18	2	1	3	1	1	1	2	1	-	2	1	3
Female.....	17	2	1	1	-	1	1	5	-	-	1	2	3





















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Birth asphyxia (P21)													
All races, both sexes.....	472	33	38	46	43	37	44	45	32	34	45	27	48
Male.....	256	15	21	29	27	20	23	23	14	21	22	13	28
Female.....	216	18	17	17	16	17	21	22	18	13	23	14	20
White, both sexes.....	335	24	29	32	30	29	32	32	18	26	34	14	35
Male.....	189	12	17	22	19	17	16	15	11	15	19	6	20
Female.....	146	12	12	10	11	12	16	17	7	11	15	8	15
Black, both sexes.....	117	8	6	14	11	7	9	11	11	8	9	10	13
Male.....	61	3	3	7	6	3	6	7	3	6	2	7	8
Female.....	56	5	3	7	5	4	3	4	8	2	7	3	5
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	17	1	3	-	2	1	3	2	2	-	-	3	-
Male.....	5	-	1	-	2	-	1	1	-	-	-	-	-
Female.....	12	1	2	-	-	1	2	1	2	-	-	3	-
Severe birth asphyxia (P21.0)													
All races, both sexes.....	34	3	3	4	3	2	2	1	4	1	7	2	2
Male.....	16	1	1	2	2	2	1	1	1	-	3	-	2
Female.....	18	2	2	2	1	-	1	-	3	1	4	2	-
White, both sexes.....	22	2	3	3	3	2	1	-	2	1	4	-	1
Male.....	11	1	1	1	2	2	-	-	1	-	2	-	1
Female.....	11	1	2	2	1	-	1	-	1	1	2	-	-
Black, both sexes.....	8	1	-	1	-	-	1	1	-	-	3	-	1
Male.....	5	-	-	1	-	-	1	1	-	-	1	-	1
Female.....	3	1	-	-	-	-	-	-	-	-	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	2	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	2	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Birth asphyxia, unspecified (P21.9)													
All races, both sexes.....	438	30	35	42	40	35	42	44	28	33	38	25	46
Male.....	240	14	20	27	25	18	22	22	13	21	19	13	26
Female.....	198	16	15	15	15	17	20	22	15	12	19	12	20
White, both sexes.....	313	22	26	29	27	27	31	32	16	25	30	14	34
Male.....	178	11	16	21	17	15	16	15	10	15	17	6	19
Female.....	135	11	10	8	10	12	15	17	6	10	13	8	15
Black, both sexes.....	109	7	6	13	11	7	8	10	11	8	6	10	12
Male.....	56	3	3	6	6	3	5	6	3	6	1	7	7
Female.....	53	4	3	7	5	4	3	4	8	2	5	3	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	14	1	3	-	2	1	3	2	1	-	-	1	-
Male.....	5	-	1	-	2	-	1	1	-	-	-	-	-
Female.....	9	1	2	-	-	1	2	1	1	-	-	1	-
Respiratory distress of newborn (P22)													
All races, both sexes.....	832	59	55	87	57	86	84	75	67	73	55	57	77
Male.....	493	43	29	49	34	47	48	43	46	41	31	31	51
Female.....	339	16	26	38	23	39	36	32	21	32	24	26	26
White, both sexes.....	543	42	32	56	35	46	61	44	47	51	32	46	51
Male.....	324	30	21	30	24	24	33	26	33	27	15	26	35
Female.....	219	12	11	26	11	22	28	18	14	24	17	20	16
Black, both sexes.....	262	15	22	29	20	36	21	27	19	19	20	10	24
Male.....	153	12	7	17	9	22	15	15	13	11	13	5	14
Female.....	109	3	15	12	11	14	6	12	6	8	7	5	10
American Indian 1/, both sexes.....	4	-	1	1	-	1	-	-	-	-	1	-	-
Male.....	4	-	1	1	-	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	2	-	1	2	3	2	4	1	3	2	1	2
Male.....	12	1	-	1	1	-	-	2	-	3	2	-	2
Female.....	11	1	-	-	1	3	2	2	1	-	-	1	-











## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital pneumonia due to other organisms (P23.8)													
All races, both sexes.....	4	-	1	-	1	-	1	-	-	1	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	2	-	1	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	4	-	1	-	1	-	1	-	-	1	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital pneumonia, unspecified (P23.9)													
All races, both sexes.....	64	6	7	7	4	3	3	4	4	7	8	5	6
Male.....	38	4	5	5	3	3	2	1	1	5	3	3	3
Female.....	26	2	2	2	1	-	1	3	3	2	5	2	3
White, both sexes.....	44	6	5	5	2	2	2	3	2	7	4	1	5
Male.....	28	4	3	4	2	2	2	1	1	5	1	-	3
Female.....	16	2	2	1	-	-	-	2	1	2	3	1	2
Black, both sexes.....	19	-	2	2	2	1	1	1	2	-	3	4	1
Male.....	10	-	2	1	1	1	-	-	-	-	2	3	-
Female.....	9	-	-	1	1	-	1	1	2	-	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-





















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified chronic respiratory disease originating in the perinatal period (P27.9)													
All races, both sexes.....	40	6	2	1	2	5	1	4	5	4	3	4	3
Male.....	31	4	1	-	2	5	1	2	3	4	3	4	2
Female.....	9	2	1	1	-	-	-	2	2	-	-	-	1
White, both sexes.....	23	3	2	1	1	2	-	2	4	4	1	1	2
Male.....	16	1	1	-	1	2	-	1	2	4	1	1	2
Female.....	7	2	1	1	-	-	-	1	2	-	-	-	-
Black, both sexes.....	14	3	-	-	1	3	1	1	1	-	1	3	-
Male.....	14	3	-	-	1	3	1	1	1	-	1	3	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Other respiratory conditions originating in the perinatal period (P28)													
All races, both sexes.....	511	44	47	39	54	42	41	36	34	40	58	45	31
Male.....	305	33	28	21	34	26	23	21	17	23	28	32	19
Female.....	206	11	19	18	20	16	18	15	17	17	30	13	12
White, both sexes.....	367	29	38	26	37	30	34	24	26	26	40	33	24
Male.....	228	21	24	15	26	19	19	16	11	16	20	25	16
Female.....	139	8	14	11	11	11	15	8	15	10	20	8	8
Black, both sexes.....	128	15	8	12	14	12	6	12	6	13	14	12	4
Male.....	71	12	4	6	7	7	3	5	5	7	7	7	1
Female.....	57	3	4	6	7	5	3	7	1	6	7	5	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	13	-	1	1	3	-	1	-	2	1	3	-	1
Male.....	5	-	-	-	1	-	1	-	1	-	1	-	1
Female.....	8	-	1	1	2	-	-	-	1	1	2	-	-









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Cardiovascular disorders originating in the perinatal period (P29)													
All races, both sexes.....	950	72	72	69	72	74	91	111	84	88	53	78	86
Male.....	520	44	42	40	37	44	48	64	40	48	31	43	39
Female.....	430	28	30	29	35	30	43	47	44	40	22	35	47
White, both sexes.....	572	44	44	43	44	48	53	53	52	53	33	51	54
Male.....	303	27	25	22	21	28	28	31	24	22	21	31	23
Female.....	269	17	19	21	23	20	25	22	28	31	12	20	31
Black, both sexes.....	330	27	21	20	25	26	33	50	27	26	19	27	29
Male.....	193	16	13	14	14	16	19	30	15	19	9	12	16
Female.....	137	11	8	6	11	10	14	20	12	7	10	15	13
American Indian 1/, both sexes.....	4	-	-	1	-	-	1	-	-	2	-	-	-
Male.....	3	-	-	1	-	-	1	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	44	1	7	5	3	-	4	8	5	7	1	-	3
Male.....	21	1	4	3	2	-	-	3	1	6	1	-	-
Female.....	23	-	3	2	1	-	4	5	4	1	-	-	3
Neonatal cardiac failure (P29.0)													
All races, both sexes.....	340	28	25	22	21	24	39	41	21	36	26	24	33
Male.....	193	19	12	12	14	15	16	28	11	21	14	14	17
Female.....	147	9	13	10	7	9	23	13	10	15	12	10	16
White, both sexes.....	203	16	16	14	11	18	17	23	12	21	20	12	23
Male.....	110	12	9	7	7	11	5	15	6	9	12	8	9
Female.....	93	4	7	7	4	7	12	8	6	12	8	4	14
Black, both sexes.....	121	12	7	8	9	6	18	15	7	11	6	12	10
Male.....	76	7	3	5	6	4	10	11	5	9	2	6	8
Female.....	45	5	4	3	3	2	8	4	2	2	4	6	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	2	-	1	-	3	3	2	3	-	-	-
Male.....	5	-	-	-	1	-	-	2	-	2	-	-	-
Female.....	9	-	2	-	-	-	3	1	2	1	-	-	-











## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital viral disease, unspecified (P35.9)													
All races, both sexes.....	4	-	-	-	-	-	1	1	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	1	2	-	-	-	-
White, both sexes.....	4	-	-	-	-	-	1	1	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	1	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial sepsis of newborn (P36)													
All races, both sexes.....	772	79	59	64	56	54	76	55	85	65	68	53	58
Male.....	462	53	33	42	27	31	49	31	52	44	40	25	35
Female.....	310	26	26	22	29	23	27	24	33	21	28	28	23
White, both sexes.....	475	46	39	41	32	35	45	30	54	35	45	36	37
Male.....	291	34	25	29	19	20	26	19	29	22	28	18	22
Female.....	184	12	14	12	13	15	19	11	25	13	17	18	15
Black, both sexes.....	276	29	19	21	24	17	29	23	27	28	23	16	20
Male.....	159	17	8	13	8	10	21	11	21	20	12	6	12
Female.....	117	12	11	8	16	7	8	12	6	8	11	10	8
American Indian 1/, both sexes.....	5	-	-	1	-	-	-	1	2	-	-	1	-
Male.....	3	-	-	-	-	-	-	1	1	-	-	1	-
Female.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	4	1	1	-	2	2	1	2	2	-	-	1
Male.....	9	2	-	-	-	1	2	-	1	2	-	-	1
Female.....	7	2	1	1	-	1	-	1	1	-	-	-	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sepsis of newborn due to Escherichia coli (P36.4)													
All races, both sexes.....	6	-	2	-	-	2	-	1	1	-	-	-	-
Male.....	5	-	2	-	-	1	-	1	1	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	4	-	2	-	-	1	-	-	1	-	-	-	-
Male.....	4	-	2	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other bacterial sepsis of newborn (P36.8)													
All races, both sexes.....	125	20	9	8	7	9	11	8	11	10	13	7	12
Male.....	65	10	4	4	3	6	6	3	6	5	8	5	5
Female.....	60	10	5	4	4	3	5	5	5	5	5	2	7
White, both sexes.....	78	11	5	5	3	4	9	4	8	6	11	4	8
Male.....	41	5	3	3	2	2	4	2	4	4	7	2	3
Female.....	37	6	2	2	1	2	5	2	4	2	4	2	5
Black, both sexes.....	41	7	3	3	4	4	2	3	2	4	2	3	4
Male.....	22	4	1	1	1	3	2	1	2	1	1	3	2
Female.....	19	3	2	2	3	1	-	2	-	3	1	-	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	1	-	-	1	-	1	-	-	-	-	-
Male.....	2	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	3	1	1	-	-	-	-	1	-	-	-	-	-

























## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intraventricular (nontraumatic) hemorrhage, grade 3, of newborn (P52.2)													
All races, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified intraventricular (nontraumatic) hemorrhage of newborn (P52.3)													
All races, both sexes.....	382	27	33	35	32	32	41	39	30	25	30	28	30
Male.....	224	12	16	23	21	20	23	23	16	19	17	21	13
Female.....	158	15	17	12	11	12	18	16	14	6	13	7	17
White, both sexes.....	270	22	22	25	25	21	28	25	17	20	19	23	23
Male.....	165	9	13	15	16	14	19	15	9	15	12	17	11
Female.....	105	13	9	10	9	7	9	10	8	5	7	6	12
Black, both sexes.....	97	4	8	8	7	11	10	12	13	4	9	4	7
Male.....	49	2	2	7	5	6	2	6	7	3	3	4	2
Female.....	48	2	6	1	2	5	8	6	6	1	6	-	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	1	3	2	-	-	3	-	-	1	2	1	-
Male.....	8	1	1	1	-	-	2	-	-	1	2	-	-
Female.....	5	-	2	1	-	-	1	-	-	-	-	1	-



















































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intestinal obstruction of newborn, unspecified (P76.9)													
All races, both sexes.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Necrotizing enterocolitis of newborn (P77)													
All races, both sexes.....	405	39	25	27	27	38	35	43	37	34	30	32	38
Male.....	232	18	14	17	16	21	16	25	23	23	14	18	27
Female.....	173	21	11	10	11	17	19	18	14	11	16	14	11
White, both sexes.....	227	19	16	20	16	22	20	27	18	19	14	13	23
Male.....	131	10	11	14	8	9	8	16	11	13	7	7	17
Female.....	96	9	5	6	8	13	12	11	7	6	7	6	6
Black, both sexes.....	159	13	9	7	10	15	13	15	18	14	15	17	13
Male.....	89	5	3	3	7	11	7	8	12	9	6	9	9
Female.....	70	8	6	4	3	4	6	7	6	5	9	8	4
American Indian 1/, both sexes.....	4	2	-	-	-	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	5	-	-	1	1	1	-	1	1	1	2	2
Male.....	10	3	-	-	1	1	-	-	-	1	1	2	1
Female.....	5	2	-	-	-	-	1	-	1	-	-	-	1













## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other conditions of integument specific to newborn (P83)													
All races, both sexes.....	189	13	11	20	13	17	19	19	12	19	13	14	19
Male.....	104	10	7	13	5	6	10	12	5	11	6	7	12
Female.....	85	3	4	7	8	11	9	7	7	8	7	7	7
White, both sexes.....	156	10	10	17	11	15	16	16	9	13	11	12	16
Male.....	88	8	6	11	4	5	8	10	5	10	5	5	11
Female.....	68	2	4	6	7	10	8	6	4	3	6	7	5
Black, both sexes.....	26	2	1	3	1	2	2	3	3	4	2	1	2
Male.....	12	1	1	2	-	1	1	2	-	1	1	1	1
Female.....	14	1	-	1	1	1	1	1	3	3	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	1	-	1	-	-	2	-	1	1
Male.....	4	1	-	-	1	-	1	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	2	-	-	1
Hydrops fetalis not due to hemolytic disease (P83.2)													
All races, both sexes.....	188	13	11	20	13	17	19	18	12	19	13	14	19
Male.....	104	10	7	13	5	6	10	12	5	11	6	7	12
Female.....	84	3	4	7	8	11	9	6	7	8	7	7	7
White, both sexes.....	155	10	10	17	11	15	16	15	9	13	11	12	16
Male.....	88	8	6	11	4	5	8	10	5	10	5	5	11
Female.....	67	2	4	6	7	10	8	5	4	3	6	7	5
Black, both sexes.....	26	2	1	3	1	2	2	3	3	4	2	1	2
Male.....	12	1	1	2	-	1	1	2	-	1	1	1	1
Female.....	14	1	-	1	1	1	1	1	3	3	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	1	-	1	-	-	2	-	1	1
Male.....	4	1	-	-	1	-	1	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	2	-	-	1





















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Anencephaly and similar malformations (Q00)													
All races, both sexes.....	341	23	28	22	20	38	32	23	29	38	37	20	31
Male.....	154	11	13	6	9	21	16	9	18	14	18	8	11
Female.....	187	12	15	16	11	17	16	14	11	24	19	12	20
White, both sexes.....	286	17	22	16	19	29	31	18	26	30	31	18	29
Male.....	130	9	11	5	9	15	16	7	15	12	14	8	9
Female.....	156	8	11	11	10	14	15	11	11	18	17	10	20
Black, both sexes.....	41	3	5	6	1	8	1	4	3	4	3	2	1
Male.....	15	1	1	1	-	5	-	2	3	-	1	-	1
Female.....	26	2	4	5	1	3	1	2	-	4	2	2	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	3	-	-	-	1	-	1	-	3	3	-	1
Male.....	7	1	-	-	-	1	-	-	-	1	3	-	1
Female.....	5	2	-	-	-	-	-	1	-	2	-	-	-
Anencephaly (Q00.0)													
All races, both sexes.....	340	23	28	22	20	38	32	23	29	38	37	19	31
Male.....	154	11	13	6	9	21	16	9	18	14	18	8	11
Female.....	186	12	15	16	11	17	16	14	11	24	19	11	20
White, both sexes.....	285	17	22	16	19	29	31	18	26	30	31	17	29
Male.....	130	9	11	5	9	15	16	7	15	12	14	8	9
Female.....	155	8	11	11	10	14	15	11	11	18	17	9	20
Black, both sexes.....	41	3	5	6	1	8	1	4	3	4	3	2	1
Male.....	15	1	1	1	-	5	-	2	3	-	1	-	1
Female.....	26	2	4	5	1	3	1	2	-	4	2	2	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	3	-	-	-	1	-	1	-	3	3	-	1
Male.....	7	1	-	-	-	1	-	-	-	1	3	-	1
Female.....	5	2	-	-	-	-	-	1	-	2	-	-	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Encephalocele, unspecified (Q01.9)													
All races, both sexes.....	50	-	4	4	9	3	6	4	4	3	5	4	4
Male.....	27	-	2	1	2	3	3	3	2	1	4	3	3
Female.....	23	-	2	3	7	-	3	1	2	2	1	1	1
White, both sexes.....	41	-	4	4	8	2	6	3	3	1	3	3	4
Male.....	20	-	2	1	2	2	3	2	1	-	2	2	3
Female.....	21	-	2	3	6	-	3	1	2	1	1	1	1
Black, both sexes.....	5	-	-	-	1	-	-	-	1	1	1	1	-
Male.....	4	-	-	-	-	-	-	-	1	1	1	1	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	1	-	-	1	-	-
Male.....	3	-	-	-	-	1	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Microcephaly (Q02)													
All races, both sexes.....	79	7	10	7	4	8	5	4	5	10	3	8	8
Male.....	42	3	8	2	2	6	4	1	4	5	1	5	1
Female.....	37	4	2	5	2	2	1	3	1	5	2	3	7
White, both sexes.....	62	6	8	5	3	6	4	4	4	8	1	6	7
Male.....	33	2	7	1	1	5	3	1	3	5	-	4	1
Female.....	29	4	1	4	2	1	1	3	1	3	1	2	6
Black, both sexes.....	13	1	2	2	-	1	1	-	1	2	1	1	1
Male.....	7	1	1	1	-	1	1	-	1	-	1	-	-
Female.....	6	-	1	1	-	-	-	-	-	2	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	1	-	-	-	-	1	1	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	1	-	-	-	-	1	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital hydrocephalus, unspecified (Q03.9)													
All races, both sexes.....	164	13	11	14	18	15	14	13	15	5	20	17	9
Male.....	87	3	4	7	9	9	8	9	8	2	13	10	5
Female.....	77	10	7	7	9	6	6	4	7	3	7	7	4
White, both sexes.....	126	9	7	10	14	13	11	11	10	2	17	14	8
Male.....	67	2	3	4	7	8	6	8	6	1	10	8	4
Female.....	59	7	4	6	7	5	5	3	4	1	7	6	4
Black, both sexes.....	33	4	4	2	4	2	3	2	4	2	2	3	1
Male.....	16	1	1	1	2	1	2	1	2	-	2	2	1
Female.....	17	3	3	1	2	1	1	1	2	2	-	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	2	-	-	-	-	-	1	-	-	-
Male.....	3	-	-	2	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of brain (Q04)													
All races, both sexes.....	403	41	38	31	38	32	30	31	24	29	26	45	38
Male.....	212	19	17	13	21	19	19	22	8	15	17	22	20
Female.....	191	22	21	18	17	13	11	9	16	14	9	23	18
White, both sexes.....	311	33	29	22	31	22	21	23	22	23	20	35	30
Male.....	158	14	9	8	16	15	15	17	7	13	12	16	16
Female.....	153	19	20	14	15	7	6	6	15	10	8	19	14
Black, both sexes.....	68	6	7	7	5	8	5	5	1	5	6	8	5
Male.....	44	5	6	5	4	2	2	4	1	1	5	6	3
Female.....	24	1	1	2	1	6	3	1	-	4	1	2	2
American Indian 1/, both sexes.....	8	-	-	-	-	1	1	3	-	-	-	1	2
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	6	-	-	-	-	-	1	2	-	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	16	2	2	2	2	1	3	-	1	1	-	1	1
Male.....	8	-	2	-	1	1	2	-	-	1	-	-	1
Female.....	8	2	-	2	1	-	1	-	1	-	-	1	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
<b>Holoprosencephaly (Q04.2)</b>													
All races, both sexes.....	112	11	9	5	14	8	11	8	5	9	9	14	9
Male.....	57	7	5	2	9	3	5	5	-	6	5	5	5
Female.....	55	4	4	3	5	5	6	3	5	3	4	9	4
White, both sexes.....	79	9	6	2	11	4	6	4	5	7	7	12	6
Male.....	40	6	2	-	6	3	3	3	-	5	4	4	4
Female.....	39	3	4	2	5	1	3	1	5	2	3	8	2
Black, both sexes.....	24	2	2	3	3	4	2	2	-	1	2	2	1
Male.....	12	1	2	2	3	-	-	1	-	-	1	1	1
Female.....	12	1	-	1	-	4	2	1	-	1	1	1	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	2	-	-	-	-	2
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	1	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	4	-	1	-	-	-	2	-	-	1	-	-	-
Male.....	4	-	1	-	-	-	2	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Other reduction deformities of brain (Q04.3)</b>													
All races, both sexes.....	123	12	12	8	12	8	8	14	8	10	6	12	13
Male.....	61	4	6	3	7	4	6	9	3	2	4	7	6
Female.....	62	8	6	5	5	4	2	5	5	8	2	5	7
White, both sexes.....	94	8	10	6	10	7	5	11	6	8	4	8	11
Male.....	43	2	4	2	5	3	4	7	2	2	2	5	5
Female.....	51	6	6	4	5	4	1	4	4	6	2	3	6
Black, both sexes.....	20	2	1	1	1	1	2	2	1	2	2	3	2
Male.....	16	2	1	1	1	1	2	2	1	-	2	2	1
Female.....	4	-	-	-	-	-	-	-	-	2	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	2	1	1	1	-	1	-	1	-	-	1	-
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	6	2	-	1	-	-	1	-	1	-	-	1	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformation of brain, unspecified (Q04.9)													
All races, both sexes.....	93	11	10	10	8	9	4	6	4	5	5	10	11
Male.....	51	5	4	4	3	6	3	5	1	3	4	6	7
Female.....	42	6	6	6	5	3	1	1	3	2	1	4	4
White, both sexes.....	79	10	7	8	7	7	4	5	4	4	5	9	9
Male.....	42	4	2	3	3	5	3	4	1	2	4	5	6
Female.....	37	6	5	5	4	2	1	1	3	2	1	4	3
Black, both sexes.....	10	1	3	1	-	1	-	1	-	1	-	1	1
Male.....	7	1	2	1	-	-	-	1	-	1	-	1	-
Female.....	3	-	1	-	-	1	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	1	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	1	1	-	-	-	-	-	-	-	-
Spina bifida (Q05)													
All races, both sexes.....	127	14	10	9	11	10	13	12	9	13	8	8	10
Male.....	48	3	5	5	4	6	8	3	1	7	1	3	2
Female.....	79	11	5	4	7	4	5	9	8	6	7	5	8
White, both sexes.....	116	12	6	9	10	10	13	11	7	12	8	8	10
Male.....	45	3	3	5	3	6	8	3	1	7	1	3	2
Female.....	71	9	3	4	7	4	5	8	6	5	7	5	8
Black, both sexes.....	9	2	3	-	1	-	-	-	2	1	-	-	-
Male.....	3	-	2	-	1	-	-	-	-	-	-	-	-
Female.....	6	2	1	-	-	-	-	-	2	1	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformation of spinal cord, unspecified (Q06.9)													
All races, both sexes.....	4	-	1	-	-	-	-	-	1	2	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-
White, both sexes.....	4	-	1	-	-	-	-	-	1	2	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of nervous system (Q07)													
All races, both sexes.....	66	4	1	4	10	6	7	10	10	2	4	4	4
Male.....	21	1	-	2	2	2	1	5	5	-	1	-	2
Female.....	45	3	1	2	8	4	6	5	5	2	3	4	2
White, both sexes.....	52	3	1	3	7	4	3	8	9	2	4	4	4
Male.....	19	1	-	2	2	2	1	3	5	-	1	-	2
Female.....	33	2	1	1	5	2	2	5	4	2	3	4	2
Black, both sexes.....	13	1	-	1	3	2	3	2	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	11	1	-	1	3	2	3	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformation of eye, unspecified (Q15.9)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	2	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of face and neck (Q18)													
All races, both sexes.....	3	-	-	-	-	-	-	1	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other branchial cleft malformations (Q18.2)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation of face and neck, unspecified (Q18.9)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	1
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformations of cardiac chambers and connections (Q20)													
All races, both sexes.....	215	19	13	17	22	15	20	20	17	17	17	22	16
Male.....	123	11	4	12	11	9	11	11	7	11	10	17	9
Female.....	92	8	9	5	11	6	9	9	10	6	7	5	7
White, both sexes.....	172	14	10	15	20	13	15	17	14	15	11	15	13
Male.....	96	7	4	11	10	7	6	9	6	9	7	11	9
Female.....	76	7	6	4	10	6	9	8	8	6	4	4	4
Black, both sexes.....	35	4	1	2	2	1	4	3	1	2	6	7	2
Male.....	24	3	-	1	1	1	4	2	1	2	3	6	-
Female.....	11	1	1	1	1	-	-	1	-	-	3	1	2
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	2	-	-	1	1	-	2	-	-	-	1
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	5	-	2	-	-	-	-	-	2	-	-	-	1
Common arterial trunk (Q20.0)													
All races, both sexes.....	36	6	1	1	4	2	5	4	4	2	1	4	2
Male.....	17	3	-	1	2	1	3	2	1	2	-	2	-
Female.....	19	3	1	-	2	1	2	2	3	-	1	2	2
White, both sexes.....	29	5	1	1	4	2	4	3	3	2	-	2	2
Male.....	13	2	-	1	2	1	2	1	1	2	-	1	-
Female.....	16	3	1	-	2	1	2	2	2	-	-	1	2
Black, both sexes.....	6	1	-	-	-	-	1	1	-	-	1	2	-
Male.....	4	1	-	-	-	-	1	1	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Discordant ventriculoarterial connection (Q20.3)													
All races, both sexes.....	100	8	7	8	12	8	12	10	5	9	6	6	9
Male.....	64	6	2	6	6	7	5	6	3	7	5	4	7
Female.....	36	2	5	2	6	1	7	4	2	2	1	2	2
White, both sexes.....	88	5	7	8	11	6	10	9	5	9	5	5	8
Male.....	55	3	2	6	6	5	3	6	3	7	4	3	7
Female.....	33	2	5	2	5	1	7	3	2	2	1	2	1
Black, both sexes.....	9	2	-	-	1	1	1	1	-	-	1	1	1
Male.....	6	2	-	-	-	1	1	-	-	-	1	1	-
Female.....	3	-	-	-	1	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Double inlet ventricle (Q20.4)													
All races, both sexes.....	33	2	1	3	2	2	1	1	2	2	9	6	2
Male.....	19	-	1	1	1	1	1	1	-	2	4	5	2
Female.....	14	2	-	2	1	1	-	-	2	-	5	1	-
White, both sexes.....	22	2	1	2	1	2	1	-	1	-	5	5	2
Male.....	12	-	1	1	-	1	1	-	-	-	2	4	2
Female.....	10	2	-	1	1	1	-	-	1	-	3	1	-
Black, both sexes.....	10	-	-	1	1	-	-	1	-	2	4	1	-
Male.....	7	-	-	-	1	-	-	1	-	2	2	1	-
Female.....	3	-	-	1	-	-	-	-	-	-	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformations of cardiac septa (Q21)													
All races, both sexes.....	729	73	74	58	60	64	59	63	56	42	47	51	82
Male.....	340	38	28	29	26	33	20	30	27	23	24	23	39
Female.....	389	35	46	29	34	31	39	33	29	19	23	28	43
White, both sexes.....	593	59	63	43	51	53	48	51	43	36	38	42	66
Male.....	281	30	23	21	24	29	17	25	21	19	19	21	32
Female.....	312	29	40	22	27	24	31	26	22	17	19	21	34
Black, both sexes.....	101	11	11	9	6	9	7	11	10	5	8	6	8
Male.....	42	6	5	4	1	3	2	5	5	3	4	-	4
Female.....	59	5	6	5	5	6	5	6	5	2	4	6	4
American Indian 1/, both sexes.....	8	1	-	2	-	-	2	-	-	-	-	1	2
Male.....	4	1	-	1	-	-	1	-	-	-	-	-	1
Female.....	4	-	-	1	-	-	1	-	-	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	27	2	-	4	3	2	2	1	3	1	1	2	6
Male.....	13	1	-	3	1	1	-	-	1	1	1	2	2
Female.....	14	1	-	1	2	1	2	1	2	-	-	-	4
Ventricular septal defect (Q21.0)													
All races, both sexes.....	152	20	13	12	10	11	10	15	8	9	12	13	19
Male.....	80	11	6	7	5	6	3	7	6	4	7	7	11
Female.....	72	9	7	5	5	5	7	8	2	5	5	6	8
White, both sexes.....	119	14	9	7	9	10	8	11	8	9	10	9	15
Male.....	62	7	4	4	4	6	2	5	6	4	5	6	9
Female.....	57	7	5	3	5	4	6	6	2	5	5	3	6
Black, both sexes.....	24	4	4	3	-	-	1	4	-	-	2	3	3
Male.....	13	3	2	2	-	-	-	2	-	-	2	-	2
Female.....	11	1	2	1	-	-	1	2	-	-	-	3	1
American Indian 1/, both sexes.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	2	1	-	-	-	-	-	-	1	1
Male.....	3	-	-	1	1	-	-	-	-	-	-	1	-
Female.....	4	1	-	1	-	1	-	-	-	-	-	-	1





























## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other congenital malformations of heart (Q24)													
All races, both sexes.....	1,526	128	117	120	126	146	138	127	121	139	127	119	118
Male.....	798	63	58	64	68	75	61	69	69	70	67	63	71
Female.....	728	65	59	56	58	71	77	58	52	69	60	56	47
White, both sexes.....	1,173	108	88	82	100	110	104	102	85	106	97	95	96
Male.....	603	51	44	42	53	57	49	56	42	53	46	53	57
Female.....	570	57	44	40	47	53	55	46	43	53	51	42	39
Black, both sexes.....	282	16	23	31	20	33	30	16	30	24	24	20	15
Male.....	151	9	11	17	10	16	11	10	23	10	16	8	10
Female.....	131	7	12	14	10	17	19	6	7	14	8	12	5
American Indian 1/, both sexes.....	21	-	1	4	1	1	-	2	3	2	3	1	3
Male.....	10	-	-	2	1	1	-	-	1	1	2	1	1
Female.....	11	-	1	2	-	-	-	2	2	1	1	-	2
Asian or Pacific Islander 2/, both sexes.....	50	4	5	3	5	2	4	7	3	7	3	3	4
Male.....	34	3	3	3	4	1	1	3	3	6	3	1	3
Female.....	16	1	2	-	1	1	3	4	-	1	-	2	1
Dextrocardia (Q24.0)													
All races, both sexes.....	9	1	2	-	-	-	1	3	-	-	1	1	-
Male.....	4	1	-	-	-	-	1	2	-	-	-	-	-
Female.....	5	-	2	-	-	-	-	1	-	-	1	1	-
White, both sexes.....	7	1	1	-	-	-	1	2	-	-	1	1	-
Male.....	4	1	-	-	-	-	1	2	-	-	-	-	-
Female.....	3	-	1	-	-	-	-	-	-	-	1	1	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified congenital malformations of heart (Q24.8)													
All races, both sexes.....	107	12	10	7	8	9	9	4	9	7	6	13	13
Male.....	63	8	8	2	5	6	6	1	6	1	3	7	10
Female.....	44	4	2	5	3	3	3	3	3	6	3	6	3
White, both sexes.....	87	11	8	5	6	6	7	4	7	7	4	10	12
Male.....	48	7	6	2	3	4	4	1	4	1	1	6	9
Female.....	39	4	2	3	3	2	3	3	3	6	3	4	3
Black, both sexes.....	17	1	2	1	1	3	1	-	2	-	2	3	1
Male.....	13	1	2	-	1	2	1	-	2	-	2	1	1
Female.....	4	-	-	1	-	1	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformation of the heart, unspecified (Q24.9)													
All races, both sexes.....	1,200	93	92	88	101	120	116	102	86	116	102	94	90
Male.....	612	42	42	46	50	58	49	56	51	64	54	49	51
Female.....	588	51	50	42	51	62	67	46	35	52	48	45	39
White, both sexes.....	923	77	68	59	82	94	88	82	60	86	79	74	74
Male.....	467	34	32	28	40	46	41	45	31	49	39	41	41
Female.....	456	43	36	31	42	48	47	37	29	37	40	33	33
Black, both sexes.....	218	12	18	24	15	23	25	12	21	22	18	16	12
Male.....	110	5	7	14	7	10	8	8	17	9	11	6	8
Female.....	108	7	11	10	8	13	17	4	4	13	7	10	4
American Indian 1/, both sexes.....	18	-	1	3	1	1	-	2	3	2	2	1	2
Male.....	9	-	-	2	1	1	-	-	1	1	1	1	1
Female.....	9	-	1	1	-	-	-	2	2	1	1	-	1
Asian or Pacific Islander 2/, both sexes.....	41	4	5	2	3	2	3	6	2	6	3	3	2
Male.....	26	3	3	2	2	1	-	3	2	5	3	1	1
Female.....	15	1	2	-	1	1	3	3	-	1	-	2	1

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformations of great arteries (Q25)													
All races, both sexes.....	251	28	22	15	21	24	22	22	16	25	27	20	9
Male.....	127	12	4	9	16	14	11	15	10	12	12	10	2
Female.....	124	16	18	6	5	10	11	7	6	13	15	10	7
White, both sexes.....	198	24	14	12	18	18	15	16	12	19	26	17	7
Male.....	101	12	2	7	14	12	7	11	7	8	12	8	1
Female.....	97	12	12	5	4	6	8	5	5	11	14	9	6
Black, both sexes.....	42	3	5	2	3	5	4	5	3	6	1	3	2
Male.....	24	-	2	2	2	2	3	4	2	4	-	2	1
Female.....	18	3	3	-	1	3	1	1	1	2	1	1	1
American Indian 1/, both sexes.....	3	-	1	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	2	1	-	1	2	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	7	1	2	1	-	1	2	-	-	-	-	-	-
Patent ductus arteriosus (Q25.0)													
All races, both sexes.....	71	7	8	5	7	3	8	6	7	8	5	5	2
Male.....	40	3	2	4	6	2	3	4	4	5	4	3	-
Female.....	31	4	6	1	1	1	5	2	3	3	1	2	2
White, both sexes.....	53	7	4	5	4	3	5	4	5	4	5	5	2
Male.....	29	3	1	4	4	2	1	2	3	2	4	3	-
Female.....	24	4	3	1	-	1	4	2	2	2	1	2	2
Black, both sexes.....	15	-	3	-	3	-	2	2	1	4	-	-	-
Male.....	10	-	1	-	2	-	2	2	-	3	-	-	-
Female.....	5	-	2	-	1	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Stenosis of pulmonary artery (Q25.6)													
All races, both sexes.....	30	3	2	1	1	6	3	3	-	1	3	3	4
Male.....	10	-	-	-	1	2	2	3	-	-	-	2	-
Female.....	20	3	2	1	-	4	1	-	-	1	3	1	4
White, both sexes.....	26	3	2	1	1	2	3	3	-	1	3	3	4
Male.....	9	-	-	-	1	1	2	3	-	-	-	2	-
Female.....	17	3	2	1	-	1	1	-	-	1	3	1	4
Black, both sexes.....	4	-	-	-	-	4	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	3	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of pulmonary artery (Q25.7)													
All races, both sexes.....	12	2	-	1	1	2	1	1	-	1	2	1	-
Male.....	4	-	-	1	-	2	-	1	-	-	-	-	-
Female.....	8	2	-	-	1	-	1	-	-	1	2	1	-
White, both sexes.....	9	1	-	1	1	2	-	1	-	-	2	1	-
Male.....	4	-	-	1	-	2	-	1	-	-	-	-	-
Female.....	5	1	-	-	1	-	-	-	-	-	2	1	-
Black, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other congenital malformations of great arteries (Q25.8)													
All races, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of great veins (Q26)													
All races, both sexes.....	54	5	3	3	4	7	3	5	6	5	3	6	4
Male.....	30	2	2	2	3	3	2	1	5	2	2	4	2
Female.....	24	3	1	1	1	4	1	4	1	3	1	2	2
White, both sexes.....	39	3	2	3	4	6	1	5	5	2	2	5	1
Male.....	27	2	2	2	3	2	1	1	5	2	2	4	1
Female.....	12	1	-	1	1	4	-	4	-	-	-	1	-
Black, both sexes.....	8	1	-	-	-	-	1	-	1	1	1	1	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	1	-	-	-	-	1	-	1	1	1	1	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	1	1	-	-	2	-	-	1
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	4	-	1	-	-	-	-	-	-	2	-	-	1



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Anomalous pulmonary venous connection, unspecified (Q26.4)													
All races, both sexes.....	29	2	1	1	3	3	1	3	3	3	2	5	2
Male.....	16	1	-	-	2	1	1	1	3	2	1	3	1
Female.....	13	1	1	1	1	2	-	2	-	1	1	2	1
White, both sexes.....	22	1	-	1	3	2	1	3	3	2	1	4	1
Male.....	15	1	-	-	2	-	1	1	3	2	1	3	1
Female.....	7	-	-	1	1	2	-	2	-	-	-	1	-
Black, both sexes.....	5	1	-	-	-	-	-	-	-	1	1	1	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	1	-	-	-	-	-	-	-	1	1	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of great veins (Q26.8)													
All races, both sexes.....	11	-	2	1	-	2	2	2	-	1	1	-	-
Male.....	6	-	2	1	-	1	1	-	-	-	1	-	-
Female.....	5	-	-	-	-	1	1	2	-	1	-	-	-
White, both sexes.....	8	-	2	1	-	2	-	2	-	-	1	-	-
Male.....	5	-	2	1	-	1	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	1	-	2	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformation of peripheral vascular system, unspecified (Q27.9)													
All races, both sexes.....	39	3	2	2	7	1	7	5	3	2	3	4	-
Male.....	21	3	-	1	3	1	4	1	2	2	1	3	-
Female.....	18	-	2	1	4	-	3	4	1	-	2	1	-
White, both sexes.....	34	3	2	2	5	1	6	5	2	2	3	3	-
Male.....	20	3	-	1	3	1	4	1	2	2	1	2	-
Female.....	14	-	2	1	2	-	2	4	-	-	2	1	-
Black, both sexes.....	5	-	-	-	2	-	1	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	2	-	1	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital malformations of circulatory system (Q28)													
All races, both sexes.....	284	25	25	23	24	26	17	28	24	24	27	26	15
Male.....	153	14	14	11	12	16	9	16	14	12	17	10	8
Female.....	131	11	11	12	12	10	8	12	10	12	10	16	7
White, both sexes.....	233	22	19	20	20	20	14	22	19	18	19	25	15
Male.....	123	12	11	10	8	11	7	13	12	8	14	9	8
Female.....	110	10	8	10	12	9	7	9	7	10	5	16	7
Black, both sexes.....	36	3	5	2	2	3	2	5	3	5	6	-	-
Male.....	19	2	3	1	2	2	1	2	-	4	2	-	-
Female.....	17	1	2	1	-	1	1	3	3	1	4	-	-
American Indian 1/, both sexes.....	4	-	1	-	-	1	-	-	1	-	1	-	-
Male.....	3	-	-	-	-	1	-	-	1	-	1	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	1	2	2	1	1	1	1	1	1	-
Male.....	8	-	-	-	2	2	1	1	1	-	-	1	-
Female.....	3	-	-	1	-	-	-	-	-	1	1	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Arteriovenous malformation of precerebral vessels (Q28.0)													
All races, both sexes.....	3	1	1	-	-	-	-	-	-	-	1	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	1	1	-	-	-	-	-	-	-	1	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Arteriovenous malformation of cerebral vessels (Q28.2)													
All races, both sexes.....	245	19	22	18	21	24	16	23	22	22	22	22	14
Male.....	137	12	13	9	12	15	9	13	13	11	14	8	8
Female.....	108	7	9	9	9	9	7	10	9	11	8	14	6
White, both sexes.....	205	18	17	16	17	19	13	18	18	16	17	22	14
Male.....	112	11	10	8	8	11	7	11	11	7	12	8	8
Female.....	93	7	7	8	9	8	6	7	7	9	5	14	6
Black, both sexes.....	30	1	5	1	2	2	2	5	2	5	5	-	-
Male.....	17	1	3	1	2	1	1	2	-	4	2	-	-
Female.....	13	-	2	-	-	1	1	3	2	1	3	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	1	2	2	1	-	1	1	-	-	-
Male.....	6	-	-	-	2	2	1	-	1	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Choanal atresia (Q30.0)													
All races, both sexes.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	2	-	-	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of larynx (Q31)													
All races, both sexes.....	11	1	1	-	-	-	1	2	1	3	2	-	-
Male.....	5	1	1	-	-	-	-	1	-	-	2	-	-
Female.....	6	-	-	-	-	-	1	1	1	3	-	-	-
White, both sexes.....	8	-	1	-	-	-	1	2	1	2	1	-	-
Male.....	3	-	1	-	-	-	-	1	-	-	1	-	-
Female.....	5	-	-	-	-	-	1	1	1	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	-	-	-	1	1	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other congenital malformations of bronchus (Q32.4)													
All races, both sexes.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations of lung (Q33)													
All races, both sexes.....	601	57	34	57	44	56	48	53	55	55	47	46	49
Male.....	337	26	20	33	23	27	27	30	30	35	23	38	25
Female.....	264	31	14	24	21	29	21	23	25	20	24	8	24
White, both sexes.....	455	40	24	39	31	46	38	38	44	47	37	34	37
Male.....	239	15	12	19	17	19	21	22	26	30	15	27	16
Female.....	216	25	12	20	14	27	17	16	18	17	22	7	21
Black, both sexes.....	116	15	7	14	10	9	9	11	8	6	10	8	9
Male.....	77	10	5	12	5	7	5	5	3	3	8	7	7
Female.....	39	5	2	2	5	2	4	6	5	3	2	1	2
American Indian 1/, both sexes.....	8	2	1	1	1	-	-	-	2	-	-	1	-
Male.....	4	1	1	-	1	-	-	-	-	-	-	1	-
Female.....	4	1	-	1	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	2	3	2	1	1	4	1	2	-	3	3
Male.....	17	-	2	2	-	1	1	3	1	2	-	3	2
Female.....	5	-	-	1	2	-	-	1	-	-	-	-	1





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital bronchiectasis (Q33.4)													
All races, both sexes.....	5	-	-	-	-	1	-	-	-	1	-	2	1
Male.....	5	-	-	-	-	1	-	-	-	1	-	2	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	5	-	-	-	-	1	-	-	-	1	-	2	1
Male.....	5	-	-	-	-	1	-	-	-	1	-	2	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypoplasia and dysplasia of lung (Q33.6)													
All races, both sexes.....	555	57	31	54	40	49	45	50	51	51	44	41	42
Male.....	314	26	17	33	21	25	26	29	27	32	21	34	23
Female.....	241	31	14	21	19	24	19	21	24	19	23	7	19
White, both sexes.....	414	40	23	36	28	39	35	35	40	43	34	31	30
Male.....	219	15	11	19	15	17	20	21	23	27	13	24	14
Female.....	195	25	12	17	13	22	15	14	17	16	21	7	16
Black, both sexes.....	113	15	6	14	9	9	9	11	8	6	10	7	9
Male.....	76	10	4	12	5	7	5	5	3	3	8	7	7
Female.....	37	5	2	2	4	2	4	6	5	3	2	-	2
American Indian 1/, both sexes.....	8	2	1	1	1	-	-	-	2	-	-	1	-
Male.....	4	1	1	-	1	-	-	-	-	-	-	1	-
Female.....	4	1	-	1	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	1	3	2	1	1	4	1	2	-	2	3
Male.....	15	-	1	2	-	1	1	3	1	2	-	2	2
Female.....	5	-	-	1	2	-	-	1	-	-	-	-	1

















Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Atresia of esophagus with tracheoesophageal fistula (Q39.1)													
All races, both sexes.....	4	1	-	-	1	-	-	1	-	-	1	-	-
Male.....	3	-	-	-	1	-	-	1	-	-	1	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	4	1	-	-	1	-	-	1	-	-	1	-	-
Male.....	3	-	-	-	1	-	-	1	-	-	1	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital tracheoesophageal fistula without atresia (Q39.2)													
All races, both sexes.....	6	-	1	-	-	-	1	1	1	-	1	-	1
Male.....	3	-	1	-	-	-	-	1	-	-	-	-	1
Female.....	3	-	-	-	-	-	1	-	1	-	1	-	-
White, both sexes.....	4	-	1	-	-	-	-	1	-	-	1	-	1
Male.....	3	-	1	-	-	-	-	1	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-







































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformation of uterus and cervix, unspecified (Q51.9)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	...	...	...	...	...	...	...	...	...	...	...	...	...
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal agenesis and other reduction defects of kidney (Q60)													
All races, both sexes.....	233	19	21	27	12	16	23	20	19	18	23	12	23
Male.....	169	17	15	20	11	10	17	13	14	11	18	7	16
Female.....	64	2	6	7	1	6	6	7	5	7	5	5	7
White, both sexes.....	188	16	18	20	8	13	22	16	16	11	18	11	19
Male.....	136	14	13	16	7	8	17	12	11	4	14	6	14
Female.....	52	2	5	4	1	5	5	4	5	7	4	5	5
Black, both sexes.....	36	3	2	6	4	1	1	4	2	6	3	1	3
Male.....	27	3	1	4	4	1	-	1	2	6	2	1	2
Female.....	9	-	1	2	-	-	1	3	-	-	1	-	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	1	1	-	-
Male.....	3	-	-	-	-	-	-	-	1	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	1	-	2	-	-	-	-	1	-	1
Male.....	3	-	1	-	-	1	-	-	-	-	1	-	-
Female.....	3	-	-	1	-	1	-	-	-	-	-	-	1





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Renal hypoplasia, unspecified (Q60.5)													
All races, both sexes.....	10	-	-	1	-	1	-	2	1	1	2	1	1
Male.....	7	-	-	1	-	1	-	1	-	1	2	-	1
Female.....	3	-	-	-	-	-	-	1	1	-	-	1	-
White, both sexes.....	6	-	-	-	-	-	-	-	1	1	2	1	1
Male.....	4	-	-	-	-	-	-	-	-	1	2	-	1
Female.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Black, both sexes.....	4	-	-	1	-	1	-	2	-	-	-	-	-
Male.....	3	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Potter's syndrome (Q60.6)													
All races, both sexes.....	64	6	7	8	4	2	9	6	5	5	4	1	7
Male.....	49	6	6	4	4	-	8	4	5	4	3	1	4
Female.....	15	-	1	4	-	2	1	2	-	1	1	-	3
White, both sexes.....	49	5	5	7	2	1	9	5	4	1	4	1	5
Male.....	39	5	4	4	2	-	8	4	4	-	3	1	4
Female.....	10	-	1	3	-	1	1	1	-	1	1	-	1
Black, both sexes.....	10	1	1	1	2	-	-	1	-	3	-	-	1
Male.....	7	1	1	-	2	-	-	-	-	3	-	-	-
Female.....	3	-	-	1	-	-	-	1	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	1	-	-	-	-	-	-	1
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1























































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other congenital malformations of bony thorax (Q76.8)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Osteochondrodysplasia with defects of growth of tubular bones and spine (Q77)													
All races, both sexes.....	76	5	5	4	8	5	6	5	13	6	9	4	6
Male.....	39	4	3	3	3	2	2	2	7	4	4	1	4
Female.....	37	1	2	1	5	3	4	3	6	2	5	3	2
White, both sexes.....	60	5	4	3	5	5	5	4	9	6	7	3	4
Male.....	34	4	2	3	2	2	2	2	6	4	3	1	3
Female.....	26	1	2	-	3	3	3	2	3	2	4	2	1
Black, both sexes.....	12	-	1	1	3	-	1	-	3	-	2	1	-
Male.....	4	-	1	-	1	-	-	-	1	-	1	-	-
Female.....	8	-	-	1	2	-	1	-	2	-	1	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformations of musculoskeletal system, not elsewhere classified (Q79)													
All races, both sexes.....	400	20	28	36	38	44	35	34	30	35	39	23	38
Male.....	231	10	15	28	26	23	19	22	14	19	18	13	24
Female.....	169	10	13	8	12	21	16	12	16	16	21	10	14
White, both sexes.....	309	18	21	30	27	34	29	26	23	24	29	19	29
Male.....	174	8	11	24	18	18	18	15	10	11	12	11	18
Female.....	135	10	10	6	9	16	11	11	13	13	17	8	11
Black, both sexes.....	78	2	6	6	9	9	4	6	6	9	9	4	8
Male.....	50	2	3	4	6	5	1	6	4	7	5	2	5
Female.....	28	-	3	2	3	4	3	-	2	2	4	2	3
American Indian 1/, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	-	1	1	1	2	1	2	1	-	1
Male.....	6	-	1	-	1	-	-	1	-	1	1	-	1
Female.....	5	-	-	-	-	1	1	1	1	1	-	-	-
Congenital diaphragmatic hernia (Q79.0)													
All races, both sexes.....	284	15	16	25	25	35	17	27	23	31	24	18	28
Male.....	157	7	5	21	17	17	10	17	10	16	11	10	16
Female.....	127	8	11	4	8	18	7	10	13	15	13	8	12
White, both sexes.....	219	14	14	20	18	26	14	20	17	20	19	15	22
Male.....	117	6	5	17	12	12	10	11	7	8	8	9	12
Female.....	102	8	9	3	6	14	4	9	10	12	11	6	10
Black, both sexes.....	57	1	2	5	7	9	1	5	5	9	5	3	5
Male.....	37	1	-	4	5	5	-	5	3	7	3	1	3
Female.....	20	-	2	1	2	4	1	-	2	2	2	2	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	1	2	1	2	-	-	1
Male.....	3	-	-	-	-	-	-	1	-	1	-	-	1
Female.....	4	-	-	-	-	-	1	1	1	1	-	-	-



























## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified congenital malformations of integument (Q84.8)													
All races, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Phakomatoses, not elsewhere classified (Q85)													
All races, both sexes.....	144	6	16	9	9	19	14	12	10	12	16	7	14
Male.....	77	2	9	7	3	9	7	8	5	4	13	3	7
Female.....	67	4	7	2	6	10	7	4	5	8	3	4	7
White, both sexes.....	122	5	14	9	8	16	11	10	9	10	12	5	13
Male.....	64	2	7	7	2	7	6	7	4	3	10	2	7
Female.....	58	3	7	2	6	9	5	3	5	7	2	3	6
Black, both sexes.....	19	1	2	-	1	2	2	2	1	2	3	2	1
Male.....	12	-	2	-	1	1	1	1	1	1	3	1	-
Female.....	7	1	-	-	-	1	1	1	-	1	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	1	-	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	1	-	-

























## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Congenital malformation, unspecified (Q89.9)													
All races, both sexes.....	222	24	12	19	31	20	13	16	17	18	16	11	25
Male.....	127	11	7	8	22	15	8	5	11	9	10	6	15
Female.....	95	13	5	11	9	5	5	11	6	9	6	5	10
White, both sexes.....	178	19	9	13	28	17	10	12	15	14	13	7	21
Male.....	100	7	6	4	19	14	5	3	10	8	8	4	12
Female.....	78	12	3	9	9	3	5	9	5	6	5	3	9
Black, both sexes.....	35	4	1	5	3	2	1	4	1	3	3	4	4
Male.....	20	3	-	3	3	1	1	2	-	-	2	2	3
Female.....	15	1	1	2	-	1	-	2	1	3	1	2	1
American Indian 1/, both sexes.....	7	1	2	1	-	1	2	-	-	-	-	-	-
Male.....	5	1	1	1	-	-	2	-	-	-	-	-	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Down's syndrome (Q90)													
All races, both sexes.....	837	83	78	88	52	73	63	61	57	60	58	85	79
Male.....	415	37	39	35	22	39	36	28	29	30	33	41	46
Female.....	422	46	39	53	30	34	27	33	28	30	25	44	33
White, both sexes.....	739	70	73	76	45	68	55	52	53	53	52	76	66
Male.....	360	29	36	27	18	36	31	21	27	27	31	38	39
Female.....	379	41	37	49	27	32	24	31	26	26	21	38	27
Black, both sexes.....	80	9	5	10	5	5	7	7	1	6	5	8	12
Male.....	45	6	3	7	2	3	4	5	1	3	2	3	6
Female.....	35	3	2	3	3	2	3	2	-	3	3	5	6
American Indian 1/, both sexes.....	4	-	-	1	-	-	-	-	1	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	-	-	-	-	1	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	14	4	-	1	2	-	1	2	2	-	1	-	1
Male.....	10	2	-	1	2	-	1	2	1	-	-	-	1
Female.....	4	2	-	-	-	-	-	-	1	-	1	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Down's syndrome, unspecified (Q90.9)													
All races, both sexes.....	837	83	78	88	52	73	63	61	57	60	58	85	79
Male.....	415	37	39	35	22	39	36	28	29	30	33	41	46
Female.....	422	46	39	53	30	34	27	33	28	30	25	44	33
White, both sexes.....	739	70	73	76	45	68	55	52	53	53	52	76	66
Male.....	360	29	36	27	18	36	31	21	27	27	31	38	39
Female.....	379	41	37	49	27	32	24	31	26	26	21	38	27
Black, both sexes.....	80	9	5	10	5	5	7	7	1	6	5	8	12
Male.....	45	6	3	7	2	3	4	5	1	3	2	3	6
Female.....	35	3	2	3	3	2	3	2	-	3	3	5	6
American Indian 1/, both sexes.....	4	-	-	1	-	-	-	-	1	1	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	1	-	-	-	-	1	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	14	4	-	1	2	-	1	2	2	-	1	-	1
Male.....	10	2	-	1	2	-	1	2	1	-	-	-	1
Female.....	4	2	-	-	-	-	-	-	1	-	1	-	-
Edwards' syndrome and Patau's syndrome (Q91)													
All races, both sexes.....	780	74	78	61	68	65	59	69	62	68	56	61	59
Male.....	339	29	29	27	33	24	27	33	26	38	18	22	33
Female.....	441	45	49	34	35	41	32	36	36	30	38	39	26
White, both sexes.....	592	50	60	52	53	50	50	50	44	50	41	48	44
Male.....	258	22	21	23	25	20	23	24	18	27	14	18	23
Female.....	334	28	39	29	28	30	27	26	26	23	27	30	21
Black, both sexes.....	150	20	13	9	10	12	4	14	17	15	14	11	11
Male.....	64	6	6	4	6	4	2	6	7	10	4	3	6
Female.....	86	14	7	5	4	8	2	8	10	5	10	8	5
American Indian 1/, both sexes.....	7	1	1	-	1	2	-	-	-	1	-	1	-
Male.....	3	1	1	-	-	-	-	-	-	1	-	-	-
Female.....	4	-	-	-	1	2	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	31	3	4	-	4	1	5	5	1	2	1	1	4
Male.....	14	-	1	-	2	-	2	3	1	-	-	1	4
Female.....	17	3	3	-	2	1	3	2	-	2	1	-	-











## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Trisomy and partial trisomy of autosomes, unspecified (Q92.9)													
All races, both sexes.....	31	7	4	2	-	-	1	2	5	2	4	2	2
Male.....	15	3	1	-	-	-	-	2	3	1	3	2	-
Female.....	16	4	3	2	-	-	1	-	2	1	1	-	2
White, both sexes.....	24	3	4	2	-	-	-	2	4	2	4	2	1
Male.....	12	1	1	-	-	-	-	2	2	1	3	2	-
Female.....	12	2	3	2	-	-	-	-	2	1	1	-	1
Black, both sexes.....	6	4	-	-	-	-	1	-	-	-	-	-	1
Male.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	2	-	-	-	-	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Monosomies and deletions from the autosomes, not elsewhere classified (Q93)													
All races, both sexes.....	51	4	2	5	9	5	3	3	3	4	-	6	7
Male.....	21	3	-	1	3	2	1	1	2	1	-	4	3
Female.....	30	1	2	4	6	3	2	2	1	3	-	2	4
White, both sexes.....	42	3	2	4	7	2	2	3	3	4	-	5	7
Male.....	16	2	-	1	2	-	1	1	2	1	-	3	3
Female.....	26	1	2	3	5	2	1	2	1	3	-	2	4
Black, both sexes.....	6	-	-	1	1	2	1	-	-	-	-	1	-
Male.....	4	-	-	-	1	2	-	-	-	-	-	1	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	1	-	-	-	-	-	-	-





















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified chromosome abnormalities (Q99.8)													
All races, both sexes.....	35	4	1	1	2	3	9	1	4	2	3	3	2
Male.....	13	-	-	-	-	2	3	-	2	1	2	1	2
Female.....	22	4	1	1	2	1	6	1	2	1	1	2	-
White, both sexes.....	23	1	-	1	2	2	9	-	4	-	2	1	1
Male.....	8	-	-	-	-	1	3	-	2	-	1	-	1
Female.....	15	1	-	1	2	1	6	-	2	-	1	1	-
Black, both sexes.....	11	3	-	-	-	1	-	1	-	2	1	2	1
Male.....	5	-	-	-	-	1	-	-	-	1	1	1	1
Female.....	6	3	-	-	-	-	-	1	-	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Chromosomal abnormality, unspecified (Q99.9)													
All races, both sexes.....	92	9	8	9	6	4	7	5	13	7	9	4	11
Male.....	41	4	5	3	3	2	2	3	4	2	6	3	4
Female.....	51	5	3	6	3	2	5	2	9	5	3	1	7
White, both sexes.....	77	7	6	6	5	3	7	4	12	5	8	4	10
Male.....	36	3	4	2	3	1	2	2	4	2	6	3	4
Female.....	41	4	2	4	2	2	5	2	8	3	2	1	6
Black, both sexes.....	12	2	2	2	1	1	-	-	1	1	1	-	1
Male.....	4	1	1	1	-	1	-	-	-	-	-	-	-
Female.....	8	1	1	1	1	-	-	-	1	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	1	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	1	-	-	-











## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Hemoptysis (R04.2)													
All races, both sexes.....	30	5	2	4	2	2	5	-	1	1	2	6	-
Male.....	16	3	2	1	-	1	2	-	-	1	1	5	-
Female.....	14	2	-	3	2	1	3	-	1	-	1	1	-
White, both sexes.....	28	5	1	4	2	2	4	-	1	1	2	6	-
Male.....	14	3	1	1	-	1	1	-	-	1	1	5	-
Female.....	14	2	-	3	2	1	3	-	1	-	1	1	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhage from other sites in respiratory passages (R04.8)													
All races, both sexes.....	57	10	4	5	3	3	7	7	3	4	6	3	2
Male.....	30	5	3	3	2	2	2	4	1	3	4	1	-
Female.....	27	5	1	2	1	1	5	3	2	1	2	2	2
White, both sexes.....	41	6	3	3	2	3	4	6	3	2	6	1	2
Male.....	21	2	2	1	2	2	1	4	1	1	4	1	-
Female.....	20	4	1	2	-	1	3	2	2	1	2	-	2
Black, both sexes.....	13	3	1	2	1	-	1	1	-	2	-	2	-
Male.....	7	2	1	2	-	-	-	-	-	2	-	-	-
Female.....	6	1	-	-	1	-	1	1	-	-	-	2	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-











## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Chest pain, unspecified (R07.4)													
All races, both sexes.....	10	-	1	1	2	2	1	-	2	-	1	-	-
Male.....	5	-	-	1	1	1	1	-	1	-	-	-	-
Female.....	5	-	1	-	1	1	-	-	1	-	1	-	-
White, both sexes.....	7	-	-	1	2	1	-	-	2	-	1	-	-
Male.....	4	-	-	1	1	1	-	-	1	-	-	-	-
Female.....	3	-	-	-	1	-	-	-	1	-	1	-	-
Black, both sexes.....	3	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	1	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other symptoms and signs involving the circulatory and respiratory systems (R09)													
All races, both sexes.....	2,301	197	189	216	200	174	179	192	158	157	175	187	277
Male.....	950	86	78	84	88	77	83	73	65	69	75	70	102
Female.....	1,351	111	111	132	112	97	96	119	93	88	100	117	175
White, both sexes.....	1,910	154	154	186	166	144	145	168	127	134	143	153	236
Male.....	788	66	66	70	69	64	67	64	53	60	59	62	88
Female.....	1,122	88	88	116	97	80	78	104	74	74	84	91	148
Black, both sexes.....	341	38	29	28	29	26	24	22	31	20	27	28	39
Male.....	140	17	11	13	18	10	10	8	12	9	13	7	12
Female.....	201	21	18	15	11	16	14	14	19	11	14	21	27
American Indian 1/, both sexes.....	5	-	-	-	1	2	-	-	-	1	-	1	-
Male.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	45	5	6	2	4	2	10	2	-	2	5	5	2
Male.....	20	3	1	1	-	2	6	1	-	-	3	1	2
Female.....	25	2	5	1	4	-	4	1	-	2	2	4	-





































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Somnolence, stupor, and coma (R40)													
All races, both sexes.....	34	2	2	1	3	6	5	3	3	2	3	1	3
Male.....	20	-	1	1	2	4	2	2	2	1	2	1	2
Female.....	14	2	1	-	1	2	3	1	1	1	1	-	1
White, both sexes.....	23	2	1	1	2	5	4	1	1	1	3	1	1
Male.....	12	-	1	1	1	3	1	1	-	-	2	1	1
Female.....	11	2	-	-	1	2	3	-	1	1	1	-	-
Black, both sexes.....	7	-	1	-	-	1	-	1	2	1	-	-	1
Male.....	5	-	-	-	-	1	-	1	2	1	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Coma, unspecified (R40.2)													
All races, both sexes.....	34	2	2	1	3	6	5	3	3	2	3	1	3
Male.....	20	-	1	1	2	4	2	2	2	1	2	1	2
Female.....	14	2	1	-	1	2	3	1	1	1	1	-	1
White, both sexes.....	23	2	1	1	2	5	4	1	1	1	3	1	1
Male.....	12	-	1	1	1	3	1	1	-	-	2	1	1
Female.....	11	2	-	-	1	2	3	-	1	1	1	-	-
Black, both sexes.....	7	-	1	-	-	1	-	1	2	1	-	-	1
Male.....	5	-	-	-	-	1	-	1	2	1	-	-	-
Female.....	2	-	1	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	1	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-











## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pain, unspecified (R52.9)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaise and fatigue (R53)													
All races, both sexes.....	783	79	55	56	44	45	74	54	55	71	95	69	86
Male.....	195	23	11	5	20	7	17	12	13	20	25	19	23
Female.....	588	56	44	51	24	38	57	42	42	51	70	50	63
White, both sexes.....	704	71	46	50	36	43	68	48	49	69	86	63	75
Male.....	174	21	10	4	17	7	16	11	11	19	21	17	20
Female.....	530	50	36	46	19	36	52	37	38	50	65	46	55
Black, both sexes.....	72	8	9	5	7	2	5	4	5	2	9	6	10
Male.....	19	2	1	1	2	-	-	1	2	1	4	2	3
Female.....	53	6	8	4	5	2	5	3	3	1	5	4	7
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	-	1	2	-	-	-	-	1
Male.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	2	-	-	-	-	1





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Convulsions, not elsewhere classified (R56)													
All races, both sexes.....	1,242	130	112	113	100	90	99	106	111	85	97	86	113
Male.....	725	77	66	64	61	43	57	60	67	48	59	52	71
Female.....	517	53	46	49	39	47	42	46	44	37	38	34	42
White, both sexes.....	864	91	77	85	65	61	72	84	79	61	69	54	66
Male.....	493	52	45	49	37	26	42	48	45	38	40	31	40
Female.....	371	39	32	36	28	35	30	36	34	23	29	23	26
Black, both sexes.....	345	33	32	24	30	28	27	21	28	21	26	30	45
Male.....	211	22	18	14	22	16	15	11	19	8	17	20	29
Female.....	134	11	14	10	8	12	12	10	9	13	9	10	16
American Indian 1/, both sexes.....	18	4	3	1	2	-	-	1	2	1	1	2	1
Male.....	14	3	3	-	1	-	-	1	2	1	1	1	1
Female.....	4	1	-	1	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	15	2	-	3	3	1	-	-	2	2	1	-	1
Male.....	7	-	-	1	1	1	-	-	1	1	1	-	1
Female.....	8	2	-	2	2	-	-	-	1	1	-	-	-
Other and unspecified convulsions (R56.8)													
All races, both sexes.....	1,242	130	112	113	100	90	99	106	111	85	97	86	113
Male.....	725	77	66	64	61	43	57	60	67	48	59	52	71
Female.....	517	53	46	49	39	47	42	46	44	37	38	34	42
White, both sexes.....	864	91	77	85	65	61	72	84	79	61	69	54	66
Male.....	493	52	45	49	37	26	42	48	45	38	40	31	40
Female.....	371	39	32	36	28	35	30	36	34	23	29	23	26
Black, both sexes.....	345	33	32	24	30	28	27	21	28	21	26	30	45
Male.....	211	22	18	14	22	16	15	11	19	8	17	20	29
Female.....	134	11	14	10	8	12	12	10	9	13	9	10	16
American Indian 1/, both sexes.....	18	4	3	1	2	-	-	1	2	1	1	2	1
Male.....	14	3	3	-	1	-	-	1	2	1	1	1	1
Female.....	4	1	-	1	1	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	15	2	-	3	3	1	-	-	2	2	1	-	1
Male.....	7	-	-	1	1	1	-	-	1	1	1	-	1
Female.....	8	2	-	2	2	-	-	-	1	1	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Shock, unspecified (R57.9)													
All races, both sexes.....	244	20	26	21	21	25	10	18	25	15	24	16	23
Male.....	116	9	9	11	10	12	5	10	9	5	14	9	13
Female.....	128	11	17	10	11	13	5	8	16	10	10	7	10
White, both sexes.....	203	18	23	15	16	18	9	17	21	14	19	14	19
Male.....	98	9	9	8	6	9	5	10	9	5	10	7	11
Female.....	105	9	14	7	10	9	4	7	12	9	9	7	8
Black, both sexes.....	37	2	3	4	5	7	-	-	4	1	5	2	4
Male.....	18	-	-	3	4	3	-	-	-	-	4	2	2
Female.....	19	2	3	1	1	4	-	-	4	1	1	-	2
American Indian 1/, both sexes.....	3	-	-	1	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	1	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Hemorrhage, not elsewhere classified (R58)													
All races, both sexes.....	269	24	22	24	19	19	21	24	23	23	22	23	25
Male.....	131	11	14	13	5	10	11	13	8	11	8	16	11
Female.....	138	13	8	11	14	9	10	11	15	12	14	7	14
White, both sexes.....	226	19	21	22	15	16	15	21	18	17	20	20	22
Male.....	114	9	14	12	4	8	9	12	7	9	6	14	10
Female.....	112	10	7	10	11	8	6	9	11	8	14	6	12
Black, both sexes.....	36	4	-	2	4	3	5	2	5	5	1	3	2
Male.....	14	2	-	1	1	2	2	-	1	1	1	2	1
Female.....	22	2	-	1	3	1	3	2	4	4	-	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	1	1	-	-	-	1	1	-	1	-	-	1
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	4	1	1	-	-	-	1	-	-	-	-	-	1









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Edema, unspecified (R60.9)													
All races, both sexes.....	2	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	1	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Lack of expected normal physiological development (R62)													
All races, both sexes.....	2,243	180	155	168	199	165	184	131	187	203	207	219	245
Male.....	573	40	43	51	41	38	48	37	51	56	56	61	51
Female.....	1,670	140	112	117	158	127	136	94	136	147	151	158	194
White, both sexes.....	2,041	167	136	150	178	148	169	119	168	188	190	204	224
Male.....	506	38	39	43	33	33	43	31	43	51	51	54	47
Female.....	1,535	129	97	107	145	115	126	88	125	137	139	150	177
Black, both sexes.....	180	13	17	17	18	15	12	10	18	13	16	14	17
Male.....	61	2	3	8	7	5	4	5	8	5	5	6	3
Female.....	119	11	14	9	11	10	8	5	10	8	11	8	14
American Indian 1/, both sexes.....	3	-	-	-	1	-	1	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	1	-	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	19	-	2	1	2	2	2	2	1	2	1	1	3
Male.....	6	-	1	-	1	-	1	1	-	-	-	1	1
Female.....	13	-	1	1	1	2	1	1	1	2	1	-	2





























## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sudden infant death syndrome (R95)													
All races, both sexes.....	2,162	210	166	195	192	151	163	166	174	166	195	186	198
Male.....	1,280	127	96	121	114	91	96	101	103	92	110	100	129
Female.....	882	83	70	74	78	60	67	65	71	74	85	86	69
White, both sexes.....	1,367	130	117	115	115	88	96	113	116	96	124	125	132
Male.....	843	78	68	79	77	57	61	75	65	55	75	68	85
Female.....	524	52	49	36	38	31	35	38	51	41	49	57	47
Black, both sexes.....	691	65	41	75	69	57	60	48	52	60	62	47	55
Male.....	367	41	22	37	34	31	29	22	33	34	27	23	34
Female.....	324	24	19	38	35	26	31	26	19	26	35	24	21
American Indian 1/, both sexes.....	54	8	4	2	2	2	6	2	4	7	7	7	3
Male.....	34	5	3	2	-	-	5	1	4	1	6	4	3
Female.....	20	3	1	-	2	2	1	1	-	6	1	3	-
Asian or Pacific Islander 2/, both sexes.....	50	7	4	3	6	4	1	3	2	3	2	7	8
Male.....	36	3	3	3	3	3	1	3	1	2	2	5	7
Female.....	14	4	1	-	3	1	-	-	1	1	-	2	1
Other sudden death, cause unknown (R96)													
All races, both sexes.....	307	32	17	28	23	24	28	19	18	26	26	23	43
Male.....	154	17	9	12	12	12	15	9	8	13	17	10	20
Female.....	153	15	8	16	11	12	13	10	10	13	9	13	23
White, both sexes.....	266	27	16	24	17	18	26	16	13	24	26	21	38
Male.....	138	15	9	10	9	9	15	9	5	13	17	9	18
Female.....	128	12	7	14	8	9	11	7	8	11	9	12	20
Black, both sexes.....	36	4	1	4	5	5	2	2	4	2	-	2	5
Male.....	13	2	-	2	2	2	-	-	2	-	-	1	2
Female.....	23	2	1	2	3	3	2	2	2	2	-	1	3
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	1	-	1	1	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-











Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with two- or three-wheeled motor vehicle, traffic accident (V02.1)													
All races, both sexes.....	21	2	-	1	2	-	2	4	2	4	-	2	2
Male.....	18	2	-	1	2	-	2	3	1	4	-	2	1
Female.....	3	-	-	-	-	-	-	1	1	-	-	-	1
White, both sexes.....	14	1	-	1	1	-	2	3	1	2	-	2	1
Male.....	13	1	-	1	1	-	2	2	1	2	-	2	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	5	1	-	-	1	-	-	1	-	2	-	-	-
Male.....	5	1	-	-	1	-	-	1	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Pedestrian injured in collision with car, pick-up truck, or van (V03)													
All races, both sexes.....	3,212	308	214	256	254	219	211	272	283	278	312	319	286
Male.....	2,199	215	148	179	170	154	149	170	207	167	219	219	202
Female.....	1,013	93	66	77	84	65	62	102	76	111	93	100	84
White, both sexes.....	2,498	244	157	202	202	169	160	202	209	235	236	258	224
Male.....	1,718	170	111	138	141	122	112	119	153	141	171	181	159
Female.....	780	74	46	64	61	47	48	83	56	94	65	77	65
Black, both sexes.....	528	49	41	39	38	39	41	51	60	32	49	44	45
Male.....	376	39	30	31	22	22	31	39	47	22	34	27	32
Female.....	152	10	11	8	16	17	10	12	13	10	15	17	13
American Indian 1/, both sexes.....	67	3	5	4	6	4	8	8	3	7	9	4	6
Male.....	49	3	4	3	5	4	5	6	2	4	5	4	4
Female.....	18	-	1	1	1	-	3	2	1	3	4	-	2
Asian or Pacific Islander 2/, both sexes.....	119	12	11	11	8	7	2	11	11	4	18	13	11
Male.....	56	3	3	7	2	6	1	6	5	-	9	7	7
Female.....	63	9	8	4	6	1	1	5	6	4	9	6	4

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with car, pick-up truck, or van, nontraffic accident (V03.0)													
All races, both sexes.....	211	13	14	21	14	13	20	29	22	22	13	9	21
Male.....	130	7	9	12	6	8	11	18	18	11	10	6	14
Female.....	81	6	5	9	8	5	9	11	4	11	3	3	7
White, both sexes.....	181	13	14	20	13	11	16	21	19	19	10	9	16
Male.....	107	7	9	11	6	8	7	11	15	9	7	6	11
Female.....	74	6	5	9	7	3	9	10	4	10	3	3	5
Black, both sexes.....	25	-	-	1	1	2	3	6	3	3	1	-	5
Male.....	18	-	-	1	-	-	3	5	3	2	1	-	3
Female.....	7	-	-	-	1	2	-	1	-	1	-	-	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	2	-	-	-	-	-
Male.....	3	-	-	-	-	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in collision with car, pick-up truck, or van, traffic accident (V03.1)													
All races, both sexes.....	2,980	292	200	233	238	204	190	241	261	252	296	309	264
Male.....	2,055	205	139	166	163	145	137	150	189	154	206	213	188
Female.....	925	87	61	67	75	59	53	91	72	98	90	96	76
White, both sexes.....	2,301	229	143	180	188	157	143	180	190	212	224	248	207
Male.....	1,602	161	102	126	135	114	104	107	138	130	162	175	148
Female.....	699	68	41	54	53	43	39	73	52	82	62	73	59
Black, both sexes.....	499	48	41	38	36	36	38	44	57	29	48	44	40
Male.....	354	38	30	30	21	21	28	33	44	20	33	27	29
Female.....	145	10	11	8	15	15	10	11	13	9	15	17	11
American Indian 1/, both sexes.....	63	3	5	4	6	4	7	6	3	7	8	4	6
Male.....	45	3	4	3	5	4	4	4	2	4	4	4	4
Female.....	18	-	1	1	1	-	3	2	1	3	4	-	2
Asian or Pacific Islander 2/, both sexes.....	117	12	11	11	8	7	2	11	11	4	16	13	11
Male.....	54	3	3	7	2	6	1	6	5	-	7	7	7
Female.....	63	9	8	4	6	1	1	5	6	4	9	6	4

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with car, pick-up truck, or van, unspecified whether traffic or nontraffic accident (V03.9)													
All races, both sexes.....	21	3	-	2	2	2	1	2	-	4	3	1	1
Male.....	14	3	-	1	1	1	1	2	-	2	3	-	-
Female.....	7	-	-	1	1	1	-	-	-	2	-	1	1
White, both sexes.....	16	2	-	2	1	1	1	1	-	4	2	1	1
Male.....	9	2	-	1	-	-	1	1	-	2	2	-	-
Female.....	7	-	-	1	1	1	-	-	-	2	-	1	1
Black, both sexes.....	4	1	-	-	1	1	-	1	-	-	-	-	-
Male.....	4	1	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in collision with heavy transport vehicle or bus (V04)													
All races, both sexes.....	327	35	20	21	33	23	29	19	30	24	28	34	31
Male.....	239	27	15	17	24	16	21	15	25	18	16	19	26
Female.....	88	8	5	4	9	7	8	4	5	6	12	15	5
White, both sexes.....	266	25	16	17	29	21	23	17	25	21	20	25	27
Male.....	195	21	12	14	21	14	16	13	21	15	10	16	22
Female.....	71	4	4	3	8	7	7	4	4	6	10	9	5
Black, both sexes.....	44	7	3	3	3	2	5	1	2	2	7	7	2
Male.....	31	5	2	2	2	2	5	1	1	2	5	2	2
Female.....	13	2	1	1	1	-	-	-	1	-	2	5	-
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	-	3	-	-	-	-
Male.....	4	-	1	-	-	-	-	-	3	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	3	-	1	1	-	1	1	-	1	1	2	2
Male.....	9	1	-	1	1	-	-	1	-	1	1	1	2
Female.....	4	2	-	-	-	-	1	-	-	-	-	1	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in collision with heavy transport vehicle or bus, nontraffic accident (V04.0)													
All races, both sexes.....	46	3	3	10	3	-	8	7	5	1	4	-	2
Male.....	37	3	2	10	2	-	4	7	5	-	3	-	1
Female.....	9	-	1	-	1	-	4	-	-	1	1	-	1
White, both sexes.....	40	2	3	10	3	-	6	6	5	1	2	-	2
Male.....	31	2	2	10	2	-	2	6	5	-	1	-	1
Female.....	9	-	1	-	1	-	4	-	-	1	1	-	1
Black, both sexes.....	5	-	-	-	-	-	2	1	-	-	2	-	-
Male.....	5	-	-	-	-	-	2	1	-	-	2	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian injured in collision with heavy transport vehicle or bus, traffic accident (V04.1)													
All races, both sexes.....	267	32	17	11	29	20	21	10	23	23	23	30	28
Male.....	190	24	13	7	21	14	17	6	18	18	12	16	24
Female.....	77	8	4	4	8	6	4	4	5	5	11	14	4
White, both sexes.....	216	23	13	7	25	18	17	9	20	20	18	22	24
Male.....	156	19	10	4	18	12	14	5	16	15	9	14	20
Female.....	60	4	3	3	7	6	3	4	4	5	9	8	4
Black, both sexes.....	37	7	3	3	3	2	3	-	1	2	4	7	2
Male.....	24	5	2	2	2	2	3	-	-	2	2	2	2
Female.....	13	2	1	1	1	-	-	-	1	-	2	5	-
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	-	2	-	-	-	-
Male.....	3	-	1	-	-	-	-	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	2	-	1	1	-	1	1	-	1	1	1	2
Male.....	7	-	-	1	1	-	-	1	-	1	1	-	2
Female.....	4	2	-	-	-	-	1	-	-	-	-	1	-













## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedestrian injured in unspecified nontraffic accident (V09.1)													
All races, both sexes.....	163	13	17	12	11	7	9	16	19	16	13	17	13
Male.....	114	9	11	9	10	6	6	14	12	12	8	12	5
Female.....	49	4	6	3	1	1	3	2	7	4	5	5	8
White, both sexes.....	130	10	10	12	8	6	6	11	14	14	13	15	11
Male.....	90	6	4	9	7	5	5	9	9	12	8	12	4
Female.....	40	4	6	3	1	1	1	2	5	2	5	3	7
Black, both sexes.....	22	2	5	-	2	1	1	4	3	2	-	1	1
Male.....	19	2	5	-	2	1	1	4	3	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	2	-	1	-
American Indian 1/, both sexes.....	5	1	1	-	-	-	-	1	1	-	-	1	-
Male.....	3	1	1	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	1	-	2	-	1	-	-	-	1
Male.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	2	-	1	-	-	-	1
Pedestrian injured in traffic accident involving other and unspecified motor vehicles (V09.2)													
All races, both sexes.....	1,648	135	113	140	121	109	122	122	118	135	157	159	217
Male.....	1,138	96	77	95	80	80	85	83	88	102	95	103	154
Female.....	510	39	36	45	41	29	37	39	30	33	62	56	63
White, both sexes.....	1,226	103	92	98	99	77	92	86	95	99	111	110	164
Male.....	856	75	64	69	68	57	63	55	72	77	66	71	119
Female.....	370	28	28	29	31	20	29	31	23	22	45	39	45
Black, both sexes.....	303	23	13	36	17	25	25	25	11	25	34	37	32
Male.....	209	16	10	21	9	19	17	18	7	17	23	28	24
Female.....	94	7	3	15	8	6	8	7	4	8	11	9	8
American Indian 1/, both sexes.....	63	5	3	5	2	3	4	9	6	4	7	4	11
Male.....	49	4	1	4	1	2	4	9	6	4	5	3	6
Female.....	14	1	2	1	1	1	-	-	-	-	2	1	5
Asian or Pacific Islander 2/, both sexes.....	56	4	5	1	3	4	1	2	6	7	5	8	10
Male.....	24	1	2	1	2	2	1	1	3	4	1	1	5
Female.....	32	3	3	-	1	2	-	1	3	3	4	7	5











## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedal cyclist injured in collision with two- or three-wheeled motor vehicle, driver injured in traffic accident (V12.4)													
All races, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist injured in collision with car, pick-up truck, or van (V13)													
All races, both sexes.....	412	16	26	25	26	32	49	46	44	43	41	40	24
Male.....	363	14	24	23	22	28	40	41	38	38	36	38	21
Female.....	49	2	2	2	4	4	9	5	6	5	5	2	3
White, both sexes.....	341	13	23	23	20	30	41	34	32	35	36	35	19
Male.....	296	11	21	21	17	26	32	30	27	30	31	33	17
Female.....	45	2	2	2	3	4	9	4	5	5	5	2	2
Black, both sexes.....	53	-	2	2	5	2	5	8	11	6	3	4	5
Male.....	50	-	2	2	4	2	5	8	10	6	3	4	4
Female.....	3	-	-	-	1	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	9	2	-	-	-	-	2	2	1	1	-	1	-
Male.....	9	2	-	-	-	-	2	2	1	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	1	-	1	-	1	2	-	1	2	-	-
Male.....	8	1	1	-	1	-	1	1	-	1	2	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Pedal cyclist injured in collision with car, pick-up truck, or van, unspecified pedal cyclist injured in nontraffic accident (V13.2)													
All races, both sexes.....	3	-	-	-	2	-	-	1	-	-	-	-	-
Male.....	3	-	-	-	2	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist injured in collision with car, pick-up truck, or van, driver injured in traffic accident (V13.4)													
All races, both sexes.....	207	10	16	15	14	18	20	22	18	25	21	18	10
Male.....	184	9	14	15	11	17	15	19	15	23	19	17	10
Female.....	23	1	2	-	3	1	5	3	3	2	2	1	-
White, both sexes.....	172	7	15	13	12	17	18	15	11	22	17	17	8
Male.....	152	6	13	13	10	16	13	13	9	20	15	16	8
Female.....	20	1	2	-	2	1	5	2	2	2	2	1	-
Black, both sexes.....	24	-	1	2	2	1	-	5	6	2	2	1	2
Male.....	22	-	1	2	1	1	-	5	5	2	2	1	2
Female.....	2	-	-	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	4	2	-	-	-	-	1	-	1	-	-	-	-
Male.....	4	2	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	-	-	1	2	-	1	2	-	-
Male.....	6	1	-	-	-	-	1	1	-	1	2	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

















































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motorcycle rider injured in collision with two- or three-wheeled motor vehicle, unspecified motorcycle rider injured in traffic accident (V22.9)													
All races, both sexes.....	6	-	-	-	-	1	-	-	2	-	2	1	-
Male.....	6	-	-	-	-	1	-	-	2	-	2	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	6	-	-	-	-	1	-	-	2	-	2	1	-
Male.....	6	-	-	-	-	1	-	-	2	-	2	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Motorcycle rider injured in collision with car, pick-up truck, or van (V23)													
All races, both sexes.....	1,206	36	34	68	121	121	113	152	157	151	136	58	59
Male.....	1,071	34	32	58	110	108	102	134	135	132	118	54	54
Female.....	135	2	2	10	11	13	11	18	22	19	18	4	5
White, both sexes.....	1,041	29	29	57	95	102	97	133	133	138	122	53	53
Male.....	915	27	27	48	86	91	87	115	114	119	104	49	48
Female.....	126	2	2	9	9	11	10	18	19	19	18	4	5
Black, both sexes.....	141	7	5	7	23	17	15	18	15	11	13	4	6
Male.....	138	7	5	7	22	15	15	18	15	11	13	4	6
Female.....	3	-	-	-	1	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	-	-	-	1	1	-	-	6	-	-	-	-
Male.....	4	-	-	-	-	1	-	-	3	-	-	-	-
Female.....	4	-	-	-	1	-	-	-	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	4	2	1	1	1	3	2	1	1	-
Male.....	14	-	-	3	2	1	-	1	3	2	1	1	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-











## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Motorcycle rider injured in collision with railway train or railway vehicle (V25)													
All races, both sexes.....	9	1	-	1	-	1	1	-	-	-	4	1	-
Male.....	8	1	-	1	-	1	1	-	-	-	3	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	7	1	-	1	-	1	1	-	-	-	2	1	-
Male.....	7	1	-	1	-	1	1	-	-	-	2	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Motorcycle rider injured in collision with railway train or railway vehicle, driver injured in traffic accident (V25.4)													
All races, both sexes.....	7	1	-	1	-	1	-	-	-	-	3	1	-
Male.....	6	1	-	1	-	1	-	-	-	-	2	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	6	1	-	1	-	1	-	-	-	-	2	1	-
Male.....	6	1	-	1	-	1	-	-	-	-	2	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-







































































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with car, pick-up truck, or van, person injured while boarding or alighting (V43.4)													
All races, both sexes.....	13	1	1	1	-	1	-	2	-	1	3	2	1
Male.....	9	1	1	1	-	-	-	1	-	1	2	2	-
Female.....	4	-	-	-	-	1	-	1	-	-	1	-	1
White, both sexes.....	11	1	1	-	-	1	-	2	-	1	2	2	1
Male.....	7	1	1	-	-	-	-	1	-	1	1	2	-
Female.....	4	-	-	-	-	1	-	1	-	-	1	-	1
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant injured in collision with car, pick-up truck, or van, driver injured in traffic accident (V43.5)													
All races, both sexes.....	3,412	242	281	283	272	294	275	297	292	267	322	316	271
Male.....	2,010	146	158	163	153	166	165	180	188	153	184	185	169
Female.....	1,402	96	123	120	119	128	110	117	104	114	138	131	102
White, both sexes.....	2,914	207	238	248	240	259	238	256	238	224	262	270	234
Male.....	1,706	126	128	144	136	147	141	155	154	129	147	154	145
Female.....	1,208	81	110	104	104	112	97	101	84	95	115	116	89
Black, both sexes.....	366	27	31	31	25	27	26	27	44	26	47	31	24
Male.....	223	16	21	18	14	13	17	15	28	17	29	20	15
Female.....	143	11	10	13	11	14	9	12	16	9	18	11	9
American Indian 1/, both sexes.....	43	3	3	-	-	4	4	6	6	4	4	5	4
Male.....	26	1	1	-	-	3	2	4	4	2	2	5	2
Female.....	17	2	2	-	-	1	2	2	2	2	2	-	2
Asian or Pacific Islander 2/, both sexes.....	89	5	9	4	7	4	7	8	4	13	9	10	9
Male.....	55	3	8	1	3	3	5	6	2	5	6	6	7
Female.....	34	2	1	3	4	1	2	2	2	8	3	4	2



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with car, pick-up truck, or van, passenger injured in traffic accident (V43.6)													
All races, both sexes.....	1,667	118	141	139	126	144	116	161	158	127	150	145	142
Male.....	703	57	54	62	48	61	54	59	65	49	70	72	52
Female.....	964	61	87	77	78	83	62	102	93	78	80	73	90
White, both sexes.....	1,367	94	108	116	112	113	89	132	125	111	131	119	117
Male.....	571	45	36	51	42	50	44	49	51	42	61	59	41
Female.....	796	49	72	65	70	63	45	83	74	69	70	60	76
Black, both sexes.....	210	13	24	22	11	22	22	20	19	11	11	15	20
Male.....	96	7	11	11	5	10	9	8	7	5	5	9	9
Female.....	114	6	13	11	6	12	13	12	12	6	6	6	11
American Indian 1/, both sexes.....	36	3	3	1	2	2	-	2	9	3	3	4	4
Male.....	17	3	3	-	1	-	-	1	5	-	1	1	2
Female.....	19	-	-	1	1	2	-	1	4	3	2	3	2
Asian or Pacific Islander 2/, both sexes.....	54	8	6	-	1	7	5	7	5	2	5	7	1
Male.....	19	2	4	-	-	1	1	1	2	2	3	3	-
Female.....	35	6	2	-	1	6	4	6	3	-	2	4	1
Car occupant injured in collision with car, pick-up truck, or van, unspecified car occupant injured in traffic accident (V43.9)													
All races, both sexes.....	439	37	25	26	34	37	34	35	42	33	44	43	49
Male.....	268	21	16	16	24	27	17	18	26	19	27	25	32
Female.....	171	16	9	10	10	10	17	17	16	14	17	18	17
White, both sexes.....	384	33	21	25	30	32	31	29	35	30	37	39	42
Male.....	232	18	13	16	22	24	15	14	22	18	20	23	27
Female.....	152	15	8	9	8	8	16	15	13	12	17	16	15
Black, both sexes.....	46	3	3	1	3	5	3	5	5	2	7	2	7
Male.....	33	2	3	-	2	3	2	4	3	1	7	1	5
Female.....	13	1	-	1	1	2	1	1	2	1	-	1	2
American Indian 1/, both sexes.....	6	-	1	-	1	-	-	-	2	-	-	2	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	4	-	1	-	1	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	-	1	-	1	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	1	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with heavy transport vehicle or bus, person injured while boarding or alighting (V44.4)													
All races, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Car occupant injured in collision with heavy transport vehicle or bus, driver injured in traffic accident (V44.5)													
All races, both sexes.....	801	45	63	64	58	81	83	59	50	75	92	71	60
Male.....	472	28	33	40	30	51	51	32	36	45	51	45	30
Female.....	329	17	30	24	28	30	32	27	14	30	41	26	30
White, both sexes.....	683	39	59	49	46	70	71	51	43	65	81	61	48
Male.....	403	22	31	30	25	46	43	27	31	39	45	38	26
Female.....	280	17	28	19	21	24	28	24	12	26	36	23	22
Black, both sexes.....	95	5	4	9	7	12	6	6	6	8	11	9	9
Male.....	56	5	2	6	4	8	4	5	4	6	6	6	2
Female.....	39	-	2	3	5	3	4	2	1	4	5	3	7
American Indian 1/, both sexes.....	7	-	-	2	2	1	-	1	-	1	-	-	-
Male.....	5	-	-	2	1	-	-	1	-	1	-	-	-
Female.....	2	-	-	-	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	1	-	4	1	3	-	1	1	1	-	1	3
Male.....	8	1	-	2	-	1	-	-	-	1	-	1	2
Female.....	8	-	-	2	1	2	-	1	1	-	-	-	1























## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in collision with fixed or stationary object, driver injured in traffic accident (V47.5)													
All races, both sexes.....	2,464	203	180	231	187	208	207	202	194	210	213	237	192
Male.....	1,793	157	130	174	138	150	152	136	132	157	146	177	144
Female.....	671	46	50	57	49	58	55	66	62	53	67	60	48
White, both sexes.....	2,072	168	154	189	155	178	177	173	161	180	174	199	164
Male.....	1,492	130	113	139	110	127	126	119	109	132	115	149	123
Female.....	580	38	41	50	45	51	51	54	52	48	59	50	41
Black, both sexes.....	320	29	18	38	26	24	22	25	29	23	30	36	20
Male.....	248	24	13	31	22	19	20	15	19	21	24	27	13
Female.....	72	5	5	7	4	5	2	10	10	2	6	9	7
American Indian 1/, both sexes.....	22	2	1	2	4	-	3	1	2	3	2	-	2
Male.....	16	-	-	2	4	-	3	-	2	2	1	-	2
Female.....	6	2	1	-	-	-	-	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	50	4	7	2	2	6	5	3	2	4	7	2	6
Male.....	37	3	4	2	2	4	3	2	2	2	6	1	6
Female.....	13	1	3	-	-	2	2	1	-	2	1	1	-
Car occupant injured in collision with fixed or stationary object, passenger injured in traffic accident (V47.6)													
All races, both sexes.....	937	76	68	75	70	72	88	74	87	93	77	91	66
Male.....	594	46	38	49	48	52	58	50	55	55	45	56	42
Female.....	343	30	30	26	22	20	30	24	32	38	32	35	24
White, both sexes.....	757	70	54	51	57	66	64	58	71	70	67	78	51
Male.....	473	43	28	32	38	48	43	38	45	37	40	47	34
Female.....	284	27	26	19	19	18	21	20	26	33	27	31	17
Black, both sexes.....	139	4	9	21	12	6	17	12	14	19	7	9	9
Male.....	97	3	7	17	9	4	11	8	8	14	4	5	7
Female.....	42	1	2	4	3	2	6	4	6	5	3	4	2
American Indian 1/, both sexes.....	16	-	-	1	-	-	4	4	1	1	1	2	2
Male.....	11	-	-	-	-	-	1	4	1	1	1	2	1
Female.....	5	-	-	1	-	-	3	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	25	2	5	2	1	-	3	-	1	3	2	2	4
Male.....	13	-	3	-	1	-	3	-	1	3	-	2	-
Female.....	12	2	2	2	-	-	-	-	-	-	2	-	4











## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant injured in noncollision transport accident, driver injured in traffic accident (V48.5)													
All races, both sexes.....	1,603	123	105	123	147	143	124	147	161	142	121	157	110
Male.....	1,033	81	68	89	101	90	82	89	96	100	73	104	60
Female.....	570	42	37	34	46	53	42	58	65	42	48	53	50
White, both sexes.....	1,340	106	89	98	125	123	103	131	138	111	100	129	87
Male.....	853	69	58	70	85	76	65	79	83	80	63	81	44
Female.....	487	37	31	28	40	47	38	52	55	31	37	48	43
Black, both sexes.....	181	12	14	15	15	16	13	10	14	18	14	20	20
Male.....	128	9	9	9	13	12	11	7	8	14	6	16	14
Female.....	53	3	5	6	2	4	2	3	6	4	8	4	6
American Indian 1/, both sexes.....	53	3	1	8	3	2	3	5	6	6	7	8	1
Male.....	34	2	1	8	1	1	2	3	3	2	4	7	-
Female.....	19	1	-	-	2	1	1	2	3	4	3	1	1
Asian or Pacific Islander 2/, both sexes.....	29	2	1	2	4	2	5	1	3	7	-	-	2
Male.....	18	1	-	2	2	1	4	-	2	4	-	-	2
Female.....	11	1	1	-	2	1	1	1	1	3	-	-	-
Car occupant injured in noncollision transport accident, passenger injured in traffic accident (V48.6)													
All races, both sexes.....	855	63	51	51	55	84	78	96	98	65	60	92	62
Male.....	465	31	29	28	28	53	42	48	46	35	35	56	34
Female.....	390	32	22	23	27	31	36	48	52	30	25	36	28
White, both sexes.....	669	53	46	39	44	63	63	73	72	47	48	73	48
Male.....	369	27	26	19	24	41	34	39	36	25	27	45	26
Female.....	300	26	20	20	20	22	29	34	36	22	21	28	22
Black, both sexes.....	98	7	4	6	6	5	4	14	18	7	9	9	9
Male.....	55	2	3	5	2	3	2	5	9	5	6	6	7
Female.....	43	5	1	1	4	2	2	9	9	2	3	3	2
American Indian 1/, both sexes.....	56	3	1	4	2	6	8	7	5	9	2	7	2
Male.....	28	2	-	3	1	4	3	3	1	4	2	4	1
Female.....	28	1	1	1	1	2	5	4	4	5	-	3	1
Asian or Pacific Islander 2/, both sexes.....	32	-	-	2	3	10	3	2	3	2	1	3	3
Male.....	13	-	-	1	1	5	3	1	-	1	-	1	-
Female.....	19	-	-	1	2	5	-	1	3	1	1	2	3







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant (any) injured in unspecified nontraffic accident (V49.3)													
All races, both sexes.....	13	-	-	3	1	1	2	2	1	-	1	-	2
Male.....	7	-	-	1	1	1	1	1	-	-	1	-	1
Female.....	6	-	-	2	-	-	1	1	1	-	-	-	1
White, both sexes.....	11	-	-	3	1	-	1	2	1	-	1	-	2
Male.....	6	-	-	1	1	-	1	1	-	-	1	-	1
Female.....	5	-	-	2	-	-	-	1	1	-	-	-	1
Black, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Driver (car) injured in collision with other and unspecified motor vehicles in traffic accident (V49.4)													
All races, both sexes.....	343	21	20	25	21	27	28	38	31	30	35	40	27
Male.....	206	16	10	15	13	17	11	30	19	21	20	22	12
Female.....	137	5	10	10	8	10	17	8	12	9	15	18	15
White, both sexes.....	285	17	17	20	18	20	24	31	27	26	29	35	21
Male.....	175	13	10	13	10	13	9	24	19	18	18	19	9
Female.....	110	4	7	7	8	7	15	7	8	8	11	16	12
Black, both sexes.....	50	4	3	5	2	3	4	6	3	4	5	5	6
Male.....	26	3	-	2	2	2	2	5	-	3	1	3	3
Female.....	24	1	3	3	-	1	2	1	3	1	4	2	3
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	3	-	-	-	-	1	-	-
Male.....	4	-	-	-	1	2	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Passenger (car) injured in collision with other and unspecified motor vehicles in traffic accident (V49.5)													
All races, both sexes.....	355	34	28	31	26	36	26	28	26	15	40	22	43
Male.....	204	16	19	15	14	25	11	14	14	10	27	9	30
Female.....	151	18	9	16	12	11	15	14	12	5	13	13	13
White, both sexes.....	292	29	25	22	24	33	22	22	20	13	29	18	35
Male.....	164	14	17	10	13	22	10	11	10	8	18	7	24
Female.....	128	15	8	12	11	11	12	11	10	5	11	11	11
Black, both sexes.....	48	3	2	8	1	2	4	3	4	2	8	4	7
Male.....	31	1	1	5	1	2	1	1	3	2	7	2	5
Female.....	17	2	1	3	-	-	3	2	1	-	1	2	2
American Indian 1/, both sexes.....	4	-	1	-	1	-	-	2	-	-	-	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	2	-	1	-	1	-	1	2	-	3	-	1
Male.....	7	1	-	-	-	1	-	1	1	-	2	-	1
Female.....	4	1	-	1	-	-	-	-	1	-	1	-	-
Unspecified car occupant injured in collision with other and unspecified motor vehicles in traffic accident (V49.6)													
All races, both sexes.....	141	5	13	8	15	12	16	9	12	16	8	9	18
Male.....	74	2	9	4	10	5	4	5	5	11	6	4	9
Female.....	67	3	4	4	5	7	12	4	7	5	2	5	9
White, both sexes.....	107	3	8	7	11	9	11	7	8	16	6	5	16
Male.....	56	1	6	3	7	3	3	4	3	11	5	3	7
Female.....	51	2	2	4	4	6	8	3	5	5	1	2	9
Black, both sexes.....	26	2	4	1	4	1	4	1	3	-	1	4	1
Male.....	13	1	3	1	3	-	1	-	1	-	1	1	1
Female.....	13	1	1	-	1	1	3	1	2	-	-	3	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	1	1	-	1	-	1	-	1
Male.....	3	-	-	-	-	1	-	-	1	-	-	-	1
Female.....	3	-	1	-	-	-	1	-	-	-	1	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Car occupant (any) injured in other specified transport accidents (V49.8)													
All races, both sexes.....	22	3	-	2	4	1	1	1	3	2	2	-	3
Male.....	16	1	-	2	2	1	1	1	3	2	2	-	1
Female.....	6	2	-	-	2	-	-	-	-	-	-	-	2
White, both sexes.....	18	3	-	2	3	1	1	1	1	2	1	-	3
Male.....	12	1	-	2	1	1	1	1	1	2	1	-	1
Female.....	6	2	-	-	2	-	-	-	-	-	-	-	2
Black, both sexes.....	3	-	-	-	1	-	-	-	1	-	1	-	-
Male.....	3	-	-	-	1	-	-	-	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Car occupant (any) injured in unspecified traffic accident (V49.9)													
All races, both sexes.....	1,336	110	96	87	111	128	109	103	113	102	131	127	119
Male.....	876	73	72	58	67	87	68	66	82	69	83	81	70
Female.....	460	37	24	29	44	41	41	37	31	33	48	46	49
White, both sexes.....	1,112	91	72	77	95	110	92	89	95	83	102	112	94
Male.....	716	59	54	51	57	73	55	58	68	55	60	69	57
Female.....	396	32	18	26	38	37	37	31	27	28	42	43	37
Black, both sexes.....	194	15	19	10	15	16	16	11	17	16	24	13	22
Male.....	136	11	13	7	10	12	12	7	13	12	18	10	11
Female.....	58	4	6	3	5	4	4	4	4	4	6	3	11
American Indian 1/, both sexes.....	17	2	3	-	1	2	-	1	1	3	2	-	2
Male.....	14	2	3	-	-	2	-	-	1	2	2	-	2
Female.....	3	-	-	-	1	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	2	2	-	-	1	2	-	-	3	2	1	1
Male.....	10	1	2	-	-	-	1	1	-	-	3	2	-
Female.....	3	1	-	-	-	-	-	1	-	-	-	-	1













## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in collision with car, pick-up truck, or van, person injured while boarding or alighting (V53.4)													
All races, both sexes.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pick-up truck or van injured in collision with car, pick-up truck, or van, driver injured in traffic accident (V53.5)													
All races, both sexes.....	682	45	40	59	65	60	63	54	72	52	64	54	54
Male.....	568	39	34	51	56	50	47	40	61	49	53	44	44
Female.....	114	6	6	8	9	10	16	14	11	3	11	10	10
White, both sexes.....	619	43	38	51	56	54	58	47	67	50	58	51	46
Male.....	517	37	32	47	47	46	43	36	56	47	47	41	38
Female.....	102	6	6	4	9	8	15	11	11	3	11	10	8
Black, both sexes.....	50	2	2	7	7	5	4	5	4	2	3	2	7
Male.....	41	2	2	4	7	4	3	3	4	2	3	2	5
Female.....	9	-	-	3	-	1	1	2	-	-	-	-	2
American Indian 1/, both sexes.....	9	-	-	-	2	1	1	1	-	-	2	1	1
Male.....	8	-	-	-	2	-	1	1	-	-	2	1	1
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	-	1	1	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	1	-	-
Female.....	2	-	-	1	-	-	-	1	-	-	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in collision with car, pick-up truck, or van, unspecified occupant of pick-up truck or van injured in traffic accident (V53.9)													
All races, both sexes.....	66	7	9	5	3	3	5	3	5	6	6	3	11
Male.....	50	3	8	4	2	3	3	2	3	4	6	2	10
Female.....	16	4	1	1	1	-	2	1	2	2	-	1	1
White, both sexes.....	56	3	7	4	3	3	5	3	4	6	6	3	9
Male.....	44	2	6	3	2	3	3	2	3	4	6	2	8
Female.....	12	1	1	1	1	-	2	1	1	2	-	1	1
Black, both sexes.....	4	-	2	1	-	-	-	-	1	-	-	-	-
Male.....	3	-	2	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	4	-	-	-	-	-	-	-	-	-	-	2
Male.....	3	1	-	-	-	-	-	-	-	-	-	-	2
Female.....	3	3	-	-	-	-	-	-	-	-	-	-	-
Occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus (V54)													
All races, both sexes.....	464	40	32	33	35	36	47	31	49	36	47	35	43
Male.....	379	32	28	26	26	29	38	29	39	31	38	31	32
Female.....	85	8	4	7	9	7	9	2	10	5	9	4	11
White, both sexes.....	416	37	29	27	30	32	44	24	48	32	41	31	41
Male.....	345	30	26	23	21	25	37	23	38	31	33	27	31
Female.....	71	7	3	4	9	7	7	1	10	1	8	4	10
Black, both sexes.....	38	3	2	4	5	4	2	4	1	4	5	3	1
Male.....	28	2	2	2	5	4	1	3	1	-	4	3	1
Female.....	10	1	-	2	-	-	1	1	-	4	1	-	-
American Indian 1/, both sexes.....	5	-	1	-	-	-	-	3	-	-	-	1	-
Male.....	4	-	-	-	-	-	-	3	-	-	-	1	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	2	-	-	1	-	-	-	1	-	1
Male.....	2	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	1	-	-	1	-	-	-	-	-	1

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus, driver injured in traffic accident (V54.5)													
All races, both sexes.....	331	29	21	25	22	27	32	29	30	25	34	29	28
Male.....	293	23	19	22	20	24	31	27	24	23	29	27	24
Female.....	38	6	2	3	2	3	1	2	6	2	5	2	4
White, both sexes.....	301	27	20	22	19	23	31	22	29	24	31	26	27
Male.....	266	21	18	20	17	20	30	21	23	23	26	24	23
Female.....	35	6	2	2	2	3	1	1	6	1	5	2	4
Black, both sexes.....	25	2	1	2	3	4	1	4	1	1	3	2	1
Male.....	22	2	1	1	3	4	1	3	1	-	3	2	1
Female.....	3	-	-	1	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	3	-	-	-	1	-
Male.....	4	-	-	-	-	-	-	3	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus, passenger injured in traffic accident (V54.6)													
All races, both sexes.....	111	8	9	8	7	6	14	2	17	10	9	6	15
Male.....	70	6	7	4	2	3	6	2	14	7	7	4	8
Female.....	41	2	2	4	5	3	8	-	3	3	2	2	7
White, both sexes.....	95	7	7	5	6	6	12	2	17	7	7	5	14
Male.....	65	6	6	3	1	3	6	2	14	7	6	3	8
Female.....	30	1	1	2	5	3	6	-	3	-	1	2	6
Black, both sexes.....	11	1	1	2	1	-	1	-	-	3	1	1	-
Male.....	4	-	1	1	1	-	-	-	-	-	-	1	-
Female.....	7	1	-	1	-	-	1	-	-	3	1	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	1	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	1	-	-	1	-	-	-	-	-	1































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of pick-up truck or van injured in noncollision transport accident, driver injured in traffic accident (V58.5)													
All races, both sexes.....	785	67	54	48	66	72	63	69	61	55	74	72	84
Male.....	674	56	50	40	59	64	51	60	50	48	63	61	72
Female.....	111	11	4	8	7	8	12	9	11	7	11	11	12
White, both sexes.....	721	62	48	45	61	66	59	64	55	50	70	64	77
Male.....	617	51	45	37	54	58	48	55	46	44	59	55	65
Female.....	104	11	3	8	7	8	11	9	9	6	11	9	12
Black, both sexes.....	45	5	5	2	4	4	2	2	4	3	2	6	6
Male.....	40	5	4	2	4	4	1	2	3	2	2	5	6
Female.....	5	-	1	-	-	-	1	-	1	1	-	1	-
American Indian 1/, both sexes.....	16	-	1	1	1	2	2	1	2	2	2	2	-
Male.....	14	-	1	1	1	2	2	1	1	2	2	1	-
Female.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	2	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	2	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of pick-up truck or van injured in noncollision transport accident, passenger injured in traffic accident (V58.6)													
All races, both sexes.....	367	24	31	25	36	26	41	43	32	21	23	36	29
Male.....	248	15	22	17	28	21	26	24	23	12	15	27	18
Female.....	119	9	9	8	8	5	15	19	9	9	8	9	11
White, both sexes.....	311	15	27	20	29	21	37	34	30	18	21	33	26
Male.....	208	9	20	12	22	16	22	20	21	12	14	24	16
Female.....	103	6	7	8	7	5	15	14	9	6	7	9	10
Black, both sexes.....	30	8	1	2	5	2	2	2	1	-	1	3	3
Male.....	22	5	1	2	4	2	2	-	1	-	-	3	2
Female.....	8	3	-	-	1	-	-	2	-	-	1	-	1
American Indian 1/, both sexes.....	11	1	2	1	2	1	1	2	-	1	-	-	-
Male.....	7	1	-	1	2	1	1	1	-	-	-	-	-
Female.....	4	-	2	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	1	2	-	2	1	5	1	2	1	-	-
Male.....	11	-	1	2	-	2	1	3	1	-	1	-	-
Female.....	4	-	-	-	-	-	-	2	-	2	-	-	-

























## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus, passenger injured in traffic accident (V64.6)													
All races, both sexes.....	6	-	-	2	1	-	-	-	-	1	2	-	-
Male.....	5	-	-	2	-	-	-	-	-	1	2	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	4	-	-	2	-	-	-	-	-	1	1	-	-
Male.....	4	-	-	2	-	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus, unspecified occupant of heavy transport vehicle injured in traffic accident (V64.9)													
All races, both sexes.....	17	-	1	-	4	-	-	1	-	2	8	1	-
Male.....	9	-	1	-	4	-	-	-	-	2	1	1	-
Female.....	8	-	-	-	-	-	-	1	-	-	7	-	-
White, both sexes.....	13	-	1	-	3	-	-	1	-	-	7	1	-
Male.....	6	-	1	-	3	-	-	-	-	-	1	1	-
Female.....	7	-	-	-	-	-	-	1	-	-	6	-	-
Black, both sexes.....	3	-	-	-	1	-	-	-	-	2	-	-	-
Male.....	3	-	-	-	1	-	-	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-





























































































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified occupant of special construction vehicle injured in nontraffic accident (V85.9)													
All races, both sexes.....	6	1	1	-	-	1	1	-	1	1	-	-	-
Male.....	6	1	1	-	-	1	1	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	6	1	1	-	-	1	1	-	1	1	-	-	-
Male.....	6	1	1	-	-	1	1	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident (V86)													
All races, both sexes.....	906	81	68	65	76	73	94	92	93	81	76	42	65
Male.....	779	72	60	56	63	60	81	76	80	71	66	39	55
Female.....	127	9	8	9	13	13	13	16	13	10	10	3	10
White, both sexes.....	848	79	65	61	71	66	85	87	92	75	71	37	59
Male.....	729	70	57	52	59	53	75	73	79	66	62	34	49
Female.....	119	9	8	9	12	13	10	14	13	9	9	3	10
Black, both sexes.....	30	-	1	1	4	3	4	3	-	5	1	4	4
Male.....	27	-	1	1	3	3	3	3	-	4	1	4	4
Female.....	3	-	-	-	1	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	24	2	2	3	-	3	4	1	1	1	4	1	2
Male.....	20	2	2	3	-	3	2	-	1	1	3	1	2
Female.....	4	-	-	-	-	-	2	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	1	1	1	-	-	-	-	-
Male.....	3	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured while boarding or alighting from all-terrain or other off-road motor vehicle (V86.4)													
All races, both sexes.....	4	1	-	-	1	-	-	-	-	1	-	-	1
Male.....	4	1	-	-	1	-	-	-	-	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	4	1	-	-	1	-	-	-	-	1	-	-	1
Male.....	4	1	-	-	1	-	-	-	-	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Driver of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.5)													
All races, both sexes.....	198	22	25	19	13	17	26	15	18	7	14	9	13
Male.....	179	22	25	18	12	14	22	12	14	6	12	9	13
Female.....	19	-	-	1	1	3	4	3	4	1	2	-	-
White, both sexes.....	186	21	24	16	13	14	24	14	18	7	14	9	12
Male.....	168	21	24	15	12	11	20	12	14	6	12	9	12
Female.....	18	-	-	1	1	3	4	2	4	1	2	-	-
Black, both sexes.....	3	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	3	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	1	1	2	-	2	1	-	-	-	-	-	1
Male.....	8	1	1	2	-	2	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified occupant of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.9)													
All races, both sexes.....	317	35	21	19	27	20	29	29	32	39	31	13	22
Male.....	269	29	17	17	22	15	25	26	27	34	27	10	20
Female.....	48	6	4	2	5	5	4	3	5	5	4	3	2
White, both sexes.....	303	34	21	18	26	19	24	29	31	36	31	13	21
Male.....	257	28	17	16	21	14	22	26	26	31	27	10	19
Female.....	46	6	4	2	5	5	2	3	5	5	4	3	2
Black, both sexes.....	4	-	-	-	1	-	1	-	-	2	-	-	-
Male.....	4	-	-	-	1	-	1	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	9	1	-	1	-	1	3	-	1	1	-	-	1
Male.....	7	1	-	1	-	1	1	-	1	1	-	-	1
Female.....	2	-	-	-	-	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Traffic accident of specified type but victim's mode of transport unknown (V87)													
All races, both sexes.....	3,948	298	250	264	336	321	341	381	353	310	373	348	373
Male.....	2,396	178	161	177	184	199	214	219	218	181	224	228	213
Female.....	1,552	120	89	87	152	122	127	162	135	129	149	120	160
White, both sexes.....	3,364	261	213	227	279	279	279	323	294	275	323	305	306
Male.....	2,049	154	139	154	156	176	172	186	178	161	196	202	175
Female.....	1,315	107	74	73	123	103	107	137	116	114	127	103	131
Black, both sexes.....	441	25	21	31	44	32	53	44	43	25	37	34	52
Male.....	272	15	13	20	23	17	37	26	31	15	23	23	29
Female.....	169	10	8	11	21	15	16	18	12	10	14	11	23
American Indian 1/, both sexes.....	52	3	7	1	3	4	2	6	8	5	4	4	5
Male.....	25	2	3	1	1	1	-	2	4	3	1	3	4
Female.....	27	1	4	-	2	3	2	4	4	2	3	1	1
Asian or Pacific Islander 2/, both sexes.....	91	9	9	5	10	6	7	8	8	5	9	5	10
Male.....	50	7	6	2	4	5	5	5	5	2	4	-	5
Female.....	41	2	3	3	6	1	2	3	3	3	5	5	5



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured in collision between car and pick-up truck or van (traffic) (V87.2)													
All races, both sexes.....	119	11	8	6	10	6	11	7	15	15	11	9	10
Male.....	57	3	4	5	4	3	4	3	5	7	7	6	6
Female.....	62	8	4	1	6	3	7	4	10	8	4	3	4
White, both sexes.....	113	10	8	6	10	6	11	6	13	15	10	8	10
Male.....	55	2	4	5	4	3	4	3	5	7	6	6	6
Female.....	58	8	4	1	6	3	7	3	8	8	4	2	4
Black, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	-	-	2	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Person injured in collision between car and bus (traffic) (V87.3)													
All races, both sexes.....	3	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured in collision between railway train or railway vehicle and car (traffic) (V87.6)													
All races, both sexes.....	11	2	1	3	-	-	1	1	2	1	-	-	-
Male.....	9	2	1	2	-	-	1	1	1	1	-	-	-
Female.....	2	-	-	1	-	-	-	-	1	-	-	-	-
White, both sexes.....	10	2	1	3	-	-	-	1	2	1	-	-	-
Male.....	8	2	1	2	-	-	-	1	1	1	-	-	-
Female.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in collision between other specified motor vehicles (traffic) (V87.7)													
All races, both sexes.....	3,611	275	229	246	308	296	298	352	322	267	339	325	354
Male.....	2,171	164	147	163	164	182	188	201	201	152	200	210	199
Female.....	1,440	111	82	83	144	114	110	151	121	115	139	115	155
White, both sexes.....	3,056	240	196	209	253	256	241	299	265	233	294	283	287
Male.....	1,842	141	126	140	138	160	151	171	161	133	176	184	161
Female.....	1,214	99	70	69	115	96	90	128	104	100	118	99	126
Black, both sexes.....	423	24	18	31	43	32	49	39	43	24	34	34	52
Male.....	259	15	12	20	22	17	33	23	31	14	20	23	29
Female.....	164	9	6	11	21	15	16	16	12	10	14	11	23
American Indian 1/, both sexes.....	50	3	6	1	3	4	2	6	8	5	4	3	5
Male.....	25	2	3	1	1	1	-	2	4	3	1	3	4
Female.....	25	1	3	-	2	3	2	4	4	2	3	-	1
Asian or Pacific Islander 2/, both sexes.....	82	8	9	5	9	4	6	8	6	5	7	5	10
Male.....	45	6	6	2	3	4	4	5	5	2	3	-	5
Female.....	37	2	3	3	6	-	2	3	1	3	4	5	5















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured in unspecified nonmotor-vehicle accident, nontraffic (V89.1)													
All races, both sexes.....	6	-	-	-	-	1	-	1	1	1	2	-	-
Male.....	3	-	-	-	-	1	-	-	1	1	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	2	-	-
White, both sexes.....	6	-	-	-	-	1	-	1	1	1	2	-	-
Male.....	3	-	-	-	-	1	-	-	1	1	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified motor-vehicle accident, traffic (V89.2)													
All races, both sexes.....	9,534	665	642	706	719	785	818	875	896	811	831	877	909
Male.....	6,391	443	436	479	469	524	544	593	594	551	540	596	622
Female.....	3,143	222	206	227	250	261	274	282	302	260	291	281	287
White, both sexes.....	7,841	533	534	580	593	642	670	698	747	672	692	723	757
Male.....	5,249	339	371	393	393	423	459	477	500	446	448	483	517
Female.....	2,592	194	163	187	200	219	211	221	247	226	244	240	240
Black, both sexes.....	1,211	99	85	90	87	115	106	119	95	99	91	106	119
Male.....	853	79	52	63	56	85	63	79	64	78	62	82	90
Female.....	358	20	33	27	31	30	43	40	31	21	29	24	29
American Indian 1/, both sexes.....	233	17	13	19	17	17	20	25	22	22	20	24	17
Male.....	143	12	7	9	12	8	12	15	13	15	14	16	10
Female.....	90	5	6	10	5	9	8	10	9	7	6	8	7
Asian or Pacific Islander 2/, both sexes.....	249	16	10	17	22	11	22	33	32	18	28	24	16
Male.....	146	13	6	14	8	8	10	22	17	12	16	15	5
Female.....	103	3	4	3	14	3	12	11	15	6	12	9	11

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Person injured in unspecified nonmotor-vehicle accident, traffic (V89.3)													
All races, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified vehicle accident (V89.9)													
All races, both sexes.....	393	22	12	31	20	29	24	53	32	28	52	58	32
Male.....	285	15	9	18	15	22	20	43	23	21	37	45	17
Female.....	108	7	3	13	5	7	4	10	9	7	15	13	15
White, both sexes.....	328	16	11	25	14	27	17	45	29	26	40	52	26
Male.....	242	12	9	15	10	21	14	37	23	19	29	41	12
Female.....	86	4	2	10	4	6	3	8	6	7	11	11	14
Black, both sexes.....	56	5	1	4	5	1	6	7	3	2	11	6	5
Male.....	38	3	-	2	4	1	5	6	-	2	7	4	4
Female.....	18	2	1	2	1	-	1	1	3	-	4	2	1
American Indian 1/, both sexes.....	6	1	-	1	-	-	1	1	-	-	1	-	1
Male.....	4	-	-	1	-	-	1	-	-	-	1	-	1
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	1	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	-	-	-	-	-













## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accident to watercraft causing other injury, fishing boat (V91.2)													
All races, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Accident to watercraft causing other injury, other powered watercraft (V91.3)													
All races, both sexes.....	19	-	-	-	3	2	4	8	1	1	-	-	-
Male.....	15	-	-	-	3	1	3	6	1	1	-	-	-
Female.....	4	-	-	-	-	1	1	2	-	-	-	-	-
White, both sexes.....	18	-	-	-	3	2	3	8	1	1	-	-	-
Male.....	15	-	-	-	3	1	3	6	1	1	-	-	-
Female.....	3	-	-	-	-	1	-	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accident to watercraft causing other injury, unspecified watercraft (V91.9)													
All races, both sexes.....	52	1	2	-	2	3	4	4	16	8	9	1	2
Male.....	41	1	2	-	1	3	4	4	12	4	7	1	2
Female.....	11	-	-	-	1	-	-	-	4	4	2	-	-
White, both sexes.....	51	1	2	-	2	3	4	4	15	8	9	1	2
Male.....	40	1	2	-	1	3	4	4	11	4	7	1	2
Female.....	11	-	-	-	1	-	-	-	4	4	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Water-transport-related drowning and submersion without accident to watercraft (V92)													
All races, both sexes.....	205	11	12	2	19	27	34	28	26	21	13	6	6
Male.....	193	11	12	2	15	25	32	27	25	20	13	5	6
Female.....	12	-	-	-	4	2	2	1	1	1	-	1	-
White, both sexes.....	158	9	7	2	14	21	28	22	22	14	10	5	4
Male.....	149	9	7	2	10	20	27	21	21	13	10	5	4
Female.....	9	-	-	-	4	1	1	1	1	1	-	-	-
Black, both sexes.....	32	1	5	-	4	1	4	4	3	6	2	-	2
Male.....	32	1	5	-	4	1	4	4	3	6	2	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	1	-	2	1	1	-	-	1	-
Male.....	5	-	-	-	1	1	-	2	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	9	1	-	-	-	4	2	-	-	1	1	-	-
Male.....	7	1	-	-	-	3	1	-	-	1	1	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Water-transport-related drowning and submersion without accident to watercraft, canoe or kayak (V92.5)													
All races, both sexes.....	20	-	2	-	1	3	3	3	3	3	1	-	1
Male.....	19	-	2	-	1	3	3	3	3	2	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	20	-	2	-	1	3	3	3	3	3	1	-	1
Male.....	19	-	2	-	1	3	3	3	3	2	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Water-transport-related drowning and submersion without accident to watercraft, inflatable craft (nonpowered) (V92.6)													
All races, both sexes.....	6	-	-	-	-	3	1	2	-	-	-	-	-
Male.....	5	-	-	-	-	3	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	5	-	-	-	-	3	-	2	-	-	-	-	-
Male.....	5	-	-	-	-	3	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-

















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other and unspecified water transport accidents, unspecified watercraft (V94.9)													
All races, both sexes.....	45	-	1	6	4	1	5	14	10	2	2	-	-
Male.....	33	-	1	5	4	-	5	10	6	1	1	-	-
Female.....	12	-	-	1	-	1	-	4	4	1	1	-	-
White, both sexes.....	42	-	1	5	4	1	4	13	10	2	2	-	-
Male.....	30	-	1	4	4	-	4	9	6	1	1	-	-
Female.....	12	-	-	1	-	1	-	4	4	1	1	-	-
Black, both sexes.....	3	-	-	1	-	-	1	1	-	-	-	-	-
Male.....	3	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Accident to powered aircraft causing injury to occupant (V95)													
All races, both sexes.....	704	73	30	82	56	53	81	71	58	45	55	36	64
Male.....	589	58	28	68	52	40	64	61	50	39	49	30	50
Female.....	115	15	2	14	4	13	17	10	8	6	6	6	14
White, both sexes.....	681	72	26	82	55	53	81	66	55	41	51	36	63
Male.....	569	57	25	68	51	40	64	56	48	36	45	30	49
Female.....	112	15	1	14	4	13	17	10	7	5	6	6	14
Black, both sexes.....	5	-	1	-	1	-	-	-	2	-	1	-	-
Male.....	5	-	1	-	1	-	-	-	2	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	-	2	-	-
Male.....	3	-	-	-	-	-	-	1	-	-	2	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	1	3	-	-	-	4	1	4	1	-	-	1
Male.....	12	1	2	-	-	-	4	-	3	1	-	-	1
Female.....	3	-	1	-	-	-	-	1	1	-	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other aircraft accidents injuring occupant (V95.8)													
All races, both sexes.....	43	5	3	8	5	4	5	6	-	-	2	-	5
Male.....	32	3	3	5	5	3	3	4	-	-	2	-	4
Female.....	11	2	-	3	-	1	2	2	-	-	-	-	1
White, both sexes.....	43	5	3	8	5	4	5	6	-	-	2	-	5
Male.....	32	3	3	5	5	3	3	4	-	-	2	-	4
Female.....	11	2	-	3	-	1	2	2	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified aircraft accident injuring occupant (V95.9)													
All races, both sexes.....	471	46	22	52	36	38	52	41	37	35	42	18	52
Male.....	394	37	20	44	34	26	40	37	32	30	37	16	41
Female.....	77	9	2	8	2	12	12	4	5	5	5	2	11
White, both sexes.....	456	45	18	52	35	38	52	39	36	32	39	18	52
Male.....	382	36	17	44	33	26	40	35	32	28	34	16	41
Female.....	74	9	1	8	2	12	12	4	4	4	5	2	11
Black, both sexes.....	3	-	1	-	1	-	-	-	-	-	1	-	-
Male.....	3	-	1	-	1	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	3	-	-	-	-	2	1	3	-	-	-
Male.....	7	1	2	-	-	-	-	2	-	2	-	-	-
Female.....	3	-	1	-	-	-	-	-	1	1	-	-	-

















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fall involving wheelchair (W05)													
All races, both sexes.....	274	22	15	16	29	23	25	25	22	24	25	23	25
Male.....	104	8	6	3	10	5	13	13	7	12	11	8	8
Female.....	170	14	9	13	19	18	12	12	15	12	14	15	17
White, both sexes.....	261	21	13	16	27	22	24	25	22	24	23	21	23
Male.....	99	8	5	3	10	5	12	13	7	12	9	7	8
Female.....	162	13	8	13	17	17	12	12	15	12	14	14	15
Black, both sexes.....	10	1	2	-	2	1	-	-	-	-	1	2	1
Male.....	3	-	1	-	-	-	-	-	-	-	1	1	-
Female.....	7	1	1	-	2	1	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Fall involving bed (W06)													
All races, both sexes.....	594	45	44	55	49	58	47	53	62	51	43	42	45
Male.....	247	21	21	25	22	21	18	15	25	21	16	22	20
Female.....	347	24	23	30	27	37	29	38	37	30	27	20	25
White, both sexes.....	556	42	43	53	47	50	43	48	59	46	42	41	42
Male.....	233	21	21	24	21	18	17	14	23	19	16	21	18
Female.....	323	21	22	29	26	32	26	34	36	27	26	20	24
Black, both sexes.....	24	2	-	1	2	5	3	3	3	3	-	-	2
Male.....	10	-	-	-	1	3	1	1	2	-	-	-	2
Female.....	14	2	-	1	1	2	2	2	1	3	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	2	-	1	-
Male.....	3	-	-	-	-	-	-	-	-	2	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	1	1	1	-	3	1	2	-	-	1	-	1
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	10	1	1	-	-	3	1	2	-	-	1	-	1



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fall involving playground equipment (W09)													
All races, both sexes.....	3	-	-	1	-	-	-	1	-	1	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Fall on and from stairs and steps (W10)													
All races, both sexes.....	1,588	134	119	115	117	116	133	136	124	134	146	150	164
Male.....	887	76	63	72	64	63	77	68	73	68	89	86	88
Female.....	701	58	56	43	53	53	56	68	51	66	57	64	76
White, both sexes.....	1,435	119	111	96	100	108	125	122	113	122	137	133	149
Male.....	799	72	58	59	53	61	73	60	66	64	81	75	77
Female.....	636	47	53	37	47	47	52	62	47	58	56	58	72
Black, both sexes.....	120	9	5	17	14	6	6	10	10	10	8	14	11
Male.....	74	4	3	12	8	2	3	7	7	4	7	9	8
Female.....	46	5	2	5	6	4	3	3	3	6	1	5	3
American Indian 1/, both sexes.....	8	2	1	-	1	-	1	1	-	-	1	1	-
Male.....	5	-	1	-	1	-	1	-	-	-	1	1	-
Female.....	3	2	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	4	2	2	2	2	1	3	1	2	-	2	4
Male.....	9	-	1	1	2	-	-	1	-	-	-	1	3
Female.....	16	4	1	1	-	2	1	2	1	2	-	1	1







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Fall from cliff (W15)													
All races, both sexes.....	76	5	2	5	4	7	9	11	11	5	7	4	6
Male.....	66	5	-	4	4	7	8	10	10	4	6	4	4
Female.....	10	-	2	1	-	-	1	1	1	1	1	-	2
White, both sexes.....	69	4	2	5	4	6	9	10	10	5	6	4	4
Male.....	59	4	-	4	4	6	8	9	9	4	5	4	2
Female.....	10	-	2	1	-	-	1	1	1	1	1	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	-	1	-	1
Male.....	3	-	-	-	-	-	-	-	1	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	-	-	-	1	-	1	-	-	-	-	1
Male.....	4	1	-	-	-	1	-	1	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Diving or jumping into water causing injury other than drowning or submersion (W16)													
All races, both sexes.....	80	4	1	5	8	13	8	13	9	7	5	3	4
Male.....	57	1	1	3	6	11	5	12	7	2	5	1	3
Female.....	23	3	-	2	2	2	3	1	2	5	-	2	1
White, both sexes.....	73	4	1	5	7	11	8	13	6	7	5	3	3
Male.....	52	1	1	3	5	10	5	12	5	2	5	1	2
Female.....	21	3	-	2	2	1	3	1	1	5	-	2	1
Black, both sexes.....	5	-	-	-	1	2	-	-	1	-	-	-	1
Male.....	4	-	-	-	1	1	-	-	1	-	-	-	1
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other fall from one level to another (W17)													
All races, both sexes.....	440	25	39	43	27	39	36	46	37	31	39	47	31
Male.....	345	21	29	32	25	32	25	31	28	25	36	36	25
Female.....	95	4	10	11	2	7	11	15	9	6	3	11	6
White, both sexes.....	390	22	38	41	22	37	28	37	33	29	34	41	28
Male.....	305	19	29	30	20	30	18	25	26	23	31	31	23
Female.....	85	3	9	11	2	7	10	12	7	6	3	10	5
Black, both sexes.....	32	1	1	2	3	2	6	3	4	2	2	4	2
Male.....	24	-	-	2	3	2	5	2	2	2	2	3	1
Female.....	8	1	1	-	-	-	1	1	2	-	-	1	1
American Indian 1/, both sexes.....	9	2	-	-	-	-	1	4	-	-	2	-	-
Male.....	8	2	-	-	-	-	1	3	-	-	2	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	2	-	1	2	-	-	1	2	1
Male.....	8	-	-	-	2	-	1	1	-	-	1	2	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Other fall on same level (W18)													
All races, both sexes.....	3,725	356	280	284	268	310	297	291	321	328	330	321	339
Male.....	1,818	183	142	147	134	154	142	117	160	165	156	162	156
Female.....	1,907	173	138	137	134	156	155	174	161	163	174	159	183
White, both sexes.....	3,450	335	260	262	250	288	281	262	287	315	306	297	307
Male.....	1,657	170	131	137	126	138	136	102	136	159	141	148	133
Female.....	1,793	165	129	125	124	150	145	160	151	156	165	149	174
Black, both sexes.....	129	11	9	12	11	8	7	13	20	7	9	9	13
Male.....	75	7	4	6	4	6	2	8	14	4	5	6	9
Female.....	54	4	5	6	7	2	5	5	6	3	4	3	4
American Indian 1/, both sexes.....	43	2	4	1	2	5	3	5	5	2	6	3	5
Male.....	28	1	2	-	-	4	2	3	4	1	5	1	5
Female.....	15	1	2	1	2	1	1	2	1	1	1	2	-
Asian or Pacific Islander 2/, both sexes.....	103	8	7	9	5	9	6	11	9	4	9	12	14
Male.....	58	5	5	4	4	6	2	4	6	1	5	7	9
Female.....	45	3	2	5	1	3	4	7	3	3	4	5	5

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified fall (W19)													
All races, both sexes.....	8,306	725	636	663	702	687	639	631	672	686	683	758	824
Male.....	3,890	345	251	317	327	331	317	283	328	334	306	375	376
Female.....	4,416	380	385	346	375	356	322	348	344	352	377	383	448
White, both sexes.....	7,671	662	601	615	642	632	585	587	626	625	618	710	768
Male.....	3,552	315	236	291	305	297	293	260	297	293	272	347	346
Female.....	4,119	347	365	324	337	335	292	327	329	332	346	363	422
Black, both sexes.....	474	44	28	37	49	38	35	34	38	46	47	36	42
Male.....	247	23	13	19	15	22	13	18	25	30	26	21	22
Female.....	227	21	15	18	34	16	22	16	13	16	21	15	20
American Indian 1/, both sexes.....	33	6	2	1	2	1	7	1	1	2	1	4	5
Male.....	18	3	-	-	1	-	4	1	1	1	1	3	3
Female.....	15	3	2	1	1	1	3	-	-	1	-	1	2
Asian or Pacific Islander 2/, both sexes.....	128	13	5	10	9	16	12	9	7	13	17	8	9
Male.....	73	4	2	7	6	12	7	4	5	10	7	4	5
Female.....	55	9	3	3	3	4	5	5	2	3	10	4	4
Struck by thrown, projected, or falling object (W20)													
All races, both sexes.....	692	60	44	63	56	61	66	66	60	52	64	50	50
Male.....	631	56	39	56	52	53	57	56	57	48	63	47	47
Female.....	61	4	5	7	4	8	9	10	3	4	1	3	3
White, both sexes.....	599	53	36	60	48	49	53	57	49	50	58	44	42
Male.....	545	50	31	53	44	42	44	50	46	47	57	41	40
Female.....	54	3	5	7	4	7	9	7	3	3	1	3	2
Black, both sexes.....	71	4	7	2	6	10	9	7	9	1	5	5	6
Male.....	65	3	7	2	6	9	9	4	9	1	5	5	5
Female.....	6	1	-	-	-	1	-	3	-	-	-	-	1
American Indian 1/, both sexes.....	14	2	-	-	1	1	3	2	2	-	1	1	1
Male.....	14	2	-	-	1	1	3	2	2	-	1	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	1	1	1	1	1	1	-	-	1	-	-	1
Male.....	7	1	1	1	1	1	1	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-







































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Drowning and submersion while in swimming pool (W67)													
All races, both sexes.....	430	13	5	20	30	58	70	102	67	31	15	14	5
Male.....	304	10	3	14	18	45	45	78	52	17	12	8	2
Female.....	126	3	2	6	12	13	25	24	15	14	3	6	3
White, both sexes.....	310	7	3	14	22	41	48	74	50	25	12	11	3
Male.....	212	6	2	8	14	33	25	56	38	12	11	6	1
Female.....	98	1	1	6	8	8	23	18	12	13	1	5	2
Black, both sexes.....	94	3	-	5	8	13	20	23	14	1	2	3	2
Male.....	72	1	-	5	4	9	18	19	11	1	1	2	1
Female.....	22	2	-	-	4	4	2	4	3	-	1	1	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	3	2	1	-	4	2	5	2	5	1	-	-
Male.....	19	3	1	1	-	3	2	3	2	4	-	-	-
Female.....	6	-	1	-	-	1	-	2	-	1	1	-	-
Drowning and submersion following fall into swimming pool (W68)													
All races, both sexes.....	85	4	5	6	6	13	7	13	12	10	3	5	1
Male.....	54	4	1	5	3	9	5	9	6	6	3	2	1
Female.....	31	-	4	1	3	4	2	4	6	4	-	3	-
White, both sexes.....	74	1	5	6	5	13	7	12	8	8	3	5	1
Male.....	47	1	1	5	3	9	5	8	4	5	3	2	1
Female.....	27	-	4	1	2	4	2	4	4	3	-	3	-
Black, both sexes.....	8	2	-	-	1	-	-	1	2	2	-	-	-
Male.....	5	2	-	-	-	-	-	1	1	1	-	-	-
Female.....	3	-	-	-	1	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	-	-	-	2	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other specified drowning and submersion (W73)													
All races, both sexes.....	271	6	7	14	13	21	35	58	35	33	25	14	10
Male.....	230	5	6	13	12	19	29	51	30	26	20	11	8
Female.....	41	1	1	1	1	2	6	7	5	7	5	3	2
White, both sexes.....	217	6	7	7	10	15	34	46	28	25	21	9	9
Male.....	180	5	6	6	9	13	28	40	25	19	16	6	7
Female.....	37	1	1	1	1	2	6	6	3	6	5	3	2
Black, both sexes.....	34	-	-	6	1	4	1	7	3	3	4	4	1
Male.....	33	-	-	6	1	4	1	7	2	3	4	4	1
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	10	-	-	-	1	2	-	3	1	3	-	-	-
Male.....	9	-	-	-	1	2	-	3	1	2	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	1	1	-	-	2	3	2	-	1	-
Male.....	8	-	-	1	1	-	-	1	2	2	-	1	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Unspecified drowning and submersion (W74)													
All races, both sexes.....	963	27	31	38	75	119	142	183	147	78	51	40	32
Male.....	807	23	26	29	61	94	133	163	126	64	39	29	20
Female.....	156	4	5	9	14	25	9	20	21	14	12	11	12
White, both sexes.....	785	24	26	29	61	101	114	146	117	61	41	36	29
Male.....	658	20	21	22	50	83	108	130	101	47	33	25	18
Female.....	127	4	5	7	11	18	6	16	16	14	8	11	11
Black, both sexes.....	137	2	5	8	13	14	23	32	15	12	8	3	2
Male.....	118	2	5	6	11	10	20	29	13	12	5	3	2
Female.....	19	-	-	2	2	4	3	3	2	-	3	-	-
American Indian 1/, both sexes.....	9	1	-	-	-	2	2	-	3	1	-	-	-
Male.....	7	1	-	-	-	1	2	-	2	1	-	-	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	32	-	-	1	1	2	3	5	12	4	2	1	1
Male.....	24	-	-	1	-	-	3	4	10	4	1	1	-
Female.....	8	-	-	-	1	2	-	1	2	-	1	-	1

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accidental suffocation and strangulation in bed (W75)													
All races, both sexes.....	497	37	37	25	40	45	48	35	32	45	49	51	53
Male.....	289	23	18	16	18	32	32	22	15	26	29	28	30
Female.....	208	14	19	9	22	13	16	13	17	19	20	23	23
White, both sexes.....	321	26	25	18	24	32	34	26	19	22	28	30	37
Male.....	187	16	10	12	9	25	24	15	9	11	16	19	21
Female.....	134	10	15	6	15	7	10	11	10	11	12	11	16
Black, both sexes.....	166	11	11	7	14	13	12	9	13	20	20	21	15
Male.....	96	7	7	4	8	7	7	7	6	13	12	9	9
Female.....	70	4	4	3	6	6	5	2	7	7	8	12	6
American Indian 1/, both sexes.....	8	-	1	-	2	-	2	-	-	2	1	-	-
Male.....	5	-	1	-	1	-	1	-	-	1	1	-	-
Female.....	3	-	-	-	1	-	1	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Other accidental hanging and strangulation (W76)													
All races, both sexes.....	277	23	23	25	21	17	29	29	26	18	22	16	28
Male.....	234	20	19	18	20	14	25	24	21	17	18	12	26
Female.....	43	3	4	7	1	3	4	5	5	1	4	4	2
White, both sexes.....	246	20	19	21	18	17	26	26	21	16	21	15	26
Male.....	209	18	15	16	17	14	22	21	19	15	17	11	24
Female.....	37	2	4	5	1	3	4	5	2	1	4	4	2
Black, both sexes.....	23	3	3	2	3	-	2	2	3	1	1	1	2
Male.....	20	2	3	1	3	-	2	2	2	1	1	1	2
Female.....	3	1	-	1	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	1	-	-	1	1	2	-	-	-	-
Male.....	3	-	1	-	-	-	1	1	-	-	-	-	-
Female.....	3	-	-	1	-	-	-	-	2	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Threat to breathing due to cave-in, falling earth, and other substances (W77)													
All races, both sexes.....	46	6	4	3	2	4	4	2	4	5	6	2	4
Male.....	45	6	3	3	2	4	4	2	4	5	6	2	4
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	44	5	4	3	2	4	4	2	4	5	5	2	4
Male.....	43	5	3	3	2	4	4	2	4	5	5	2	4
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Inhalation of gastric contents (W78)													
All races, both sexes.....	393	47	36	29	27	23	31	22	35	32	39	35	37
Male.....	202	28	19	14	8	17	10	13	19	18	22	14	20
Female.....	191	19	17	15	19	6	21	9	16	14	17	21	17
White, both sexes.....	326	35	31	26	23	21	26	20	24	25	33	28	34
Male.....	167	21	18	11	7	16	9	12	14	12	18	10	19
Female.....	159	14	13	15	16	5	17	8	10	13	15	18	15
Black, both sexes.....	58	10	4	3	3	2	3	2	10	7	5	6	3
Male.....	31	6	-	3	1	1	1	1	4	6	3	4	1
Female.....	27	4	4	-	2	1	2	1	6	1	2	2	2
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	-	1	-	1	1	-
Male.....	3	-	1	-	-	-	-	-	1	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	5	2	-	-	1	-	2	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	1	-	2	-	-	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Inhalation and ingestion of food causing obstruction of respiratory tract (W79)													
All races, both sexes.....	875	90	47	81	70	70	83	64	70	65	74	66	95
Male.....	485	52	23	44	34	36	50	35	38	36	45	34	58
Female.....	390	38	24	37	36	34	33	29	32	29	29	32	37
White, both sexes.....	771	80	43	74	61	61	75	58	62	57	65	52	83
Male.....	428	44	22	39	32	30	47	32	34	30	37	27	54
Female.....	343	36	21	35	29	31	28	26	28	27	28	25	29
Black, both sexes.....	66	6	3	4	6	6	5	4	5	6	5	8	8
Male.....	37	5	1	3	2	4	1	3	3	4	4	4	3
Female.....	29	1	2	1	4	2	4	1	2	2	1	4	5
American Indian 1/, both sexes.....	9	1	-	-	-	1	-	-	-	2	-	3	2
Male.....	7	1	-	-	-	-	-	-	-	2	-	3	1
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	29	3	1	3	3	2	3	2	3	-	4	3	2
Male.....	13	2	-	2	-	2	2	-	1	-	4	-	-
Female.....	16	1	1	1	3	-	1	2	2	-	-	3	2
Inhalation and ingestion of other objects causing obstruction of respiratory tract (W80)													
All races, both sexes.....	3,004	301	255	256	237	239	242	205	205	232	258	268	306
Male.....	1,535	147	132	130	129	113	121	108	111	123	129	136	156
Female.....	1,469	154	123	126	108	126	121	97	94	109	129	132	150
White, both sexes.....	2,588	259	215	217	220	202	216	174	181	195	222	227	260
Male.....	1,313	127	109	114	120	97	110	90	93	103	109	111	130
Female.....	1,275	132	106	103	100	105	106	84	88	92	113	116	130
Black, both sexes.....	362	38	37	31	14	33	22	27	20	29	35	36	40
Male.....	191	17	20	13	8	15	8	15	15	15	20	22	23
Female.....	171	21	17	18	6	18	14	12	5	14	15	14	17
American Indian 1/, both sexes.....	16	-	-	2	-	1	3	3	-	2	1	-	4
Male.....	7	-	-	-	-	-	2	2	-	-	-	-	3
Female.....	9	-	-	2	-	1	1	1	-	2	1	-	1
Asian or Pacific Islander 2/, both sexes.....	38	4	3	6	3	3	1	1	4	6	-	5	2
Male.....	24	3	3	3	1	1	1	1	3	5	-	3	-
Female.....	14	1	-	3	2	2	-	-	1	1	-	2	2











## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Exposure to high and low air pressure and changes in air pressure (W94)													
All races, both sexes.....	10	-	2	-	1	-	1	1	2	2	1	-	-
Male.....	9	-	2	-	1	-	1	1	1	2	1	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	10	-	2	-	1	-	1	1	2	2	1	-	-
Male.....	9	-	2	-	1	-	1	1	1	2	1	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to uncontrolled fire in building or structure (X00)													
All races, both sexes.....	2,761	416	437	255	193	152	136	148	135	161	169	222	337
Male.....	1,547	234	260	139	101	87	73	81	77	92	101	124	178
Female.....	1,214	182	177	116	92	65	63	67	58	69	68	98	159
White, both sexes.....	2,037	306	327	185	144	123	98	104	98	124	120	161	247
Male.....	1,146	172	191	102	74	70	61	62	60	71	70	87	126
Female.....	891	134	136	83	70	53	37	42	38	53	50	74	121
Black, both sexes.....	676	108	101	63	46	27	37	42	35	34	45	57	81
Male.....	375	60	64	34	25	16	12	18	16	19	28	35	48
Female.....	301	48	37	29	21	11	25	24	19	15	17	22	33
American Indian 1/, both sexes.....	26	-	4	5	1	2	1	-	2	2	-	2	7
Male.....	13	-	3	3	1	1	-	-	1	1	-	1	2
Female.....	13	-	1	2	-	1	1	-	1	1	-	1	5
Asian or Pacific Islander 2/, both sexes.....	22	2	5	2	2	-	-	2	-	1	4	2	2
Male.....	13	2	2	-	1	-	-	1	-	1	3	1	2
Female.....	9	-	3	2	1	-	-	1	-	-	1	1	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Exposure to uncontrolled fire, not in building or structure (X01)													
All races, both sexes.....	57	6	2	7	8	4	3	4	-	2	12	6	3
Male.....	47	6	1	6	7	3	3	4	-	1	8	5	3
Female.....	10	-	1	1	1	1	-	-	-	1	4	1	-
White, both sexes.....	49	6	1	7	7	3	2	4	-	2	9	6	2
Male.....	41	6	1	6	6	2	2	4	-	1	6	5	2
Female.....	8	-	-	1	1	1	-	-	-	1	3	1	-
Black, both sexes.....	4	-	1	-	1	1	-	-	-	-	-	-	1
Male.....	3	-	-	-	1	1	-	-	-	-	-	-	1
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	-	-	3	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Exposure to controlled fire in building or structure (X02)													
All races, both sexes.....	35	2	4	4	7	3	-	-	3	1	3	5	3
Male.....	18	2	3	1	1	1	-	-	3	-	2	2	3
Female.....	17	-	1	3	6	2	-	-	-	1	1	3	-
White, both sexes.....	25	1	1	4	6	3	-	-	3	-	2	2	3
Male.....	12	1	-	1	1	1	-	-	3	-	1	1	3
Female.....	13	-	1	3	5	2	-	-	-	-	1	1	-
Black, both sexes.....	9	1	3	-	1	-	-	-	-	-	1	3	-
Male.....	6	1	3	-	-	-	-	-	-	-	1	1	-
Female.....	3	-	-	-	1	-	-	-	-	-	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Exposure to other specified smoke, fire, and flames (X08)													
All races, both sexes.....	54	7	4	4	9	3	3	3	2	3	2	4	10
Male.....	39	4	2	3	6	3	2	2	2	3	1	2	9
Female.....	15	3	2	1	3	-	1	1	-	-	1	2	1
White, both sexes.....	47	6	2	4	8	3	2	3	1	2	2	4	10
Male.....	34	3	2	3	5	3	1	2	1	2	1	2	9
Female.....	13	3	-	1	3	-	1	1	-	-	1	2	1
Black, both sexes.....	7	1	2	-	1	-	1	-	1	1	-	-	-
Male.....	5	1	-	-	1	-	1	-	1	1	-	-	-
Female.....	2	-	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to unspecified smoke, fire, and flames (X09)													
All races, both sexes.....	261	29	21	32	23	19	18	14	9	17	17	25	37
Male.....	178	22	12	24	16	13	9	9	6	9	13	19	26
Female.....	83	7	9	8	7	6	9	5	3	8	4	6	11
White, both sexes.....	204	20	18	24	19	16	14	11	8	14	16	18	26
Male.....	145	17	11	18	14	11	8	7	5	7	12	15	20
Female.....	59	3	7	6	5	5	6	4	3	7	4	3	6
Black, both sexes.....	50	7	3	8	4	2	2	3	1	3	1	5	11
Male.....	29	3	1	6	2	2	-	2	1	2	1	3	6
Female.....	21	4	2	2	2	-	2	1	-	1	-	2	5
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	2	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	5	2	-	-	-	1	2	-	-	-	-	-	-
Male.....	3	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-	-























## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Exposure to other and unspecified forces of nature (X39)													
All races, both sexes.....	64	11	8	2	1	4	6	11	3	2	5	6	5
Male.....	48	9	6	2	1	3	4	8	2	2	4	3	4
Female.....	16	2	2	-	-	1	2	3	1	-	1	3	1
White, both sexes.....	52	8	6	2	-	4	5	10	3	1	4	4	5
Male.....	38	6	5	2	-	3	3	7	2	1	3	2	4
Female.....	14	2	1	-	-	1	2	3	1	-	1	2	1
Black, both sexes.....	6	2	1	-	1	-	-	-	-	1	-	1	-
Male.....	5	2	-	-	1	-	-	-	-	1	-	1	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	1	1	-	-	-	1	1	-	-	1	-	-
Male.....	5	1	1	-	-	-	1	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics (X40)													
All races, both sexes.....	210	14	21	18	16	25	20	13	20	20	11	11	21
Male.....	89	4	8	10	7	9	7	8	11	9	3	3	10
Female.....	121	10	13	8	9	16	13	5	9	11	8	8	11
White, both sexes.....	179	12	18	18	16	22	16	7	16	18	11	10	15
Male.....	76	4	6	10	7	9	5	5	9	8	3	3	7
Female.....	103	8	12	8	9	13	11	2	7	10	8	7	8
Black, both sexes.....	26	2	3	-	-	3	4	4	2	2	-	1	5
Male.....	11	-	2	-	-	2	2	1	1	1	-	-	3
Female.....	15	2	1	-	-	3	2	2	1	1	-	1	2
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	1	-	-	-	1
Male.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified (X41)													
All races, both sexes.....	1,205	90	96	95	85	109	98	106	98	111	106	103	108
Male.....	754	52	55	62	48	74	71	68	63	69	68	61	63
Female.....	451	38	41	33	37	35	27	38	35	42	38	42	45
White, both sexes.....	1,095	79	89	86	78	101	84	101	90	100	94	96	97
Male.....	687	47	50	59	46	68	59	63	59	61	60	59	56
Female.....	408	32	39	27	32	33	25	38	31	39	34	37	41
Black, both sexes.....	59	8	3	4	4	5	5	1	5	6	7	4	7
Male.....	30	4	2	1	1	3	3	1	2	4	4	1	4
Female.....	29	4	1	3	3	2	2	-	3	2	3	3	3
American Indian 1/, both sexes.....	15	-	1	2	2	-	1	3	1	2	2	-	1
Male.....	10	-	1	1	-	-	1	3	-	1	2	-	1
Female.....	5	-	-	1	2	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	36	3	3	3	1	3	8	1	2	3	3	3	3
Male.....	27	1	2	1	1	3	8	1	2	3	2	1	2
Female.....	9	2	1	2	-	-	-	-	-	-	1	2	1
Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified (X42)													
All races, both sexes.....	9,231	791	742	790	730	821	790	838	762	715	771	729	752
Male.....	6,825	587	558	576	535	623	578	625	584	523	560	524	552
Female.....	2,406	204	184	214	195	198	212	213	178	192	211	205	200
White, both sexes.....	7,480	642	584	648	612	657	635	678	623	553	641	612	595
Male.....	5,592	491	443	475	452	501	469	508	484	405	474	441	449
Female.....	1,888	151	141	173	160	156	166	170	139	148	167	171	146
Black, both sexes.....	1,616	140	144	128	111	150	145	152	129	149	117	109	142
Male.....	1,140	92	102	89	78	114	101	112	93	110	75	79	95
Female.....	476	48	42	39	33	36	44	40	36	39	42	30	47
American Indian 1/, both sexes.....	97	7	7	9	6	7	9	7	9	9	10	7	10
Male.....	64	4	7	7	4	4	7	4	6	4	8	3	6
Female.....	33	3	-	2	2	3	2	3	3	5	2	4	4
Asian or Pacific Islander 2/, both sexes.....	38	2	7	5	1	7	1	1	1	4	3	1	5
Male.....	29	-	6	5	1	4	1	1	1	4	3	1	2
Female.....	9	2	1	-	-	3	-	-	-	-	-	-	3

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system (X43)													
All races, both sexes.....	37	3	2	5	5	3	2	2	5	3	1	3	3
Male.....	20	2	2	2	3	2	1	1	3	1	-	2	1
Female.....	17	1	-	3	2	1	1	1	2	2	1	1	2
White, both sexes.....	34	2	2	5	5	3	2	2	4	3	1	3	2
Male.....	18	1	2	2	3	2	1	1	3	1	-	2	-
Female.....	16	1	-	3	2	1	1	1	1	2	1	1	2
Black, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances (X44)													
All races, both sexes.....	7,611	659	639	668	635	682	588	639	642	572	642	613	632
Male.....	4,609	388	374	408	352	429	357	395	412	363	380	356	395
Female.....	3,002	271	265	260	283	253	231	244	230	209	262	257	237
White, both sexes.....	6,936	594	583	616	568	617	541	573	579	530	602	559	574
Male.....	4,233	347	342	379	318	393	331	351	379	335	362	331	365
Female.....	2,703	247	241	237	250	224	210	222	200	195	240	228	209
Black, both sexes.....	558	58	47	43	56	51	40	54	53	31	30	45	50
Male.....	316	38	27	25	26	29	24	37	28	23	13	22	24
Female.....	242	20	20	18	30	22	16	17	25	8	17	23	26
American Indian 1/, both sexes.....	80	6	3	5	6	13	4	5	7	10	9	7	5
Male.....	38	3	1	2	3	7	1	2	4	4	4	3	4
Female.....	42	3	2	3	3	6	3	3	3	6	5	4	1
Asian or Pacific Islander 2/, both sexes.....	37	1	6	4	5	1	3	7	3	1	1	2	3
Male.....	22	-	4	2	5	-	1	5	1	1	1	-	2
Female.....	15	1	2	2	-	1	2	2	2	-	-	2	1









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Exposure to other specified factors (X58)													
All races, both sexes.....	33	3	3	1	4	4	1	3	4	4	2	4	-
Male.....	26	3	3	1	2	1	1	3	4	3	2	3	-
Female.....	7	-	-	-	2	3	-	-	-	1	-	1	-
White, both sexes.....	28	3	1	1	4	3	1	3	3	3	2	4	-
Male.....	23	3	1	1	2	1	1	3	3	3	2	3	-
Female.....	5	-	-	-	2	2	-	-	-	-	-	1	-
Black, both sexes.....	4	-	1	-	-	1	-	-	1	1	-	-	-
Male.....	2	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Exposure to unspecified factor (X59)													
All races, both sexes.....	6,630	599	511	559	530	527	500	533	544	511	570	585	661
Male.....	2,955	257	220	251	242	222	234	246	240	229	267	249	298
Female.....	3,675	342	291	308	288	305	266	287	304	282	303	336	363
White, both sexes.....	5,961	546	464	495	482	482	455	473	482	446	510	527	599
Male.....	2,591	233	193	220	218	203	205	213	208	186	233	217	262
Female.....	3,370	313	271	275	264	279	250	260	274	260	277	310	337
Black, both sexes.....	552	43	43	54	40	36	38	45	51	53	54	45	50
Male.....	294	20	25	25	20	15	26	21	24	33	31	26	28
Female.....	258	23	18	29	20	21	12	24	27	20	23	19	22
American Indian 1/, both sexes.....	49	3	4	2	2	5	3	7	4	5	2	6	6
Male.....	30	2	2	1	-	2	3	4	3	5	1	3	4
Female.....	19	1	2	1	2	3	-	3	1	-	1	3	2
Asian or Pacific Islander 2/, both sexes.....	68	7	-	8	6	4	4	8	7	7	4	7	6
Male.....	40	2	-	5	4	2	-	8	5	5	2	3	4
Female.....	28	5	-	3	2	2	4	-	2	2	2	4	2

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics, and antirheumatics (X60)													
All races, both sexes.....	242	19	18	23	16	22	21	20	22	19	23	22	17
Male.....	105	10	8	12	5	11	12	5	11	6	13	7	5
Female.....	137	9	10	11	11	11	9	15	11	13	10	15	12
White, both sexes.....	219	18	16	20	15	21	20	19	20	16	18	22	14
Male.....	97	9	8	11	5	11	12	5	11	4	10	7	4
Female.....	122	9	8	9	10	10	8	14	9	12	8	15	10
Black, both sexes.....	13	1	1	1	1	-	1	1	-	2	4	-	1
Male.....	6	1	-	1	-	-	-	-	-	2	2	-	-
Female.....	7	-	1	-	1	-	1	1	-	-	2	-	1
American Indian 1/, both sexes.....	4	-	-	-	-	1	-	-	2	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	1	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	2	-	-	-	-	-	1	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	5	-	1	2	-	-	-	-	-	1	-	-	1
Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified (X61)													
All races, both sexes.....	850	73	65	56	78	83	67	93	74	68	68	60	65
Male.....	392	36	27	29	34	40	32	43	35	34	27	29	26
Female.....	458	37	38	27	44	43	35	50	39	34	41	31	39
White, both sexes.....	765	69	57	49	67	74	62	82	69	64	62	54	56
Male.....	356	35	23	24	29	37	31	38	33	32	24	27	23
Female.....	409	34	34	25	38	37	31	44	36	32	38	27	33
Black, both sexes.....	60	-	6	5	7	7	5	9	3	3	3	5	7
Male.....	21	-	3	3	2	2	1	4	-	2	1	1	2
Female.....	39	-	3	2	5	5	4	5	3	1	2	4	5
American Indian 1/, both sexes.....	6	-	1	1	-	-	-	1	1	1	-	-	1
Male.....	3	-	1	1	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	19	4	1	1	4	2	-	1	1	-	3	1	1
Male.....	12	1	-	1	3	1	-	1	1	-	2	1	1
Female.....	7	3	1	-	1	1	-	-	-	-	1	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances (X64)													
All races, both sexes.....	2,241	181	173	218	186	200	209	224	194	171	159	166	160
Male.....	1,027	64	83	94	96	88	103	95	90	85	71	83	75
Female.....	1,214	117	90	124	90	112	106	129	104	86	88	83	85
White, both sexes.....	2,099	168	161	204	169	188	201	213	180	158	148	157	152
Male.....	976	62	79	91	88	83	101	91	84	79	67	78	73
Female.....	1,123	106	82	113	81	105	100	122	96	79	81	79	79
Black, both sexes.....	79	8	4	9	13	8	2	6	9	7	6	4	3
Male.....	28	1	-	3	6	4	-	3	6	2	1	2	-
Female.....	51	7	4	6	7	4	2	3	3	5	5	2	3
American Indian 1/, both sexes.....	24	3	2	2	3	1	3	3	1	3	1	1	1
Male.....	10	1	1	-	2	1	1	1	-	2	-	1	-
Female.....	14	2	1	2	1	-	2	2	1	1	1	-	1
Asian or Pacific Islander 2/, both sexes.....	39	2	6	3	1	3	3	2	4	3	4	4	4
Male.....	13	-	3	-	-	-	1	-	-	2	3	2	2
Female.....	26	2	3	3	1	3	2	2	4	1	1	2	2
Intentional self-poisoning (suicide) by and exposure to alcohol (X65)													
All races, both sexes.....	34	3	2	2	3	3	2	3	6	2	1	3	4
Male.....	20	2	1	1	1	3	2	2	4	-	-	1	3
Female.....	14	1	1	1	2	-	-	1	2	2	1	2	1
White, both sexes.....	31	3	2	2	3	2	2	3	5	2	1	2	4
Male.....	19	2	1	1	1	2	2	2	4	-	-	1	3
Female.....	12	1	1	1	2	-	-	1	1	2	1	1	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self-poisoning (suicide) by and exposure to organic solvents and halogenated hydrocarbons and their vapors (X66)													
All races, both sexes.....	72	10	8	2	6	6	5	8	6	4	4	8	5
Male.....	55	8	7	2	6	6	3	7	2	2	2	7	3
Female.....	17	2	1	-	-	-	2	1	4	2	2	1	2
White, both sexes.....	65	9	6	2	6	4	5	7	6	4	4	8	4
Male.....	48	7	5	2	6	4	3	6	2	2	2	7	2
Female.....	17	2	1	-	-	-	2	1	4	2	2	1	2
Black, both sexes.....	4	1	1	-	-	1	-	-	-	-	-	-	1
Male.....	4	1	1	-	-	1	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Male.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)													
All races, both sexes.....	1,356	130	91	125	118	126	121	89	107	124	117	116	92
Male.....	1,066	102	72	90	97	98	94	74	85	101	90	91	72
Female.....	290	28	19	35	21	28	27	15	22	23	27	25	20
White, both sexes.....	1,301	125	88	120	113	124	117	87	102	114	112	109	90
Male.....	1,026	98	71	85	92	96	91	72	83	94	87	86	71
Female.....	275	27	17	35	21	28	26	15	19	20	25	23	19
Black, both sexes.....	38	4	2	2	2	2	3	2	3	8	4	4	2
Male.....	30	4	1	2	2	2	3	2	2	6	2	3	1
Female.....	8	-	1	-	-	-	-	-	1	2	2	1	1
American Indian 1/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	1	1	3	2	-	1	-	2	2	1	3	-
Male.....	9	-	-	3	2	-	-	-	-	1	1	2	-
Female.....	7	1	1	-	-	-	1	-	2	1	-	1	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self harm (suicide) by hanging, strangulation, and suffocation (X70)													
All races, both sexes.....	6,635	503	470	572	520	603	573	606	573	565	553	559	538
Male.....	5,496	423	388	483	434	494	485	500	478	461	455	449	446
Female.....	1,139	80	82	89	86	109	88	106	95	104	98	110	92
White, both sexes.....	5,707	431	409	480	458	530	491	529	481	472	470	481	475
Male.....	4,749	363	338	412	384	432	414	437	407	385	392	389	396
Female.....	958	68	71	68	74	98	77	92	74	87	78	92	79
Black, both sexes.....	489	35	32	47	31	35	42	42	49	52	48	43	33
Male.....	415	29	27	42	28	31	36	35	43	44	35	36	29
Female.....	74	6	5	5	3	4	6	7	6	8	13	7	4
American Indian 1/, both sexes.....	128	11	5	13	8	10	16	9	13	15	9	10	9
Male.....	109	10	4	10	7	10	16	9	9	13	9	6	6
Female.....	19	1	1	3	1	-	-	-	4	2	-	4	3
Asian or Pacific Islander 2/, both sexes.....	311	26	24	32	23	28	24	26	30	26	26	25	21
Male.....	223	21	19	19	15	21	19	19	19	19	19	18	15
Female.....	88	5	5	13	8	7	5	7	11	7	7	7	6
Intentional self harm (suicide) by drowning and submersion (X71)													
All races, both sexes.....	339	22	12	40	23	40	30	22	35	33	33	28	21
Male.....	223	17	8	23	15	27	19	14	27	21	22	18	12
Female.....	116	5	4	17	8	13	11	8	8	12	11	10	9
White, both sexes.....	250	18	10	27	15	31	22	16	26	23	23	22	17
Male.....	162	14	7	18	8	21	13	8	21	15	14	14	9
Female.....	88	4	3	9	7	10	9	8	5	8	9	8	8
Black, both sexes.....	65	3	-	11	6	6	6	3	9	7	7	3	4
Male.....	46	3	-	4	5	4	4	3	6	5	7	2	3
Female.....	19	-	-	7	1	2	2	-	3	2	-	1	1
American Indian 1/, both sexes.....	4	-	1	1	1	-	-	1	-	-	-	-	-
Male.....	3	-	1	-	1	-	-	1	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	1	1	1	1	3	2	2	-	3	3	3	-
Male.....	12	-	-	1	1	2	2	2	-	1	1	2	-
Female.....	8	1	1	-	-	1	-	-	-	2	2	1	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self harm (suicide) by smoke, fire, and flames (X76)													
All races, both sexes.....	150	7	9	16	17	10	15	13	15	12	13	11	12
Male.....	104	4	7	11	12	8	10	7	11	8	9	9	8
Female.....	46	3	2	5	5	2	5	6	4	4	4	2	4
White, both sexes.....	121	7	6	12	14	8	12	13	13	8	10	9	9
Male.....	82	4	4	9	10	6	9	7	9	5	7	7	5
Female.....	39	3	2	3	4	2	3	6	4	3	3	2	4
Black, both sexes.....	22	-	3	3	2	2	2	-	1	4	2	2	1
Male.....	18	-	3	2	2	2	1	-	1	3	1	2	1
Female.....	4	-	-	1	-	-	1	-	-	1	1	-	-
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	-	-	1	-	-	-	1	-	2
Male.....	3	-	-	-	-	-	-	-	-	-	1	-	2
Female.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Intentional self harm (suicide) by sharp object (X78)													
All races, both sexes.....	571	53	38	33	39	50	41	59	58	63	56	45	36
Male.....	468	44	32	32	32	40	36	39	54	54	43	35	27
Female.....	103	9	6	1	7	10	5	20	4	9	13	10	9
White, both sexes.....	523	50	35	32	33	45	39	55	53	57	50	40	34
Male.....	431	41	30	31	29	36	34	36	49	49	39	31	26
Female.....	92	9	5	1	4	9	5	19	4	8	11	9	8
Black, both sexes.....	30	2	3	-	3	5	1	3	2	4	4	1	2
Male.....	26	2	2	-	2	4	1	3	2	4	4	1	1
Female.....	4	-	1	-	1	1	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	3	-	-	-	1	-	1	-	1	-	-	-	-
Male.....	3	-	-	-	1	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	1	-	1	2	-	-	1	2	2	2	4	-
Male.....	8	1	-	1	-	-	-	-	2	1	-	3	-
Female.....	7	-	-	-	2	-	-	1	-	1	2	1	-



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self harm (suicide) by blunt object (X79)													
All races, both sexes.....	3	-	-	1	-	-	-	-	-	-	1	1	-
Male.....	3	-	-	1	-	-	-	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Intentional self harm (suicide) by jumping from a high place (X80)													
All races, both sexes.....	723	51	47	59	67	68	72	64	53	62	57	69	54
Male.....	509	35	34	43	50	39	52	41	35	50	37	54	39
Female.....	214	16	13	16	17	29	20	23	18	12	20	15	15
White, both sexes.....	592	42	40	46	54	55	65	54	45	49	50	55	37
Male.....	418	28	27	33	42	34	47	34	30	39	34	43	27
Female.....	174	14	13	13	12	21	18	20	15	10	16	12	10
Black, both sexes.....	70	5	4	7	7	5	4	3	6	8	3	9	9
Male.....	51	5	4	5	3	2	2	2	4	7	2	8	7
Female.....	19	-	-	2	4	3	2	1	2	1	1	1	2
American Indian 1/, both sexes.....	9	1	-	1	-	-	1	-	-	-	1	2	3
Male.....	4	1	-	1	-	-	1	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	-	1	2	2
Asian or Pacific Islander 2/, both sexes.....	52	3	3	5	6	8	2	7	2	5	3	3	5
Male.....	36	1	3	4	5	3	2	5	1	4	1	3	4
Female.....	16	2	-	1	1	5	-	2	1	1	2	-	1



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Intentional self harm (suicide) by other specified means (X83)													
All races, both sexes.....	89	7	4	13	1	5	12	4	17	4	9	5	8
Male.....	68	6	2	9	-	5	11	1	13	3	8	4	6
Female.....	21	1	2	4	1	-	1	3	4	1	1	1	2
White, both sexes.....	76	7	3	11	-	5	12	2	16	4	8	3	5
Male.....	60	6	1	9	-	5	11	-	12	3	7	3	3
Female.....	16	1	2	2	-	-	1	2	4	1	1	-	2
Black, both sexes.....	9	-	1	2	-	-	-	1	1	-	-	2	2
Male.....	5	-	1	-	-	-	-	-	1	-	-	1	2
Female.....	4	-	-	2	-	-	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	1	-	-	1	-	-	1	-	1
Male.....	3	-	-	-	-	-	-	1	-	-	1	-	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Intentional self harm (suicide) by unspecified means (X84)													
All races, both sexes.....	150	14	9	16	9	9	17	9	15	10	9	15	18
Male.....	111	9	6	12	8	6	14	6	12	7	5	10	16
Female.....	39	5	3	4	1	3	3	3	3	3	4	5	2
White, both sexes.....	136	12	9	14	6	8	17	8	14	9	8	14	17
Male.....	104	8	6	11	6	6	14	5	11	7	5	10	15
Female.....	32	4	3	3	-	2	3	3	3	2	3	4	2
Black, both sexes.....	6	1	-	-	2	-	-	-	-	1	1	1	-
Male.....	2	-	-	-	2	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	-	-	-	-	1	1	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	2	1	1	-	1	-	-	-	-	1
Male.....	4	1	-	1	-	-	-	1	-	-	-	-	1
Female.....	3	-	-	1	1	1	-	-	-	-	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by unspecified chemical or noxious substance (X90)													
All races, both sexes.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Assault (homicide) by hanging, strangulation, and suffocation (X91)													
All races, both sexes.....	670	64	60	59	64	56	50	61	68	52	40	50	46
Male.....	220	18	23	12	21	11	19	21	28	14	10	22	21
Female.....	450	46	37	47	43	45	31	40	40	38	30	28	25
White, both sexes.....	437	48	28	41	47	42	31	36	39	35	25	37	28
Male.....	149	15	11	9	16	10	11	13	15	10	7	17	15
Female.....	288	33	17	32	31	32	20	23	24	25	18	20	13
Black, both sexes.....	202	11	29	18	14	13	19	21	25	15	11	11	15
Male.....	61	1	11	3	3	1	8	8	12	4	1	4	5
Female.....	141	10	18	15	11	12	11	13	13	11	10	7	10
American Indian 1/, both sexes.....	9	1	1	-	1	-	-	1	1	1	-	-	3
Male.....	3	1	-	-	1	-	-	-	-	-	-	-	1
Female.....	6	-	1	-	-	-	-	1	1	1	-	-	2
Asian or Pacific Islander 2/, both sexes.....	22	4	2	-	2	1	-	3	3	1	4	2	-
Male.....	7	1	1	-	1	-	-	-	1	-	2	1	-
Female.....	15	3	1	-	1	1	-	3	2	1	2	1	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by drowning and submersion (X92)													
All races, both sexes.....	59	4	2	4	3	11	1	3	8	6	7	2	8
Male.....	27	2	-	2	1	6	1	2	4	2	3	1	3
Female.....	32	2	2	2	2	5	-	1	4	4	4	1	5
White, both sexes.....	41	1	2	4	3	6	1	2	4	5	5	2	6
Male.....	18	-	-	2	1	4	1	1	3	2	2	1	1
Female.....	23	1	2	2	2	2	-	1	1	3	3	1	5
Black, both sexes.....	17	2	-	-	-	5	-	1	4	1	2	-	2
Male.....	8	1	-	-	-	2	-	1	1	-	1	-	2
Female.....	9	1	-	-	-	3	-	-	3	1	1	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Assault (homicide) by handgun discharge (X93)													
All races, both sexes.....	1,011	89	81	75	87	79	84	81	87	89	96	93	70
Male.....	842	62	68	65	71	66	71	72	75	74	82	80	56
Female.....	169	27	13	10	16	13	13	9	12	15	14	13	14
White, both sexes.....	500	43	36	31	38	31	40	44	42	50	53	53	39
Male.....	394	26	28	27	34	23	31	37	32	37	47	42	30
Female.....	106	17	8	4	4	8	9	7	10	13	6	11	9
Black, both sexes.....	475	43	39	44	43	44	42	36	40	36	39	40	29
Male.....	420	33	36	38	34	39	38	34	38	35	32	38	25
Female.....	55	10	3	6	9	5	4	2	2	1	7	2	4
American Indian 1/, both sexes.....	7	1	1	-	2	2	1	-	-	-	-	-	-
Male.....	5	1	-	-	1	2	1	-	-	-	-	-	-
Female.....	2	-	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	2	5	-	4	2	1	1	5	3	4	-	2
Male.....	23	2	4	-	2	2	1	1	5	2	3	-	1
Female.....	6	-	1	-	2	-	-	-	-	1	1	-	1

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by rifle, shotgun, and larger firearm discharge (X94)													
All races, both sexes.....	687	50	48	49	58	49	50	58	59	66	62	62	76
Male.....	527	39	34	41	42	37	44	44	41	51	50	43	61
Female.....	160	11	14	8	16	12	6	14	18	15	12	19	15
White, both sexes.....	422	31	36	35	40	25	28	36	36	35	32	42	46
Male.....	308	21	23	27	29	20	25	25	25	26	25	29	33
Female.....	114	10	13	8	11	5	3	11	11	9	7	13	13
Black, both sexes.....	245	19	8	12	18	21	21	22	23	30	25	18	28
Male.....	205	18	7	12	13	15	18	19	16	24	21	14	28
Female.....	40	1	1	-	5	6	3	3	7	6	4	4	-
American Indian 1/, both sexes.....	12	-	4	-	-	1	1	-	-	-	3	2	1
Male.....	7	-	4	-	-	-	1	-	-	-	2	-	-
Female.....	5	-	-	-	-	1	-	-	-	-	1	2	1
Asian or Pacific Islander 2/, both sexes.....	8	-	-	2	-	2	-	-	-	1	2	-	1
Male.....	7	-	-	2	-	2	-	-	-	1	2	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Assault (homicide) by other and unspecified firearm discharge (X95)													
All races, both sexes.....	10,222	796	686	846	828	894	873	961	937	865	859	794	883
Male.....	8,757	672	575	733	712	765	748	838	792	736	750	670	766
Female.....	1,465	124	111	113	116	129	125	123	145	129	109	124	117
White, both sexes.....	4,251	316	304	353	333	368	365	364	386	368	371	374	349
Male.....	3,406	249	243	294	269	287	297	288	302	303	301	290	283
Female.....	845	67	61	59	64	81	68	76	84	65	70	84	66
Black, both sexes.....	5,677	447	361	468	480	503	488	558	531	467	465	407	502
Male.....	5,115	392	316	420	428	459	434	517	475	409	430	374	461
Female.....	562	55	45	48	52	44	54	41	56	58	35	33	41
American Indian 1/, both sexes.....	90	15	11	6	5	8	6	7	4	9	9	1	9
Male.....	69	14	7	4	5	8	4	5	2	8	7	-	5
Female.....	21	1	4	2	-	-	2	2	2	1	2	1	4
Asian or Pacific Islander 2/, both sexes.....	204	18	10	19	10	15	14	32	16	21	14	12	23
Male.....	167	17	9	15	10	11	13	28	13	16	12	6	17
Female.....	37	1	1	4	-	4	1	4	3	5	2	6	6



## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by explosive material (X96)													
All races, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Assault (homicide) by smoke, fire, and flames (X97)													
All races, both sexes.....	163	14	13	12	13	9	10	18	22	8	22	8	14
Male.....	98	11	8	5	6	5	5	14	18	5	10	4	7
Female.....	65	3	5	7	7	4	5	4	4	3	12	4	7
White, both sexes.....	101	3	10	9	11	3	3	11	16	7	13	6	9
Male.....	58	2	5	3	6	2	2	8	13	4	7	2	4
Female.....	43	1	5	6	5	1	1	3	3	3	6	4	5
Black, both sexes.....	57	8	3	3	2	6	7	5	6	1	9	2	5
Male.....	37	7	3	2	-	3	3	5	5	1	3	2	3
Female.....	20	1	-	1	2	3	4	-	1	-	6	-	2
American Indian 1/, both sexes.....	3	3	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Assault (homicide) by steam, hot vapors, and hot objects (X98)													
All races, both sexes.....	4	1	1	-	-	-	1	-	-	1	-	-	-
Male.....	3	-	1	-	-	-	1	-	-	1	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	3	1	1	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Assault (homicide) by sharp object (X99)													
All races, both sexes.....	2,049	155	151	180	166	176	176	206	192	174	165	152	156
Male.....	1,453	112	110	117	117	121	126	142	145	121	114	114	114
Female.....	596	43	41	63	49	55	50	64	47	53	51	38	42
White, both sexes.....	1,108	74	85	98	90	99	86	113	119	91	91	82	80
Male.....	765	53	63	58	60	66	62	77	88	60	62	58	58
Female.....	343	21	22	40	30	33	24	36	31	31	29	24	22
Black, both sexes.....	837	68	61	73	68	72	83	83	67	75	65	62	60
Male.....	619	52	44	54	54	53	59	57	53	54	46	50	43
Female.....	218	16	17	19	14	19	24	26	14	21	19	12	17
American Indian 1/, both sexes.....	40	2	1	6	4	2	1	5	1	3	3	5	7
Male.....	30	-	-	3	2	-	1	5	1	3	3	5	7
Female.....	10	2	1	3	2	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	64	11	4	3	4	3	6	5	5	5	6	3	9
Male.....	39	7	3	2	1	2	4	3	3	4	3	1	6
Female.....	25	4	1	1	3	1	2	2	2	1	3	2	3









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
By other specified persons (Y06.8)													
All races, both sexes.....	3	1	-	-	-	-	-	1	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
By unspecified person (Y06.9)													
All races, both sexes.....	29	2	5	1	2	1	1	-	6	2	4	-	5
Male.....	13	1	2	-	1	1	-	-	3	1	1	-	3
Female.....	16	1	3	1	1	-	1	-	3	1	3	-	2
White, both sexes.....	20	2	3	-	2	1	1	-	4	-	3	-	4
Male.....	9	1	-	-	1	1	-	-	2	-	1	-	3
Female.....	11	1	3	-	1	-	1	-	2	-	2	-	1
Black, both sexes.....	7	-	1	1	-	-	-	-	2	1	1	-	1
Male.....	3	-	1	-	-	-	-	-	1	1	-	-	-
Female.....	4	-	-	1	-	-	-	-	1	-	1	-	1
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other maltreatment syndromes (Y07)													
All races, both sexes.....	183	13	16	9	17	13	13	19	18	20	13	14	18
Male.....	111	8	11	4	13	7	9	10	8	11	10	11	9
Female.....	72	5	5	5	4	6	4	9	10	9	3	3	9
White, both sexes.....	114	6	12	7	8	7	11	11	14	9	11	8	10
Male.....	68	5	7	2	6	5	7	5	5	6	8	6	6
Female.....	46	1	5	5	2	2	4	6	9	3	3	2	4
Black, both sexes.....	59	6	4	1	8	6	1	7	4	7	2	5	8
Male.....	36	2	4	1	6	2	1	4	3	3	2	5	3
Female.....	23	4	-	-	2	4	-	3	1	4	-	-	5
American Indian 1/, both sexes.....	6	1	-	-	1	-	1	1	-	1	-	1	-
Male.....	5	1	-	-	1	-	1	1	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	-	-	-	3	-	-	-
Male.....	2	-	-	1	-	-	-	-	-	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	2	-	-	-
By spouse or partner (Y07.0)													
All races, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-	-









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent (Y11)													
All races, both sexes.....	239	24	18	20	22	24	23	19	17	18	20	16	18
Male.....	121	13	6	8	12	12	9	10	11	11	11	7	11
Female.....	118	11	12	12	10	12	14	9	6	7	9	9	7
White, both sexes.....	215	21	18	19	22	23	20	18	14	17	14	14	15
Male.....	106	11	6	8	12	12	7	10	8	10	7	6	9
Female.....	109	10	12	11	10	11	13	8	6	7	7	8	6
Black, both sexes.....	19	3	-	1	-	1	1	1	3	1	4	1	3
Male.....	13	2	-	-	-	-	1	-	3	1	3	1	2
Female.....	6	1	-	1	-	1	-	1	-	-	1	-	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	-	2	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1	-
Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens] , not elsewhere classified, undetermined intent (Y12)													
All races, both sexes.....	1,981	155	165	197	163	193	165	164	161	145	151	148	174
Male.....	1,427	117	127	131	122	140	115	115	111	115	112	101	121
Female.....	554	38	38	66	41	53	50	49	50	30	39	47	53
White, both sexes.....	1,626	122	138	163	131	156	135	130	133	120	125	128	145
Male.....	1,170	92	103	109	98	112	93	93	93	95	92	87	103
Female.....	456	30	35	54	33	44	42	37	40	25	33	41	42
Black, both sexes.....	335	30	27	33	30	33	28	33	25	24	25	20	27
Male.....	245	23	24	21	23	26	20	21	17	20	19	14	17
Female.....	90	7	3	12	7	7	8	12	8	4	6	6	10
American Indian 1/, both sexes.....	13	2	-	1	2	2	2	1	1	1	1	-	-
Male.....	8	1	-	1	1	1	2	1	-	-	1	-	-
Female.....	5	1	-	-	1	1	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	-	2	-	-	2	-	-	-	2
Male.....	4	1	-	-	-	1	-	-	1	-	-	-	1
Female.....	3	-	-	-	-	1	-	-	1	-	-	-	1

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Poisoning by and exposure to other drugs acting on the autonomic nervous system, undetermined intent (Y13)													
All races, both sexes.....	8	1	2	-	1	-	-	1	-	1	1	-	1
Male.....	6	1	1	-	1	-	-	1	-	-	1	-	1
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	6	1	2	-	1	-	-	-	-	1	1	-	-
Male.....	4	1	1	-	1	-	-	-	-	-	1	-	-
Female.....	2	-	1	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	1	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent (Y14)													
All races, both sexes.....	1,270	115	91	93	102	110	116	126	110	89	91	100	127
Male.....	655	59	51	49	57	54	56	69	65	39	48	43	65
Female.....	615	56	40	44	45	56	60	57	45	50	43	57	62
White, both sexes.....	1,179	110	86	84	96	103	105	120	102	80	87	91	115
Male.....	605	58	48	42	54	50	49	66	62	36	46	38	56
Female.....	574	52	38	42	42	53	56	54	40	44	41	53	59
Black, both sexes.....	71	2	4	6	4	5	11	5	6	7	3	8	10
Male.....	38	-	2	4	2	3	7	2	2	3	2	4	7
Female.....	33	2	2	2	2	2	4	3	4	4	1	4	3
American Indian 1/, both sexes.....	12	1	1	2	-	2	-	1	2	1	1	-	1
Male.....	7	-	1	2	-	1	-	1	1	-	-	-	1
Female.....	5	1	-	-	-	1	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	8	2	-	1	2	-	-	-	-	1	-	1	1
Male.....	5	1	-	1	1	-	-	-	-	-	-	1	1
Female.....	3	1	-	-	1	-	-	-	-	1	-	-	-









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Drowning and submersion, undetermined intent (Y21)													
All races, both sexes.....	215	9	12	16	25	23	23	31	24	12	14	13	13
Male.....	153	5	7	11	19	19	16	23	19	11	7	6	10
Female.....	62	4	5	5	6	4	7	8	5	1	7	7	3
White, both sexes.....	154	6	8	14	18	17	16	19	14	10	12	7	13
Male.....	103	3	3	9	14	14	11	12	11	9	5	2	10
Female.....	51	3	5	5	4	3	5	7	3	1	7	5	3
Black, both sexes.....	44	3	3	2	6	2	2	10	9	1	2	4	-
Male.....	37	2	3	2	4	2	2	9	7	1	2	3	-
Female.....	7	1	-	-	2	-	-	1	2	-	-	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	1	-	1	4	4	2	1	1	-	2	-
Male.....	12	-	1	-	1	3	2	2	1	1	-	1	-
Female.....	4	-	-	-	-	1	2	-	-	-	-	1	-
Handgun discharge, undetermined intent (Y22)													
All races, both sexes.....	47	6	1	3	5	2	8	4	5	3	5	2	3
Male.....	39	6	1	2	3	2	6	4	4	3	4	1	3
Female.....	8	-	-	1	2	-	2	-	1	-	1	1	-
White, both sexes.....	34	6	-	1	5	-	8	3	3	2	2	1	3
Male.....	27	6	-	-	3	-	6	3	3	2	1	-	3
Female.....	7	-	-	1	2	-	2	-	-	-	1	1	-
Black, both sexes.....	8	-	-	2	-	1	-	-	1	-	3	1	-
Male.....	8	-	-	2	-	1	-	-	1	-	3	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	1	-	-	1	-	-	-	-
Male.....	2	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Rifle, shotgun, and larger firearm discharge, undetermined intent (Y23)													
All races, both sexes.....	26	4	3	-	1	2	3	5	1	2	2	1	2
Male.....	24	3	3	-	1	2	3	4	1	2	2	1	2
Female.....	2	1	-	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	24	3	2	-	1	2	3	5	1	2	2	1	2
Male.....	23	3	2	-	1	2	3	4	1	2	2	1	2
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified firearm discharge, undetermined intent (Y24)													
All races, both sexes.....	159	19	5	12	13	16	15	18	18	13	9	11	10
Male.....	123	17	3	8	9	10	13	16	14	8	7	10	8
Female.....	36	2	2	4	4	6	2	2	4	5	2	1	2
White, both sexes.....	125	12	4	11	9	12	13	16	17	10	8	8	5
Male.....	94	11	2	7	6	6	11	14	14	6	6	7	4
Female.....	31	1	2	4	3	6	2	2	3	4	2	1	1
Black, both sexes.....	27	5	1	1	3	2	2	2	-	3	1	2	5
Male.....	24	5	1	1	2	2	2	2	-	2	1	2	4
Female.....	3	-	-	-	1	-	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	5	1	-	-	1	2	-	-	-	-	-	1	-
Male.....	5	1	-	-	1	2	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Unspecified event, undetermined intent (Y34)													
All races, both sexes.....	384	30	26	30	27	38	34	34	31	45	32	29	28
Male.....	264	20	17	21	18	26	21	25	21	37	21	17	20
Female.....	120	10	9	9	9	12	13	9	10	8	11	12	8
White, both sexes.....	279	21	23	25	19	28	25	25	23	32	23	20	15
Male.....	191	16	15	19	13	18	15	17	15	26	14	14	9
Female.....	88	5	8	6	6	10	10	8	8	6	9	6	6
Black, both sexes.....	83	6	2	4	6	10	5	6	6	11	8	7	12
Male.....	57	3	2	2	3	8	2	5	4	9	6	3	10
Female.....	26	3	-	2	3	2	3	1	2	2	2	4	2
American Indian 1/, both sexes.....	12	1	1	1	-	-	2	2	2	-	1	1	1
Male.....	9	1	-	-	-	-	2	2	2	-	1	-	1
Female.....	3	-	1	1	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	10	2	-	-	2	-	2	1	-	2	-	1	-
Male.....	7	-	-	-	2	-	2	1	-	2	-	-	-
Female.....	3	2	-	-	-	-	-	-	-	-	-	1	-
Legal intervention (Y35)													
All races, both sexes.....	423	43	30	35	37	28	31	41	29	35	43	43	28
Male.....	405	42	29	34	36	26	31	39	26	34	40	42	26
Female.....	18	1	1	1	1	2	-	2	3	1	3	1	2
White, both sexes.....	284	28	18	24	30	20	20	24	21	23	26	33	17
Male.....	271	27	17	23	29	19	20	23	19	22	24	32	16
Female.....	13	1	1	1	1	1	-	1	2	1	2	1	1
Black, both sexes.....	120	15	11	10	6	8	9	13	4	11	15	10	8
Male.....	117	15	11	10	6	7	9	13	3	11	14	10	8
Female.....	3	-	-	-	-	1	-	-	1	-	1	-	-
American Indian 1/, both sexes.....	12	-	-	1	-	-	1	1	4	1	2	-	2
Male.....	12	-	-	1	-	-	1	1	4	1	2	-	2
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	-	1	-	1	3	-	-	-	-	1
Male.....	5	-	1	-	1	-	1	2	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1



















































































## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Vaccine or biological substance, unspecified (Y59.9)													
All races, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care (Y60)													
All races, both sexes.....	135	14	10	13	11	9	8	13	10	15	9	10	13
Male.....	48	10	5	4	4	3	3	3	2	6	3	1	4
Female.....	87	4	5	9	7	6	5	10	8	9	6	9	9
White, both sexes.....	99	12	7	7	10	6	7	9	10	8	6	8	9
Male.....	36	9	4	2	4	3	2	2	2	3	2	1	2
Female.....	63	3	3	5	6	3	5	7	8	5	4	7	7
Black, both sexes.....	33	2	3	5	1	2	1	4	-	7	3	2	3
Male.....	10	1	1	1	-	-	1	1	-	3	1	-	1
Female.....	23	1	2	4	1	2	-	3	-	4	2	2	2
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
During administration of enema (Y60.7)													
All races, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
During other surgical and medical care (Y60.8)													
All races, both sexes.....	38	4	4	3	6	2	1	1	3	4	2	3	5
Male.....	15	4	2	2	1	1	-	-	1	2	1	-	1
Female.....	23	-	2	1	5	1	1	1	2	2	1	3	4
White, both sexes.....	28	4	3	1	5	1	1	1	3	2	1	2	4
Male.....	11	4	2	-	1	1	-	-	1	2	-	-	-
Female.....	17	-	1	1	4	-	1	1	2	-	1	2	4
Black, both sexes.....	8	-	1	1	1	-	-	-	-	2	1	1	1
Male.....	3	-	-	1	-	-	-	-	-	-	1	-	1
Female.....	5	-	1	-	1	-	-	-	-	2	-	1	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-









## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Contaminated medical or biological substance, injected or used for immunization (Y64.1)													
All races, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other misadventures during surgical and medical care (Y65)													
All races, both sexes.....	24	4	5	1	1	1	2	5	1	2	-	1	1
Male.....	12	3	2	1	-	1	1	2	-	1	-	-	1
Female.....	12	1	3	-	1	-	1	3	1	1	-	1	-
White, both sexes.....	18	2	4	1	1	1	2	4	1	-	-	1	1
Male.....	10	2	2	1	-	1	1	2	-	-	-	-	1
Female.....	8	-	2	-	1	-	1	2	1	-	-	1	-
Black, both sexes.....	4	1	1	-	-	-	-	1	-	1	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	-	1	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	1	-	-	-





















## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Amputation of limb(s) (Y83.5)													
All races, both sexes.....	139	17	7	13	9	11	12	11	12	7	13	9	18
Male.....	71	9	3	7	4	5	7	6	5	4	10	3	8
Female.....	68	8	4	6	5	6	5	5	7	3	3	6	10
White, both sexes.....	95	9	5	10	7	9	9	7	6	5	10	7	11
Male.....	54	7	2	6	4	4	6	3	3	4	8	2	5
Female.....	41	2	3	4	3	5	3	4	3	1	2	5	6
Black, both sexes.....	43	8	2	3	2	2	3	4	6	2	3	2	6
Male.....	16	2	1	1	-	1	1	3	2	-	2	1	2
Female.....	27	6	1	2	2	1	2	1	4	2	1	1	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Removal of other organ (partial) (total) (Y83.6)													
All races, both sexes.....	145	14	14	14	10	16	13	10	14	9	4	15	12
Male.....	61	4	5	3	2	8	5	6	9	5	2	7	5
Female.....	84	10	9	11	8	8	8	4	5	4	2	8	7
White, both sexes.....	121	10	11	13	6	13	12	6	12	7	4	15	12
Male.....	53	2	4	3	2	6	5	4	8	5	2	7	5
Female.....	68	8	7	10	4	7	7	2	4	2	2	8	7
Black, both sexes.....	21	4	2	1	3	3	1	3	2	2	-	-	-
Male.....	7	2	-	-	-	2	-	2	1	-	-	-	-
Female.....	14	2	2	1	3	1	1	1	1	2	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	1	-	-	-	-	-

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Other surgical procedures (Y83.8)													
All races, both sexes.....	119	9	11	11	10	6	8	5	10	10	12	15	12
Male.....	50	3	7	5	5	2	2	3	3	4	5	9	2
Female.....	69	6	4	6	5	4	6	2	7	6	7	6	10
White, both sexes.....	89	8	10	5	7	5	6	4	5	6	11	12	10
Male.....	39	3	6	3	4	2	1	2	2	3	5	6	2
Female.....	50	5	4	2	3	3	5	2	3	3	6	6	8
Black, both sexes.....	26	1	1	5	3	1	2	1	4	4	-	3	1
Male.....	9	-	1	1	1	-	1	1	-	1	-	3	-
Female.....	17	1	-	4	2	1	1	-	4	3	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	1	-	-	-	-	1	-	-	-	1
Male.....	2	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	1
Surgical procedure, unspecified (Y83.9)													
All races, both sexes.....	654	64	57	56	71	63	54	50	51	43	47	49	49
Male.....	315	29	33	31	33	32	27	22	25	17	24	24	18
Female.....	339	35	24	25	38	31	27	28	26	26	23	25	31
White, both sexes.....	575	59	48	51	58	58	52	43	43	36	42	41	44
Male.....	283	27	30	30	26	29	25	21	22	15	22	20	16
Female.....	292	32	18	21	32	29	27	22	21	21	20	21	28
Black, both sexes.....	62	3	8	5	9	5	1	6	6	5	4	6	4
Male.....	20	-	2	1	4	3	1	1	3	-	1	3	1
Female.....	42	3	6	4	5	2	-	5	3	5	3	3	3
American Indian 1/, both sexes.....	7	1	-	-	2	-	-	-	1	-	-	1	1
Male.....	4	1	-	-	1	-	-	-	-	1	-	-	1
Female.....	3	-	-	-	1	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	10	1	1	-	2	-	1	1	1	1	1	1	-
Male.....	8	1	1	-	2	-	1	-	-	1	1	1	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-





## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Kidney dialysis (Y84.1)													
All races, both sexes.....	31	1	4	4	2	4	-	1	1	3	2	6	3
Male.....	18	1	3	3	-	2	-	-	1	1	2	3	2
Female.....	13	-	1	1	2	2	-	1	-	2	-	3	1
White, both sexes.....	16	-	2	2	-	1	-	1	-	3	2	4	1
Male.....	9	-	2	2	-	1	-	-	-	1	2	1	-
Female.....	7	-	-	-	-	-	-	1	-	2	-	3	1
Black, both sexes.....	15	1	2	2	2	3	-	-	1	-	-	2	2
Male.....	9	1	1	1	-	1	-	-	1	-	-	2	2
Female.....	6	-	1	1	2	2	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Radiological procedure and radiotherapy (Y84.2)													
All races, both sexes.....	13	2	-	-	-	2	1	1	3	1	-	-	3
Male.....	5	1	-	-	-	1	1	1	-	1	-	-	-
Female.....	8	1	-	-	-	1	-	-	3	-	-	-	3
White, both sexes.....	11	2	-	-	-	1	1	-	3	1	-	-	3
Male.....	4	1	-	-	-	1	1	-	-	1	-	-	-
Female.....	7	1	-	-	-	-	-	-	3	-	-	-	3
Black, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-	-







## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of transport accidents (Y85)													
All races, both sexes.....	640	72	53	54	53	56	42	52	45	40	51	60	62
Male.....	464	54	32	36	37	43	30	40	29	31	37	54	41
Female.....	176	18	21	18	16	13	12	12	16	9	14	6	21
White, both sexes.....	530	54	44	45	41	49	35	44	33	37	48	47	53
Male.....	381	38	28	29	28	38	26	35	20	28	35	42	34
Female.....	149	16	16	16	13	11	9	9	13	9	13	5	19
Black, both sexes.....	84	13	7	3	12	6	5	6	12	3	2	10	5
Male.....	65	11	4	3	9	5	3	3	9	3	2	9	4
Female.....	19	2	3	-	3	1	2	3	3	-	-	1	1
American Indian 1/, both sexes.....	9	1	1	4	-	-	-	-	-	-	-	2	1
Male.....	6	1	-	2	-	-	-	-	-	-	-	2	1
Female.....	3	-	1	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	4	1	2	-	1	2	2	-	-	1	1	3
Male.....	12	4	-	2	-	-	1	2	-	-	-	1	2
Female.....	5	-	1	-	-	1	1	-	-	-	1	-	1
Sequelae of motor-vehicle accident (Y85.0)													
All races, both sexes.....	624	70	53	52	51	56	41	48	44	38	51	60	60
Male.....	453	52	32	36	35	43	29	37	29	29	37	54	40
Female.....	171	18	21	16	16	13	12	11	15	9	14	6	20
White, both sexes.....	517	52	44	44	39	49	34	40	33	36	48	47	51
Male.....	371	36	28	29	26	38	25	32	20	27	35	42	33
Female.....	146	16	16	15	13	11	9	8	13	9	13	5	18
Black, both sexes.....	82	13	7	3	12	6	5	6	11	2	2	10	5
Male.....	64	11	4	3	9	5	3	3	9	2	2	9	4
Female.....	18	2	3	-	3	1	2	3	2	-	-	1	1
American Indian 1/, both sexes.....	8	1	1	3	-	-	-	-	-	-	-	2	1
Male.....	6	1	-	2	-	-	-	-	-	-	-	2	1
Female.....	2	-	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	4	1	2	-	1	2	2	-	-	1	1	3
Male.....	12	4	-	2	-	-	1	2	-	-	-	1	2
Female.....	5	-	1	-	-	1	1	-	-	-	1	-	1

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of other and unspecified transport accidents (Y85.9)													
All races, both sexes.....	16	2	-	2	2	-	1	4	1	2	-	-	2
Male.....	11	2	-	-	2	-	1	3	-	2	-	-	1
Female.....	5	-	-	2	-	-	-	1	1	-	-	-	1
White, both sexes.....	13	2	-	1	2	-	1	4	-	1	-	-	2
Male.....	10	2	-	-	2	-	1	3	-	1	-	-	1
Female.....	3	-	-	1	-	-	-	1	-	-	-	-	1
Black, both sexes.....	2	-	-	-	-	-	-	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Sequelae of other accidents (Y86)													
All races, both sexes.....	1,008	101	104	79	85	84	78	79	65	84	70	81	98
Male.....	644	64	64	48	53	52	49	45	48	53	53	56	59
Female.....	364	37	40	31	32	32	29	34	17	31	17	25	39
White, both sexes.....	864	80	84	69	72	77	70	64	59	73	61	69	86
Male.....	543	51	50	40	42	47	41	37	44	45	48	47	51
Female.....	321	29	34	29	30	30	29	27	15	28	13	22	35
Black, both sexes.....	120	19	18	7	11	7	7	11	4	10	7	10	9
Male.....	88	12	12	6	9	5	7	6	4	7	5	7	8
Female.....	32	7	6	1	2	2	-	5	-	3	2	3	1
American Indian 1/, both sexes.....	12	1	-	1	2	-	1	2	-	1	1	1	2
Male.....	7	1	-	-	2	-	1	1	-	1	-	1	-
Female.....	5	-	-	1	-	-	-	1	-	-	1	-	2
Asian or Pacific Islander 2/, both sexes.....	12	1	2	-	-	-	-	2	2	-	1	1	1
Male.....	6	-	2	2	-	-	-	1	-	-	-	1	-
Female.....	6	1	-	-	-	-	-	1	2	-	1	-	1

## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of intentional self harm, assault, and events of undetermined intent (Y87)													
All races, both sexes.....	334	40	35	35	28	21	20	27	23	30	24	24	27
Male.....	276	36	31	31	20	15	15	20	20	26	22	17	23
Female.....	58	4	4	4	8	6	5	7	3	4	2	7	4
White, both sexes.....	210	30	26	23	15	11	13	14	16	21	12	14	15
Male.....	177	27	22	21	12	9	9	11	14	18	11	9	14
Female.....	33	3	4	2	3	2	4	3	2	3	1	5	1
Black, both sexes.....	112	9	9	10	13	10	7	11	7	8	10	9	9
Male.....	88	8	9	8	8	6	6	8	6	7	9	7	6
Female.....	24	1	-	2	5	4	1	3	1	1	1	2	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	1	1	1
Male.....	3	-	-	-	-	-	-	-	-	-	1	1	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	-	2	-	-	-	2	-	1	1	-	2
Male.....	8	1	-	2	-	-	-	1	-	1	1	-	2
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Sequelae of intentional self harm (Y87.0)													
All races, both sexes.....	62	11	9	6	6	3	1	1	5	4	4	7	5
Male.....	50	10	8	6	5	2	-	-	4	4	3	4	4
Female.....	12	1	1	-	1	1	1	1	1	-	1	3	1
White, both sexes.....	53	9	9	5	5	2	1	-	4	3	3	7	5
Male.....	44	8	8	5	4	2	-	-	4	3	2	4	4
Female.....	9	1	1	-	1	-	1	-	-	-	1	3	1
Black, both sexes.....	5	2	-	-	1	1	-	-	1	-	-	-	-
Male.....	3	2	-	-	1	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	-	1	-	1	1	-	-
Male.....	3	-	-	1	-	-	-	-	-	1	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-











## Worktable IV. Deaths from each cause, by month, race, and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget guidelines. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	Total	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.
Sequelae of unspecified external cause (Y89.9)													
All races, both sexes.....	4	1	-	-	-	-	-	1	1	-	-	1	-
Male.....	3	1	-	-	-	-	-	1	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	4	1	-	-	-	-	-	1	1	-	-	1	-
Male.....	3	1	-	-	-	-	-	1	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

- Quantity zero.

1/ Includes Aleuts and Eskimos.

2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

Note: Complete confirmation of deaths from selected causes of death, considered to be of public health concern, were not provided by the following States: California, Illinois, Kentucky, Louisiana, Michigan, Nevada, New Jersey, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, Texas, Washington, and West Virginia.

Source: CDC/NCHS, National Vital Statistics System, Mortality