

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Tuberculosis (A16-A19)													
All races, both sexes.....	657	1	1	-	2	1	6	6	10	24	29	33	47
Male.....	406	-	1	-	1	1	3	2	10	19	21	21	32
Female.....	251	1	-	-	1	-	3	4	-	5	8	12	15
White, both sexes.....	390	1	1	-	1	-	3	5	3	12	17	18	20
Male.....	237	-	1	-	1	-	2	2	3	8	11	12	14
Female.....	153	1	-	-	-	-	1	3	-	4	6	6	6
Black, both sexes.....	189	-	-	-	1	1	2	1	5	11	10	12	20
Male.....	118	-	-	-	-	1	1	-	5	10	8	6	12
Female.....	71	-	-	-	1	-	1	1	-	1	2	6	8
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	9	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	65	-	-	-	-	-	1	-	2	1	2	3	7
Male.....	42	-	-	-	-	-	-	-	2	1	2	3	6
Female.....	23	-	-	-	-	-	1	-	-	-	-	-	1
Respiratory tuberculosis (A16)													
All races, both sexes.....	504	1	1	-	1	1	3	4	7	16	20	24	34
Male.....	316	-	1	-	-	1	1	1	7	12	16	14	26
Female.....	188	1	-	-	1	-	2	3	-	4	4	10	8
White, both sexes.....	300	1	1	-	-	-	1	3	1	10	10	13	14
Male.....	185	-	1	-	-	-	-	1	1	7	8	7	10
Female.....	115	1	-	-	-	-	1	2	-	3	2	6	4
Black, both sexes.....	141	-	-	-	1	1	1	1	4	6	9	8	14
Male.....	88	-	-	-	-	1	1	-	4	5	7	4	11
Female.....	53	-	-	-	1	-	-	1	-	1	2	4	3
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	54	-	-	-	-	-	1	-	2	-	1	3	6
Male.....	37	-	-	-	-	-	-	-	2	-	1	3	5
Female.....	17	-	-	-	-	-	1	-	-	-	-	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Measles (B05)													
All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)													
All races, both sexes.....	5,382	1	-	-	2	3	8	25	36	140	470	956	1,270
Male.....	3,513	-	-	-	1	1	6	10	23	83	316	701	944
Female.....	1,869	1	-	-	1	2	2	15	13	57	154	255	326
White, both sexes.....	4,246	1	-	-	1	2	3	13	27	109	391	787	1,002
Male.....	2,799	-	-	-	1	1	2	6	17	67	271	579	757
Female.....	1,447	1	-	-	-	1	1	7	10	42	120	208	245
Black, both sexes.....	863	-	-	-	1	-	4	8	6	23	59	140	229
Male.....	564	-	-	-	-	-	3	2	4	9	31	104	163
Female.....	299	-	-	-	1	-	1	6	2	14	28	36	66
American Indian 1/, both sexes.....	62	-	-	-	-	-	-	-	-	3	10	18	13
Male.....	31	-	-	-	-	-	-	-	-	2	6	10	4
Female.....	31	-	-	-	-	-	-	-	-	1	4	8	9
Asian or Pacific Islander 2/, both sexes.....	211	-	-	-	-	1	1	4	3	5	10	11	26
Male.....	119	-	-	-	-	-	1	2	2	5	8	8	20
Female.....	92	-	-	-	-	1	-	2	1	-	2	3	6

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)													
All races, both sexes.....	7,540	167	65	22	25	42	53	57	87	152	282	546	690
Male.....	4,097	100	35	12	13	21	38	23	58	85	172	364	470
Female.....	3,443	67	30	10	12	21	15	34	29	67	110	182	220
White, both sexes.....	6,270	116	45	17	15	28	42	36	54	114	210	447	574
Male.....	3,414	69	24	9	9	15	29	14	36	64	130	304	391
Female.....	2,856	47	21	8	6	13	13	22	18	50	80	143	183
Black, both sexes.....	967	44	12	3	7	11	9	17	25	32	61	78	88
Male.....	525	25	8	1	4	5	7	7	16	16	33	51	60
Female.....	442	19	4	2	3	6	2	10	9	16	28	27	28
American Indian 1/, both sexes.....	78	6	4	-	1	-	-	-	4	1	5	11	11
Male.....	42	5	2	-	-	-	-	-	2	1	3	5	6
Female.....	36	1	2	-	1	-	-	-	2	-	2	6	5
Asian or Pacific Islander 2/, both sexes.....	225	1	4	2	2	3	2	4	4	5	6	10	17
Male.....	116	1	1	2	-	1	2	2	4	4	6	4	13
Female.....	109	-	3	-	2	2	-	2	-	1	-	6	4
Malignant neoplasms (C00-C97)													
All races, both sexes.....	553,888	74	399	526	493	731	978	1,286	2,347	4,518	10,205	19,190	30,330
Male.....	286,830	37	212	303	269	435	592	679	1,071	1,909	4,499	9,395	16,037
Female.....	267,058	37	187	223	224	296	386	607	1,276	2,609	5,706	9,795	14,293
White, both sexes.....	478,134	63	311	415	378	581	742	985	1,798	3,508	7,878	14,977	24,051
Male.....	247,450	31	161	242	211	350	451	542	859	1,544	3,524	7,365	12,743
Female.....	230,684	32	150	173	167	231	291	443	939	1,964	4,354	7,612	11,308
Black, both sexes.....	62,499	7	65	79	91	126	185	247	420	793	1,889	3,500	5,253
Male.....	32,443	2	37	40	44	69	107	105	160	260	775	1,684	2,805
Female.....	30,056	5	28	39	47	57	78	142	260	533	1,114	1,816	2,448
American Indian 1/, both sexes.....	2,392	1	3	7	1	6	10	7	18	37	69	132	181
Male.....	1,241	1	2	6	1	4	5	5	6	15	27	69	97
Female.....	1,151	-	1	1	-	2	5	2	12	22	42	63	84
Asian or Pacific Islander 2/, both sexes.....	10,863	3	20	25	23	18	41	47	111	180	369	581	845
Male.....	5,696	3	12	15	13	12	29	27	46	90	173	277	392
Female.....	5,167	-	8	10	10	6	12	20	65	90	196	304	453

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)													
All races, both sexes.....	7,826	-	2	1	4	10	13	13	30	56	200	450	743
Male.....	5,312	-	-	-	2	8	10	11	24	33	143	346	591
Female.....	2,514	-	2	1	2	2	3	2	6	23	57	104	152
White, both sexes.....	6,443	-	2	1	2	7	7	9	20	34	128	306	547
Male.....	4,270	-	-	-	-	6	4	9	16	21	88	236	431
Female.....	2,173	-	2	1	2	1	3	-	4	13	40	70	116
Black, both sexes.....	1,149	-	-	-	2	1	4	3	8	19	57	123	174
Male.....	874	-	-	-	2	1	4	2	7	11	40	96	141
Female.....	275	-	-	-	-	-	-	1	1	8	17	27	33
American Indian 1/, both sexes.....	39	-	-	-	-	1	-	-	-	2	3	2	1
Male.....	31	-	-	-	-	1	-	-	-	1	3	2	1
Female.....	8	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	195	-	-	-	-	1	2	1	2	1	12	19	21
Male.....	137	-	-	-	-	-	2	-	1	-	12	12	18
Female.....	58	-	-	-	-	1	-	1	1	1	-	7	3
Malignant neoplasm of esophagus (C15)													
All races, both sexes.....	13,023	-	-	-	-	-	5	11	25	69	222	513	910
Male.....	10,081	-	-	-	-	-	4	8	20	58	184	440	771
Female.....	2,942	-	-	-	-	-	1	3	5	11	38	73	139
White, both sexes.....	11,251	-	-	-	-	-	3	9	18	62	184	398	739
Male.....	8,831	-	-	-	-	-	3	6	15	54	159	355	646
Female.....	2,420	-	-	-	-	-	-	3	3	8	25	43	93
Black, both sexes.....	1,527	-	-	-	-	-	2	1	5	5	34	107	147
Male.....	1,060	-	-	-	-	-	1	1	4	3	23	79	110
Female.....	467	-	-	-	-	-	1	-	1	2	11	28	37
American Indian 1/, both sexes.....	58	-	-	-	-	-	-	-	-	1	2	3	2
Male.....	45	-	-	-	-	-	-	-	-	-	1	2	2
Female.....	13	-	-	-	-	-	-	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	187	-	-	-	-	-	-	1	2	1	2	5	22
Male.....	145	-	-	-	-	-	-	1	1	1	1	4	13
Female.....	42	-	-	-	-	-	-	-	1	-	1	1	9

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasm of stomach (C16)													
All races, both sexes.....	11,859	-	-	-	-	2	10	29	93	145	333	457	685
Male.....	6,958	-	-	-	-	1	6	17	46	78	191	280	442
Female.....	4,901	-	-	-	-	1	4	12	47	67	142	177	243
White, both sexes.....	9,067	-	-	-	-	2	5	17	65	116	218	309	475
Male.....	5,332	-	-	-	-	1	4	8	38	64	129	192	314
Female.....	3,735	-	-	-	-	1	1	9	27	52	89	117	161
Black, both sexes.....	2,034	-	-	-	-	-	4	9	19	14	79	106	154
Male.....	1,191	-	-	-	-	-	2	6	6	7	43	67	97
Female.....	843	-	-	-	-	-	2	3	13	7	36	39	57
American Indian 1/, both sexes.....	78	-	-	-	-	-	-	-	-	3	3	8	4
Male.....	46	-	-	-	-	-	-	-	-	2	-	4	3
Female.....	32	-	-	-	-	-	-	-	-	1	3	4	1
Asian or Pacific Islander 2/, both sexes.....	680	-	-	-	-	-	1	3	9	12	33	34	52
Male.....	389	-	-	-	-	-	-	3	2	5	19	17	28
Female.....	291	-	-	-	-	-	1	-	7	7	14	17	24
Malignant neoplasms of colon, rectum and anus (C18-C21)													
All races, both sexes.....	53,772	-	-	-	1	14	40	87	192	428	898	1,637	2,636
Male.....	26,930	-	-	-	1	9	25	50	102	218	477	911	1,531
Female.....	26,842	-	-	-	-	5	15	37	90	210	421	726	1,105
White, both sexes.....	45,824	-	-	-	1	10	25	67	142	320	677	1,242	2,052
Male.....	23,038	-	-	-	1	6	15	37	77	178	364	708	1,211
Female.....	22,786	-	-	-	-	4	10	30	65	142	313	534	841
Black, both sexes.....	6,640	-	-	-	-	3	9	15	38	78	174	329	489
Male.....	3,205	-	-	-	-	3	7	9	18	31	91	166	269
Female.....	3,435	-	-	-	-	-	2	6	20	47	83	163	220
American Indian 1/, both sexes.....	226	-	-	-	-	-	1	1	2	3	6	10	14
Male.....	131	-	-	-	-	-	1	1	2	2	2	6	9
Female.....	95	-	-	-	-	-	-	-	-	1	4	4	5
Asian or Pacific Islander 2/, both sexes.....	1,082	-	-	-	-	1	5	4	10	27	41	56	81
Male.....	556	-	-	-	-	-	2	3	5	7	20	31	42
Female.....	526	-	-	-	-	1	3	1	5	20	21	25	39

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of liver and intrahepatic bile ducts (C22)													
All races, both sexes.....	15,321	1	22	7	9	16	27	28	56	108	272	872	1,476
Male.....	9,832	1	12	3	5	10	15	20	35	82	207	673	1,216
Female.....	5,489	-	10	4	4	6	12	8	21	26	65	199	260
White, both sexes.....	12,111	1	19	3	7	9	18	17	30	63	185	592	1,077
Male.....	7,694	1	11	2	3	6	8	13	18	46	137	455	893
Female.....	4,417	-	8	1	4	3	10	4	12	17	48	137	184
Black, both sexes.....	2,014	-	2	4	1	7	7	7	15	27	52	191	284
Male.....	1,349	-	-	1	1	4	5	4	10	20	40	147	234
Female.....	665	-	2	3	-	3	2	3	5	7	12	44	50
American Indian 1/, both sexes.....	143	-	-	-	-	-	-	2	-	-	2	9	19
Male.....	77	-	-	-	-	-	-	2	-	-	2	8	14
Female.....	66	-	-	-	-	-	-	-	-	-	-	1	5
Asian or Pacific Islander 2/, both sexes.....	1,053	-	1	-	1	-	2	2	11	18	33	80	96
Male.....	712	-	1	-	1	-	2	1	7	16	28	63	75
Female.....	341	-	-	-	-	-	-	1	4	2	5	17	21
Malignant neoplasm of pancreas (C25)													
All races, both sexes.....	31,772	-	-	-	-	1	10	11	51	125	396	926	1,715
Male.....	15,776	-	-	-	-	-	6	4	35	76	247	596	1,051
Female.....	15,996	-	-	-	-	1	4	7	16	49	149	330	664
White, both sexes.....	27,229	-	-	-	-	1	5	6	39	99	303	735	1,356
Male.....	13,610	-	-	-	-	-	2	3	26	64	186	482	844
Female.....	13,619	-	-	-	-	1	3	3	13	35	117	253	512
Black, both sexes.....	3,674	-	-	-	-	-	5	4	8	16	76	162	297
Male.....	1,737	-	-	-	-	-	4	-	7	8	47	95	164
Female.....	1,937	-	-	-	-	-	1	4	1	8	29	67	133
American Indian 1/, both sexes.....	139	-	-	-	-	-	-	-	-	1	3	6	17
Male.....	71	-	-	-	-	-	-	-	-	-	2	5	12
Female.....	68	-	-	-	-	-	-	-	-	1	1	1	5
Asian or Pacific Islander 2/, both sexes.....	730	-	-	-	-	-	-	1	4	9	14	23	45
Male.....	358	-	-	-	-	-	-	1	2	4	12	14	31
Female.....	372	-	-	-	-	-	-	-	2	5	2	9	14

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasm of larynx (C32)													
All races, both sexes.....	3,668	-	-	1	-	1	-	-	3	7	52	161	282
Male.....	2,935	-	-	-	-	1	-	-	3	5	43	134	228
Female.....	733	-	-	1	-	-	-	-	-	2	9	27	54
White, both sexes.....	2,985	-	-	1	-	1	-	-	3	5	37	127	197
Male.....	2,370	-	-	-	-	1	-	-	3	4	32	107	155
Female.....	615	-	-	1	-	-	-	-	-	1	5	20	42
Black, both sexes.....	638	-	-	-	-	-	-	-	-	2	15	33	79
Male.....	530	-	-	-	-	-	-	-	-	1	11	27	68
Female.....	108	-	-	-	-	-	-	-	-	1	4	6	11
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	-	-	2
Male.....	10	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	30	-	-	-	-	-	-	-	-	-	-	1	4
Male.....	25	-	-	-	-	-	-	-	-	-	-	-	4
Female.....	5	-	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)													
All races, both sexes.....	158,091	2	4	1	3	6	17	44	103	470	1,956	4,564	7,884
Male.....	89,630	1	1	1	2	4	10	30	57	236	1,044	2,566	4,751
Female.....	68,461	1	3	-	1	2	7	14	46	234	912	1,998	3,133
White, both sexes.....	138,425	1	3	1	3	3	15	36	73	376	1,524	3,594	6,294
Male.....	77,730	1	-	1	2	2	9	25	39	182	806	1,980	3,726
Female.....	60,695	-	3	-	1	1	6	11	34	194	718	1,614	2,568
Black, both sexes.....	16,472	1	1	-	-	2	2	7	19	70	374	838	1,398
Male.....	9,995	-	1	-	-	2	1	5	9	36	200	513	910
Female.....	6,477	1	-	-	-	-	1	2	10	34	174	325	488
American Indian 1/, both sexes.....	677	-	-	-	-	-	-	-	1	4	11	32	33
Male.....	373	-	-	-	-	-	-	-	1	2	7	15	23
Female.....	304	-	-	-	-	-	-	-	-	2	4	17	10
Asian or Pacific Islander 2/, both sexes.....	2,517	-	-	-	-	1	-	1	10	20	47	100	159
Male.....	1,532	-	-	-	-	-	-	-	8	16	31	58	92
Female.....	985	-	-	-	-	1	-	1	2	4	16	42	67

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant melanoma of skin (C43)													
All races, both sexes.....	7,952	-	2	-	-	10	29	68	126	194	332	512	650
Male.....	5,125	-	2	-	-	3	14	41	76	109	203	321	428
Female.....	2,827	-	-	-	-	7	15	27	50	85	129	191	222
White, both sexes.....	7,801	-	1	-	-	9	27	67	124	191	325	507	638
Male.....	5,053	-	1	-	-	3	13	41	74	109	197	317	423
Female.....	2,748	-	-	-	-	6	14	26	50	82	128	190	215
Black, both sexes.....	119	-	1	-	-	2	2	1	1	2	6	3	9
Male.....	57	-	1	-	-	-	1	-	1	-	5	2	4
Female.....	62	-	-	-	-	1	1	1	-	2	1	1	5
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	-	1	-	3
Male.....	7	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	4	-	-	-	-	-	-	-	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	21	-	-	-	-	-	-	-	1	1	-	2	-
Male.....	8	-	-	-	-	-	-	-	1	-	-	2	-
Female.....	13	-	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasm of breast (C50)													
All races, both sexes.....	41,316	-	-	-	-	-	11	76	320	823	1,688	2,593	3,639
Male.....	362	-	-	-	-	-	1	1	-	3	7	13	20
Female.....	40,954	-	-	-	-	-	10	75	320	820	1,681	2,580	3,619
White, both sexes.....	34,759	-	-	-	-	-	7	47	216	569	1,212	1,920	2,780
Male.....	301	-	-	-	-	-	-	-	-	1	5	11	14
Female.....	34,458	-	-	-	-	-	7	47	216	568	1,207	1,909	2,766
Black, both sexes.....	5,597	-	-	-	-	-	2	26	90	225	402	572	708
Male.....	56	-	-	-	-	-	-	1	-	2	1	2	6
Female.....	5,541	-	-	-	-	-	2	25	90	223	401	570	702
American Indian 1/, both sexes.....	169	-	-	-	-	-	-	-	3	5	10	17	25
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	169	-	-	-	-	-	-	-	3	5	10	17	25
Asian or Pacific Islander 2/, both sexes.....	791	-	-	-	-	-	2	3	11	24	64	84	126
Male.....	5	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	786	-	-	-	-	-	1	3	11	24	63	84	126

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasm of cervix uteri (C53)													
All races, both sexes.....	3,850	-	-	-	-	2	17	70	143	232	390	455	395
Male.....
Female.....	3,850	-	-	-	-	2	17	70	143	232	390	455	395
White, both sexes.....	2,899	-	-	-	-	2	12	48	110	179	288	344	291
Male.....
Female.....	2,899	-	-	-	-	2	12	48	110	179	288	344	291
Black, both sexes.....	789	-	-	-	-	-	4	20	25	44	84	95	87
Male.....
Female.....	789	-	-	-	-	-	4	20	25	44	84	95	87
American Indian 1/, both sexes.....	31	-	-	-	-	-	-	-	4	3	7	3	4
Male.....
Female.....	31	-	-	-	-	-	-	-	4	3	7	3	4
Asian or Pacific Islander 2/, both sexes.....	131	-	-	-	-	-	1	2	4	6	11	13	13
Male.....
Female.....	131	-	-	-	-	-	1	2	4	6	11	13	13
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)													
All races, both sexes.....	6,990	-	-	-	-	2	3	6	14	51	117	206	351
Male.....
Female.....	6,990	-	-	-	-	2	3	6	14	51	117	206	351
White, both sexes.....	5,713	-	-	-	-	2	1	5	11	42	89	168	265
Male.....
Female.....	5,713	-	-	-	-	2	1	5	11	42	89	168	265
Black, both sexes.....	1,114	-	-	-	-	-	2	1	3	8	22	28	67
Male.....
Female.....	1,114	-	-	-	-	-	2	1	3	8	22	28	67
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	-	-	-	-	2	3
Male.....
Female.....	21	-	-	-	-	-	-	-	-	-	-	2	3
Asian or Pacific Islander 2/, both sexes.....	142	-	-	-	-	-	-	-	-	1	6	8	16
Male.....
Female.....	142	-	-	-	-	-	-	-	-	1	6	8	16

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of kidney and renal pelvis (C64-C65)													
All races, both sexes.....	12,313	4	18	23	6	8	8	22	27	76	192	470	786
Male.....	7,640	2	9	9	2	4	5	15	19	50	133	322	567
Female.....	4,673	2	9	14	4	4	3	7	8	26	59	148	219
White, both sexes.....	10,988	4	13	18	6	7	4	12	16	61	152	398	679
Male.....	6,839	2	6	7	2	4	3	7	10	39	108	276	494
Female.....	4,149	2	7	11	4	3	1	5	6	22	44	122	185
Black, both sexes.....	1,091	-	4	4	-	1	4	9	11	10	34	62	89
Male.....	655	-	3	1	-	-	2	7	9	7	22	40	62
Female.....	436	-	1	3	-	1	2	2	2	3	12	22	27
American Indian 1/, both sexes.....	91	-	-	1	-	-	-	-	-	1	1	8	7
Male.....	59	-	-	1	-	-	-	-	-	1	-	5	6
Female.....	32	-	-	-	-	-	-	-	-	-	1	3	1
Asian or Pacific Islander 2/, both sexes.....	143	-	1	-	-	-	-	1	-	4	5	2	11
Male.....	87	-	-	-	-	-	-	1	-	3	3	1	5
Female.....	56	-	1	-	-	-	-	-	-	1	2	1	6
Malignant neoplasm of bladder (C67)													
All races, both sexes.....	13,030	-	-	-	1	-	1	2	10	35	85	199	346
Male.....	8,995	-	-	-	1	-	1	1	6	17	52	141	270
Female.....	4,035	-	-	-	-	-	-	1	4	18	33	58	76
White, both sexes.....	11,957	-	-	-	1	-	-	2	7	24	61	162	297
Male.....	8,407	-	-	-	1	-	-	1	4	11	37	117	236
Female.....	3,550	-	-	-	-	-	-	1	3	13	24	45	61
Black, both sexes.....	913	-	-	-	-	-	1	-	3	9	18	32	45
Male.....	478	-	-	-	-	-	1	-	2	5	13	21	31
Female.....	435	-	-	-	-	-	-	-	1	4	5	11	14
American Indian 1/, both sexes.....	20	-	-	-	-	-	-	-	-	-	1	2	2
Male.....	15	-	-	-	-	-	-	-	-	-	-	1	2
Female.....	5	-	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	140	-	-	-	-	-	-	-	-	2	5	3	2
Male.....	95	-	-	-	-	-	-	-	-	1	2	2	1
Female.....	45	-	-	-	-	-	-	-	-	1	3	1	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)													
All races, both sexes.....	12,829	19	102	186	139	109	114	137	222	352	552	832	1,070
Male.....	7,074	10	56	102	71	62	71	80	138	224	336	516	675
Female.....	5,755	9	46	84	68	47	43	57	84	128	216	316	395
White, both sexes.....	11,793	18	82	145	104	91	93	115	191	319	484	741	969
Male.....	6,508	9	44	79	55	54	59	66	120	203	289	459	609
Female.....	5,285	9	38	66	49	37	34	49	71	116	195	282	360
Black, both sexes.....	765	-	18	25	25	17	16	16	21	20	52	60	78
Male.....	409	-	10	12	12	7	7	8	12	11	39	37	51
Female.....	356	-	8	13	13	10	9	8	9	9	13	23	27
American Indian 1/, both sexes.....	34	1	1	2	-	-	2	1	-	1	-	8	5
Male.....	25	1	1	2	-	-	2	1	-	1	-	6	4
Female.....	9	-	-	-	-	-	-	-	-	-	-	2	1
Asian or Pacific Islander 2/, both sexes.....	237	-	1	14	10	1	3	5	10	12	16	23	18
Male.....	132	-	1	9	4	1	3	5	6	9	8	14	11
Female.....	105	-	-	5	6	-	-	-	4	3	8	9	7
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)													
All races, both sexes.....	54,645	25	122	179	180	284	361	356	466	569	945	1,477	2,264
Male.....	29,522	10	72	111	103	171	228	214	275	337	578	881	1,372
Female.....	25,123	15	50	68	77	113	133	142	191	232	367	596	892
White, both sexes.....	48,240	20	94	145	144	230	285	265	361	441	759	1,187	1,824
Male.....	26,204	8	52	92	83	141	178	168	218	266	475	709	1,115
Female.....	22,036	12	42	53	61	89	107	97	143	175	284	478	709
Black, both sexes.....	5,233	3	19	22	27	46	60	77	87	102	154	246	375
Male.....	2,650	-	14	13	13	24	39	39	48	57	82	142	219
Female.....	2,583	3	5	9	14	22	21	38	39	45	72	104	156
American Indian 1/, both sexes.....	199	-	1	3	1	1	4	1	5	8	4	7	11
Male.....	112	-	1	2	1	1	1	1	2	4	2	6	8
Female.....	87	-	-	1	-	-	3	-	3	4	2	1	3
Asian or Pacific Islander 2/, both sexes.....	973	2	8	9	8	7	12	13	13	18	28	37	54
Male.....	556	2	5	4	6	5	10	6	7	10	19	24	30
Female.....	417	-	3	5	2	2	2	7	6	8	9	13	24

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Hodgkin's disease (C81)													
All races, both sexes.....	1,276	-	-	1	5	17	48	63	71	53	67	87	81
Male.....	730	-	-	-	4	7	30	33	37	32	38	52	51
Female.....	546	-	-	1	1	10	18	30	34	21	29	35	30
White, both sexes.....	1,118	-	-	-	5	15	36	44	54	43	58	76	70
Male.....	647	-	-	-	4	6	23	24	32	24	35	44	46
Female.....	471	-	-	-	1	9	13	20	22	19	23	32	24
Black, both sexes.....	135	-	-	1	-	2	12	17	15	8	9	10	10
Male.....	71	-	-	-	-	1	7	9	4	6	3	8	5
Female.....	64	-	-	1	-	1	5	8	11	2	6	2	5
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	2	1	-	-	-
Male.....	3	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	-	-	-	2	-	1	-	1	1
Male.....	9	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	10	-	-	-	-	-	-	2	-	-	-	1	1
Non-Hodgkin's lymphoma (C82-C85)													
All races, both sexes.....	20,938	1	2	22	19	56	88	117	139	197	346	611	927
Male.....	11,056	-	2	15	13	37	56	83	81	129	238	405	578
Female.....	9,882	1	-	7	6	19	32	34	58	68	108	206	349
White, both sexes.....	19,036	1	2	18	12	46	64	84	102	158	281	488	767
Male.....	10,045	-	2	14	8	30	39	64	59	107	199	323	486
Female.....	8,991	1	-	4	4	16	25	20	43	51	82	165	281
Black, both sexes.....	1,414	-	-	4	4	9	21	30	29	34	51	104	131
Male.....	739	-	-	1	2	6	14	17	19	19	31	68	80
Female.....	675	-	-	3	2	3	7	13	10	15	20	36	51
American Indian 1/, both sexes.....	67	-	-	-	-	-	-	-	2	2	3	2	2
Male.....	39	-	-	-	-	-	-	-	-	1	1	2	1
Female.....	28	-	-	-	-	-	-	-	2	1	2	-	1
Asian or Pacific Islander 2/, both sexes.....	421	-	-	-	3	1	3	3	6	3	11	17	27
Male.....	233	-	-	-	3	1	3	2	3	2	7	12	11
Female.....	188	-	-	-	-	-	-	1	3	1	4	5	16

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Leukemia (C91-C95)													
All races, both sexes.....	21,395	23	120	156	156	210	225	173	243	287	426	555	812
Male.....	12,007	9	70	96	86	126	142	95	147	159	239	303	479
Female.....	9,388	14	50	60	70	84	83	78	96	128	187	252	333
White, both sexes.....	19,077	18	92	127	127	168	185	135	195	218	345	460	674
Male.....	10,753	7	50	78	71	104	116	78	119	122	194	252	393
Female.....	8,324	11	42	49	56	64	69	57	76	96	151	208	281
Black, both sexes.....	1,860	3	19	17	23	35	27	30	41	50	64	77	118
Male.....	980	-	14	12	11	17	18	13	24	28	32	39	72
Female.....	880	3	5	5	12	18	9	17	17	22	32	38	46
American Indian 1/, both sexes.....	76	-	1	3	1	1	4	1	1	5	1	1	4
Male.....	42	-	1	2	1	1	1	1	1	2	1	1	2
Female.....	34	-	-	1	-	-	3	-	-	3	-	-	2
Asian or Pacific Islander 2/, both sexes.....	382	2	8	9	5	6	9	7	6	14	16	17	16
Male.....	232	2	5	4	3	4	7	3	3	7	12	11	12
Female.....	150	-	3	5	2	2	2	4	3	7	4	6	4
Multiple myeloma and immunoproliferative neoplasms (C88,C90)													
All races, both sexes.....	10,965	1	-	-	-	1	-	1	13	31	105	223	440
Male.....	5,694	1	-	-	-	1	-	1	10	16	62	120	261
Female.....	5,271	-	-	-	-	-	-	-	3	15	43	103	179
White, both sexes.....	8,948	1	-	-	-	1	-	1	10	21	74	162	310
Male.....	4,727	1	-	-	-	1	-	1	8	12	46	89	187
Female.....	4,221	-	-	-	-	-	-	-	2	9	28	73	123
Black, both sexes.....	1,816	-	-	-	-	-	-	-	2	10	30	55	115
Male.....	859	-	-	-	-	-	-	-	1	4	16	27	62
Female.....	957	-	-	-	-	-	-	-	1	6	14	28	53
American Indian 1/, both sexes.....	52	-	-	-	-	-	-	-	-	-	-	4	5
Male.....	28	-	-	-	-	-	-	-	-	-	-	3	5
Female.....	24	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	149	-	-	-	-	-	-	-	1	-	1	2	10
Male.....	80	-	-	-	-	-	-	-	1	-	-	1	7
Female.....	69	-	-	-	-	-	-	-	-	-	1	1	3

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)													
All races, both sexes.....	71	-	-	-	-	-	-	2	-	1	1	1	4
Male.....	35	-	-	-	-	-	-	2	-	1	1	1	3
Female.....	36	-	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	61	-	-	-	-	-	-	1	-	1	1	1	3
Male.....	32	-	-	-	-	-	-	1	-	1	1	1	3
Female.....	29	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)													
All races, both sexes.....	61,911	23	126	127	148	258	290	294	402	649	1,227	2,117	3,159
Male.....	31,654	13	59	76	82	162	195	186	234	382	632	1,153	1,792
Female.....	30,257	10	67	51	66	96	95	108	168	267	595	964	1,367
White, both sexes.....	53,795	19	96	100	108	201	220	242	321	505	962	1,643	2,494
Male.....	27,536	10	46	60	64	126	152	157	200	302	495	896	1,409
Female.....	26,259	9	50	40	44	75	68	85	121	203	467	747	1,085
Black, both sexes.....	6,658	3	20	24	36	46	56	42	59	120	221	396	558
Male.....	3,381	2	8	13	16	28	33	23	27	61	114	215	334
Female.....	3,277	1	12	11	20	18	23	19	32	59	107	181	224
American Indian 1/, both sexes.....	285	-	1	1	-	4	3	2	3	5	9	12	21
Male.....	140	-	-	1	-	2	1	-	1	2	6	9	9
Female.....	145	-	1	-	-	2	2	2	2	3	3	3	12
Asian or Pacific Islander 2/, both sexes.....	1,173	1	9	2	4	7	11	8	19	19	35	66	86
Male.....	597	1	5	2	2	6	9	6	6	17	17	33	40
Female.....	576	-	4	-	2	1	2	2	13	2	18	33	46

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)													
All races, both sexes.....	13,580	71	53	41	43	50	60	63	110	132	186	308	390
Male.....	6,764	35	28	20	26	25	38	35	59	68	104	158	224
Female.....	6,816	36	25	21	17	25	22	28	51	64	82	150	166
White, both sexes.....	12,092	59	43	30	29	35	51	49	80	101	139	251	306
Male.....	6,071	30	22	16	17	20	32	28	46	50	82	131	181
Female.....	6,021	29	21	14	12	15	19	21	34	51	57	120	125
Black, both sexes.....	1,192	10	8	9	12	11	8	12	26	28	39	44	68
Male.....	551	4	5	4	8	4	6	6	10	16	17	21	36
Female.....	641	6	3	5	4	7	2	6	16	12	22	23	32
American Indian 1/, both sexes.....	48	-	1	-	1	1	-	1	-	2	2	1	3
Male.....	23	-	-	-	1	-	-	1	-	1	2	-	1
Female.....	25	-	1	-	-	1	-	-	-	1	-	1	2
Asian or Pacific Islander 2/, both sexes.....	248	2	1	2	1	3	1	1	4	1	6	12	13
Male.....	119	1	1	-	-	1	-	-	3	1	3	6	6
Female.....	129	1	-	2	1	2	1	1	1	-	3	6	7
Anemias (D50-D64)													
All races, both sexes.....	4,575	15	33	25	21	50	78	84	80	84	117	120	116
Male.....	1,833	9	18	10	11	31	38	39	51	50	57	56	56
Female.....	2,742	6	15	15	10	19	40	45	29	34	60	64	60
White, both sexes.....	3,456	8	13	10	10	20	15	20	13	14	41	49	47
Male.....	1,322	4	6	5	3	11	8	7	11	9	22	27	26
Female.....	2,134	4	7	5	7	9	7	13	2	5	19	22	21
Black, both sexes.....	1,029	4	19	12	11	30	63	62	67	68	72	67	67
Male.....	472	3	12	4	8	20	30	31	40	40	34	27	30
Female.....	557	1	7	8	3	10	33	31	27	28	38	40	37
American Indian 1/, both sexes.....	13	-	-	1	-	-	-	-	-	1	-	-	-
Male.....	6	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	7	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	77	3	1	2	-	-	-	2	-	1	4	4	2
Male.....	33	2	-	1	-	-	-	1	-	-	1	2	-
Female.....	44	1	1	1	-	-	-	1	-	1	3	2	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Diabetes mellitus (E10-E14)													
All races, both sexes.....	73,138	1	8	6	31	48	113	180	419	709	1,317	2,217	3,350
Male.....	35,267	1	5	1	15	30	53	103	237	444	814	1,359	2,017
Female.....	37,871	-	3	5	16	18	60	77	182	265	503	858	1,333
White, both sexes.....	58,087	-	6	4	15	28	71	118	278	484	937	1,621	2,372
Male.....	28,629	-	4	-	7	15	37	66	161	308	597	1,005	1,503
Female.....	29,458	-	2	4	8	13	34	52	117	176	340	616	869
Black, both sexes.....	12,834	1	1	2	14	20	41	56	127	208	339	519	866
Male.....	5,565	1	-	1	7	15	16	33	71	125	192	304	450
Female.....	7,269	-	1	1	7	5	25	23	56	83	147	215	416
American Indian 1/, both sexes.....	746	-	-	-	-	-	1	1	10	8	28	40	45
Male.....	365	-	-	-	-	-	-	1	4	7	18	26	28
Female.....	381	-	-	-	-	-	1	-	6	1	10	14	17
Asian or Pacific Islander 2/, both sexes.....	1,471	-	1	-	2	-	-	5	4	9	13	37	67
Male.....	708	-	1	-	1	-	-	3	1	4	7	24	36
Female.....	763	-	-	-	1	-	-	2	3	5	6	13	31
Nutritional deficiencies (E40-E64)													
All races, both sexes.....	3,019	7	2	2	1	3	3	6	7	16	23	40	77
Male.....	1,087	5	1	1	1	2	3	3	3	8	7	16	34
Female.....	1,932	2	1	1	-	1	-	3	4	8	16	24	43
White, both sexes.....	2,529	5	1	1	1	1	2	4	6	8	17	27	55
Male.....	884	3	-	-	1	1	2	2	3	3	4	8	25
Female.....	1,645	2	1	1	-	-	-	2	3	5	13	19	30
Black, both sexes.....	416	1	1	1	-	1	1	2	1	7	5	12	20
Male.....	173	1	1	1	-	1	1	1	-	5	2	7	9
Female.....	243	-	-	-	-	-	-	1	1	2	3	5	11
American Indian 1/, both sexes.....	25	-	-	-	-	-	-	-	-	1	1	-	1
Male.....	10	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	15	-	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	49	1	-	-	-	1	-	-	-	-	-	1	1
Male.....	20	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	29	-	-	-	-	1	-	-	-	-	-	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malnutrition (E40-E46)													
All races, both sexes.....	2,847	6	1	1	1	2	3	6	5	14	21	36	73
Male.....	1,026	5	1	1	1	2	3	3	3	7	6	16	32
Female.....	1,821	1	-	-	-	-	-	3	2	7	15	20	41
White, both sexes.....	2,373	4	-	-	1	2	4	4	4	7	16	25	51
Male.....	829	3	-	-	1	1	2	2	3	3	3	8	23
Female.....	1,544	1	-	-	-	-	-	2	1	4	13	17	28
Black, both sexes.....	402	1	1	1	-	1	2	1	6	4	4	10	20
Male.....	167	1	1	1	-	1	1	1	-	4	2	7	9
Female.....	235	-	-	-	-	-	-	1	1	2	2	3	11
American Indian 1/, both sexes.....	25	-	-	-	-	-	-	-	-	1	1	-	1
Male.....	10	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	15	-	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	47	1	-	-	-	-	-	-	-	-	-	1	1
Male.....	20	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	27	-	-	-	-	-	-	-	-	-	-	-	1
Other nutritional deficiencies (E50-E64)													
All races, both sexes.....	172	1	1	1	-	1	-	-	2	2	2	4	4
Male.....	61	-	-	-	-	-	-	-	-	1	1	-	2
Female.....	111	1	1	1	-	1	-	-	2	1	1	4	2
White, both sexes.....	156	1	1	1	-	-	-	-	2	1	1	2	4
Male.....	55	-	-	-	-	-	-	-	-	-	1	-	2
Female.....	101	1	1	1	-	-	-	-	2	1	-	2	2
Black, both sexes.....	14	-	-	-	-	-	-	-	-	1	1	2	-
Male.....	6	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Alzheimer's disease (G30)													
All races, both sexes.....	65,965	-	-	-	-	-	1	-	1	1	6	36	65
Male.....	18,974	-	-	-	-	-	-	-	1	1	3	8	30
Female.....	46,991	-	-	-	-	-	1	-	-	-	3	28	35
White, both sexes.....	61,087	-	-	-	-	-	1	-	1	1	5	36	61
Male.....	17,605	-	-	-	-	-	-	-	1	1	2	8	29
Female.....	43,482	-	-	-	-	-	1	-	-	-	3	28	32
Black, both sexes.....	4,232	-	-	-	-	-	-	-	-	-	1	-	4
Male.....	1,147	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	3,085	-	-	-	-	-	-	-	-	-	-	-	3
American Indian 1/, both sexes.....	112	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	32	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	80	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	534	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	190	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	344	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (I00-I78)													
All races, both sexes.....	861,190	564	234	120	216	455	878	1,420	2,586	5,118	11,020	19,015	27,138
Male.....	406,458	307	120	53	117	298	569	916	1,686	3,398	7,408	13,126	18,931
Female.....	454,732	257	114	67	99	157	309	504	900	1,720	3,612	5,889	8,207
White, both sexes.....	742,775	377	149	82	146	300	594	889	1,685	3,556	7,862	13,638	19,824
Male.....	349,806	207	82	37	80	196	392	602	1,135	2,419	5,566	9,797	14,380
Female.....	392,969	170	67	45	66	104	202	287	550	1,137	2,296	3,841	5,444
Black, both sexes.....	100,477	145	75	36	64	138	241	464	791	1,388	2,869	4,845	6,542
Male.....	47,360	80	37	16	33	94	154	271	463	862	1,633	2,948	4,016
Female.....	53,117	65	38	20	31	44	87	193	328	526	1,236	1,897	2,526
American Indian 1/, both sexes.....	3,408	12	2	1	2	8	7	26	32	61	91	150	201
Male.....	1,786	6	-	-	2	2	3	17	24	38	59	97	123
Female.....	1,622	6	2	1	-	6	4	9	8	23	32	53	78
Asian or Pacific Islander 2/, both sexes.....	14,530	30	8	1	4	9	36	41	78	113	198	382	571
Male.....	7,506	14	1	-	2	6	20	26	64	79	150	284	412
Female.....	7,024	16	7	1	2	3	16	15	14	34	48	98	159

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Diseases of heart (I00-I09,I11,I13,I20-I51)													
All races, both sexes.....	652,486	421	187	83	162	366	672	1,110	2,053	4,085	8,840	15,390	22,166
Male.....	321,973	228	94	33	89	240	451	735	1,408	2,800	6,211	11,078	15,972
Female.....	330,513	193	93	50	73	126	221	375	645	1,285	2,629	4,312	6,194
White, both sexes.....	565,703	287	116	54	105	233	445	690	1,350	2,892	6,459	11,358	16,611
Male.....	278,914	156	61	22	60	153	306	475	956	2,035	4,761	8,486	12,425
Female.....	286,789	131	55	32	45	80	139	215	394	857	1,698	2,872	4,186
Black, both sexes.....	74,225	101	62	27	53	118	198	367	613	1,064	2,172	3,643	5,037
Male.....	36,222	55	32	11	26	80	127	223	374	671	1,290	2,297	3,171
Female.....	38,003	46	30	16	27	38	71	144	239	393	882	1,346	1,866
American Indian 1/, both sexes.....	2,598	11	2	1	1	7	6	22	26	43	75	121	161
Male.....	1,437	6	-	-	1	2	3	16	21	31	52	80	101
Female.....	1,161	5	2	1	-	5	3	6	5	12	23	41	60
Asian or Pacific Islander 2/, both sexes.....	9,960	22	7	1	3	8	23	31	64	86	134	268	357
Male.....	5,400	11	1	-	2	5	15	21	57	63	108	215	275
Female.....	4,560	11	6	1	1	3	8	10	7	23	26	53	82
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)													
All races, both sexes.....	3,254	2	3	1	3	3	4	14	13	32	64	85	122
Male.....	1,009	2	3	1	1	2	2	4	5	14	24	39	49
Female.....	2,245	-	-	-	2	1	2	10	8	18	40	46	73
White, both sexes.....	2,911	2	2	1	1	2	2	9	7	19	38	57	96
Male.....	898	2	2	1	-	2	1	1	1	8	15	29	36
Female.....	2,013	-	-	-	1	-	1	8	6	11	23	28	60
Black, both sexes.....	247	-	1	-	2	1	2	3	3	11	22	27	22
Male.....	84	-	1	-	1	-	1	2	2	6	8	9	11
Female.....	163	-	-	-	1	1	1	1	1	5	14	18	11
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	1	-	1	-	2
Male.....	6	-	-	-	-	-	-	-	-	-	1	-	2
Female.....	9	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	81	-	-	-	-	-	2	2	2	2	3	1	2
Male.....	21	-	-	-	-	-	-	1	2	-	-	1	-
Female.....	60	-	-	-	-	-	-	1	-	2	3	-	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Hypertensive heart disease (I11)													
All races, both sexes.....	28,585	-	-	-	2	16	28	100	202	401	916	1,505	1,760
Male.....	12,929	-	-	-	-	14	18	71	152	296	600	1,007	1,185
Female.....	15,656	-	-	-	2	2	10	29	50	105	316	498	575
White, both sexes.....	21,156	-	-	-	1	8	15	42	102	223	534	878	1,037
Male.....	9,218	-	-	-	-	7	11	38	82	172	385	635	748
Female.....	11,938	-	-	-	1	1	4	4	20	51	149	243	289
Black, both sexes.....	6,796	-	-	-	1	8	13	58	90	169	361	595	697
Male.....	3,391	-	-	-	-	7	7	33	60	116	200	349	417
Female.....	3,405	-	-	-	1	1	6	25	30	53	161	246	280
American Indian 1/, both sexes.....	109	-	-	-	-	-	-	-	3	3	5	6	8
Male.....	59	-	-	-	-	-	-	-	3	2	3	4	4
Female.....	50	-	-	-	-	-	-	-	-	1	2	2	4
Asian or Pacific Islander 2/, both sexes.....	524	-	-	-	-	-	-	-	7	6	16	26	18
Male.....	261	-	-	-	-	-	-	-	7	6	12	19	16
Female.....	263	-	-	-	-	-	-	-	-	-	4	7	2
Hypertensive heart and renal disease (I13)													
All races, both sexes.....	3,046	-	-	1	-	2	5	8	15	38	58	104	105
Male.....	1,301	-	-	-	-	-	4	7	7	29	40	60	63
Female.....	1,745	-	-	1	-	2	1	1	8	9	18	44	42
White, both sexes.....	2,071	-	-	1	-	-	2	3	5	7	20	26	34
Male.....	846	-	-	-	-	-	2	3	4	5	12	17	19
Female.....	1,225	-	-	1	-	-	-	-	1	2	8	9	15
Black, both sexes.....	883	-	-	-	-	2	3	5	10	30	37	75	65
Male.....	407	-	-	-	-	-	2	4	3	24	27	41	39
Female.....	476	-	-	-	-	2	1	1	7	6	10	34	26
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	7	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	79	-	-	-	-	-	-	-	-	1	1	2	6
Male.....	41	-	-	-	-	-	-	-	-	-	1	2	5
Female.....	38	-	-	-	-	-	-	-	-	1	-	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Ischemic heart diseases (I20-I25)													
All races, both sexes.....	451,326	13	10	8	9	24	101	292	800	1,977	5,155	9,731	15,192
Male.....	233,538	8	1	4	5	20	76	206	616	1,467	3,899	7,442	11,544
Female.....	217,788	5	9	4	4	4	25	86	184	510	1,256	2,289	3,648
White, both sexes.....	395,705	9	7	5	6	14	58	199	585	1,555	4,055	7,657	11,907
Male.....	205,475	6	1	3	4	12	45	148	459	1,167	3,178	6,022	9,321
Female.....	190,230	3	6	2	2	2	13	51	126	388	877	1,635	2,586
Black, both sexes.....	46,695	3	1	3	3	8	38	79	180	354	978	1,821	2,911
Male.....	23,060	2	-	1	1	7	29	45	126	242	619	1,215	1,938
Female.....	23,635	1	1	2	2	1	9	34	54	112	359	606	973
American Indian 1/, both sexes.....	1,843	1	1	-	-	-	1	9	12	21	47	81	116
Male.....	1,058	-	-	-	-	-	1	8	10	16	35	57	79
Female.....	785	1	1	-	-	-	-	1	2	5	12	24	37
Asian or Pacific Islander 2/, both sexes.....	7,083	-	1	-	-	2	4	5	23	47	75	172	258
Male.....	3,945	-	-	-	-	1	1	5	21	42	67	148	206
Female.....	3,138	-	1	-	-	1	3	-	2	5	8	24	52
Acute myocardial infarction (I21-I22)													
All races, both sexes.....	156,816	9	2	3	2	7	44	120	327	796	2,042	3,917	6,167
Male.....	82,909	7	-	2	2	5	34	80	242	598	1,515	2,989	4,643
Female.....	73,907	2	2	1	-	2	10	40	85	198	527	928	1,524
White, both sexes.....	137,643	6	2	1	2	3	24	82	255	636	1,633	3,161	4,964
Male.....	73,448	5	-	1	2	2	19	56	199	479	1,267	2,472	3,856
Female.....	64,195	1	2	-	-	1	5	26	56	157	366	689	1,108
Black, both sexes.....	16,206	2	-	2	-	3	18	32	62	138	364	676	1,067
Male.....	7,811	2	-	1	-	3	14	18	36	102	212	456	690
Female.....	8,395	-	-	1	-	-	4	14	26	36	152	220	377
American Indian 1/, both sexes.....	634	1	-	-	-	-	-	3	4	8	18	33	41
Male.....	359	-	-	-	-	-	-	3	3	5	13	23	27
Female.....	275	1	-	-	-	-	-	-	1	3	5	10	14
Asian or Pacific Islander 2/, both sexes.....	2,333	-	-	-	-	1	2	3	6	14	27	47	95
Male.....	1,291	-	-	-	-	-	1	3	4	12	23	38	70
Female.....	1,042	-	-	-	-	1	1	-	2	2	4	9	25

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other acute ischemic heart diseases (I24)													
All races, both sexes.....	2,462	1	2	1	-	1	4	2	8	15	65	81	136
Male.....	1,301	-	-	-	-	1	3	1	5	13	46	55	96
Female.....	1,161	1	2	1	-	-	1	1	3	2	19	26	40
White, both sexes.....	2,025	-	2	1	-	1	2	-	3	12	48	52	91
Male.....	1,042	-	-	-	-	1	1	-	3	11	35	37	65
Female.....	983	-	2	1	-	-	1	-	-	1	13	15	26
Black, both sexes.....	395	1	-	-	-	-	1	2	5	2	16	27	42
Male.....	235	-	-	-	-	-	1	1	2	2	10	16	28
Female.....	160	1	-	-	-	-	-	1	3	-	6	11	14
American Indian 1/, both sexes.....	23	-	-	-	-	-	1	-	-	1	1	1	1
Male.....	11	-	-	-	-	-	1	-	-	-	1	1	1
Female.....	12	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	-	-	-	-	-	-	-	1	2
Male.....	13	-	-	-	-	-	-	-	-	-	-	1	2
Female.....	6	-	-	-	-	-	-	-	-	-	-	-	-
Other forms of chronic ischemic heart disease (I20,I25)													
All races, both sexes.....	292,048	3	6	4	7	16	53	170	465	1,166	3,048	5,733	8,889
Male.....	149,328	1	1	2	3	14	39	125	369	856	2,338	4,398	6,805
Female.....	142,720	2	5	2	4	2	14	45	96	310	710	1,335	2,084
White, both sexes.....	256,037	3	3	3	4	10	32	117	327	907	2,374	4,444	6,852
Male.....	130,985	1	1	2	2	9	25	92	257	677	1,876	3,513	5,400
Female.....	125,052	2	2	1	2	1	7	25	70	230	498	931	1,452
Black, both sexes.....	30,094	-	1	1	3	5	19	45	113	214	598	1,118	1,802
Male.....	15,014	-	-	-	1	4	14	26	88	138	397	743	1,220
Female.....	15,080	-	1	1	2	1	5	19	25	76	201	375	582
American Indian 1/, both sexes.....	1,186	-	1	-	-	-	-	6	8	12	28	47	74
Male.....	688	-	-	-	-	-	-	5	7	11	21	33	51
Female.....	498	-	1	-	-	-	-	1	1	1	7	14	23
Asian or Pacific Islander 2/, both sexes.....	4,731	-	1	-	-	1	2	2	17	33	48	124	161
Male.....	2,641	-	-	-	-	1	-	2	17	30	44	109	134
Female.....	2,090	-	1	-	-	-	2	-	-	3	4	15	27

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Atherosclerotic cardiovascular disease, so described (I25.0)													
All races, both sexes.....	63,661	-	1	-	-	1	8	37	156	351	1,112	2,110	3,555
Male.....	34,574	-	-	-	-	1	7	30	127	266	877	1,674	2,821
Female.....	29,087	-	1	-	-	-	1	7	29	85	235	436	734
White, both sexes.....	52,585	-	-	-	-	1	6	27	105	278	860	1,579	2,663
Male.....	28,370	-	-	-	-	1	5	23	84	210	703	1,305	2,191
Female.....	24,215	-	-	-	-	-	1	4	21	68	157	274	472
Black, both sexes.....	9,666	-	1	-	-	-	2	8	41	55	222	473	795
Male.....	5,331	-	-	-	-	-	2	5	34	39	148	316	551
Female.....	4,335	-	1	-	-	-	-	3	7	16	74	157	244
American Indian 1/, both sexes.....	331	-	-	-	-	-	-	2	3	7	7	16	30
Male.....	207	-	-	-	-	-	-	2	2	6	5	11	21
Female.....	124	-	-	-	-	-	-	-	1	1	2	5	9
Asian or Pacific Islander 2/, both sexes.....	1,079	-	-	-	-	-	-	-	7	11	23	42	67
Male.....	666	-	-	-	-	-	-	-	7	11	21	42	58
Female.....	413	-	-	-	-	-	-	-	-	-	2	-	9
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)													
All races, both sexes.....	228,387	3	5	4	7	15	45	133	309	815	1,936	3,623	5,334
Male.....	114,754	1	1	2	3	13	32	95	242	590	1,461	2,724	3,984
Female.....	113,633	2	4	2	4	2	13	38	67	225	475	899	1,350
White, both sexes.....	203,452	3	3	3	4	9	26	90	222	629	1,514	2,865	4,189
Male.....	102,615	1	1	2	2	8	20	69	173	467	1,173	2,208	3,209
Female.....	100,837	2	2	1	2	1	6	21	49	162	341	657	980
Black, both sexes.....	20,428	-	-	1	3	5	17	37	72	159	376	645	1,007
Male.....	9,683	-	-	-	1	4	12	21	54	99	249	427	669
Female.....	10,745	-	-	1	2	1	5	16	18	60	127	218	338
American Indian 1/, both sexes.....	855	-	1	-	-	-	-	4	5	5	21	31	44
Male.....	481	-	-	-	-	-	-	3	5	5	16	22	30
Female.....	374	-	1	-	-	-	-	1	-	-	5	9	14
Asian or Pacific Islander 2/, both sexes.....	3,652	-	1	-	-	1	2	2	10	22	25	82	94
Male.....	1,975	-	-	-	-	1	-	2	10	19	23	67	76
Female.....	1,677	-	1	-	-	-	2	-	-	3	2	15	18

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other heart diseases (I26-I51)													
All races, both sexes.....	166,275	406	174	73	148	321	534	696	1,023	1,637	2,647	3,965	4,987
Male.....	73,196	218	90	28	83	204	351	447	628	994	1,648	2,530	3,131
Female.....	93,079	188	84	45	65	117	183	249	395	643	999	1,435	1,856
White, both sexes.....	143,860	276	107	47	97	209	368	437	651	1,088	1,812	2,740	3,537
Male.....	62,477	148	58	18	56	132	247	285	410	683	1,171	1,783	2,301
Female.....	81,383	128	49	29	41	77	121	152	241	405	641	957	1,236
Black, both sexes.....	19,604	98	60	24	47	99	142	222	330	500	774	1,125	1,342
Male.....	9,280	53	31	10	24	66	88	139	183	283	436	683	766
Female.....	10,324	45	29	14	23	33	54	83	147	217	338	442	576
American Indian 1/, both sexes.....	618	10	1	1	1	7	5	13	10	19	22	33	35
Male.....	307	6	-	-	1	2	2	8	8	13	13	19	16
Female.....	311	4	1	1	-	5	3	5	2	6	9	14	19
Asian or Pacific Islander 2/, both sexes.....	2,193	22	6	1	3	6	19	24	32	30	39	67	73
Male.....	1,132	11	1	-	2	4	14	15	27	15	28	45	48
Female.....	1,061	11	5	1	1	2	5	9	5	15	11	22	25
Acute and subacute endocarditis (I33)													
All races, both sexes.....	1,196	1	1	-	-	1	11	8	27	37	47	90	100
Male.....	659	-	-	-	-	1	7	5	17	24	31	58	64
Female.....	537	1	1	-	-	-	4	3	10	13	16	32	36
White, both sexes.....	957	1	-	-	-	-	10	7	20	31	35	55	59
Male.....	536	-	-	-	-	-	6	5	11	23	24	36	39
Female.....	421	1	-	-	-	-	4	2	9	8	11	19	20
Black, both sexes.....	204	-	1	-	-	1	-	1	5	5	9	30	38
Male.....	104	-	-	-	-	1	-	-	4	1	6	19	23
Female.....	100	-	1	-	-	-	-	1	1	4	3	11	15
American Indian 1/, both sexes.....	13	-	-	-	-	-	-	-	1	1	1	4	1
Male.....	5	-	-	-	-	-	-	-	1	-	-	2	1
Female.....	8	-	-	-	-	-	-	-	-	1	1	2	-
Asian or Pacific Islander 2/, both sexes.....	22	-	-	-	-	-	1	-	1	-	2	1	2
Male.....	14	-	-	-	-	-	1	-	1	-	1	1	1
Female.....	8	-	-	-	-	-	-	-	-	-	1	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Diseases of pericardium and acute myocarditis (I30-I31,I40)													
All races, both sexes.....	779	21	25	7	10	17	14	16	23	29	38	49	58
Male.....	404	11	15	5	5	9	9	8	10	20	20	27	36
Female.....	375	10	10	2	5	8	5	8	13	9	18	22	22
White, both sexes.....	595	11	12	2	7	10	8	9	14	17	23	33	46
Male.....	305	7	7	2	3	8	6	4	6	15	11	15	28
Female.....	290	4	5	-	4	2	2	5	8	2	12	18	18
Black, both sexes.....	164	8	12	5	3	4	6	4	8	12	14	16	11
Male.....	89	3	7	3	2	1	3	3	3	5	9	12	7
Female.....	75	5	5	2	1	3	3	1	5	7	5	4	4
American Indian 1/, both sexes.....	5	1	-	-	-	1	-	1	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	-	-	1	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	15	1	1	-	-	2	-	2	1	-	-	-	1
Male.....	9	1	1	-	-	-	-	1	1	-	-	-	1
Female.....	6	-	-	-	-	2	-	1	-	-	-	-	-
Heart failure (I50)													
All races, both sexes.....	57,120	30	11	3	7	12	21	38	52	110	203	386	653
Male.....	22,292	16	4	1	6	6	13	28	31	69	117	237	378
Female.....	34,828	14	7	2	1	6	8	10	21	41	86	149	275
White, both sexes.....	51,205	20	10	-	5	7	14	22	28	62	131	246	408
Male.....	19,806	10	4	-	4	4	9	17	13	44	76	147	248
Female.....	31,399	10	6	-	1	3	5	5	15	18	55	99	160
Black, both sexes.....	5,230	8	1	2	2	5	6	15	21	46	65	135	233
Male.....	2,174	5	-	1	2	2	4	10	15	23	36	86	125
Female.....	3,056	3	1	1	-	3	2	5	6	23	29	49	108
American Indian 1/, both sexes.....	193	-	-	1	-	-	1	-	2	1	4	1	7
Male.....	87	-	-	-	-	-	-	-	2	1	3	1	2
Female.....	106	-	-	1	-	-	1	-	-	-	1	-	5
Asian or Pacific Islander 2/, both sexes.....	492	2	-	-	-	-	-	1	1	1	3	4	5
Male.....	225	1	-	-	-	-	-	1	1	1	2	3	3
Female.....	267	1	-	-	-	-	-	-	-	-	1	1	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)													
All races, both sexes.....	107,180	354	137	63	131	291	488	634	921	1,461	2,359	3,440	4,176
Male.....	49,841	191	71	22	72	188	322	406	570	881	1,480	2,208	2,653
Female.....	57,339	163	66	41	59	103	166	228	351	580	879	1,232	1,523
White, both sexes.....	91,103	244	85	45	85	192	336	399	589	978	1,623	2,406	3,024
Male.....	41,830	131	47	16	49	120	226	259	380	601	1,060	1,585	1,986
Female.....	49,273	113	38	29	36	72	110	140	209	377	563	821	1,038
Black, both sexes.....	14,006	82	46	17	42	89	130	202	296	437	686	944	1,060
Male.....	6,913	45	24	6	20	62	81	126	161	254	385	566	611
Female.....	7,093	37	22	11	22	27	49	76	135	183	301	378	449
American Indian 1/, both sexes.....	407	9	1	-	1	6	4	12	7	17	16	28	27
Male.....	214	6	-	-	1	2	2	8	5	12	10	16	13
Female.....	193	3	1	-	-	4	2	4	2	5	6	12	14
Asian or Pacific Islander 2/, both sexes.....	1,664	19	5	1	3	4	18	21	29	29	34	62	65
Male.....	884	9	-	-	2	4	13	13	24	14	25	41	43
Female.....	780	10	5	1	1	-	5	8	5	15	9	21	22
Essential (primary) hypertension and hypertensive renal disease (I10,I12)													
All races, both sexes.....	23,076	2	1	-	1	6	15	37	66	128	220	480	658
Male.....	8,869	1	1	-	-	4	9	22	37	87	135	288	426
Female.....	14,207	1	-	-	1	2	6	15	29	41	85	192	232
White, both sexes.....	17,693	-	1	-	-	3	10	12	32	49	112	237	360
Male.....	6,640	-	1	-	-	3	7	8	21	37	74	152	242
Female.....	11,053	-	-	-	-	-	3	4	11	12	38	85	118
Black, both sexes.....	4,747	2	-	-	1	2	5	21	34	73	105	225	276
Male.....	1,964	1	-	-	-	1	2	13	16	46	58	123	170
Female.....	2,783	1	-	-	1	1	3	8	18	27	47	102	106
American Indian 1/, both sexes.....	107	-	-	-	-	1	-	2	-	4	2	7	5
Male.....	48	-	-	-	-	-	-	-	-	3	2	6	2
Female.....	59	-	-	-	-	1	-	2	-	1	-	1	3
Asian or Pacific Islander 2/, both sexes.....	529	-	-	-	-	-	-	2	-	2	1	11	17
Male.....	217	-	-	-	-	-	-	1	-	1	1	7	12
Female.....	312	-	-	-	-	-	-	1	-	1	-	4	5

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other diseases of circulatory system (I71-I78)													
All races, both sexes.....	23,693	14	4	3	10	14	47	65	102	174	287	463	662
Male.....	12,306	7	2	2	6	13	32	47	66	115	193	324	456
Female.....	11,387	7	2	1	4	1	15	18	36	59	94	139	206
White, both sexes.....	20,634	11	3	2	9	14	35	47	65	116	203	335	493
Male.....	10,810	6	2	1	5	13	22	34	42	78	139	238	348
Female.....	9,824	5	1	1	4	1	13	13	23	38	64	97	145
Black, both sexes.....	2,550	2	1	1	1	-	7	16	30	51	77	118	142
Male.....	1,225	1	-	1	1	-	7	12	19	31	49	79	91
Female.....	1,325	1	1	-	-	-	-	4	11	20	28	39	51
American Indian 1/, both sexes.....	86	-	-	-	-	-	-	-	3	3	-	3	5
Male.....	38	-	-	-	-	-	-	-	2	2	-	2	2
Female.....	48	-	-	-	-	-	-	-	1	1	-	1	3
Asian or Pacific Islander 2/, both sexes.....	423	1	-	-	-	-	5	2	4	4	7	7	22
Male.....	233	-	-	-	-	-	3	1	3	4	5	5	15
Female.....	190	1	-	-	-	-	2	1	1	-	2	2	7
Aortic aneurysm and dissection (I71)													
All races, both sexes.....	13,753	1	1	1	4	9	36	49	77	131	187	306	423
Male.....	8,140	1	-	-	3	8	28	39	54	100	146	233	319
Female.....	5,613	-	1	1	1	1	8	10	23	31	41	73	104
White, both sexes.....	12,189	1	-	1	4	9	26	36	49	85	129	213	315
Male.....	7,226	1	-	-	3	8	20	29	33	67	102	165	244
Female.....	4,963	-	-	1	1	1	6	7	16	18	27	48	71
Black, both sexes.....	1,228	-	1	-	-	-	6	11	22	41	52	87	90
Male.....	697	-	-	-	-	-	6	9	17	29	39	64	61
Female.....	531	-	1	-	-	-	-	2	5	12	13	23	29
American Indian 1/, both sexes.....	38	-	-	-	-	-	-	-	2	2	-	1	1
Male.....	23	-	-	-	-	-	-	-	1	1	-	1	1
Female.....	15	-	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	298	-	-	-	-	-	4	2	4	3	6	5	17
Male.....	194	-	-	-	-	-	2	1	3	3	5	3	13
Female.....	104	-	-	-	-	-	2	1	1	-	1	2	4

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other diseases of arteries, arterioles and capillaries (I72-I78)													
All races, both sexes.....	9,940	13	3	2	6	5	11	16	25	43	100	157	239
Male.....	4,166	6	2	2	3	5	4	8	12	15	47	91	137
Female.....	5,774	7	1	-	3	-	7	8	13	28	53	66	102
White, both sexes.....	8,445	10	3	1	5	5	9	11	16	31	74	122	178
Male.....	3,584	5	2	1	2	5	2	5	9	11	37	73	104
Female.....	4,861	5	1	-	3	-	7	6	7	20	37	49	74
Black, both sexes.....	1,322	2	-	1	1	-	1	5	8	10	25	31	52
Male.....	528	1	-	1	1	-	1	3	2	2	10	15	30
Female.....	794	1	-	-	-	-	-	2	6	8	15	16	22
American Indian 1/, both sexes.....	48	-	-	-	-	-	-	-	1	1	-	2	4
Male.....	15	-	-	-	-	-	-	-	1	1	-	1	1
Female.....	33	-	-	-	-	-	-	-	-	-	-	1	3
Asian or Pacific Islander 2/, both sexes.....	125	1	-	-	-	-	1	-	-	1	1	2	5
Male.....	39	-	-	-	-	-	1	-	-	1	-	2	2
Female.....	86	1	-	-	-	-	-	-	-	-	1	-	3
Other disorders of circulatory system (I80-I99)													
All races, both sexes.....	4,673	29	2	1	4	6	29	54	83	107	206	282	277
Male.....	2,083	18	-	1	2	3	16	29	43	51	111	157	172
Female.....	2,590	11	2	-	2	3	13	25	40	56	95	125	105
White, both sexes.....	3,795	22	2	1	2	6	17	31	51	68	130	207	194
Male.....	1,683	15	-	1	1	3	7	16	25	32	76	125	120
Female.....	2,112	7	2	-	1	3	10	15	26	36	54	82	74
Black, both sexes.....	799	7	-	-	1	-	10	21	30	37	74	65	80
Male.....	359	3	-	-	-	-	7	11	17	19	34	27	51
Female.....	440	4	-	-	1	-	3	10	13	18	40	38	29
American Indian 1/, both sexes.....	20	-	-	-	-	-	-	2	-	1	1	2	1
Male.....	12	-	-	-	-	-	-	2	-	-	1	2	-
Female.....	8	-	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	59	-	-	-	1	-	2	-	2	1	1	8	2
Male.....	29	-	-	-	1	-	2	-	1	-	-	3	1
Female.....	30	-	-	-	-	-	-	-	1	1	1	5	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Emphysema (J43)													
All races, both sexes.....	13,639	3	2	-	1	-	3	1	9	23	57	130	283
Male.....	7,075	2	-	-	1	-	3	-	5	14	35	87	157
Female.....	6,564	1	2	-	-	-	-	1	4	9	22	43	126
White, both sexes.....	12,757	1	1	-	1	-	2	-	7	20	41	110	232
Male.....	6,511	-	-	-	1	-	2	-	3	11	24	71	125
Female.....	6,246	1	1	-	-	-	-	-	4	9	17	39	107
Black, both sexes.....	719	2	-	-	-	-	1	1	1	3	12	17	47
Male.....	460	2	-	-	-	-	1	-	1	3	8	14	31
Female.....	259	-	-	-	-	-	-	1	-	-	4	3	16
American Indian 1/, both sexes.....	46	-	-	-	-	-	-	-	-	-	2	1	3
Male.....	24	-	-	-	-	-	-	-	-	-	2	-	1
Female.....	22	-	-	-	-	-	-	-	-	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	117	-	1	-	-	-	-	-	1	-	2	2	1
Male.....	80	-	-	-	-	-	-	-	1	-	1	2	-
Female.....	37	-	1	-	-	-	-	-	-	-	1	-	1
Asthma (J45-J46)													
All races, both sexes.....	3,816	7	29	39	66	76	83	97	100	157	219	293	269
Male.....	1,386	7	19	23	41	50	49	52	61	64	94	122	91
Female.....	2,430	-	10	16	25	26	34	45	39	93	125	171	178
White, both sexes.....	2,658	5	13	14	31	32	44	50	53	96	130	152	168
Male.....	851	5	9	5	19	22	25	20	31	37	55	58	57
Female.....	1,807	-	4	9	12	10	19	30	22	59	75	94	111
Black, both sexes.....	1,008	2	14	23	34	40	34	44	47	57	85	129	92
Male.....	455	2	9	17	22	25	20	30	30	24	37	59	30
Female.....	553	-	5	6	12	15	14	14	17	33	48	70	62
American Indian 1/, both sexes.....	19	-	1	-	-	1	2	2	-	1	1	2	2
Male.....	8	-	-	-	-	1	1	1	-	1	-	2	-
Female.....	11	-	1	1	-	-	1	1	-	-	1	-	2
Asian or Pacific Islander 2/, both sexes.....	131	-	1	1	1	3	3	1	-	3	3	10	7
Male.....	72	-	1	1	-	2	3	1	-	2	2	3	4
Female.....	59	-	-	-	1	1	-	-	-	1	1	7	3

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Pneumonitis due to solids and liquids (J69)													
All races, both sexes.....	16,780	12	9	3	8	12	27	34	34	55	104	168	226
Male.....	8,593	4	5	3	3	6	14	22	18	33	64	107	143
Female.....	8,187	8	4	-	5	6	13	12	16	22	40	61	83
White, both sexes.....	14,968	5	7	2	7	9	19	26	26	45	77	136	178
Male.....	7,644	2	4	2	3	5	10	17	15	30	47	88	116
Female.....	7,324	3	3	-	4	4	9	9	11	15	30	48	62
Black, both sexes.....	1,495	6	2	-	1	3	8	7	7	9	26	28	37
Male.....	766	1	1	-	-	1	4	5	3	3	17	17	22
Female.....	729	5	1	-	1	2	4	2	4	6	9	11	15
American Indian 1/, both sexes.....	64	1	-	1	-	-	-	-	-	1	-	2	7
Male.....	31	1	-	1	-	-	-	-	-	-	-	-	3
Female.....	33	-	-	-	-	-	-	-	-	1	-	2	4
Asian or Pacific Islander 2/, both sexes.....	253	-	-	-	-	-	-	1	1	-	1	2	4
Male.....	152	-	-	-	-	-	-	-	-	-	-	2	2
Female.....	101	-	-	-	-	-	-	1	1	-	1	-	2
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)													
All races, both sexes.....	27,310	266	105	32	30	55	68	70	104	191	346	578	771
Male.....	13,434	138	59	16	19	25	36	35	55	97	172	290	433
Female.....	13,876	128	46	16	11	30	32	35	49	94	174	288	338
White, both sexes.....	24,258	156	66	19	22	41	52	48	70	124	252	409	590
Male.....	11,944	80	39	8	14	19	29	24	37	57	125	204	344
Female.....	12,314	76	27	11	8	22	23	24	33	67	127	205	246
Black, both sexes.....	2,397	98	30	10	7	13	10	19	30	62	88	149	159
Male.....	1,162	53	15	6	5	6	5	10	17	37	45	79	74
Female.....	1,235	45	15	4	2	7	5	9	13	25	43	70	85
American Indian 1/, both sexes.....	182	6	2	1	-	-	5	1	-	3	2	11	12
Male.....	92	2	1	1	-	-	2	-	-	2	-	5	10
Female.....	90	4	1	-	-	-	3	1	-	1	2	6	2
Asian or Pacific Islander 2/, both sexes.....	473	6	7	2	1	1	1	2	4	2	4	9	10
Male.....	236	3	4	1	-	-	-	1	1	1	2	2	5
Female.....	237	3	3	1	1	1	1	1	3	1	2	7	5

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Hernia (K40-K46)													
All races, both sexes.....	1,602	40	4	-	4	7	2	5	5	11	25	43	45
Male.....	652	20	1	-	2	4	1	3	4	6	16	20	25
Female.....	950	20	3	-	2	3	1	2	1	5	9	23	20
White, both sexes.....	1,423	32	2	-	4	5	2	3	5	6	19	30	39
Male.....	572	15	-	-	2	3	1	1	4	2	13	16	22
Female.....	851	17	2	-	2	2	1	2	1	4	6	14	17
Black, both sexes.....	150	6	2	-	-	2	-	2	-	3	6	11	6
Male.....	67	4	1	-	-	1	-	2	-	2	3	4	3
Female.....	83	2	1	-	-	1	-	-	-	1	3	7	3
American Indian 1/, both sexes.....	14	1	-	-	-	-	-	-	-	-	-	2	-
Male.....	5	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	9	-	-	-	-	-	-	-	-	-	-	2	-
Asian or Pacific Islander 2/, both sexes.....	15	1	-	-	-	-	-	-	-	2	-	-	-
Male.....	8	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	7	1	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (K70,K73-K74)													
All races, both sexes.....	27,013	9	1	-	1	-	19	52	257	782	2,017	3,351	4,145
Male.....	17,545	6	-	-	-	-	9	34	187	522	1,394	2,344	3,038
Female.....	9,468	3	1	-	1	-	10	18	70	260	623	1,007	1,107
White, both sexes.....	23,562	7	1	-	1	-	12	40	211	638	1,689	2,838	3,510
Male.....	15,334	4	-	-	-	-	7	24	158	426	1,188	1,995	2,609
Female.....	8,228	3	1	-	1	-	5	16	53	212	501	843	901
Black, both sexes.....	2,534	2	-	-	-	-	4	3	19	83	227	390	513
Male.....	1,670	2	-	-	-	-	-	2	12	54	145	268	350
Female.....	864	-	-	-	-	-	4	1	7	29	82	122	163
American Indian 1/, both sexes.....	577	-	-	-	-	-	3	4	17	50	78	93	91
Male.....	323	-	-	-	-	-	2	3	8	33	42	54	51
Female.....	254	-	-	-	-	-	1	1	9	17	36	39	40
Asian or Pacific Islander 2/, both sexes.....	340	-	-	-	-	-	-	5	10	11	23	30	31
Male.....	218	-	-	-	-	-	-	5	9	9	19	27	28
Female.....	122	-	-	-	-	-	-	-	1	2	4	3	3

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Alcoholic liver disease (K70)													
All races, both sexes.....	12,548	-	-	-	-	-	11	42	186	533	1,338	2,023	2,369
Male.....	9,155	-	-	-	-	-	8	28	139	346	921	1,404	1,772
Female.....	3,393	-	-	-	-	-	3	14	47	187	417	619	597
White, both sexes.....	10,859	-	-	-	-	-	7	33	156	439	1,143	1,731	2,048
Male.....	7,992	-	-	-	-	-	6	20	120	283	799	1,210	1,561
Female.....	2,867	-	-	-	-	-	1	13	36	156	344	521	487
Black, both sexes.....	1,169	-	-	-	-	-	2	1	8	43	121	202	241
Male.....	812	-	-	-	-	-	-	1	6	29	77	135	159
Female.....	357	-	-	-	-	-	2	-	2	14	44	67	82
American Indian 1/, both sexes.....	389	-	-	-	-	-	2	4	16	43	61	69	65
Male.....	240	-	-	-	-	-	2	3	8	28	34	40	39
Female.....	149	-	-	-	-	-	-	1	8	15	27	29	26
Asian or Pacific Islander 2/, both sexes.....	131	-	-	-	-	-	-	4	6	8	13	21	15
Male.....	111	-	-	-	-	-	-	4	5	6	11	19	13
Female.....	20	-	-	-	-	-	-	-	1	2	2	2	2
Other chronic liver disease and cirrhosis (K73-K74)													
All races, both sexes.....	14,465	9	1	-	1	-	8	10	71	249	679	1,328	1,776
Male.....	8,390	6	-	-	-	-	1	6	48	176	473	940	1,266
Female.....	6,075	3	1	-	1	-	7	4	23	73	206	388	510
White, both sexes.....	12,703	7	1	-	1	-	5	7	55	199	546	1,107	1,462
Male.....	7,342	4	-	-	-	-	1	4	38	143	389	785	1,048
Female.....	5,361	3	1	-	1	-	4	3	17	56	157	322	414
Black, both sexes.....	1,365	2	-	-	-	-	2	2	11	40	106	188	272
Male.....	858	2	-	-	-	-	-	1	6	25	68	133	191
Female.....	507	-	-	-	-	-	2	1	5	15	38	55	81
American Indian 1/, both sexes.....	188	-	-	-	-	-	1	-	1	7	17	24	26
Male.....	83	-	-	-	-	-	-	-	-	5	8	14	12
Female.....	105	-	-	-	-	-	1	-	1	2	9	10	14
Asian or Pacific Islander 2/, both sexes.....	209	-	-	-	-	-	-	1	4	3	10	9	16
Male.....	107	-	-	-	-	-	-	1	4	3	8	8	15
Female.....	102	-	-	-	-	-	-	-	-	-	2	1	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Cholelithiasis and other disorders of gallbladder (K80-K82)													
All races, both sexes.....	3,086	-	-	-	-	1	7	8	9	17	38	61	77
Male.....	1,370	-	-	-	-	-	3	4	6	11	19	32	41
Female.....	1,716	-	-	-	-	1	4	4	3	6	19	29	36
White, both sexes.....	2,672	-	-	-	-	1	5	6	4	13	32	43	52
Male.....	1,205	-	-	-	-	-	3	4	3	8	16	22	27
Female.....	1,467	-	-	-	-	1	2	2	1	5	16	21	25
Black, both sexes.....	317	-	-	-	-	-	-	-	4	3	6	15	22
Male.....	122	-	-	-	-	-	-	-	2	2	3	9	13
Female.....	195	-	-	-	-	-	-	-	2	1	3	6	9
American Indian 1/, both sexes.....	27	-	-	-	-	-	-	1	-	-	-	1	-
Male.....	12	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	15	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	70	-	-	-	-	-	2	1	1	1	-	2	3
Male.....	31	-	-	-	-	-	-	-	1	1	-	-	1
Female.....	39	-	-	-	-	-	2	1	-	-	-	2	2
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)													
All races, both sexes.....	42,480	174	14	9	12	27	60	94	152	292	509	822	1,245
Male.....	20,370	110	10	3	8	13	37	47	66	156	295	478	730
Female.....	22,110	64	4	6	4	14	23	47	86	136	214	344	515
White, both sexes.....	33,691	97	10	6	11	19	34	53	75	170	295	460	726
Male.....	16,349	61	7	1	7	9	20	29	26	83	189	267	425
Female.....	17,342	36	3	5	4	10	14	24	49	87	106	193	301
Black, both sexes.....	7,834	67	4	3	-	7	24	36	67	115	202	340	480
Male.....	3,537	41	3	2	-	4	15	14	37	69	98	194	284
Female.....	4,297	26	1	1	-	3	9	22	30	46	104	146	196
American Indian 1/, both sexes.....	247	1	-	-	1	1	1	2	8	4	5	8	21
Male.....	112	1	-	-	1	-	1	2	1	1	3	5	12
Female.....	135	-	-	-	-	1	-	-	7	3	2	3	9
Asian or Pacific Islander 2/, both sexes.....	708	9	-	-	-	-	1	3	2	3	7	14	18
Male.....	372	7	-	-	-	-	1	2	2	3	5	12	9
Female.....	336	2	-	-	-	-	-	1	-	-	2	2	9

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Inflammatory diseases of female pelvic organs (N70-N76)													
All races, both sexes.....	112	1	-	-	-	1	1	2	2	4	4	8	3
Male.....
Female.....	112	1	-	-	-	1	1	2	2	4	4	8	3
White, both sexes.....	92	1	-	-	-	1	1	2	1	4	2	4	2
Male.....
Female.....	92	1	-	-	-	1	1	2	1	4	2	4	2
Black, both sexes.....	20	-	-	-	-	-	-	-	1	-	2	4	1
Male.....
Female.....	20	-	-	-	-	-	-	-	1	-	2	4	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Pregnancy, childbirth and the puerperium (O00-O99)													
All races, both sexes.....	697	2	37	131	142	145	96	61	39	40
Male.....
Female.....	697	2	37	131	142	145	96	61	39	40
White, both sexes.....	411	-	24	64	76	92	60	39	21	32
Male.....
Female.....	411	-	24	64	76	92	60	39	21	32
Black, both sexes.....	251	-	12	62	62	47	30	15	16	7
Male.....
Female.....	251	-	12	62	62	47	30	15	16	7
American Indian 1/, both sexes.....	6	-	-	1	1	-	1	2	1	-
Male.....
Female.....	6	-	-	1	1	-	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	29	2	1	4	3	6	5	5	1	1
Male.....
Female.....	29	2	1	4	3	6	5	5	1	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Pregnancy with abortive outcome (000-007)													
All races, both sexes.....	32	-	1	13	6	5	4	2	-	1
Male.....
Female.....	32	-	1	13	6	5	4	2	-	1
White, both sexes.....	11	-	-	5	3	2	-	-	-	1
Male.....
Female.....	11	-	-	5	3	2	-	-	-	1
Black, both sexes.....	19	-	1	7	3	3	4	1	-	-
Male.....
Female.....	19	-	1	7	3	3	4	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	1	-	-
Male.....
Female.....	2	-	-	1	-	-	-	1	-	-
Other complications of pregnancy, childbirth and the puerperium (010-099)													
All races, both sexes.....	665	2	36	118	136	140	92	59	39	39
Male.....
Female.....	665	2	36	118	136	140	92	59	39	39
White, both sexes.....	400	-	24	59	73	90	60	39	21	31
Male.....
Female.....	400	-	24	59	73	90	60	39	21	31
Black, both sexes.....	232	-	11	55	59	44	26	14	16	7
Male.....
Female.....	232	-	11	55	59	44	26	14	16	7
American Indian 1/, both sexes.....	6	-	-	1	1	-	1	2	1	-
Male.....
Female.....	6	-	-	1	1	-	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	27	2	1	3	3	6	5	4	1	1
Male.....
Female.....	27	2	1	3	3	6	5	4	1	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Certain conditions originating in the perinatal period (P00-P96)													
All races, both sexes.....	14,213	14,079	61	25	12	4	7	6	4	3	3	2	1
Male.....	8,093	8,013	38	15	8	3	2	1	2	3	2	1	-
Female.....	6,120	6,066	23	10	4	1	5	5	2	-	1	1	1
White, both sexes.....	8,732	8,643	33	18	8	4	6	4	4	3	1	2	1
Male.....	5,025	4,971	22	11	5	3	2	1	2	3	-	1	-
Female.....	3,707	3,672	11	7	3	1	4	3	2	-	1	1	1
Black, both sexes.....	4,920	4,883	23	6	3	-	1	2	-	-	2	-	-
Male.....	2,753	2,733	13	3	2	-	-	-	-	-	2	-	-
Female.....	2,167	2,150	10	3	1	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	137	136	1	-	-	-	-	-	-	-	-	-	-
Male.....	79	79	-	-	-	-	-	-	-	-	-	-	-
Female.....	58	57	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	424	417	4	1	1	-	-	-	-	-	-	-	-
Male.....	236	230	3	1	1	-	-	-	-	-	-	-	-
Female.....	188	187	1	-	-	-	-	-	-	-	-	-	-
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)													
All races, both sexes.....	10,498	5,622	569	205	184	257	226	210	210	208	285	334	358
Male.....	5,423	2,898	318	111	100	145	137	122	113	128	151	189	186
Female.....	5,075	2,724	251	94	84	112	89	88	97	80	134	145	172
White, both sexes.....	8,331	4,271	400	147	140	185	167	174	171	165	244	283	316
Male.....	4,260	2,182	222	85	77	104	92	102	87	97	130	166	164
Female.....	4,071	2,089	178	62	63	81	75	72	84	68	114	117	152
Black, both sexes.....	1,745	1,077	132	48	37	59	52	30	30	34	35	50	33
Male.....	942	573	77	20	19	33	40	16	21	23	19	23	17
Female.....	803	504	55	28	18	26	12	14	9	11	16	27	16
American Indian 1/, both sexes.....	125	90	8	5	2	3	2	3	4	2	2	-	1
Male.....	70	50	3	4	1	3	-	2	3	2	1	-	-
Female.....	55	40	5	1	1	-	2	1	1	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	297	184	29	5	5	10	5	3	5	7	4	1	8
Male.....	151	93	16	2	3	5	5	2	2	6	1	-	5
Female.....	146	91	13	3	2	5	-	1	3	1	3	1	3

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races, both sexes.....	30,126	3,361	189	55	65	208	450	523	569	768	1,132	1,270	1,132
Male.....	13,712	2,021	100	33	26	133	319	361	371	490	745	813	733
Female.....	16,414	1,340	89	22	39	75	131	162	198	278	387	457	399
White, both sexes.....	25,030	2,091	127	37	40	160	355	400	435	604	880	1,014	869
Male.....	11,082	1,250	68	27	15	103	255	287	289	395	590	651	557
Female.....	13,948	841	59	10	25	57	100	113	146	209	290	363	312
Black, both sexes.....	4,490	1,135	50	14	22	43	73	107	116	146	225	233	246
Male.....	2,312	689	28	5	11	27	49	64	73	83	133	148	166
Female.....	2,178	446	22	9	11	16	24	43	43	63	92	85	80
American Indian 1/, both sexes.....	214	64	5	2	1	3	13	6	10	9	13	10	5
Male.....	122	41	1	-	-	2	11	4	5	7	10	8	3
Female.....	92	23	4	2	1	1	2	2	5	2	3	2	2
Asian or Pacific Islander 2/, both sexes.....	392	71	7	2	2	2	9	10	8	9	14	13	12
Male.....	196	41	3	1	-	1	4	6	4	5	12	6	7
Female.....	196	30	4	1	2	1	5	4	4	4	2	7	5

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races, both sexes.....	201,914	1,192	611	379	514	781	1,175	1,393	1,839	3,013	5,059	7,428	8,777
Male.....	82,725	704	328	204	286	470	688	816	1,045	1,755	2,984	4,432	5,335
Female.....	119,189	488	283	175	228	311	487	577	794	1,258	2,075	2,996	3,442
White, both sexes.....	174,636	807	433	277	386	576	864	984	1,267	2,176	3,836	5,644	6,822
Male.....	70,636	481	235	159	218	353	533	622	741	1,332	2,375	3,488	4,229
Female.....	104,000	326	198	118	168	223	331	362	526	844	1,461	2,156	2,593
Black, both sexes.....	23,519	326	138	81	104	167	267	353	491	728	1,045	1,607	1,739
Male.....	10,328	188	75	33	54	97	126	165	259	351	518	841	974
Female.....	13,191	138	63	48	50	70	141	188	232	377	527	766	765
American Indian 1/, both sexes.....	1,226	12	15	5	9	13	17	28	45	57	111	103	119
Male.....	601	10	7	1	5	7	9	13	22	34	56	61	66
Female.....	625	2	8	4	4	6	8	15	23	23	55	42	53
Asian or Pacific Islander 2/, both sexes.....	2,533	47	25	16	15	25	27	28	36	52	67	74	97
Male.....	1,160	25	11	11	9	13	20	16	23	38	35	42	66
Female.....	1,373	22	14	5	6	12	7	12	13	14	32	32	31

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)													
All races, both sexes.....	112,012	1,052	1,641	1,126	1,540	6,825	8,624	6,771	6,261	7,319	9,152	9,426	7,516
Male.....	72,050	604	964	682	979	4,744	6,679	5,222	4,649	5,252	6,419	6,602	5,386
Female.....	39,962	448	677	444	561	2,081	1,945	1,549	1,612	2,067	2,733	2,824	2,130
White, both sexes.....	95,890	706	1,242	792	1,161	5,850	7,324	5,617	5,170	6,090	7,751	7,872	6,158
Male.....	61,267	414	734	474	749	4,045	5,725	4,343	3,837	4,403	5,462	5,542	4,391
Female.....	34,623	292	508	318	412	1,805	1,599	1,274	1,333	1,687	2,289	2,330	1,767
Black, both sexes.....	12,670	303	324	269	301	712	949	890	850	973	1,131	1,324	1,131
Male.....	8,603	163	188	168	183	520	708	689	644	679	778	908	839
Female.....	4,067	140	136	101	118	192	241	201	206	294	353	416	292
American Indian 1/, both sexes.....	1,520	23	42	22	39	122	173	127	135	149	141	130	104
Male.....	1,010	15	26	11	22	78	125	94	90	99	92	87	82
Female.....	510	8	16	11	17	44	48	33	45	50	49	43	22
Asian or Pacific Islander 2/, both sexes.....	1,932	20	33	43	39	141	178	137	106	107	129	100	123
Male.....	1,170	12	16	29	25	101	121	96	78	71	87	65	74
Female.....	762	8	17	14	14	40	57	41	28	36	42	35	49
Transport accidents (V01-V99,Y85)													
All races, both sexes.....	48,053	145	659	681	1,074	5,394	5,983	4,094	3,427	3,460	3,787	3,775	3,178
Male.....	33,311	81	359	392	647	3,577	4,536	3,117	2,524	2,539	2,758	2,717	2,325
Female.....	14,742	64	300	289	427	1,817	1,447	977	903	921	1,029	1,058	853
White, both sexes.....	40,279	104	499	520	857	4,647	5,001	3,284	2,738	2,818	3,147	3,139	2,601
Male.....	27,918	54	269	301	528	3,067	3,834	2,505	2,005	2,083	2,305	2,273	1,906
Female.....	12,361	50	230	219	329	1,580	1,167	779	733	735	842	866	695
Black, both sexes.....	5,868	32	132	126	169	546	714	618	536	492	490	516	443
Male.....	4,204	20	71	70	95	383	524	481	415	367	355	372	333
Female.....	1,664	12	61	56	74	163	190	137	121	125	135	144	110
American Indian 1/, both sexes.....	851	5	20	13	22	97	129	94	80	77	67	62	56
Male.....	569	4	12	6	10	60	88	67	57	45	48	40	45
Female.....	282	1	8	7	12	37	41	27	23	32	19	22	11
Asian or Pacific Islander 2/, both sexes.....	1,055	4	8	22	26	104	139	98	73	73	83	58	78
Male.....	620	3	7	15	14	67	90	64	47	44	50	32	41
Female.....	435	1	1	7	12	37	49	34	26	29	33	26	37

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)													
All races, both sexes.....	44,933	143	635	640	1,013	5,224	5,763	3,849	3,187	3,190	3,473	3,422	2,854
Male.....	30,837	80	344	369	606	3,453	4,361	2,924	2,321	2,318	2,508	2,431	2,055
Female.....	14,096	63	291	271	407	1,771	1,402	925	866	872	965	991	799
White, both sexes.....	37,618	103	480	487	805	4,508	4,817	3,083	2,534	2,585	2,881	2,843	2,327
Male.....	25,816	54	258	283	492	2,969	3,693	2,349	1,835	1,894	2,095	2,029	1,678
Female.....	11,802	49	222	204	313	1,539	1,124	734	699	691	786	814	649
Black, both sexes.....	5,513	31	128	121	161	520	685	585	510	464	454	468	409
Male.....	3,910	19	68	67	91	361	497	451	392	343	324	336	303
Female.....	1,603	12	60	54	70	159	188	134	118	121	130	132	106
American Indian 1/, both sexes.....	802	5	19	12	22	94	125	89	74	75	63	58	44
Male.....	529	4	11	5	10	58	84	63	51	44	44	37	36
Female.....	273	1	8	7	12	36	41	26	23	31	19	21	8
Asian or Pacific Islander 2/, both sexes.....	1,000	4	8	20	25	102	136	92	69	66	75	53	74
Male.....	582	3	7	14	13	65	87	61	43	37	45	29	38
Female.....	418	1	1	6	12	37	49	31	26	29	30	24	36
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)													
All races, both sexes.....	1,199	1	19	25	32	97	93	95	89	90	121	126	96
Male.....	926	1	12	13	25	75	77	76	74	72	96	101	81
Female.....	273	-	7	12	7	22	16	19	15	18	25	25	15
White, both sexes.....	945	-	15	19	27	72	69	70	68	77	101	92	70
Male.....	723	-	9	10	21	55	54	55	56	62	78	75	58
Female.....	222	-	6	9	6	17	15	15	12	15	23	17	12
Black, both sexes.....	199	1	3	4	4	22	20	19	15	11	17	28	15
Male.....	163	1	2	2	3	18	19	18	12	9	16	21	13
Female.....	36	-	1	2	1	4	1	1	3	2	1	7	2
American Indian 1/, both sexes.....	32	-	1	1	-	3	3	2	5	1	2	4	8
Male.....	27	-	1	1	-	2	3	2	5	-	2	3	7
Female.....	5	-	-	-	-	1	-	-	-	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	23	-	-	1	1	-	1	4	1	1	1	2	3
Male.....	13	-	-	-	1	-	1	1	1	1	-	2	3
Female.....	10	-	-	1	-	-	-	3	-	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)													
All races, both sexes.....	1,921	1	5	16	29	73	127	150	151	180	193	227	228
Male.....	1,548	-	3	10	16	49	98	117	129	149	154	185	189
Female.....	373	1	2	6	13	24	29	33	22	31	39	42	39
White, both sexes.....	1,716	1	4	14	25	67	115	131	136	156	165	204	204
Male.....	1,379	-	2	8	15	43	87	101	114	127	132	169	170
Female.....	337	1	2	6	10	24	28	30	22	29	33	35	34
Black, both sexes.....	156	-	1	4	4	4	9	14	11	17	19	20	19
Male.....	131	-	1	1	1	4	8	12	11	15	15	15	17
Female.....	25	-	-	-	3	-	1	2	-	2	4	5	2
American Indian 1/, both sexes.....	17	-	-	-	-	-	1	3	1	1	2	-	4
Male.....	13	-	-	-	-	-	1	2	1	1	2	-	2
Female.....	4	-	-	-	-	-	-	1	-	-	-	-	2
Asian or Pacific Islander 2/, both sexes.....	32	-	-	1	-	2	2	2	3	6	7	3	1
Male.....	25	-	-	1	-	2	2	2	3	6	5	1	-
Female.....	7	-	-	-	-	-	-	-	-	-	2	2	1
Nontransport accidents (W00-X59,Y86)													
All races, both sexes.....	63,959	907	982	445	466	1,431	2,641	2,677	2,834	3,859	5,365	5,651	4,338
Male.....	38,739	523	605	290	332	1,167	2,143	2,105	2,125	2,713	3,661	3,885	3,061
Female.....	25,220	384	377	155	134	264	498	572	709	1,146	1,704	1,766	1,277
White, both sexes.....	55,611	602	743	272	304	1,203	2,323	2,333	2,432	3,272	4,604	4,733	3,557
Male.....	33,349	360	465	173	221	978	1,891	1,838	1,832	2,320	3,157	3,269	2,485
Female.....	22,262	242	278	99	83	225	432	495	600	952	1,447	1,464	1,072
Black, both sexes.....	6,802	271	192	143	132	166	235	272	314	481	641	808	688
Male.....	4,399	143	117	98	88	137	184	208	229	312	423	536	506
Female.....	2,403	128	75	45	44	29	51	64	85	169	218	272	182
American Indian 1/, both sexes.....	669	18	22	9	17	25	44	33	55	72	74	68	48
Male.....	441	11	14	5	12	18	37	27	33	54	44	47	37
Female.....	228	7	8	4	5	7	7	6	22	18	30	21	11
Asian or Pacific Islander 2/, both sexes.....	877	16	25	21	13	37	39	39	33	34	46	42	45
Male.....	550	9	9	14	11	34	31	32	31	27	37	33	33
Female.....	327	7	16	7	2	3	8	7	2	7	9	9	12

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Accidental drowning and submersion (W65-W74)													
All races, both sexes.....	3,308	62	430	131	138	304	270	220	165	198	237	240	204
Male.....	2,594	38	265	88	106	277	245	191	141	172	195	200	158
Female.....	714	24	165	43	32	27	25	29	24	26	42	40	46
White, both sexes.....	2,565	51	368	77	65	196	211	164	131	156	194	203	159
Male.....	2,004	29	225	53	49	179	190	143	110	132	163	167	125
Female.....	561	22	143	24	16	17	21	21	21	24	31	36	34
Black, both sexes.....	533	9	49	40	64	79	39	37	24	31	31	30	34
Male.....	426	7	37	26	49	71	37	30	21	29	24	27	23
Female.....	107	2	12	14	15	8	2	7	3	2	7	3	11
American Indian 1/, both sexes.....	57	1	4	3	6	4	8	4	2	6	4	5	4
Male.....	46	1	1	2	5	3	7	4	2	6	3	4	3
Female.....	11	-	3	1	1	1	1	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	153	1	9	11	3	25	12	15	8	5	8	2	7
Male.....	118	1	2	7	3	24	11	14	8	5	5	2	7
Female.....	35	-	7	4	-	1	1	1	-	-	3	-	-
Accidental exposure to smoke, fire and flames (X00-X09)													
All races, both sexes.....	3,229	26	223	168	87	66	120	131	109	142	171	252	238
Male.....	1,902	14	120	107	45	42	65	91	74	95	114	160	169
Female.....	1,327	12	103	61	42	24	55	40	35	47	57	92	69
White, both sexes.....	2,334	15	139	85	51	50	90	92	87	112	122	175	181
Male.....	1,375	9	76	51	29	30	52	65	59	72	81	108	126
Female.....	959	6	63	34	22	20	38	27	28	40	41	67	55
Black, both sexes.....	799	11	73	72	33	14	25	32	21	25	41	70	50
Male.....	475	5	38	50	14	10	12	21	14	18	27	49	38
Female.....	324	6	35	22	19	4	13	11	7	7	14	21	12
American Indian 1/, both sexes.....	47	-	7	4	1	1	2	3	-	2	5	4	3
Male.....	28	-	5	2	1	1	1	2	-	2	3	2	3
Female.....	19	-	2	2	-	-	1	1	-	-	2	2	-
Asian or Pacific Islander 2/, both sexes.....	49	-	4	7	2	1	3	4	1	3	3	3	4
Male.....	24	-	1	4	1	1	-	3	1	3	3	1	2
Female.....	25	-	3	3	1	-	3	1	-	-	-	2	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Accidental poisoning and exposure to noxious substances (X40-X49)													
All races, both sexes.....	20,950	13	18	8	47	643	1,616	1,747	1,894	2,694	3,750	3,696	2,337
Male.....	13,934	5	13	3	27	494	1,271	1,328	1,345	1,781	2,395	2,360	1,550
Female.....	7,016	8	5	5	20	149	345	419	549	913	1,355	1,336	787
White, both sexes.....	18,042	10	12	5	35	601	1,494	1,592	1,667	2,326	3,255	3,111	1,904
Male.....	12,022	3	7	3	22	465	1,180	1,215	1,198	1,558	2,090	2,001	1,234
Female.....	6,020	7	5	2	13	136	314	377	469	768	1,165	1,110	670
Black, both sexes.....	2,498	3	6	3	8	28	91	123	173	307	429	529	400
Male.....	1,638	2	6	-	3	18	69	87	115	178	263	324	293
Female.....	860	1	-	3	5	10	22	36	58	129	166	205	107
American Indian 1/, both sexes.....	262	-	-	-	4	9	19	19	40	45	45	36	20
Male.....	162	-	-	-	2	6	14	15	20	33	25	21	13
Female.....	100	-	-	-	2	3	5	4	20	12	20	15	7
Asian or Pacific Islander 2/, both sexes.....	148	-	-	-	-	5	12	13	14	16	21	20	13
Male.....	112	-	-	-	-	5	8	11	12	12	17	14	10
Female.....	36	-	-	-	-	-	4	2	2	4	4	6	3
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)													
All races, both sexes.....	17,016	782	250	114	133	251	389	370	455	540	736	855	877
Male.....	9,880	453	165	78	106	210	340	312	382	434	575	684	663
Female.....	7,136	329	85	36	27	41	49	58	73	106	161	171	214
White, both sexes.....	14,783	507	185	90	101	220	330	321	375	442	632	729	736
Male.....	8,517	308	129	58	81	187	290	272	315	360	492	583	559
Female.....	6,266	199	56	32	20	33	40	49	60	82	140	146	177
Black, both sexes.....	1,844	245	48	19	22	21	43	45	62	79	85	107	122
Male.....	1,115	129	23	16	18	16	34	38	50	60	67	83	89
Female.....	729	116	25	3	4	5	9	7	12	19	18	24	33
American Indian 1/, both sexes.....	180	15	9	2	4	6	8	2	9	15	12	11	12
Male.....	126	8	8	1	2	5	8	1	8	12	9	11	10
Female.....	54	7	1	1	2	1	-	1	1	3	3	-	2
Asian or Pacific Islander 2/, both sexes.....	209	15	8	3	6	4	8	2	9	4	7	8	7
Male.....	122	8	5	3	5	2	8	1	9	2	7	7	5
Female.....	87	7	3	-	1	2	-	1	-	2	-	1	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)													
All races, both sexes.....	32,439	2	283	1,700	2,616	2,412	2,662	2,948	3,690	3,743	3,163
Male.....	25,566	2	185	1,345	2,251	2,015	2,127	2,292	2,775	2,749	2,329
Female.....	6,873	-	98	355	365	397	535	656	915	994	834
White, both sexes.....	29,251	1	217	1,425	2,185	2,001	2,287	2,636	3,395	3,453	2,967
Male.....	23,081	1	142	1,132	1,884	1,684	1,842	2,057	2,549	2,525	2,191
Female.....	6,170	-	75	293	301	317	445	579	846	928	776
Black, both sexes.....	2,019	1	48	155	310	280	241	194	187	174	114
Male.....	1,655	1	29	124	272	240	189	154	150	133	88
Female.....	364	-	19	31	38	40	52	40	37	41	26
American Indian 1/, both sexes.....	404	-	10	69	53	53	49	55	35	36	18
Male.....	306	-	6	49	43	39	37	42	29	29	11
Female.....	98	-	4	20	10	14	12	13	6	7	7
Asian or Pacific Islander 2/, both sexes.....	765	-	8	51	68	78	85	63	73	80	64
Male.....	524	-	8	40	52	52	59	39	47	62	39
Female.....	241	-	-	11	16	26	26	24	26	18	25
Intentional self-harm (suicide) by discharge of firearms (X72-X74)													
All races, both sexes.....	16,750	-	59	787	1,317	1,115	1,168	1,233	1,635	1,784	1,565
Male.....	14,523	-	50	688	1,201	987	991	1,039	1,337	1,465	1,296
Female.....	2,227	-	9	99	116	128	177	194	298	319	269
White, both sexes.....	15,407	-	49	676	1,094	923	1,014	1,116	1,520	1,679	1,497
Male.....	13,341	-	41	592	998	815	856	940	1,238	1,376	1,242
Female.....	2,066	-	8	84	96	108	158	176	282	303	255
Black, both sexes.....	1,009	-	8	74	186	148	117	82	74	68	48
Male.....	904	-	7	62	169	136	103	72	67	59	41
Female.....	105	-	1	12	17	12	14	10	7	9	7
American Indian 1/, both sexes.....	152	-	1	23	19	23	14	19	13	16	7
Male.....	130	-	1	21	18	19	13	17	11	14	2
Female.....	22	-	-	2	1	4	1	2	2	2	5
Asian or Pacific Islander 2/, both sexes.....	182	-	1	14	18	21	23	16	28	21	13
Male.....	148	-	1	13	16	17	19	10	21	16	11
Female.....	34	-	-	1	2	4	4	6	7	5	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)													
All races, both sexes.....	15,689	2	224	913	1,299	1,297	1,494	1,715	2,055	1,959	1,598
Male.....	11,043	2	135	657	1,050	1,028	1,136	1,253	1,438	1,284	1,033
Female.....	4,646	-	89	256	249	269	358	462	617	675	565
White, both sexes.....	13,844	1	168	749	1,091	1,078	1,273	1,520	1,875	1,774	1,470
Male.....	9,740	1	101	540	886	869	986	1,117	1,311	1,149	949
Female.....	4,104	-	67	209	205	209	287	403	564	625	521
Black, both sexes.....	1,010	1	40	81	124	132	124	112	113	106	66
Male.....	751	1	22	62	103	104	86	82	83	74	47
Female.....	259	-	18	19	21	28	38	30	30	32	19
American Indian 1/, both sexes.....	252	-	9	46	34	30	35	36	22	20	11
Male.....	176	-	5	28	25	20	24	25	18	15	9
Female.....	76	-	4	18	9	10	11	11	4	5	2
Asian or Pacific Islander 2/, both sexes.....	583	-	7	37	50	57	62	47	45	59	51
Male.....	376	-	7	27	36	35	40	29	26	46	28
Female.....	207	-	-	10	14	22	22	18	19	13	23
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)													
All races, both sexes.....	17,357	325	377	122	207	1,932	3,153	2,598	1,897	1,530	1,454	1,182	826
Male.....	13,578	167	204	62	138	1,631	2,749	2,227	1,537	1,187	1,037	851	641
Female.....	3,779	158	173	60	69	301	404	371	360	343	417	331	185
White, both sexes.....	8,643	208	201	74	110	822	1,304	1,078	842	779	813	683	487
Male.....	6,302	112	113	36	73	660	1,067	865	636	584	546	470	369
Female.....	2,341	96	88	38	37	162	237	213	206	195	267	213	118
Black, both sexes.....	8,135	103	163	44	87	1,042	1,761	1,458	987	703	594	453	299
Male.....	6,839	48	83	22	60	915	1,607	1,312	851	568	454	349	243
Female.....	1,296	55	80	22	27	127	154	146	136	135	140	104	56
American Indian 1/, both sexes.....	228	9	7	2	4	29	38	33	21	24	22	15	7
Male.....	181	5	5	2	2	22	31	28	19	22	16	12	6
Female.....	47	4	2	-	2	7	7	5	2	2	6	3	1
Asian or Pacific Islander 2/, both sexes.....	351	5	6	2	6	39	50	29	47	24	25	31	33
Male.....	256	2	3	2	3	34	44	22	31	13	21	20	23
Female.....	95	3	3	-	3	5	6	7	16	11	4	11	10

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)													
All races, both sexes.....	11,624	6	36	45	139	1,578	2,549	2,063	1,440	1,025	870	638	424
Male.....	9,921	2	18	24	110	1,396	2,322	1,876	1,235	877	679	485	336
Female.....	1,703	4	18	21	29	182	227	187	205	148	191	153	88
White, both sexes.....	5,119	3	11	26	66	617	913	748	594	485	469	359	245
Male.....	4,078	1	5	11	53	524	795	659	482	401	333	259	182
Female.....	1,041	2	6	15	13	93	118	89	112	84	136	100	63
Black, both sexes.....	6,201	3	22	16	65	914	1,586	1,277	812	515	378	253	161
Male.....	5,589	1	11	10	52	832	1,483	1,186	726	456	323	207	140
Female.....	612	2	11	6	13	82	103	91	86	59	55	46	21
American Indian 1/, both sexes.....	104	-	2	2	4	17	21	21	8	12	7	6	1
Male.....	87	-	2	2	2	15	16	17	7	11	7	4	1
Female.....	17	-	-	-	2	2	5	4	1	1	-	2	-
Asian or Pacific Islander 2/, both sexes.....	200	-	1	1	4	30	29	17	26	13	16	20	17
Male.....	167	-	-	1	3	25	28	14	20	9	16	15	13
Female.....	33	-	1	-	1	5	1	3	6	4	-	5	4
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)													
All races, both sexes.....	5,733	319	341	77	68	354	604	535	457	505	584	544	402
Male.....	3,657	165	186	38	28	235	427	351	302	310	358	366	305
Female.....	2,076	154	155	39	40	119	177	184	155	195	226	178	97
White, both sexes.....	3,524	205	190	48	44	205	391	330	248	294	344	324	242
Male.....	2,224	111	108	25	20	136	272	206	154	183	213	211	187
Female.....	1,300	94	82	23	24	69	119	124	94	111	131	113	55
Black, both sexes.....	1,934	100	141	28	22	128	175	181	175	188	216	200	138
Male.....	1,250	47	72	12	8	83	124	126	125	112	131	142	103
Female.....	684	53	69	16	14	45	51	55	50	76	85	58	35
American Indian 1/, both sexes.....	124	9	5	-	-	12	17	12	13	12	15	9	6
Male.....	94	5	3	-	-	7	15	11	12	11	9	8	5
Female.....	30	4	2	-	-	5	2	1	1	1	6	1	1
Asian or Pacific Islander 2/, both sexes.....	151	5	5	1	2	9	21	12	21	11	9	11	16
Male.....	89	2	3	1	-	9	16	8	11	4	5	5	10
Female.....	62	3	2	-	2	-	5	4	10	7	4	6	6

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Legal intervention (Y35,Y89.0)													
All races, both sexes.....	372	-	-	-	-	27	53	50	56	57	47	31	27
Male.....	363	-	-	-	-	26	53	48	56	57	46	28	27
Female.....	9	-	-	-	-	1	-	2	-	-	1	3	-
White, both sexes.....	262	-	-	-	-	22	33	27	39	44	37	24	18
Male.....	256	-	-	-	-	21	33	26	39	44	36	22	18
Female.....	6	-	-	-	-	1	-	1	-	-	1	2	-
Black, both sexes.....	92	-	-	-	-	2	18	21	13	10	9	5	8
Male.....	90	-	-	-	-	2	18	21	13	10	9	4	8
Female.....	2	-	-	-	-	-	-	-	-	-	-	1	-
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	-	1	2	1	-	-
Male.....	5	-	-	-	-	-	1	-	1	2	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	3	1	2	3	1	-	2	1
Male.....	12	-	-	-	-	3	1	1	3	1	-	2	1
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)													
All races, both sexes.....	4,976	104	47	25	39	153	348	366	440	604	785	790	512
Male.....	3,164	65	26	16	27	117	263	261	298	401	471	495	313
Female.....	1,812	39	21	9	12	36	85	105	142	203	314	295	199
White, both sexes.....	4,142	68	30	10	26	125	307	325	352	505	658	668	420
Male.....	2,607	44	16	6	18	95	234	234	237	334	390	407	252
Female.....	1,535	24	14	4	8	30	73	91	115	171	268	261	168
Black, both sexes.....	702	32	15	14	12	22	34	27	73	87	104	110	81
Male.....	479	18	9	9	9	19	24	20	53	60	64	78	55
Female.....	223	14	6	5	3	3	10	7	20	27	40	32	26
American Indian 1/, both sexes.....	68	3	-	1	1	3	3	8	8	11	12	3	7
Male.....	41	3	-	1	-	2	3	5	4	6	9	3	2
Female.....	27	-	-	-	1	1	-	3	4	5	3	-	5
Asian or Pacific Islander 2/, both sexes.....	64	1	2	-	-	3	4	6	7	1	11	9	4
Male.....	37	-	1	-	-	1	2	2	4	1	8	7	4
Female.....	27	1	1	-	-	2	2	4	3	-	3	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Discharge of firearms, undetermined intent (Y22-Y24)													
All races, both sexes.....	235	-	1	3	6	22	36	22	23	16	28	12	17
Male.....	179	-	-	2	5	18	32	19	14	11	19	9	13
Female.....	56	-	1	1	1	4	4	3	9	5	9	3	4
White, both sexes.....	187	-	-	1	3	15	27	16	15	15	24	11	14
Male.....	142	-	-	1	3	12	25	13	9	10	16	8	10
Female.....	45	-	-	-	-	3	2	3	6	5	8	3	4
Black, both sexes.....	39	-	1	2	2	7	8	4	5	1	3	-	3
Male.....	31	-	-	1	2	6	6	4	4	1	2	-	3
Female.....	8	-	1	1	-	1	2	-	1	-	1	-	-
American Indian 1/, both sexes.....	7	-	-	-	1	-	1	2	2	-	1	-	-
Male.....	4	-	-	-	-	-	1	2	-	-	1	-	-
Female.....	3	-	-	-	1	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)													
All races, both sexes.....	4,741	104	46	22	33	131	312	344	417	588	757	778	495
Male.....	2,985	65	26	14	22	99	231	242	284	390	452	486	300
Female.....	1,756	39	20	8	11	32	81	102	133	198	305	292	195
White, both sexes.....	3,955	68	30	9	23	110	280	309	337	490	634	657	406
Male.....	2,465	44	16	5	15	83	209	221	228	324	374	399	242
Female.....	1,490	24	14	4	8	27	71	88	109	166	260	258	164
Black, both sexes.....	663	32	14	12	10	15	26	23	68	86	101	110	78
Male.....	448	18	9	8	7	13	18	16	49	59	62	78	52
Female.....	215	14	5	4	3	2	8	7	19	27	39	32	26
American Indian 1/, both sexes.....	61	3	-	1	-	3	2	6	6	11	11	3	7
Male.....	37	3	-	1	-	2	2	3	4	6	8	3	2
Female.....	24	-	-	-	-	1	-	3	2	5	3	-	5
Asian or Pacific Islander 2/, both sexes.....	62	1	2	-	-	3	4	6	6	1	11	8	4
Male.....	35	-	1	-	-	1	2	2	3	1	8	6	4
Female.....	27	1	1	-	-	2	2	4	3	-	3	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Operations of war and their sequelae (Y36,Y89.1)													
All races, both sexes.....	28	-	-	-	-	-	4	1	-	3	-	-	-
Male.....	28	-	-	-	-	-	4	1	-	3	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	26	-	-	-	-	-	3	1	-	2	-	-	-
Male.....	26	-	-	-	-	-	3	1	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of medical and surgical care (Y40-Y84,Y88)													
All races, both sexes.....	2,883	16	19	8	11	22	26	30	41	56	101	134	159
Male.....	1,364	6	10	5	7	12	12	16	15	26	42	67	81
Female.....	1,519	10	9	3	4	10	14	14	26	30	59	67	78
White, both sexes.....	2,392	11	16	7	9	19	14	26	31	39	74	102	124
Male.....	1,162	4	8	5	5	10	6	15	11	22	32	53	67
Female.....	1,230	7	8	2	4	9	8	11	20	17	42	49	57
Black, both sexes.....	437	2	3	1	2	3	10	4	6	16	27	28	32
Male.....	173	1	2	-	2	2	4	1	2	4	10	11	12
Female.....	264	1	1	1	-	1	6	3	4	12	17	17	20
American Indian 1/, both sexes.....	11	2	-	-	-	-	-	-	-	-	-	2	1
Male.....	6	1	-	-	-	-	-	-	-	-	-	2	1
Female.....	5	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	43	1	-	-	-	-	2	-	4	1	-	2	2
Male.....	23	-	-	-	-	-	2	-	2	-	-	1	1
Female.....	20	1	-	-	-	-	-	-	2	1	-	1	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65,Y15) 3/													
All races, both sexes.....	21,081	-	-	-	6	39	100	175	435	1,060	2,299	3,422	3,793
Male.....	15,906	-	-	-	5	25	82	138	330	755	1,679	2,482	2,919
Female.....	5,175	-	-	-	1	14	18	37	105	305	620	940	874
White, both sexes.....	17,875	-	-	-	4	28	83	133	349	874	1,947	2,908	3,215
Male.....	13,525	-	-	-	3	18	71	106	269	620	1,438	2,115	2,496
Female.....	4,350	-	-	-	1	10	12	27	80	254	509	793	719
Black, both sexes.....	2,351	-	-	-	-	3	10	16	37	103	221	384	459
Male.....	1,784	-	-	-	-	2	6	14	29	78	158	279	337
Female.....	567	-	-	-	-	1	4	2	8	25	63	105	122
American Indian 1/, both sexes.....	645	-	-	-	2	8	7	17	38	65	106	100	96
Male.....	417	-	-	-	2	5	5	9	22	42	61	62	65
Female.....	228	-	-	-	-	3	2	8	16	23	45	38	31
Asian or Pacific Islander 2/, both sexes.....	210	-	-	-	-	-	-	9	11	18	25	30	23
Male.....	180	-	-	-	-	-	-	9	10	15	22	26	21
Female.....	30	-	-	-	-	-	-	-	1	3	3	4	2

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 3/

All races, both sexes.....	30,711	30	24	12	51	814	2,099	2,378	2,683	3,870	5,358	5,405	3,616
Male.....	19,362	11	16	4	21	599	1,588	1,734	1,820	2,490	3,247	3,281	2,247
Female.....	11,349	19	8	8	30	215	511	644	863	1,380	2,111	2,124	1,369
White, both sexes.....	26,474	18	15	8	40	758	1,944	2,160	2,344	3,327	4,650	4,538	2,949
Male.....	16,634	7	8	4	19	560	1,479	1,585	1,606	2,162	2,818	2,762	1,778
Female.....	9,840	11	7	4	21	198	465	575	738	1,165	1,832	1,776	1,171
Black, both sexes.....	3,633	12	9	4	8	33	111	172	267	454	619	784	601
Male.....	2,352	4	8	-	2	24	79	120	174	270	371	466	425
Female.....	1,281	8	1	4	6	9	32	52	93	184	248	318	176
American Indian 1/, both sexes.....	354	-	-	-	3	14	25	22	51	60	59	47	36
Male.....	212	-	-	-	-	9	19	17	25	37	36	27	23
Female.....	142	-	-	-	3	5	6	5	26	23	23	20	13
Asian or Pacific Islander 2/, both sexes.....	250	-	-	-	-	9	19	24	21	29	30	36	30
Male.....	164	-	-	-	-	6	11	12	15	21	22	26	21
Female.....	86	-	-	-	-	3	8	12	6	8	8	10	9

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/													
All races, both sexes.....	29,569	7	51	61	239	2,494	4,046	3,304	2,717	2,364	2,622	2,499	2,089
Male.....	25,498	2	29	35	196	2,202	3,693	2,979	2,323	2,013	2,117	2,014	1,719
Female.....	4,071	5	22	26	43	292	353	325	394	351	505	485	370
White, both sexes.....	21,442	4	17	33	149	1,387	2,127	1,752	1,681	1,687	2,089	2,105	1,831
Male.....	18,223	1	10	16	124	1,202	1,907	1,547	1,403	1,418	1,656	1,691	1,502
Female.....	3,219	3	7	17	25	185	220	205	278	269	433	414	329
Black, both sexes.....	7,448	3	30	25	77	1,016	1,825	1,466	956	613	466	328	220
Male.....	6,709	1	17	16	63	921	1,701	1,362	854	544	403	271	190
Female.....	739	2	13	9	14	95	124	104	102	69	63	57	30
American Indian 1/, both sexes.....	281	-	3	2	8	44	45	46	26	34	23	22	8
Male.....	236	-	2	2	5	38	39	38	22	31	21	18	3
Female.....	45	-	1	-	3	6	6	8	4	3	2	4	5
Asian or Pacific Islander 2/, both sexes.....	398	-	1	1	5	47	49	40	54	30	44	44	30
Male.....	330	-	-	1	4	41	46	32	44	20	37	34	24
Female.....	68	-	1	-	1	6	3	8	10	10	7	10	6

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Shigellosis and amebiasis (A03,A06)

All races, both sexes.....	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Certain other intestinal infections (A04,A07-A09)

All races, both sexes.....	94	158	216	392	690	972	871	590	181	25	-
Male.....	46	79	101	163	287	378	293	153	35	1	-
Female.....	48	79	115	229	403	594	578	437	146	24	-
White, both sexes.....	81	142	192	362	645	918	832	570	177	24	-
Male.....	35	73	88	151	270	359	282	145	34	1	-
Female.....	46	69	104	211	375	559	550	425	143	23	-
Black, both sexes.....	13	13	20	25	35	46	35	16	4	1	-
Male.....	11	5	11	10	11	15	10	5	1	-	-
Female.....	2	8	9	15	24	31	25	11	3	1	-
American Indian 1/, both sexes.....	-	2	3	3	4	2	-	-	-	-	-
Male.....	-	-	1	1	3	2	-	-	-	-	-
Female.....	-	2	2	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	6	6	4	4	-	-	-
Male.....	-	1	1	1	3	2	1	3	-	-	-
Female.....	-	-	-	1	3	4	3	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Tuberculosis (A16-A19)

All races, both sexes.....	35	44	55	82	81	84	68	37	11	-	-
Male.....	26	34	38	55	37	47	38	17	3	-	-
Female.....	9	10	17	27	44	37	30	20	8	-	-
White, both sexes.....	19	23	29	49	55	58	47	24	5	-	-
Male.....	15	19	19	34	28	30	27	11	-	-	-
Female.....	4	4	10	15	27	28	20	13	5	-	-
Black, both sexes.....	11	15	15	26	14	18	16	7	4	-	-
Male.....	9	11	10	16	4	13	8	3	1	-	-
Female.....	2	4	5	10	10	5	8	4	3	-	-
American Indian 1/, both sexes.....	1	1	5	-	3	2	-	1	-	-	-
Male.....	1	1	4	-	2	1	-	-	-	-	-
Female.....	-	-	1	-	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	5	6	7	9	6	5	5	2	-	-
Male.....	1	3	5	5	3	3	3	3	2	-	-
Female.....	3	2	1	2	6	3	2	2	-	-	-

Respiratory tuberculosis (A16)

All races, both sexes.....	26	32	41	67	57	63	62	35	9	-	-
Male.....	18	25	30	44	28	36	36	17	3	-	-
Female.....	8	7	11	23	29	27	26	18	6	-	-
White, both sexes.....	14	18	24	39	37	45	42	23	4	-	-
Male.....	11	15	16	27	22	23	25	11	-	-	-
Female.....	3	3	8	12	15	22	17	12	4	-	-
Black, both sexes.....	7	10	10	21	10	13	16	6	3	-	-
Male.....	5	8	7	12	2	9	8	3	1	-	-
Female.....	2	2	3	9	8	4	8	3	2	-	-
American Indian 1/, both sexes.....	1	-	2	-	3	2	-	1	-	-	-
Male.....	1	-	2	-	2	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	5	7	7	3	4	5	2	-	-
Male.....	1	2	5	5	2	3	3	3	2	-	-
Female.....	3	2	-	2	5	-	1	2	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Measles (B05)

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Viral hepatitis (B15-B19)

All races, both sexes.....	800	444	328	306	265	199	92	33	4	-	-
Male.....	588	272	192	142	119	70	35	10	-	-	-
Female.....	212	172	136	164	146	129	57	23	4	-	-
White, both sexes.....	594	340	257	234	218	157	76	30	4	-	-
Male.....	438	206	149	113	101	54	28	9	-	-	-
Female.....	156	134	108	121	117	103	48	21	4	-	-
Black, both sexes.....	171	80	41	39	23	27	10	2	-	-	-
Male.....	126	53	28	20	6	11	4	-	-	-	-
Female.....	45	27	13	19	17	16	6	2	-	-	-
American Indian 1/, both sexes.....	5	6	4	1	1	-	1	-	-	-	-
Male.....	4	3	2	-	-	-	-	-	-	-	-
Female.....	1	3	2	1	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	30	18	26	32	23	15	5	1	-	-	-
Male.....	20	10	13	9	12	5	3	1	-	-	-
Female.....	10	8	13	23	11	10	2	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)

All races, both sexes.....	689	548	600	709	831	883	634	313	119	26	-
Male.....	448	312	333	377	401	389	296	116	30	4	-
Female.....	241	236	267	332	430	494	338	197	89	22	-
White, both sexes.....	558	444	491	593	719	782	578	283	100	24	-
Male.....	360	255	284	314	350	347	276	103	27	4	-
Female.....	198	189	207	279	369	435	302	180	73	20	-
Black, both sexes.....	97	82	73	78	87	77	44	24	17	1	-
Male.....	66	49	31	45	41	30	15	12	3	-	-
Female.....	31	33	42	33	46	47	29	12	14	1	-
American Indian 1/, both sexes.....	8	6	6	4	3	5	2	1	-	-	-
Male.....	5	2	3	2	2	3	1	-	-	-	-
Female.....	3	4	3	2	1	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	26	16	30	34	22	19	10	5	2	1	-
Male.....	17	6	15	16	8	9	4	1	-	-	-
Female.....	9	10	15	18	14	10	6	4	2	1	-

Malignant neoplasms (C00-C97)

All races, both sexes.....	43,127	53,829	63,503	75,914	86,865	79,220	50,851	22,844	5,855	795	8
Male.....	23,196	29,542	35,065	41,422	46,582	40,152	23,831	9,325	2,050	221	6
Female.....	19,931	24,287	28,438	34,492	40,283	39,068	27,020	13,519	3,805	574	2
White, both sexes.....	35,551	45,522	54,161	66,006	77,122	71,375	46,199	20,593	5,244	668	6
Male.....	19,099	24,921	29,948	35,998	41,367	36,117	21,678	8,311	1,803	181	4
Female.....	16,452	20,601	24,213	30,008	35,755	35,258	24,521	12,282	3,441	487	2
Black, both sexes.....	6,330	6,966	7,778	8,093	8,009	6,375	3,819	1,845	512	115	2
Male.....	3,455	3,904	4,274	4,456	4,234	3,263	1,737	800	195	35	2
Female.....	2,875	3,062	3,504	3,637	3,775	3,112	2,082	1,045	317	80	-
American Indian 1/, both sexes.....	262	302	341	329	284	227	107	54	14	-	-
Male.....	144	161	185	173	163	102	46	23	6	-	-
Female.....	118	141	156	156	121	125	61	31	8	-	-
Asian or Pacific Islander 2/, both sexes.....	984	1,039	1,223	1,486	1,450	1,243	726	352	85	12	-
Male.....	498	556	658	795	818	670	370	191	46	5	-
Female.....	486	483	565	691	632	573	356	161	39	7	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

All races, both sexes.....	834	947	937	937	943	831	545	240	77	13	-
Male.....	687	713	689	623	597	460	249	97	27	2	-
Female.....	147	234	248	314	346	371	296	143	50	11	-
White, both sexes.....	645	756	771	814	834	747	510	219	72	12	-
Male.....	535	564	561	527	522	412	229	82	25	2	-
Female.....	110	192	210	287	312	335	281	137	47	10	-
Black, both sexes.....	160	163	134	105	88	64	24	15	4	1	-
Male.....	129	127	108	84	57	38	15	10	2	-	-
Female.....	31	36	26	21	31	26	9	5	2	1	-
American Indian 1/, both sexes.....	6	7	6	6	3	-	-	2	-	-	-
Male.....	5	5	5	4	2	-	-	2	-	-	-
Female.....	1	2	1	2	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	21	26	12	18	20	11	4	1	-	-
Male.....	18	17	15	8	16	10	5	3	-	-	-
Female.....	5	4	11	4	2	10	6	1	1	-	-

Malignant neoplasm of esophagus (C15)

All races, both sexes.....	1,334	1,657	1,739	1,815	1,928	1,539	879	301	67	9	-
Male.....	1,130	1,372	1,412	1,405	1,450	1,096	555	154	21	1	-
Female.....	204	285	327	410	478	443	324	147	46	8	-
White, both sexes.....	1,106	1,382	1,491	1,572	1,740	1,398	807	276	59	7	-
Male.....	955	1,171	1,225	1,241	1,320	1,011	510	141	18	1	-
Female.....	151	211	266	331	420	387	297	135	41	6	-
Black, both sexes.....	202	249	223	205	162	109	52	18	4	2	-
Male.....	151	179	165	133	109	63	31	7	1	-	-
Female.....	51	70	58	72	53	46	21	11	3	2	-
American Indian 1/, both sexes.....	9	8	11	13	1	2	4	2	-	-	-
Male.....	8	7	9	11	-	-	3	2	-	-	-
Female.....	1	1	2	2	1	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	18	14	25	25	30	16	5	4	4	-
Male.....	16	15	13	20	21	22	11	4	2	2	-
Female.....	1	3	1	5	4	8	5	1	2	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of stomach (C16)

All races, both sexes.....	882	1,005	1,202	1,550	1,733	1,682	1,255	622	151	23	-
Male.....	601	672	788	946	1,041	900	659	240	43	7	-
Female.....	281	333	414	604	692	782	596	382	108	16	-
White, both sexes.....	634	742	872	1,178	1,371	1,365	1,041	525	118	14	-
Male.....	443	495	579	712	831	727	553	201	35	6	-
Female.....	191	247	293	466	540	638	488	324	83	8	-
Black, both sexes.....	178	193	264	260	259	242	153	68	25	7	-
Male.....	116	135	168	173	140	130	68	28	5	-	-
Female.....	62	58	96	87	119	112	85	40	20	7	-
American Indian 1/, both sexes.....	5	11	4	16	11	4	6	2	1	-	-
Male.....	3	5	3	10	10	3	3	-	-	-	-
Female.....	2	6	1	6	1	1	3	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	65	59	62	96	92	71	55	27	7	2	-
Male.....	39	37	38	51	60	40	35	11	3	1	-
Female.....	26	22	24	45	32	31	20	16	4	1	-

Malignant neoplasms of colon, rectum and anus (C18-C21)

All races, both sexes.....	3,691	4,517	5,297	6,657	8,245	8,469	6,337	3,474	1,023	129	-
Male.....	2,161	2,624	3,074	3,718	4,307	3,882	2,464	1,092	264	20	-
Female.....	1,530	1,893	2,223	2,939	3,938	4,587	3,873	2,382	759	109	-
White, both sexes.....	2,985	3,693	4,376	5,643	7,195	7,536	5,710	3,128	913	109	-
Male.....	1,786	2,174	2,572	3,184	3,771	3,477	2,246	982	231	18	-
Female.....	1,199	1,519	1,804	2,459	3,424	4,059	3,464	2,146	682	91	-
Black, both sexes.....	606	693	774	865	878	764	517	294	96	18	-
Male.....	318	373	415	454	437	334	170	85	24	1	-
Female.....	288	320	359	411	441	430	347	209	72	17	-
American Indian 1/, both sexes.....	26	28	35	26	31	27	9	5	2	-	-
Male.....	15	20	19	14	20	12	5	2	1	-	-
Female.....	11	8	16	12	11	15	4	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	74	103	112	123	141	142	101	47	12	2	-
Male.....	42	57	68	66	79	59	43	23	8	1	-
Female.....	32	46	44	57	62	83	58	24	4	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

All races, both sexes.....	1,554	1,569	1,654	2,016	2,136	1,923	1,030	429	104	12	-
Male.....	1,205	1,113	1,092	1,290	1,202	1,025	460	134	29	3	-
Female.....	349	456	562	726	934	898	570	295	75	9	-
White, both sexes.....	1,121	1,213	1,295	1,623	1,790	1,682	899	370	87	10	-
Male.....	855	858	863	1,040	1,039	903	408	109	23	3	-
Female.....	266	355	432	583	751	779	491	261	64	7	-
Black, both sexes.....	301	203	225	218	199	143	75	39	14	-	-
Male.....	242	145	152	139	87	71	27	16	4	-	-
Female.....	59	58	73	79	112	72	48	23	10	-	-
American Indian 1/, both sexes.....	17	22	11	10	21	20	7	3	-	-	-
Male.....	14	9	5	5	6	9	1	2	-	-	-
Female.....	3	13	6	5	15	11	6	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	115	131	123	165	126	78	49	17	3	2	-
Male.....	94	101	72	106	70	42	24	7	2	-	-
Female.....	21	30	51	59	56	36	25	10	1	2	-

Malignant neoplasm of pancreas (C25)

All races, both sexes.....	2,509	3,247	3,717	4,461	5,106	4,747	3,056	1,323	317	53	1
Male.....	1,490	1,887	2,093	2,337	2,407	2,009	1,090	371	66	11	-
Female.....	1,019	1,360	1,624	2,124	2,699	2,738	1,966	952	251	42	1
White, both sexes.....	2,042	2,706	3,149	3,796	4,488	4,250	2,748	1,183	280	42	1
Male.....	1,219	1,601	1,788	2,005	2,156	1,833	1,003	333	57	8	-
Female.....	823	1,105	1,361	1,791	2,332	2,417	1,745	850	223	34	1
Black, both sexes.....	380	444	465	539	498	377	251	113	30	9	-
Male.....	227	240	250	272	195	127	62	29	7	3	-
Female.....	153	204	215	267	303	250	189	84	23	6	-
American Indian 1/, both sexes.....	17	24	20	22	9	13	3	2	2	-	-
Male.....	10	9	10	9	4	6	3	-	1	-	-
Female.....	7	15	10	13	5	7	-	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	70	73	83	104	111	107	54	25	5	2	-
Male.....	34	37	45	51	52	43	22	9	1	-	-
Female.....	36	36	38	53	59	64	32	16	4	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of larynx (C32)

All races, both sexes.....	426	510	526	525	523	335	215	77	22	2	-
Male.....	351	405	435	419	413	263	160	55	18	2	-
Female.....	75	105	91	106	110	72	55	22	4	-	-
White, both sexes.....	328	407	427	434	453	287	194	62	20	2	-
Male.....	265	320	352	347	356	224	141	45	16	2	-
Female.....	63	87	75	87	97	63	53	17	4	-	-
Black, both sexes.....	92	98	90	89	66	45	19	9	1	-	-
Male.....	83	80	77	70	53	36	17	6	1	-	-
Female.....	9	18	13	19	13	9	2	3	-	-	-
American Indian 1/, both sexes.....	3	1	6	1	1	1	-	-	-	-	-
Male.....	1	1	4	1	1	1	-	-	-	-	-
Female.....	2	-	2	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	3	1	3	2	2	6	1	-	-
Male.....	2	4	2	1	3	2	2	4	1	-	-
Female.....	1	-	1	-	-	-	-	2	-	-	-

Malignant neoplasms of trachea, bronchus and lung (C33-C34)

All races, both sexes.....	12,846	18,240	22,552	26,477	27,608	20,856	10,325	3,418	637	75	3
Male.....	7,663	10,777	13,243	15,210	15,754	11,238	5,246	1,537	235	21	3
Female.....	5,183	7,463	9,309	11,267	11,854	9,618	5,079	1,881	402	54	-
White, both sexes.....	10,653	15,711	19,590	23,546	24,848	18,922	9,483	3,103	576	68	2
Male.....	6,276	9,118	11,449	13,424	14,118	10,143	4,819	1,380	209	19	2
Female.....	4,377	6,593	8,141	10,122	10,730	8,779	4,664	1,723	367	49	-
Black, both sexes.....	1,913	2,193	2,484	2,361	2,258	1,566	690	238	51	5	1
Male.....	1,221	1,454	1,518	1,444	1,320	875	351	112	21	1	1
Female.....	692	739	966	917	938	691	339	126	30	4	-
American Indian 1/, both sexes.....	73	94	136	117	91	52	21	10	2	-	-
Male.....	44	56	67	65	52	28	5	2	2	-	-
Female.....	29	38	69	52	39	24	16	4	-	-	-
Asian or Pacific Islander 2/, both sexes.....	207	242	342	453	411	316	131	67	8	2	-
Male.....	122	149	209	277	264	192	71	39	3	1	-
Female.....	85	93	133	176	147	124	60	28	5	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant melanoma of skin (C43)

All races, both sexes.....	776	771	806	905	1,008	904	534	244	72	9	-
Male.....	525	533	546	612	674	565	326	116	26	5	-
Female.....	251	238	260	293	334	339	208	128	46	4	-
White, both sexes.....	766	759	785	891	992	879	525	238	70	7	-
Male.....	518	527	540	606	665	553	323	114	25	4	-
Female.....	248	232	245	285	327	326	202	124	45	3	-
Black, both sexes.....	8	8	14	13	14	20	7	5	2	2	-
Male.....	6	4	4	5	8	10	2	2	1	1	-
Female.....	2	4	10	8	6	10	5	3	1	1	-
American Indian 1/, both sexes.....	1	1	3	1	-	1	-	-	-	-	-
Male.....	1	1	2	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	4	-	2	4	2	1	-	-	-
Male.....	-	1	-	-	1	2	1	-	-	-	-
Female.....	1	2	4	-	1	2	1	1	-	-	-

Malignant neoplasm of breast (C50)

All races, both sexes.....	4,312	4,162	4,065	4,220	4,792	4,579	3,473	1,823	618	122	-
Male.....	30	37	43	48	65	44	33	10	6	1	-
Female.....	4,282	4,125	4,022	4,172	4,727	4,535	3,440	1,813	612	121	-
White, both sexes.....	3,514	3,452	3,474	3,666	4,271	4,165	3,123	1,669	566	108	-
Male.....	24	29	37	39	61	39	26	9	5	1	-
Female.....	3,490	3,423	3,437	3,627	4,210	4,126	3,097	1,660	561	107	-
Black, both sexes.....	671	597	496	480	455	364	308	141	46	14	-
Male.....	4	8	6	8	4	5	7	1	1	-	-
Female.....	667	589	490	472	451	359	301	140	45	14	-
American Indian 1/, both sexes.....	17	22	17	11	8	21	8	5	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	17	22	17	11	8	21	8	5	-	-	-
Asian or Pacific Islander 2/, both sexes.....	110	91	78	63	58	29	34	8	6	-	-
Male.....	2	-	-	1	-	-	-	-	-	-	-
Female.....	108	91	78	62	58	29	34	8	6	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of cervix uteri (C53)

All races, both sexes.....	444	371	318	283	243	241	151	69	23	3	-
Male.....
Female.....	444	371	318	283	243	241	151	69	23	3	-
White, both sexes.....	349	284	232	206	188	188	113	49	15	1	-
Male.....
Female.....	349	284	232	206	188	188	113	49	15	1	-
Black, both sexes.....	79	75	69	62	47	41	31	17	7	2	-
Male.....
Female.....	79	75	69	62	47	41	31	17	7	2	-
American Indian 1/, both sexes.....	2	2	-	3	-	1	2	-	-	-	-
Male.....
Female.....	2	2	-	3	-	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	10	17	12	8	11	5	3	1	-	-
Male.....
Female.....	14	10	17	12	8	11	5	3	1	-	-

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

All races, both sexes.....	566	724	876	980	1,025	986	651	345	79	8	-
Male.....
Female.....	566	724	876	980	1,025	986	651	345	79	8	-
White, both sexes.....	453	558	655	756	856	869	585	314	76	8	-
Male.....
Female.....	453	558	655	756	856	869	585	314	76	8	-
Black, both sexes.....	87	145	196	202	157	103	62	28	3	-	-
Male.....
Female.....	87	145	196	202	157	103	62	28	3	-	-
American Indian 1/, both sexes.....	2	2	3	4	-	4	-	1	-	-	-
Male.....
Female.....	2	2	3	4	-	4	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	19	22	18	12	10	4	2	-	-	-
Male.....
Female.....	24	19	22	18	12	10	4	2	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of kidney and renal pelvis (C64-C65)

All races, both sexes.....	1,114	1,420	1,451	1,624	1,819	1,655	1,003	443	133	11	-
Male.....	788	998	961	1,054	1,060	933	460	197	49	3	-
Female.....	326	422	490	570	759	722	543	246	84	8	-
White, both sexes.....	985	1,267	1,291	1,439	1,635	1,526	935	409	122	9	-
Male.....	703	893	854	943	958	869	431	181	47	2	-
Female.....	282	374	437	496	677	657	504	228	75	7	-
Black, both sexes.....	104	128	127	147	155	102	59	31	8	2	-
Male.....	70	86	81	92	84	50	23	15	-	1	-
Female.....	34	42	46	55	71	52	36	16	8	1	-
American Indian 1/, both sexes.....	12	10	12	18	12	6	1	2	-	-	-
Male.....	7	7	9	10	8	4	-	1	-	-	-
Female.....	5	3	3	8	4	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	15	21	20	17	21	8	1	3	-	-
Male.....	8	12	17	9	10	10	6	-	2	-	-
Female.....	5	3	4	11	7	11	2	1	1	-	-

Malignant neoplasm of bladder (C67)

All races, both sexes.....	600	852	1,143	1,610	2,307	2,540	1,976	1,012	273	38	-
Male.....	455	648	859	1,162	1,646	1,730	1,275	583	133	15	-
Female.....	145	204	284	448	661	810	701	429	140	23	-
White, both sexes.....	535	784	1,049	1,465	2,144	2,379	1,843	920	250	34	-
Male.....	415	600	810	1,079	1,551	1,649	1,205	550	126	15	-
Female.....	120	184	239	386	593	730	638	370	124	19	-
Black, both sexes.....	56	62	77	126	136	135	115	75	19	4	-
Male.....	33	43	34	71	77	65	55	23	4	-	-
Female.....	23	19	43	55	59	70	60	52	15	4	-
American Indian 1/, both sexes.....	2	1	2	2	2	2	3	-	1	-	-
Male.....	2	1	2	1	2	2	2	-	2	-	-
Female.....	-	-	-	1	-	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	7	5	15	17	25	24	15	17	3	-	-
Male.....	5	4	13	11	16	14	13	10	3	-	-
Female.....	2	1	2	6	9	10	2	7	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All races, both sexes.....	1,378	1,372	1,392	1,503	1,407	1,136	564	204	34	5	-
Male.....	832	821	741	810	717	520	219	60	11	2	-
Female.....	546	551	651	693	690	616	345	144	23	3	-
White, both sexes.....	1,284	1,280	1,298	1,413	1,324	1,083	536	191	29	3	-
Male.....	773	769	701	773	672	493	213	57	9	2	-
Female.....	511	511	597	640	652	590	323	134	20	1	-
Black, both sexes.....	69	73	69	70	59	40	21	11	3	2	-
Male.....	45	42	32	25	31	20	4	3	1	-	-
Female.....	24	31	37	45	28	20	17	8	2	2	-
American Indian 1/, both sexes.....	2	3	1	2	3	2	-	-	-	-	-
Male.....	1	3	-	1	1	-	-	-	-	-	-
Female.....	1	-	1	1	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	16	24	18	21	11	7	2	2	-	-
Male.....	13	7	8	11	13	6	2	-	1	-	-
Female.....	10	9	16	7	8	5	5	2	1	-	-

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All races, both sexes.....	3,323	4,168	5,423	7,165	9,090	9,042	5,925	2,633	577	71	-
Male.....	1,993	2,504	3,244	4,124	4,915	4,547	2,661	995	171	16	-
Female.....	1,330	1,664	2,179	3,041	4,175	4,495	3,264	1,638	406	55	-
White, both sexes.....	2,789	3,579	4,705	6,290	8,234	8,348	5,519	2,423	536	62	-
Male.....	1,702	2,178	2,828	3,663	4,504	4,230	2,502	919	160	13	-
Female.....	1,087	1,401	1,877	2,627	3,730	4,118	3,017	1,504	376	49	-
Black, both sexes.....	441	499	588	713	684	544	334	168	35	9	-
Male.....	239	274	332	379	306	235	128	55	9	3	-
Female.....	202	225	256	334	378	309	206	113	26	6	-
American Indian 1/, both sexes.....	24	15	29	19	26	26	9	4	1	-	-
Male.....	13	9	21	8	16	13	3	-	-	-	-
Female.....	11	6	8	11	10	13	6	4	1	-	-
Asian or Pacific Islander 2/, both sexes.....	69	75	101	143	146	124	63	38	5	-	-
Male.....	39	43	63	74	89	69	28	21	2	-	-
Female.....	30	32	38	69	57	55	35	17	3	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Hodgkin's disease (C81)

All races, both sexes.....	110	95	104	118	131	118	81	24	2	-	-
Male.....	71	61	64	72	62	67	41	8	-	-	-
Female.....	39	34	40	46	69	51	40	16	2	-	-
White, both sexes.....	97	83	91	110	124	112	76	22	2	-	-
Male.....	63	53	54	68	58	65	40	8	-	-	-
Female.....	34	30	37	42	66	47	36	14	2	-	-
Black, both sexes.....	10	9	10	8	6	5	2	1	-	-	-
Male.....	6	6	7	4	3	2	-	-	-	-	-
Female.....	4	3	3	4	3	3	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	2	-	1	1	3	1	-	-	-
Male.....	2	2	2	-	1	-	1	-	-	-	-
Female.....	1	1	-	-	-	1	2	1	-	-	-

Non-Hodgkin's lymphoma (C82-C85)

All races, both sexes.....	1,277	1,589	2,100	2,720	3,477	3,603	2,359	1,036	228	24	-
Male.....	784	941	1,235	1,503	1,782	1,729	1,012	378	49	6	-
Female.....	493	648	865	1,217	1,695	1,874	1,347	658	179	18	-
White, both sexes.....	1,113	1,412	1,895	2,481	3,234	3,426	2,241	975	216	20	-
Male.....	683	841	1,113	1,380	1,669	1,650	966	359	48	5	-
Female.....	430	571	782	1,101	1,565	1,776	1,275	616	168	15	-
Black, both sexes.....	128	134	154	166	171	107	83	43	7	4	-
Male.....	76	77	81	88	70	48	30	11	-	1	-
Female.....	52	57	73	78	101	59	53	32	7	3	-
American Indian 1/, both sexes.....	6	8	14	7	10	6	4	-	1	-	-
Male.....	5	4	12	4	6	1	2	-	-	-	-
Female.....	1	4	2	3	4	5	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	30	35	37	66	62	64	31	18	4	-	-
Male.....	20	19	29	31	37	30	14	8	1	-	-
Female.....	10	16	8	35	25	34	17	10	3	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

All races, both sexes.....	1,176	1,512	1,985	2,709	3,377	3,420	2,349	1,165	276	40	-
Male.....	720	943	1,237	1,666	1,985	1,836	1,112	453	95	9	-
Female.....	456	569	748	1,043	1,392	1,584	1,237	712	181	31	-
White, both sexes.....	1,019	1,314	1,750	2,404	3,095	3,175	2,201	1,079	259	37	-
Male.....	635	832	1,092	1,484	1,837	1,719	1,055	419	88	8	-
Female.....	384	482	658	920	1,258	1,456	1,146	660	171	29	-
Black, both sexes.....	129	169	188	248	219	190	125	69	16	3	-
Male.....	71	94	117	150	106	82	49	24	6	1	-
Female.....	58	75	71	98	113	108	76	45	10	2	-
American Indian 1/, both sexes.....	7	4	8	8	4	15	4	3	-	-	-
Male.....	5	4	5	2	2	9	1	-	-	-	-
Female.....	2	-	3	6	2	6	3	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	25	39	49	59	40	19	14	1	-	-
Male.....	9	13	23	30	40	26	7	10	1	-	-
Female.....	12	12	16	19	19	14	12	4	-	-	-

Multiple myeloma and immunoproliferative neoplasms (C88,C90)

All races, both sexes.....	752	968	1,229	1,611	2,096	1,884	1,130	403	70	7	-
Male.....	415	557	708	879	1,083	907	492	154	26	1	-
Female.....	337	411	521	732	1,013	977	638	249	44	6	-
White, both sexes.....	554	766	964	1,288	1,773	1,621	995	343	59	5	-
Male.....	318	450	569	727	937	789	437	131	24	-	-
Female.....	236	316	395	561	836	832	558	212	35	5	-
Black, both sexes.....	172	187	236	291	287	240	124	54	11	2	-
Male.....	86	97	127	137	127	103	49	20	2	1	-
Female.....	86	90	109	154	160	137	75	34	9	1	-
American Indian 1/, both sexes.....	11	3	6	4	12	5	1	1	-	-	-
Male.....	3	1	3	2	8	3	-	-	-	-	-
Female.....	8	2	3	2	4	2	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	12	23	28	24	18	10	5	-	-	-
Male.....	8	9	9	13	11	12	6	3	-	-	-
Female.....	7	3	14	15	13	6	4	2	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

All races, both sexes.....	8	4	5	7	9	17	6	5	1	-	-
Male.....	3	2	-	4	3	8	4	2	1	-	-
Female.....	5	2	5	3	6	9	2	3	-	-	-
White, both sexes.....	6	4	5	7	8	14	6	4	-	-	-
Male.....	3	2	-	4	3	7	4	2	-	-	-
Female.....	3	2	5	3	5	7	2	2	-	-	-
Black, both sexes.....	2	-	-	-	1	2	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	1	2	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes.....	4,549	5,448	6,434	7,753	9,366	9,183	6,396	3,047	798	115	2
Male.....	2,597	3,082	3,649	4,149	4,890	4,391	2,646	1,054	204	25	1
Female.....	1,952	2,366	2,785	3,604	4,476	4,792	3,750	1,993	594	90	1
White, both sexes.....	3,733	4,600	5,465	6,814	8,396	8,343	5,897	2,796	735	103	2
Male.....	2,127	2,609	3,113	3,665	4,437	4,035	2,452	969	188	23	1
Female.....	1,606	1,991	2,352	3,149	3,959	4,308	3,445	1,827	547	80	1
Black, both sexes.....	681	697	816	757	786	678	393	204	53	12	-
Male.....	395	392	442	398	373	283	147	63	12	2	-
Female.....	286	305	374	359	413	395	246	141	41	10	-
American Indian 1/, both sexes.....	30	37	30	35	35	30	19	7	1	-	-
Male.....	17	21	18	18	17	9	8	1	-	-	-
Female.....	13	16	12	17	18	21	11	6	1	-	-
Asian or Pacific Islander 2/, both sexes.....	105	114	123	147	149	132	87	40	9	-	-
Male.....	58	60	76	68	63	64	39	21	4	-	-
Female.....	47	54	47	79	86	68	48	19	5	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All races, both sexes.....	578	732	921	1,422	2,021	2,623	2,172	1,176	382	44	2
Male.....	323	427	544	778	1,078	1,300	946	426	111	9	2
Female.....	255	305	377	644	943	1,323	1,226	750	271	35	-
White, both sexes.....	473	620	800	1,265	1,822	2,422	2,023	1,105	348	39	2
Male.....	267	364	483	703	982	1,210	889	403	104	9	2
Female.....	206	256	317	562	840	1,212	1,134	702	244	30	-
Black, both sexes.....	93	87	99	123	154	159	111	56	30	5	-
Male.....	50	50	51	60	76	65	40	17	5	-	-
Female.....	43	37	48	63	78	94	71	39	25	5	-
American Indian 1/, both sexes.....	1	6	2	7	7	2	7	3	1	-	-
Male.....	-	2	1	4	5	-	2	2	1	-	-
Female.....	1	4	1	3	2	2	5	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	19	20	27	38	40	31	12	3	-	-
Male.....	6	11	9	11	15	25	15	4	1	-	-
Female.....	5	8	11	16	23	15	16	8	2	-	-

Anemias (D50-D64)

All races, both sexes.....	140	169	181	292	440	679	774	684	312	80	1
Male.....	78	86	88	138	194	272	298	180	57	15	1
Female.....	62	83	93	154	246	407	476	504	255	65	-
White, both sexes.....	71	113	142	237	370	611	681	618	285	67	1
Male.....	35	60	70	116	159	243	265	168	52	14	1
Female.....	36	53	72	121	211	368	416	450	233	53	-
Black, both sexes.....	65	51	36	47	63	54	79	59	22	11	-
Male.....	40	24	17	19	30	20	30	9	3	1	-
Female.....	25	27	19	28	33	34	49	50	19	10	-
American Indian 1/, both sexes.....	1	-	1	2	1	2	2	2	-	-	-
Male.....	1	-	-	1	-	2	-	1	-	-	-
Female.....	-	-	1	1	1	-	2	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	2	6	6	12	12	5	5	2	-
Male.....	2	2	1	2	5	7	3	2	2	-	-
Female.....	1	3	1	4	1	5	9	3	3	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diabetes mellitus (E10-E14)

All races, both sexes.....	4,842	5,938	7,102	8,991	11,098	11,847	8,711	4,643	1,337	227	3
Male.....	2,758	3,395	3,832	4,598	5,335	5,234	3,296	1,408	286	45	1
Female.....	2,084	2,543	3,270	4,393	5,763	6,613	5,415	3,235	1,051	182	2
White, both sexes.....	3,567	4,463	5,434	7,022	9,025	9,963	7,429	3,965	1,123	160	2
Male.....	2,081	2,647	3,014	3,727	4,497	4,564	2,895	1,218	247	36	-
Female.....	1,486	1,816	2,420	3,295	4,528	5,399	4,534	2,747	876	124	2
Black, both sexes.....	1,088	1,246	1,431	1,676	1,758	1,552	1,073	572	182	61	1
Male.....	565	619	696	736	681	543	320	152	31	6	1
Female.....	523	627	735	940	1,077	1,009	753	420	151	55	-
American Indian 1/, both sexes.....	88	105	103	94	96	77	32	15	3	-	-
Male.....	49	57	46	35	56	23	11	4	-	-	-
Female.....	39	48	57	59	40	54	21	11	3	-	-
Asian or Pacific Islander 2/, both sexes.....	99	124	134	199	219	255	177	91	29	6	-
Male.....	63	72	76	100	101	104	70	34	8	3	-
Female.....	36	52	58	99	118	151	107	57	21	3	-

Nutritional deficiencies (E40-E64)

All races, both sexes.....	72	90	120	178	339	558	644	518	248	64	1
Male.....	42	45	60	85	153	204	225	134	48	6	1
Female.....	30	45	60	93	186	354	419	384	200	58	-
White, both sexes.....	58	67	91	143	279	486	551	454	220	52	-
Male.....	31	33	40	70	125	175	195	115	43	5	-
Female.....	27	34	51	73	154	311	356	339	177	47	-
Black, both sexes.....	13	21	26	32	48	57	79	53	23	11	1
Male.....	10	11	19	13	23	21	24	16	5	1	1
Female.....	3	10	7	19	25	36	55	37	18	10	-
American Indian 1/, both sexes.....	1	1	2	1	5	5	4	3	-	-	-
Male.....	1	1	1	-	2	3	1	-	-	-	-
Female.....	-	-	1	1	3	2	3	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	7	10	10	8	5	1	-
Male.....	-	-	-	2	3	5	5	3	-	-	-
Female.....	-	1	1	-	4	5	5	5	5	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malnutrition (E40-E46)

All races, both sexes.....	68	84	116	172	328	536	613	471	227	62	1
Male.....	40	41	58	83	148	194	212	120	43	6	1
Female.....	28	43	58	89	180	342	401	351	184	56	-
White, both sexes.....	55	63	89	137	268	466	521	409	200	50	-
Male.....	30	29	39	68	120	166	183	102	38	5	-
Female.....	25	34	50	69	148	300	338	307	162	45	-
Black, both sexes.....	12	19	24	32	48	55	78	51	23	11	1
Male.....	9	11	18	13	23	20	23	15	5	1	1
Female.....	3	8	6	19	25	35	55	36	18	10	-
American Indian 1/, both sexes.....	1	1	2	1	5	5	4	3	-	-	-
Male.....	1	1	1	-	2	3	1	-	-	-	-
Female.....	-	-	1	1	3	2	3	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	2	7	10	10	8	4	1	-
Male.....	-	-	-	2	3	5	5	3	-	-	-
Female.....	-	1	1	-	4	5	5	5	4	1	-

Other nutritional deficiencies (E50-E64)

All races, both sexes.....	4	6	4	6	11	22	31	47	21	2	-
Male.....	2	4	2	2	5	10	13	14	5	-	-
Female.....	2	2	2	4	6	12	18	33	16	2	-
White, both sexes.....	3	4	2	6	11	20	30	45	20	2	-
Male.....	1	4	1	2	5	9	12	13	5	-	-
Female.....	2	-	1	4	6	11	18	32	15	2	-
Black, both sexes.....	1	2	2	-	-	2	1	2	-	-	-
Male.....	1	-	1	-	-	1	1	1	-	-	-
Female.....	-	2	1	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Meningitis (G00,G03)

All races, both sexes.....	52	40	50	42	45	40	30	11	1	-	-
Male.....	28	20	18	15	19	19	14	4	1	-	-
Female.....	24	20	32	27	26	21	16	7	-	-	-
White, both sexes.....	35	32	38	31	37	32	29	7	1	-	-
Male.....	16	15	15	10	15	17	14	3	1	-	-
Female.....	19	17	23	21	22	15	15	4	-	-	-
Black, both sexes.....	14	7	11	8	7	6	1	2	-	-	-
Male.....	9	4	3	3	3	2	-	-	-	-	-
Female.....	5	3	8	5	4	4	1	2	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	3	-	1	-	2	-	-	-
Male.....	1	1	-	2	-	-	-	1	-	-	-
Female.....	-	-	1	1	-	1	-	1	-	-	-

Parkinson's disease (G20-G21)

All races, both sexes.....	103	246	640	1,574	3,526	5,226	4,174	1,937	441	46	-
Male.....	71	156	421	1,036	2,189	3,117	2,260	888	160	10	-
Female.....	32	90	219	538	1,337	2,109	1,914	1,049	281	36	-
White, both sexes.....	97	224	582	1,493	3,325	4,988	3,975	1,839	416	37	-
Male.....	68	139	386	981	2,072	2,986	2,149	845	146	8	-
Female.....	29	85	196	512	1,253	2,002	1,826	994	270	29	-
Black, both sexes.....	2	19	38	55	132	158	129	63	18	7	-
Male.....	-	15	22	39	75	81	71	24	10	2	-
Female.....	2	4	16	16	57	77	58	39	8	5	-
American Indian 1/, both sexes.....	1	-	2	1	9	16	8	5	1	-	-
Male.....	1	-	1	1	6	11	4	2	-	-	-
Female.....	-	-	1	-	3	5	4	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	18	25	60	64	62	30	6	2	-
Male.....	2	2	12	15	36	39	36	17	4	-	-
Female.....	1	1	6	10	24	25	26	13	2	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alzheimer's disease (G30)

All races, both sexes.....	152	390	1,004	2,637	7,368	14,514	18,327	14,505	5,871	1,087	-
Male.....	66	187	434	1,124	2,767	5,010	5,282	3,087	883	91	-
Female.....	86	203	570	1,513	4,601	9,504	13,045	11,418	4,988	996	-
White, both sexes.....	141	354	893	2,370	6,722	13,408	17,144	13,538	5,449	963	-
Male.....	63	169	390	1,010	2,541	4,667	4,957	2,871	821	75	-
Female.....	78	185	503	1,360	4,181	8,741	12,187	10,667	4,628	888	-
Black, both sexes.....	10	27	100	234	567	956	1,022	841	364	106	-
Male.....	2	13	39	99	197	294	270	170	48	13	-
Female.....	8	14	61	135	370	662	752	671	316	93	-
American Indian 1/, both sexes.....	-	2	2	9	13	30	23	18	8	7	-
Male.....	-	2	1	5	2	12	5	3	1	1	-
Female.....	-	-	1	4	11	18	18	15	7	6	-
Asian or Pacific Islander 2/, both sexes.....	1	7	9	24	66	120	138	108	50	11	-
Male.....	1	3	4	10	27	37	50	43	13	2	-
Female.....	-	4	5	14	39	83	88	65	37	9	-

Major cardiovascular diseases (I00-I78)

All races, both sexes.....	34,808	43,176	53,520	75,296	112,224	151,813	153,212	112,753	45,518	10,061	45
Male.....	23,704	28,310	33,114	43,065	58,898	69,592	58,466	33,116	9,712	1,514	38
Female.....	11,104	14,866	20,406	32,231	53,326	82,221	94,746	79,637	35,806	8,547	7
White, both sexes.....	26,549	34,143	43,076	63,038	97,202	135,919	140,003	103,334	41,575	8,804	30
Male.....	18,560	22,847	27,230	36,788	51,874	63,111	53,941	30,429	8,819	1,288	26
Female.....	7,989	11,296	15,846	26,250	45,328	72,808	86,062	72,905	32,756	7,516	4
Black, both sexes.....	7,292	7,949	8,943	10,505	12,596	12,996	10,535	7,696	3,272	1,081	14
Male.....	4,504	4,766	4,996	5,341	5,770	5,126	3,418	1,995	649	177	11
Female.....	2,788	3,183	3,947	5,164	6,826	7,870	7,117	5,701	2,623	904	3
American Indian 1/, both sexes.....	260	279	360	356	400	458	372	204	98	28	-
Male.....	173	176	216	195	210	208	151	58	23	5	-
Female.....	87	103	144	161	190	250	221	146	75	23	-
Asian or Pacific Islander 2/, both sexes.....	707	805	1,141	1,397	2,026	2,440	2,302	1,519	573	148	1
Male.....	467	521	672	741	1,044	1,147	956	634	221	44	1
Female.....	240	284	469	656	982	1,293	1,346	885	352	104	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of heart (I00-I09,I11,I13,I20-I51)

All races, both sexes.....	28,596	35,017	42,187	57,812	83,741	111,638	112,382	83,574	34,234	7,734	36
Male.....	20,188	23,600	26,871	34,129	45,619	53,193	44,648	25,565	7,574	1,215	32
Female.....	8,408	11,417	15,316	23,683	38,122	58,445	67,734	58,009	26,660	6,519	4
White, both sexes.....	22,242	28,207	34,362	48,783	73,048	100,385	103,032	76,860	31,360	6,800	24
Male.....	16,111	19,401	22,346	29,394	40,485	48,459	41,306	23,556	6,907	1,032	21
Female.....	6,131	8,806	12,016	19,389	32,563	51,926	61,726	53,304	24,453	5,768	3
Black, both sexes.....	5,663	6,016	6,751	7,801	9,064	9,280	7,482	5,495	2,393	814	11
Male.....	3,573	3,670	3,850	4,064	4,262	3,768	2,540	1,499	485	144	10
Female.....	2,090	2,346	2,901	3,737	4,802	5,512	4,942	3,996	1,908	670	1
American Indian 1/, both sexes.....	208	231	274	261	299	325	273	157	76	18	-
Male.....	148	148	183	146	161	152	116	50	17	3	-
Female.....	60	83	91	115	138	173	157	107	59	15	-
Asian or Pacific Islander 2/, both sexes.....	483	563	800	967	1,330	1,648	1,595	1,062	405	102	1
Male.....	356	381	492	525	711	814	686	460	165	36	1
Female.....	127	182	308	442	619	834	909	602	240	66	-

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

All races, both sexes.....	146	175	256	356	538	608	461	278	76	14	-
Male.....	54	53	95	107	178	202	104	53	16	1	-
Female.....	92	122	161	249	360	406	357	225	60	13	-
White, both sexes.....	105	152	219	323	498	580	445	265	75	13	-
Male.....	38	45	82	102	170	194	101	51	16	1	-
Female.....	67	107	137	221	328	386	344	214	59	12	-
Black, both sexes.....	33	13	25	21	24	16	12	8	-	1	-
Male.....	14	5	10	3	4	4	2	1	-	-	-
Female.....	19	8	15	18	20	12	10	7	-	1	-
American Indian 1/, both sexes.....	3	-	-	2	2	3	-	1	-	-	-
Male.....	1	-	-	-	-	2	-	-	-	-	-
Female.....	2	-	-	2	2	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	10	12	10	14	9	4	4	1	-	-
Male.....	1	3	3	2	4	2	1	1	-	-	-
Female.....	4	7	9	8	10	7	3	3	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Hypertensive heart disease (I11)

All races, both sexes.....	2,012	1,873	1,867	2,134	2,722	3,676	4,053	3,411	1,510	394	3
Male.....	1,363	1,221	1,146	1,157	1,213	1,291	1,167	746	231	48	3
Female.....	649	652	721	977	1,509	2,385	2,886	2,665	1,279	346	-
White, both sexes.....	1,261	1,214	1,291	1,510	2,039	2,952	3,453	2,954	1,321	318	3
Male.....	880	797	802	836	927	1,039	992	634	193	37	3
Female.....	381	417	489	674	1,112	1,913	2,461	2,320	1,128	281	-
Black, both sexes.....	698	610	537	582	609	652	494	389	164	69	-
Male.....	448	387	323	302	252	221	139	91	29	10	-
Female.....	250	223	214	280	357	431	355	298	135	59	-
American Indian 1/, both sexes.....	20	11	5	7	13	7	10	8	3	-	-
Male.....	12	10	2	5	6	3	2	-	-	-	-
Female.....	8	1	3	2	7	4	7	6	3	-	-
Asian or Pacific Islander 2/, both sexes.....	33	38	34	35	61	65	96	60	22	7	-
Male.....	23	27	19	14	28	28	33	19	9	1	-
Female.....	10	11	15	21	33	37	63	41	13	6	-

Hypertensive heart and renal disease (I13)

All races, both sexes.....	111	160	161	218	330	524	548	461	160	37	-
Male.....	55	103	81	108	157	220	188	139	30	10	-
Female.....	56	57	80	110	173	304	360	322	130	27	-
White, both sexes.....	43	76	80	132	230	405	460	386	128	33	-
Male.....	20	54	42	71	109	176	162	116	25	9	-
Female.....	23	22	38	61	121	229	298	270	103	24	-
Black, both sexes.....	65	78	73	74	90	105	73	67	28	3	-
Male.....	33	46	34	29	45	38	19	19	3	1	-
Female.....	32	32	39	45	45	67	54	48	25	2	-
American Indian 1/, both sexes.....	1	2	2	-	1	4	1	-	1	-	-
Male.....	1	-	2	-	-	2	-	-	1	-	-
Female.....	-	2	-	-	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	6	12	9	10	14	8	3	1	-
Male.....	1	3	3	8	3	4	6	4	1	-	-
Female.....	1	1	3	4	6	6	8	4	2	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Ischemic heart diseases (I20-I25)

All races, both sexes.....	20,437	25,565	30,914	42,188	60,283	78,845	76,562	55,554	22,517	5,123	26
Male.....	15,004	17,864	20,392	25,881	34,272	39,319	31,859	17,650	5,155	831	23
Female.....	5,433	7,701	10,522	16,307	26,011	39,526	44,703	37,904	17,362	4,292	3
White, both sexes.....	16,455	21,072	25,535	35,972	53,012	71,100	70,252	51,129	20,599	4,505	17
Male.....	12,364	15,034	17,216	22,506	30,687	35,987	29,562	16,329	4,703	706	15
Female.....	4,091	6,038	8,319	13,466	22,325	35,113	40,690	34,800	15,896	3,799	2
Black, both sexes.....	3,480	3,916	4,567	5,286	6,090	6,280	4,966	3,586	1,595	542	8
Male.....	2,252	2,434	2,647	2,851	2,929	2,594	1,710	979	332	100	7
Female.....	1,228	1,482	1,920	2,435	3,161	3,686	3,256	2,607	1,263	442	1
American Indian 1/, both sexes.....	146	166	209	201	218	242	200	112	49	11	-
Male.....	110	107	147	112	123	123	82	35	12	1	-
Female.....	36	59	62	89	95	119	118	77	37	10	-
Asian or Pacific Islander 2/, both sexes.....	356	411	603	729	963	1,223	1,144	727	274	65	1
Male.....	278	289	382	412	533	615	505	307	108	24	1
Female.....	78	122	221	317	430	608	639	420	166	41	-

Acute myocardial infarction (I21-I22)

All races, both sexes.....	8,346	10,412	12,357	15,970	21,573	26,464	24,512	16,524	5,939	1,277	6
Male.....	6,107	7,235	8,017	9,641	11,987	12,906	9,983	5,286	1,393	233	4
Female.....	2,239	3,177	4,340	6,329	9,586	13,558	14,529	11,238	4,546	1,044	2
White, both sexes.....	6,913	8,829	10,405	13,719	19,121	23,898	22,418	15,122	5,360	1,085	4
Male.....	5,175	6,297	6,899	8,446	10,866	11,836	9,230	4,888	1,255	195	3
Female.....	1,738	2,532	3,506	5,273	8,255	12,062	13,188	10,234	4,105	890	1
Black, both sexes.....	1,264	1,377	1,639	1,908	2,074	2,104	1,677	1,128	494	176	1
Male.....	794	803	921	997	922	824	589	287	107	33	-
Female.....	470	574	718	911	1,152	1,280	1,088	841	387	143	1
American Indian 1/, both sexes.....	49	63	87	79	59	67	71	40	9	2	-
Male.....	40	36	60	49	30	35	21	13	1	-	-
Female.....	9	27	27	30	29	32	50	27	8	2	-
Asian or Pacific Islander 2/, both sexes.....	120	143	226	264	319	395	346	234	76	14	1
Male.....	98	99	137	149	169	211	143	98	30	5	1
Female.....	22	44	89	115	150	184	203	136	46	9	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other acute ischemic heart diseases (I24)

All races, both sexes.....	184	175	179	220	308	362	327	246	111	33	1
Male.....	132	119	124	130	154	175	143	76	21	6	1
Female.....	52	56	55	90	154	187	184	170	90	27	-
White, both sexes.....	132	136	138	179	257	314	299	224	104	29	1
Male.....	96	93	92	102	127	158	127	68	20	5	1
Female.....	36	43	46	77	130	156	172	156	84	24	-
Black, both sexes.....	49	37	38	33	48	40	23	21	7	3	-
Male.....	34	25	29	22	26	16	14	7	1	1	-
Female.....	15	12	9	11	22	24	9	14	6	2	-
American Indian 1/, both sexes.....	2	1	2	2	1	4	4	1	-	1	-
Male.....	1	1	2	1	-	-	1	1	-	-	-
Female.....	1	-	-	1	1	4	3	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	6	2	4	1	-	-	-	-
Male.....	1	-	1	5	1	1	1	-	-	1	-
Female.....	-	1	-	1	1	3	-	-	-	-	-

Other forms of chronic ischemic heart disease (I20,I25)

All races, both sexes.....	11,907	14,978	18,378	25,998	38,402	52,019	51,723	38,784	16,467	3,813	19
Male.....	8,765	10,510	12,251	16,110	22,131	26,238	21,733	12,288	3,741	592	18
Female.....	3,142	4,468	6,127	9,888	16,271	25,781	29,990	26,496	12,726	3,221	1
White, both sexes.....	9,410	12,107	14,992	22,074	33,634	46,888	47,535	35,783	15,135	3,391	12
Male.....	7,093	8,644	10,225	13,958	19,694	23,993	20,205	11,373	3,428	506	11
Female.....	2,317	3,463	4,767	8,116	13,940	22,895	27,330	24,410	11,707	2,885	1
Black, both sexes.....	2,167	2,502	2,890	3,345	3,968	4,136	3,266	2,437	1,094	363	7
Male.....	1,424	1,606	1,697	1,832	1,981	1,754	1,107	685	224	66	7
Female.....	743	896	1,193	1,513	1,987	2,382	2,159	1,752	870	297	-
American Indian 1/, both sexes.....	95	102	120	120	158	171	125	71	40	8	-
Male.....	69	70	85	62	93	88	60	21	11	1	-
Female.....	26	32	35	58	65	83	65	50	29	7	-
Asian or Pacific Islander 2/, both sexes.....	235	267	376	459	642	824	797	493	198	51	-
Male.....	179	190	244	258	363	403	361	209	78	19	-
Female.....	56	77	132	201	279	421	436	284	120	32	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Atherosclerotic cardiovascular disease, so described (I25.0)

All races, both sexes.....	4,378	4,919	4,957	5,873	7,467	9,263	8,986	6,723	2,989	761	14
Male.....	3,361	3,503	3,389	3,657	4,145	4,461	3,499	1,977	651	115	13
Female.....	1,017	1,416	1,568	2,216	3,322	4,802	5,487	4,746	2,338	646	1
White, both sexes.....	3,320	3,788	3,793	4,694	6,127	8,005	8,001	6,012	2,670	649	7
Male.....	2,594	2,720	2,654	2,984	3,437	3,889	3,127	1,769	574	94	6
Female.....	726	1,068	1,139	1,710	2,690	4,116	4,874	4,243	2,096	555	1
Black, both sexes.....	939	995	1,018	1,062	1,173	1,084	814	603	277	97	7
Male.....	669	684	632	609	611	489	288	168	61	18	7
Female.....	270	311	386	453	562	595	526	435	216	79	-
American Indian 1/, both sexes.....	37	33	39	27	34	37	31	18	10	-	-
Male.....	30	23	29	11	24	19	19	2	3	-	-
Female.....	7	10	10	16	10	18	12	16	7	-	-
Asian or Pacific Islander 2/, both sexes.....	82	103	107	90	133	137	140	90	32	15	-
Male.....	68	76	74	53	73	64	65	38	13	3	-
Female.....	14	27	33	37	60	73	75	52	19	12	-

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

All races, both sexes.....	7,529	10,059	13,421	20,125	30,935	42,756	42,737	32,061	13,478	3,052	5
Male.....	5,404	7,007	8,862	12,453	17,986	21,777	18,234	10,311	3,090	477	5
Female.....	2,125	3,052	4,559	7,672	12,949	20,979	24,503	21,750	10,388	2,575	-
White, both sexes.....	6,090	8,319	11,199	17,380	27,507	38,883	39,534	29,771	12,465	2,742	5
Male.....	4,499	5,924	7,571	10,974	16,257	20,104	17,078	9,604	2,854	412	5
Female.....	1,591	2,395	3,628	6,406	11,250	18,779	22,456	20,167	9,611	2,330	-
Black, both sexes.....	1,228	1,507	1,872	2,283	2,795	3,052	2,452	1,834	817	266	-
Male.....	755	922	1,065	1,223	1,370	1,265	819	517	163	48	-
Female.....	473	585	807	1,060	1,425	1,787	1,633	1,317	654	218	-
American Indian 1/, both sexes.....	58	69	81	93	124	134	94	53	30	8	-
Male.....	39	47	56	51	69	69	41	19	8	1	-
Female.....	19	22	25	42	55	65	53	34	22	7	-
Asian or Pacific Islander 2/, both sexes.....	153	164	269	369	509	687	657	403	166	36	-
Male.....	111	114	170	205	290	339	296	171	65	16	-
Female.....	42	50	99	164	219	348	361	232	101	20	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other heart diseases (I26-I51)

All races, both sexes.....	5,890	7,244	8,989	12,916	19,868	27,985	30,758	23,870	9,971	2,166	7
Male.....	3,712	4,359	5,157	6,876	9,799	12,161	11,330	6,977	2,142	325	6
Female.....	2,178	2,885	3,832	6,040	10,069	15,824	19,428	16,893	7,829	1,841	1
White, both sexes.....	4,378	5,693	7,237	10,846	17,269	25,348	28,422	22,126	9,237	1,931	4
Male.....	2,809	3,471	4,204	5,879	8,592	11,063	10,489	6,426	1,970	279	3
Female.....	1,569	2,222	3,033	4,967	8,677	14,285	17,933	15,700	7,267	1,652	1
Black, both sexes.....	1,387	1,399	1,549	1,838	2,251	2,227	1,937	1,445	606	199	3
Male.....	826	798	836	879	1,032	911	670	409	121	33	3
Female.....	561	601	713	959	1,219	1,316	1,267	1,036	485	166	-
American Indian 1/, both sexes.....	38	52	58	51	65	69	62	36	23	7	-
Male.....	24	31	32	29	32	22	30	13	4	2	-
Female.....	14	21	26	22	33	47	32	23	19	5	-
Asian or Pacific Islander 2/, both sexes.....	87	100	145	181	283	341	337	263	105	29	-
Male.....	53	59	85	89	143	165	141	129	47	11	-
Female.....	34	41	60	92	140	176	196	134	58	18	-

Acute and subacute endocarditis (I33)

All races, both sexes.....	81	84	103	131	157	161	122	21	11	1	1
Male.....	52	46	67	52	72	90	58	10	4	-	1
Female.....	29	38	36	79	85	71	64	11	7	1	-
White, both sexes.....	60	66	83	111	132	147	113	19	8	-	-
Male.....	41	38	54	47	62	83	54	10	3	-	-
Female.....	19	28	29	64	70	64	59	9	5	-	-
Black, both sexes.....	18	17	18	18	18	9	9	2	3	1	1
Male.....	10	8	11	5	7	3	4	-	1	-	1
Female.....	8	9	7	13	11	6	5	2	2	1	-
American Indian 1/, both sexes.....	1	1	-	1	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	1	-	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	1	7	3	-	-	-	-	-
Male.....	1	-	2	-	3	3	-	-	-	-	-
Female.....	1	-	-	1	4	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of pericardium and acute myocarditis (I30-I31,I40)

All races, both sexes.....	52	59	62	53	84	75	56	25	6	-	-
Male.....	30	35	36	26	38	30	21	10	3	-	-
Female.....	22	24	26	27	46	45	35	15	3	-	-
White, both sexes.....	46	48	49	47	68	67	49	24	5	-	-
Male.....	26	30	26	22	33	26	18	10	2	-	-
Female.....	20	18	23	25	35	41	31	14	3	-	-
Black, both sexes.....	6	10	11	6	14	8	5	1	-	-	-
Male.....	4	4	9	4	5	4	1	-	-	-	-
Female.....	2	6	2	2	9	4	4	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	-	2	-	1	-	1	-	-
Male.....	-	1	1	-	-	-	1	-	1	-	-
Female.....	-	-	1	-	2	-	-	-	-	-	-

Heart failure (I50)

All races, both sexes.....	1,003	1,441	2,226	3,725	6,574	10,438	12,876	11,063	5,044	1,203	1
Male.....	599	821	1,223	1,940	3,198	4,475	4,707	3,202	1,049	172	-
Female.....	404	620	1,003	1,785	3,376	5,963	8,169	7,861	3,995	1,031	1
White, both sexes.....	711	1,115	1,834	3,179	5,773	9,538	11,963	10,328	4,728	1,082	1
Male.....	429	634	1,012	1,694	2,822	4,125	4,387	2,993	982	152	-
Female.....	282	481	822	1,485	2,951	5,413	7,576	7,335	3,746	930	1
Black, both sexes.....	273	291	346	489	710	786	783	632	277	104	-
Male.....	159	164	188	214	326	307	271	165	55	16	-
Female.....	114	127	158	275	384	479	512	467	222	88	-
American Indian 1/, both sexes.....	4	17	22	12	32	24	32	17	11	5	-
Male.....	3	10	11	7	15	7	15	5	4	1	-
Female.....	1	7	11	5	17	17	17	12	7	4	-
Asian or Pacific Islander 2/, both sexes.....	15	18	24	45	59	90	98	86	28	12	-
Male.....	8	13	12	25	35	36	34	39	8	3	-
Female.....	7	5	12	20	24	54	64	47	20	9	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

All races, both sexes.....	4,754	5,660	6,598	9,007	13,053	17,311	17,704	12,761	4,910	962	5
Male.....	3,031	3,457	3,831	4,858	6,491	7,566	6,544	3,755	1,086	153	5
Female.....	1,723	2,203	2,767	4,149	6,562	9,745	11,160	9,006	3,824	809	-
White, both sexes.....	3,561	4,464	5,271	7,509	11,296	15,596	16,297	11,755	4,496	849	3
Male.....	2,313	2,769	3,112	4,116	5,675	6,829	6,030	3,413	983	127	3
Female.....	1,248	1,695	2,159	3,393	5,621	8,767	10,267	8,342	3,513	722	-
Black, both sexes.....	1,090	1,081	1,174	1,325	1,509	1,424	1,140	810	326	94	2
Male.....	653	622	628	656	694	597	394	244	65	17	2
Female.....	437	459	546	669	815	827	746	566	261	77	-
American Indian 1/, both sexes.....	33	34	36	38	33	43	29	19	12	2	-
Male.....	21	21	21	22	17	14	14	8	-	1	-
Female.....	12	13	15	16	16	29	15	11	12	1	-
Asian or Pacific Islander 2/, both sexes.....	70	81	117	135	215	248	238	177	76	17	-
Male.....	44	45	70	64	105	126	106	90	38	8	-
Female.....	26	36	47	71	110	122	132	87	38	9	-

Essential (primary) hypertension and hypertensive renal disease (I10,I12)

All races, both sexes.....	815	1,024	1,292	1,860	2,855	3,964	4,283	3,434	1,542	389	4
Male.....	447	589	691	844	1,241	1,541	1,363	810	287	43	3
Female.....	368	435	601	1,016	1,614	2,423	2,920	2,624	1,255	346	1
White, both sexes.....	452	627	842	1,306	2,163	3,242	3,668	2,924	1,334	316	3
Male.....	262	378	464	609	936	1,274	1,189	707	238	36	2
Female.....	190	249	378	697	1,227	1,968	2,479	2,217	1,096	280	1
Black, both sexes.....	331	362	405	494	614	606	517	440	173	60	1
Male.....	172	194	206	204	272	220	143	78	39	5	1
Female.....	159	168	199	290	342	386	374	362	134	55	-
American Indian 1/, both sexes.....	11	7	11	12	8	21	4	7	3	2	-
Male.....	4	3	6	9	3	6	1	1	2	-	-
Female.....	7	4	5	3	5	15	3	6	1	2	-
Asian or Pacific Islander 2/, both sexes.....	21	28	34	48	70	95	94	63	32	11	-
Male.....	9	14	15	22	30	41	30	24	8	2	-
Female.....	12	14	19	26	40	54	64	39	24	9	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Cerebrovascular diseases (I60-I69)

All races, both sexes.....	4,368	5,598	7,806	12,095	20,504	29,588	30,162	21,179	7,752	1,452	5
Male.....	2,395	3,128	4,180	6,027	9,333	11,692	9,872	5,346	1,449	192	3
Female.....	1,973	2,470	3,626	6,068	11,171	17,896	20,290	15,833	6,303	1,260	2
White, both sexes.....	3,049	4,054	5,982	9,817	17,397	26,275	27,442	19,337	7,059	1,263	3
Male.....	1,656	2,250	3,239	4,910	7,993	10,464	9,048	4,864	1,299	161	3
Female.....	1,393	1,804	2,743	4,907	9,404	15,811	18,394	14,473	5,760	1,102	-
Black, both sexes.....	1,113	1,320	1,500	1,884	2,473	2,617	2,119	1,462	561	153	2
Male.....	642	746	777	920	1,035	944	598	345	101	24	-
Female.....	471	574	723	964	1,438	1,673	1,521	1,117	460	129	2
American Indian 1/, both sexes.....	31	33	64	69	73	95	77	35	16	7	-
Male.....	14	20	25	36	34	44	27	5	3	2	-
Female.....	17	13	39	33	39	51	50	30	13	5	-
Asian or Pacific Islander 2/, both sexes.....	175	191	260	325	561	601	524	345	116	29	-
Male.....	83	112	139	161	271	240	199	132	46	5	-
Female.....	92	79	121	164	290	361	325	213	70	24	-

Atherosclerosis (I70)

All races, both sexes.....	170	289	409	723	1,294	2,112	2,682	2,382	1,246	349	-
Male.....	98	177	229	390	626	923	996	652	240	45	-
Female.....	72	112	180	333	668	1,189	1,686	1,730	1,006	304	-
White, both sexes.....	138	248	343	632	1,171	1,963	2,508	2,233	1,166	312	-
Male.....	81	151	197	348	568	857	946	614	228	41	-
Female.....	57	97	146	284	603	1,106	1,562	1,619	938	271	-
Black, both sexes.....	28	39	52	76	109	129	138	125	68	34	-
Male.....	13	26	25	37	51	57	35	30	10	4	-
Female.....	15	13	27	39	58	72	103	95	58	30	-
American Indian 1/, both sexes.....	3	-	4	6	4	6	8	2	2	-	-
Male.....	3	-	1	2	4	3	2	-	1	-	-
Female.....	-	-	3	4	-	3	6	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	10	9	10	14	28	22	10	3	-
Male.....	1	-	6	3	3	6	13	8	1	-	-
Female.....	-	2	4	6	7	8	15	14	9	3	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of circulatory system (I71-I78)

All races, both sexes.....	859	1,248	1,826	2,806	3,830	4,511	3,703	2,184	744	137	-
Male.....	576	816	1,143	1,675	2,079	2,243	1,587	743	162	19	-
Female.....	283	432	683	1,131	1,751	2,268	2,116	1,441	582	118	-
White, both sexes.....	668	1,007	1,547	2,500	3,423	4,054	3,353	1,980	656	113	-
Male.....	450	667	984	1,527	1,892	2,057	1,452	688	147	18	-
Female.....	218	340	563	973	1,531	1,997	1,901	1,292	509	95	-
Black, both sexes.....	157	212	235	250	336	364	279	174	77	20	-
Male.....	104	130	138	116	150	137	102	43	14	-	-
Female.....	53	82	97	134	186	227	177	131	63	20	-
American Indian 1/, both sexes.....	7	8	7	8	16	11	10	3	1	1	-
Male.....	4	5	1	2	8	3	5	2	-	-	-
Female.....	3	3	6	6	8	8	5	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	27	21	37	48	55	82	61	27	10	3	-
Male.....	18	14	20	30	29	46	28	10	1	1	-
Female.....	9	7	17	18	26	36	33	17	9	2	-

Aortic aneurysm and dissection (I71)

All races, both sexes.....	516	802	1,137	1,795	2,416	2,715	1,949	950	224	24	-
Male.....	390	582	786	1,160	1,369	1,490	932	423	73	4	-
Female.....	126	220	351	635	1,047	1,225	1,017	527	151	20	-
White, both sexes.....	396	664	1,002	1,635	2,212	2,486	1,798	898	210	20	-
Male.....	307	482	698	1,072	1,272	1,380	865	405	70	3	-
Female.....	89	182	304	563	940	1,106	933	493	140	17	-
Black, both sexes.....	97	122	112	114	154	164	105	35	13	2	-
Male.....	67	85	74	57	65	67	44	11	2	-	-
Female.....	30	37	38	57	89	97	61	24	11	2	-
American Indian 1/, both sexes.....	2	3	2	4	10	5	4	1	-	1	-
Male.....	2	3	-	2	6	3	3	-	-	-	-
Female.....	-	-	2	2	4	2	1	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	21	13	21	42	40	60	42	16	1	1	-
Male.....	14	12	14	29	26	40	20	7	1	1	-
Female.....	7	1	7	13	14	20	22	9	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of arteries, arterioles and capillaries (I72-I78)

All races, both sexes.....	343	446	689	1,011	1,414	1,796	1,754	1,234	520	113	-
Male.....	186	234	357	515	710	753	655	320	89	15	-
Female.....	157	212	332	496	704	1,043	1,099	914	431	98	-
White, both sexes.....	272	343	545	865	1,211	1,568	1,555	1,082	446	93	-
Male.....	143	185	286	455	620	677	587	283	77	15	-
Female.....	129	158	259	410	591	891	968	799	369	78	-
Black, both sexes.....	60	90	123	136	182	200	174	139	64	18	-
Male.....	37	45	64	59	85	70	58	32	12	-	-
Female.....	23	45	59	77	97	130	116	107	52	18	-
American Indian 1/, both sexes.....	5	5	5	4	6	6	6	2	1	-	-
Male.....	2	2	1	-	2	-	2	-	-	-	-
Female.....	3	3	4	4	4	6	4	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	8	16	6	15	22	19	11	9	2	-
Male.....	4	2	6	1	3	6	8	3	-	-	-
Female.....	2	6	10	5	12	16	11	8	9	2	-

Other disorders of circulatory system (I80-I99)

All races, both sexes.....	314	309	309	363	528	637	566	392	149	26	-
Male.....	174	177	154	174	246	259	171	96	27	2	-
Female.....	140	132	155	189	282	378	395	296	122	24	-
White, both sexes.....	246	244	254	291	447	566	511	350	131	24	-
Male.....	144	141	125	145	212	227	159	84	23	2	-
Female.....	102	103	129	146	235	339	352	266	108	22	-
Black, both sexes.....	61	61	47	68	76	59	45	39	16	2	-
Male.....	27	33	24	27	31	23	10	12	3	-	-
Female.....	34	28	23	41	45	36	35	27	13	2	-
American Indian 1/, both sexes.....	3	1	3	-	3	-	1	-	2	-	-
Male.....	1	1	2	-	2	-	-	-	1	-	-
Female.....	2	-	1	-	1	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	5	4	2	12	9	3	-	-	-
Male.....	2	2	3	2	1	9	2	-	-	-	-
Female.....	2	1	2	2	1	3	7	3	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Influenza and pneumonia (J10-J18)

All races, both sexes.....	1,370	1,784	2,370	4,012	7,017	11,049	12,349	10,192	4,561	1,210	-
Male.....	791	1,032	1,380	2,225	3,665	5,348	5,208	3,464	1,272	268	-
Female.....	579	752	990	1,787	3,352	5,701	7,141	6,728	3,289	942	-
White, both sexes.....	1,072	1,438	1,909	3,421	6,113	9,901	11,259	9,340	4,198	1,080	-
Male.....	626	828	1,090	1,895	3,180	4,799	4,759	3,183	1,161	228	-
Female.....	446	610	819	1,526	2,933	5,102	6,500	6,157	3,037	852	-
Black, both sexes.....	261	291	386	477	695	869	804	601	285	101	-
Male.....	145	177	253	270	373	415	316	185	71	30	-
Female.....	116	114	133	207	322	454	488	416	214	71	-
American Indian 1/, both sexes.....	14	18	21	17	42	49	30	29	9	6	-
Male.....	8	5	10	8	21	25	13	13	4	3	-
Female.....	6	13	11	9	21	24	17	16	5	3	-
Asian or Pacific Islander 2/, both sexes.....	23	37	54	97	167	230	256	222	69	23	-
Male.....	12	22	27	52	91	109	120	83	36	7	-
Female.....	11	15	27	45	76	121	136	139	33	16	-

Influenza (J10-J11)

All races, both sexes.....	23	32	31	68	115	176	238	212	84	20	-
Male.....	11	14	18	40	56	69	92	52	22	2	-
Female.....	12	18	13	28	59	107	146	160	62	18	-
White, both sexes.....	22	28	28	64	100	171	231	208	81	20	-
Male.....	10	13	17	37	46	68	89	52	22	2	-
Female.....	12	15	11	27	54	103	142	156	59	18	-
Black, both sexes.....	-	4	3	4	12	4	3	4	2	-	-
Male.....	-	1	1	3	9	1	1	-	-	-	-
Female.....	-	3	2	1	3	3	2	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	2	1	3	-	1	-	-
Male.....	1	-	-	-	1	-	2	-	-	-	-
Female.....	-	-	-	-	1	1	1	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonia (J12-J18)

All races, both sexes.....	1,347	1,752	2,339	3,944	6,902	10,873	12,111	9,980	4,477	1,190	-
Male.....	780	1,018	1,362	2,185	3,609	5,279	5,116	3,412	1,250	266	-
Female.....	567	734	977	1,759	3,293	5,594	6,995	6,568	3,227	924	-
White, both sexes.....	1,050	1,410	1,881	3,357	6,013	9,730	11,028	9,132	4,117	1,060	-
Male.....	616	815	1,073	1,858	3,134	4,731	4,670	3,131	1,139	226	-
Female.....	434	595	808	1,499	2,879	4,999	6,358	6,001	2,978	834	-
Black, both sexes.....	261	287	383	473	683	865	801	597	283	101	-
Male.....	145	176	252	267	364	414	315	185	71	30	-
Female.....	116	111	131	206	319	451	486	412	212	71	-
American Indian 1/, both sexes.....	14	18	21	17	41	49	29	29	9	6	-
Male.....	8	5	10	8	21	25	13	13	4	3	-
Female.....	6	13	11	9	20	24	16	16	5	3	-
Asian or Pacific Islander 2/, both sexes.....	22	37	54	97	165	229	253	222	68	23	-
Male.....	11	22	27	52	90	109	118	83	36	7	-
Female.....	11	15	27	45	75	120	135	139	32	16	-

Other acute lower respiratory infections (J20-J22)

All races, both sexes.....	6	8	9	12	21	33	42	54	23	8	-
Male.....	2	4	6	6	8	10	15	18	4	1	-
Female.....	4	4	3	6	13	23	27	36	19	7	-
White, both sexes.....	5	8	8	11	16	33	39	53	22	8	-
Male.....	2	4	5	6	7	10	13	18	4	1	-
Female.....	3	4	3	5	9	23	26	35	18	7	-
Black, both sexes.....	-	-	1	1	5	-	2	1	-	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	4	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

All races, both sexes.....	4,205	7,549	11,323	17,067	23,398	24,170	17,842	8,601	2,459	337	1
Male.....	2,155	3,874	5,843	8,660	11,737	11,518	7,964	3,345	832	90	1
Female.....	2,050	3,675	5,480	8,407	11,661	12,652	9,878	5,256	1,627	247	-
White, both sexes.....	3,661	6,822	10,403	15,870	21,891	22,851	16,883	8,123	2,299	297	1
Male.....	1,830	3,454	5,318	7,967	10,901	10,780	7,445	3,120	761	76	1
Female.....	1,831	3,368	5,085	7,903	10,990	12,071	9,438	5,003	1,538	221	-
Black, both sexes.....	469	637	791	979	1,209	1,007	700	342	112	30	-
Male.....	286	362	450	563	661	547	365	154	42	9	-
Female.....	183	275	341	416	548	460	335	188	70	21	-
American Indian 1/, both sexes.....	41	48	53	83	83	78	35	13	5	2	-
Male.....	18	28	26	42	39	36	12	7	4	1	-
Female.....	23	20	27	41	44	42	23	6	1	1	-
Asian or Pacific Islander 2/, both sexes.....	34	42	76	135	215	234	224	123	43	8	-
Male.....	21	30	49	88	136	155	142	64	25	4	-
Female.....	13	12	27	47	79	79	82	59	18	4	-

Bronchitis, chronic and unspecified (J40-J42)

All races, both sexes.....	34	33	40	57	87	112	127	108	68	15	-
Male.....	18	17	24	30	37	46	45	38	18	5	-
Female.....	16	16	16	27	50	66	82	70	50	10	-
White, both sexes.....	28	28	38	53	80	106	118	97	65	13	-
Male.....	16	14	23	28	34	45	41	36	16	4	-
Female.....	12	14	15	25	46	61	77	61	49	9	-
Black, both sexes.....	4	5	1	4	5	3	6	9	2	-	-
Male.....	-	3	1	2	2	-	3	1	1	-	-
Female.....	4	2	-	2	3	3	3	8	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	-	2	2	2	2	1	2	-
Male.....	2	-	-	-	1	1	1	1	1	1	-
Female.....	-	-	1	-	1	1	1	1	-	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Emphysema (J43)

All races, both sexes.....	564	1,019	1,571	2,222	2,782	2,542	1,629	629	152	17	-
Male.....	304	569	851	1,200	1,442	1,283	779	285	53	5	-
Female.....	260	450	720	1,022	1,340	1,259	850	344	99	12	-
White, both sexes.....	501	930	1,468	2,091	2,634	2,418	1,546	604	137	13	-
Male.....	261	511	781	1,115	1,347	1,210	729	270	47	3	-
Female.....	240	419	687	976	1,287	1,208	817	334	90	10	-
Black, both sexes.....	52	79	81	105	122	98	66	19	10	3	-
Male.....	37	52	57	66	76	55	40	11	4	2	-
Female.....	15	27	24	39	46	43	26	8	6	1	-
American Indian 1/, both sexes.....	5	7	7	6	5	5	4	1	-	-	-
Male.....	2	4	3	4	5	1	1	-	-	-	-
Female.....	3	3	4	2	-	4	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	3	15	20	21	21	13	5	5	1	-
Male.....	4	2	10	15	14	17	9	3	2	-	-
Female.....	2	1	5	5	7	4	4	2	3	1	-

Asthma (J45-J46)

All races, both sexes.....	277	243	248	256	308	365	351	225	95	13	-
Male.....	109	78	92	86	87	94	96	53	16	2	-
Female.....	168	165	156	170	221	271	255	172	79	11	-
White, both sexes.....	182	156	181	205	237	309	305	200	85	10	-
Male.....	65	41	65	64	60	73	82	45	12	1	-
Female.....	117	115	116	141	177	236	223	155	73	9	-
Black, both sexes.....	86	77	55	43	53	38	31	15	7	2	-
Male.....	36	31	20	20	17	14	7	3	2	-	-
Female.....	50	46	35	23	36	24	24	12	5	2	-
American Indian 1/, both sexes.....	1	2	1	-	2	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	8	11	8	16	18	15	10	3	1	-
Male.....	7	5	7	2	10	7	7	5	2	1	-
Female.....	1	3	4	6	6	11	8	5	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pneumonitis due to solids and liquids (J69)

All races, both sexes.....	312	431	598	1,169	2,107	3,457	3,850	2,808	1,117	239	-
Male.....	183	268	376	709	1,207	1,852	1,898	1,211	394	73	-
Female.....	129	163	222	460	900	1,605	1,952	1,597	723	166	-
White, both sexes.....	258	330	505	992	1,855	3,139	3,550	2,578	1,012	212	-
Male.....	148	200	314	598	1,064	1,691	1,751	1,117	353	69	-
Female.....	110	130	191	394	791	1,448	1,799	1,461	659	143	-
Black, both sexes.....	51	89	85	156	205	262	234	172	85	22	-
Male.....	33	59	56	97	113	130	107	62	32	3	-
Female.....	18	30	29	59	92	132	127	110	53	19	-
American Indian 1/, both sexes.....	-	5	3	6	11	10	7	6	4	-	-
Male.....	-	3	2	2	7	5	4	2	1	-	-
Female.....	-	2	1	4	4	5	3	4	3	-	-
Asian or Pacific Islander 2/, both sexes.....	3	7	5	15	36	46	59	52	16	5	-
Male.....	2	6	4	12	23	26	36	30	8	1	-
Female.....	1	1	1	3	13	20	23	22	8	4	-

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

All races, both sexes.....	1,207	1,562	2,160	3,363	4,551	5,078	3,843	2,120	688	122	-
Male.....	650	859	1,233	1,873	2,395	2,503	1,614	729	178	25	-
Female.....	557	703	927	1,490	2,156	2,575	2,229	1,391	510	97	-
White, both sexes.....	991	1,321	1,879	3,025	4,178	4,701	3,594	1,979	636	105	-
Male.....	538	737	1,084	1,696	2,212	2,324	1,504	681	167	21	-
Female.....	453	584	795	1,329	1,966	2,377	2,090	1,298	469	84	-
Black, both sexes.....	186	202	225	251	273	256	173	107	35	14	-
Male.....	97	100	121	128	135	113	73	34	7	2	-
Female.....	89	102	104	123	138	143	100	73	28	12	-
American Indian 1/, both sexes.....	10	12	17	29	23	20	14	7	6	1	-
Male.....	6	6	9	17	10	7	2	2	1	1	-
Female.....	4	6	8	12	13	10	7	5	5	-	-
Asian or Pacific Islander 2/, both sexes.....	20	27	39	58	77	101	62	27	11	2	-
Male.....	9	16	19	32	38	56	30	12	3	1	-
Female.....	11	11	20	26	39	45	32	15	8	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Peptic ulcer (K25-K28)

All races, both sexes.....	159	215	250	332	505	643	606	413	141	25	-
Male.....	98	130	133	171	257	273	209	120	35	7	-
Female.....	61	85	117	161	248	370	397	293	106	18	-
White, both sexes.....	129	180	212	281	447	583	562	386	129	24	-
Male.....	79	108	117	145	226	242	195	112	34	6	-
Female.....	50	72	95	136	221	341	367	274	95	18	-
Black, both sexes.....	27	32	34	39	39	38	28	20	8	1	-
Male.....	17	21	14	19	22	18	9	5	-	1	-
Female.....	10	11	20	20	17	20	19	15	8	-	-
American Indian 1/, both sexes.....	1	-	1	3	2	1	1	1	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-
Female.....	1	-	1	2	1	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	3	9	17	21	15	6	4	-	-
Male.....	2	1	2	6	8	13	5	3	1	-	-
Female.....	-	2	1	3	9	8	10	3	3	-	-

Diseases of appendix (K35-K38)

All races, both sexes.....	24	28	33	48	58	80	46	30	8	1	-
Male.....	10	19	17	26	33	37	26	8	3	-	-
Female.....	14	9	16	22	25	43	20	22	5	1	-
White, both sexes.....	22	22	26	43	52	65	42	29	6	1	-
Male.....	10	16	13	23	30	33	22	7	2	-	-
Female.....	12	6	13	20	22	32	20	22	4	1	-
Black, both sexes.....	1	6	6	4	4	12	4	1	-	-	-
Male.....	-	3	4	3	3	3	4	1	-	-	-
Female.....	1	3	2	1	1	9	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	2	3	-	-	2	-	-
Male.....	-	-	-	-	-	1	-	-	1	-	-
Female.....	-	-	1	1	2	2	-	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Hernia (K40-K46)

All races, both sexes.....	70	60	90	149	217	292	296	166	61	10	-
Male.....	35	27	38	82	99	99	101	54	14	1	-
Female.....	35	33	52	67	118	193	195	112	47	9	-
White, both sexes.....	57	50	78	130	201	268	272	156	55	9	-
Male.....	29	24	30	73	92	90	92	49	13	1	-
Female.....	28	26	48	57	109	178	180	107	42	8	-
Black, both sexes.....	12	8	10	18	11	20	18	8	6	1	-
Male.....	6	3	7	9	4	7	7	3	1	-	-
Female.....	6	5	3	9	7	13	11	5	5	1	-
American Indian 1/, both sexes.....	1	1	2	1	1	2	3	-	-	-	-
Male.....	-	-	1	-	1	-	2	-	-	-	-
Female.....	1	1	1	1	-	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	4	2	3	2	-	-	-
Male.....	-	-	-	-	2	2	-	2	-	-	-
Female.....	-	1	-	-	2	-	3	-	-	-	-

Chronic liver disease and cirrhosis (K70,K73-K74)

All races, both sexes.....	3,580	2,989	2,608	2,511	2,232	1,501	729	198	28	2	1
Male.....	2,581	2,006	1,652	1,470	1,196	721	287	86	10	2	-
Female.....	999	983	956	1,041	1,036	780	442	112	18	-	1
White, both sexes.....	3,027	2,592	2,313	2,300	2,091	1,403	678	182	27	1	1
Male.....	2,197	1,753	1,462	1,345	1,125	677	273	80	10	1	-
Female.....	830	839	851	955	966	726	405	102	17	-	1
Black, both sexes.....	431	302	219	155	82	61	31	10	1	1	-
Male.....	310	195	145	99	44	30	10	3	-	1	-
Female.....	121	107	74	56	38	31	21	7	1	-	-
American Indian 1/, both sexes.....	82	62	43	21	21	7	5	-	-	-	-
Male.....	49	35	22	8	12	3	1	-	-	-	-
Female.....	33	27	21	13	9	4	4	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	40	33	33	35	38	30	15	6	-	-	-
Male.....	25	23	23	18	15	11	3	3	-	-	-
Female.....	15	10	10	17	23	19	12	3	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alcoholic liver disease (K70)

All races, both sexes.....	1,940	1,453	1,078	763	481	228	86	15	1	-	1
Male.....	1,453	1,096	824	568	357	170	56	12	1	-	-
Female.....	487	357	254	195	124	58	30	3	-	-	1
White, both sexes.....	1,654	1,260	947	691	448	206	81	13	1	-	1
Male.....	1,245	958	726	512	333	154	53	11	1	-	-
Female.....	409	302	221	179	115	52	28	2	-	-	1
Black, both sexes.....	216	146	105	50	16	15	1	2	-	-	-
Male.....	158	104	80	42	9	10	1	1	-	-	-
Female.....	58	42	25	8	7	5	-	1	-	-	-
American Indian 1/, both sexes.....	54	33	18	9	11	2	2	-	-	-	-
Male.....	37	23	11	3	9	2	1	-	-	-	-
Female.....	17	10	7	6	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	14	8	13	6	5	2	-	-	-	-
Male.....	13	11	7	11	6	4	1	-	-	-	-
Female.....	3	3	1	2	-	1	1	-	-	-	-

Other chronic liver disease and cirrhosis (K73-K74)

All races, both sexes.....	1,640	1,536	1,530	1,748	1,751	1,273	643	183	27	2	-
Male.....	1,128	910	828	902	839	551	231	74	9	2	-
Female.....	512	626	702	846	912	722	412	109	18	-	-
White, both sexes.....	1,373	1,332	1,366	1,609	1,643	1,197	597	169	26	1	-
Male.....	952	795	736	833	792	523	220	69	9	1	-
Female.....	421	537	630	776	851	674	377	100	17	-	-
Black, both sexes.....	215	156	114	105	66	46	30	8	1	1	-
Male.....	152	91	65	57	35	20	9	2	-	1	-
Female.....	63	65	49	48	31	26	21	6	1	-	-
American Indian 1/, both sexes.....	28	29	25	12	10	5	3	-	-	-	-
Male.....	12	12	11	5	3	1	-	-	-	-	-
Female.....	16	17	14	7	7	4	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	19	25	22	32	25	13	6	-	-	-
Male.....	12	12	16	7	9	7	2	3	-	-	-
Female.....	12	7	9	15	23	18	11	3	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

All races, both sexes.....	102	145	184	274	432	576	547	425	155	28	-
Male.....	56	82	104	144	217	266	219	123	36	7	-
Female.....	46	63	80	130	215	310	328	302	119	21	-
White, both sexes.....	75	117	152	222	374	514	496	397	143	26	-
Male.....	42	71	88	123	192	243	204	117	35	7	-
Female.....	33	46	64	99	182	271	292	280	108	19	-
Black, both sexes.....	22	24	22	39	42	49	38	20	10	1	-
Male.....	13	8	12	14	17	15	11	3	-	-	-
Female.....	9	16	10	25	25	34	27	17	10	1	-
American Indian 1/, both sexes.....	2	3	3	2	5	2	4	2	1	1	-
Male.....	1	2	1	1	2	1	3	-	-	-	-
Female.....	1	1	2	1	3	1	1	2	1	1	-
Asian or Pacific Islander 2/, both sexes.....	3	1	7	11	11	11	9	6	1	-	-
Male.....	-	1	3	6	6	7	1	3	1	-	-
Female.....	3	-	4	5	5	4	8	3	-	-	-

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All races, both sexes.....	1,742	2,221	2,949	4,170	6,329	7,729	7,162	4,733	1,711	322	2
Male.....	947	1,173	1,544	2,133	3,167	3,840	3,200	1,815	512	85	1
Female.....	795	1,048	1,405	2,037	3,162	3,889	3,962	2,918	1,199	237	1
White, both sexes.....	1,086	1,466	2,081	3,173	5,134	6,605	6,283	4,142	1,502	261	2
Male.....	620	791	1,109	1,683	2,654	3,375	2,856	1,622	445	69	1
Female.....	466	675	972	1,490	2,480	3,230	3,427	2,520	1,057	192	1
Black, both sexes.....	598	693	767	886	1,036	981	754	528	192	54	-
Male.....	301	343	380	400	438	398	287	158	59	12	-
Female.....	297	350	387	486	598	583	467	370	133	42	-
American Indian 1/, both sexes.....	19	20	31	29	35	24	24	8	4	1	-
Male.....	9	10	19	9	13	9	10	4	2	-	-
Female.....	10	10	12	20	22	15	14	4	2	1	-
Asian or Pacific Islander 2/, both sexes.....	39	42	70	82	124	119	101	55	13	6	-
Male.....	17	29	36	41	62	58	47	31	6	4	-
Female.....	22	13	34	41	62	61	54	24	7	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

All races, both sexes.....	3	6	13	14	24	25	24	12	1	1	-
Male.....	-	4	5	9	11	13	7	4	-	-	-
Female.....	3	2	8	5	13	12	17	8	1	1	-
White, both sexes.....	3	5	9	13	21	22	21	10	1	-	-
Male.....	-	3	5	9	9	11	6	3	-	-	-
Female.....	3	2	4	4	12	11	15	7	1	-	-
Black, both sexes.....	-	1	4	1	3	2	2	1	-	1	-
Male.....	-	1	-	-	2	1	1	-	-	-	-
Female.....	-	-	4	1	1	1	1	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	1	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)

All races, both sexes.....	31	33	38	50	77	91	71	45	15	4	-
Male.....	20	20	20	26	41	43	35	18	5	2	-
Female.....	11	13	18	24	36	48	36	27	10	2	-
White, both sexes.....	22	25	30	42	64	80	66	36	13	4	-
Male.....	14	14	15	21	34	39	31	14	4	2	-
Female.....	8	11	15	21	30	41	35	22	9	2	-
Black, both sexes.....	8	7	7	8	8	10	3	8	1	-	-
Male.....	5	5	4	5	4	3	2	3	-	-	-
Female.....	3	2	3	3	4	7	1	5	1	-	-
American Indian 1/, both sexes.....	-	1	1	-	1	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	4	1	2	1	1	-	-
Male.....	1	-	-	-	3	1	2	1	1	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Inflammatory diseases of female pelvic organs (N70-N76)

All races, both sexes.....	8	7	7	9	10	11	17	11	6	-	-
Male.....
Female.....	8	7	7	9	10	11	17	11	6	-	-
White, both sexes.....	6	7	6	8	9	7	16	10	5	-	-
Male.....
Female.....	6	7	6	8	9	7	16	10	5	-	-
Black, both sexes.....	2	-	1	1	1	4	1	1	1	-	-
Male.....
Female.....	2	-	1	1	1	4	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-

Pregnancy, childbirth and the puerperium (O00-O99)

All races, both sexes.....	1	-	1	-	2	-	-	-	-	-	-
Male.....
Female.....	1	-	1	-	2	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	1	-	-	-	-	-	-
Male.....
Female.....	1	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Pregnancy with abortive outcome (000-007)

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-

Other complications of pregnancy, childbirth and the puerperium (010-099)

All races, both sexes.....	1	-	1	-	2	-	-	-	-	-	-
Male.....
Female.....	1	-	1	-	2	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	1	-	-	-	-	-	-
Male.....
Female.....	1	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	1	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Certain conditions originating in the perinatal period (P00-P96)

All races, both sexes.....	1	2	1	-	1	-	1	-	-	-	-
Male.....	1	2	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	1	2	-	-	1	-	1	-	-	-	-
Male.....	1	2	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes.....	360	274	230	198	232	240	169	90	28	9	-
Male.....	187	133	106	102	114	81	69	27	5	1	-
Female.....	173	141	124	96	118	159	100	63	23	8	-
White, both sexes.....	324	250	208	184	205	219	158	85	28	7	-
Male.....	166	122	96	96	99	75	66	27	5	-	-
Female.....	158	128	112	88	106	144	92	58	23	7	-
Black, both sexes.....	24	23	17	11	22	17	9	3	-	2	-
Male.....	14	11	9	5	13	5	3	-	-	1	-
Female.....	10	12	8	6	9	12	6	3	-	1	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	1	5	3	5	4	2	2	-	-	-
Male.....	6	-	1	1	2	1	-	-	-	-	-
Female.....	3	1	4	2	3	3	2	2	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races, both sexes.....	1,047	994	1,014	1,309	2,075	3,084	3,844	3,806	2,183	929	119
Male.....	663	605	585	679	949	1,232	1,272	982	390	124	86
Female.....	384	389	429	630	1,126	1,852	2,572	2,824	1,793	805	33
White, both sexes.....	815	797	838	1,088	1,814	2,752	3,517	3,479	2,025	808	85
Male.....	513	484	480	580	835	1,105	1,165	912	353	102	66
Female.....	302	313	358	508	979	1,647	2,352	2,567	1,672	706	19
Black, both sexes.....	209	178	156	198	236	291	271	278	131	103	29
Male.....	138	108	92	87	99	113	85	54	27	17	16
Female.....	71	70	64	111	137	178	186	224	104	86	13
American Indian 1/, both sexes.....	5	8	6	8	7	7	9	13	6	1	3
Male.....	2	5	4	4	4	1	3	3	1	-	3
Female.....	3	3	2	4	3	6	6	10	5	1	-
Asian or Pacific Islander 2/, both sexes.....	18	11	14	15	18	34	47	36	21	17	2
Male.....	10	8	9	8	11	13	19	13	9	5	1
Female.....	8	3	5	7	7	21	28	23	12	12	1

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races, both sexes.....	9,577	9,909	11,101	15,003	22,278	30,845	32,567	25,231	10,926	2,304	12
Male.....	5,467	5,329	5,702	7,103	9,776	11,646	10,289	6,189	1,892	276	9
Female.....	4,110	4,580	5,399	7,900	12,502	19,199	22,278	19,042	9,034	2,028	3
White, both sexes.....	7,674	8,159	9,237	12,848	19,634	27,869	29,954	23,164	10,003	2,015	7
Male.....	4,423	4,424	4,745	6,116	8,594	10,525	9,451	5,677	1,679	232	4
Female.....	3,251	3,735	4,492	6,732	11,040	17,344	20,503	17,487	8,324	1,783	3
Black, both sexes.....	1,677	1,535	1,606	1,867	2,276	2,523	2,206	1,749	783	247	4
Male.....	922	790	826	865	1,021	919	681	416	168	35	4
Female.....	755	745	780	1,002	1,255	1,604	1,525	1,333	615	212	-
American Indian 1/, both sexes.....	99	88	91	78	90	92	75	51	20	7	1
Male.....	54	53	49	35	42	37	16	16	4	3	1
Female.....	45	35	42	43	48	55	59	35	16	4	-
Asian or Pacific Islander 2/, both sexes.....	127	127	167	210	278	361	332	267	120	35	-
Male.....	68	62	82	87	119	165	141	80	41	6	-
Female.....	59	65	85	123	159	196	191	187	79	29	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

All races, both sexes.....	5,408	4,243	3,819	4,297	5,900	7,557	6,780	4,666	1,709	292	88
Male.....	3,752	2,810	2,448	2,544	3,222	3,808	2,962	1,705	476	67	74
Female.....	1,656	1,433	1,371	1,753	2,678	3,749	3,818	2,961	1,233	225	14
White, both sexes.....	4,485	3,593	3,269	3,737	5,294	7,000	6,397	4,402	1,632	269	79
Male.....	3,079	2,359	2,107	2,220	2,904	3,519	2,786	1,591	453	62	68
Female.....	1,406	1,234	1,162	1,517	2,390	3,481	3,611	2,811	1,179	207	11
Black, both sexes.....	758	510	424	411	460	406	256	204	59	21	4
Male.....	555	357	278	254	255	219	103	90	17	5	3
Female.....	203	153	146	157	205	187	153	114	42	16	1
American Indian 1/, both sexes.....	67	50	40	49	29	36	24	11	2	-	5
Male.....	56	38	20	26	13	14	13	6	-	-	3
Female.....	11	12	20	23	16	22	11	5	2	-	2
Asian or Pacific Islander 2/, both sexes.....	98	90	86	100	117	115	103	49	16	2	-
Male.....	62	56	43	44	50	56	60	18	6	-	-
Female.....	36	34	43	56	67	59	43	31	10	2	-

Transport accidents (V01-V99,Y85)

All races, both sexes.....	2,510	2,000	1,689	1,540	1,749	1,561	930	328	58	4	27
Male.....	1,773	1,341	1,077	921	1,001	904	501	171	27	2	21
Female.....	737	659	612	619	748	657	429	157	31	2	6
White, both sexes.....	2,135	1,719	1,458	1,347	1,548	1,447	881	305	55	4	25
Male.....	1,506	1,143	933	804	893	827	476	157	27	2	20
Female.....	629	576	525	543	655	620	405	148	28	2	5
Black, both sexes.....	289	213	161	124	136	79	32	17	3	-	-
Male.....	205	153	112	81	81	57	17	12	-	-	-
Female.....	84	60	49	43	55	22	15	5	3	-	-
American Indian 1/, both sexes.....	33	18	22	26	16	10	1	1	-	-	2
Male.....	30	16	10	16	8	5	-	1	-	-	1
Female.....	3	2	12	10	8	5	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	53	50	48	43	49	25	16	5	-	-	-
Male.....	32	29	22	20	19	15	8	1	-	-	-
Female.....	21	21	26	23	30	10	8	4	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

All races, both sexes.....	2,293	1,800	1,547	1,427	1,683	1,497	887	319	57	4	26
Male.....	1,596	1,174	965	834	954	857	472	167	26	2	20
Female.....	697	626	582	593	729	640	415	152	31	2	6
White, both sexes.....	1,941	1,547	1,332	1,246	1,495	1,385	841	296	54	4	24
Male.....	1,349	998	831	725	854	781	449	153	26	2	19
Female.....	592	549	501	521	641	604	392	143	28	2	5
Black, both sexes.....	267	189	151	117	123	78	32	17	3	-	-
Male.....	186	134	105	75	73	56	17	12	-	-	-
Female.....	81	55	46	42	50	22	15	5	3	-	-
American Indian 1/, both sexes.....	33	16	18	25	16	10	1	1	-	-	2
Male.....	30	14	8	15	8	5	-	1	-	-	1
Female.....	3	2	10	10	8	5	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	52	48	46	39	49	24	13	5	-	-	-
Male.....	31	28	21	19	19	15	6	1	-	-	-
Female.....	21	20	25	20	30	9	7	4	-	-	-

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

All races, both sexes.....	74	58	43	49	29	34	21	5	1	-	1
Male.....	58	44	27	31	20	26	13	2	1	-	1
Female.....	16	14	16	18	9	8	8	3	-	-	-
White, both sexes.....	63	44	36	42	20	34	19	5	1	-	1
Male.....	49	34	24	27	14	26	12	2	1	-	1
Female.....	14	10	12	15	6	8	7	3	-	-	-
Black, both sexes.....	11	12	5	3	9	-	-	-	-	-	-
Male.....	9	8	3	3	6	-	-	-	-	-	-
Female.....	2	4	2	-	3	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	4	-	-	2	-	-	-	-
Male.....	-	1	-	1	-	-	1	-	-	-	-
Female.....	-	-	1	3	-	-	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

All races, both sexes.....	143	142	99	64	37	30	22	4	-	-	-
Male.....	119	123	85	56	27	21	16	2	-	-	-
Female.....	24	19	14	8	10	9	6	2	-	-	-
White, both sexes.....	131	128	90	59	33	28	21	4	-	-	-
Male.....	108	111	78	52	25	20	15	2	-	-	-
Female.....	23	17	12	7	8	8	6	2	-	-	-
Black, both sexes.....	11	12	5	4	4	1	-	-	-	-	-
Male.....	10	11	4	3	2	1	-	-	-	-	-
Female.....	1	1	1	1	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	3	1	-	-	-	-	-	-	-
Male.....	-	1	2	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	-	1	1	-	-	-	-
Male.....	1	-	1	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	1	-	-	-	-	-

Nontransport accidents (W00-X59,Y86)

All races, both sexes.....	2,898	2,243	2,130	2,757	4,151	5,996	5,850	4,338	1,651	288	61
Male.....	1,979	1,469	1,371	1,623	2,221	2,904	2,461	1,534	449	65	53
Female.....	919	774	759	1,134	1,930	3,092	3,389	2,804	1,202	223	8
White, both sexes.....	2,350	1,874	1,811	2,390	3,746	5,553	5,516	4,097	1,577	265	54
Male.....	1,573	1,216	1,174	1,416	2,011	2,692	2,310	1,434	426	60	48
Female.....	777	658	637	974	1,735	2,861	3,206	2,663	1,151	205	6
Black, both sexes.....	469	297	263	287	324	327	224	187	56	21	4
Male.....	350	204	166	173	174	162	86	78	17	5	3
Female.....	119	93	97	114	150	165	138	109	39	16	1
American Indian 1/, both sexes.....	34	32	18	23	13	26	23	10	2	-	3
Male.....	26	22	10	10	5	9	13	5	-	-	2
Female.....	8	10	8	13	8	17	10	5	2	-	1
Asian or Pacific Islander 2/, both sexes.....	45	40	38	57	68	90	87	44	16	2	-
Male.....	30	27	21	24	31	41	52	17	6	-	-
Female.....	15	13	17	33	37	49	35	27	10	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental drowning and submersion (W65-W74)

All races, both sexes.....	152	119	105	83	76	82	51	23	3	1	14
Male.....	119	89	81	59	54	59	27	13	2	1	14
Female.....	33	30	24	24	22	23	24	10	1	-	-
White, both sexes.....	120	99	92	65	63	71	43	21	2	-	14
Male.....	95	73	73	47	45	54	23	13	2	-	14
Female.....	25	26	19	18	18	17	20	8	-	-	-
Black, both sexes.....	19	10	8	12	5	5	3	2	1	1	-
Male.....	15	7	5	10	4	3	-	-	-	1	-
Female.....	4	3	3	2	1	2	3	2	1	-	-
American Indian 1/, both sexes.....	2	2	1	-	-	1	-	-	-	-	-
Male.....	2	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	8	4	6	8	5	5	-	-	-	-
Male.....	7	7	2	2	5	2	4	-	-	-	-
Female.....	4	1	2	4	3	3	1	-	-	-	-

Accidental exposure to smoke, fire and flames (X00-X09)

All races, both sexes.....	205	207	183	166	214	245	163	81	22	7	3
Male.....	127	124	121	89	108	126	70	31	5	3	2
Female.....	78	83	62	77	106	119	93	50	17	4	1
White, both sexes.....	154	153	138	116	163	193	133	59	21	3	2
Male.....	92	98	89	64	81	104	58	22	5	3	1
Female.....	62	55	49	52	82	89	75	37	16	-	1
Black, both sexes.....	47	51	39	45	47	49	26	22	1	4	1
Male.....	32	25	30	24	27	21	10	9	-	21	1
Female.....	15	26	9	21	20	28	16	13	1	4	-
American Indian 1/, both sexes.....	3	2	4	1	2	2	1	-	-	-	-
Male.....	2	1	2	-	-	1	-	-	-	-	-
Female.....	1	1	2	1	2	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	4	2	1	3	-	-	-	-
Male.....	1	-	-	1	-	-	2	-	-	-	-
Female.....	-	1	2	3	2	1	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental poisoning and exposure to noxious substances (X40-X49)

All races, both sexes.....	1,111	466	240	181	175	140	107	49	9	-	9
Male.....	676	253	127	95	81	62	44	19	1	-	4
Female.....	435	213	113	86	94	78	63	30	8	-	5
White, both sexes.....	873	379	194	154	154	119	101	42	8	-	6
Male.....	503	189	93	80	67	52	42	17	-	-	3
Female.....	370	190	101	74	87	67	59	25	8	-	3
Black, both sexes.....	211	73	40	24	18	17	6	6	1	-	2
Male.....	155	54	30	15	12	8	2	2	1	-	1
Female.....	56	19	10	9	6	9	4	4	-	-	1
American Indian 1/, both sexes.....	12	6	4	1	1	-	-	-	-	-	1
Male.....	7	4	2	-	-	-	-	-	-	-	-
Female.....	5	2	2	1	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	15	8	2	2	2	4	-	1	-	-	-
Male.....	11	6	2	-	2	2	-	-	-	-	-
Female.....	4	2	-	2	-	2	-	1	-	-	-

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All races, both sexes.....	736	717	697	937	1,425	2,080	2,077	1,749	683	132	31
Male.....	538	506	452	543	777	977	850	577	202	26	30
Female.....	198	211	245	394	648	1,103	1,227	1,172	481	106	1
White, both sexes.....	614	611	582	802	1,252	1,896	1,926	1,634	649	121	28
Male.....	446	439	382	473	688	891	787	534	192	24	27
Female.....	168	172	200	329	564	1,005	1,139	1,100	457	97	1
Black, both sexes.....	105	84	98	105	153	151	117	92	30	10	1
Male.....	80	53	60	58	77	75	44	33	9	2	1
Female.....	25	31	38	47	76	76	73	59	21	8	-
American Indian 1/, both sexes.....	11	10	5	13	7	12	9	6	-	-	2
Male.....	9	7	3	7	3	5	3	4	-	-	2
Female.....	2	3	2	6	4	7	6	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	12	12	17	13	21	25	17	4	1	-
Male.....	3	7	7	5	9	6	16	6	1	-	-
Female.....	3	5	5	12	4	15	9	11	3	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

All races, both sexes.....	2,349	1,662	1,133	1,146	1,189	931	552	207	35	5	11
Male.....	1,787	1,301	937	964	1,005	812	475	172	27	5	11
Female.....	562	361	196	182	184	119	77	35	8	-	-
White, both sexes.....	2,196	1,555	1,064	1,073	1,135	884	536	192	35	5	9
Male.....	1,657	1,228	878	905	965	773	464	163	27	5	9
Female.....	539	327	186	168	170	111	72	29	8	-	-
Black, both sexes.....	107	59	34	42	33	27	5	7	-	-	1
Male.....	93	47	32	39	30	24	5	4	-	-	1
Female.....	14	12	2	3	3	3	-	3	-	-	-
American Indian 1/, both sexes.....	3	9	8	3	2	-	-	-	-	-	1
Male.....	3	6	7	2	2	-	-	-	-	-	1
Female.....	-	3	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	43	39	27	28	19	20	11	8	-	-	-
Male.....	34	20	20	18	8	15	6	5	-	-	-
Female.....	9	19	7	10	11	5	5	3	-	-	-

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races, both sexes.....	1,283	1,045	794	837	903	685	387	128	18	4	3
Male.....	1,101	893	717	758	828	651	371	126	17	4	3
Female.....	182	152	77	79	75	34	16	2	1	-	-
White, both sexes.....	1,215	1,005	755	800	871	663	381	125	18	4	2
Male.....	1,040	861	680	723	797	630	365	124	17	4	2
Female.....	175	144	75	77	74	33	16	1	1	-	-
Black, both sexes.....	55	32	30	31	29	19	5	3	-	-	-
Male.....	49	26	29	31	28	18	5	2	-	-	-
Female.....	6	6	1	-	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	3	4	5	2	2	-	-	-	-	-	1
Male.....	3	3	4	1	2	-	-	-	-	-	1
Female.....	-	1	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	4	4	4	1	3	1	-	-	-	-
Male.....	9	3	4	3	1	3	1	-	-	-	-
Female.....	1	1	-	1	-	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)

All races, both sexes.....	1,066	617	339	309	286	246	165	79	17	1	8
Male.....	686	408	220	206	177	161	104	46	10	1	8
Female.....	380	209	119	103	109	85	61	33	7	-	-
White, both sexes.....	981	550	309	273	264	221	155	67	17	1	7
Male.....	617	367	198	182	168	143	99	39	10	1	7
Female.....	364	183	111	91	96	78	56	28	7	-	-
Black, both sexes.....	52	27	4	11	4	8	-	4	-	-	1
Male.....	44	21	3	8	2	6	-	2	-	-	1
Female.....	8	6	1	3	2	2	-	2	-	-	-
American Indian 1/, both sexes.....	-	5	3	1	-	-	-	-	-	-	-
Male.....	-	3	3	1	-	-	-	-	-	-	-
Female.....	-	2	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	35	23	24	18	17	10	8	-	-	-
Male.....	25	17	16	15	7	12	5	5	-	-	-
Female.....	8	18	7	9	11	5	5	3	-	-	-

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

All races, both sexes.....	523	356	260	186	164	125	73	26	4	1	36
Male.....	389	248	177	125	81	57	29	11	1	-	29
Female.....	134	108	83	61	83	68	44	15	3	1	7
White, both sexes.....	339	243	192	131	117	102	63	16	4	1	34
Male.....	244	165	119	86	56	43	26	4	1	-	27
Female.....	95	78	73	45	61	59	37	12	3	1	7
Black, both sexes.....	158	96	55	49	42	21	9	9	-	-	2
Male.....	125	70	48	35	23	14	3	7	-	-	2
Female.....	33	26	7	14	19	7	6	2	-	-	-
American Indian 1/, both sexes.....	4	4	6	-	2	1	-	-	-	-	-
Male.....	2	3	5	-	1	-	-	-	-	-	-
Female.....	2	1	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	13	7	6	3	1	1	1	-	-	-
Male.....	18	10	5	4	1	-	-	-	-	-	-
Female.....	4	3	2	2	2	1	1	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Assault (homicide) by discharge of firearms (*U01.4,X93-X95)

All races, both sexes.....	279	189	122	71	62	38	22	5	2	-	21
Male.....	216	131	83	55	31	10	11	3	1	-	20
Female.....	63	58	39	16	31	28	11	2	1	-	1
White, both sexes.....	177	134	93	51	49	35	20	2	2	-	20
Male.....	129	90	56	35	25	8	10	-	1	-	19
Female.....	48	44	37	16	24	27	10	2	1	-	1
Black, both sexes.....	87	51	25	16	11	3	2	3	-	-	1
Male.....	73	38	23	16	5	2	1	3	-	-	1
Female.....	14	13	2	-	6	1	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-
Male.....	1	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	3	4	4	1	-	-	-	-	-	-
Male.....	13	2	4	4	-	-	-	-	-	-	-
Female.....	1	1	-	-	1	-	-	-	-	-	-

Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)

All races, both sexes.....	244	167	138	115	102	87	51	21	2	1	15
Male.....	173	117	94	70	50	47	18	8	-	-	9
Female.....	71	50	44	45	52	40	33	13	2	1	6
White, both sexes.....	162	109	99	80	68	67	43	14	2	1	14
Male.....	115	75	63	51	31	35	16	4	-	-	8
Female.....	47	34	36	29	37	32	27	10	2	1	6
Black, both sexes.....	71	45	30	33	31	18	7	6	-	-	1
Male.....	52	32	25	19	18	12	2	4	-	-	1
Female.....	19	13	5	14	13	6	5	2	-	-	-
American Indian 1/, both sexes.....	3	3	6	-	1	1	-	-	-	-	-
Male.....	1	2	5	-	-	-	-	-	-	-	-
Female.....	2	1	1	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	10	3	2	2	1	1	1	-	-	-
Male.....	5	8	1	-	1	-	-	-	-	-	-
Female.....	3	2	2	2	1	1	1	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Legal intervention (Y35,Y89.0)

All races, both sexes.....	9	3	4	3	3	2	-	-	-	-	-
Male.....	8	3	3	3	3	2	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	5	3	2	3	3	2	-	-	-	-	-
Male.....	5	3	1	3	3	2	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	4	-	2	-	-	-	-	-	-	-	-
Male.....	3	-	2	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

All races, both sexes.....	275	124	91	65	49	70	44	26	9	1	9
Male.....	163	68	56	35	24	28	18	8	2	-	9
Female.....	112	56	35	30	25	42	26	18	7	1	-
White, both sexes.....	239	103	67	56	41	65	39	24	8	1	5
Male.....	138	53	41	31	19	27	16	8	2	-	5
Female.....	101	50	26	25	22	38	23	16	6	1	-
Black, both sexes.....	32	18	19	3	7	3	2	2	1	-	4
Male.....	24	14	13	1	4	1	-	-	-	1	4
Female.....	8	4	6	2	3	2	2	2	1	-	-
American Indian 1/, both sexes.....	3	1	2	1	-	1	-	-	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	3	5	1	1	3	-	-	-	-
Male.....	-	1	1	2	1	-	2	-	-	-	-
Female.....	1	1	2	3	-	1	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Discharge of firearms, undetermined intent (Y22-Y24)

All races, both sexes.....	11	9	11	5	2	6	-	2	-	-	3
Male.....	8	6	9	4	1	5	-	1	-	-	3
Female.....	3	3	2	1	1	1	-	1	-	-	-
White, both sexes.....	10	9	10	5	2	6	-	2	-	-	2
Male.....	8	6	8	4	1	5	-	1	-	-	2
Female.....	2	3	2	1	1	1	-	1	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	1
Male.....	-	-	1	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All races, both sexes.....	264	115	80	60	47	64	44	24	9	1	6
Male.....	155	62	47	31	23	23	18	7	2	-	6
Female.....	109	53	33	29	24	41	26	17	7	1	-
White, both sexes.....	229	94	57	51	39	59	39	22	8	1	3
Male.....	130	47	33	27	18	22	16	7	2	-	3
Female.....	99	47	24	24	21	37	23	15	6	1	-
Black, both sexes.....	31	18	18	3	7	3	2	2	1	-	3
Male.....	24	14	12	1	4	1	-	-	-	-	3
Female.....	7	4	6	2	3	2	2	2	1	-	-
American Indian 1/, both sexes.....	3	1	2	1	-	1	-	-	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-
Female.....	2	1	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	3	5	1	1	3	-	-	-	-
Male.....	-	1	1	2	1	-	2	-	-	-	-
Female.....	1	1	2	3	-	1	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Operations of war and their sequelae (Y36,Y89.1)

All races, both sexes.....	3	1	1	-	5	9	1	-	-	-	-
Male.....	3	1	1	-	5	9	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	3	1	1	-	5	9	1	-	-	-	-
Male.....	3	1	1	-	5	9	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Complications of medical and surgical care (Y40-Y84,Y88)

All races, both sexes.....	206	197	257	300	367	420	292	175	34	12	-
Male.....	119	101	115	165	181	204	118	50	8	4	-
Female.....	87	96	142	135	186	216	174	125	26	8	-
White, both sexes.....	159	164	209	251	315	367	268	151	27	9	-
Male.....	92	87	100	141	162	182	107	45	7	1	-
Female.....	67	77	109	110	153	185	161	106	20	8	-
Black, both sexes.....	45	30	44	42	45	48	18	21	7	3	-
Male.....	26	12	14	19	17	19	7	4	1	3	-
Female.....	19	18	30	23	28	29	11	17	6	-	-
American Indian 1/, both sexes.....	-	1	3	1	-	-	-	1	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	2	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	1	6	7	5	6	2	-	-	-
Male.....	1	1	-	5	2	3	4	1	-	-	-
Female.....	1	1	1	1	5	2	2	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65,Y15) 3/

All races, both sexes.....	3,109	2,333	1,690	1,202	792	408	165	40	6	-	7
Male.....	2,403	1,821	1,304	928	601	293	106	25	4	-	6
Female.....	706	512	386	274	191	115	59	15	2	-	1
White, both sexes.....	2,621	1,965	1,422	1,037	716	373	157	33	6	-	4
Male.....	2,028	1,534	1,089	795	542	271	102	21	4	-	3
Female.....	593	431	333	242	174	102	55	12	2	-	1
Black, both sexes.....	389	292	217	131	51	25	4	6	-	-	3
Male.....	308	228	177	108	38	14	2	3	-	-	3
Female.....	81	64	40	23	13	11	2	3	-	-	-
American Indian 1/, both sexes.....	78	57	37	17	12	3	2	-	-	-	-
Male.....	50	44	25	11	10	3	1	-	-	-	-
Female.....	28	13	12	6	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	19	14	17	13	7	2	1	-	-	-
Male.....	17	15	13	14	11	5	1	1	-	-	-
Female.....	4	4	1	3	2	2	1	-	-	-	-

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0-F17.3,F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 3/

All races, both sexes.....	1,819	832	438	347	349	270	179	98	19	8	12
Male.....	1,043	453	222	171	160	118	82	40	5	3	7
Female.....	776	379	216	176	189	152	97	58	14	5	5
White, both sexes.....	1,481	696	371	319	321	248	169	87	16	8	7
Male.....	796	355	169	154	140	109	78	36	2	3	4
Female.....	685	341	202	165	181	139	91	51	14	5	3
Black, both sexes.....	302	115	57	23	22	17	7	9	3	-	4
Male.....	225	86	45	16	17	8	2	4	3	-	3
Female.....	77	29	12	7	5	9	5	5	-	-	1
American Indian 1/, both sexes.....	16	12	4	2	2	-	-	-	-	-	1
Male.....	9	7	2	1	-	-	-	-	-	-	-
Female.....	7	5	2	1	2	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	20	9	6	3	4	5	3	2	-	-	-
Male.....	13	5	6	-	3	1	2	-	-	-	-
Female.....	7	4	-	3	1	4	1	2	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these States were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/

All races, both sexes.....	1,603	1,256	950	935	985	744	414	138	20	4	27
Male.....	1,349	1,042	826	837	875	679	387	133	18	4	26
Female.....	254	214	124	98	110	65	27	5	2	-	1
White, both sexes.....	1,427	1,159	879	875	938	717	405	132	20	4	24
Male.....	1,198	967	759	780	836	654	379	128	18	4	23
Female.....	229	192	120	95	102	63	26	4	2	-	1
Black, both sexes.....	148	85	58	50	42	24	8	6	-	-	2
Male.....	125	66	55	49	35	22	7	5	-	-	2
Female.....	23	19	3	1	7	2	1	1	-	-	-
American Indian 1/, both sexes.....	4	5	5	2	3	-	-	-	-	-	1
Male.....	4	4	4	1	3	-	-	-	-	-	1
Female.....	-	1	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	7	8	8	2	3	1	-	-	-	-
Male.....	22	5	8	7	1	3	1	-	-	1	-
Female.....	2	2	-	1	1	-	-	-	-	-	-

- Quantity zero.
 ... Category not applicable.
 1/ Includes Aleuts and Eskimos.
 2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.
 3/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.