

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nhsed@cdc.gov, or call 301-458-4688

Person with disabilities experiencing problems accessing
NCHS birth and death tables should contact
nchsed@cdc.gov, or call 301-458-4688

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other ill-defined and unspecified causes of mortality (R99)															
All ages.....	11,648	6,383	5,265	9,728	5,259	4,469	1,629	959	670	111	62	49	180	103	77
Under 1 year.....	1,058	609	449	672	398	274	325	178	147	34	17	17	27	16	11
1-4 years.....	168	98	70	103	61	42	58	33	25	5	3	2	2	1	1
5-9 years.....	31	20	11	22	14	8	8	6	2	1	-	1	-	-	-
10-14 years.....	34	22	12	27	18	9	6	4	2	1	-	1	-	-	-
15-19 years.....	136	92	44	102	69	33	28	19	9	5	3	2	1	1	-
20-24 years.....	326	220	106	269	182	87	46	30	16	3	2	1	8	6	2
25-29 years.....	356	253	103	298	212	86	48	35	13	2	1	1	8	5	3
30-34 years.....	407	293	114	322	235	87	72	50	22	3	2	1	10	6	4
35-39 years.....	522	333	189	420	273	147	82	47	35	8	7	1	12	6	6
40-44 years.....	701	460	241	567	372	195	116	73	43	9	7	2	9	8	1
45-49 years.....	849	559	290	683	441	242	149	107	42	8	3	5	9	8	1
50-54 years.....	834	536	298	663	430	233	154	97	57	4	4	-	13	5	8
55-59 years.....	713	470	243	586	385	201	111	75	36	6	4	2	10	6	4
60-64 years.....	528	342	186	459	299	160	55	33	22	5	3	2	9	7	2
65-69 years.....	469	300	169	410	263	147	53	34	19	2	-	2	4	3	1
70-74 years.....	506	306	200	439	254	185	55	43	12	3	3	-	9	6	3
75-79 years.....	651	356	295	573	314	259	65	37	28	3	1	2	10	4	6
80-84 years.....	898	394	504	823	362	461	62	27	35	3	1	2	10	4	6
85-89 years.....	920	344	576	856	327	529	48	13	35	1	-	1	15	4	11
90-94 years.....	890	234	656	835	220	615	44	10	34	3	-	3	8	4	4
95-99 years.....	443	89	354	412	82	330	27	5	22	-	-	-	4	2	2
100 years & over.	164	24	140	152	23	129	9	-	9	1	-	1	2	1	1
Age not stated...	44	29	15	35	25	10	8	3	5	1	1	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	sexes
Pedestrian injured in collision with railway train or railway vehicle (V05)															
All ages.....	420	361	59	328	282	46	71	63	8	16	12	4	5	4	1
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	11	8	3	9	6	3	1	1	-	-	-	-	1	1	-
15-19 years.....	42	31	11	32	24	8	9	7	2	1	-	1	-	-	-
20-24 years.....	40	36	4	37	33	4	2	2	-	1	1	-	-	-	-
25-29 years.....	36	33	3	28	26	2	6	6	-	2	1	1	-	-	-
30-34 years.....	36	28	8	31	24	7	4	3	1	1	1	-	-	-	-
35-39 years.....	48	46	2	38	37	1	7	6	1	3	3	-	-	-	-
40-44 years.....	52	48	4	40	38	2	8	7	1	4	3	1	-	-	-
45-49 years.....	57	52	5	42	37	5	14	14	-	-	-	-	1	1	-
50-54 years.....	35	30	5	22	19	3	11	10	1	2	1	1	-	-	-
55-59 years.....	20	16	4	18	15	3	2	1	1	-	-	-	-	-	-
60-64 years.....	12	10	2	10	8	2	1	1	-	1	1	-	-	-	-
65-69 years.....	8	5	3	6	3	3	1	1	-	-	-	-	1	1	-
70-74 years.....	4	3	1	1	-	1	2	2	-	1	1	-	-	-	-
75-79 years.....	7	5	2	4	3	1	2	1	1	-	-	-	1	1	-
80-84 years.....	7	6	1	6	6	-	-	-	-	-	-	-	1	-	1
85-89 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
90-94 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Pedestrian injured in collision with railway train or railway vehicle, unspecified whether traffic or nontraffic accident (V05.9)															
All ages.....	259	222	37	200	171	29	45	41	4	11	7	4	3	3	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	9	6	3	7	4	3	1	1	-	-	-	-	1	1	-
15-19 years.....	30	21	9	23	16	7	6	5	1	1	-	1	-	-	-
20-24 years.....	23	19	4	22	18	4	1	1	-	-	-	-	-	-	-
25-29 years.....	21	20	1	15	15	-	5	5	-	1	-	1	-	-	-
30-34 years.....	22	17	5	18	14	4	3	2	1	1	1	-	-	-	-
35-39 years.....	32	31	1	24	24	-	6	5	1	2	2	-	-	-	-
40-44 years.....	32	30	2	26	25	1	3	3	-	3	2	1	-	-	-
45-49 years.....	39	34	5	28	23	5	10	10	-	-	-	-	1	1	-
50-54 years.....	23	20	3	15	14	1	7	6	1	1	-	1	-	-	-
55-59 years.....	7	6	1	7	6	1	-	-	-	-	-	-	-	-	-
60-64 years.....	7	5	2	5	3	2	1	1	-	1	1	-	-	-	-
65-69 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
70-74 years.....	2	2	-	-	-	-	1	1	-	1	1	-	-	-	-
75-79 years.....	4	3	1	3	2	1	-	-	-	-	-	-	1	1	-
80-84 years.....	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-
85-89 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Car occupant injured in collision with other nonmotor vehicle (V46)										
All ages.....	8	7 1	5	5 -	2	1 1	1	1 -	-	- -
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	2	2 -	1	1 -	1	1 -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	1	- 1	-	- -	1	- 1	-	- -	-	- -
45-49 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	1	1 -	-	- -	-	- -	1	1 -	-	- -
65-69 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Car occupant injured in noncollision transport accident (V48)															
All ages.....	2,671	1,708	963	2,173	1,384	789	337	225	112	112	71	41	49	28	21
Under 1 year.....	19	8	11	11	5	6	3	2	1	4	1	3	1	-	1
1-4 years.....	30	14	16	19	8	11	9	6	3	1	-	1	1	-	1
5-9 years.....	33	14	19	22	10	12	7	2	5	2	-	2	2	2	-
10-14 years.....	64	37	27	50	26	24	11	8	3	2	2	-	1	1	-
15-19 years.....	432	264	168	354	215	139	52	31	21	19	12	7	7	6	1
20-24 years.....	475	334	141	398	280	118	47	33	14	23	15	8	7	6	1
25-29 years.....	295	216	79	226	172	54	41	28	13	19	11	8	9	5	4
30-34 years.....	220	156	64	177	124	53	33	26	7	9	5	4	1	1	-
35-39 years.....	200	130	70	148	95	53	37	24	13	10	9	1	5	2	3
40-44 years.....	184	115	69	147	93	54	26	15	11	9	6	3	2	1	1
45-49 years.....	150	105	45	127	84	43	20	19	1	3	2	1	-	-	-
50-54 years.....	127	70	57	108	58	50	14	11	3	2	1	1	3	-	3
55-59 years.....	120	69	51	103	59	44	13	7	6	3	3	-	1	-	1
60-64 years.....	84	39	45	75	36	39	6	2	4	1	1	-	2	-	2
65-69 years.....	51	29	22	39	21	18	8	5	3	1	1	-	3	2	1
70-74 years.....	49	34	15	43	28	15	5	5	-	-	-	-	1	1	-
75-79 years.....	55	28	27	50	27	23	2	-	2	1	1	-	2	-	2
80-84 years.....	44	26	18	40	25	15	3	1	2	1	-	1	-	-	-
85-89 years.....	27	16	11	25	14	11	-	-	-	1	1	-	1	1	-
90-94 years.....	10	3	7	10	3	7	-	-	-	-	-	-	-	-	-
95-99 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
100 years & over..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/					
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Occupant of pick-up truck or van injured in collision with car, pick-up truck, or van (V53)																		
All ages.....	691	501	190	631	455	176	40	33	7	9	5	4	11	8	3			
Under 1 year.....	5	3	2	5	3	2	-	-	-	-	-	-	-	-	-			
1-4 years.....	13	6	7	11	5	6	2	1	1	-	-	-	-	-	-			
5-9 years.....	9	4	5	7	3	4	2	1	1	-	-	-	-	-	-			
10-14 years.....	7	3	4	7	3	4	-	-	-	-	-	-	-	-	-			
15-19 years.....	32	22	10	32	22	10	-	-	-	-	-	-	-	-	-			
20-24 years.....	76	57	19	72	54	18	1	1	-	3	2	1	-	-	-			
25-29 years.....	50	39	11	45	35	10	2	2	-	-	-	-	3	2	1			
30-34 years.....	46	35	11	41	30	11	3	3	-	-	-	-	2	2	-			
35-39 years.....	54	43	11	51	40	11	1	1	-	1	1	-	1	1	-			
40-44 years.....	56	42	14	52	38	14	3	3	-	1	1	-	-	-	-			
45-49 years.....	61	47	14	53	41	12	5	4	1	-	-	-	3	2	1			
50-54 years.....	53	45	8	44	37	7	9	8	1	-	-	-	-	-	-			
55-59 years.....	51	33	18	49	31	18	1	1	-	-	-	-	1	1	-			
60-64 years.....	38	23	15	35	22	13	1	1	-	1	-	1	1	-	1			
65-69 years.....	32	16	16	28	14	14	3	2	1	1	-	1	-	-	-			
70-74 years.....	33	25	8	29	22	7	3	2	1	1	1	-	-	-	-			
75-79 years.....	29	24	5	26	22	4	3	2	1	-	-	-	-	-	-			
80-84 years.....	26	20	6	26	20	6	-	-	-	-	-	-	-	-	-			
85-89 years.....	15	11	4	15	11	4	-	-	-	-	-	-	-	-	-			
90-94 years.....	5	3	2	3	2	1	1	1	-	1	-	1	-	-	-			
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	sexes	Male Female	Male Female				
Occupant of pick-up truck or van injured in noncollision transport accident, driver injured in traffic accident (V58.5)															
All ages.....	685	601 84	627	555 72	24	20 4	27	21 6	7	5 2					
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -					
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
10-14 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -					
15-19 years.....	64	51 13	61	49 12	1	1 -	1	1 -	1	1 -					
20-24 years.....	110	101 9	102	94 8	1	1 -	7	6 1	-	- -					
25-29 years.....	54	50 4	49	47 2	2	1 1	3	2 1	-	- -					
30-34 years.....	72	62 10	63	56 7	5	3 2	4	3 1	-	- -					
35-39 years.....	70	62 8	64	58 6	4	3 1	2	1 1	-	- -					
40-44 years.....	73	55 18	69	53 16	2	2 -	1	- 1	1	- 1					
45-49 years.....	55	52 3	49	46 3	1	1 -	3	3 -	2	2 -					
50-54 years.....	60	51 9	55	46 9	2	2 -	3	3 -	-	- -					
55-59 years.....	36	34 2	32	30 2	3	3 -	1	1 -	-	- -					
60-64 years.....	27	25 2	25	23 2	1	1 -	-	- -	1	1 -					
65-69 years.....	17	16 1	14	14 -	1	1 -	1	- 1	1	1 -					
70-74 years.....	16	13 3	15	12 3	1	1 -	-	- -	-	- -					
75-79 years.....	9	9 -	8	8 -	-	- -	1	1 -	-	- -					
80-84 years.....	14	13 1	13	12 1	-	- -	-	- -	1	1 -					
85-89 years.....	4	4 -	4	4 -	-	- -	-	- -	-	- -					
90-94 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -					
95-99 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -					
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -					
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -					

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Unspecified occupant of special industrial vehicle injured in traffic accident (V83.3)										
All ages.....	2	2 -	1	1 -	-	-	-	-	1	1 -
Under 1 year.....	-	- -	-	- -	-	-	-	-	-	- -
1-4 years.....	-	- -	-	- -	-	-	-	-	-	- -
5-9 years.....	-	- -	-	- -	-	-	-	-	-	- -
10-14 years.....	-	- -	-	- -	-	-	-	-	-	- -
15-19 years.....	-	- -	-	- -	-	-	-	-	-	- -
20-24 years.....	-	- -	-	- -	-	-	-	-	-	- -
25-29 years.....	1	1 -	-	- -	-	-	-	-	1	1 -
30-34 years.....	-	- -	-	- -	-	-	-	-	-	- -
35-39 years.....	-	- -	-	- -	-	-	-	-	-	- -
40-44 years.....	-	- -	-	- -	-	-	-	-	-	- -
45-49 years.....	-	- -	-	- -	-	-	-	-	-	- -
50-54 years.....	-	- -	-	- -	-	-	-	-	-	- -
55-59 years.....	-	- -	-	- -	-	-	-	-	-	- -
60-64 years.....	-	- -	-	- -	-	-	-	-	-	- -
65-69 years.....	1	1 -	1	1 -	-	-	-	-	-	- -
70-74 years.....	-	- -	-	- -	-	-	-	-	-	- -
75-79 years.....	-	- -	-	- -	-	-	-	-	-	- -
80-84 years.....	-	- -	-	- -	-	-	-	-	-	- -
85-89 years.....	-	- -	-	- -	-	-	-	-	-	- -
90-94 years.....	-	- -	-	- -	-	-	-	-	-	- -
95-99 years.....	-	- -	-	- -	-	-	-	-	-	- -
100 years & over.	-	- -	-	- -	-	-	-	-	-	- -
Age not stated...	-	- -	-	- -	-	-	-	-	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both sexes		Asian or Pacific Islander 2/ Both sexes						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Motor- or nonmotor-vehicle accident, type of vehicle unspecified (V89)															
All ages.....	11,253	7,586	3,667	9,385	6,286	3,099	1,392	1,009	383	272	172	100	204	119	85
Under 1 year.....	30	14	16	18	9	9	9	4	5	2	-	2	1	1	-
1-4 years.....	117	61	56	91	44	47	19	13	6	6	3	3	1	1	-
5-9 years.....	129	58	71	92	43	49	24	10	14	4	2	2	9	3	6
10-14 years.....	146	65	81	117	50	67	22	13	9	4	-	4	3	2	1
15-19 years.....	1,484	969	515	1,248	801	447	156	120	36	45	25	20	35	23	12
20-24 years.....	1,687	1,257	430	1,412	1,053	359	209	155	54	37	27	10	29	22	7
25-29 years.....	1,151	895	256	930	724	206	165	127	38	39	31	8	17	13	4
30-34 years.....	783	567	216	598	425	173	144	114	30	25	18	7	16	10	6
35-39 years.....	784	531	253	658	443	215	94	72	22	21	12	9	11	4	7
40-44 years.....	789	547	242	673	468	205	82	59	23	23	13	10	11	7	4
45-49 years.....	769	508	261	620	405	215	111	82	29	20	12	8	18	9	9
50-54 years.....	649	443	206	533	359	174	97	72	25	13	10	3	6	2	4
55-59 years.....	580	384	196	478	317	161	84	57	27	7	5	2	11	5	6
60-64 years.....	448	287	161	385	248	137	48	29	19	10	7	3	5	3	2
65-69 years.....	341	225	116	300	196	104	30	23	7	2	2	-	9	4	5
70-74 years.....	329	185	144	290	162	128	25	15	10	7	3	4	7	5	2
75-79 years.....	349	199	150	305	173	132	35	22	13	3	1	2	6	3	3
80-84 years.....	369	208	161	336	193	143	21	12	9	4	1	3	8	2	6
85-89 years.....	223	132	91	212	127	85	11	5	6	-	-	-	-	-	-
90-94 years.....	80	40	40	74	36	38	5	4	1	-	-	-	1	-	1
95-99 years.....	10	6	4	10	6	4	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	6	5	1	5	4	1	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	sexes
Person injured in unspecified motor-vehicle accident, traffic (V89.2)															
All ages.....	11,030	7,424	3,606	9,190	6,143	3,047	1,373	997	376	269	170	99	198	114	84
Under 1 year.....	29	14	15	18	9	9	8	4	4	2	-	2	1	1	-
1-4 years.....	113	61	52	88	44	44	18	13	5	6	3	3	1	1	-
5-9 years.....	125	56	69	88	41	47	24	10	14	4	2	2	9	3	6
10-14 years.....	145	64	81	116	49	67	22	13	9	4	-	4	3	2	1
15-19 years.....	1,467	955	512	1,235	790	445	154	118	36	44	25	19	34	22	12
20-24 years.....	1,660	1,235	425	1,387	1,033	354	207	153	54	37	27	10	29	22	7
25-29 years.....	1,131	880	251	913	710	203	163	127	36	38	30	8	17	13	4
30-34 years.....	776	560	216	592	419	173	144	114	30	24	17	7	16	10	6
35-39 years.....	774	523	251	648	435	213	94	72	22	21	12	9	11	4	7
40-44 years.....	774	535	239	660	458	202	81	58	23	23	13	10	10	6	4
45-49 years.....	752	495	257	604	393	211	110	81	29	20	12	8	18	9	9
50-54 years.....	629	428	201	516	346	170	94	70	24	13	10	3	6	2	4
55-59 years.....	561	369	192	463	305	158	80	54	26	7	5	2	11	5	6
60-64 years.....	432	276	156	370	238	132	48	29	19	10	7	3	4	2	2
65-69 years.....	333	222	111	292	193	99	30	23	7	2	2	-	9	4	5
70-74 years.....	320	178	142	283	157	126	25	15	10	7	3	4	5	3	2
75-79 years.....	342	196	146	298	170	128	35	22	13	3	1	2	6	3	3
80-84 years.....	358	201	157	327	186	141	20	12	8	4	1	3	7	2	5
85-89 years.....	215	127	88	205	123	82	10	4	6	-	-	-	-	-	-
90-94 years.....	78	38	40	72	34	38	5	4	1	-	-	-	1	-	1
95-99 years.....	10	6	4	10	6	4	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	6	5	1	5	4	1	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Accident to watercraft causing drowning and submersion, sailboat (V90.4)										
All ages.....	1	1 -	1	1 -	-	-	-	-	-	- -
Under 1 year.....	-	- -	-	- -	-	-	-	-	-	- -
1-4 years.....	-	- -	-	- -	-	-	-	-	-	- -
5-9 years.....	-	- -	-	- -	-	-	-	-	-	- -
10-14 years.....	-	- -	-	- -	-	-	-	-	-	- -
15-19 years.....	-	- -	-	- -	-	-	-	-	-	- -
20-24 years.....	-	- -	-	- -	-	-	-	-	-	- -
25-29 years.....	-	- -	-	- -	-	-	-	-	-	- -
30-34 years.....	-	- -	-	- -	-	-	-	-	-	- -
35-39 years.....	-	- -	-	- -	-	-	-	-	-	- -
40-44 years.....	-	- -	-	- -	-	-	-	-	-	- -
45-49 years.....	-	- -	-	- -	-	-	-	-	-	- -
50-54 years.....	-	- -	-	- -	-	-	-	-	-	- -
55-59 years.....	-	- -	-	- -	-	-	-	-	-	- -
60-64 years.....	-	- -	-	- -	-	-	-	-	-	- -
65-69 years.....	1	1 -	1	1 -	-	-	-	-	-	- -
70-74 years.....	-	- -	-	- -	-	-	-	-	-	- -
75-79 years.....	-	- -	-	- -	-	-	-	-	-	- -
80-84 years.....	-	- -	-	- -	-	-	-	-	-	- -
85-89 years.....	-	- -	-	- -	-	-	-	-	-	- -
90-94 years.....	-	- -	-	- -	-	-	-	-	-	- -
95-99 years.....	-	- -	-	- -	-	-	-	-	-	- -
100 years & over.	-	- -	-	- -	-	-	-	-	-	- -
Age not stated...	-	- -	-	- -	-	-	-	-	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Other fall on same level (W18)															
All ages.....	5,394	2,649	2,745	4,985	2,408	2,577	208	131	77	42	23	19	159	87	72
Under 1 year.....	2	1	1	1	-	1	1	1	-	-	-	-	-	-	-
1-4 years.....	5	3	2	2	1	1	2	1	1	1	1	-	-	-	-
5-9 years.....	3	3	-	2	2	-	-	-	-	-	-	-	1	1	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	5	4	1	3	2	1	2	2	3	-	-	-	-	-	-
20-24 years.....	13	10	3	12	9	3	1	1	-	-	-	-	-	-	-
25-29 years.....	16	14	2	13	12	1	3	2	1	-	-	-	-	-	-
30-34 years.....	18	13	5	13	9	4	2	1	1	-	-	-	3	3	-
35-39 years.....	32	24	8	25	18	7	3	2	1	3	3	-	1	1	-
40-44 years.....	59	45	14	52	39	13	4	4	-	3	2	1	-	-	-
45-49 years.....	106	87	19	81	66	15	19	17	2	3	3	-	3	1	2
50-54 years.....	153	112	41	134	95	39	10	9	1	5	5	-	4	3	1
55-59 years.....	173	106	67	152	94	58	12	7	5	1	1	-	8	4	4
60-64 years.....	189	124	65	163	109	54	13	9	4	2	-	2	11	6	5
65-69 years.....	232	141	91	209	128	81	13	7	6	1	-	1	9	6	3
70-74 years.....	374	188	186	345	171	174	16	12	4	4	1	3	9	4	5
75-79 years.....	677	378	299	629	347	282	16	10	6	6	3	3	26	18	8
80-84 years.....	1,034	536	498	962	497	465	39	25	14	4	1	3	29	13	16
85-89 years.....	1,090	478	612	1,034	451	583	17	7	10	6	3	3	33	17	16
90-94 years.....	839	284	555	798	265	533	22	10	12	-	-	-	19	9	10
95-99 years.....	307	83	224	296	79	217	8	3	5	2	-	2	1	1	-
100 years & over.	66	15	51	59	14	45	4	1	3	1	-	1	2	-	2
Age not stated...	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Explosion and rupture of other specified pressurized devices (W38)										
All ages.....	8	8 -	6	6 -	2	2 -	-	-	-	-
Under 1 year.....	-	- -	-	- -	-	- -	-	-	-	-
1-4 years.....	-	- -	-	- -	-	- -	-	-	-	-
5-9 years.....	-	- -	-	- -	-	- -	-	-	-	-
10-14 years.....	-	- -	-	- -	-	- -	-	-	-	-
15-19 years.....	-	- -	-	- -	-	- -	-	-	-	-
20-24 years.....	-	- -	-	- -	-	- -	-	-	-	-
25-29 years.....	1	1 -	1	1 -	-	- -	-	-	-	-
30-34 years.....	-	- -	-	- -	-	- -	-	-	-	-
35-39 years.....	2	2 -	2	2 -	-	- -	-	-	-	-
40-44 years.....	1	1 -	1	1 -	-	- -	-	-	-	-
45-49 years.....	2	2 -	-	- -	2	2 -	-	-	-	-
50-54 years.....	1	1 -	1	1 -	-	- -	-	-	-	-
55-59 years.....	-	- -	-	- -	-	- -	-	-	-	-
60-64 years.....	-	- -	-	- -	-	- -	-	-	-	-
65-69 years.....	-	- -	-	- -	-	- -	-	-	-	-
70-74 years.....	-	- -	-	- -	-	- -	-	-	-	-
75-79 years.....	1	1 -	1	1 -	-	- -	-	-	-	-
80-84 years.....	-	- -	-	- -	-	- -	-	-	-	-
85-89 years.....	-	- -	-	- -	-	- -	-	-	-	-
90-94 years.....	-	- -	-	- -	-	- -	-	-	-	-
95-99 years.....	-	- -	-	- -	-	- -	-	-	-	-
100 years & over.	-	- -	-	- -	-	- -	-	-	-	-
Age not stated...	-	- -	-	- -	-	- -	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/ Both			Asian or Pacific Islander 2/ Both		
		Male	Female		Male	Female		Male	Female	Male	Female	sexes	Male	Female	sexes
Drowning and submersion while in natural water (W69)															
All ages.....	1,325	1,186	139	1,042	928	114	192	178	14	17	14	3	74	66	8
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	42	24	18	36	21	15	3	2	1	2	-	2	1	1	-
5-9 years.....	43	37	6	30	26	4	12	10	2	1	1	-	-	-	-
10-14 years.....	50	40	10	31	26	5	17	12	5	-	-	-	2	2	-
15-19 years.....	176	168	8	117	109	8	45	45	-	-	-	-	14	14	-
20-24 years.....	161	147	14	130	118	12	21	20	1	2	2	-	8	7	1
25-29 years.....	118	113	5	96	92	4	17	16	1	-	-	-	5	5	-
30-34 years.....	94	90	4	63	62	1	20	20	-	1	1	-	10	7	3
35-39 years.....	103	93	10	82	75	7	10	10	-	3	2	1	8	6	2
40-44 years.....	106	99	7	83	77	6	14	13	1	4	4	-	5	5	-
45-49 years.....	116	107	9	100	91	9	11	11	-	1	1	-	4	4	-
50-54 years.....	90	82	8	73	65	8	8	8	-	2	2	-	7	7	-
55-59 years.....	71	62	9	57	50	7	8	7	1	1	1	-	5	4	1
60-64 years.....	40	34	6	38	32	6	1	1	-	-	-	-	1	1	-
65-69 years.....	35	26	9	33	25	8	1	1	-	-	-	-	1	-	1
70-74 years.....	25	19	6	23	19	4	2	-	2	-	-	-	-	-	-
75-79 years.....	29	22	7	27	20	7	-	-	-	-	-	-	2	2	-
80-84 years.....	17	15	2	16	14	2	-	-	-	-	-	-	1	1	-
85-89 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	6	6	-	4	4	-	2	2	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Exposure to uncontrolled fire in building or structure (X00)															
All ages.....	2,511	1,414	1,097	1,869	1,061	808	589	318	271	25	20	5	28	15	13
Under 1 year.....	26	13	13	17	7	10	7	5	2	1	1	-	1	-	1
1-4 years.....	194	114	80	115	76	39	76	38	38	2	-	2	1	-	1
5-9 years.....	116	56	60	68	32	36	47	23	24	-	-	-	1	1	-
10-14 years.....	60	28	32	39	20	19	18	6	12	1	1	-	2	1	1
15-19 years.....	76	43	33	60	35	25	14	7	7	-	-	-	2	1	1
20-24 years.....	94	63	31	72	50	22	17	8	9	4	4	-	1	1	-
25-29 years.....	86	56	30	60	39	21	23	15	8	2	2	-	1	-	1
30-34 years.....	81	49	32	60	36	24	21	13	8	-	-	-	-	-	-
35-39 years.....	112	65	47	80	46	34	27	15	12	1	1	-	4	3	1
40-44 years.....	140	86	54	111	67	44	26	17	9	1	1	-	2	1	1
45-49 years.....	191	110	81	144	81	63	43	25	18	4	4	-	-	-	-
50-54 years.....	179	115	64	138	89	49	39	24	15	-	-	-	2	2	-
55-59 years.....	210	128	82	167	101	66	38	23	15	2	2	-	3	2	1
60-64 years.....	152	94	58	120	74	46	28	18	10	2	2	-	2	-	2
65-69 years.....	171	104	67	135	80	55	36	24	12	-	-	-	-	-	-
70-74 years.....	138	64	74	112	53	59	22	8	14	3	2	1	1	1	-
75-79 years.....	174	83	91	133	61	72	40	22	18	-	-	-	1	-	1
80-84 years.....	156	77	79	121	62	59	33	14	19	-	-	-	2	1	1
85-89 years.....	91	34	57	69	28	41	19	6	13	2	-	2	1	-	1
90-94 years.....	43	21	22	35	16	19	8	5	3	-	-	-	-	-	-
95-99 years.....	17	7	10	11	6	5	6	1	5	-	-	-	-	-	-
100 years & over.	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Age not stated...	3	3	-	2	2	-	-	-	-	-	-	-	1	1	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Contact with other specified venomous arthropods (X25)										
All ages.....	8	7 1	6	5 1	2	2	-	-	-	-
Under 1 year.....	-	- -	-	- -	-	-	-	-	-	-
1-4 years.....	-	- -	-	- -	-	-	-	-	-	-
5-9 years.....	-	- -	-	- -	-	-	-	-	-	-
10-14 years.....	-	- -	-	- -	-	-	-	-	-	-
15-19 years.....	-	- -	-	- -	-	-	-	-	-	-
20-24 years.....	-	- -	-	- -	-	-	-	-	-	-
25-29 years.....	-	- -	-	- -	-	-	-	-	-	-
30-34 years.....	1	1 -	1	1 -	-	-	-	-	-	-
35-39 years.....	-	- -	-	- -	-	-	-	-	-	-
40-44 years.....	-	- -	-	- -	-	-	-	-	-	-
45-49 years.....	3	3 -	2	2 -	1	1	-	-	-	-
50-54 years.....	3	2 1	3	2 1	-	-	-	-	-	-
55-59 years.....	-	- -	-	- -	-	-	-	-	-	-
60-64 years.....	-	- -	-	- -	-	-	-	-	-	-
65-69 years.....	1	1 -	-	- -	1	1	-	-	-	-
70-74 years.....	-	- -	-	- -	-	-	-	-	-	-
75-79 years.....	-	- -	-	- -	-	-	-	-	-	-
80-84 years.....	-	- -	-	- -	-	-	-	-	-	-
85-89 years.....	-	- -	-	- -	-	-	-	-	-	-
90-94 years.....	-	- -	-	- -	-	-	-	-	-	-
95-99 years.....	-	- -	-	- -	-	-	-	-	-	-
100 years & over.	-	- -	-	- -	-	-	-	-	-	-
Age not stated...	-	- -	-	- -	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Intentional self-poisoning (suicide) by and exposure to organic solvents and halogenated hydrocarbons and their vapors (X66)															
All ages.....	120	95	25	107	84	23	7	6	1	1	1	-	5	4	1
Under 1 year.....
1-4 years.....
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
20-24 years.....	8	7	1	7	6	1	1	1	-	-	-	-	-	-	-
25-29 years.....	3	3	-	2	2	-	1	1	-	-	-	-	-	-	-
30-34 years.....	8	5	3	5	2	3	1	1	-	-	-	-	2	2	-
35-39 years.....	11	9	2	10	8	2	1	1	-	-	-	-	-	-	-
40-44 years.....	19	18	1	18	18	-	1	-	1	-	-	-	-	-	-
45-49 years.....	21	16	5	20	15	5	1	1	-	-	-	-	-	-	-
50-54 years.....	18	15	3	17	14	3	-	-	-	-	-	-	1	1	-
55-59 years.....	14	9	5	13	8	5	1	1	-	-	-	-	-	-	-
60-64 years.....	5	3	2	5	3	2	-	-	-	-	-	-	-	-	-
65-69 years.....	4	3	1	3	2	1	-	-	-	1	1	-	-	-	-
70-74 years.....	2	-	2	1	-	1	-	-	-	-	-	-	1	-	1
75-79 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
80-84 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
85-89 years.....	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/			Asian or Pacific Islander 2/		
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Intentional self harm (suicide) by hanging, strangulation, and suffocation (X70)															
All ages.....	7,491	6,173	1,318	6,494	5,388	1,106	477	425	52	163	123	40	357	237	120
Under 1 year.....
1-4 years.....
5-9 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
10-14 years.....	137	91	46	95	61	34	31	26	5	9	3	6	2	1	1
15-19 years.....	658	493	165	548	410	138	51	42	9	32	22	10	27	19	8
20-24 years.....	851	729	122	708	616	92	59	49	10	45	36	9	39	28	11
25-29 years.....	848	720	128	732	622	110	64	60	4	18	14	4	34	24	10
30-34 years.....	749	638	111	648	553	95	56	52	4	13	10	3	32	23	9
35-39 years.....	868	735	133	763	645	118	64	60	4	13	11	2	28	19	9
40-44 years.....	826	712	114	729	629	100	46	41	5	15	12	3	36	30	6
45-49 years.....	820	702	118	727	630	97	39	34	5	9	8	1	45	30	15
50-54 years.....	579	484	95	523	439	84	31	28	3	4	2	2	21	15	6
55-59 years.....	384	308	76	340	272	68	22	21	1	3	3	-	19	12	7
60-64 years.....	214	163	51	194	151	43	3	3	-	-	-	-	17	9	8
65-69 years.....	135	102	33	119	91	28	2	2	-	1	1	-	13	8	5
70-74 years.....	106	78	28	90	73	17	2	1	1	-	-	-	14	4	10
75-79 years.....	107	78	29	93	68	25	2	2	-	1	1	-	11	7	4
80-84 years.....	91	56	35	77	51	26	2	1	1	-	-	-	12	4	8
85-89 years.....	79	55	24	73	52	21	2	2	-	-	-	-	4	1	3
90-94 years.....	29	23	6	27	21	6	-	-	-	-	-	-	2	2	-
95-99 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
100 years & over.	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
Age not stated...	2	2	-	-	-	-	1	1	-	-	-	-	1	1	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Intentional self harm (suicide) by smoke, fire, and flames (X76)															
All ages.....	192	140	52	147	107	40	27	23	4	5	3	2	13	7	6
Under 1 year.....
1-4 years.....
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	5	4	1	3	3	-	-	-	-	-	-	-	2	1	1
20-24 years.....	12	10	2	9	7	2	2	2	-	1	1	-	-	-	-
25-29 years.....	6	6	-	5	5	-	1	1	-	-	-	-	-	-	-
30-34 years.....	11	8	3	6	4	2	4	3	1	-	-	-	1	1	-
35-39 years.....	21	16	5	17	13	4	3	3	-	-	-	-	1	-	1
40-44 years.....	27	25	2	22	21	1	3	3	-	1	-	1	1	1	-
45-49 years.....	30	19	11	24	14	10	3	3	-	1	1	-	2	1	1
50-54 years.....	24	14	10	18	10	8	4	2	2	1	1	-	1	1	-
55-59 years.....	21	14	7	15	10	5	5	4	1	-	-	-	1	-	1
60-64 years.....	14	9	5	12	7	5	1	1	-	-	-	-	1	1	-
65-69 years.....	7	6	1	6	6	-	-	-	-	1	-	1	-	-	-
70-74 years.....	5	3	2	4	3	1	-	-	-	-	-	-	1	-	1
75-79 years.....	5	3	2	3	2	1	1	1	-	-	-	-	1	-	1
80-84 years.....	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Assault (homicide) by gases and vapors (X88)										
All ages.....	21	14 7	18	12 6	3	2 1	-	- -	-	- -
Under 1 year.....	1	- 1	-	- -	1	- 1	-	- -	-	- -
1-4 years.....	3	2 1	2	1 1	1	1 -	-	- -	-	- -
5-9 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
10-14 years.....	3	3 -	3	3 -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	2	2 -	1	1 -	1	1 -	-	- -	-	- -
25-29 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
30-34 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
35-39 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
40-44 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
45-49 years.....	2	2 -	2	2 -	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
60-64 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
65-69 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
75-79 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
80-84 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Assault (homicide) by other and unspecified firearm discharge (X95)															
All ages.....	11,026	9,508	1,518	4,336	3,500	836	6,368	5,739	629	87	76	11	235	193	42
Under 1 year.....	5	2	3	2	-	2	3	2	1	-	-	-	-	-	-
1-4 years.....	36	23	13	19	13	6	17	10	7	-	-	-	-	-	-
5-9 years.....	46	26	20	27	14	13	15	9	6	-	-	-	4	3	1
10-14 years.....	136	105	31	68	53	15	68	52	16	-	-	-	-	-	-
15-19 years.....	1,666	1,510	156	566	502	64	1,041	954	87	13	12	1	46	42	4
20-24 years.....	2,549	2,326	223	817	722	95	1,656	1,534	122	27	26	1	49	44	5
25-29 years.....	1,954	1,747	207	645	557	88	1,268	1,153	115	16	15	1	25	22	3
30-34 years.....	1,345	1,192	153	476	400	76	830	761	69	9	8	1	30	23	7
35-39 years.....	944	777	167	411	315	96	514	449	65	6	3	3	13	10	3
40-44 years.....	746	601	145	379	302	77	350	288	62	7	5	2	10	6	4
45-49 years.....	609	486	123	314	224	90	267	238	29	5	3	2	23	21	2
50-54 years.....	379	291	88	199	144	55	161	136	25	-	-	-	19	11	8
55-59 years.....	235	175	60	153	105	48	72	64	8	1	1	-	9	5	4
60-64 years.....	155	115	40	105	74	31	46	38	8	1	1	-	3	2	1
65-69 years.....	72	44	28	46	22	24	25	21	4	-	-	-	1	1	-
70-74 years.....	51	37	14	31	20	11	17	14	3	1	1	-	2	2	-
75-79 years.....	45	29	16	31	15	16	12	12	-	1	1	-	1	1	-
80-84 years.....	28	9	19	26	8	18	2	1	1	-	-	-	-	-	-
85-89 years.....	11	2	9	9	1	8	2	1	1	-	-	-	-	-	-
90-94 years.....	3	2	1	2	1	1	1	1	-	-	-	-	-	-	-
95-99 years.....	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	8	8	-	7	7	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Assault (homicide) by smoke, fire, and flames (X97)															
All ages.....	148	86	62	85	50	35	53	31	22	2	2	-	8	3	5
Under 1 year.....	3	1	2	2	1	1	1	-	1	-	-	-	-	-	-
1-4 years.....	11	5	6	4	2	2	4	2	2	-	-	-	3	1	2
5-9 years.....	12	6	6	6	1	5	6	5	1	-	-	-	-	-	-
10-14 years.....	4	3	1	2	-	-	-	-	-	-	-	-	2	1	1
15-19 years.....	5	1	4	-	-	-	4	1	3	-	-	-	1	-	1
20-24 years.....	13	9	4	13	9	4	-	-	-	-	-	-	-	-	-
25-29 years.....	9	6	3	5	3	2	4	3	1	-	-	-	-	-	-
30-34 years.....	11	6	5	6	3	3	3	2	1	1	1	-	1	-	1
35-39 years.....	15	7	8	6	5	1	9	2	7	-	-	-	-	-	-
40-44 years.....	13	7	6	9	4	5	4	3	1	-	-	-	-	-	-
45-49 years.....	11	8	3	8	6	2	3	2	1	-	-	-	-	-	-
50-54 years.....	13	8	5	6	3	3	6	4	2	-	-	-	1	1	-
55-59 years.....	9	7	2	5	3	2	3	3	-	1	1	-	-	-	-
60-64 years.....	6	4	2	4	3	1	2	1	1	-	-	-	-	-	-
65-69 years.....	4	2	2	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
75-79 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
80-84 years.....	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
85-89 years.....	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
100 years & over.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Rifle, shotgun, and larger firearm discharge, undetermined intent (Y23)										
All ages.....	23	20 3	22	19 3	1	1	-	-	-	-
Under 1 year.....	-	- -	-	- -	-	-	-	-	-	-
1-4 years.....	-	- -	-	- -	-	-	-	-	-	-
5-9 years.....	-	- -	-	- -	-	-	-	-	-	-
10-14 years.....	1	1 -	1	1 -	-	-	-	-	-	-
15-19 years.....	4	4 -	4	4 -	-	-	-	-	-	-
20-24 years.....	4	4 -	3	3 -	1	1	-	-	-	-
25-29 years.....	4	3 1	4	3 1	-	-	-	-	-	-
30-34 years.....	1	1 -	1	1 -	-	-	-	-	-	-
35-39 years.....	-	- -	-	- -	-	-	-	-	-	-
40-44 years.....	2	2 -	2	2 -	-	-	-	-	-	-
45-49 years.....	2	1 1	2	1 1	-	-	-	-	-	-
50-54 years.....	-	- -	-	- -	-	-	-	-	-	-
55-59 years.....	2	2 -	2	2 -	-	-	-	-	-	-
60-64 years.....	2	1 1	2	1 1	-	-	-	-	-	-
65-69 years.....	1	1 -	1	1 -	-	-	-	-	-	-
70-74 years.....	-	- -	-	- -	-	-	-	-	-	-
75-79 years.....	-	- -	-	- -	-	-	-	-	-	-
80-84 years.....	-	- -	-	- -	-	-	-	-	-	-
85-89 years.....	-	- -	-	- -	-	-	-	-	-	-
90-94 years.....	-	- -	-	- -	-	-	-	-	-	-
95-99 years.....	-	- -	-	- -	-	-	-	-	-	-
100 years & over.	-	- -	-	- -	-	-	-	-	-	-
Age not stated...	-	- -	-	- -	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Exposure to smoke, fire, and flames, undetermined intent (Y26)															
All ages.....	128	81	47	98	60	38	23	15	8	5	4	1	2	2	-
Under 1 year.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years.....	5	2	3	4	2	2	1	-	1	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	3	2	1	2	2	1	-	-	1	-	-	-	-	-	-
15-19 years.....	8	3	5	8	3	5	-	-	-	-	-	-	-	-	-
20-24 years.....	3	1	2	1	1	-	2	-	2	-	-	-	-	-	-
25-29 years.....	15	8	7	11	5	6	2	1	1	2	2	-	-	-	-
30-34 years.....	4	4	-	3	3	-	1	1	-	-	-	-	-	-	-
35-39 years.....	10	6	4	8	4	4	-	-	-	1	1	-	1	1	-
40-44 years.....	13	9	4	12	8	4	-	-	-	1	1	-	-	-	-
45-49 years.....	14	10	4	13	9	4	-	-	-	-	-	-	1	1	-
50-54 years.....	12	9	3	7	5	2	4	4	-	1	-	1	-	-	-
55-59 years.....	7	6	1	5	4	1	2	2	-	-	-	-	-	-	-
60-64 years.....	9	6	3	5	4	1	4	2	2	-	-	-	-	-	-
65-69 years.....	4	3	1	4	3	1	-	-	-	-	-	-	-	-	-
70-74 years.....	8	5	3	4	2	2	4	3	1	-	-	-	-	-	-
75-79 years.....	7	4	3	6	3	3	1	1	-	-	-	-	-	-	-
80-84 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
85-89 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
90-94 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
95-99 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both						
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female					
Contact with sharp object, undetermined intent (Y28)															
All ages.....	25	17 8	18	12 6	5	4 1	1	- 1	1	1 -					
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -					
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
20-24 years.....	4	2 2	2	1 1	1	1 -	1	- 1	-	- -					
25-29 years.....	2	2 -	1	1 -	1	1 -	-	- -	-	- -					
30-34 years.....	1	- 1	-	- -	1	1 -	-	- -	-	- -					
35-39 years.....	3	3 -	2	2 -	1	1 -	-	- -	-	- -					
40-44 years.....	4	2 2	3	1 2	-	- -	-	- -	1	1 -					
45-49 years.....	2	2 -	1	1 -	1	1 -	-	- -	-	- -					
50-54 years.....	4	3 1	4	3 1	-	- -	-	- -	-	- -					
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
60-64 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -					
65-69 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -					
70-74 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
75-79 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -					
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
85-89 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -					
90-94 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -					
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -					
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -					
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -					

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Crashing of motor vehicle, undetermined intent (Y32)										
All ages.....	18	10 8	14	8 6	3	2 1	-	- -	1	- 1
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	2	1 1	2	1 1	-	- -	-	- -	-	- -
5-9 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
20-24 years.....	2	2 -	2	2 -	-	- -	-	- -	-	- -
25-29 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	2	1 1	1	- 1	1	1 -	-	- -	-	- -
40-44 years.....	3	1 2	2	- 2	1	1 -	-	- -	-	- -
45-49 years.....	3	2 1	3	2 1	-	- -	-	- -	-	- -
50-54 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
55-59 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
70-74 years.....	2	- 2	-	- 1	-	1 -	-	- -	1	- 1
75-79 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
80-84 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Pacific Islander 2/		Asian or Pacific Islander 2/	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
War operations involving other explosions and fragments (Y36.2)										
All ages.....	17	17 -	16	16 -	-	-	-	-	1	1 -
Under 1 year.....	-	- -	-	- -	-	-	-	-	-	- -
1-4 years.....	-	- -	-	- -	-	-	-	-	-	- -
5-9 years.....	-	- -	-	- -	-	-	-	-	-	- -
10-14 years.....	-	- -	-	- -	-	-	-	-	-	- -
15-19 years.....	2	2 -	2	2 -	-	-	-	-	-	- -
20-24 years.....	10	10 -	10	10 -	-	-	-	-	-	- -
25-29 years.....	3	3 -	3	3 -	-	-	-	-	-	- -
30-34 years.....	1	1 -	1	1 -	-	-	-	-	-	- -
35-39 years.....	-	- -	-	- -	-	-	-	-	-	- -
40-44 years.....	1	1 -	-	- -	-	-	-	-	1	1 -
45-49 years.....	-	- -	-	- -	-	-	-	-	-	- -
50-54 years.....	-	- -	-	- -	-	-	-	-	-	- -
55-59 years.....	-	- -	-	- -	-	-	-	-	-	- -
60-64 years.....	-	- -	-	- -	-	-	-	-	-	- -
65-69 years.....	-	- -	-	- -	-	-	-	-	-	- -
70-74 years.....	-	- -	-	- -	-	-	-	-	-	- -
75-79 years.....	-	- -	-	- -	-	-	-	-	-	- -
80-84 years.....	-	- -	-	- -	-	-	-	-	-	- -
85-89 years.....	-	- -	-	- -	-	-	-	-	-	- -
90-94 years.....	-	- -	-	- -	-	-	-	-	-	- -
95-99 years.....	-	- -	-	- -	-	-	-	-	-	- -
100 years & over.	-	- -	-	- -	-	-	-	-	-	- -
Age not stated...	-	- -	-	- -	-	-	-	-	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Hormones and their synthetic substitutes and antagonists, not elsewhere classified (Y42)										
All ages.....	9	3 6	7	2 5	2	1 1	-	- -	-	- -
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
5-9 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
10-14 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
15-19 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
20-24 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
25-29 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
40-44 years.....	1	- 1	-	- -	1	- 1	-	- -	-	- -
45-49 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
50-54 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
55-59 years.....	2	1 1	1	- 1	1	1 -	-	- -	-	- -
60-64 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
65-69 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
70-74 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
85-89 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
90-94 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	Both sexes	All races		Both sexes	White		Both sexes	Black		American Indian 1/		Asian or Pacific Islander 2/			
		Male	Female		Male	Female		Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Oral contraceptives (Y42.4)															
All ages.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year.....
1-4 years.....
5-9 years.....
10-14 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years.....	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
20-24 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years.....	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years.....
60-64 years.....
65-69 years.....
70-74 years.....
75-79 years.....
80-84 years.....
85-89 years.....
90-94 years.....
95-99 years.....
100 years & over.
Age not stated...	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both		
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	
During unspecified surgical and medical care (Y61.9)											
All ages.....	1	- 1	-	-	-	-	1	-	1	- - -	- - -
Under 1 year.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
1-4 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
5-9 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
10-14 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
15-19 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
20-24 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
25-29 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
30-34 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
35-39 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
40-44 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
45-49 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
50-54 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
55-59 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
60-64 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
65-69 years.....	1	- 1	-	-	-	-	1	-	1	- - -	- - -
70-74 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
75-79 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
80-84 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
85-89 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
90-94 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
95-99 years.....	-	- -	-	-	-	-	-	-	-	- - -	- - -
100 years & over.	-	- -	-	-	-	-	-	-	-	- - -	- - -
Age not stated...	-	- -	-	-	-	-	-	-	-	- - -	- - -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both	
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female
Surgical operation with transplant of whole organ (Y83.0)										
All ages.....	36	18 18	31	15 16	5	3 2	-	- -	-	- -
Under 1 year.....	-	- -	-	- -	-	- -	-	- -	-	- -
1-4 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
5-9 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
10-14 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
15-19 years.....	3	1 2	3	1 2	-	- -	-	- -	-	- -
20-24 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
25-29 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
30-34 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
35-39 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
40-44 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
45-49 years.....	3	2 1	2	1 1	1	1 2	-	- -	-	- -
50-54 years.....	4	4 -	4	4 -	-	- -	-	- -	-	- -
55-59 years.....	6	5 1	6	5 1	-	- -	-	- -	-	- -
60-64 years.....	5	3 2	3	2 1	2	1 1	-	- -	-	- -
65-69 years.....	4	2 2	3	1 2	1	1 -	-	- -	-	- -
70-74 years.....	1	- 1	-	- -	1	- 1	-	- -	-	- -
75-79 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
80-84 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
85-89 years.....	1	1 -	1	1 -	-	- -	-	- -	-	- -
90-94 years.....	1	- 1	1	- 1	-	- -	-	- -	-	- -
95-99 years.....	-	- -	-	- -	-	- -	-	- -	-	- -
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	- -
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	- -

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/ Both		Asian or Pacific Islander 2/ Both			
	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Both sexes	Male Female	Female	
Sequelae of intentional self harm, assault, and events of undetermined intent (Y87)												
All ages.....	416	320 96	258	192 66	138	111 27	12	11 1	8	6	2	
Under 1 year..... 2 1 1 1	
1-4 years.....	4	2 2	3	1 2	1	1 -	-	- -	-	-	-	
5-9 years.....	7	4 3	6	4 2	1	- 1	-	- -	-	-	-	
10-14 years.....	3	1 2	1	- 1	2	1 1	-	- -	-	-	-	
15-19 years.....	16	10 6	8	4 4	8	6 2	-	- -	-	-	-	
20-24 years.....	37	29 8	21	16 5	14	11 3	2	2 -	-	-	-	
25-29 years.....	39	34 5	20	16 4	15	15 -	3	2 1	1	1 -		
30-34 years.....	33	25 8	17	11 6	15	13 2	1	1 -	-	-	-	
35-39 years.....	42	35 7	25	23 2	15	10 5	1	1 -	1	1 -		
40-44 years.....	38	27 11	27	19 8	9	6 3	1	1 -	1	1 -		
45-49 years.....	53	42 11	37	28 9	11	10 1	2	2 -	3	2 1		
50-54 years.....	43	33 10	30	25 5	12	7 5	1	1 -	-	-	-	
55-59 years.....	36	29 7	19	13 6	17	16 1	-	- -	-	-	-	
60-64 years.....	26	20 6	15	12 3	10	8 2	-	- -	1	- 1		
65-69 years.....	11	9 2	10	8 2	1	1 -	-	- -	-	-	-	
70-74 years.....	12	10 2	7	5 2	4	4 -	-	- -	1	1 -		
75-79 years.....	5	2 3	2	- 2	2	1 1	1	1 -	-	-	-	
80-84 years.....	3	1 2	3	1 2	-	- -	-	- -	-	-	-	
85-89 years.....	4	3 1	4	3 1	-	- -	-	- -	-	-	-	
90-94 years.....	2	2 -	2	2 -	-	- -	-	- -	-	-	-	
95-99 years.....	2	2 -	1	1 -	1	1 -	-	- -	-	-	-	
100 years & over.	-	- -	-	- -	-	- -	-	- -	-	-	-	
Age not stated...	-	- -	-	- -	-	- -	-	- -	-	-	-	

Worktable I. Deaths from each cause, by 5-year age groups, race, and sex: United States, 2006

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2006, multiple-race data were reported by California, Connecticut, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2006 data-mortality"]

Cause of death (based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004) and age	All races		White		Black		American Indian 1/		Asian or Pacific Islander 2/						
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female			
Sequelae of unspecified external cause (Y89.9)															
All ages.....	6	3	3	5	2	3	-	-	-	1	1	-	-	-	-
Under 1 year.....
1-4 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years.....	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
25-29 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years.....	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
40-44 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
60-64 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years.....	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
75-79 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years.....	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-
85-89 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 years & over.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age not stated...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- Quantity zero.

... Category not applicable.

1/ Includes Aleuts and Eskimos.

2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

Note: Complete confirmation of deaths from selected causes of death, considered to be of public health concern, were not provided by the following states: California, Connecticut, Florida, Indiana, Kentucky, Louisiana, Maryland, Michigan, Nevada, New Hampshire, North Carolina, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, Washington, and West Virginia.

Source: CDC/NCHS, National Vital Statistics System, Mortality.