

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Primary respiratory tuberculosis without mention of bacteriological or histological confirmation (A16.7)

All ages-----	-	-	-	1	-	1	-	-	-
Under 1 year-----	-	-	-	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Respiratory tuberculosis unspecified, without mention of bacteriological or histological confirmation (A16.9)

All ages-----	141	88	53	72	43	29	10	8	2
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	1	1	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	2	-	2	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-
30-34 years-----	-	-	-	2	-	2	-	-	-
35-39 years-----	1	1	-	4	3	1	-	-	-
40-44 years-----	2	1	1	2	1	1	2	2	-
45-49 years-----	2	1	1	7	6	1	1	1	-
50-54 years-----	5	5	-	7	5	2	1	1	-
55-59 years-----	9	8	1	8	4	4	-	-	-
60-64 years-----	9	8	1	3	3	-	-	-	-
65-69 years-----	16	11	5	3	3	-	-	-	-
70-74 years-----	14	11	3	3	2	1	-	-	-
75-79 years-----	25	14	11	12	6	6	1	1	-
80-84 years-----	24	13	11	6	4	2	2	1	1
85-89 years-----	22	10	12	5	2	3	1	1	-
90-94 years-----	9	3	6	4	1	3	-	-	-
95-99 years-----	2	2	-	2	2	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	1	-	1
Not stated-----	-	-	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Pharynx, unspecified (C14.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	1,098	787	311	308	234	74	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	2	2	-	-	-	-
35-39 years-----	7	4	3	2	2	-	-	-	-
40-44 years-----	10	8	2	8	8	-	-	-	-
45-49 years-----	41	34	7	40	34	6	-	-	-
50-54 years-----	79	62	17	34	28	6	1	1	-
55-59 years-----	115	93	22	46	35	11	-	-	-
60-64 years-----	138	112	26	42	31	11	1	1	-
65-69 years-----	140	102	38	31	19	12	-	-	-
70-74 years-----	196	132	64	41	27	14	1	1	-
75-79 years-----	153	102	51	32	27	5	-	-	-
80-84 years-----	119	80	39	19	14	5	-	-	-
85-89 years-----	72	46	26	8	5	3	-	-	-
90-94 years-----	22	10	12	-	-	-	-	-	-
95-99 years-----	4	1	3	1	1	-	-	-	-
100 yrs & over---	1	-	1	-	-	1	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Malignant neoplasm of esophagus (C15)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	9,703	7,440	2,263	1,629	1,187	442	31	25	6
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	9	6	3	-	-	-	-	-	-
30-34 years-----	21	16	5	3	3	-	-	-	-
35-39 years-----	61	55	6	6	4	2	-	-	-
40-44 years-----	152	133	19	47	40	7	1	1	-
45-49 years-----	340	303	37	99	79	20	-	-	-
50-54 years-----	596	524	72	162	130	32	3	2	1
55-59 years-----	860	739	121	222	177	45	3	3	-
60-64 years-----	1,063	859	204	250	188	62	4	4	-
65-69 years-----	1,390	1,148	242	257	176	81	6	5	1
70-74 years-----	1,648	1,303	345	229	164	65	6	5	1
75-79 years-----	1,508	1,127	381	198	141	57	5	5	-
80-84 years-----	1,068	730	338	82	42	40	1	-	1
85-89 years-----	673	369	304	49	28	21	1	-	1
90-94 years-----	244	108	136	17	10	7	1	-	1
95-99 years-----	65	18	47	5	4	1	-	-	-
100 yrs & over---	5	2	3	2	-	2	-	-	-
Not stated-----	-	-	-	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Stomach, unspecified (C16.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	8,024	4,620	3,404	2,142	1,225	917	37	21	16
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	1	1	-	-	-	-
15-19 years-----	-	-	-	1	-	1	-	-	-
20-24 years-----	3	2	1	2	1	1	-	-	-
25-29 years-----	15	7	8	14	7	7	-	-	-
30-34 years-----	32	21	11	21	11	10	-	-	-
35-39 years-----	85	49	36	40	20	20	-	-	-
40-44 years-----	128	71	57	86	51	35	-	-	-
45-49 years-----	231	159	72	86	59	27	4	4	-
50-54 years-----	329	225	104	147	97	50	5	3	2
55-59 years-----	434	305	129	164	104	60	1	1	-
60-64 years-----	581	377	204	198	128	70	4	2	2
65-69 years-----	830	539	291	209	131	78	3	1	2
70-74 years-----	1,138	703	435	287	173	114	9	6	3
75-79 years-----	1,396	841	555	318	182	136	3	1	2
80-84 years-----	1,289	700	589	250	135	115	3	1	2
85-89 years-----	951	416	535	192	88	104	2	1	1
90-94 years-----	451	168	283	85	28	57	3	1	2
95-99 years-----	118	34	84	32	7	25	-	-	-
100 yrs & over---	13	3	10	9	2	7	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Malignant neoplasm of small intestine (C17)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	810	446	364	148	82	66	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	3	2	1	1	1	-	-	-	-
35-39 years-----	10	4	6	5	3	2	-	-	-
40-44 years-----	20	13	7	5	4	1	-	-	-
45-49 years-----	50	32	18	14	6	8	-	-	-
50-54 years-----	55	32	23	15	9	6	-	-	-
55-59 years-----	40	24	16	9	6	3	-	-	-
60-64 years-----	69	50	19	15	12	3	1	1	-
65-69 years-----	92	56	36	11	7	4	-	-	-
70-74 years-----	120	59	61	16	10	6	1	1	-
75-79 years-----	137	76	61	22	12	10	1	-	1
80-84 years-----	103	53	50	18	8	10	-	-	-
85-89 years-----	76	35	41	13	2	11	1	-	1
90-94 years-----	27	9	18	4	2	2	-	-	-
95-99 years-----	6	1	5	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	-	-	-
Not stated-----	1	-	1	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Overlapping lesion of pancreas (C25.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Pancreas, unspecified (C25.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	23,577	11,521	12,056	3,323	1,582	1,741	77	41	36
Under 1 year-----	-	-	-	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	-	-	-	-	-	-
25-29 years-----	6	6	-	2	1	1	-	-	-
30-34 years-----	24	14	10	10	7	3	-	-	-
35-39 years-----	115	71	44	35	19	16	-	-	-
40-44 years-----	287	181	106	74	43	31	3	1	2
45-49 years-----	649	424	225	137	86	51	4	4	-
50-54 years-----	1,093	675	418	240	152	88	5	3	2
55-59 years-----	1,535	903	632	324	197	127	2	1	1
60-64 years-----	2,083	1,208	875	338	184	154	7	5	2
65-69 years-----	2,890	1,595	1,295	456	230	226	10	4	6
70-74 years-----	3,812	1,961	1,851	509	226	283	17	11	6
75-79 years-----	4,117	1,936	2,181	480	209	271	12	7	5
80-84 years-----	3,425	1,440	1,985	357	132	225	10	3	7
85-89 years-----	2,296	783	1,513	230	71	159	5	2	3
90-94 years-----	954	270	684	96	22	74	1	-	1
95-99 years-----	258	50	208	24	3	21	1	-	1
100 yrs & over---	30	3	27	10	-	10	-	-	-
Not stated-----	1	-	1	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Malignant neoplasm of vulva (C51)

All ages-----	670	...	670	48	...	48	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-
35-39 years-----	3	...	3	2	...	2	-	...	-
40-44 years-----	10	...	10	1	...	1	-	...	-
45-49 years-----	11	...	11	1	...	1	-	...	-
50-54 years-----	24	...	24	2	...	2	-	...	-
55-59 years-----	14	...	14	3	...	3	-	...	-
60-64 years-----	35	...	35	6	...	6	-	...	-
65-69 years-----	44	...	44	4	...	4	-	...	-
70-74 years-----	83	...	83	7	...	7	-	...	-
75-79 years-----	107	...	107	6	...	6	-	...	-
80-84 years-----	113	...	113	6	...	6	-	...	-
85-89 years-----	133	...	133	7	...	7	1	...	1
90-94 years-----	68	...	68	2	...	2	-	...	-
95-99 years-----	24	...	24	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Labium majus (C51.0)

All ages-----	12	...	12	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	2	...	2	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	2	...	2	-	...	-	-	...	-
85-89 years-----	2	...	2	-	...	-	-	...	-
90-94 years-----	2	...	2	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Clitoris (C51.2)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Vulva, unspecified (C51.9)

All ages-----	657	...	657	48	...	48	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-
35-39 years-----	3	...	3	2	...	2	-	...	-
40-44 years-----	9	...	9	1	...	1	-	...	-
45-49 years-----	11	...	11	1	...	1	-	...	-
50-54 years-----	22	...	22	2	...	2	-	...	-
55-59 years-----	14	...	14	3	...	3	-	...	-
60-64 years-----	34	...	34	6	...	6	-	...	-
65-69 years-----	43	...	43	4	...	4	-	...	-
70-74 years-----	82	...	82	7	...	7	-	...	-
75-79 years-----	107	...	107	6	...	6	-	...	-
80-84 years-----	111	...	111	6	...	6	-	...	-
85-89 years-----	130	...	130	7	...	7	1	...	1
90-94 years-----	66	...	66	2	...	2	-	...	-
95-99 years-----	24	...	24	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
---------------------	----------------------	--------------	--------	----------------------	--------------	--------	-------------------------------	------	--------

Malignant neoplasm of vagina (C52)

All ages-----	328	...	328	52	...	52	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	6	...	6	1	...	1	-	...	-
40-44 years-----	6	...	6	1	...	1	-	...	-
45-49 years-----	11	...	11	3	...	3	-	...	-
50-54 years-----	15	...	15	5	...	5	-	...	-
55-59 years-----	17	...	17	5	...	5	-	...	-
60-64 years-----	18	...	18	3	...	3	-	...	-
65-69 years-----	25	...	25	5	...	5	-	...	-
70-74 years-----	29	...	29	6	...	6	-	...	-
75-79 years-----	48	...	48	9	...	9	-	...	-
80-84 years-----	53	...	53	7	...	7	-	...	-
85-89 years-----	61	...	61	4	...	4	-	...	-
90-94 years-----	29	...	29	1	...	1	-	...	-
95-99 years-----	8	...	8	2	...	2	-	...	-
100 yrs & over---	2	...	2	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Malignant neoplasm of cervix uteri (C53)

All ages-----	2,854	...	2,854	825	...	825	10	...	10
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	2	...	2	-	...	-
20-24 years-----	7	...	7	1	...	1	-	...	-
25-29 years-----	47	...	47	7	...	7	-	...	-
30-34 years-----	100	...	100	27	...	27	-	...	-
35-39 years-----	188	...	188	60	...	60	-	...	-
40-44 years-----	263	...	263	80	...	80	1	...	1
45-49 years-----	316	...	316	68	...	68	-	...	-
50-54 years-----	314	...	314	72	...	72	2	...	2
55-59 years-----	263	...	263	80	...	80	1	...	1
60-64 years-----	245	...	245	87	...	87	2	...	2
65-69 years-----	235	...	235	77	...	77	1	...	1
70-74 years-----	219	...	219	96	...	96	-	...	-
75-79 years-----	244	...	244	68	...	68	2	...	2
80-84 years-----	170	...	170	33	...	33	-	...	-
85-89 years-----	153	...	153	35	...	35	-	...	-
90-94 years-----	72	...	72	21	...	21	1	...	1
95-99 years-----	13	...	13	9	...	9	-	...	-
100 yrs & over---	4	...	4	2	...	2	-	...	-
Not stated-----	1	...	1	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-

Endocervix (C53.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	25	...	25	8	...	8	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	1	...	1	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	3	...	3	-	...	-	-	...	-
45-49 years-----	2	...	2	-	...	-	-	...	-
50-54 years-----	3	...	3	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-
60-64 years-----	4	...	4	1	...	1	-	...	-
65-69 years-----	2	...	2	-	...	-	-	...	-
70-74 years-----	3	...	3	2	...	2	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	2	...	2	1	...	1	-	...	-
85-89 years-----	3	...	3	1	...	1	-	...	-
90-94 years-----	-	...	-	1	...	1	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Cervix uteri, unspecified (C53.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2,829	...	2,829	817	...	817	10	...	10
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	2	...	2	-	...	-
20-24 years-----	7	...	7	1	...	1	-	...	-
25-29 years-----	46	...	46	7	...	7	-	...	-
30-34 years-----	100	...	100	26	...	26	-	...	-
35-39 years-----	188	...	188	60	...	60	-	...	-
40-44 years-----	260	...	260	80	...	80	1	...	1
45-49 years-----	314	...	314	68	...	68	-	...	-
50-54 years-----	311	...	311	72	...	72	2	...	2
55-59 years-----	262	...	262	79	...	79	1	...	1
60-64 years-----	241	...	241	86	...	86	2	...	2
65-69 years-----	233	...	233	77	...	77	1	...	1
70-74 years-----	216	...	216	94	...	94	-	...	-
75-79 years-----	243	...	243	68	...	68	2	...	2
80-84 years-----	168	...	168	32	...	32	-	...	-
85-89 years-----	150	...	150	34	...	34	-	...	-
90-94 years-----	72	...	72	20	...	20	1	...	1
95-99 years-----	13	...	13	9	...	9	-	...	-
100 yrs & over---	4	...	4	2	...	2	-	...	-
Not stated-----	1	...	1	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Malignant neoplasm of corpus uteri (C54)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	2,509	...	2,509	437	...	437	5	...	5
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	-	...	-
30-34 years-----	6	...	6	-	...	-	-	...	-
35-39 years-----	13	...	13	1	...	1	-	...	-
40-44 years-----	29	...	29	9	...	9	-	...	-
45-49 years-----	61	...	61	6	...	6	-	...	-
50-54 years-----	100	...	100	12	...	12	-	...	-
55-59 years-----	152	...	152	27	...	27	-	...	-
60-64 years-----	229	...	229	56	...	56	1	...	1
65-69 years-----	316	...	316	85	...	85	-	...	-
70-74 years-----	411	...	411	79	...	79	1	...	1
75-79 years-----	432	...	432	70	...	70	2	...	2
80-84 years-----	397	...	397	42	...	42	1	...	1
85-89 years-----	216	...	216	31	...	31	-	...	-
90-94 years-----	100	...	100	14	...	14	-	...	-
95-99 years-----	38	...	38	4	...	4	-	...	-
100 yrs & over---	7	...	7	1	...	1	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Endometrium (C54.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	2,480	...	2,480	434	...	434	5	...	5
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	-	...	-
30-34 years-----	6	...	6	-	...	-	-	...	-
35-39 years-----	13	...	13	1	...	1	-	...	-
40-44 years-----	29	...	29	9	...	9	-	...	-
45-49 years-----	60	...	60	6	...	6	-	...	-
50-54 years-----	99	...	99	12	...	12	-	...	-
55-59 years-----	151	...	151	27	...	27	-	...	-
60-64 years-----	224	...	224	56	...	56	1	...	1
65-69 years-----	314	...	314	85	...	85	-	...	-
70-74 years-----	405	...	405	79	...	79	1	...	1
75-79 years-----	427	...	427	68	...	68	2	...	2
80-84 years-----	393	...	393	42	...	42	1	...	1
85-89 years-----	215	...	215	30	...	30	-	...	-
90-94 years-----	98	...	98	14	...	14	-	...	-
95-99 years-----	38	...	38	4	...	4	-	...	-
100 yrs & over---	6	...	6	1	...	1	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Myometrium (C54.2)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Fundus uteri (C54.3)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -		- ORIGIN NOT STATED 2/-	
	TOTAL	MALE FEMALE	TOTAL	MALE FEMALE	TOTAL	MALE FEMALE

Corpus uteri, unspecified (C54.9)

All ages-----	27	...	27	3	...	3	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	-	...	-
60-64 years-----	5	...	5	-	...	-	-	...	-
65-69 years-----	2	...	2	-	...	-	-	...	-
70-74 years-----	5	...	5	-	...	-	-	...	-
75-79 years-----	4	...	4	2	...	2	-	...	-
80-84 years-----	4	...	4	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-
90-94 years-----	2	...	2	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Malignant neoplasm of uterus, part unspecified (C55)

All ages-----	2,605	...	2,605	543	...	543	3	...	3
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	5	...	5	3	...	3	-	...	-
30-34 years-----	3	...	3	2	...	2	-	...	-
35-39 years-----	15	...	15	4	...	4	-	...	-
40-44 years-----	39	...	39	13	...	13	-	...	-
45-49 years-----	79	...	79	12	...	12	-	...	-
50-54 years-----	113	...	113	27	...	27	-	...	-
55-59 years-----	161	...	161	49	...	49	1	...	1
60-64 years-----	211	...	211	57	...	57	-	...	-
65-69 years-----	271	...	271	102	...	102	-	...	-
70-74 years-----	353	...	353	80	...	80	1	...	1
75-79 years-----	442	...	442	72	...	72	-	...	-
80-84 years-----	416	...	416	61	...	61	-	...	-
85-89 years-----	291	...	291	34	...	34	-	...	-
90-94 years-----	149	...	149	21	...	21	-	...	-
95-99 years-----	50	...	50	5	...	5	1	...	1
100 yrs & over---	7	...	7	1	...	1	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Malignant neoplasm of ovary (C56)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	11,795	...	11,795	1,065	...	1,065	46	...	46
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	2	...	2	-	...	-	-	...	-
15-19 years-----	7	...	7	1	...	1	-	...	-
20-24 years-----	13	...	13	3	...	3	-	...	-
25-29 years-----	15	...	15	6	...	6	-	...	-
30-34 years-----	36	...	36	7	...	7	-	...	-
35-39 years-----	124	...	124	16	...	16	1	...	1
40-44 years-----	270	...	270	31	...	31	-	...	-
45-49 years-----	506	...	506	54	...	54	2	...	2
50-54 years-----	762	...	762	89	...	89	1	...	1
55-59 years-----	920	...	920	94	...	94	5	...	5
60-64 years-----	1,141	...	1,141	117	...	117	5	...	5
65-69 years-----	1,400	...	1,400	135	...	135	5	...	5
70-74 years-----	1,719	...	1,719	166	...	166	7	...	7
75-79 years-----	1,890	...	1,890	159	...	159	11	...	11
80-84 years-----	1,566	...	1,566	97	...	97	8	...	8
85-89 years-----	962	...	962	54	...	54	1	...	1
90-94 years-----	372	...	372	30	...	30	-	...	-
95-99 years-----	83	...	83	6	...	6	-	...	-
100 yrs & over---	7	...	7	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Malignant neoplasm of other and unspecified female genital organs (C57)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	344	...	344	43	...	43	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	3	...	3	-	...	-	-	...	-
40-44 years-----	4	...	4	-	...	-	-	...	-
45-49 years-----	12	...	12	3	...	3	-	...	-
50-54 years-----	27	...	27	3	...	3	-	...	-
55-59 years-----	28	...	28	4	...	4	1	...	1
60-64 years-----	40	...	40	3	...	3	-	...	-
65-69 years-----	38	...	38	3	...	3	-	...	-
70-74 years-----	53	...	53	11	...	11	-	...	-
75-79 years-----	54	...	54	6	...	6	-	...	-
80-84 years-----	53	...	53	8	...	8	-	...	-
85-89 years-----	18	...	18	2	...	2	-	...	-
90-94 years-----	11	...	11	-	...	-	-	...	-
95-99 years-----	2	...	2	-	...	-	-	...	-
100 yrs & over---	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	- NON-HISPANIC WHITE -			- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Fallopian tube (C57.0)

All ages-----	158	...	158	15	...	15	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	-	...	-
45-49 years-----	5	...	5	2	...	2	-	...	-
50-54 years-----	11	...	11	2	...	2	-	...	-
55-59 years-----	11	...	11	2	...	2	-	...	-
60-64 years-----	23	...	23	1	...	1	-	...	-
65-69 years-----	24	...	24	2	...	2	-	...	-
70-74 years-----	29	...	29	3	...	3	-	...	-
75-79 years-----	27	...	27	2	...	2	-	...	-
80-84 years-----	22	...	22	1	...	1	-	...	-
85-89 years-----	4	...	4	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Round ligament (C57.2)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Uterine adnexa, unspecified (C57.4)

All ages-----	-	...	-	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	1	...	1	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other specified female genital organs (C57.7)

All ages-----	19	...	19	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	-	...	-
55-59 years-----	2	...	2	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	-	...	-
70-74 years-----	5	...	5	-	...	-	-	...	-
75-79 years-----	3	...	3	1	...	1	-	...	-
80-84 years-----	4	...	4	-	...	-	-	...	-
85-89 years-----	2	...	2	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Overlapping lesion of female genital organs (C57.8)

All ages-----	3	...	3	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Female genital organ, unspecified (C57.9)

All ages-----	163	...	163	26	...	26	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	2	...	2	-	...	-	-	...	-
40-44 years-----	3	...	3	-	...	-	-	...	-
45-49 years-----	6	...	6	1	...	1	-	...	-
50-54 years-----	15	...	15	1	...	1	-	...	-
55-59 years-----	14	...	14	2	...	2	1	...	1
60-64 years-----	16	...	16	2	...	2	-	...	-
65-69 years-----	13	...	13	1	...	1	-	...	-
70-74 years-----	18	...	18	8	...	8	-	...	-
75-79 years-----	23	...	23	2	...	2	-	...	-
80-84 years-----	27	...	27	7	...	7	-	...	-
85-89 years-----	12	...	12	2	...	2	-	...	-
90-94 years-----	11	...	11	-	...	-	-	...	-
95-99 years-----	2	...	2	-	...	-	-	...	-
100 yrs & over---	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Malignant neoplasm of placenta (C58)

All ages-----	4	...	4	4	...	4	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-
30-34 years-----	2	...	2	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	2	...	2	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Malignant neoplasm of penis (C60)

All ages-----	152	152	...	22	22	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	-	-	...	-	-	...
40-44 years-----	4	4	...	3	3	...	-	-	...
45-49 years-----	4	4	...	-	-	...	-	-	...
50-54 years-----	5	5	...	1	1	...	-	-	...
55-59 years-----	10	10	...	2	2	...	-	-	...
60-64 years-----	14	14	...	6	6	...	-	-	...
65-69 years-----	22	22	...	1	1	...	-	-	...
70-74 years-----	20	20	...	3	3	...	-	-	...
75-79 years-----	21	21	...	3	3	...	1	1	...
80-84 years-----	25	25	...	2	2	...	-	-	...
85-89 years-----	15	15	...	1	1	...	-	-	...
90-94 years-----	10	10	...	-	-	...	-	-	...
95-99 years-----	1	1	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -			- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Prepuce (C60.0)

All ages-----	-	-	...	1	1	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	1	1	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Glans penis (C60.1)

All ages-----	-	-	...	1	1	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	1	1	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Penis, unspecified (C60.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	152	152	...	20	20	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	-	-	...	-	-	...
40-44 years-----	4	4	...	2	2	...	-	-	...
45-49 years-----	4	4	...	-	-	...	-	-	...
50-54 years-----	5	5	...	1	1	...	-	-	...
55-59 years-----	10	10	...	2	2	...	-	-	...
60-64 years-----	14	14	...	5	5	...	-	-	...
65-69 years-----	22	22	...	1	1	...	-	-	...
70-74 years-----	20	20	...	3	3	...	-	-	...
75-79 years-----	21	21	...	3	3	...	1	1	...
80-84 years-----	25	25	...	2	2	...	-	-	...
85-89 years-----	15	15	...	1	1	...	-	-	...
90-94 years-----	10	10	...	-	-	...	-	-	...
95-99 years-----	1	1	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Malignant neoplasm of prostate (C61)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	24,936	24,936	...	5,315	5,315	...	65	65	...
Under 1 year-----	1	1	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	1	1	...	-	-	...	-	-	...
35-39 years-----	4	4	...	1	1	...	-	-	...
40-44 years-----	19	19	...	6	6	...	-	-	...
45-49 years-----	65	65	...	31	31	...	1	1	...
50-54 years-----	179	179	...	74	74	...	-	-	...
55-59 years-----	430	430	...	157	157	...	1	1	...
60-64 years-----	880	880	...	355	355	...	5	5	...
65-69 years-----	1,930	1,930	...	619	619	...	3	3	...
70-74 years-----	3,483	3,483	...	905	905	...	14	14	...
75-79 years-----	5,134	5,134	...	1,092	1,092	...	15	15	...
80-84 years-----	5,716	5,716	...	935	935	...	9	9	...
85-89 years-----	4,488	4,488	...	709	709	...	13	13	...
90-94 years-----	2,038	2,038	...	310	310	...	2	2	...
95-99 years-----	499	499	...	102	102	...	2	2	...
100 yrs & over---	68	68	...	19	19	...	-	-	...
Not stated-----	1	1	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Malignant neoplasm of testis (C62)

All ages-----	305	305	...	23	23	...	4	4	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	1	1	...	-	-	...	-	-	...
15-19 years-----	3	3	...	1	1	...	-	-	...
20-24 years-----	15	15	...	2	2	...	-	-	...
25-29 years-----	33	33	...	3	3	...	2	2	...
30-34 years-----	42	42	...	3	3	...	-	-	...
35-39 years-----	45	45	...	5	5	...	1	1	...
40-44 years-----	51	51	...	3	3	...	-	-	...
45-49 years-----	38	38	...	1	1	...	-	-	...
50-54 years-----	16	16	...	2	2	...	-	-	...
55-59 years-----	15	15	...	-	-	...	1	1	...
60-64 years-----	8	8	...	2	2	...	-	-	...
65-69 years-----	9	9	...	-	-	...	-	-	...
70-74 years-----	9	9	...	1	1	...	-	-	...
75-79 years-----	2	2	...	-	-	...	-	-	...
80-84 years-----	13	13	...	-	-	...	-	-	...
85-89 years-----	5	5	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Undescended testis (C62.0)

All ages-----	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Testis, unspecified (C62.9)

All ages-----	304	304	...	23	23	...	4	4	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	1	1	...	-	-	...	-	-	...
15-19 years-----	3	3	...	1	1	...	-	-	...
20-24 years-----	15	15	...	2	2	...	-	-	...
25-29 years-----	33	33	...	3	3	...	2	2	...
30-34 years-----	42	42	...	3	3	...	-	-	...
35-39 years-----	45	45	...	5	5	...	1	1	...
40-44 years-----	51	51	...	3	3	...	-	-	...
45-49 years-----	38	38	...	1	1	...	-	-	...
50-54 years-----	16	16	...	2	2	...	-	-	...
55-59 years-----	15	15	...	-	-	...	1	1	...
60-64 years-----	8	8	...	2	2	...	-	-	...
65-69 years-----	9	9	...	-	-	...	-	-	...
70-74 years-----	9	9	...	1	1	...	-	-	...
75-79 years-----	2	2	...	-	-	...	-	-	...
80-84 years-----	12	12	...	-	-	...	-	-	...
85-89 years-----	5	5	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Malignant neoplasm of other and unspecified male genital organs (C63)

All ages-----	34	34	...	5	5	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	1	1	...	-	-	...	-	-	...
35-39 years-----	2	2	...	-	-	...	-	-	...
40-44 years-----	1	1	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	2	2	...	-	-	...	-	-	...
55-59 years-----	2	2	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	4	4	...	1	1	...	-	-	...
70-74 years-----	3	3	...	1	1	...	-	-	...
75-79 years-----	8	8	...	-	-	...	-	-	...
80-84 years-----	3	3	...	-	-	...	-	-	...
85-89 years-----	4	4	...	2	2	...	-	-	...
90-94 years-----	4	4	...	-	-	...	-	-	...
95-99 years-----	-	-	...	1	1	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-

Epididymis (C63.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	1	1	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Spermatic cord (C63.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	8	8	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	2	2	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	2	2	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	-	-	...
85-89 years-----	1	1	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-

Scrotum (C63.2)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	11	11	...	1	1	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	-	-	...	-	-	...
40-44 years-----	1	1	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	-	-	...	-	-	...
70-74 years-----	2	2	...	-	-	...	-	-	...
75-79 years-----	1	1	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	2	2	...	1	1	...	-	-	...
90-94 years-----	2	2	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Other specified male genital organs (C63.7)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	3	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	2	2	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
---------------------	---------------------------------	------	--------	---------------------------------	------	--------	----------------------------------	------	--------

Secondary malignant neoplasm of other specified sites (C79.8)

All ages-----	918	492	426	141	74	67	2	2	-
Under 1 year-----	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	2	1	1	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	-	-	-
35-39 years-----	5	-	5	3	-	3	-	-	-
40-44 years-----	24	15	9	6	4	2	-	-	-
45-49 years-----	29	18	11	8	6	2	-	-	-
50-54 years-----	53	40	13	11	8	3	-	-	-
55-59 years-----	78	57	21	22	13	9	1	1	-
60-64 years-----	82	56	26	24	16	8	1	1	-
65-69 years-----	112	62	50	13	10	3	-	-	-
70-74 years-----	132	80	52	15	5	10	-	-	-
75-79 years-----	126	70	56	15	7	8	-	-	-
80-84 years-----	113	39	74	9	3	6	-	-	-
85-89 years-----	94	38	56	4	-	4	-	-	-
90-94 years-----	44	11	33	7	1	6	-	-	-
95-99 years-----	20	2	18	4	1	3	-	-	-
100 yrs & over---	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Malignant neoplasm without specification of site (C80)

All ages-----	23,719	11,648	12,071	3,201	1,581	1,620	81	44	37
Under 1 year-----	3	2	1	-	-	-	-	-	-
1-4 years-----	6	3	3	2	2	-	-	-	-
5-9 years-----	5	2	3	-	-	-	-	-	-
10-14 years-----	7	5	2	1	1	-	-	-	-
15-19 years-----	13	8	5	1	1	-	-	-	-
20-24 years-----	29	19	10	8	5	3	-	-	-
25-29 years-----	48	30	18	8	1	7	-	-	-
30-34 years-----	90	57	33	16	11	5	-	-	-
35-39 years-----	190	100	90	46	21	25	2	-	2
40-44 years-----	427	205	222	104	46	58	3	1	2
45-49 years-----	663	346	317	173	99	74	5	3	2
50-54 years-----	1,051	571	480	229	129	100	2	-	2
55-59 years-----	1,475	821	654	289	174	115	5	3	2
60-64 years-----	2,025	1,137	888	377	197	180	10	5	5
65-69 years-----	2,842	1,540	1,302	405	227	178	6	2	4
70-74 years-----	3,689	1,984	1,705	468	229	239	17	12	5
75-79 years-----	3,982	1,973	2,009	402	182	220	12	8	4
80-84 years-----	3,478	1,507	1,971	311	133	178	11	8	3
85-89 years-----	2,356	940	1,416	207	74	133	5	2	3
90-94 years-----	1,021	321	700	115	42	73	2	-	2
95-99 years-----	289	70	219	32	7	25	-	-	-
100 yrs & over---	29	6	23	7	-	7	1	-	1
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other and unspecified female genital organs (D07.3)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Prostate (D07.5)

All ages-----	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Benign neoplasm of breast (D24)

All ages-----	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Leiomyoma of uterus (D25)

All ages-----	4	...	4	9	...	9	1	...	1
Under 1 year-----	-	...	-	1	...	1	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	2	...	2	-	...	-
35-39 years-----	-	...	-	3	...	3	1	...	1
40-44 years-----	-	...	-	1	...	1	-	...	-
45-49 years-----	2	...	2	1	...	1	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	1	...	1	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Leiomyoma of uterus, unspecified (D25.9)

All ages-----	4	...	4	9	...	9	1	...	1
Under 1 year-----	-	...	-	1	...	1	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	2	...	2	-	...	-
40-44 years-----	-	...	-	3	...	3	1	...	1
45-49 years-----	-	...	-	1	...	1	-	...	-
50-54 years-----	2	...	2	1	...	1	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	1	...	1	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other benign neoplasms of uterus (D26)

All ages-----	-	...	-	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	1	...	1	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Cervix uteri (D26.0)

All ages-----	-	...	-	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	1	...	1	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Benign neoplasm of ovary (D27)

All ages-----	11	...	11	2	...	2	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	1	...	1	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	2	...	2	1	...	1	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	2	...	2	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Respiratory organ, unspecified (D38.6)

All ages-----	3	1	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Neoplasm of uncertain or unknown behavior of female genital organs (D39)

All ages-----	57	...	57	15	...	15	-	...	-
Under 1 year-----	-	...	-	1	...	1	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	2	...	2	5	...	5	-	...	-
45-49 years-----	2	...	2	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	3	...	3	-	...	-	-	...	-
60-64 years-----	2	...	2	1	...	1	-	...	-
65-69 years-----	4	...	4	1	...	1	-	...	-
70-74 years-----	4	...	4	-	...	-	-	...	-
75-79 years-----	6	...	6	2	...	2	-	...	-
80-84 years-----	7	...	7	3	...	3	-	...	-
85-89 years-----	17	...	17	2	...	2	-	...	-
90-94 years-----	6	...	6	-	...	-	-	...	-
95-99 years-----	4	...	4	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-

Uterus (D39.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	16	...	16	9	...	9	-	...	-
Under 1 year-----	-	...	-	1	...	1	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	5	...	5	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-
70-74 years-----	1	...	1	-	...	-	-	...	-
75-79 years-----	2	...	2	1	...	1	-	...	-
80-84 years-----	2	...	2	-	...	-	-	...	-
85-89 years-----	6	...	6	1	...	1	-	...	-
90-94 years-----	2	...	2	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Ovary (D39.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	36	...	36	6	...	6	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	-	...	-
45-49 years-----	2	...	2	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	3	...	3	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-
65-69 years-----	1	...	1	-	...	-	-	...	-
70-74 years-----	3	...	3	-	...	-	-	...	-
75-79 years-----	4	...	4	1	...	1	-	...	-
80-84 years-----	5	...	5	3	...	3	-	...	-
85-89 years-----	9	...	9	1	...	1	-	...	-
90-94 years-----	4	...	4	-	...	-	-	...	-
95-99 years-----	3	...	3	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Placenta (D39.2)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other female genital organs (D39.7)

All ages-----	3	...	3	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Female genital organ, unspecified (D39.9)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Neoplasm of uncertain or unknown behavior of male genital organs (D40)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	11	11	...	4	4	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	1	1	...	-	-	...
55-59 years-----	2	2	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	2	2	...	1	1	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	2	2	...	-	-	...
80-84 years-----	4	4	...	-	-	...	-	-	...
85-89 years-----	1	1	...	-	-	...	-	-	...
90-94 years-----	2	2	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-

Prostate (D40.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	9	9	...	4	4	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	1	1	...	-	-	...
55-59 years-----	2	2	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	1	1	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	2	2	...	-	-	...
80-84 years-----	4	4	...	-	-	...	-	-	...
85-89 years-----	1	1	...	-	-	...	-	-	...
90-94 years-----	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Testis (D40.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Other male genital organs (D40.7)

All ages-----	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Male genital organ, unspecified (D40.9)

All ages-----	-	-	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
---------------------	-------------------------	-----------------	--------	-------------------------	-----------------	--------	----------------------------------	------	--------

Disorder of thyroid, unspecified (E07.9)

All ages-----	17	1	16	10	1	9	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	2	-	2	-	-	-
40-44 years-----	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	2	1	1	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	1	-	1	-	-	-
75-79 years-----	2	-	2	-	-	-	-	-	-
80-84 years-----	4	1	3	2	-	2	-	-	-
85-89 years-----	4	-	4	1	-	1	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-
95-99 years-----	1	-	1	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Insulin-dependent diabetes mellitus (E10)

All ages-----	6,526	2,959	3,567	1,357	548	809	30	17	13
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	4	1	3	1	1	-	-	-	-
5-9 years-----	1	-	1	-	-	-	-	-	-
10-14 years-----	4	2	2	4	1	3	-	-	-
15-19 years-----	10	5	5	4	-	4	-	-	-
20-24 years-----	16	8	8	6	1	5	-	-	-
25-29 years-----	50	26	24	20	9	11	-	-	-
30-34 years-----	65	33	32	16	10	6	1	1	-
35-39 years-----	138	91	47	42	25	17	-	-	-
40-44 years-----	201	119	82	48	24	24	1	1	-
45-49 years-----	275	167	108	65	41	24	1	-	1
50-54 years-----	300	172	128	103	51	52	3	3	-
55-59 years-----	377	223	154	109	55	54	1	1	-
60-64 years-----	441	239	202	135	57	78	4	3	1
65-69 years-----	632	315	317	152	55	97	2	1	1
70-74 years-----	824	374	450	187	79	108	5	2	3
75-79 years-----	1,057	449	608	164	65	99	3	1	2
80-84 years-----	941	362	579	133	38	95	3	1	2
85-89 years-----	746	268	478	104	24	80	3	1	2
90-94 years-----	334	84	250	43	10	33	1	-	1
95-99 years-----	102	20	82	19	2	17	1	1	-
100 yrs & over----	8	1	7	2	-	2	-	-	-
Not stated-----	-	-	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

With neurological complications (E10.4)

All ages-----	64	36	28	7	3	4	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	-	-	-	-	-	-
35-39 years-----	2	1	1	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	-	-	-
45-49 years-----	4	3	1	2	-	2	-	-	-
50-54 years-----	6	3	3	1	-	1	-	-	-
55-59 years-----	7	5	2	-	-	-	-	-	-
60-64 years-----	4	2	2	-	-	-	-	-	-
65-69 years-----	7	4	3	1	-	1	-	-	-
70-74 years-----	7	4	3	-	-	-	-	-	-
75-79 years-----	7	3	4	1	1	-	-	-	-
80-84 years-----	8	5	3	-	-	-	-	-	-
85-89 years-----	6	3	3	1	1	-	-	-	-
90-94 years-----	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	1	1	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

With peripheral circulatory complications (E10.5)

All ages-----	768	361	407	173	59	114	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	1	-	1	-	-	-
35-39 years-----	7	5	2	2	-	2	-	-	-
40-44 years-----	16	8	8	5	2	3	-	-	-
45-49 years-----	29	17	12	10	1	9	-	-	-
50-54 years-----	28	17	11	9	4	5	-	-	-
55-59 years-----	43	24	19	14	6	8	-	-	-
60-64 years-----	50	29	21	16	11	5	1	1	-
65-69 years-----	78	42	36	18	7	11	-	-	-
70-74 years-----	91	42	49	28	12	16	-	-	-
75-79 years-----	140	64	76	18	4	14	-	-	-
80-84 years-----	115	53	62	24	7	17	-	-	-
85-89 years-----	114	48	66	21	4	17	1	1	-
90-94 years-----	43	11	32	6	1	5	-	-	-
95-99 years-----	11	-	11	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-
Not stated-----	-	-	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Without complications (E13.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	8	6	2	4	3	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	-	1	-	-	-
35-39 years-----	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	-	-	-
65-69 years-----	2	2	-	2	2	-	-	-	-
70-74 years-----	2	1	1	1	1	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Unspecified diabetes mellitus (E14)

All ages-----	34,990	16,601	18,389	9,178	3,684	5,494	151	70	81
Under 1 year-----	2	-	2	-	-	-	-	-	-
1-4 years-----	2	2	-	1	-	1	-	-	-
5-9 years-----	7	4	3	1	-	1	-	-	-
10-14 years-----	7	3	4	4	4	-	-	-	-
15-19 years-----	26	16	10	8	4	4	1	-	1
20-24 years-----	42	23	19	24	14	10	2	-	2
25-29 years-----	72	37	35	26	11	15	2	1	1
30-34 years-----	171	102	69	94	53	41	2	1	1
35-39 years-----	309	190	119	140	78	62	2	-	2
40-44 years-----	536	320	216	242	132	110	1	1	-
45-49 years-----	831	534	297	418	235	183	3	2	1
50-54 years-----	1,264	770	494	546	271	275	8	7	1
55-59 years-----	1,727	990	737	735	352	383	12	6	6
60-64 years-----	2,416	1,342	1,074	945	422	523	14	8	6
65-69 years-----	3,510	1,881	1,629	1,134	507	627	15	10	5
70-74 years-----	4,960	2,570	2,390	1,293	475	818	17	9	8
75-79 years-----	6,078	2,957	3,121	1,281	455	826	20	7	13
80-84 years-----	5,821	2,567	3,254	1,055	339	716	25	7	18
85-89 years-----	4,269	1,564	2,705	731	218	513	14	6	8
90-94 years-----	2,239	612	1,627	371	94	277	10	4	6
95-99 years-----	617	104	513	103	16	87	3	1	2
100 yrs & over---	84	13	71	25	3	22	2	-	2
Not stated-----	-	-	-	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

With coma (E14.0)

All ages-----	390	144	246	101	47	54	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	1	-	1	-	-	-
10-14 years-----	-	-	-	1	1	-	-	-	-
15-19 years-----	-	-	-	1	-	1	-	-	-
20-24 years-----	2	1	1	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-
30-34 years-----	3	2	1	4	2	2	-	-	-
35-39 years-----	6	4	2	1	1	-	-	-	-
40-44 years-----	12	6	6	6	5	1	-	-	-
45-49 years-----	9	6	3	3	1	2	-	-	-
50-54 years-----	12	6	6	6	2	4	-	-	-
55-59 years-----	11	7	4	5	2	3	-	-	-
60-64 years-----	14	9	5	5	4	1	-	-	-
65-69 years-----	20	13	7	13	11	2	-	-	-
70-74 years-----	32	14	18	15	7	8	-	-	-
75-79 years-----	57	20	37	9	2	7	-	-	-
80-84 years-----	80	20	60	12	3	9	-	-	-
85-89 years-----	67	25	42	8	4	4	-	-	-
90-94 years-----	43	9	34	6	1	5	-	-	-
95-99 years-----	18	1	17	3	-	3	-	-	-
100 yrs & over----	3	-	3	1	-	1	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-

With ketoacidosis (E14.1)

All ages-----	1,005	530	475	424	238	186	6	3	3
Under 1 year-----	1	-	1	-	-	-	-	-	-
1-4 years-----	1	1	-	1	-	1	-	-	-
5-9 years-----	7	4	3	-	-	-	-	-	-
10-14 years-----	5	3	2	3	3	-	-	-	-
15-19 years-----	20	13	7	7	4	3	1	-	1
20-24 years-----	25	13	12	13	8	5	-	-	-
25-29 years-----	24	15	9	5	2	3	1	1	-
30-34 years-----	46	32	14	35	22	13	1	1	-
35-39 years-----	70	52	18	28	18	10	-	-	-
40-44 years-----	85	60	25	47	32	15	-	-	-
45-49 years-----	80	59	21	60	41	19	1	-	1
50-54 years-----	72	45	27	43	25	18	1	1	-
55-59 years-----	77	37	40	32	17	15	-	-	-
60-64 years-----	62	31	31	29	15	14	-	-	-
65-69 years-----	67	28	39	28	14	14	-	-	-
70-74 years-----	80	33	47	25	14	11	-	-	-
75-79 years-----	90	41	49	28	9	19	1	-	1
80-84 years-----	87	38	49	13	4	9	-	-	-
85-89 years-----	63	17	46	14	6	8	-	-	-
90-94 years-----	31	7	24	8	1	7	-	-	-
95-99 years-----	10	1	9	4	2	2	-	-	-
100 yrs & over----	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Disorder of adrenal gland, unspecified (E27.9)

All ages-----	7	3	4	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	1	1	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	-	-	-
70-74 years-----	3	1	2	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Ovarian dysfunction (E28)

All ages-----	2	...	2	2	...	2	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	1	...	1	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	1	...	1	-	...	-
55-59 years-----	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Polycystic ovarian syndrome (E28.2)

All ages-----	-	...	-	2	...	2	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	1	...	1	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	1	...	1	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Primary ovarian failure (E28.3)

All ages-----	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-

Testicular dysfunction (E29)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	3	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	-	-	...	-	-	...
75-79 years-----	2	2	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Testicular hypofunction (E29.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	3	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	-	-	...	-	-	...
75-79 years-----	2	2	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Mental and behavioral disorders due to use of alcohol (F10)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	4,267	3,321	946	1,072	830	242	79	72	7
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	-	-	-
15-19 years-----	8	6	2	1	1	-	-	-	-
20-24 years-----	26	18	8	2	1	1	1	1	-
25-29 years-----	45	39	6	7	5	2	1	1	-
30-34 years-----	129	87	42	22	14	8	3	3	-
35-39 years-----	328	244	84	94	65	29	7	7	-
40-44 years-----	559	445	114	131	94	37	11	9	2
45-49 years-----	690	546	144	179	134	45	12	11	1
50-54 years-----	567	475	92	155	121	34	14	13	1
55-59 years-----	479	377	102	150	127	23	6	5	1
60-64 years-----	421	332	89	118	96	22	12	12	-
65-69 years-----	336	252	84	86	74	12	4	4	-
70-74 years-----	253	187	66	61	50	11	4	3	1
75-79 years-----	224	172	52	40	30	10	2	2	-
80-84 years-----	115	91	24	19	13	6	-	-	-
85-89 years-----	58	38	20	7	5	2	-	-	-
90-94 years-----	18	9	9	-	-	-	-	-	-
95-99 years-----	8	2	6	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	2	1	1

Acute intoxication (F10.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	385	308	77	64	47	17	4	4	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	-	-	-
15-19 years-----	6	4	2	1	1	-	-	-	-
20-24 years-----	14	10	4	-	-	-	-	-	-
25-29 years-----	14	13	1	1	1	-	-	-	-
30-34 years-----	25	21	4	5	4	1	1	1	-
35-39 years-----	48	40	8	7	4	3	1	1	-
40-44 years-----	71	61	10	11	8	3	1	1	-
45-49 years-----	82	68	14	14	9	5	-	-	-
50-54 years-----	45	35	10	8	7	1	-	-	-
55-59 years-----	30	24	6	5	4	1	-	-	-
60-64 years-----	17	11	6	7	7	-	-	-	-
65-69 years-----	15	11	4	1	-	1	-	-	-
70-74 years-----	8	6	2	2	1	1	-	-	-
75-79 years-----	5	3	2	1	1	-	-	-	-
80-84 years-----	3	1	2	1	-	1	-	-	-
85-89 years-----	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Harmful use (F10.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1,007	786	221	341	269	72	12	10	2
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	7	5	2	1	1	-	-	-	-
25-29 years-----	8	7	1	3	1	2	1	1	-
30-34 years-----	25	16	9	6	3	3	-	-	-
35-39 years-----	67	51	16	22	16	6	-	-	-
40-44 years-----	128	97	31	47	34	13	3	3	-
45-49 years-----	171	133	38	48	36	12	3	2	1
50-54 years-----	129	112	17	56	44	12	1	-	1
55-59 years-----	119	100	19	51	46	5	2	2	-
60-64 years-----	103	86	17	33	28	5	2	2	-
65-69 years-----	83	60	23	35	31	4	-	-	-
70-74 years-----	63	43	20	21	15	6	-	-	-
75-79 years-----	54	37	17	14	10	4	-	-	-
80-84 years-----	30	25	5	4	4	-	-	-	-
85-89 years-----	13	11	2	-	-	-	-	-	-
90-94 years-----	6	3	3	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Dependence syndrome (F10.2)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2,333	1,818	515	549	421	128	59	55	4
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	3	1	2	1	-	1	-	-	-
25-29 years-----	18	16	2	2	2	-	-	-	-
30-34 years-----	67	41	26	11	7	4	2	2	-
35-39 years-----	186	130	56	55	37	18	6	6	-
40-44 years-----	318	259	59	59	42	17	6	4	2
45-49 years-----	385	310	75	99	74	25	9	9	-
50-54 years-----	340	285	55	75	60	15	13	13	-
55-59 years-----	276	209	67	77	61	16	4	3	1
60-64 years-----	249	193	56	67	54	13	9	9	-
65-69 years-----	195	149	46	43	37	6	4	4	-
70-74 years-----	131	100	31	27	25	2	3	3	-
75-79 years-----	99	79	20	23	17	6	2	2	-
80-84 years-----	41	32	9	8	4	4	-	-	-
85-89 years-----	18	11	7	2	1	1	-	-	-
90-94 years-----	3	2	1	-	-	-	-	-	-
95-99 years-----	3	-	3	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	-	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Angina pectoris, unspecified (I20.9)

All ages-----	325	112	213	30	8	22	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	-	-	-
45-49 years-----	2	2	-	1	-	1	-	-	-
50-54 years-----	6	4	2	1	-	1	-	-	-
55-59 years-----	4	3	1	2	1	1	-	-	-
60-64 years-----	9	5	4	-	-	-	-	-	-
65-69 years-----	12	5	7	1	-	1	-	-	-
70-74 years-----	18	12	6	3	1	2	-	-	-
75-79 years-----	35	18	17	7	3	4	-	-	-
80-84 years-----	53	22	31	3	2	1	-	-	-
85-89 years-----	76	21	55	2	-	2	-	-	-
90-94 years-----	68	14	54	5	1	4	-	-	-
95-99 years-----	30	5	25	3	-	3	-	-	-
100 yrs & over----	10	-	10	2	-	2	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Acute myocardial infarction (I21)

All ages-----	169,542	89,141	80,401	19,120	9,106	10,014	567	319	248
Under 1 year-----	7	3	4	4	3	1	-	-	-
1-4 years-----	2	1	1	-	-	-	-	-	-
5-9 years-----	3	1	2	2	2	-	-	-	-
10-14 years-----	3	3	-	3	1	2	-	-	-
15-19 years-----	17	11	6	6	3	3	-	-	-
20-24 years-----	18	15	3	13	7	6	-	-	-
25-29 years-----	66	41	25	22	16	6	-	-	-
30-34 years-----	227	161	66	66	45	21	-	-	-
35-39 years-----	710	546	164	159	104	55	6	5	1
40-44 years-----	1,736	1,361	375	421	270	151	11	11	-
45-49 years-----	3,229	2,591	638	685	434	251	13	10	3
50-54 years-----	5,175	4,080	1,095	968	621	347	18	12	6
55-59 years-----	7,279	5,420	1,859	1,262	812	450	41	32	9
60-64 years-----	9,836	6,899	2,937	1,600	931	669	37	27	10
65-69 years-----	14,202	9,342	4,860	2,011	1,113	898	48	26	22
70-74 years-----	20,136	12,449	7,687	2,531	1,262	1,269	80	56	24
75-79 years-----	26,593	14,792	11,801	2,751	1,236	1,515	83	48	35
80-84 years-----	29,696	14,312	15,384	2,505	975	1,530	80	38	42
85-89 years-----	27,115	10,742	16,373	2,164	758	1,406	74	30	44
90-94 years-----	16,434	4,907	11,527	1,248	355	893	53	17	36
95-99 years-----	5,930	1,307	4,623	538	127	411	14	5	9
100 yrs & over----	1,126	157	969	159	30	129	6	1	5
Not stated-----	2	-	2	2	1	1	3	1	2

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Acute subendocardial myocardial infarction (I21.4)

All ages-----	253	132	121	31	11	20	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	1	1	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	-	-	-
40-44 years-----	1	1	-	2	1	1	-	-	-
45-49 years-----	1	1	-	1	-	1	-	-	-
50-54 years-----	2	1	1	1	-	1	-	-	-
55-59 years-----	6	4	2	1	1	-	-	-	-
60-64 years-----	12	8	4	5	2	3	-	-	-
65-69 years-----	17	10	7	5	1	4	-	-	-
70-74 years-----	30	20	10	3	3	-	-	-	-
75-79 years-----	48	27	21	6	1	5	-	-	-
80-84 years-----	42	20	22	1	-	1	-	-	-
85-89 years-----	49	24	25	2	1	1	-	-	-
90-94 years-----	30	9	21	3	-	3	-	-	-
95-99 years-----	13	5	8	-	-	-	-	-	-
100 yrs & over----	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Acute myocardial infarction, unspecified (I21.9)

All ages-----	169,241	88,980	80,261	19,081	9,091	9,990	567	319	248
Under 1 year-----	7	3	4	4	3	1	-	-	-
1-4 years-----	2	1	1	-	-	-	-	-	-
5-9 years-----	3	1	2	2	2	-	-	-	-
10-14 years-----	3	3	-	3	1	2	-	-	-
15-19 years-----	17	11	6	6	3	3	-	-	-
20-24 years-----	18	15	3	13	7	6	-	-	-
25-29 years-----	66	41	25	21	15	6	-	-	-
30-34 years-----	227	161	66	64	43	21	-	-	-
35-39 years-----	709	545	164	158	104	54	6	5	1
40-44 years-----	1,734	1,359	375	419	269	150	11	11	-
45-49 years-----	3,225	2,587	638	684	434	250	13	10	3
50-54 years-----	5,170	4,076	1,094	966	620	346	18	12	6
55-59 years-----	7,270	5,414	1,856	1,261	811	450	41	32	9
60-64 years-----	9,818	6,887	2,931	1,595	929	666	37	27	10
65-69 years-----	14,182	9,329	4,853	2,006	1,112	894	48	26	22
70-74 years-----	20,105	12,429	7,676	2,527	1,259	1,268	80	56	24
75-79 years-----	26,533	14,759	11,774	2,743	1,234	1,509	83	48	35
80-84 years-----	29,648	14,291	15,357	2,503	975	1,528	80	38	42
85-89 years-----	27,058	10,714	16,344	2,162	757	1,405	74	30	44
90-94 years-----	16,402	4,896	11,506	1,245	355	890	53	17	36
95-99 years-----	5,917	1,302	4,615	538	127	411	14	5	9
100 yrs & over----	1,125	156	969	159	30	129	6	1	5
Not stated-----	2	-	2	2	1	1	3	1	2

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Acute ischemic heart disease, unspecified (I24.9)

All ages-----	524	243	281	64	28	36	4	-	4
Under 1 year-----	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	-	-	-	-	-	-
40-44 years-----	9	8	1	2	1	1	-	-	-
45-49 years-----	8	5	3	5	4	1	-	-	-
50-54 years-----	16	11	5	2	1	1	-	-	-
55-59 years-----	26	18	8	6	4	2	-	-	-
60-64 years-----	21	9	12	6	3	3	-	-	-
65-69 years-----	42	28	14	4	-	4	1	-	1
70-74 years-----	54	29	25	11	6	5	-	-	-
75-79 years-----	75	42	33	11	1	10	-	-	-
80-84 years-----	97	41	56	7	6	1	-	-	-
85-89 years-----	93	32	61	5	-	5	-	-	-
90-94 years-----	49	12	37	3	1	2	3	-	3
95-99 years-----	24	4	20	2	1	1	-	-	-
100 yrs & over---	6	-	6	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Chronic ischemic heart disease (I25)

All ages-----	275,284	135,238	140,046	31,778	15,372	16,406	1,444	817	627
Under 1 year-----	8	4	4	2	1	1	-	-	-
1-4 years-----	1	1	-	1	-	1	-	-	-
5-9 years-----	4	4	-	2	1	1	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-
15-19 years-----	14	10	4	6	5	1	1	-	1
20-24 years-----	24	18	6	19	9	10	-	-	-
25-29 years-----	87	58	29	30	22	8	1	1	-
30-34 years-----	280	218	62	93	65	28	-	-	-
35-39 years-----	1,001	754	247	295	204	91	8	7	1
40-44 years-----	2,104	1,712	392	650	444	206	16	14	2
45-49 years-----	3,729	3,044	685	1,028	700	328	29	25	4
50-54 years-----	6,111	4,738	1,373	1,605	1,099	506	56	44	12
55-59 years-----	8,218	6,156	2,062	2,052	1,327	725	57	46	11
60-64 years-----	11,365	8,025	3,340	2,542	1,603	939	111	90	21
65-69 years-----	17,370	11,829	5,541	3,280	1,857	1,423	112	86	26
70-74 years-----	27,808	17,562	10,246	4,007	2,147	1,860	187	132	55
75-79 years-----	40,522	23,078	17,444	4,496	2,119	2,377	218	130	88
80-84 years-----	48,922	24,157	24,765	4,028	1,614	2,414	223	92	131
85-89 years-----	50,542	19,591	30,951	3,667	1,202	2,465	200	91	109
90-94 years-----	37,342	10,513	26,829	2,394	650	1,744	134	37	97
95-99 years-----	16,028	3,209	12,819	1,192	239	953	70	15	55
100 yrs & over---	3,790	545	3,245	379	55	324	16	2	14
Not stated-----	13	11	2	9	8	1	5	5	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Atherosclerotic cardiovascular disease, so described (I25.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	56,375	27,943	28,432	10,643	5,692	4,951	490	335	155
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	1	-	1	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	5	5	-	7	4	3	-	-	-
25-29 years-----	16	11	5	8	5	3	-	-	-
30-34 years-----	80	62	18	33	22	11	-	-	-
35-39 years-----	310	244	66	110	80	30	3	3	-
40-44 years-----	707	594	113	248	174	74	8	8	-
45-49 years-----	1,191	984	207	433	313	120	11	10	1
50-54 years-----	1,964	1,574	390	672	479	193	31	25	6
55-59 years-----	2,508	1,960	548	876	604	272	28	23	5
60-64 years-----	3,118	2,248	870	1,028	674	354	61	53	8
65-69 years-----	3,954	2,715	1,239	1,194	746	448	46	36	10
70-74 years-----	5,711	3,512	2,199	1,359	772	587	78	61	17
75-79 years-----	7,580	4,093	3,487	1,435	717	718	84	56	28
80-84 years-----	8,937	4,004	4,933	1,158	493	665	64	31	33
85-89 years-----	9,244	3,358	5,886	1,004	344	660	49	23	26
90-94 years-----	7,180	1,884	5,296	666	185	481	15	2	13
95-99 years-----	3,136	583	2,553	302	63	239	7	1	6
100 yrs & over---	723	103	620	101	9	92	2	-	2
Not stated-----	10	8	2	8	8	-	3	3	-

Atherosclerotic heart disease (I25.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	195,450	94,147	101,303	18,915	8,555	10,360	890	439	451
Under 1 year-----	3	1	2	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	-	-	-
5-9 years-----	2	2	-	2	1	1	-	-	-
10-14 years-----	-	-	-	1	1	-	-	-	-
15-19 years-----	8	5	3	5	4	1	1	-	1
20-24 years-----	15	13	2	8	3	5	-	-	-
25-29 years-----	63	43	20	18	15	3	1	1	-
30-34 years-----	185	147	38	48	35	13	-	-	-
35-39 years-----	619	463	156	155	105	50	5	4	1
40-44 years-----	1,279	1,022	257	352	242	110	8	6	2
45-49 years-----	2,281	1,863	418	509	335	174	17	14	3
50-54 years-----	3,683	2,802	881	783	515	268	23	17	6
55-59 years-----	5,012	3,676	1,336	1,023	627	396	26	21	5
60-64 years-----	7,137	4,963	2,174	1,345	818	527	46	34	12
65-69 years-----	11,688	7,894	3,794	1,858	989	869	56	42	14
70-74 years-----	19,245	12,123	7,122	2,350	1,204	1,146	99	61	38
75-79 years-----	29,060	16,527	12,533	2,717	1,242	1,475	131	73	58
80-84 years-----	35,473	17,613	17,860	2,596	1,014	1,582	148	54	94
85-89 years-----	37,171	14,413	22,758	2,438	770	1,668	139	61	78
90-94 years-----	27,658	7,768	19,890	1,600	432	1,168	113	33	80
95-99 years-----	11,956	2,396	9,560	847	163	684	62	14	48
100 yrs & over---	2,908	409	2,499	259	40	219	13	2	11
Not stated-----	3	3	-	1	-	1	2	2	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Cardiomyopathy (I42)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	20,731	11,771	8,960	4,737	2,801	1,936	64	48	16
Under 1 year-----	65	33	32	29	16	13	-	-	-
1-4 years-----	20	10	10	5	1	4	-	-	-
5-9 years-----	15	6	9	6	4	2	-	-	-
10-14 years-----	22	15	7	20	14	6	-	-	-
15-19 years-----	62	43	19	54	42	12	-	-	-
20-24 years-----	62	42	20	51	33	18	-	-	-
25-29 years-----	112	74	38	85	58	27	2	1	1
30-34 years-----	200	137	63	121	76	45	1	1	-
35-39 years-----	367	260	107	235	164	71	3	3	-
40-44 years-----	499	377	122	331	216	115	6	4	2
45-49 years-----	651	475	176	377	246	131	5	5	-
50-54 years-----	830	586	244	398	270	128	2	2	-
55-59 years-----	1,000	701	299	402	275	127	5	4	1
60-64 years-----	1,213	799	414	431	272	159	5	4	1
65-69 years-----	1,825	1,206	619	443	270	173	6	4	2
70-74 years-----	2,497	1,571	926	472	281	191	9	7	2
75-79 years-----	3,051	1,804	1,247	439	219	220	4	2	2
80-84 years-----	3,178	1,667	1,511	358	160	198	5	5	-
85-89 years-----	2,821	1,257	1,564	283	121	162	9	5	4
90-94 years-----	1,600	567	1,033	133	44	89	1	1	-
95-99 years-----	538	126	412	50	17	33	-	-	-
100 yrs & over---	103	15	88	13	2	11	1	-	1
Not stated-----	-	-	-	1	-	1	-	-	-

Dilated cardiomyopathy (I42.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	3,726	2,336	1,390	1,247	772	475	20	16	4
Under 1 year-----	5	3	2	5	3	2	-	-	-
1-4 years-----	4	-	4	3	-	3	-	-	-
5-9 years-----	3	1	2	2	1	1	-	-	-
10-14 years-----	5	4	1	4	2	2	-	-	-
15-19 years-----	9	3	6	9	5	4	-	-	-
20-24 years-----	14	8	6	13	9	4	-	-	-
25-29 years-----	37	26	11	32	23	9	1	-	1
30-34 years-----	49	32	17	46	29	17	-	-	-
35-39 years-----	107	79	28	100	62	38	2	2	-
40-44 years-----	141	114	27	127	85	42	2	1	1
45-49 years-----	210	149	61	129	88	41	3	3	-
50-54 years-----	216	149	67	114	82	32	2	2	-
55-59 years-----	270	186	84	110	80	30	2	2	-
60-64 years-----	294	195	99	125	76	49	3	3	-
65-69 years-----	369	253	116	110	68	42	1	-	1
70-74 years-----	477	328	149	109	68	41	4	3	1
75-79 years-----	476	299	177	81	36	45	-	-	-
80-84 years-----	481	273	208	62	28	34	-	-	-
85-89 years-----	319	152	167	44	21	23	-	-	-
90-94 years-----	178	65	113	14	4	10	-	-	-
95-99 years-----	56	16	40	3	1	2	-	-	-
100 yrs & over---	6	1	5	4	1	3	-	-	-
Not stated-----	-	-	-	1	-	1	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Cardiac arrhythmia, unspecified (I49.9)

All ages-----	6,024	2,777	3,247	905	438	467	18	10	8
Under 1 year-----	3	1	2	2	1	1	-	-	-
1-4 years-----	6	6	-	4	2	2	-	-	-
5-9 years-----	4	3	1	2	1	1	-	-	-
10-14 years-----	14	8	6	1	1	-	-	-	-
15-19 years-----	24	17	7	7	5	2	-	-	-
20-24 years-----	33	20	13	20	13	7	-	-	-
25-29 years-----	48	28	20	15	7	8	-	-	-
30-34 years-----	48	33	15	25	16	9	-	-	-
35-39 years-----	69	43	26	27	14	13	-	-	-
40-44 years-----	130	85	45	32	18	14	-	-	-
45-49 years-----	146	100	46	43	22	21	-	-	-
50-54 years-----	201	126	75	46	31	15	-	-	-
55-59 years-----	256	166	90	58	37	21	3	2	1
60-64 years-----	325	195	130	85	45	40	3	1	2
65-69 years-----	364	220	144	79	44	35	2	2	-
70-74 years-----	661	359	302	83	45	38	1	-	1
75-79 years-----	763	378	385	105	47	58	-	-	-
80-84 years-----	920	390	530	98	41	57	3	3	-
85-89 years-----	947	335	612	84	24	60	4	1	3
90-94 years-----	676	197	479	59	18	41	2	1	1
95-99 years-----	294	57	237	26	6	20	-	-	-
100 yrs & over---	91	10	81	4	-	4	-	-	-
Not stated-----	1	-	1	-	-	-	-	-	-

Heart failure (I50)

All ages-----	47,977	17,903	30,074	4,961	2,005	2,956	143	63	80
Under 1 year-----	5	2	3	3	2	1	-	-	-
1-4 years-----	4	2	2	2	2	-	-	-	-
5-9 years-----	3	2	1	2	1	1	-	-	-
10-14 years-----	5	3	2	1	-	1	-	-	-
15-19 years-----	8	7	1	4	3	1	-	-	-
20-24 years-----	7	4	3	8	5	3	-	-	-
25-29 years-----	11	4	7	13	7	6	-	-	-
30-34 years-----	19	10	9	17	8	9	-	-	-
35-39 years-----	50	29	21	28	16	12	1	-	1
40-44 years-----	106	71	35	65	34	31	-	-	-
45-49 years-----	173	110	63	109	67	42	2	1	1
50-54 years-----	307	196	111	148	89	59	1	-	1
55-59 years-----	594	369	225	212	111	101	3	2	1
60-64 years-----	943	553	390	234	127	107	10	6	4
65-69 years-----	1,751	969	782	380	198	182	5	3	2
70-74 years-----	3,551	1,951	1,600	542	244	298	9	5	4
75-79 years-----	5,924	2,828	3,096	724	304	420	19	9	10
80-84 years-----	8,778	3,644	5,134	744	273	471	22	10	12
85-89 years-----	10,984	3,725	7,259	817	284	533	35	19	16
90-94 years-----	9,358	2,388	6,970	514	141	373	27	6	21
95-99 years-----	4,391	885	3,506	315	69	246	8	2	6
100 yrs & over---	1,005	151	854	78	19	59	1	-	1
Not stated-----	-	-	-	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Heart failure, unspecified (I50.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	3,276	1,411	1,865	490	213	277	22	10	12
Under 1 year-----	3	1	2	2	2	-	-	-	-
1-4 years-----	-	-	-	1	1	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	-	1	-	-	-
15-19 years-----	1	1	-	2	1	1	-	-	-
20-24 years-----	2	1	1	2	2	-	-	-	-
25-29 years-----	4	2	2	-	-	-	-	-	-
30-34 years-----	7	2	5	5	2	3	-	-	-
35-39 years-----	15	10	5	6	1	5	-	-	-
40-44 years-----	19	13	6	13	8	5	-	-	-
45-49 years-----	41	26	15	14	9	5	1	-	1
50-54 years-----	63	40	23	18	13	5	-	-	-
55-59 years-----	110	70	40	37	23	14	-	-	-
60-64 years-----	134	91	43	32	17	15	3	2	1
65-69 years-----	175	110	65	43	25	18	4	3	1
70-74 years-----	333	187	146	54	25	29	1	1	-
75-79 years-----	448	226	222	74	29	45	-	-	-
80-84 years-----	534	239	295	57	17	40	3	1	2
85-89 years-----	591	215	376	67	23	44	7	3	4
90-94 years-----	490	120	370	38	7	31	3	-	3
95-99 years-----	246	45	201	16	5	11	-	-	-
100 yrs & over----	59	11	48	8	3	5	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Complications and ill-defined descriptions of heart disease (I51)

All ages-----	6,966	3,435	3,531	1,313	695	618	32	17	15
Under 1 year-----	21	12	9	20	10	10	-	-	-
1-4 years-----	15	11	4	18	10	8	1	-	1
5-9 years-----	7	4	3	4	2	2	-	-	-
10-14 years-----	12	6	6	7	4	3	1	1	-
15-19 years-----	42	27	15	16	12	4	1	1	-
20-24 years-----	44	32	12	24	14	10	1	1	-
25-29 years-----	44	33	11	25	17	8	-	-	-
30-34 years-----	75	56	19	48	34	14	1	1	-
35-39 years-----	139	105	34	63	41	22	1	1	-
40-44 years-----	184	120	64	82	52	30	2	1	1
45-49 years-----	225	168	57	82	46	36	-	-	-
50-54 years-----	238	160	78	71	45	26	1	1	-
55-59 years-----	282	196	86	91	57	34	2	1	1
60-64 years-----	351	249	102	105	61	44	3	1	2
65-69 years-----	416	274	142	106	64	42	1	1	-
70-74 years-----	629	368	261	99	58	41	5	2	3
75-79 years-----	866	471	395	137	62	75	6	2	4
80-84 years-----	1,035	450	585	94	43	51	1	1	-
85-89 years-----	1,137	388	749	120	43	77	4	2	2
90-94 years-----	783	222	561	59	14	45	1	-	1
95-99 years-----	344	73	271	25	2	23	-	-	-
100 yrs & over----	76	9	67	17	4	13	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Cardiovascular disease, unspecified (I51.6)

All ages-----	3,184	1,424	1,760	533	250	283	9	5	4
Under 1 year-----	-	-	-	2	-	2	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	2	1	1	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	3	2	1	4	4	-	-	-	-
35-39 years-----	8	3	5	3	1	2	-	-	-
40-44 years-----	15	12	3	13	9	4	-	-	-
45-49 years-----	37	28	9	12	9	3	-	-	-
50-54 years-----	56	41	15	17	10	7	-	-	-
55-59 years-----	106	80	26	43	28	15	-	-	-
60-64 years-----	128	92	36	48	26	22	2	1	1
65-69 years-----	195	130	65	56	31	25	-	-	-
70-74 years-----	294	175	119	58	31	27	1	1	-
75-79 years-----	438	243	195	79	36	43	1	-	1
80-84 years-----	538	234	304	61	27	34	1	1	-
85-89 years-----	656	214	442	69	24	45	4	2	2
90-94 years-----	458	121	337	41	9	32	-	-	-
95-99 years-----	212	44	168	14	1	13	-	-	-
100 yrs & over---	37	3	34	11	3	8	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Cardiomegaly (I51.7)

All ages-----	936	585	351	304	184	120	8	6	2
Under 1 year-----	4	3	1	4	1	3	-	-	-
1-4 years-----	1	1	-	2	1	1	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	3	2	1	-	-	-
15-19 years-----	13	13	-	6	5	1	-	-	-
20-24 years-----	17	14	3	9	7	2	1	1	-
25-29 years-----	24	20	4	15	11	4	-	-	-
30-34 years-----	43	34	9	22	17	5	-	-	-
35-39 years-----	84	72	12	35	24	11	1	1	-
40-44 years-----	94	65	29	47	29	18	1	1	-
45-49 years-----	109	92	17	41	20	21	-	-	-
50-54 years-----	77	52	25	29	21	8	-	-	-
55-59 years-----	53	34	19	29	18	11	1	-	1
60-64 years-----	65	45	20	15	7	8	-	-	-
65-69 years-----	31	17	14	15	9	6	-	-	-
70-74 years-----	46	25	21	9	6	3	1	1	-
75-79 years-----	67	28	39	8	3	5	2	2	-
80-84 years-----	76	31	45	4	-	4	-	-	-
85-89 years-----	62	20	42	7	2	5	-	-	-
90-94 years-----	42	11	31	2	-	2	1	-	1
95-99 years-----	19	5	14	1	-	1	-	-	-
100 yrs & over---	6	1	5	1	1	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
---------------------	----------------------	------------	--------	----------------------	------------	--------	-------------------------------	------	--------

Phlebitis and thrombophlebitis of other deep vessels of lower extremities (I80.2)

All ages-----	1,321	479	842	301	131	170	8	5	3
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	-	-	-
15-19 years-----	2	1	1	4	2	2	-	-	-
20-24 years-----	3	2	1	7	2	5	-	-	-
25-29 years-----	10	5	5	7	4	3	-	-	-
30-34 years-----	23	10	13	9	7	2	-	-	-
35-39 years-----	31	12	19	19	11	8	1	1	-
40-44 years-----	66	35	31	28	16	12	1	1	-
45-49 years-----	48	25	23	22	9	13	-	-	-
50-54 years-----	40	18	22	21	9	12	-	-	-
55-59 years-----	69	29	40	15	8	7	1	1	-
60-64 years-----	64	27	37	17	7	10	-	-	-
65-69 years-----	87	40	47	28	19	9	1	1	-
70-74 years-----	113	56	57	19	7	12	1	1	-
75-79 years-----	162	59	103	30	14	16	2	-	2
80-84 years-----	234	79	155	29	8	21	-	-	-
85-89 years-----	202	52	150	25	7	18	-	-	-
90-94 years-----	107	19	88	16	-	16	1	-	1
95-99 years-----	50	10	40	5	1	4	-	-	-
100 yrs & over---	9	-	9	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Phlebitis and thrombophlebitis of lower extremities, unspecified (I80.3)

All ages-----	274	114	160	52	20	32	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	-	-	-
25-29 years-----	2	1	1	1	-	1	-	-	-
30-34 years-----	4	2	2	5	2	3	1	-	1
35-39 years-----	8	7	1	5	2	3	1	1	-
40-44 years-----	9	5	4	6	3	3	-	-	-
45-49 years-----	18	8	10	7	2	5	-	-	-
50-54 years-----	15	7	8	1	-	1	-	-	-
55-59 years-----	17	6	11	3	1	2	-	-	-
60-64 years-----	19	10	9	4	2	2	-	-	-
65-69 years-----	22	14	8	7	3	4	-	-	-
70-74 years-----	31	15	16	2	1	1	-	-	-
75-79 years-----	33	13	20	3	2	1	-	-	-
80-84 years-----	30	13	17	3	2	1	-	-	-
85-89 years-----	25	4	21	4	-	4	-	-	-
90-94 years-----	26	7	19	1	-	1	-	-	-
95-99 years-----	12	2	10	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	-	-	-
Not stated-----	1	-	1	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Varicose veins of other sites (I86)

All ages-----	28	17	11	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	-	-	-	-	-	-
45-49 years-----	2	1	1	-	-	-	-	-	-
50-54 years-----	2	2	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	-	1	-	-	-
65-69 years-----	3	2	1	-	-	-	-	-	-
70-74 years-----	5	1	4	-	-	-	-	-	-
75-79 years-----	4	3	1	-	-	-	-	-	-
80-84 years-----	6	5	1	-	-	-	-	-	-
85-89 years-----	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Scrotal varices (I86.1)

All ages-----	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	1	1	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Pneumonia due to Hemophilus influenzae (J14)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	39	18	21	4	2	2	-	-	-
Under 1 year-----	1	-	1	3	2	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	1	-	1	-	-	-
60-64 years-----	1	1	-	-	-	-	-	-	-
65-69 years-----	3	-	3	-	-	-	-	-	-
70-74 years-----	5	3	2	-	-	-	-	-	-
75-79 years-----	2	1	1	-	-	-	-	-	-
80-84 years-----	9	6	3	-	-	-	-	-	-
85-89 years-----	12	4	8	-	-	-	-	-	-
90-94 years-----	3	1	2	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Bacterial pneumonia, not elsewhere classified (J15)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	2,568	1,252	1,316	334	183	151	12	6	6
Under 1 year-----	21	9	12	14	5	9	-	-	-
1-4 years-----	7	2	5	3	2	1	-	-	-
5-9 years-----	3	2	1	-	-	-	-	-	-
10-14 years-----	4	2	2	1	-	1	-	-	-
15-19 years-----	3	2	1	1	-	1	-	-	-
20-24 years-----	4	1	3	1	-	1	-	-	-
25-29 years-----	5	3	2	3	3	-	-	-	-
30-34 years-----	8	6	2	5	1	4	-	-	-
35-39 years-----	29	12	17	9	6	3	1	1	-
40-44 years-----	31	15	16	15	9	6	-	-	-
45-49 years-----	39	23	16	18	12	6	2	1	1
50-54 years-----	50	33	17	13	12	1	1	1	-
55-59 years-----	74	41	33	20	15	5	3	2	1
60-64 years-----	94	49	45	23	9	14	-	-	-
65-69 years-----	141	90	51	23	13	10	1	-	1
70-74 years-----	253	145	108	45	27	18	1	1	-
75-79 years-----	376	200	176	41	22	19	1	-	1
80-84 years-----	489	244	245	37	20	17	-	-	-
85-89 years-----	470	217	253	33	17	16	1	-	1
90-94 years-----	320	106	214	20	8	12	1	-	1
95-99 years-----	117	42	75	6	2	4	-	-	-
100 yrs & over----	29	8	21	3	-	3	-	-	-
Not stated-----	1	-	1	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other bacterial pneumonia (J15.8)

All ages-----	68	33	35	14	8	6	-	-	-
Under 1 year-----	-	-	-	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	1	-	1	-	-	-
40-44 years-----	1	-	1	1	1	-	-	-	-
45-49 years-----	3	2	1	-	-	-	-	-	-
50-54 years-----	-	-	-	3	3	-	-	-	-
55-59 years-----	3	2	1	1	1	-	-	-	-
60-64 years-----	4	3	1	3	1	2	-	-	-
65-69 years-----	8	6	2	1	1	-	-	-	-
70-74 years-----	5	1	4	1	1	-	-	-	-
75-79 years-----	8	4	4	-	-	-	-	-	-
80-84 years-----	21	12	9	1	-	1	-	-	-
85-89 years-----	12	3	9	1	-	1	-	-	-
90-94 years-----	1	-	1	-	-	-	-	-	-
95-99 years-----	2	-	2	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Bacterial pneumonia, unspecified (J15.9)

All ages-----	1,018	428	590	131	73	58	8	5	3
Under 1 year-----	5	1	4	3	1	2	-	-	-
1-4 years-----	1	-	1	2	1	1	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	1	1	-	-	-	-
35-39 years-----	7	3	4	3	3	-	1	1	-
40-44 years-----	3	3	-	3	2	1	-	-	-
45-49 years-----	8	4	4	8	7	1	1	1	-
50-54 years-----	8	6	2	2	2	-	1	1	-
55-59 years-----	19	11	8	7	7	-	2	1	1
60-64 years-----	23	11	12	12	6	6	-	-	-
65-69 years-----	34	22	12	13	6	7	-	-	-
70-74 years-----	84	47	37	18	10	8	1	1	-
75-79 years-----	128	64	64	18	9	9	-	-	-
80-84 years-----	203	93	110	12	6	6	-	-	-
85-89 years-----	208	82	126	13	6	7	1	-	1
90-94 years-----	184	50	134	14	6	8	1	-	1
95-99 years-----	76	24	52	-	-	-	-	-	-
100 yrs & over----	25	6	19	2	-	2	-	-	-
Not stated-----	1	-	1	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Pneumonia due to other specified infectious organisms (J16.8)

All ages-----	4	1	3	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	2	-	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Pneumonia, organism unspecified (J18)

All ages-----	49,327	20,941	28,386	5,254	2,513	2,741	245	129	116
Under 1 year-----	63	35	28	69	37	32	1	-	1
1-4 years-----	35	14	21	25	15	10	3	1	2
5-9 years-----	17	11	6	6	3	3	-	-	-
10-14 years-----	21	14	7	5	2	3	-	-	-
15-19 years-----	35	17	18	11	6	5	-	-	-
20-24 years-----	42	27	15	31	15	16	1	-	1
25-29 years-----	62	36	26	39	21	18	-	-	-
30-34 years-----	105	62	43	53	31	22	-	-	-
35-39 years-----	226	124	102	96	49	47	2	2	-
40-44 years-----	287	157	130	156	98	58	7	4	3
45-49 years-----	422	267	155	195	123	72	7	6	1
50-54 years-----	521	311	210	185	122	63	6	6	-
55-59 years-----	671	370	301	177	108	69	8	4	4
60-64 years-----	927	526	401	248	145	103	13	9	4
65-69 years-----	1,592	940	652	298	181	117	14	9	5
70-74 years-----	3,230	1,794	1,436	492	287	205	16	8	8
75-79 years-----	6,073	3,135	2,938	605	309	296	28	15	13
80-84 years-----	9,184	4,363	4,821	699	322	377	37	20	17
85-89 years-----	11,059	4,482	6,577	820	330	490	54	28	26
90-94 years-----	9,299	2,962	6,337	638	212	426	29	10	19
95-99 years-----	4,304	1,060	3,244	299	78	221	14	5	9
100 yrs & over---	1,152	234	918	107	19	88	4	1	3
Not stated-----	-	-	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -	- NON-HISPANIC BLACK -	- ORIGIN NOT STATED 2/-
TOTAL	MALE	FEMALE	TOTAL

Chronic maxillary sinusitis (J32.0)

POPULATION, AND SEX	- NON-HISPANIC WHITE -	- NON-HISPANIC BLACK -	- ORIGIN NOT STATED 2/-
TOTAL	MALE	FEMALE	TOTAL
All ages-----	5	1	4
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	1	-	1
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	1	1	-
85-89 years-----	1	-	1
90-94 years-----	1	-	1
95-99 years-----	1	-	1
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Chronic frontal sinusitis (J32.1)

POPULATION, AND SEX	- NON-HISPANIC WHITE -	- NON-HISPANIC BLACK -	- ORIGIN NOT STATED 2/-
TOTAL	MALE	FEMALE	TOTAL
All ages-----	1	-	1
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	1
15-19 years-----	1	-	1
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	1
40-44 years-----	-	-	1
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Predominantly allergic asthma (J45.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL MALE FEMALE	- NON-HISPANIC BLACK - TOTAL MALE FEMALE	- ORIGIN NOT STATED 2/- TOTAL MALE FEMALE
All ages-----	79 42 37	84 58 26	- - -
Under 1 year-----	1 1 -	4 2 2	- - -
1-4 years-----	6 3 3	11 8 3	- - -
5-9 years-----	9 4 5	16 11 5	- - -
10-14 years-----	21 12 9	35 25 10	- - -
15-19 years-----	22 12 10	14 9 5	- - -
20-24 years-----	1 - 1	1 1 -	- - -
25-29 years-----	- - -	- - -	- - -
30-34 years-----	1 1 -	1 1 -	- - -
35-39 years-----	1 1 -	1 1 -	- - -
40-44 years-----	- - -	- - -	- - -
45-49 years-----	2 2 -	- - -	- - -
50-54 years-----	3 2 1	- - -	- - -
55-59 years-----	2 - 2	- - -	- - -
60-64 years-----	3 3 -	- - -	- - -
65-69 years-----	1 - 1	- - -	- - -
70-74 years-----	1 1 -	- - -	- - -
75-79 years-----	1 - 1	1 - 1	- - -
80-84 years-----	3 - 3	- - -	- - -
85-89 years-----	- - -	- - -	- - -
90-94 years-----	- - -	- - -	- - -
95-99 years-----	- - -	- - -	- - -
100 yrs & over---	1 - 1	- - -	- - -
Not stated-----	- - -	- - -	- - -

Nonallergic asthma (J45.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL MALE FEMALE	- NON-HISPANIC BLACK - TOTAL MALE FEMALE	- ORIGIN NOT STATED 2/- TOTAL MALE FEMALE
All ages-----	7 - 7	- - -	- - -
Under 1 year-----	- - -	- - -	- - -
1-4 years-----	- - -	- - -	- - -
5-9 years-----	- - -	- - -	- - -
10-14 years-----	- - -	- - -	- - -
15-19 years-----	- - -	- - -	- - -
20-24 years-----	- - -	- - -	- - -
25-29 years-----	- - -	- - -	- - -
30-34 years-----	- - -	- - -	- - -
35-39 years-----	- - -	- - -	- - -
40-44 years-----	- - -	- - -	- - -
45-49 years-----	- - -	- - -	- - -
50-54 years-----	- - -	- - -	- - -
55-59 years-----	- - -	- - -	- - -
60-64 years-----	- - -	- - -	- - -
65-69 years-----	2 - 2	- - -	- - -
70-74 years-----	- - -	- - -	- - -
75-79 years-----	1 - 1	- - -	- - -
80-84 years-----	2 - 2	- - -	- - -
85-89 years-----	1 - 1	- - -	- - -
90-94 years-----	1 - 1	- - -	- - -
95-99 years-----	- - -	- - -	- - -
100 yrs & over---	- - -	- - -	- - -
Not stated-----	- - -	- - -	- - -

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -	- NON-HISPANIC BLACK -	- ORIGIN NOT STATED 2/-
TOTAL	MALE FEMALE	TOTAL MALE FEMALE	TOTAL MALE FEMALE

Gastric ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K25.9)

All ages-----	130	53	77	20	9	11	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	2	2	-	-	-	-
40-44 years-----	1	-	1	3	1	2	-	-	-
45-49 years-----	4	3	1	1	1	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	6	4	2	3	2	1	-	-	-
60-64 years-----	4	1	3	3	1	2	-	-	-
65-69 years-----	2	-	2	2	1	1	-	-	-
70-74 years-----	21	12	9	-	-	-	-	-	-
75-79 years-----	22	9	13	1	1	-	-	-	-
80-84 years-----	18	10	8	4	-	4	-	-	-
85-89 years-----	22	10	12	-	-	-	-	-	-
90-94 years-----	24	3	21	1	-	1	-	-	-
95-99 years-----	5	-	5	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Duodenal ulcer (K26)

All ages-----	1,259	671	588	122	67	55	9	4	5
Under 1 year-----	1	-	1	1	-	1	-	-	-
1-4 years-----	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	2	1	1	-	-	-
35-39 years-----	6	5	1	6	5	1	-	-	-
40-44 years-----	23	12	11	7	5	2	1	1	-
45-49 years-----	26	13	13	12	9	3	-	-	-
50-54 years-----	38	27	11	10	8	2	1	1	-
55-59 years-----	43	26	17	7	4	3	2	1	1
60-64 years-----	89	61	28	9	7	2	-	-	-
65-69 years-----	93	68	25	11	9	2	1	-	1
70-74 years-----	148	100	48	10	4	6	-	-	-
75-79 years-----	190	110	80	13	6	7	2	1	1
80-84 years-----	221	112	109	14	5	9	-	-	-
85-89 years-----	215	80	135	8	3	5	2	-	2
90-94 years-----	120	42	78	7	1	6	-	-	-
95-99 years-----	36	9	27	5	-	5	-	-	-
100 yrs & over---	3	1	2	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
---------------------	-------	------	--------	-------	------	--------	-------	------	--------

Duodenal ulcer, Acute without haemorrhage or perforation (K26.3)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	2	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Duodenal ulcer, Chronic or unspecified with haemorrhage (K26.4)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	513	306	207	47	23	24	6	4	2
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	-	-	-
35-39 years-----	2	2	-	3	2	1	-	-	-
40-44 years-----	5	3	2	3	1	2	1	1	-
45-49 years-----	10	5	5	4	2	2	-	-	-
50-54 years-----	12	8	4	4	3	1	1	1	-
55-59 years-----	22	12	10	1	-	1	1	1	-
60-64 years-----	26	20	6	6	5	1	-	-	-
65-69 years-----	34	28	6	3	2	1	1	-	1
70-74 years-----	67	50	17	6	2	4	-	-	-
75-79 years-----	75	49	26	7	3	4	1	1	-
80-84 years-----	91	57	34	3	1	2	-	-	-
85-89 years-----	93	43	50	4	2	2	1	-	1
90-94 years-----	56	22	34	2	-	2	-	-	-
95-99 years-----	13	2	11	1	-	1	-	-	-
100 yrs & over---	3	1	2	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -	- NON-HISPANIC BLACK -	- ORIGIN NOT STATED 2/-
TOTAL	MALE FEMALE	TOTAL MALE FEMALE	TOTAL MALE FEMALE

Peptic ulcer, site unspecified, Chronic without haemorrhage or perforation (K27.7)

All ages-----	16	6	10	2	1	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	1	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	-	-	-
70-74 years-----	2	1	1	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	-	-	-
80-84 years-----	4	3	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	-	-	-	-	-	-
95-99 years-----	2	-	2	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Peptic ulcer, site unspecified, Unspecified as acute or chronic, without haemorrhage or perforation (K27.9)

All ages-----	255	105	150	27	12	15	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	1	1	-	-	-	-
40-44 years-----	1	-	1	-	-	-	-	-	-
45-49 years-----	1	-	1	-	-	-	-	-	-
50-54 years-----	2	1	1	-	-	-	-	-	-
55-59 years-----	11	6	5	-	-	-	-	-	-
60-64 years-----	4	4	-	4	4	-	-	-	-
65-69 years-----	17	13	4	5	3	2	-	-	-
70-74 years-----	27	16	11	2	1	1	-	-	-
75-79 years-----	35	12	23	3	-	3	-	-	-
80-84 years-----	41	17	24	5	2	3	-	-	-
85-89 years-----	51	21	30	2	-	2	-	-	-
90-94 years-----	40	14	26	2	-	2	-	-	-
95-99 years-----	17	1	16	2	1	1	-	-	-
100 yrs & over---	7	-	7	-	-	-	-	-	-
Not stated-----	-	-	-	1	-	1	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
---------------------	---------------------------------	------	--------	---------------------------------	------	--------	----------------------------------	------	--------

Other vascular disorders of intestine (K55.8)

All ages-----	4	-	4	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Vascular disorder of intestine, unspecified (K55.9)

All ages-----	3,750	1,219	2,531	459	171	288	14	3	11
Under 1 year-----	3	2	1	4	4	-	-	-	-
1-4 years-----	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	-	-	-
15-19 years-----	2	1	1	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	-	-	-
25-29 years-----	2	1	1	1	1	-	-	-	-
30-34 years-----	8	6	2	-	-	-	-	-	-
35-39 years-----	10	4	6	4	1	3	-	-	-
40-44 years-----	15	8	7	10	6	4	-	-	-
45-49 years-----	26	12	14	11	8	3	1	-	1
50-54 years-----	66	28	38	12	5	7	-	-	-
55-59 years-----	88	49	39	17	8	9	-	-	-
60-64 years-----	169	66	103	31	12	19	-	-	-
65-69 years-----	265	99	166	59	25	34	1	-	1
70-74 years-----	448	173	275	64	22	42	1	-	1
75-79 years-----	656	248	408	85	28	57	3	2	1
80-84 years-----	731	244	487	60	26	34	4	1	3
85-89 years-----	703	182	521	59	18	41	-	-	-
90-94 years-----	397	70	327	33	6	27	3	-	3
95-99 years-----	136	19	117	8	1	7	-	-	-
100 yrs & over---	22	5	17	1	-	1	-	-	-
Not stated-----	-	-	-	-	-	-	1	-	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Intestinal malabsorption, unspecified (K90.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	73	32	41	3	3	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	1	1	-	-	-	-
5-9 years-----	1	-	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	1	1	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-
50-54 years-----	2	2	-	-	-	-	-	-	-
55-59 years-----	5	3	2	-	-	-	-	-	-
60-64 years-----	3	1	2	-	-	-	-	-	-
65-69 years-----	8	3	5	-	-	-	-	-	-
70-74 years-----	11	4	7	-	-	-	-	-	-
75-79 years-----	10	6	4	-	-	-	-	-	-
80-84 years-----	11	6	5	-	-	-	-	-	-
85-89 years-----	8	1	7	-	-	-	-	-	-
90-94 years-----	5	2	3	-	-	-	-	-	-
95-99 years-----	5	-	5	-	-	-	-	-	-
100 yrs & over---	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Other diseases of the digestive system (K92)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	6,398	2,784	3,614	796	373	423	21	8	13
Under 1 year-----	4	2	2	2	2	-	-	-	-
1-4 years-----	2	-	2	1	1	-	-	-	-
5-9 years-----	2	1	1	-	-	-	-	-	-
10-14 years-----	2	1	1	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	1	1	-	-	-	-
25-29 years-----	3	3	-	2	1	1	-	-	-
30-34 years-----	7	5	2	2	1	1	-	-	-
35-39 years-----	26	18	8	5	4	1	-	-	-
40-44 years-----	50	37	13	17	8	9	1	1	-
45-49 years-----	88	66	22	27	18	9	1	1	-
50-54 years-----	105	74	31	39	27	12	1	1	-
55-59 years-----	154	99	55	41	31	10	-	-	-
60-64 years-----	216	141	75	57	27	30	-	-	-
65-69 years-----	330	203	127	68	37	31	-	-	-
70-74 years-----	539	310	229	88	49	39	1	-	1
75-79 years-----	843	431	412	123	61	62	1	1	-
80-84 years-----	1,172	547	625	115	44	71	2	1	1
85-89 years-----	1,279	460	819	94	32	62	7	2	5
90-94 years-----	1,038	281	757	72	20	52	3	1	2
95-99 years-----	440	88	352	29	8	21	3	-	3
100 yrs & over---	97	17	80	12	1	11	1	-	1
Not stated-----	-	-	-	1	-	1	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Osteoporosis without pathological fracture (M81)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	900	62	838	15	3	12	2	-	2
Under 1 year-----	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	-	-	-
55-59 years-----	2	-	2	-	-	-	-	-	-
60-64 years-----	4	-	4	1	-	1	-	-	-
65-69 years-----	17	2	15	-	-	-	-	-	-
70-74 years-----	25	4	21	-	-	-	-	-	-
75-79 years-----	78	10	68	3	1	2	-	-	-
80-84 years-----	158	18	140	2	-	2	-	-	-
85-89 years-----	233	14	219	4	-	4	2	-	2
90-94 years-----	253	7	246	2	-	2	-	-	-
95-99 years-----	102	3	99	3	2	1	-	-	-
100 yrs & over---	24	1	23	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Postmenopausal osteoporosis (M81.0)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Disorder of kidney and ureter, unspecified (N28.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	244	138	106	85	46	39	2	2	-
Under 1 year-----	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	1	1	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	2	1	1	-	-	-
15-19 years-----	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-
30-34 years-----	3	3	-	-	-	-	-	-	-
35-39 years-----	11	4	7	4	3	1	-	-	-
40-44 years-----	5	2	3	3	3	-	-	-	-
45-49 years-----	9	7	2	4	4	-	1	1	-
50-54 years-----	15	8	7	8	5	3	-	-	-
55-59 years-----	26	14	12	9	5	4	-	-	-
60-64 years-----	26	11	15	9	7	2	-	-	-
65-69 years-----	18	13	5	9	7	2	-	-	-
70-74 years-----	30	20	10	10	4	6	1	1	-
75-79 years-----	30	16	14	9	3	6	-	-	-
80-84 years-----	37	26	11	11	2	9	-	-	-
85-89 years-----	16	4	12	4	-	4	-	-	-
90-94 years-----	10	5	5	1	-	1	-	-	-
95-99 years-----	4	2	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Cystitis (N30)

All ages-----	105	30	75	20	9	11	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	1	-	1	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	2	1	1	-	-	-
55-59 years-----	1	-	1	1	1	-	-	-	-
60-64 years-----	1	1	-	-	-	-	-	-	-
65-69 years-----	4	4	-	1	1	-	-	-	-
70-74 years-----	13	4	9	1	-	1	-	-	-
75-79 years-----	10	4	6	1	1	-	-	-	-
80-84 years-----	21	2	19	6	4	2	1	-	1
85-89 years-----	19	7	12	3	1	2	-	-	-
90-94 years-----	22	5	17	1	-	1	-	-	-
95-99 years-----	11	3	8	2	-	2	-	-	-
100 yrs & over---	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	1	-	1	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	- NON-HISPANIC WHITE -			- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Other cystitis (N30.8)

All ages-----	10	5	5	2	-	2	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	-	-	-
70-74 years-----	2	-	2	1	-	1	-	-	-
75-79 years-----	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	-	-	-
85-89 years-----	2	2	-	1	-	1	-	-	-
90-94 years-----	1	-	1	-	-	-	-	-	-
95-99 years-----	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Cystitis, unspecified (N30.9)

All ages-----	63	14	49	14	9	5	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	2	-	2	1	-	1	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	1	1	-	-	-	-
55-59 years-----	-	-	-	1	1	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-
70-74 years-----	6	2	4	-	-	-	-	-	-
75-79 years-----	4	1	3	1	1	-	-	-	-
80-84 years-----	16	2	14	4	4	-	1	-	1
85-89 years-----	10	3	7	1	1	-	-	-	-
90-94 years-----	14	3	11	1	-	1	-	-	-
95-99 years-----	9	2	7	2	-	2	-	-	-
100 yrs & over---	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	1	-	1	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Hyperplasia of prostate (N40)

All ages-----	377	377	...	38	38	...	2	2	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	1	1	...
55-59 years-----	2	2	...	1	1	...	-	-	...
60-64 years-----	6	6	...	3	3	...	-	-	...
65-69 years-----	10	10	...	3	3	...	-	-	...
70-74 years-----	26	26	...	3	3	...	1	1	...
75-79 years-----	56	56	...	3	3	...	-	-	...
80-84 years-----	87	87	...	10	10	...	-	-	...
85-89 years-----	98	98	...	9	9	...	-	-	...
90-94 years-----	62	62	...	4	4	...	-	-	...
95-99 years-----	24	24	...	-	-	...	-	-	...
100 yrs & over---	6	6	...	2	2	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Inflammatory diseases of prostate (N41)

All ages-----	29	29	...	3	3	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	1	1	...	-	-	...	-	-	...
50-54 years-----	1	1	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	3	3	...	-	-	...	-	-	...
65-69 years-----	2	2	...	-	-	...	-	-	...
70-74 years-----	1	1	...	1	1	...	-	-	...
75-79 years-----	6	6	...	1	1	...	-	-	...
80-84 years-----	4	4	...	1	1	...	-	-	...
85-89 years-----	5	5	...	-	-	...	-	-	...
90-94 years-----	3	3	...	-	-	...	-	-	...
95-99 years-----	2	2	...	-	-	...	-	-	...
100 yrs & over---	1	1	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Acute prostatitis (N41.0)

All ages-----	5	5	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	1	1	...	-	-	...	-	-	...
50-54 years-----	1	1	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	-	-	...	-	-	...
75-79 years-----	1	1	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	1	1	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Chronic prostatitis (N41.1)

All ages-----	5	5	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	1	1	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	-	-	...
85-89 years-----	3	3	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -			- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Abscess of prostate (N41.2)

All ages-----	3	3	...	1	1	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	1	1	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	1	1	...	-	-	...
80-84 years-----	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	1	1	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Prostatocystitis (N41.3)

All ages-----	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Inflammatory disease of prostate, unspecified (N41.9)

All ages-----	15	15	...	2	2	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	2	2	...	-	-	...	-	-	...
65-69 years-----	2	2	...	-	-	...	-	-	...
70-74 years-----	-	-	...	1	1	...	-	-	...
75-79 years-----	4	4	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...
85-89 years-----	2	2	...	-	-	...	-	-	...
90-94 years-----	3	3	...	-	-	...	-	-	...
95-99 years-----	1	1	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Other disorders of prostate (N42)

All ages-----	45	45	...	10	10	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	1	1	...	1	1	...	-	-	...
60-64 years-----	1	1	...	1	1	...	-	-	...
65-69 years-----	5	5	...	1	1	...	-	-	...
70-74 years-----	5	5	...	2	2	...	-	-	...
75-79 years-----	7	7	...	-	-	...	-	-	...
80-84 years-----	12	12	...	1	1	...	-	-	...
85-89 years-----	9	9	...	2	2	...	-	-	...
90-94 years-----	3	3	...	1	1	...	-	-	...
95-99 years-----	2	2	...	1	1	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Congestion and hemorrhage of prostate (N42.1)

All ages-----	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Other specified disorders of prostate (N42.8)

All ages-----	1	1	...	1	1	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	1	1	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	1	1	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-

Disorder of prostate, unspecified (N42.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	43	43	...	9	9	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	1	1	...	-	-	...	-	-	...
60-64 years-----	1	1	...	1	1	...	-	-	...
65-69 years-----	5	5	...	1	1	...	-	-	...
70-74 years-----	4	4	...	2	2	...	-	-	...
75-79 years-----	6	6	...	-	-	...	-	-	...
80-84 years-----	12	12	...	1	1	...	-	-	...
85-89 years-----	9	9	...	2	2	...	-	-	...
90-94 years-----	3	3	...	1	1	...	-	-	...
95-99 years-----	2	2	...	1	1	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Orchitis and epididymitis (N45)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	4	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	2	2	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	2	2	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -			- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Orchitis, epididymitis, and epididymo-orchitis with abscess (N45.0)

All ages-----	2	2	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	2	2	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Orchitis, epididymitis, and epididymo-orchitis without abscess (N45.9)

All ages-----	2	2	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	2	2	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other disorders of penis (N48)

All ages-----	5	5	...	4	4	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	1	1	...	-	-	...
55-59 years-----	1	1	...	-	-	...	-	-	...
60-64 years-----	-	-	...	1	1	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	2	2	...	-	-	...
75-79 years-----	1	1	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Balanoposthitis (N48.1)

All ages-----	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Other inflammatory disorders of penis (N48.2)

All ages-----	3	3	...	3	3	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	1	1	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	2	2	...	-	-	...
75-79 years-----	1	1	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Disorder of penis, unspecified (N48.9)

All ages-----	1	1	...	1	1	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	1	1	...	-	-	...
55-59 years-----	1	1	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Inflammatory disorders of male genital organs, not elsewhere classified (N49)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	32	32	...	15	15	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	2	2	...	-	-	...	-	-	...
45-49 years-----	-	-	...	1	1	...	-	-	...
50-54 years-----	1	1	...	4	4	...	-	-	...
55-59 years-----	2	2	...	2	2	...	-	-	...
60-64 years-----	2	2	...	1	1	...	-	-	...
65-69 years-----	2	2	...	1	1	...	-	-	...
70-74 years-----	4	4	...	2	2	...	-	-	...
75-79 years-----	4	4	...	1	1	...	-	-	...
80-84 years-----	7	7	...	2	2	...	-	-	...
85-89 years-----	6	6	...	-	-	...	-	-	...
90-94 years-----	2	2	...	1	1	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Inflammatory disorders of scrotum (N49.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	18	18	...	13	13	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	1	1	...	-	-	...	-	-	...
45-49 years-----	-	-	...	1	1	...	-	-	...
50-54 years-----	1	1	...	4	4	...	-	-	...
55-59 years-----	-	-	...	2	2	...	-	-	...
60-64 years-----	1	1	...	1	1	...	-	-	...
65-69 years-----	1	1	...	-	-	...	-	-	...
70-74 years-----	1	1	...	2	2	...	-	-	...
75-79 years-----	2	2	...	1	1	...	-	-	...
80-84 years-----	5	5	...	2	2	...	-	-	...
85-89 years-----	4	4	...	-	-	...	-	-	...
90-94 years-----	2	2	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	- NON-HISPANIC WHITE -			- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Inflammatory disorders of other specified male genital organs (N49.8)

All ages-----	12	12	...	2	2	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	1	1	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	2	2	...	-	-	...	-	-	...
60-64 years-----	1	1	...	-	-	...	-	-	...
65-69 years-----	1	1	...	1	1	...	-	-	...
70-74 years-----	3	3	...	-	-	...	-	-	...
75-79 years-----	2	2	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	-	-	...
85-89 years-----	1	1	...	-	-	...	-	-	...
90-94 years-----	-	-	...	1	1	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Inflammatory disorder of unspecified male genital organ (N49.9)

All ages-----	2	2	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	-	-	...
85-89 years-----	1	1	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Other disorders of male genital organs (N50)

All ages-----	4	4	...	1	1	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	1	1	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	-	-	...
85-89 years-----	1	1	...	-	-	...	-	-	...
90-94 years-----	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Vascular disorders of male genital organs (N50.1)

All ages-----	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -			- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Other specified disorders of male genital organs (N50.8)

All ages-----	1	1	...	1	1	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	1	1	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Disorder of male genital organs, unspecified (N50.9)

All ages-----	2	2	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	1	1	...	-	-	...	-	-	...
90-94 years-----	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Salpingitis and oophoritis (N70)

All ages-----	3	...	3	3	...	3	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	1	...	1	-	...	-
30-34 years-----	1	...	1	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	1	...	1	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Acute salpingitis and oophoritis (N70.0)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Salpingitis and oophoritis, unspecified (N70.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	2	...	2	3	...	3	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	1	...	1	-	...	-
30-34 years-----	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	1	...	1	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	1	...	1	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Inflammatory disease of uterus, except cervix (N71)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	11	...	11	5	...	5	-	...	-
Under 1 year-----	1	...	1	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	1	...	1	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	1	...	1	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	2	...	2	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	2	...	2	1	...	1	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-
80-84 years-----	2	...	2	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Inflammatory disease of uterus, unspecified (N71.9)

All ages-----	11	...	11	5	...	5	-	...	-
Under 1 year-----	1	...	1	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	1	...	1	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	1	...	1	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	2	...	2	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	2	...	2	1	...	1	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-
80-84 years-----	2	...	2	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Inflammatory disease of cervix uteri (N72)

All ages-----	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	1	...	1	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other female pelvic inflammatory diseases (N73)

All ages-----	53	...	53	17	...	17	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-
30-34 years-----	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	1	...	1	-	...	-
40-44 years-----	2	...	2	5	...	5	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-
50-54 years-----	1	...	1	-	...	-	-	...	-
55-59 years-----	3	...	3	-	...	-	-	...	-
60-64 years-----	4	...	4	-	...	-	-	...	-
65-69 years-----	2	...	2	2	...	2	-	...	-
70-74 years-----	6	...	6	2	...	2	-	...	-
75-79 years-----	8	...	8	3	...	3	-	...	-
80-84 years-----	14	...	14	1	...	1	-	...	-
85-89 years-----	4	...	4	-	...	-	-	...	-
90-94 years-----	4	...	4	-	...	-	-	...	-
95-99 years-----	2	...	2	-	...	-	-	...	-
100 yrs & over---	-	...	-	1	...	1	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Female pelvic peritonitis, unspecified (N73.5)

All ages-----	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Female pelvic peritoneal adhesions (N73.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	1	...	1	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	1	...	1	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Female pelvic inflammatory disease, unspecified (N73.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	50	...	50	16	...	16	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-
30-34 years-----	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	1	...	1	-	...	-
40-44 years-----	2	...	2	5	...	5	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-
50-54 years-----	1	...	1	-	...	-	-	...	-
55-59 years-----	3	...	3	-	...	-	-	...	-
60-64 years-----	3	...	3	-	...	-	-	...	-
65-69 years-----	2	...	2	1	...	1	-	...	-
70-74 years-----	5	...	5	2	...	2	-	...	-
75-79 years-----	7	...	7	3	...	3	-	...	-
80-84 years-----	14	...	14	1	...	1	-	...	-
85-89 years-----	4	...	4	-	...	-	-	...	-
90-94 years-----	4	...	4	-	...	-	-	...	-
95-99 years-----	2	...	2	-	...	-	-	...	-
100 yrs & over---	-	...	-	1	...	1	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
---------------------	-------	------	--------	-------	------	--------	-------	------	--------

Diseases of Bartholin's gland (N75)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Cyst of Bartholin's gland (N75.0)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Other inflammation of vagina and vulva (N76)

All ages-----	3	...	3	1	...	1	-	...	-
Under 1 year-----	-	...	-	1	...	1	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Acute vaginitis (N76.0)

All ages-----	1	...	1	1	...	1	-	...	-
Under 1 year-----	-	...	-	1	...	1	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX

	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Acute vulvitis (N76.2)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Abscess of vulva (N76.4)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Endometriosis (N80)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	6	...	6	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	-	...	-
40-44 years-----	2	...	2	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	-	...	-
55-59 years-----	2	...	2	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Endometriosis of uterus (N80.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	- NON-HISPANIC WHITE -			- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Endometriosis, unspecified (N80.9)

All ages-----	4	...	4	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Female genital prolapse (N81)

All ages-----	15	...	15	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	2	...	2	-	...	-	-	...	-
75-79 years-----	3	...	3	-	...	-	-	...	-
80-84 years-----	5	...	5	-	...	-	-	...	-
85-89 years-----	3	...	3	1	...	1	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	- NON-HISPANIC WHITE -			- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Cystocele (N81.1)

All ages-----	7	...	7	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	1	...	1	-	...	-	-	...	-
85-89 years-----	3	...	3	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Complete uterovaginal prolapse (N81.3)

All ages-----	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Uterovaginal prolapse, unspecified (N81.4)

All ages-----	5	...	5	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	4	...	4	-	...	-	-	...	-
85-89 years-----	-	...	-	1	...	1	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Rectocele (N81.6)

All ages-----	-	...	-	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other female genital prolapse (N81.8)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Fistulae involving female genital tract (N82)

All ages-----	48	...	48	4	...	4	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-
55-59 years-----	2	...	2	-	...	-	-	...	-
60-64 years-----	2	...	2	-	...	-	-	...	-
65-69 years-----	3	...	3	-	...	-	-	...	-
70-74 years-----	2	...	2	1	...	1	-	...	-
75-79 years-----	7	...	7	1	...	1	-	...	-
80-84 years-----	10	...	10	-	...	-	-	...	-
85-89 years-----	9	...	9	1	...	1	-	...	-
90-94 years-----	10	...	10	-	...	-	-	...	-
95-99 years-----	2	...	2	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -		- ORIGIN NOT STATED 2/-	
	TOTAL	MALE	TOTAL	MALE	TOTAL	FEMALE

Vesicovaginal fistula (N82.0)

All ages-----	3	...	3	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	1	...	1	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Fistula of vagina to large intestine (N82.3)

All ages-----	39	...	39	2	...	2	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	-	...	-
65-69 years-----	2	...	2	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-
75-79 years-----	7	...	7	-	...	-	-	...	-
80-84 years-----	8	...	8	-	...	-	-	...	-
85-89 years-----	7	...	7	1	...	1	-	...	-
90-94 years-----	9	...	9	-	...	-	-	...	-
95-99 years-----	2	...	2	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Other female intestinal-genital tract fistulae (N82.4)

All ages-----	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other female genital tract fistulae (N82.8)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Female genital tract fistula, unspecified (N82.9)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	...	3	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	1	...	1	-	...	-
80-84 years-----	2	...	2	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	33	...	33	11	...	11	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	1	...	1	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	2	...	2	2	...	2	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-
40-44 years-----	1	...	1	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-
50-54 years-----	1	...	1	-	...	-	-	...	-
55-59 years-----	2	...	2	1	...	1	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-
70-74 years-----	3	...	3	-	...	-	-	...	-
75-79 years-----	5	...	5	2	...	2	-	...	-
80-84 years-----	3	...	3	1	...	1	-	...	-
85-89 years-----	4	...	4	1	...	1	-	...	-
90-94 years-----	5	...	5	-	...	-	-	...	-
95-99 years-----	3	...	3	1	...	1	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Other and unspecified ovarian cysts (N83.2)

All ages-----	7	...	7	5	...	5	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	1	...	1	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	2	...	2	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	1	...	1	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	1	...	1	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Torsion of ovary, ovarian pedicle, and fallopian tube (N83.5)

All ages-----	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
---------------------	-------	------	--------	-------	------	--------	-------	------	--------

Other noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83.8)

All ages-----	3	...	3	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	1	...	1	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Noninflammatory disorder of ovary, fallopian tube, and broad ligament, unspecified (N83.9)

All ages-----	21	...	21	5	...	5	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	-	...	-
70-74 years-----	2	...	2	-	...	-	-	...	-
75-79 years-----	3	...	3	2	...	2	-	...	-
80-84 years-----	3	...	3	-	...	-	-	...	-
85-89 years-----	4	...	4	1	...	1	-	...	-
90-94 years-----	4	...	4	-	...	-	-	...	-
95-99 years-----	2	...	2	1	...	1	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other noninflammatory disorders of uterus, except cervix (N85)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	7	...	7	3	...	3	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	1	...	1	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	1	...	1	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-
65-69 years-----	2	...	2	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Endometrial glandular hyperplasia (N85.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
---------------------	---------------------------------	------	--------	---------------------------------	------	--------	----------------------------------	------	--------

Other specified noninflammatory disorders of uterus (N85.8)

All ages-----	2	...	2	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	1	...	1	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Noninflammatory disorder of uterus, unspecified (N85.9)

All ages-----	4	...	4	2	...	2	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	1	...	1	-	...	-
60-64 years-----	-	...	-	1	...	1	-	...	-
65-69 years-----	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Erosion and ectropion of cervix uteri (N86)

All ages-----	-	...	-	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Dysplasia of cervix uteri (N87)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Dysplasia of cervix uteri, unspecified (N87.9)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other noninflammatory disorders of cervix uteri (N88)

All ages-----	7	...	7	10	...	10	-	...	-
Under 1 year-----	5	...	5	6	...	6	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	2	...	2	-	...	-
70-74 years-----	-	...	-	1	...	1	-	...	-
75-79 years-----	-	...	-	1	...	1	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Stricture and stenosis of cervix uteri (N88.2)

All ages-----	2	...	2	4	...	4	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	2	...	2	-	...	-
70-74 years-----	-	...	-	1	...	1	-	...	-
75-79 years-----	-	...	-	1	...	1	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Incompetence of cervix uteri (N88.3)

All ages-----	5	...	5	6	...	6	-	...	-
Under 1 year-----	5	...	5	6	...	6	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other noninflammatory disorders of vagina (N89)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	1	...	1	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other specified noninflammatory disorders of vagina (N89.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
---------------------	-------	------	--------	-------	------	--------	-------	------	--------

Noninflammatory disorder of vagina, unspecified (N89.9)

All ages-----	-	...	-	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	1	...	1	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other noninflammatory disorders of vulva and perineum (N90)

All ages-----	2	...	2	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	-	...	-	-	...	-
85-89 years-----	-	...	-	1	...	1	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -			- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Vulvar cyst (N90.7)

All ages-----	-	...	-	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	1	...	1	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other specified noninflammatory disorders of vulva and perineum (N90.8)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	- NON-HISPANIC WHITE -			- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Noninflammatory disorder of vulva and perineum, unspecified (N90.9)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other abnormal uterine and vaginal bleeding (N93)

All ages-----	20	...	20	5	...	5	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	2	...	2	-	...	-	-	...	-
45-49 years-----	-	...	-	3	...	3	-	...	-
50-54 years-----	2	...	2	1	...	1	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	2	...	2	-	...	-	-	...	-
75-79 years-----	2	...	2	-	...	-	-	...	-
80-84 years-----	2	...	2	-	...	-	-	...	-
85-89 years-----	3	...	3	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	2	...	2	-	...	-	-	...	-
100 yrs & over---	3	...	3	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
---------------------	-------	------	--------	-------	------	--------	-------	------	--------

Other specified abnormal uterine and vaginal bleeding (N93.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	...	3	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Abnormal uterine and vaginal bleeding, unspecified (N93.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	17	...	17	5	...	5	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	3	...	3	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	2	...	2	-	...	-	-	...	-
75-79 years-----	2	...	2	-	...	-	-	...	-
80-84 years-----	2	...	2	-	...	-	-	...	-
85-89 years-----	2	...	2	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	2	...	2	-	...	-	-	...	-
100 yrs & over---	3	...	3	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
		MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Pain and other conditions associated with female genital organs and menstrual cycle (N94)

All ages-----	3	...	3	4	...	4	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	2	...	2	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	2	...	2	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other specified conditions associated with female genital organs and menstrual cycle (N94.8)

All ages-----	3	...	3	2	...	2	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Unspecified condition associated with female genital organs and menstrual cycle (N94.9)

All ages-----	-	...	-	2	...	2	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	1	...	1	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	1	...	1	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Menopausal and other perimenopausal disorders (N95)

All ages-----	5	...	5	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	-	...	-
100 yrs & over---	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	- NON-HISPANIC WHITE -			- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Postmenopausal bleeding (N95.0)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Menopausal and female climacteric states (N95.1)

All ages-----	3	...	3	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (099)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE -	- NON-HISPANIC BLACK -	- ORIGIN NOT STATED 2/-
TOTAL	MALE	FEMALE	TOTAL
All ages-----	22	...	22
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-
15-19 years-----	-	...	1
20-24 years-----	3	...	6
25-29 years-----	4	...	4
30-34 years-----	6	...	4
35-39 years-----	8	...	1
40-44 years-----	-	...	-
45-49 years-----	1	...	1
50-54 years-----	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Anemia complicating pregnancy, childbirth, and the puerperium (099.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE -	- NON-HISPANIC BLACK -	- ORIGIN NOT STATED 2/-
TOTAL	MALE	FEMALE	TOTAL
All ages-----	-	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-
15-19 years-----	-	...	-
20-24 years-----	-	...	1
25-29 years-----	-	...	-
30-34 years-----	-	...	-
35-39 years-----	-	...	-
40-44 years-----	-	...	-
45-49 years-----	-	...	-
50-54 years-----	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other specified diseases and conditions complicating pregnancy, childbirth, and the puerperium (099.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE -	- NON-HISPANIC BLACK -	- ORIGIN NOT STATED 2/-
TOTAL	MALE	FEMALE	TOTAL MALE FEMALE
All ages-----	13	13	8
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	2	2	4
25-29 years-----	1	1	1
30-34 years-----	5	5	2
35-39 years-----	5	5	1
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Newborn affected by maternal conditions that may be unrelated to present pregnancy (P00)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE -	- NON-HISPANIC BLACK -	- ORIGIN NOT STATED 2/-
TOTAL	MALE	FEMALE	TOTAL MALE FEMALE
All ages-----	57	30	27
Under 1 year-----	56	29	27
1-4 years-----	-	-	-
5-9 years-----	1	1	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	1
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Newborn affected by maternal complication of pregnancy, unspecified (P01.9)

All ages-----	-	-	-	1	-	1	-	-	-
Under 1 year-----	-	-	-	1	-	1	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Newborn affected by complications of placenta, cord, and membranes (P02)

All ages-----	496	267	229	350	181	169	27	15	12
Under 1 year-----	490	264	226	349	180	169	26	14	12
1-4 years-----	2	1	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	-	-	-	-	-	-
15-19 years-----	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Newborn affected by other and unspecified conditions of umbilical cord (P02.6)

All ages-----	7	4	3	5	2	3	-	-	-
Under 1 year-----	7	4	3	5	2	3	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Newborn affected by chorioamnionitis (P02.7)

All ages-----	175	98	77	174	86	88	15	5	10
Under 1 year-----	173	97	76	174	86	88	15	5	10
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other low birthweight (P07.1)

All ages-----	3	2	1	9	6	3	3	1	2
Under 1 year-----	3	2	1	9	6	3	3	1	2
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Extreme immaturity (P07.2)

All ages-----	1,203	668	535	1,334	740	594	74	42	32
Under 1 year-----	1,203	668	535	1,333	739	594	73	42	31
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	1	1	-	1	-	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
---------------------	---------------------------------	------	--------	---------------------------------	------	--------	----------------------------------	------	--------

Neonatal cutaneous hemorrhage (P54.5)

All ages-----	1	-	1	2	2	-	-	-	-
Under 1 year-----	1	-	1	2	2	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Neonatal vaginal hemorrhage (P54.6)

All ages-----	1	...	1	-	...	-	-	...	-
Under 1 year-----	1	...	1	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
---------------------	-------	------	--------	-------	------	--------	-------	------	--------

Other congenital malformations of female genitalia (Q52)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	-	...	-	1	...	1	-	...	-
Under 1 year-----	-	...	-	1	...	1	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Congenital malformation of female genitalia, unspecified (Q52.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	-	...	-	1	...	1	-	...	-
Under 1 year-----	-	...	-	1	...	1	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -			- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Hypospadias (Q54)

All ages-----	1	1	...	-	-	...	-	-	...
Under 1 year-----	1	1	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Hypospadias, unspecified (Q54.9)

All ages-----	1	1	...	-	-	...	-	-	...
Under 1 year-----	1	1	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other congenital malformations of male genital organs (Q55)

All ages-----	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Other congenital malformations of vas deferens, epididymis, seminal vesicles, and prostate (Q55.4)

All ages-----	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Balanced rearrangement and structural marker, unspecified (Q95.9)

All ages-----	-	-	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	1	1	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Turner's syndrome (Q96)

All ages-----	10	...	10	2	...	2	1	...	1
Under 1 year-----	-	...	-	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	1	...	1	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	-	...	-
50-54 years-----	2	...	2	-	...	-	-	...	-
55-59 years-----	2	...	2	-	...	-	-	...	-
60-64 years-----	2	...	2	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Turner's syndrome, unspecified (Q96.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	10	...	10	2	...	2	1	...	1
Under 1 year-----	-	...	-	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	1	...	1	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	-	...	-
50-54 years-----	2	...	2	-	...	-	-	...	-
55-59 years-----	2	...	2	-	...	-	-	...	-
60-64 years-----	2	...	2	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other sex chromosome abnormalities, male phenotype, not elsewhere classified (Q98)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	-	-	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Klinefelter's syndrome, unspecified (Q98.4)

All ages-----	-	-	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Male with sex chromosome mosaicism (Q98.7)

All ages-----	-	-	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Respiratory arrest (R09.2)

	- NON-HISPANIC WHITE -	- NON-HISPANIC BLACK -	- ORIGIN NOT STATED 2/-
CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	MALE	FEMALE
All ages-----	1,926	766	1,160
Under 1 year-----	1	-	1
1-4 years-----	4	3	1
5-9 years-----	1	-	1
10-14 years-----	1	1	-
15-19 years-----	1	-	1
20-24 years-----	2	1	1
25-29 years-----	2	1	1
30-34 years-----	2	-	2
35-39 years-----	9	5	4
40-44 years-----	17	14	3
45-49 years-----	20	13	7
50-54 years-----	30	23	7
55-59 years-----	53	35	18
60-64 years-----	73	37	36
65-69 years-----	115	65	50
70-74 years-----	166	79	87
75-79 years-----	245	117	128
80-84 years-----	304	123	181
85-89 years-----	356	113	243
90-94 years-----	323	94	229
95-99 years-----	162	40	122
100 yrs & over---	39	2	37
Not stated-----	-	-	-

Other specified symptoms and signs involving the circulatory and respiratory systems (R09.8)

	- NON-HISPANIC WHITE -	- NON-HISPANIC BLACK -	- ORIGIN NOT STATED 2/-
CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	MALE	FEMALE
All ages-----	36	14	22
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	1	1	-
25-29 years-----	1	-	1
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	2	1	1
45-49 years-----	1	1	-
50-54 years-----	4	1	3
55-59 years-----	2	1	1
60-64 years-----	1	-	1
65-69 years-----	1	1	-
70-74 years-----	4	2	2
75-79 years-----	2	2	-
80-84 years-----	7	1	6
85-89 years-----	4	-	4
90-94 years-----	4	3	1
95-99 years-----	2	-	2
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -	- NON-HISPANIC BLACK -	- ORIGIN NOT STATED 2/-
TOTAL	MALE	FEMALE	TOTAL

Dysphasia and aphasia (R47.0)

POPULATION, AND SEX	- NON-HISPANIC WHITE -	- NON-HISPANIC BLACK -	- ORIGIN NOT STATED 2/-
TOTAL	MALE	FEMALE	TOTAL
All ages-----	3	3	-
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	1	1	-
80-84 years-----	-	-	-
85-89 years-----	2	2	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Fever of unknown origin (R50)

POPULATION, AND SEX	- NON-HISPANIC WHITE -	- NON-HISPANIC BLACK -	- ORIGIN NOT STATED 2/-
TOTAL	MALE	FEMALE	TOTAL
All ages-----	33	19	13
Under 1 year-----	-	-	1
1-4 years-----	1	1	1
5-9 years-----	1	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	2
30-34 years-----	-	-	1
35-39 years-----	1	1	1
40-44 years-----	2	2	1
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	1	1	1
60-64 years-----	1	1	-
65-69 years-----	-	-	1
70-74 years-----	3	1	2
75-79 years-----	5	4	1
80-84 years-----	4	3	1
85-89 years-----	6	4	1
90-94 years-----	6	4	-
95-99 years-----	2	2	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	TOTAL	- NON-HISPANIC MALE	WHITE - FEMALE	TOTAL	- NON-HISPANIC MALE	BLACK - FEMALE	TOTAL	- ORIGIN NOT STATED 2/- MALE	FEMALE
--	-------	---------------------	----------------	-------	---------------------	----------------	-------	------------------------------	--------

Instantaneous death (R96.0)

All ages-----	307	151	156	44	24	20	3	3	-
Under 1 year-----
1-4 years-----	19	14	5	3	1	2	-	-	-
5-9 years-----	-	-	-	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	1	1	-	-	-	-
30-34 years-----	2	1	1	1	1	-	-	-	-
35-39 years-----	2	1	1	1	-	1	1	1	-
40-44 years-----	3	3	-	1	1	-	-	-	-
45-49 years-----	8	7	1	2	2	-	1	1	-
50-54 years-----	10	8	2	3	2	1	-	-	-
55-59 years-----	19	14	5	6	4	2	-	-	-
60-64 years-----	15	13	2	1	-	1	-	-	-
65-69 years-----	24	14	10	6	2	4	-	-	-
70-74 years-----	31	19	12	3	2	1	-	-	-
75-79 years-----	42	15	27	3	3	-	1	1	-
80-84 years-----	41	15	26	3	1	2	-	-	-
85-89 years-----	50	20	30	4	1	3	-	-	-
90-94 years-----	24	6	18	4	3	1	-	-	-
95-99 years-----	10	1	9	1	-	1	-	-	-
100 yrs & over---	7	-	7	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Unattended death (R98)

All ages-----	18	11	7	8	6	2	1	1	-
Under 1 year-----	3	2	1	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	4	3	1	1	1	-	-	-	-
30-34 years-----	1	-	1	1	1	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	-	1	-	-	-
45-49 years-----	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	2	1	1	-	-	-
55-59 years-----	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	1	1	-	-	-	-
65-69 years-----	1	1	-	-	-	-	-	-	-
70-74 years-----	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	-	-	-
85-89 years-----	2	-	2	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Traffic accident (V02.1)

All ages-----	16	10	6	8	5	3	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	1	-	1	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	-	-	-	-	-
25-29 years-----	1	1	-	2	2	-	-	-	-
30-34 years-----	-	-	-	2	1	1	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-
40-44 years-----	4	4	-	-	-	-	-	-	-
45-49 years-----	3	2	1	1	1	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	-	-	-
75-79 years-----	2	-	2	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	1	-	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Pedestrian injured in collision with car, pickup truck, or van (V03)

All ages-----	1,805	1,190	615	592	433	159	24	23	1
Under 1 year-----	5	3	2	2	-	2	-	-	-
1-4 years-----	65	30	35	38	25	13	-	-	-
5-9 years-----	69	43	26	49	27	22	2	2	-
10-14 years-----	65	42	23	20	13	7	1	1	-
15-19 years-----	99	67	32	25	16	9	-	-	-
20-24 years-----	95	66	29	26	21	5	-	-	-
25-29 years-----	77	57	20	40	28	12	-	-	-
30-34 years-----	92	68	24	36	30	6	4	4	-
35-39 years-----	143	113	30	66	50	16	3	3	-
40-44 years-----	123	87	36	79	62	17	3	3	-
45-49 years-----	133	93	40	48	40	8	1	1	-
50-54 years-----	114	86	28	34	29	5	-	-	-
55-59 years-----	117	81	36	41	31	10	4	4	-
60-64 years-----	91	62	29	18	14	4	1	1	-
65-69 years-----	85	57	28	9	5	4	-	-	-
70-74 years-----	101	53	48	22	16	6	1	1	-
75-79 years-----	115	65	50	15	9	6	2	1	1
80-84 years-----	105	62	43	9	5	4	2	2	-
85-89 years-----	90	43	47	9	8	1	-	-	-
90-94 years-----	19	11	8	2	1	1	-	-	-
95-99 years-----	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	4	3	1	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	- NON-HISPANIC WHITE -			- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Nontraffic accident (V03.0)

All ages-----	133	80	53	18	14	4	-	-	-
Under 1 year-----	1	1	-	-	-	-	-	-	-
1-4 years-----	27	13	14	5	2	3	-	-	-
5-9 years-----	4	2	2	1	1	-	-	-	-
10-14 years-----	3	1	2	-	-	-	-	-	-
15-19 years-----	5	3	2	1	-	1	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-
25-29 years-----	3	2	1	1	1	-	-	-	-
30-34 years-----	4	3	1	1	1	-	-	-	-
35-39 years-----	7	6	1	-	-	-	-	-	-
40-44 years-----	9	8	1	1	1	-	-	-	-
45-49 years-----	8	5	3	2	2	-	-	-	-
50-54 years-----	6	4	2	1	1	-	-	-	-
55-59 years-----	6	5	1	1	1	-	-	-	-
60-64 years-----	5	4	1	-	-	-	-	-	-
65-69 years-----	6	4	2	-	-	-	-	-	-
70-74 years-----	8	4	4	1	1	-	-	-	-
75-79 years-----	10	4	6	-	-	-	-	-	-
80-84 years-----	9	4	5	-	-	-	-	-	-
85-89 years-----	5	1	4	1	1	-	-	-	-
90-94 years-----	4	3	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over----	1	1	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Traffic accident (V03.1)

All ages-----	1,657	1,101	556	571	417	154	24	23	1
Under 1 year-----	4	2	2	2	-	2	-	-	-
1-4 years-----	38	17	21	33	23	10	-	-	-
5-9 years-----	65	41	24	48	26	22	2	2	-
10-14 years-----	62	41	21	20	13	7	1	1	-
15-19 years-----	93	63	30	24	16	8	-	-	-
20-24 years-----	91	64	27	23	19	4	-	-	-
25-29 years-----	74	55	19	39	27	12	-	-	-
30-34 years-----	87	64	23	35	29	6	4	4	-
35-39 years-----	133	104	29	66	50	16	3	3	-
40-44 years-----	114	79	35	78	61	17	3	3	-
45-49 years-----	125	88	37	46	38	8	1	1	-
50-54 years-----	108	82	26	31	26	5	-	-	-
55-59 years-----	108	74	34	40	30	10	4	4	-
60-64 years-----	86	58	28	18	14	4	1	1	-
65-69 years-----	78	53	25	9	5	4	-	-	-
70-74 years-----	92	49	43	21	15	6	1	1	-
75-79 years-----	105	61	44	15	9	6	2	1	1
80-84 years-----	95	57	38	9	5	4	2	2	-
85-89 years-----	84	41	43	8	7	1	-	-	-
90-94 years-----	14	8	6	2	1	1	-	-	-
95-99 years-----	1	-	1	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	4	3	1	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-

Unspecified whether traffic or nontraffic accident (V03.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	15	9	6	3	2	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	-	-	-
20-24 years-----	2	-	2	1	-	1	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	-	-	-
35-39 years-----	3	3	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	2	2	-	-	-	-
55-59 years-----	3	2	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Pedestrian injured in collision with heavy transport vehicle or bus (V04)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	177	123	54	44	33	11	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	4	4	-	2	-	2	-	-	-
5-9 years-----	9	2	7	5	4	1	-	-	-
10-14 years-----	3	1	2	2	2	-	-	-	-
15-19 years-----	7	7	-	-	-	-	-	-	-
20-24 years-----	11	9	2	4	2	2	-	-	-
25-29 years-----	10	8	2	2	2	-	-	-	-
30-34 years-----	11	6	5	2	2	-	-	-	-
35-39 years-----	17	8	9	3	3	-	3	1	2
40-44 years-----	20	17	3	4	2	2	-	-	-
45-49 years-----	15	12	3	5	4	1	-	-	-
50-54 years-----	16	13	3	4	3	1	-	-	-
55-59 years-----	10	8	2	3	3	-	1	1	-
60-64 years-----	9	7	2	1	1	-	-	-	-
65-69 years-----	7	5	2	5	4	1	-	-	-
70-74 years-----	9	7	2	1	1	-	-	-	-
75-79 years-----	2	1	1	-	-	-	-	-	-
80-84 years-----	4	2	2	-	-	-	-	-	-
85-89 years-----	8	3	5	-	-	-	-	-	-
90-94 years-----	4	2	2	1	-	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	- NON-HISPANIC WHITE -			- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Nontraffic accident (V04.0)

All ages-----	28	24	4	2	2	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	-	-	-
30-34 years-----	2	1	1	-	-	-	-	-	-
35-39 years-----	3	2	1	-	-	-	-	-	-
40-44 years-----	6	6	-	1	1	-	-	-	-
45-49 years-----	1	1	-	-	-	-	-	-	-
50-54 years-----	3	3	-	1	1	-	-	-	-
55-59 years-----	1	1	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	4	4	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Traffic accident (V04.1)

All ages-----	145	96	49	42	31	11	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	2	-	2	-	-	-
5-9 years-----	9	2	7	5	4	1	-	-	-
10-14 years-----	3	1	2	2	2	-	-	-	-
15-19 years-----	7	7	-	-	-	-	-	-	-
20-24 years-----	9	7	2	4	2	2	-	-	-
25-29 years-----	9	7	2	2	2	-	-	-	-
30-34 years-----	9	5	4	2	2	-	-	-	-
35-39 years-----	13	5	8	3	3	-	3	1	2
40-44 years-----	14	11	3	3	1	2	-	-	-
45-49 years-----	14	11	3	5	4	1	-	-	-
50-54 years-----	13	10	3	3	2	1	-	-	-
55-59 years-----	9	7	2	3	3	-	1	1	-
60-64 years-----	8	6	2	1	1	-	-	-	-
65-69 years-----	6	4	2	5	4	1	-	-	-
70-74 years-----	5	3	2	1	1	-	-	-	-
75-79 years-----	2	1	1	-	-	-	-	-	-
80-84 years-----	4	2	2	-	-	-	-	-	-
85-89 years-----	5	2	3	-	-	-	-	-	-
90-94 years-----	3	2	1	1	-	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
---------------------	-------	------	--------	-------	------	--------	-------	------	--------

Unspecified whether traffic or nontraffic accident (V04.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	3	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Pedestrian injured in collision with railway train or railway vehicle (V05)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	281	230	51	67	55	12	7	7	-
Under 1 year-----	-	-	-	1	1	-	-	-	-
1-4 years-----	1	-	1	-	-	-	-	-	-
5-9 years-----	4	4	-	1	1	-	-	-	-
10-14 years-----	9	7	2	2	2	-	-	-	-
15-19 years-----	20	16	4	3	2	1	-	-	-
20-24 years-----	30	28	2	5	5	-	1	1	-
25-29 years-----	23	17	6	7	7	-	1	1	-
30-34 years-----	26	24	2	6	5	1	1	1	-
35-39 years-----	48	41	7	13	11	2	-	-	-
40-44 years-----	42	36	6	6	4	2	-	-	-
45-49 years-----	23	18	5	8	5	3	1	1	-
50-54 years-----	16	12	4	5	3	2	-	-	-
55-59 years-----	10	9	1	4	4	-	-	-	-
60-64 years-----	7	5	2	2	1	1	-	-	-
65-69 years-----	5	1	4	1	1	-	-	-	-
70-74 years-----	5	4	1	1	1	-	-	-	-
75-79 years-----	6	3	3	-	-	-	-	-	-
80-84 years-----	3	2	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-
90-94 years-----	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	3	3	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX

	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Nontraffic accident (V05.0)

All ages-----	130	110	20	27	24	3	4	4	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	1	1	-	-	-	-
10-14 years-----	3	1	2	1	1	-	-	-	-
15-19 years-----	5	4	1	1	1	-	-	-	-
20-24 years-----	16	14	2	1	1	-	1	1	-
25-29 years-----	10	10	-	5	5	-	1	1	-
30-34 years-----	10	10	-	2	2	-	-	-	-
35-39 years-----	31	27	4	3	3	-	-	-	-
40-44 years-----	17	15	2	1	1	-	-	-	-
45-49 years-----	12	9	3	5	3	2	-	-	-
50-54 years-----	8	6	2	2	2	-	-	-	-
55-59 years-----	5	5	-	2	2	-	-	-	-
60-64 years-----	4	2	2	2	1	1	-	-	-
65-69 years-----	3	1	2	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-
75-79 years-----	1	1	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	2	2	-

Traffic accident (V05.1)

All ages-----	44	34	10	11	8	3	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-
15-19 years-----	8	7	1	1	-	1	-	-	-
20-24 years-----	5	5	-	1	1	-	-	-	-
25-29 years-----	6	4	2	1	1	-	-	-	-
30-34 years-----	2	2	-	1	1	-	-	-	-
35-39 years-----	3	2	1	1	1	-	-	-	-
40-44 years-----	7	5	2	1	-	1	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-
50-54 years-----	2	1	1	-	-	-	-	-	-
55-59 years-----	-	-	-	2	2	-	-	-	-
60-64 years-----	2	2	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	-	-	-
70-74 years-----	2	2	-	-	-	-	-	-	-
75-79 years-----	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Unspecified whether traffic or nontraffic accident (V06.9)

All ages-----	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Pedestrian injured in other and unspecified transport accidents (V09)

All ages-----	1,286	878	408	409	293	116	39	35	4
Under 1 year-----	2	2	-	-	-	-	-	-	-
1-4 years-----	35	22	13	28	22	6	-	-	-
5-9 years-----	37	22	15	25	19	6	-	-	-
10-14 years-----	44	34	10	22	14	8	-	-	-
15-19 years-----	70	45	25	28	19	9	-	-	-
20-24 years-----	57	46	11	22	11	11	2	2	-
25-29 years-----	58	49	9	20	14	6	3	3	-
30-34 years-----	67	43	24	30	23	7	2	1	1
35-39 years-----	108	73	35	46	28	18	2	2	-
40-44 years-----	132	93	39	31	26	5	4	4	-
45-49 years-----	106	79	27	46	40	6	3	3	-
50-54 years-----	82	62	20	26	20	6	3	3	-
55-59 years-----	73	58	15	21	14	7	1	1	-
60-64 years-----	51	40	11	9	6	3	4	3	1
65-69 years-----	61	44	17	11	8	3	3	2	1
70-74 years-----	81	45	36	14	9	5	2	2	-
75-79 years-----	88	51	37	16	8	8	1	1	-
80-84 years-----	66	33	33	8	7	1	6	5	1
85-89 years-----	39	19	20	2	1	1	-	-	-
90-94 years-----	24	15	9	1	1	-	-	-	-
95-99 years-----	4	2	2	1	1	-	-	-	-
100 yrs & over---	-	-	-	1	1	-	-	-	-
Not stated-----	1	1	-	1	1	-	3	3	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Unspecified pedal cyclist injured in traffic accident (V12.9)

All ages-----	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Pedal cyclist injured in collision with car, pickup truck, or van (V13)

All ages-----	274	235	39	57	51	6	3	2	1
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	3	3	-	1	1	-	-	-	-
5-9 years-----	29	26	3	9	6	3	-	-	-
10-14 years-----	38	28	10	10	7	3	-	-	-
15-19 years-----	29	29	-	6	6	-	-	-	-
20-24 years-----	16	12	4	5	5	-	-	-	-
25-29 years-----	9	7	2	2	2	-	-	-	-
30-34 years-----	17	12	5	2	2	-	-	-	-
35-39 years-----	17	15	2	8	8	-	-	-	-
40-44 years-----	32	27	5	5	5	-	1	-	1
45-49 years-----	20	19	1	4	4	-	-	-	-
50-54 years-----	15	13	2	2	2	-	1	1	-
55-59 years-----	9	7	2	-	-	-	-	-	-
60-64 years-----	7	5	2	1	1	-	-	-	-
65-69 years-----	9	8	1	2	2	-	-	-	-
70-74 years-----	10	10	-	-	-	-	-	-	-
75-79 years-----	4	4	-	-	-	-	-	-	-
80-84 years-----	3	3	-	-	-	-	-	-	-
85-89 years-----	7	7	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
		MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Unspecified pedal cyclist injured in nontraffic accident (V13.2)

All ages-----	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V13.4)

All ages-----	125	102	23	23	22	1	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	10	8	2	2	1	1	-	-	-
10-14 years-----	19	12	7	2	2	-	-	-	-
15-19 years-----	11	11	-	3	3	-	-	-	-
20-24 years-----	8	5	3	1	1	-	-	-	-
25-29 years-----	3	2	1	2	2	-	-	-	-
30-34 years-----	13	11	2	1	1	-	-	-	-
35-39 years-----	6	4	2	5	5	-	-	-	-
40-44 years-----	11	9	2	3	3	-	1	-	1
45-49 years-----	11	11	-	2	2	-	-	-	-
50-54 years-----	8	7	1	1	1	-	-	-	-
55-59 years-----	7	5	2	-	-	-	-	-	-
60-64 years-----	2	1	1	-	-	-	-	-	-
65-69 years-----	4	4	-	1	1	-	-	-	-
70-74 years-----	4	4	-	-	-	-	-	-	-
75-79 years-----	3	3	-	-	-	-	-	-	-
80-84 years-----	2	2	-	-	-	-	-	-	-
85-89 years-----	3	3	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Passenger injured in nontraffic accident (V43.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	2	1	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V43.5)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	2,267	1,309	958	348	227	121	10	6	4
Under 1 year-----	1	-	1	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	-	-	-
5-9 years-----	2	1	1	-	-	-	-	-	-
10-14 years-----	1	1	-	1	-	1	-	-	-
15-19 years-----	213	125	88	23	18	5	4	2	2
20-24 years-----	196	118	78	52	30	22	2	2	-
25-29 years-----	142	83	59	36	21	15	-	-	-
30-34 years-----	160	107	53	41	29	12	1	1	-
35-39 years-----	159	75	84	38	21	17	1	1	-
40-44 years-----	163	87	76	34	25	9	-	-	-
45-49 years-----	147	84	63	25	18	7	1	-	1
50-54 years-----	135	82	53	19	12	7	-	-	-
55-59 years-----	122	61	61	17	11	6	-	-	-
60-64 years-----	99	58	41	15	9	6	-	-	-
65-69 years-----	115	64	51	14	10	4	1	-	1
70-74 years-----	149	85	64	9	6	3	-	-	-
75-79 years-----	168	91	77	8	4	4	-	-	-
80-84 years-----	171	98	73	9	8	1	-	-	-
85-89 years-----	95	66	29	5	3	2	-	-	-
90-94 years-----	23	18	5	1	1	-	-	-	-
95-99 years-----	4	3	1	1	1	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Unspecified car occupant injured in traffic accident (V48.9)

All ages-----	316	208	108	34	22	12	1	-	1
Under 1 year-----	1	1	-	1	1	-	-	-	-
1-4 years-----	1	1	-	-	-	-	-	-	-
5-9 years-----	2	2	-	2	1	1	-	-	-
10-14 years-----	3	1	2	1	1	-	-	-	-
15-19 years-----	53	31	22	-	-	-	-	-	-
20-24 years-----	50	37	13	4	2	2	-	-	-
25-29 years-----	36	24	12	3	2	1	-	-	-
30-34 years-----	19	15	4	2	1	1	-	-	-
35-39 years-----	30	17	13	6	5	1	-	-	-
40-44 years-----	34	25	9	5	4	1	-	-	-
45-49 years-----	23	15	8	1	1	-	1	-	1
50-54 years-----	15	11	4	2	2	-	-	-	-
55-59 years-----	11	8	3	3	1	2	-	-	-
60-64 years-----	8	4	4	-	-	-	-	-	-
65-69 years-----	7	3	4	1	1	-	-	-	-
70-74 years-----	7	2	5	-	-	-	-	-	-
75-79 years-----	9	6	3	2	-	2	-	-	-
80-84 years-----	2	2	-	1	-	1	-	-	-
85-89 years-----	4	3	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Car occupant injured in other and unspecified transport accidents (V49)

All ages-----	2,063	1,227	836	367	253	114	6	4	2
Under 1 year-----	13	6	7	4	-	4	-	-	-
1-4 years-----	14	10	4	9	3	6	-	-	-
5-9 years-----	30	13	17	11	7	4	-	-	-
10-14 years-----	31	14	17	13	8	5	-	-	-
15-19 years-----	295	180	115	39	28	11	-	-	-
20-24 years-----	235	167	68	41	30	11	1	1	-
25-29 years-----	156	106	50	37	29	8	1	1	-
30-34 years-----	140	85	55	34	24	10	-	-	-
35-39 years-----	130	81	49	39	29	10	-	-	-
40-44 years-----	161	109	52	26	18	8	2	1	1
45-49 years-----	116	68	48	25	15	10	-	-	-
50-54 years-----	90	52	38	19	14	5	-	-	-
55-59 years-----	77	40	37	13	9	4	1	-	1
60-64 years-----	81	37	44	9	5	4	-	-	-
65-69 years-----	87	55	32	18	12	6	-	-	-
70-74 years-----	91	49	42	11	8	3	-	-	-
75-79 years-----	120	59	61	7	7	-	-	-	-
80-84 years-----	115	57	58	6	2	4	1	1	-
85-89 years-----	59	27	32	3	2	1	-	-	-
90-94 years-----	18	12	6	2	2	-	-	-	-
95-99 years-----	4	-	4	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Unspecified occupant of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.9)

All ages-----	201	181	20	3	3	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	1	1	-	-	-	-
5-9 years-----	10	9	1	-	-	-	-	-	-
10-14 years-----	18	17	1	-	-	-	-	-	-
15-19 years-----	21	19	2	1	1	-	-	-	-
20-24 years-----	31	29	2	-	-	-	1	1	-
25-29 years-----	16	13	3	-	-	-	-	-	-
30-34 years-----	23	20	3	1	1	-	-	-	-
35-39 years-----	14	13	1	-	-	-	-	-	-
40-44 years-----	11	8	3	-	-	-	-	-	-
45-49 years-----	15	15	-	-	-	-	-	-	-
50-54 years-----	13	11	2	-	-	-	-	-	-
55-59 years-----	5	5	-	-	-	-	-	-	-
60-64 years-----	4	4	-	-	-	-	1	1	-
65-69 years-----	7	7	-	-	-	-	-	-	-
70-74 years-----	5	5	-	-	-	-	-	-	-
75-79 years-----	2	2	-	-	-	-	-	-	-
80-84 years-----	2	1	1	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Traffic accident of specified type but victim's mode of transport unknown (V87)

All ages-----	3,065	1,903	1,162	496	324	172	12	8	4
Under 1 year-----	9	5	4	5	1	4	-	-	-
1-4 years-----	31	15	16	10	5	5	-	-	-
5-9 years-----	40	21	19	14	8	6	-	-	-
10-14 years-----	62	35	27	10	3	7	-	-	-
15-19 years-----	387	237	150	57	38	19	1	1	-
20-24 years-----	293	198	95	55	41	14	2	1	1
25-29 years-----	186	126	60	51	35	16	-	-	-
30-34 years-----	183	115	68	33	24	9	1	1	-
35-39 years-----	244	155	89	45	32	13	1	-	1
40-44 years-----	218	146	72	34	26	8	-	-	-
45-49 years-----	181	115	66	42	29	13	1	1	-
50-54 years-----	162	92	70	33	21	12	2	-	2
55-59 years-----	133	91	42	19	11	8	2	2	-
60-64 years-----	129	70	59	21	12	9	-	-	-
65-69 years-----	148	93	55	15	7	8	-	-	-
70-74 years-----	159	87	72	13	4	9	-	-	-
75-79 years-----	198	125	73	21	16	5	-	-	-
80-84 years-----	168	94	74	10	6	4	1	1	-
85-89 years-----	103	67	36	6	4	2	-	-	-
90-94 years-----	27	15	12	2	1	1	-	-	-
95-99 years-----	4	1	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Person injured in unspecified nonmotor-vehicle accident, nontraffic (V89.1)

All ages-----	4	4	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	1	1	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Person injured in unspecified motor-vehicle accident, traffic (V89.2)

All ages-----	8,243	5,213	3,030	1,275	841	434	36	21	15
Under 1 year-----	29	13	16	13	6	7	-	-	-
1-4 years-----	70	34	36	35	18	17	1	1	-
5-9 years-----	101	51	50	28	16	12	-	-	-
10-14 years-----	125	67	58	24	17	7	-	24	-
15-19 years-----	1,190	746	444	164	108	56	4	1	3
20-24 years-----	962	710	252	176	134	42	4	2	2
25-29 years-----	664	472	192	119	86	33	5	2	3
30-34 years-----	561	371	190	112	78	34	2	2	-
35-39 years-----	651	427	224	108	66	42	3	3	-
40-44 years-----	544	344	200	93	56	37	-	-	-
45-49 years-----	475	325	150	96	61	35	3	2	1
50-54 years-----	418	273	145	67	49	18	-	-	-
55-59 years-----	349	228	121	43	30	13	1	1	-
60-64 years-----	267	164	103	43	31	12	-	-	-
65-69 years-----	317	180	137	43	25	18	-	-	-
70-74 years-----	390	212	178	34	15	19	2	1	1
75-79 years-----	429	228	201	30	18	12	2	1	1
80-84 years-----	367	186	181	27	15	12	1	-	1
85-89 years-----	234	126	108	15	9	6	2	1	1
90-94 years-----	89	49	40	4	2	2	1	-	1
95-99 years-----	10	7	3	1	1	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	5	4	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other specified drowning and submersion (W73)

All ages-----	134	101	33	42	36	6	-	-	-
Under 1 year-----	2	2	-	1	-	1	-	-	-
1-4 years-----	21	13	8	4	3	1	-	-	-
5-9 years-----	7	5	2	2	2	-	-	-	-
10-14 years-----	5	4	1	6	3	3	-	-	-
15-19 years-----	13	13	-	11	10	1	-	-	-
20-24 years-----	10	10	-	6	6	-	-	-	-
25-29 years-----	4	4	-	5	5	-	-	-	-
30-34 years-----	9	6	3	-	-	-	-	-	-
35-39 years-----	6	4	2	-	-	-	-	-	-
40-44 years-----	12	11	1	1	1	-	-	-	-
45-49 years-----	6	5	1	-	-	-	-	-	-
50-54 years-----	9	7	2	-	-	-	-	-	-
55-59 years-----	6	1	5	2	2	-	-	-	-
60-64 years-----	2	2	-	1	1	-	-	-	-
65-69 years-----	4	2	2	-	-	-	-	-	-
70-74 years-----	8	5	3	2	2	-	-	-	-
75-79 years-----	5	5	-	-	-	-	-	-	-
80-84 years-----	3	1	2	1	1	-	-	-	-
85-89 years-----	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Unspecified drowning and submersion (W74)

All ages-----	776	616	160	251	211	40	13	12	1
Under 1 year-----	6	3	3	8	6	2	-	-	-
1-4 years-----	86	57	29	20	13	7	1	-	1
5-9 years-----	28	19	9	34	27	7	-	-	-
10-14 years-----	20	13	7	35	28	7	-	-	-
15-19 years-----	63	56	7	37	33	4	1	1	-
20-24 years-----	39	34	5	13	13	-	-	-	-
25-29 years-----	46	40	6	20	17	3	-	-	-
30-34 years-----	61	54	7	19	18	1	2	2	-
35-39 years-----	70	57	13	12	10	2	1	1	-
40-44 years-----	51	42	9	14	13	1	-	-	-
45-49 years-----	54	45	9	5	5	-	1	1	-
50-54 years-----	53	46	7	12	11	1	-	-	-
55-59 years-----	35	32	3	8	6	2	-	-	-
60-64 years-----	38	31	7	4	3	1	-	-	-
65-69 years-----	27	18	9	4	3	1	-	-	-
70-74 years-----	31	25	6	-	-	-	-	-	-
75-79 years-----	30	21	9	4	4	-	-	-	-
80-84 years-----	19	14	5	-	-	-	-	-	-
85-89 years-----	9	5	4	2	1	1	-	-	-
90-94 years-----	7	2	5	-	-	-	-	-	-
95-99 years-----	3	2	1	-	-	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	6	6	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE - MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK - MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
---------------------	----------------------	--------------	--------	----------------------	--------------	--------	-------------------------------	------	--------

Exposure to controlled fire in building or structure (X02)

All ages-----	31	17	14	17	9	8	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	2	1	1	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	-	-	-	-	-	-
20-24 years-----	2	1	1	2	-	2	-	-	-
25-29 years-----	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	2	1	1	-	-	-
35-39 years-----	-	-	-	1	1	-	-	-	-
40-44 years-----	2	1	1	1	1	-	-	-	-
45-49 years-----	2	2	-	1	1	-	-	-	-
50-54 years-----	2	1	1	1	1	-	-	-	-
55-59 years-----	2	2	-	2	1	1	-	-	-
60-64 years-----	1	-	1	1	1	-	1	1	-
65-69 years-----	1	1	-	1	1	-	-	-	-
70-74 years-----	1	1	-	1	-	1	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	5	2	3	-	-	-	-	-	-
85-89 years-----	4	1	3	1	-	1	-	-	-
90-94 years-----	3	1	2	1	-	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Exposure to controlled fire, not in building or structure (X03)

All ages-----	24	23	1	6	6	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	-	-	-
40-44 years-----	3	3	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	-	-	-
60-64 years-----	2	1	1	-	-	-	-	-	-
65-69 years-----	4	4	-	-	-	-	-	-	-
70-74 years-----	3	3	-	2	2	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	3	3	-	2	2	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
---------------------	---------------------------------	------	--------	---------------------------------	------	--------	----------------------------------	------	--------

Contact with unspecified venomous animal or plant (X29)

All ages-----	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Exposure to excessive natural heat (X30)

All ages-----	335	192	143	208	119	89	12	9	3
Under 1 year-----	-	-	-	3	3	-	-	-	-
1-4 years-----	7	6	1	4	3	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	1	1	-	-	-	-
15-19 years-----	1	1	-	4	3	1	-	-	-
20-24 years-----	3	3	-	3	3	-	-	-	-
25-29 years-----	4	4	-	2	1	1	1	1	-
30-34 years-----	7	6	1	6	3	3	1	1	-
35-39 years-----	13	13	-	6	4	2	-	-	-
40-44 years-----	23	14	9	13	10	3	-	-	-
45-49 years-----	18	15	3	18	15	3	1	1	-
50-54 years-----	28	22	6	17	14	3	2	2	-
55-59 years-----	19	12	7	11	9	2	1	1	-
60-64 years-----	17	12	5	13	7	6	-	-	-
65-69 years-----	31	21	10	14	9	5	1	-	1
70-74 years-----	32	13	19	20	9	11	1	1	-
75-79 years-----	44	20	24	22	5	17	1	-	1
80-84 years-----	46	18	28	28	11	17	-	-	-
85-89 years-----	21	6	15	13	6	7	-	-	-
90-94 years-----	17	5	12	5	2	3	-	-	-
95-99 years-----	1	-	1	4	-	4	-	-	-
100 yrs & over---	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	1	1	-	2	2	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Victim of flood (X38)

All ages-----	10	5	5	4	2	2	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	-	-	-	-	-	-
25-29 years-----	2	-	2	1	-	1	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	2	-	2	-	-	-	-	-	-
40-44 years-----	-	-	-	1	1	-	-	-	-
45-49 years-----	-	-	-	1	-	1	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	1	1	-	-	-	-
60-64 years-----	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Exposure to other and unspecified forces of nature (X39)

All ages-----	18	13	5	11	6	5	4	4	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	-	-	-
35-39 years-----	3	1	2	1	1	-	-	-	-
40-44 years-----	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	2	2	-	-	-	-
50-54 years-----	1	1	-	2	1	1	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-
60-64 years-----	-	-	-	-	-	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-
75-79 years-----	2	1	1	-	-	-	-	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-
85-89 years-----	3	3	-	2	1	1	-	-	-
90-94 years-----	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	1	-	1	-	-	-
100 yrs & over---	-	-	-	1	-	1	-	-	-
Not stated-----	-	-	-	-	-	-	2	2	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics (X40)

All ages-----	125	62	63	24	8	16	1	-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	3	1	2	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	-	-	-
15-19 years-----	4	2	2	-	-	-	-	-	-
20-24 years-----	5	4	1	1	1	-	-	-	-
25-29 years-----	5	2	3	2	1	1	-	-	-
30-34 years-----	7	2	5	4	1	3	-	-	-
35-39 years-----	13	4	9	2	1	1	-	-	-
40-44 years-----	17	7	10	3	1	2	-	-	-
45-49 years-----	14	7	7	2	-	2	-	-	-
50-54 years-----	12	6	6	2	-	2	-	-	-
55-59 years-----	15	8	7	-	-	-	1	-	1
60-64 years-----	9	6	3	2	-	2	-	-	-
65-69 years-----	2	2	-	1	-	1	-	-	-
70-74 years-----	4	1	3	2	2	-	-	-	-
75-79 years-----	5	3	2	-	-	-	-	-	-
80-84 years-----	2	-	2	-	-	-	-	-	-
85-89 years-----	8	5	3	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified (X41)

All ages-----	544	329	215	57	34	23	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	3	-	3	1	1	-	-	-	-
5-9 years-----	1	-	1	-	-	-	-	-	-
10-14 years-----	2	2	-	-	-	-	-	-	-
15-19 years-----	16	9	7	1	-	1	-	-	-
20-24 years-----	28	17	11	3	2	1	-	-	-
25-29 years-----	35	21	14	2	1	1	1	1	-
30-34 years-----	48	33	15	3	3	-	1	1	-
35-39 years-----	93	60	33	8	4	4	-	-	-
40-44 years-----	106	68	38	7	3	4	-	-	-
45-49 years-----	84	63	21	13	11	2	-	-	-
50-54 years-----	53	24	29	4	2	2	-	-	-
55-59 years-----	38	18	20	7	5	2	-	-	-
60-64 years-----	10	6	4	1	-	1	-	-	-
65-69 years-----	7	3	4	-	-	-	-	-	-
70-74 years-----	3	1	2	1	-	1	-	-	-
75-79 years-----	5	-	5	2	1	1	-	-	-
80-84 years-----	5	1	4	1	-	1	-	-	-
85-89 years-----	3	2	1	3	1	2	-	-	-
90-94 years-----	1	-	1	-	-	-	-	-	-
95-99 years-----	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances (X44)

All ages-----	3,370	2,157	1,213	471	315	156	38	19	19
Under 1 year-----	2	1	1	1	1	-	-	-	-
1-4 years-----	2	1	1	1	-	1	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	5	3	2	-	-	-	-	-	-
15-19 years-----	58	45	13	2	2	-	-	-	-
20-24 years-----	203	155	48	16	12	4	-	-	-
25-29 years-----	239	177	62	30	20	10	-	-	-
30-34 years-----	374	273	101	37	25	12	3	2	1
35-39 years-----	582	379	203	60	36	24	4	3	1
40-44 years-----	676	442	234	116	81	35	15	6	9
45-49 years-----	492	324	168	87	65	22	4	1	3
50-54 years-----	241	147	94	48	34	14	5	4	1
55-59 years-----	105	44	61	18	14	4	3	2	1
60-64 years-----	55	26	29	15	10	5	-	-	-
65-69 years-----	61	28	33	11	6	5	-	-	-
70-74 years-----	63	35	28	10	4	6	-	-	-
75-79 years-----	74	31	43	4	1	3	-	-	-
80-84 years-----	64	22	42	4	2	2	2	-	2
85-89 years-----	49	18	31	7	1	6	1	1	-
90-94 years-----	19	5	14	1	-	1	-	-	-
95-99 years-----	6	1	5	2	1	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	1	-	1	1	-	1

Accidental poisoning by and exposure to alcohol (X45)

All ages-----	189	148	41	46	36	10	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	3	3	-	-	-	-
20-24 years-----	7	6	1	1	1	-	1	1	-
25-29 years-----	7	7	-	-	-	-	-	-	-
30-34 years-----	10	5	5	5	4	1	-	-	-
35-39 years-----	28	22	6	7	6	1	1	1	-
40-44 years-----	47	42	5	4	2	2	-	-	-
45-49 years-----	35	27	8	9	6	3	-	-	-
50-54 years-----	21	14	7	5	4	1	-	-	-
55-59 years-----	19	12	7	6	6	-	-	-	-
60-64 years-----	6	5	1	1	1	-	-	-	-
65-69 years-----	3	2	1	4	3	1	-	-	-
70-74 years-----	2	2	-	1	-	1	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	2	2	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
---------------------	---------------------------------	------	--------	---------------------------------	------	--------	----------------------------------	------	--------

Exposure to other specified factors (X58)

All ages-----	50	33	17	17	11	6	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	1	1	-	-	-	-
15-19 years-----	3	2	1	-	-	-	-	-	-
20-24 years-----	3	2	1	1	1	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-
30-34 years-----	4	4	-	-	-	-	-	-	-
35-39 years-----	2	2	-	-	-	-	-	-	-
40-44 years-----	1	1	-	2	2	-	-	-	-
45-49 years-----	4	2	2	1	1	-	-	-	-
50-54 years-----	3	3	-	1	1	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-
60-64 years-----	3	2	1	2	1	1	-	-	-
65-69 years-----	2	2	-	1	-	1	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-
75-79 years-----	6	4	2	-	-	-	-	-	-
80-84 years-----	7	2	5	2	1	1	-	-	-
85-89 years-----	3	2	1	2	-	2	-	-	-
90-94 years-----	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	1	-	1

Exposure to unspecified factor (X59)

All ages-----	6,587	2,904	3,683	549	316	233	23	17	6
Under 1 year-----	14	8	6	5	3	2	-	-	-
1-4 years-----	13	8	5	7	6	1	-	-	-
5-9 years-----	12	8	4	2	1	1	-	-	-
10-14 years-----	16	12	4	5	3	2	-	-	-
15-19 years-----	54	35	19	14	14	-	1	-	1
20-24 years-----	56	47	9	13	11	2	-	-	-
25-29 years-----	54	44	10	17	12	5	-	-	-
30-34 years-----	66	53	13	17	14	3	1	-	1
35-39 years-----	82	58	24	13	10	3	-	-	-
40-44 years-----	123	88	35	28	19	9	-	-	-
45-49 years-----	108	76	32	28	18	10	1	1	-
50-54 years-----	126	86	40	21	14	7	1	-	1
55-59 years-----	133	87	46	24	15	9	1	1	-
60-64 years-----	162	108	54	32	16	16	-	-	-
65-69 years-----	245	138	107	35	21	14	1	1	-
70-74 years-----	407	223	184	46	27	19	-	-	-
75-79 years-----	693	342	351	63	33	30	3	2	1
80-84 years-----	1,142	503	639	56	23	33	2	2	-
85-89 years-----	1,397	521	876	56	29	27	5	3	2
90-94 years-----	1,134	329	805	45	23	22	2	2	-
95-99 years-----	469	112	357	18	3	15	1	1	-
100 yrs & over---	80	17	63	4	1	3	-	-	-
Not stated-----	1	1	-	-	-	-	4	4	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Intentional self harm (suicide) by hanging, strangulation, and suffocation (X70)

All ages-----	4,119	3,390	729	372	329	43	20	18	2
Under 1 year-----
1-4 years-----
5-9 years-----	1	1	-	-	-	-	1	1	-
10-14 years-----	83	69	14	22	16	6	1	1	-
15-19 years-----	291	232	59	38	29	9	-	-	-
20-24 years-----	380	326	54	48	44	4	1	1	-
25-29 years-----	440	376	64	55	49	6	5	5	-
30-34 years-----	516	447	69	61	54	7	3	2	1
35-39 years-----	566	492	74	57	55	2	-	-	-
40-44 years-----	512	435	77	34	30	4	-	-	-
45-49 years-----	341	281	60	20	20	-	1	1	-
50-54 years-----	247	195	52	14	13	1	3	2	1
55-59 years-----	146	122	24	5	4	1	-	-	-
60-64 years-----	102	79	23	5	3	2	-	-	-
65-69 years-----	102	70	32	9	8	1	2	2	-
70-74 years-----	96	72	24	-	-	-	-	-	-
75-79 years-----	108	71	37	3	3	-	-	-	-
80-84 years-----	84	54	30	-	-	-	1	1	-
85-89 years-----	63	42	21	1	1	-	-	-	-
90-94 years-----	33	21	12	-	-	-	-	-	-
95-99 years-----	7	4	3	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	2	2	-

Intentional self harm (suicide) by drowning and submersion (X71)

All ages-----	219	143	76	56	40	16	6	4	2
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	6	5	1	-	-	-
20-24 years-----	10	6	4	5	5	-	-	-	-
25-29 years-----	8	8	-	3	2	1	-	-	-
30-34 years-----	10	9	1	10	8	2	-	-	-
35-39 years-----	31	20	11	8	7	1	-	-	-
40-44 years-----	29	16	13	6	4	2	1	-	1
45-49 years-----	14	10	4	4	2	2	2	2	-
50-54 years-----	20	15	5	3	-	3	1	1	-
55-59 years-----	6	5	1	3	2	1	-	-	-
60-64 years-----	13	8	5	1	1	-	1	-	1
65-69 years-----	14	9	5	1	1	-	1	1	-
70-74 years-----	16	6	10	1	-	1	-	-	-
75-79 years-----	10	6	4	1	1	-	-	-	-
80-84 years-----	14	9	5	1	-	1	-	-	-
85-89 years-----	13	9	4	-	-	-	-	-	-
90-94 years-----	6	2	4	1	-	1	-	-	-
95-99 years-----	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	2	2	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Intentional self harm (suicide) by handgun discharge (X72)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	2,941	2,464	477	200	178	22	10	8	2
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	11	7	4	-	-	-	-	-	-
15-19 years-----	117	89	28	22	20	2	-	-	-
20-24 years-----	166	149	17	38	33	5	-	-	-
25-29 years-----	179	151	28	33	31	2	-	-	-
30-34 years-----	207	167	40	30	28	2	-	-	-
35-39 years-----	253	199	54	13	11	2	1	-	1
40-44 years-----	260	205	55	11	8	3	1	1	-
45-49 years-----	274	216	58	12	9	3	1	-	1
50-54 years-----	253	212	41	7	6	1	1	1	-
55-59 years-----	213	169	44	6	6	-	1	1	-
60-64 years-----	150	126	24	9	9	-	1	1	-
65-69 years-----	178	154	24	6	5	1	-	-	-
70-74 years-----	207	182	25	3	3	-	1	1	-
75-79 years-----	206	190	16	5	5	-	2	2	-
80-84 years-----	145	136	9	1	1	-	-	-	-
85-89 years-----	99	94	5	3	2	1	1	1	-
90-94 years-----	13	10	3	-	-	-	-	-	-
95-99 years-----	9	7	2	1	1	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge (X73)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- NON-HISPANIC TOTAL	WHITE MALE	FEMALE	- NON-HISPANIC TOTAL	BLACK MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
All ages-----	2,541	2,375	166	105	102	3	7	7	-
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	24	20	4	-	-	-	-	-	-
15-19 years-----	174	165	9	9	9	-	1	1	-
20-24 years-----	234	223	11	19	19	-	1	1	-
25-29 years-----	177	164	13	15	14	1	-	-	-
30-34 years-----	217	196	21	12	11	1	1	1	-
35-39 years-----	273	240	33	13	13	-	1	1	-
40-44 years-----	224	205	19	5	4	1	-	-	-
45-49 years-----	232	211	21	3	3	-	-	-	-
50-54 years-----	173	166	7	3	3	-	2	2	-
55-59 years-----	162	152	10	9	9	-	-	-	-
60-64 years-----	110	106	4	4	4	-	-	-	-
65-69 years-----	107	102	5	4	4	-	-	-	-
70-74 years-----	147	146	1	3	3	-	-	-	-
75-79 years-----	112	109	3	1	1	-	-	-	-
80-84 years-----	96	92	4	1	1	-	-	-	-
85-89 years-----	69	68	1	4	4	-	-	-	-
90-94 years-----	10	10	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Intentional self harm (suicide) by other and unspecified firearm discharge (X74)

All ages-----	8,834	7,602	1,232	807	727	80	33	27	6
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	46	38	8	5	4	1	-	-	-
15-19 years-----	435	391	44	87	78	9	1	1	-
20-24 years-----	558	497	61	148	135	13	1	-	1
25-29 years-----	621	539	82	105	97	8	4	2	2
30-34 years-----	670	559	111	73	66	7	3	2	1
35-39 years-----	831	681	150	97	88	9	4	4	-
40-44 years-----	835	683	152	58	54	4	5	5	-
45-49 years-----	789	657	132	61	51	10	2	2	-
50-54 years-----	692	567	125	32	30	2	2	1	1
55-59 years-----	595	481	114	31	27	4	-	-	-
60-64 years-----	473	417	56	22	18	4	4	4	-
65-69 years-----	473	426	47	26	21	5	3	3	-
70-74 years-----	560	495	65	23	23	-	1	1	-
75-79 years-----	571	522	49	22	19	3	2	2	-
80-84 years-----	384	363	21	13	12	1	-	-	-
85-89 years-----	215	200	15	2	2	-	1	-	1
90-94 years-----	72	72	-	2	2	-	-	-	-
95-99 years-----	12	12	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	2	2	-	-	-	-	-	-	-

Intentional self harm (suicide) by explosive material (X75)

All ages-----	6	5	1	1	1	-	1	1	-
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	1	1	-	-	-	-
15-19 years-----	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	4	3	1	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
		MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Intentional self harm (suicide) by blunt object (X79)

All ages-----	3	3	-	-	-	-	-	-	-
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Intentional self harm (suicide) by jumping from a high place (X80)

All ages-----	504	369	135	77	60	17	11	7	4
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	-	-	-	-	-	-
15-19 years-----	23	17	6	5	5	-	1	-	1
20-24 years-----	49	42	7	12	10	2	1	-	1
25-29 years-----	36	28	8	9	7	2	1	1	-
30-34 years-----	41	32	9	10	9	1	-	-	-
35-39 years-----	63	44	19	12	10	2	1	-	1
40-44 years-----	59	47	12	8	6	2	2	2	-
45-49 years-----	55	42	13	7	5	2	-	-	-
50-54 years-----	37	23	14	4	3	1	1	1	-
55-59 years-----	24	14	10	3	1	2	1	1	-
60-64 years-----	12	5	7	2	2	-	-	-	-
65-69 years-----	20	14	6	1	-	1	-	-	-
70-74 years-----	24	19	5	2	1	1	-	-	-
75-79 years-----	19	13	6	1	-	1	1	-	1
80-84 years-----	20	14	6	1	1	-	1	1	-
85-89 years-----	14	9	5	-	-	-	1	1	-
90-94 years-----	4	3	1	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	- NON-HISPANIC WHITE - TOTAL	MALE	FEMALE	- NON-HISPANIC BLACK - TOTAL	MALE	FEMALE	- ORIGIN NOT STATED 2/- TOTAL	MALE	FEMALE
---------------------	---------------------------------	------	--------	---------------------------------	------	--------	----------------------------------	------	--------

Assault (homicide) by unspecified chemical or noxious substance (X90)

All ages-----	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Assault (homicide) by hanging, strangulation, and suffocation (X91)

All ages-----	357	117	240	218	65	153	12	5	7
Under 1 year-----	18	14	4	11	7	4	1	-	1
1-4 years-----	14	7	7	6	3	3	-	-	-
5-9 years-----	11	4	7	2	1	1	-	-	-
10-14 years-----	14	6	8	2	-	2	-	-	-
15-19 years-----	21	5	16	16	3	13	-	-	-
20-24 years-----	31	3	28	21	7	14	1	-	1
25-29 years-----	32	6	26	31	8	23	-	-	-
30-34 years-----	41	10	31	30	7	23	1	1	-
35-39 years-----	39	12	27	33	10	23	-	-	-
40-44 years-----	28	8	20	22	4	18	1	-	1
45-49 years-----	17	4	13	9	3	6	-	-	-
50-54 years-----	18	8	10	8	2	6	1	1	-
55-59 years-----	8	5	3	5	3	2	1	-	1
60-64 years-----	4	2	2	5	-	5	-	-	-
65-69 years-----	19	10	9	6	4	2	2	2	-
70-74 years-----	11	3	8	3	-	3	-	-	-
75-79 years-----	14	4	10	3	1	2	-	-	-
80-84 years-----	6	2	4	2	-	2	-	-	-
85-89 years-----	8	3	5	1	1	-	-	-	-
90-94 years-----	3	1	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	2	1	1	4	1	3

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-		
		MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Assault (homicide) by rifle, shotgun, and larger firearm discharge (X94)

All ages-----	337	226	111	245	194	51	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	5	-	5	-	-	-
5-9 years-----	4	4	-	2	1	1	-	-	-
10-14 years-----	11	6	5	1	-	1	-	-	-
15-19 years-----	26	19	7	41	37	4	-	-	-
20-24 years-----	33	24	9	51	43	8	-	-	-
25-29 years-----	28	19	9	37	33	4	-	-	-
30-34 years-----	43	34	9	16	13	3	-	-	-
35-39 years-----	41	30	11	25	15	10	1	-	1
40-44 years-----	47	28	19	26	20	6	1	1	-
45-49 years-----	31	20	11	13	9	4	-	-	-
50-54 years-----	16	11	5	15	12	3	-	-	-
55-59 years-----	15	13	2	2	2	-	-	-	-
60-64 years-----	13	6	7	5	5	-	-	-	-
65-69 years-----	8	4	4	-	-	-	-	-	-
70-74 years-----	10	5	5	3	1	2	-	-	-
75-79 years-----	3	-	3	2	2	-	-	-	-
80-84 years-----	4	1	3	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	-	-	-
90-94 years-----	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	1	1	-	1	-	1

Assault (homicide) by other and unspecified firearm discharge (X95)

All ages-----	2,308	1,650	658	4,768	4,209	559	63	55	8
Under 1 year-----	2	2	-	2	1	1	-	-	-
1-4 years-----	16	8	8	12	7	5	-	-	-
5-9 years-----	18	10	8	17	10	7	-	-	-
10-14 years-----	37	23	14	51	41	10	-	-	-
15-19 years-----	200	154	46	846	760	86	9	6	3
20-24 years-----	259	190	69	1,259	1,166	93	5	4	1
25-29 years-----	264	201	63	931	841	90	9	9	-
30-34 years-----	280	204	76	574	508	66	12	9	3
35-39 years-----	321	220	101	395	326	69	7	7	-
40-44 years-----	260	187	73	273	215	58	4	4	-
45-49 years-----	184	136	48	183	152	31	2	2	-
50-54 years-----	141	107	34	83	62	21	3	2	1
55-59 years-----	90	68	22	50	46	4	2	2	-
60-64 years-----	69	50	19	36	30	6	1	1	-
65-69 years-----	56	36	20	17	14	3	-	-	-
70-74 years-----	48	29	19	16	13	3	-	-	-
75-79 years-----	29	12	17	14	11	3	1	1	-
80-84 years-----	20	8	12	4	2	2	-	-	-
85-89 years-----	13	4	9	1	1	-	-	-	-
90-94 years-----	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	1	-	1	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	3	3	-	8	8	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Assault (homicide) by explosive material (X96)

All ages-----	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Assault (homicide) by smoke, fire, and flames (X97)

All ages-----	84	45	39	77	36	41	3	2	1
Under 1 year-----	1	1	-	5	1	4	-	-	-
1-4 years-----	9	7	2	9	3	6	-	-	-
5-9 years-----	9	4	5	10	7	3	-	-	-
10-14 years-----	4	1	3	2	1	1	-	-	-
15-19 years-----	1	-	1	6	1	5	-	-	-
20-24 years-----	4	-	4	4	1	3	-	-	-
25-29 years-----	4	2	2	8	5	3	-	-	-
30-34 years-----	4	-	4	3	-	3	-	-	-
35-39 years-----	6	4	2	8	2	6	-	-	-
40-44 years-----	6	2	4	9	6	3	1	1	-
45-49 years-----	6	4	2	3	2	1	-	-	-
50-54 years-----	5	3	2	3	2	1	-	-	-
55-59 years-----	4	3	1	2	1	1	-	-	-
60-64 years-----	6	5	1	-	-	-	-	-	-
65-69 years-----	5	3	2	-	-	-	-	-	-
70-74 years-----	4	3	1	2	2	-	-	-	-
75-79 years-----	3	2	1	2	1	1	-	-	-
80-84 years-----	2	1	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	1	1	-	2	1	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -		- ORIGIN NOT STATED 2/-	
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Assault (homicide) by steam, hot vapors, and hot objects (X98)

All ages-----	1	-	1	5	1	4	-	-	-
Under 1 year-----	-	-	-	1	1	-	-	-	-
1-4 years-----	-	-	-	4	-	4	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Assault (homicide) by sharp object (X99)

All ages-----	702	460	242	718	527	191	19	13	6
Under 1 year-----	-	-	-	2	1	1	-	-	-
1-4 years-----	8	2	6	6	1	5	-	-	-
5-9 years-----	10	8	2	2	2	-	1	-	1
10-14 years-----	7	2	5	8	2	6	-	-	-
15-19 years-----	55	40	15	63	49	14	-	-	-
20-24 years-----	65	43	22	101	71	30	2	1	1
25-29 years-----	62	45	17	70	47	23	-	-	-
30-34 years-----	88	55	33	96	70	26	4	3	1
35-39 years-----	89	54	35	111	87	24	3	2	1
40-44 years-----	88	62	26	92	77	15	1	-	1
45-49 years-----	57	45	12	63	44	19	2	2	-
50-54 years-----	47	34	13	31	22	9	4	4	-
55-59 years-----	33	21	12	21	19	2	1	-	1
60-64 years-----	25	14	11	12	9	3	-	-	-
65-69 years-----	20	13	7	11	8	3	-	-	-
70-74 years-----	17	7	10	7	5	2	-	-	-
75-79 years-----	14	7	7	13	9	4	-	-	-
80-84 years-----	8	4	4	3	-	3	-	-	-
85-89 years-----	3	2	1	4	2	2	-	-	-
90-94 years-----	3	1	2	1	1	-	-	-	-
95-99 years-----	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	2	-	2	1	1	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Assault (homicide) by other specified means (Y08)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	328	214	114	248	181	67	8	5	3
Under 1 year-----	5	3	2	5	5	-	-	-	-
1-4 years-----	12	4	8	20	14	6	-	-	-
5-9 years-----	3	3	-	6	3	3	-	-	-
10-14 years-----	4	2	2	3	3	-	-	-	-
15-19 years-----	19	12	7	15	13	2	-	-	-
20-24 years-----	28	14	14	16	14	2	1	1	-
25-29 years-----	23	15	8	21	14	7	-	-	-
30-34 years-----	32	20	12	26	18	8	-	-	-
35-39 years-----	39	27	12	34	21	13	1	-	1
40-44 years-----	35	27	8	31	22	9	2	1	1
45-49 years-----	33	23	10	20	14	6	1	1	-
50-54 years-----	25	19	6	17	16	1	-	-	-
55-59 years-----	13	9	4	11	8	3	-	-	-
60-64 years-----	11	7	4	6	5	1	1	1	-
65-69 years-----	8	6	2	6	5	1	-	-	-
70-74 years-----	12	6	6	3	3	-	-	-	-
75-79 years-----	11	8	3	3	-	3	-	-	-
80-84 years-----	3	3	-	3	2	1	-	-	-
85-89 years-----	5	2	3	2	1	1	-	-	-
90-94 years-----	3	1	2	-	-	-	-	-	-
95-99 years-----	3	2	1	-	-	-	1	-	1
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-

Assault (homicide) by unspecified means (Y09)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	710	446	264	411	254	157	25	15	10
Under 1 year-----	49	27	22	36	17	19	3	1	2
1-4 years-----	51	29	22	36	21	15	-	-	-
5-9 years-----	4	1	3	7	2	5	-	-	-
10-14 years-----	6	4	2	2	-	2	-	-	-
15-19 years-----	30	16	14	26	19	7	-	-	-
20-24 years-----	47	29	18	21	19	2	-	-	-
25-29 years-----	39	20	19	42	26	16	-	-	-
30-34 years-----	41	24	17	39	21	18	1	1	-
35-39 years-----	73	47	26	51	30	21	1	1	-
40-44 years-----	69	51	18	55	33	22	3	2	1
45-49 years-----	66	50	16	27	18	9	2	-	2
50-54 years-----	45	23	22	17	14	3	4	4	-
55-59 years-----	42	32	10	7	3	4	1	1	-
60-64 years-----	22	14	8	7	4	3	1	1	-
65-69 years-----	23	18	5	11	10	1	1	1	-
70-74 years-----	24	11	13	9	5	4	-	-	-
75-79 years-----	28	23	5	6	3	3	-	-	-
80-84 years-----	28	20	8	6	4	2	-	-	-
85-89 years-----	13	4	9	3	3	-	-	-	-
90-94 years-----	5	1	4	2	1	1	-	-	-
95-99 years-----	1	-	1	1	1	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	4	2	2	-	-	-	8	3	5

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Hanging, strangulation, and suffocation, undetermined intent (Y20)

All ages-----	81	61	20	17	9	8	2	2	-
Under 1 year-----	17	10	7	10	4	6	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-
5-9 years-----	5	2	3	-	-	-	-	-	-
10-14 years-----	13	12	1	2	2	-	-	-	-
15-19 years-----	9	9	-	-	-	-	-	-	-
20-24 years-----	5	4	1	1	-	1	-	-	-
25-29 years-----	7	7	-	-	-	-	-	-	-
30-34 years-----	2	2	-	1	1	-	1	1	-
35-39 years-----	7	5	2	-	-	-	-	-	-
40-44 years-----	2	2	-	1	1	-	-	-	-
45-49 years-----	5	5	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	-	-	-
55-59 years-----	3	2	1	1	1	-	-	-	-
60-64 years-----	1	-	1	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Drowning and submersion, undetermined intent (Y21)

All ages-----	148	105	43	55	45	10	15	12	3
Under 1 year-----	3	2	1	1	1	-	-	-	-
1-4 years-----	2	-	2	1	-	1	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	-	-	-
15-19 years-----	3	2	1	1	1	-	-	-	-
20-24 years-----	3	3	-	7	6	1	1	1	-
25-29 years-----	14	9	5	1	1	-	4	3	1
30-34 years-----	12	7	5	8	6	2	2	2	-
35-39 years-----	19	15	4	6	5	1	-	-	-
40-44 years-----	15	11	4	8	7	1	-	-	-
45-49 years-----	17	15	2	9	7	2	1	-	1
50-54 years-----	15	9	6	4	3	1	2	2	-
55-59 years-----	9	5	4	4	4	-	-	-	-
60-64 years-----	6	4	2	-	-	-	-	-	-
65-69 years-----	8	5	3	2	1	1	1	1	-
70-74 years-----	4	3	1	1	1	-	-	-	-
75-79 years-----	5	4	1	-	-	-	-	-	-
80-84 years-----	4	3	1	-	-	-	-	-	-
85-89 years-----	2	2	-	-	-	-	-	-	-
90-94 years-----	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	3	3	-	1	1	-	4	3	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - NON-HISPANIC WHITE - - NON-HISPANIC BLACK - - ORIGIN NOT STATED 2/-
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Crashing of motor vehicle, undetermined intent (Y32)

All ages-----	25	16	9	4	3	1	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	-	-	-
15-19 years-----	3	2	1	-	-	-	-	-	-
20-24 years-----	-	-	-	1	1	-	-	-	-
25-29 years-----	2	2	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	3	2	1	1	-	1	-	-	-
40-44 years-----	1	1	-	2	2	-	-	-	-
45-49 years-----	2	1	1	-	-	-	-	-	-
50-54 years-----	2	2	-	-	-	-	-	-	-
55-59 years-----	2	1	1	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	-	-	-
70-74 years-----	3	2	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Other specified events, undetermined intent (Y33)

All ages-----	74	42	32	19	11	8	3	2	1
Under 1 year-----	-	-	-	1	-	1	-	-	-
1-4 years-----	2	1	1	-	-	-	-	-	-
5-9 years-----	1	-	1	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	3	3	-	1	-	1	-	-	-
20-24 years-----	5	5	-	2	2	-	-	-	-
25-29 years-----	4	1	3	1	1	-	-	-	-
30-34 years-----	4	4	-	4	2	2	-	-	-
35-39 years-----	6	3	3	3	2	1	-	-	-
40-44 years-----	6	4	2	2	2	-	1	1	-
45-49 years-----	9	5	4	1	1	-	-	-	-
50-54 years-----	7	6	1	2	1	1	-	-	-
55-59 years-----	2	1	1	-	-	-	-	-	-
60-64 years-----	2	1	1	-	-	-	-	-	-
65-69 years-----	3	3	-	-	-	-	1	-	1
70-74 years-----	2	-	2	1	-	1	1	1	-
75-79 years-----	4	2	2	-	-	-	-	-	-
80-84 years-----	6	2	4	-	-	-	-	-	-
85-89 years-----	2	-	2	-	-	-	-	-	-
90-94 years-----	5	1	4	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	- NON-HISPANIC WHITE -		- NON-HISPANIC BLACK -			- ORIGIN NOT STATED 2/-			
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Sequelae of war operations (Y89.1)

All ages-----	18	18	-	1	1	-	-	-	-
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-
70-74 years-----	6	6	-	-	-	-	-	-	-
75-79 years-----	4	4	-	-	-	-	-	-	-
80-84 years-----	2	2	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Sequelae of unspecified external cause (Y89.9)

All ages-----	6	4	2	5	4	1	1	-	1
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	3	2	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	2	2	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	1	1	-	-	-	-
60-64 years-----	-	-	-	1	1	-	-	-	-
65-69 years-----	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

- QUANTITY ZERO.

... CATEGORY NOT APPLICABLE.

1/ INCLUDES RACES OTHER THAN WHITE AND BLACK.

2/ INCLUDES DEATHS FOR WHICH HISPANIC ORIGIN WAS NOT REPORTED ON THE DEATH CERTIFICATE.

NOTE: COMPLETE CONFIRMATION OF DEATHS FROM SELECTED CAUSES OF DEATH, CONSIDERED TO BE OF PUBLIC HEALTH CONCERN, WERE NOT PROVIDED BY THE FOLLOWING STATES--CALIFORNIA, FLORIDA, ILLINOIS, INDIANA, KENTUCKY, MAINE, MICHIGAN, MISSOURI, NEW JERSEY, NEW YORK CITY, NORTH CAROLINA, OHIO, PENNSYLVANIA, RHODE ISLAND, WASHINGTON, AND WEST VIRGINIA.

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY.