

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -

Primary respiratory tuberculosis without mention of bacteriological or histological confirmation (A16.7)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	-	1	-	-	-	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Respiratory tuberculosis unspecified, without mention of bacteriological or histological confirmation (A16.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	281	179	102	35	23	12	236	148	88
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	4	1	3	2	1	1	2	-	2
25-29 years-----	2	-	2	-	-	-	2	-	2
30-34 years-----	3	1	2	-	-	-	3	1	2
35-39 years-----	6	5	1	1	1	-	5	4	1
40-44 years-----	7	4	3	-	-	-	5	2	3
45-49 years-----	14	11	3	3	2	1	10	8	2
50-54 years-----	16	14	2	2	2	-	13	11	2
55-59 years-----	19	14	5	1	1	-	18	13	5
60-64 years-----	18	15	3	6	4	2	12	11	1
65-69 years-----	22	16	6	2	1	1	20	15	5
70-74 years-----	28	22	6	3	3	-	25	19	6
75-79 years-----	49	28	21	8	5	3	40	22	18
80-84 years-----	40	22	18	5	2	3	33	19	14
85-89 years-----	31	15	16	2	1	1	28	13	15
90-94 years-----	15	5	10	-	-	-	15	5	10
95-99 years-----	4	4	-	-	-	-	4	4	-
100 yrs & over---	1	-	1	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Infectious mononucleosis, unspecified (B27.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	6	3	3
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	2	-	2
20-24 years-----	1	-	1
25-29 years-----	1	1	-
30-34 years-----	1	1	-
35-39 years-----	1	1	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Other viral diseases, not elsewhere classified (B33)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	75	39	36
Under 1 year-----	4	3	1
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	1	-	1
15-19 years-----	2	-	2
20-24 years-----	3	3	-
25-29 years-----	1	-	1
30-34 years-----	1	1	-
35-39 years-----	7	6	1
40-44 years-----	10	4	6
45-49 years-----	8	4	4
50-54 years-----	5	3	2
55-59 years-----	10	3	7
60-64 years-----	3	-	3
65-69 years-----	6	3	3
70-74 years-----	3	2	1
75-79 years-----	7	5	2
80-84 years-----	4	2	2
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Chronic pulmonary coccidioidomycosis (B38.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	1	-	1
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	1	-	1
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Pulmonary coccidioidomycosis, unspecified (B38.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	26	22	4
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	2	2	-
30-34 years-----	1	1	-
35-39 years-----	1	1	-
40-44 years-----	1	1	-
45-49 years-----	-	-	-
50-54 years-----	1	1	-
55-59 years-----	2	1	1
60-64 years-----	3	2	1
65-69 years-----	1	-	1
70-74 years-----	1	1	-
75-79 years-----	4	3	1
80-84 years-----	5	5	-
85-89 years-----	3	3	-
90-94 years-----	1	1	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Sporotrichosis, unspecified (B42.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	1	1	-
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	1	1	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Chromomycosis and pheomycotic abscess (B43)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	1	1	-
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	1	1	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -

Pharynx, unspecified (C14.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1,479	1,078	401	55	41	14	1,421	1,034	387
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	-	-	-	2	2	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	-	-	-	2	2	-
35-39 years-----	9	6	3	-	-	-	9	6	3
40-44 years-----	20	17	3	1	-	1	19	17	2
45-49 years-----	84	71	13	2	2	-	82	69	13
50-54 years-----	118	95	23	3	3	-	114	91	23
55-59 years-----	170	136	34	6	5	1	164	131	33
60-64 years-----	191	151	40	9	6	3	181	144	37
65-69 years-----	181	129	52	9	8	1	172	121	51
70-74 years-----	249	170	79	8	7	1	240	162	78
75-79 years-----	196	138	58	9	8	1	187	130	57
80-84 years-----	145	97	48	5	1	4	140	96	44
85-89 years-----	82	52	30	2	1	1	80	51	29
90-94 years-----	23	10	13	1	-	1	22	10	12
95-99 years-----	5	2	3	-	-	-	5	2	3
100 yrs & over---	2	-	2	-	-	-	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-

Malignant neoplasm of esophagus (C15)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	11,918	9,094	2,824	367	294	73	11,520	8,775	2,745
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	10	7	3	-	-	-	10	7	3
30-34 years-----	27	22	5	2	2	-	25	20	5
35-39 years-----	75	65	10	6	5	1	69	60	9
40-44 years-----	218	190	28	10	10	-	207	179	28
45-49 years-----	469	410	59	22	20	2	447	390	57
50-54 years-----	793	684	109	22	19	3	768	663	105
55-59 years-----	1,139	969	170	36	34	2	1,100	932	168
60-64 years-----	1,392	1,112	280	49	44	5	1,339	1,064	275
65-69 years-----	1,739	1,396	343	56	42	14	1,677	1,349	328
70-74 years-----	1,955	1,529	426	39	32	7	1,910	1,492	418
75-79 years-----	1,784	1,328	456	54	42	12	1,725	1,281	444
80-84 years-----	1,202	808	394	33	21	12	1,168	787	381
85-89 years-----	755	421	334	22	16	6	732	405	327
90-94 years-----	279	127	152	14	7	7	264	120	144
95-99 years-----	72	22	50	2	-	2	70	22	48
100 yrs & over---	8	3	5	-	-	-	8	3	5
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -

Stomach, unspecified (C16.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	11,938	6,845	5,093	1,031	590	441	10,870	6,234	4,636
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-
15-19 years-----	4	1	3	1	-	1	3	1	2
20-24 years-----	8	4	4	3	1	2	5	3	2
25-29 years-----	47	22	25	14	8	6	33	14	19
30-34 years-----	85	51	34	24	17	7	61	34	27
35-39 years-----	179	93	86	34	14	20	145	79	66
40-44 years-----	300	166	134	51	27	24	249	139	110
45-49 years-----	409	275	134	49	34	15	356	237	119
50-54 years-----	597	394	203	68	38	30	524	353	171
55-59 years-----	730	492	238	79	51	28	650	440	210
60-64 years-----	968	626	342	109	71	38	855	553	302
65-69 years-----	1,250	799	451	129	83	46	1,118	715	403
70-74 years-----	1,666	1,007	659	137	76	61	1,520	925	595
75-79 years-----	1,949	1,166	783	135	86	49	1,811	1,079	732
80-84 years-----	1,713	926	787	96	49	47	1,614	876	738
85-89 years-----	1,249	552	697	62	22	40	1,185	529	656
90-94 years-----	593	217	376	30	9	21	560	207	353
95-99 years-----	163	46	117	6	2	4	157	44	113
100 yrs & over----	27	7	20	4	2	2	23	5	18
Not stated-----	-	-	-	-	-	-	-	-	-

Malignant neoplasm of small intestine (C17)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1,037	574	463	52	34	18	981	538	443
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-
30-34 years-----	4	3	1	-	-	-	4	3	1
35-39 years-----	16	8	8	-	-	-	16	8	8
40-44 years-----	31	20	11	6	3	3	25	17	8
45-49 years-----	70	42	28	5	4	1	65	38	27
50-54 years-----	79	45	34	6	2	4	73	43	30
55-59 years-----	56	35	21	4	3	1	52	32	20
60-64 years-----	95	70	25	8	7	1	86	62	24
65-69 years-----	113	66	47	8	3	5	105	63	42
70-74 years-----	150	79	71	8	7	1	141	71	70
75-79 years-----	164	89	75	1	-	1	162	89	73
80-84 years-----	126	64	62	2	1	1	124	63	61
85-89 years-----	92	39	53	2	2	-	89	37	52
90-94 years-----	32	12	20	1	1	-	31	11	20
95-99 years-----	6	1	5	-	-	-	6	1	5
100 yrs & over----	1	-	1	-	-	-	1	-	1
Not stated-----	1	-	1	-	-	-	1	-	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Overlapping lesion of pancreas (C25.8)

All ages-----	1	1	-	-	-	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Pancreas, unspecified (C25.9)

All ages-----	28,691	13,980	14,711	1,126	555	571	27,488	13,384	14,104
Under 1 year-----	1	-	1	-	-	-	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	3	1	2	-	-	-	3	1	2
25-29 years-----	9	7	2	1	-	1	8	7	1
30-34 years-----	42	23	19	5	2	3	37	21	16
35-39 years-----	172	105	67	17	12	5	155	93	62
40-44 years-----	399	249	150	26	18	8	370	230	140
45-49 years-----	869	567	302	63	43	20	802	520	282
50-54 years-----	1,443	891	552	73	40	33	1,365	848	517
55-59 years-----	2,002	1,180	822	92	55	37	1,908	1,124	784
60-64 years-----	2,634	1,497	1,137	121	57	64	2,506	1,435	1,071
65-69 years-----	3,591	1,956	1,635	154	84	70	3,427	1,868	1,559
70-74 years-----	4,610	2,338	2,272	183	97	86	4,410	2,230	2,180
75-79 years-----	4,878	2,257	2,621	171	67	104	4,695	2,183	2,512
80-84 years-----	3,955	1,640	2,315	100	40	60	3,845	1,597	2,248
85-89 years-----	2,643	900	1,743	73	28	45	2,565	870	1,695
90-94 years-----	1,100	308	792	33	7	26	1,066	301	765
95-99 years-----	299	58	241	14	5	9	284	53	231
100 yrs & over---	40	3	37	-	-	-	40	3	37
Not stated-----	1	-	1	-	-	-	1	-	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Connective and soft tissue of trunk, unspecified (C49.6)

CAUSE OF DEATH	ALL ORIGINS- - -	HISPANIC - - -	NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	12	6	6
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	1	-	1
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	4	3	1
75-79 years-----	2	1	1
80-84 years-----	2	1	1
85-89 years-----	2	-	2
90-94 years-----	1	1	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Overlapping lesion of connective and soft tissue (C49.8)

CAUSE OF DEATH	ALL ORIGINS- - -	HISPANIC - - -	NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	3	-	3
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	1	-	1
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	2	-	2
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL MALE FEMALE ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -

Malignant neoplasm of vulva (C51)

POPULATION, AND SEX	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	762	...	762	33	...	33	728	...	728
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-
30-34 years-----	2	...	2	-	...	-	2	...	2
35-39 years-----	5	...	5	-	...	-	5	...	5
40-44 years-----	12	...	12	-	...	-	12	...	12
45-49 years-----	12	...	12	-	...	-	12	...	12
50-54 years-----	27	...	27	-	...	-	27	...	27
55-59 years-----	20	...	20	1	...	1	19	...	19
60-64 years-----	44	...	44	2	...	2	42	...	42
65-69 years-----	51	...	51	3	...	3	48	...	48
70-74 years-----	93	...	93	3	...	3	90	...	90
75-79 years-----	123	...	123	7	...	7	116	...	116
80-84 years-----	127	...	127	7	...	7	120	...	120
85-89 years-----	146	...	146	5	...	5	140	...	140
90-94 years-----	74	...	74	3	...	3	71	...	71
95-99 years-----	25	...	25	1	...	1	24	...	24
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Labium majus (C51.0)

POPULATION, AND SEX	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	13	...	13	1	...	1	12	...	12
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	2	...	2	-	...	-	2	...	2
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	1	...	1
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	1	...	1	-	...	-	1	...	1
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	2	...	2	-	...	-	2	...	2
85-89 years-----	2	...	2	-	...	-	2	...	2
90-94 years-----	3	...	3	1	...	1	2	...	2
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Clitoris (C51.2)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Vulva, unspecified (C51.9)

All ages-----	748	...	748	32	...	32	715	...	715
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-
30-34 years-----	2	...	2	-	...	-	2	...	2
35-39 years-----	5	...	5	-	...	-	5	...	5
40-44 years-----	11	...	11	-	...	-	11	...	11
45-49 years-----	12	...	12	-	...	-	12	...	12
50-54 years-----	25	...	25	-	...	-	25	...	25
55-59 years-----	20	...	20	1	...	1	19	...	19
60-64 years-----	43	...	43	2	...	2	41	...	41
65-69 years-----	50	...	50	3	...	3	47	...	47
70-74 years-----	92	...	92	3	...	3	89	...	89
75-79 years-----	123	...	123	7	...	7	116	...	116
80-84 years-----	125	...	125	7	...	7	118	...	118
85-89 years-----	143	...	143	5	...	5	137	...	137
90-94 years-----	71	...	71	2	...	2	69	...	69
95-99 years-----	25	...	25	1	...	1	24	...	24
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -

Malignant neoplasm of vagina (C52)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	403	...	403	15	...	15	388	...	388
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	2	...	2	2	...	2	-	...	-
35-39 years-----	7	...	7	-	...	-	7	...	7
40-44 years-----	8	...	8	1	...	1	7	...	7
45-49 years-----	14	...	14	-	...	-	14	...	14
50-54 years-----	21	...	21	1	...	1	20	...	20
55-59 years-----	25	...	25	1	...	1	24	...	24
60-64 years-----	22	...	22	1	...	1	21	...	21
65-69 years-----	31	...	31	-	...	-	31	...	31
70-74 years-----	39	...	39	2	...	2	37	...	37
75-79 years-----	61	...	61	1	...	1	60	...	60
80-84 years-----	62	...	62	2	...	2	60	...	60
85-89 years-----	68	...	68	3	...	3	65	...	65
90-94 years-----	31	...	31	1	...	1	30	...	30
95-99 years-----	10	...	10	-	...	-	10	...	10
100 yrs & over---	2	...	2	-	...	-	2	...	2
Not stated-----	-	...	-	-	...	-	-	...	-

Malignant neoplasm of cervix uteri (C53)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4,205	...	4,205	378	...	378	3,817	...	3,817
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	-	...	-	2	...	2
20-24 years-----	10	...	10	2	...	2	8	...	8
25-29 years-----	62	...	62	7	...	7	55	...	55
30-34 years-----	155	...	155	24	...	24	131	...	131
35-39 years-----	292	...	292	34	...	34	258	...	258
40-44 years-----	407	...	407	53	...	53	353	...	353
45-49 years-----	462	...	462	55	...	55	407	...	407
50-54 years-----	452	...	452	44	...	44	406	...	406
55-59 years-----	393	...	393	34	...	34	358	...	358
60-64 years-----	376	...	376	30	...	30	344	...	344
65-69 years-----	350	...	350	27	...	27	322	...	322
70-74 years-----	346	...	346	24	...	24	322	...	322
75-79 years-----	345	...	345	20	...	20	323	...	323
80-84 years-----	223	...	223	11	...	11	212	...	212
85-89 years-----	199	...	199	8	...	8	191	...	191
90-94 years-----	98	...	98	4	...	4	93	...	93
95-99 years-----	26	...	26	1	...	1	25	...	25
100 yrs & over---	6	...	6	-	...	-	6	...	6
Not stated-----	1	...	1	-	...	-	1	...	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -

Endocervix (C53.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	34	...	34	1	...	1	33	...	33
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1
30-34 years-----	1	...	1	-	...	-	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	3	...	3	-	...	-	3	...	3
45-49 years-----	2	...	2	-	...	-	2	...	2
50-54 years-----	3	...	3	-	...	-	3	...	3
55-59 years-----	3	...	3	1	...	1	2	...	2
60-64 years-----	5	...	5	-	...	-	5	...	5
65-69 years-----	2	...	2	-	...	-	2	...	2
70-74 years-----	5	...	5	-	...	-	5	...	5
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	3	...	3	-	...	-	3	...	3
85-89 years-----	4	...	4	-	...	-	4	...	4
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Cervix uteri, unspecified (C53.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4,171	...	4,171	377	...	377	3,784	...	3,784
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	-	...	-	2	...	2
20-24 years-----	10	...	10	2	...	2	8	...	8
25-29 years-----	61	...	61	7	...	7	54	...	54
30-34 years-----	154	...	154	24	...	24	130	...	130
35-39 years-----	292	...	292	34	...	34	258	...	258
40-44 years-----	404	...	404	53	...	53	350	...	350
45-49 years-----	460	...	460	55	...	55	405	...	405
50-54 years-----	449	...	449	44	...	44	403	...	403
55-59 years-----	390	...	390	33	...	33	356	...	356
60-64 years-----	371	...	371	30	...	30	339	...	339
65-69 years-----	348	...	348	27	...	27	320	...	320
70-74 years-----	341	...	341	24	...	24	317	...	317
75-79 years-----	344	...	344	20	...	20	322	...	322
80-84 years-----	220	...	220	11	...	11	209	...	209
85-89 years-----	195	...	195	8	...	8	187	...	187
90-94 years-----	97	...	97	4	...	4	92	...	92
95-99 years-----	26	...	26	1	...	1	25	...	25
100 yrs & over---	6	...	6	-	...	-	6	...	6
Not stated-----	1	...	1	-	...	-	1	...	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -

Malignant neoplasm of corpus uteri (C54)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3,121	...	3,121	128	...	128	2,988	...	2,988
Under 1 year----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1
25-29 years-----	1	...	1	-	...	-	1	...	1
30-34 years-----	7	...	7	1	...	1	6	...	6
35-39 years-----	17	...	17	3	...	3	14	...	14
40-44 years-----	45	...	45	5	...	5	40	...	40
45-49 years-----	82	...	82	6	...	6	76	...	76
50-54 years-----	122	...	122	7	...	7	115	...	115
55-59 years-----	199	...	199	15	...	15	184	...	184
60-64 years-----	308	...	308	21	...	21	286	...	286
65-69 years-----	428	...	428	20	...	20	408	...	408
70-74 years-----	510	...	510	17	...	17	492	...	492
75-79 years-----	523	...	523	15	...	15	506	...	506
80-84 years-----	457	...	457	10	...	10	446	...	446
85-89 years-----	254	...	254	5	...	5	249	...	249
90-94 years-----	117	...	117	3	...	3	114	...	114
95-99 years-----	42	...	42	-	...	-	42	...	42
100 yrs & over---	8	...	8	-	...	-	8	...	8
Not stated-----	-	...	-	-	...	-	-	...	-

Endometrium (C54.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3,088	...	3,088	127	...	127	2,956	...	2,956
Under 1 year----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1
25-29 years-----	1	...	1	-	...	-	1	...	1
30-34 years-----	7	...	7	1	...	1	6	...	6
35-39 years-----	17	...	17	3	...	3	14	...	14
40-44 years-----	45	...	45	5	...	5	40	...	40
45-49 years-----	80	...	80	5	...	5	75	...	75
50-54 years-----	121	...	121	7	...	7	114	...	114
55-59 years-----	198	...	198	15	...	15	183	...	183
60-64 years-----	303	...	303	21	...	21	281	...	281
65-69 years-----	426	...	426	20	...	20	406	...	406
70-74 years-----	504	...	504	17	...	17	486	...	486
75-79 years-----	516	...	516	15	...	15	499	...	499
80-84 years-----	453	...	453	10	...	10	442	...	442
85-89 years-----	252	...	252	5	...	5	247	...	247
90-94 years-----	115	...	115	3	...	3	112	...	112
95-99 years-----	42	...	42	-	...	-	42	...	42
100 yrs & over---	7	...	7	-	...	-	7	...	7
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Myometrium (C54.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Fundus uteri (C54.3)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	1	...	1
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Corpus uteri, unspecified (C54.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	31	...	31	1	...	1	30	...	30
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	2	...	2	1	...	1	1	...	1
50-54 years-----	1	...	1	-	...	-	1	...	1
55-59 years-----	1	...	1	-	...	-	1	...	1
60-64 years-----	5	...	5	-	...	-	5	...	5
65-69 years-----	2	...	2	-	...	-	2	...	2
70-74 years-----	5	...	5	-	...	-	5	...	5
75-79 years-----	6	...	6	-	...	-	6	...	6
80-84 years-----	4	...	4	-	...	-	4	...	4
85-89 years-----	2	...	2	-	...	-	2	...	2
90-94 years-----	2	...	2	-	...	-	2	...	2
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	1	...	1	-	...	-	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-

Malignant neoplasm of uterus, part unspecified (C55)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	3,347	...	3,347	144	...	144	3,200	...	3,200
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-
25-29 years-----	10	...	10	2	...	2	8	...	8
30-34 years-----	5	...	5	-	...	-	5	...	5
35-39 years-----	21	...	21	1	...	1	20	...	20
40-44 years-----	59	...	59	6	...	6	53	...	53
45-49 years-----	100	...	100	4	...	4	96	...	96
50-54 years-----	164	...	164	16	...	16	148	...	148
55-59 years-----	228	...	228	13	...	13	214	...	214
60-64 years-----	284	...	284	12	...	12	272	...	272
65-69 years-----	407	...	407	25	...	25	382	...	382
70-74 years-----	462	...	462	24	...	24	437	...	437
75-79 years-----	538	...	538	15	...	15	523	...	523
80-84 years-----	490	...	490	11	...	11	479	...	479
85-89 years-----	339	...	339	11	...	11	328	...	328
90-94 years-----	173	...	173	1	...	1	172	...	172
95-99 years-----	58	...	58	2	...	2	55	...	55
100 yrs & over---	8	...	8	-	...	-	8	...	8
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Malignant neoplasm of ovary (C56)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	13,627	...	13,627	478	...	478	13,103	...	13,103
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	1	...	1	1	...	1	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	2	...	2	-	...	-	2	...	2
15-19 years-----	9	...	9	1	...	1	8	...	8
20-24 years-----	18	...	18	1	...	1	17	...	17
25-29 years-----	26	...	26	5	...	5	21	...	21
30-34 years-----	51	...	51	1	...	1	50	...	50
35-39 years-----	162	...	162	11	...	11	150	...	150
40-44 years-----	334	...	334	18	...	18	316	...	316
45-49 years-----	616	...	616	29	...	29	585	...	585
50-54 years-----	933	...	933	51	...	51	881	...	881
55-59 years-----	1,081	...	1,081	41	...	41	1,035	...	1,035
60-64 years-----	1,345	...	1,345	59	...	59	1,281	...	1,281
65-69 years-----	1,626	...	1,626	51	...	51	1,570	...	1,570
70-74 years-----	1,986	...	1,986	75	...	75	1,904	...	1,904
75-79 years-----	2,143	...	2,143	59	...	59	2,073	...	2,073
80-84 years-----	1,732	...	1,732	41	...	41	1,683	...	1,683
85-89 years-----	1,052	...	1,052	24	...	24	1,027	...	1,027
90-94 years-----	412	...	412	9	...	9	403	...	403
95-99 years-----	91	...	91	1	...	1	90	...	90
100 yrs & over---	7	...	7	-	...	-	7	...	7
Not stated-----	-	...	-	-	...	-	-	...	-

Malignant neoplasm of other and unspecified female genital organs (C57)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	408	...	408	15	...	15	392	...	392
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	3	...	3	-	...	-	3	...	3
40-44 years-----	4	...	4	-	...	-	4	...	4
45-49 years-----	16	...	16	1	...	1	15	...	15
50-54 years-----	32	...	32	1	...	1	31	...	31
55-59 years-----	33	...	33	-	...	-	32	...	32
60-64 years-----	44	...	44	1	...	1	43	...	43
65-69 years-----	46	...	46	4	...	4	42	...	42
70-74 years-----	66	...	66	1	...	1	65	...	65
75-79 years-----	62	...	62	1	...	1	61	...	61
80-84 years-----	64	...	64	3	...	3	61	...	61
85-89 years-----	23	...	23	3	...	3	20	...	20
90-94 years-----	12	...	12	-	...	-	12	...	12
95-99 years-----	2	...	2	-	...	-	2	...	2
100 yrs & over---	1	...	1	-	...	-	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Fallopian tube (C57.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	179	...	179	3	...	3	176	...	176
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1
40-44 years-----	1	...	1	-	...	-	1	...	1
45-49 years-----	7	...	7	-	...	-	7	...	7
50-54 years-----	14	...	14	1	...	1	13	...	13
55-59 years-----	13	...	13	-	...	-	13	...	13
60-64 years-----	24	...	24	-	...	-	24	...	24
65-69 years-----	29	...	29	2	...	2	27	...	27
70-74 years-----	33	...	33	-	...	-	33	...	33
75-79 years-----	30	...	30	-	...	-	30	...	30
80-84 years-----	23	...	23	-	...	-	23	...	23
85-89 years-----	4	...	4	-	...	-	4	...	4
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Round ligament (C57.2)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	1	...	1
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Uterine adnexa, unspecified (C57.4)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other specified female genital organs (C57.7)

All ages-----	21	...	21	1	...	1	20	...	20
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	1	...	1
50-54 years-----	1	...	1	-	...	-	1	...	1
55-59 years-----	2	...	2	-	...	-	2	...	2
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	5	...	5	-	...	-	5	...	5
75-79 years-----	4	...	4	-	...	-	4	...	4
80-84 years-----	4	...	4	-	...	-	4	...	4
85-89 years-----	3	...	3	1	...	1	2	...	2
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Overlapping lesion of female genital organs (C57.8)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	...	3	-	...	-	3	...	3
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	1	...	1
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	1	...	1
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Female genital organ, unspecified (C57.9)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	203	...	203	11	...	11	191	...	191
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	2	...	2	-	...	-	2	...	2
40-44 years-----	3	...	3	-	...	-	3	...	3
45-49 years-----	8	...	8	1	...	1	7	...	7
50-54 years-----	17	...	17	-	...	-	17	...	17
55-59 years-----	17	...	17	-	...	-	16	...	16
60-64 years-----	19	...	19	1	...	1	18	...	18
65-69 years-----	16	...	16	2	...	2	14	...	14
70-74 years-----	27	...	27	1	...	1	26	...	26
75-79 years-----	26	...	26	1	...	1	25	...	25
80-84 years-----	37	...	37	3	...	3	34	...	34
85-89 years-----	16	...	16	2	...	2	14	...	14
90-94 years-----	12	...	12	-	...	-	12	...	12
95-99 years-----	2	...	2	-	...	-	2	...	2
100 yrs & over---	1	...	1	-	...	-	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -

Malignant neoplasm of placenta (C58)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	9	...	9	-	...	-	9	...	9
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	-	...	-	2	...	2
25-29 years-----	2	...	2	-	...	-	2	...	2
30-34 years-----	2	...	2	-	...	-	2	...	2
35-39 years-----	1	...	1	-	...	-	1	...	1
40-44 years-----	2	...	2	-	...	-	2	...	2
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Malignant neoplasm of penis (C60)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	202	202	...	21	21	...	180	180	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	4	4	...	3	3	...	1	1	...
40-44 years-----	8	8	...	1	1	...	7	7	...
45-49 years-----	5	5	...	1	1	...	4	4	...
50-54 years-----	9	9	...	1	1	...	8	8	...
55-59 years-----	14	14	...	2	2	...	12	12	...
60-64 years-----	22	22	...	2	2	...	20	20	...
65-69 years-----	26	26	...	1	1	...	25	25	...
70-74 years-----	25	25	...	2	2	...	23	23	...
75-79 years-----	28	28	...	2	2	...	25	25	...
80-84 years-----	30	30	...	3	3	...	27	27	...
85-89 years-----	18	18	...	1	1	...	17	17	...
90-94 years-----	11	11	...	1	1	...	10	10	...
95-99 years-----	2	2	...	1	1	...	1	1	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Prepuce (C60.0)

All ages-----	1	1	...	-	-	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	1	1	...	-	-	...	1	1	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Glans penis (C60.1)

All ages-----	1	1	...	-	-	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	1	1	...	-	-	...	1	1	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -

Penis, unspecified (C60.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	200	200	...	21	21	...	178	178	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	4	4	...	3	3	...	1	1	...
40-44 years-----	7	7	...	1	1	...	6	6	...
45-49 years-----	5	5	...	1	1	...	4	4	...
50-54 years-----	9	9	...	1	1	...	8	8	...
55-59 years-----	14	14	...	2	2	...	12	12	...
60-64 years-----	21	21	...	2	2	...	19	19	...
65-69 years-----	26	26	...	1	1	...	25	25	...
70-74 years-----	25	25	...	2	2	...	23	23	...
75-79 years-----	28	28	...	2	2	...	25	25	...
80-84 years-----	30	30	...	3	3	...	27	27	...
85-89 years-----	18	18	...	1	1	...	17	17	...
90-94 years-----	11	11	...	1	1	...	10	10	...
95-99 years-----	2	2	...	1	1	...	1	1	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Malignant neoplasm of prostate (C61)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	31,729	31,729	...	1,050	1,050	...	30,614	30,614	...
Under 1 year-----	1	1	...	-	-	...	1	1	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	1	1	...	1	1	...	-	-	...
25-29 years-----	1	1	...	1	1	...	-	-	...
30-34 years-----	1	1	...	-	-	...	1	1	...
35-39 years-----	5	5	...	-	-	...	5	5	...
40-44 years-----	28	28	...	2	2	...	26	26	...
45-49 years-----	100	100	...	2	2	...	97	97	...
50-54 years-----	274	274	...	20	20	...	254	254	...
55-59 years-----	636	636	...	40	40	...	595	595	...
60-64 years-----	1,310	1,310	...	52	52	...	1,253	1,253	...
65-69 years-----	2,711	2,711	...	135	135	...	2,573	2,573	...
70-74 years-----	4,605	4,605	...	160	160	...	4,431	4,431	...
75-79 years-----	6,532	6,532	...	209	209	...	6,308	6,308	...
80-84 years-----	6,903	6,903	...	177	177	...	6,717	6,717	...
85-89 years-----	5,418	5,418	...	142	142	...	5,263	5,263	...
90-94 years-----	2,467	2,467	...	82	82	...	2,383	2,383	...
95-99 years-----	644	644	...	23	23	...	619	619	...
100 yrs & over---	91	91	...	4	4	...	87	87	...
Not stated-----	1	1	...	-	-	...	1	1	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Malignant neoplasm of testis (C62)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	378	378	...	39	39	...	335	335	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	2	2	...	1	1	...	1	1	...
15-19 years-----	5	5	...	1	1	...	4	4	...
20-24 years-----	27	27	...	8	8	...	19	19	...
25-29 years-----	48	48	...	10	10	...	36	36	...
30-34 years-----	52	52	...	5	5	...	47	47	...
35-39 years-----	55	55	...	4	4	...	50	50	...
40-44 years-----	59	59	...	4	4	...	55	55	...
45-49 years-----	43	43	...	3	3	...	40	40	...
50-54 years-----	19	19	...	-	-	...	19	19	...
55-59 years-----	16	16	...	-	-	...	15	15	...
60-64 years-----	11	11	...	1	1	...	10	10	...
65-69 years-----	11	11	...	2	2	...	9	9	...
70-74 years-----	10	10	...	-	-	...	10	10	...
75-79 years-----	2	2	...	-	-	...	2	2	...
80-84 years-----	13	13	...	-	-	...	13	13	...
85-89 years-----	5	5	...	-	-	...	5	5	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Undescended testis (C62.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	1	1	...	-	-	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	1	1	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Testis, unspecified (C62.9)

All ages-----	377	377	...	39	39	...	334	334	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	2	2	...	1	1	...	1	1	...
15-19 years-----	5	5	...	1	1	...	4	4	...
20-24 years-----	27	27	...	8	8	...	19	19	...
25-29 years-----	48	48	...	10	10	...	36	36	...
30-34 years-----	52	52	...	5	5	...	47	47	...
35-39 years-----	55	55	...	4	4	...	50	50	...
40-44 years-----	59	59	...	4	4	...	55	55	...
45-49 years-----	43	43	...	3	3	...	40	40	...
50-54 years-----	19	19	...	-	-	...	19	19	...
55-59 years-----	16	16	...	-	-	...	15	15	...
60-64 years-----	11	11	...	1	1	...	10	10	...
65-69 years-----	11	11	...	2	2	...	9	9	...
70-74 years-----	10	10	...	-	-	...	10	10	...
75-79 years-----	2	2	...	-	-	...	2	2	...
80-84 years-----	12	12	...	-	-	...	12	12	...
85-89 years-----	5	5	...	-	-	...	5	5	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Malignant neoplasm of other and unspecified male genital organs (C63)

All ages-----	41	41	...	2	2	...	39	39	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	1	1	...	-	-	...	1	1	...
35-39 years-----	2	2	...	-	-	...	2	2	...
40-44 years-----	1	1	...	-	-	...	1	1	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	2	2	...	-	-	...	2	2	...
55-59 years-----	2	2	...	-	-	...	2	2	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	5	5	...	-	-	...	5	5	...
70-74 years-----	4	4	...	-	-	...	4	4	...
75-79 years-----	8	8	...	-	-	...	8	8	...
80-84 years-----	3	3	...	-	-	...	3	3	...
85-89 years-----	8	8	...	2	2	...	6	6	...
90-94 years-----	4	4	...	-	-	...	4	4	...
95-99 years-----	1	1	...	-	-	...	1	1	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Epididymis (C63.0)

All ages-----	1	1	...	-	-	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	1	1	...	-	-	...	1	1	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Spermatic cord (C63.1)

All ages-----	8	8	...	-	-	...	8	8	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	-	-	...	1	1	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	-	-	...	1	1	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	2	2	...	-	-	...	2	2	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	2	2	...	-	-	...	2	2	...
80-84 years-----	1	1	...	-	-	...	1	1	...
85-89 years-----	1	1	...	-	-	...	1	1	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -

Scrotum (C63.2)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	13	13	...	1	1	...	12	12	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	-	-	...	1	1	...
40-44 years-----	1	1	...	-	-	...	1	1	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	-	-	...	1	1	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	-	-	...	1	1	...
70-74 years-----	2	2	...	-	-	...	2	2	...
75-79 years-----	1	1	...	-	-	...	1	1	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	4	4	...	1	1	...	3	3	...
90-94 years-----	2	2	...	-	-	...	2	2	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Other specified male genital organs (C63.7)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	3	...	-	-	...	3	3	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	-	-	...	1	1	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	2	2	...	-	-	...	2	2	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -

Secondary malignant neoplasm of other specified sites (C79.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1,116	594	522	40	16	24	1,074	576	498
Under 1 year-----	1	1	-	-	-	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-
20-24 years-----	2	1	1	-	-	-	2	1	1
25-29 years-----	2	2	-	1	1	-	1	1	-
30-34 years-----	1	1	-	-	-	-	1	1	-
35-39 years-----	8	-	8	-	-	-	8	-	8
40-44 years-----	32	21	11	1	1	-	31	20	11
45-49 years-----	39	25	14	1	-	1	38	25	13
50-54 years-----	69	52	17	3	2	1	66	50	16
55-59 years-----	107	73	34	5	2	3	101	70	31
60-64 years-----	112	75	37	2	-	2	109	74	35
65-69 years-----	130	73	57	4	1	3	126	72	54
70-74 years-----	154	89	65	7	4	3	147	85	62
75-79 years-----	146	81	65	2	2	-	144	79	65
80-84 years-----	125	42	83	2	-	2	123	42	81
85-89 years-----	105	41	64	5	1	4	100	40	60
90-94 years-----	56	13	43	5	1	4	51	12	39
95-99 years-----	25	3	22	1	-	1	24	3	21
100 yrs & over---	1	-	1	-	-	-	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-

Malignant neoplasm without specification of site (C80)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	28,463	14,018	14,445	924	495	429	27,458	13,479	13,979
Under 1 year-----	3	2	1	-	-	-	3	2	1
1-4 years-----	9	5	4	-	-	-	9	5	4
5-9 years-----	7	2	5	2	-	2	5	2	3
10-14 years-----	12	10	2	3	3	-	9	7	2
15-19 years-----	16	10	6	1	1	-	15	9	6
20-24 years-----	51	33	18	9	7	2	42	26	16
25-29 years-----	66	39	27	8	6	2	58	33	25
30-34 years-----	125	77	48	11	6	5	114	71	43
35-39 years-----	267	133	134	16	6	10	249	127	122
40-44 years-----	587	281	306	37	19	18	547	261	286
45-49 years-----	910	487	423	49	26	23	856	458	398
50-54 years-----	1,378	748	630	53	25	28	1,323	723	600
55-59 years-----	1,904	1,070	834	82	52	30	1,817	1,015	802
60-64 years-----	2,543	1,411	1,132	80	43	37	2,453	1,363	1,090
65-69 years-----	3,439	1,867	1,572	121	71	50	3,312	1,794	1,518
70-74 years-----	4,391	2,343	2,048	129	73	56	4,245	2,258	1,987
75-79 years-----	4,599	2,263	2,336	133	67	66	4,454	2,188	2,266
80-84 years-----	3,943	1,714	2,229	90	47	43	3,842	1,659	2,183
85-89 years-----	2,658	1,055	1,603	66	28	38	2,587	1,025	1,562
90-94 years-----	1,187	382	805	29	14	15	1,156	368	788
95-99 years-----	329	79	250	4	1	3	325	78	247
100 yrs & over---	38	6	32	1	-	1	36	6	30
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other and unspecified female genital organs (D07.3)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	1	...	1
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Prostate (D07.5)

All ages-----	1	1	...	-	-	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	-	-	...	1	1	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Ill-defined sites within the digestive system (D13.9)

CAUSE OF DEATH	ALL ORIGINS- - -	HISPANIC - - -	NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	1	1	-
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	1	1	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Benign neoplasm of middle ear and respiratory system (D14)

CAUSE OF DEATH	ALL ORIGINS- - -	HISPANIC - - -	NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	11	7	4
Under 1 year-----	-	-	-
1-4 years-----	1	-	1
5-9 years-----	2	1	1
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	1	1	-
55-59 years-----	-	-	-
60-64 years-----	2	2	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	2	1	1
80-84 years-----	3	2	1
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Benign neoplasm of breast (D24)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	-	-	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Leiomyoma of uterus (D25)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	17	...	17	1	...	1	15	...	15
Under 1 year-----	1	...	1	-	...	-	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-
35-39 years-----	2	...	2	-	...	-	2	...	2
40-44 years-----	5	...	5	-	...	-	4	...	4
45-49 years-----	1	...	1	-	...	-	1	...	1
50-54 years-----	3	...	3	-	...	-	3	...	3
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Leiomyoma of uterus, unspecified (D25.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	17	...	17	1	...	1	15	...	15
Under 1 year-----	1	...	1	-	...	-	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-
35-39 years-----	2	...	2	-	...	-	2	...	2
40-44 years-----	5	...	5	-	...	-	4	...	4
45-49 years-----	1	...	1	-	...	-	1	...	1
50-54 years-----	3	...	3	-	...	-	3	...	3
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other benign neoplasms of uterus (D26)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Cervix uteri (D26.0)

CAUSE OF DEATH	ALL ORIGINS- TOTAL	MALE	FEMALE	HISPANIC TOTAL	MALE	FEMALE	NON-HISPANIC 1/- TOTAL	MALE	FEMALE
All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Benign neoplasm of ovary (D27)

CAUSE OF DEATH	ALL ORIGINS- TOTAL	MALE	FEMALE	HISPANIC TOTAL	MALE	FEMALE	NON-HISPANIC 1/- TOTAL	MALE	FEMALE
All ages-----	15	...	15	2	...	2	13	...	13
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	1	...	1	-	...	-	1	...	1
15-19 years-----	1	...	1	-	...	-	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	2	...	2	1	...	1	1	...	1
55-59 years-----	2	...	2	-	...	-	2	...	2
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	1	...	1	1	...	1	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	3	...	3	-	...	-	3	...	3
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	2	...	2	-	...	-	2	...	2
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL ALL ORIGINS- MALE FEMALE HISPANIC MALE FEMALE NON-HISPANIC 1/ MALE FEMALE

Benign neoplasm of other and unspecified endocrine glands (D35)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	ALL ORIGINS- MALE	FEMALE	HISPANIC MALE	FEMALE	NON-HISPANIC 1/ MALE	FEMALE
All ages-----	123	65	58	10	5	5	53
Under 1 year-----	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-
15-19 years-----	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1
25-29 years-----	1	-	1	-	-	-	1
30-34 years-----	4	2	2	-	-	-	2
35-39 years-----	4	2	2	-	-	-	2
40-44 years-----	6	5	1	1	1	-	1
45-49 years-----	5	4	1	-	-	-	1
50-54 years-----	5	1	4	-	-	-	4
55-59 years-----	9	7	2	1	1	-	2
60-64 years-----	9	6	3	1	1	-	3
65-69 years-----	9	4	5	2	1	1	4
70-74 years-----	16	9	7	2	1	1	6
75-79 years-----	21	12	9	-	-	-	9
80-84 years-----	14	4	10	2	-	2	8
85-89 years-----	14	8	6	-	-	-	6
90-94 years-----	4	1	3	-	-	-	3
95-99 years-----	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-

Adrenal gland (D35.0)

All ages-----	28	14	14	3	2	1	13
Under 1 year-----	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-
15-19 years-----	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1
25-29 years-----	1	-	1	-	-	-	1
30-34 years-----	2	1	1	-	-	-	1
35-39 years-----	4	2	2	-	-	-	2
40-44 years-----	5	4	1	1	1	-	1
45-49 years-----	2	1	1	-	-	-	1
50-54 years-----	1	-	1	-	-	-	1
55-59 years-----	3	3	-	1	1	-	-
60-64 years-----	3	1	2	-	-	-	2
65-69 years-----	3	1	2	-	-	-	2
70-74 years-----	1	-	1	-	-	-	1
75-79 years-----	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Respiratory organ, unspecified (D38.6)

All ages-----	3	1	2	-	-	-	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1
65-69 years-----	1	-	1	-	-	-	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Neoplasm of uncertain or unknown behavior of female genital organs (D39)

All ages-----	76	...	76	3	...	3	73	...	73
Under 1 year-----	1	...	1	-	...	-	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	8	...	8	1	...	1	7	...	7
45-49 years-----	2	...	2	-	...	-	2	...	2
50-54 years-----	1	...	1	-	...	-	1	...	1
55-59 years-----	4	...	4	1	...	1	3	...	3
60-64 years-----	3	...	3	-	...	-	3	...	3
65-69 years-----	5	...	5	-	...	-	5	...	5
70-74 years-----	4	...	4	-	...	-	4	...	4
75-79 years-----	8	...	8	-	...	-	8	...	8
80-84 years-----	10	...	10	-	...	-	10	...	10
85-89 years-----	19	...	19	-	...	-	19	...	19
90-94 years-----	7	...	7	1	...	1	6	...	6
95-99 years-----	4	...	4	-	...	-	4	...	4
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Uterus (D39.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	26	...	26	1	...	1	25	...	25
Under 1 year-----	1	...	1	-	...	-	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	6	...	6	-	...	-	6	...	6
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-
60-64 years-----	1	...	1	-	...	-	1	...	1
65-69 years-----	2	...	2	-	...	-	2	...	2
70-74 years-----	1	...	1	-	...	-	1	...	1
75-79 years-----	3	...	3	-	...	-	3	...	3
80-84 years-----	2	...	2	-	...	-	2	...	2
85-89 years-----	7	...	7	-	...	-	7	...	7
90-94 years-----	2	...	2	-	...	-	2	...	2
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Ovary (D39.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	43	...	43	1	...	1	42	...	42
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1
45-49 years-----	2	...	2	-	...	-	2	...	2
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	3	...	3	-	...	-	3	...	3
60-64 years-----	2	...	2	-	...	-	2	...	2
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	3	...	3	-	...	-	3	...	3
75-79 years-----	5	...	5	-	...	-	5	...	5
80-84 years-----	8	...	8	-	...	-	8	...	8
85-89 years-----	10	...	10	-	...	-	10	...	10
90-94 years-----	5	...	5	1	...	1	4	...	4
95-99 years-----	3	...	3	-	...	-	3	...	3
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Placenta (D39.2)

All ages-----	2	...	2	-	...	-	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other female genital organs (D39.7)

All ages-----	3	...	3	-	...	-	3	...	3
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Female genital organ, unspecified (D39.9)

All ages-----	2	...	2	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Neoplasm of uncertain or unknown behavior of male genital organs (D40)

All ages-----	17	17	...	1	1	...	16	16	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	-	-	...	1	1	...
55-59 years-----	2	2	...	-	-	...	2	2	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	3	3	...	-	-	...	3	3	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	3	3	...	1	1	...	2	2	...
80-84 years-----	5	5	...	-	-	...	5	5	...
85-89 years-----	1	1	...	-	-	...	1	1	...
90-94 years-----	2	2	...	-	-	...	2	2	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Prostate (D40.0)									
All ages-----	14	14	...	1	1	...	13	13	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	-	-	...	1	1	...
55-59 years-----	2	2	...	-	-	...	2	2	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	2	2	...	-	-	...	2	2	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	3	3	...	1	1	...	2	2	...
80-84 years-----	4	4	...	-	-	...	4	4	...
85-89 years-----	1	1	...	-	-	...	1	1	...
90-94 years-----	1	1	...	-	-	...	1	1	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...
Testis (D40.1)									
All ages-----	1	1	...	-	-	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	-	-	...	1	1	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other male genital organs (D40.7)

All ages-----	1	1	...	-	-	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	1	1	...	-	-	...	1	1	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Male genital organ, unspecified (D40.9)

All ages-----	1	1	...	-	-	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	1	1	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL ALL ORIGINS- MALE FEMALE HISPANIC MALE FEMALE NON-HISPANIC 1/ MALE FEMALE

Thalassemia, unspecified (D56.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	ALL ORIGINS- MALE	FEMALE	HISPANIC MALE	FEMALE	NON-HISPANIC 1/ MALE	FEMALE
All ages-----	5	1	4	-	-	5	4
Under 1 year-----	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	1	1
35-39 years-----	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	1	1
45-49 years-----	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	1	-
70-74 years-----	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	1	1
90-94 years-----	-	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	1	1
100 yrs & over----	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-

Sickle-cell disorders (D57)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	ALL ORIGINS- MALE	FEMALE	HISPANIC MALE	FEMALE	NON-HISPANIC 1/ MALE	FEMALE
All ages-----	509	266	243	10	6	498	238
Under 1 year-----	3	2	1	-	-	3	1
1-4 years-----	20	11	9	1	-	19	8
5-9 years-----	16	7	9	-	-	16	9
10-14 years-----	6	3	3	-	-	6	3
15-19 years-----	17	12	5	-	-	17	5
20-24 years-----	52	34	18	1	1	51	18
25-29 years-----	54	27	27	3	1	51	25
30-34 years-----	77	42	35	1	1	76	35
35-39 years-----	58	30	28	-	-	58	28
40-44 years-----	63	32	31	1	-	61	29
45-49 years-----	60	27	33	3	3	57	33
50-54 years-----	29	14	15	-	-	29	15
55-59 years-----	31	14	17	-	-	31	17
60-64 years-----	12	6	6	-	-	12	6
65-69 years-----	4	2	2	-	-	4	2
70-74 years-----	2	-	2	-	-	2	2
75-79 years-----	2	-	2	-	-	2	2
80-84 years-----	2	2	-	-	-	2	-
85-89 years-----	1	1	-	-	-	1	-
90-94 years-----	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Disorder of thyroid, unspecified (E07.9)

All ages-----	29	2	27	1	-	1	28	2	26
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	3	-	3	-	-	-	3	-	3
40-44 years-----	1	-	1	-	-	-	1	-	1
45-49 years-----	2	1	1	-	-	-	2	1	1
50-54 years-----	2	-	2	-	-	-	2	-	2
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	-	1	-	1
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1
75-79 years-----	2	-	2	-	-	-	2	-	2
80-84 years-----	7	1	6	-	-	-	7	1	6
85-89 years-----	6	-	6	1	-	1	5	-	5
90-94 years-----	2	-	2	-	-	-	2	-	2
95-99 years-----	1	-	1	-	-	-	1	-	1
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Insulin-dependent diabetes mellitus (E10)

All ages-----	8,508	3,776	4,732	470	196	274	8,008	3,563	4,445
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	5	2	3	-	-	-	5	2	3
5-9 years-----	1	-	1	-	-	-	1	-	1
10-14 years-----	9	3	6	1	-	1	8	3	5
15-19 years-----	14	5	9	-	-	-	14	5	9
20-24 years-----	26	10	16	4	1	3	22	9	13
25-29 years-----	71	35	36	1	-	1	70	35	35
30-34 years-----	88	48	40	3	2	1	84	45	39
35-39 years-----	194	122	72	11	6	5	183	116	67
40-44 years-----	267	153	114	14	6	8	252	146	106
45-49 years-----	364	222	142	16	9	7	347	213	134
50-54 years-----	429	239	190	21	12	9	405	224	181
55-59 years-----	549	309	240	44	21	23	504	287	217
60-64 years-----	625	315	310	36	12	24	585	300	285
65-69 years-----	857	397	460	56	23	33	799	373	426
70-74 years-----	1,113	504	609	77	40	37	1,031	462	569
75-79 years-----	1,317	556	761	73	28	45	1,241	527	714
80-84 years-----	1,133	421	712	46	15	31	1,084	405	679
85-89 years-----	908	311	597	43	16	27	862	294	568
90-94 years-----	399	99	300	18	5	13	380	94	286
95-99 years-----	128	23	105	6	-	6	121	22	99
100 yrs & over----	10	1	9	-	-	-	10	1	9
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

With neurological complications (E10.4)

All ages-----	77	45	32	6	6	-	71	39	32
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-
30-34 years-----	2	1	1	-	-	-	2	1	1
35-39 years-----	3	2	1	1	1	-	2	1	1
40-44 years-----	1	-	1	-	-	-	1	-	1
45-49 years-----	6	3	3	-	-	-	6	3	3
50-54 years-----	7	3	4	-	-	-	7	3	4
55-59 years-----	7	5	2	-	-	-	7	5	2
60-64 years-----	5	3	2	1	1	-	4	2	2
65-69 years-----	9	5	4	1	1	-	8	4	4
70-74 years-----	9	6	3	2	2	-	7	4	3
75-79 years-----	9	5	4	1	1	-	8	4	4
80-84 years-----	8	5	3	-	-	-	8	5	3
85-89 years-----	7	4	3	-	-	-	7	4	3
90-94 years-----	2	1	1	-	-	-	2	1	1
95-99 years-----	1	1	-	-	-	-	1	1	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

With peripheral circulatory complications (E10.5)

All ages-----	1,037	474	563	78	42	36	956	429	527
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	4	2	2	-	-	-	4	2	2
35-39 years-----	9	5	4	-	-	-	9	5	4
40-44 years-----	23	11	12	2	1	1	21	10	11
45-49 years-----	43	21	22	3	2	1	40	19	21
50-54 years-----	40	23	17	3	2	1	37	21	16
55-59 years-----	66	34	32	8	3	5	58	31	27
60-64 years-----	75	45	30	7	4	3	67	40	27
65-69 years-----	109	53	56	12	4	8	97	49	48
70-74 years-----	140	69	71	16	12	4	124	57	67
75-79 years-----	174	78	96	14	8	6	160	70	90
80-84 years-----	147	62	85	6	2	4	141	60	81
85-89 years-----	143	58	85	6	4	2	136	53	83
90-94 years-----	50	12	38	1	-	1	49	12	37
95-99 years-----	11	-	11	-	-	-	11	-	11
100 yrs & over----	2	-	2	-	-	-	2	-	2
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Without complications (E13.9)

All ages-----	12	9	3	-	-	-	12	9	3
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	2	1	1	-	-	-	2	1	1
35-39 years-----	1	1	-	-	-	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	1	1	-
65-69 years-----	4	4	-	-	-	-	4	4	-
70-74 years-----	3	2	1	-	-	-	3	2	1
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Unspecified diabetes mellitus (E14)

All ages-----	49,779	22,843	26,936	4,012	1,836	2,176	45,616	20,937	24,679
Under 1 year-----	2	-	2	-	-	-	2	-	2
1-4 years-----	3	2	1	-	-	-	3	2	1
5-9 years-----	8	4	4	-	-	-	8	4	4
10-14 years-----	14	9	5	3	2	1	11	7	4
15-19 years-----	37	20	17	2	-	2	34	20	14
20-24 years-----	77	45	32	8	7	1	69	38	31
25-29 years-----	116	58	58	13	8	5	101	49	52
30-34 years-----	298	171	127	26	11	15	270	159	111
35-39 years-----	505	300	205	39	22	17	464	278	186
40-44 years-----	886	514	372	80	44	36	805	469	336
45-49 years-----	1,438	885	553	142	90	52	1,293	793	500
50-54 years-----	2,090	1,205	885	197	115	82	1,885	1,083	802
55-59 years-----	2,882	1,570	1,312	289	162	127	2,581	1,402	1,179
60-64 years-----	3,948	2,069	1,879	434	219	215	3,500	1,842	1,658
65-69 years-----	5,409	2,738	2,671	575	268	307	4,819	2,460	2,359
70-74 years-----	7,159	3,447	3,712	645	292	353	6,497	3,146	3,351
75-79 years-----	8,216	3,794	4,422	608	265	343	7,588	3,522	4,066
80-84 years-----	7,521	3,149	4,372	452	177	275	7,044	2,965	4,079
85-89 years-----	5,459	1,946	3,513	323	113	210	5,122	1,827	3,295
90-94 years-----	2,805	764	2,041	129	34	95	2,666	726	1,940
95-99 years-----	786	135	651	41	7	34	742	127	615
100 yrs & over---	119	17	102	6	-	6	111	17	94
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

With coma (E14.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	547	209	338	35	11	24	511	198	313
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	1	-	1	-	-	-	1	-	1
10-14 years-----	1	1	-	-	-	-	1	1	-
15-19 years-----	1	-	1	-	-	-	1	-	1
20-24 years-----	3	2	1	-	-	-	3	2	1
25-29 years-----	2	2	-	-	-	-	2	2	-
30-34 years-----	7	4	3	-	-	-	7	4	3
35-39 years-----	8	6	2	1	1	-	7	5	2
40-44 years-----	19	12	7	1	1	-	18	11	7
45-49 years-----	14	7	7	2	-	2	12	7	5
50-54 years-----	20	9	11	2	1	1	18	8	10
55-59 years-----	18	9	9	-	-	-	18	9	9
60-64 years-----	25	15	10	3	1	2	22	14	8
65-69 years-----	37	26	11	3	2	1	34	24	10
70-74 years-----	49	21	28	2	-	2	47	21	26
75-79 years-----	75	26	49	6	1	5	69	25	44
80-84 years-----	100	24	76	7	1	6	93	23	70
85-89 years-----	84	31	53	4	1	3	80	30	50
90-94 years-----	52	12	40	3	2	1	49	10	39
95-99 years-----	26	2	24	1	-	1	25	2	23
100 yrs & over----	5	-	5	-	-	-	4	-	4
Not stated-----	-	-	-	-	-	-	-	-	-

With ketoacidosis (E14.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1,576	838	738	115	59	56	1,455	776	679
Under 1 year-----	1	-	1	-	-	-	1	-	1
1-4 years-----	2	1	1	-	-	-	2	1	1
5-9 years-----	7	4	3	-	-	-	7	4	3
10-14 years-----	10	8	2	2	2	-	8	6	2
15-19 years-----	30	17	13	2	-	2	27	17	10
20-24 years-----	43	25	18	4	4	-	39	21	18
25-29 years-----	36	23	13	6	5	1	29	17	12
30-34 years-----	92	61	31	9	5	4	82	55	27
35-39 years-----	105	75	30	6	4	2	99	71	28
40-44 years-----	141	97	44	8	5	3	133	92	41
45-49 years-----	150	105	45	8	5	3	141	100	41
50-54 years-----	127	76	51	9	5	4	117	70	47
55-59 years-----	120	59	61	9	5	4	111	54	57
60-64 years-----	103	54	49	10	7	3	93	47	46
65-69 years-----	104	43	61	6	1	5	98	42	56
70-74 years-----	120	53	67	11	4	7	109	49	60
75-79 years-----	132	55	77	10	4	6	121	51	70
80-84 years-----	108	45	63	5	2	3	103	43	60
85-89 years-----	86	25	61	8	1	7	78	24	54
90-94 years-----	41	8	33	1	-	1	40	8	32
95-99 years-----	15	3	12	1	-	1	14	3	11
100 yrs & over----	2	-	2	-	-	-	2	-	2
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -

Disorder of adrenal gland, unspecified (E27.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	10	5	5	2	1	1	8	4	4
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1
70-74 years-----	3	1	2	-	-	-	3	1	2
75-79 years-----	2	2	-	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1
90-94 years-----	1	1	-	-	-	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Ovarian dysfunction (E28)

All ages-----	4	...	4	-	...	-	4	...	4
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1
55-59 years-----	1	...	1	-	...	-	1	...	1
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	1	...	1
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Polycystic ovarian syndrome (E28.2)

All ages-----	2	...	2	-	...	-	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Primary ovarian failure (E28.3)

All ages-----	2	...	2	-	...	-	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	1	...	1
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	1	...	1
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Testicular dysfunction (E29)

All ages-----	3	3	...	-	-	...	3	3	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	-	-	...	1	1	...
75-79 years-----	2	2	...	-	-	...	2	2	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Testicular hypofunction (E29.1)

All ages-----	3	3	...	-	-	...	3	3	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	-	-	...	1	1	...
75-79 years-----	2	2	...	-	-	...	2	2	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -

Mental and behavioral disorders due to use of alcohol (F10)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	6,157	4,858	1,299	521	464	57	5,557	4,322	1,235
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1
15-19 years-----	17	13	4	6	4	2	11	9	2
20-24 years-----	46	37	9	14	14	-	31	22	9
25-29 years-----	83	72	11	23	21	2	59	50	9
30-34 years-----	209	148	61	42	36	6	164	109	55
35-39 years-----	517	391	126	62	57	5	448	327	121
40-44 years-----	810	646	164	65	62	3	734	575	159
45-49 years-----	996	787	209	75	64	11	909	712	197
50-54 years-----	838	695	143	68	60	8	756	622	134
55-59 years-----	697	562	135	49	41	8	642	516	126
60-64 years-----	612	492	120	46	42	4	554	438	116
65-69 years-----	469	368	101	34	30	4	431	334	97
70-74 years-----	339	259	80	17	16	1	318	240	78
75-79 years-----	281	217	64	10	8	2	269	207	62
80-84 years-----	143	111	32	8	7	1	135	104	31
85-89 years-----	69	47	22	2	2	-	67	45	22
90-94 years-----	18	9	9	-	-	-	18	9	9
95-99 years-----	8	2	6	-	-	-	8	2	6
100 yrs & over---	1	-	1	-	-	-	1	-	1
Not stated-----	3	2	1	-	-	-	1	1	-

Acute intoxication (F10.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	585	476	109	95	85	10	486	387	99
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1
15-19 years-----	14	10	4	5	3	2	9	7	2
20-24 years-----	24	20	4	8	8	-	16	12	4
25-29 years-----	28	27	1	12	12	-	16	15	1
30-34 years-----	50	42	8	13	12	1	36	29	7
35-39 years-----	81	69	12	18	18	-	62	50	12
40-44 years-----	99	84	15	10	9	1	88	74	14
45-49 years-----	109	88	21	13	11	2	96	77	19
50-54 years-----	64	53	11	4	4	-	60	49	11
55-59 years-----	41	32	9	5	3	2	36	29	7
60-64 years-----	30	22	8	4	3	1	26	19	7
65-69 years-----	19	13	6	2	1	1	17	12	5
70-74 years-----	13	10	3	1	1	-	12	9	3
75-79 years-----	6	4	2	-	-	-	6	4	2
80-84 years-----	4	1	3	-	-	-	4	1	3
85-89 years-----	1	-	1	-	-	-	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -

Harmful use (F10.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1,499	1,178	321	91	79	12	1,396	1,089	307
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-
20-24 years-----	8	6	2	-	-	-	8	6	2
25-29 years-----	18	15	3	5	5	-	12	9	3
30-34 years-----	36	21	15	3	2	1	33	19	14
35-39 years-----	104	77	27	10	8	2	94	69	25
40-44 years-----	199	150	49	8	6	2	188	141	47
45-49 years-----	248	193	55	15	14	1	230	177	53
50-54 years-----	208	177	31	15	15	-	192	162	30
55-59 years-----	183	157	26	9	7	2	172	148	24
60-64 years-----	150	125	25	8	7	1	140	116	24
65-69 years-----	126	99	27	7	7	-	119	92	27
70-74 years-----	88	61	27	4	3	1	84	58	26
75-79 years-----	74	52	22	4	3	1	70	49	21
80-84 years-----	36	30	6	2	1	1	34	29	5
85-89 years-----	13	11	2	-	-	-	13	11	2
90-94 years-----	6	3	3	-	-	-	6	3	3
95-99 years-----	1	-	1	-	-	-	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Dependence syndrome (F10.2)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3,340	2,637	703	295	264	31	2,986	2,318	668
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	8	5	3	4	4	-	4	1	3
25-29 years-----	29	24	5	6	4	2	23	20	3
30-34 years-----	108	73	35	24	20	4	82	51	31
35-39 years-----	289	209	80	29	27	2	254	176	78
40-44 years-----	445	364	81	42	42	-	397	318	79
45-49 years-----	562	449	113	44	36	8	509	404	105
50-54 years-----	485	403	82	43	36	7	429	354	75
55-59 years-----	394	307	87	30	28	2	360	276	84
60-64 years-----	362	289	73	30	28	2	323	252	71
65-69 years-----	270	214	56	21	18	3	245	192	53
70-74 years-----	173	139	34	10	10	-	160	126	34
75-79 years-----	128	101	27	4	3	1	122	96	26
80-84 years-----	56	42	14	6	6	-	50	36	14
85-89 years-----	23	15	8	2	2	-	21	13	8
90-94 years-----	3	2	1	-	-	-	3	2	1
95-99 years-----	3	-	3	-	-	-	3	-	3
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	2	1	1	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Harmful use (F18.1)

All ages-----	2	2	-	-	-	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	-	-	-	2	2	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances (F19)

All ages-----	1,198	884	314	188	157	31	984	707	277
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-
15-19 years-----	17	13	4	3	2	1	13	10	3
20-24 years-----	47	37	10	10	9	1	37	28	9
25-29 years-----	69	54	15	12	11	1	57	43	14
30-34 years-----	132	98	34	29	26	3	102	71	31
35-39 years-----	207	149	58	39	28	11	162	117	45
40-44 years-----	273	201	72	30	26	4	238	171	67
45-49 years-----	223	168	55	34	29	5	183	135	48
50-54 years-----	127	89	38	19	14	5	107	74	33
55-59 years-----	43	30	13	2	2	-	37	25	12
60-64 years-----	28	25	3	9	9	-	17	14	3
65-69 years-----	8	5	3	-	-	-	8	5	3
70-74 years-----	8	6	2	-	-	-	8	6	2
75-79 years-----	7	3	4	-	-	-	7	3	4
80-84 years-----	2	1	1	-	-	-	2	1	1
85-89 years-----	3	3	-	-	-	-	3	3	-
90-94 years-----	1	-	1	-	-	-	1	-	1
95-99 years-----	1	-	1	-	-	-	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Acute intoxication (F19.0)

All ages-----	2	2	-	-	-	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Harmful use (F19.1)

All ages-----	799	573	226	113	90	23	669	470	199
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-
15-19 years-----	7	5	2	2	1	1	5	4	1
20-24 years-----	34	26	8	6	5	1	28	21	7
25-29 years-----	45	32	13	7	6	1	38	26	12
30-34 years-----	90	63	27	22	19	3	68	44	24
35-39 years-----	133	89	44	26	17	9	104	70	34
40-44 years-----	185	136	49	14	11	3	166	121	45
45-49 years-----	154	115	39	21	18	3	130	95	35
50-54 years-----	82	53	29	10	8	2	71	44	27
55-59 years-----	35	24	11	-	-	-	32	22	10
60-64 years-----	18	17	1	4	4	-	12	11	1
65-69 years-----	5	4	1	-	-	-	5	4	1
70-74 years-----	6	5	1	-	-	-	6	5	1
75-79 years-----	2	2	-	-	-	-	2	2	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL MALE FEMALE ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -

Hydrocephalus, unspecified (G91.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	MALE	FEMALE	ALL ORIGINS- - -	TOTAL	MALE	FEMALE	HISPANIC - - -	TOTAL	MALE	FEMALE	NON-HISPANIC 1/- -
All ages-----	355	186	169	26	16	10	329	170	159			
Under 1 year-----	22	12	10	2	2	-	20	10	10			
1-4 years-----	14	8	6	2	1	1	12	7	5			
5-9 years-----	15	7	8	5	4	1	10	3	7			
10-14 years-----	14	7	7	-	-	-	14	7	7			
15-19 years-----	14	9	5	1	1	-	13	8	5			
20-24 years-----	13	5	8	1	1	-	12	4	8			
25-29 years-----	2	1	1	-	-	-	2	1	1			
30-34 years-----	8	5	3	1	1	-	7	4	3			
35-39 years-----	8	3	5	-	-	-	8	3	5			
40-44 years-----	11	5	6	2	-	2	9	5	4			
45-49 years-----	9	3	6	-	-	-	9	3	6			
50-54 years-----	14	6	8	-	-	-	14	6	8			
55-59 years-----	17	13	4	1	-	1	16	13	3			
60-64 years-----	16	9	7	1	1	-	15	8	7			
65-69 years-----	14	7	7	1	-	1	13	7	6			
70-74 years-----	35	19	16	3	1	2	32	18	14			
75-79 years-----	38	21	17	2	1	1	36	20	16			
80-84 years-----	47	25	22	1	1	-	46	24	22			
85-89 years-----	34	15	19	1	1	-	33	14	19			
90-94 years-----	9	6	3	2	1	1	7	5	2			
95-99 years-----	1	-	1	-	-	-	1	-	1			
100 yrs & over----	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-			

Toxic encephalopathy (G92)

All ages-----	73	34	39	4	3	1	69	31	38			
Under 1 year-----	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-			
25-29 years-----	1	-	1	-	-	-	1	-	1			
30-34 years-----	1	-	1	-	-	-	1	-	1			
35-39 years-----	1	-	1	-	-	-	1	-	1			
40-44 years-----	1	1	-	-	-	-	1	1	-			
45-49 years-----	4	1	3	-	-	-	4	1	3			
50-54 years-----	1	1	-	-	-	-	1	1	-			
55-59 years-----	7	1	6	1	1	-	6	-	6			
60-64 years-----	4	2	2	-	-	-	4	2	2			
65-69 years-----	2	2	-	-	-	-	2	2	-			
70-74 years-----	12	8	4	1	-	1	11	8	3			
75-79 years-----	16	6	10	-	-	-	16	6	10			
80-84 years-----	12	7	5	2	2	-	10	5	5			
85-89 years-----	8	4	4	-	-	-	8	4	4			
90-94 years-----	3	1	2	-	-	-	3	1	2			
95-99 years-----	-	-	-	-	-	-	-	-	-			
100 yrs & over----	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-			

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL MALE FEMALE ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -

Angina pectoris, unspecified (I20.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	371	127	244	10	3	7	361	124	237
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1
45-49 years-----	3	2	1	-	-	-	3	2	1
50-54 years-----	8	5	3	-	-	-	8	5	3
55-59 years-----	6	4	2	-	-	-	6	4	2
60-64 years-----	11	7	4	2	2	-	9	5	4
65-69 years-----	13	5	8	-	-	-	13	5	8
70-74 years-----	23	13	10	2	-	2	21	13	8
75-79 years-----	44	21	23	1	-	1	43	21	22
80-84 years-----	61	26	35	3	1	2	58	25	33
85-89 years-----	81	22	59	2	-	2	79	22	57
90-94 years-----	74	16	58	-	-	-	74	16	58
95-99 years-----	33	5	28	-	-	-	33	5	28
100 yrs & over----	12	-	12	-	-	-	12	-	12
Not stated-----	-	-	-	-	-	-	-	-	-

Acute myocardial infarction (I21)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	199,450	104,167	95,283	7,157	3,835	3,322	191,726	100,013	91,713
Under 1 year-----	13	6	7	2	-	2	11	6	5
1-4 years-----	2	1	1	-	-	-	2	1	1
5-9 years-----	5	3	2	-	-	-	5	3	2
10-14 years-----	6	4	2	-	-	-	6	4	2
15-19 years-----	25	16	9	2	2	-	23	14	9
20-24 years-----	35	24	11	2	1	1	33	23	10
25-29 years-----	101	68	33	10	10	-	91	58	33
30-34 years-----	333	238	95	22	17	5	311	221	90
35-39 years-----	935	707	228	46	38	8	883	664	219
40-44 years-----	2,314	1,763	551	96	78	18	2,207	1,674	533
45-49 years-----	4,224	3,260	964	215	158	57	3,996	3,092	904
50-54 years-----	6,598	5,039	1,559	312	232	80	6,268	4,795	1,473
55-59 years-----	9,123	6,654	2,469	352	248	104	8,730	6,374	2,356
60-64 years-----	12,282	8,375	3,907	567	359	208	11,678	7,989	3,689
65-69 years-----	17,333	11,154	6,179	750	470	280	16,535	10,658	5,877
70-74 years-----	24,107	14,554	9,553	949	558	391	23,078	13,940	9,138
75-79 years-----	31,053	16,991	14,062	1,131	655	476	29,839	16,288	13,551
80-84 years-----	33,658	15,952	17,706	951	417	534	32,627	15,497	17,130
85-89 years-----	30,710	12,065	18,645	936	325	611	29,700	11,710	17,990
90-94 years-----	18,472	5,566	12,906	548	194	354	17,871	5,355	12,516
95-99 years-----	6,765	1,523	5,242	225	64	161	6,526	1,454	5,072
100 yrs & over----	1,349	202	1,147	41	9	32	1,302	192	1,110
Not stated-----	7	2	5	-	-	-	4	1	3

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Acute subendocardial myocardial infarction (I21.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - - TOTAL	- - - ALL ORIGINS- - - MALE	- - - ALL ORIGINS- - - FEMALE	- - - HISPANIC - - - TOTAL	- - - HISPANIC - - - MALE	- - - HISPANIC - - - FEMALE	- - - NON-HISPANIC 1/- - - TOTAL	- - - NON-HISPANIC 1/- - - MALE	- - - NON-HISPANIC 1/- - - FEMALE
All ages-----	306	152	154	18	7	11	288	145	143
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-
40-44 years-----	3	2	1	-	-	-	3	2	1
45-49 years-----	2	1	1	-	-	-	2	1	1
50-54 years-----	5	2	3	1	1	-	4	1	3
55-59 years-----	7	5	2	-	-	-	7	5	2
60-64 years-----	18	10	8	1	-	1	17	10	7
65-69 years-----	25	12	13	3	1	2	22	11	11
70-74 years-----	36	25	11	2	2	-	34	23	11
75-79 years-----	59	30	29	3	-	3	56	30	26
80-84 years-----	46	21	25	3	1	2	43	20	23
85-89 years-----	53	26	27	2	1	1	51	25	26
90-94 years-----	35	10	25	2	1	1	33	9	24
95-99 years-----	14	5	9	1	-	1	13	5	8
100 yrs & over----	1	1	-	-	-	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-

Acute myocardial infarction, unspecified (I21.9)

All ages-----	199,083	103,979	95,104	7,135	3,826	3,309	191,381	99,834	91,547
Under 1 year-----	13	6	7	2	-	2	11	6	5
1-4 years-----	2	1	1	-	-	-	2	1	1
5-9 years-----	5	3	2	-	-	-	5	3	2
10-14 years-----	6	4	2	-	-	-	6	4	2
15-19 years-----	25	16	9	2	2	-	23	14	9
20-24 years-----	35	24	11	2	1	1	33	23	10
25-29 years-----	100	67	33	10	10	-	90	57	33
30-34 years-----	331	236	95	22	17	5	309	219	90
35-39 years-----	933	706	227	46	38	8	881	663	218
40-44 years-----	2,310	1,760	550	96	78	18	2,203	1,671	532
45-49 years-----	4,218	3,255	963	214	157	57	3,991	3,088	903
50-54 years-----	6,588	5,032	1,556	310	230	80	6,260	4,790	1,470
55-59 years-----	9,113	6,647	2,466	352	248	104	8,720	6,367	2,353
60-64 years-----	12,258	8,361	3,897	566	359	207	11,655	7,975	3,680
65-69 years-----	17,304	11,139	6,165	746	469	277	16,510	10,644	5,866
70-74 years-----	24,068	14,529	9,539	946	556	390	23,042	13,917	9,125
75-79 years-----	30,980	16,954	14,026	1,128	655	473	29,769	16,251	13,518
80-84 years-----	33,605	15,930	17,675	948	416	532	32,577	15,476	17,101
85-89 years-----	30,648	12,034	18,614	934	324	610	29,640	11,680	17,960
90-94 years-----	18,435	5,554	12,881	546	193	353	17,836	5,344	12,492
95-99 years-----	6,751	1,518	5,233	224	64	160	6,513	1,449	5,064
100 yrs & over----	1,348	201	1,147	41	9	32	1,301	191	1,110
Not stated-----	7	2	5	-	-	-	4	1	3

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Acute ischemic heart disease, unspecified (I24.9)

All ages-----	623	286	337	22	11	11	597	275	322
Under 1 year-----	1	1	-	-	-	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	3	3	-	-	-	-	3	3	-
40-44 years-----	11	9	2	-	-	-	11	9	2
45-49 years-----	15	10	5	1	1	-	14	9	5
50-54 years-----	20	14	6	1	1	-	19	13	6
55-59 years-----	34	23	11	2	1	1	32	22	10
60-64 years-----	31	14	17	4	2	2	27	12	15
65-69 years-----	50	29	21	2	-	2	47	29	18
70-74 years-----	67	36	31	-	-	-	67	36	31
75-79 years-----	91	46	45	5	3	2	86	43	43
80-84 years-----	106	48	58	2	1	1	104	47	57
85-89 years-----	104	33	71	3	1	2	101	32	69
90-94 years-----	57	14	43	1	-	1	53	14	39
95-99 years-----	26	5	21	-	-	-	26	5	21
100 yrs & over----	6	-	6	-	-	-	6	-	6
Not stated-----	-	-	-	-	-	-	-	-	-

Chronic ischemic heart disease (I25)

All ages-----	326,470	161,246	165,224	12,712	6,738	5,974	312,314	153,691	158,623
Under 1 year-----	11	6	5	-	-	-	11	6	5
1-4 years-----	2	1	1	-	-	-	2	1	1
5-9 years-----	7	6	1	1	1	-	6	5	1
10-14 years-----	2	2	-	-	-	-	2	2	-
15-19 years-----	27	20	7	4	3	1	22	17	5
20-24 years-----	47	30	17	3	2	1	44	28	16
25-29 years-----	141	100	41	14	13	1	126	86	40
30-34 years-----	432	329	103	41	32	9	391	297	94
35-39 years-----	1,427	1,075	352	82	74	8	1,337	994	343
40-44 years-----	2,989	2,359	630	141	119	22	2,832	2,226	606
45-49 years-----	5,202	4,113	1,089	285	231	54	4,888	3,857	1,031
50-54 years-----	8,482	6,459	2,023	508	416	92	7,918	5,999	1,919
55-59 years-----	11,235	8,204	3,031	662	490	172	10,516	7,668	2,848
60-64 years-----	15,260	10,558	4,702	867	572	295	14,282	9,896	4,386
65-69 years-----	22,423	14,825	7,598	1,215	778	437	21,096	13,961	7,135
70-74 years-----	34,232	21,209	13,023	1,566	959	607	32,479	20,118	12,361
75-79 years-----	47,854	26,788	21,066	1,794	967	827	45,842	25,691	20,151
80-84 years-----	55,730	27,085	28,645	1,762	821	941	53,745	26,172	27,573
85-89 years-----	56,869	21,899	34,970	1,742	673	1,069	54,927	21,135	33,792
90-94 years-----	41,650	11,814	29,836	1,299	389	910	40,217	11,388	28,829
95-99 years-----	18,066	3,698	14,368	602	170	432	17,394	3,513	13,881
100 yrs & over----	4,350	637	3,713	119	23	96	4,215	612	3,603
Not stated-----	32	29	3	5	5	-	22	19	3

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Atherosclerotic cardiovascular disease, so described (I25.0)

All ages-----	71,926	36,633	35,293	3,063	1,847	1,216	68,373	34,451	33,922
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	13	10	3	1	1	-	12	9	3
25-29 years-----	32	21	11	4	3	1	28	18	10
30-34 years-----	128	98	30	10	9	1	118	89	29
35-39 years-----	453	355	98	23	22	1	427	330	97
40-44 years-----	1,035	837	198	50	41	9	977	788	189
45-49 years-----	1,792	1,438	354	110	89	21	1,671	1,339	332
50-54 years-----	2,945	2,314	631	198	171	27	2,716	2,118	598
55-59 years-----	3,747	2,842	905	247	184	63	3,472	2,635	837
60-64 years-----	4,636	3,281	1,355	293	200	93	4,282	3,028	1,254
65-69 years-----	5,691	3,842	1,849	364	268	96	5,281	3,538	1,743
70-74 years-----	7,704	4,704	3,000	383	259	124	7,243	4,384	2,859
75-79 years-----	9,666	5,200	4,466	384	220	164	9,198	4,924	4,274
80-84 years-----	10,655	4,763	5,892	324	152	172	10,267	4,580	5,687
85-89 years-----	10,745	3,895	6,850	293	105	188	10,403	3,767	6,636
90-94 years-----	8,204	2,196	6,008	243	83	160	7,946	2,111	5,835
95-99 years-----	3,591	692	2,899	107	32	75	3,477	659	2,818
100 yrs & over---	863	122	741	26	5	21	835	117	718
Not stated-----	24	22	2	3	3	-	18	16	2

Atherosclerotic heart disease (I25.1)

All ages-----	227,487	109,518	117,969	8,725	4,361	4,364	217,872	104,718	113,154
Under 1 year-----	4	2	2	-	-	-	4	2	2
1-4 years-----	1	1	-	-	-	-	1	1	-
5-9 years-----	5	4	1	1	1	-	4	3	1
10-14 years-----	1	1	-	-	-	-	1	1	-
15-19 years-----	18	12	6	2	1	1	15	11	4
20-24 years-----	26	18	8	2	1	1	24	17	7
25-29 years-----	95	71	24	9	9	-	85	61	24
30-34 years-----	274	211	63	29	21	8	245	190	55
35-39 years-----	864	647	217	53	47	6	806	596	210
40-44 years-----	1,772	1,386	386	87	75	12	1,677	1,305	372
45-49 years-----	3,036	2,402	634	155	127	28	2,864	2,261	603
50-54 years-----	4,866	3,635	1,231	269	216	53	4,574	3,402	1,172
55-59 years-----	6,563	4,692	1,871	356	263	93	6,181	4,408	1,773
60-64 years-----	9,243	6,285	2,958	503	325	178	8,694	5,926	2,768
65-69 years-----	14,642	9,552	5,090	762	454	308	13,824	9,056	4,768
70-74 years-----	23,194	14,277	8,917	1,067	621	446	22,028	13,595	8,433
75-79 years-----	33,730	18,824	14,906	1,253	650	603	32,346	18,101	14,245
80-84 years-----	40,095	19,568	20,527	1,311	602	709	38,636	18,912	19,724
85-89 years-----	41,584	16,004	25,580	1,321	510	811	40,124	15,433	24,691
90-94 years-----	30,716	8,695	22,021	993	291	702	29,610	8,371	21,239
95-99 years-----	13,452	2,749	10,703	466	128	338	12,924	2,607	10,317
100 yrs & over---	3,298	475	2,823	84	17	67	3,201	456	2,745
Not stated-----	8	7	1	2	2	-	4	3	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -

Cardiomyopathy (I42)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	27,260	15,688	11,572	1,164	730	434	26,032	14,910	11,122
Under 1 year-----	132	61	71	28	8	20	104	53	51
1-4 years-----	36	18	18	9	7	2	27	11	16
5-9 years-----	25	12	13	4	2	2	21	10	11
10-14 years-----	49	33	16	5	3	2	44	30	14
15-19 years-----	125	93	32	7	6	1	118	87	31
20-24 years-----	129	86	43	13	9	4	116	77	39
25-29 years-----	236	161	75	25	22	3	209	138	71
30-34 years-----	366	248	118	34	28	6	331	219	112
35-39 years-----	686	488	198	57	42	15	626	443	183
40-44 years-----	922	666	256	64	53	11	852	609	243
45-49 years-----	1,124	789	335	63	42	21	1,056	742	314
50-54 years-----	1,337	935	402	79	60	19	1,256	873	383
55-59 years-----	1,532	1,063	469	81	55	26	1,446	1,004	442
60-64 years-----	1,795	1,166	629	91	57	34	1,699	1,105	594
65-69 years-----	2,443	1,590	853	118	78	40	2,319	1,508	811
70-74 years-----	3,151	1,974	1,177	105	74	31	3,037	1,893	1,144
75-79 years-----	3,673	2,134	1,539	116	66	50	3,553	2,066	1,487
80-84 years-----	3,716	1,924	1,792	114	59	55	3,597	1,860	1,737
85-89 years-----	3,240	1,441	1,799	80	34	46	3,151	1,402	1,749
90-94 years-----	1,803	635	1,168	49	15	34	1,753	619	1,134
95-99 years-----	612	151	461	17	7	10	595	144	451
100 yrs & over---	126	19	107	4	2	2	121	17	104
Not stated-----	2	1	1	1	1	-	1	-	1

Dilated cardiomyopathy (I42.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5,397	3,396	2,001	280	195	85	5,097	3,185	1,912
Under 1 year-----	15	6	9	4	-	4	11	6	5
1-4 years-----	9	1	8	2	1	1	7	-	7
5-9 years-----	5	2	3	-	-	-	5	2	3
10-14 years-----	10	7	3	1	1	-	9	6	3
15-19 years-----	20	10	10	1	1	-	19	9	10
20-24 years-----	33	21	12	6	4	2	27	17	10
25-29 years-----	85	60	25	10	9	1	74	51	23
30-34 years-----	106	69	37	9	7	2	97	62	35
35-39 years-----	237	167	70	23	19	4	212	146	66
40-44 years-----	296	220	76	20	16	4	274	203	71
45-49 years-----	364	256	108	15	10	5	346	243	103
50-54 years-----	365	256	109	25	19	6	338	235	103
55-59 years-----	409	284	125	16	9	7	391	273	118
60-64 years-----	460	297	163	21	14	7	436	280	156
65-69 years-----	521	349	172	28	18	10	492	331	161
70-74 years-----	630	428	202	26	21	5	600	404	196
75-79 years-----	604	369	235	30	23	7	574	346	228
80-84 years-----	571	318	253	20	13	7	551	305	246
85-89 years-----	383	184	199	14	7	7	369	177	192
90-94 years-----	201	72	129	8	3	5	193	69	124
95-99 years-----	62	18	44	1	-	1	61	18	43
100 yrs & over---	10	2	8	-	-	-	10	2	8
Not stated-----	1	-	1	-	-	-	1	-	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -

Obstructive hypertrophic cardiomyopathy (I42.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	222	79	143	4	3	1	216	74	142
Under 1 year-----	2	1	1	-	-	-	2	1	1
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-
15-19 years-----	5	3	2	-	-	-	5	3	2
20-24 years-----	6	4	2	-	-	-	6	4	2
25-29 years-----	5	3	2	-	-	-	5	3	2
30-34 years-----	3	1	2	-	-	-	3	1	2
35-39 years-----	7	6	1	-	-	-	7	6	1
40-44 years-----	12	10	2	2	2	-	9	7	2
45-49 years-----	10	10	-	1	1	-	8	8	-
50-54 years-----	7	3	4	-	-	-	7	3	4
55-59 years-----	8	5	3	-	-	-	8	5	3
60-64 years-----	7	3	4	-	-	-	7	3	4
65-69 years-----	16	5	11	-	-	-	16	5	11
70-74 years-----	26	8	18	-	-	-	26	8	18
75-79 years-----	26	6	20	-	-	-	26	6	20
80-84 years-----	45	7	38	-	-	-	45	7	38
85-89 years-----	25	2	23	1	-	1	24	2	22
90-94 years-----	10	1	9	-	-	-	10	1	9
95-99 years-----	1	-	1	-	-	-	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Other hypertrophic cardiomyopathy (I42.2)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1,239	807	432	90	58	32	1,146	746	400
Under 1 year-----	21	11	10	8	3	5	13	8	5
1-4 years-----	4	2	2	1	1	-	3	1	2
5-9 years-----	10	6	4	3	2	1	7	4	3
10-14 years-----	18	15	3	1	1	-	17	14	3
15-19 years-----	48	46	2	5	4	1	43	42	1
20-24 years-----	30	27	3	1	1	-	29	26	3
25-29 years-----	40	34	6	4	4	-	36	30	6
30-34 years-----	61	53	8	8	8	-	52	44	8
35-39 years-----	114	86	28	14	10	4	100	76	24
40-44 years-----	125	96	29	8	7	1	116	88	28
45-49 years-----	122	91	31	11	4	7	111	87	24
50-54 years-----	131	97	34	4	4	-	127	93	34
55-59 years-----	89	73	16	4	4	-	85	69	16
60-64 years-----	63	41	22	2	2	-	60	38	22
65-69 years-----	54	33	21	2	-	2	52	33	19
70-74 years-----	47	22	25	1	-	1	46	22	24
75-79 years-----	78	27	51	7	2	5	71	25	46
80-84 years-----	65	22	43	3	-	3	62	22	40
85-89 years-----	61	12	49	2	-	2	59	12	47
90-94 years-----	35	8	27	-	-	-	35	8	27
95-99 years-----	19	4	15	-	-	-	19	4	15
100 yrs & over---	3	-	3	-	-	-	3	-	3
Not stated-----	1	1	-	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Cardiac arrhythmia, unspecified (I49.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	7,168	3,351	3,817	151	92	59	6,999	3,249	3,750
Under 1 year-----	7	3	4	2	1	1	5	2	3
1-4 years-----	13	10	3	3	2	1	10	8	2
5-9 years-----	6	4	2	-	-	-	6	4	2
10-14 years-----	16	10	6	1	1	-	15	9	6
15-19 years-----	39	24	15	7	2	5	32	22	10
20-24 years-----	58	37	21	3	3	-	55	34	21
25-29 years-----	73	44	29	9	8	1	64	36	28
30-34 years-----	85	58	27	8	7	1	77	51	26
35-39 years-----	108	66	42	10	8	2	98	58	40
40-44 years-----	172	109	63	5	4	1	167	105	62
45-49 years-----	197	127	70	5	4	1	192	123	69
50-54 years-----	256	162	94	8	4	4	248	158	90
55-59 years-----	326	212	114	4	3	1	319	207	112
60-64 years-----	426	249	177	10	6	4	413	242	171
65-69 years-----	460	273	187	8	5	3	450	266	184
70-74 years-----	771	418	353	20	11	9	750	407	343
75-79 years-----	891	438	453	8	3	5	883	435	448
80-84 years-----	1,040	444	596	15	8	7	1,022	433	589
85-89 years-----	1,056	369	687	15	8	7	1,037	360	677
90-94 years-----	747	219	528	6	2	4	739	216	523
95-99 years-----	324	65	259	3	2	1	321	63	258
100 yrs & over----	96	10	86	1	-	1	95	10	85
Not stated-----	1	-	1	-	-	-	1	-	1

Heart failure (I50)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	54,913	20,755	34,158	1,242	522	720	53,528	20,170	33,358
Under 1 year-----	11	5	6	3	1	2	8	4	4
1-4 years-----	10	7	3	4	3	1	6	4	2
5-9 years-----	5	3	2	-	-	-	5	3	2
10-14 years-----	7	3	4	1	-	1	6	3	3
15-19 years-----	14	12	2	1	1	-	13	11	2
20-24 years-----	17	11	6	2	2	-	15	9	6
25-29 years-----	27	13	14	2	2	-	25	11	14
30-34 years-----	38	19	19	2	1	1	36	18	18
35-39 years-----	88	52	36	7	5	2	80	47	33
40-44 years-----	184	112	72	11	7	4	173	105	68
45-49 years-----	298	186	112	10	6	4	286	179	107
50-54 years-----	484	300	184	19	10	9	464	290	174
55-59 years-----	853	506	347	32	19	13	818	485	333
60-64 years-----	1,254	722	532	55	28	27	1,189	688	501
65-69 years-----	2,240	1,232	1,008	71	40	31	2,164	1,189	975
70-74 years-----	4,284	2,294	1,990	131	72	59	4,144	2,217	1,927
75-79 years-----	6,926	3,264	3,662	167	87	80	6,740	3,168	3,572
80-84 years-----	9,845	4,054	5,791	186	72	114	9,637	3,972	5,665
85-89 years-----	12,169	4,155	8,014	232	78	154	11,902	4,058	7,844
90-94 years-----	10,197	2,636	7,561	201	66	135	9,969	2,564	7,405
95-99 years-----	4,850	991	3,859	92	20	72	4,750	969	3,781
100 yrs & over----	1,111	177	934	13	2	11	1,097	175	922
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Heart failure, unspecified (I50.9)

All ages-----	3,926	1,703	2,223	81	42	39	3,823	1,651	2,172
Under 1 year-----	7	4	3	2	1	1	5	3	2
1-4 years-----	3	3	-	2	2	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	3	1	2	1	-	1	2	1	1
15-19 years-----	4	3	1	-	-	-	4	3	1
20-24 years-----	5	4	1	1	1	-	4	3	1
25-29 years-----	6	4	2	2	2	-	4	2	2
30-34 years-----	12	4	8	-	-	-	12	4	8
35-39 years-----	21	11	10	-	-	-	21	11	10
40-44 years-----	35	22	13	2	1	1	33	21	12
45-49 years-----	60	37	23	4	2	2	55	35	20
50-54 years-----	86	55	31	3	1	2	83	54	29
55-59 years-----	153	95	58	2	1	1	151	94	57
60-64 years-----	174	114	60	4	3	1	167	109	58
65-69 years-----	236	149	87	11	8	3	221	138	83
70-74 years-----	396	218	178	4	3	1	391	214	177
75-79 years-----	542	265	277	7	5	2	535	260	275
80-84 years-----	617	267	350	13	4	9	601	262	339
85-89 years-----	682	248	434	9	3	6	666	242	424
90-94 years-----	543	132	411	8	4	4	532	128	404
95-99 years-----	272	53	219	5	1	4	267	52	215
100 yrs & over----	69	14	55	1	-	1	68	14	54
Not stated-----	-	-	-	-	-	-	-	-	-

Complications and ill-defined descriptions of heart disease (I51)

All ages-----	8,817	4,439	4,378	369	225	144	8,416	4,197	4,219
Under 1 year-----	56	32	24	13	8	5	43	24	19
1-4 years-----	44	25	19	8	3	5	35	22	13
5-9 years-----	15	8	7	4	2	2	11	6	5
10-14 years-----	25	16	9	3	3	-	21	12	9
15-19 years-----	71	45	26	10	5	5	60	39	21
20-24 years-----	80	57	23	9	8	1	70	48	22
25-29 years-----	81	60	21	10	9	1	71	51	20
30-34 years-----	150	114	36	23	20	3	126	93	33
35-39 years-----	229	164	65	20	14	6	208	149	59
40-44 years-----	292	191	101	20	16	4	270	174	96
45-49 years-----	328	227	101	16	12	4	312	215	97
50-54 years-----	346	227	119	23	17	6	322	209	113
55-59 years-----	396	265	131	16	8	8	378	256	122
60-64 years-----	484	326	158	18	10	8	463	315	148
65-69 years-----	559	360	199	26	17	9	532	342	190
70-74 years-----	765	449	316	28	18	10	732	429	303
75-79 years-----	1,061	563	498	33	17	16	1,022	544	478
80-84 years-----	1,178	517	661	28	14	14	1,149	502	647
85-89 years-----	1,307	457	850	28	15	13	1,275	440	835
90-94 years-----	871	244	627	21	7	14	849	237	612
95-99 years-----	380	76	304	9	-	9	371	76	295
100 yrs & over----	98	15	83	3	2	1	95	13	82
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Cardiovascular disease, unspecified (I51.6)

All ages-----	3,922	1,786	2,136	129	71	58	3,784	1,710	2,074
Under 1 year-----	2	-	2	-	-	-	2	-	2
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	-	-	-	2	1	1
15-19 years-----	2	1	1	1	-	1	1	1	-
20-24 years-----	4	2	2	1	-	1	3	2	1
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	9	7	2	2	1	1	7	6	1
35-39 years-----	13	5	8	1	1	-	12	4	8
40-44 years-----	28	21	7	-	-	-	28	21	7
45-49 years-----	54	40	14	3	2	1	51	38	13
50-54 years-----	79	54	25	3	2	1	76	52	24
55-59 years-----	156	114	42	6	5	1	150	109	41
60-64 years-----	194	129	65	9	5	4	183	123	60
65-69 years-----	269	171	98	14	8	6	255	163	92
70-74 years-----	370	218	152	15	10	5	354	207	147
75-79 years-----	552	301	251	21	13	8	530	288	242
80-84 years-----	633	277	356	19	8	11	613	268	345
85-89 years-----	759	258	501	19	12	7	736	244	492
90-94 years-----	513	133	380	9	2	7	504	131	373
95-99 years-----	232	46	186	4	-	4	228	46	182
100 yrs & over----	51	8	43	2	2	-	49	6	43
Not stated-----	-	-	-	-	-	-	-	-	-

Cardiomegaly (I51.7)

All ages-----	1,372	860	512	105	75	30	1,259	779	480
Under 1 year-----	11	6	5	2	1	1	9	5	4
1-4 years-----	3	2	1	-	-	-	3	2	1
5-9 years-----	1	-	1	1	-	1	-	-	-
10-14 years-----	5	3	2	-	-	-	5	3	2
15-19 years-----	25	21	4	5	3	2	20	18	2
20-24 years-----	32	27	5	3	3	-	28	23	5
25-29 years-----	44	36	8	5	5	-	39	31	8
30-34 years-----	79	65	14	14	14	-	65	51	14
35-39 years-----	136	108	28	15	10	5	120	97	23
40-44 years-----	155	107	48	11	10	1	143	96	47
45-49 years-----	158	118	40	7	6	1	151	112	39
50-54 years-----	123	86	37	15	12	3	108	74	34
55-59 years-----	87	52	35	4	-	4	82	52	30
60-64 years-----	84	55	29	4	3	1	80	52	28
65-69 years-----	52	30	22	4	3	1	48	27	21
70-74 years-----	61	35	26	4	2	2	56	32	24
75-79 years-----	79	35	44	2	2	-	75	31	44
80-84 years-----	84	32	52	1	-	1	83	32	51
85-89 years-----	72	22	50	1	-	1	71	22	49
90-94 years-----	48	12	36	3	1	2	44	11	33
95-99 years-----	24	5	19	4	-	4	20	5	15
100 yrs & over----	8	2	6	-	-	-	8	2	6
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL ALL ORIGINS- MALE FEMALE HISPANIC MALE FEMALE NON-HISPANIC 1/ MALE FEMALE

Hypertensive encephalopathy (I67.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	ALL ORIGINS- MALE	FEMALE	HISPANIC MALE	FEMALE	NON-HISPANIC 1/ MALE	FEMALE
All ages-----	84	31	53	6	1	5	77
Under 1 year-----	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1
15-19 years-----	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1
30-34 years-----	1	1	-	-	-	-	1
35-39 years-----	1	-	1	-	-	-	1
40-44 years-----	3	-	3	-	-	-	3
45-49 years-----	5	2	3	-	-	-	5
50-54 years-----	4	3	1	1	1	-	3
55-59 years-----	4	1	3	-	-	-	4
60-64 years-----	1	1	-	-	-	-	1
65-69 years-----	4	-	4	1	-	1	3
70-74 years-----	7	4	3	-	-	-	7
75-79 years-----	16	7	9	1	-	1	15
80-84 years-----	18	6	12	1	-	1	16
85-89 years-----	9	4	5	1	-	1	8
90-94 years-----	7	1	6	1	-	1	6
95-99 years-----	2	-	2	-	-	-	2
100 yrs & over----	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-

Moyamoya disease (I67.5)

All ages-----	12	3	9	-	-	-	12
Under 1 year-----	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1
15-19 years-----	1	-	1	-	-	-	1
20-24 years-----	1	-	1	-	-	-	1
25-29 years-----	2	-	2	-	-	-	2
30-34 years-----	2	-	2	-	-	-	2
35-39 years-----	-	-	-	-	-	-	-
40-44 years-----	2	1	1	-	-	-	2
45-49 years-----	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-
55-59 years-----	1	-	1	-	-	-	1
60-64 years-----	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1
75-79 years-----	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1
85-89 years-----	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Hereditary hemorrhagic telangiectasia (I78.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	25	13	12
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	1	-	1
35-39 years-----	1	-	1
40-44 years-----	1	1	-
45-49 years-----	-	-	-
50-54 years-----	2	2	-
55-59 years-----	1	-	1
60-64 years-----	1	1	-
65-69 years-----	4	1	3
70-74 years-----	5	4	1
75-79 years-----	2	2	-
80-84 years-----	4	1	3
85-89 years-----	1	1	-
90-94 years-----	2	-	2
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Nevus, nonneoplastic (I78.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	12	7	5
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	1	1	-
10-14 years-----	-	-	-
15-19 years-----	1	-	1
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	1	-	1
65-69 years-----	1	1	-
70-74 years-----	-	-	-
75-79 years-----	1	1	-
80-84 years-----	4	2	2
85-89 years-----	3	2	1
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -

Phlebitis and thrombophlebitis of other deep vessels of lower extremities (I80.2)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1,727	652	1,075	85	34	51	1,634	613	1,021
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1
15-19 years-----	7	4	3	1	1	-	6	3	3
20-24 years-----	10	4	6	-	-	-	10	4	6
25-29 years-----	17	9	8	-	-	-	17	9	8
30-34 years-----	36	19	17	4	2	2	32	17	15
35-39 years-----	56	28	28	4	3	1	51	24	27
40-44 years-----	101	54	47	4	2	2	96	51	45
45-49 years-----	77	35	42	6	1	5	71	34	37
50-54 years-----	68	29	39	7	2	5	61	27	34
55-59 years-----	89	40	49	4	2	2	84	37	47
60-64 years-----	89	37	52	7	3	4	82	34	48
65-69 years-----	125	61	64	8	1	7	116	59	57
70-74 years-----	148	70	78	13	5	8	134	64	70
75-79 years-----	199	75	124	4	2	2	193	73	120
80-84 years-----	272	92	180	9	5	4	263	87	176
85-89 years-----	239	62	177	11	3	8	228	59	169
90-94 years-----	129	22	107	3	2	1	125	20	105
95-99 years-----	55	11	44	-	-	-	55	11	44
100 yrs & over----	9	-	9	-	-	-	9	-	9
Not stated-----	-	-	-	-	-	-	-	-	-

Phlebitis and thrombophlebitis of lower extremities, unspecified (I80.3)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	356	152	204	21	14	7	333	137	196
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	-	-	-	1	-	1
25-29 years-----	3	1	2	-	-	-	3	1	2
30-34 years-----	11	5	6	1	1	-	9	4	5
35-39 years-----	14	10	4	-	-	-	13	9	4
40-44 years-----	16	8	8	1	-	1	15	8	7
45-49 years-----	30	13	17	5	3	2	25	10	15
50-54 years-----	19	8	11	1	-	1	18	8	10
55-59 years-----	22	7	15	1	-	1	21	7	14
60-64 years-----	26	13	13	2	1	1	24	12	12
65-69 years-----	30	18	12	1	1	-	29	17	12
70-74 years-----	36	18	18	3	2	1	33	16	17
75-79 years-----	38	17	21	2	2	-	36	15	21
80-84 years-----	35	17	18	1	1	-	34	16	18
85-89 years-----	32	7	25	2	2	-	30	5	25
90-94 years-----	27	7	20	-	-	-	27	7	20
95-99 years-----	13	2	11	-	-	-	13	2	11
100 yrs & over----	2	1	1	1	1	-	1	-	1
Not stated-----	1	-	1	-	-	-	1	-	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Varicose veins of other sites (I86)

CAUSE OF DEATH	ALL ORIGINS- TOTAL	MALE	FEMALE	HISPANIC TOTAL	MALE	FEMALE	NON-HISPANIC 1/- TOTAL	MALE	FEMALE
All ages-----	34	20	14	4	2	2	30	18	12
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	-	-	-	2	1	1
45-49 years-----	3	1	2	1	-	1	2	1	1
50-54 years-----	3	3	-	1	1	-	2	2	-
55-59 years-----	1	1	-	-	-	-	1	1	-
60-64 years-----	3	2	1	1	1	-	2	1	1
65-69 years-----	3	2	1	-	-	-	3	2	1
70-74 years-----	6	1	5	1	-	1	5	1	4
75-79 years-----	4	3	1	-	-	-	4	3	1
80-84 years-----	7	6	1	-	-	-	7	6	1
85-89 years-----	2	-	2	-	-	-	2	-	2
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Scrotal varices (I86.1)

CAUSE OF DEATH	ALL ORIGINS- TOTAL	MALE	FEMALE	HISPANIC TOTAL	MALE	FEMALE	NON-HISPANIC 1/- TOTAL	MALE	FEMALE
All ages-----	1	1	...	-	-	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	1	1	...	-	-	...	1	1	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Pneumonia due to Hemophilus influenzae (J14)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	49	24	25	5	4	1	44	20	24
Under 1 year-----	4	2	2	-	-	-	4	2	2
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	1	1	-	1	1	-
55-59 years-----	1	-	1	-	-	-	1	-	1
60-64 years-----	1	1	-	-	-	-	1	1	-
65-69 years-----	4	-	4	1	-	1	3	-	3
70-74 years-----	6	3	3	-	-	-	6	3	3
75-79 years-----	3	2	1	1	1	-	2	1	1
80-84 years-----	10	7	3	1	1	-	9	6	3
85-89 years-----	12	4	8	-	-	-	12	4	8
90-94 years-----	3	1	2	-	-	-	3	1	2
95-99 years-----	1	-	1	-	-	-	1	-	1
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Bacterial pneumonia, not elsewhere classified (J15)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	3,162	1,572	1,590	164	85	79	2,986	1,481	1,505
Under 1 year-----	46	22	24	6	6	-	40	16	24
1-4 years-----	15	8	7	2	2	-	13	6	7
5-9 years-----	4	3	1	1	1	-	3	2	1
10-14 years-----	6	2	4	1	-	1	5	2	3
15-19 years-----	5	2	3	-	-	-	5	2	3
20-24 years-----	8	4	4	2	2	-	6	2	4
25-29 years-----	8	6	2	-	-	-	8	6	2
30-34 years-----	14	7	7	1	-	1	13	7	6
35-39 years-----	46	22	24	4	1	3	41	20	21
40-44 years-----	49	26	23	2	2	-	47	24	23
45-49 years-----	64	40	24	4	3	1	58	36	22
50-54 years-----	66	48	18	2	2	-	63	45	18
55-59 years-----	110	65	45	12	7	5	95	56	39
60-64 years-----	128	66	62	7	5	2	121	61	60
65-69 years-----	182	111	71	12	5	7	169	106	63
70-74 years-----	324	189	135	19	12	7	304	176	128
75-79 years-----	445	239	206	17	11	6	427	228	199
80-84 years-----	565	284	281	23	11	12	542	273	269
85-89 years-----	542	251	291	27	9	18	514	242	272
90-94 years-----	365	122	243	15	4	11	349	118	231
95-99 years-----	134	46	88	5	1	4	129	45	84
100 yrs & over----	35	9	26	2	1	1	33	8	25
Not stated-----	1	-	1	-	-	-	1	-	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other bacterial pneumonia (J15.8)

All ages-----	87	43	44	3	1	2	84	42	42
Under 1 year-----	1	-	1	-	-	-	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	-	1	-	1
40-44 years-----	2	1	1	-	-	-	2	1	1
45-49 years-----	4	3	1	-	-	-	4	3	1
50-54 years-----	3	3	-	-	-	-	3	3	-
55-59 years-----	4	3	1	-	-	-	4	3	1
60-64 years-----	7	4	3	-	-	-	7	4	3
65-69 years-----	9	7	2	-	-	-	9	7	2
70-74 years-----	6	2	4	-	-	-	6	2	4
75-79 years-----	8	4	4	-	-	-	8	4	4
80-84 years-----	23	12	11	-	-	-	23	12	11
85-89 years-----	15	4	11	2	1	1	13	3	10
90-94 years-----	2	-	2	1	-	1	1	-	1
95-99 years-----	2	-	2	-	-	-	2	-	2
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Bacterial pneumonia, unspecified (J15.9)

All ages-----	1,286	573	713	95	48	47	1,183	520	663
Under 1 year-----	12	4	8	2	2	-	10	2	8
1-4 years-----	7	4	3	2	2	-	5	2	3
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	3	3	-	1	1	-	2	2	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-
35-39 years-----	12	7	5	1	-	1	10	6	4
40-44 years-----	8	6	2	1	1	-	7	5	2
45-49 years-----	20	14	6	3	2	1	16	11	5
50-54 years-----	13	11	2	2	2	-	10	8	2
55-59 years-----	32	22	10	4	3	1	26	18	8
60-64 years-----	38	19	19	2	1	1	36	18	18
65-69 years-----	54	32	22	5	3	2	49	29	20
70-74 years-----	117	66	51	11	6	5	105	59	46
75-79 years-----	161	81	80	12	6	6	149	75	74
80-84 years-----	236	111	125	15	9	6	221	102	119
85-89 years-----	250	100	150	21	7	14	228	93	135
90-94 years-----	211	60	151	9	2	7	201	58	143
95-99 years-----	81	25	56	2	-	2	79	25	54
100 yrs & over----	29	7	22	2	1	1	27	6	21
Not stated-----	1	-	1	-	-	-	1	-	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Pneumonia due to other specified infectious organisms (J16.8)

All ages-----	9	4	5	1	1	-	8	3	5
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1
70-74 years-----	2	2	-	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	3	-	3	-	-	-	3	-	3
85-89 years-----	1	-	1	-	-	-	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Pneumonia, organism unspecified (J18)

All ages-----	57,776	25,055	32,721	1,970	949	1,021	55,561	23,977	31,584
Under 1 year-----	177	98	79	36	24	12	140	74	66
1-4 years-----	76	37	39	9	4	5	64	32	32
5-9 years-----	28	17	11	3	2	1	25	15	10
10-14 years-----	31	19	12	3	1	2	28	18	10
15-19 years-----	58	30	28	8	5	3	50	25	25
20-24 years-----	87	47	40	12	4	8	74	43	31
25-29 years-----	113	63	50	9	5	4	104	58	46
30-34 years-----	176	106	70	13	9	4	163	97	66
35-39 years-----	366	206	160	35	28	7	329	176	153
40-44 years-----	483	282	201	19	12	7	457	266	191
45-49 years-----	680	432	248	42	27	15	631	399	232
50-54 years-----	782	484	298	49	33	16	727	445	282
55-59 years-----	919	514	405	42	22	20	869	488	381
60-64 years-----	1,307	739	568	85	39	46	1,209	691	518
65-69 years-----	2,073	1,228	845	125	73	52	1,934	1,146	788
70-74 years-----	3,971	2,225	1,746	157	88	69	3,798	2,129	1,669
75-79 years-----	7,059	3,649	3,410	223	115	108	6,808	3,519	3,289
80-84 years-----	10,393	4,945	5,448	288	141	147	10,068	4,784	5,284
85-89 years-----	12,458	5,079	7,379	350	146	204	12,054	4,905	7,149
90-94 years-----	10,386	3,375	7,011	274	113	161	10,083	3,252	6,831
95-99 years-----	4,825	1,210	3,615	143	47	96	4,668	1,158	3,510
100 yrs & over---	1,327	269	1,058	45	11	34	1,278	257	1,021
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Pneumoconiosis associated with tuberculosis (J65)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	5	5	-
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	1	1	-
60-64 years-----	-	-	-
65-69 years-----	1	1	-
70-74 years-----	1	1	-
75-79 years-----	1	1	-
80-84 years-----	1	1	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Airway disease due to specific organic dust (J66)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	3	1	2
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	1	1	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	2	-	2
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Gastric ulcer, Unspecified as acute or chronic, without haemorrhage or perforation (K25.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - - TOTAL	- - - ALL ORIGINS- - - MALE	- - - ALL ORIGINS- - - FEMALE	- - - HISPANIC - - - TOTAL	- - - HISPANIC - - - MALE	- - - HISPANIC - - - FEMALE	- - NON-HISPANIC 1/- - - TOTAL	- - NON-HISPANIC 1/- - - MALE	- - NON-HISPANIC 1/- - - FEMALE
All ages-----	161	70	91	8	7	1	153	63	90
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-
35-39 years-----	3	3	-	-	-	-	3	3	-
40-44 years-----	4	1	3	-	-	-	4	1	3
45-49 years-----	5	4	1	-	-	-	5	4	1
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	10	7	3	1	1	-	9	6	3
60-64 years-----	7	2	5	-	-	-	7	2	5
65-69 years-----	5	2	3	1	1	-	4	1	3
70-74 years-----	24	14	10	2	2	-	22	12	10
75-79 years-----	25	11	14	-	-	-	25	11	14
80-84 years-----	23	11	12	1	1	-	22	10	12
85-89 years-----	24	12	12	2	2	-	22	10	12
90-94 years-----	25	3	22	-	-	-	25	3	22
95-99 years-----	5	-	5	-	-	-	5	-	5
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Duodenal ulcer (K26)

All ages-----	1,476	793	683	47	30	17	1,420	759	661
Under 1 year-----	2	-	2	-	-	-	2	-	2
1-4 years-----	1	-	1	-	-	-	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-
20-24 years-----	1	1	-	-	-	-	1	1	-
25-29 years-----	5	4	1	3	3	-	2	1	1
30-34 years-----	7	4	3	2	1	1	5	3	2
35-39 years-----	13	11	2	1	1	-	12	10	2
40-44 years-----	33	19	14	2	1	1	30	17	13
45-49 years-----	43	26	17	2	2	-	41	24	17
50-54 years-----	53	39	14	3	2	1	49	36	13
55-59 years-----	56	34	22	4	3	1	50	30	20
60-64 years-----	102	71	31	3	2	1	99	69	30
65-69 years-----	114	83	31	5	3	2	108	80	28
70-74 years-----	171	113	58	5	4	1	166	109	57
75-79 years-----	216	123	93	4	3	1	210	119	91
80-84 years-----	241	121	120	3	2	1	238	119	119
85-89 years-----	239	87	152	8	3	5	229	84	145
90-94 years-----	130	44	86	1	-	1	129	44	85
95-99 years-----	44	10	34	1	-	1	43	10	33
100 yrs & over---	3	1	2	-	-	-	3	1	2
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/-		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Duodenal ulcer, Acute without haemorrhage or perforation (K26.3)

All ages-----	4	2	2	-	-	-	4	2	2
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Duodenal ulcer, Chronic or unspecified with haemorrhage (K26.4)

All ages-----	604	357	247	23	16	7	575	337	238
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-
25-29 years-----	3	3	-	2	2	-	1	1	-
30-34 years-----	3	3	-	1	1	-	2	2	-
35-39 years-----	6	5	1	1	1	-	5	4	1
40-44 years-----	9	5	4	-	-	-	8	4	4
45-49 years-----	17	9	8	1	1	-	16	8	8
50-54 years-----	20	14	6	3	2	1	16	11	5
55-59 years-----	25	14	11	1	1	-	23	12	11
60-64 years-----	34	26	8	2	1	1	32	25	7
65-69 years-----	43	34	9	2	2	-	40	32	8
70-74 years-----	76	54	22	1	1	-	75	53	22
75-79 years-----	87	56	31	3	2	1	83	53	30
80-84 years-----	95	59	36	1	1	-	94	58	36
85-89 years-----	105	47	58	4	1	3	100	46	54
90-94 years-----	61	23	38	1	-	1	60	23	37
95-99 years-----	15	2	13	-	-	-	15	2	13
100 yrs & over----	3	1	2	-	-	-	3	1	2
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Peptic ulcer, site unspecified, Chronic without haemorrhage or perforation (K27.7)

All ages-----	18	7	11	-	-	-	18	7	11
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-
45-49 years-----	1	-	1	-	-	-	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	2	1	1	-	-	-	2	1	1
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1
70-74 years-----	2	1	1	-	-	-	2	1	1
75-79 years-----	1	-	1	-	-	-	1	-	1
80-84 years-----	4	3	1	-	-	-	4	3	1
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	2	1	1	-	-	-	2	1	1
95-99 years-----	2	-	2	-	-	-	2	-	2
100 yrs & over---	2	-	2	-	-	-	2	-	2
Not stated-----	-	-	-	-	-	-	-	-	-

Peptic ulcer, site unspecified, Unspecified as acute or chronic, without haemorrhage or perforation (K27.9)

All ages-----	301	127	174	11	7	4	290	120	170
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1
35-39 years-----	1	1	-	-	-	-	1	1	-
40-44 years-----	1	-	1	-	-	-	1	-	1
45-49 years-----	1	-	1	-	-	-	1	-	1
50-54 years-----	2	1	1	-	-	-	2	1	1
55-59 years-----	11	6	5	-	-	-	11	6	5
60-64 years-----	8	8	-	-	-	-	8	8	-
65-69 years-----	25	18	7	3	2	1	22	16	6
70-74 years-----	31	18	13	1	1	-	30	17	13
75-79 years-----	40	13	27	-	-	-	40	13	27
80-84 years-----	54	23	31	4	2	2	50	21	29
85-89 years-----	54	22	32	1	1	-	53	21	32
90-94 years-----	44	15	29	2	1	1	42	14	28
95-99 years-----	19	2	17	-	-	-	19	2	17
100 yrs & over---	8	-	8	-	-	-	8	-	8
Not stated-----	1	-	1	-	-	-	1	-	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other vascular disorders of intestine (K55.8)

All ages-----	4	-	4	-	-	-	4	-	4
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	-	-	-	2	-	2
90-94 years-----	1	-	1	-	-	-	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Vascular disorder of intestine, unspecified (K55.9)

All ages-----	4,445	1,486	2,959	162	66	96	4,269	1,417	2,852
Under 1 year-----	9	7	2	2	1	1	7	6	1
1-4 years-----	1	1	-	-	-	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-
15-19 years-----	3	2	1	1	1	-	2	1	1
20-24 years-----	1	-	1	-	-	-	1	-	1
25-29 years-----	5	3	2	2	1	1	3	2	1
30-34 years-----	10	6	4	2	-	2	8	6	2
35-39 years-----	15	5	10	-	-	-	15	5	10
40-44 years-----	26	15	11	1	1	-	25	14	11
45-49 years-----	45	24	21	6	4	2	38	20	18
50-54 years-----	83	34	49	2	-	2	81	34	47
55-59 years-----	112	61	51	5	2	3	107	59	48
60-64 years-----	209	82	127	5	3	2	204	79	125
65-69 years-----	349	129	220	19	5	14	329	124	205
70-74 years-----	546	212	334	20	10	10	525	202	323
75-79 years-----	783	297	486	29	13	16	751	282	469
80-84 years-----	826	284	542	24	11	13	798	272	526
85-89 years-----	792	214	578	19	7	12	773	207	566
90-94 years-----	454	81	373	18	4	14	433	77	356
95-99 years-----	149	22	127	5	2	3	144	20	124
100 yrs & over---	24	5	19	1	-	1	23	5	18
Not stated-----	1	-	1	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -

Intestinal malabsorption, unspecified (K90.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	80	37	43	4	2	2	76	35	41
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	2	1	1	1	-	1	1	1	-
5-9 years-----	1	-	1	-	-	-	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-
35-39 years-----	1	1	-	-	-	-	1	1	-
40-44 years-----	1	1	-	-	-	-	1	1	-
45-49 years-----	2	2	-	-	-	-	2	2	-
50-54 years-----	2	2	-	-	-	-	2	2	-
55-59 years-----	5	3	2	-	-	-	5	3	2
60-64 years-----	3	1	2	-	-	-	3	1	2
65-69 years-----	8	3	5	-	-	-	8	3	5
70-74 years-----	13	6	7	2	2	-	11	4	7
75-79 years-----	10	6	4	-	-	-	10	6	4
80-84 years-----	12	6	6	1	-	1	11	6	5
85-89 years-----	8	1	7	-	-	-	8	1	7
90-94 years-----	5	2	3	-	-	-	5	2	3
95-99 years-----	5	-	5	-	-	-	5	-	5
100 yrs & over----	1	1	-	-	-	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-

Other diseases of the digestive system (K92)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	7,507	3,324	4,183	178	96	82	7,308	3,220	4,088
Under 1 year-----	7	4	3	1	-	1	6	4	2
1-4 years-----	3	1	2	-	-	-	3	1	2
5-9 years-----	2	1	1	-	-	-	2	1	1
10-14 years-----	2	1	1	-	-	-	2	1	1
15-19 years-----	2	-	2	1	-	1	1	-	1
20-24 years-----	4	4	-	2	2	-	2	2	-
25-29 years-----	7	6	1	2	2	-	5	4	1
30-34 years-----	13	8	5	3	1	2	10	7	3
35-39 years-----	31	22	9	-	-	-	31	22	9
40-44 years-----	77	53	24	6	6	-	70	46	24
45-49 years-----	121	89	32	4	3	1	116	85	31
50-54 years-----	161	114	47	7	6	1	153	107	46
55-59 years-----	209	136	73	8	5	3	201	131	70
60-64 years-----	287	177	110	6	4	2	281	173	108
65-69 years-----	427	259	168	16	11	5	411	248	163
70-74 years-----	656	378	278	22	14	8	633	364	269
75-79 years-----	1,003	511	492	20	10	10	982	500	482
80-84 years-----	1,327	607	720	18	6	12	1,307	600	707
85-89 years-----	1,429	515	914	35	11	24	1,387	502	885
90-94 years-----	1,140	313	827	16	5	11	1,121	307	814
95-99 years-----	485	105	380	9	8	1	473	97	376
100 yrs & over----	113	20	93	2	2	-	110	18	92
Not stated-----	1	-	1	-	-	-	1	-	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL ALL ORIGINS- MALE FEMALE HISPANIC MALE FEMALE NON-HISPANIC 1/ MALE FEMALE

Pyoderma gangrenosum (L88)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	ALL ORIGINS- MALE	FEMALE	HISPANIC MALE	FEMALE	NON-HISPANIC 1/ MALE	FEMALE
All ages-----	7	4	3	-	-	7	3
Under 1 year-----	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	1	-
40-44 years-----	1	-	1	-	-	1	1
45-49 years-----	1	-	1	-	-	1	1
50-54 years-----	1	1	-	-	-	1	-
55-59 years-----	1	1	-	-	-	1	-
60-64 years-----	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-
75-79 years-----	2	1	1	-	-	2	1
80-84 years-----	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-

Decubitus ulcer (L89)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	ALL ORIGINS- MALE	FEMALE	HISPANIC MALE	FEMALE	NON-HISPANIC 1/ MALE	FEMALE
All ages-----	1,842	624	1,218	55	21	1,777	1,182
Under 1 year-----	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	1	1
15-19 years-----	1	-	1	-	-	1	1
20-24 years-----	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-
30-34 years-----	7	5	2	3	2	4	1
35-39 years-----	6	3	3	1	1	5	2
40-44 years-----	12	6	6	1	1	11	5
45-49 years-----	14	6	8	-	-	14	8
50-54 years-----	19	11	8	-	-	19	8
55-59 years-----	21	9	12	-	-	21	12
60-64 years-----	46	24	22	1	1	45	21
65-69 years-----	87	50	37	5	5	79	36
70-74 years-----	153	75	78	2	2	150	78
75-79 years-----	270	106	164	10	5	259	159
80-84 years-----	355	122	233	10	1	344	224
85-89 years-----	401	122	279	12	3	388	269
90-94 years-----	282	60	222	8	2	274	216
95-99 years-----	138	21	117	2	1	133	116
100 yrs & over---	29	4	25	-	-	29	25
Not stated-----	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL ALL ORIGINS- MALE FEMALE HISPANIC MALE FEMALE NON-HISPANIC 1/ MALE FEMALE

Seronegative rheumatoid arthritis (M06.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	ALL ORIGINS- MALE	FEMALE	HISPANIC MALE	FEMALE	NON-HISPANIC 1/ MALE	FEMALE
All ages-----	1	-	1	-	-	1	1
Under 1 year-----	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	1	1
95-99 years-----	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-

Rheumatoid bursitis (M06.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	ALL ORIGINS- MALE	FEMALE	HISPANIC MALE	FEMALE	NON-HISPANIC 1/ MALE	FEMALE
All ages-----	1	1	-	-	-	1	1
Under 1 year-----	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	1	1
45-49 years-----	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL ALL ORIGINS- MALE FEMALE HISPANIC MALE FEMALE NON-HISPANIC 1/ MALE FEMALE

Systemic lupus erythematosus (M32)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	ALL ORIGINS- MALE	FEMALE	HISPANIC MALE	FEMALE	NON-HISPANIC 1/ MALE	FEMALE
All ages-----	1,322	188	1,134	159	21	138	992
Under 1 year-----	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-
10-14 years-----	6	1	5	2	1	4	4
15-19 years-----	25	4	21	2	1	23	20
20-24 years-----	57	10	47	16	3	41	34
25-29 years-----	62	4	58	17	2	45	43
30-34 years-----	74	12	62	11	1	63	52
35-39 years-----	115	14	101	15	1	99	86
40-44 years-----	126	15	111	20	3	106	94
45-49 years-----	133	16	117	20	1	112	97
50-54 years-----	117	17	100	14	3	103	89
55-59 years-----	92	13	79	12	2	80	69
60-64 years-----	87	11	76	11	-	74	63
65-69 years-----	98	11	87	8	1	90	80
70-74 years-----	108	17	91	5	2	103	88
75-79 years-----	98	18	80	2	-	96	78
80-84 years-----	64	13	51	3	-	61	48
85-89 years-----	40	7	33	1	-	39	32
90-94 years-----	15	4	11	-	-	15	11
95-99 years-----	3	1	2	-	-	3	2
100 yrs & over----	2	-	2	-	-	2	2
Not stated-----	-	-	-	-	-	-	-

Drug-induced systemic lupus erythematosus (M32.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	ALL ORIGINS- MALE	FEMALE	HISPANIC MALE	FEMALE	NON-HISPANIC 1/ MALE	FEMALE
All ages-----	3	2	1	-	-	3	1
Under 1 year-----	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	1	-
40-44 years-----	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	1	1
55-59 years-----	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	1	-
90-94 years-----	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- - -
 MALE FEMALE TOTAL MALE FEMALE MALE FEMALE

Osteoporosis without pathological fracture (M81)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	ALL ORIGINS- - - MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - - TOTAL	MALE	FEMALE
All ages-----	948	67	881	17	1	16	929	66	863
Under 1 year-----	1	1	-	-	-	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-
55-59 years-----	2	-	2	-	-	-	2	-	2
60-64 years-----	5	-	5	-	-	-	5	-	5
65-69 years-----	19	3	16	2	1	1	17	2	15
70-74 years-----	26	4	22	1	-	1	25	4	21
75-79 years-----	83	11	72	2	-	2	81	11	70
80-84 years-----	166	19	147	3	-	3	163	19	144
85-89 years-----	250	14	236	6	-	6	242	14	228
90-94 years-----	259	7	252	2	-	2	257	7	250
95-99 years-----	110	5	105	1	-	1	109	5	104
100 yrs & over---	24	1	23	-	-	-	24	1	23
Not stated-----	-	-	-	-	-	-	-	-	-

Postmenopausal osteoporosis (M81.0)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL ALL ORIGINS- MALE FEMALE HISPANIC MALE FEMALE NON-HISPANIC 1/ MALE FEMALE

Relapsing polychondritis (M94.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	ALL ORIGINS- MALE	FEMALE	HISPANIC MALE	FEMALE	NON-HISPANIC 1/ MALE	FEMALE
All ages-----	6	2	4	1	-	1	3
Under 1 year-----	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-
35-39 years-----	1	-	1	-	-	1	1
40-44 years-----	1	-	1	-	-	1	1
45-49 years-----	-	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-
55-59 years-----	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	1	1
70-74 years-----	1	1	-	-	-	1	-
75-79 years-----	1	1	-	-	-	1	-
80-84 years-----	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-

Chondromalacia (M94.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	ALL ORIGINS- MALE	FEMALE	HISPANIC MALE	FEMALE	NON-HISPANIC 1/ MALE	FEMALE
All ages-----	1	-	1	-	-	1	1
Under 1 year-----	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	1	1
70-74 years-----	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL MALE FEMALE ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -

Calculus of kidney and ureter (N20)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	MALE	FEMALE	ALL ORIGINS- - -	TOTAL	MALE	FEMALE	HISPANIC - - -	TOTAL	MALE	FEMALE	NON-HISPANIC 1/- -
All ages-----	223	88	135		20	6	14		203	82	121	
Under 1 year-----	-	-	-		-	-	-		-	-	-	
1-4 years-----	-	-	-		-	-	-		-	-	-	
5-9 years-----	1	1	-		1	1	-		-	-	-	
10-14 years-----	-	-	-		-	-	-		-	-	-	
15-19 years-----	-	-	-		-	-	-		-	-	-	
20-24 years-----	-	-	-		-	-	-		-	-	-	
25-29 years-----	-	-	-		-	-	-		-	-	-	
30-34 years-----	-	-	-		-	-	-		-	-	-	
35-39 years-----	3	1	2		-	-	-		3	1	2	
40-44 years-----	3	1	2		-	-	-		3	1	2	
45-49 years-----	3	1	2		2	1	1		1	-	1	
50-54 years-----	7	6	1		1	1	-		6	5	1	
55-59 years-----	9	7	2		1	1	1		8	7	1	
60-64 years-----	19	10	9		2	1	1		17	9	8	
65-69 years-----	14	9	5		-	-	-		14	9	5	
70-74 years-----	24	7	17		1	-	1		23	7	16	
75-79 years-----	24	12	12		1	-	1		23	12	11	
80-84 years-----	41	16	25		4	1	3		37	15	22	
85-89 years-----	40	13	27		3	1	2		37	12	25	
90-94 years-----	26	3	23		3	-	3		23	3	20	
95-99 years-----	9	1	8		1	-	1		8	1	7	
100 yrs & over----	-	-	-		-	-	-		-	-	-	
Not stated-----	-	-	-		-	-	-		-	-	-	

Calculus of kidney (N20.0)

All ages-----	195	76	119		19	6	13		176	70	106	
Under 1 year-----	-	-	-		-	-	-		-	-	-	
1-4 years-----	-	-	-		-	-	-		-	-	-	
5-9 years-----	1	1	-		1	1	-		-	-	-	
10-14 years-----	-	-	-		-	-	-		-	-	-	
15-19 years-----	-	-	-		-	-	-		-	-	-	
20-24 years-----	-	-	-		-	-	-		-	-	-	
25-29 years-----	-	-	-		-	-	-		-	-	-	
30-34 years-----	-	-	-		-	-	-		-	-	-	
35-39 years-----	3	1	2		-	-	-		3	1	2	
40-44 years-----	3	1	2		-	-	-		3	1	2	
45-49 years-----	2	1	1		2	1	1		-	-	-	
50-54 years-----	5	4	1		1	1	-		4	3	1	
55-59 years-----	6	4	2		1	-	1		5	4	1	
60-64 years-----	15	9	6		2	1	1		13	8	5	
65-69 years-----	11	8	3		-	-	-		11	8	3	
70-74 years-----	20	5	15		1	-	1		19	5	14	
75-79 years-----	21	12	9		-	-	-		21	12	9	
80-84 years-----	38	15	23		4	1	3		34	14	20	
85-89 years-----	37	12	25		3	1	2		34	11	23	
90-94 years-----	24	2	22		3	-	3		21	2	19	
95-99 years-----	9	1	8		1	-	1		8	1	7	
100 yrs & over----	-	-	-		-	-	-		-	-	-	
Not stated-----	-	-	-		-	-	-		-	-	-	

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Disorder of kidney and ureter, unspecified (N28.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - - TOTAL	- - - ALL ORIGINS- - - MALE	- - - ALL ORIGINS- - - FEMALE	- - - HISPANIC - - - TOTAL	- - - HISPANIC - - - MALE	- - - HISPANIC - - - FEMALE	- - NON-HISPANIC 1/- - - TOTAL	- - NON-HISPANIC 1/- - - MALE	- - NON-HISPANIC 1/- - - FEMALE
All ages-----	356	202	154	14	9	5	340	191	149
Under 1 year-----	2	2	-	1	1	-	1	1	-
1-4 years-----	1	1	-	-	-	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	4	3	1	1	1	-	3	2	1
15-19 years-----	1	-	1	-	-	-	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	4	3	1	1	-	1	3	3	-
30-34 years-----	3	3	-	-	-	-	3	3	-
35-39 years-----	17	9	8	1	1	-	16	8	8
40-44 years-----	9	6	3	1	1	-	8	5	3
45-49 years-----	15	12	3	-	-	-	14	11	3
50-54 years-----	26	14	12	2	1	1	24	13	11
55-59 years-----	37	21	16	2	2	-	35	19	16
60-64 years-----	37	19	18	1	-	1	36	19	17
65-69 years-----	30	22	8	1	-	1	29	22	7
70-74 years-----	43	27	16	1	1	-	41	25	16
75-79 years-----	40	20	20	1	1	-	39	19	20
80-84 years-----	51	29	22	-	-	-	51	29	22
85-89 years-----	21	4	17	1	-	1	20	4	16
90-94 years-----	11	5	6	-	-	-	11	5	6
95-99 years-----	4	2	2	-	-	-	4	2	2
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Cystitis (N30)

All ages-----	135	41	94	4	1	3	130	40	90
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	5	2	3	1	1	-	4	1	3
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	-	-	-	2	1	1
55-59 years-----	3	1	2	-	-	-	3	1	2
60-64 years-----	1	1	-	-	-	-	1	1	-
65-69 years-----	5	5	-	-	-	-	5	5	-
70-74 years-----	14	4	10	-	-	-	14	4	10
75-79 years-----	12	5	7	1	-	1	11	5	6
80-84 years-----	29	6	23	-	-	-	28	6	22
85-89 years-----	24	8	16	2	-	2	22	8	14
90-94 years-----	24	5	19	-	-	-	24	5	19
95-99 years-----	14	3	11	-	-	-	14	3	11
100 yrs & over---	1	-	1	-	-	-	1	-	1
Not stated-----	1	-	1	-	-	-	1	-	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Other cystitis (N30.8)

All ages-----	12	5	7	-	-	-	12	5	7
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-
70-74 years-----	3	-	3	-	-	-	3	-	3
75-79 years-----	1	1	-	-	-	-	1	1	-
80-84 years-----	1	-	1	-	-	-	1	-	1
85-89 years-----	3	2	1	-	-	-	3	2	1
90-94 years-----	1	-	1	-	-	-	1	-	1
95-99 years-----	2	1	1	-	-	-	2	1	1
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Cystitis, unspecified (N30.9)

All ages-----	87	25	62	4	1	3	82	24	58
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	5	2	3	1	1	-	4	1	3
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-
55-59 years-----	2	1	1	-	-	-	2	1	1
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	2	2	-	-	-	-	2	2	-
70-74 years-----	6	2	4	-	-	-	6	2	4
75-79 years-----	6	2	4	1	-	1	5	2	3
80-84 years-----	22	6	16	-	-	-	21	6	15
85-89 years-----	13	4	9	2	-	2	11	4	7
90-94 years-----	16	3	13	-	-	-	16	3	13
95-99 years-----	12	2	10	-	-	-	12	2	10
100 yrs & over---	1	-	1	-	-	-	1	-	1
Not stated-----	1	-	1	-	-	-	1	-	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Hyperplasia of prostate (N40)

All ages-----	430	430	...	11	11	...	417	417	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	-	-	...	-	-	...
55-59 years-----	4	4	...	1	1	...	3	3	...
60-64 years-----	9	9	...	-	-	...	9	9	...
65-69 years-----	15	15	...	2	2	...	13	13	...
70-74 years-----	32	32	...	1	1	...	30	30	...
75-79 years-----	59	59	...	-	-	...	59	59	...
80-84 years-----	101	101	...	4	4	...	97	97	...
85-89 years-----	109	109	...	1	1	...	108	108	...
90-94 years-----	67	67	...	1	1	...	66	66	...
95-99 years-----	24	24	...	-	-	...	24	24	...
100 yrs & over----	9	9	...	1	1	...	8	8	...
Not stated-----	-	-	...	-	-	...	-	-	...

Inflammatory diseases of prostate (N41)

All ages-----	34	34	...	2	2	...	32	32	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	1	1	...	-	-	...	1	1	...
50-54 years-----	1	1	...	-	-	...	1	1	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	3	3	...	-	-	...	3	3	...
65-69 years-----	4	4	...	2	2	...	2	2	...
70-74 years-----	2	2	...	-	-	...	2	2	...
75-79 years-----	7	7	...	-	-	...	7	7	...
80-84 years-----	5	5	...	-	-	...	5	5	...
85-89 years-----	5	5	...	-	-	...	5	5	...
90-94 years-----	3	3	...	-	-	...	3	3	...
95-99 years-----	2	2	...	-	-	...	2	2	...
100 yrs & over----	1	1	...	-	-	...	1	1	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Acute prostatitis (N41.0)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5	5	...	-	-	...	5	5	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	1	1	...	-	-	...	1	1	...
50-54 years-----	1	1	...	-	-	...	1	1	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	-	-	...	1	1	...
75-79 years-----	1	1	...	-	-	...	1	1	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	1	1	...	-	-	...	1	1	...
100 yrs & over----	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Chronic prostatitis (N41.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5	5	...	-	-	...	5	5	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	1	1	...	-	-	...	1	1	...
80-84 years-----	1	1	...	-	-	...	1	1	...
85-89 years-----	3	3	...	-	-	...	3	3	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over----	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Abscess of prostate (N41.2)

All ages-----	5	5	...	1	1	...	4	4	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	1	1	...	-	-	...	1	1	...
65-69 years-----	1	1	...	1	1	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	1	1	...	-	-	...	1	1	...
80-84 years-----	1	1	...	-	-	...	1	1	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	1	1	...	-	-	...	1	1	...
Not stated-----	-	-	...	-	-	...	-	-	...

Prostatocystitis (N41.3)

All ages-----	1	1	...	-	-	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	1	1	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Inflammatory disease of prostate, unspecified (N41.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	18	18	...
Under 1 year-----	-	-	...
1-4 years-----	-	-	...
5-9 years-----	-	-	...
10-14 years-----	-	-	...
15-19 years-----	-	-	...
20-24 years-----	-	-	...
25-29 years-----	-	-	...
30-34 years-----	-	-	...
35-39 years-----	-	-	...
40-44 years-----	-	-	...
45-49 years-----	-	-	...
50-54 years-----	-	-	...
55-59 years-----	-	-	...
60-64 years-----	2	2	...
65-69 years-----	3	3	...
70-74 years-----	1	1	...
75-79 years-----	4	4	...
80-84 years-----	2	2	...
85-89 years-----	2	2	...
90-94 years-----	3	3	...
95-99 years-----	1	1	...
100 yrs & over----	-	-	...
Not stated-----	-	-	...

Other disorders of prostate (N42)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	56	56	...
Under 1 year-----	-	-	...
1-4 years-----	-	-	...
5-9 years-----	-	-	...
10-14 years-----	-	-	...
15-19 years-----	-	-	...
20-24 years-----	-	-	...
25-29 years-----	-	-	...
30-34 years-----	-	-	...
35-39 years-----	-	-	...
40-44 years-----	-	-	...
45-49 years-----	-	-	...
50-54 years-----	-	-	...
55-59 years-----	2	2	...
60-64 years-----	2	2	...
65-69 years-----	6	6	...
70-74 years-----	7	7	...
75-79 years-----	7	7	...
80-84 years-----	13	13	...
85-89 years-----	11	11	...
90-94 years-----	5	5	...
95-99 years-----	3	3	...
100 yrs & over----	-	-	...
Not stated-----	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Congestion and hemorrhage of prostate (N42.1)

All ages-----	2	2	...	-	-	...	2	2	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	-	-	...	1	1	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	1	1	...	-	-	...	1	1	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Other specified disorders of prostate (N42.8)

All ages-----	2	2	...	-	-	...	2	2	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	1	1	...	-	-	...	1	1	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	1	1	...	-	-	...	1	1	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Disorder of prostate, unspecified (N42.9)

All ages-----	52	52	...	-	-	...	52	52	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	1	1	...	-	-	...	1	1	...
60-64 years-----	2	2	...	-	-	...	2	2	...
65-69 years-----	6	6	...	-	-	...	6	6	...
70-74 years-----	6	6	...	-	-	...	6	6	...
75-79 years-----	6	6	...	-	-	...	6	6	...
80-84 years-----	13	13	...	-	-	...	13	13	...
85-89 years-----	11	11	...	-	-	...	11	11	...
90-94 years-----	4	4	...	-	-	...	4	4	...
95-99 years-----	3	3	...	-	-	...	3	3	...
100 yrs & over----	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Orchitis and epididymitis (N45)

All ages-----	4	4	...	-	-	...	4	4	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	2	2	...	-	-	...	2	2	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	2	2	...	-	-	...	2	2	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over----	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	ALL ORIGINS-		TOTAL	HISPANIC		TOTAL	NON-HISPANIC 1/-	
		MALE	FEMALE		MALE	FEMALE		MALE	FEMALE

Orchitis, epididymitis, and epididymo-orchitis with abscess (N45.0)

All ages-----	2	2	...	-	-	...	2	2	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	2	2	...	-	-	...	2	2	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Orchitis, epididymitis, and epididymo-orchitis without abscess (N45.9)

All ages-----	2	2	...	-	-	...	2	2	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	2	2	...	-	-	...	2	2	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -

Other disorders of penis (N48)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	11	11	...	1	1	...	10	10	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	3	3	...	-	-	...	3	3	...
55-59 years-----	1	1	...	-	-	...	1	1	...
60-64 years-----	1	1	...	-	-	...	1	1	...
65-69 years-----	1	1	...	1	1	...	-	-	...
70-74 years-----	2	2	...	-	-	...	2	2	...
75-79 years-----	1	1	...	-	-	...	1	1	...
80-84 years-----	1	1	...	-	-	...	1	1	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	1	1	...	-	-	...	1	1	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Balanoposthitis (N48.1)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	...	-	-	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	1	1	...	-	-	...	1	1	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other inflammatory disorders of penis (N48.2)

All ages-----	8	8	...	1	1	...	7	7	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	2	2	...	-	-	...	2	2	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	1	1	...	-	-	...	1	1	...
65-69 years-----	1	1	...	1	1	...	-	-	...
70-74 years-----	2	2	...	-	-	...	2	2	...
75-79 years-----	1	1	...	-	-	...	1	1	...
80-84 years-----	1	1	...	-	-	...	1	1	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Disorder of penis, unspecified (N48.9)

All ages-----	2	2	...	-	-	...	2	2	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	-	-	...	1	1	...
55-59 years-----	1	1	...	-	-	...	1	1	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Inflammatory disorders of male genital organs, not elsewhere classified (N49)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	50	3	47
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	2	-	2
45-49 years-----	1	-	1
50-54 years-----	5	-	5
55-59 years-----	4	-	4
60-64 years-----	5	2	3
65-69 years-----	4	1	3
70-74 years-----	6	-	6
75-79 years-----	5	-	5
80-84 years-----	9	-	9
85-89 years-----	6	-	6
90-94 years-----	3	-	3
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Inflammatory disorders of scrotum (N49.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	32	1	31
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	1	-	1
45-49 years-----	1	-	1
50-54 years-----	5	-	5
55-59 years-----	2	-	2
60-64 years-----	3	1	2
65-69 years-----	1	-	1
70-74 years-----	3	-	3
75-79 years-----	3	-	3
80-84 years-----	7	-	7
85-89 years-----	4	-	4
90-94 years-----	2	-	2
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Inflammatory disorders of other specified male genital organs (N49.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - - TOTAL	- - - ALL ORIGINS- - - MALE	- - - ALL ORIGINS- - - FEMALE	- - - HISPANIC - - - TOTAL	- - - HISPANIC - - - MALE	- - - HISPANIC - - - FEMALE	- - NON-HISPANIC 1/- - - TOTAL	- - NON-HISPANIC 1/- - - MALE	- - NON-HISPANIC 1/- - - FEMALE
All ages-----	16	16	...	2	2	...	14	14	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	1	1	...	-	-	...	1	1	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	2	2	...	-	-	...	2	2	...
60-64 years-----	2	2	...	1	1	...	1	1	...
65-69 years-----	3	3	...	1	1	...	2	2	...
70-74 years-----	3	3	...	-	-	...	3	3	...
75-79 years-----	2	2	...	-	-	...	2	2	...
80-84 years-----	1	1	...	-	-	...	1	1	...
85-89 years-----	1	1	...	-	-	...	1	1	...
90-94 years-----	1	1	...	-	-	...	1	1	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Inflammatory disorder of unspecified male genital organ (N49.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - - TOTAL	- - - ALL ORIGINS- - - MALE	- - - ALL ORIGINS- - - FEMALE	- - - HISPANIC - - - TOTAL	- - - HISPANIC - - - MALE	- - - HISPANIC - - - FEMALE	- - NON-HISPANIC 1/- - - TOTAL	- - NON-HISPANIC 1/- - - MALE	- - NON-HISPANIC 1/- - - FEMALE
All ages-----	2	2	...	-	-	...	2	2	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	1	1	...
85-89 years-----	1	1	...	-	-	...	1	1	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other disorders of male genital organs (N50)

CAUSE OF DEATH	ALL ORIGINS- TOTAL	ALL ORIGINS- MALE	ALL ORIGINS- FEMALE	HISPANIC TOTAL	HISPANIC MALE	HISPANIC FEMALE	NON-HISPANIC 1- TOTAL	NON-HISPANIC 1- MALE	NON-HISPANIC 1- FEMALE
All ages-----	5	5	...	-	-	...	5	5	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	-	-	...	1	1	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	-	-	...	1	1	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	1	1	...
85-89 years-----	1	1	...	-	-	...	1	1	...
90-94 years-----	1	1	...	-	-	...	1	1	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Vascular disorders of male genital organs (N50.1)

All ages-----	1	1	...	-	-	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	-	-	...	1	1	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other specified disorders of male genital organs (N50.8)

All ages-----	2	2	...	-	-	...	2	2	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	-	-	...	1	1	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	1	1	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Disorder of male genital organs, unspecified (N50.9)

All ages-----	2	2	...	-	-	...	2	2	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	1	1	...	-	-	...	1	1	...
90-94 years-----	1	1	...	-	-	...	1	1	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Salpingitis and oophoritis (N70)

All ages-----	9	...	9	2	...	2	7	...	7
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1
25-29 years-----	1	...	1	-	...	-	1	...	1
30-34 years-----	1	...	1	-	...	-	1	...	1
35-39 years-----	3	...	3	-	...	-	3	...	3
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Acute salpingitis and oophoritis (N70.0)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Salpingitis and oophoritis, unspecified (N70.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	8	...	8
Under 1 year-----	-	...	-
1-4 years-----	-	...	-
5-9 years-----	-	...	-
10-14 years-----	-	...	-
15-19 years-----	-	...	-
20-24 years-----	1	...	1
25-29 years-----	1	...	1
30-34 years-----	1	...	1
35-39 years-----	2	...	2
40-44 years-----	-	...	-
45-49 years-----	1	...	1
50-54 years-----	-	...	-
55-59 years-----	1	...	1
60-64 years-----	-	...	-
65-69 years-----	-	...	-
70-74 years-----	-	...	-
75-79 years-----	1	...	1
80-84 years-----	-	...	-
85-89 years-----	-	...	-
90-94 years-----	-	...	-
95-99 years-----	-	...	-
100 yrs & over---	-	...	-
Not stated-----	-	...	-

Inflammatory disease of uterus, except cervix (N71)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	16	...	16
Under 1 year-----	1	...	1
1-4 years-----	-	...	-
5-9 years-----	-	...	-
10-14 years-----	-	...	-
15-19 years-----	-	...	-
20-24 years-----	1	...	1
25-29 years-----	-	...	-
30-34 years-----	-	...	-
35-39 years-----	-	...	-
40-44 years-----	-	...	-
45-49 years-----	1	...	1
50-54 years-----	-	...	-
55-59 years-----	2	...	2
60-64 years-----	2	...	2
65-69 years-----	-	...	-
70-74 years-----	3	...	3
75-79 years-----	2	...	2
80-84 years-----	2	...	2
85-89 years-----	-	...	-
90-94 years-----	1	...	1
95-99 years-----	1	...	1
100 yrs & over---	-	...	-
Not stated-----	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Inflammatory disease of uterus, unspecified (N71.9)

All ages-----	16	...	16	-	...	-	16	...	16
Under 1 year-----	1	...	1	-	...	-	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	2	...	2	-	...	-	2	...	2
60-64 years-----	2	...	2	-	...	-	2	...	2
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	3	...	3	-	...	-	3	...	3
75-79 years-----	2	...	2	-	...	-	2	...	2
80-84 years-----	2	...	2	-	...	-	2	...	2
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	1	...	1	-	...	-	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Inflammatory disease of cervix uteri (N72)

All ages-----	2	...	2	-	...	-	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	1	...	1	-	...	-	1	...	1
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other female pelvic inflammatory diseases (N73)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	76	...	76	5	...	5	71	...	71
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	2	...	2	-	...	-	2	...	2
30-34 years-----	2	...	2	-	...	-	2	...	2
35-39 years-----	1	...	1	-	...	-	1	...	1
40-44 years-----	8	...	8	1	...	1	7	...	7
45-49 years-----	2	...	2	-	...	-	2	...	2
50-54 years-----	2	...	2	1	...	1	1	...	1
55-59 years-----	3	...	3	-	...	-	3	...	3
60-64 years-----	4	...	4	-	...	-	4	...	4
65-69 years-----	4	...	4	-	...	-	4	...	4
70-74 years-----	8	...	8	-	...	-	8	...	8
75-79 years-----	12	...	12	1	...	1	11	...	11
80-84 years-----	15	...	15	-	...	-	15	...	15
85-89 years-----	6	...	6	2	...	2	4	...	4
90-94 years-----	4	...	4	-	...	-	4	...	4
95-99 years-----	2	...	2	-	...	-	2	...	2
100 yrs & over---	1	...	1	-	...	-	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-

Female pelvic peritonitis, unspecified (N73.5)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	2	...	2	-	...	-	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	1	...	1
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Female pelvic peritoneal adhesions (N73.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	...	2	-	...	-	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	1	...	1
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Female pelvic inflammatory disease, unspecified (N73.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	72	...	72	5	...	5	67	...	67
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	2	...	2	-	...	-	2	...	2
30-34 years-----	2	...	2	-	...	-	2	...	2
35-39 years-----	1	...	1	-	...	-	1	...	1
40-44 years-----	8	...	8	1	...	1	7	...	7
45-49 years-----	2	...	2	-	...	-	2	...	2
50-54 years-----	2	...	2	1	...	1	1	...	1
55-59 years-----	3	...	3	-	...	-	3	...	3
60-64 years-----	3	...	3	-	...	-	3	...	3
65-69 years-----	3	...	3	-	...	-	3	...	3
70-74 years-----	7	...	7	-	...	-	7	...	7
75-79 years-----	11	...	11	1	...	1	10	...	10
80-84 years-----	15	...	15	-	...	-	15	...	15
85-89 years-----	6	...	6	2	...	2	4	...	4
90-94 years-----	4	...	4	-	...	-	4	...	4
95-99 years-----	2	...	2	-	...	-	2	...	2
100 yrs & over---	1	...	1	-	...	-	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Diseases of Bartholin's gland (N75)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Cyst of Bartholin's gland (N75.0)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other inflammation of vagina and vulva (N76)

All ages-----	4	...	4	-	...	-	4	...	4
Under 1 year-----	1	...	1	-	...	-	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	1	...	1
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Acute vaginitis (N76.0)

All ages-----	2	...	2	-	...	-	2	...	2
Under 1 year-----	1	...	1	-	...	-	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	1	...	1
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Acute vulvitis (N76.2)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Abscess of vulva (N76.4)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Endometriosis (N80)

All ages-----	6	...	6	-	...	-	6	...	6
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1
40-44 years-----	2	...	2	-	...	-	2	...	2
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1
55-59 years-----	2	...	2	-	...	-	2	...	2
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Endometriosis of uterus (N80.0)

All ages-----	2	...	2	-	...	-	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	1	...	1
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Endometriosis, unspecified (N80.9)

All ages-----	4	...	4	-	...	-	4	...	4
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1
40-44 years-----	1	...	1	-	...	-	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1
55-59 years-----	1	...	1	-	...	-	1	...	1
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Female genital prolapse (N81)

All ages-----	19	...	19	3	...	3	16	...	16
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	1	...	1
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	2	...	2	-	...	-	2	...	2
75-79 years-----	5	...	5	2	...	2	3	...	3
80-84 years-----	6	...	6	1	...	1	5	...	5
85-89 years-----	4	...	4	-	...	-	4	...	4
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Cystocele (N81.1)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	7	...	7	-	...	-	7	...	7
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	1	...	1
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	1	...	1
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	1	...	1	-	...	-	1	...	1
85-89 years-----	3	...	3	-	...	-	3	...	3
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Complete uterovaginal prolapse (N81.3)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	...	2	-	...	-	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Uterovaginal prolapse, unspecified (N81.4)

All ages-----	7	...	7	1	...	1	6	...	6
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	5	...	5	1	...	1	4	...	4
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Rectocele (N81.6)

All ages-----	1	...	1	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other female genital prolapse (N81.8)

All ages-----	2	...	2	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	1	...	1
75-79 years-----	1	...	1	1	...	1	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Fistulae involving female genital tract (N82)

All ages-----	54	...	54	2	...	2	52	...	52
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	2	...	2	-	...	-	2	...	2
55-59 years-----	2	...	2	-	...	-	2	...	2
60-64 years-----	2	...	2	-	...	-	2	...	2
65-69 years-----	4	...	4	1	...	1	3	...	3
70-74 years-----	3	...	3	-	...	-	3	...	3
75-79 years-----	8	...	8	-	...	-	8	...	8
80-84 years-----	10	...	10	-	...	-	10	...	10
85-89 years-----	11	...	11	1	...	1	10	...	10
90-94 years-----	10	...	10	-	...	-	10	...	10
95-99 years-----	2	...	2	-	...	-	2	...	2
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Vesicovaginal fistula (N82.0)

All ages-----	5	...	5	1	...	1	4	...	4
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	2	...	2	1	...	1	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Fistula of vagina to large intestine (N82.3)

All ages-----	41	...	41	-	...	-	41	...	41
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1
55-59 years-----	1	...	1	-	...	-	1	...	1
60-64 years-----	1	...	1	-	...	-	1	...	1
65-69 years-----	2	...	2	-	...	-	2	...	2
70-74 years-----	2	...	2	-	...	-	2	...	2
75-79 years-----	7	...	7	-	...	-	7	...	7
80-84 years-----	8	...	8	-	...	-	8	...	8
85-89 years-----	8	...	8	-	...	-	8	...	8
90-94 years-----	9	...	9	-	...	-	9	...	9
95-99 years-----	2	...	2	-	...	-	2	...	2
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other female intestinal-genital tract fistulae (N82.4)

All ages-----	2	...	2	-	...	-	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	1	...	1
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	1	...	1
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other female genital tract fistulae (N82.8)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Female genital tract fistula, unspecified (N82.9)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	5	...	5	1	...	1	4	...	4
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	1	...	1
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	2	...	2	-	...	-	2	...	2
85-89 years-----	1	...	1	1	...	1	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	45	...	45	1	...	1	44	...	44
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	2	...	2	1	...	1	1	...	1
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	4	...	4	-	...	-	4	...	4
35-39 years-----	2	...	2	-	...	-	2	...	2
40-44 years-----	1	...	1	-	...	-	1	...	1
45-49 years-----	2	...	2	-	...	-	2	...	2
50-54 years-----	1	...	1	-	...	-	1	...	1
55-59 years-----	3	...	3	-	...	-	3	...	3
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	2	...	2	-	...	-	2	...	2
70-74 years-----	3	...	3	-	...	-	3	...	3
75-79 years-----	7	...	7	-	...	-	7	...	7
80-84 years-----	4	...	4	-	...	-	4	...	4
85-89 years-----	5	...	5	-	...	-	5	...	5
90-94 years-----	5	...	5	-	...	-	5	...	5
95-99 years-----	4	...	4	-	...	-	4	...	4
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other and unspecified ovarian cysts (N83.2)

All ages-----	12	...	12	-	...	-	12	...	12
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	1	...	1	-	...	-	1	...	1
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	3	...	3	-	...	-	3	...	3
35-39 years-----	2	...	2	-	...	-	2	...	2
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1
55-59 years-----	1	...	1	-	...	-	1	...	1
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	1	...	1	-	...	-	1	...	1
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Torsion of ovary, ovarian pedicle, and fallopian tube (N83.5)

All ages-----	3	...	3	1	...	1	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	1	...	1	1	...	1	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -

Other noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83.8)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	...	4	-	...	-	4	...	4
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	1	...	1
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	-	...	-	1	...	1
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Noninflammatory disorder of ovary, fallopian tube, and broad ligament, unspecified (N83.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	26	...	26	-	...	-	26	...	26
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	2	...	2	-	...	-	2	...	2
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	1	...	1
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	2	...	2	-	...	-	2	...	2
75-79 years-----	5	...	5	-	...	-	5	...	5
80-84 years-----	3	...	3	-	...	-	3	...	3
85-89 years-----	5	...	5	-	...	-	5	...	5
90-94 years-----	4	...	4	-	...	-	4	...	4
95-99 years-----	3	...	3	-	...	-	3	...	3
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Other noninflammatory disorders of uterus, except cervix (N85)

All ages-----	10	...	10	-	...	-	10	...	10
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	1	...	1
60-64 years-----	2	...	2	-	...	-	2	...	2
65-69 years-----	2	...	2	-	...	-	2	...	2
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Endometrial glandular hyperplasia (N85.0)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	-	...	-	1	...	1
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other specified noninflammatory disorders of uterus (N85.8)

All ages-----	3	...	3	-	...	-	3	...	3
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Noninflammatory disorder of uterus, unspecified (N85.9)

All ages-----	6	...	6	-	...	-	6	...	6
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	-	...	-	1	...	1
60-64 years-----	1	...	1	-	...	-	1	...	1
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Erosion and ectropion of cervix uteri (N86)

All ages-----	1	...	1	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	1	...	1	1	...	1	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Dysplasia of cervix uteri (N87)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -

Dysplasia of cervix uteri, unspecified (N87.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other noninflammatory disorders of cervix uteri (N88)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	19	...	19	2	...	2	17	...	17
Under 1 year-----	13	...	13	2	...	2	11	...	11
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	2	...	2	-	...	-	2	...	2
70-74 years-----	1	...	1	-	...	-	1	...	1
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Stricture and stenosis of cervix uteri (N88.2)

All ages-----	6	...	6	-	...	-	6	...	6
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	2	...	2	-	...	-	2	...	2
70-74 years-----	1	...	1	-	...	-	1	...	1
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Incompetence of cervix uteri (N88.3)

All ages-----	13	...	13	2	...	2	11	...	11
Under 1 year-----	13	...	13	2	...	2	11	...	11
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other noninflammatory disorders of vagina (N89)

All ages-----	2	...	2	-	...	-	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	2	...	2	-	...	-	2	...	2
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other specified noninflammatory disorders of vagina (N89.8)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	ALL ORIGINS-		TOTAL	HISPANIC		NON-HISPANIC 1/-		
		MALE	FEMALE		MALE	FEMALE	TOTAL	MALE	FEMALE

Noninflammatory disorder of vagina, unspecified (N89.9)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other noninflammatory disorders of vulva and perineum (N90)

All ages-----	3	...	3	-	...	-	3	...	3
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	-	...	-	1	...	1
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Vulvar cyst (N90.7)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other specified noninflammatory disorders of vulva and perineum (N90.8)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Noninflammatory disorder of vulva and perineum, unspecified (N90.9)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	-	...	-	1	...	1
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other abnormal uterine and vaginal bleeding (N93)

All ages-----	25	...	25	-	...	-	25	...	25
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	2	...	2	-	...	-	2	...	2
45-49 years-----	3	...	3	-	...	-	3	...	3
50-54 years-----	3	...	3	-	...	-	3	...	3
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	2	...	2	-	...	-	2	...	2
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	2	...	2	-	...	-	2	...	2
75-79 years-----	2	...	2	-	...	-	2	...	2
80-84 years-----	2	...	2	-	...	-	2	...	2
85-89 years-----	3	...	3	-	...	-	3	...	3
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	2	...	2	-	...	-	2	...	2
100 yrs & over---	3	...	3	-	...	-	3	...	3
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Other specified abnormal uterine and vaginal bleeding (N93.8)

All ages-----	3	...	3	-	...	-	3	...	3
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Abnormal uterine and vaginal bleeding, unspecified (N93.9)

All ages-----	22	...	22	-	...	-	22	...	22
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1
45-49 years-----	3	...	3	-	...	-	3	...	3
50-54 years-----	2	...	2	-	...	-	2	...	2
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	2	...	2	-	...	-	2	...	2
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	2	...	2	-	...	-	2	...	2
75-79 years-----	2	...	2	-	...	-	2	...	2
80-84 years-----	2	...	2	-	...	-	2	...	2
85-89 years-----	2	...	2	-	...	-	2	...	2
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	2	...	2	-	...	-	2	...	2
100 yrs & over---	3	...	3	-	...	-	3	...	3
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Pain and other conditions associated with female genital organs and menstrual cycle (N94)

All ages-----	8	...	8	1	...	1	7	...	7
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	3	...	3	-	...	-	3	...	3
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	3	...	3	-	...	-	3	...	3
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other specified conditions associated with female genital organs and menstrual cycle (N94.8)

All ages-----	6	...	6	1	...	1	5	...	5
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	2	...	2	-	...	-	2	...	2
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	2	...	2	-	...	-	2	...	2
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	ALL ORIGINS		TOTAL	HISPANIC		TOTAL	NON-HISPANIC 1/	
		MALE	FEMALE		MALE	FEMALE		MALE	FEMALE

Unspecified condition associated with female genital organs and menstrual cycle (N94.9)

All ages-----	2	...	2	-	...	-	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Menopausal and other perimenopausal disorders (N95)

All ages-----	6	...	6	1	...	1	5	...	5
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	1	...	1	-	...	-	1	...	1
100 yrs & over---	1	...	1	-	...	-	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Postmenopausal bleeding (N95.0)

All ages-----	2	...	2	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	1	...	1	-	...	-	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-

Menopausal and female climacteric states (N95.1)

All ages-----	3	...	3	-	...	-	3	...	3
Under 1 year-----	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other abnormal products of conception (002)

CAUSE OF DEATH	ALL ORIGINS- - -	HISPANIC - - -	NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-
15-19 years-----	1	...	1
20-24 years-----	-	...	-
25-29 years-----	-	...	-
30-34 years-----	-	...	-
35-39 years-----	-	...	-
40-44 years-----	-	...	-
45-49 years-----	-	...	-
50-54 years-----	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Blighted ovum and nonhydatidiform mole (002.0)

CAUSE OF DEATH	ALL ORIGINS- - -	HISPANIC - - -	NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-
15-19 years-----	1	...	1
20-24 years-----	-	...	-
25-29 years-----	-	...	-
30-34 years-----	-	...	-
35-39 years-----	-	...	-
40-44 years-----	-	...	-
45-49 years-----	-	...	-
50-54 years-----	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Preexisting essential hypertension complicating pregnancy, childbirth, and the puerperium (010.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	2	2	1
Under 1 year----
1-4 years-----
5-9 years-----
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	1	1	1
25-29 years-----	-	-	-
30-34 years-----	1	1	1
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Preexisting hypertensive heart disease complicating pregnancy, childbirth, and the puerperium (010.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	2	2	2
Under 1 year----
1-4 years-----
5-9 years-----
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	1	1	1
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	1	1	1
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Venous complications in pregnancy (022)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	4	...	4
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-
15-19 years-----	2	...	2
20-24 years-----	-	...	-
25-29 years-----	2	...	2
30-34 years-----	-	...	-
35-39 years-----	-	...	-
40-44 years-----	-	...	-
45-49 years-----	-	...	-
50-54 years-----	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Deep phlebothrombosis in pregnancy (022.3)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-
15-19 years-----	1	...	1
20-24 years-----	-	...	-
25-29 years-----	-	...	-
30-34 years-----	-	...	-
35-39 years-----	-	...	-
40-44 years-----	-	...	-
45-49 years-----	-	...	-
50-54 years-----	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other venous complications in pregnancy (022.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-
15-19 years-----	-	...	-
20-24 years-----	-	...	-
25-29 years-----	1	...	1
30-34 years-----	-	...	-
35-39 years-----	-	...	-
40-44 years-----	-	...	-
45-49 years-----	-	...	-
50-54 years-----	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Venous complication in pregnancy, unspecified (022.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-
15-19 years-----	1	...	1
20-24 years-----	-	...	-
25-29 years-----	1	...	1
30-34 years-----	-	...	-
35-39 years-----	-	...	-
40-44 years-----	-	...	-
45-49 years-----	-	...	-
50-54 years-----	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Premature separation of placenta [abruptio placentae] (045)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	11	11	9
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	-	-
15-19 years-----	1	1	1
20-24 years-----	1	1	1
25-29 years-----	2	2	1
30-34 years-----	2	2	2
35-39 years-----	3	3	2
40-44 years-----	2	2	2
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Premature separation of placenta, unspecified (045.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	11	11	9
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	-	-
15-19 years-----	1	1	1
20-24 years-----	1	1	1
25-29 years-----	2	2	1
30-34 years-----	2	2	2
35-39 years-----	3	3	2
40-44 years-----	2	2	2
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Labor and delivery complicated by intrapartum hemorrhage, not elsewhere classified (067)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	8	3	4
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	1	-	-
25-29 years-----	1	-	1
30-34 years-----	2	-	2
35-39 years-----	3	2	1
40-44 years-----	1	1	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Intrapartum hemorrhage with coagulation defect (067.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	3	-	3
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	1	-	1
30-34 years-----	1	-	1
35-39 years-----	1	-	1
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery (096)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	5	...	4
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	2	...	1
25-29 years-----	1	...	1
30-34 years-----	1	...	1
35-39 years-----	1	...	1
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Death from sequelae of direct obstetric causes (097)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	10	...	8
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	-	-
15-19 years-----	1	...	1
20-24 years-----	1	...	1
25-29 years-----	-	-	-
30-34 years-----	1	...	1
35-39 years-----	4	...	2
40-44 years-----	1	...	1
45-49 years-----	-	-	-
50-54 years-----	2	...	2
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Endocrine, nutritional, and metabolic diseases complicating pregnancy, childbirth, and the puerperium (099.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	1	1	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	1	1	1
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

Diseases of the circulatory system complicating pregnancy, childbirth, and the puerperium (099.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	16	16	12
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	3	3	2
25-29 years-----	7	7	4
30-34 years-----	2	2	2
35-39 years-----	3	3	3
40-44 years-----	-	-	-
45-49 years-----	1	1	1
50-54 years-----	-	-	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Newborn affected by maternal complication of pregnancy, unspecified (P01.9)

All ages-----	1	-	1	-	-	-	1	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Newborn affected by complications of placenta, cord, and membranes (P02)

All ages-----	1,033	538	495	127	57	70	879	466	413
Under 1 year-----	1,025	533	492	127	57	70	872	462	410
1-4 years-----	4	3	1	-	-	-	3	2	1
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	2	1	1	-	-	-	2	1	1
15-19 years-----	1	-	1	-	-	-	1	-	1
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Newborn affected by other and unspecified conditions of umbilical cord (P02.6)

All ages-----	15	6	9	3	-	3	12	6	6
Under 1 year-----	15	6	9	3	-	3	12	6	6
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Newborn affected by chorioamnionitis (P02.7)

All ages-----	432	219	213	56	26	30	361	188	173
Under 1 year-----	430	218	212	56	26	30	359	187	172
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other low birthweight (P07.1)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	20	12	8	5	3	2	12	8	4
Under 1 year-----	20	12	8	5	3	2	12	8	4
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Extreme immaturity (P07.2)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3,186	1,768	1,418	488	272	216	2,624	1,454	1,170
Under 1 year-----	3,184	1,767	1,417	488	272	216	2,623	1,453	1,170
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	2	1	1	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Intrauterine hypoxia, unspecified (P20.9)

All ages-----	112	66	46	16	9	7	94	55	39
Under 1 year-----	112	66	46	16	9	7	94	55	39
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Birth asphyxia (P21)

All ages-----	540	294	246	83	39	44	452	253	199
Under 1 year-----	499	269	230	73	35	38	421	232	189
1-4 years-----	20	11	9	6	1	5	14	10	4
5-9 years-----	8	4	4	1	1	-	7	3	4
10-14 years-----	3	2	1	-	-	-	3	2	1
15-19 years-----	4	2	2	1	-	1	3	2	1
20-24 years-----	4	4	-	1	1	-	3	3	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Severe birth asphyxia (P21.0)

All ages-----	41	28	13	5	3	2	35	24	11
Under 1 year-----	39	27	12	5	3	2	33	23	10
1-4 years-----	2	1	1	-	-	-	2	1	1
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Birth asphyxia, unspecified (P21.9)

All ages-----	499	266	233	78	36	42	417	229	188
Under 1 year-----	460	242	218	68	32	36	388	209	179
1-4 years-----	18	10	8	6	1	5	12	9	3
5-9 years-----	8	4	4	1	1	-	7	3	4
10-14 years-----	3	2	1	-	-	-	3	2	1
15-19 years-----	4	2	2	1	-	1	3	2	1
20-24 years-----	4	4	-	1	1	-	3	3	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	-	-	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Congenital pneumonia due to viral agent (P23.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	1	1	-
Under 1 year-----	1	1	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Congenital pneumonia due to Escherichia coli (P23.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	1	-	1
Under 1 year-----	1	-	1
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Neonatal cutaneous hemorrhage (P54.5)

All ages-----	3	2	1	-	-	-	3	2	1
Under 1 year-----	3	2	1	-	-	-	3	2	1
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Neonatal vaginal hemorrhage (P54.6)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	1	...	1	-	...	-	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Kernicterus due to isoimmunization (P57.0)

CAUSE OF DEATH	ALL ORIGINS- - -	HISPANIC - - -	NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	1	1	-
Under 1 year-----	1	1	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Kernicterus, unspecified (P57.9)

CAUSE OF DEATH	ALL ORIGINS- - -	HISPANIC - - -	NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	2	2	-
Under 1 year-----	1	1	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	1	1	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other congenital malformations of female genitalia (Q52)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	1	...	1	-	...	-	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Congenital malformation of female genitalia, unspecified (Q52.9)

All ages-----	1	...	1	-	...	-	1	...	1
Under 1 year-----	1	...	1	-	...	-	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Hypospadias (Q54)

All ages-----	1	1	...	-	-	...	1	1	...
Under 1 year-----	1	1	...	-	-	...	1	1	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Hypospadias, unspecified (Q54.9)

All ages-----	1	1	...	-	-	...	1	1	...
Under 1 year-----	1	1	...	-	-	...	1	1	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other congenital malformations of male genital organs (Q55)

All ages-----	2	2	...	1	1	...	1	1	...
Under 1 year-----	1	1	...	1	1	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	1	1	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Other congenital malformations of vas deferens, epididymis, seminal vesicles, and prostate (Q55.4)

All ages-----	1	1	...	-	-	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	1	1	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Congenital ichthyosis, unspecified (Q80.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	3	3	-
Under 1 year-----	3	3	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Epidermolysis bullosa (Q81)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - HISPANIC - - -	- - NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	27	10	17
Under 1 year-----	18	6	12
1-4 years-----	3	3	-
5-9 years-----	1	-	1
10-14 years-----	-	-	-
15-19 years-----	1	1	-
20-24 years-----	3	-	3
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	1	-	1
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Epidermolysis bullosa letalis (Q81.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - - HISPANIC - - -	- - - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	1	1	-
Under 1 year-----	-	-	-
1-4 years-----	1	1	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Epidermolysis bullosa dystrophica (Q81.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - - HISPANIC - - -	- - - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	1	-	1
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	1	-	1
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Incontinentia pigmenti (Q82.3)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - - HISPANIC - - -	- - - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	1	1	-
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	1	1	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Ectodermal dysplasia (anhidrotic) (Q82.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - - HISPANIC - - -	- - - NON-HISPANIC 1/- - -
TOTAL	MALE	FEMALE	TOTAL
All ages-----	2	1	1
Under 1 year-----	1	1	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	1	-	1
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Balanced rearrangement and structural marker, unspecified (Q95.9)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	1	1	-	-	-	-	1	1	-
Under 1 year-----	1	1	-	-	-	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Turner's syndrome (Q96)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	15	...	15	1	...	1	13	...	13
Under 1 year-----	2	...	2	-	...	-	1	...	1
1-4 years-----	1	...	1	1	...	1	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	2	...	2	-	...	-	2	...	2
50-54 years-----	2	...	2	-	...	-	2	...	2
55-59 years-----	2	...	2	-	...	-	2	...	2
60-64 years-----	2	...	2	-	...	-	2	...	2
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL ALL ORIGINS- MALE FEMALE - - - HISPANIC MALE FEMALE - - NON-HISPANIC 1/- MALE FEMALE

Turner's syndrome, unspecified (Q96.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	15	...	15	1	...	1	13	...	13
Under 1 year-----	2	...	2	-	...	-	1	...	1
1-4 years-----	1	...	1	1	...	1	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-
45-49 years-----	2	...	2	-	...	-	2	...	2
50-54 years-----	2	...	2	-	...	-	2	...	2
55-59 years-----	2	...	2	-	...	-	2	...	2
60-64 years-----	2	...	2	-	...	-	2	...	2
65-69 years-----	1	...	1	-	...	-	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-

Other sex chromosome abnormalities, male phenotype, not elsewhere classified (Q98)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2	2	...	2	2	...	-	-	...
Under 1 year-----	2	2	...	2	2	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Klinefelter's syndrome, unspecified (Q98.4)

All ages-----	1	1	...	1	1	...	-	-	...
Under 1 year-----	1	1	...	1	1	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

Male with sex chromosome mosaicism (Q98.7)

All ages-----	1	1	...	1	1	...	-	-	...
Under 1 year-----	1	1	...	1	1	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Instantaneous death (R96.0)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	363	181	182	6	2	4	354	176	178
Under 1 year-----
1-4 years-----	26	15	11	2	-	2	24	15	9
5-9 years-----	1	-	1	-	-	-	1	-	1
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-
30-34 years-----	3	2	1	-	-	-	3	2	1
35-39 years-----	4	2	2	-	-	-	3	1	2
40-44 years-----	4	4	-	-	-	-	4	4	-
45-49 years-----	14	12	2	3	2	1	10	9	1
50-54 years-----	13	10	3	-	-	-	13	10	3
55-59 years-----	25	18	7	-	-	-	25	18	7
60-64 years-----	16	13	3	-	-	-	16	13	3
65-69 years-----	30	16	14	-	-	-	30	16	14
70-74 years-----	34	21	13	-	-	-	34	21	13
75-79 years-----	46	19	27	-	-	-	45	18	27
80-84 years-----	45	16	29	1	-	1	44	16	28
85-89 years-----	55	22	33	-	-	-	55	22	33
90-94 years-----	28	9	19	-	-	-	28	9	19
95-99 years-----	11	1	10	-	-	-	11	1	10
100 yrs & over---	7	-	7	-	-	-	7	-	7
Not stated-----	-	-	-	-	-	-	-	-	-

Unattended death (R98)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	31	20	11	2	1	1	28	18	10
Under 1 year-----	5	4	1	-	-	-	4	3	1
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-
25-29 years-----	5	4	1	-	-	-	5	4	1
30-34 years-----	2	1	1	-	-	-	2	1	1
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	-	-	-	2	1	1
45-49 years-----	2	1	1	1	-	1	1	1	-
50-54 years-----	2	1	1	-	-	-	2	1	1
55-59 years-----	1	-	1	-	-	-	1	-	1
60-64 years-----	1	1	-	-	-	-	1	1	-
65-69 years-----	1	1	-	-	-	-	1	1	-
70-74 years-----	2	2	-	-	-	-	2	2	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-
85-89 years-----	2	-	2	-	-	-	2	-	2
90-94 years-----	1	-	1	-	-	-	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	2	1	1	-	-	-	2	1	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Traffic accident (V02.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	29	19	10	3	2	1	26	17	9
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-
10-14 years-----	1	-	1	-	-	-	1	-	1
15-19 years-----	1	1	-	-	-	-	1	1	-
20-24 years-----	2	2	-	-	-	-	2	2	-
25-29 years-----	4	4	-	-	-	-	4	4	-
30-34 years-----	2	1	1	-	-	-	2	1	1
35-39 years-----	2	2	-	-	-	-	2	2	-
40-44 years-----	5	5	-	1	1	-	4	4	-
45-49 years-----	4	3	1	-	-	-	4	3	1
50-54 years-----	1	-	1	1	-	1	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	1	-	1	-	-	-	1	-	1
75-79 years-----	2	-	2	-	-	-	2	-	2
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	-	-	-	2	-	2
90-94 years-----	1	-	1	-	-	-	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Pedestrian injured in collision with car, pickup truck, or van (V03)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	3,085	2,120	965	486	360	126	2,575	1,737	838
Under 1 year-----	9	5	4	1	1	-	8	4	4
1-4 years-----	162	90	72	52	29	23	110	61	49
5-9 years-----	142	85	57	15	9	6	125	74	51
10-14 years-----	104	67	37	16	10	6	87	56	31
15-19 years-----	158	113	45	27	24	3	131	89	42
20-24 years-----	177	137	40	44	41	3	133	96	37
25-29 years-----	171	126	45	44	36	8	127	90	37
30-34 years-----	183	145	38	40	35	5	139	106	33
35-39 years-----	258	200	58	30	22	8	225	175	50
40-44 years-----	251	183	68	35	25	10	213	155	58
45-49 years-----	231	172	59	35	27	8	195	144	51
50-54 years-----	183	143	40	27	23	4	156	120	36
55-59 years-----	189	133	56	22	14	8	163	115	48
60-64 years-----	147	98	49	25	17	8	121	80	41
65-69 years-----	120	78	42	15	12	3	105	66	39
70-74 years-----	159	90	69	21	12	9	137	77	60
75-79 years-----	164	94	70	19	10	9	143	83	60
80-84 years-----	132	82	50	7	5	2	123	75	48
85-89 years-----	107	56	51	4	3	1	103	53	50
90-94 years-----	29	16	13	4	2	2	25	14	11
95-99 years-----	1	-	1	-	-	-	1	-	1
100 yrs & over----	1	1	-	-	-	-	1	1	-
Not stated-----	7	6	1	3	3	-	4	3	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Nontraffic accident (V03.0)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	187	116	71	25	16	9	162	100	62
Under 1 year-----	2	2	-	-	-	-	2	2	-
1-4 years-----	46	22	24	13	7	6	33	15	18
5-9 years-----	9	5	4	2	1	1	7	4	3
10-14 years-----	4	2	2	-	-	-	4	2	2
15-19 years-----	9	6	3	2	2	-	7	4	3
20-24 years-----	6	6	-	2	2	-	4	4	-
25-29 years-----	5	4	1	1	1	-	4	3	1
30-34 years-----	5	4	1	-	-	-	5	4	1
35-39 years-----	9	7	2	2	1	1	7	6	1
40-44 years-----	11	9	2	-	-	-	11	9	2
45-49 years-----	12	9	3	1	1	-	11	8	3
50-54 years-----	7	5	2	-	-	-	7	5	2
55-59 years-----	9	7	2	2	1	1	7	6	1
60-64 years-----	5	4	1	-	-	-	5	4	1
65-69 years-----	8	5	3	-	-	-	8	5	3
70-74 years-----	10	5	5	-	-	-	10	5	5
75-79 years-----	10	4	6	-	-	-	10	4	6
80-84 years-----	9	4	5	-	-	-	9	4	5
85-89 years-----	6	2	4	-	-	-	6	2	4
90-94 years-----	4	3	1	-	-	-	4	3	1
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	-	-	-	1	1	-
Not stated-----	-	-	-	-	-	-	-	-	-

Traffic accident (V03.1)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2,877	1,990	887	459	342	117	2,394	1,625	769
Under 1 year-----	7	3	4	1	1	-	6	2	4
1-4 years-----	116	68	48	39	22	17	77	46	31
5-9 years-----	133	80	53	13	8	5	118	70	48
10-14 years-----	100	65	35	16	10	6	83	54	29
15-19 years-----	148	106	42	25	22	3	123	84	39
20-24 years-----	168	131	37	42	39	3	126	92	34
25-29 years-----	166	122	44	43	35	8	123	87	36
30-34 years-----	177	140	37	40	35	5	133	101	32
35-39 years-----	246	190	56	28	21	7	215	166	49
40-44 years-----	240	174	66	35	25	10	202	146	56
45-49 years-----	219	163	56	34	26	8	184	136	48
50-54 years-----	173	135	38	26	22	4	147	113	34
55-59 years-----	177	124	53	20	13	7	153	107	46
60-64 years-----	140	92	48	24	16	8	115	75	40
65-69 years-----	111	73	38	15	12	3	96	61	35
70-74 years-----	148	85	63	21	12	9	126	72	54
75-79 years-----	154	90	64	19	10	9	133	79	54
80-84 years-----	122	77	45	7	5	2	113	70	43
85-89 years-----	100	53	47	4	3	1	96	50	46
90-94 years-----	24	13	11	4	2	2	20	11	9
95-99 years-----	1	-	1	-	-	-	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	7	6	1	3	3	-	4	3	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Unspecified whether traffic or nontraffic accident (V03.9)

All ages-----	21	14	7	2	2	-	19	12	7
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	-	-	-	1	1	-
20-24 years-----	3	-	3	-	-	-	3	-	3
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-
35-39 years-----	3	3	-	-	-	-	3	3	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	3	3	-	1	1	-	2	2	-
55-59 years-----	3	2	1	-	-	-	3	2	1
60-64 years-----	2	2	-	1	1	-	1	1	-
65-69 years-----	1	-	1	-	-	-	1	-	1
70-74 years-----	1	-	1	-	-	-	1	-	1
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-
85-89 years-----	1	1	-	-	-	-	1	1	-
90-94 years-----	1	-	1	-	-	-	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Pedestrian injured in collision with heavy transport vehicle or bus (V04)

All ages-----	273	196	77	32	26	6	237	168	69
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	7	5	2	1	1	-	6	4	2
5-9 years-----	16	6	10	2	-	2	14	6	8
10-14 years-----	6	4	2	1	1	-	5	3	2
15-19 years-----	8	8	-	1	1	-	7	7	-
20-24 years-----	18	14	4	1	1	-	17	13	4
25-29 years-----	20	18	2	5	5	-	15	13	2
30-34 years-----	20	13	7	5	4	1	15	9	6
35-39 years-----	29	18	11	4	4	-	22	13	9
40-44 years-----	28	21	7	3	1	2	25	20	5
45-49 years-----	22	18	4	2	2	-	20	16	4
50-54 years-----	24	18	6	1	1	-	23	17	6
55-59 years-----	17	15	2	1	1	-	15	13	2
60-64 years-----	11	9	2	1	1	-	10	8	2
65-69 years-----	14	10	4	1	1	-	13	9	4
70-74 years-----	11	9	2	1	1	-	10	8	2
75-79 years-----	2	1	1	-	-	-	2	1	1
80-84 years-----	5	3	2	1	1	-	4	2	2
85-89 years-----	9	3	6	1	-	1	8	3	5
90-94 years-----	5	2	3	-	-	-	5	2	3
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Nontraffic accident (V04.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	36	30	6	6	4	2	30	26	4
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	2	2	-	-	-	-	2	2	-
5-9 years-----	1	-	1	1	-	1	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	1	1	-	1	1	-
25-29 years-----	1	1	-	-	-	-	1	1	-
30-34 years-----	2	1	1	-	-	-	2	1	1
35-39 years-----	5	4	1	2	2	-	3	2	1
40-44 years-----	7	7	-	-	-	-	7	7	-
45-49 years-----	2	2	-	1	1	-	1	1	-
50-54 years-----	4	4	-	-	-	-	4	4	-
55-59 years-----	1	1	-	-	-	-	1	1	-
60-64 years-----	1	1	-	-	-	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	4	4	-	-	-	-	4	4	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	3	1	2	1	-	1	2	1	1
90-94 years-----	1	-	1	-	-	-	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Traffic accident (V04.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	233	163	70	26	22	4	203	139	64
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	5	3	2	1	1	-	4	2	2
5-9 years-----	15	6	9	1	-	1	14	6	8
10-14 years-----	6	4	2	1	1	-	5	3	2
15-19 years-----	8	8	-	1	1	-	7	7	-
20-24 years-----	15	11	4	-	-	-	15	11	4
25-29 years-----	19	17	2	5	5	-	14	12	2
30-34 years-----	18	12	6	5	4	1	13	8	5
35-39 years-----	23	13	10	2	2	-	18	10	8
40-44 years-----	21	14	7	3	1	2	18	13	5
45-49 years-----	20	16	4	1	1	-	19	15	4
50-54 years-----	20	14	6	1	1	-	19	13	6
55-59 years-----	16	14	2	1	1	-	14	12	2
60-64 years-----	10	8	2	1	1	-	9	7	2
65-69 years-----	13	9	4	1	1	-	12	8	4
70-74 years-----	7	5	2	1	1	-	6	4	2
75-79 years-----	2	1	1	-	-	-	2	1	1
80-84 years-----	5	3	2	1	1	-	4	2	2
85-89 years-----	5	2	3	-	-	-	5	2	3
90-94 years-----	4	2	2	-	-	-	4	2	2
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Unspecified whether traffic or nontraffic accident (V04.9)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4	3	1	-	-	-	4	3	1
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	-	-	-	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Pedestrian injured in collision with railway train or railway vehicle (V05)

CAUSE OF DEATH	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	440	372	68	60	58	2	373	307	66
Under 1 year-----	1	1	-	-	-	-	1	1	-
1-4 years-----	2	1	1	1	1	-	1	-	1
5-9 years-----	6	5	1	-	-	-	6	5	1
10-14 years-----	15	13	2	3	3	-	12	10	2
15-19 years-----	32	26	6	5	5	-	27	21	6
20-24 years-----	49	46	3	6	5	1	42	40	2
25-29 years-----	42	36	6	10	10	-	31	25	6
30-34 years-----	46	42	4	10	10	-	35	31	4
35-39 years-----	70	61	9	6	6	-	64	55	9
40-44 years-----	57	49	8	8	8	-	49	41	8
45-49 years-----	39	30	9	6	5	1	32	24	8
50-54 years-----	23	17	6	2	2	-	21	15	6
55-59 years-----	15	14	1	1	1	-	14	13	1
60-64 years-----	11	8	3	1	1	-	10	7	3
65-69 years-----	6	2	4	-	-	-	6	2	4
70-74 years-----	7	6	1	1	1	-	6	5	1
75-79 years-----	7	4	3	-	-	-	7	4	3
80-84 years-----	4	3	1	-	-	-	4	3	1
85-89 years-----	2	2	-	-	-	-	2	2	-
90-94 years-----	1	1	-	-	-	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	5	5	-	-	-	-	2	2	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Nontraffic accident (V05.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	198	172	26	22	21	1	172	147	25
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	4	3	1	-	-	-	4	3	1
10-14 years-----	5	3	2	-	-	-	5	3	2
15-19 years-----	11	9	2	2	2	-	9	7	2
20-24 years-----	24	21	3	2	1	1	21	19	2
25-29 years-----	23	23	-	6	6	-	16	16	-
30-34 years-----	19	19	-	6	6	-	13	13	-
35-39 years-----	38	34	4	3	3	-	35	31	4
40-44 years-----	20	18	2	1	1	-	19	17	2
45-49 years-----	19	14	5	2	2	-	17	12	5
50-54 years-----	10	8	2	-	-	-	10	8	2
55-59 years-----	7	7	-	-	-	-	7	7	-
60-64 years-----	7	4	3	-	-	-	7	4	3
65-69 years-----	3	1	2	-	-	-	3	1	2
70-74 years-----	2	2	-	-	-	-	2	2	-
75-79 years-----	2	2	-	-	-	-	2	2	-
80-84 years-----	1	1	-	-	-	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	3	3	-	-	-	-	1	1	-

Traffic accident (V05.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	74	60	14	14	14	-	60	46	14
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-
10-14 years-----	3	3	-	1	1	-	2	2	-
15-19 years-----	11	9	2	1	1	-	10	8	2
20-24 years-----	11	11	-	3	3	-	8	8	-
25-29 years-----	9	7	2	2	2	-	7	5	2
30-34 years-----	7	6	1	3	3	-	4	3	1
35-39 years-----	5	4	1	-	-	-	5	4	1
40-44 years-----	9	6	3	1	1	-	8	5	3
45-49 years-----	3	1	2	1	1	-	2	-	2
50-54 years-----	3	2	1	1	1	-	2	1	1
55-59 years-----	2	2	-	-	-	-	2	2	-
60-64 years-----	2	2	-	-	-	-	2	2	-
65-69 years-----	1	-	1	-	-	-	1	-	1
70-74 years-----	3	3	-	1	1	-	2	2	-
75-79 years-----	1	-	1	-	-	-	1	-	1
80-84 years-----	1	1	-	-	-	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Unspecified whether traffic or nontraffic accident (V06.9)

All ages-----	1	1	-	-	-	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Pedestrian injured in other and unspecified transport accidents (V09)

All ages-----	2,200	1,552	648	359	278	81	1,802	1,239	563
Under 1 year-----	3	3	-	1	1	-	2	2	-
1-4 years-----	97	62	35	23	10	13	74	52	22
5-9 years-----	74	46	28	10	5	5	64	41	23
10-14 years-----	82	58	24	12	7	5	70	51	19
15-19 years-----	113	75	38	11	9	2	102	66	36
20-24 years-----	122	93	29	34	28	6	86	63	23
25-29 years-----	121	101	20	36	32	4	82	66	16
30-34 years-----	135	92	43	32	24	8	101	67	34
35-39 years-----	207	145	62	42	36	6	163	107	56
40-44 years-----	202	151	51	29	23	6	169	124	45
45-49 years-----	186	150	36	23	21	2	160	126	34
50-54 years-----	141	109	32	24	21	3	114	85	29
55-59 years-----	111	84	27	13	9	4	97	74	23
60-64 years-----	85	64	21	13	11	2	68	50	18
65-69 years-----	103	75	28	21	17	4	79	56	23
70-74 years-----	112	65	47	11	6	5	99	57	42
75-79 years-----	126	76	50	10	8	2	115	67	48
80-84 years-----	89	51	38	6	5	1	77	41	36
85-89 years-----	51	24	27	5	3	2	46	21	25
90-94 years-----	27	17	10	1	-	1	26	17	9
95-99 years-----	5	3	2	-	-	-	5	3	2
100 yrs & over---	1	1	-	-	-	-	1	1	-
Not stated-----	7	7	-	2	2	-	2	2	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Unspecified pedal cyclist injured in traffic accident (V12.9)

All ages-----	2	2	-	-	-	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Pedal cyclist injured in collision with car, pickup truck, or van (V13)

All ages-----	412	359	53	59	54	5	350	303	47
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	5	4	1	1	-	1	4	4	-
5-9 years-----	44	37	7	4	4	-	40	33	7
10-14 years-----	54	39	15	5	3	2	49	36	13
15-19 years-----	38	38	-	2	2	-	36	36	-
20-24 years-----	28	24	4	6	6	-	22	18	4
25-29 years-----	15	12	3	2	1	1	13	11	2
30-34 years-----	30	25	5	10	10	-	20	15	5
35-39 years-----	35	32	3	6	6	-	29	26	3
40-44 years-----	45	39	6	7	7	-	37	32	5
45-49 years-----	31	29	2	7	6	1	24	23	1
50-54 years-----	20	18	2	1	1	-	18	16	2
55-59 years-----	14	12	2	4	4	-	10	8	2
60-64 years-----	9	7	2	1	1	-	8	6	2
65-69 years-----	16	15	1	1	1	-	15	14	1
70-74 years-----	13	13	-	2	2	-	11	11	-
75-79 years-----	4	4	-	-	-	-	4	4	-
80-84 years-----	3	3	-	-	-	-	3	3	-
85-89 years-----	7	7	-	-	-	-	7	7	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	ALL ORIGINS		TOTAL	HISPANIC		TOTAL	NON-HISPANIC	
		MALE	FEMALE		MALE	FEMALE		MALE	FEMALE

Unspecified pedal cyclist injured in nontraffic accident (V13.2)

All ages-----	2	2	-	-	-	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V13.4)

All ages-----	177	148	29	24	20	4	151	127	24
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-
5-9 years-----	13	10	3	1	1	-	12	9	3
10-14 years-----	24	16	8	2	1	1	22	15	7
15-19 years-----	15	15	-	-	-	-	15	15	-
20-24 years-----	11	8	3	2	2	-	9	6	3
25-29 years-----	6	4	2	1	-	1	5	4	1
30-34 years-----	19	17	2	5	5	-	14	12	2
35-39 years-----	12	10	2	1	1	-	11	9	2
40-44 years-----	18	15	3	3	3	-	14	12	2
45-49 years-----	16	15	1	3	2	1	13	13	-
50-54 years-----	10	9	1	1	1	-	9	8	1
55-59 years-----	9	7	2	2	2	-	7	5	2
60-64 years-----	3	2	1	1	1	-	2	1	1
65-69 years-----	6	6	-	1	1	-	5	5	-
70-74 years-----	5	5	-	-	-	-	5	5	-
75-79 years-----	3	3	-	-	-	-	3	3	-
80-84 years-----	2	2	-	-	-	-	2	2	-
85-89 years-----	3	3	-	-	-	-	3	3	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Passenger injured in nontraffic accident (V43.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - - TOTAL	MALE	FEMALE	- - - HISPANIC - - - TOTAL	MALE	FEMALE	- - NON-HISPANIC 1/- - - TOTAL	MALE	FEMALE
All ages-----	4	3	1	2	2	-	2	1	1
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V43.5)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - - TOTAL	MALE	FEMALE	- - - HISPANIC - - - TOTAL	MALE	FEMALE	- - NON-HISPANIC 1/- - - TOTAL	MALE	FEMALE
All ages-----	2,988	1,792	1,196	254	189	65	2,724	1,597	1,127
Under 1 year-----	1	-	1	-	-	-	1	-	1
1-4 years-----	2	2	-	1	1	-	1	1	-
5-9 years-----	2	1	1	-	-	-	2	1	1
10-14 years-----	2	1	1	-	-	-	2	1	1
15-19 years-----	284	176	108	27	20	7	253	154	99
20-24 years-----	304	193	111	41	33	8	261	158	103
25-29 years-----	236	146	90	43	37	6	193	109	84
30-34 years-----	242	166	76	33	25	8	208	140	68
35-39 years-----	223	116	107	20	16	4	202	99	103
40-44 years-----	223	129	94	18	13	5	205	116	89
45-49 years-----	189	112	77	7	6	1	181	106	75
50-54 years-----	181	115	66	19	15	4	162	100	62
55-59 years-----	162	84	78	17	8	9	145	76	69
60-64 years-----	125	72	53	7	4	3	118	68	50
65-69 years-----	139	77	62	6	1	5	132	76	56
70-74 years-----	170	96	74	3	2	1	167	94	73
75-79 years-----	184	101	83	8	6	2	176	95	81
80-84 years-----	187	111	76	2	1	1	185	110	75
85-89 years-----	102	70	32	2	1	1	100	69	31
90-94 years-----	24	19	5	-	-	-	24	19	5
95-99 years-----	5	4	1	-	-	-	5	4	1
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Unspecified car occupant injured in traffic accident (V48.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	421	281	140	49	39	10	371	242	129
Under 1 year-----	2	2	-	-	-	-	2	2	-
1-4 years-----	3	2	1	1	1	-	2	1	1
5-9 years-----	4	3	1	-	-	-	4	3	1
10-14 years-----	6	4	2	-	-	-	6	4	2
15-19 years-----	64	40	24	9	8	1	55	32	23
20-24 years-----	73	57	16	15	14	1	58	43	15
25-29 years-----	46	30	16	3	2	1	43	28	15
30-34 years-----	28	21	7	5	4	1	23	17	6
35-39 years-----	42	26	16	3	3	-	39	23	16
40-44 years-----	46	33	13	6	3	3	40	30	10
45-49 years-----	25	16	9	-	-	-	24	16	8
50-54 years-----	19	15	4	2	2	-	17	13	4
55-59 years-----	17	9	8	2	-	2	15	9	6
60-64 years-----	9	4	5	-	-	-	9	4	5
65-69 years-----	10	6	4	2	2	-	8	4	4
70-74 years-----	8	2	6	1	-	1	7	2	5
75-79 years-----	11	6	5	-	-	-	11	6	5
80-84 years-----	3	2	1	-	-	-	3	2	1
85-89 years-----	4	3	1	-	-	-	4	3	1
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Car occupant injured in other and unspecified transport accidents (V49)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	2,713	1,663	1,050	220	144	76	2,487	1,515	972
Under 1 year-----	18	7	11	1	1	-	17	6	11
1-4 years-----	30	16	14	6	3	3	24	13	11
5-9 years-----	45	22	23	4	2	2	41	20	21
10-14 years-----	49	25	24	5	3	2	44	22	22
15-19 years-----	390	247	143	46	33	13	344	214	130
20-24 years-----	340	242	98	50	35	15	289	206	83
25-29 years-----	235	167	68	33	25	8	201	141	60
30-34 years-----	196	124	72	17	12	5	179	112	67
35-39 years-----	180	116	64	7	3	4	173	113	60
40-44 years-----	203	134	69	12	6	6	189	127	62
45-49 years-----	150	89	61	7	5	2	143	84	59
50-54 years-----	119	69	50	7	1	6	112	68	44
55-59 years-----	96	53	43	5	4	1	90	49	41
60-64 years-----	95	45	50	4	2	2	91	43	48
65-69 years-----	110	72	38	4	4	-	106	68	38
70-74 years-----	108	60	48	5	2	3	103	58	45
75-79 years-----	134	69	65	3	2	1	131	67	64
80-84 years-----	123	60	63	-	-	-	122	59	63
85-89 years-----	65	29	36	3	-	3	62	29	33
90-94 years-----	21	15	6	-	-	-	21	15	6
95-99 years-----	4	-	4	-	-	-	4	-	4
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	2	2	-	1	1	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Unspecified car occupant injured in collision with other and unspecified motor vehicles in nontraffic accident (V49.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - - HISPANIC - - -	- - - NON-HISPANIC 1/- - -			
TOTAL	MALE	FEMALE	TOTAL MALE FEMALE			
All ages-----	5	4	1	5	4	1
Under 1 year-----	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-
30-34 years-----	-	-	-	-	-	-
35-39 years-----	2	2	-	2	2	-
40-44 years-----	1	-	1	1	-	1
45-49 years-----	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-

Car occupant [any] injured in unspecified nontraffic accident (V49.3)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - -	- - - - HISPANIC - - -	- - - NON-HISPANIC 1/- - -			
TOTAL	MALE	FEMALE	TOTAL MALE FEMALE			
All ages-----	9	6	3	9	6	3
Under 1 year-----	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1
15-19 years-----	1	1	-	1	1	-
20-24 years-----	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-
35-39 years-----	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-
45-49 years-----	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-
75-79 years-----	1	-	1	1	-	1
80-84 years-----	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Driver injured in traffic accident (V58.5)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	534	461	73	50	45	5	483	416	67
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	3	3	-	-	-	-	3	3	-
15-19 years-----	51	39	12	8	8	-	43	31	12
20-24 years-----	76	71	5	11	10	1	65	61	4
25-29 years-----	48	43	5	7	7	-	41	36	5
30-34 years-----	67	52	15	4	4	-	63	48	15
35-39 years-----	59	50	9	6	5	1	52	45	7
40-44 years-----	61	57	4	6	5	1	55	52	3
45-49 years-----	45	38	7	4	4	-	41	34	7
50-54 years-----	31	28	3	3	2	1	28	26	2
55-59 years-----	25	22	3	-	-	-	25	22	3
60-64 years-----	19	17	2	-	-	-	19	17	2
65-69 years-----	15	15	-	-	-	-	15	15	-
70-74 years-----	13	9	4	-	-	-	13	9	4
75-79 years-----	13	11	2	-	-	-	13	11	2
80-84 years-----	4	3	1	1	-	1	3	3	-
85-89 years-----	2	2	-	-	-	-	2	2	-
90-94 years-----	1	-	1	-	-	-	1	-	1
95-99 years-----	1	1	-	-	-	-	1	1	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Passenger injured in traffic accident (V58.6)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	287	181	106	47	30	17	238	149	89
Under 1 year-----	3	1	2	1	-	1	2	1	1
1-4 years-----	12	7	5	1	1	-	11	6	5
5-9 years-----	14	7	7	4	1	3	10	6	4
10-14 years-----	18	8	10	3	2	1	15	6	9
15-19 years-----	78	52	26	6	3	3	72	49	23
20-24 years-----	44	33	11	10	6	4	34	27	7
25-29 years-----	33	23	10	7	5	2	25	17	8
30-34 years-----	11	5	6	3	3	-	8	2	6
35-39 years-----	10	8	2	1	1	-	9	7	2
40-44 years-----	13	10	3	6	5	1	7	5	2
45-49 years-----	13	5	8	2	1	1	10	3	7
50-54 years-----	8	6	2	-	-	-	8	6	2
55-59 years-----	9	7	2	1	1	-	8	6	2
60-64 years-----	10	3	7	1	-	1	9	3	6
65-69 years-----	4	2	2	-	-	-	4	2	2
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	3	3	-	-	-	-	3	3	-
80-84 years-----	2	-	2	-	-	-	2	-	2
85-89 years-----	1	-	1	-	-	-	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Unspecified occupant of heavy transport vehicle injured in nontraffic accident (V68.3)

CAUSE OF DEATH	ALL ORIGINS- - -	HISPANIC - - -	NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	3	2	1
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	1	1	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	1	1	-
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	1	-	1
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Person injured while boarding or alighting (V68.4)

CAUSE OF DEATH	ALL ORIGINS- - -	HISPANIC - - -	NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	3	2	1
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	1	1	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	1	1	-
60-64 years-----	1	-	1
65-69 years-----	-	-	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL ALL ORIGINS- MALE FEMALE HISPANIC MALE FEMALE NON-HISPANIC 1/ MALE FEMALE

Occupant of railway train or railway vehicle injured by fall in railway train or railway vehicle (V81.5)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	3	3	-	-	-	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Occupant of railway train or railway vehicle injured by fall from railway train or railway vehicle (V81.6)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	12	11	1	6	5	1	6	6	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-
10-14 years-----	1	1	-	-	-	-	1	1	-
15-19 years-----	1	1	-	-	-	-	1	1	-
20-24 years-----	4	4	-	3	3	-	1	1	-
25-29 years-----	2	1	1	2	1	1	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -

Unspecified occupant of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.9)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	221	201	20	5	5	-	214	194	20
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	3	2	1	-	-	-	3	2	1
5-9 years-----	12	11	1	1	1	-	11	10	1
10-14 years-----	20	19	1	1	1	-	19	18	1
15-19 years-----	23	21	2	-	-	-	23	21	2
20-24 years-----	33	31	2	1	1	-	31	29	2
25-29 years-----	18	15	3	1	1	-	17	14	3
30-34 years-----	24	21	3	-	-	-	24	21	3
35-39 years-----	16	15	1	-	-	-	16	15	1
40-44 years-----	11	8	3	-	-	-	11	8	3
45-49 years-----	16	16	-	1	1	-	15	15	-
50-54 years-----	13	11	2	-	-	-	13	11	2
55-59 years-----	7	7	-	-	-	-	7	7	-
60-64 years-----	6	6	-	-	-	-	5	5	-
65-69 years-----	8	8	-	-	-	-	8	8	-
70-74 years-----	5	5	-	-	-	-	5	5	-
75-79 years-----	2	2	-	-	-	-	2	2	-
80-84 years-----	2	1	1	-	-	-	2	1	1
85-89 years-----	1	1	-	-	-	-	1	1	-
90-94 years-----	1	1	-	-	-	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Traffic accident of specified type but victim's mode of transport unknown (V87)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	4,160	2,629	1,531	445	311	134	3,703	2,310	1,393
Under 1 year-----	20	9	11	6	3	3	14	6	8
1-4 years-----	53	27	26	10	6	4	43	21	22
5-9 years-----	67	38	29	11	9	2	56	29	27
10-14 years-----	93	50	43	14	8	6	79	42	37
15-19 years-----	525	341	184	66	53	13	458	287	171
20-24 years-----	450	315	135	74	59	15	374	255	119
25-29 years-----	291	200	91	44	33	11	247	167	80
30-34 years-----	279	185	94	44	32	12	234	152	82
35-39 years-----	350	222	128	47	30	17	302	192	110
40-44 years-----	300	203	97	30	22	8	270	181	89
45-49 years-----	252	166	86	23	18	5	228	147	81
50-54 years-----	230	126	104	22	10	12	206	116	90
55-59 years-----	174	115	59	12	6	6	160	107	53
60-64 years-----	163	88	75	9	3	6	154	85	69
65-69 years-----	176	105	71	12	4	8	164	101	63
70-74 years-----	184	100	84	11	8	3	173	92	81
75-79 years-----	223	144	79	3	2	1	220	142	78
80-84 years-----	185	105	80	5	4	1	179	100	79
85-89 years-----	110	71	39	1	-	1	109	71	38
90-94 years-----	30	17	13	1	1	-	29	16	13
95-99 years-----	4	1	3	-	-	-	4	1	3
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Person injured in unspecified nonmotor-vehicle accident, nontraffic (V89.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - - TOTAL	- - - ALL ORIGINS- - - MALE	- - - ALL ORIGINS- - - FEMALE	- - - HISPANIC - - - TOTAL	- - - HISPANIC - - - MALE	- - - HISPANIC - - - FEMALE	- - NON-HISPANIC 1/- - - TOTAL	- - NON-HISPANIC 1/- - - MALE	- - NON-HISPANIC 1/- - - FEMALE
All ages-----	6	6	-	1	1	-	5	5	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Person injured in unspecified motor-vehicle accident, traffic (V89.2)

All ages-----	11,066	7,080	3,986	1,136	793	343	9,894	6,266	3,628
Under 1 year-----	65	29	36	21	10	11	44	19	25
1-4 years-----	136	68	68	24	11	13	111	56	55
5-9 years-----	152	82	70	18	11	7	134	71	63
10-14 years-----	183	100	83	22	12	10	161	88	73
15-19 years-----	1,596	1,015	581	187	129	58	1,405	885	520
20-24 years-----	1,417	1,050	367	222	169	53	1,191	879	312
25-29 years-----	989	701	288	162	121	41	822	578	244
30-34 years-----	814	544	270	99	68	31	713	474	239
35-39 years-----	881	588	293	92	71	21	786	514	272
40-44 years-----	744	481	263	84	66	18	660	415	245
45-49 years-----	639	420	219	43	21	22	593	397	196
50-54 years-----	538	357	181	33	27	6	505	330	175
55-59 years-----	445	288	157	33	19	14	411	268	143
60-64 years-----	341	208	133	17	7	10	324	201	123
65-69 years-----	403	228	175	28	18	10	375	210	165
70-74 years-----	454	243	211	13	8	5	439	234	205
75-79 years-----	483	259	224	16	9	7	465	249	216
80-84 years-----	413	213	200	14	11	3	398	202	196
85-89 years-----	259	140	119	5	2	3	252	137	115
90-94 years-----	96	53	43	2	2	-	93	51	42
95-99 years-----	11	8	3	-	-	-	11	8	3
100 yrs & over---	1	-	1	-	-	-	1	-	1
Not stated-----	6	5	1	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL ALL ORIGINS- MALE FEMALE HISPANIC MALE FEMALE NON-HISPANIC 1/ MALE FEMALE

Unspecified transport accident (V99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	ALL ORIGINS- MALE	FEMALE	HISPANIC MALE	FEMALE	NON-HISPANIC 1/ MALE	FEMALE
All ages-----	6	3	3	-	-	6	3
Under 1 year-----	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	1	1
5-9 years-----	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-
25-29 years-----	2	1	1	-	-	2	1
30-34 years-----	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	1	1
40-44 years-----	1	1	-	-	-	1	1
45-49 years-----	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-
60-64 years-----	1	-	1	-	-	1	1
65-69 years-----	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-

Fall on same level involving ice and snow (W00)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	ALL ORIGINS- MALE	FEMALE	HISPANIC MALE	FEMALE	NON-HISPANIC 1/ MALE	FEMALE
All ages-----	74	47	27	1	1	71	26
Under 1 year-----	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-
30-34 years-----	2	1	1	-	-	2	1
35-39 years-----	-	-	-	-	-	-	-
40-44 years-----	2	-	2	-	-	2	2
45-49 years-----	2	2	-	-	-	1	1
50-54 years-----	3	2	1	-	-	3	1
55-59 years-----	2	2	-	-	-	2	-
60-64 years-----	3	3	-	-	-	3	-
65-69 years-----	7	2	5	-	-	7	5
70-74 years-----	9	5	4	-	-	9	4
75-79 years-----	9	6	3	-	-	9	3
80-84 years-----	13	10	3	-	-	12	3
85-89 years-----	13	7	6	-	-	13	6
90-94 years-----	7	6	1	-	-	7	1
95-99 years-----	2	1	1	1	1	1	-
100 yrs & over---	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Contact with other powered hand tools and household machinery (W29)

All ages-----	6	5	1	1	1	-	5	4	1
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	-	-	-	2	1	1
70-74 years-----	1	1	-	-	-	-	1	1	-
75-79 years-----	1	1	-	-	-	-	1	1	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Contact with agricultural machinery (W30)

All ages-----	198	185	13	12	12	-	186	173	13
Under 1 year-----	1	1	-	-	-	-	1	1	-
1-4 years-----	7	4	3	-	-	-	7	4	3
5-9 years-----	1	1	-	-	-	-	1	1	-
10-14 years-----	2	1	1	-	-	-	2	1	1
15-19 years-----	5	5	-	1	1	-	4	4	-
20-24 years-----	6	5	1	-	-	-	6	5	1
25-29 years-----	6	6	-	1	1	-	5	5	-
30-34 years-----	3	3	-	-	-	-	3	3	-
35-39 years-----	11	10	1	2	2	-	9	8	1
40-44 years-----	20	20	-	2	2	-	18	18	-
45-49 years-----	13	13	-	2	2	-	11	11	-
50-54 years-----	17	16	1	1	1	-	16	15	1
55-59 years-----	22	22	-	-	-	-	22	22	-
60-64 years-----	16	16	-	-	-	-	16	16	-
65-69 years-----	20	17	3	1	1	-	19	16	3
70-74 years-----	12	11	1	1	1	-	11	10	1
75-79 years-----	18	17	1	-	-	-	18	17	1
80-84 years-----	9	9	-	-	-	-	9	9	-
85-89 years-----	6	6	-	-	-	-	6	6	-
90-94 years-----	1	1	-	-	-	-	1	1	-
95-99 years-----	1	-	1	-	-	-	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Drowning and submersion while in natural water (W69)									
All ages-----	949	855	94	166	154	12	779	697	82
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	31	19	12	4	1	3	27	18	9
5-9 years-----	23	18	5	3	1	2	20	17	3
10-14 years-----	50	42	8	9	8	1	41	34	7
15-19 years-----	143	138	5	32	32	-	111	106	5
20-24 years-----	138	130	8	35	34	1	102	95	7
25-29 years-----	84	79	5	21	21	-	63	58	5
30-34 years-----	73	68	5	21	20	1	50	46	4
35-39 years-----	79	72	7	8	8	-	71	64	7
40-44 years-----	71	67	4	5	5	-	66	62	4
45-49 years-----	66	58	8	4	3	1	61	54	7
50-54 years-----	55	52	3	6	6	-	49	46	3
55-59 years-----	31	26	5	1	1	-	30	25	5
60-64 years-----	17	15	2	1	1	-	16	14	2
65-69 years-----	25	24	1	2	2	-	23	22	1
70-74 years-----	20	12	8	-	-	-	20	12	8
75-79 years-----	16	14	2	1	1	-	15	13	2
80-84 years-----	8	6	2	-	-	-	8	6	2
85-89 years-----	4	3	1	-	-	-	4	3	1
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	15	12	3	13	10	3	2	2	-

Drowning and submersion following fall into natural water (W70)

All ages-----	263	217	46	29	23	6	233	193	40
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	28	20	8	2	1	1	26	19	7
5-9 years-----	17	13	4	2	2	-	15	11	4
10-14 years-----	9	6	3	4	2	2	5	4	1
15-19 years-----	20	19	1	1	1	-	19	18	1
20-24 years-----	14	12	2	6	5	1	8	7	1
25-29 years-----	8	8	-	1	1	-	7	7	-
30-34 years-----	17	15	2	2	2	-	15	13	2
35-39 years-----	26	24	2	3	3	-	23	21	2
40-44 years-----	25	21	4	2	1	1	23	20	3
45-49 years-----	25	23	2	2	2	-	23	21	2
50-54 years-----	13	11	2	2	2	-	11	9	2
55-59 years-----	9	7	2	-	-	-	9	7	2
60-64 years-----	9	8	1	-	-	-	8	7	1
65-69 years-----	8	7	1	-	-	-	8	7	1
70-74 years-----	3	1	2	-	-	-	3	1	2
75-79 years-----	13	9	4	-	-	-	13	9	4
80-84 years-----	12	10	2	-	-	-	12	10	2
85-89 years-----	5	2	3	-	-	-	5	2	3
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	2	1	1	2	1	1	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Other specified drowning and submersion (W73)

All ages-----	222	172	50	33	27	6	189	145	44
Under 1 year-----	4	3	1	1	1	-	3	2	1
1-4 years-----	35	21	14	9	5	4	26	16	10
5-9 years-----	12	9	3	1	1	-	11	8	3
10-14 years-----	14	8	6	2	1	1	12	7	5
15-19 years-----	28	27	1	3	3	-	25	24	1
20-24 years-----	23	23	-	6	6	-	17	17	-
25-29 years-----	10	10	-	1	1	-	9	9	-
30-34 years-----	14	11	3	3	3	-	11	8	3
35-39 years-----	10	7	3	4	3	1	6	4	2
40-44 years-----	15	13	2	1	1	-	14	12	2
45-49 years-----	8	7	1	-	-	-	8	7	1
50-54 years-----	10	7	3	-	-	-	10	7	3
55-59 years-----	8	3	5	-	-	-	8	3	5
60-64 years-----	3	3	-	-	-	-	3	3	-
65-69 years-----	4	2	2	-	-	-	4	2	2
70-74 years-----	10	7	3	-	-	-	10	7	3
75-79 years-----	6	6	-	1	1	-	5	5	-
80-84 years-----	4	2	2	-	-	-	4	2	2
85-89 years-----	2	1	1	-	-	-	2	1	1
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	2	2	-	1	1	-	1	1	-

Unspecified drowning and submersion (W74)

All ages-----	1,245	1,014	231	147	127	20	1,085	875	210
Under 1 year-----	17	11	6	3	2	1	14	9	5
1-4 years-----	123	78	45	15	8	7	107	70	37
5-9 years-----	78	56	22	12	7	5	66	49	17
10-14 years-----	62	47	15	3	3	-	59	44	15
15-19 years-----	133	120	13	26	25	1	106	94	12
20-24 years-----	83	77	6	24	24	-	59	53	6
25-29 years-----	84	74	10	13	12	1	71	62	9
30-34 years-----	98	88	10	10	10	-	86	76	10
35-39 years-----	104	88	16	10	9	1	93	78	15
40-44 years-----	76	64	12	6	4	2	70	60	10
45-49 years-----	66	56	10	5	4	1	60	51	9
50-54 years-----	71	62	9	4	4	-	67	58	9
55-59 years-----	46	41	5	1	1	-	45	40	5
60-64 years-----	44	36	8	1	1	-	43	35	8
65-69 years-----	31	21	10	-	-	-	31	21	10
70-74 years-----	37	30	7	4	4	-	33	26	7
75-79 years-----	34	25	9	-	-	-	34	25	9
80-84 years-----	20	14	6	1	-	1	19	14	5
85-89 years-----	12	6	6	-	-	-	12	6	6
90-94 years-----	7	2	5	-	-	-	7	2	5
95-99 years-----	4	3	1	-	-	-	3	2	1
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	15	15	-	9	9	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Exposure to controlled fire in building or structure (X02)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	56	33	23	2	1	1	53	31	22
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	4	2	2	-	-	-	4	2	2
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	-	-	-	2	1	1
20-24 years-----	4	1	3	-	-	-	4	1	3
25-29 years-----	1	1	-	-	-	-	1	1	-
30-34 years-----	3	2	1	-	-	-	3	2	1
35-39 years-----	1	1	-	-	-	-	1	1	-
40-44 years-----	6	5	1	1	1	-	5	4	1
45-49 years-----	4	4	-	-	-	-	4	4	-
50-54 years-----	4	3	1	-	-	-	4	3	1
55-59 years-----	4	3	1	-	-	-	4	3	1
60-64 years-----	3	2	1	-	-	-	2	1	1
65-69 years-----	2	2	-	-	-	-	2	2	-
70-74 years-----	2	1	1	-	-	-	2	1	1
75-79 years-----	1	1	-	-	-	-	1	1	-
80-84 years-----	6	2	4	1	-	1	5	2	3
85-89 years-----	5	1	4	-	-	-	5	1	4
90-94 years-----	4	1	3	-	-	-	4	1	3
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Exposure to controlled fire, not in building or structure (X03)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	32	31	1	1	1	-	31	30	1
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	-	-	-	2	2	-
30-34 years-----	2	2	-	1	1	-	1	1	-
35-39 years-----	1	1	-	-	-	-	1	1	-
40-44 years-----	3	3	-	-	-	-	3	3	-
45-49 years-----	2	2	-	-	-	-	2	2	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-
60-64 years-----	2	1	1	-	-	-	2	1	1
65-69 years-----	4	4	-	-	-	-	4	4	-
70-74 years-----	5	5	-	-	-	-	5	5	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	5	5	-	-	-	-	5	5	-
85-89 years-----	2	2	-	-	-	-	2	2	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Contact with venomous spiders (X21)

CAUSE OF DEATH	ALL ORIGINS- - -	HISPANIC - - -	NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	6	4	2
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	1	-	1
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	3	3	-
65-69 years-----	1	-	1
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	1	1	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Contact with hornets, wasps, and bees (X23)

CAUSE OF DEATH	ALL ORIGINS- - -	HISPANIC - - -	NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	43	31	12
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	1	1	-
35-39 years-----	4	3	1
40-44 years-----	6	4	2
45-49 years-----	7	5	2
50-54 years-----	9	8	1
55-59 years-----	6	4	2
60-64 years-----	4	2	2
65-69 years-----	1	1	-
70-74 years-----	2	1	1
75-79 years-----	2	1	1
80-84 years-----	1	1	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	ALL ORIGINS-		TOTAL	HISPANIC		TOTAL	NON-HISPANIC 1/-	
		MALE	FEMALE		MALE	FEMALE		MALE	FEMALE

Contact with unspecified venomous animal or plant (X29)

All ages-----	2	2	-	-	-	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	-	-	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Exposure to excessive natural heat (X30)

All ages-----	594	345	249	27	18	9	555	318	237
Under 1 year-----	3	3	-	-	-	-	3	3	-
1-4 years-----	16	12	4	4	3	1	11	9	2
5-9 years-----	1	-	1	-	-	-	1	-	1
10-14 years-----	4	2	2	-	-	-	4	2	2
15-19 years-----	5	4	1	-	-	-	5	4	1
20-24 years-----	8	8	-	1	1	-	7	7	-
25-29 years-----	11	9	2	4	3	1	6	5	1
30-34 years-----	17	12	5	2	1	1	14	10	4
35-39 years-----	21	19	2	2	2	-	19	17	2
40-44 years-----	42	28	14	5	4	1	37	24	13
45-49 years-----	40	33	7	2	1	1	37	31	6
50-54 years-----	48	39	9	-	-	-	46	37	9
55-59 years-----	32	23	9	1	1	-	30	21	9
60-64 years-----	33	22	11	1	1	-	32	21	11
65-69 years-----	47	30	17	-	-	-	46	30	16
70-74 years-----	54	23	31	1	-	1	52	22	30
75-79 years-----	70	26	44	1	-	1	68	26	42
80-84 years-----	76	29	47	2	-	2	74	29	45
85-89 years-----	34	12	22	-	-	-	34	12	22
90-94 years-----	22	7	15	-	-	-	22	7	15
95-99 years-----	5	-	5	-	-	-	5	-	5
100 yrs & over---	1	-	1	-	-	-	1	-	1
Not stated-----	4	4	-	1	1	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Victim of flood (X38)

All ages-----	15	7	8	-	-	-	15	7	8
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	-	-	-	2	2	-
25-29 years-----	3	-	3	-	-	-	3	-	3
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	3	-	3	-	-	-	3	-	3
40-44 years-----	1	1	-	-	-	-	1	1	-
45-49 years-----	1	-	1	-	-	-	1	-	1
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	-	-	-	1	1	-
60-64 years-----	1	1	-	-	-	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Exposure to other and unspecified forces of nature (X39)

All ages-----	39	29	10	1	1	-	34	24	10
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-
30-34 years-----	1	1	-	-	-	-	1	1	-
35-39 years-----	6	4	2	-	-	-	6	4	2
40-44 years-----	1	1	-	-	-	-	1	1	-
45-49 years-----	5	5	-	1	1	-	4	4	-
50-54 years-----	3	2	1	-	-	-	3	2	1
55-59 years-----	2	2	-	-	-	-	1	1	-
60-64 years-----	2	2	-	-	-	-	1	1	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	-	-	-	2	2	-
75-79 years-----	3	2	1	-	-	-	3	2	1
80-84 years-----	2	-	2	-	-	-	2	-	2
85-89 years-----	5	4	1	-	-	-	5	4	1
90-94 years-----	1	-	1	-	-	-	1	-	1
95-99 years-----	1	-	1	-	-	-	1	-	1
100 yrs & over---	1	-	1	-	-	-	1	-	1
Not stated-----	2	2	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics (X40)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	168	82	86	11	8	3	156	74	82
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	4	2	2	-	-	-	4	2	2
5-9 years-----	1	-	1	-	-	-	1	-	1
10-14 years-----	1	1	-	-	-	-	1	1	-
15-19 years-----	4	2	2	-	-	-	4	2	2
20-24 years-----	7	5	2	-	-	-	7	5	2
25-29 years-----	7	3	4	-	-	-	7	3	4
30-34 years-----	15	7	8	2	2	-	13	5	8
35-39 years-----	17	7	10	1	1	-	16	6	10
40-44 years-----	21	8	13	1	-	1	20	8	12
45-49 years-----	21	11	10	5	4	1	16	7	9
50-54 years-----	16	7	9	2	1	1	14	6	8
55-59 years-----	17	9	8	-	-	-	16	9	7
60-64 years-----	11	6	5	-	-	-	11	6	5
65-69 years-----	3	2	1	-	-	-	3	2	1
70-74 years-----	7	3	4	-	-	-	7	3	4
75-79 years-----	5	3	2	-	-	-	5	3	2
80-84 years-----	2	-	2	-	-	-	2	-	2
85-89 years-----	8	5	3	-	-	-	8	5	3
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified (X41)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	671	412	259	46	34	12	623	376	247
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	4	1	3	-	-	-	4	1	3
5-9 years-----	1	-	1	-	-	-	1	-	1
10-14 years-----	2	2	-	-	-	-	2	2	-
15-19 years-----	19	11	8	1	1	-	18	10	8
20-24 years-----	37	23	14	3	3	-	34	20	14
25-29 years-----	43	27	16	4	3	1	38	23	15
30-34 years-----	65	49	16	10	10	-	54	38	16
35-39 years-----	115	71	44	8	5	3	107	66	41
40-44 years-----	124	79	45	9	7	2	115	72	43
45-49 years-----	100	74	26	3	-	3	97	74	23
50-54 years-----	65	32	33	6	4	2	59	28	31
55-59 years-----	48	25	23	2	1	1	46	24	22
60-64 years-----	13	8	5	-	-	-	13	8	5
65-69 years-----	7	3	4	-	-	-	7	3	4
70-74 years-----	5	1	4	-	-	-	5	1	4
75-79 years-----	7	1	6	-	-	-	7	1	6
80-84 years-----	6	1	5	-	-	-	6	1	5
85-89 years-----	6	3	3	-	-	-	6	3	3
90-94 years-----	1	-	1	-	-	-	1	-	1
95-99 years-----	2	1	1	-	-	-	2	1	1
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	-	-	-	1	-	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX	TOTAL	ALL ORIGINS-		HISPANIC			NON-HISPANIC 1/-		
		MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances (X44)									
All ages-----	4,286	2,796	1,490	349	272	77	3,899	2,505	1,394
Under 1 year-----	6	5	1	3	3	-	3	2	1
1-4 years-----	6	4	2	3	3	-	3	1	2
5-9 years-----	1	-	1	1	-	1	-	-	-
10-14 years-----	5	3	2	-	-	-	5	3	2
15-19 years-----	68	52	16	6	4	2	62	48	14
20-24 years-----	241	184	57	20	17	3	221	167	54
25-29 years-----	314	237	77	41	37	4	273	200	73
30-34 years-----	468	342	126	48	37	11	417	303	114
35-39 years-----	736	482	254	74	54	20	658	425	233
40-44 years-----	881	587	294	66	55	11	800	526	274
45-49 years-----	637	434	203	47	39	8	586	394	192
50-54 years-----	321	203	118	22	13	9	294	186	108
55-59 years-----	135	66	69	6	5	1	126	59	67
60-64 years-----	74	37	37	4	1	3	70	36	34
65-69 years-----	75	36	39	2	2	-	73	34	39
70-74 years-----	76	40	36	2	1	1	74	39	35
75-79 years-----	79	32	47	1	-	1	78	32	46
80-84 years-----	72	24	48	1	-	1	69	24	45
85-89 years-----	60	21	39	1	1	-	58	19	39
90-94 years-----	21	5	16	1	-	1	20	5	15
95-99 years-----	8	2	6	-	-	-	8	2	6
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	2	-	2	-	-	-	1	-	1

Accidental poisoning by and exposure to alcohol (X45)

All ages-----	320	254	66	49	47	2	269	205	64
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-
15-19 years-----	7	6	1	-	-	-	7	6	1
20-24 years-----	17	14	3	4	4	-	12	9	3
25-29 years-----	14	13	1	5	5	-	9	8	1
30-34 years-----	24	17	7	4	4	-	20	13	7
35-39 years-----	49	40	9	10	10	-	38	29	9
40-44 years-----	71	58	13	9	8	1	62	50	12
45-49 years-----	54	42	12	6	6	-	48	36	12
50-54 years-----	31	23	8	5	5	-	26	18	8
55-59 years-----	26	19	7	-	-	-	26	19	7
60-64 years-----	10	9	1	2	2	-	8	7	1
65-69 years-----	9	7	2	1	1	-	8	6	2
70-74 years-----	3	2	1	-	-	-	3	2	1
75-79 years-----	1	-	1	1	-	1	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	3	3	-	1	1	-	2	2	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Exposure to other specified factors (X58)

All ages-----	77	51	26	5	4	1	70	46	24
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-
15-19 years-----	3	2	1	-	-	-	3	2	1
20-24 years-----	5	4	1	1	1	-	4	3	1
25-29 years-----	2	2	-	-	-	-	2	2	-
30-34 years-----	5	4	1	1	-	1	4	4	-
35-39 years-----	2	2	-	-	-	-	2	2	-
40-44 years-----	3	3	-	-	-	-	3	3	-
45-49 years-----	5	3	2	-	-	-	5	3	2
50-54 years-----	5	5	-	-	-	-	5	5	-
55-59 years-----	3	3	-	-	-	-	2	2	-
60-64 years-----	6	4	2	1	1	-	5	3	2
65-69 years-----	3	2	1	-	-	-	3	2	1
70-74 years-----	6	4	2	-	-	-	6	4	2
75-79 years-----	6	4	2	-	-	-	6	4	2
80-84 years-----	10	3	7	-	-	-	10	3	7
85-89 years-----	5	2	3	-	-	-	5	2	3
90-94 years-----	3	-	3	-	-	-	3	-	3
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	2	1	1	1	1	-	-	-	-

Exposure to unspecified factor (X59)

All ages-----	7,459	3,414	4,045	208	122	86	7,228	3,275	3,953
Under 1 year-----	24	15	9	4	3	1	20	12	8
1-4 years-----	22	15	7	2	1	1	20	14	6
5-9 years-----	20	13	7	6	4	2	14	9	5
10-14 years-----	23	16	7	2	1	1	21	15	6
15-19 years-----	80	57	23	6	5	1	73	52	21
20-24 years-----	83	69	14	12	11	1	71	58	13
25-29 years-----	83	67	16	8	7	1	75	60	15
30-34 years-----	92	73	19	8	6	2	83	67	16
35-39 years-----	111	80	31	15	11	4	96	69	27
40-44 years-----	163	117	46	9	7	2	154	110	44
45-49 years-----	151	106	45	9	8	1	141	97	44
50-54 years-----	162	111	51	9	6	3	152	105	47
55-59 years-----	169	109	60	6	4	2	162	104	58
60-64 years-----	217	133	84	13	5	8	204	128	76
65-69 years-----	302	169	133	16	6	10	285	162	123
70-74 years-----	472	262	210	13	8	5	459	254	205
75-79 years-----	781	386	395	15	6	9	763	378	385
80-84 years-----	1,226	545	681	13	6	7	1,211	537	674
85-89 years-----	1,487	562	925	18	5	13	1,464	554	910
90-94 years-----	1,202	364	838	15	7	8	1,185	355	830
95-99 years-----	496	121	375	7	5	2	488	115	373
100 yrs & over---	88	19	69	2	-	2	86	19	67
Not stated-----	5	5	-	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Intentional self harm (suicide) by hanging, strangulation, and suffocation (X70)

All ages-----	5,427	4,490	937	548	488	60	4,859	3,984	875
Under 1 year-----
1-4 years-----
5-9 years-----	2	2	-	-	-	-	1	1	-
10-14 years-----	125	103	22	15	13	2	109	89	20
15-19 years-----	434	347	87	61	53	8	373	294	79
20-24 years-----	532	456	76	62	57	5	469	398	71
25-29 years-----	615	526	89	68	60	8	542	461	81
30-34 years-----	708	613	95	86	79	7	619	532	87
35-39 years-----	738	644	94	75	67	8	663	577	86
40-44 years-----	614	520	94	46	38	8	568	482	86
45-49 years-----	418	349	69	33	29	4	384	319	65
50-54 years-----	314	250	64	26	22	4	285	226	59
55-59 years-----	189	159	30	22	20	2	167	139	28
60-64 years-----	139	107	32	15	14	1	124	93	31
65-69 years-----	136	94	42	11	10	1	123	82	41
70-74 years-----	113	86	27	8	8	-	105	78	27
75-79 years-----	129	87	42	4	4	-	125	83	42
80-84 years-----	99	64	35	7	6	1	91	57	34
85-89 years-----	75	52	23	5	5	-	70	47	23
90-94 years-----	34	22	12	1	1	-	33	21	12
95-99 years-----	9	5	4	2	1	1	7	4	3
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	4	4	-	1	1	-	1	1	-

Intentional self harm (suicide) by drowning and submersion (X71)

All ages-----	311	201	110	15	9	6	290	188	102
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	12	10	2	2	2	-	10	8	2
20-24 years-----	19	14	5	2	2	-	17	12	5
25-29 years-----	13	11	2	1	-	1	12	11	1
30-34 years-----	23	17	6	1	-	1	22	17	5
35-39 years-----	42	30	12	2	2	-	40	28	12
40-44 years-----	40	22	18	3	1	2	36	21	15
45-49 years-----	23	14	9	-	-	-	21	12	9
50-54 years-----	27	17	10	-	-	-	26	16	10
55-59 years-----	10	8	2	1	1	-	9	7	2
60-64 years-----	16	9	7	-	-	-	15	9	6
65-69 years-----	16	11	5	-	-	-	15	10	5
70-74 years-----	18	6	12	1	-	1	17	6	11
75-79 years-----	12	7	5	1	-	1	11	7	4
80-84 years-----	16	10	6	1	1	-	15	9	6
85-89 years-----	13	9	4	-	-	-	13	9	4
90-94 years-----	7	2	5	-	-	-	7	2	5
95-99 years-----	1	1	-	-	-	-	1	1	-
100 yrs & over----	-	-	-	-	-	-	-	-	-
Not stated-----	3	3	-	-	-	-	3	3	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN,

RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Intentional self harm (suicide) by handgun discharge (X72)									
All ages-----	3,476	2,922	554	213	177	36	3,253	2,737	516
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	20	12	8	8	4	4	12	8	4
15-19 years-----	180	141	39	29	22	7	151	119	32
20-24 years-----	254	228	26	31	28	3	223	200	23
25-29 years-----	252	215	37	28	23	5	224	192	32
30-34 years-----	264	218	46	15	13	2	249	205	44
35-39 years-----	309	248	61	29	25	4	279	223	56
40-44 years-----	306	243	63	20	17	3	285	225	60
45-49 years-----	315	244	71	19	15	4	295	229	66
50-54 years-----	276	230	46	8	6	2	267	223	44
55-59 years-----	233	189	44	7	7	-	225	181	44
60-64 years-----	165	141	24	2	2	-	162	138	24
65-69 years-----	191	163	28	6	4	2	185	159	26
70-74 years-----	215	190	25	3	3	-	211	186	25
75-79 years-----	216	200	16	3	3	-	211	195	16
80-84 years-----	150	141	9	2	2	-	148	139	9
85-89 years-----	104	98	6	1	1	-	102	96	6
90-94 years-----	15	12	3	2	2	-	13	10	3
95-99 years-----	10	8	2	-	-	-	10	8	2
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-

Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge (X73)

All ages-----	2,776	2,600	176	89	83	6	2,680	2,510	170
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	24	20	4	-	-	-	24	20	4
15-19 years-----	203	192	11	13	11	2	189	180	9
20-24 years-----	281	269	12	23	22	1	257	246	11
25-29 years-----	210	195	15	8	8	-	202	187	15
30-34 years-----	242	219	23	9	8	1	232	210	22
35-39 years-----	298	264	34	7	6	1	290	257	33
40-44 years-----	236	216	20	5	5	-	231	211	20
45-49 years-----	245	223	22	8	7	1	237	216	21
50-54 years-----	182	175	7	3	3	-	177	170	7
55-59 years-----	175	165	10	3	3	-	172	162	10
60-64 years-----	115	111	4	1	1	-	114	110	4
65-69 years-----	112	107	5	1	1	-	111	106	5
70-74 years-----	153	152	1	2	2	-	151	150	1
75-79 years-----	114	111	3	1	1	-	113	110	3
80-84 years-----	99	95	4	2	2	-	97	93	4
85-89 years-----	74	73	1	1	1	-	73	72	1
90-94 years-----	12	12	-	2	2	-	10	10	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Intentional self harm (suicide) by other and unspecified firearm discharge (X74)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	10,347	8,957	1,390	492	445	47	9,822	8,485	1,337
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	59	48	11	5	3	2	54	45	9
15-19 years-----	592	534	58	52	48	4	539	485	54
20-24 years-----	805	719	86	71	65	6	733	654	79
25-29 years-----	830	727	103	68	61	7	758	664	94
30-34 years-----	823	696	127	54	51	3	766	643	123
35-39 years-----	1,010	837	173	55	45	10	951	788	163
40-44 years-----	938	778	160	32	29	3	901	744	157
45-49 years-----	902	754	148	37	33	4	863	719	144
50-54 years-----	757	625	132	21	17	4	734	607	127
55-59 years-----	650	528	122	19	16	3	631	512	119
60-64 years-----	522	460	62	16	16	-	502	440	62
65-69 years-----	524	472	52	17	17	-	504	452	52
70-74 years-----	596	531	65	8	8	-	587	522	65
75-79 years-----	616	564	52	20	20	-	594	542	52
80-84 years-----	411	388	23	11	10	1	400	378	22
85-89 years-----	221	205	16	3	3	-	217	202	15
90-94 years-----	75	75	-	1	1	-	74	74	-
95-99 years-----	13	13	-	1	1	-	12	12	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	3	3	-	1	1	-	2	2	-

Intentional self harm (suicide) by explosive material (X75)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	8	7	1	-	-	-	7	6	1
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-
15-19 years-----	1	1	-	-	-	-	1	1	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	4	3	1	-	-	-	4	3	1
45-49 years-----	1	1	-	-	-	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Intentional self harm (suicide) by blunt object (X79)

All ages-----	3	3	-	-	-	-	3	3	-
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	-	-	-	1	1	-
30-34 years-----	1	1	-	-	-	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	-	-	-	1	1	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Intentional self harm (suicide) by jumping from a high place (X80)

All ages-----	693	504	189	52	36	16	630	461	169
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	-	-	-	2	2	-
15-19 years-----	38	26	12	5	3	2	32	23	9
20-24 years-----	74	61	13	6	3	3	67	58	9
25-29 years-----	57	46	11	6	6	-	50	39	11
30-34 years-----	58	46	12	4	2	2	54	44	10
35-39 years-----	91	65	26	9	6	3	81	59	22
40-44 years-----	82	62	20	8	7	1	72	53	19
45-49 years-----	69	53	16	2	2	-	67	51	16
50-54 years-----	46	31	15	2	2	-	43	28	15
55-59 years-----	30	18	12	-	-	-	29	17	12
60-64 years-----	19	9	10	4	2	2	15	7	8
65-69 years-----	25	16	9	2	1	1	23	15	8
70-74 years-----	27	21	6	-	-	-	27	21	6
75-79 years-----	24	14	10	2	1	1	21	13	8
80-84 years-----	27	18	9	1	1	-	25	16	9
85-89 years-----	17	11	6	1	-	1	15	10	5
90-94 years-----	4	3	1	-	-	-	4	3	1
95-99 years-----	1	-	1	-	-	-	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	2	2	-	-	-	-	2	2	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

	ALL ORIGINS			HISPANIC			NON-HISPANIC 1/		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE

Assault (homicide) by unspecified chemical or noxious substance (X90)

All ages-----	2	2	-	-	-	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	-	-	-	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Assault (homicide) by hanging, strangulation, and suffocation (X91)

All ages-----	708	238	470	87	42	45	609	191	418
Under 1 year-----	34	22	12	3	-	3	30	22	8
1-4 years-----	21	11	10	-	-	-	21	11	10
5-9 years-----	14	6	8	1	1	-	13	5	8
10-14 years-----	19	7	12	2	1	1	17	6	11
15-19 years-----	45	9	36	6	-	6	39	9	30
20-24 years-----	69	15	54	11	5	6	57	10	47
25-29 years-----	81	20	61	15	6	9	66	14	52
30-34 years-----	90	27	63	13	8	5	76	18	58
35-39 years-----	88	28	60	12	5	7	76	23	53
40-44 years-----	65	17	48	8	3	5	56	14	42
45-49 years-----	37	14	23	7	5	2	30	9	21
50-54 years-----	28	12	16	1	1	-	26	10	16
55-59 years-----	17	11	6	3	3	-	13	8	5
60-64 years-----	9	2	7	-	-	-	9	2	7
65-69 years-----	29	18	11	2	2	-	25	14	11
70-74 years-----	16	4	12	1	1	-	15	3	12
75-79 years-----	19	5	14	1	-	1	18	5	13
80-84 years-----	8	2	6	-	-	-	8	2	6
85-89 years-----	9	4	5	-	-	-	9	4	5
90-94 years-----	3	1	2	-	-	-	3	1	2
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	7	3	4	1	1	-	2	1	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Assault (homicide) by rifle, shotgun, and larger firearm discharge (X94)

All ages-----	693	512	181	78	69	9	612	442	170
Under 1 year-----	1	-	1	-	-	-	1	-	1
1-4 years-----	9	4	5	1	1	-	8	3	5
5-9 years-----	7	6	1	-	-	-	7	6	1
10-14 years-----	14	8	6	2	2	-	12	6	6
15-19 years-----	92	79	13	18	17	1	74	62	12
20-24 years-----	106	88	18	17	16	1	89	72	17
25-29 years-----	78	62	16	10	8	2	68	54	14
30-34 years-----	74	57	17	11	8	3	63	49	14
35-39 years-----	80	54	26	10	8	2	69	46	23
40-44 years-----	79	54	25	3	3	-	75	50	25
45-49 years-----	47	32	15	3	3	-	44	29	15
50-54 years-----	33	24	9	-	-	-	33	24	9
55-59 years-----	18	16	2	1	1	-	17	15	2
60-64 years-----	19	12	7	1	1	-	18	11	7
65-69 years-----	9	5	4	1	1	-	8	4	4
70-74 years-----	13	7	6	-	-	-	13	6	7
75-79 years-----	5	2	3	-	-	-	5	2	3
80-84 years-----	4	1	3	-	-	-	4	1	3
85-89 years-----	1	-	1	-	-	-	1	-	1
90-94 years-----	2	1	1	-	-	-	2	1	1
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	2	1	1	-	-	-	1	1	-

Assault (homicide) by other and unspecified firearm discharge (X95)

All ages-----	9,053	7,570	1,483	1,675	1,481	194	7,315	6,034	1,281
Under 1 year-----	7	5	2	2	2	-	5	3	2
1-4 years-----	33	20	13	2	2	-	31	18	13
5-9 years-----	47	25	22	9	4	5	38	21	17
10-14 years-----	124	92	32	32	26	6	92	66	26
15-19 years-----	1,438	1,271	167	349	320	29	1,080	945	135
20-24 years-----	1,989	1,777	212	434	391	43	1,550	1,382	168
25-29 years-----	1,550	1,366	184	307	286	21	1,234	1,071	163
30-34 years-----	1,068	897	171	175	156	19	881	732	149
35-39 years-----	875	681	194	127	110	17	741	564	177
40-44 years-----	653	495	158	97	77	20	552	414	138
45-49 years-----	454	353	101	70	51	19	382	300	82
50-54 years-----	273	202	71	26	23	3	244	177	67
55-59 years-----	164	132	32	19	14	5	143	116	27
60-64 years-----	124	96	28	10	7	3	113	88	25
65-69 years-----	81	54	27	6	3	3	75	51	24
70-74 years-----	69	46	23	2	2	-	67	44	23
75-79 years-----	48	27	21	3	3	-	44	23	21
80-84 years-----	26	11	15	2	1	1	24	10	14
85-89 years-----	14	5	9	-	-	-	14	5	9
90-94 years-----	1	1	-	-	-	-	1	1	-
95-99 years-----	2	1	1	1	1	-	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	13	13	-	2	2	-	3	3	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX

ALL ORIGINS- - - HISPANIC - - - NON-HISPANIC 1/- -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Assault (homicide) by explosive material (X96)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	1	1	-	-	-	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Assault (homicide) by smoke, fire, and flames (X97)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	ALL ORIGINS- - - TOTAL	MALE	FEMALE	HISPANIC - - - TOTAL	MALE	FEMALE	NON-HISPANIC 1/- - TOTAL	MALE	FEMALE
All ages-----	190	92	98	21	7	14	166	83	83
Under 1 year-----	7	3	4	1	1	-	6	2	4
1-4 years-----	22	10	12	4	-	4	18	10	8
5-9 years-----	21	11	10	2	-	2	19	11	8
10-14 years-----	9	3	6	3	1	2	6	2	4
15-19 years-----	9	2	7	-	-	-	9	2	7
20-24 years-----	10	1	9	1	-	1	9	1	8
25-29 years-----	12	7	5	-	-	-	12	7	5
30-34 years-----	9	1	8	2	1	1	7	-	7
35-39 years-----	17	8	9	2	1	1	15	7	8
40-44 years-----	18	10	8	1	1	-	16	8	8
45-49 years-----	9	6	3	-	-	-	9	6	3
50-54 years-----	10	6	4	2	1	1	8	5	3
55-59 years-----	6	4	2	-	-	-	6	4	2
60-64 years-----	6	5	1	-	-	-	6	5	1
65-69 years-----	6	4	2	1	1	-	5	3	2
70-74 years-----	7	5	2	1	-	1	6	5	1
75-79 years-----	5	3	2	-	-	-	5	3	2
80-84 years-----	3	1	2	1	-	1	2	1	1
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	1	-	1	-	-	-	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	3	2	1	-	-	-	1	1	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Assault (homicide) by steam, hot vapors, and hot objects (X98)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC POPULATION, AND SEX	- - - ALL ORIGINS- - - TOTAL	- - - ALL ORIGINS- - - MALE	- - - ALL ORIGINS- - - FEMALE	- - - HISPANIC - - - TOTAL	- - - HISPANIC - - - MALE	- - - HISPANIC - - - FEMALE	- - - NON-HISPANIC 1/- - - TOTAL	- - - NON-HISPANIC 1/- - - MALE	- - - NON-HISPANIC 1/- - - FEMALE
All ages-----	7	2	5	1	1	-	6	1	5
Under 1 year-----	1	1	-	-	-	-	1	1	-
1-4 years-----	5	1	4	1	1	-	4	-	4
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1
45-49 years-----	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Assault (homicide) by sharp object (X99)

All ages-----	1,879	1,350	529	348	285	63	1,512	1,052	460
Under 1 year-----	3	1	2	1	-	1	2	1	1
1-4 years-----	18	4	14	1	-	1	17	4	13
5-9 years-----	13	10	3	-	-	-	12	10	2
10-14 years-----	20	7	13	5	3	2	15	4	11
15-19 years-----	159	124	35	33	28	5	126	96	30
20-24 years-----	252	187	65	76	65	11	174	121	53
25-29 years-----	218	161	57	74	60	14	144	101	43
30-34 years-----	249	178	71	46	39	7	199	136	63
35-39 years-----	249	178	71	32	27	5	214	149	65
40-44 years-----	221	174	47	30	27	3	190	147	43
45-49 years-----	148	109	39	18	13	5	128	94	34
50-54 years-----	101	72	29	14	10	4	83	58	25
55-59 years-----	65	47	18	6	3	3	58	44	14
60-64 years-----	42	28	14	5	5	-	37	23	14
65-69 years-----	33	23	10	2	2	-	31	21	10
70-74 years-----	30	15	15	3	2	1	27	13	14
75-79 years-----	28	17	11	-	-	-	28	17	11
80-84 years-----	13	6	7	1	1	-	12	5	7
85-89 years-----	8	4	4	1	-	1	7	4	3
90-94 years-----	4	2	2	-	-	-	4	2	2
95-99 years-----	1	1	-	-	-	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	4	2	2	-	-	-	3	1	2

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Assault (homicide) by other specified means (Y08)

All ages-----	741	519	222	130	103	27	603	411	192
Under 1 year-----	14	9	5	3	1	2	11	8	3
1-4 years-----	37	21	16	5	3	2	32	18	14
5-9 years-----	18	11	7	9	5	4	9	6	3
10-14 years-----	11	7	4	4	2	2	7	5	2
15-19 years-----	46	34	12	11	8	3	35	26	9
20-24 years-----	60	40	20	12	11	1	47	28	19
25-29 years-----	60	44	16	16	15	1	44	29	15
30-34 years-----	89	63	26	24	20	4	65	43	22
35-39 years-----	93	62	31	17	12	5	75	50	25
40-44 years-----	79	57	22	7	6	1	70	50	20
45-49 years-----	63	46	17	9	8	1	53	37	16
50-54 years-----	48	41	7	4	4	-	44	37	7
55-59 years-----	30	22	8	4	3	1	26	19	7
60-64 years-----	20	15	5	1	1	-	18	13	5
65-69 years-----	15	12	3	1	1	-	14	11	3
70-74 years-----	18	11	7	1	1	-	17	10	7
75-79 years-----	15	8	7	-	-	-	15	8	7
80-84 years-----	8	7	1	1	1	-	7	6	1
85-89 years-----	7	3	4	-	-	-	7	3	4
90-94 years-----	3	1	2	-	-	-	3	1	2
95-99 years-----	4	2	2	-	-	-	3	2	1
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	3	3	-	1	1	-	1	1	-

Assault (homicide) by unspecified means (Y09)

All ages-----	1,411	908	503	197	148	49	1,189	745	444
Under 1 year-----	108	56	52	17	10	7	88	45	43
1-4 years-----	113	65	48	22	12	10	91	53	38
5-9 years-----	14	4	10	1	1	-	13	3	10
10-14 years-----	11	5	6	3	1	2	8	4	4
15-19 years-----	76	50	26	17	13	4	59	37	22
20-24 years-----	92	65	27	19	16	3	73	49	24
25-29 years-----	103	65	38	17	14	3	86	51	35
30-34 years-----	100	60	40	18	13	5	81	46	35
35-39 years-----	159	102	57	25	17	8	133	84	49
40-44 years-----	153	108	45	20	19	1	130	87	43
45-49 years-----	115	84	31	11	9	2	102	75	27
50-54 years-----	83	54	29	9	6	3	70	44	26
55-59 years-----	60	43	17	7	6	1	52	36	16
60-64 years-----	38	26	12	4	4	-	33	21	12
65-69 years-----	41	34	7	4	4	-	36	29	7
70-74 years-----	35	18	17	2	2	-	33	16	17
75-79 years-----	36	28	8	1	1	-	35	27	8
80-84 years-----	36	25	11	-	-	-	36	25	11
85-89 years-----	17	8	9	-	-	-	17	8	9
90-94 years-----	7	2	5	-	-	-	7	2	5
95-99 years-----	2	1	1	-	-	-	2	1	1
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	12	5	7	-	-	-	4	2	2

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -

Hanging, strangulation, and suffocation, undetermined intent (Y20)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	110	81	29	8	8	-	100	71	29
Under 1 year-----	31	18	13	3	3	-	28	15	13
1-4 years-----	3	1	2	1	1	-	2	-	2
5-9 years-----	6	3	3	1	1	-	5	2	3
10-14 years-----	16	15	1	1	1	-	15	14	1
15-19 years-----	10	10	-	1	1	-	9	9	-
20-24 years-----	6	4	2	-	-	-	6	4	2
25-29 years-----	8	7	1	-	-	-	8	7	1
30-34 years-----	4	4	-	-	-	-	3	3	-
35-39 years-----	7	5	2	-	-	-	7	5	2
40-44 years-----	4	4	-	1	1	-	3	3	-
45-49 years-----	5	5	-	-	-	-	5	5	-
50-54 years-----	1	-	1	-	-	-	1	-	1
55-59 years-----	4	3	1	-	-	-	4	3	1
60-64 years-----	1	-	1	-	-	-	1	-	1
65-69 years-----	1	-	1	-	-	-	1	-	1
70-74 years-----	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-
85-89 years-----	2	1	1	-	-	-	2	1	1
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Drowning and submersion, undetermined intent (Y21)

	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
All ages-----	243	179	64	10	8	2	218	159	59
Under 1 year-----	5	3	2	1	-	1	4	3	1
1-4 years-----	5	1	4	2	1	1	3	-	3
5-9 years-----	-	-	-	-	-	-	-	-	-
10-14 years-----	3	3	-	-	-	-	3	3	-
15-19 years-----	5	4	1	1	1	-	4	3	1
20-24 years-----	15	13	2	2	2	-	12	10	2
25-29 years-----	21	15	6	-	-	-	17	12	5
30-34 years-----	23	16	7	1	1	-	20	13	7
35-39 years-----	29	24	5	1	1	-	28	23	5
40-44 years-----	28	19	9	-	-	-	28	19	9
45-49 years-----	28	23	5	-	-	-	27	23	4
50-54 years-----	22	15	7	1	1	-	19	12	7
55-59 years-----	13	9	4	-	-	-	13	9	4
60-64 years-----	7	5	2	1	1	-	6	4	2
65-69 years-----	11	7	4	-	-	-	10	6	4
70-74 years-----	6	4	2	-	-	-	6	4	2
75-79 years-----	5	4	1	-	-	-	5	4	1
80-84 years-----	5	4	1	-	-	-	5	4	1
85-89 years-----	2	2	-	-	-	-	2	2	-
90-94 years-----	2	1	1	-	-	-	2	1	1
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	8	7	1	-	-	-	4	4	-

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - HISPANIC - - - - - NON-HISPANIC 1/- - -
TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Crashing of motor vehicle, undetermined intent (Y32)

All ages-----	30	20	10	1	1	-	29	19	10
Under 1 year-----	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-
10-14 years-----	1	-	1	-	-	-	1	-	1
15-19 years-----	3	2	1	-	-	-	3	2	1
20-24 years-----	1	1	-	-	-	-	1	1	-
25-29 years-----	3	3	-	1	1	-	2	2	-
30-34 years-----	-	-	-	-	-	-	-	-	-
35-39 years-----	4	2	2	-	-	-	4	2	2
40-44 years-----	3	3	-	-	-	-	3	3	-
45-49 years-----	2	1	1	-	-	-	2	1	1
50-54 years-----	2	2	-	-	-	-	2	2	-
55-59 years-----	2	1	1	-	-	-	2	1	1
60-64 years-----	1	-	1	-	-	-	1	-	1
65-69 years-----	1	1	-	-	-	-	1	1	-
70-74 years-----	3	2	1	-	-	-	3	2	1
75-79 years-----	-	-	-	-	-	-	-	-	-
80-84 years-----	2	1	1	-	-	-	2	1	1
85-89 years-----	1	-	1	-	-	-	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-

Other specified events, undetermined intent (Y33)

All ages-----	122	74	48	20	15	5	99	57	42
Under 1 year-----	1	-	1	-	-	-	1	-	1
1-4 years-----	4	2	2	2	1	1	2	1	1
5-9 years-----	2	-	2	-	-	-	2	-	2
10-14 years-----	1	-	1	1	-	1	-	-	-
15-19 years-----	4	3	1	-	-	-	4	3	1
20-24 years-----	10	9	1	2	2	-	8	7	1
25-29 years-----	6	2	4	1	-	1	5	2	3
30-34 years-----	12	10	2	3	3	-	9	7	2
35-39 years-----	12	8	4	2	2	-	10	6	4
40-44 years-----	11	8	3	2	1	1	8	6	2
45-49 years-----	15	10	5	2	2	-	13	8	5
50-54 years-----	11	8	3	2	1	1	9	7	2
55-59 years-----	4	3	1	2	2	-	2	1	1
60-64 years-----	2	1	1	-	-	-	2	1	1
65-69 years-----	4	3	1	-	-	-	3	3	-
70-74 years-----	4	1	3	-	-	-	3	-	3
75-79 years-----	5	3	2	1	1	-	4	2	2
80-84 years-----	6	2	4	-	-	-	6	2	4
85-89 years-----	2	-	2	-	-	-	2	-	2
90-94 years-----	5	1	4	-	-	-	5	1	4
95-99 years-----	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	-	-	-	1	-	1

(RACE AND HISPANIC ORIGIN ARE REPORTED SEPARATELY ON THE DEATH CERTIFICATE. PERSONS OF HISPANIC ORIGIN MAY BE OF ANY RACE. DATA FOR HISPANIC PERSONS ARE NOT TABULATED SEPARATELY BY RACE; DATA FOR NON-HISPANIC PERSONS ARE TABULATED BY RACE. DATA FOR HISPANIC ORIGIN SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING HISPANIC ORIGIN ON DEATH CERTIFICATES AND ON CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), HISPANIC ORIGIN, RACE FOR NON-HISPANIC

POPULATION, AND SEX - - - ALL ORIGINS- - - - - - - HISPANIC - - - - - - NON-HISPANIC 1/- - -
 TOTAL MALE FEMALE TOTAL MALE FEMALE TOTAL MALE FEMALE

Physical medicine devices associated with adverse incidents (Y80)

CAUSE OF DEATH	ALL ORIGINS- - -	HISPANIC - - -	NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	1	1	-
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	1	1	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

Diagnostic and monitoring devices (Y80.0)

CAUSE OF DEATH	ALL ORIGINS- - -	HISPANIC - - -	NON-HISPANIC 1/- - -
	TOTAL	MALE	FEMALE
All ages-----	1	1	-
Under 1 year-----	-	-	-
1-4 years-----	-	-	-
5-9 years-----	-	-	-
10-14 years-----	-	-	-
15-19 years-----	-	-	-
20-24 years-----	-	-	-
25-29 years-----	-	-	-
30-34 years-----	-	-	-
35-39 years-----	-	-	-
40-44 years-----	-	-	-
45-49 years-----	-	-	-
50-54 years-----	-	-	-
55-59 years-----	-	-	-
60-64 years-----	-	-	-
65-69 years-----	1	1	-
70-74 years-----	-	-	-
75-79 years-----	-	-	-
80-84 years-----	-	-	-
85-89 years-----	-	-	-
90-94 years-----	-	-	-
95-99 years-----	-	-	-
100 yrs & over---	-	-	-
Not stated-----	-	-	-

