

00/04/10 TABLE 290 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	1
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
TOTAL, BOTH SEXES													
1998.....	864.7	751.3	34.6	19.9	82.3	109.6	199.6	423.5	1,030.7	2,495.1	5,703.2	15,111.7	
1997.....	864.7	738.7	35.8	20.8	86.2	115.0	203.2	430.8	1,063.6	2,509.8	5,728.2	15,345.2	
1996.....	872.5	755.7	38.3	21.7	89.6	126.7	221.3	445.9	1,094.1	2,538.4	5,803.1	15,327.2	
1995.....	880.0	768.8	40.6	22.5	95.3	141.3	240.8	460.1	1,114.5	2,563.5	5,851.8	15,469.5	
1994.....	875.4	819.3	42.9	22.5	98.0	143.3	238.8	461.6	1,128.2	2,584.9	5,860.2	15,296.7	
1993.....	880.0	854.4	44.8	23.4	98.5	142.4	235.5	460.0	1,154.7	2,617.1	5,951.6	15,481.7	
1992.....	852.9	865.7	43.6	22.5	95.6	137.8	228.8	456.1	1,151.7	2,588.9	5,775.5	14,972.9	
1991.....	860.3	916.6	47.4	23.6	100.1	139.1	224.4	468.8	1,181.0	2,618.5	5,890.0	15,107.6	
1990.....	863.8	971.9	46.8	24.0	99.2	139.2	223.2	473.4	1,196.9	2,648.6	6,007.2	15,327.4	
1989.....	871.3	1,027.9	49.8	25.7	97.6	140.0	222.2	480.1	1,224.3	2,693.8	6,083.3	15,409.6	
1988.....	886.7	1,035.7	51.5	26.1	100.0	137.1	220.2	490.5	1,253.8	2,771.7	6,262.1	15,934.5	
1987.....	876.4	1,037.2	52.1	25.9	97.8	134.7	214.6	501.9	1,256.6	2,789.4	6,232.2	15,559.6	
1986.....	876.7	1,051.1	52.4	26.2	100.9	133.4	213.3	508.2	1,268.7	2,833.3	6,300.9	15,589.8	
1985.....	876.9	1,088.1	51.8	26.5	94.9	124.4	207.7	519.3	1,294.2	2,862.8	6,398.7	15,712.4	
1984.....	864.8	1,108.1	52.2	26.9	95.9	121.9	205.1	523.6	1,297.1	2,866.2	6,364.5	15,393.7	
1983.....	863.7	1,113.4	56.1	27.0	95.3	121.3	202.8	536.3	1,306.7	2,890.3	6,420.9	15,463.2	
1982.....	852.4	1,163.6	58.2	28.2	100.8	125.1	208.0	548.9	1,302.8	2,884.7	6,363.0	15,048.3	
1981.....	862.0	1,200.6	60.6	29.3	106.9	131.8	221.8	572.3	1,323.4	2,924.2	6,447.6	15,432.1	
1980.....	878.3	1,288.3	63.9	30.6	115.4	135.5	227.9	584.0	1,346.3	2,994.9	6,692.6	15,980.3	
1979.....	852.2	1,332.9	64.2	31.5	114.8	133.0	229.8	589.7	1,338.0	2,929.0	6,496.6	14,962.4	

00/04/10 TABLE 290 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	2	
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
TOTAL, MALE														
1998.....	876.4	818.2	37.6	23.4	119.3	151.7	258.5	542.8	1,296.9	3,143.7	7,019.2	16,763.3		
1997.....	880.8	812.8	39.7	24.0	124.0	160.1	265.7	550.5	1,336.6	3,191.2	7,116.1	17,461.9		
1996.....	896.4	828.0	42.2	25.4	130.6	178.6	298.1	573.8	1,388.7	3,233.4	7,249.8	17,547.7		
1995.....	914.1	843.8	44.8	26.7	140.5	204.7	333.0	598.9	1,416.7	3,284.6	7,377.1	17,978.9		
1994.....	915.0	899.4	47.3	26.9	145.8	208.8	332.9	599.4	1,444.3	3,332.3	7,440.9	17,972.3		
1993.....	923.5	945.8	49.5	27.4	146.2	208.6	328.6	596.0	1,479.9	3,394.8	7,653.2	18,257.2		
1992.....	901.6	956.6	48.0	27.2	141.8	202.0	318.7	591.7	1,481.5	3,374.4	7,482.7	17,740.4		
1991.....	912.1	1,023.8	52.0	28.7	148.0	204.0	311.6	605.2	1,524.7	3,438.7	7,689.0	17,800.6		
1990.....	918.4	1,082.8	52.4	28.5	147.4	204.3	310.4	610.3	1,553.4	3,491.5	7,888.6	18,056.6		
1989.....	926.3	1,133.4	54.8	30.5	142.4	204.4	307.5	622.4	1,595.6	3,558.4	7,957.3	18,018.7		
1988.....	945.1	1,145.0	57.1	31.2	146.8	199.5	302.0	632.8	1,635.0	3,682.2	8,237.0	18,711.0		
1987.....	939.3	1,150.3	58.0	32.2	142.7	195.0	292.4	647.5	1,648.7	3,717.1	8,241.0	18,211.9		
1986.....	944.7	1,174.0	58.4	32.0	148.5	194.9	288.6	656.1	1,669.9	3,786.6	8,360.4	18,350.8		
1985.....	948.6	1,219.9	58.5	31.8	138.9	179.6	278.9	671.6	1,711.4	3,856.3	8,501.6	18,614.1		
1984.....	938.8	1,223.1	57.3	32.3	139.9	175.2	270.6	678.9	1,720.4	3,866.8	8,440.6	18,313.1		
1983.....	943.2	1,229.6	63.5	32.6	139.1	174.1	266.9	695.0	1,736.8	3,924.7	8,547.3	18,394.9		
1982.....	938.4	1,291.5	64.0	34.0	149.2	180.5	273.5	717.7	1,739.6	3,932.0	8,421.8	17,930.8		
1981.....	954.0	1,324.6	67.7	35.6	158.2	190.2	292.7	749.3	1,774.5	3,999.9	8,536.9	18,241.7		
1980.....	976.9	1,428.5	72.6	36.7	172.3	196.1	299.2	767.3	1,815.1	4,105.2	8,816.7	18,801.1		
1979.....	957.5	1,482.0	71.0	38.4	171.0	192.3	301.0	778.9	1,815.4	4,048.9	8,565.4	17,604.4		

00/04/10 TABLE 290 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	3
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
TOTAL, FEMALE													
1998.....	853.5	681.3	31.4	16.2	43.5	68.1	141.5	309.6	788.4	1,967.7	4,831.9	14,427.4	
1997.....	849.2	661.1	31.8	17.4	46.3	69.9	141.4	316.1	815.2	1,959.0	4,820.5	14,492.3	
1996.....	849.7	680.0	34.3	17.8	46.2	74.7	145.4	323.3	826.7	1,979.0	4,868.3	14,444.7	
1995.....	847.3	690.1	36.2	18.2	48.1	77.9	150.1	327.6	840.8	1,986.1	4,882.7	14,492.4	
1994.....	837.6	735.5	38.2	17.9	48.2	77.8	146.4	330.1	842.2	1,990.3	4,870.9	14,265.3	
1993.....	838.6	758.6	39.9	19.1	48.6	76.2	144.0	330.0	861.0	2,001.4	4,899.0	14,416.9	
1992.....	806.5	770.8	39.0	17.5	47.2	73.5	140.5	326.4	854.7	1,971.4	4,731.1	13,901.0	
1991.....	811.0	804.4	42.7	18.3	50.0	74.2	139.0	338.8	872.8	1,976.8	4,801.4	14,066.6	
1990.....	812.0	855.7	41.0	19.3	49.0	74.2	137.9	342.7	878.8	1,991.2	4,883.1	14,274.3	
1989.....	818.9	917.0	44.5	20.6	50.9	75.7	138.9	344.5	893.8	2,020.1	4,966.6	14,395.1	
1988.....	831.2	921.1	45.5	20.6	51.5	74.8	140.4	355.0	915.6	2,063.8	5,091.0	14,850.7	
1987.....	816.7	918.7	45.8	19.2	51.2	74.5	139.0	363.6	909.4	2,069.4	5,044.7	14,514.4	
1986.....	812.3	922.9	46.2	20.0	51.9	72.1	140.1	368.1	914.0	2,095.8	5,088.2	14,494.1	
1985.....	809.1	950.6	44.8	21.0	49.6	69.4	138.7	375.2	925.6	2,096.9	5,162.1	14,553.9	
1984.....	794.7	987.4	46.8	21.2	50.9	68.9	141.7	376.9	923.7	2,097.6	5,144.4	14,213.6	
1983.....	788.4	991.5	48.4	21.1	50.5	69.0	140.8	386.7	928.1	2,096.5	5,170.6	14,261.6	
1982.....	771.2	1,029.7	52.1	22.2	51.4	70.4	144.8	390.1	918.7	2,082.7	5,151.5	13,846.7	
1981.....	775.0	1,070.0	53.1	22.8	54.6	74.1	153.5	406.4	927.0	2,100.9	5,218.6	14,228.3	
1980.....	785.3	1,141.7	54.7	24.2	57.5	75.9	159.3	412.9	934.3	2,144.7	5,440.1	14,746.9	
1979.....	752.7	1,176.6	57.0	24.3	57.6	74.8	161.4	413.4	917.7	2,072.3	5,270.7	13,788.2	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	4	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
WHITE, BOTH SEXES														
1998.....	904.0	620.1	30.1	18.2	75.4	96.4	177.6	382.7	969.5	2,441.8	5,670.5	15,326.3		
1997.....	902.0	613.7	31.6	18.9	77.5	100.6	178.4	389.3	1,000.5	2,451.2	5,699.0	15,559.7		
1996.....	906.9	622.2	32.9	19.9	79.5	109.2	191.0	401.8	1,032.5	2,476.3	5,763.4	15,552.0		
1995.....	911.3	646.5	35.1	20.6	84.3	121.5	207.0	413.0	1,049.1	2,495.3	5,801.4	15,616.4		
1994.....	905.4	674.2	36.5	20.3	85.3	122.3	204.5	414.9	1,067.1	2,517.8	5,811.9	15,459.0		
1993.....	908.5	697.3	38.3	21.4	84.7	122.2	201.7	413.8	1,090.9	2,546.7	5,899.1	15,625.4		
1992.....	880.0	701.8	38.1	20.6	83.7	118.6	197.3	412.0	1,086.2	2,519.2	5,739.6	15,104.2		
1991.....	886.2	762.6	41.7	22.0	88.5	119.4	193.2	423.6	1,118.8	2,545.1	5,842.4	15,239.0		
1990.....	888.0	795.7	41.1	22.3	89.7	119.3	192.8	427.2	1,129.6	2,573.1	5,963.2	15,465.0		
1989.....	893.2	842.7	43.7	23.8	89.5	120.6	190.9	431.5	1,154.3	2,612.1	6,030.2	15,548.3		
1988.....	910.5	861.9	46.2	24.1	93.3	118.1	189.6	442.5	1,185.0	2,696.0	6,213.1	16,128.4		
1987.....	900.1	864.9	46.8	24.3	92.4	117.3	185.7	455.3	1,192.2	2,715.3	6,189.8	15,743.4		
1986.....	900.1	885.8	47.0	24.6	97.5	116.5	185.8	461.7	1,203.0	2,763.5	6,259.3	15,763.6		
1985.....	900.4	931.3	46.6	25.0	91.9	109.5	182.1	474.1	1,226.5	2,789.2	6,356.1	15,937.5		
1984.....	887.8	949.1	47.2	25.5	93.9	108.1	179.9	479.3	1,230.0	2,797.0	6,329.2	15,658.3		
1983.....	885.4	951.0	51.0	25.6	92.5	107.7	178.8	491.5	1,237.7	2,820.6	6,391.3	15,732.0		
1982.....	873.1	996.6	53.2	27.0	98.0	110.1	183.4	503.7	1,237.6	2,824.0	6,348.0	15,317.4		
1981.....	880.4	1,031.1	54.7	28.1	104.4	116.1	193.2	524.4	1,257.1	2,860.7	6,433.1	15,685.9		
1980.....	892.5	1,099.9	57.9	29.1	112.0	118.4	197.2	531.6	1,276.7	2,921.1	6,664.9	16,220.0		
1979.....	865.2	1,135.5	57.5	30.1	111.8	115.8	198.6	538.5	1,272.5	2,861.7	6,501.9	15,223.1		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 5
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	904.4	673.8	32.5	21.2	107.6	133.9	232.7	489.6	1,215.5	3,082.3	6,988.5	17,048.3
1997.....	906.3	678.1	35.1	22.1	109.0	140.3	235.3	495.8	1,252.4	3,122.7	7,086.0	17,767.1
1996.....	918.1	683.3	37.1	23.2	113.9	154.8	259.6	515.5	1,305.2	3,158.3	7,205.5	17,870.5
1995.....	932.1	717.5	38.8	24.5	122.3	177.7	287.7	534.6	1,330.8	3,199.0	7,320.6	18,152.9
1994.....	931.6	740.1	40.5	24.2	124.2	179.7	287.1	535.8	1,364.5	3,247.3	7,385.8	18,196.4
1993.....	938.8	773.0	42.9	25.2	123.0	180.6	282.8	533.9	1,394.9	3,306.5	7,596.9	18,443.2
1992.....	917.2	780.9	42.6	24.7	121.5	175.7	277.1	533.3	1,398.5	3,287.0	7,440.9	17,956.2
1991.....	926.2	860.8	45.5	26.5	128.2	176.1	269.1	544.6	1,443.7	3,349.7	7,641.5	18,020.9
1990.....	930.9	896.1	45.9	26.4	131.3	176.1	268.2	548.7	1,467.2	3,397.7	7,844.9	18,268.3
1989.....	936.5	940.7	48.3	28.4	128.6	177.0	263.4	556.0	1,504.1	3,455.1	7,913.4	18,241.7
1988.....	957.9	964.2	51.5	29.2	135.8	172.6	259.5	568.6	1,546.7	3,588.1	8,196.7	19,020.8
1987.....	952.7	964.9	52.4	30.2	134.2	170.3	251.6	586.4	1,567.0	3,626.3	8,212.2	18,486.0
1986.....	958.6	993.8	52.6	30.1	143.1	171.0	250.1	595.4	1,586.3	3,702.1	8,333.5	18,628.8
1985.....	963.6	1,056.5	52.8	30.1	134.2	158.8	243.1	611.7	1,625.8	3,770.7	8,486.1	18,980.1
1984.....	954.1	1,059.3	52.1	30.7	137.0	155.6	236.3	620.4	1,634.8	3,787.8	8,444.5	18,717.6
1983.....	957.7	1,055.7	57.6	31.1	135.5	154.5	234.4	637.5	1,649.8	3,849.3	8,553.9	18,805.0
1982.....	951.8	1,111.0	58.7	32.5	145.3	158.5	239.6	658.6	1,658.5	3,866.5	8,453.9	18,318.3
1981.....	965.2	1,147.7	61.0	34.1	154.3	167.1	253.5	685.3	1,692.4	3,935.8	8,571.5	18,598.9
1980.....	983.3	1,230.3	66.1	35.0	167.0	171.3	257.4	698.9	1,728.5	4,035.7	8,829.8	19,097.3
1979.....	963.3	1,276.0	64.2	36.6	167.0	166.7	257.5	711.3	1,734.5	3,991.5	8,624.0	17,924.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 6
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	903.7	563.6	27.5	15.0	41.2	58.5	122.0	278.3	740.6	1,912.9	4,792.7	14,620.4
1997.....	897.8	546.0	28.0	15.6	43.8	60.0	120.9	285.0	766.3	1,900.5	4,786.3	14,681.4
1996.....	896.2	558.0	28.5	16.4	42.7	62.7	121.6	290.5	779.5	1,919.8	4,826.5	14,642.9
1995.....	891.3	571.6	31.2	16.6	44.3	64.3	125.8	294.4	788.4	1,924.5	4,831.1	14,639.1
1994.....	880.1	604.8	32.3	16.2	44.2	63.7	121.5	297.1	792.4	1,930.4	4,822.1	14,416.1
1993.....	879.4	617.5	33.6	17.3	44.4	62.7	120.4	296.7	810.8	1,938.2	4,844.8	14,558.2
1992.....	844.3	618.7	33.3	16.2	43.9	60.5	117.3	294.0	799.2	1,909.1	4,696.4	14,015.9
1991.....	847.7	659.2	37.6	17.2	46.6	61.7	117.3	306.0	821.9	1,909.4	4,752.8	14,188.1
1990.....	846.9	690.0	36.1	17.9	45.9	61.5	117.4	309.3	822.7	1,923.5	4,839.1	14,400.6
1989.....	851.8	739.5	38.8	19.0	48.4	63.1	118.5	310.8	837.5	1,948.5	4,910.6	14,526.1
1988.....	865.3	754.1	40.7	18.7	48.8	62.7	120.1	320.4	858.7	1,995.9	5,040.4	15,019.1
1987.....	849.8	760.3	40.9	18.0	48.7	63.4	120.2	328.5	855.3	2,002.5	5,000.5	14,681.4
1986.....	844.3	772.6	41.0	18.7	50.1	61.0	122.1	332.8	859.3	2,031.8	5,044.2	14,647.4
1985.....	840.1	799.3	40.0	19.5	48.1	59.4	121.9	341.7	869.1	2,027.1	5,111.6	14,745.4
1984.....	824.6	833.5	41.9	20.1	49.4	59.9	124.4	343.6	868.9	2,030.8	5,095.6	14,445.7
1983.....	816.4	840.5	44.0	19.8	48.0	60.3	124.1	351.5	870.8	2,026.6	5,129.2	14,495.0
1982.....	798.2	876.1	47.4	21.2	49.3	61.3	128.1	355.5	863.6	2,022.4	5,120.1	14,088.3
1981.....	799.8	908.1	48.0	21.6	53.1	64.7	134.0	370.8	871.1	2,035.3	5,187.6	14,466.7
1980.....	806.1	962.5	49.3	22.9	55.5	65.4	138.2	372.7	876.2	2,066.6	5,401.7	14,979.6
1979.....	771.8	986.7	50.4	23.2	55.2	64.7	140.9	374.5	862.8	1,997.9	5,258.6	14,027.9

00/04/10 TABLE 290 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES ALL OTHER, BOTH SEXES	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	7
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
1998.....	679.3	1,253.0	51.8	26.3	109.2	164.5	304.8	650.0	1,409.9	2,881.1	6,009.4	13,083.5	
1997.....	686.5	1,225.1	51.8	27.8	120.4	176.0	324.1	667.0	1,453.1	2,946.2	6,005.8	13,297.5	
1996.....	706.5	1,289.3	58.8	28.6	128.8	202.6	371.1	700.6	1,479.2	3,013.6	6,182.3	13,171.8	
1995.....	726.9	1,211.1	61.3	29.9	138.4	229.4	410.1	738.9	1,531.2	3,099.9	6,342.5	13,976.5	
1994.....	727.4	1,351.6	67.1	30.9	149.2	238.8	411.7	742.1	1,523.9	3,120.7	6,332.3	13,630.0	
1993.....	737.6	1,435.5	69.4	31.3	154.5	235.5	408.0	741.7	1,575.7	3,191.4	6,468.1	13,999.2	
1992.....	716.0	1,480.9	64.9	30.1	144.2	227.4	391.9	726.3	1,593.9	3,165.4	6,126.2	13,593.6	
1991.....	728.3	1,442.1	69.5	30.2	149.1	233.1	391.3	744.4	1,610.9	3,233.0	6,361.2	13,724.1	
1990.....	737.9	1,645.0	69.3	31.3	139.9	236.4	389.8	758.9	1,676.1	3,301.0	6,438.7	13,868.8	
1989.....	755.2	1,737.0	74.6	33.2	132.8	236.3	396.8	783.8	1,730.9	3,405.0	6,604.7	13,941.0	
1988.....	758.6	1,733.6	73.0	34.1	130.1	233.4	394.5	792.0	1,764.6	3,437.5	6,744.9	13,872.6	
1987.....	747.0	1,749.7	74.3	32.4	122.4	224.4	384.8	794.1	1,745.4	3,446.9	6,652.9	13,581.7	
1986.....	747.3	1,758.5	75.8	33.0	117.0	222.6	377.6	803.4	1,780.3	3,453.8	6,708.3	13,700.4	
1985.....	745.0	1,770.9	74.5	33.2	108.9	204.0	363.9	811.1	1,833.9	3,523.6	6,819.1	13,186.6	
1984.....	733.2	1,805.7	74.1	32.8	105.7	197.0	362.1	816.2	1,841.4	3,488.0	6,713.2	12,494.0	
1983.....	737.9	1,831.5	78.7	33.0	109.2	196.9	355.2	838.1	1,877.4	3,519.5	6,730.7	12,417.7	
1982.....	730.7	1,910.3	80.5	33.9	115.0	210.1	366.5	861.1	1,851.8	3,432.8	6,517.7	12,098.5	
1981.....	751.6	1,970.4	87.0	35.2	119.7	223.8	405.3	911.8	1,890.8	3,500.5	6,598.6	12,547.9	
1980.....	791.7	2,148.5	91.4	37.4	133.6	239.1	428.9	967.7	1,954.9	3,671.0	6,984.3	13,227.1	
1979.....	771.0	2,260.6	95.6	38.3	130.9	241.9	440.6	975.2	1,919.0	3,548.6	6,441.4	11,931.6	

00/04/10 TABLE 290 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	8
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
ALL OTHER MALE													
1998.....	740.7	1,376.1	57.3	31.6	165.7	229.9	389.5	861.1	1,846.4	3,620.8	7,315.7	14,267.0	
1997.....	755.5	1,342.7	57.3	31.1	184.0	248.8	423.7	886.8	1,903.6	3,738.9	7,413.9	14,801.2	
1996.....	788.6	1,413.3	61.6	34.0	197.5	288.5	501.1	937.6	1,957.1	3,848.7	7,688.7	14,741.3	
1995.....	824.0	1,306.4	67.4	35.5	213.8	332.3	574.9	1,009.4	2,011.6	4,003.4	7,948.0	16,350.5	
1994.....	830.7	1,489.1	73.6	37.4	234.4	348.8	579.7	1,010.7	2,008.1	4,056.4	7,997.2	15,872.2	
1993.....	845.1	1,590.5	74.9	36.3	243.1	345.1	579.5	1,003.1	2,090.7	4,159.0	8,221.0	16,521.1	
1992.....	821.1	1,622.5	68.9	37.3	227.0	332.6	549.9	976.0	2,091.1	4,140.5	7,897.7	15,724.4	
1991.....	837.9	1,586.1	76.9	37.4	233.0	345.1	556.1	999.8	2,134.1	4,231.4	8,156.3	15,764.0	
1990.....	851.5	1,805.1	78.5	37.3	217.4	350.0	558.5	1,017.6	2,218.9	4,349.1	8,315.9	16,080.9	
1989.....	871.5	1,881.4	81.9	39.2	203.7	348.2	571.8	1,065.2	2,311.7	4,506.9	8,384.3	15,953.1	
1988.....	875.0	1,881.0	80.9	39.8	196.8	344.4	562.9	1,063.5	2,341.4	4,553.2	8,651.9	15,844.3	
1987.....	864.1	1,932.7	82.2	40.7	182.4	330.8	550.3	1,056.5	2,316.7	4,569.5	8,518.0	15,645.5	
1986.....	865.8	1,954.9	83.4	40.3	174.1	329.0	536.2	1,067.7	2,367.6	4,574.6	8,591.8	15,741.3	
1985.....	861.7	1,942.4	83.8	39.3	161.8	298.9	514.9	1,085.8	2,438.1	4,655.1	8,622.5	15,164.4	
1984.....	849.3	1,956.4	80.3	39.5	154.2	289.4	501.6	1,093.4	2,458.3	4,603.4	8,403.0	14,520.8	
1983.....	856.9	2,011.2	89.8	39.1	157.1	290.7	489.8	1,112.3	2,495.9	4,619.8	8,483.7	14,248.6	
1982.....	857.8	2,109.2	88.0	40.7	169.6	314.0	508.6	1,158.4	2,457.7	4,538.2	8,111.9	14,171.6	
1981.....	885.7	2,146.6	98.4	42.5	178.6	335.5	563.3	1,238.8	2,512.8	4,584.9	8,201.4	14,685.9	
1980.....	936.5	2,350.2	103.0	44.9	201.6	357.8	594.2	1,309.1	2,606.3	4,747.2	8,688.5	15,774.9	
1979.....	920.3	2,468.0	103.7	47.1	193.6	366.3	619.7	1,327.6	2,563.9	4,577.3	7,973.5	14,262.7	

00/04/10 TABLE 290 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	9
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
ALL OTHER FEMALE													
1998.....	623.3	1,126.5	46.2	20.8	52.4	105.7	229.2	471.8	1,063.7	2,343.0	5,189.5	12,542.3	
1997.....	623.3	1,104.1	46.1	24.3	56.0	109.6	235.3	481.2	1,095.9	2,371.9	5,137.4	12,616.5	
1996.....	631.4	1,161.9	55.9	23.0	59.3	124.2	255.5	500.2	1,100.8	2,409.3	5,259.3	12,464.6	
1995.....	638.2	1,113.0	55.0	24.0	62.9	135.4	264.6	510.8	1,151.3	2,446.9	5,374.8	12,948.4	
1994.....	633.1	1,209.6	60.3	24.3	63.8	138.3	263.8	515.2	1,142.4	2,446.5	5,338.7	12,658.6	
1993.....	639.3	1,275.5	63.7	26.1	65.5	135.4	257.4	520.0	1,169.8	2,493.6	5,423.9	12,899.3	
1992.....	619.9	1,335.5	60.8	22.8	60.6	131.3	253.2	513.4	1,203.1	2,464.6	5,067.2	12,633.7	
1991.....	628.1	1,294.0	61.9	22.7	64.3	130.9	247.6	526.6	1,200.2	2,521.5	5,274.8	12,723.3	
1990.....	634.2	1,480.7	59.9	25.1	61.7	133.1	243.0	537.4	1,251.5	2,552.3	5,313.8	12,863.1	
1989.....	649.0	1,588.8	67.1	27.1	61.7	134.7	245.1	543.0	1,275.6	2,618.8	5,528.2	13,009.7	
1988.....	652.5	1,582.7	65.1	28.2	63.3	133.0	248.8	560.1	1,311.9	2,637.7	5,595.6	12,950.9	
1987.....	640.2	1,567.0	66.3	23.8	62.4	128.5	242.3	570.5	1,296.3	2,641.3	5,490.4	12,606.7	
1986.....	639.3	1,556.9	68.0	25.5	60.0	127.1	241.2	578.8	1,315.4	2,646.4	5,537.0	12,719.2	
1985.....	638.8	1,595.9	65.0	26.9	56.5	119.3	234.4	579.1	1,352.5	2,702.4	5,683.8	12,312.0	
1984.....	627.6	1,651.8	67.8	25.9	57.9	114.8	242.6	583.1	1,347.5	2,681.7	5,655.3	11,487.6	
1983.....	629.8	1,648.0	67.3	26.7	62.2	114.0	240.1	609.1	1,380.0	2,711.0	5,607.8	11,495.7	
1982.....	615.4	1,702.1	72.9	27.0	61.7	118.6	245.2	614.1	1,362.4	2,617.4	5,486.2	10,963.2	
1981.....	630.0	1,791.3	75.5	27.8	62.4	125.9	270.5	642.3	1,386.4	2,688.2	5,553.9	11,461.9	
1980.....	660.6	1,944.1	79.5	29.8	68.0	135.7	288.3	687.8	1,423.1	2,856.2	5,863.3	11,922.3	
1979.....	635.7	2,049.7	87.4	29.3	70.4	134.1	290.2	686.1	1,388.3	2,763.1	5,418.2	10,829.8	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 10												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
	BLACK, BOTH SEXES											
1998.....	808.7	1,556.2	61.6	29.4	126.5	201.9	377.8	808.9	1,704.2	3,338.1	6,745.7	14,155.8
1997.....	814.6	1,529.8	59.2	31.1	139.2	217.1	397.9	827.8	1,746.6	3,392.4	6,640.3	14,398.7
1996.....	842.0	1,598.1	67.6	32.1	150.1	252.0	462.6	873.1	1,782.0	3,474.0	6,819.5	14,157.6
1995.....	864.2	1,467.9	70.3	33.4	159.8	284.9	511.3	915.3	1,823.2	3,568.2	6,911.1	14,413.3
1994.....	864.3	1,627.5	77.2	34.8	174.7	293.9	515.9	918.1	1,811.9	3,579.4	6,881.1	14,060.8
1993.....	876.8	1,735.6	79.1	35.0	181.2	290.0	509.4	919.4	1,867.1	3,659.0	7,010.8	14,418.1
1992.....	850.5	1,786.0	73.2	33.7	168.4	279.2	492.3	893.7	1,879.9	3,601.1	6,652.0	14,278.6
1991.....	864.9	1,771.6	79.7	34.2	174.9	284.5	488.2	915.3	1,894.9	3,674.3	6,893.4	14,271.6
1990.....	871.0	1,925.9	76.8	34.4	159.9	287.5	484.1	921.4	1,961.2	3,718.0	6,923.5	14,394.6
1989.....	887.9	2,007.5	81.6	36.3	150.7	285.7	492.4	944.7	2,012.9	3,835.6	7,098.6	14,420.5
1988.....	888.3	2,017.0	81.8	37.2	145.2	280.1	489.8	946.0	2,039.3	3,851.4	7,251.1	14,427.6
1987.....	868.9	2,017.8	83.1	34.8	135.0	267.0	472.7	942.3	2,005.2	3,840.6	7,142.9	14,049.0
1986.....	864.9	2,018.7	84.6	35.4	126.5	262.3	459.1	945.6	2,041.8	3,844.9	7,172.6	14,187.6
1985.....	854.8	2,026.2	80.7	35.5	115.9	238.0	438.4	950.0	2,082.4	3,878.2	7,267.4	13,679.5
1984.....	836.1	2,053.0	79.4	35.8	111.9	228.7	431.7	944.8	2,077.6	3,830.4	7,156.8	12,862.6
1983.....	836.6	2,078.0	85.8	35.0	114.4	226.6	418.7	962.8	2,109.5	3,838.5	7,171.4	12,789.7
1982.....	823.4	2,144.0	87.4	36.5	120.2	241.4	431.1	979.6	2,067.5	3,731.0	6,923.6	12,429.0
1981.....	842.4	2,193.5	93.9	37.4	124.9	255.1	470.1	1,032.9	2,100.8	3,791.1	7,017.8	12,995.8
1980.....	875.4	2,356.6	97.6	39.0	138.3	269.5	489.9	1,087.6	2,146.6	3,932.9	7,382.6	13,610.8
1979.....	839.3	2,443.9	100.1	40.1	133.4	266.0	492.8	1,083.8	2,080.6	3,763.7	6,628.8	12,143.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 11
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	877.7	1,717.8	69.2	35.6	194.6	282.0	483.1	1,082.6	2,269.3	4,186.0	8,311.4	15,540.9
1997.....	893.9	1,671.6	67.2	34.8	215.8	308.6	523.7	1,114.1	2,320.0	4,298.3	8,296.8	16,083.5
1996.....	939.9	1,748.2	71.4	38.1	233.0	361.0	629.2	1,190.6	2,395.1	4,431.5	8,614.9	16,006.3
1995.....	980.7	1,590.8	77.5	40.2	249.2	416.5	721.2	1,273.0	2,437.5	4,610.5	8,778.8	16,728.7
1994.....	987.8	1,797.0	84.1	42.2	277.5	433.8	732.1	1,267.6	2,422.9	4,653.6	8,829.5	16,266.9
1993.....	1,006.3	1,922.2	86.1	40.5	289.4	429.4	729.8	1,266.2	2,518.2	4,790.5	9,013.2	17,033.0
1992.....	977.5	1,957.9	77.6	41.2	269.4	413.3	697.2	1,223.3	2,493.8	4,746.7	8,744.5	16,717.1
1991.....	998.7	1,957.4	88.4	42.4	278.1	425.5	702.4	1,256.8	2,533.9	4,850.7	9,013.1	16,663.8
1990.....	1,008.0	2,112.4	85.8	41.2	252.2	430.8	699.6	1,261.0	2,618.4	4,946.1	9,129.5	16,954.9
1989.....	1,026.7	2,172.1	90.0	43.5	234.5	425.6	718.1	1,311.5	2,699.9	5,129.7	9,163.3	16,751.5
1988.....	1,026.1	2,189.6	92.1	43.7	222.4	417.4	706.7	1,296.9	2,712.7	5,147.7	9,454.6	16,643.1
1987.....	1,006.2	2,226.8	92.0	43.9	203.2	396.3	683.4	1,277.3	2,667.3	5,143.0	9,275.3	16,415.6
1986.....	1,002.6	2,251.8	92.2	43.1	189.8	391.3	661.0	1,278.2	2,723.1	5,130.3	9,290.8	16,471.4
1985.....	989.3	2,219.9	90.1	42.3	173.6	351.9	630.2	1,292.9	2,779.8	5,172.4	9,262.3	15,774.2
1984.....	968.5	2,232.6	86.0	43.2	163.6	339.1	607.2	1,281.9	2,787.6	5,092.3	9,023.1	15,123.0
1983.....	971.2	2,292.7	97.5	41.5	165.0	336.1	586.5	1,294.6	2,811.8	5,077.5	9,100.0	14,863.3
1982.....	966.2	2,375.5	95.9	43.9	178.7	363.1	607.1	1,332.5	2,754.9	4,978.8	8,653.1	14,596.6
1981.....	992.6	2,389.3	105.5	44.8	188.3	386.4	666.9	1,414.5	2,800.8	5,011.0	8,782.1	15,121.4
1980.....	1,034.1	2,586.7	110.5	47.4	209.1	407.3	689.8	1,479.9	2,873.0	5,131.1	9,231.6	16,098.8
1979.....	999.6	2,666.5	108.1	49.3	197.8	404.4	699.7	1,479.3	2,794.6	4,916.8	8,165.5	14,465.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 12
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	746.4	1,390.1	53.9	23.1	58.0	130.0	284.9	582.0	1,272.2	2,724.6	5,813.8	13,580.5
1997.....	742.8	1,383.9	51.0	27.2	62.0	134.6	287.1	590.4	1,307.3	2,739.7	5,669.3	13,701.7
1996.....	753.5	1,444.0	63.7	25.9	66.8	153.8	316.4	610.1	1,311.7	2,787.0	5,775.9	13,398.5
1995.....	759.0	1,342.0	62.9	26.5	70.3	166.6	327.7	619.0	1,350.3	2,823.7	5,840.3	13,472.2
1994.....	752.9	1,452.9	70.1	27.1	72.1	168.4	327.3	628.5	1,341.8	2,815.5	5,778.9	13,165.5
1993.....	760.1	1,543.2	71.9	29.5	73.3	165.0	317.3	632.1	1,364.3	2,857.3	5,887.4	13,351.1
1992.....	736.2	1,609.7	68.7	26.0	67.8	158.8	314.4	620.5	1,405.4	2,796.6	5,483.0	13,264.1
1991.....	744.5	1,580.8	70.8	25.8	72.6	158.6	303.5	633.2	1,399.7	2,854.1	5,707.3	13,258.9
1990.....	747.9	1,735.5	67.6	27.5	68.7	159.5	298.6	639.4	1,452.6	2,865.7	5,688.3	13,309.5
1989.....	763.2	1,839.8	72.9	29.0	68.0	161.0	298.6	640.6	1,478.3	2,936.0	5,930.2	13,509.2
1988.....	764.6	1,834.0	71.2	30.6	69.3	157.8	304.8	655.3	1,513.3	2,948.1	5,991.4	13,461.1
1987.....	745.7	1,804.3	74.1	25.6	68.1	151.8	293.4	665.2	1,484.6	2,931.7	5,905.2	12,997.2
1986.....	741.5	1,781.5	76.8	27.5	64.5	148.1	288.0	671.6	1,505.0	2,940.3	5,928.3	13,144.9
1985.....	734.2	1,821.4	71.1	28.6	59.6	137.6	276.5	667.6	1,532.5	2,967.8	6,078.0	12,703.0
1984.....	717.4	1,870.7	72.6	28.2	61.7	131.6	284.2	666.7	1,513.7	2,939.2	6,050.6	11,793.8
1983.....	715.9	1,859.3	73.8	28.3	65.6	130.4	278.2	691.2	1,549.9	2,962.9	5,974.5	11,786.3
1982.....	695.5	1,910.0	78.6	29.1	63.9	134.9	283.8	691.5	1,517.5	2,838.1	5,854.9	11,363.6
1981.....	707.7	1,994.7	82.0	29.8	64.1	140.5	306.3	721.0	1,539.3	2,911.2	5,915.2	11,827.4
1980.....	733.3	2,123.7	84.4	30.5	70.5	150.0	323.9	768.2	1,561.0	3,057.4	6,212.1	12,367.2
1979.....	695.3	2,208.2	91.9	30.8	71.8	146.0	321.2	759.2	1,502.7	2,914.6	5,594.4	10,982.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 13
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)

TOTAL, BOTH SEXES													
Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
1998	*	*	*	*	*	*	*	*	*	*	*	*	
1997	*	*	*	*	*	*	*	*	*	*	*	*	
1996	*	*	*	*	*	*	*	*	*	*	*	*	
1995	*	*	*	*	*	*	*	*	*	*	*	*	
1994	*	*	*	*	*	*	*	*	*	*	*	*	
1993	*	*	*	*	*	*	*	*	*	*	*	*	
1992	*	*	*	*	*	*	*	*	*	*	*	*	
1991	*	*	*	*	*	*	*	*	*	*	*	*	
1990	*	*	*	*	*	*	*	*	*	*	*	*	
1989	0.0	*	*	*	*	*	*	*	*	*	*	*	
1988	*	*	*	*	*	*	*	*	*	*	*	*	
1987	0.0	*	*	*	*	*	*	*	*	*	*	*	
1986	*	*	*	*	*	*	*	*	*	*	*	*	
1985	0.0	*	*	*	*	*	*	*	*	*	*	*	
1984	*	*	*	*	*	*	*	*	*	*	*	*	
1983	0.0	*	*	*	*	*	*	*	*	*	*	*	
1982	*	*	*	*	*	*	*	*	*	*	*	*	
1981	0.0	*	*	*	*	*	*	*	*	*	*	*	
1980	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
1979	0.0	0.1	0.1	0.0	-	-	0.0	0.0	0.0	0.0	0.0	0.2	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 14
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.2	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	0.0	0.2	0.1	0.0	-	-	0.0	0.1	0.0	0.0	-	0.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 15
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	0.0	0.0	0.0	-	-	0.0	0.0	0.0	0.1	-
1979.....	0.0	0.1	0.0	0.0	-	-	-	-	0.0	0.0	0.0	0.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 16
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE, BOTH SEXES												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-
1979.....	0.0	0.1	0.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0	0.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 17
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.2	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.1	-
1979.....	0.0	0.1	0.1	0.0	-	-	0.0	0.1	0.0	0.1	-	0.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 18
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	0.0	0.0	0.0	-	-	0.0	0.0	0.0	0.1	-
1979.....	0.0	-	-	0.0	-	-	-	-	-	0.0	0.0	0.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 19
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)
 ALL OTHER, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	*	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*	*	*
1980	0.0	0.2	0.1	-	-	0.0	0.0	0.0	-	0.1	-	0.6
1979	0.0	0.3	0.1	-	-	-	-	0.0	0.1	0.1	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 20
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.3	0.1	-	-	0.1	0.1	0.1	-	-	-	1.6
1979.....	0.0	0.3	0.2	-	-	-	-	0.1	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 21
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	0.1	-	-	-	-	-	-	0.1	-	-
1979.....	0.0	0.3	0.1	-	-	-	-	-	0.2	0.1	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 22
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK, BOTH SEXES												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	0.1	-	-	0.0	0.0	0.0	-	0.1	-	-
1979.....	0.0	0.4	0.1	-	-	-	-	0.0	-	0.1	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 23
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)

BLACK MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	*	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*	*	*
1980	0.0	-	0.1	-	-	0.1	0.1	0.1	-	-	-	-
1979	0.0	0.4	0.1	-	-	-	-	0.1	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 24
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	0.1	-	-	-	-	-	-	0.1	-	-
1979.....	0.0	0.4	0.1	-	-	-	-	-	-	0.1	-	-

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	25
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
CERTAIN OTHER INTESTINAL INFECTIONS (007-009)														
TOTAL, BOTH SEXES														
1998.....	0.4	6.1	*	*	*	*	*	0.1	0.2	0.7	2.5	7.5		
1997.....	0.4	5.3	0.1	*	*	*	0.1	0.1	0.2	0.7	2.6	6.7		
1996.....	0.3	5.5	*	*	*	*	*	*	0.2	0.5	1.7	6.0		
1995.....	0.3	5.2	*	*	*	*	*	*	0.1	0.5	1.7	6.2		
1994.....	0.3	5.4	0.1	*	*	*	*	0.1	0.2	0.5	1.5	5.1		
1993.....	0.2	3.4	*	*	*	*	*	*	0.2	0.5	1.5	4.6		
1992.....	0.2	3.2	*	*	*	*	*	*	0.1	0.3	1.1	4.2		
1991.....	0.2	3.1	*	*	*	*	*	*	0.1	0.3	0.8	3.9		
1990.....	0.2	2.5	*	*	*	*	*	*	0.1	0.3	0.9	3.3		
1989.....	0.1	2.4	*	*	*	*	*	*	0.1	0.3	0.7	2.4		
1988.....	0.1	2.3	*	*	*	*	*	*	*	0.2	0.7	2.4		
1987.....	0.1	2.5	*	*	*	*	*	*	*	0.2	0.6	1.9		
1986.....	0.1	3.1	*	*	*	*	*	*	*	0.2	0.5	2.6		
1985.....	0.1	2.7	*	*	*	*	*	*	*	0.2	0.6	2.0		
1984.....	0.1	3.9	*	*	*	*	*	*	0.1	0.2	0.6	2.0		
1983.....	0.2	3.6	*	*	*	*	*	*	*	0.2	0.8	2.5		
1982.....	0.1	3.8	0.1	*	*	*	*	*	*	0.2	0.6	1.8		
1981.....	0.2	3.6	0.2	*	*	*	*	*	0.1	0.2	0.9	2.5		
1980.....	0.2	3.2	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.8	3.0		
1979.....	0.1	3.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.7	2.1		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 26
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	0.4	7.0	*	*	*	*	*	*	0.2	0.7	2.5	7.9
1997.....	0.3	6.0	*	*	*	*	*	*	0.2	0.8	2.6	5.6
1996.....	0.3	6.8	*	*	*	*	*	*	0.2	0.6	1.6	4.9
1995.....	0.3	5.8	*	*	*	*	*	*	*	0.5	1.7	5.4
1994.....	0.3	6.3	*	*	*	*	*	*	0.2	0.5	1.6	4.6
1993.....	0.2	4.0	*	*	*	*	*	*	0.2	0.5	1.4	6.0
1992.....	0.2	3.7	*	*	*	*	*	*	*	0.4	1.2	4.8
1991.....	0.2	3.3	*	*	*	*	*	*	*	0.4	0.8	4.1
1990.....	0.1	2.5	*	*	*	*	*	*	*	0.3	0.9	4.0
1989.....	0.1	2.9	*	*	*	*	*	*	*	0.3	0.7	3.0
1988.....	0.1	2.4	*	*	*	*	*	*	*	*	0.8	*
1987.....	0.1	2.1	*	*	*	*	*	*	*	0.3	0.6	*
1986.....	0.2	4.0	*	*	*	*	*	*	*	*	*	3.1
1985.....	0.1	2.9	*	*	*	*	*	*	*	*	*	*
1984.....	0.1	4.5	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	4.1	*	*	*	*	*	*	*	*	0.8	*
1982.....	0.1	3.6	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	3.8	*	*	*	*	*	*	*	*	1.0	*
1980.....	0.1	3.5	0.2	0.0	0.0	0.0	-	0.1	0.1	0.2	0.8	2.8
1979.....	0.1	3.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.8	2.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 27
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	0.4	5.0	*	*	*	*	*	*	0.2	0.7	2.4	7.3
1997.....	0.4	4.5	*	*	*	*	*	*	0.2	0.7	2.5	7.1
1996.....	0.3	4.1	*	*	*	*	*	*	0.3	0.5	1.7	6.4
1995.....	0.3	4.6	*	*	*	*	*	*	*	0.5	1.7	6.5
1994.....	0.3	4.5	*	*	*	*	*	*	*	0.5	1.4	5.3
1993.....	0.3	2.8	*	*	*	*	*	*	*	0.4	1.6	4.0
1992.....	0.2	2.8	*	*	*	*	*	*	*	0.3	1.1	4.0
1991.....	0.2	2.9	*	*	*	*	*	*	*	0.3	0.8	3.8
1990.....	0.2	2.5	*	*	*	*	*	*	*	0.3	1.0	3.1
1989.....	0.1	1.9	*	*	*	*	*	*	*	0.2	0.6	2.1
1988.....	0.1	2.1	*	*	*	*	*	*	*	0.2	0.6	2.5
1987.....	0.1	2.9	*	*	*	*	*	*	*	0.2	0.5	1.8
1986.....	0.1	2.2	*	*	*	*	*	*	*	*	0.5	2.3
1985.....	0.1	2.4	*	*	*	*	*	*	*	*	0.6	2.0
1984.....	0.1	3.2	*	*	*	*	*	*	*	*	0.6	1.9
1983.....	0.2	3.0	*	*	*	*	*	*	*	*	0.7	2.8
1982.....	0.2	3.9	*	*	*	*	*	*	*	*	0.6	1.7
1981.....	0.2	3.5	*	*	*	*	*	*	*	*	0.8	3.0
1980.....	0.2	2.8	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.7	3.1
1979.....	0.1	2.9	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.7	2.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 28
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE, BOTH SEXES												
1998.....	0.4	4.2	*	*	*	*	*	*	0.2	0.7	2.5	7.7
1997.....	0.4	3.8	*	*	*	*	*	*	0.2	0.7	2.7	7.0
1996.....	0.3	3.4	*	*	*	*	*	*	0.3	0.5	1.8	6.2
1995.....	0.3	3.3	*	*	*	*	*	*	0.1	0.5	1.7	6.6
1994.....	0.3	3.2	*	*	*	*	*	*	0.1	0.5	1.5	5.5
1993.....	0.2	1.9	*	*	*	*	*	*	0.1	0.5	1.6	4.9
1992.....	0.2	2.1	*	*	*	*	*	*	*	0.4	1.2	4.4
1991.....	0.2	1.9	*	*	*	*	*	*	0.1	0.3	0.9	3.9
1990.....	0.2	1.7	*	*	*	*	*	*	*	0.3	1.0	3.5
1989.....	0.1	1.2	*	*	*	*	*	*	*	0.3	0.7	2.4
1988.....	0.1	1.5	*	*	*	*	*	*	*	0.2	0.7	2.4
1987.....	0.1	1.7	*	*	*	*	*	*	*	0.2	0.6	2.1
1986.....	0.1	1.8	*	*	*	*	*	*	*	0.2	0.5	2.6
1985.....	0.1	1.7	*	*	*	*	*	*	*	0.2	0.6	2.0
1984.....	0.1	2.5	*	*	*	*	*	*	*	0.2	0.5	2.1
1983.....	0.1	2.2	*	*	*	*	*	*	*	0.2	0.8	2.6
1982.....	0.1	2.4	*	*	*	*	*	*	*	0.1	0.6	1.9
1981.....	0.1	2.4	*	*	*	*	*	*	0.1	0.2	0.9	2.6
1980.....	0.1	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.8	3.3
1979.....	0.1	2.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.7	2.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 29
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	0.3	5.0	*	*	*	*	*	*	*	0.7	2.7	8.4
1997.....	0.3	4.2	*	*	*	*	*	*	*	0.8	2.7	5.7
1996.....	0.2	4.1	*	*	*	*	*	*	0.2	0.6	1.7	5.2
1995.....	0.2	3.6	*	*	*	*	*	*	*	0.5	1.7	5.8
1994.....	0.2	3.6	*	*	*	*	*	*	*	0.5	1.7	4.9
1993.....	0.2	2.0	*	*	*	*	*	*	*	0.5	1.4	6.6
1992.....	0.2	2.6	*	*	*	*	*	*	*	0.5	1.3	5.2
1991.....	0.2	2.0	*	*	*	*	*	*	*	0.4	0.9	4.0
1990.....	0.1	1.7	*	*	*	*	*	*	*	*	0.8	4.2
1989.....	0.1	1.5	*	*	*	*	*	*	*	0.3	0.7	3.1
1988.....	0.1	1.4	*	*	*	*	*	*	*	*	0.7	*
1987.....	0.1	1.6	*	*	*	*	*	*	*	*	0.6	*
1986.....	0.1	2.3	*	*	*	*	*	*	*	*	*	3.0
1985.....	0.1	2.0	*	*	*	*	*	*	*	*	*	*
1984.....	0.1	2.5	*	*	*	*	*	*	*	*	*	*
1983.....	0.1	2.4	*	*	*	*	*	*	*	*	0.9	*
1982.....	0.1	2.4	*	*	*	*	*	*	*	*	*	*
1981.....	0.1	2.5	*	*	*	*	*	*	*	*	1.0	*
1980.....	0.1	2.4	0.2	0.0	0.0	0.0	-	0.1	0.1	0.2	0.8	3.1
1979.....	0.1	2.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.8	2.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 30
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	0.4	3.4	*	*	*	*	*	*	0.2	0.7	2.5	7.5
1997.....	0.5	3.3	*	*	*	*	*	*	*	0.7	2.7	7.6
1996.....	0.4	2.6	*	*	*	*	*	*	0.3	0.5	1.8	6.5
1995.....	0.3	2.9	*	*	*	*	*	*	*	0.4	1.7	6.9
1994.....	0.3	2.7	*	*	*	*	*	*	*	0.5	1.5	5.7
1993.....	0.3	1.9	*	*	*	*	*	*	*	0.5	1.6	4.2
1992.....	0.2	1.5	*	*	*	*	*	*	*	0.3	1.1	4.1
1991.....	0.2	1.9	*	*	*	*	*	*	*	0.3	0.9	3.9
1990.....	0.2	1.7	*	*	*	*	*	*	*	0.3	1.1	3.2
1989.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	2.1
1988.....	0.1	1.6	*	*	*	*	*	*	*	*	0.6	2.6
1987.....	0.1	1.9	*	*	*	*	*	*	*	*	0.6	2.0
1986.....	0.1	*	*	*	*	*	*	*	*	*	0.5	2.5
1985.....	0.1	1.4	*	*	*	*	*	*	*	*	0.7	2.0
1984.....	0.1	2.5	*	*	*	*	*	*	*	*	0.5	2.1
1983.....	0.1	2.0	*	*	*	*	*	*	*	*	0.7	2.9
1982.....	0.1	2.4	*	*	*	*	*	*	*	*	0.6	1.8
1981.....	0.2	2.4	*	*	*	*	*	*	*	*	0.8	3.2
1980.....	0.2	2.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.7	3.4
1979.....	0.1	1.8	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.7	2.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 31
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)
 ALL OTHER, BOTH SEXES

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.4	13.0	*	*	*	*	*	*	*	*	*	*
1997.....	0.4	11.1	*	*	*	*	*	*	*	*	*	*
1996.....	0.3	13.9	*	*	*	*	*	*	*	*	*	*
1995.....	0.4	12.5	*	*	*	*	*	*	*	*	*	*
1994.....	0.4	13.6	*	*	*	*	*	*	*	*	*	*
1993.....	0.3	8.8	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	7.7	*	*	*	*	*	*	*	*	*	*
1991.....	0.3	7.2	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	5.4	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	6.8	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	5.3	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	5.8	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	8.6	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	6.8	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	10.0	*	*	*	*	*	*	*	*	*	*
1983.....	0.3	9.8	*	*	*	*	*	*	*	*	*	*
1982.....	0.3	9.9	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	9.1	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	7.7	0.2	0.0	0.0	0.1	-	0.1	0.1	0.5	0.7	-
1979.....	0.2	7.8	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.9	1.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 32
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	0.4	14.9	*	*	*	*	*	*	*	*	*	*
1997.....	0.4	13.0	*	*	*	*	*	*	*	*	*	*
1996.....	0.4	17.5	*	*	*	*	*	*	*	*	*	*
1995.....	0.4	14.0	*	*	*	*	*	*	*	*	*	*
1994.....	0.5	16.1	*	*	*	*	*	*	*	*	*	*
1993.....	0.3	11.6	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	7.7	*	*	*	*	*	*	*	*	*	*
1991.....	0.3	7.8	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	5.3	*	*	*	*	*	*	*	*	*	*
1989.....	0.3	8.2	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	6.3	*	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.3	11.0	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	6.9	*	*	*	*	*	*	*	*	*	*
1984.....	0.3	13.7	*	*	*	*	*	*	*	*	*	*
1983.....	0.3	12.1	*	*	*	*	*	*	*	*	*	*
1982.....	0.3	9.5	*	*	*	*	*	*	*	*	*	*
1981.....	0.3	9.8	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	8.8	0.2	-	0.1	-	-	0.2	0.2	0.3	0.8	-
1979.....	0.2	7.9	0.1	0.0	-	0.0	0.1	-	0.3	0.3	0.7	1.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 33
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	0.4	11.1	*	*	*	*	*	*	*	*	*	*
1997.....	0.3	9.2	*	*	*	*	*	*	*	*	*	*
1996.....	0.3	10.2	*	*	*	*	*	*	*	*	*	*
1995.....	0.3	11.0	*	*	*	*	*	*	*	*	*	*
1994.....	0.3	11.0	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	5.9	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	7.7	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	6.5	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	5.4	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	5.3	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	7.3	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	6.1	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	6.8	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	6.1	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	7.5	*	*	*	*	*	*	*	*	*	*
1982.....	0.3	10.3	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	8.4	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	6.7	0.2	0.0	-	0.1	-	0.1	0.1	0.6	0.7	-
1979.....	0.2	7.7	0.1	0.0	0.1	-	-	0.1	-	0.1	1.0	0.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 34
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK, BOTH SEXES												
1998.....	0.5	17.3	*	*	*	*	*	*	*	*	*	*
1997.....	0.5	14.6	*	*	*	*	*	*	*	*	*	*
1996.....	0.4	18.3	*	*	*	*	*	*	*	*	*	*
1995.....	0.4	15.8	*	*	*	*	*	*	*	*	*	*
1994.....	0.5	16.8	*	*	*	*	*	*	*	*	*	*
1993.....	0.3	10.8	*	*	*	*	*	*	*	*	*	*
1992.....	0.3	9.9	*	*	*	*	*	*	*	*	*	*
1991.....	0.3	9.2	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	6.4	*	*	*	*	*	*	*	*	*	*
1989.....	0.3	7.9	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	6.6	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	7.0	*	*	*	*	*	*	*	*	*	*
1986.....	0.3	9.7	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	8.1	*	*	*	*	*	*	*	*	*	*
1984.....	0.3	11.7	*	*	*	*	*	*	*	*	*	*
1983.....	0.3	11.8	*	*	*	*	*	*	*	*	*	*
1982.....	0.3	11.2	*	*	*	*	*	*	*	*	*	*
1981.....	0.3	10.4	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	8.8	0.2	0.0	0.0	0.1	-	0.1	0.2	0.4	0.7	-
1979.....	0.2	8.5	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.7	1.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 35
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

BLACK MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.5	20.1	*	*	*	*	*	*	*	*	*	*
1997	0.5	16.3	*	*	*	*	*	*	*	*	*	*
1996	0.5	22.8	*	*	*	*	*	*	*	*	*	*
1995	0.5	17.2	*	*	*	*	*	*	*	*	*	*
1994	0.6	20.1	*	*	*	*	*	*	*	*	*	*
1993	0.4	14.4	*	*	*	*	*	*	*	*	*	*
1992	0.3	9.9	*	*	*	*	*	*	*	*	*	*
1991	0.4	10.2	*	*	*	*	*	*	*	*	*	*
1990	0.2	*	*	*	*	*	*	*	*	*	*	*
1989	0.3	9.8	*	*	*	*	*	*	*	*	*	*
1988	0.2	7.7	*	*	*	*	*	*	*	*	*	*
1987	0.2	*	*	*	*	*	*	*	*	*	*	*
1986	0.4	12.5	*	*	*	*	*	*	*	*	*	*
1985	0.3	8.3	*	*	*	*	*	*	*	*	*	*
1984	0.4	16.1	*	*	*	*	*	*	*	*	*	*
1983	0.4	15.0	*	*	*	*	*	*	*	*	*	*
1982	0.3	10.3	*	*	*	*	*	*	*	*	*	*
1981	0.3	11.5	*	*	*	*	*	*	*	*	*	*
1980	0.3	9.7	0.2	-	0.0	-	-	0.2	0.2	0.2	0.9	-
1979	0.3	8.8	0.1	0.0	-	0.1	0.1	-	0.4	0.4	0.8	1.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 36
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	0.4	14.5	*	*	*	*	*	*	*	*	*	*
1997.....	0.4	12.8	*	*	*	*	*	*	*	*	*	*
1996.....	0.3	13.7	*	*	*	*	*	*	*	*	*	*
1995.....	0.4	14.3	*	*	*	*	*	*	*	*	*	*
1994.....	0.3	13.4	*	*	*	*	*	*	*	*	*	*
1993.....	0.3	7.1	*	*	*	*	*	*	*	*	*	*
1992.....	0.3	9.9	*	*	*	*	*	*	*	*	*	*
1991.....	0.3	8.1	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	7.0	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	8.9	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	7.7	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	8.6	*	*	*	*	*	*	*	*	*	*
1982.....	0.3	12.2	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	9.4	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	7.9	0.2	0.0	-	0.1	-	0.1	0.1	0.6	0.6	-
1979.....	0.2	8.2	0.1	0.0	0.1	-	-	0.1	-	0.1	0.6	1.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	37
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TUBERCULOSIS (010-018)													
TOTAL, BOTH SEXES													
1998.....		0.4	*	*	*	*	0.1	0.2	0.3	0.7	1.2	2.3	4.4
1997.....		0.4	*	*	*	*	0.1	0.2	0.4	0.7	1.3	3.0	4.2
1996.....		0.5	*	*	*	*	0.1	0.2	0.4	0.8	1.3	2.7	5.1
1995.....		0.5	*	*	*	*	0.1	0.3	0.5	0.7	1.6	3.2	5.2
1994.....		0.6	*	*	*	*	0.2	0.3	0.5	1.0	1.7	3.3	6.3
1993.....		0.6	*	*	*	*	0.2	0.4	0.7	1.0	1.9	3.9	5.8
1992.....		0.7	*	*	*	*	0.2	0.5	0.6	1.2	2.0	3.6	6.6
1991.....		0.7	*	*	*	0.1	0.3	0.5	0.7	1.2	1.8	4.0	6.3
1990.....		0.7	*	*	*	0.1	0.3	0.5	0.8	1.3	2.1	4.1	6.9
1989.....		0.8	*	*	*	0.1	0.3	0.5	0.8	1.3	2.4	4.7	8.2
1988.....		0.8	*	*	*	0.1	0.2	0.5	0.8	1.3	2.3	4.7	8.9
1987.....		0.7	*	*	*	0.1	0.2	0.5	0.8	1.3	2.2	4.4	6.9
1986.....		0.7	*	*	*	*	0.3	0.6	0.8	1.3	2.2	4.6	7.7
1985.....		0.7	*	*	*	0.1	0.2	0.4	0.8	1.4	2.3	4.8	7.5
1984.....		0.7	*	*	*	0.1	0.2	0.5	0.8	1.4	2.4	4.7	6.8
1983.....		0.8	*	*	*	*	0.2	0.4	0.9	1.4	2.7	4.9	8.4
1982.....		0.8	*	*	*	*	0.2	0.4	0.8	1.5	2.7	5.4	9.5
1981.....		0.8	*	*	*	*	0.2	0.5	1.0	1.7	3.0	5.6	8.6
1980.....		0.9	0.1	0.0	0.0	0.0	0.1	0.4	1.1	1.7	3.5	5.6	9.6
1979.....		0.9	0.0	0.1	0.0	0.0	0.2	0.5	1.1	1.8	3.2	5.8	9.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 38												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, MALE												
1998.....	0.5	*	*	*	*	*	0.3	0.5	0.9	1.6	3.5	7.1
1997.....	0.5	*	*	*	*	0.1	0.3	0.5	1.0	1.5	3.8	7.7
1996.....	0.6	*	*	*	*	0.1	0.3	0.6	1.2	1.9	4.1	8.1
1995.....	0.6	*	*	*	*	0.1	0.4	0.7	1.1	2.2	4.6	9.1
1994.....	0.7	*	*	*	*	0.2	0.5	0.7	1.4	2.4	4.6	11.2
1993.....	0.8	*	*	*	*	0.2	0.6	1.0	1.5	2.7	5.7	9.5
1992.....	0.9	*	*	*	*	0.3	0.7	1.0	1.8	2.9	5.5	10.3
1991.....	0.9	*	*	*	*	0.3	0.7	1.0	1.9	2.3	5.9	11.4
1990.....	0.9	*	*	*	*	0.4	0.7	1.1	1.8	3.0	6.6	12.6
1989.....	1.1	*	*	*	*	0.4	0.9	1.2	1.9	3.6	7.1	15.8
1988.....	1.0	*	*	*	*	0.3	0.8	1.3	2.0	3.5	7.1	15.2
1987.....	1.0	*	*	*	*	0.3	0.7	1.2	2.1	3.3	7.5	13.7
1986.....	1.0	*	*	*	*	0.3	0.9	1.3	1.8	3.2	7.3	13.7
1985.....	1.0	*	*	*	*	0.3	0.6	1.3	2.1	3.1	7.7	15.2
1984.....	1.0	*	*	*	*	0.3	0.7	1.3	2.1	3.7	7.4	13.5
1983.....	1.0	*	*	*	*	0.3	0.5	1.4	2.2	4.2	7.9	16.3
1982.....	1.1	*	*	*	*	0.2	0.6	1.3	2.4	4.1	9.0	15.8
1981.....	1.2	*	*	*	*	0.2	0.7	1.5	2.6	4.9	9.5	15.5
1980.....	1.2	0.1	0.1	0.0	0.0	0.1	0.5	1.6	2.7	5.5	9.5	19.2
1979.....	1.3	0.1	0.1	0.0	0.0	0.2	0.8	1.7	2.6	5.5	10.4	18.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 39												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE												
1998.....	0.3	*	*	*	*	*	0.2	0.2	0.4	0.9	1.6	3.2
1997.....	0.4	*	*	*	*	*	0.1	0.3	0.4	1.1	2.5	2.7
1996.....	0.3	*	*	*	*	*	0.1	0.2	0.4	0.9	1.8	3.9
1995.....	0.4	*	*	*	*	*	0.2	0.2	0.4	1.1	2.3	3.6
1994.....	0.4	*	*	*	*	0.2	0.2	0.3	0.6	1.1	2.4	4.4
1993.....	0.5	*	*	*	*	0.2	0.2	0.3	0.6	1.2	2.8	4.3
1992.....	0.5	*	*	*	*	0.2	0.3	0.2	0.6	1.4	2.5	5.2
1991.....	0.5	*	*	*	*	0.3	0.3	0.3	0.6	1.4	2.8	4.3
1990.....	0.5	*	*	*	*	0.3	0.2	0.4	0.8	1.4	2.5	4.7
1989.....	0.5	*	*	*	*	0.2	0.2	0.4	0.7	1.4	3.3	5.2
1988.....	0.6	*	*	*	*	0.2	0.3	0.3	0.7	1.4	3.3	6.4
1987.....	0.5	*	*	*	*	0.1	0.2	0.4	0.6	1.4	2.6	4.2
1986.....	0.5	*	*	*	*	0.2	0.2	0.3	0.8	1.4	3.0	5.3
1985.....	0.5	*	*	*	*	0.1	0.2	0.3	0.7	1.7	3.2	4.4
1984.....	0.5	*	*	*	*	0.1	0.2	0.3	0.7	1.4	3.1	4.1
1983.....	0.5	*	*	*	*	0.1	0.2	0.4	0.7	1.5	3.2	5.2
1982.....	0.5	*	*	*	*	0.1	0.2	0.3	0.7	1.6	3.2	6.9
1981.....	0.5	*	*	*	*	0.1	0.3	0.5	0.9	1.6	3.3	5.7
1980.....	0.6	-	0.0	0.0	0.0	0.1	0.3	0.6	0.8	1.9	3.4	5.3
1979.....	0.6	-	0.0	0.0	0.0	0.1	0.3	0.6	1.0	1.5	3.0	6.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 40												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TUBERCULOSIS (010-018) WHITE, BOTH SEXES												
1998.....	0.3	*	*	*	*	*	0.1	0.2	0.5	0.8	1.9	3.4
1997.....	0.3	*	*	*	*	*	0.1	0.2	0.5	0.9	2.4	3.2
1996.....	0.3	*	*	*	*	0.1	0.1	0.2	0.5	1.0	2.0	4.3
1995.....	0.4	*	*	*	*	0.1	0.1	0.2	0.5	1.1	2.6	3.9
1994.....	0.4	*	*	*	*	0.1	0.2	0.2	0.5	1.2	2.5	5.2
1993.....	0.5	*	*	*	*	0.1	0.2	0.4	0.6	1.4	3.2	4.4
1992.....	0.5	*	*	*	*	0.1	0.2	0.3	0.8	1.4	2.9	5.4
1991.....	0.5	*	*	*	*	0.1	0.2	0.3	0.7	1.3	3.2	4.9
1990.....	0.5	*	*	*	*	0.1	0.2	0.4	0.8	1.6	3.1	5.5
1989.....	0.6	*	*	*	*	0.1	0.3	0.3	0.8	1.7	3.7	6.8
1988.....	0.6	*	*	*	*	0.1	0.2	0.4	0.9	1.7	3.8	7.1
1987.....	0.5	*	*	*	*	0.1	0.2	0.4	1.0	1.7	3.3	5.7
1986.....	0.5	*	*	*	*	0.1	0.2	0.4	0.9	1.6	3.6	6.4
1985.....	0.5	*	*	*	*	0.1	0.2	0.4	0.9	1.8	4.0	5.9
1984.....	0.5	*	*	*	*	0.1	0.2	0.4	0.9	1.8	3.9	5.7
1983.....	0.6	*	*	*	*	0.1	0.1	0.5	0.9	2.1	4.1	6.8
1982.....	0.6	*	*	*	*	0.1	0.2	0.5	0.9	2.0	4.3	7.9
1981.....	0.6	*	*	*	*	*	0.2	0.5	1.2	2.2	4.5	7.3
1980.....	0.6	0.0	0.0	0.0	0.0	0.0	0.2	0.6	1.2	2.6	4.5	8.4
1979.....	0.7	0.0	0.0	0.0	0.0	0.1	0.2	0.6	1.2	2.6	4.8	8.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 41												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
WHITE MALE												
1998.....	0.3	*	*	*	*	*	0.2	0.2	0.7	1.0	2.7	4.5
1997.....	0.3	*	*	*	*	*	0.1	0.2	0.7	1.0	2.8	5.8
1996.....	0.4	*	*	*	*	*	0.2	0.3	0.7	1.4	2.8	6.6
1995.....	0.4	*	*	*	*	*	0.2	0.3	0.8	1.5	3.7	6.7
1994.....	0.5	*	*	*	*	0.1	0.2	0.3	0.7	1.7	3.3	9.8
1993.....	0.6	*	*	*	*	0.1	0.2	0.5	0.9	2.1	4.4	6.6
1992.....	0.6	*	*	*	*	0.1	0.3	0.5	1.2	2.0	4.0	8.9
1991.....	0.6	*	*	*	*	0.1	0.3	0.5	1.2	1.7	4.5	8.9
1990.....	0.6	*	*	*	*	0.1	0.3	0.6	1.1	2.2	4.7	9.5
1989.....	0.7	*	*	*	*	0.2	0.4	0.5	1.2	2.6	5.4	13.2
1988.....	0.7	*	*	*	*	0.2	0.3	0.7	1.5	2.5	5.6	11.8
1987.....	0.7	*	*	*	*	0.1	0.4	0.7	1.5	2.6	5.7	11.9
1986.....	0.7	*	*	*	*	0.1	0.4	0.6	1.3	2.4	5.6	11.9
1985.....	0.7	*	*	*	*	0.1	0.3	0.7	1.5	2.3	6.4	11.8
1984.....	0.7	*	*	*	*	0.1	0.3	0.6	1.4	2.8	6.1	11.6
1983.....	0.7	*	*	*	*	*	0.2	0.7	1.5	3.2	6.2	13.3
1982.....	0.8	*	*	*	*	*	0.2	0.8	1.5	3.1	7.4	13.4
1981.....	0.8	*	*	*	*	*	0.2	0.8	1.8	3.6	7.6	12.6
1980.....	0.9	0.1	-	0.0	0.0	0.0	0.2	0.8	1.9	4.3	7.7	17.4
1979.....	1.0	0.1	0.0	0.0	0.0	0.1	0.3	1.0	1.7	4.5	9.1	16.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	42
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+
WHITE FEMALE													
1998.....		0.3	*	*	*	*	*	*	*	0.3	0.7	1.3	2.9
1997.....		0.3	*	*	*	*	*	*	*	0.3	0.8	2.1	2.1
1996.....		0.3	*	*	*	*	*	*	*	0.2	0.6	1.5	3.4
1995.....		0.3	*	*	*	*	*	*	0.1	0.3	0.8	1.9	2.8
1994.....		0.3	*	*	*	*	*	*	0.2	0.4	0.7	2.0	3.5
1993.....		0.3	*	*	*	*	*	*	0.2	0.3	0.8	2.4	3.5
1992.....		0.4	*	*	*	*	*	*	*	0.3	0.9	2.2	4.1
1991.....		0.4	*	*	*	*	*	0.1	0.2	0.3	1.0	2.4	3.3
1990.....		0.4	*	*	*	*	*	*	0.2	0.5	1.1	2.1	3.9
1989.....		0.4	*	*	*	*	*	*	*	0.5	1.0	2.7	4.4
1988.....		0.4	*	*	*	*	*	*	*	0.4	1.1	2.8	5.3
1987.....		0.3	*	*	*	*	*	*	0.2	0.5	1.0	1.9	3.3
1986.....		0.4	*	*	*	*	*	*	*	0.5	0.9	2.4	4.2
1985.....		0.4	*	*	*	*	*	*	*	0.4	1.4	2.6	3.6
1984.....		0.3	*	*	*	*	*	*	*	0.4	1.0	2.6	3.3
1983.....		0.4	*	*	*	*	*	*	0.2	0.5	1.2	2.8	4.1
1982.....		0.4	*	*	*	*	*	*	*	0.4	1.2	2.6	5.6
1981.....		0.4	*	*	*	*	*	*	0.2	0.6	1.2	2.7	5.1
1980.....		0.4	-	0.0	-	0.0	0.0	0.1	0.3	0.5	1.4	2.7	4.5
1979.....		0.4	-	0.1	0.0	0.0	0.0	0.1	0.3	0.7	1.1	2.4	5.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	43
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TUBERCULOSIS (010-018)													
ALL OTHER, BOTH SEXES													
1998	0.9	*	*	*	*	0.3	0.9	1.2	1.8	4.1	6.7	13.7
1997	1.0	*	*	*	*	0.3	0.6	1.6	2.3	4.2	9.2	13.6
1996	1.0	*	*	*	*	0.3	0.8	1.5	2.8	3.8	9.2	13.2
1995	1.2	*	*	*	*	*	1.2	1.8	2.3	5.5	9.3	18.2
1994	1.4	*	*	*	*	0.6	1.2	2.2	3.8	5.5	10.6	17.0
1993	1.5	*	*	*	*	0.6	1.6	2.5	3.7	5.9	11.1	20.2
1992	1.7	*	*	*	*	0.8	2.0	2.5	3.9	7.3	11.0	19.1
1991	1.8	*	*	*	*	1.0	2.1	2.8	4.8	5.8	11.9	20.8
1990	1.9	*	*	*	*	1.4	2.0	3.0	4.8	6.8	13.7	22.3
1989	2.1	*	*	*	*	1.2	2.2	3.8	4.5	8.3	14.6	22.3
1988	2.0	*	*	*	*	1.0	2.4	3.4	4.1	7.2	13.3	27.8
1987	1.8	*	*	*	*	0.9	1.9	2.8	4.0	7.1	15.3	20.0
1986	2.0	*	*	*	*	1.1	2.5	3.3	4.3	7.4	14.1	22.1
1985	1.8	*	*	*	*	0.9	1.9	3.3	4.6	6.9	13.3	24.6
1984	1.9	*	*	*	*	0.9	2.3	3.4	5.1	8.2	13.0	18.9
1983	1.9	*	*	*	*	0.8	1.9	3.6	5.0	8.1	14.1	26.8
1982	2.0	*	*	*	*	0.8	2.0	3.0	6.2	8.6	15.9	27.6
1981	2.2	*	*	*	*	0.9	2.4	4.3	6.2	9.8	16.5	23.7
1980	2.3	0.2	0.2	0.0	0.1	0.7	2.2	4.8	6.2	11.1	17.3	22.9
1979	2.3	-	0.1	0.0	0.1	0.8	2.6	5.3	7.0	9.0	15.4	24.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	44
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TUBERCULOSIS (010-018)													
ALL OTHER MALE													
1998	1.2	*	*	*	*	*	1.2	1.7	2.3	6.2	11.4	29.6
1997	1.3	*	*	*	*	*	0.9	2.0	3.5	5.9	13.2	24.5
1996	1.4	*	*	*	*	*	1.0	2.3	4.2	5.7	16.3	21.7
1995	1.6	*	*	*	*	*	1.6	3.1	3.8	8.5	14.1	31.6
1994	1.8	*	*	*	*	0.6	1.7	3.2	6.1	7.7	18.2	24.3
1993	2.1	*	*	*	*	0.8	2.4	4.4	5.4	7.9	18.9	37.1
1992	2.3	*	*	*	*	1.0	2.7	4.4	6.2	11.1	20.2	23.9
1991	2.3	*	*	*	*	0.9	3.1	4.5	7.3	8.0	19.8	33.7
1990	2.7	*	*	*	*	1.7	3.3	4.7	7.4	10.5	25.0	41.8
1989	3.0	*	*	*	*	1.5	3.8	6.0	7.6	13.0	23.9	39.5
1988	2.7	*	*	*	*	1.2	3.6	5.7	6.1	12.2	20.9	46.8
1987	2.5	*	*	*	*	1.4	3.0	4.7	6.8	10.0	24.4	29.9
1986	2.7	*	*	*	*	1.6	4.4	6.0	6.0	10.2	23.5	30.7
1985	2.5	*	*	*	*	1.1	3.0	5.5	7.4	10.4	19.6	47.9
1984	2.8	*	*	*	*	1.3	3.8	5.7	8.1	12.7	19.9	31.9
1983	2.8	*	*	*	*	1.2	3.1	6.2	8.3	13.3	23.8	44.3
1982	2.9	*	*	*	*	1.1	3.5	5.4	10.2	13.0	24.8	38.8
1981	3.2	*	*	*	*	1.4	3.8	6.3	9.7	16.9	28.2	45.3
1980	3.2	0.3	0.3	0.0	0.1	0.9	2.9	7.4	9.8	17.1	27.4	37.9
1979	3.2	-	0.2	0.0	0.2	1.0	4.0	7.5	10.7	14.4	22.4	39.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	45
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TUBERCULOSIS (010-018)													
ALL OTHER FEMALE													
1998.....		0.7	*	*	*	*	*	0.6	0.8	1.4	2.6	3.7	*
1997.....		0.8	*	*	*	*	*	*	1.1	1.4	3.0	6.8	8.7
1996.....		0.8	*	*	*	*	*	0.6	0.9	1.6	2.5	4.8	9.4
1995.....		0.8	*	*	*	*	*	0.8	*	*	3.4	6.3	12.4
1994.....		1.0	*	*	*	*	0.6	0.7	1.3	1.9	4.0	6.0	13.8
1993.....		1.0	*	*	*	*	0.5	0.9	1.0	2.3	4.6	6.4	12.9
1992.....		1.2	*	*	*	*	0.7	1.4	*	2.0	4.6	5.5	16.9
1991.....		1.3	*	*	*	*	1.1	1.2	1.3	2.8	4.2	7.2	14.8
1990.....		1.2	*	*	*	*	1.1	0.8	1.5	2.7	4.2	6.9	13.4
1989.....		1.3	*	*	*	*	0.9	0.8	1.9	2.1	4.9	9.0	14.3
1988.....		1.3	*	*	*	*	0.8	1.3	1.4	2.6	3.5	8.7	18.9
1987.....		1.2	*	*	*	*	*	0.9	1.3	1.8	5.0	9.6	15.3
1986.....		1.2	*	*	*	*	0.6	0.9	*	2.9	5.4	8.2	17.9
1985.....		1.2	*	*	*	*	0.7	1.0	1.3	2.4	4.4	9.3	13.3
1984.....		1.2	*	*	*	*	*	1.1	1.4	2.8	5.0	8.6	*
1983.....		1.1	*	*	*	*	*	*	1.5	2.3	4.2	7.8	18.0
1982.....		1.2	*	*	*	*	*	*	*	2.9	5.3	10.2	21.8
1981.....		1.3	*	*	*	*	*	1.3	2.7	3.4	4.4	8.9	*
1980.....		1.5	-	0.1	0.1	0.2	0.5	1.6	2.7	3.2	6.5	10.6	15.2
1979.....		1.6	-	-	-	0.1	0.7	1.5	3.4	4.0	4.8	10.6	17.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 46												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TUBERCULOSIS (010-018) BLACK, BOTH SEXES												
1998.....	1.0	*	*	*	*	0.4	0.9	1.4	2.2	4.2	6.1	13.1
1997.....	1.0	*	*	*	*	0.4	0.7	1.8	2.4	3.9	7.4	10.9
1996.....	1.1	*	*	*	*	0.4	1.0	1.8	2.9	3.6	7.9	11.9
1995.....	1.3	*	*	*	*	*	1.4	2.3	2.4	5.3	8.1	15.3
1994.....	1.5	*	*	*	*	0.8	1.5	2.4	4.1	5.6	9.6	14.7
1993.....	1.7	*	*	*	*	0.8	2.0	3.1	3.9	6.1	10.1	19.1
1992.....	1.9	*	*	*	*	1.1	2.5	3.0	4.4	7.2	10.9	19.0
1991.....	2.0	*	*	*	*	1.3	2.7	3.6	5.1	6.0	9.7	16.4
1990.....	2.2	*	*	*	*	1.7	2.5	3.5	5.2	6.7	13.2	21.6
1989.....	2.3	*	*	*	*	1.5	2.8	4.5	4.6	8.8	13.5	22.3
1988.....	2.2	*	*	*	*	1.2	3.0	3.9	4.3	7.6	11.8	25.2
1987.....	2.0	*	*	*	*	1.1	2.5	3.3	4.6	6.7	13.9	18.8
1986.....	2.2	*	*	*	*	1.3	3.1	4.0	4.4	8.2	12.7	20.9
1985.....	2.0	*	*	*	*	1.0	2.3	4.0	5.4	7.2	12.2	23.6
1984.....	2.2	*	*	*	*	1.1	2.9	4.0	5.7	8.8	12.7	16.8
1983.....	2.1	*	*	*	*	1.0	2.2	4.4	5.3	7.9	12.9	26.6
1982.....	2.1	*	*	*	*	1.0	2.3	3.2	6.9	8.8	13.9	26.1
1981.....	2.4	*	*	*	*	1.1	2.8	5.0	6.8	9.7	16.2	23.8
1980.....	2.4	-	0.2	0.0	0.1	0.8	2.6	5.3	6.6	11.4	17.0	20.7
1979.....	2.4	-	0.1	0.0	0.1	1.0	3.1	5.8	7.6	8.6	14.4	23.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 47												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
BLACK MALE												
1998.....	1.3	*	*	*	*	*	1.3	2.1	3.0	6.3	9.7	28.9
1997.....	1.3	*	*	*	*	*	1.0	2.5	3.8	5.9	10.3	*
1996.....	1.5	*	*	*	*	*	1.3	2.9	4.4	5.9	15.1	*
1995.....	1.7	*	*	*	*	*	1.8	4.1	4.1	8.5	13.6	*
1994.....	2.0	*	*	*	*	0.8	2.2	3.9	6.7	8.1	17.7	*
1993.....	2.4	*	*	*	*	1.0	2.9	5.7	6.2	8.2	17.3	36.3
1992.....	2.7	*	*	*	*	1.3	3.4	5.5	7.4	11.7	21.3	*
1991.....	2.6	*	*	*	*	1.3	4.2	6.0	8.4	8.2	17.0	*
1990.....	3.1	*	*	*	*	2.2	4.4	5.6	8.5	9.9	24.9	42.3
1989.....	3.4	*	*	*	*	1.9	5.0	7.3	7.7	14.1	21.8	43.9
1988.....	3.0	*	*	*	*	1.4	4.6	6.8	6.8	13.8	18.1	40.0
1987.....	2.8	*	*	*	*	1.8	4.0	5.6	8.0	10.6	22.1	*
1986.....	3.1	*	*	*	*	2.0	5.4	7.6	6.3	11.5	21.0	31.7
1985.....	2.9	*	*	*	*	1.4	3.6	7.0	8.7	10.9	18.7	50.0
1984.....	3.2	*	*	*	*	1.6	4.9	7.0	9.2	14.1	19.9	*
1983.....	3.1	*	*	*	*	1.5	3.8	7.6	8.9	13.5	23.5	43.3
1982.....	3.2	*	*	*	*	1.4	4.2	6.0	11.7	13.7	23.2	37.9
1981.....	3.5	*	*	*	*	1.6	4.4	7.4	10.6	17.8	28.1	44.6
1980.....	3.5	-	0.3	0.0	0.0	1.1	3.6	9.0	11.0	18.3	27.6	35.8
1979.....	3.4	-	0.1	0.0	0.2	1.2	4.8	8.6	12.0	14.4	20.6	32.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	48
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE													
1998	0.7	*	*	*	*	*	*	*	1.5	2.7	4.0	*
1997	0.8	*	*	*	*	*	*	1.2	*	2.5	5.7	*
1996	0.8	*	*	*	*	*	0.7	*	1.8	*	3.7	*
1995	0.8	*	*	*	*	*	0.9	*	*	3.1	4.9	12.3
1994	1.1	*	*	*	*	0.7	0.9	*	2.0	3.9	5.0	11.2
1993	1.1	*	*	*	*	*	1.1	*	2.1	4.6	6.0	12.1
1992	1.3	*	*	*	*	0.9	1.8	*	2.1	4.0	5.1	16.7
1991	1.4	*	*	*	*	1.4	1.5	1.6	2.5	4.4	5.6	12.3
1990	1.4	*	*	*	*	1.3	0.9	1.8	2.6	4.5	6.7	12.8
1989	1.4	*	*	*	*	1.2	0.9	2.3	2.1	5.0	8.8	13.1
1988	1.4	*	*	*	*	1.0	1.7	1.5	2.4	3.4	8.2	18.8
1987	1.2	*	*	*	*	*	1.2	*	1.9	4.0	9.1	13.9
1986	1.3	*	*	*	*	0.7	1.2	*	2.8	5.8	7.8	15.9
1985	1.2	*	*	*	*	0.7	1.1	*	2.8	4.6	8.4	*
1984	1.3	*	*	*	*	*	1.1	1.6	3.0	5.1	8.4	*
1983	1.1	*	*	*	*	*	*	1.7	2.4	3.9	6.4	18.5
1982	1.2	*	*	*	*	*	*	*	3.1	5.2	8.2	20.3
1981	1.4	*	*	*	*	*	1.4	3.1	3.7	3.9	8.8	*
1980	1.5	-	0.1	-	0.1	0.6	1.7	2.4	3.1	6.3	10.3	13.2
1979	1.6	-	-	-	0.1	0.8	1.6	3.4	4.0	4.4	10.3	19.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	49
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
TOTAL, BOTH SEXES													
1998.....	0.3	*	*	*	*	0.1	0.1	0.2	0.5	0.9	1.8	3.6	
1997.....	0.3	*	*	*	*	0.1	0.1	0.3	0.5	1.0	2.3	3.5	
1996.....	0.3	*	*	*	*	0.1	0.2	0.3	0.6	1.0	2.2	4.3	
1995.....	0.4	*	*	*	*	*	0.2	0.3	0.6	1.3	2.6	4.5	
1994.....	0.4	*	*	*	*	0.1	0.2	0.4	0.7	1.2	2.7	5.5	
1993.....	0.5	*	*	*	*	0.1	0.3	0.5	0.8	1.6	3.0	5.0	
1992.....	0.5	*	*	*	*	0.2	0.3	0.4	0.9	1.6	3.0	5.3	
1991.....	0.5	*	*	*	*	0.2	0.4	0.5	1.0	1.4	3.1	5.1	
1990.....	0.6	*	*	*	*	0.2	0.3	0.5	0.9	1.7	3.3	5.8	
1989.....	0.6	*	*	*	*	0.2	0.4	0.6	1.0	1.9	3.8	7.1	
1988.....	0.6	*	*	*	*	0.1	0.4	0.6	1.0	1.8	3.8	7.5	
1987.....	0.6	*	*	*	*	0.2	0.3	0.6	1.1	1.8	3.6	5.9	
1986.....	0.6	*	*	*	*	0.1	0.4	0.6	1.0	1.8	3.8	6.6	
1985.....	0.6	*	*	*	*	0.1	0.3	0.6	1.1	1.8	3.9	6.3	
1984.....	0.6	*	*	*	*	0.1	0.3	0.6	1.1	1.9	3.8	5.7	
1983.....	0.6	*	*	*	*	0.1	0.3	0.8	1.1	2.2	4.0	7.0	
1982.....	0.6	*	*	*	*	0.1	0.3	0.6	1.2	2.2	4.4	8.1	
1981.....	0.7	*	*	*	*	0.1	0.4	0.8	1.4	2.5	4.6	7.2	
1980.....	0.7	-	-	-	0.0	0.1	0.3	0.9	1.4	2.9	4.8	8.3	
1979.....	0.7	-	-	0.0	0.0	0.1	0.4	0.9	1.5	2.7	4.8	8.1	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	50
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
TOTAL, MALE													
1998.....	0.4	*	*	*	*	*	0.2	0.4	0.7	1.2	3.0	6.1	
1997.....	0.4	*	*	*	*	*	0.2	0.4	0.8	1.3	3.2	7.0	
1996.....	0.5	*	*	*	*	*	0.2	0.4	1.0	1.5	3.5	7.4	
1995.....	0.5	*	*	*	*	*	0.3	0.5	1.0	1.9	4.0	8.4	
1994.....	0.6	*	*	*	*	0.1	0.4	0.5	1.1	1.9	4.0	10.2	
1993.....	0.7	*	*	*	*	0.2	0.4	0.9	1.2	2.3	4.7	8.2	
1992.....	0.7	*	*	*	*	0.2	0.5	0.8	1.5	2.4	4.6	8.5	
1991.....	0.7	*	*	*	*	0.2	0.5	0.9	1.5	2.0	4.8	9.6	
1990.....	0.7	*	*	*	*	0.3	0.6	0.8	1.4	2.5	5.7	10.9	
1989.....	0.9	*	*	*	*	0.3	0.7	1.0	1.6	3.0	6.0	14.1	
1988.....	0.8	*	*	*	*	0.2	0.6	1.1	1.7	2.9	6.0	12.6	
1987.....	0.8	*	*	*	*	0.2	0.5	0.9	1.8	2.8	6.5	12.3	
1986.....	0.8	*	*	*	*	0.2	0.7	1.1	1.5	2.7	6.3	11.4	
1985.....	0.8	*	*	*	*	0.2	0.5	1.1	1.8	2.5	6.5	13.0	
1984.....	0.8	*	*	*	*	0.2	0.5	1.1	1.7	3.2	6.4	11.1	
1983.....	0.9	*	*	*	*	0.2	0.4	1.3	1.8	3.5	6.7	14.1	
1982.....	0.9	*	*	*	*	0.2	0.5	1.1	2.1	3.5	7.4	14.2	
1981.....	1.0	*	*	*	*	0.2	0.6	1.2	2.3	4.4	8.3	13.4	
1980.....	1.0	-	-	-	0.0	0.1	0.5	1.4	2.4	4.7	8.7	16.7	
1979.....	1.1	-	-	0.0	0.0	0.2	0.7	1.5	2.4	4.8	9.2	15.7	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 51
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)
 TOTAL, FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.1	2.5
1997.....	0.2	*	*	*	*	*	*	0.2	0.2	0.7	1.8	2.1
1996.....	0.2	*	*	*	*	*	*	0.2	0.2	0.6	1.3	3.0
1995.....	0.3	*	*	*	*	*	0.1	0.1	0.2	0.8	1.7	2.9
1994.....	0.3	*	*	*	*	*	0.1	0.2	0.3	0.7	1.9	3.7
1993.....	0.3	*	*	*	*	*	0.1	0.2	0.3	1.0	1.9	3.8
1992.....	0.4	*	*	*	*	0.1	0.2	*	0.4	0.9	2.1	4.0
1991.....	0.4	*	*	*	*	0.2	0.2	0.2	0.5	0.9	2.1	3.3
1990.....	0.4	*	*	*	*	0.1	0.2	0.2	0.5	1.1	2.0	3.8
1989.....	0.4	*	*	*	*	0.1	0.1	0.2	0.5	1.1	2.5	4.4
1988.....	0.4	*	*	*	*	0.1	0.2	0.2	0.4	1.0	2.6	5.4
1987.....	0.3	*	*	*	*	*	0.1	0.3	0.5	1.1	1.9	3.4
1986.....	0.4	*	*	*	*	*	0.1	0.2	0.6	1.0	2.3	4.7
1985.....	0.4	*	*	*	*	*	0.1	0.2	0.4	1.3	2.4	3.7
1984.....	0.3	*	*	*	*	*	0.1	0.2	0.5	1.0	2.2	3.5
1983.....	0.4	*	*	*	*	*	*	0.3	0.5	1.1	2.4	4.1
1982.....	0.4	*	*	*	*	*	*	0.2	0.5	1.2	2.6	5.6
1981.....	0.4	*	*	*	*	*	0.2	0.4	0.7	1.1	2.5	4.5
1980.....	0.4	-	-	-	0.0	0.1	0.2	0.4	0.6	1.5	2.5	4.6
1979.....	0.4	-	-	-	0.0	0.1	0.2	0.5	0.7	1.1	2.2	4.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	52
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
WHITE, BOTH SEXES													
1998.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.6	1.5	2.8	
1997.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.7	1.9	2.8	
1996.....	0.3	*	*	*	*	*	0.1	0.1	0.3	0.7	1.6	3.5	
1995.....	0.3	*	*	*	*	*	0.1	0.1	0.4	0.9	2.2	3.3	
1994.....	0.3	*	*	*	*	0.1	0.1	0.1	0.4	0.9	2.1	4.6	
1993.....	0.4	*	*	*	*	0.1	0.1	0.3	0.5	1.1	2.5	3.9	
1992.....	0.4	*	*	*	*	0.1	0.1	0.2	0.6	1.1	2.4	4.3	
1991.....	0.4	*	*	*	*	0.1	0.2	0.2	0.6	1.0	2.5	4.0	
1990.....	0.4	*	*	*	*	0.1	0.1	0.3	0.6	1.3	2.6	4.7	
1989.....	0.4	*	*	*	*	0.1	0.2	0.3	0.6	1.4	3.1	6.0	
1988.....	0.5	*	*	*	*	0.1	0.2	0.3	0.8	1.4	3.3	6.0	
1987.....	0.4	*	*	*	*	0.1	0.1	0.4	0.8	1.4	2.9	4.8	
1986.....	0.4	*	*	*	*	*	0.2	0.3	0.7	1.3	3.0	5.4	
1985.....	0.4	*	*	*	*	*	0.1	0.4	0.8	1.4	3.2	5.2	
1984.....	0.4	*	*	*	*	0.1	0.1	0.3	0.7	1.4	3.1	4.9	
1983.....	0.5	*	*	*	*	*	0.1	0.4	0.8	1.7	3.3	5.8	
1982.....	0.5	*	*	*	*	*	0.1	0.4	0.8	1.8	3.6	6.8	
1981.....	0.5	*	*	*	*	*	0.1	0.4	1.0	1.9	3.8	6.2	
1980.....	0.5	-	-	-	0.0	0.0	0.1	0.5	1.0	2.3	3.9	7.2	
1979.....	0.6	-	-	0.0	0.0	0.1	0.2	0.5	1.0	2.3	4.1	7.1	

TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)
 WHITE MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.3	*	*	*	*	*	0.1	0.2	0.5	0.8	2.2	4.0
1997.....	0.3	*	*	*	*	*	*	0.2	0.5	0.8	2.4	5.4
1996.....	0.3	*	*	*	*	*	0.1	0.2	0.6	1.1	2.4	6.0
1995.....	0.4	*	*	*	*	*	0.1	0.2	0.7	1.3	3.2	6.0
1994.....	0.4	*	*	*	*	*	0.2	0.2	0.6	1.5	2.8	8.9
1993.....	0.5	*	*	*	*	*	0.2	0.5	0.8	1.8	3.8	5.5
1992.....	0.5	*	*	*	*	*	0.2	0.4	1.0	1.7	3.4	7.3
1991.....	0.5	*	*	*	*	*	0.2	0.3	0.9	1.4	3.8	7.5
1990.....	0.5	*	*	*	*	0.1	0.2	0.4	0.9	1.9	4.1	8.6
1989.....	0.6	*	*	*	*	0.1	0.3	0.4	1.0	2.2	4.6	11.6
1988.....	0.6	*	*	*	*	*	0.2	0.6	1.3	2.1	4.9	9.8
1987.....	0.6	*	*	*	*	0.1	0.2	0.5	1.3	2.2	5.2	10.5
1986.....	0.6	*	*	*	*	*	0.3	0.5	1.1	2.1	4.9	9.7
1985.....	0.6	*	*	*	*	*	0.2	0.6	1.3	1.9	5.5	10.2
1984.....	0.6	*	*	*	*	*	0.2	0.5	1.1	2.4	5.3	9.8
1983.....	0.6	*	*	*	*	*	*	0.7	1.3	2.8	5.2	11.5
1982.....	0.7	*	*	*	*	*	0.2	0.6	1.3	2.8	6.1	12.3
1981.....	0.7	*	*	*	*	*	0.2	0.7	1.6	3.2	6.8	11.3
1980.....	0.8	-	-	-	0.0	0.0	0.1	0.7	1.7	3.7	7.2	15.0
1979.....	0.9	-	-	0.0	-	0.1	0.3	0.9	1.6	4.1	8.1	13.9

TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)
 WHITE FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.2	*	*	*	*	*	*	*	*	0.5	0.9	2.3
1997	0.2	*	*	*	*	*	*	*	*	0.5	1.5	1.8
1996	0.2	*	*	*	*	*	*	*	*	0.4	1.1	2.5
1995	0.2	*	*	*	*	*	*	*	*	0.6	1.5	2.3
1994	0.2	*	*	*	*	*	*	*	*	0.5	1.6	3.0
1993	0.3	*	*	*	*	*	*	*	*	0.6	1.7	3.2
1992	0.3	*	*	*	*	*	*	*	0.2	0.7	1.8	3.2
1991	0.3	*	*	*	*	*	*	*	0.2	0.7	1.8	2.7
1990	0.3	*	*	*	*	*	*	*	0.3	0.8	1.7	3.2
1989	0.3	*	*	*	*	*	*	*	0.3	0.8	2.2	3.8
1988	0.3	*	*	*	*	*	*	*	0.3	0.9	2.3	4.6
1987	0.3	*	*	*	*	*	*	*	0.4	0.7	1.5	2.6
1986	0.3	*	*	*	*	*	*	*	0.4	0.8	1.8	3.7
1985	0.3	*	*	*	*	*	*	*	0.3	1.1	1.9	3.2
1984	0.2	*	*	*	*	*	*	*	0.4	0.7	1.8	3.0
1983	0.3	*	*	*	*	*	*	*	0.4	0.9	2.2	3.5
1982	0.3	*	*	*	*	*	*	*	0.3	1.0	2.1	4.6
1981	0.3	*	*	*	*	*	*	*	0.5	0.9	2.1	4.1
1980	0.3	-	-	-	0.0	0.0	0.1	0.2	0.4	1.1	2.0	3.9
1979	0.3	-	-	-	0.0	0.0	0.1	0.2	0.5	0.9	1.8	4.1

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	55
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
ALL OTHER, BOTH SEXES													
1998.....	0.7	*	*	*	*	*	0.5	0.9	1.3	3.0	5.2	10.8	
1997.....	0.7	*	*	*	*	*	0.5	1.1	1.7	3.1	6.9	10.1	
1996.....	0.8	*	*	*	*	*	0.5	1.1	2.1	2.8	7.3	11.5	
1995.....	0.9	*	*	*	*	*	0.9	1.4	1.8	4.4	6.3	16.3	
1994.....	1.0	*	*	*	*	0.3	0.9	1.6	2.6	3.7	9.0	14.7	
1993.....	1.2	*	*	*	*	0.4	1.2	2.0	2.9	5.2	8.1	17.2	
1992.....	1.3	*	*	*	*	0.5	1.3	1.8	3.2	5.6	9.0	15.2	
1991.....	1.3	*	*	*	*	0.7	1.5	2.4	3.7	4.5	8.8	16.4	
1990.....	1.4	*	*	*	*	1.0	1.5	2.0	3.3	5.5	10.9	17.3	
1989.....	1.6	*	*	*	*	0.9	1.7	2.7	3.5	6.1	11.1	18.8	
1988.....	1.4	*	*	*	*	0.5	1.7	2.6	2.8	5.5	9.4	22.6	
1987.....	1.3	*	*	*	*	0.6	1.3	2.0	2.8	5.7	11.2	17.5	
1986.....	1.5	*	*	*	*	0.6	1.9	2.6	3.5	5.6	11.8	19.9	
1985.....	1.4	*	*	*	*	0.5	1.4	2.4	3.7	5.2	11.2	19.2	
1984.....	1.5	*	*	*	*	0.5	1.6	2.8	4.2	6.5	10.5	14.3	
1983.....	1.4	*	*	*	*	0.5	1.4	3.0	3.7	6.0	10.9	20.6	
1982.....	1.5	*	*	*	*	0.5	1.4	2.4	4.8	6.5	12.6	22.6	
1981.....	1.7	*	*	*	*	0.6	2.1	3.2	5.0	8.0	13.2	18.4	
1980.....	1.8	-	-	-	0.1	0.4	1.8	3.9	5.1	8.7	13.6	20.1	
1979.....	1.8	-	-	-	0.1	0.5	2.2	4.1	5.7	6.6	12.3	19.0	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	56
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
ALL OTHER MALE													
1998.....	1.0	*	*	*	*	*	0.8	1.4	1.9	4.7	10.1	24.7	
1997.....	1.0	*	*	*	*	*	0.8	1.6	2.8	4.9	10.8	21.0	
1996.....	1.1	*	*	*	*	*	0.7	1.7	3.6	4.2	14.1	19.0	
1995.....	1.3	*	*	*	*	*	1.3	2.5	3.2	7.3	11.5	30.6	
1994.....	1.4	*	*	*	*	*	1.5	2.6	4.6	5.6	15.6	22.2	
1993.....	1.7	*	*	*	*	*	1.8	3.7	4.6	7.1	14.6	33.8	
1992.....	1.8	*	*	*	*	0.6	1.9	3.8	5.2	9.1	16.9	*	
1991.....	1.9	*	*	*	*	0.8	2.2	4.1	5.7	6.9	14.8	29.1	
1990.....	2.0	*	*	*	*	1.2	2.5	3.2	5.3	8.1	20.7	33.2	
1989.....	2.4	*	*	*	*	1.1	3.1	4.7	6.3	10.0	19.2	37.0	
1988.....	2.0	*	*	*	*	0.6	2.7	4.6	5.2	10.2	15.8	38.0	
1987.....	1.9	*	*	*	*	1.0	2.2	3.6	5.5	8.4	18.9	28.6	
1986.....	2.2	*	*	*	*	1.0	3.5	4.8	5.2	8.6	20.1	28.0	
1985.....	2.0	*	*	*	*	0.7	2.2	4.1	6.5	8.3	16.1	39.7	
1984.....	2.1	*	*	*	*	0.7	2.6	5.0	6.9	10.7	16.6	*	
1983.....	2.2	*	*	*	*	0.7	2.3	5.5	6.7	10.1	21.1	38.6	
1982.....	2.3	*	*	*	*	0.7	2.6	4.4	9.0	10.2	20.3	32.8	
1981.....	2.7	*	*	*	*	1.0	3.4	4.8	8.1	15.1	23.1	34.4	
1980.....	2.6	-	-	-	0.1	0.4	2.8	6.6	8.4	13.9	22.9	34.6	
1979.....	2.7	-	-	-	0.1	0.7	3.5	6.2	9.8	11.8	20.1	33.9	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	57
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)														
ALL OTHER FEMALE														
1998.....		0.4	*	*	*	*	*	*	*	*	1.8	*	*	
1997.....		0.5	*	*	*	*	*	*	0.7	*	1.8	4.5	*	
1996.....		0.5	*	*	*	*	*	*	*	*	1.8	3.1	8.2	
1995.....		0.5	*	*	*	*	*	*	*	*	2.3	3.1	10.1	
1994.....		0.7	*	*	*	*	*	*	*	*	2.4	5.0	11.5	
1993.....		0.7	*	*	*	*	*	0.6	*	1.5	3.7	4.2	10.0	
1992.....		0.8	*	*	*	*	*	0.9	*	1.6	3.1	4.2	13.3	
1991.....		0.9	*	*	*	*	0.6	0.8	*	2.2	2.7	5.2	10.6	
1990.....		0.8	*	*	*	*	0.7	*	*	1.6	3.6	5.0	*	
1989.....		0.8	*	*	*	*	0.6	*	1.1	*	3.4	6.2	*	
1988.....		0.8	*	*	*	*	*	0.9	*	*	2.1	5.5	15.4	
1987.....		0.8	*	*	*	*	*	*	*	*	3.8	6.4	12.3	
1986.....		0.9	*	*	*	*	*	*	*	2.2	3.4	6.6	16.0	
1985.....		0.8	*	*	*	*	*	*	*	1.5	2.9	8.1	*	
1984.....		0.9	*	*	*	*	*	*	*	2.0	3.4	6.7	*	
1983.....		0.7	*	*	*	*	*	*	*	*	3.0	4.4	*	
1982.....		0.8	*	*	*	*	*	*	*	*	3.7	7.7	17.3	
1981.....		0.9	*	*	*	*	*	1.1	1.9	2.5	2.7	6.8	*	
1980.....		1.1	-	-	-	0.1	0.4	1.0	1.7	2.4	4.8	7.4	12.6	
1979.....		1.0	-	-	-	0.1	0.4	1.0	2.4	2.4	2.6	7.1	11.4	

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
BLACK, BOTH SEXES												
1998.....	0.7	*	*	*	*	*	0.6	1.1	1.5	3.0	4.9	10.5
1997.....	0.7	*	*	*	*	*	0.6	1.3	1.7	2.9	5.8	7.5
1996.....	0.8	*	*	*	*	*	0.7	1.4	2.3	2.6	6.4	10.8
1995.....	0.9	*	*	*	*	*	1.0	1.9	1.8	4.1	5.3	13.1
1994.....	1.1	*	*	*	*	0.4	1.2	1.9	2.8	3.8	8.1	12.5
1993.....	1.3	*	*	*	*	0.5	1.5	2.5	3.1	5.2	6.5	15.6
1992.....	1.5	*	*	*	*	0.7	1.8	2.4	3.6	5.8	8.8	14.8
1991.....	1.5	*	*	*	*	0.9	1.9	3.2	4.1	4.6	6.7	12.1
1990.....	1.6	*	*	*	*	1.2	1.9	2.4	3.6	5.5	10.5	17.1
1989.....	1.8	*	*	*	*	1.1	2.2	3.4	3.5	6.6	9.9	20.0
1988.....	1.5	*	*	*	*	0.6	2.2	3.1	2.9	5.9	8.5	19.6
1987.....	1.5	*	*	*	*	0.8	1.8	2.4	3.3	5.5	10.0	16.3
1986.....	1.7	*	*	*	*	0.7	2.3	3.2	3.6	6.1	10.7	18.9
1985.....	1.5	*	*	*	*	0.6	1.7	2.9	4.2	5.4	10.6	17.9
1984.....	1.6	*	*	*	*	0.7	2.0	3.4	4.5	6.9	10.2	12.6
1983.....	1.5	*	*	*	*	0.6	1.7	3.7	3.9	5.7	10.5	19.6
1982.....	1.6	*	*	*	*	0.6	1.6	2.6	5.4	6.7	10.6	22.7
1981.....	1.9	*	*	*	*	0.7	2.5	3.8	5.5	8.1	13.1	18.5
1980.....	1.9	-	-	-	0.1	0.5	2.2	4.4	5.5	9.0	13.3	18.2
1979.....	1.9	-	-	-	0.1	0.6	2.6	4.6	6.2	6.5	11.6	17.9

TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)
 BLACK MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	1.1	*	*	*	*	*	1.0	1.8	2.6	4.7	9.4	24.5
1997	1.0	*	*	*	*	*	0.9	1.9	3.0	5.1	8.8	*
1996	1.2	*	*	*	*	*	0.9	2.3	3.8	4.1	12.5	*
1995	1.4	*	*	*	*	*	1.5	3.3	3.5	7.4	10.6	*
1994	1.6	*	*	*	*	*	1.9	3.3	5.1	6.0	15.3	*
1993	1.9	*	*	*	*	*	2.3	4.8	5.4	7.5	12.1	32.3
1992	2.2	*	*	*	*	0.8	2.5	5.0	6.2	10.0	17.8	*
1991	2.2	*	*	*	*	1.1	3.0	5.6	6.9	7.1	12.4	*
1990	2.4	*	*	*	*	1.6	3.4	3.8	6.4	7.8	20.9	34.7
1989	2.7	*	*	*	*	1.4	4.0	6.0	6.7	10.7	17.1	40.9
1988	2.3	*	*	*	*	0.8	3.4	5.5	5.5	11.5	13.7	30.8
1987	2.2	*	*	*	*	1.2	3.0	4.3	6.4	9.1	17.2	*
1986	2.5	*	*	*	*	1.2	4.2	6.1	5.5	9.6	17.9	*
1985	2.3	*	*	*	*	0.9	2.7	5.3	7.6	8.5	16.0	40.3
1984	2.5	*	*	*	*	0.9	3.4	6.1	7.7	11.7	16.7	*
1983	2.5	*	*	*	*	*	3.1	6.6	7.1	10.0	21.9	36.7
1982	2.5	*	*	*	*	0.9	3.1	4.9	10.3	10.8	18.3	*
1981	2.9	*	*	*	*	1.2	4.0	5.7	8.7	16.1	23.0	*
1980	3.0	-	-	-	0.0	0.5	3.4	8.0	9.6	15.0	22.8	34.0
1979	2.9	-	-	-	0.1	0.8	4.2	7.2	11.0	11.9	18.5	28.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	60
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)														
BLACK FEMALE														
1998.....		0.4	*	*	*	*	*	*	*	*	*	*	*	*
1997.....		0.5	*	*	*	*	*	*	*	*	*	4.0	*	*
1996.....		0.6	*	*	*	*	*	*	*	*	*	*	*	*
1995.....		0.5	*	*	*	*	*	*	*	*	*	*	*	*
1994.....		0.7	*	*	*	*	*	*	*	*	2.2	4.0	*	*
1993.....		0.7	*	*	*	*	*	*	*	*	3.6	*	*	*
1992.....		0.8	*	*	*	*	*	1.2	*	*	2.8	*	13.1	*
1991.....		0.9	*	*	*	*	0.8	1.0	*	1.9	2.9	*	*	*
1990.....		0.9	*	*	*	*	0.8	*	*	*	3.8	4.6	*	*
1989.....		0.9	*	*	*	*	0.8	*	*	*	3.8	5.8	*	*
1988.....		0.9	*	*	*	*	*	1.1	*	*	*	5.5	14.8	*
1987.....		0.8	*	*	*	*	*	*	*	*	3.0	5.9	*	*
1986.....		0.9	*	*	*	*	*	*	*	2.0	3.7	6.5	14.5	*
1985.....		0.8	*	*	*	*	*	*	*	*	3.2	7.4	*	*
1984.....		0.9	*	*	*	*	*	*	*	2.0	3.5	6.2	*	*
1983.....		0.7	*	*	*	*	*	*	*	*	2.7	*	*	*
1982.....		0.8	*	*	*	*	*	*	*	*	3.9	5.9	17.8	*
1981.....		1.0	*	*	*	*	*	1.3	2.2	2.9	*	6.9	*	*
1980.....		1.0	-	-	-	0.1	0.4	1.1	1.5	2.3	4.6	7.2	10.4	*
1979.....		1.0	-	-	-	0.1	0.4	1.2	2.4	2.3	2.6	6.9	12.5	*

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	61
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
OTHER TUBERCULOSIS (013-018) TOTAL, BOTH SEXES														
1998.....		0.1	*	*	*	*	*	0.1	0.1	0.2	0.3	0.5	0.8	
1997.....		0.1	*	*	*	*	*	0.1	0.1	0.2	0.3	0.7	0.6	
1996.....		0.1	*	*	*	*	*	0.1	0.1	0.2	0.3	0.6	0.8	
1995.....		0.1	*	*	*	*	0.0	0.1	0.1	0.1	0.3	0.6	0.7	
1994.....		0.1	*	*	*	*	0.1	0.1	0.2	0.3	0.4	0.6	0.8	
1993.....		0.1	*	*	*	*	0.1	0.1	0.1	0.2	0.3	0.9	0.7	
1992.....		0.2	*	*	*	*	0.1	0.2	0.1	0.2	0.4	0.6	1.4	
1991.....		0.2	*	*	*	*	0.1	0.2	0.1	0.2	0.4	0.9	1.2	
1990.....		0.2	*	*	*	*	0.1	0.1	0.2	0.4	0.4	0.7	1.2	
1989.....		0.2	*	*	*	*	0.1	0.1	0.2	0.3	0.5	0.9	1.1	
1988.....		0.2	*	*	*	*	0.1	0.2	0.2	0.3	0.5	0.9	1.4	
1987.....		0.1	*	*	*	*	0.1	0.2	0.2	0.2	0.4	0.8	1.0	
1986.....		0.2	*	*	*	*	0.1	0.1	0.2	0.2	0.4	0.8	1.1	
1985.....		0.2	*	*	*	*	0.1	0.1	0.2	0.2	0.5	0.9	1.1	
1984.....		0.2	*	*	*	*	0.1	0.2	0.2	0.3	0.5	0.9	1.1	
1983.....		0.2	*	*	*	*	0.1	0.1	0.1	0.3	0.5	0.9	1.4	
1982.....		0.1	*	*	*	*	0.1	0.1	0.1	0.3	0.4	1.0	1.4	
1981.....		0.2	*	*	*	*	0.1	0.1	0.2	0.3	0.5	0.9	1.4	
1980.....		0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.6	0.9	1.3	
1979.....		0.2	0.0	0.1	0.0	0.0	0.1	0.1	0.2	0.3	0.5	0.9	1.8	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	62	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
OTHER TUBERCULOSIS (013-018)															
TOTAL, MALE															
1998.....		0.1	*	*	*	*	*	0.1	*	0.2	0.4	0.5	*		
1997.....		0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.6	*		
1996.....		0.1	*	*	*	*	*	*	0.2	0.2	0.4	0.6	*		
1995.....		0.1	*	*	*	*	*	*	0.2	*	0.3	0.6	*		
1994.....		0.1	*	*	*	*	*	*	0.2	0.3	0.5	0.7	*		
1993.....		0.1	*	*	*	*	*	0.1	0.2	0.2	0.4	1.0	*		
1992.....		0.2	*	*	*	*	0.1	0.2	*	0.3	0.5	0.8	*		
1991.....		0.2	*	*	*	*	*	0.2	0.2	0.4	0.4	1.1	*		
1990.....		0.2	*	*	*	*	0.1	0.2	0.3	0.5	0.5	1.0	*		
1989.....		0.2	*	*	*	*	0.1	0.2	0.3	0.3	0.6	1.1	*		
1988.....		0.2	*	*	*	*	0.1	0.2	0.2	0.3	0.6	1.1	2.6		
1987.....		0.2	*	*	*	*	*	0.2	0.2	0.3	0.4	1.0	*		
1986.....		0.2	*	*	*	*	0.1	0.2	0.3	0.2	0.5	1.0	*		
1985.....		0.2	*	*	*	*	*	0.2	0.3	0.3	0.5	1.2	*		
1984.....		0.2	*	*	*	*	0.1	0.2	0.2	0.4	0.6	1.0	*		
1983.....		0.2	*	*	*	*	0.1	*	*	0.3	0.7	1.2	*		
1982.....		0.2	*	*	*	*	*	*	0.2	0.3	0.6	1.6	*		
1981.....		0.2	*	*	*	*	*	*	0.3	0.3	0.5	1.3	*		
1980.....		0.2	0.1	0.1	0.0	-	0.1	0.1	0.2	0.3	0.8	0.9	2.5		
1979.....		0.2	0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0.7	1.1	2.4		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	63
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
OTHER TUBERCULOSIS (013-018)														
TOTAL, FEMALE														
1998.....		0.1	*	*	*	*	*	0.1	*	0.2	0.3	0.5	0.7	0.7
1997.....		0.1	*	*	*	*	*	*	*	0.2	0.4	0.7	*	*
1996.....		0.1	*	*	*	*	*	*	*	0.2	0.3	0.5	0.9	*
1995.....		0.1	*	*	*	*	*	*	*	*	0.3	0.6	*	*
1994.....		0.1	*	*	*	*	*	*	0.1	0.3	0.4	0.5	*	*
1993.....		0.1	*	*	*	*	*	*	*	0.2	0.2	0.8	*	*
1992.....		0.1	*	*	*	*	*	0.1	0.1	*	0.4	0.4	1.2	*
1991.....		0.2	*	*	*	*	0.1	0.1	*	*	0.4	0.7	1.0	*
1990.....		0.2	*	*	*	*	0.1	*	*	0.3	0.3	0.6	1.0	*
1989.....		0.2	*	*	*	*	*	*	0.2	0.2	0.4	0.8	*	*
1988.....		0.2	*	*	*	*	*	*	*	0.3	0.4	0.8	1.0	*
1987.....		0.1	*	*	*	*	*	*	*	0.2	0.4	0.7	*	*
1986.....		0.1	*	*	*	*	*	*	*	0.2	0.4	0.7	*	*
1985.....		0.1	*	*	*	*	*	*	*	0.2	0.4	0.8	*	*
1984.....		0.1	*	*	*	*	*	*	*	0.2	0.5	0.9	*	*
1983.....		0.1	*	*	*	*	*	*	*	0.2	0.4	0.8	1.1	*
1982.....		0.1	*	*	*	*	*	*	*	0.2	0.3	0.6	1.3	*
1981.....		0.1	*	*	*	*	*	*	*	0.2	0.5	0.8	*	*
1980.....		0.1	-	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.4	0.9	0.8	*
1979.....		0.2	-	0.0	0.0	0.0	0.1	0.1	0.2	0.3	0.4	0.8	1.6	*

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	64
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
OTHER TUBERCULOSIS (013-018)														
WHITE, BOTH SEXES														
1998.....		0.1	*	*	*	*	*	*	*	0.2	0.2	0.4	0.6	
1997.....		0.1	*	*	*	*	*	*	*	0.1	0.2	0.5	*	
1996.....		0.1	*	*	*	*	*	*	*	0.1	0.3	0.4	0.7	
1995.....		0.1	*	*	*	*	*	*	0.1	*	0.2	0.4	*	
1994.....		0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.5	0.6	
1993.....		0.1	*	*	*	*	*	*	*	0.1	0.2	0.7	*	
1992.....		0.1	*	*	*	*	*	0.1	*	0.1	0.3	0.4	1.1	
1991.....		0.1	*	*	*	*	*	0.1	0.1	0.1	0.3	0.7	0.9	
1990.....		0.1	*	*	*	*	*	*	0.1	0.2	0.3	0.5	0.8	
1989.....		0.1	*	*	*	*	*	0.1	*	0.2	0.3	0.6	0.8	
1988.....		0.1	*	*	*	*	*	0.1	*	0.1	0.3	0.6	1.1	
1987.....		0.1	*	*	*	*	*	0.1	*	0.1	0.3	0.4	0.9	
1986.....		0.1	*	*	*	*	*	*	*	0.2	0.2	0.7	1.0	
1985.....		0.1	*	*	*	*	*	0.1	*	0.2	0.3	0.8	*	
1984.....		0.1	*	*	*	*	*	*	*	0.2	0.4	0.8	*	
1983.....		0.1	*	*	*	*	*	*	*	0.2	0.3	0.7	1.0	
1982.....		0.1	*	*	*	*	*	*	*	0.1	0.3	0.8	1.0	
1981.....		0.1	*	*	*	*	*	*	*	0.1	0.3	0.7	1.1	
1980.....		0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.4	0.6	1.2	
1979.....		0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.7	1.5	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	65
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
OTHER TUBERCULOSIS (013-018)														
WHITE MALE														
1998.....	0.1	*	*	*	*	*	*	*	*	*	0.5	*		
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1996.....	0.1	*	*	*	*	*	*	*	*	0.3	*	*		
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1994.....	0.1	*	*	*	*	*	*	*	*	0.3	*	*		
1993.....	0.1	*	*	*	*	*	*	*	*	0.4	0.6	*		
1992.....	0.1	*	*	*	*	*	*	*	*	0.3	0.6	*		
1991.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	*		
1990.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.6	*		
1989.....	0.1	*	*	*	*	*	*	*	*	0.4	0.7	*		
1988.....	0.1	*	*	*	*	*	*	*	*	0.4	0.7	*		
1987.....	0.1	*	*	*	*	*	0.1	*	*	0.3	*	*		
1986.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	*		
1985.....	0.1	*	*	*	*	*	*	*	0.2	0.4	0.9	*		
1984.....	0.1	*	*	*	*	*	*	*	0.3	0.4	0.8	*		
1983.....	0.1	*	*	*	*	*	*	*	*	0.4	1.0	*		
1982.....	0.1	*	*	*	*	*	*	*	*	0.3	1.3	*		
1981.....	0.1	*	*	*	*	*	*	*	*	0.3	0.9	*		
1980.....	0.1	0.1	-	0.0	-	0.0	0.1	0.1	0.2	0.5	0.5	2.4		
1979.....	0.1	0.1	0.0	-	0.0	0.0	0.0	0.1	0.1	0.5	1.0	2.1		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	66
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
OTHER TUBERCULOSIS (013-018)														
WHITE FEMALE														
1998.....	0.1	*	*	*	*	*	*	*	*	*	0.4	*		
1997.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	*		
1996.....	0.1	*	*	*	*	*	*	*	*	0.3	0.4	0.8		
1995.....	0.1	*	*	*	*	*	*	*	*	0.2	0.4	*		
1994.....	0.1	*	*	*	*	*	*	*	*	0.2	0.4	*		
1993.....	0.1	*	*	*	*	*	*	*	*	*	0.7	*		
1992.....	0.1	*	*	*	*	*	*	*	*	0.3	0.3	0.9		
1991.....	0.1	*	*	*	*	*	*	*	*	0.3	0.6	*		
1990.....	0.1	*	*	*	*	*	*	*	*	0.3	0.4	*		
1989.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*		
1988.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	*		
1987.....	0.1	*	*	*	*	*	*	*	*	0.3	0.4	*		
1986.....	0.1	*	*	*	*	*	*	*	*	*	0.6	*		
1985.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	*		
1984.....	0.1	*	*	*	*	*	*	*	*	0.4	0.8	*		
1983.....	0.1	*	*	*	*	*	*	*	*	0.3	0.5	*		
1982.....	0.1	*	*	*	*	*	*	*	*	*	0.4	*		
1981.....	0.1	*	*	*	*	*	*	*	*	0.3	0.6	*		
1980.....	0.1	-	0.0	-	0.0	0.0	0.0	0.1	0.1	0.3	0.7	0.6		
1979.....	0.1	-	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.6	1.2		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	67
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
OTHER TUBERCULOSIS (013-018)													
ALL OTHER, BOTH SEXES													
1998.....		0.3	*	*	*	*	*	0.4	*	*	1.1	*	*
1997.....		0.3	*	*	*	*	*	*	0.4	*	1.1	2.3	*
1996.....		0.3	*	*	*	*	*	*	*	0.7	1.0	1.8	*
1995.....		0.3	*	*	*	*	*	0.3	*	*	1.1	3.0	*
1994.....		0.4	*	*	*	*	0.3	*	0.5	1.2	1.8	*	*
1993.....		0.4	*	*	*	*	*	0.4	0.5	0.8	*	3.0	*
1992.....		0.4	*	*	*	*	0.3	0.6	0.6	*	1.7	2.0	*
1991.....		0.4	*	*	*	*	0.3	0.6	*	1.1	1.3	3.1	*
1990.....		0.5	*	*	*	*	0.5	0.5	1.1	1.5	1.4	2.8	*
1989.....		0.5	*	*	*	*	0.3	0.5	1.1	1.0	2.2	3.5	*
1988.....		0.6	*	*	*	*	0.5	0.6	0.8	1.3	1.7	4.0	*
1987.....		0.5	*	*	*	*	0.3	0.5	0.8	1.1	1.4	4.1	*
1986.....		0.5	*	*	*	*	0.5	0.6	0.7	*	1.9	*	*
1985.....		0.5	*	*	*	*	0.4	0.5	0.9	0.9	1.7	*	*
1984.....		0.5	*	*	*	*	0.4	0.7	*	1.0	1.7	*	*
1983.....		0.5	*	*	*	*	0.3	*	*	1.3	2.1	3.2	*
1982.....		0.5	*	*	*	*	*	0.6	*	1.4	2.1	3.3	*
1981.....		0.5	*	*	*	*	*	*	1.1	1.2	1.8	3.3	*
1980.....		0.5	0.2	0.2	0.0	0.0	0.3	0.4	0.9	1.0	2.3	3.7	2.8
1979.....		0.5	-	0.1	0.0	0.0	0.3	0.5	1.2	1.3	2.4	3.0	5.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	68	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
OTHER TUBERCULOSIS (013-018)															
ALL OTHER MALE															
1998.....		0.2	*	*	*	*	*	*	*	*	*	*	*	*	*
1997.....		0.2	*	*	*	*	*	*	*	*	*	*	*	*	*
1996.....		0.3	*	*	*	*	*	*	*	*	*	*	*	*	*
1995.....		0.3	*	*	*	*	*	*	*	*	*	*	*	*	*
1994.....		0.4	*	*	*	*	*	*	*	*	*	*	*	*	*
1993.....		0.4	*	*	*	*	*	*	*	*	*	*	*	*	*
1992.....		0.5	*	*	*	*	*	0.8	*	*	*	*	*	*	*
1991.....		0.4	*	*	*	*	*	0.9	*	*	*	*	*	*	*
1990.....		0.7	*	*	*	*	*	0.8	1.5	2.1	*	*	*	*	*
1989.....		0.6	*	*	*	*	*	*	1.3	*	3.0	*	*	*	*
1988.....		0.6	*	*	*	*	*	0.9	*	*	*	*	*	*	*
1987.....		0.5	*	*	*	*	*	*	*	*	*	*	*	*	*
1986.....		0.5	*	*	*	*	0.6	0.9	*	*	*	*	*	*	*
1985.....		0.5	*	*	*	*	*	*	*	*	*	*	*	*	*
1984.....		0.6	*	*	*	*	*	1.2	*	*	*	*	*	*	*
1983.....		0.6	*	*	*	*	*	*	*	*	3.2	*	*	*	*
1982.....		0.6	*	*	*	*	*	*	*	*	*	*	*	*	*
1981.....		0.6	*	*	*	*	*	*	*	*	*	*	*	*	*
1980.....		0.5	0.3	0.3	0.0	-	0.5	0.2	0.8	1.4	3.2	4.5	3.3		
1979.....		0.5	-	0.2	0.0	0.0	0.3	0.5	1.3	0.9	2.6	2.2	5.1		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	69
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
OTHER TUBERCULOSIS (013-018)														
ALL OTHER FEMALE														
1998.....	0.3	*	*	*	*	*	*	*	*	*	*	*		
1997.....	0.3	*	*	*	*	*	*	*	*	*	*	*		
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*		
1995.....	0.3	*	*	*	*	*	*	*	*	*	3.2	*		
1994.....	0.4	*	*	*	*	*	*	*	*	*	*	*		
1993.....	0.3	*	*	*	*	*	*	*	*	*	*	*		
1992.....	0.4	*	*	*	*	*	*	*	*	*	*	*		
1991.....	0.4	*	*	*	*	*	*	*	*	*	*	*		
1990.....	0.4	*	*	*	*	*	*	*	*	*	*	*		
1989.....	0.4	*	*	*	*	*	*	*	*	*	*	*		
1988.....	0.5	*	*	*	*	*	*	*	1.6	*	*	*		
1987.....	0.4	*	*	*	*	*	*	*	*	*	*	*		
1986.....	0.4	*	*	*	*	*	*	*	*	2.0	*	*		
1985.....	0.4	*	*	*	*	*	*	*	*	*	*	*		
1984.....	0.4	*	*	*	*	*	*	*	*	*	*	*		
1983.....	0.4	*	*	*	*	*	*	*	*	*	*	*		
1982.....	0.4	*	*	*	*	*	*	*	*	*	*	*		
1981.....	0.4	*	*	*	*	*	*	*	*	*	*	*		
1980.....	0.5	-	0.1	0.1	0.1	0.2	0.5	1.0	0.7	1.7	3.2	2.5		
1979.....	0.6	-	-	-	0.0	0.3	0.5	1.1	1.7	2.2	3.5	6.1		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	70	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
OTHER TUBERCULOSIS (013-018)															
BLACK, BOTH SEXES															
1998.....		0.3	*	*	*	*	*	*	*	*	1.2	*	*		
1997.....		0.3	*	*	*	*	*	*	*	*	*	*	*		
1996.....		0.3	*	*	*	*	*	*	*	*	*	*	*		
1995.....		0.3	*	*	*	*	*	*	*	*	*	*	2.8		
1994.....		0.4	*	*	*	*	*	*	*	1.2	1.8	*	*		
1993.....		0.4	*	*	*	*	*	0.5	*	*	*	*	3.6		
1992.....		0.5	*	*	*	*	0.4	0.8	*	*	1.4	*	*		
1991.....		0.5	*	*	*	*	0.4	0.8	*	1.0	1.4	2.9	*		
1990.....		0.6	*	*	*	*	0.6	0.6	1.2	1.6	*	2.7	*		
1989.....		0.6	*	*	*	*	0.4	0.6	1.1	1.0	2.2	3.7	*		
1988.....		0.6	*	*	*	*	0.6	0.8	0.8	1.4	1.7	3.4	*		
1987.....		0.5	*	*	*	*	0.4	0.7	0.9	1.3	*	3.9	*		
1986.....		0.5	*	*	*	*	0.6	0.8	0.8	*	2.0	*	*		
1985.....		0.5	*	*	*	*	0.4	0.6	1.1	1.1	1.8	*	*		
1984.....		0.6	*	*	*	*	0.4	0.9	*	1.2	1.9	*	*		
1983.....		0.5	*	*	*	*	0.4	*	*	1.4	2.2	*	*		
1982.....		0.5	*	*	*	*	*	*	*	1.6	2.0	3.3	*		
1981.....		0.5	*	*	*	*	*	*	1.2	1.3	1.7	*	*		
1980.....		0.5	-	0.2	0.0	0.0	0.4	0.4	0.9	1.1	2.4	3.7	2.5		
1979.....		0.5	-	0.1	0.0	0.0	0.4	0.5	1.2	1.4	2.1	2.8	5.8		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	71
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
OTHER TUBERCULOSIS (013-018)														
BLACK MALE														
1998.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*	
1997.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*	
1996.....	0.3	*	*	*	*	*	*	*	*	*	*	*	*	
1995.....	0.3	*	*	*	*	*	*	*	*	*	*	*	*	
1994.....	0.4	*	*	*	*	*	*	*	*	*	*	*	*	
1993.....	0.4	*	*	*	*	*	*	*	*	*	*	*	*	
1992.....	0.5	*	*	*	*	*	*	1.0	*	*	*	*	*	
1991.....	0.5	*	*	*	*	*	*	1.2	*	*	*	*	*	
1990.....	0.7	*	*	*	*	*	*	1.0	1.8	*	*	*	*	
1989.....	0.7	*	*	*	*	*	*	*	*	*	3.4	*	*	
1988.....	0.7	*	*	*	*	*	*	1.2	*	*	*	*	*	
1987.....	0.6	*	*	*	*	*	*	*	*	*	*	*	*	
1986.....	0.6	*	*	*	*	*	*	1.2	*	*	*	*	*	
1985.....	0.6	*	*	*	*	*	*	*	*	*	*	*	*	
1984.....	0.7	*	*	*	*	*	*	1.5	*	*	*	*	*	
1983.....	0.6	*	*	*	*	*	*	*	*	*	3.5	*	*	
1982.....	0.6	*	*	*	*	*	*	*	*	*	*	*	*	
1981.....	0.6	*	*	*	*	*	*	*	*	*	*	*	*	
1980.....	0.6	-	0.3	0.0	-	0.6	0.2	1.0	1.4	3.4	4.8	1.9		
1979.....	0.5	-	0.1	0.0	0.0	0.4	0.6	1.4	0.9	2.5	2.1	3.8		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	72
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
OTHER TUBERCULOSIS (013-018)														
BLACK FEMALE														
1998.....	0.3	*	*	*	*	*	*	*	*	*	*	*	*	
1997.....	0.3	*	*	*	*	*	*	*	*	*	*	*	*	
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*	
1995.....	0.3	*	*	*	*	*	*	*	*	*	*	*	*	
1994.....	0.4	*	*	*	*	*	*	*	*	*	*	*	*	
1993.....	0.4	*	*	*	*	*	*	*	*	*	*	*	*	
1992.....	0.4	*	*	*	*	*	*	*	*	*	*	*	*	
1991.....	0.5	*	*	*	*	*	*	*	*	*	*	*	*	
1990.....	0.4	*	*	*	*	*	*	*	*	*	*	*	*	
1989.....	0.5	*	*	*	*	*	*	*	*	*	*	*	*	
1988.....	0.5	*	*	*	*	*	*	*	*	*	*	*	*	
1987.....	0.4	*	*	*	*	*	*	*	*	*	*	*	*	
1986.....	0.4	*	*	*	*	*	*	*	*	*	*	*	*	
1985.....	0.4	*	*	*	*	*	*	*	*	*	*	*	*	
1984.....	0.4	*	*	*	*	*	*	*	*	*	*	*	*	
1983.....	0.4	*	*	*	*	*	*	*	*	*	*	*	*	
1982.....	0.4	*	*	*	*	*	*	*	*	*	*	*	*	
1981.....	0.4	*	*	*	*	*	*	*	*	*	*	*	*	
1980.....	0.4	-	0.1	-	0.1	0.2	0.6	0.9	0.8	1.7	3.1	2.8		
1979.....	0.6	-	-	-	0.0	0.4	0.4	1.0	1.7	1.8	3.3	6.7		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 85
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

TOTAL, BOTH SEXES													
Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
1998	*	*	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*	*	*	*
1980	0.0	0.0	-	0.0	-	-	0.0	0.0	0.0	0.0	0.1	0.1	0.1
1979	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	0.1	0.1	0.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 86
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	-	0.0	-	-	-	-	0.0	0.0	0.0	0.1
1979.....	0.0	0.1	0.0	0.0	-	0.0	0.0	0.0	-	0.0	0.1	0.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 87
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.2.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	0.0	0.0	0.0	-	0.1	0.1
1979.....	0.0	-	-	0.0	0.0	-	0.0	-	-	0.0	0.0	0.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 88
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE, BOTH SEXES												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	-	-	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	0.1	0.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 89
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	-	-	-	-	-	0.0	0.0	0.2
1979.....	0.0	0.1	0.0	-	-	0.0	0.0	0.0	-	0.0	0.1	0.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 90
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	0.0	0.0	0.0	-	0.1	0.1
1979.....	0.0	-	-	0.0	0.0	-	0.0	-	-	0.0	0.0	0.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 91
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)
 ALL OTHER, BOTH SEXES

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.2	-	-	-	-	-	-	0.0	-	-	-
1979.....	0.0	-	-	0.0	-	-	0.0	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 92
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.3	-	-	-	-	-	-	0.1	-	-	-
1979.....	0.0	-	-	0.0	-	-	0.1	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 94
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK, BOTH SEXES												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	-	-	0.1	-	-	-
1979.....	0.0	-	-	0.0	-	-	0.0	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 95
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	-	-	0.1	-	-	-
1979.....	0.0	-	-	0.0	-	-	0.1	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	97
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
MENINGOCOCCAL INFECTION (036) TOTAL, BOTH SEXES														
1998.....	0.1	0.6	0.2	0.1	0.1	0.1	*	0.1	*	*	*	*		
1997.....	0.1	1.2	0.3	0.1	0.2	0.1	0.1	0.1	*	*	*	*		
1996.....	0.1	1.0	0.3	0.1	0.2	*	0.1	0.1	*	*	*	*		
1995.....	0.1	1.0	0.3	0.1	0.2	*	0.1	0.1	*	*	*	*		
1994.....	0.1	1.2	0.3	0.1	0.1	*	0.1	0.1	*	*	*	*		
1993.....	0.1	1.2	0.2	0.1	0.2	*	0.1	*	*	*	*	*		
1992.....	0.1	0.8	0.3	*	0.1	*	*	*	*	*	*	*		
1991.....	0.1	1.1	0.3	0.1	0.1	*	*	*	*	*	*	*		
1990.....	0.1	1.3	0.3	*	0.1	*	*	*	*	*	*	*		
1989.....	0.1	1.5	0.3	0.1	0.1	*	*	*	*	*	*	*		
1988.....	0.1	1.9	0.5	*	0.1	0.0	*	*	*	*	*	*		
1987.....	0.1	1.8	0.5	0.1	0.1	*	*	*	*	*	*	*		
1986.....	0.1	1.7	0.4	0.1	0.1	0.1	*	*	*	*	*	*		
1985.....	0.1	1.9	0.4	*	0.1	*	*	*	*	*	*	*		
1984.....	0.1	1.8	0.5	0.1	0.1	*	*	*	0.1	*	*	*		
1983.....	0.1	1.7	0.6	0.1	0.1	*	*	*	0.1	*	*	*		
1982.....	0.2	2.6	0.6	*	0.1	0.1	0.1	*	0.1	0.1	*	*		
1981.....	0.2	3.5	0.8	0.1	0.1	0.1	*	0.1	0.1	0.2	0.3	*		
1980.....	0.2	2.2	0.9	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.2	0.3		
1979.....	0.2	2.6	0.8	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.3		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 99
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MENINGOCOCCAL INFECTION (036) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	1.1	0.3	*	0.2	*	*	*	*	*	*	*
1996.....	0.1	*	0.3	0.1	*	*	*	*	*	*	*	*
1995.....	0.1	*	0.3	*	0.1	*	*	*	*	*	*	*
1994.....	0.1	1.2	0.4	*	0.1	*	*	*	*	*	*	*
1993.....	0.1	1.3	*	*	0.1	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.1	1.2	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.1	1.6	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.1	1.7	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.1	1.3	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.1	1.4	0.4	*	0.1	*	*	*	*	*	*	*
1985.....	0.1	1.3	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.1	1.7	0.5	*	0.1	*	*	*	*	*	*	*
1983.....	0.1	1.3	0.5	*	*	*	*	*	*	*	*	*
1982.....	0.2	2.0	0.5	*	0.1	*	*	*	*	*	*	*
1981.....	0.2	3.1	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.2	1.9	0.6	0.1	0.1	0.1	0.0	0.1	0.1	0.2	0.2	0.4
1979.....	0.1	2.0	0.6	0.1	0.1	0.0	0.1	0.1	0.2	0.2	0.1	0.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 100
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MENINGOCOCCAL INFECTION (036) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.1	*	0.2	0.1	0.1	*	*	0.1	*	*	*	*
1997.....	0.1	1.2	0.3	0.1	0.2	*	*	*	*	*	*	*
1996.....	0.1	1.0	0.3	0.1	0.2	*	*	*	*	*	*	*
1995.....	0.1	1.0	0.2	*	0.1	*	*	*	*	*	*	*
1994.....	0.1	1.3	0.4	0.1	0.1	*	*	0.1	*	*	*	*
1993.....	0.1	1.2	0.2	*	0.1	*	0.1	*	*	*	*	*
1992.....	0.1	0.9	0.3	*	0.1	*	*	*	*	*	*	*
1991.....	0.1	1.1	0.3	*	0.1	*	*	*	*	*	*	*
1990.....	0.1	1.2	0.2	*	0.1	*	*	*	*	*	*	*
1989.....	0.1	1.4	0.3	*	0.1	*	*	*	*	*	*	*
1988.....	0.1	1.8	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.1	1.8	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.1	1.6	0.4	*	0.1	*	*	*	*	*	*	*
1985.....	0.1	1.8	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.1	2.0	0.4	*	0.1	*	*	*	0.1	*	*	*
1983.....	0.1	1.7	0.6	0.1	0.1	*	*	*	*	*	*	*
1982.....	0.1	2.8	0.6	*	0.1	*	0.1	*	*	*	*	*
1981.....	0.2	3.6	0.7	0.1	0.1	*	*	0.1	0.1	0.2	*	*
1980.....	0.2	2.1	0.8	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.2	0.2
1979.....	0.2	2.8	0.8	0.1	0.1	0.0	0.1	0.1	0.2	0.1	0.1	0.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 101
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MENINGOCOCCAL INFECTION (036) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.1	*	*	*	0.2	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	0.2	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	0.2	*	*	*	*	*	*	*
1995.....	0.1	1.5	*	*	0.2	*	*	*	*	*	*	*
1994.....	0.1	1.3	*	*	0.1	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	0.1	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	0.1	*	*	*	*	*	*	*
1991.....	0.1	1.3	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.1	1.2	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	1.4	*	*	0.1	*	*	*	*	*	*	*
1988.....	0.1	2.0	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.1	2.4	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.1	2.0	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.1	2.5	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.1	2.1	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.1	2.0	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.1	3.3	0.6	*	*	*	*	*	*	*	*	*
1981.....	0.2	3.9	0.8	*	0.1	*	*	*	*	*	*	*
1980.....	0.2	2.4	1.0	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.2	-
1979.....	0.2	3.6	0.9	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 102
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MENINGOCOCCAL INFECTION (036) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	0.2	*	*	*	*	*	*	*
1996.....	0.1	*	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	1.4	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.1	1.5	*	*	0.1	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	1.4	*	*	*	*	*	*	*	*	*	*
1988.....	0.1	1.6	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.1	1.9	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.1	2.1	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.2	3.3	0.6	*	*	*	*	*	*	*	*	*
1980.....	0.1	1.8	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3
1979.....	0.1	2.0	0.6	0.1	0.1	0.0	0.1	0.0	0.2	0.2	0.1	0.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 103
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MENINGOCOCCAL INFECTION (036) ALL OTHER, BOTH SEXES

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	0.8	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	0.3	*	*	*	*	*	*	*
1981.....	0.2	*	0.9	*	*	*	*	*	*	*	*	*
1980.....	0.3	2.7	1.2	0.1	0.1	0.1	0.1	0.2	0.1	0.3	-	0.6
1979.....	0.3	1.7	1.2	0.1	0.2	0.1	0.2	0.2	0.3	0.3	0.2	0.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 104
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MENINGOCOCCAL INFECTION (036) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	2.8	1.4	0.1	0.2	0.1	0.1	0.2	0.1	0.5	-	-
1979.....	0.4	1.3	1.9	0.1	0.3	0.2	0.3	-	0.3	0.3	0.4	1.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 105
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MENINGOCOCCAL INFECTION (036) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	2.5	1.0	0.2	0.1	0.0	-	0.1	0.2	0.2	-	0.8
1979.....	0.2	2.0	0.5	0.2	0.1	0.1	0.2	0.3	0.3	0.4	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MENINGOCOCCAL INFECTION (036)												
BLACK, BOTH SEXES												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	1.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	1.0	*	*	*	*	*	*	*	*	*
1980.....	0.3	2.6	1.2	0.2	0.1	0.1	0.1	0.2	0.1	0.4	-	0.6
1979.....	0.3	1.9	1.3	0.2	0.3	0.1	0.2	0.1	0.4	0.3	-	0.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 107
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MENINGOCOCCAL INFECTION (036) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	2.2	1.4	0.2	0.2	0.2	0.2	0.3	0.1	0.5	-	-
1979.....	0.4	1.5	2.0	0.2	0.4	0.2	0.2	-	0.4	0.4	-	1.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 108
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MENINGOCOCCAL INFECTION (036) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	3.0	0.9	0.2	0.1	0.0	-	0.2	0.1	0.3	-	0.9
1979.....	0.2	2.3	0.6	0.2	0.1	0.0	0.3	0.2	0.4	0.3	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 109												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES												
1998.....	8.8	5.7	0.6	0.1	0.3	0.7	1.5	3.6	9.2	24.3	62.2	175.3
1997.....	8.4	5.2	0.5	0.1	0.2	0.6	1.4	3.5	8.5	22.6	60.0	177.6
1996.....	8.1	5.3	0.5	0.1	0.2	0.7	1.4	3.2	8.2	21.7	59.3	172.7
1995.....	8.0	5.7	0.5	0.1	0.2	0.7	1.5	3.1	8.2	21.2	59.5	173.1
1994.....	7.8	5.7	0.6	0.1	0.2	0.7	1.4	3.1	8.0	20.6	58.6	175.6
1993.....	8.0	5.9	0.6	0.2	0.2	0.7	1.5	2.9	7.7	21.4	60.5	186.3
1992.....	7.7	5.6	0.5	0.1	0.2	0.6	1.5	3.1	7.8	21.1	58.5	178.5
1991.....	7.8	6.6	0.6	0.1	0.2	0.7	1.5	3.0	7.9	20.7	61.2	183.3
1990.....	7.7	6.8	0.7	0.1	0.2	0.7	1.5	3.1	8.0	20.9	60.2	183.7
1989.....	7.8	7.5	0.6	0.1	0.2	0.7	1.7	3.2	8.0	20.5	62.1	190.4
1988.....	8.6	6.5	0.6	0.1	0.3	0.7	1.5	3.3	9.1	24.3	70.0	203.2
1987.....	8.2	6.9	0.6	0.1	0.3	0.7	1.4	3.3	9.2	24.5	66.0	191.8
1986.....	7.8	8.2	0.6	0.1	0.2	0.6	1.4	3.3	9.0	22.8	64.2	184.1
1985.....	7.2	8.2	0.6	0.1	0.2	0.6	1.2	3.0	8.9	21.7	61.1	162.0
1984.....	6.4	8.3	0.5	0.1	0.2	0.5	1.2	3.0	8.1	19.9	51.4	143.7
1983.....	5.7	8.3	0.6	0.1	0.2	0.4	0.9	2.7	7.6	17.9	48.0	126.9
1982.....	5.0	7.5	0.6	0.1	0.2	0.4	0.9	2.5	6.8	15.8	41.3	106.9
1981.....	4.6	8.3	0.7	0.1	0.2	0.5	1.0	2.5	6.3	14.4	37.8	95.4
1980.....	4.2	6.8	0.6	0.1	0.2	0.4	0.9	2.3	5.8	13.7	35.5	87.8
1979.....	3.6	7.6	0.5	0.1	0.2	0.4	0.8	2.2	4.9	12.4	29.7	70.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 110												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, MALE												
1998.....	7.7	5.8	0.7	0.1	0.3	0.6	1.7	4.0	10.2	27.1	69.3	181.0
1997.....	7.4	6.1	0.5	0.1	0.3	0.6	1.5	4.0	9.2	26.5	67.7	184.1
1996.....	7.1	5.9	0.6	*	0.2	0.7	1.7	3.9	9.6	24.8	66.5	174.6
1995.....	7.0	5.7	0.5	0.2	0.2	0.7	1.7	3.6	9.5	24.2	67.0	181.7
1994.....	6.9	5.8	0.6	0.1	0.2	0.8	1.8	3.7	9.2	24.4	65.9	184.9
1993.....	7.1	6.0	0.6	0.1	0.2	0.8	1.8	3.4	8.6	25.1	71.8	192.3
1992.....	6.9	6.0	0.4	*	0.2	0.7	1.8	3.8	8.7	25.0	66.8	188.4
1991.....	7.0	7.0	0.7	*	0.2	0.7	2.0	3.6	9.3	24.6	70.4	197.7
1990.....	7.0	7.4	0.8	0.2	0.2	0.9	2.0	3.6	9.3	25.8	71.1	195.1
1989.....	7.1	8.2	0.7	*	0.2	0.9	2.0	3.8	9.3	25.0	72.0	201.9
1988.....	7.7	7.0	0.6	0.1	0.2	0.7	1.8	3.7	10.6	29.4	81.6	211.7
1987.....	7.6	7.4	0.7	0.2	0.3	0.8	1.8	3.7	10.9	30.3	77.3	214.9
1986.....	7.5	9.5	0.7	0.2	0.2	0.7	1.6	4.0	11.2	28.6	79.8	213.2
1985.....	6.9	9.5	0.8	*	0.2	0.6	1.5	3.5	11.0	27.8	73.5	183.4
1984.....	6.2	9.4	0.5	0.1	0.2	0.6	1.3	3.4	9.8	24.7	62.0	174.3
1983.....	5.6	9.6	0.7	*	0.2	0.4	1.1	3.2	9.4	22.4	60.3	148.0
1982.....	4.9	8.4	0.6	*	0.1	0.4	1.0	2.9	8.4	19.4	49.9	134.4
1981.....	4.5	8.6	0.7	*	0.1	0.6	1.1	3.0	7.7	17.7	46.2	119.3
1980.....	4.3	8.4	0.7	0.1	0.2	0.4	0.9	2.7	7.4	17.8	43.8	106.8
1979.....	3.6	7.9	0.5	0.1	0.2	0.4	0.8	2.6	5.8	15.2	38.2	89.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 111												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE												
1998.....	9.8	5.7	0.5	0.1	0.2	0.7	1.3	3.1	8.3	22.0	57.4	173.0
1997.....	9.3	4.2	0.5	0.2	0.2	0.6	1.4	3.1	7.9	19.4	55.0	174.9
1996.....	9.0	4.6	0.5	0.1	0.2	0.6	1.1	2.6	7.0	19.3	54.7	172.0
1995.....	8.9	5.8	0.5	0.1	0.3	0.6	1.3	2.7	7.1	18.9	54.8	169.8
1994.....	8.7	5.7	0.6	0.1	0.2	0.6	1.1	2.4	7.0	17.5	54.1	172.0
1993.....	8.9	5.9	0.6	0.2	0.2	0.5	1.2	2.4	6.9	18.5	53.6	184.0
1992.....	8.5	5.2	0.6	0.1	0.2	0.6	1.2	2.5	7.0	18.0	53.4	174.6
1991.....	8.6	6.2	0.5	0.1	0.3	0.6	1.1	2.4	6.7	17.7	55.6	177.8
1990.....	8.3	6.1	0.5	*	0.2	0.5	1.0	2.5	6.8	17.2	53.7	179.3
1989.....	8.6	6.8	0.6	*	0.2	0.6	1.3	2.6	6.8	17.0	56.2	185.9
1988.....	9.4	6.0	0.6	0.2	0.3	0.6	1.3	2.8	7.8	20.4	63.2	199.9
1987.....	8.8	6.3	0.6	0.1	0.3	0.6	1.1	2.9	7.7	20.0	59.3	182.7
1986.....	8.1	6.8	0.6	*	0.2	0.5	1.2	2.6	7.1	18.4	54.9	172.6
1985.....	7.5	7.0	0.5	0.1	0.3	0.6	1.0	2.4	7.1	16.9	53.8	153.5
1984.....	6.6	7.1	0.6	0.1	0.3	0.4	1.0	2.6	6.5	16.2	45.1	131.4
1983.....	5.8	7.0	0.5	*	0.2	0.4	0.7	2.3	5.9	14.4	40.8	118.3
1982.....	5.1	6.6	0.6	*	0.2	0.4	0.9	2.1	5.4	13.1	36.3	95.5
1981.....	4.6	8.1	0.7	*	0.2	0.4	0.9	2.0	5.0	11.9	32.8	85.2
1980.....	4.1	5.3	0.4	0.1	0.2	0.3	0.9	1.9	4.4	10.6	30.6	79.5
1979.....	3.5	7.4	0.5	0.1	0.2	0.3	0.8	1.8	4.1	10.2	24.6	61.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 112	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE, BOTH SEXES													
1998	8.5	4.0	0.5	0.1	0.2	0.5	1.2	2.7	7.4	21.6	57.0	165.5
1997	8.1	4.1	0.4	0.1	0.2	0.5	1.0	2.7	6.8	19.7	55.6	167.7
1996	7.8	3.8	0.4	0.1	0.1	0.5	1.0	2.4	6.6	19.3	55.2	163.7
1995	7.7	4.2	0.4	0.1	0.2	0.5	1.1	2.4	6.7	18.7	55.1	163.8
1994	7.6	4.6	0.5	0.1	0.2	0.5	1.0	2.4	6.7	18.3	54.3	167.8
1993	7.8	4.7	0.5	0.1	0.1	0.5	1.1	2.3	6.5	19.2	55.7	177.5
1992	7.4	4.0	0.4	0.1	0.2	0.5	1.0	2.4	6.4	18.5	54.2	169.9
1991	7.5	4.8	0.5	0.1	0.2	0.5	1.0	2.2	6.7	18.3	56.8	175.5
1990	7.4	5.0	0.6	0.1	0.2	0.5	1.0	2.3	6.7	18.5	55.7	175.6
1989	7.5	5.7	0.5	0.1	0.2	0.5	1.2	2.3	6.6	18.1	57.6	181.1
1988	8.2	5.2	0.5	0.1	0.2	0.5	1.1	2.4	7.5	21.5	65.0	194.2
1987	7.8	5.0	0.5	0.1	0.2	0.5	1.0	2.4	7.7	21.6	60.8	180.0
1986	7.5	6.3	0.6	0.1	0.2	0.4	1.0	2.4	7.3	20.5	59.3	174.6
1985	6.8	6.4	0.6	0.1	0.2	0.4	0.9	2.2	7.3	19.1	55.4	153.9
1984	6.0	6.3	0.4	0.1	0.2	0.4	0.8	2.2	6.8	17.3	47.0	136.2
1983	5.4	6.7	0.5	0.1	0.2	0.3	0.7	2.0	6.2	15.4	44.2	121.1
1982	4.6	5.7	0.6	0.1	0.1	0.3	0.6	1.9	5.6	14.1	38.1	101.3
1981	4.2	6.1	0.6	0.1	0.2	0.4	0.7	2.0	5.3	12.6	35.3	88.7
1980	3.8	5.1	0.5	0.1	0.2	0.3	0.7	1.7	4.8	11.7	32.5	82.7
1979	3.3	5.6	0.4	0.1	0.2	0.3	0.6	1.7	4.1	10.8	27.3	66.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 113
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 SEPTICEMIA (038) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	7.4	3.7	0.6	0.1	0.3	0.5	1.4	3.1	8.2	24.7	64.0	172.4
1997.....	7.0	4.8	0.4	*	0.2	0.5	1.1	3.0	7.5	23.1	63.0	175.3
1996.....	6.7	4.0	0.5	*	0.2	0.6	1.2	2.8	7.5	22.0	62.0	167.2
1995.....	6.6	4.3	0.4	0.1	0.1	0.5	1.2	2.7	7.7	21.2	62.0	169.6
1994.....	6.6	4.9	0.4	*	0.2	0.6	1.2	2.8	7.7	21.6	61.0	179.5
1993.....	6.7	4.7	0.5	0.1	*	0.6	1.2	2.5	7.2	22.7	66.4	179.1
1992.....	6.5	4.4	0.3	*	0.2	0.6	1.2	2.8	7.2	22.1	61.8	179.2
1991.....	6.6	5.2	0.6	*	0.1	0.5	1.4	2.6	7.7	21.5	65.6	191.4
1990.....	6.6	5.5	0.7	*	0.2	0.6	1.3	2.6	7.8	23.0	65.9	188.3
1989.....	6.6	6.4	0.6	*	0.2	0.6	1.4	2.8	7.7	22.0	67.6	190.9
1988.....	7.2	5.9	0.5	*	0.2	0.6	1.3	2.7	8.6	25.9	76.0	203.1
1987.....	7.1	5.0	0.6	0.2	0.2	0.5	1.2	2.6	9.2	26.8	72.1	202.4
1986.....	7.0	6.7	0.6	*	0.2	0.5	1.1	2.9	9.1	25.4	74.2	202.3
1985.....	6.4	7.4	0.7	*	0.2	0.4	1.1	2.6	8.9	25.0	66.2	175.9
1984.....	5.7	7.2	0.4	*	0.2	0.4	0.9	2.5	8.5	21.8	57.1	164.6
1983.....	5.3	7.9	0.6	*	0.2	0.2	0.9	2.4	8.1	19.8	55.3	141.8
1982.....	4.5	6.1	0.5	*	0.1	0.3	0.7	2.2	7.1	17.4	46.6	127.2
1981.....	4.2	6.9	0.5	*	0.1	0.4	0.7	2.4	6.5	15.7	43.8	109.7
1980.....	3.9	6.9	0.6	0.1	0.1	0.3	0.6	2.1	6.1	15.5	40.5	99.9
1979.....	3.3	5.8	0.3	0.1	0.2	0.3	0.6	2.1	4.7	13.2	35.4	86.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 114
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 SEPTICEMIA (038) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	9.5	4.4	0.4	*	0.2	0.5	1.0	2.4	6.8	19.1	52.4	162.7
1997.....	9.1	3.5	0.3	0.1	0.1	0.4	1.0	2.4	6.2	17.0	50.7	164.6
1996.....	8.8	3.7	0.3	*	0.1	0.4	0.8	2.0	5.8	17.2	50.8	162.3
1995.....	8.8	4.2	0.5	*	0.2	0.4	1.0	2.1	5.9	16.7	50.6	161.5
1994.....	8.6	4.3	0.5	0.1	0.2	0.4	0.8	1.9	5.8	15.6	50.0	163.3
1993.....	8.8	4.7	0.5	0.2	0.1	0.4	0.9	2.0	5.8	16.4	49.0	176.9
1992.....	8.3	3.6	0.5	*	*	0.4	0.8	2.0	5.7	15.6	49.6	166.3
1991.....	8.4	4.4	0.5	*	0.2	0.5	0.7	1.9	5.7	15.7	51.6	169.6
1990.....	8.1	4.4	0.5	*	0.2	0.4	0.7	2.0	5.6	14.9	49.6	170.8
1989.....	8.3	4.8	0.4	*	0.2	0.4	0.9	1.9	5.6	15.0	51.7	177.5
1988.....	9.2	4.4	0.5	0.2	0.2	0.4	0.8	2.2	6.5	18.0	58.6	190.8
1987.....	8.4	5.0	0.5	*	0.2	0.4	0.8	2.1	6.4	17.6	54.1	171.4
1986.....	7.9	5.9	0.6	*	0.2	0.3	0.9	2.0	5.8	16.6	50.6	163.8
1985.....	7.2	5.4	0.4	*	0.2	0.4	0.7	1.9	6.0	14.5	49.0	145.3
1984.....	6.2	5.3	0.5	*	0.2	0.3	0.7	1.9	5.2	13.9	41.1	124.9
1983.....	5.5	5.5	0.4	*	0.1	0.3	0.5	1.7	4.6	12.0	37.7	112.8
1982.....	4.8	5.3	0.6	*	0.2	0.3	0.6	1.6	4.3	11.5	33.1	90.7
1981.....	4.3	5.1	0.6	*	0.2	0.3	0.7	1.6	4.2	10.2	30.3	80.0
1980.....	3.8	3.2	0.4	0.1	0.2	0.3	0.7	1.4	3.6	8.9	27.8	75.3
1979.....	3.3	5.5	0.5	0.1	0.2	0.3	0.6	1.3	3.5	9.0	22.6	58.4

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 115
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
SEPTICEMIA (038)													
ALL OTHER, BOTH SEXES													
1998.....	10.3	12.1	0.8	*	0.5	1.4	3.0	8.2	20.3	43.7	110.4	268.2	
1997.....	9.9	9.2	0.8	*	0.5	1.2	3.4	8.1	19.0	43.8	101.9	271.9	
1996.....	9.4	11.0	1.0	*	0.4	1.3	3.7	8.0	18.2	40.0	98.7	259.7	
1995.....	9.4	11.3	0.8	0.3	0.5	1.4	3.6	7.4	17.7	40.9	102.9	268.1	
1994.....	8.9	10.0	1.0	*	0.3	1.5	3.4	7.3	16.4	38.8	101.5	256.2	
1993.....	9.2	10.4	0.9	*	0.4	1.3	3.7	7.1	15.8	39.4	108.4	277.2	
1992.....	9.2	11.8	0.7	*	0.6	1.3	3.9	7.6	17.2	42.8	100.3	269.0	
1991.....	9.2	12.9	0.9	*	0.4	1.7	4.2	7.4	16.8	41.2	103.4	265.3	
1990.....	9.3	13.6	0.8	*	0.4	1.5	4.2	7.9	17.5	41.9	104.0	269.9	
1989.....	9.6	14.7	1.1	*	0.4	1.9	4.3	8.4	17.8	41.6	105.8	288.3	
1988.....	10.4	12.0	1.0	*	0.5	1.4	4.3	8.6	20.9	48.9	119.2	298.4	
1987.....	10.6	14.7	1.0	*	0.6	1.8	4.0	9.0	20.6	50.1	117.1	318.3	
1986.....	9.9	16.1	0.9	*	0.3	1.6	3.7	8.7	22.1	43.7	112.6	288.3	
1985.....	9.6	16.3	1.0	*	0.3	1.5	3.2	7.7	21.3	44.7	118.4	250.0	
1984.....	8.7	17.2	1.0	*	0.3	1.4	3.4	8.1	18.9	42.8	95.6	226.7	
1983.....	7.8	15.5	0.9	*	0.3	1.3	2.5	7.4	18.6	39.6	87.0	190.4	
1982.....	6.8	15.6	*	*	0.3	1.2	2.8	6.4	17.0	31.6	74.6	170.4	
1981.....	6.5	18.7	1.4	*	0.3	1.3	3.0	6.2	14.8	30.3	64.0	171.1	
1980.....	6.2	15.0	0.8	0.1	0.4	0.8	2.5	6.5	14.6	31.6	66.7	146.6	
1979.....	5.3	17.1	1.0	0.2	0.2	0.8	2.3	6.0	12.3	26.7	54.2	110.9	

00/04/10 TABLE 290 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 116
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	9.4	13.9	*	*	*	1.2	3.2	9.8	24.2	46.1	120.9	256.4
1997.....	9.1	11.4	*	*	*	1.1	3.5	10.0	20.6	53.2	114.1	260.5
1996.....	9.2	13.6	*	*	*	1.6	4.8	10.6	23.7	47.6	111.2	239.2
1995.....	9.2	10.9	*	*	*	1.7	4.4	9.3	22.4	48.9	116.9	295.4
1994.....	8.6	9.3	*	*	*	1.8	4.5	9.7	19.7	47.6	115.0	236.0
1993.....	8.9	10.6	*	*	*	1.5	4.6	9.4	19.0	45.9	126.1	315.5
1992.....	8.9	12.2	*	*	*	1.2	5.0	10.4	19.7	50.6	117.1	274.3
1991.....	9.1	13.2	*	*	*	2.1	5.3	9.8	21.1	51.9	117.8	255.8
1990.....	9.2	14.5	*	*	*	2.1	5.6	10.3	20.9	50.8	121.2	258.0
1989.....	9.4	14.9	*	*	*	2.1	5.7	10.1	22.2	52.2	114.9	303.7
1988.....	10.2	11.6	*	*	*	1.7	5.2	11.0	26.1	61.6	135.5	291.1
1987.....	10.5	17.9	*	*	0.6	2.0	5.6	10.9	24.8	62.6	127.1	332.5
1986.....	10.4	21.4	*	*	*	1.7	4.4	11.2	28.7	57.6	134.2	316.0
1985.....	9.9	18.7	*	*	*	1.6	4.1	10.0	28.7	54.3	142.8	254.8
1984.....	8.8	19.4	*	*	*	1.7	4.2	9.6	21.2	51.6	108.6	265.3
1983.....	7.9	17.4	*	*	*	1.4	2.9	9.0	21.3	45.8	107.8	204.3
1982.....	7.0	18.7	*	*	*	1.1	2.9	7.6	20.7	37.9	81.8	204.5
1981.....	6.7	16.2	*	*	*	1.6	3.7	7.8	18.2	35.6	69.7	214.1
1980.....	6.7	15.3	1.0	0.2	0.5	1.0	3.1	7.9	18.6	39.3	76.2	177.7
1979.....	5.8	18.2	1.4	0.2	0.2	1.0	2.4	7.2	16.0	33.2	64.9	127.1

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	117
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE													
1998.....		11.2	10.4	*	*	*	1.5	2.9	6.7	17.3	42.0	103.9	273.6
1997.....		10.5	6.8	*	*	*	1.2	3.3	6.5	17.8	37.0	94.4	277.1
1996.....		9.6	8.3	*	*	*	1.1	2.7	5.8	13.8	34.6	91.1	269.0
1995.....		9.6	11.7	*	*	*	1.2	3.0	5.7	14.0	35.2	94.4	256.3
1994.....		9.2	10.8	*	*	*	1.3	2.4	5.3	13.8	32.5	93.4	265.0
1993.....		9.4	10.2	*	*	*	1.2	2.8	5.1	13.4	34.6	97.9	260.4
1992.....		9.5	11.3	*	*	0.6	1.3	2.9	5.3	15.2	37.1	90.2	266.6
1991.....		9.3	12.5	*	*	*	1.3	3.2	5.4	13.4	33.7	94.7	268.3
1990.....		9.4	12.6	*	*	*	1.0	2.9	5.8	14.7	35.5	93.6	275.3
1989.....		9.8	14.5	1.4	*	*	1.6	3.1	7.0	14.4	34.0	100.4	281.1
1988.....		10.6	12.4	*	*	0.7	1.3	3.4	6.6	16.8	39.8	109.5	301.8
1987.....		10.7	11.5	*	*	0.7	1.7	2.7	7.3	17.3	41.1	110.7	311.7
1986.....		9.4	10.7	*	*	*	1.5	3.1	6.6	16.8	33.7	99.2	275.0
1985.....		9.3	13.8	*	*	*	1.5	2.3	5.8	15.4	37.7	103.0	249.3
1984.....		8.6	14.9	*	*	*	1.0	2.7	6.8	17.0	36.5	87.6	207.6
1983.....		7.8	13.5	*	*	*	1.1	2.2	6.0	16.3	35.1	73.6	183.5
1982.....		6.7	12.4	*	*	*	1.3	2.7	5.4	14.1	26.9	69.9	151.9
1981.....		6.3	21.4	*	*	*	1.1	2.3	5.0	12.0	26.3	60.2	149.2
1980.....		5.8	14.6	0.6	0.1	0.3	0.6	2.0	5.4	11.4	25.8	60.5	130.6
1979.....		4.9	16.1	0.5	0.2	0.2	0.6	2.2	5.0	9.2	21.8	47.1	103.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 118
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK, BOTH SEXES													
1998.....		13.0	14.4	1.0	*	0.5	1.8	4.0	10.7	25.7	53.7	133.5	314.5
1997.....		12.5	12.2	0.9	*	0.6	1.5	4.5	10.7	23.8	54.1	122.2	316.6
1996.....		11.9	13.5	1.1	*	0.4	1.7	4.8	10.5	22.8	49.3	117.7	301.8
1995.....		11.6	13.4	0.9	*	0.5	1.8	4.7	9.3	22.1	49.1	118.2	295.2
1994.....		11.1	12.4	1.2	*	0.4	1.9	4.5	9.3	20.5	46.2	117.2	286.9
1993.....		11.3	13.1	1.1	*	0.4	1.7	4.7	8.9	19.2	47.0	123.0	303.5
1992.....		11.4	15.3	0.9	*	0.7	1.6	5.0	9.7	20.6	50.2	115.6	301.1
1991.....		11.3	15.7	1.0	*	0.5	2.1	5.5	9.4	20.7	49.0	115.0	289.2
1990.....		11.4	15.7	0.9	*	0.5	1.9	5.4	9.8	20.8	49.5	117.3	292.0
1989.....		11.8	17.6	1.2	*	0.5	2.4	5.7	10.6	21.4	49.1	118.8	312.7
1988.....		12.6	14.0	1.1	*	0.5	1.8	5.5	10.6	25.3	56.5	132.2	322.4
1987.....		12.8	17.4	1.1	*	0.7	2.3	5.2	10.7	24.5	57.9	129.7	346.2
1986.....		11.8	18.7	1.0	*	0.4	2.1	4.8	10.5	26.1	49.4	124.3	305.5
1985.....		11.4	20.0	1.1	*	0.4	1.9	4.0	9.1	24.7	50.3	130.8	273.3
1984.....		10.3	18.9	1.1	*	0.4	1.6	4.1	9.7	22.2	48.1	106.1	248.9
1983.....		9.2	17.7	1.0	*	0.4	1.6	3.1	8.5	21.3	44.1	95.2	204.3
1982.....		7.9	17.5	*	*	0.4	1.5	3.3	7.5	19.0	34.3	81.8	181.3
1981.....		7.5	20.7	1.6	*	0.4	1.7	3.6	7.1	16.7	33.2	70.4	185.1
1980.....		7.0	15.1	0.8		0.1	0.4	0.9	2.9	7.5	16.3	34.8	72.4
1979.....		5.9	18.6	1.0		0.2	0.2	0.9	2.6	6.6	13.4	28.9	57.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 119
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 SEPTICEMIA (038) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	11.8	15.8	*	*	*	1.6	4.2	13.0	31.2	56.2	149.1	311.6
1997.....	11.6	15.6	*	*	*	1.5	4.6	13.4	26.7	66.1	139.5	313.1
1996.....	11.6	17.3	*	*	*	2.0	6.4	14.3	30.0	57.9	135.4	288.0
1995.....	11.3	12.4	*	*	*	2.3	5.7	12.3	28.7	59.2	135.9	321.9
1994.....	10.7	11.8	*	*	*	2.3	5.9	12.6	24.9	57.6	136.1	269.7
1993.....	11.0	13.5	*	*	*	1.8	6.0	11.8	23.6	55.3	145.6	352.2
1992.....	11.1	15.9	*	*	*	1.6	6.5	13.7	24.0	60.2	139.7	321.5
1991.....	11.2	16.9	*	*	*	2.7	7.0	12.6	26.1	62.3	132.3	289.9
1990.....	11.3	17.1	*	*	*	2.6	7.3	13.0	24.9	60.5	140.4	288.2
1989.....	11.5	17.1	*	*	*	2.8	7.5	13.2	27.1	61.6	131.3	337.9
1988.....	12.3	12.5	*	*	*	2.2	6.8	14.0	31.5	71.8	153.1	312.3
1987.....	12.7	22.0	*	*	*	2.5	7.3	13.4	29.7	73.2	144.9	370.3
1986.....	12.4	25.0	*	*	*	2.2	5.8	13.7	34.3	65.3	150.4	336.5
1985.....	11.8	22.8	*	*	*	2.0	5.4	11.7	33.8	61.6	160.7	282.3
1984.....	10.4	22.5	*	*	*	2.1	5.2	11.5	25.1	58.8	121.9	293.4
1983.....	9.3	20.5	*	*	*	1.8	3.8	10.4	24.6	51.1	119.4	225.0
1982.....	8.0	20.9	*	*	*	1.4	3.4	9.2	23.5	42.0	91.7	220.7
1981.....	7.7	17.8	*	*	*	2.0	4.6	8.9	20.7	39.5	77.4	230.4
1980.....	7.6	14.9	0.9	0.2	0.5	1.2	3.9	9.2	21.0	43.4	84.7	198.1
1979.....	6.4	19.6	1.4	0.2	0.2	1.1	2.7	7.7	17.8	36.3	68.1	138.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 120
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	14.2	13.0	*	*	*	1.9	3.7	8.8	21.5	51.9	124.2	315.7
1997.....	13.3	8.8	*	*	*	1.5	4.4	8.4	21.6	45.4	112.1	318.0
1996.....	12.2	9.6	*	*	*	1.5	3.5	7.3	17.3	43.1	107.5	307.4
1995.....	11.9	14.3	*	*	*	1.4	3.8	6.9	17.0	41.9	108.1	284.3
1994.....	11.5	13.1	*	*	*	1.6	3.2	6.5	17.2	38.1	106.6	293.8
1993.....	11.6	12.6	*	*	*	1.6	3.5	6.4	15.8	41.2	110.3	283.6
1992.....	11.6	14.7	*	*	0.8	1.7	3.7	6.3	18.0	43.1	102.1	292.6
1991.....	11.4	14.4	*	*	*	1.6	4.2	6.7	16.6	39.8	105.4	289.0
1990.....	11.5	14.3	*	*	*	1.3	3.8	7.1	17.6	41.8	104.3	293.5
1989.....	12.0	18.1	*	*	*	2.0	4.1	8.5	17.0	40.4	111.7	303.9
1988.....	12.8	15.5	*	*	0.8	1.5	4.3	7.8	20.5	45.9	120.3	326.8
1987.....	12.9	12.8	*	*	0.7	2.1	3.4	8.5	20.3	47.3	120.9	335.4
1986.....	11.3	12.4	*	*	*	1.9	4.0	7.8	19.7	38.3	109.0	291.3
1985.....	11.0	17.0	*	*	*	1.9	2.8	6.9	17.6	42.4	113.0	269.2
1984.....	10.2	15.2	*	*	*	1.2	3.1	8.2	19.9	40.5	96.9	227.9
1983.....	9.0	14.9	*	*	*	1.4	2.5	6.8	18.8	39.1	80.2	194.4
1982.....	7.7	14.1	*	*	*	1.5	3.3	6.2	15.3	28.8	75.6	161.9
1981.....	7.3	23.7	*	*	*	1.4	2.8	5.6	13.5	28.6	66.0	161.1
1980.....	6.5	15.4	0.7	0.1	0.3	0.7	2.2	6.1	12.6	28.5	64.7	139.6
1979.....	5.5	17.6	0.6	0.3	0.3	0.7	2.5	5.6	9.9	23.4	50.8	106.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 121
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ACUTE POLIOMYELITIS (045) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 TOTAL, BOTH SEXES

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	0.0	0.0	0.0	0.0	0.0	-
1979.....	0.0	-	-	-	-	0.0	-	0.0	0.0	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 122
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ACUTE POLIOMYELITIS (045) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	-	0.0	0.0	0.0	0.0	-
1979.....	0.0	-	-	-	-	0.0	-	0.0	0.0	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 124
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ACUTE POLIOMYELITIS (045) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE, BOTH SEXES												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	-	0.0	0.0	0.0	0.0	-
1979.....	0.0	-	-	-	-	0.0	-	0.0	0.0	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 125
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ACUTE POLIOMYELITIS (045) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	-	0.0	0.0	-	0.0	-
1979.....	0.0	-	-	-	-	0.0	-	0.0	0.0	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 133
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MEASLES (055) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, BOTH SEXES												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	0.0	0.0	0.0	0.0	-	-	-	-	-	-
1979.....	0.0	-	-	-	0.0	0.0	-	0.0	0.0	-	-	-

00/04/10 TABLE 290
 CAUSE OF DEATH CODE,
 RACE, SEX, AND YEAR
 MEASLES (055)

DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 134

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	0.0	0.0	0.0	0.0	-	-	-	-	-	-
1979.....	0.0	-	-	-	0.0	-	-	0.0	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 135
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MEASLES (055) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	0.0	0.0	0.0	0.0	-	-	-	-	-	-
1979.....	0.0	-	-	-	0.0	0.0	-	-	0.0	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 136
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MEASLES (055) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE, BOTH SEXES												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	0.0	0.0	0.0	0.0	-	-	-	-	-	-
1979.....	0.0	-	-	-	0.0	0.0	-	0.0	-	-	-	-

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	0.0	0.0	0.0	0.0	-	-	-	-	-	-
1979.....	0.0	-	-	-	0.0	-	-	0.0	-	-	-	-

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	0.0	0.0	0.0	-	-	-	-	-	-
1979.....	0.0	-	-	-	0.0	0.0	-	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 139												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MEASLES (055)												
ALL OTHER, BOTH SEXES												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.3	0.0	-	-	-	-	-	-	-	-	-
1979.....	0.0	-	-	-	-	-	-	-	0.0	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 141
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MEASLES (055) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

ALL OTHER FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	*	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*	*	*
1980	0.0	-	0.1	-	-	-	-	-	-	-	-	-
1979	0.0	-	-	-	-	-	-	-	0.1	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 142
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MEASLES (055) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK, BOTH SEXES												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.4	0.1	-	-	-	-	-	-	-	-	-
1979.....	0.0	-	-	-	-	-	-	-	0.1	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 144
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MEASLES (055) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

BLACK FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	*	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*	*	*
1986	*	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*	*
1984	*	*	*	*	*	*	*	*	*	*	*	*
1983	*	*	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*	*	*
1981	*	*	*	*	*	*	*	*	*	*	*	*
1980	0.0	-	0.1	-	-	-	-	-	-	-	-	-
1979	0.0	-	-	-	-	-	-	-	0.1	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 145												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR VIRAL HEPATITIS (070) TOTAL, BOTH SEXES	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
1998.....	1.8	*	*	*	0.1	0.3	2.0	3.9	3.3	4.6	5.5	3.8
1997.....	1.5	*	*	*	0.1	0.3	1.7	2.8	2.9	4.4	5.3	4.1
1996.....	1.4	*	*	*	0.1	0.3	1.6	2.4	2.8	4.3	5.2	3.7
1995.....	1.3	*	*	*	0.1	0.3	1.4	2.1	2.7	4.0	4.9	3.3
1994.....	1.2	*	*	*	0.1	0.4	1.3	1.6	2.3	3.7	4.8	3.0
1993.....	1.0	*	*	*	0.1	0.3	1.0	1.4	2.1	3.0	3.9	2.3
1992.....	0.8	*	*	*	0.1	0.3	0.8	1.0	1.5	2.5	3.4	2.5
1991.....	0.7	*	*	*	0.1	0.3	0.7	1.0	1.6	2.4	2.8	2.1
1990.....	0.6	*	*	*	0.1	0.3	0.6	0.8	1.2	2.2	2.9	2.2
1989.....	0.6	*	*	*	0.2	0.3	0.5	0.7	1.1	2.0	2.6	2.4
1988.....	0.5	*	*	*	0.1	0.3	0.4	0.7	1.2	1.7	2.2	2.0
1987.....	0.5	*	*	*	0.2	0.3	0.5	0.6	1.0	1.5	2.0	1.4
1986.....	0.4	*	*	*	0.1	0.3	0.4	0.5	0.8	1.4	1.7	1.5
1985.....	0.4	*	*	*	0.2	0.2	0.3	0.5	0.8	1.3	1.3	1.2
1984.....	0.4	*	*	*	0.2	0.3	0.3	0.4	0.7	1.0	1.1	1.6
1983.....	0.4	0.5	*	*	0.2	0.2	0.3	0.5	0.7	1.1	1.2	1.3
1982.....	0.4	*	*	*	0.1	0.2	0.2	0.5	0.7	1.0	1.3	1.5
1981.....	0.4	*	*	*	0.2	0.3	0.3	0.6	0.7	1.0	1.2	1.4
1980.....	0.4	0.3	0.1	0.0	0.2	0.2	0.3	0.5	0.7	1.0	1.5	1.6
1979.....	0.3	0.4	0.1	0.0	0.2	0.3	0.3	0.4	0.7	0.9	1.2	1.4

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 146	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
VIRAL HEPATITIS (070)													
TOTAL, MALE													
1998.....		2.3	*	*	*	*	0.4	3.0	5.8	4.0	5.0	6.4	6.1
1997.....		1.9	*	*	*	*	0.3	2.6	4.2	3.6	4.6	6.1	5.6
1996.....		1.8	*	*	*	*	0.4	2.4	3.6	3.4	4.7	6.1	5.3
1995.....		1.6	*	*	*	*	0.5	2.2	3.2	3.4	4.5	5.8	4.9
1994.....		1.5	*	*	*	*	0.6	2.1	2.4	2.7	4.4	6.1	4.7
1993.....		1.2	*	*	*	0.1	0.5	1.7	2.1	2.6	3.6	5.0	3.2
1992.....		1.0	*	*	*	*	0.4	1.3	1.6	2.0	3.2	4.4	3.4
1991.....		0.9	*	*	*	0.1	0.4	1.2	1.5	2.0	3.0	3.5	2.8
1990.....		0.8	*	*	*	*	0.4	0.9	1.2	1.4	2.6	3.7	2.4
1989.....		0.8	*	*	*	0.2	0.4	0.8	1.1	1.6	2.6	3.3	2.9
1988.....		0.6	*	*	*	0.1	0.3	0.6	0.9	1.4	2.3	3.0	2.7
1987.....		0.6	*	*	*	0.2	0.4	0.7	0.8	1.3	2.1	2.5	*
1986.....		0.5	*	*	*	*	0.3	0.5	0.7	1.2	1.8	2.2	2.7
1985.....		0.5	*	*	*	0.1	0.3	0.4	0.7	0.9	1.7	1.7	*
1984.....		0.4	*	*	*	0.2	0.3	0.4	0.6	1.0	1.3	1.3	*
1983.....		0.4	*	*	*	0.2	0.3	0.3	0.6	0.9	1.5	1.5	*
1982.....		0.4	*	*	*	0.2	0.3	0.3	0.6	0.8	1.2	1.8	*
1981.....		0.4	*	*	*	0.2	0.4	0.3	0.7	0.9	1.0	1.7	*
1980.....		0.4	0.3	0.1	0.1	0.2	0.2	0.3	0.5	0.8	1.0	2.1	2.1
1979.....		0.4	0.5	0.1	0.0	0.2	0.3	0.3	0.5	0.8	1.1	1.6	1.6

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 147	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
VIRAL HEPATITIS (070)													
TOTAL, FEMALE													
1998	1.3	*	*	*	*	0.2	1.0	2.0	2.6	4.3	4.9	2.8
1997	1.2	*	*	*	*	0.2	0.8	1.5	2.3	4.2	4.7	3.6
1996	1.1	*	*	*	*	0.2	0.8	1.3	2.2	4.0	4.6	3.0
1995	1.0	*	*	*	*	0.2	0.6	1.1	2.0	3.6	4.4	2.7
1994	0.9	*	*	*	*	0.3	0.6	0.9	1.9	3.1	4.0	2.3
1993	0.7	*	*	*	*	0.2	0.4	0.7	1.6	2.5	3.2	2.0
1992	0.6	*	*	*	*	0.2	0.4	0.5	1.1	1.9	2.7	2.1
1991	0.5	*	*	*	*	0.1	0.3	0.5	1.3	1.9	2.4	1.8
1990	0.5	*	*	*	0.1	0.1	0.3	0.4	0.9	1.9	2.5	2.1
1989	0.5	*	*	*	0.2	0.2	0.3	0.4	0.7	1.6	2.1	2.2
1988	0.4	*	*	*	*	0.2	0.2	0.4	0.9	1.3	1.8	1.7
1987	0.4	*	*	*	0.1	0.2	0.2	0.3	0.6	1.1	1.7	1.0
1986	0.3	*	*	*	0.1	0.2	0.2	0.3	0.4	1.0	1.3	*
1985	0.3	*	*	*	0.2	0.2	0.3	0.3	0.6	1.0	1.1	1.0
1984	0.3	*	*	*	0.2	0.2	0.2	0.3	0.6	0.9	0.9	1.5
1983	0.3	*	*	*	0.2	0.1	0.2	0.4	0.5	0.9	1.0	*
1982	0.3	*	*	*	0.1	0.2	0.2	0.4	0.7	0.9	0.9	*
1981	0.3	*	*	*	0.2	0.1	0.3	0.4	0.6	0.9	0.9	1.4
1980	0.3	0.3	0.0	0.0	0.2	0.2	0.3	0.4	0.6	0.9	1.1	1.3
1979	0.3	0.2	0.0	0.0	0.2	0.2	0.2	0.3	0.6	0.8	0.9	1.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	148
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
VIRAL HEPATITIS (070) WHITE, BOTH SEXES													
1998.....		1.7	*	*	*	*	0.3	1.9	3.5	2.8	4.4	5.3	3.8
1997.....		1.5	*	*	*	*	0.2	1.6	2.5	2.5	4.1	5.1	3.9
1996.....		1.4	*	*	*	*	0.3	1.5	2.2	2.5	4.0	5.1	3.8
1995.....		1.3	*	*	*	*	0.3	1.3	1.9	2.4	3.9	4.9	3.2
1994.....		1.1	*	*	*	*	0.4	1.3	1.5	1.9	3.4	4.8	3.1
1993.....		0.9	*	*	*	0.1	0.3	1.0	1.2	1.8	2.9	3.8	2.2
1992.....		0.8	*	*	*	*	0.3	0.7	0.9	1.3	2.3	3.4	2.5
1991.....		0.7	*	*	*	*	0.2	0.6	0.8	1.5	2.4	2.8	2.1
1990.....		0.6	*	*	*	0.1	0.2	0.5	0.6	1.1	2.1	2.9	2.1
1989.....		0.6	*	*	*	0.1	0.3	0.5	0.7	1.0	2.0	2.6	2.4
1988.....		0.5	*	*	*	*	0.2	0.4	0.6	1.1	1.7	2.2	1.9
1987.....		0.5	*	*	*	0.1	0.2	0.4	0.5	0.9	1.5	1.9	1.5
1986.....		0.4	*	*	*	0.1	0.2	0.4	0.4	0.7	1.3	1.7	1.4
1985.....		0.4	*	*	*	0.1	0.2	0.3	0.4	0.7	1.3	1.4	1.2
1984.....		0.3	*	*	*	0.2	0.2	0.2	0.4	0.7	1.0	1.1	1.7
1983.....		0.3	*	*	*	0.1	0.2	0.2	0.4	0.7	1.0	1.2	1.3
1982.....		0.3	*	*	*	0.1	0.2	0.2	0.4	0.7	0.9	1.3	1.4
1981.....		0.4	*	*	*	0.1	0.2	0.3	0.5	0.7	1.0	1.2	1.3
1980.....		0.3	0.3	0.1	0.0	0.2	0.2	0.2	0.4	0.7	1.0	1.5	1.6
1979.....		0.3	0.4	0.1	0.0	0.1	0.2	0.2	0.3	0.7	0.9	1.1	1.4

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 149	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
VIRAL HEPATITIS (070)													
WHITE MALE													
1998.....		2.2	*	*	*	*	0.3	2.9	5.3	3.5	4.8	6.2	6.2
1997.....		1.8	*	*	*	*	0.3	2.5	3.8	3.3	4.3	6.2	5.2
1996.....		1.7	*	*	*	*	0.4	2.3	3.3	3.2	4.5	6.3	5.5
1995.....		1.6	*	*	*	*	0.5	2.0	2.9	3.1	4.5	5.9	5.0
1994.....		1.5	*	*	*	*	0.5	2.0	2.2	2.3	4.3	6.4	4.7
1993.....		1.2	*	*	*	*	0.5	1.5	1.9	2.3	3.5	5.0	3.2
1992.....		1.0	*	*	*	*	0.4	1.2	1.4	1.8	3.1	4.4	3.2
1991.....		0.9	*	*	*	*	0.4	1.0	1.3	1.9	3.0	3.7	2.9
1990.....		0.7	*	*	*	*	0.3	0.9	1.0	1.4	2.5	3.7	*
1989.....		0.7	*	*	*	0.1	0.4	0.7	0.9	1.4	2.6	3.4	3.1
1988.....		0.6	*	*	*	*	0.3	0.5	0.8	1.4	2.3	2.9	2.7
1987.....		0.6	*	*	*	0.1	0.3	0.6	0.7	1.3	2.0	2.4	*
1986.....		0.5	*	*	*	*	0.3	0.6	0.6	1.2	1.7	2.2	*
1985.....		0.5	*	*	*	*	0.3	0.4	0.6	0.9	1.7	1.8	*
1984.....		0.4	*	*	*	0.1	0.3	0.4	0.5	0.9	1.3	1.3	*
1983.....		0.4	*	*	*	0.1	0.2	0.3	0.5	1.0	1.3	1.6	*
1982.....		0.4	*	*	*	*	0.2	0.2	0.5	0.8	1.2	1.9	*
1981.....		0.4	*	*	*	0.1	0.3	0.3	0.6	0.9	1.1	1.8	*
1980.....		0.4	0.3	0.1	0.1	0.1	0.1	0.3	0.4	0.8	1.0	2.1	2.3
1979.....		0.3	0.5	0.1	-	0.1	0.2	0.2	0.4	0.8	1.1	1.5	1.6

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	150
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
VIRAL HEPATITIS (070)													
WHITE FEMALE													
1998.....		1.3	*	*	*	*	0.2	1.0	1.8	2.2	4.1	4.7	2.8
1997.....		1.1	*	*	*	*	0.2	0.7	1.3	1.8	3.9	4.4	3.4
1996.....		1.1	*	*	*	*	0.2	0.7	1.1	1.9	3.6	4.4	3.1
1995.....		0.9	*	*	*	*	0.1	0.5	0.9	1.7	3.4	4.3	2.6
1994.....		0.8	*	*	*	*	0.2	0.5	0.8	1.5	2.7	3.7	2.5
1993.....		0.7	*	*	*	*	0.2	0.4	0.5	1.5	2.4	3.1	1.9
1992.....		0.6	*	*	*	*	0.1	0.3	0.5	1.0	1.8	2.8	2.2
1991.....		0.5	*	*	*	*	0.1	0.2	0.3	1.2	1.9	2.2	1.9
1990.....		0.5	*	*	*	*	*	0.2	0.3	0.8	1.8	2.4	1.9
1989.....		0.5	*	*	*	*	0.1	0.2	0.4	0.7	1.4	2.1	2.2
1988.....		0.4	*	*	*	*	0.1	0.2	0.3	0.9	1.2	1.8	1.6
1987.....		0.3	*	*	*	*	0.2	0.2	0.3	0.6	1.0	1.6	1.1
1986.....		0.3	*	*	*	*	0.1	0.2	0.3	0.4	0.9	1.3	*
1985.....		0.3	*	*	*	0.2	0.1	0.2	0.2	0.6	0.9	1.1	*
1984.....		0.3	*	*	*	0.2	0.2	*	0.2	0.5	0.8	0.9	1.6
1983.....		0.3	*	*	*	0.2	*	*	0.3	0.5	0.8	1.0	*
1982.....		0.3	*	*	*	0.1	0.1	*	0.4	0.6	0.7	0.9	*
1981.....		0.3	*	*	*	0.1	0.1	0.3	0.3	0.6	0.9	0.9	1.3
1980.....		0.3	0.4	0.0	0.0	0.2	0.2	0.2	0.3	0.5	1.0	1.2	1.3
1979.....		0.3	0.3	0.0	0.0	0.2	0.2	0.2	0.2	0.6	0.8	0.9	1.4

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 151
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
VIRAL HEPATITIS (070)												
ALL OTHER, BOTH SEXES												
1998.....	2.0	*	*	*	*	0.5	2.5	5.7	5.9	6.4	7.4	*
1997.....	1.7	*	*	*	*	0.5	1.8	4.5	5.4	6.5	6.6	6.0
1996.....	1.6	*	*	*	*	0.4	2.0	3.7	4.3	6.8	5.9	*
1995.....	1.4	*	*	*	*	0.4	2.0	3.2	4.7	4.5	4.8	*
1994.....	1.4	*	*	*	*	0.8	1.8	2.6	4.7	5.6	5.4	*
1993.....	1.1	*	*	*	*	0.5	1.4	2.4	3.5	3.6	4.0	*
1992.....	0.9	*	*	*	*	0.4	1.4	1.8	2.8	3.4	3.1	*
1991.....	0.9	*	*	*	*	0.3	1.4	2.0	2.4	2.7	3.3	*
1990.....	0.8	*	*	*	*	0.5	1.0	1.5	1.8	3.2	3.0	*
1989.....	0.7	*	*	*	0.3	0.6	0.8	1.2	2.1	2.7	2.3	*
1988.....	0.6	*	*	*	*	0.5	0.7	1.2	1.6	2.2	2.3	*
1987.....	0.7	*	*	*	0.3	0.6	0.8	1.1	1.4	2.2	3.0	*
1986.....	0.5	*	*	*	*	0.5	*	0.8	1.2	2.0	*	*
1985.....	0.5	*	*	*	*	0.5	0.6	1.1	0.9	1.7	*	*
1984.....	0.5	*	*	*	0.3	0.6	0.7	0.8	1.1	*	*	*
1983.....	0.5	*	*	*	0.3	0.5	*	0.9	*	2.1	*	*
1982.....	0.5	*	*	*	0.3	0.5	0.6	0.8	1.1	1.7	*	*
1981.....	0.5	*	*	*	0.5	0.6	*	1.1	1.0	*	*	*
1980.....	0.4	0.3	0.2	0.0	0.3	0.4	0.8	1.2	0.7	0.6	1.2	1.7
1979.....	0.5	0.3	0.0	0.1	0.5	0.5	0.7	0.9	0.8	1.0	1.5	1.1

00/04/10 TABLE 290
 CAUSE OF DEATH CODE,
 RACE, SEX, AND YEAR
 VIRAL HEPATITIS (070)
 ALL OTHER MALE

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	10-YEAR 15-24 YEARS	AGE GROUPS, 25-34 YEARS	RACE, 35-44 YEARS	AND SEX: 45-54 YEARS	UNITED STATES, 55-64 YEARS	1979-98 65-74 YEARS	PAGE 75-84 YEARS	152 85+ YEARS
1998.....	2.7	*	*	*	*	0.7	3.7	8.9	8.0	7.1	8.3	*
1997.....	2.1	*	*	*	*	0.6	2.8	6.8	6.0	6.6	4.7	*
1996.....	1.9	*	*	*	*	*	3.3	5.8	5.1	6.7	*	*
1995.....	1.7	*	*	*	*	*	3.1	4.8	6.1	4.1	*	*
1994.....	1.6	*	*	*	*	0.9	2.7	3.4	5.3	5.4	*	*
1993.....	1.4	*	*	*	*	0.7	2.3	3.4	4.8	3.7	5.4	*
1992.....	1.2	*	*	*	*	*	2.1	2.8	3.9	3.8	*	*
1991.....	1.0	*	*	*	*	*	2.4	2.5	2.7	3.1	*	*
1990.....	0.9	*	*	*	*	0.7	1.3	2.4	2.1	3.5	*	*
1989.....	0.9	*	*	*	*	*	1.2	2.0	3.3	*	*	*
1988.....	0.7	*	*	*	*	*	0.9	1.5	1.8	*	*	*
1987.....	0.8	*	*	*	*	0.9	1.1	1.6	*	3.0	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	2.8	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	0.9	*	*	*	3.0	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	0.9	*	*	*	*	*	*
1980.....	0.4	0.3	0.3	0.1	0.2	0.5	0.6	1.3	0.3	0.6	2.3	-
1979.....	0.6	0.7	0.1	0.1	0.6	0.6	0.8	1.1	0.9	1.2	2.6	1.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 153												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
VIRAL HEPATITIS (070)												
ALL OTHER FEMALE												
1998.....	1.5	*	*	*	*	*	1.3	3.0	4.3	5.9	6.9	*
1997.....	1.5	*	*	*	*	*	0.9	2.5	4.8	6.4	7.8	*
1996.....	1.3	*	*	*	*	*	1.0	1.9	3.6	6.9	7.2	*
1995.....	1.2	*	*	*	*	*	1.1	2.0	3.7	4.8	4.9	*
1994.....	1.3	*	*	*	*	0.7	1.0	1.8	4.3	5.8	6.5	*
1993.....	0.8	*	*	*	*	*	0.6	1.6	2.5	3.5	3.2	*
1992.....	0.7	*	*	*	*	*	0.8	*	2.0	3.1	*	*
1991.....	0.7	*	*	*	*	*	*	1.6	2.2	2.4	4.0	*
1990.....	0.7	*	*	*	*	*	0.7	*	1.6	2.9	*	*
1989.....	0.6	*	*	*	*	0.6	*	*	*	2.9	*	*
1988.....	0.6	*	*	*	*	0.5	*	*	1.4	2.3	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	0.7	*	*	*	*	*	*	*
1980.....	0.5	0.3	0.1	0.0	0.3	0.2	0.9	1.1	1.1	0.6	0.5	2.5
1979.....	0.4	-	-	0.0	0.4	0.5	0.6	0.8	0.8	0.8	0.8	0.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 154												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
VIRAL HEPATITIS (070)												
BLACK, BOTH SEXES												
1998.....	2.0	*	*	*	*	0.6	2.7	6.6	4.8	5.2	5.8	*
1997.....	1.6	*	*	*	*	0.6	1.9	4.7	4.2	4.1	5.6	*
1996.....	1.4	*	*	*	*	0.4	2.2	4.1	2.9	4.9	4.3	*
1995.....	1.3	*	*	*	*	0.4	2.3	3.1	3.3	3.7	3.5	*
1994.....	1.3	*	*	*	*	0.8	2.0	2.4	3.2	4.1	4.5	*
1993.....	0.9	*	*	*	*	0.5	1.6	2.1	2.2	2.6	3.2	*
1992.....	0.8	*	*	*	*	0.4	1.6	1.5	2.0	2.5	*	*
1991.....	0.7	*	*	*	*	*	1.4	1.7	1.5	1.8	*	*
1990.....	0.7	*	*	*	*	0.6	1.0	1.2	1.0	2.6	*	*
1989.....	0.7	*	*	*	*	0.7	0.8	0.9	1.4	2.5	*	*
1988.....	0.5	*	*	*	*	0.6	0.8	1.1	1.1	1.4	*	*
1987.....	0.6	*	*	*	*	0.7	0.7	*	*	1.8	2.8	*
1986.....	0.4	*	*	*	*	0.5	*	*	*	1.8	*	*
1985.....	0.4	*	*	*	*	0.5	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	0.6	*	*	*	*	*	*
1983.....	0.5	*	*	*	0.4	0.6	*	0.9	*	1.6	*	*
1982.....	0.5	*	*	*	0.3	0.6	*	*	*	1.6	*	*
1981.....	0.5	*	*	*	0.6	0.6	*	0.9	1.1	*	*	*
1980.....	0.4	0.4	0.2	0.1	0.3	0.4	0.7	1.0	0.7	0.4	0.9	1.3
1979.....	0.5	0.2	0.1	0.1	0.5	0.6	0.6	0.8	0.5	0.9	1.5	1.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 155												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
VIRAL HEPATITIS (070)												
BLACK MALE												
1998.....	2.6	*	*	*	*	*	4.0	10.4	6.7	5.6	*	*
1997.....	1.9	*	*	*	*	*	2.9	7.4	5.3	4.2	*	*
1996.....	1.7	*	*	*	*	*	3.5	6.7	3.5	4.4	*	*
1995.....	1.5	*	*	*	*	*	3.6	4.5	4.1	3.0	*	*
1994.....	1.4	*	*	*	*	0.9	3.1	3.3	3.3	3.5	*	*
1993.....	1.2	*	*	*	*	*	2.6	3.2	3.3	*	*	*
1992.....	1.0	*	*	*	*	*	2.4	2.6	2.9	*	*	*
1991.....	0.8	*	*	*	*	*	2.5	2.0	*	*	*	*
1990.....	0.7	*	*	*	*	0.8	1.3	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	1.2	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	1.0	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	0.9	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	1.0	*	*	*	*	*	*
1980.....	0.4	0.4	0.3	0.1	0.3	0.6	0.6	1.0	0.4	0.4	1.3	-
1979.....	0.5	0.4	0.1	0.1	0.6	0.6	0.5	0.7	0.1	0.9	2.5	1.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 156												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	1.5	*	*	*	*	*	1.6	3.4	3.3	4.9	6.2	*
1997.....	1.3	*	*	*	*	*	1.0	2.5	3.4	4.1	6.8	*
1996.....	1.2	*	*	*	*	*	1.1	1.9	2.5	5.3	5.6	*
1995.....	1.1	*	*	*	*	*	1.2	2.0	2.7	4.2	*	*
1994.....	1.1	*	*	*	*	0.8	1.0	1.7	3.2	4.5	4.8	*
1993.....	0.6	*	*	*	*	*	*	*	*	2.5	*	*
1992.....	0.6	*	*	*	*	*	0.9	*	*	2.5	*	*
1991.....	0.6	*	*	*	*	*	*	1.4	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	2.4	*	*
1989.....	0.6	*	*	*	*	0.7	*	*	*	2.7	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	0.8	*	*	*	*	*	*	*
1980.....	0.4	0.4	0.1	0.0	0.4	0.2	0.8	1.0	1.0	0.5	0.6	1.9
1979.....	0.5	-	-	0.0	0.5	0.6	0.6	0.9	0.9	0.9	0.8	1.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 157
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 SYPHILIS (090-097) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, BOTH SEXES												
1998.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.0	*	*	*	*	*	*	*	*	*	0.2	*
1993.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.0	0.6	*	*	*	*	*	*	*	*	*	*
1990.....	0.0	0.6	*	*	*	*	*	*	*	*	0.2	*
1989.....	0.0	*	*	*	*	*	*	*	*	*	0.2	*
1988.....	0.0	*	*	*	*	*	*	*	*	*	0.2	*
1987.....	0.0	*	*	*	*	*	*	*	*	0.1	0.3	*
1986.....	0.0	*	*	*	*	*	*	*	*	*	0.3	*
1985.....	0.0	*	*	*	*	*	*	*	*	*	0.2	*
1984.....	0.0	*	*	*	*	*	*	*	*	0.2	0.4	*
1983.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	*
1982.....	0.1	*	*	*	*	*	*	*	*	0.2	0.5	*
1981.....	0.1	*	*	*	*	*	*	*	*	0.3	0.5	*
1980.....	0.1	0.1	-	-	0.0	0.0	0.0	0.0	0.1	0.3	0.7	1.0
1979.....	0.1	0.2	0.0	-	0.0	0.0	0.0	0.0	0.1	0.4	0.6	1.1

00/04/10 TABLE 290
 CAUSE OF DEATH CODE,
 RACE, SEX, AND YEAR
 SYPHILIS (090-097)

DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 158

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*	0.7	*
1983.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*	0.8	*
1981.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	*
1980.....	0.1	0.1	-	-	0.0	-	0.0	0.0	0.1	0.4	1.3	2.1
1979.....	0.1	0.2	0.0	-	0.0	-	0.0	0.0	0.2	0.6	1.0	1.3

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*	0.4	*
1982.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	-	-	-	0.0	0.0	0.0	0.0	0.3	0.3	0.5
1979.....	0.1	0.1	-	-	-	0.0	0.0	0.0	0.1	0.2	0.4	1.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 160
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 SYPHILIS (090-097) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE, BOTH SEXES												
1998.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	0.1	0.3	*
1982.....	0.0	*	*	*	*	*	*	*	*	0.1	0.3	*
1981.....	0.0	*	*	*	*	*	*	*	*	0.2	0.3	*
1980.....	0.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.7
1979.....	0.1	0.1	-	-	0.0	0.0	0.0	0.0	0.1	0.2	0.4	0.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 161
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 SYPHILIS (090-097) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

WHITE MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	*	*	*	*	*	*	*	*	*	*	*	*
1997	0.0	*	*	*	*	*	*	*	*	*	*	*
1996	0.0	*	*	*	*	*	*	*	*	*	*	*
1995	0.0	*	*	*	*	*	*	*	*	*	*	*
1994	0.0	*	*	*	*	*	*	*	*	*	*	*
1993	0.0	*	*	*	*	*	*	*	*	*	*	*
1992	0.0	*	*	*	*	*	*	*	*	*	*	*
1991	0.0	*	*	*	*	*	*	*	*	*	*	*
1990	0.0	*	*	*	*	*	*	*	*	*	*	*
1989	0.0	*	*	*	*	*	*	*	*	*	*	*
1988	0.0	*	*	*	*	*	*	*	*	*	*	*
1987	0.0	*	*	*	*	*	*	*	*	*	*	*
1986	0.0	*	*	*	*	*	*	*	*	*	*	*
1985	0.0	*	*	*	*	*	*	*	*	*	*	*
1984	0.0	*	*	*	*	*	*	*	*	*	*	*
1983	0.0	*	*	*	*	*	*	*	*	*	*	*
1982	0.0	*	*	*	*	*	*	*	*	*	*	*
1981	0.0	*	*	*	*	*	*	*	*	*	*	*
1980	0.1	-	-	-	0.0	-	0.0	-	0.0	0.2	0.8	1.1
1979	0.1	0.2	-	-	0.0	-	-	0.0	0.1	0.4	0.7	0.6

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	-	-	-	0.0	0.0	0.0	0.0	0.2	0.2	0.6
1979.....	0.0	0.1	-	-	-	0.0	0.0	0.0	0.0	0.2	0.3	0.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 163												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097) ALL OTHER, BOTH SEXES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	2.2	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	2.7	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.2	-	-	0.0	0.0	-	0.1	0.2	1.2	3.7	3.9
1979.....	0.3	0.3	0.0	-	-	-	0.1	0.1	0.8	1.5	2.9	5.7

00/04/10 TABLE 290
 CAUSE OF DEATH CODE,
 RACE, SEX, AND YEAR
 SYPHILIS (090-097)

DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 164

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	-	-	0.0	-	-	0.2	0.3	1.8	6.0	11.5
1979.....	0.3	0.3	0.1	-	-	-	0.1	0.1	1.1	2.6	3.7	8.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 165
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 SYPHILIS (090-097) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	-	0.0	-	-	0.2	0.8	2.2	-
1979.....	0.2	0.3	-	-	-	-	0.1	0.2	0.6	0.7	2.3	4.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 166
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 SYPHILIS (090-097) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK, BOTH SEXES												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	3.0	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	3.4	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	0.2	-	-	0.0	0.0	-	0.1	0.3	1.4	3.9	4.4
1979.....	0.3	0.2	0.1	-	-	-	0.1	0.1	1.0	1.7	3.2	5.8

BLACK MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	*	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*	*
1996	0.2	*	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*	*	*
1994	0.1	*	*	*	*	*	*	*	*	*	*	*
1993	0.2	*	*	*	*	*	*	*	*	*	*	*
1992	0.2	*	*	*	*	*	*	*	*	*	*	*
1991	0.2	*	*	*	*	*	*	*	*	*	*	*
1990	0.3	*	*	*	*	*	*	*	*	*	*	*
1989	0.3	*	*	*	*	*	*	*	*	*	*	*
1988	0.2	*	*	*	*	*	*	*	*	*	*	*
1987	0.2	*	*	*	*	*	*	*	*	*	*	*
1986	0.1	*	*	*	*	*	*	*	*	*	*	*
1985	*	*	*	*	*	*	*	*	*	*	*	*
1984	0.2	*	*	*	*	*	*	*	*	*	*	*
1983	0.2	*	*	*	*	*	*	*	*	*	*	*
1982	0.2	*	*	*	*	*	*	*	*	*	*	*
1981	0.2	*	*	*	*	*	*	*	*	*	*	*
1980	0.3	0.4	-	-	0.0	-	-	0.2	0.4	2.1	6.6	13.2
1979	0.4	-	0.1	-	-	-	0.1	0.1	1.3	3.0	4.2	7.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 168
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 SYPHILIS (090-097) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	-	0.0	-	-	0.2	0.9	2.2	-
1979.....	0.2	0.4	-	-	-	-	0.1	0.2	0.7	0.8	2.5	4.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 169
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)
 TOTAL, BOTH SEXES

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	7.5	7.2	0.7	0.4	0.8	8.3	14.4	11.4	8.6	9.1	12.2	20.5
1997.....	8.7	7.0	1.0	0.5	1.1	10.9	17.7	12.9	9.2	8.8	12.9	18.8
1996.....	14.4	6.6	1.6	0.7	1.5	21.1	33.4	21.9	12.6	10.3	12.5	19.1
1995.....	19.1	7.8	2.0	0.8	2.1	30.4	46.6	29.0	15.1	10.8	12.5	19.5
1994.....	18.9	8.6	2.0	0.8	2.2	30.6	46.4	28.3	14.8	10.4	12.2	19.8
1993.....	17.2	8.5	2.1	0.7	2.2	28.4	41.2	25.3	13.0	10.2	12.6	22.4
1992.....	15.8	9.0	1.6	0.6	2.0	26.0	37.8	23.0	12.8	9.7	12.3	21.0
1991.....	14.4	9.8	1.7	0.5	2.0	23.5	33.4	21.0	11.8	9.7	11.9	20.9
1990.....	13.0	9.4	1.5	0.5	2.0	21.1	29.7	17.9	10.6	9.7	13.3	21.7
1989.....	11.8	10.3	1.5	0.4	2.1	19.5	25.8	16.0	9.9	9.9	14.0	23.3
1988.....	9.5	8.1	1.5	0.5	1.9	15.3	19.6	12.4	8.3	9.2	13.5	24.2
1987.....	8.1	8.5	1.5	0.4	1.7	12.9	15.9	10.2	7.7	8.6	11.9	21.6
1986.....	3.9	5.9	0.8	0.3	0.7	4.0	5.2	4.3	5.2	7.9	11.9	22.3
1985.....	3.1	6.2	0.6	0.3	0.6	2.6	3.7	3.4	4.4	7.3	11.0	21.5
1984.....	2.6	5.6	0.6	0.3	0.5	1.8	2.4	2.8	3.9	6.5	10.8	19.3
1983.....	2.1	5.7	0.6	0.3	0.4	1.0	1.5	2.2	3.6	6.1	10.1	16.4
1982.....	1.9	5.5	0.8	0.3	0.4	0.7	1.2	1.9	3.3	6.2	8.9	17.3
1981.....	1.9	5.1	0.7	0.3	0.4	0.7	1.0	1.9	3.3	5.5	9.0	18.1
1980.....	1.8	6.6	0.8	0.3	0.4	0.6	0.9	1.7	3.1	5.5	8.8	18.7
1979.....	1.6	6.5	0.8	0.4	0.4	0.6	0.9	1.6	3.0	4.6	7.6	12.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 170
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	10.4	8.0	0.8	0.3	0.8	11.6	21.8	17.8	11.8	11.6	15.0	21.2
1997.....	12.5	7.9	1.0	0.6	1.1	16.0	27.5	20.1	13.1	11.4	16.1	22.8
1996.....	22.3	6.7	1.7	0.8	1.6	32.9	54.4	36.5	19.5	13.7	15.3	25.1
1995.....	31.0	8.9	1.9	0.8	2.4	48.9	78.9	50.1	24.3	14.9	16.4	26.7
1994.....	31.1	9.4	2.1	0.8	2.7	50.3	79.6	49.7	24.3	14.3	14.4	25.9
1993.....	28.6	9.0	2.1	0.7	2.8	47.9	71.6	44.9	21.5	14.0	16.1	28.3
1992.....	26.6	9.7	1.7	0.6	2.7	44.1	66.5	41.4	20.7	13.6	15.8	27.6
1991.....	24.3	10.5	1.6	0.6	2.8	40.2	60.1	37.7	19.4	13.5	16.9	26.8
1990.....	21.7	10.1	1.5	0.5	2.8	36.5	53.4	32.5	17.1	13.2	17.7	27.5
1989.....	19.7	10.5	1.5	0.5	3.2	33.6	46.8	29.0	15.9	13.2	19.0	28.2
1988.....	15.5	9.2	1.6	0.5	2.8	26.4	35.4	22.1	12.8	12.5	17.4	28.5
1987.....	13.0	9.2	1.5	0.5	2.7	22.3	28.6	18.3	12.0	11.0	15.7	26.1
1986.....	5.4	6.9	0.8	0.3	1.1	6.8	9.0	6.7	7.0	9.9	16.1	25.4
1985.....	4.1	6.5	0.7	0.3	0.8	4.3	6.3	4.9	5.5	9.3	14.6	25.6
1984.....	3.2	6.6	0.5	0.3	0.6	2.8	3.8	3.8	5.2	8.0	13.5	23.7
1983.....	2.4	6.8	0.6	0.3	0.5	1.4	2.1	2.5	4.1	7.4	14.0	21.9
1982.....	2.1	6.1	0.8	0.3	0.5	0.8	1.4	2.2	3.9	7.4	11.9	22.0
1981.....	2.0	5.3	0.8	0.4	0.4	0.7	1.1	2.2	4.0	6.9	11.8	24.1
1980.....	1.9	6.6	0.8	0.3	0.4	0.6	1.1	2.0	3.7	7.4	10.7	22.4
1979.....	1.7	6.5	0.9	0.4	0.4	0.6	1.0	1.8	3.5	5.9	10.4	15.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 171
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
TOTAL, FEMALE												
1998.....	4.7	6.4	0.7	0.4	0.9	5.0	7.0	5.2	5.6	7.1	10.3	20.1
1997.....	5.1	6.1	0.9	0.4	1.2	5.8	8.1	6.0	5.6	6.7	10.8	17.1
1996.....	6.8	6.5	1.5	0.6	1.4	9.3	12.6	8.0	6.3	7.6	10.8	16.8
1995.....	7.8	6.5	2.1	0.8	1.8	12.0	14.8	8.9	6.8	7.5	10.0	16.7
1994.....	7.3	7.7	1.9	0.8	1.7	10.8	13.8	7.9	6.3	7.4	10.8	17.4
1993.....	6.4	8.0	2.1	0.7	1.5	8.9	11.4	6.6	5.3	7.1	10.5	20.2
1992.....	5.6	8.3	1.4	0.5	1.3	7.8	9.6	5.5	5.7	6.6	10.1	18.5
1991.....	5.0	9.1	1.7	0.5	1.2	6.9	7.3	5.1	5.1	6.7	8.8	18.7
1990.....	4.6	8.7	1.5	0.6	1.1	5.8	6.5	4.0	4.8	7.0	10.7	19.5
1989.....	4.3	10.0	1.5	0.4	1.0	5.4	5.3	3.5	4.5	7.3	11.0	21.4
1988.....	3.8	7.0	1.4	0.5	0.9	4.2	4.2	3.1	4.3	6.6	11.1	22.6
1987.....	3.4	7.8	1.4	0.4	0.7	3.5	3.5	2.5	3.8	6.8	9.7	19.8
1986.....	2.4	4.9	0.7	0.3	0.4	1.2	1.5	2.1	3.5	6.3	9.4	21.1
1985.....	2.2	5.9	0.6	0.2	0.3	1.0	1.2	2.0	3.5	5.8	9.0	19.9
1984.....	2.0	4.5	0.7	0.3	0.4	0.9	1.1	1.8	2.8	5.4	9.2	17.6
1983.....	1.9	4.6	0.5	0.3	0.4	0.7	0.9	1.8	3.1	5.1	7.8	14.2
1982.....	1.8	4.8	0.8	0.3	0.4	0.6	1.0	1.6	2.7	5.2	7.1	15.3
1981.....	1.7	4.9	0.6	0.3	0.4	0.6	0.9	1.6	2.8	4.5	7.4	15.5
1980.....	1.7	6.5	0.7	0.3	0.4	0.6	0.8	1.5	2.6	4.1	7.7	17.1
1979.....	1.5	6.5	0.7	0.4	0.4	0.6	0.9	1.4	2.6	3.5	6.0	11.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 172
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE, BOTH SEXES												
1998.....	5.1	5.8	0.6	0.3	0.5	4.6	8.4	6.5	5.9	8.0	11.8	20.5
1997.....	5.9	4.9	0.8	0.4	0.7	6.6	10.4	7.6	6.3	7.6	12.3	18.4
1996.....	10.1	4.7	1.0	0.5	1.0	14.3	21.8	14.3	8.7	8.9	11.8	18.4
1995.....	14.2	5.7	1.3	0.6	1.3	22.3	33.2	20.6	11.1	9.3	11.9	19.6
1994.....	14.4	6.1	1.3	0.6	1.3	22.7	34.0	20.8	11.2	8.9	11.6	19.8
1993.....	13.5	5.8	1.3	0.5	1.4	21.9	30.9	19.5	10.5	9.0	12.0	22.1
1992.....	12.7	5.4	1.0	0.5	1.4	20.5	29.0	18.6	10.1	8.7	11.9	20.6
1991.....	11.9	7.1	1.1	0.4	1.4	18.8	26.5	17.1	9.9	8.8	11.6	20.7
1990.....	10.9	6.4	1.0	0.4	1.5	16.8	24.0	15.2	9.0	9.0	12.9	21.3
1989.....	9.9	7.2	1.0	0.4	1.6	15.4	20.4	13.6	8.8	9.2	13.6	23.3
1988.....	8.0	6.1	1.1	0.4	1.4	11.8	15.6	10.5	7.3	8.8	13.1	24.4
1987.....	6.9	6.2	1.1	0.4	1.3	10.2	12.8	8.6	6.8	8.2	11.8	21.4
1986.....	3.6	4.6	0.7	0.3	0.7	3.4	4.3	3.8	4.7	7.6	11.7	22.3
1985.....	2.9	4.9	0.6	0.3	0.5	2.1	3.1	2.9	4.1	6.9	11.0	21.8
1984.....	2.4	4.5	0.6	0.3	0.5	1.4	1.9	2.2	3.6	6.2	10.5	19.7
1983.....	2.0	4.7	0.5	0.3	0.4	0.8	1.1	1.8	3.3	5.9	9.8	16.4
1982.....	1.8	4.4	0.8	0.3	0.4	0.5	0.9	1.6	3.1	6.0	8.5	17.6
1981.....	1.8	4.6	0.7	0.3	0.4	0.5	0.7	1.6	3.1	5.3	8.9	17.9
1980.....	1.7	5.7	0.7	0.3	0.4	0.4	0.7	1.4	2.9	5.3	8.5	18.8
1979.....	1.5	5.7	0.7	0.4	0.3	0.4	0.6	1.4	2.8	4.4	7.5	12.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 173
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	7.2	6.5	0.6	0.3	0.5	7.2	14.0	10.6	8.0	10.1	14.4	21.4
1997.....	8.6	5.7	0.9	0.4	0.7	10.5	17.5	12.3	8.7	9.5	15.3	22.5
1996.....	16.1	5.0	1.0	0.5	1.1	23.8	37.9	24.9	13.5	11.4	14.3	23.6
1995.....	24.0	6.7	1.3	0.6	1.7	38.1	59.0	37.0	18.2	12.9	15.3	26.2
1994.....	24.5	7.1	1.4	0.7	1.8	39.3	61.4	37.9	18.6	11.9	13.3	25.4
1993.....	23.2	6.9	1.2	0.6	1.9	38.9	56.1	35.6	17.3	12.1	15.0	28.4
1992.....	22.1	6.2	1.1	0.5	1.9	36.4	53.5	34.2	16.7	11.9	15.5	27.0
1991.....	20.6	8.0	1.1	0.5	2.0	33.8	49.4	31.5	16.4	12.0	16.2	26.0
1990.....	18.7	7.5	0.9	0.4	2.2	30.3	45.0	28.4	14.6	12.1	17.3	26.6
1989.....	16.9	8.1	0.9	0.5	2.5	27.8	38.4	25.3	14.2	12.3	18.2	28.1
1988.....	13.2	7.3	1.2	0.5	2.2	21.2	29.0	19.1	11.2	11.9	17.2	27.4
1987.....	11.3	7.2	1.1	0.4	2.2	18.3	23.8	15.8	10.7	10.7	15.6	25.7
1986.....	5.0	5.4	0.7	0.3	1.0	5.9	7.9	6.0	6.4	9.6	15.8	24.9
1985.....	3.8	5.2	0.6	0.3	0.7	3.6	5.5	4.2	5.2	8.9	14.3	25.9
1984.....	2.9	5.4	0.5	0.3	0.6	2.3	3.1	3.2	4.9	7.7	12.9	23.7
1983.....	2.2	5.7	0.5	0.3	0.4	1.1	1.6	2.1	3.8	7.1	13.7	21.3
1982.....	1.9	4.8	0.7	0.3	0.4	0.6	1.0	1.9	3.7	7.1	11.3	21.7
1981.....	1.9	4.5	0.8	0.4	0.3	0.5	0.8	1.9	3.7	6.6	11.8	23.2
1980.....	1.8	5.6	0.8	0.3	0.4	0.5	0.8	1.6	3.4	7.0	10.5	22.2
1979.....	1.6	5.5	0.8	0.4	0.4	0.5	0.7	1.6	3.3	5.8	10.1	15.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 174
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	3.1	5.1	0.5	0.3	0.5	1.9	2.7	2.5	3.9	6.4	10.1	20.2
1997.....	3.3	4.1	0.6	0.3	0.6	2.7	3.3	2.9	4.1	6.0	10.3	16.8
1996.....	4.2	4.4	1.0	0.4	0.8	4.6	5.6	4.0	4.3	6.9	10.3	16.4
1995.....	4.8	4.8	1.3	0.6	0.9	6.1	7.2	4.7	4.5	6.4	9.7	17.1
1994.....	4.6	5.1	1.2	0.5	0.8	5.8	6.4	4.2	4.3	6.5	10.5	17.6
1993.....	4.2	4.7	1.4	0.5	0.9	4.6	5.6	3.8	4.1	6.4	10.1	19.7
1992.....	3.8	4.5	0.9	0.5	0.8	4.2	4.4	3.4	4.1	6.1	9.7	18.1
1991.....	3.5	6.1	1.0	0.4	0.7	3.6	3.6	3.0	4.0	6.3	8.8	18.6
1990.....	3.3	5.3	1.0	0.4	0.7	3.0	3.0	2.4	3.9	6.6	10.3	19.3
1989.....	3.2	6.3	1.1	0.3	0.7	2.8	2.5	2.3	3.9	6.7	10.8	21.5
1988.....	3.0	4.8	1.0	0.4	0.6	2.2	2.2	2.1	3.8	6.3	10.7	23.2
1987.....	2.7	5.2	1.2	0.4	0.4	1.9	1.8	1.6	3.3	6.2	9.5	19.7
1986.....	2.2	3.8	0.6	0.3	0.3	0.8	0.9	1.6	3.2	6.1	9.3	21.3
1985.....	2.1	4.7	0.6	0.2	0.3	0.6	0.8	1.5	3.0	5.4	9.1	20.2
1984.....	1.9	3.6	0.6	0.3	0.3	0.6	0.7	1.3	2.4	5.1	9.1	18.1
1983.....	1.8	3.7	0.5	0.3	0.3	0.5	0.7	1.4	2.9	5.0	7.6	14.5
1982.....	1.7	3.9	0.9	0.3	0.4	0.5	0.7	1.2	2.5	5.1	6.9	15.9
1981.....	1.7	4.7	0.5	0.3	0.4	0.4	0.6	1.3	2.5	4.3	7.2	15.7
1980.....	1.6	5.9	0.5	0.2	0.3	0.4	0.5	1.1	2.4	4.0	7.4	17.3
1979.....	1.4	6.0	0.6	0.4	0.3	0.4	0.5	1.2	2.3	3.3	6.0	11.6

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 175
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)													
ALL OTHER, BOTH SEXES													
1998.....	18.8	12.5	1.2	0.6	2.2	23.4	43.0	38.3	25.2	16.7	15.5	19.6	
1997.....	22.3	15.1	1.8	1.0	2.9	29.0	53.3	43.2	26.9	18.2	18.8	22.1	
1996.....	35.2	14.1	4.0	1.6	3.6	50.5	90.4	65.7	36.6	21.4	19.2	25.9	
1995.....	43.2	15.1	4.7	1.8	5.5	66.8	113.6	78.4	40.7	22.5	17.9	18.5	
1994.....	41.5	17.5	4.9	1.6	5.6	66.0	108.9	73.0	38.5	22.7	18.1	19.5	
1993.....	35.8	18.5	5.0	1.4	5.2	58.4	93.9	60.8	29.8	19.9	18.5	26.2	
1992.....	31.5	22.7	3.9	0.9	4.6	51.8	83.1	50.1	30.9	18.4	15.5	25.4	
1991.....	27.4	19.3	3.9	0.9	4.7	45.9	70.5	45.1	25.0	17.2	14.9	24.1	
1990.....	23.9	20.8	3.7	1.2	4.1	42.2	60.6	34.7	21.9	15.8	17.4	26.1	
1989.....	21.9	21.9	3.5	0.6	4.2	39.7	55.7	30.7	17.7	15.8	17.7	23.0	
1988.....	17.6	16.3	3.2	0.8	3.9	32.8	42.7	24.3	16.0	13.2	16.7	22.6	
1987.....	14.6	18.1	2.9	0.6	3.4	27.0	34.1	20.6	14.3	12.3	13.9	23.8	
1986.....	5.4	11.4	1.0	*	1.0	7.4	10.3	8.0	8.7	9.8	13.9	22.9	
1985.....	4.3	11.8	0.9	*	1.0	5.2	7.3	6.8	7.4	11.0	11.7	18.8	
1984.....	3.7	10.3	0.8	0.4	0.7	4.0	5.8	6.3	6.8	9.1	13.1	15.2	
1983.....	2.9	10.1	0.9	0.4	0.6	2.5	3.9	4.9	5.8	7.7	13.1	16.7	
1982.....	2.6	10.2	0.9	0.4	0.6	1.8	3.3	4.0	5.2	8.0	12.6	14.6	
1981.....	2.4	7.5	*	*	0.5	1.8	3.2	3.9	5.4	7.2	10.3	20.0	
1980.....	2.5	10.4	1.2	0.3	0.6	1.4	2.7	4.5	5.2	7.7	12.2	18.4	
1979.....	2.2	10.0	1.2	0.3	0.6	1.7	3.0	3.2	5.0	6.1	8.3	10.3	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 176
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	26.0	13.6	1.3	0.6	1.9	30.7	61.9	61.2	37.5	23.2	20.2	19.7
1997.....	31.7	16.3	1.4	1.3	2.6	40.8	79.3	67.9	42.8	26.8	24.2	25.3
1996.....	52.9	13.3	4.6	1.7	3.7	74.7	141.3	108.8	60.8	32.8	25.6	39.0
1995.....	66.3	17.3	4.4	1.8	5.6	99.6	185.4	133.3	66.3	32.0	27.2	31.6
1994.....	64.7	18.0	5.2	1.5	6.2	103.1	177.5	125.6	64.5	35.0	25.9	30.7
1993.....	56.3	16.8	5.2	1.3	6.3	91.7	156.4	105.7	51.6	30.2	26.8	27.3
1992.....	49.8	22.7	4.2	0.9	6.2	82.3	138.5	88.3	50.8	28.8	18.0	33.0
1991.....	43.6	19.1	3.6	1.0	6.0	72.5	121.9	78.3	41.6	26.8	23.7	33.7
1990.....	37.5	20.0	3.7	1.2	5.4	68.3	102.3	59.8	35.9	23.3	21.3	35.6
1989.....	34.9	20.0	3.8	*	6.2	64.1	96.8	53.9	29.3	21.5	26.5	28.4
1988.....	28.1	17.2	3.2	0.7	5.6	53.8	74.9	42.4	25.8	18.8	18.8	39.2
1987.....	22.8	17.6	3.3	0.7	5.1	44.2	59.0	35.4	22.8	13.8	16.5	29.9
1986.....	7.6	13.2	*	*	1.4	11.8	16.6	11.5	12.3	12.6	19.1	30.7
1985.....	5.8	12.4	*	*	1.5	8.1	11.4	9.5	8.0	13.8	17.0	*
1984.....	4.7	12.2	*	*	1.0	6.0	8.2	8.3	7.8	11.1	18.5	*
1983.....	3.5	11.8	*	*	0.6	3.4	5.6	5.2	6.7	10.0	17.7	*
1982.....	2.9	11.6	*	*	0.7	2.1	4.2	4.1	5.8	10.2	17.5	*
1981.....	2.6	9.1	*	*	0.6	1.7	3.6	4.1	5.9	8.9	11.2	32.8
1980.....	2.6	11.3	1.1	0.2	0.4	1.4	2.8	4.7	6.5	10.6	13.1	24.7
1979.....	2.3	11.2	1.3	0.4	0.6	1.7	3.0	3.5	5.0	6.8	12.7	11.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 177
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

ALL OTHER FEMALE	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	12.3	11.4	*	0.7	2.6	16.9	26.1	19.0	15.5	12.0	12.5	19.5
1997.....	13.7	13.9	2.2	0.7	3.3	18.2	30.1	22.4	14.3	12.0	15.5	20.6
1996.....	19.0	14.8	3.4	1.5	3.5	28.4	45.1	29.3	17.5	13.1	15.4	20.0
1995.....	22.0	12.9	4.9	1.9	5.4	36.9	50.3	32.1	20.4	15.6	12.4	12.8
1994.....	20.3	16.9	4.6	1.7	4.9	32.2	48.4	28.5	18.0	13.9	13.5	14.7
1993.....	17.0	20.2	4.7	1.6	4.1	27.9	39.0	22.7	12.7	12.5	13.5	25.7
1992.....	14.8	22.6	3.5	0.9	3.0	23.9	34.5	17.6	15.3	10.9	14.0	22.0
1991.....	12.5	19.4	4.2	0.8	3.4	21.6	25.7	16.7	12.0	10.3	9.7	19.6
1990.....	11.4	21.5	3.6	1.3	2.8	18.4	24.4	13.2	10.9	10.4	15.0	21.8
1989.....	10.0	23.9	3.1	*	2.3	17.5	20.1	10.8	8.6	11.8	12.3	20.6
1988.....	8.1	15.4	3.2	0.8	2.2	13.8	14.9	8.8	8.3	9.2	15.5	14.8
1987.....	7.1	18.6	2.5	*	1.7	11.6	12.7	7.9	7.6	11.2	12.2	20.9
1986.....	3.5	9.5	*	*	0.7	3.5	4.8	5.1	5.9	7.9	10.7	19.2
1985.....	3.1	11.2	*	*	*	2.6	3.7	4.6	7.0	9.0	8.3	16.7
1984.....	2.8	8.2	*	*	*	2.3	3.7	4.6	5.9	7.7	9.7	*
1983.....	2.4	8.4	*	*	0.6	1.6	2.4	4.6	5.1	6.0	10.2	*
1982.....	2.2	8.8	*	*	*	1.5	2.5	3.9	4.6	6.4	9.5	*
1981.....	2.2	*	*	*	*	1.9	2.8	3.7	4.9	5.9	9.6	*
1980.....	2.4	9.5	1.2	0.4	0.7	1.3	2.7	4.4	4.2	5.5	11.6	15.2
1979.....	2.1	8.7	1.1	0.2	0.6	1.6	3.0	3.0	5.0	5.5	5.3	9.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 178
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
BLACK, BOTH SEXES												
1998.....	24.9	15.5	1.4	0.8	2.9	32.2	58.4	52.8	32.6	20.7	16.3	19.6
1997.....	29.4	19.1	2.4	1.2	3.7	39.8	71.5	59.2	34.9	22.0	20.7	23.9
1996.....	46.3	17.4	5.0	2.1	4.6	68.8	121.1	89.2	47.8	25.8	21.4	26.2
1995.....	56.2	18.8	6.0	2.3	7.2	89.3	150.9	105.8	52.3	27.4	19.4	17.5
1994.....	53.7	22.0	6.1	1.9	7.1	87.2	145.4	98.0	49.2	26.9	18.5	20.0
1993.....	46.1	22.5	6.3	1.7	6.6	77.0	125.0	80.7	37.7	23.0	19.9	27.7
1992.....	40.6	28.2	4.8	1.1	6.0	68.3	111.1	66.6	38.7	21.3	16.3	25.3
1991.....	34.9	24.5	4.7	1.1	6.0	59.8	93.9	59.5	31.2	18.9	15.9	23.3
1990.....	30.2	24.9	4.4	1.4	5.2	55.0	80.4	44.7	26.6	17.3	18.4	24.3
1989.....	27.4	25.3	4.2	0.6	5.3	51.3	73.5	39.0	21.1	17.8	17.9	24.1
1988.....	21.8	19.9	3.9	0.8	4.7	42.0	56.1	30.7	18.5	14.2	18.4	22.9
1987.....	17.9	21.8	3.4	0.6	4.1	34.6	44.3	25.4	16.6	13.1	14.4	24.5
1986.....	6.3	12.3	1.2	*	1.3	9.3	13.2	9.6	9.4	9.9	13.6	20.9
1985.....	5.0	13.6	*	*	1.2	6.4	9.1	8.0	8.2	10.7	11.3	18.5
1984.....	4.2	11.7	*	0.4	0.8	4.9	7.2	7.2	7.2	9.5	12.4	14.2
1983.....	3.3	10.5	*	*	0.6	3.1	4.9	5.7	6.2	8.2	13.4	14.7
1982.....	2.8	11.0	*	*	0.6	2.2	4.0	4.5	5.5	8.5	11.6	13.1
1981.....	2.6	7.6	*	*	0.6	2.2	3.8	4.4	5.7	7.0	9.5	17.3
1980.....	2.7	11.4	1.1	0.3	0.6	1.6	3.3	5.0	5.3	8.1	11.9	18.9
1979.....	2.3	10.1	1.0	0.3	0.6	1.9	3.5	3.5	5.1	5.9	7.4	9.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 179
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

BLACK MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	34.6	16.2	*	*	2.4	41.8	84.5	85.1	50.5	30.0	21.9	*
1997.....	42.0	21.3	1.8	1.6	3.2	56.1	106.7	94.3	57.0	32.8	26.3	25.7
1996.....	69.8	16.6	5.6	2.1	4.8	102.0	189.8	149.0	81.1	40.0	28.9	38.4
1995.....	86.8	21.3	5.7	2.3	7.3	133.4	246.5	181.7	87.4	39.6	30.5	32.8
1994.....	84.2	23.6	6.4	1.6	7.9	136.8	237.4	170.2	84.0	42.3	26.5	31.4
1993.....	72.9	20.4	6.7	1.5	8.0	121.4	208.5	142.1	66.3	35.5	29.1	28.2
1992.....	64.7	27.7	5.2	1.2	8.0	109.0	185.7	118.9	65.1	34.4	19.2	30.1
1991.....	56.1	23.6	4.4	1.2	7.6	95.0	162.8	105.1	52.4	30.4	25.9	30.4
1990.....	47.8	23.6	4.6	1.3	6.9	89.8	136.2	77.9	44.1	24.8	23.8	*
1989.....	44.1	22.5	4.6	*	7.8	83.4	128.0	69.7	35.6	24.8	27.6	*
1988.....	35.2	21.2	3.9	0.8	6.8	69.1	98.8	54.9	30.4	19.9	22.5	41.5
1987.....	28.3	20.2	3.6	*	6.3	57.0	77.0	44.5	27.1	14.6	17.6	*
1986.....	8.9	14.3	*	*	1.7	15.0	21.4	13.9	13.3	12.0	17.2	*
1985.....	6.7	13.4	*	*	1.7	10.0	14.5	11.2	8.9	13.3	16.3	*
1984.....	5.3	14.2	*	*	1.0	7.3	10.2	9.8	7.9	11.0	17.1	*
1983.....	3.9	12.1	*	*	*	4.3	7.2	6.1	6.8	10.9	17.0	*
1982.....	3.2	13.2	*	*	0.7	2.7	5.1	4.5	6.4	10.8	14.9	*
1981.....	2.7	9.3	*	*	*	2.1	4.3	4.8	6.1	8.4	10.6	*
1980.....	2.8	12.3	1.1	0.2	0.5	1.7	3.3	5.2	6.7	11.1	12.7	22.6
1979.....	2.4	11.5	1.3	0.4	0.6	1.9	3.6	3.7	5.2	6.2	11.3	9.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 180
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	16.1	14.8	*	0.9	3.3	23.6	35.3	26.0	18.9	13.9	13.0	19.4
1997.....	18.0	16.8	3.0	0.9	4.2	25.2	40.5	30.2	18.0	14.2	17.5	23.2
1996.....	25.0	18.2	4.3	2.0	4.4	38.8	60.8	39.7	22.3	15.7	17.0	21.2
1995.....	28.7	16.3	6.2	2.3	7.1	49.7	67.3	42.9	25.4	18.7	13.1	11.3
1994.....	26.2	20.3	5.8	2.1	6.3	42.7	65.2	38.2	22.4	15.9	14.0	15.4
1993.....	21.8	24.6	5.9	1.9	5.2	37.1	52.3	29.8	15.6	14.2	14.8	27.4
1992.....	19.0	28.7	4.4	1.1	3.9	31.7	46.3	23.2	18.3	12.1	14.6	23.3
1991.....	15.9	25.4	5.0	0.9	4.4	28.2	34.4	21.8	14.9	10.9	10.3	20.2
1990.....	14.4	26.3	4.3	1.5	3.5	23.9	32.3	17.2	13.0	12.1	15.4	22.4
1989.....	12.4	28.2	3.9	*	2.8	22.6	26.6	13.6	9.8	12.9	12.3	22.2
1988.....	9.9	18.6	4.0	0.9	2.7	17.8	19.6	10.5	9.3	10.2	16.0	14.8
1987.....	8.6	23.5	3.2	*	1.9	14.7	16.4	9.7	8.3	12.1	12.6	22.2
1986.....	4.0	10.2	*	*	0.8	4.3	6.1	6.2	6.3	8.4	11.4	17.4
1985.....	3.5	13.7	*	*	*	3.2	4.6	5.4	7.6	8.9	8.4	15.8
1984.....	3.2	9.1	*	*	*	2.8	4.6	5.1	6.6	8.5	9.6	*
1983.....	2.7	9.0	*	*	*	2.0	3.0	5.3	5.6	6.4	11.1	*
1982.....	2.5	8.9	*	*	*	1.8	3.1	4.5	4.7	7.0	9.5	*
1981.....	2.4	*	*	*	*	2.2	3.3	4.0	5.4	6.1	8.8	*
1980.....	2.6	10.5	1.2	0.4	0.7	1.5	3.3	4.9	4.2	5.9	11.4	17.0
1979.....	2.2	8.6	0.7	0.2	0.6	1.9	3.4	3.4	5.1	5.7	4.7	8.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 181
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
TOTAL, BOTH SEXES												
1998.....	200.3	2.1	2.4	2.6	4.6	11.3	38.2	132.3	383.8	841.3	1,326.3	1,749.4
1997.....	201.6	2.4	2.9	2.7	4.5	11.6	38.9	135.1	395.7	847.3	1,335.2	1,805.0
1996.....	203.4	2.3	2.7	2.7	4.5	12.0	39.3	137.9	406.5	861.6	1,351.5	1,798.3
1995.....	204.9	1.8	3.1	2.7	4.6	11.9	40.3	142.2	416.0	868.2	1,364.8	1,823.8
1994.....	205.2	1.5	3.3	2.8	4.8	12.2	40.4	145.9	424.6	875.4	1,367.4	1,789.0
1993.....	205.6	2.2	3.3	2.9	4.8	12.1	41.1	147.9	433.4	876.1	1,366.9	1,807.7
1992.....	204.1	2.4	3.1	3.0	5.0	12.5	42.3	150.3	437.8	873.4	1,350.9	1,787.3
1991.....	204.1	1.9	3.5	3.1	5.0	12.4	43.1	155.1	448.4	871.6	1,351.6	1,773.9
1990.....	203.2	2.3	3.5	3.1	4.9	12.6	43.3	158.9	449.6	872.3	1,348.5	1,752.9
1989.....	201.0	2.8	3.5	3.3	5.0	12.3	43.2	158.9	452.5	867.8	1,326.0	1,703.7
1988.....	198.4	2.4	3.8	3.2	5.0	12.1	44.3	161.9	453.9	855.7	1,301.0	1,674.7
1987.....	196.8	2.7	3.8	3.4	5.0	12.5	43.6	165.6	452.5	855.3	1,288.0	1,643.2
1986.....	195.5	2.6	4.0	3.5	5.3	13.2	45.4	166.8	449.2	856.6	1,277.7	1,632.0
1985.....	194.0	3.1	3.8	3.5	5.4	13.2	45.9	170.1	454.6	845.5	1,271.8	1,615.4
1984.....	192.3	3.2	4.0	3.6	5.4	13.1	46.7	171.4	451.6	840.4	1,265.4	1,621.9
1983.....	189.5	3.6	4.7	3.9	5.6	12.8	45.8	172.4	445.4	833.9	1,250.7	1,614.2
1982.....	187.3	3.7	4.6	4.1	5.9	13.1	46.3	175.8	441.4	824.8	1,245.2	1,598.6
1981.....	183.9	2.5	4.9	4.1	5.6	13.0	47.3	177.8	435.2	815.3	1,225.1	1,580.6
1980.....	183.9	3.2	4.5	4.3	6.3	13.7	48.6	180.0	436.1	817.9	1,232.3	1,594.6
1979.....	179.6	3.4	4.6	4.4	6.1	13.3	48.3	181.4	429.4	800.0	1,207.6	1,522.9

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 182
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)													
TOTAL, MALE													
1998.....	213.6	2.2	2.4	2.9	5.4	10.9	34.4	136.5	441.1	1,045.5	1,745.6	2,562.6	
1997.....	214.6	2.3	3.1	2.8	5.2	11.5	34.5	138.0	453.4	1,058.4	1,770.2	2,712.5	
1996.....	217.2	2.2	3.1	3.0	5.1	11.5	35.6	140.7	469.1	1,080.9	1,802.7	2,733.1	
1995.....	219.5	1.8	3.6	3.0	5.5	11.7	36.5	143.7	480.5	1,089.9	1,842.3	2,837.3	
1994.....	220.7	1.4	3.5	3.1	5.8	12.1	36.7	148.8	495.3	1,102.5	1,862.6	2,805.8	
1993.....	222.1	2.8	3.7	3.3	5.5	11.9	38.0	150.7	507.4	1,113.3	1,885.4	2,830.7	
1992.....	220.8	2.5	3.1	3.4	5.9	12.1	38.1	153.8	513.4	1,111.1	1,882.8	2,802.7	
1991.....	221.5	2.1	3.7	3.5	5.8	12.2	38.8	159.0	525.7	1,120.4	1,898.4	2,753.3	
1990.....	221.3	2.4	3.7	3.5	5.7	12.6	38.5	162.5	532.9	1,122.2	1,914.4	2,739.9	
1989.....	218.9	2.5	3.7	3.6	5.6	12.0	38.5	164.0	535.7	1,116.4	1,884.0	2,621.9	
1988.....	216.7	2.4	3.8	3.7	5.7	11.9	39.8	167.3	535.9	1,105.3	1,864.2	2,574.7	
1987.....	215.9	2.7	4.1	3.9	5.9	12.2	39.2	170.0	536.3	1,113.8	1,853.9	2,499.6	
1986.....	214.4	2.8	4.4	3.8	6.5	13.6	40.9	171.7	531.1	1,112.0	1,847.3	2,481.6	
1985.....	213.4	3.0	4.3	3.9	6.4	13.2	42.4	175.2	536.9	1,105.2	1,839.7	2,451.8	
1984.....	211.7	3.3	4.3	4.1	6.6	12.9	41.7	177.6	535.4	1,103.4	1,825.5	2,453.1	
1983.....	209.8	3.7	5.2	4.3	6.5	12.8	41.3	179.9	527.6	1,099.5	1,825.1	2,441.3	
1982.....	207.7	3.6	5.0	4.8	6.8	12.9	42.0	184.1	523.5	1,094.0	1,804.1	2,429.8	
1981.....	204.4	2.8	5.4	4.5	6.8	12.6	43.1	186.7	518.0	1,087.8	1,763.6	2,364.3	
1980.....	205.3	3.7	5.2	4.9	7.8	13.4	44.0	188.7	520.8	1,093.2	1,790.5	2,369.5	
1979.....	201.6	3.8	4.9	5.0	7.4	13.2	43.5	190.8	514.2	1,080.2	1,750.4	2,268.3	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 183
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	187.7	1.9	2.4	2.3	3.7	11.7	42.1	128.2	331.6	675.2	1,048.6	1,412.5
1997.....	189.2	2.5	2.6	2.5	3.7	11.7	43.1	132.3	343.2	676.8	1,050.6	1,439.2
1996.....	190.2	2.4	2.3	2.4	3.8	12.6	42.9	135.2	349.6	685.2	1,060.0	1,426.8
1995.....	191.0	1.8	2.6	2.4	3.6	12.2	44.0	140.7	357.5	690.7	1,061.5	1,429.1
1994.....	190.5	1.6	3.0	2.4	3.9	12.3	44.1	143.1	360.7	694.7	1,057.5	1,397.1
1993.....	189.8	1.7	2.9	2.6	4.1	12.3	44.1	145.2	366.7	688.4	1,046.1	1,415.3
1992.....	188.2	2.2	3.0	2.6	4.1	12.9	46.5	147.0	369.7	686.5	1,025.6	1,394.1
1991.....	187.5	1.7	3.2	2.6	4.1	12.6	47.2	151.3	379.1	676.9	1,020.7	1,395.2
1990.....	186.0	2.2	3.2	2.8	4.1	12.6	48.1	155.5	375.2	677.4	1,010.3	1,372.1
1989.....	184.0	3.0	3.2	3.0	4.2	12.6	47.8	154.0	378.4	674.1	993.5	1,346.7
1988.....	181.0	2.3	3.7	2.7	4.2	12.3	48.6	156.7	381.2	661.6	967.0	1,323.3
1987.....	178.8	2.8	3.5	2.8	4.0	12.9	47.9	161.4	378.3	654.6	953.6	1,305.7
1986.....	177.5	2.4	3.5	3.1	4.2	12.9	49.8	162.2	376.9	659.1	942.4	1,294.8
1985.....	175.7	3.2	3.4	3.1	4.3	13.2	49.2	165.3	381.8	645.3	937.8	1,281.4
1984.....	173.9	3.1	3.7	3.1	4.2	13.2	51.5	165.4	377.7	638.4	936.2	1,285.9
1983.....	170.3	3.5	4.2	3.4	4.6	12.9	50.2	165.3	373.1	630.0	912.9	1,275.2
1982.....	167.9	3.8	4.3	3.5	5.0	13.4	50.5	168.0	369.2	618.6	916.2	1,252.1
1981.....	164.6	2.3	4.4	3.6	4.5	13.4	51.4	169.4	362.4	606.7	908.3	1,246.5
1980.....	163.6	2.7	3.7	3.6	4.8	14.0	53.1	171.8	361.7	607.1	903.1	1,255.7
1979.....	158.9	2.9	4.2	3.7	4.7	13.4	52.9	172.6	354.7	585.6	885.8	1,191.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 184
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE, BOTH SEXES												
1998.....	210.8	2.3	2.4	2.6	4.6	10.9	36.0	124.9	372.7	836.0	1,319.4	1,746.3
1997.....	211.7	2.3	2.8	2.7	4.4	11.2	36.4	128.7	384.3	838.7	1,326.1	1,794.4
1996.....	213.6	2.5	2.8	2.7	4.4	11.7	37.0	131.4	396.2	852.1	1,339.9	1,794.5
1995.....	215.0	1.8	3.1	2.6	4.5	11.4	38.1	135.2	404.2	857.6	1,352.8	1,811.2
1994.....	215.2	1.5	3.3	2.8	4.9	11.8	38.1	138.7	413.3	863.9	1,355.6	1,777.6
1993.....	215.1	2.2	3.4	3.0	4.7	11.7	38.8	139.6	422.2	863.2	1,353.2	1,792.7
1992.....	213.5	2.6	3.2	3.1	5.0	12.1	39.7	142.4	424.7	860.8	1,342.7	1,775.5
1991.....	213.1	1.8	3.4	3.2	5.0	12.1	40.5	147.1	436.9	858.2	1,338.5	1,760.7
1990.....	211.6	2.2	3.5	3.2	4.9	12.1	41.0	150.4	435.0	858.2	1,337.7	1,741.9
1989.....	209.2	3.0	3.5	3.4	4.9	11.9	41.0	150.4	440.1	852.7	1,315.5	1,695.0
1988.....	206.2	2.3	3.8	3.2	5.0	11.7	41.9	153.6	441.6	842.7	1,291.1	1,666.3
1987.....	204.4	2.9	3.9	3.5	4.9	12.3	41.2	157.2	440.0	843.1	1,277.4	1,636.0
1986.....	202.7	2.7	4.1	3.5	5.4	12.9	42.8	158.1	436.5	844.5	1,269.7	1,625.2
1985.....	200.8	3.1	4.0	3.6	5.4	12.9	43.6	161.8	440.4	833.6	1,262.3	1,613.0
1984.....	198.6	2.9	4.1	3.6	5.5	12.8	44.0	162.7	435.7	829.1	1,255.7	1,626.2
1983.....	195.6	3.5	4.9	3.9	5.6	12.5	43.4	163.5	431.0	821.8	1,241.9	1,623.2
1982.....	193.2	3.4	4.8	4.2	5.9	12.9	44.1	167.0	426.8	814.4	1,238.9	1,608.0
1981.....	189.5	2.5	5.1	4.1	5.7	12.7	44.4	169.4	421.6	804.6	1,219.4	1,589.4
1980.....	189.0	3.1	4.5	4.5	6.3	13.5	46.0	170.8	422.2	807.2	1,227.6	1,600.8
1979.....	184.4	3.4	4.7	4.5	6.1	13.0	45.6	172.2	416.1	790.2	1,206.5	1,536.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 185
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	223.0	2.4	2.4	2.9	5.6	10.7	32.6	126.5	422.4	1,030.1	1,722.4	2,554.3
1997.....	223.3	2.1	3.0	2.9	5.1	11.2	32.3	129.0	432.4	1,038.7	1,746.1	2,695.5
1996.....	225.8	2.3	3.3	3.1	5.1	11.3	33.5	131.8	448.9	1,057.3	1,771.0	2,723.9
1995.....	228.1	1.9	3.7	3.0	5.5	11.3	34.2	134.3	460.0	1,064.6	1,810.9	2,805.2
1994.....	228.9	1.5	3.7	3.1	5.9	11.8	34.5	138.0	474.7	1,074.6	1,831.2	2,780.3
1993.....	229.8	2.7	3.9	3.4	5.4	11.6	35.9	139.0	486.0	1,084.2	1,850.3	2,794.4
1992.....	228.6	2.7	3.3	3.5	6.0	11.9	35.6	142.8	490.8	1,082.7	1,854.3	2,783.6
1991.....	228.9	1.9	3.6	3.7	6.0	12.0	36.3	146.7	505.0	1,091.5	1,866.4	2,733.0
1990.....	227.7	2.2	3.7	3.5	5.7	12.3	35.8	149.9	508.2	1,090.7	1,883.2	2,715.1
1989.....	224.9	2.9	3.9	3.7	5.5	11.6	35.9	151.0	511.8	1,083.3	1,853.6	2,603.7
1988.....	222.8	2.4	4.0	3.8	5.8	11.7	37.2	154.6	514.1	1,075.5	1,838.6	2,560.7
1987.....	221.6	2.8	4.1	4.1	5.8	12.1	37.0	158.1	514.5	1,084.4	1,826.6	2,482.4
1986.....	219.8	3.1	4.7	3.9	6.6	13.7	37.9	159.4	508.5	1,083.0	1,825.2	2,469.3
1985.....	218.1	3.1	4.4	4.0	6.4	13.1	39.8	162.0	512.0	1,076.5	1,817.1	2,449.1
1984.....	215.8	2.7	4.4	4.2	6.7	12.7	38.7	164.6	507.4	1,076.1	1,803.8	2,460.3
1983.....	213.8	3.5	5.3	4.4	6.7	12.6	38.5	167.0	501.6	1,072.9	1,804.6	2,463.7
1982.....	211.7	3.5	5.2	4.9	6.8	12.8	39.5	170.6	498.4	1,069.7	1,791.9	2,439.4
1981.....	207.9	2.4	5.6	4.6	6.8	12.6	39.9	173.5	494.5	1,062.7	1,750.8	2,377.2
1980.....	208.7	3.5	5.4	5.2	7.8	13.6	41.1	175.4	497.4	1,070.7	1,779.7	2,375.6
1979.....	204.7	3.8	5.1	5.2	7.5	13.2	40.3	177.4	491.8	1,061.2	1,747.3	2,285.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 186
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	199.1	2.1	2.4	2.3	3.7	11.2	39.3	123.3	326.5	675.7	1,051.1	1,415.1
1997.....	200.4	2.4	2.6	2.6	3.6	11.2	40.6	128.4	339.6	674.6	1,049.7	1,435.8
1996.....	201.8	2.8	2.3	2.3	3.7	12.1	40.5	131.0	347.3	684.6	1,059.9	1,430.1
1995.....	202.4	1.7	2.4	2.2	3.5	11.5	42.0	136.1	352.6	689.6	1,060.2	1,428.2
1994.....	201.9	1.6	2.9	2.5	3.9	11.8	41.8	139.4	356.5	694.3	1,056.5	1,395.6
1993.....	200.9	1.8	2.9	2.7	4.0	11.8	41.8	140.2	363.4	686.2	1,044.6	1,413.4
1992.....	199.0	2.4	3.0	2.7	4.1	12.2	43.9	142.1	364.0	684.5	1,029.0	1,390.9
1991.....	198.0	1.8	3.3	2.7	4.0	12.2	44.7	147.5	374.7	673.8	1,018.7	1,391.7
1990.....	196.1	2.2	3.2	2.9	4.0	11.9	46.2	150.9	368.5	675.1	1,011.8	1,372.3
1989.....	194.2	3.2	3.0	3.0	4.2	12.2	46.0	149.9	375.0	671.2	995.5	1,348.3
1988.....	190.5	2.3	3.7	2.7	4.1	11.7	46.6	152.8	376.1	660.0	967.4	1,323.2
1987.....	187.9	3.0	3.6	2.9	3.9	12.4	45.4	156.3	373.1	654.2	954.4	1,308.3
1986.....	186.4	2.4	3.4	3.1	4.2	12.2	47.7	156.8	372.0	658.7	944.3	1,296.4
1985.....	184.4	3.1	3.5	3.1	4.3	12.7	47.3	161.6	376.3	644.9	938.2	1,285.4
1984.....	182.2	3.0	3.8	3.0	4.3	12.9	49.3	160.8	371.7	638.1	936.0	1,295.7
1983.....	178.2	3.5	4.4	3.4	4.6	12.3	48.2	160.2	368.0	628.0	913.6	1,284.9
1982.....	175.6	3.4	4.3	3.5	4.9	12.9	48.7	163.7	363.1	618.2	916.5	1,267.4
1981.....	172.0	2.5	4.5	3.5	4.5	12.9	48.8	165.5	356.9	606.5	909.8	1,259.7
1980.....	170.3	2.7	3.6	3.7	4.7	13.5	50.9	166.4	355.5	605.2	905.4	1,266.8
1979.....	165.1	2.9	4.2	3.8	4.7	12.9	50.8	167.3	348.9	583.1	889.7	1,207.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 187
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)													
ALL OTHER, BOTH SEXES													
1998.....	150.9	*	2.4	2.6	4.3	12.8	49.1	173.1	452.5	879.7	1,390.1	1,779.2	
1997.....	153.5	3.0	3.1	2.4	4.9	13.3	50.8	171.4	466.3	911.9	1,421.2	1,906.2	
1996.....	154.0	*	2.5	2.5	4.9	13.3	50.8	175.2	470.5	935.0	1,462.5	1,834.3	
1995.....	155.7	*	3.3	2.9	4.8	14.3	51.3	183.3	490.7	951.6	1,482.2	1,952.3	
1994.....	156.2	*	3.2	2.8	4.6	14.3	52.1	189.2	498.3	966.7	1,482.8	1,906.0	
1993.....	158.2	*	3.1	2.5	5.2	14.1	52.6	198.0	507.8	981.8	1,501.0	1,962.3	
1992.....	156.7	*	2.8	2.7	4.8	14.5	55.6	198.5	526.0	977.0	1,431.2	1,911.3	
1991.....	157.8	2.2	3.5	2.7	4.9	13.8	56.8	203.8	527.9	983.4	1,481.1	1,912.4	
1990.....	159.3	2.6	3.4	2.8	5.0	14.9	56.1	211.6	553.1	994.1	1,454.5	1,870.1	
1989.....	157.8	*	3.4	3.1	5.3	14.1	55.9	211.7	542.4	999.6	1,429.6	1,795.7	
1988.....	156.1	*	3.4	3.1	5.0	14.1	57.7	213.5	545.5	970.1	1,398.5	1,763.7	
1987.....	155.8	*	3.5	2.8	5.5	14.0	58.0	218.2	547.2	963.5	1,393.7	1,720.4	
1986.....	155.4	*	3.5	3.2	5.0	14.7	61.0	222.4	548.2	964.1	1,356.0	1,705.2	
1985.....	155.6	3.1	3.2	3.2	5.2	14.5	59.7	223.8	567.8	952.9	1,365.1	1,633.9	
1984.....	156.2	4.7	3.4	3.4	5.0	14.7	63.4	228.6	580.8	942.2	1,362.1	1,574.7	
1983.....	154.1	4.0	3.9	3.7	5.3	14.9	61.1	232.0	565.1	942.9	1,341.4	1,506.7	
1982.....	152.1	4.9	3.9	3.7	6.0	14.7	60.7	236.1	564.2	918.0	1,309.3	1,501.5	
1981.....	150.5	*	4.3	4.0	5.5	14.4	66.2	236.9	551.7	912.1	1,284.8	1,480.5	
1980.....	152.3	3.6	4.1	3.4	6.5	14.7	65.7	247.1	557.8	915.7	1,281.6	1,523.4	
1979.....	149.4	3.5	4.2	3.8	5.9	14.9	66.8	250.2	547.1	889.7	1,218.4	1,361.5	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 188
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
ALL OTHER MALE												
1998.....	168.3	*	2.5	2.9	4.8	11.8	43.2	196.3	567.8	1,165.3	1,970.7	2,635.5
1997.....	171.4	*	3.2	2.7	5.5	12.9	46.4	193.2	595.0	1,215.8	2,009.2	2,860.8
1996.....	174.4	*	2.5	2.6	5.4	12.1	46.9	196.1	606.5	1,274.2	2,117.5	2,813.3
1995.....	176.4	*	3.4	2.9	5.6	13.3	48.8	203.6	622.7	1,301.8	2,159.9	3,137.5
1994.....	179.0	*	3.1	3.3	5.2	13.8	48.7	218.8	640.8	1,340.3	2,179.6	3,044.7
1993.....	182.5	*	3.2	2.8	5.8	13.4	49.7	227.0	660.8	1,364.8	2,240.3	3,170.4
1992.....	180.4	*	2.5	3.0	5.5	13.1	51.9	226.1	679.1	1,359.6	2,164.6	2,981.7
1991.....	182.5	*	4.1	3.0	5.1	13.2	53.3	239.7	681.3	1,377.4	2,213.1	2,941.9
1990.....	186.8	*	3.6	3.3	5.6	13.9	54.2	245.9	723.6	1,410.9	2,219.7	2,971.7
1989.....	186.8	*	2.7	3.2	6.1	13.9	54.0	250.9	722.2	1,421.2	2,179.6	2,790.1
1988.....	183.5	*	3.2	3.3	5.6	12.7	55.8	253.0	710.0	1,380.7	2,117.3	2,703.8
1987.....	183.9	*	3.9	3.0	6.1	13.1	53.4	249.7	714.2	1,389.1	2,116.5	2,661.0
1986.....	184.0	*	3.2	3.5	5.7	13.0	59.8	255.8	719.8	1,382.2	2,053.3	2,597.3
1985.....	186.2	*	3.8	3.6	6.1	13.5	59.1	266.6	748.4	1,372.9	2,050.5	2,476.7
1984.....	187.9	*	4.0	3.6	6.1	14.5	61.9	269.7	776.7	1,357.6	2,034.1	2,386.1
1983.....	185.4	*	4.7	4.0	5.8	13.8	60.0	273.5	754.4	1,345.4	2,021.4	2,194.3
1982.....	183.7	*	3.9	4.2	6.9	13.6	59.8	284.7	745.3	1,319.2	1,921.7	2,337.3
1981.....	182.6	*	4.5	4.2	6.7	13.0	65.3	287.3	729.6	1,318.1	1,887.4	2,235.9
1980.....	184.1	4.4	4.4	3.5	7.6	12.4	64.2	293.9	734.0	1,300.3	1,896.0	2,307.4
1979.....	181.4	4.0	4.1	4.3	6.8	13.0	67.4	299.3	721.3	1,255.5	1,773.1	2,093.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 189
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	135.1	*	2.3	2.2	3.8	13.7	54.3	153.5	361.1	672.0	1,025.7	1,387.7
1997.....	137.1	*	2.9	2.2	4.2	13.7	54.7	153.0	364.3	691.8	1,058.5	1,473.8
1996.....	135.3	*	2.4	2.5	4.5	14.4	54.3	157.6	362.8	689.5	1,061.1	1,393.2
1995.....	136.8	*	3.1	2.9	4.0	15.2	53.5	166.2	386.2	698.6	1,073.7	1,439.0
1994.....	135.4	*	3.4	2.3	3.9	14.7	55.1	164.2	386.0	697.5	1,067.0	1,412.6
1993.....	135.9	*	2.9	2.3	4.7	14.7	55.2	173.4	387.2	705.6	1,060.7	1,435.5
1992.....	135.0	*	3.2	2.4	4.2	15.8	58.9	175.1	405.6	702.1	992.7	1,429.2
1991.....	135.3	*	2.8	2.4	4.7	14.4	59.9	173.2	407.5	702.3	1,039.9	1,433.9
1990.....	134.2	*	3.1	2.4	4.3	15.9	57.7	182.2	419.8	696.3	996.1	1,369.4
1989.....	131.4	*	4.0	2.9	4.4	14.2	57.5	178.2	401.5	698.5	975.8	1,335.4
1988.....	131.2	*	3.7	2.9	4.4	15.3	59.4	179.8	416.3	675.8	963.3	1,324.3
1987.....	130.2	*	3.1	2.7	4.9	14.9	62.0	191.4	416.0	658.0	945.5	1,276.1
1986.....	129.3	*	3.9	3.0	4.2	16.2	61.9	193.9	412.3	662.9	922.4	1,276.3
1985.....	127.7	*	2.6	2.8	4.3	15.5	60.1	187.7	424.0	648.5	933.6	1,234.7
1984.....	127.4	*	2.8	3.1	4.0	15.0	64.7	194.0	424.0	641.5	938.7	1,171.7
1983.....	125.7	*	3.0	3.5	4.9	15.9	62.1	197.3	412.9	647.6	905.9	1,160.4
1982.....	123.4	*	4.0	3.3	5.1	15.7	61.5	195.7	417.9	622.1	913.1	1,069.2
1981.....	121.4	*	4.2	3.8	4.4	15.7	67.0	195.5	407.4	608.4	892.0	1,096.8
1980.....	123.6	2.9	3.8	3.2	5.5	16.6	66.9	208.8	414.0	624.6	877.4	1,121.9
1979.....	120.4	3.0	4.2	3.3	5.0	16.5	66.4	209.9	403.7	610.0	845.1	994.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 190												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
BLACK, BOTH SEXES												
1998.....	177.7	*	2.6	2.7	4.4	14.3	57.5	208.1	540.1	1,011.4	1,566.0	1,964.6
1997.....	180.7	*	3.1	2.5	5.3	15.4	58.8	205.4	555.2	1,050.5	1,584.8	2,100.9
1996.....	181.4	*	2.5	2.8	5.4	15.3	59.1	210.0	560.7	1,075.8	1,618.1	2,002.8
1995.....	182.9	*	3.5	2.9	5.2	16.1	60.0	219.0	579.2	1,095.4	1,617.9	2,024.3
1994.....	183.5	*	3.3	2.9	4.8	15.9	61.2	227.1	588.0	1,107.5	1,615.1	1,990.3
1993.....	186.1	*	2.9	2.7	5.6	16.2	61.3	239.9	595.2	1,122.5	1,634.9	2,041.3
1992.....	184.5	*	2.5	2.9	5.2	16.5	66.3	238.4	615.7	1,111.8	1,561.0	2,028.2
1991.....	185.9	*	4.0	2.8	5.3	15.7	66.5	243.8	616.4	1,115.3	1,614.4	2,015.5
1990.....	187.2	*	3.5	2.9	5.4	17.2	65.9	251.9	646.8	1,117.6	1,569.0	1,969.2
1989.....	184.3	*	3.3	3.2	5.9	15.7	65.0	251.9	626.0	1,118.8	1,538.2	1,874.1
1988.....	181.6	*	3.6	3.0	5.6	16.1	68.4	249.4	623.3	1,086.0	1,503.5	1,840.7
1987.....	180.8	*	3.5	2.9	5.9	15.3	68.1	256.6	628.6	1,071.2	1,494.4	1,800.5
1986.....	179.6	*	3.8	3.4	5.5	16.3	70.8	259.5	624.5	1,071.6	1,450.6	1,778.6
1985.....	178.2	*	2.9	3.4	5.3	16.1	69.4	259.1	640.9	1,046.4	1,450.7	1,711.8
1984.....	178.2	*	3.4	3.6	5.4	16.3	73.6	262.9	652.5	1,031.2	1,453.5	1,627.9
1983.....	175.0	3.7	3.9	3.9	5.3	16.1	70.0	263.5	633.6	1,030.6	1,430.2	1,553.8
1982.....	172.0	*	4.2	4.0	6.2	16.5	70.2	266.5	628.4	998.7	1,397.1	1,554.5
1981.....	168.9	*	4.5	4.3	5.8	15.8	74.6	266.7	611.8	987.3	1,359.2	1,536.3
1980.....	169.1	3.7	4.5	3.5	6.8	16.4	73.7	276.3	612.0	981.1	1,352.5	1,571.1
1979.....	163.4	3.7	4.3	3.9	6.2	15.6	73.9	276.9	592.4	944.8	1,251.3	1,399.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 191
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	199.0	*	2.8	3.1	4.7	12.9	50.0	241.0	697.4	1,344.7	2,284.5	3,050.5
1997.....	203.0	*	3.5	2.6	6.0	14.5	54.3	235.3	723.3	1,412.4	2,298.4	3,306.2
1996.....	207.3	*	2.4	2.9	5.9	14.0	55.0	242.7	741.2	1,473.2	2,421.8	3,209.7
1995.....	209.1	*	3.6	2.8	5.9	15.2	57.5	250.7	755.3	1,509.6	2,426.8	3,338.2
1994.....	212.1	*	3.2	3.3	5.4	15.5	57.2	269.5	772.7	1,547.8	2,456.3	3,274.6
1993.....	216.8	*	3.0	2.8	6.3	15.0	58.4	281.4	794.1	1,582.1	2,516.5	3,400.9
1992.....	214.4	*	2.2	2.9	5.7	15.1	62.3	279.2	808.9	1,570.1	2,442.2	3,292.9
1991.....	217.5	*	4.7	3.0	5.4	15.3	63.4	297.1	811.9	1,587.2	2,500.7	3,233.3
1990.....	221.9	*	3.6	3.4	6.1	15.7	64.3	302.6	859.2	1,613.9	2,478.3	3,238.3
1989.....	220.6	*	3.0	3.4	6.9	15.2	63.0	308.0	840.5	1,621.3	2,436.7	3,040.9
1988.....	215.7	*	3.4	3.2	6.2	14.2	66.0	305.7	821.0	1,572.8	2,353.1	2,929.2
1987.....	215.8	*	4.3	2.8	6.5	14.5	63.3	299.9	830.4	1,578.0	2,338.2	2,867.2
1986.....	214.5	*	3.2	3.9	6.3	14.4	69.8	306.4	830.1	1,558.5	2,249.2	2,787.3
1985.....	214.9	*	3.4	3.7	6.4	14.9	69.9	315.9	851.3	1,532.8	2,229.6	2,629.0
1984.....	216.4	*	3.6	3.7	6.4	16.0	73.3	316.2	882.7	1,509.5	2,226.3	2,552.5
1983.....	212.2	*	4.7	4.2	5.6	14.7	70.7	317.3	851.5	1,495.2	2,196.8	2,330.0
1982.....	209.4	*	4.1	4.5	7.0	14.9	70.7	328.3	837.3	1,459.4	2,090.9	2,477.6
1981.....	206.4	*	4.5	4.6	7.0	14.1	75.7	328.0	813.9	1,451.9	2,044.7	2,341.1
1980.....	205.5	4.5	5.1	3.7	8.1	14.1	73.8	333.0	812.5	1,417.2	2,029.6	2,393.9
1979.....	199.5	4.2	4.1	4.4	7.1	13.3	76.4	335.0	790.8	1,360.3	1,833.2	2,186.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 192
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
BLACK FEMALE												
1998.....	158.5	*	2.5	2.2	4.0	15.6	64.1	180.9	419.9	770.2	1,138.3	1,513.5
1997.....	160.5	*	2.7	2.4	4.5	16.2	62.9	180.6	426.4	789.7	1,166.5	1,602.3
1996.....	157.9	*	2.5	2.7	4.8	16.4	62.8	182.8	422.2	790.6	1,150.9	1,507.2
1995.....	159.1	*	3.4	3.0	4.5	16.8	62.2	192.7	443.6	799.6	1,154.1	1,490.3
1994.....	157.6	*	3.4	2.5	4.2	16.3	64.6	192.0	445.8	794.5	1,139.3	1,469.2
1993.....	158.4	*	2.8	2.6	4.8	17.2	63.9	205.6	441.6	796.9	1,140.2	1,486.5
1992.....	157.6	*	2.9	2.8	4.6	17.8	69.8	204.5	466.4	790.0	1,068.7	1,502.0
1991.....	157.4	*	3.2	2.6	5.2	16.2	69.2	199.9	464.9	786.3	1,118.5	1,500.0
1990.....	156.1	*	3.4	2.4	4.8	18.7	67.4	209.9	482.4	773.2	1,059.9	1,431.3
1989.....	151.8	*	3.7	2.9	4.9	16.1	66.7	205.3	459.1	769.4	1,029.8	1,383.0
1988.....	150.9	*	3.8	2.9	4.9	17.8	70.5	202.9	468.9	746.9	1,017.7	1,365.8
1987.....	149.5	*	2.6	3.1	5.4	16.0	72.3	220.8	469.8	717.4	1,004.6	1,326.4
1986.....	148.3	*	4.4	3.0	4.7	18.0	71.7	220.9	462.4	729.4	981.4	1,318.1
1985.....	145.2	*	2.5	3.0	4.4	17.2	69.0	212.4	474.9	704.2	986.3	1,284.2
1984.....	143.9	*	3.2	3.4	4.3	16.7	73.9	218.9	469.7	693.3	991.8	1,190.7
1983.....	141.6	*	3.1	3.7	5.0	17.4	69.4	219.6	459.8	701.8	957.9	1,178.2
1982.....	138.5	*	4.3	3.4	5.4	17.9	69.7	216.1	461.3	669.1	968.5	1,100.8
1981.....	135.2	*	4.5	4.0	4.6	17.3	73.8	216.6	449.7	652.1	930.9	1,123.9
1980.....	136.5	3.0	3.9	3.4	5.7	18.3	73.5	230.2	450.4	662.4	923.9	1,159.9
1979.....	130.9	3.1	4.5	3.4	5.3	17.6	71.9	229.2	431.8	638.9	863.1	1,005.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 193
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149) TOTAL, BOTH SEXES													
1998.....		2.9	*	*	*	0.1	0.1	0.7	3.0	7.7	11.7	14.8	21.7
1997.....		2.9	*	*	*	0.1	0.2	0.7	3.2	7.5	12.4	14.4	20.3
1996.....		3.0	*	*	*	0.1	0.2	0.7	3.0	8.2	12.1	14.7	20.1
1995.....		3.1	*	*	*	0.1	0.1	0.7	3.3	8.3	12.7	15.3	22.3
1994.....		3.0	*	*	*	*	0.1	0.7	3.4	8.5	12.4	15.6	19.9
1993.....		3.2	*	*	*	0.1	0.1	0.8	3.8	9.0	13.1	15.8	20.8
1992.....		3.2	*	*	*	0.1	0.1	0.8	3.5	9.3	13.3	15.6	21.3
1991.....		3.3	*	*	*	*	0.2	0.8	3.8	9.7	13.4	16.7	21.2
1990.....		3.4	*	*	*	0.1	0.2	0.8	3.7	10.1	14.1	17.0	23.1
1989.....		3.3	*	*	*	0.1	0.1	0.8	3.8	10.4	13.6	15.5	20.1
1988.....		3.4	*	*	*	0.1	0.1	0.8	4.2	10.0	14.1	16.5	20.0
1987.....		3.3	*	*	*	0.1	0.1	0.8	4.1	10.0	14.1	15.5	20.8
1986.....		3.5	*	*	*	0.1	0.2	0.9	4.3	10.4	14.8	16.3	23.1
1985.....		3.5	*	*	*	0.1	0.2	1.0	4.3	10.4	15.4	16.4	20.8
1984.....		3.6	*	*	*	0.1	0.2	1.0	4.7	11.2	15.2	16.8	21.6
1983.....		3.6	*	*	*	0.1	0.2	1.0	4.6	11.3	15.4	17.0	23.0
1982.....		3.7	*	*	*	0.1	0.1	1.0	4.9	11.3	15.5	18.2	23.1
1981.....		3.7	*	*	*	0.1	0.2	0.9	5.0	11.6	16.5	16.5	23.7
1980.....		3.8	-	0.0	0.0	0.0	0.1	1.2	5.3	11.6	16.0	18.5	23.3
1979.....		3.8	-	0.0	0.0	0.1	0.2	1.1	5.6	11.8	16.3	18.1	23.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 194
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)
 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	4.0	*	*	*	*	0.2	1.0	4.8	12.1	18.0	21.8	29.9
1997.....	4.0	*	*	*	*	0.2	1.1	5.0	11.7	19.2	20.5	29.1
1996.....	4.0	*	*	*	*	0.2	1.1	4.9	12.8	19.1	21.1	29.6
1995.....	4.2	*	*	*	*	0.2	1.1	5.3	12.7	19.3	23.2	34.1
1994.....	4.1	*	*	*	*	0.2	1.1	5.6	13.5	18.0	23.5	30.0
1993.....	4.4	*	*	*	*	0.2	1.3	6.0	14.2	20.1	24.6	31.1
1992.....	4.3	*	*	*	*	0.2	1.2	5.5	14.8	20.3	23.3	32.8
1991.....	4.4	*	*	*	*	0.2	1.3	6.1	14.7	20.6	25.7	31.9
1990.....	4.6	*	*	*	*	0.2	1.3	5.9	16.2	21.5	26.1	37.4
1989.....	4.4	*	*	*	0.1	0.1	1.2	5.9	15.9	20.9	24.1	29.4
1988.....	4.6	*	*	*	*	0.2	1.2	6.7	15.7	21.5	26.1	33.6
1987.....	4.5	*	*	*	*	0.2	1.2	6.2	15.6	21.9	24.5	31.5
1986.....	4.7	*	*	*	*	0.2	1.4	6.6	15.7	22.7	26.4	37.4
1985.....	4.9	*	*	*	*	0.2	1.4	6.8	16.0	24.2	27.6	32.7
1984.....	5.0	*	*	*	*	0.2	1.4	7.2	17.2	24.1	28.1	36.3
1983.....	5.1	*	*	*	*	0.2	1.6	7.1	17.1	24.9	28.6	38.7
1982.....	5.2	*	*	*	0.1	0.2	1.5	7.3	17.4	25.2	30.6	40.4
1981.....	5.2	*	*	*	*	0.2	1.4	7.7	17.5	26.9	28.1	37.8
1980.....	5.4	-	0.0	0.0	0.1	0.2	1.8	8.2	17.9	25.4	31.4	40.2
1979.....	5.4	-	0.0	0.0	0.1	0.2	1.6	8.5	17.9	26.6	29.7	38.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 195
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
TOTAL, FEMALE													
1998.....		1.9	*	*	*	*	0.1	0.4	1.3	3.7	6.5	10.2	18.2
1997.....		2.0	*	*	*	*	0.1	0.4	1.4	3.7	7.0	10.4	16.7
1996.....		1.9	*	*	*	*	0.2	0.4	1.2	4.1	6.6	10.5	16.3
1995.....		2.0	*	*	*	*	0.1	0.4	1.3	4.3	7.5	10.3	17.7
1994.....		2.0	*	*	*	*	*	0.4	1.3	4.0	7.9	10.6	16.0
1993.....		2.1	*	*	*	*	*	0.4	1.7	4.3	7.5	10.4	16.8
1992.....		2.1	*	*	*	*	0.1	0.4	1.6	4.4	7.8	10.9	16.9
1991.....		2.2	*	*	*	*	0.1	0.3	1.6	5.3	7.8	11.3	17.1
1990.....		2.2	*	*	*	*	*	0.3	1.6	4.7	8.3	11.6	17.5
1989.....		2.2	*	*	*	*	0.1	0.5	1.8	5.4	8.0	10.4	16.6
1988.....		2.2	*	*	*	*	0.1	0.4	1.9	5.0	8.3	10.8	14.7
1987.....		2.1	*	*	*	*	0.1	0.4	2.1	5.1	7.9	10.2	16.6
1986.....		2.3	*	*	*	*	*	0.4	2.1	5.7	8.6	10.3	17.5
1985.....		2.2	*	*	*	*	0.1	0.6	2.0	5.4	8.6	9.8	16.0
1984.....		2.2	*	*	*	*	0.1	0.5	2.2	5.9	8.4	10.1	15.6
1983.....		2.2	*	*	*	*	0.1	0.5	2.2	6.2	8.1	10.1	16.5
1982.....		2.2	*	*	*	*	*	0.5	2.6	5.9	8.1	10.9	15.9
1981.....		2.3	*	*	*	*	0.1	0.5	2.4	6.4	8.6	9.7	17.6
1980.....		2.3	-	-	0.0	0.0	0.1	0.5	2.6	6.0	8.8	10.9	16.0
1979.....		2.3	-	-	0.0	0.0	0.1	0.6	2.8	6.5	8.4	11.2	17.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 196
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149) WHITE, BOTH SEXES													
1998.....		3.0	*	*	*	*	0.1	0.5	2.5	7.1	11.3	14.8	22.2
1997.....		2.9	*	*	*	*	0.1	0.6	2.6	6.7	12.0	14.5	20.6
1996.....		2.9	*	*	*	0.1	0.2	0.6	2.4	7.4	11.6	14.7	20.8
1995.....		3.0	*	*	*	*	0.1	0.6	2.6	7.1	12.3	15.1	23.0
1994.....		3.0	*	*	*	*	0.1	0.6	2.7	7.6	11.8	15.6	20.2
1993.....		3.1	*	*	*	*	0.1	0.6	3.0	8.1	12.7	15.8	21.0
1992.....		3.1	*	*	*	*	0.1	0.5	2.8	8.2	12.9	15.8	22.3
1991.....		3.2	*	*	*	*	0.1	0.6	3.0	8.8	13.0	16.8	21.9
1990.....		3.3	*	*	*	*	0.1	0.6	2.9	9.0	13.5	17.1	23.5
1989.....		3.2	*	*	*	*	0.1	0.6	2.9	9.4	13.2	15.7	20.7
1988.....		3.3	*	*	*	*	0.1	0.6	3.2	9.2	13.7	16.6	20.6
1987.....		3.3	*	*	*	*	0.1	0.5	3.2	9.1	13.9	15.7	21.4
1986.....		3.4	*	*	*	*	0.2	0.6	3.2	9.5	14.4	16.2	23.0
1985.....		3.4	*	*	*	*	0.2	0.7	3.4	9.5	15.2	16.3	21.6
1984.....		3.5	*	*	*	*	0.1	0.7	3.7	10.2	15.0	16.9	22.3
1983.....		3.5	*	*	*	*	0.1	0.7	3.5	10.3	15.2	17.1	23.6
1982.....		3.6	*	*	*	0.1	0.1	0.6	3.8	10.3	15.4	18.3	23.9
1981.....		3.6	*	*	*	*	0.1	0.6	4.0	10.7	16.5	16.5	24.1
1980.....		3.7	-	0.0	0.0	0.0	0.1	0.8	4.1	10.7	15.8	18.7	23.8
1979.....		3.8	-	0.0	0.0	0.0	0.2	0.7	4.5	11.1	16.4	18.4	24.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 197
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	3.9	*	*	*	*	0.1	0.8	3.9	10.8	17.3	21.6	30.1
1997.....	3.9	*	*	*	*	0.2	0.9	3.9	10.3	18.4	20.4	29.4
1996.....	3.9	*	*	*	*	0.2	0.8	3.8	11.3	17.8	20.9	30.3
1995.....	4.0	*	*	*	*	*	0.8	4.1	10.9	18.5	22.5	34.8
1994.....	3.9	*	*	*	*	0.1	0.9	4.3	11.8	16.9	23.4	31.1
1993.....	4.2	*	*	*	*	0.2	0.8	4.6	12.5	19.0	24.0	31.7
1992.....	4.1	*	*	*	*	0.1	0.8	4.2	12.7	19.2	23.0	34.5
1991.....	4.3	*	*	*	*	0.1	0.9	4.6	13.0	19.7	25.4	33.6
1990.....	4.4	*	*	*	*	0.2	0.9	4.5	14.1	20.2	25.7	38.3
1989.....	4.2	*	*	*	*	0.1	0.8	4.5	14.0	19.7	24.0	30.1
1988.....	4.4	*	*	*	*	*	0.9	5.0	14.2	20.6	25.8	34.7
1987.....	4.3	*	*	*	*	0.2	0.7	4.7	14.0	21.3	24.3	33.0
1986.....	4.5	*	*	*	*	0.2	0.9	4.8	14.0	21.9	26.3	36.8
1985.....	4.7	*	*	*	*	0.2	0.9	5.2	14.2	23.6	27.3	34.0
1984.....	4.8	*	*	*	*	0.2	0.9	5.6	15.2	23.1	27.9	38.1
1983.....	4.9	*	*	*	*	0.2	1.1	5.3	15.2	24.3	28.5	39.7
1982.....	5.0	*	*	*	*	0.2	0.9	5.5	15.8	24.7	31.1	42.0
1981.....	5.0	*	*	*	*	0.1	0.9	6.1	15.8	26.5	28.0	38.3
1980.....	5.1	-	0.0	0.0	0.0	0.1	1.2	6.3	16.0	24.6	31.7	40.8
1979.....	5.2	-	0.0	0.0	0.1	0.2	0.9	6.7	16.5	26.6	30.2	39.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 198												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
WHITE FEMALE												
1998.....	2.0	*	*	*	*	*	0.3	1.1	3.7	6.3	10.3	19.0
1997.....	2.1	*	*	*	*	*	0.3	1.2	3.4	6.8	10.7	17.2
1996.....	2.0	*	*	*	*	0.2	0.4	1.0	3.8	6.6	10.7	17.0
1995.....	2.1	*	*	*	*	*	0.3	1.1	3.7	7.3	10.3	18.5
1994.....	2.1	*	*	*	*	*	0.3	1.2	3.7	7.7	10.7	16.1
1993.....	2.1	*	*	*	*	*	0.3	1.4	4.0	7.6	10.6	17.0
1992.....	2.2	*	*	*	*	*	0.3	1.4	4.1	7.8	11.3	17.7
1991.....	2.3	*	*	*	*	0.1	0.3	1.4	4.8	7.6	11.5	17.5
1990.....	2.3	*	*	*	*	*	0.3	1.3	4.3	8.2	12.1	17.9
1989.....	2.3	*	*	*	*	*	0.4	1.4	5.2	8.1	10.7	17.1
1988.....	2.2	*	*	*	*	*	0.3	1.6	4.8	8.4	11.2	15.1
1987.....	2.2	*	*	*	*	*	0.3	1.8	4.7	8.1	10.7	17.0
1986.....	2.3	*	*	*	*	*	0.3	1.7	5.5	8.6	10.3	17.7
1985.....	2.3	*	*	*	*	*	0.4	1.7	5.3	8.6	10.0	16.7
1984.....	2.3	*	*	*	*	*	0.4	1.9	5.7	8.7	10.5	16.1
1983.....	2.3	*	*	*	*	*	0.4	1.7	6.0	8.3	10.4	17.1
1982.....	2.3	*	*	*	*	*	0.3	2.2	5.5	8.3	10.8	16.4
1981.....	2.3	*	*	*	*	*	0.3	2.1	6.1	8.8	9.8	18.2
1980.....	2.4	-	-	0.0	0.0	0.1	0.4	2.1	6.0	9.0	11.2	16.5
1979.....	2.4	-	-	0.0	0.0	0.1	0.5	2.4	6.3	8.5	11.4	18.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	199
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
ALL OTHER, BOTH SEXES													
1998	2.9	*	*	*	*	0.3	1.4	5.8	11.4	14.4	14.4	16.5
1997	3.0	*	*	*	*	*	1.3	6.6	12.3	15.4	13.6	16.6
1996	3.1	*	*	*	*	*	1.5	6.4	13.7	15.9	14.7	14.1
1995	3.3	*	*	*	*	0.3	1.6	7.3	15.3	15.9	17.3	15.1
1994	3.3	*	*	*	*	*	1.6	7.8	14.5	16.9	14.8	16.6
1993	3.5	*	*	*	*	*	2.2	8.7	15.2	16.5	16.6	17.9
1992	3.4	*	*	*	*	*	2.2	7.9	16.8	16.9	14.5	11.3
1991	3.5	*	*	*	*	*	2.2	8.9	16.6	16.9	16.2	13.5
1990	3.7	*	*	*	*	0.3	2.2	8.9	18.1	19.1	15.6	18.4
1989	3.6	*	*	*	*	*	2.2	9.4	17.4	17.7	14.3	14.5
1988	3.6	*	*	*	*	0.4	2.1	10.4	15.8	17.4	15.2	14.1
1987	3.4	*	*	*	*	*	2.4	9.4	16.8	15.4	14.0	13.8
1986	3.8	*	*	*	*	*	2.7	11.0	17.1	17.6	16.5	24.2
1985	3.8	*	*	*	*	0.3	2.9	10.2	17.6	16.9	17.1	11.6
1984	3.9	*	*	*	*	0.3	2.9	11.0	19.2	17.7	15.3	13.4
1983	4.1	*	*	*	*	0.5	3.1	12.2	19.1	17.2	16.1	15.8
1982	4.1	*	*	*	*	*	3.5	12.1	19.2	16.3	17.3	14.6
1981	4.1	*	*	*	*	0.4	3.2	11.9	19.4	16.4	16.8	18.4
1980	4.3	-	-	0.0	0.1	0.3	3.6	13.7	19.4	18.1	15.8	18.4
1979	4.2	-	-	0.0	0.2	0.2	3.9	13.7	18.6	15.4	15.1	14.9

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	200
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
ALL OTHER MALE													
1998.....		4.4	*	*	*	*	*	2.0	10.1	20.9	23.9	23.3	27.9
1997.....		4.6	*	*	*	*	*	2.0	11.7	21.0	25.8	22.3	27.1
1996.....		4.8	*	*	*	*	*	2.5	11.2	23.4	29.3	23.8	23.6
1995.....		5.0	*	*	*	*	*	2.7	12.9	25.1	26.0	30.0	27.5
1994.....		5.0	*	*	*	*	*	2.5	14.3	25.6	27.6	24.5	*
1993.....		5.5	*	*	*	*	*	3.6	15.0	26.8	29.8	30.0	25.1
1992.....		5.4	*	*	*	*	*	3.5	13.6	30.6	29.8	26.2	*
1991.....		5.4	*	*	*	*	*	3.7	16.1	27.2	28.1	27.9	*
1990.....		5.9	*	*	*	*	*	3.8	15.2	31.9	33.1	30.2	29.5
1989.....		5.6	*	*	*	*	*	3.4	15.8	30.5	31.8	25.1	*
1988.....		5.7	*	*	*	*	*	3.4	18.0	27.5	30.3	28.7	*
1987.....		5.4	*	*	*	*	*	4.1	16.0	28.6	28.0	26.8	*
1986.....		5.9	*	*	*	*	*	4.7	18.5	29.4	29.6	27.0	42.7
1985.....		6.0	*	*	*	*	*	4.3	17.8	31.6	29.3	30.9	*
1984.....		6.4	*	*	*	*	*	4.9	19.0	34.1	33.6	29.8	*
1983.....		6.5	*	*	*	*	0.7	5.2	20.2	33.5	31.1	29.3	28.6
1982.....		6.4	*	*	*	*	*	5.8	20.9	31.9	30.3	25.5	*
1981.....		6.4	*	*	*	*	*	5.2	20.5	32.9	30.0	28.9	32.8
1980.....		7.1	-	-	0.0	0.2	0.5	6.2	23.1	35.8	32.4	28.9	34.6
1979.....		6.6	-	-	0.0	0.2	0.3	6.8	23.2	30.7	26.9	25.4	35.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 201												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149) ALL OTHER FEMALE												
1998.....	1.5	*	*	*	*	*	0.8	2.2	3.9	7.5	8.9	11.3
1997.....	1.6	*	*	*	*	*	0.6	2.2	5.4	8.0	8.1	11.9
1996.....	1.5	*	*	*	*	*	0.6	2.3	6.0	6.3	9.1	9.8
1995.....	1.8	*	*	*	*	*	0.7	2.6	7.6	8.6	9.6	9.7
1994.....	1.7	*	*	*	*	*	0.8	2.3	5.7	9.2	9.0	15.1
1993.....	1.7	*	*	*	*	*	0.9	3.5	6.1	7.0	8.5	14.8
1992.....	1.6	*	*	*	*	*	0.9	3.1	6.0	7.6	7.5	*
1991.....	1.8	*	*	*	*	*	0.8	2.7	8.3	8.8	9.2	12.2
1990.....	1.8	*	*	*	*	*	0.7	3.5	7.3	9.2	6.9	13.4
1989.....	1.8	*	*	*	*	*	1.1	4.0	7.1	7.6	7.8	*
1988.....	1.7	*	*	*	*	*	1.0	3.9	6.7	8.2	7.1	*
1987.....	1.6	*	*	*	*	*	0.9	3.7	7.5	6.4	6.0	12.3
1986.....	2.0	*	*	*	*	*	1.0	4.6	7.3	9.1	9.9	15.4
1985.....	1.8	*	*	*	*	*	1.6	3.7	6.5	8.0	8.5	*
1984.....	1.7	*	*	*	*	*	1.2	4.3	7.3	6.1	6.1	*
1983.....	1.9	*	*	*	*	*	1.4	5.6	7.5	7.0	7.6	*
1982.....	2.0	*	*	*	*	*	1.5	4.8	8.9	6.0	12.0	*
1981.....	1.9	*	*	*	*	*	1.5	4.8	8.4	6.3	8.9	*
1980.....	1.8	-	-	0.0	0.1	0.1	1.4	6.0	6.0	7.3	7.2	10.1
1979.....	2.0	-	-	0.0	0.1	0.1	1.5	5.9	8.6	6.6	8.1	4.4

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	202
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
BLACK, BOTH SEXES													
1998.....		3.4	*	*	*	*	*	1.5	7.1	13.7	17.0	15.9	17.3
1997.....		3.4	*	*	*	*	*	1.4	7.6	14.8	17.6	14.4	17.8
1996.....		3.5	*	*	*	*	*	1.6	7.7	16.2	18.4	14.8	14.3
1995.....		3.8	*	*	*	*	*	1.8	8.6	18.4	18.3	18.4	14.6
1994.....		3.8	*	*	*	*	*	1.8	9.6	17.4	19.1	14.8	16.6
1993.....		4.0	*	*	*	*	*	2.4	10.6	17.9	18.3	17.9	15.6
1992.....		3.9	*	*	*	*	*	2.3	9.7	20.1	19.2	14.3	11.8
1991.....		4.1	*	*	*	*	*	2.5	10.6	19.6	19.1	17.0	13.4
1990.....		4.3	*	*	*	*	*	2.5	10.7	21.3	21.0	15.7	18.0
1989.....		4.2	*	*	*	*	*	2.4	11.6	20.1	19.5	14.3	14.5
1988.....		4.2	*	*	*	*	0.4	2.4	12.4	18.9	19.0	15.7	14.0
1987.....		4.0	*	*	*	*	*	2.7	11.1	19.6	16.7	14.4	13.9
1986.....		4.5	*	*	*	*	*	3.3	13.3	19.7	18.9	16.8	25.9
1985.....		4.4	*	*	*	*	0.4	3.4	12.4	20.3	18.5	16.7	10.8
1984.....		4.4	*	*	*	*	*	3.4	12.7	21.3	19.0	15.8	13.2
1983.....		4.6	*	*	*	*	0.5	3.5	14.0	21.5	18.4	16.6	16.3
1982.....		4.6	*	*	*	*	*	4.1	13.9	21.8	17.4	17.3	13.1
1981.....		4.5	*	*	*	*	*	3.6	13.6	21.3	17.0	17.0	17.9
1980.....		4.8	-	-	0.0	0.1	0.3	4.1	15.6	21.3	19.7	16.3	17.6
1979.....		4.6	-	-	0.0	0.2	0.2	4.4	15.2	20.4	16.5	14.6	16.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	203
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
BLACK MALE													
1998.....		5.2	*	*	*	*	*	2.2	12.7	26.1	28.2	25.6	30.0
1997.....		5.3	*	*	*	*	*	2.2	13.8	25.8	29.6	24.1	31.5
1996.....		5.6	*	*	*	*	*	2.6	14.0	28.5	33.9	27.3	24.0
1995.....		5.9	*	*	*	*	*	3.0	15.5	30.7	30.6	33.8	25.3
1994.....		5.9	*	*	*	*	*	2.9	18.0	31.6	31.7	26.1	*
1993.....		6.3	*	*	*	*	*	4.0	18.7	32.1	33.2	33.3	*
1992.....		6.3	*	*	*	*	*	3.9	17.3	36.7	33.9	26.9	*
1991.....		6.3	*	*	*	*	*	4.3	19.4	33.0	32.6	29.4	*
1990.....		6.9	*	*	*	*	*	4.5	19.0	38.1	36.7	32.8	30.2
1989.....		6.6	*	*	*	*	*	3.9	19.5	35.4	36.6	26.9	*
1988.....		6.7	*	*	*	*	*	3.9	21.7	32.8	34.1	32.5	*
1987.....		6.2	*	*	*	*	*	4.7	19.1	33.0	30.2	29.6	*
1986.....		7.0	*	*	*	*	*	6.0	23.1	34.2	31.6	29.0	47.6
1985.....		7.0	*	*	*	*	*	5.2	22.1	37.1	32.6	30.4	*
1984.....		7.4	*	*	*	*	*	6.1	22.3	38.3	36.8	32.3	*
1983.....		7.5	*	*	*	*	*	5.9	23.9	38.2	34.4	32.0	*
1982.....		7.3	*	*	*	*	*	7.0	24.2	36.6	33.3	25.7	*
1981.....		7.2	*	*	*	*	*	6.0	23.3	36.7	31.8	30.6	*
1980.....		8.0	-	-	0.0	0.2	0.6	7.0	26.6	40.2	35.4	29.8	30.2
1979.....		7.2	-	-	0.0	0.2	0.3	7.8	25.6	34.0	29.6	23.5	38.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	204
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
BLACK FEMALE													
1998.....		1.7	*	*	*	*	*	0.9	2.3	4.3	8.9	10.1	12.0
1997.....		1.8	*	*	*	*	*	*	2.6	6.3	9.0	8.6	12.1
1996.....		1.6	*	*	*	*	*	0.7	2.6	6.7	7.4	7.5	10.3
1995.....		2.0	*	*	*	*	*	0.8	2.9	8.9	9.5	9.5	10.3
1994.....		1.9	*	*	*	*	*	1.0	2.7	6.5	10.1	8.4	14.9
1993.....		1.9	*	*	*	*	*	1.0	3.9	6.9	7.8	9.3	12.1
1992.....		1.8	*	*	*	*	*	0.9	3.3	7.3	9.0	7.2	*
1991.....		2.1	*	*	*	*	*	0.9	3.3	9.3	9.6	10.1	*
1990.....		1.9	*	*	*	*	*	*	3.9	8.3	10.1	6.1	12.8
1989.....		2.0	*	*	*	*	*	1.1	5.1	8.2	7.5	7.2	*
1988.....		1.9	*	*	*	*	*	1.1	4.6	8.0	8.4	6.1	*
1987.....		1.9	*	*	*	*	*	1.0	4.5	9.0	7.3	5.7	*
1986.....		2.2	*	*	*	*	*	*	5.2	8.2	10.0	9.6	15.9
1985.....		2.0	*	*	*	*	*	1.8	4.5	7.0	8.6	8.6	*
1984.....		1.8	*	*	*	*	*	1.1	4.7	7.8	6.4	6.0	*
1983.....		2.1	*	*	*	*	*	1.4	5.9	8.2	7.1	7.2	*
1982.....		2.2	*	*	*	*	*	1.7	5.5	9.9	6.0	12.1	*
1981.....		2.1	*	*	*	*	*	1.6	5.6	8.9	6.3	8.5	*
1980.....		2.0	-	-	0.0	0.1	0.1	1.7	6.6	6.1	8.1	7.8	11.3
1979.....		2.2	-	-	0.0	0.2	0.1	1.6	6.7	9.5	6.9	8.6	4.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 205	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159) TOTAL, BOTH SEXES													
1998.....		47.6	*	*	0.1	0.3	1.7	7.0	29.9	85.7	191.7	327.5	507.7
1997.....		47.5	*	0.1	*	0.3	1.6	7.1	29.0	87.8	191.3	330.2	521.0
1996.....		47.7	*	*	*	0.3	1.6	7.1	28.2	89.0	195.2	334.8	525.4
1995.....		48.2	*	0.2	*	0.3	1.6	7.2	29.0	92.1	197.5	340.6	531.6
1994.....		48.1	*	0.2	0.1	0.3	1.6	7.1	29.8	91.9	198.9	342.9	528.5
1993.....		48.3	*	0.1	0.1	0.3	1.5	7.3	29.4	93.6	199.4	346.5	537.3
1992.....		48.2	*	*	0.1	0.3	1.5	7.4	29.4	94.3	199.1	347.7	547.9
1991.....		48.3	*	0.2	*	0.3	1.6	7.4	30.0	96.2	199.3	351.9	549.3
1990.....		48.6	*	0.2	*	0.3	1.5	7.2	31.6	95.1	203.1	358.6	553.8
1989.....		48.5	*	*	0.1	0.3	1.5	6.9	30.5	96.4	205.9	357.6	550.4
1988.....		48.0	*	*	*	0.3	1.4	7.3	31.0	97.6	203.8	353.8	544.0
1987.....		48.5	*	0.2	0.1	0.3	1.6	7.4	32.2	99.1	207.4	360.1	537.0
1986.....		48.5	*	0.1	*	0.3	1.5	7.3	32.8	99.1	211.7	361.0	540.5
1985.....		49.0	*	0.2	0.1	0.4	1.6	7.4	33.6	101.3	212.8	370.7	546.0
1984.....		49.5	*	0.2	0.1	0.3	1.7	7.6	34.1	102.4	216.2	377.3	558.3
1983.....		48.7	*	0.2	0.1	0.3	1.6	7.6	34.4	100.6	214.7	375.2	554.0
1982.....		48.6	*	0.2	0.1	0.4	1.6	7.7	34.7	101.3	216.6	378.1	550.3
1981.....		48.5	*	0.2	0.1	0.4	1.6	7.9	35.4	101.3	218.0	382.1	554.5
1980.....		48.8	0.3	0.2	0.1	0.4	1.7	8.0	35.8	102.6	221.5	389.5	565.6
1979.....		48.6	0.3	0.1	0.1	0.3	1.8	8.2	36.3	103.9	221.9	388.7	547.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 206												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
TOTAL, MALE												
1998.....	51.9	*	*	*	0.4	1.9	8.4	39.4	112.5	250.9	412.1	598.8
1997.....	51.7	*	*	*	0.4	1.9	8.5	38.4	115.4	252.4	415.7	628.2
1996.....	51.6	*	*	*	0.4	1.8	8.7	36.6	117.1	255.0	418.7	644.0
1995.....	52.2	*	*	*	0.3	1.7	8.9	37.3	120.9	256.9	430.6	667.2
1994.....	52.3	*	0.3	*	0.4	2.0	8.9	38.7	120.0	260.8	437.2	661.4
1993.....	52.1	*	*	*	0.4	1.7	9.1	37.6	122.0	259.6	441.7	668.5
1992.....	52.2	*	*	*	0.4	1.6	9.1	37.6	123.8	263.6	444.0	683.8
1991.....	52.3	*	*	*	0.4	1.8	9.2	38.2	125.4	262.6	454.1	688.2
1990.....	52.7	*	*	*	0.3	1.6	8.9	40.4	124.0	267.4	468.0	699.5
1989.....	52.6	*	*	*	0.3	1.7	8.4	39.2	127.0	270.9	460.5	685.4
1988.....	52.0	*	*	*	0.3	1.7	9.1	39.7	128.1	265.1	457.6	670.2
1987.....	52.4	*	*	*	0.3	1.9	9.0	40.3	127.7	269.9	468.3	666.0
1986.....	52.3	*	*	*	0.4	1.7	9.0	40.2	128.2	274.8	465.7	671.0
1985.....	52.9	*	*	*	0.4	1.8	9.1	41.9	130.8	277.6	476.1	667.1
1984.....	53.0	*	*	*	0.3	2.1	9.1	42.1	130.7	278.9	483.8	686.3
1983.....	52.6	*	*	*	0.3	1.9	9.0	42.9	129.8	275.8	485.7	688.1
1982.....	52.4	*	*	0.2	0.4	2.0	9.1	42.8	128.4	278.6	483.1	710.0
1981.....	52.4	*	*	*	0.4	2.0	9.5	43.5	129.3	283.6	484.0	687.6
1980.....	52.7	0.6	0.3	0.1	0.5	1.8	9.5	44.3	129.3	284.1	496.6	705.8
1979.....	52.5	0.4	0.1	0.1	0.4	2.0	9.6	44.8	130.8	286.2	493.2	677.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 207												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
TOTAL, FEMALE												
1998.....	43.5	*	*	*	0.3	1.5	5.6	20.8	61.3	143.5	271.5	469.9
1997.....	43.4	*	*	*	0.2	1.3	5.7	20.1	62.7	141.8	274.2	477.9
1996.....	44.0	*	*	*	0.3	1.3	5.5	20.2	63.6	147.1	280.5	478.3
1995.....	44.4	*	*	*	0.3	1.4	5.5	21.0	66.0	149.9	283.4	478.8
1994.....	44.2	*	*	*	0.3	1.3	5.4	21.3	66.4	149.7	284.0	477.2
1993.....	44.7	*	*	*	0.3	1.3	5.5	21.5	67.9	151.8	287.7	487.0
1992.....	44.3	*	*	*	0.3	1.4	5.7	21.6	67.8	148.4	288.7	495.2
1991.....	44.5	*	*	*	0.3	1.3	5.7	22.3	70.0	149.7	290.0	495.6
1990.....	44.6	*	*	*	0.3	1.3	5.5	23.3	69.3	153.0	293.3	497.6
1989.....	44.6	*	*	*	0.3	1.3	5.5	22.3	69.1	155.2	296.2	497.9
1988.....	44.3	*	*	*	0.3	1.2	5.6	22.7	70.6	156.2	292.3	494.7
1987.....	44.8	*	*	*	0.3	1.2	5.8	24.5	73.7	158.8	296.1	486.2
1986.....	44.9	*	*	*	0.3	1.3	5.6	25.7	73.3	162.9	299.4	488.7
1985.....	45.4	*	*	*	0.3	1.5	5.8	25.9	75.2	162.9	308.7	497.6
1984.....	46.1	*	*	*	0.2	1.3	6.2	26.6	77.5	168.0	314.7	506.5
1983.....	45.1	*	*	*	0.4	1.4	6.2	26.3	74.9	167.8	310.2	499.0
1982.....	45.0	*	*	*	0.4	1.3	6.4	27.1	77.4	169.1	316.3	483.7
1981.....	44.8	*	*	*	0.3	1.2	6.4	27.8	76.6	167.8	322.1	497.6
1980.....	45.2	0.1	0.1	0.1	0.3	1.6	6.5	27.8	79.1	173.6	326.3	504.3
1979.....	44.9	0.2	0.1	0.1	0.3	1.5	6.9	28.3	80.3	172.7	326.7	490.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 208												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
WHITE, BOTH SEXES												
1998.....	48.9	*	*	*	0.3	1.4	6.1	26.9	79.9	185.0	320.1	500.6
1997.....	48.7	*	*	*	0.3	1.4	6.3	26.5	81.7	183.8	321.6	511.7
1996.....	49.0	*	*	*	0.3	1.4	6.3	25.4	82.9	188.2	325.8	519.7
1995.....	49.5	*	*	*	0.3	1.3	6.3	26.2	86.4	189.7	331.6	523.4
1994.....	49.3	*	0.2	*	0.3	1.3	6.2	26.7	85.8	191.1	333.9	522.2
1993.....	49.5	*	*	*	0.3	1.4	6.6	26.4	87.3	191.7	337.9	529.6
1992.....	49.4	*	*	*	0.3	1.3	6.4	26.5	88.1	191.0	340.0	540.6
1991.....	49.5	*	0.2	*	0.3	1.4	6.6	27.0	90.3	191.8	343.6	541.0
1990.....	49.6	*	*	*	0.2	1.3	6.3	28.1	88.7	195.0	350.3	547.5
1989.....	49.5	*	*	*	0.2	1.3	6.1	27.4	90.1	197.3	350.0	544.6
1988.....	49.1	*	*	*	0.3	1.2	6.5	28.0	91.4	196.1	347.9	539.5
1987.....	49.6	*	0.2	0.1	0.3	1.3	6.5	29.2	92.8	200.7	353.5	534.9
1986.....	49.6	*	0.2	*	0.3	1.3	6.4	29.6	93.6	204.6	354.3	537.6
1985.....	50.1	*	0.2	0.1	0.3	1.4	6.6	30.3	94.8	206.0	365.6	544.2
1984.....	50.4	*	0.2	*	0.2	1.4	6.8	30.7	95.8	209.4	372.2	560.0
1983.....	49.6	*	0.2	0.1	0.3	1.4	6.7	31.2	94.4	207.5	370.9	556.2
1982.....	49.5	*	0.3	0.1	0.3	1.4	6.8	31.4	94.7	210.5	374.6	552.7
1981.....	49.5	*	0.2	*	0.3	1.4	7.0	32.0	95.5	212.0	378.7	559.7
1980.....	49.7	0.3	0.2	0.1	0.3	1.6	7.2	32.5	96.7	215.2	386.3	569.9
1979.....	49.4	0.3	0.1	0.1	0.3	1.6	7.3	32.8	98.2	216.0	386.8	555.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 209												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
WHITE MALE												
1998.....	53.1	*	*	*	0.3	1.5	7.4	35.1	104.5	243.1	403.9	595.8
1997.....	52.7	*	*	*	0.3	1.6	7.4	34.7	106.2	243.5	406.5	624.2
1996.....	52.6	*	*	*	0.3	1.5	7.6	32.9	108.9	245.7	408.3	640.6
1995.....	53.3	*	*	*	0.3	1.5	7.8	33.5	113.2	246.6	419.6	660.4
1994.....	53.2	*	0.3	*	0.4	1.6	7.7	34.4	111.3	250.0	425.9	656.6
1993.....	53.0	*	*	*	0.3	1.5	8.1	33.4	113.1	250.3	430.2	661.5
1992.....	53.1	*	*	*	0.3	1.5	7.9	33.5	115.6	252.9	433.0	679.4
1991.....	53.3	*	*	*	0.4	1.6	8.1	33.6	117.3	252.8	445.3	677.7
1990.....	53.4	*	*	*	0.3	1.4	7.8	35.3	115.4	256.8	456.1	690.6
1989.....	53.1	*	*	*	0.2	1.4	7.3	34.3	118.1	259.1	450.7	678.9
1988.....	52.5	*	*	*	0.2	1.4	8.0	35.1	118.8	253.9	450.2	667.9
1987.....	53.1	*	*	*	0.3	1.6	7.9	36.1	119.4	260.4	459.2	664.8
1986.....	52.9	*	*	*	0.3	1.5	7.9	36.0	120.1	264.3	457.0	666.1
1985.....	53.4	*	*	*	0.4	1.6	8.1	37.2	121.9	267.5	470.4	670.9
1984.....	53.4	*	*	*	0.3	1.8	8.0	37.1	121.5	269.0	476.8	690.4
1983.....	52.9	*	*	*	0.3	1.7	7.7	38.3	120.6	266.0	479.2	695.5
1982.....	52.6	*	*	0.2	0.3	1.7	7.8	38.0	119.1	269.2	476.9	712.0
1981.....	52.8	*	*	*	0.4	1.8	8.4	38.6	121.4	274.0	479.4	697.8
1980.....	52.9	0.5	0.3	0.1	0.4	1.7	8.5	39.7	120.8	275.7	490.8	709.3
1979.....	52.8	0.3	0.1	0.1	0.4	1.8	8.5	40.2	122.6	278.0	491.1	685.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 210												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
WHITE FEMALE												
1998.....	44.9	*	*	*	0.3	1.3	4.8	18.9	57.1	137.1	264.2	461.6
1997.....	44.8	*	*	*	0.2	1.1	5.1	18.4	59.0	134.9	265.8	466.9
1996.....	45.4	*	*	*	0.2	1.2	4.9	18.0	58.9	141.4	272.1	472.3
1995.....	45.8	*	*	*	0.3	1.2	4.8	19.1	61.6	143.6	275.4	470.7
1994.....	45.7	*	*	*	0.3	1.1	4.7	19.1	62.3	143.7	276.0	471.1
1993.....	46.2	*	*	*	0.3	1.2	5.0	19.5	63.6	144.8	280.5	479.6
1992.....	45.7	*	*	*	0.3	1.2	4.8	19.6	62.7	141.7	283.0	487.6
1991.....	45.9	*	*	*	0.2	1.2	5.0	20.7	65.6	143.6	282.0	489.2
1990.....	46.0	*	*	*	0.2	1.1	4.9	21.1	64.5	146.2	287.1	493.2
1989.....	46.1	*	*	*	0.3	1.2	4.9	20.7	64.7	148.7	290.1	493.5
1988.....	45.9	*	*	*	0.3	0.9	5.0	21.1	66.6	150.8	287.5	490.3
1987.....	46.2	*	*	*	0.2	1.0	5.1	22.5	68.9	153.9	291.3	484.6
1986.....	46.5	*	*	*	0.2	1.2	5.0	23.4	69.9	158.0	294.1	487.5
1985.....	46.8	*	*	*	0.2	1.3	5.2	23.8	70.6	158.3	304.4	494.5
1984.....	47.6	*	*	*	0.2	1.1	5.6	24.6	73.0	163.2	311.1	508.3
1983.....	46.6	*	*	*	0.3	1.2	5.7	24.4	71.1	162.4	307.7	500.1
1982.....	46.6	*	*	*	0.3	1.1	5.8	25.1	73.1	165.3	314.9	487.5
1981.....	46.4	*	*	*	0.2	1.0	5.7	25.8	72.6	164.3	320.1	502.0
1980.....	46.7	0.1	0.1	0.1	0.3	1.5	5.9	25.6	75.3	168.9	325.3	509.8
1979.....	46.3	0.2	0.1	0.0	0.3	1.3	6.2	25.9	76.5	168.6	325.6	497.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 211
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
ALL OTHER, BOTH SEXES												
1998.....	41.3	*	*	*	0.5	2.7	11.1	46.5	121.2	239.7	396.8	574.3
1997.....	41.7	*	*	*	0.4	2.7	11.2	43.8	125.0	246.5	411.1	610.3
1996.....	41.5	*	*	*	0.5	2.4	11.0	44.6	127.2	248.8	420.9	580.0
1995.....	41.8	*	*	*	0.4	2.5	11.8	45.2	128.2	258.9	428.4	615.0
1994.....	42.2	*	*	*	0.5	3.1	11.9	48.7	131.0	261.7	431.6	592.5
1993.....	42.1	*	*	*	0.6	2.2	10.9	47.8	134.9	262.4	431.7	617.3
1992.....	42.1	*	*	*	0.5	2.5	12.5	47.4	136.8	266.1	422.5	624.2
1991.....	42.0	*	*	*	0.5	2.4	12.0	48.2	137.2	261.5	432.8	637.2
1990.....	43.1	*	*	*	0.5	2.4	11.9	53.5	140.1	273.4	440.2	620.0
1989.....	43.0	*	*	*	0.7	2.5	11.5	50.1	142.0	280.2	432.0	612.1
1988.....	42.2	*	*	*	0.5	2.8	12.1	49.9	144.2	271.5	412.0	591.5
1987.....	42.4	*	*	*	0.5	2.9	12.4	51.3	146.6	266.8	425.4	559.6
1986.....	42.6	*	*	*	0.6	2.4	12.5	52.8	141.7	275.3	427.6	571.9
1985.....	43.1	*	*	*	0.6	2.8	11.9	54.9	152.7	273.7	421.4	563.4
1984.....	43.8	*	*	*	0.5	3.0	12.8	56.5	155.7	277.7	428.8	539.2
1983.....	43.2	*	*	*	0.6	2.8	13.5	55.6	152.2	279.8	419.7	527.3
1982.....	43.0	*	*	*	0.7	2.8	13.5	57.7	156.3	271.4	414.3	525.6
1981.....	42.6	*	*	*	0.6	2.9	13.7	59.2	150.4	272.8	417.1	495.3
1980.....	43.4	0.5	0.2	0.1	0.8	2.5	13.4	59.7	154.3	278.9	422.9	516.7
1979.....	43.3	0.5	0.1	0.1	0.5	2.9	14.3	62.0	154.7	276.1	408.4	460.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 212
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
ALL OTHER MALE													
1998.....		46.2	*	*	*	0.5	3.5	13.4	65.1	166.5	311.2	491.6	624.6
1997.....		46.6	*	*	*	*	3.3	14.2	61.1	177.0	323.6	506.9	663.4
1996.....		46.3	*	*	*	0.6	2.8	14.2	59.7	172.9	331.4	522.2	673.2
1995.....		46.8	*	*	*	*	2.8	15.2	61.5	173.9	343.8	542.0	731.4
1994.....		48.0	*	*	*	0.6	4.0	15.4	66.2	181.5	353.5	551.2	706.9
1993.....		47.2	*	*	*	0.8	2.7	14.5	65.0	186.0	340.5	556.8	733.6
1992.....		47.4	*	*	*	0.6	2.6	15.7	64.4	184.1	356.4	553.3	724.9
1991.....		47.3	*	*	*	*	2.9	15.3	67.8	186.5	349.5	540.9	784.9
1990.....		49.2	*	*	*	0.6	2.8	15.5	73.9	190.0	363.6	584.5	782.5
1989.....		49.7	*	*	*	0.7	3.3	15.1	71.9	196.7	378.9	556.3	745.7
1988.....		49.0	*	*	*	*	3.5	15.9	70.5	202.5	369.1	530.4	692.4
1987.....		48.6	*	*	*	0.6	3.6	15.9	68.5	195.9	358.9	555.8	677.9
1986.....		49.2	*	*	*	0.6	2.9	16.5	68.9	195.8	372.5	548.3	717.3
1985.....		49.6	*	*	*	0.6	3.2	15.7	74.2	206.0	371.7	529.3	631.5
1984.....		50.9	*	*	*	*	3.8	16.9	77.5	209.7	371.6	551.0	648.6
1983.....		50.6	*	*	*	*	3.3	18.1	76.1	210.9	367.3	548.3	608.6
1982.....		51.1	*	*	*	0.8	3.5	17.5	79.0	211.4	365.3	542.7	691.0
1981.....		50.2	*	*	*	0.8	3.5	17.3	81.0	200.7	371.5	529.2	585.9
1980.....		51.2	0.6	0.3	0.1	1.0	2.6	17.1	80.7	207.8	361.9	552.9	669.8
1979.....		50.9	0.7	0.1	0.2	0.6	3.4	17.8	82.6	205.8	361.9	511.2	586.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 213												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159) ALL OTHER FEMALE												
1998.....	36.9	*	*	*	*	2.0	9.0	30.7	85.3	187.6	337.3	551.2
1997.....	37.1	*	*	*	*	2.1	8.5	29.1	83.7	190.6	352.0	586.3
1996.....	37.1	*	*	*	*	2.1	8.2	31.7	91.0	188.9	358.9	538.0
1995.....	37.3	*	*	*	*	2.2	8.8	31.4	92.1	197.4	360.0	564.7
1994.....	37.0	*	*	*	*	2.2	8.9	33.9	91.2	195.5	360.3	542.9
1993.....	37.4	*	*	*	*	1.8	7.8	33.1	94.7	206.0	357.3	566.6
1992.....	37.3	*	*	*	*	2.4	9.8	32.8	99.6	201.2	344.3	578.8
1991.....	37.1	*	*	*	0.6	1.9	9.1	31.5	98.5	198.8	367.3	566.7
1990.....	37.4	*	*	*	*	1.9	8.8	36.0	101.1	209.0	353.7	546.2
1989.....	36.9	*	*	*	0.7	1.7	8.3	31.3	99.1	209.7	356.8	550.3
1988.....	36.1	*	*	*	*	2.2	8.9	32.3	98.5	201.4	340.5	544.4
1987.....	36.8	*	*	*	*	2.2	9.4	36.5	107.8	200.8	344.2	503.7
1986.....	36.5	*	*	*	0.6	2.0	9.1	39.1	98.9	205.3	352.6	501.9
1985.....	37.2	*	*	*	0.6	2.4	8.7	38.6	110.1	202.5	353.4	534.0
1984.....	37.3	*	*	*	*	2.2	9.3	38.9	112.5	209.9	352.1	484.8
1983.....	36.5	*	*	*	0.6	2.4	9.6	38.4	105.1	215.4	337.3	486.3
1982.....	35.7	*	*	*	0.7	2.3	10.0	39.9	111.9	202.2	331.2	438.3
1981.....	35.6	*	*	*	*	2.4	10.5	41.2	109.6	198.9	344.0	449.2
1980.....	36.3	0.3	0.2	0.1	0.7	2.3	10.3	42.4	110.7	216.1	337.3	438.3
1979.....	36.3	0.3	0.2	0.1	0.5	2.5	11.4	45.0	112.7	210.5	339.7	399.1

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	214
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
BLACK, BOTH SEXES													
1998.....		46.6	*	*	*	0.4	2.7	12.0	52.9	137.3	263.2	433.5	616.0
1997.....		46.8	*	*	*	*	2.7	11.9	49.3	142.4	269.1	438.5	657.8
1996.....		46.8	*	*	*	0.5	2.6	11.9	50.7	143.3	275.8	445.0	621.7
1995.....		47.1	*	*	*	0.4	2.5	12.7	51.7	144.9	283.6	448.8	626.5
1994.....		47.5	*	*	*	0.4	3.2	13.0	55.6	147.9	285.0	453.9	601.7
1993.....		47.8	*	*	*	0.6	2.3	11.9	55.9	151.0	289.3	457.6	629.1
1992.....		47.7	*	*	*	0.5	2.4	13.9	53.4	150.7	292.3	450.8	645.3
1991.....		48.0	*	*	*	0.6	2.5	13.3	55.6	155.3	285.3	459.8	663.8
1990.....		49.0	*	*	*	0.6	2.5	13.1	60.8	156.8	297.0	463.6	645.9
1989.....		48.8	*	*	*	0.7	2.7	12.3	57.2	159.4	303.6	455.6	617.3
1988.....		47.6	*	*	*	0.5	3.0	13.4	55.9	158.6	294.3	433.8	600.5
1987.....		47.8	*	*	*	0.5	2.9	13.5	57.1	162.8	289.7	445.7	575.5
1986.....		47.9	*	*	*	0.6	2.5	13.4	58.4	157.5	297.3	450.6	587.1
1985.....		48.0	*	*	*	0.7	2.8	12.9	61.4	166.4	291.1	441.3	580.5
1984.....		48.7	*	*	*	0.5	3.0	14.2	63.2	170.5	298.0	450.2	533.7
1983.....		47.9	*	*	*	0.5	2.9	14.7	60.2	167.2	299.7	439.1	528.3
1982.....		47.5	*	*	*	0.8	3.0	14.6	63.0	169.3	289.1	433.3	539.8
1981.....		46.8	*	*	*	0.7	3.0	14.8	65.0	162.5	290.1	432.1	506.0
1980.....		47.2	0.4	0.3	0.1	0.9	2.6	14.1	65.6	166.8	292.9	436.5	514.3
1979.....		46.4	0.6	0.1	0.2	0.5	3.0	15.4	66.8	165.3	287.4	410.9	462.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 215	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
BLACK MALE													
1998.....		51.3	*	*	*	*	3.6	14.4	74.8	190.0	340.0	540.4	673.3
1997.....		51.7	*	*	*	*	3.4	15.0	69.4	202.2	356.1	536.3	720.8
1996.....		51.8	*	*	*	*	3.0	15.6	70.0	197.7	365.0	554.6	728.3
1995.....		52.2	*	*	*	*	3.0	16.5	71.6	199.7	374.4	565.0	747.4
1994.....		53.5	*	*	*	*	4.3	17.0	76.8	205.5	382.4	585.2	714.9
1993.....		53.4	*	*	*	0.8	3.0	15.9	77.1	212.4	375.7	598.9	740.7
1992.....		53.3	*	*	*	*	2.6	17.9	74.1	204.6	391.2	596.9	760.8
1991.....		53.9	*	*	*	*	3.2	17.2	80.0	213.9	384.8	577.7	834.8
1990.....		55.5	*	*	*	*	2.8	17.2	85.4	212.6	395.5	623.7	813.3
1989.....		56.0	*	*	*	0.7	3.5	16.2	84.6	220.7	409.5	597.1	769.7
1988.....		55.0	*	*	*	*	3.5	17.4	81.4	224.6	400.3	565.3	704.6
1987.....		54.4	*	*	*	*	3.6	17.6	77.6	217.8	392.4	582.0	698.4
1986.....		55.2	*	*	*	*	3.1	17.9	78.3	219.3	403.9	576.7	747.6
1985.....		54.9	*	*	*	0.7	3.3	17.1	83.1	225.0	397.6	553.7	648.4
1984.....		56.7	*	*	*	*	3.8	19.1	88.1	228.8	402.6	586.1	659.0
1983.....		55.8	*	*	*	*	3.4	20.5	84.1	230.5	394.0	573.7	611.7
1982.....		56.4	*	*	*	0.7	3.8	19.9	87.9	229.1	391.7	570.5	715.5
1981.....		55.1	*	*	*	0.9	3.7	19.4	89.4	216.1	399.1	554.9	594.6
1980.....		55.4	0.4	0.3	0.1	1.1	2.7	18.5	89.5	225.7	382.7	567.2	660.3
1979.....		54.5	0.8	0.1	0.2	0.5	3.6	19.5	90.5	221.7	379.8	509.2	592.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	216
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159) BLACK FEMALE														
1998.....		42.3	*	*	*	*	2.0	9.9	34.9	97.1	207.7	369.8	592.2	
1997.....		42.3	*	*	*	*	2.2	9.2	32.7	96.5	206.5	381.2	631.7	
1996.....		42.3	*	*	*	*	2.3	8.6	34.7	101.6	211.9	381.3	577.9	
1995.....		42.5	*	*	*	*	2.1	9.3	35.2	102.8	218.7	382.2	577.3	
1994.....		42.1	*	*	*	*	2.3	9.4	38.1	103.6	215.8	379.6	555.8	
1993.....		42.7	*	*	*	*	1.7	8.4	38.4	103.6	228.0	378.4	583.6	
1992.....		42.6	*	*	*	*	2.3	10.5	36.2	109.1	222.8	369.2	597.2	
1991.....		42.6	*	*	*	*	1.9	10.0	35.4	109.9	215.9	393.8	591.4	
1990.....		43.2	*	*	*	*	2.2	9.5	40.3	113.5	228.7	373.9	574.9	
1989.....		42.2	*	*	*	0.7	2.0	8.9	34.4	111.7	230.0	375.5	555.6	
1988.....		40.9	*	*	*	*	2.5	9.9	34.7	107.0	220.5	358.6	555.0	
1987.....		41.9	*	*	*	*	2.3	10.1	40.1	119.5	217.9	366.5	520.8	
1986.....		41.3	*	*	*	*	2.0	9.7	42.0	108.7	222.3	376.5	513.8	
1985.....		41.9	*	*	*	*	2.3	9.3	43.5	120.2	216.2	374.2	548.9	
1984.....		41.6	*	*	*	*	2.2	10.0	42.8	124.1	224.2	369.5	474.4	
1983.....		40.8	*	*	*	*	2.6	9.8	40.7	116.8	233.1	355.7	487.9	
1982.....		39.6	*	*	*	0.8	2.4	10.2	42.7	121.4	215.8	348.5	453.4	
1981.....		39.3	*	*	*	*	2.4	11.0	45.0	119.6	211.5	355.3	457.5	
1980.....		39.8	0.4	0.2	0.1	0.7	2.5	10.4	46.0	119.3	227.3	353.8	441.3	
1979.....		39.1	0.4	0.1	0.1	0.4	2.5	11.9	47.3	119.6	219.5	344.7	397.1	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 217
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
TOTAL, BOTH SEXES												
1998.....	59.1	*	*	*	0.1	0.6	6.5	34.9	136.2	305.5	378.4	299.2
1997.....	59.2	*	*	*	0.1	0.7	6.5	36.2	139.7	304.4	379.1	308.2
1996.....	59.3	*	*	*	0.1	0.8	6.5	38.5	144.3	305.2	375.1	290.9
1995.....	59.5	*	*	*	0.1	0.7	6.4	39.8	148.2	306.1	372.7	294.0
1994.....	59.4	*	*	*	0.1	0.7	6.5	40.9	153.5	305.9	367.4	278.7
1993.....	59.8	*	*	*	0.1	0.7	6.6	42.9	158.9	306.1	363.3	280.8
1992.....	59.3	*	*	*	0.1	0.7	7.1	44.8	159.8	302.9	357.0	268.2
1991.....	59.1	*	*	*	0.1	0.7	7.0	46.9	163.2	300.0	352.9	265.3
1990.....	58.9	*	*	*	0.1	0.8	7.2	48.8	166.5	298.1	344.1	252.9
1989.....	57.6	*	*	*	0.1	0.7	7.3	49.3	165.0	292.1	333.5	238.0
1988.....	56.5	*	*	*	0.1	0.7	7.6	50.4	164.6	284.4	321.2	233.4
1987.....	55.7	*	*	*	0.1	0.8	7.7	52.0	162.3	281.9	310.8	225.2
1986.....	54.3	*	*	*	0.1	0.7	7.9	52.1	159.5	274.8	301.6	217.6
1985.....	53.5	*	*	*	0.1	0.8	8.2	53.1	159.8	270.3	292.4	205.0
1984.....	52.5	*	*	0.1	0.1	0.7	8.2	54.1	157.2	264.4	284.8	201.5
1983.....	51.3	*	*	*	0.1	0.7	8.9	54.7	152.6	260.1	277.4	195.3
1982.....	50.2	*	*	*	0.1	0.8	8.8	55.9	151.4	254.5	264.9	196.0
1981.....	48.5	*	*	*	0.1	0.7	9.5	56.5	146.1	245.5	253.3	188.4
1980.....	47.9	0.2	0.1	0.0	0.1	0.8	9.6	56.5	144.3	243.1	251.4	184.5
1979.....	45.9	0.0	0.0	0.0	0.1	0.8	9.8	56.0	140.9	231.0	238.1	170.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 218
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	72.1	*	*	*	0.1	0.7	7.5	43.6	176.4	416.4	553.2	532.5
1997.....	72.7	*	*	*	0.1	0.8	7.5	45.2	182.7	418.8	562.9	568.8
1996.....	73.6	*	*	*	*	0.9	7.8	48.5	190.7	424.6	566.9	543.2
1995.....	74.6	*	*	*	0.2	0.8	7.6	49.9	196.1	432.4	573.4	567.6
1994.....	75.4	*	*	*	0.1	0.8	8.0	51.9	206.8	434.5	576.7	556.1
1993.....	76.8	*	*	*	0.1	0.9	8.3	54.6	216.0	441.2	584.8	559.7
1992.....	76.6	*	*	*	0.1	0.8	8.6	57.7	217.0	439.8	587.5	545.5
1991.....	77.8	*	*	*	0.2	0.8	8.6	60.6	226.0	446.0	593.9	552.1
1990.....	78.3	*	*	*	0.2	1.0	9.1	63.0	232.6	447.3	594.4	538.0
1989.....	77.2	*	*	*	0.2	0.8	9.1	64.5	231.5	440.2	583.3	512.2
1988.....	77.1	*	*	*	0.1	0.9	9.6	66.1	233.5	438.3	580.8	502.0
1987.....	77.2	*	*	*	0.1	1.0	9.5	69.1	234.4	441.8	572.6	494.1
1986.....	76.0	*	*	*	0.2	1.0	9.8	69.7	232.2	432.9	568.4	477.2
1985.....	75.6	*	*	*	0.2	0.9	10.6	71.0	233.6	432.5	558.9	457.3
1984.....	75.3	*	*	*	0.2	0.9	10.4	73.3	233.3	432.6	553.4	447.5
1983.....	74.1	*	*	*	0.2	0.8	11.1	74.5	226.0	430.2	545.3	431.7
1982.....	73.7	*	*	*	0.2	0.9	11.1	77.8	227.8	430.0	528.9	436.3
1981.....	72.2	*	*	*	0.2	0.9	12.5	80.2	222.9	420.7	510.9	415.8
1980.....	71.9	0.3	0.0	0.0	0.2	1.0	12.6	79.8	223.8	422.0	511.5	386.3
1979.....	70.1	0.1	0.0	0.0	0.2	1.1	12.8	80.3	221.5	409.7	488.3	374.4

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 219
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
TOTAL, FEMALE												
1998.....	46.6	*	*	*	*	0.6	5.5	26.7	99.7	215.3	262.8	202.5
1997.....	46.3	*	*	*	*	0.6	5.6	27.5	100.7	212.0	258.9	203.2
1996.....	45.6	*	*	*	*	0.7	5.3	29.0	102.2	209.0	251.1	190.6
1995.....	45.1	*	*	*	*	0.7	5.1	30.1	104.8	205.0	245.1	187.5
1994.....	44.2	*	*	*	*	0.6	4.9	30.4	105.3	203.6	236.4	171.8
1993.....	43.7	*	*	*	*	0.6	5.0	31.6	107.3	199.2	226.3	173.9
1992.....	42.8	*	*	*	*	0.6	5.6	32.5	108.4	195.3	216.0	160.8
1991.....	41.4	*	*	*	*	0.7	5.5	33.8	107.0	185.8	207.1	154.4
1990.....	40.4	*	*	*	*	0.6	5.4	35.3	107.6	181.7	194.5	142.8
1989.....	39.0	*	*	*	*	0.6	5.5	34.7	105.7	176.7	184.6	131.4
1988.....	37.0	*	*	*	*	0.6	5.7	35.5	103.4	164.7	167.2	128.6
1987.....	35.3	*	*	*	*	0.5	6.0	35.8	98.6	157.9	156.1	119.3
1986.....	33.8	*	*	*	*	0.5	6.0	35.4	95.2	152.4	144.5	114.6
1985.....	32.6	*	*	*	*	0.7	5.8	36.2	94.5	145.3	135.7	104.2
1984.....	30.8	*	*	*	*	0.6	6.0	36.0	90.2	135.2	127.0	102.1
1983.....	29.8	*	*	*	*	0.6	6.7	36.0	88.0	129.6	120.0	98.4
1982.....	28.0	*	*	*	*	0.6	6.6	35.3	84.2	120.1	109.5	95.9
1981.....	26.1	*	*	*	*	0.5	6.6	34.4	78.6	111.4	101.6	91.6
1980.....	25.2	0.1	0.1	0.1	0.0	0.6	6.8	34.8	74.5	106.1	98.0	96.3
1979.....	23.1	-	0.0	0.0	0.1	0.6	6.8	33.3	70.0	94.3	89.8	79.6

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 220
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
WHITE, BOTH SEXES												
1998.....	62.9	*	*	*	0.1	0.7	6.1	32.9	134.3	307.6	381.1	301.6
1997.....	62.9	*	*	*	0.1	0.7	6.0	34.4	137.8	305.8	381.3	310.1
1996.....	63.0	*	*	*	*	0.8	6.0	36.9	142.3	306.1	377.0	293.0
1995.....	63.1	*	*	*	0.1	0.7	5.9	37.9	145.9	306.1	374.9	293.2
1994.....	62.9	*	*	*	0.1	0.7	6.0	38.9	151.4	305.6	368.9	277.8
1993.....	63.2	*	*	*	0.1	0.7	6.1	40.4	156.9	305.4	365.0	279.9
1992.....	62.5	*	*	*	0.1	0.7	6.4	42.4	156.7	302.0	359.6	268.1
1991.....	62.3	*	*	*	0.1	0.7	6.4	44.1	160.8	298.8	354.5	264.9
1990.....	61.8	*	*	*	0.1	0.7	6.6	46.3	162.5	296.8	346.6	252.5
1989.....	60.4	*	*	*	0.1	0.6	6.6	46.5	161.8	290.3	334.5	238.3
1988.....	59.2	*	*	*	0.1	0.7	7.1	48.0	161.6	282.7	322.1	231.9
1987.....	58.1	*	*	*	0.1	0.7	7.1	49.4	158.9	280.1	312.5	224.6
1986.....	56.6	*	*	*	0.1	0.7	7.2	49.4	155.9	273.7	303.4	216.9
1985.....	55.7	*	*	*	0.1	0.7	7.6	50.6	155.4	269.7	294.7	204.7
1984.....	54.4	*	*	0.1	0.1	0.7	7.5	51.6	152.1	264.2	286.0	202.0
1983.....	53.2	*	*	*	0.1	0.6	8.3	51.8	148.4	259.5	279.3	197.5
1982.....	52.0	*	*	*	0.1	0.7	8.2	53.4	146.8	254.5	266.8	197.0
1981.....	50.1	*	*	*	0.1	0.7	8.8	53.6	141.6	245.3	255.1	190.0
1980.....	49.4	0.1	0.0	0.0	0.1	0.7	9.0	53.6	140.4	242.7	252.9	185.6
1979.....	47.3	-	0.0	0.0	0.1	0.8	9.0	53.1	137.1	231.5	240.3	172.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 221												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
WHITE MALE												
1998.....	75.6	*	*	*	0.2	0.7	6.9	39.7	169.4	413.0	549.8	537.5
1997.....	76.0	*	*	*	*	0.8	6.6	41.7	175.2	414.2	559.1	573.6
1996.....	76.8	*	*	*	*	0.9	6.9	45.0	182.4	419.1	562.7	547.5
1995.....	77.8	*	*	*	0.1	0.8	6.7	46.0	188.2	426.1	569.2	565.3
1994.....	78.5	*	*	*	0.1	0.7	7.2	47.4	199.4	427.0	571.8	552.3
1993.....	79.7	*	*	*	0.1	0.8	7.4	49.5	208.5	432.4	579.6	559.8
1992.....	79.5	*	*	*	0.1	0.7	7.5	52.9	208.0	431.7	585.0	549.2
1991.....	80.7	*	*	*	0.2	0.7	7.6	55.1	218.0	437.0	591.4	556.6
1990.....	81.0	*	*	*	*	0.9	8.0	57.9	222.5	438.2	593.6	540.4
1989.....	79.6	*	*	*	0.1	0.7	7.9	59.0	221.8	430.1	580.6	517.7
1988.....	79.5	*	*	*	0.1	0.8	8.5	61.1	225.4	428.8	578.7	499.3
1987.....	79.5	*	*	*	*	0.9	8.6	63.9	225.8	432.2	572.9	496.8
1986.....	78.1	*	*	*	0.2	0.9	8.6	64.1	223.2	424.7	570.2	478.8
1985.....	77.6	*	*	*	0.1	0.7	9.5	65.5	223.3	425.2	561.7	463.8
1984.....	77.0	*	*	*	0.2	0.8	9.2	68.1	221.3	426.0	555.6	450.8
1983.....	75.9	*	*	*	0.2	0.7	10.0	68.8	216.1	424.3	549.9	444.5
1982.....	75.5	*	*	*	0.1	0.9	10.2	72.3	217.3	424.9	534.7	443.8
1981.....	73.7	*	*	*	0.2	0.9	11.2	74.5	212.8	416.0	516.2	423.9
1980.....	73.4	0.2	0.0	0.0	0.2	0.9	11.2	74.3	215.0	418.4	516.1	391.5
1979.....	71.5	-	0.0	0.0	0.2	1.0	11.5	74.7	212.4	408.0	495.9	381.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 222												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165) WHITE FEMALE												
1998.....	50.7	*	*	*	*	0.6	5.2	26.4	101.6	220.5	268.7	205.0
1997.....	50.2	*	*	*	*	0.6	5.3	27.4	102.9	216.8	264.2	205.2
1996.....	49.6	*	*	*	*	0.7	5.1	29.1	105.1	213.9	256.3	193.1
1995.....	48.9	*	*	*	*	0.7	5.0	30.1	106.8	208.7	250.8	188.4
1994.....	47.9	*	*	*	*	0.6	4.8	30.5	107.1	207.9	241.2	173.2
1993.....	47.3	*	*	*	*	0.6	4.8	31.5	109.4	203.7	231.6	173.9
1992.....	46.2	*	*	*	*	0.6	5.3	32.2	109.6	199.0	221.3	160.9
1991.....	44.6	*	*	*	*	0.7	5.2	33.5	108.6	189.6	211.0	154.1
1990.....	43.4	*	*	*	*	0.6	5.2	35.2	108.0	185.3	199.0	143.2
1989.....	41.9	*	*	*	*	0.5	5.3	34.4	107.4	180.3	188.2	131.5
1988.....	39.7	*	*	*	*	0.5	5.7	35.3	104.2	168.1	170.4	129.3
1987.....	37.7	*	*	*	*	0.6	5.7	35.3	98.9	161.1	159.3	119.2
1986.....	36.1	*	*	*	*	0.5	5.8	35.2	95.5	156.0	147.1	114.9
1985.....	34.8	*	*	*	*	0.6	5.7	36.2	94.7	149.0	138.7	103.2
1984.....	32.9	*	*	*	*	0.6	5.9	35.8	90.3	139.1	128.7	103.4
1983.....	31.5	*	*	*	*	0.5	6.6	35.4	88.1	132.4	121.5	98.1
1982.....	29.7	*	*	*	*	0.6	6.3	35.3	84.3	123.5	110.6	95.9
1981.....	27.6	*	*	*	*	0.5	6.4	33.6	78.4	114.3	103.0	92.2
1980.....	26.5	0.1	0.1	0.1	0.0	0.5	6.8	33.9	74.2	108.1	99.3	96.8
1979.....	24.2	-	0.0	0.0	0.1	0.6	6.6	32.6	70.2	96.5	90.5	80.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 223
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)
 ALL OTHER, BOTH SEXES

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	41.2	*	*	*	*	0.4	8.7	46.1	148.3	290.3	353.9	275.9
1997.....	41.5	*	*	*	*	0.7	9.3	45.9	151.9	294.3	358.6	290.5
1996.....	41.5	*	*	*	*	0.8	9.2	47.9	157.1	297.9	356.7	271.0
1995.....	42.0	*	*	*	*	0.8	8.9	50.5	162.7	306.8	350.8	302.3
1994.....	42.3	*	*	*	*	0.9	8.9	53.3	167.1	307.7	353.3	288.2
1993.....	42.9	*	*	*	*	1.1	9.3	58.0	171.5	311.8	347.0	290.8
1992.....	43.0	*	*	*	*	1.0	10.6	59.4	181.0	310.7	332.0	269.3
1991.....	43.1	*	*	*	*	0.9	10.3	63.8	179.9	309.3	337.9	269.0
1990.....	43.6	*	*	*	*	1.2	10.7	64.3	195.1	309.4	319.8	256.5
1989.....	43.3	*	*	*	*	1.0	10.8	66.3	188.2	308.1	323.2	235.5
1988.....	42.5	*	*	*	*	0.9	10.5	65.6	186.2	298.9	311.7	250.0
1987.....	42.4	*	*	*	*	0.9	10.9	68.7	188.2	297.9	294.5	231.7
1986.....	41.6	*	*	*	*	0.9	12.0	69.4	187.9	283.9	283.4	224.7
1985.....	41.2	*	*	*	*	1.2	11.7	69.1	194.5	276.1	268.8	206.7
1984.....	41.3	*	*	*	*	1.0	12.2	70.8	199.2	265.9	272.7	196.3
1983.....	40.4	*	*	*	*	1.0	12.7	74.4	187.7	265.5	259.1	169.9
1982.....	39.6	*	*	*	*	0.9	12.7	73.3	189.5	254.4	245.5	185.9
1981.....	39.1	*	*	*	*	0.8	14.4	77.7	184.5	246.8	234.0	169.5
1980.....	38.9	0.5	0.1	0.0	0.2	1.1	13.9	78.3	178.7	246.4	235.5	172.8
1979.....	37.4	0.2	-	0.1	0.1	1.1	14.8	78.1	175.2	226.3	215.8	146.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 224
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)
 ALL OTHER MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	55.5	*	*	*	*	*	10.7	67.1	223.7	442.6	586.0	489.0
1997	56.4	*	*	*	*	0.9	11.9	67.0	232.7	455.1	600.3	527.1
1996	57.7	*	*	*	*	1.0	12.5	70.8	247.2	469.5	608.1	505.6
1995	58.5	*	*	*	*	0.9	12.4	74.9	251.1	485.8	616.4	589.8
1994	59.8	*	*	*	*	1.1	12.7	81.1	259.4	498.3	626.4	591.6
1993	61.6	*	*	*	*	1.4	13.0	88.1	269.9	517.1	636.9	559.0
1992	61.5	*	*	*	*	1.3	14.6	89.1	283.1	511.4	611.9	511.0
1991	62.6	*	*	*	*	1.0	14.3	96.7	286.3	525.4	618.7	510.5
1990	64.1	*	*	*	*	1.7	15.5	97.0	310.2	530.0	602.0	516.0
1989	64.5	*	*	*	*	1.0	15.8	101.7	307.4	533.2	610.2	460.5
1988	64.0	*	*	*	*	1.3	16.2	99.9	298.7	526.2	603.0	526.6
1987	64.2	*	*	*	*	1.4	15.1	103.8	304.7	532.3	570.1	468.8
1986	63.8	*	*	*	*	1.4	17.9	107.7	308.2	509.7	549.8	461.3
1985	64.0	*	*	*	*	1.6	17.8	108.8	321.6	501.4	530.2	395.9
1984	65.2	*	*	*	*	1.4	18.7	110.0	336.5	493.6	532.5	416.7
1983	62.9	*	*	*	*	1.3	18.7	116.0	312.8	484.4	501.0	304.3
1982	63.2	*	*	*	*	1.2	17.9	119.0	320.6	477.6	473.1	362.7
1981	62.6	*	*	*	*	1.0	21.6	123.4	313.0	463.1	459.9	335.9
1980	62.5	0.6	0.2	0.0	0.3	1.6	22.0	123.9	304.1	455.5	466.2	334.1
1979	61.2	0.3	-	0.1	0.1	1.4	22.8	126.3	305.8	425.5	413.1	303.4

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 225
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
ALL OTHER FEMALE												
1998.....	28.1	*	*	*	*	*	6.9	28.3	88.6	179.5	208.2	178.5
1997.....	27.8	*	*	*	*	0.6	7.0	28.0	87.9	177.8	209.5	183.3
1996.....	26.7	*	*	*	*	0.6	6.2	28.5	85.8	173.7	202.6	165.3
1995.....	26.9	*	*	*	*	0.7	5.9	29.9	92.8	177.4	190.7	177.8
1994.....	26.2	*	*	*	*	0.6	5.6	29.8	94.4	170.3	190.4	156.8
1993.....	25.8	*	*	*	*	0.7	5.9	32.5	94.1	163.8	174.3	173.8
1992.....	26.2	*	*	*	*	0.7	7.0	34.1	100.7	166.4	164.6	160.5
1991.....	25.3	*	*	*	*	0.8	6.7	35.7	96.4	154.9	169.1	157.7
1990.....	25.0	*	*	*	*	0.7	6.5	36.2	105.0	151.8	150.7	138.5
1989.....	23.9	*	*	*	*	0.9	6.4	36.0	94.7	147.2	149.6	131.4
1988.....	22.9	*	*	*	*	0.6	5.5	36.4	98.0	135.9	134.9	120.7
1987.....	22.6	*	*	*	*	*	7.3	38.7	96.4	129.7	124.1	119.6
1986.....	21.4	*	*	*	*	0.6	6.8	36.9	92.6	121.3	117.7	110.9
1985.....	20.5	*	*	*	*	0.8	6.4	35.6	93.2	113.0	104.3	116.0
1984.....	19.6	*	*	*	*	0.7	6.5	37.9	89.3	100.8	108.4	86.9
1983.....	19.9	*	*	*	*	0.6	7.5	39.6	87.2	105.2	104.1	102.2
1982.....	18.2	*	*	*	*	*	8.2	35.3	83.7	89.8	98.2	95.5
1981.....	17.7	*	*	*	*	*	8.3	40.0	80.2	85.3	86.8	84.9
1980.....	17.5	0.3	-	0.0	0.1	0.7	7.0	40.9	76.3	88.1	83.7	90.2
1979.....	15.9	-	-	0.0	0.1	0.8	8.1	38.5	67.8	73.6	82.5	66.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 226
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)												
BLACK, BOTH SEXES												
1998.....	49.2	*	*	*	*	0.5	10.7	58.3	183.2	336.7	393.9	290.0
1997.....	49.7	*	*	*	*	0.8	11.3	58.2	186.3	343.9	398.1	307.4
1996.....	49.9	*	*	*	*	0.9	11.6	61.0	193.4	348.0	389.6	283.3
1995.....	50.2	*	*	*	*	0.9	11.0	63.7	199.2	357.0	377.5	297.4
1994.....	50.6	*	*	*	*	1.0	11.2	66.9	203.2	356.3	382.4	291.8
1993.....	51.3	*	*	*	*	1.3	11.5	73.3	206.4	360.0	373.5	293.3
1992.....	51.6	*	*	*	*	1.3	13.2	75.2	218.3	357.6	356.0	274.1
1991.....	51.5	*	*	*	*	1.0	12.6	80.4	216.0	352.5	361.6	274.1
1990.....	52.2	*	*	*	*	1.4	13.5	80.4	233.9	351.6	339.1	256.5
1989.....	51.5	*	*	*	*	1.1	13.2	81.4	222.3	350.6	344.0	244.1
1988.....	50.3	*	*	*	*	1.0	12.9	79.5	218.7	338.7	331.5	250.9
1987.....	49.9	*	*	*	*	1.1	13.6	82.8	220.2	333.1	311.1	233.2
1986.....	48.8	*	*	*	*	1.0	14.6	84.0	217.7	317.7	299.4	225.9
1985.....	48.1	*	*	*	*	1.4	14.4	82.9	224.9	304.5	282.4	210.3
1984.....	47.7	*	*	*	*	1.1	14.8	83.6	228.9	291.7	284.8	201.1
1983.....	46.5	*	*	*	*	1.1	15.2	87.5	214.1	291.1	270.5	173.9
1982.....	45.6	*	*	*	*	1.0	15.5	85.8	215.4	279.4	259.6	180.7
1981.....	44.4	*	*	*	*	0.8	17.1	90.3	208.1	267.5	242.4	170.2
1980.....	43.6	0.4	0.1	0.0	0.2	1.3	16.5	89.7	198.3	263.9	243.3	172.9
1979.....	41.2	0.2	-	0.1	0.2	1.0	17.0	88.3	191.3	240.0	215.9	146.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 227	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)													
BLACK MALE													
1998.....		67.0	*	*	*	*	*	13.6	86.5	284.2	514.1	672.7	549.8
1997.....		68.3	*	*	*	*	1.0	14.8	86.3	292.2	534.5	693.3	588.8
1996.....		70.1	*	*	*	*	1.1	16.0	92.5	310.8	550.0	692.3	566.3
1995.....		71.2	*	*	*	*	1.0	15.7	96.4	315.0	573.9	695.3	607.3
1994.....		72.5	*	*	*	*	1.3	16.3	104.2	322.2	581.1	708.1	623.2
1993.....		74.7	*	*	*	*	1.8	16.5	113.5	331.1	608.2	711.2	596.8
1992.....		74.7	*	*	*	*	1.7	18.5	114.9	346.4	599.9	683.6	552.6
1991.....		75.8	*	*	*	*	1.1	18.2	125.1	348.1	607.9	694.0	546.4
1990.....		77.8	*	*	*	*	2.1	20.0	125.0	377.5	613.4	669.9	535.7
1989.....		78.0	*	*	*	*	1.2	19.4	128.0	364.9	622.8	684.7	507.6
1988.....		76.7	*	*	*	*	1.3	20.3	124.2	352.9	610.1	666.8	569.2
1987.....		76.8	*	*	*	*	1.8	19.1	128.1	360.7	610.9	632.2	495.3
1986.....		75.8	*	*	*	*	1.5	21.9	132.5	360.9	580.9	606.5	485.7
1985.....		75.5	*	*	*	*	1.9	22.4	133.1	373.2	565.9	579.0	409.7
1984.....		76.3	*	*	*	*	1.6	23.3	132.7	391.2	552.9	576.5	437.7
1983.....		73.2	*	*	*	*	1.5	23.0	138.5	358.8	544.0	536.8	325.0
1982.....		73.4	*	*	*	*	1.4	22.1	141.4	367.2	534.0	516.2	372.4
1981.....		71.9	*	*	*	*	1.1	26.0	144.1	355.6	515.0	494.5	337.5
1980.....		70.8	0.4	0.2	0.0	0.3	1.9	26.9	142.8	340.3	499.4	499.6	337.7
1979.....		68.1	0.4	-	0.1	0.1	1.5	26.9	143.1	338.1	466.0	421.8	303.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 228
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)
 BLACK FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	33.2	*	*	*	*	*	8.1	34.9	106.0	208.3	227.8	182.1
1997.....	32.9	*	*	*	*	*	8.2	34.9	105.3	206.6	225.1	190.9
1996.....	31.6	*	*	*	*	*	7.7	34.9	103.2	203.0	213.6	167.0
1995.....	31.3	*	*	*	*	0.7	6.8	36.6	110.0	202.0	195.3	171.4
1994.....	30.8	*	*	*	*	0.8	6.8	36.0	111.6	196.4	198.2	157.3
1993.....	30.2	*	*	*	*	0.9	7.2	40.0	110.1	184.2	184.0	169.5
1992.....	30.9	*	*	*	*	0.9	8.6	42.3	119.3	187.4	173.1	158.3
1991.....	29.7	*	*	*	*	0.8	7.8	43.3	113.6	174.5	175.6	158.9
1990.....	29.2	*	*	*	*	0.8	7.9	43.4	122.8	169.9	153.8	138.1
1989.....	27.8	*	*	*	*	1.0	7.8	42.7	111.2	161.3	151.2	132.0
1988.....	26.5	*	*	*	*	*	6.5	42.4	113.9	149.5	139.9	112.1
1987.....	25.7	*	*	*	*	*	8.9	45.2	110.0	139.2	124.8	116.7
1986.....	24.5	*	*	*	*	*	8.5	43.9	104.9	133.1	119.1	107.2
1985.....	23.5	*	*	*	*	1.0	7.6	41.5	107.8	120.6	105.6	117.3
1984.....	22.0	*	*	*	*	*	7.6	43.1	100.0	107.3	109.8	89.1
1983.....	22.5	*	*	*	*	*	8.8	45.7	98.7	111.8	106.9	100.8
1982.....	20.6	*	*	*	*	*	9.9	40.3	93.9	97.1	101.0	86.4
1981.....	19.8	*	*	*	*	*	9.7	46.2	89.8	89.0	84.8	85.8
1980.....	19.3	0.4	-	0.0	0.1	0.8	7.9	46.4	83.8	91.7	81.1	90.5
1979.....	17.1	-	-	0.0	0.2	0.6	8.8	43.5	72.4	73.6	79.2	68.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	229
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASM OF BREAST (174-175)													
TOTAL, BOTH SEXES													
1998.....		15.6	*	*	*	*	1.3	6.8	18.4	32.8	51.9	80.1	138.8
1997.....		15.8	*	*	*	*	1.3	7.0	19.4	34.1	52.6	80.8	142.5
1996.....		16.4	*	*	*	*	1.3	7.2	19.9	35.6	55.5	85.8	147.8
1995.....		16.8	*	*	*	*	1.3	7.6	21.3	37.0	57.9	87.7	147.8
1994.....		16.9	*	*	*	*	1.3	7.7	21.4	37.0	59.4	90.5	143.7
1993.....		17.0	*	*	*	*	1.3	7.7	21.6	38.3	59.5	91.3	150.3
1992.....		17.0	*	*	*	*	1.4	8.1	22.0	38.9	61.7	88.1	142.2
1991.....		17.4	*	*	*	*	1.5	8.6	22.7	41.9	61.5	91.0	143.9
1990.....		17.6	*	*	*	*	1.5	9.0	23.4	41.8	63.2	92.2	142.6
1989.....		17.5	*	*	*	*	1.5	9.0	23.3	42.5	63.2	91.7	138.4
1988.....		17.4	*	*	*	*	1.5	8.9	23.6	44.1	62.3	89.2	136.5
1987.....		17.0	*	*	*	*	1.6	9.0	23.6	43.6	61.7	86.4	129.9
1986.....		17.0	*	*	*	*	1.5	9.3	23.6	43.5	62.6	85.3	131.5
1985.....		17.0	*	*	*	0.1	1.5	8.9	24.3	45.0	61.4	86.6	128.7
1984.....		16.8	*	*	*	*	1.7	9.4	23.8	44.1	61.6	85.8	130.6
1983.....		16.4	*	*	*	0.1	1.6	8.5	23.7	44.0	60.1	82.6	127.3
1982.....		16.3	*	*	*	*	1.7	8.8	24.4	43.1	59.2	83.9	126.1
1981.....		16.0	*	*	*	*	1.7	8.9	24.9	42.5	59.6	80.7	122.1
1980.....		15.8	-	-	0.0	0.0	1.7	9.2	25.0	43.2	57.7	80.3	118.6
1979.....		15.4	-	-	-	0.0	1.6	9.1	25.3	41.3	56.6	77.4	114.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	230
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASM OF BREAST (174-175)													
TOTAL, MALE													
1998.....		0.3	*	*	*	*	*	*	0.2	0.5	0.9	2.5	4.0
1997.....		0.3	*	*	*	*	*	*	0.2	0.7	1.2	2.1	3.3
1996.....		0.3	*	*	*	*	*	*	0.2	0.6	1.2	2.3	4.2
1995.....		0.3	*	*	*	*	*	*	0.3	0.7	1.1	2.4	4.2
1994.....		0.3	*	*	*	*	*	*	0.2	0.7	1.4	2.0	3.9
1993.....		0.3	*	*	*	*	*	*	0.3	0.7	1.2	2.3	5.1
1992.....		0.2	*	*	*	*	*	*	0.2	0.5	1.1	2.0	4.4
1991.....		0.2	*	*	*	*	*	*	*	0.5	1.1	1.7	4.1
1990.....		0.2	*	*	*	*	*	*	0.3	0.6	1.1	1.6	2.4
1989.....		0.3	*	*	*	*	*	*	0.2	0.6	1.2	2.2	4.2
1988.....		0.2	*	*	*	*	*	*	0.3	0.4	1.1	2.3	4.1
1987.....		0.3	*	*	*	*	*	*	*	0.8	1.2	2.5	3.5
1986.....		0.2	*	*	*	*	*	*	0.2	0.5	1.1	1.8	3.1
1985.....		0.3	*	*	*	*	*	*	0.3	0.6	1.1	2.3	3.9
1984.....		0.2	*	*	*	*	*	*	0.2	0.5	1.1	1.9	3.1
1983.....		0.2	*	*	*	*	*	*	0.2	0.6	1.4	1.8	3.0
1982.....		0.2	*	*	*	*	*	*	*	0.5	1.2	2.7	3.1
1981.....		0.2	*	*	*	*	*	*	0.2	0.6	1.1	2.1	4.0
1980.....		0.2	-	-	-	-	0.0	0.0	0.2	0.7	1.1	2.1	2.6
1979.....		0.2	-	-	-	-	0.0	0.0	0.1	0.5	1.1	2.2	2.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 231
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASM OF BREAST (174-175)												
TOTAL, FEMALE												
1998.....	30.2	*	*	*	*	2.6	13.4	35.8	62.2	93.3	131.4	194.7
1997.....	30.7	*	*	*	*	2.6	14.0	37.8	64.4	94.1	132.2	198.5
1996.....	31.8	*	*	*	*	2.7	14.2	38.8	67.4	99.1	139.8	204.9
1995.....	32.6	*	*	*	*	2.7	15.0	41.4	69.8	103.3	142.0	203.7
1994.....	32.7	*	*	*	*	2.7	15.2	41.6	69.8	105.6	145.9	197.5
1993.....	33.0	*	*	*	*	2.6	15.2	42.0	72.2	105.7	146.4	206.0
1992.....	33.0	*	*	*	*	2.9	16.1	42.8	73.6	109.3	140.8	195.5
1991.....	33.7	*	*	*	*	3.0	16.9	44.3	79.1	108.6	145.1	197.9
1990.....	34.0	*	*	*	*	2.9	17.8	45.4	78.6	111.7	146.3	196.8
1989.....	33.9	*	*	*	*	3.0	17.8	45.3	79.7	111.6	145.1	190.5
1988.....	33.6	*	*	*	*	3.1	17.6	45.8	82.8	109.8	140.8	188.2
1987.....	32.9	*	*	*	*	3.1	17.6	45.9	81.5	108.7	135.9	179.7
1986.....	32.9	*	*	*	*	3.1	18.3	45.8	81.6	110.1	134.5	182.5
1985.....	32.8	*	*	*	*	3.0	17.5	47.1	84.2	107.8	136.2	178.5
1984.....	32.6	*	*	*	*	3.3	18.5	46.0	82.5	108.1	135.1	182.1
1983.....	31.6	*	*	*	0.1	3.2	16.7	45.9	82.2	105.1	130.1	178.2
1982.....	31.4	*	*	*	*	3.4	17.3	47.2	80.6	103.7	131.7	177.4
1981.....	30.9	*	*	*	*	3.3	17.4	48.1	79.2	104.5	127.0	172.2
1980.....	30.6	-	-	0.0	0.1	3.3	17.9	48.1	80.5	101.1	126.4	169.3
1979.....	29.8	-	-	-	0.1	3.3	17.7	48.7	77.2	99.1	122.0	163.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	232
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASM OF BREAST (174-175)													
WHITE, BOTH SEXES													
1998.....		16.2	*	*	*	*	1.1	6.1	17.2	31.6	51.9	80.4	140.4
1997.....		16.4	*	*	*	*	1.1	6.4	18.3	32.9	51.9	80.6	144.0
1996.....		17.1	*	*	*	*	1.1	6.4	18.7	35.1	55.5	86.1	149.9
1995.....		17.5	*	*	*	*	1.1	7.0	20.0	36.0	57.8	88.1	149.7
1994.....		17.7	*	*	*	*	1.2	7.1	20.5	36.2	59.6	91.0	144.3
1993.....		17.9	*	*	*	*	1.1	7.0	20.7	37.8	59.8	91.7	152.0
1992.....		17.9	*	*	*	*	1.3	7.6	21.0	38.5	62.3	89.4	144.3
1991.....		18.2	*	*	*	*	1.4	7.9	21.9	41.4	61.8	92.0	145.6
1990.....		18.5	*	*	*	*	1.3	8.6	22.6	41.4	63.8	93.4	144.2
1989.....		18.4	*	*	*	*	1.4	8.6	22.5	42.5	63.8	93.4	140.5
1988.....		18.2	*	*	*	*	1.4	8.3	22.9	43.8	63.1	90.4	138.1
1987.....		17.9	*	*	*	*	1.5	8.3	22.8	43.5	62.6	88.1	132.0
1986.....		17.9	*	*	*	*	1.4	8.8	22.9	43.7	63.6	87.6	133.7
1985.....		17.9	*	*	*	*	1.4	8.5	24.0	45.0	62.3	88.4	131.0
1984.....		17.7	*	*	*	*	1.6	8.9	23.3	43.9	62.5	87.3	133.6
1983.....		17.2	*	*	*	*	1.5	8.1	23.2	44.2	61.0	84.2	130.1
1982.....		17.1	*	*	*	*	1.6	8.6	23.9	43.2	60.1	85.3	129.5
1981.....		16.8	*	*	*	*	1.6	8.5	24.7	42.7	60.8	82.3	124.2
1980.....		16.7	-	-	0.0	0.0	1.5	8.8	24.8	43.4	59.2	81.8	120.7
1979.....		16.2	-	-	-	0.0	1.5	8.7	24.8	41.8	58.0	79.3	116.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	233
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASM OF BREAST (174-175)													
WHITE MALE													
1998.....		0.3	*	*	*	*	*	*	0.2	0.5	0.9	2.5	3.8
1997.....		0.3	*	*	*	*	*	*	0.2	0.7	1.1	2.0	3.4
1996.....		0.3	*	*	*	*	*	*	0.2	0.6	1.1	2.1	4.0
1995.....		0.3	*	*	*	*	*	*	0.2	0.7	1.1	2.1	4.0
1994.....		0.3	*	*	*	*	*	*	0.2	0.7	1.3	1.9	3.7
1993.....		0.3	*	*	*	*	*	*	0.3	0.6	1.1	2.3	4.6
1992.....		0.2	*	*	*	*	*	*	*	0.5	1.1	1.9	4.6
1991.....		0.2	*	*	*	*	*	*	*	0.4	1.1	1.6	4.2
1990.....		0.2	*	*	*	*	*	*	0.2	0.6	1.0	1.6	*
1989.....		0.3	*	*	*	*	*	*	0.2	0.6	1.1	2.2	4.3
1988.....		0.2	*	*	*	*	*	*	0.2	0.4	1.1	2.0	2.9
1987.....		0.3	*	*	*	*	*	*	*	0.7	1.2	2.5	3.7
1986.....		0.2	*	*	*	*	*	*	*	0.5	1.0	1.7	3.0
1985.....		0.3	*	*	*	*	*	*	0.3	0.6	1.1	2.3	3.6
1984.....		0.2	*	*	*	*	*	*	0.2	0.5	1.0	1.8	3.3
1983.....		0.2	*	*	*	*	*	*	*	0.6	1.3	1.8	*
1982.....		0.2	*	*	*	*	*	*	*	0.5	1.2	2.6	*
1981.....		0.2	*	*	*	*	*	*	*	0.5	1.0	2.1	4.4
1980.....		0.2	-	-	-	-	0.0	0.0	0.2	0.7	1.1	2.0	2.6
1979.....		0.2	-	-	-	-	0.0	0.0	0.1	0.6	1.0	2.0	2.3

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASM OF BREAST (174-175)												
WHITE FEMALE												
1998.....	31.5	*	*	*	*	2.3	12.2	33.8	60.7	94.1	132.2	196.4
1997.....	31.9	*	*	*	*	2.3	12.9	36.1	62.8	93.6	132.3	199.9
1996.....	33.3	*	*	*	*	2.3	12.9	36.9	67.2	99.8	140.6	207.1
1995.....	34.1	*	*	*	*	2.3	14.1	39.2	68.7	103.9	143.0	205.9
1994.....	34.4	*	*	*	*	2.3	14.2	40.2	69.1	106.5	147.1	197.8
1993.....	34.7	*	*	*	*	2.3	14.1	40.6	72.1	106.8	147.3	207.8
1992.....	34.8	*	*	*	*	2.6	15.1	41.3	73.4	110.9	143.0	197.6
1991.....	35.5	*	*	*	*	2.8	15.9	43.0	78.9	109.8	146.8	199.5
1990.....	35.9	*	*	*	*	2.6	17.1	44.3	78.5	113.3	148.2	198.0
1989.....	35.8	*	*	*	*	2.8	17.2	44.1	80.4	113.2	147.7	192.7
1988.....	35.4	*	*	*	*	2.8	16.6	44.8	83.0	111.8	142.7	189.9
1987.....	34.7	*	*	*	*	2.9	16.5	44.7	81.9	110.6	138.4	181.6
1986.....	34.8	*	*	*	*	2.8	17.4	44.8	82.4	112.4	137.9	184.6
1985.....	34.7	*	*	*	*	2.8	16.8	46.8	84.7	109.9	138.8	180.9
1984.....	34.3	*	*	*	*	3.1	17.5	45.5	82.6	110.0	137.1	185.3
1983.....	33.4	*	*	*	*	3.0	16.0	45.4	83.1	107.0	132.3	181.4
1982.....	33.1	*	*	*	*	3.2	17.0	46.5	81.2	105.3	133.5	181.4
1981.....	32.7	*	*	*	*	3.1	16.9	48.2	80.1	106.7	129.0	174.3
1980.....	32.3	-	-	0.0	0.1	3.0	17.3	48.1	81.3	103.7	128.4	171.7
1979.....	31.4	-	-	-	0.1	3.0	17.3	48.3	78.3	101.5	124.6	166.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	235
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
MALIGNANT NEOPLASM OF BREAST (174-175)													
ALL OTHER, BOTH SEXES													
1998.....	12.7	*	*	*	*	2.0	10.0	25.2	39.8	51.2	77.2	124.3	
1997.....	13.2	*	*	*	*	2.0	10.1	25.6	41.7	57.5	82.0	127.8	
1996.....	13.0	*	*	*	*	2.2	10.9	26.7	38.6	55.4	83.8	128.0	
1995.....	13.4	*	*	*	*	2.4	10.2	29.2	43.1	58.3	84.2	128.1	
1994.....	13.1	*	*	*	*	2.2	10.8	26.9	41.7	58.4	85.6	137.2	
1993.....	13.0	*	*	*	*	2.1	11.0	27.1	41.4	57.6	87.5	132.6	
1992.....	12.6	*	*	*	*	2.2	11.2	27.9	42.2	56.9	75.5	119.5	
1991.....	13.0	*	*	*	*	2.2	11.9	27.9	45.1	58.7	81.4	125.5	
1990.....	12.9	*	*	*	*	2.2	11.4	28.3	45.2	58.3	80.1	126.7	
1989.....	12.4	*	*	*	*	2.2	11.3	28.3	42.3	58.0	74.8	116.0	
1988.....	12.8	*	*	*	*	2.4	12.4	28.1	46.0	55.0	77.8	120.2	
1987.....	12.4	*	*	*	*	2.2	12.7	28.7	44.7	54.1	69.4	107.1	
1986.....	12.0	*	*	*	*	2.5	12.5	28.2	42.3	53.6	62.4	108.2	
1985.....	11.8	*	*	*	*	2.0	11.6	26.4	45.2	52.7	68.2	102.7	
1984.....	12.1	*	*	*	*	2.3	13.1	26.8	45.8	53.5	70.6	96.8	
1983.....	11.4	*	*	*	*	2.2	11.1	27.1	42.2	51.8	66.4	95.7	
1982.....	11.4	*	*	*	*	2.3	10.4	28.3	42.4	51.7	69.9	89.4	
1981.....	11.0	*	*	*	*	2.3	11.3	26.0	40.4	49.2	64.5	97.9	
1980.....	10.9	-	-	-	0.0	2.5	11.7	26.5	40.9	44.5	64.0	93.6	
1979.....	10.6	-	-	-	0.0	2.5	11.2	28.4	37.3	44.3	57.4	85.1	

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASM OF BREAST (174-175)												
ALL OTHER MALE												
1998.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*	5.1	*
1994.....	0.2	*	*	*	*	*	*	*	*	2.5	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	2.3	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	-	-	0.1	0.2	0.9	1.1	2.3	3.3
1979.....	0.2	-	-	-	-	0.0	0.1	0.3	0.4	1.8	3.7	5.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 237												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASM OF BREAST (174-175) ALL OTHER FEMALE												
1998.....	24.2	*	*	*	*	3.8	18.8	46.3	70.9	87.6	124.0	178.5
1997.....	25.0	*	*	*	*	3.9	19.0	46.9	73.8	97.7	130.7	184.5
1996.....	24.7	*	*	*	*	4.3	20.4	49.0	68.4	94.1	132.7	182.9
1995.....	25.3	*	*	*	*	4.4	19.1	53.4	76.5	99.1	131.8	180.9
1994.....	24.8	*	*	*	*	4.1	20.2	49.4	74.0	98.7	135.1	194.4
1993.....	24.5	*	*	*	*	4.0	20.6	49.9	73.1	97.4	138.2	186.2
1992.....	23.9	*	*	*	*	4.2	20.9	51.4	74.8	96.7	119.0	172.2
1991.....	24.7	*	*	*	*	4.1	22.1	51.4	80.1	99.4	128.9	180.4
1990.....	24.4	*	*	*	*	4.1	21.3	52.0	79.7	98.6	127.3	183.2
1989.....	23.6	*	*	*	*	4.2	21.0	52.3	75.0	98.0	119.2	168.0
1988.....	24.1	*	*	*	*	4.5	23.0	51.5	81.8	93.5	122.2	169.2
1987.....	23.4	*	*	*	*	4.1	23.5	52.9	78.8	92.2	110.3	157.1
1986.....	22.7	*	*	*	*	4.7	23.3	51.9	75.4	90.8	99.4	158.3
1985.....	22.4	*	*	*	*	3.8	21.5	48.6	80.7	89.9	109.7	150.0
1984.....	22.9	*	*	*	*	4.3	24.3	49.0	81.8	90.9	114.1	144.1
1983.....	21.5	*	*	*	*	4.2	20.5	49.3	75.4	88.1	107.8	141.0
1982.....	21.6	*	*	*	*	4.4	19.2	51.7	75.8	89.0	112.7	130.1
1981.....	20.8	*	*	*	*	4.3	20.9	47.3	72.3	84.3	105.2	147.6
1980.....	20.5	-	-	-	0.1	4.7	21.5	48.1	73.5	77.3	104.7	139.9
1979.....	19.9	-	-	-	0.1	4.7	20.6	51.4	67.7	77.0	93.9	127.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	238
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASM OF BREAST (174-175)													
BLACK, BOTH SEXES													
1998.....		15.5	*	*	*	*	2.4	12.2	30.6	47.0	61.5	93.2	148.3
1997.....		16.2	*	*	*	*	2.7	12.3	31.1	50.5	69.5	98.6	150.4
1996.....		15.9	*	*	*	*	2.8	13.2	32.5	47.4	65.0	98.5	149.1
1995.....		16.1	*	*	*	*	2.8	12.3	34.6	50.7	69.4	98.7	143.4
1994.....		15.7	*	*	*	*	2.5	13.2	32.0	49.8	69.1	97.5	151.2
1993.....		15.7	*	*	*	*	2.6	13.2	33.2	49.2	68.2	100.1	150.4
1992.....		15.2	*	*	*	*	2.7	14.0	33.6	49.6	66.7	86.6	133.7
1991.....		15.5	*	*	*	*	2.6	14.4	32.8	52.7	68.6	92.7	137.1
1990.....		15.4	*	*	*	*	2.8	13.9	33.3	53.1	67.2	90.7	142.4
1989.....		14.7	*	*	*	*	2.7	13.6	33.7	48.2	65.9	83.2	129.5
1988.....		15.2	*	*	*	*	2.9	15.6	33.5	52.6	62.6	86.8	136.0
1987.....		14.6	*	*	*	*	2.5	15.5	34.0	51.6	61.2	77.4	119.2
1986.....		14.1	*	*	*	*	3.0	15.2	33.3	48.2	60.9	69.2	118.4
1985.....		13.7	*	*	*	*	2.4	14.2	30.5	50.8	59.6	74.7	111.3
1984.....		14.1	*	*	*	*	2.7	15.7	31.2	51.6	60.4	79.2	105.3
1983.....		13.1	*	*	*	*	2.4	13.1	30.8	47.3	57.1	74.6	102.2
1982.....		13.1	*	*	*	*	2.8	12.2	31.7	47.2	56.7	79.1	97.7
1981.....		12.5	*	*	*	*	2.7	13.0	29.3	44.9	54.1	71.4	105.4
1980.....		12.2	-	-	-	0.1	2.8	13.3	29.2	44.7	49.2	70.9	101.2
1979.....		11.7	-	-	-	0.1	2.7	12.4	31.4	40.6	48.3	62.1	93.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 239
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASM OF BREAST (174-175)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	3.3	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	3.0	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	-	-	0.2	0.3	1.1	1.2	2.6	3.8
1979.....	0.3	-	-	-	-	0.1	0.1	0.4	0.5	2.0	4.2	5.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 240
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASM OF BREAST (174-175)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	29.2	*	*	*	*	4.6	23.0	55.7	82.1	104.9	146.5	206.6
1997.....	30.4	*	*	*	*	5.1	23.1	56.4	88.1	117.7	154.0	211.2
1996.....	29.9	*	*	*	*	5.3	24.6	59.1	82.9	109.9	152.9	206.9
1995.....	30.2	*	*	*	*	5.4	23.1	62.6	88.8	117.3	151.6	198.6
1994.....	29.6	*	*	*	*	4.8	24.6	58.3	87.5	116.0	150.7	209.9
1993.....	29.5	*	*	*	*	5.0	24.7	60.4	86.0	114.4	154.9	207.9
1992.....	28.7	*	*	*	*	5.1	26.1	61.2	87.4	112.3	133.1	188.7
1991.....	29.3	*	*	*	*	5.0	26.7	59.5	93.2	114.9	143.3	193.3
1990.....	29.0	*	*	*	*	5.3	25.8	60.5	93.1	112.2	140.5	201.5
1989.....	27.7	*	*	*	*	5.2	25.1	61.4	85.3	109.9	129.2	184.3
1988.....	28.5	*	*	*	*	5.4	28.8	60.5	93.4	105.1	133.1	187.2
1987.....	27.5	*	*	*	*	4.8	28.6	61.9	90.6	103.0	120.4	171.5
1986.....	26.5	*	*	*	*	5.7	28.1	60.6	85.6	102.1	108.1	170.3
1985.....	25.9	*	*	*	*	4.5	26.1	55.5	90.4	100.7	117.6	159.4
1984.....	26.5	*	*	*	*	5.0	28.8	56.5	92.0	101.2	125.4	154.3
1983.....	24.6	*	*	*	*	4.6	23.9	55.8	84.2	96.1	118.8	149.2
1982.....	24.6	*	*	*	*	5.2	22.4	57.6	84.0	96.3	125.1	141.5
1981.....	23.5	*	*	*	*	5.1	23.7	52.9	79.9	91.4	114.4	156.6
1980.....	22.9	-	-	-	0.1	5.3	24.1	52.7	79.9	84.3	114.1	149.9
1979.....	22.0	-	-	-	0.1	5.1	22.6	56.8	73.1	82.5	100.3	137.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	241
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
TOTAL, BOTH SEXES													
1998.....	21.6	*	*	*	0.2	1.3	3.6	9.8	28.0	77.1	172.5	287.6	
1997.....	22.0	*	*	*	0.2	1.3	3.5	10.1	28.7	80.4	175.7	304.0	
1996.....	22.6	*	*	*	0.2	1.4	3.6	9.8	30.0	84.6	183.9	304.6	
1995.....	23.0	*	*	*	0.3	1.3	3.7	10.3	30.7	86.0	188.6	317.0	
1994.....	23.5	*	*	*	0.3	1.3	3.6	10.7	31.9	89.5	194.5	312.0	
1993.....	23.4	*	*	*	0.3	1.3	3.7	10.5	31.9	89.5	196.5	316.2	
1992.....	23.5	*	*	*	0.3	1.4	4.0	10.7	33.2	93.2	195.3	309.1	
1991.....	23.4	*	*	*	0.3	1.4	3.9	10.9	33.9	93.0	196.1	302.7	
1990.....	23.1	*	*	*	0.3	1.4	4.0	11.3	34.3	94.0	193.8	292.2	
1989.....	22.3	*	*	*	0.3	1.4	3.8	11.0	34.2	91.1	185.3	280.9	
1988.....	21.8	*	*	*	0.3	1.3	3.8	11.1	34.2	90.7	182.9	268.4	
1987.....	21.4	*	*	*	0.3	1.5	3.7	11.6	33.2	89.5	179.6	263.0	
1986.....	21.3	*	*	*	0.3	1.4	4.0	11.9	34.7	90.8	176.9	261.4	
1985.....	20.9	*	*	*	0.4	1.4	3.9	12.1	34.4	88.2	177.4	251.2	
1984.....	20.8	*	*	*	0.4	1.5	4.1	12.1	34.7	87.2	175.3	264.0	
1983.....	20.8	*	*	*	0.5	1.5	4.0	12.5	35.5	89.1	176.5	261.3	
1982.....	20.5	*	*	*	0.4	1.6	4.0	13.0	35.5	87.2	176.8	257.7	
1981.....	20.4	*	*	*	0.4	1.5	4.2	13.6	36.0	87.1	174.7	259.1	
1980.....	20.5	-	0.0	0.0	0.5	1.6	4.6	14.1	35.9	88.3	177.2	267.0	
1979.....	20.2	0.0	0.0	0.1	0.5	1.6	4.7	14.5	35.6	88.3	176.0	252.0	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 242
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	24.8	*	*	*	0.2	0.5	0.7	2.6	20.1	92.6	291.6	705.0
1997.....	25.6	*	*	*	0.2	0.5	0.6	2.7	20.5	98.7	301.3	767.4
1996.....	26.7	*	*	*	0.2	0.5	0.6	2.9	22.2	107.8	321.7	775.2
1995.....	27.3	*	*	*	0.3	0.4	0.7	2.6	23.6	110.0	333.9	821.5
1994.....	27.9	*	*	*	0.3	0.6	0.6	2.9	24.0	115.1	350.7	822.5
1993.....	28.2	*	*	*	0.3	0.6	0.6	2.7	24.9	117.9	356.6	842.2
1992.....	28.0	*	*	*	0.3	0.6	0.6	2.7	26.6	122.0	355.7	808.3
1991.....	27.8	*	*	*	0.2	0.6	0.7	3.0	26.8	122.1	363.5	781.0
1990.....	27.2	*	*	*	0.3	0.6	0.6	2.9	27.9	123.5	358.5	750.0
1989.....	25.9	*	*	*	0.3	0.7	0.7	2.9	27.5	117.6	341.7	714.0
1988.....	24.8	*	*	*	0.3	0.6	0.5	3.1	25.6	115.2	334.5	675.9
1987.....	24.2	*	*	*	0.3	0.8	0.7	3.0	24.8	114.2	325.3	659.8
1986.....	23.9	*	*	*	0.4	0.7	0.6	2.9	25.5	115.1	324.7	643.3
1985.....	23.0	*	*	*	0.4	0.8	0.7	3.2	24.6	110.3	321.3	614.6
1984.....	22.7	*	*	*	0.4	0.7	0.7	3.0	24.7	108.7	315.6	649.7
1983.....	22.6	*	*	*	0.5	0.8	0.6	3.2	24.5	110.2	318.9	623.4
1982.....	22.0	*	*	*	0.4	0.9	0.7	3.3	24.1	107.2	315.5	613.9
1981.....	21.5	*	*	*	0.5	0.9	0.6	3.5	23.3	107.5	310.4	612.7
1980.....	21.5	-	0.0	0.0	0.6	1.0	0.7	3.4	23.5	107.6	315.4	612.3
1979.....	21.1	0.1	0.0	0.0	0.5	1.0	0.8	3.3	22.9	107.2	313.8	583.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	243
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
TOTAL, FEMALE													
1998.....	18.5	*	*	*	0.2	2.0	6.4	16.6	35.1	64.6	93.7	114.6	
1997.....	18.7	*	*	*	0.2	2.2	6.3	17.1	36.1	65.6	93.5	117.3	
1996.....	18.7	*	*	*	0.3	2.3	6.5	16.4	37.1	65.9	95.0	117.5	
1995.....	19.0	*	*	*	0.3	2.1	6.7	17.6	37.2	66.7	96.3	120.5	
1994.....	19.2	*	*	*	0.3	2.1	6.6	18.1	39.0	69.2	96.7	115.3	
1993.....	18.9	*	*	*	0.3	2.0	6.8	17.9	38.1	67.0	97.4	114.4	
1992.....	19.3	*	*	*	0.3	2.2	7.3	18.2	39.2	70.5	97.2	115.8	
1991.....	19.2	*	*	*	0.3	2.1	7.1	18.4	40.3	70.2	94.8	117.8	
1990.....	19.3	*	*	*	0.3	2.1	7.3	19.4	40.1	71.0	95.3	115.6	
1989.....	18.8	*	*	*	0.3	2.1	6.9	18.7	40.1	70.4	92.1	112.5	
1988.....	19.0	*	*	*	0.3	2.1	6.9	18.7	41.8	71.6	93.0	109.3	
1987.....	18.8	*	*	*	0.3	2.3	6.7	19.8	40.6	70.3	93.6	106.6	
1986.....	19.0	*	*	*	0.3	2.1	7.2	20.3	42.8	72.0	89.8	109.9	
1985.....	18.9	*	*	*	0.4	2.0	7.1	20.6	43.1	71.2	92.7	106.1	
1984.....	18.9	*	*	*	0.3	2.2	7.5	20.7	43.5	70.7	92.8	108.2	
1983.....	19.2	*	*	*	0.4	2.1	7.3	21.2	45.1	72.9	92.7	112.9	
1982.....	19.2	*	*	*	0.4	2.3	7.1	22.1	45.5	71.9	95.3	109.2	
1981.....	19.3	*	*	*	0.4	2.2	7.7	23.0	47.1	71.5	94.7	108.7	
1980.....	19.6	-	0.0	0.1	0.4	2.1	8.3	24.1	46.8	73.6	95.7	115.9	
1979.....	19.4	-	0.0	0.1	0.4	2.1	8.4	25.0	46.8	73.8	94.4	104.8	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 244
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
WHITE, BOTH SEXES													
1998.....	21.9	*	*	*	0.2	1.3	3.4	9.4	26.0	72.1	163.3	275.4	
1997.....	22.4	*	*	*	0.3	1.3	3.2	9.6	26.9	74.7	166.9	289.2	
1996.....	22.9	*	*	*	0.2	1.4	3.4	9.4	28.1	78.5	173.4	291.7	
1995.....	23.4	*	*	*	0.3	1.3	3.5	9.9	28.7	80.4	178.5	302.9	
1994.....	23.8	*	*	*	0.3	1.3	3.4	10.4	29.8	83.2	184.2	300.0	
1993.....	23.6	*	*	*	0.3	1.3	3.5	9.9	29.7	83.2	185.6	299.9	
1992.....	23.8	*	*	*	0.3	1.3	3.8	10.0	30.8	87.0	185.5	293.9	
1991.....	23.6	*	*	*	0.3	1.3	3.6	10.3	31.8	86.8	185.7	289.9	
1990.....	23.3	*	*	*	0.3	1.3	3.9	10.9	32.0	88.4	183.0	277.5	
1989.....	22.4	*	*	*	0.3	1.4	3.6	10.4	32.3	85.3	175.1	269.7	
1988.....	21.9	*	*	*	0.3	1.3	3.5	10.5	32.0	85.3	172.7	257.1	
1987.....	21.5	*	*	*	0.3	1.5	3.5	11.0	31.4	84.0	169.5	251.4	
1986.....	21.4	*	*	*	0.4	1.3	3.8	11.0	32.6	84.7	167.8	250.7	
1985.....	20.8	*	*	*	0.4	1.4	3.7	11.3	32.4	82.6	167.2	239.6	
1984.....	20.7	*	*	*	0.4	1.4	3.8	11.3	32.7	81.5	165.0	253.2	
1983.....	20.8	*	*	*	0.5	1.4	3.7	11.7	33.2	83.6	166.0	254.2	
1982.....	20.5	*	*	*	0.4	1.6	3.7	12.2	33.5	81.5	167.7	248.6	
1981.....	20.2	*	*	*	0.4	1.5	3.8	12.9	33.8	81.2	165.8	249.9	
1980.....	20.3	-	0.0	0.0	0.5	1.5	4.2	13.2	33.6	82.0	168.5	256.5	
1979.....	20.0	0.0	0.0	0.1	0.5	1.5	4.3	13.7	33.1	82.1	168.4	246.6	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	245	
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)														
WHITE MALE														
1998.....	24.6	*	*	*	0.2	0.6	0.7	2.2	16.9	82.8	268.7	668.4		
1997.....	25.3	*	*	*	0.3	0.5	0.6	2.3	17.3	87.6	279.9	725.7		
1996.....	26.4	*	*	*	0.2	0.6	0.7	2.5	19.0	96.3	295.0	738.3		
1995.....	27.1	*	*	*	0.3	0.5	0.7	2.4	20.2	98.0	309.5	780.0		
1994.....	27.7	*	*	*	0.3	0.6	0.6	2.6	20.9	102.4	325.6	785.6		
1993.....	27.9	*	*	*	0.3	0.7	0.7	2.3	21.5	106.0	330.6	794.1		
1992.....	27.7	*	*	*	0.3	0.6	0.6	2.3	23.1	110.1	332.2	764.6		
1991.....	27.6	*	*	*	0.2	0.7	0.7	2.7	23.7	110.6	338.3	747.9		
1990.....	26.8	*	*	*	0.3	0.7	0.7	2.7	24.4	112.4	332.7	709.2		
1989.....	25.6	*	*	*	0.3	0.7	0.8	2.5	24.6	106.6	318.2	685.6		
1988.....	24.5	*	*	*	0.3	0.7	0.6	2.7	22.6	105.1	311.5	645.7		
1987.....	23.7	*	*	*	0.3	0.8	0.7	2.7	21.9	103.2	301.9	630.8		
1986.....	23.4	*	*	*	0.4	0.7	0.6	2.5	22.9	103.5	302.9	617.0		
1985.....	22.4	*	*	*	0.5	0.9	0.7	2.5	21.6	99.4	297.8	583.7		
1984.....	22.1	*	*	*	0.5	0.8	0.6	2.6	21.8	97.7	292.7	625.9		
1983.....	22.0	*	*	*	0.5	0.9	0.7	2.8	21.5	99.3	295.7	607.7		
1982.....	21.4	*	*	*	0.5	1.0	0.7	2.9	21.2	96.8	295.5	592.9		
1981.....	20.9	*	*	*	0.5	1.0	0.6	3.0	20.3	95.8	290.6	589.0		
1980.....	20.8	-	0.0	0.0	0.7	1.1	0.7	2.9	20.7	96.2	296.3	588.0		
1979.....	20.5	0.1	0.0	0.0	0.6	1.1	0.8	2.9	20.0	96.3	295.8	569.2		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 246												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187) WHITE FEMALE												
1998.....	19.4	*	*	*	0.2	1.9	6.1	16.4	34.4	63.4	93.1	114.2
1997.....	19.5	*	*	*	0.2	2.2	5.9	16.9	35.7	64.1	92.5	115.5
1996.....	19.5	*	*	*	0.2	2.2	6.2	16.0	36.4	64.0	94.3	116.6
1995.....	19.9	*	*	*	0.3	2.1	6.4	17.3	36.6	66.1	94.8	119.1
1994.....	20.0	*	*	*	0.2	2.0	6.2	18.0	38.1	67.8	95.2	114.9
1993.....	19.6	*	*	*	0.3	1.9	6.4	17.4	37.3	65.0	95.6	112.7
1992.....	19.9	*	*	*	0.2	2.0	6.9	17.5	37.8	68.7	95.6	114.2
1991.....	19.8	*	*	*	0.3	1.9	6.6	17.8	39.3	68.1	93.3	115.8
1990.....	19.9	*	*	*	0.3	2.0	7.0	18.9	38.9	69.5	93.6	113.6
1989.....	19.4	*	*	*	0.3	2.0	6.4	18.1	39.2	68.5	90.0	110.8
1988.....	19.5	*	*	*	0.3	1.9	6.5	18.0	40.6	69.8	90.6	108.1
1987.....	19.3	*	*	*	0.2	2.1	6.3	19.0	39.9	68.9	91.6	104.5
1986.....	19.4	*	*	*	0.3	1.9	6.9	19.2	41.4	70.0	88.7	108.0
1985.....	19.4	*	*	*	0.3	1.9	6.6	19.7	42.0	69.6	90.8	104.8
1984.....	19.3	*	*	*	0.3	2.0	7.0	19.6	42.5	68.9	90.6	105.5
1983.....	19.6	*	*	*	0.4	1.8	6.7	20.2	43.6	71.5	90.4	112.0
1982.....	19.5	*	*	*	0.4	2.1	6.7	21.1	44.3	69.8	93.2	107.6
1981.....	19.7	*	*	*	0.3	2.0	7.0	22.4	45.7	70.0	93.1	108.0
1980.....	19.7	-	0.0	0.1	0.4	1.9	7.5	22.9	45.0	71.1	94.0	113.5
1979.....	19.6	-	0.0	0.1	0.4	1.9	7.7	23.9	44.8	71.3	93.7	104.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 247
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)
 ALL OTHER, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
1998	20.0	*	*	*	0.3	1.3	4.4	12.1	40.2	113.3	258.6	403.0	
1997	20.6	*	*	*	*	1.4	4.7	12.4	39.9	123.0	259.2	445.2	
1996	21.3	*	*	*	0.3	1.4	4.3	12.3	42.3	130.9	285.2	427.8	
1995	21.2	*	*	*	*	1.4	4.6	12.2	43.4	129.8	287.3	459.9	
1994	21.7	*	*	*	*	1.3	4.7	12.4	45.1	140.3	295.0	436.0	
1993	22.3	*	*	*	*	1.4	4.7	14.0	45.9	140.6	303.6	484.4	
1992	22.4	*	*	*	*	1.7	5.2	14.7	49.7	143.9	290.6	469.4	
1991	22.2	*	*	*	0.3	1.6	5.5	14.5	48.2	144.8	297.8	438.0	
1990	22.1	*	*	*	*	1.6	4.9	14.1	50.9	142.8	299.5	448.4	
1989	21.3	*	*	*	0.3	1.5	5.4	14.7	47.8	141.1	285.6	399.6	
1988	21.2	*	*	*	*	1.7	5.0	15.1	50.2	138.1	283.2	388.3	
1987.1987	21.0	*	*	*	*	0.4	1.9	4.9	15.7	47.2	138.4	279.9	387.5
1986	21.3	*	*	*	*	1.8	5.2	17.4	50.8	145.6	266.7	377.5	
1985	21.2	*	*	*	0.3	1.7	5.5	17.4	50.9	138.4	279.6	376.8	
1984	21.2	*	*	*	*	1.6	6.0	17.7	50.6	138.9	278.6	382.9	
1983	21.3	*	*	*	0.4	2.0	6.2	17.7	54.4	138.5	283.1	338.3	
1982	20.9	*	*	*	*	1.8	5.7	18.4	52.6	139.0	270.6	361.3	
1981	21.1	*	*	*	0.4	1.8	6.9	18.2	54.9	140.5	266.4	363.7	
1980	21.9	-	-	0.0	0.5	1.8	7.4	20.8	55.9	146.6	268.0	387.4	
1979	21.5	-	0.0	0.0	0.4	2.3	7.4	20.8	57.5	145.3	256.3	315.5	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 248												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
ALL OTHER MALE												
1998.....	25.9	*	*	*	*	*	0.5	5.2	41.5	168.6	512.7	1,025.6
1997.....	26.7	*	*	*	*	*	0.6	5.0	41.6	187.3	512.8	1,131.0
1996.....	28.3	*	*	*	*	*	*	5.1	43.6	201.9	586.0	1,096.3
1995.....	28.3	*	*	*	*	*	0.8	4.0	46.9	211.2	580.0	1,210.2
1994.....	28.9	*	*	*	*	*	0.6	5.0	45.8	224.0	603.9	1,168.4
1993.....	29.6	*	*	*	*	*	*	5.4	49.3	220.9	619.8	1,290.4
1992.....	29.1	*	*	*	*	*	*	5.7	52.2	226.6	588.4	1,216.6
1991.....	28.7	*	*	*	*	*	*	5.6	49.9	225.3	611.7	1,087.2
1990.....	28.9	*	*	*	*	*	*	4.3	54.5	225.7	611.5	1,130.2
1989.....	27.3	*	*	*	*	*	*	5.6	50.1	218.4	570.6	976.5
1988.....	26.6	*	*	*	*	*	*	5.9	49.5	208.9	557.3	955.7
1987.....	26.6	*	*	*	*	*	*	5.1	48.4	216.4	549.7	931.2
1986.....	26.4	*	*	*	*	*	*	6.1	47.7	223.2	532.6	889.3
1985.....	26.5	*	*	*	*	*	*	7.4	49.9	211.5	545.0	905.5
1984.....	26.2	*	*	*	*	*	*	5.5	49.9	211.7	535.8	872.2
1983.....	25.9	*	*	*	*	*	*	6.5	50.9	211.0	542.2	762.9
1982.....	25.2	*	*	*	*	*	*	6.4	49.3	204.0	507.7	817.9
1981.....	25.7	*	*	*	*	*	*	7.3	50.8	215.0	502.2	848.4
1980.....	25.6	-	-	-	0.2	0.3	0.6	6.7	48.7	212.9	501.9	860.7
1979.....	25.2	-	0.1	-	0.2	0.7	0.9	6.7	49.9	207.4	484.0	730.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	249	
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)														
ALL OTHER FEMALE														
1998.....	14.5	*	*	*	*	2.4	7.8	17.9	39.2	73.1	99.1	118.4		
1997.....	15.0	*	*	*	*	2.5	8.4	18.6	38.5	76.4	102.9	134.6		
1996.....	14.9	*	*	*	0.5	2.4	7.7	18.4	41.2	79.6	100.9	126.5		
1995.....	14.6	*	*	*	*	2.4	8.0	19.2	40.6	71.0	110.8	135.0		
1994.....	15.1	*	*	*	*	2.4	8.3	18.7	44.6	80.0	110.7	118.8		
1993.....	15.6	*	*	*	*	2.6	8.4	21.3	43.2	82.6	115.3	132.8		
1992.....	16.2	*	*	*	*	3.1	9.2	22.4	47.7	84.5	112.5	132.8		
1991.....	16.2	*	*	*	*	2.7	9.9	22.2	46.8	87.3	109.2	140.2		
1990.....	15.9	*	*	*	*	2.8	8.9	22.5	48.2	83.6	112.4	138.5		
1989.....	15.9	*	*	*	*	2.6	9.6	22.4	46.0	85.9	113.2	132.6		
1988.....	16.3	*	*	*	*	3.0	9.0	22.9	50.7	87.3	116.7	123.1		
1987.....	15.9	*	*	*	*	3.3	9.0	24.7	46.3	82.4	113.0	130.7		
1986.....	16.6	*	*	*	*	3.3	9.2	27.0	53.3	89.8	101.4	131.4		
1985.....	16.3	*	*	*	*	2.9	9.6	25.8	51.7	85.4	112.6	122.0		
1984.....	16.7	*	*	*	*	2.8	10.4	28.0	51.2	86.1	116.0	140.0		
1983.....	17.1	*	*	*	0.7	3.3	11.0	27.1	57.2	85.3	117.2	124.5		
1982.....	17.0	*	*	*	*	3.1	9.9	28.4	55.3	91.0	117.2	128.6		
1981.....	16.8	*	*	*	*	3.1	12.2	27.2	58.3	84.7	112.7	117.5		
1980.....	18.5	-	-	0.0	0.8	3.1	13.1	32.3	61.8	96.4	114.1	145.0		
1979.....	18.2	-	-	0.1	0.7	3.6	12.7	32.4	63.8	97.8	102.5	103.5		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	250
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
BLACK, BOTH SEXES													
1998.....	24.9	*	*	*	*	1.5	5.2	14.0	49.4	140.6	313.6	470.7	
1997.....	25.5	*	*	*	*	1.7	5.4	14.6	49.2	151.6	308.1	512.2	
1996.....	26.2	*	*	*	*	1.6	4.8	13.6	50.3	159.7	341.0	483.7	
1995.....	26.0	*	*	*	*	1.7	5.4	13.7	52.3	158.9	332.8	498.1	
1994.....	26.7	*	*	*	*	1.6	5.4	14.5	53.9	170.6	340.6	478.9	
1993.....	27.4	*	*	*	*	1.8	5.3	16.0	54.8	170.5	348.2	527.5	
1992.....	27.4	*	*	*	*	1.9	6.1	17.2	60.0	170.5	335.0	520.9	
1991.....	27.1	*	*	*	*	1.8	6.0	16.7	56.6	172.9	343.9	474.6	
1990.....	26.9	*	*	*	*	1.8	5.7	16.1	60.4	166.6	338.7	493.6	
1989.....	25.8	*	*	*	*	1.6	6.0	17.3	55.8	164.8	320.8	434.1	
1988.....	25.4	*	*	*	*	1.9	5.8	16.7	57.9	160.9	318.9	420.1	
1987.....	25.2	*	*	*	*	2.0	5.7	18.4	55.1	159.7	313.2	423.1	
1986.....	25.3	*	*	*	*	2.0	6.1	19.7	58.0	168.9	297.3	404.0	
1985.....	25.0	*	*	*	*	1.9	5.9	19.8	58.6	158.1	309.7	407.2	
1984.....	24.9	*	*	*	*	1.9	6.7	20.4	57.4	157.0	307.2	418.9	
1983.....	24.9	*	*	*	0.5	2.2	6.9	19.7	61.7	156.8	314.8	365.2	
1982.....	24.2	*	*	*	*	2.1	6.4	20.0	59.2	156.2	298.7	389.2	
1981.....	24.2	*	*	*	0.3	1.9	7.5	19.7	61.9	157.3	293.6	388.7	
1980.....	24.9	-	-	0.0	0.6	2.1	8.3	22.4	62.7	162.1	294.5	415.6	
1979.....	24.0	-	-	0.0	0.5	2.4	8.0	22.3	63.2	158.9	274.2	335.9	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 251												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)												
BLACK MALE												
1998.....	33.6	*	*	*	*	*	*	7.0	55.0	216.2	650.2	1,285.4
1997.....	34.3	*	*	*	*	*	*	7.0	55.6	236.2	636.9	1,384.4
1996.....	36.2	*	*	*	*	*	*	6.7	57.1	252.5	731.2	1,323.5
1995.....	35.8	*	*	*	*	*	1.0	5.3	61.3	263.3	696.6	1,372.4
1994.....	36.7	*	*	*	*	*	*	7.0	59.3	279.2	730.2	1,335.5
1993.....	37.4	*	*	*	*	*	*	6.9	63.4	275.8	737.2	1,467.9
1992.....	36.9	*	*	*	*	*	*	7.6	67.6	278.8	709.1	1,421.1
1991.....	36.3	*	*	*	*	*	*	7.3	62.8	277.3	740.1	1,236.2
1990.....	36.2	*	*	*	*	*	*	5.3	68.3	273.5	721.9	1,308.3
1989.....	33.9	*	*	*	*	*	*	7.3	61.9	264.4	668.7	1,110.6
1988.....	32.9	*	*	*	*	*	*	7.7	60.2	251.2	655.4	1,080.0
1987.....	32.8	*	*	*	*	*	*	6.3	59.7	256.7	640.8	1,064.1
1986.....	32.3	*	*	*	*	*	*	7.7	57.0	265.8	616.4	987.3
1985.....	32.1	*	*	*	*	*	*	9.1	60.0	248.1	624.9	998.4
1984.....	31.4	*	*	*	*	*	*	6.9	59.3	246.2	610.4	985.2
1983.....	31.2	*	*	*	*	*	*	7.8	60.5	245.4	623.1	846.7
1982.....	29.8	*	*	*	*	*	*	7.7	57.2	234.5	577.6	900.0
1981.....	30.3	*	*	*	*	*	*	8.8	59.1	246.3	570.2	926.8
1980.....	29.7	-	-	-	0.2	0.4	0.7	7.5	56.1	241.6	566.3	947.0
1979.....	28.6	-	-	-	0.1	0.6	0.9	7.9	57.2	232.6	523.5	794.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	252
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
BLACK FEMALE													
1998	17.1	*	*	*	*	2.8	9.1	19.8	45.0	85.9	113.2	132.2
1997	17.6	*	*	*	*	3.0	9.5	20.9	44.2	90.6	115.4	151.3
1996	17.2	*	*	*	*	2.7	8.6	19.4	45.0	93.0	114.2	138.9
1995	17.2	*	*	*	*	3.0	9.4	20.6	45.4	84.4	124.2	142.7
1994	17.6	*	*	*	*	2.7	9.4	20.8	49.7	93.4	120.2	131.2
1993	18.4	*	*	*	*	3.1	9.5	23.5	48.2	95.9	130.0	143.7
1992	18.9	*	*	*	*	3.4	10.7	25.2	54.1	94.5	126.1	146.3
1991	18.8	*	*	*	*	3.1	10.8	24.5	51.9	100.1	122.2	152.1
1990	18.5	*	*	*	*	3.2	10.2	25.1	54.3	92.4	124.1	148.4
1989	18.4	*	*	*	*	2.8	10.7	25.5	51.1	95.5	123.9	145.1
1988	18.7	*	*	*	*	3.4	10.3	24.2	56.1	98.0	126.6	132.2
1987	18.3	*	*	*	*	3.4	10.4	28.4	51.5	91.9	123.0	138.2
1986	19.0	*	*	*	*	3.5	10.8	29.7	58.8	100.8	109.9	137.7
1985	18.6	*	*	*	*	3.4	10.4	28.6	57.6	94.8	121.8	131.6
1984	19.0	*	*	*	*	3.2	11.6	31.4	55.9	94.1	125.4	151.2
1983	19.3	*	*	*	0.8	3.9	12.2	29.5	62.6	94.0	125.5	132.3
1982	19.2	*	*	*	*	3.6	10.8	30.1	60.7	100.1	126.4	138.1
1981	18.7	*	*	*	*	3.4	13.1	28.5	64.2	93.1	120.7	118.6
1980	20.5	-	-	0.0	0.9	3.5	14.5	34.6	68.0	104.0	122.5	149.9
1979	19.9	-	-	0.1	0.8	4.0	14.0	34.0	68.0	104.6	108.6	106.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 253
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
TOTAL, BOTH SEXES													
1998.....	8.8	*	0.1	0.1	0.1	0.2	1.1	4.8	14.8	34.3	64.0	102.6	
1997.....	8.7	*	*	0.1	*	0.2	1.0	5.0	14.9	34.1	64.6	103.9	
1996.....	8.7	*	*	0.1	0.1	0.2	1.0	4.8	15.0	34.6	63.9	103.0	
1995.....	8.6	*	0.1	0.1	0.1	0.2	1.1	4.9	15.2	33.6	65.0	103.1	
1994.....	8.6	*	*	0.1	0.1	0.2	1.0	4.9	15.3	34.7	65.1	101.3	
1993.....	8.4	*	*	0.1	*	0.2	1.1	5.1	15.0	34.4	63.0	99.3	
1992.....	8.5	*	*	0.1	*	0.2	1.0	5.1	15.7	33.6	64.5	104.0	
1991.....	8.4	*	*	0.1	0.1	0.2	1.1	5.0	16.0	34.2	63.0	100.8	
1990.....	8.3	*	0.1	0.1	0.1	0.3	1.0	5.0	15.7	33.3	64.3	101.3	
1989.....	8.2	*	0.2	0.1	0.1	0.2	1.0	5.0	15.7	33.6	63.4	96.6	
1988.....	8.0	*	0.1	0.1	0.1	0.2	1.0	4.9	14.8	33.7	61.0	94.9	
1987.....	8.0	*	*	0.1	0.1	0.2	1.0	5.2	15.4	33.1	62.6	95.6	
1986.....	8.0	*	0.1	0.1	0.1	0.2	1.0	5.2	15.3	32.9	63.5	95.1	
1985.....	7.9	*	*	0.1	0.1	0.2	1.2	5.2	15.1	33.8	62.2	98.1	
1984.....	7.9	*	0.2	0.1	0.1	0.2	1.1	5.3	14.8	33.5	63.7	98.9	
1983.....	7.9	*	0.3	0.1	0.1	0.2	1.0	5.1	15.4	34.5	63.4	100.0	
1982.....	8.0	*	0.2	0.1	0.1	0.2	1.1	5.6	15.2	35.1	63.9	100.7	
1981.....	7.8	*	0.2	0.1	0.1	0.3	1.2	5.2	15.0	34.3	65.4	100.5	
1980.....	7.9	0.3	0.2	0.1	0.1	0.2	1.0	5.3	15.4	35.8	65.2	98.2	
1979.....	7.8	0.2	0.2	0.2	0.1	0.2	1.1	5.7	15.1	34.6	65.6	97.0	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	254	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)															
TOTAL, MALE															
1998.....		11.6	*	*	*	*	0.2	1.5	7.2	21.7	52.2	101.3	186.4		
1997.....		11.3	*	*	*	*	0.2	1.3	7.0	21.6	51.6	102.5	186.0		
1996.....		11.3	*	*	*	*	0.2	1.4	6.9	22.1	52.7	101.0	192.8		
1995.....		11.2	*	*	*	*	0.2	1.5	7.1	21.9	50.9	105.4	192.2		
1994.....		11.2	*	*	*	*	0.2	1.3	7.1	22.5	52.1	105.3	189.6		
1993.....		11.2	*	*	*	*	0.3	1.5	7.4	22.3	53.3	103.4	190.3		
1992.....		11.0	*	*	*	*	0.2	1.4	7.4	23.1	51.2	104.5	192.9		
1991.....		11.0	*	*	*	*	0.2	1.5	7.1	23.2	52.8	103.5	186.2		
1990.....		10.9	*	*	*	*	0.3	1.5	7.2	23.5	50.7	107.5	186.3		
1989.....		10.8	*	*	*	*	0.2	1.4	7.0	23.2	51.9	107.0	178.1		
1988.....		10.4	*	*	0.1	*	0.3	1.4	7.0	21.8	51.5	102.7	168.0		
1987.....		10.5	*	*	*	*	0.2	1.4	7.2	23.1	50.8	106.9	170.4		
1986.....		10.4	*	*	*	*	0.2	1.3	7.4	22.1	50.8	105.9	176.4		
1985.....		10.5	*	*	*	*	0.2	1.6	7.5	22.5	52.0	106.1	185.5		
1984.....		10.5	*	*	*	*	0.2	1.5	7.7	22.0	52.9	107.2	184.5		
1983.....		10.6	*	*	*	0.1	0.2	1.3	7.1	23.0	53.9	108.1	186.1		
1982.....		10.7	*	*	0.1	*	0.3	1.5	8.2	22.6	55.3	110.8	183.5		
1981.....		10.5	*	0.3	0.1	*	0.3	1.6	7.5	22.8	53.4	110.2	182.7		
1980.....		10.6	0.2	0.2	0.1	0.1	0.3	1.4	7.4	22.9	56.9	112.4	177.0		
1979.....		10.5	0.3	0.3	0.1	0.1	0.2	1.5	8.3	22.4	55.9	112.1	174.0		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 255
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
TOTAL, FEMALE													
1998.....	6.1	*	*	0.1	*	0.1	0.7	2.6	8.5	19.7	39.2	67.8	
1997.....	6.3	*	*	*	*	0.1	0.7	3.0	8.7	20.0	39.8	70.8	
1996.....	6.1	*	*	*	*	0.2	0.6	2.8	8.7	20.0	39.9	67.4	
1995.....	6.1	*	*	*	*	0.2	0.7	2.8	9.1	19.8	39.3	68.4	
1994.....	6.1	*	*	*	*	0.2	0.7	2.8	8.8	20.9	39.9	67.3	
1993.....	5.8	*	*	*	*	0.2	0.7	3.0	8.4	19.5	38.0	64.5	
1992.....	6.1	*	*	*	*	0.1	0.7	2.8	9.1	19.8	40.0	69.6	
1991.....	6.0	*	*	0.1	*	0.2	0.7	3.0	9.6	19.7	38.5	67.7	
1990.....	5.9	*	*	*	*	0.2	0.6	2.9	8.8	19.8	38.5	68.5	
1989.....	5.7	*	*	*	*	0.2	0.7	3.1	9.0	19.4	37.4	65.0	
1988.....	5.6	*	*	*	*	0.2	0.7	3.0	8.6	19.8	36.3	66.3	
1987.....	5.6	*	*	*	*	0.1	0.7	3.3	8.6	19.3	36.4	66.1	
1986.....	5.6	*	*	0.2	*	0.2	0.7	3.2	9.3	19.0	38.6	62.8	
1985.....	5.5	*	*	0.1	*	0.1	0.9	3.1	8.6	19.7	36.4	63.2	
1984.....	5.4	*	*	*	*	0.2	0.7	3.0	8.4	18.7	38.1	64.3	
1983.....	5.4	*	*	0.1	*	0.2	0.7	3.1	8.8	19.6	37.1	64.7	
1982.....	5.3	*	*	*	*	0.2	0.7	3.1	8.7	19.6	36.4	66.2	
1981.....	5.3	*	*	0.1	*	0.2	0.8	3.0	8.2	19.6	39.0	65.4	
1980.....	5.3	0.3	0.1	0.2	0.1	0.2	0.6	3.3	8.9	19.7	37.4	63.8	
1979.....	5.1	0.2	0.1	0.2	0.1	0.2	0.8	3.2	8.7	18.4	38.1	62.9	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	256	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)															
WHITE, BOTH SEXES															
1998.....		9.6	*	*	0.1	*	0.2	1.0	4.8	15.2	35.4	65.5	105.2		
1997.....		9.6	*	*	0.1	*	0.1	1.0	5.1	15.1	34.9	65.8	106.2		
1996.....		9.5	*	*	*	*	0.2	1.0	4.9	15.5	35.4	65.2	105.0		
1995.....		9.4	*	*	0.1	*	0.2	1.0	5.0	15.4	34.5	66.3	104.1		
1994.....		9.4	*	*	0.1	*	0.2	0.9	4.9	15.7	35.4	66.1	102.5		
1993.....		9.2	*	*	*	*	0.2	1.0	5.1	15.4	35.0	63.7	102.2		
1992.....		9.2	*	*	0.1	*	0.1	1.0	5.2	16.2	34.2	65.6	105.5		
1991.....		9.1	*	*	0.1	*	0.2	1.0	5.1	16.4	34.5	63.8	102.8		
1990.....		9.0	*	*	0.1	*	0.2	1.0	5.0	15.8	33.7	65.4	103.7		
1989.....		8.8	*	*	0.1	*	0.1	1.0	5.0	16.0	33.9	64.4	97.3		
1988.....		8.6	*	*	0.1	0.1	0.2	1.0	5.0	15.1	34.3	61.9	96.8		
1987.....		8.6	*	*	0.1	*	0.2	1.0	5.2	15.7	33.6	63.5	98.1		
1986.....		8.6	*	*	0.1	*	0.2	0.9	5.3	15.5	33.5	65.0	97.3		
1985.....		8.5	*	*	0.1	*	0.1	1.2	5.3	15.3	34.1	63.0	100.7		
1984.....		8.4	*	0.2	0.1	*	0.2	1.0	5.3	14.8	34.0	64.7	101.3		
1983.....		8.5	*	0.3	0.1	0.1	0.1	1.0	5.1	15.5	34.9	64.9	102.7		
1982.....		8.5	*	*	0.1	0.1	0.2	1.1	5.6	15.2	35.2	65.5	103.8		
1981.....		8.3	*	0.2	0.1	*	0.2	1.1	5.2	15.0	34.5	66.9	103.9		
1980.....		8.4	0.3	0.1	0.1	0.1	0.2	1.0	5.3	15.5	36.4	66.8	101.1		
1979.....		8.2	0.3	0.2	0.1	0.1	0.2	1.1	5.6	15.1	35.3	67.0	100.0		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 257
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
WHITE MALE													
1998.....	12.8	*	*	*	*	0.2	1.4	7.2	22.3	54.1	104.4	195.7	
1997.....	12.4	*	*	*	*	*	1.3	7.2	22.0	53.0	105.6	192.9	
1996.....	12.5	*	*	*	*	0.2	1.4	7.0	22.8	54.2	104.1	202.0	
1995.....	12.4	*	*	*	*	0.2	1.4	7.2	22.1	52.6	109.1	197.8	
1994.....	12.3	*	*	*	*	0.2	1.2	7.0	23.2	53.3	107.8	196.1	
1993.....	12.2	*	*	*	*	0.2	1.4	7.5	22.9	54.8	105.3	198.5	
1992.....	12.1	*	*	*	*	0.2	1.4	7.4	23.7	52.2	107.1	199.5	
1991.....	11.9	*	*	*	*	0.1	1.4	7.2	23.7	53.7	105.8	194.6	
1990.....	11.8	*	*	*	*	0.2	1.5	7.2	23.7	51.4	110.4	194.9	
1989.....	11.7	*	*	*	*	0.1	1.4	7.1	23.8	52.4	109.3	182.9	
1988.....	11.3	*	*	*	*	0.2	1.3	7.2	22.4	52.7	105.1	175.4	
1987.....	11.4	*	*	*	*	0.2	1.4	7.3	23.5	51.8	109.7	176.7	
1986.....	11.3	*	*	*	*	0.2	1.2	7.5	22.6	52.3	109.3	185.1	
1985.....	11.3	*	*	*	*	0.2	1.5	7.5	22.8	52.7	108.3	193.3	
1984.....	11.3	*	*	*	*	0.2	1.4	7.8	22.1	53.8	110.1	193.8	
1983.....	11.4	*	*	*	*	0.2	1.3	7.3	23.1	54.9	111.9	193.8	
1982.....	11.5	*	*	*	*	0.2	1.5	8.3	23.0	55.7	115.3	192.3	
1981.....	11.2	*	*	*	*	0.2	1.5	7.6	22.8	54.3	114.2	191.4	
1980.....	11.4	0.2	0.2	0.1	0.1	0.2	1.4	7.4	23.1	58.5	117.5	186.5	
1979.....	11.2	0.3	0.3	0.1	0.1	0.2	1.4	8.3	22.6	57.1	116.5	181.0	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	258
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)														
WHITE FEMALE														
1998	6.6	*	*	*	*	0.1	0.6	2.5	8.6	20.0	39.6	68.1	
1997	6.8	*	*	*	*	*	0.8	3.1	8.7	20.2	39.6	71.8	
1996	6.6	*	*	*	*	0.1	0.6	2.8	8.7	20.0	39.9	66.9	
1995	6.5	*	*	*	*	0.1	0.6	2.8	9.2	19.7	38.9	68.1	
1994	6.6	*	*	*	*	0.1	0.6	2.9	8.8	21.0	39.8	66.9	
1993	6.2	*	*	*	*	0.1	0.6	2.8	8.5	19.2	37.9	65.8	
1992	6.5	*	*	*	*	*	0.6	2.9	9.2	19.9	40.2	69.7	
1991	6.4	*	*	*	*	0.2	0.7	3.0	9.7	19.4	38.5	67.9	
1990	6.2	*	*	*	*	0.2	0.6	2.7	8.6	19.7	38.6	69.0	
1989	6.1	*	*	*	*	0.2	0.6	3.0	8.8	19.3	37.7	64.6	
1988	6.0	*	*	*	*	0.1	0.7	2.8	8.5	19.8	36.4	66.7	
1987	6.0	*	*	*	*	0.1	0.6	3.2	8.7	19.4	36.3	67.6	
1986	6.0	*	*	0.2	*	0.1	0.6	3.1	9.2	18.8	39.0	63.1	
1985	5.8	*	*	*	*	0.1	0.8	3.1	8.5	19.7	36.5	64.4	
1984	5.7	*	*	*	*	0.2	0.6	2.9	8.2	18.6	38.3	64.6	
1983	5.8	*	*	*	*	*	0.7	3.1	8.6	19.5	37.5	66.1	
1982	5.6	*	*	*	*	0.2	0.7	3.0	8.3	19.4	36.4	67.6	
1981	5.6	*	*	*	*	0.2	0.7	2.8	8.1	19.2	39.4	67.3	
1980	5.5	0.4	0.1	0.2	0.1	0.2	0.7	3.3	8.8	19.5	37.2	64.3	
1979	5.4	0.2	0.1	0.2	0.1	0.1	0.7	3.1	8.5	18.5	37.9	64.3	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	259
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)														
ALL OTHER, BOTH SEXES														
1998.....	4.8	*	*	*	*	0.4	1.3	4.8	12.3	26.1	49.8	77.9		
1997.....	4.9	*	*	*	*	0.4	1.1	4.2	13.3	27.9	53.1	81.7		
1996.....	4.8	*	*	*	*	0.4	1.2	4.4	12.3	28.5	51.5	84.1		
1995.....	4.8	*	*	*	*	0.3	1.3	4.4	13.9	27.0	52.3	92.0		
1994.....	4.9	*	*	*	*	0.4	1.2	4.8	12.9	29.4	55.2	88.9		
1993.....	4.8	*	*	*	*	0.4	1.3	5.3	12.2	29.5	55.7	69.6		
1992.....	4.7	*	*	*	*	0.3	1.2	4.6	12.7	28.2	53.3	88.0		
1991.....	4.9	*	*	*	*	0.4	1.4	4.7	13.6	31.7	55.0	79.6		
1990.....	4.9	*	*	*	*	0.6	1.2	5.2	15.0	30.5	52.8	76.0		
1989.....	4.9	*	*	*	*	0.3	1.2	5.0	13.7	31.6	53.1	89.8		
1988.....	4.6	*	*	*	*	0.5	1.3	4.9	12.9	28.4	51.9	74.2		
1987.....	4.6	*	*	*	*	*	1.2	5.1	13.7	28.4	54.0	69.2		
1986.....	4.6	*	*	*	*	0.4	1.5	4.9	13.7	27.8	49.3	71.0		
1985.....	4.8	*	*	*	*	*	1.4	5.0	13.7	30.6	54.7	69.6		
1984.....	4.8	*	*	*	*	0.3	1.4	5.1	15.1	29.4	52.9	72.8		
1983.....	4.7	*	*	*	*	0.5	1.2	4.6	15.2	30.1	48.3	69.4		
1982.....	4.9	*	*	*	*	0.5	1.1	5.5	15.0	34.2	48.4	65.8		
1981.....	4.8	*	*	*	*	0.4	1.4	5.3	15.4	32.1	49.6	61.6		
1980.....	4.6	0.2	0.3	0.1	0.1	0.3	0.8	5.3	14.7	30.6	48.0	64.7		
1979.....	4.8	-	0.3	0.2	0.3	0.2	1.5	6.2	14.9	28.7	52.0	63.2		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 260
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
ALL OTHER MALE													
1998.....	5.9	*	*	*	*	*	1.7	7.4	17.6	37.4	71.5	105.2	
1997.....	5.9	*	*	*	*	*	1.6	5.9	19.3	40.2	71.7	125.9	
1996.....	5.7	*	*	*	*	0.6	1.5	6.7	17.4	40.7	70.3	112.3	
1995.....	5.6	*	*	*	*	*	1.6	6.3	20.5	36.3	67.7	139.6	
1994.....	5.9	*	*	*	*	*	1.5	7.3	17.9	42.4	79.9	129.1	
1993.....	5.8	*	*	*	*	*	1.7	6.9	18.0	40.4	83.6	113.5	
1992.....	5.8	*	*	*	*	*	1.5	7.2	18.5	41.7	78.7	130.9	
1991.....	5.9	*	*	*	*	*	2.2	6.3	19.1	44.4	81.1	108.1	
1990.....	5.9	*	*	*	*	0.6	1.5	7.0	21.3	44.8	79.1	105.6	
1989.....	6.0	*	*	*	*	*	1.5	6.4	18.1	47.0	84.0	133.3	
1988.....	5.6	*	*	*	*	0.6	1.9	6.1	17.1	41.0	79.4	100.0	
1987.....	5.7	*	*	*	*	*	1.6	6.2	20.3	41.5	80.2	111.7	
1986.....	5.3	*	*	*	*	*	2.0	6.4	18.0	37.4	72.7	94.7	
1985.....	6.2	*	*	*	*	*	1.9	7.5	19.5	45.6	85.2	112.3	
1984.....	5.9	*	*	*	*	*	1.7	6.5	21.4	43.7	79.5	97.2	
1983.....	5.9	*	*	*	*	*	1.9	6.0	21.5	43.8	71.8	110.0	
1982.....	6.0	*	*	*	*	*	1.4	7.5	19.0	51.5	67.5	98.5	
1981.....	6.1	*	*	*	*	*	2.1	7.1	22.9	45.0	71.8	96.9	
1980.....	5.6	0.3	0.3	-	0.2	0.5	1.0	7.8	21.6	42.4	61.9	79.0	
1979.....	6.1	-	0.4	0.2	0.3	0.1	1.7	8.9	20.2	44.4	69.4	100.0	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	261
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
ALL OTHER FEMALE													
1998.....		3.8	*	*	*	*	*	0.9	2.7	8.0	17.8	36.2	65.4
1997.....		3.9	*	*	*	*	*	0.7	2.7	8.5	19.0	41.6	61.8
1996.....		4.0	*	*	*	*	*	0.9	2.5	8.1	19.6	40.0	71.4
1995.....		4.1	*	*	*	*	*	1.0	2.9	8.7	20.3	43.0	71.5
1994.....		4.0	*	*	*	*	*	1.0	2.7	9.0	20.0	40.5	71.5
1993.....		3.8	*	*	*	*	*	0.9	3.9	7.6	21.5	39.0	50.5
1992.....		3.7	*	*	*	*	*	1.0	2.3	8.1	18.5	38.1	68.7
1991.....		4.0	*	*	*	*	*	0.8	3.4	9.3	22.6	39.2	66.1
1990.....		4.0	*	*	*	*	0.5	1.0	3.7	10.0	20.3	37.1	62.5
1989.....		3.9	*	*	*	*	*	0.8	3.7	10.3	20.5	34.4	69.7
1988.....		3.7	*	*	*	*	*	0.8	3.8	9.6	19.4	35.3	62.1
1987.....		3.6	*	*	*	*	*	0.8	4.1	8.5	19.0	37.8	49.1
1986.....		3.9	*	*	*	*	*	1.1	3.6	10.3	20.8	34.7	59.6
1985.....		3.5	*	*	*	*	*	1.0	2.9	9.0	19.7	35.4	49.3
1984.....		3.7	*	*	*	*	*	1.2	3.9	10.0	19.1	36.1	60.7
1983.....		3.5	*	*	*	*	*	*	3.4	10.1	20.1	33.3	48.9
1982.....		3.8	*	*	*	*	*	*	3.9	11.7	21.4	36.0	48.9
1981.....		3.6	*	*	*	*	*	*	3.8	9.2	22.6	35.1	43.7
1980.....		3.6	-	0.4	0.2	0.1	0.2	0.5	3.3	9.1	21.8	38.8	57.3
1979.....		3.6	-	0.3	0.3	0.2	0.3	1.4	3.9	10.5	16.7	40.3	44.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	262
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
BLACK, BOTH SEXES													
1998.....	5.6	*	*	*	*	0.5	1.6	5.8	14.4	28.9	55.1	85.9	
1997.....	5.7	*	*	*	*	0.5	1.4	4.9	15.5	31.9	58.7	90.9	
1996.....	5.7	*	*	*	*	0.5	1.4	5.3	14.5	32.7	56.4	91.9	
1995.....	5.7	*	*	*	*	0.4	1.6	5.3	15.9	31.3	58.4	98.5	
1994.....	5.7	*	*	*	*	0.5	1.4	6.0	14.3	33.2	61.1	94.9	
1993.....	5.6	*	*	*	*	0.5	1.6	6.5	14.4	33.4	59.4	72.5	
1992.....	5.5	*	*	*	*	0.4	1.4	5.6	14.9	31.5	57.6	95.7	
1991.....	5.8	*	*	*	*	0.5	1.7	6.0	15.4	35.6	59.8	87.9	
1990.....	5.9	*	*	*	*	0.7	1.5	6.3	18.0	34.7	59.0	76.8	
1989.....	5.8	*	*	*	*	0.5	1.3	6.0	15.8	35.2	58.5	92.7	
1988.....	5.4	*	*	*	*	0.6	1.6	5.8	14.4	31.8	55.6	77.6	
1987.....	5.4	*	*	*	*	*	1.5	6.1	15.8	31.2	57.6	71.6	
1986.....	5.3	*	*	*	*	0.6	1.8	5.5	15.5	31.3	52.8	73.6	
1985.....	5.5	*	*	*	*	*	1.8	5.6	15.5	34.0	59.2	71.3	
1984.....	5.4	*	*	*	*	0.4	1.6	5.6	17.0	32.1	56.5	76.8	
1983.....	5.4	*	*	*	*	0.5	1.5	5.2	16.9	33.7	50.9	74.5	
1982.....	5.5	*	*	*	*	0.5	1.4	6.2	16.5	37.2	51.3	68.8	
1981.....	5.4	*	*	*	*	0.5	1.5	5.8	17.0	35.2	53.0	64.3	
1980.....	5.1	0.2	0.4	0.1	0.2	0.4	0.8	5.7	16.2	33.1	50.0	65.4	
1979.....	5.2	-	0.3	0.2	0.3	0.3	1.8	7.1	15.6	30.4	53.4	61.5	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	263
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)														
BLACK MALE														
1998.....		6.7	*	*	*	*	*	2.2	8.8	20.8	40.3	82.2	113.5	
1997.....		6.8	*	*	*	*	*	2.0	7.0	22.8	45.4	79.3	149.5	
1996.....		6.6	*	*	*	*	0.8	1.6	8.1	21.2	45.6	76.2	118.8	
1995.....		6.6	*	*	*	*	*	2.0	7.4	23.5	41.3	78.9	150.2	
1994.....		6.9	*	*	*	*	*	1.8	9.0	20.8	47.5	90.3	137.5	
1993.....		6.8	*	*	*	*	*	2.2	8.4	21.8	44.8	94.7	121.0	
1992.....		6.7	*	*	*	*	*	1.7	8.8	21.7	45.6	87.7	146.4	
1991.....		7.1	*	*	*	*	*	2.8	8.2	21.8	50.7	93.3	121.7	
1990.....		7.1	*	*	*	*	0.8	1.8	8.8	25.8	51.0	90.6	110.2	
1989.....		7.1	*	*	*	*	*	1.6	8.0	20.7	52.9	96.7	139.4	
1988.....		6.5	*	*	*	*	0.8	2.3	7.4	19.1	46.0	86.0	106.2	
1987.....		6.6	*	*	*	*	*	2.1	7.5	23.2	46.0	87.3	115.6	
1986.....		6.2	*	*	*	*	*	2.5	7.7	20.1	42.5	80.5	100.0	
1985.....		7.1	*	*	*	*	*	2.3	8.4	22.1	51.9	93.8	114.5	
1984.....		6.7	*	*	*	*	*	1.8	7.0	24.0	48.1	86.5	100.0	
1983.....		6.8	*	*	*	*	*	2.4	6.7	23.9	49.7	76.9	123.3	
1982.....		6.8	*	*	*	*	*	1.7	8.2	21.0	57.3	73.0	100.0	
1981.....		6.8	*	*	*	*	*	2.1	7.8	25.3	49.3	77.0	103.6	
1980.....		6.1	0.4	0.3	-	0.2	0.6	1.1	8.4	23.7	46.4	64.0	73.6	
1979.....		6.7	-	0.3	0.2	0.4	0.2	2.1	10.4	21.2	47.9	73.5	103.8	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	264
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
BLACK FEMALE													
1998.....		4.5	*	*	*	*	*	1.1	3.3	9.6	20.7	38.9	74.4
1997.....		4.7	*	*	*	*	*	0.9	3.3	10.0	22.1	46.7	66.7
1996.....		4.8	*	*	*	*	*	1.1	3.1	9.4	23.4	44.9	80.8
1995.....		5.0	*	*	*	*	*	1.3	3.4	10.2	24.2	46.7	77.5
1994.....		4.7	*	*	*	*	*	1.2	3.5	9.4	23.0	44.5	77.6
1993.....		4.5	*	*	*	*	*	1.2	4.9	8.7	25.4	39.7	52.7
1992.....		4.4	*	*	*	*	*	1.1	3.0	9.7	21.6	40.8	74.7
1991.....		4.7	*	*	*	*	*	0.8	4.2	10.5	25.1	41.1	73.6
1990.....		4.8	*	*	*	*	0.7	1.2	4.2	12.0	23.3	41.2	62.7
1989.....		4.6	*	*	*	*	*	1.0	4.3	12.1	22.9	36.8	73.2
1988.....		4.4	*	*	*	*	*	1.1	4.4	10.8	21.9	38.2	65.1
1987.....		4.3	*	*	*	*	*	*	5.0	10.0	21.0	40.4	52.1
1986.....		4.5	*	*	*	*	*	1.2	3.7	11.8	23.5	36.5	61.6
1985.....		4.1	*	*	*	*	*	1.4	3.3	10.3	21.5	38.5	51.1
1984.....		4.4	*	*	*	*	*	1.5	4.4	11.5	20.9	38.6	65.9
1983.....		4.1	*	*	*	*	*	*	3.9	11.2	22.3	34.9	50.8
1982.....		4.3	*	*	*	*	*	*	4.5	12.8	22.9	37.9	53.4
1981.....		4.1	*	*	*	*	*	*	4.2	10.3	25.0	38.0	44.2
1980.....		4.1	-	0.4	0.3	0.1	0.3	0.6	3.6	10.1	23.5	41.1	61.3
1979.....		3.9	-	0.3	0.2	0.2	0.4	1.6	4.4	11.0	17.5	40.0	40.4

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 265
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)													
TOTAL, BOTH SEXES													
1998.....		24.2	1.1	1.3	1.4	1.9	3.2	7.6	19.6	46.7	90.9	142.3	201.1
1997.....		24.5	1.1	1.6	1.4	1.8	3.2	7.7	19.8	48.9	92.3	145.3	208.6
1996.....		25.0	1.1	1.5	1.4	1.8	3.3	7.9	21.1	50.1	95.5	147.4	212.0
1995.....		25.0	0.9	1.7	1.3	1.9	3.4	8.0	21.0	50.2	95.6	149.8	210.9
1994.....		25.3	0.7	1.7	1.5	1.9	3.5	8.4	21.5	51.9	97.1	149.6	211.1
1993.....		25.3	1.1	2.0	1.4	1.9	3.5	8.3	21.9	53.2	97.4	150.1	212.2
1992.....		24.7	1.0	1.6	1.5	2.0	3.5	8.2	21.9	53.0	94.4	145.0	207.8
1991.....		24.6	1.0	1.9	1.5	1.9	3.6	8.4	22.3	53.5	95.1	142.6	203.0
1990.....		24.2	1.3	1.9	1.6	1.8	3.6	8.4	21.8	52.7	93.1	143.7	203.7
1989.....		24.7	1.3	1.8	1.6	1.9	3.5	8.5	23.1	54.6	95.2	146.6	205.6
1988.....		25.0	1.3	2.0	1.5	1.9	3.5	8.9	23.5	56.3	96.8	147.4	205.8
1987.....		25.0	1.4	2.0	1.5	1.9	3.6	8.6	23.7	56.8	97.6	147.5	203.5
1986.....		24.8	1.5	2.1	1.6	2.0	4.1	9.2	23.8	55.0	97.2	146.6	199.2
1985.....		24.3	1.4	2.0	1.5	2.1	4.1	9.3	24.2	55.6	93.9	141.8	201.7
1984.....		23.8	1.3	2.1	1.6	2.0	3.9	9.2	23.7	54.4	94.0	140.7	190.6
1983.....		23.5	1.7	2.2	1.7	2.1	3.7	8.9	23.9	54.0	91.8	138.7	195.0
1982.....		23.0	1.7	2.5	1.7	2.2	3.7	8.9	23.5	52.6	90.0	138.2	188.6
1981.....		22.5	1.2	2.4	1.7	2.1	3.7	8.9	24.1	51.5	89.6	134.1	188.2
1980.....		22.4	1.5	2.3	1.7	2.3	4.0	8.9	24.3	50.9	89.2	133.6	187.0
1979.....		21.6	1.7	2.2	1.7	2.3	3.7	8.6	24.0	49.8	86.4	130.2	175.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 266
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)													
TOTAL, MALE													
1998.....		26.5	1.2	1.3	1.6	2.2	3.8	8.8	23.9	58.5	115.8	178.7	250.8
1997.....		26.3	1.1	1.8	1.3	2.1	3.9	9.1	23.7	59.4	115.6	179.5	265.1
1996.....		27.2	1.4	1.6	1.5	2.1	3.8	9.2	25.3	61.8	121.8	186.2	269.8
1995.....		27.2	1.0	2.1	1.4	2.4	4.0	9.3	25.5	62.5	120.6	189.0	273.2
1994.....		27.3	*	1.9	1.6	2.2	4.1	9.9	26.0	64.7	123.2	186.7	268.7
1993.....		27.6	1.4	2.2	1.5	2.2	3.9	10.0	26.5	66.4	124.3	192.9	272.7
1992.....		26.9	*	1.6	1.5	2.3	4.2	9.7	26.7	66.2	118.4	186.9	279.4
1991.....		26.9	1.1	2.0	1.7	2.2	4.3	10.1	27.4	67.9	121.2	182.3	257.4
1990.....		26.3	1.3	2.0	1.6	2.1	4.3	10.0	26.3	66.3	118.1	181.9	269.8
1989.....		27.1	1.4	1.9	1.5	2.1	4.1	10.2	28.3	68.3	122.3	191.5	264.6
1988.....		27.6	1.5	2.0	1.6	2.1	4.2	10.5	28.4	70.6	125.2	191.5	279.6
1987.....		27.4	1.3	2.2	1.7	2.3	4.2	10.4	28.2	70.6	125.8	191.8	254.8
1986.....		27.1	1.6	2.2	1.6	2.4	5.2	11.2	28.9	68.3	123.1	188.8	251.3
1985.....		26.8	1.8	2.1	1.6	2.4	5.1	11.4	28.9	68.9	119.8	184.6	260.8
1984.....		26.0	1.3	2.4	1.7	2.5	4.7	11.0	28.0	67.3	119.9	180.3	231.9
1983.....		25.7	2.0	2.3	1.8	2.4	4.6	10.5	28.7	66.9	117.3	180.0	243.2
1982.....		24.8	1.7	2.6	1.8	2.6	4.6	10.5	27.9	64.6	112.3	174.4	228.7
1981.....		24.3	1.4	2.7	1.8	2.5	4.2	10.5	28.4	63.3	113.3	164.7	227.4
1980.....		24.5	1.4	2.8	1.8	2.9	4.8	10.4	28.9	63.3	112.8	169.7	235.1
1979.....		23.6	1.8	2.2	1.9	2.8	4.4	10.1	28.5	60.2	110.3	162.6	210.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 267												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199) TOTAL, FEMALE												
1998.....	22.0	*	1.2	1.2	1.5	2.7	6.4	15.5	35.9	70.7	118.1	180.6
1997.....	22.8	*	1.5	1.4	1.5	2.6	6.3	16.0	39.4	73.5	123.0	185.8
1996.....	23.0	*	1.3	1.3	1.4	2.9	6.6	17.2	39.5	74.4	122.3	189.1
1995.....	22.9	*	1.3	1.2	1.4	2.7	6.7	16.8	39.1	75.5	124.9	186.7
1994.....	23.3	*	1.5	1.3	1.5	3.0	6.9	17.2	40.4	76.2	126.4	188.9
1993.....	23.1	*	1.7	1.3	1.6	3.1	6.5	17.5	41.3	76.1	123.7	189.0
1992.....	22.5	1.0	1.7	1.4	1.6	2.9	6.8	17.2	41.1	75.5	119.3	180.1
1991.....	22.3	*	1.8	1.3	1.6	2.9	6.8	17.5	40.7	74.7	118.6	181.9
1990.....	22.2	1.3	1.7	1.6	1.5	2.9	6.9	17.5	40.7	73.6	120.9	178.2
1989.....	22.4	1.3	1.7	1.7	1.7	2.9	6.8	18.0	42.4	74.1	119.8	182.6
1988.....	22.6	*	1.9	1.4	1.7	2.9	7.3	18.9	43.6	74.8	121.2	177.0
1987.....	22.7	1.5	1.8	1.4	1.5	3.0	6.8	19.4	44.5	75.8	121.4	183.3
1986.....	22.5	1.4	1.9	1.5	1.6	3.0	7.2	19.0	43.3	77.2	121.7	178.6
1985.....	22.0	*	1.9	1.4	1.7	3.1	7.3	19.8	43.9	74.0	116.7	178.1
1984.....	21.8	1.3	1.9	1.5	1.5	3.1	7.5	19.5	43.1	74.1	117.4	173.9
1983.....	21.3	1.5	2.1	1.5	1.7	2.9	7.4	19.4	42.6	72.2	114.4	175.3
1982.....	21.2	1.6	2.3	1.6	1.8	2.8	7.4	19.4	42.1	72.9	116.9	171.8
1981.....	20.9	*	2.1	1.7	1.6	3.2	7.3	20.1	41.0	71.5	116.1	171.4
1980.....	20.3	1.5	1.8	1.6	1.8	3.2	7.4	20.1	39.9	71.1	112.3	166.0
1979.....	19.8	1.5	2.2	1.6	1.8	2.9	7.0	19.9	40.5	68.1	111.1	160.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 268
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)													
WHITE, BOTH SEXES													
1998.....		26.1	1.2	1.3	1.4	1.9	3.4	7.9	19.7	47.0	92.7	144.6	205.9
1997.....		26.4	0.9	1.6	1.4	1.8	3.4	7.9	19.9	49.0	94.1	147.2	210.7
1996.....		27.0	1.4	1.5	1.5	1.8	3.6	8.1	21.4	51.0	96.8	149.4	215.6
1995.....		26.8	1.0	1.7	1.3	1.9	3.5	8.2	21.2	50.5	96.5	150.7	213.5
1994.....		27.1	0.7	1.8	1.4	2.0	3.7	8.6	21.6	52.2	98.3	151.4	213.4
1993.....		27.0	1.1	2.0	1.5	2.0	3.6	8.4	21.8	53.3	97.8	151.2	214.7
1992.....		26.4	1.0	1.6	1.5	2.0	3.7	8.6	21.7	53.0	95.0	146.6	210.3
1991.....		26.2	1.2	1.9	1.5	2.0	3.8	8.7	22.4	53.6	95.8	143.0	202.7
1990.....		25.7	1.2	1.9	1.6	1.9	3.7	8.7	21.6	52.6	93.2	144.5	205.6
1989.....		26.2	1.4	1.9	1.6	2.0	3.6	8.7	23.0	54.2	95.2	147.7	207.3
1988.....		26.4	1.2	2.0	1.5	1.9	3.7	9.0	23.3	55.9	97.0	148.4	207.3
1987.....		26.3	1.5	2.0	1.6	1.9	3.8	8.7	23.4	56.5	97.8	147.3	202.7
1986.....		26.1	1.6	2.1	1.6	2.1	4.3	9.3	23.6	54.2	97.7	147.1	199.4
1985.....		25.5	1.6	2.1	1.6	2.1	4.4	9.4	23.6	55.2	93.4	141.2	203.3
1984.....		24.9	1.2	2.2	1.6	2.1	4.1	9.3	23.3	53.5	93.6	140.5	192.4
1983.....		24.5	1.7	2.3	1.7	2.1	4.0	9.2	23.6	53.1	91.2	138.2	196.9
1982.....		24.0	1.7	2.6	1.7	2.2	3.8	9.1	23.1	52.1	90.1	138.2	191.8
1981.....		23.5	1.3	2.5	1.7	2.1	3.8	9.0	23.9	51.0	89.5	133.8	190.5
1980.....		23.2	1.4	2.4	1.7	2.4	4.2	8.9	23.8	49.8	88.9	133.7	188.8
1979.....		22.4	1.7	2.3	1.7	2.3	3.9	8.7	23.7	49.0	85.4	130.2	176.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 269												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)												
WHITE MALE												
1998.....	28.6	*	1.4	1.6	2.3	4.0	9.2	24.0	59.0	117.9	182.8	260.9
1997.....	28.3	*	1.8	1.4	2.0	4.1	9.4	23.6	59.3	118.0	183.3	272.6
1996.....	29.3	1.6	1.7	1.6	2.1	4.0	9.5	25.3	62.4	123.4	189.8	278.1
1995.....	29.0	*	2.1	1.5	2.4	4.1	9.4	25.5	62.6	121.6	191.1	279.1
1994.....	29.3	*	2.0	1.5	2.3	4.3	10.2	25.8	64.9	124.9	190.2	275.0
1993.....	29.5	1.4	2.3	1.6	2.3	4.1	10.3	26.1	66.0	124.3	196.1	278.4
1992.....	28.8	*	1.5	1.6	2.4	4.3	10.1	26.4	66.2	119.3	190.0	288.7
1991.....	28.5	1.3	1.9	1.7	2.3	4.6	10.4	27.1	67.6	122.0	183.0	258.6
1990.....	27.8	*	2.0	1.6	2.2	4.4	10.2	25.7	65.7	117.7	183.4	276.6
1989.....	28.6	1.6	2.1	1.6	2.2	4.3	10.3	27.9	67.2	122.2	192.4	266.3
1988.....	29.1	1.5	2.1	1.6	2.1	4.4	10.7	27.6	70.0	125.6	193.5	287.1
1987.....	28.7	1.4	2.2	1.7	2.3	4.4	10.6	27.5	69.9	125.8	192.4	253.5
1986.....	28.5	1.8	2.3	1.7	2.5	5.5	11.4	28.4	67.1	123.6	190.3	253.7
1985.....	27.8	2.1	2.3	1.7	2.5	5.4	11.3	28.1	68.0	118.7	183.8	262.5
1984.....	27.0	*	2.5	1.8	2.6	4.9	11.1	27.3	65.5	119.3	181.2	235.0
1983.....	26.7	1.9	2.3	1.8	2.5	4.9	10.8	28.4	65.4	116.2	178.8	246.6
1982.....	25.8	1.7	2.8	1.9	2.6	4.8	10.6	27.1	63.6	112.4	175.7	233.2
1981.....	25.2	*	2.8	1.8	2.5	4.3	10.6	28.0	62.5	113.0	164.6	230.8
1980.....	25.4	1.4	2.9	1.8	3.0	5.0	10.4	28.1	62.3	112.6	170.5	239.7
1979.....	24.3	1.9	2.3	1.9	2.8	4.7	10.2	27.8	59.5	109.7	162.8	213.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 270
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)
 WHITE FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	23.7	*	1.1	1.2	1.5	2.8	6.6	15.6	35.9	71.9	119.1	183.4
1997.....	24.5	*	1.5	1.4	1.5	2.8	6.5	16.2	39.5	74.5	123.5	186.1
1996.....	24.8	*	1.2	1.3	1.4	3.1	6.8	17.5	40.3	75.1	123.1	191.1
1995.....	24.6	*	1.3	1.2	1.4	2.9	7.0	17.0	39.2	76.1	124.8	188.2
1994.....	25.0	*	1.6	1.3	1.6	3.1	7.0	17.5	40.4	76.8	127.0	189.9
1993.....	24.7	*	1.7	1.4	1.6	3.2	6.5	17.5	41.6	76.6	123.3	190.6
1992.....	24.1	*	1.7	1.4	1.6	3.1	7.0	17.1	41.0	75.7	120.1	180.4
1991.....	23.9	*	1.8	1.4	1.6	3.1	7.0	17.9	40.8	75.2	118.8	181.6
1990.....	23.7	*	1.8	1.7	1.5	3.0	7.1	17.6	40.6	73.9	121.3	178.6
1989.....	23.9	*	1.7	1.6	1.8	3.0	7.0	18.1	42.4	74.0	121.1	184.9
1988.....	23.9	*	1.9	1.4	1.7	3.0	7.4	19.1	43.3	74.6	121.8	176.7
1987.....	24.0	1.7	1.9	1.4	1.5	3.2	6.9	19.5	44.5	75.9	120.8	183.1
1986.....	23.8	1.4	1.9	1.5	1.6	3.1	7.3	19.0	42.7	77.6	121.8	178.2
1985.....	23.2	*	2.0	1.4	1.8	3.3	7.4	19.3	43.8	73.8	116.3	180.1
1984.....	22.9	1.4	2.0	1.4	1.6	3.3	7.6	19.4	42.9	73.7	116.7	175.6
1983.....	22.4	1.5	2.3	1.5	1.7	3.0	7.6	18.9	42.2	72.0	114.4	176.9
1982.....	22.3	1.7	2.4	1.6	1.8	2.9	7.5	19.3	41.9	72.9	116.3	174.9
1981.....	21.9	*	2.2	1.6	1.7	3.4	7.4	20.0	40.8	71.4	115.8	173.7
1980.....	21.1	1.5	1.8	1.6	1.8	3.4	7.3	19.7	38.8	70.7	112.3	166.9
1979.....	20.6	1.4	2.3	1.6	1.9	3.1	7.3	19.8	39.8	66.9	111.1	160.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 271												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)												
ALL OTHER, BOTH SEXES												
1998.....	15.1	*	1.2	1.4	1.7	2.5	6.4	19.0	44.8	78.2	120.7	155.7
1997.....	15.6	*	1.7	1.1	1.9	2.4	6.4	19.3	48.0	79.1	127.3	187.7
1996.....	15.6	*	1.4	1.3	1.7	2.4	6.8	19.8	44.8	85.7	128.0	177.3
1995.....	16.2	*	1.6	1.4	1.8	2.7	7.1	20.3	48.7	88.5	141.1	184.4
1994.....	16.1	*	1.6	1.7	1.6	2.8	7.3	21.0	50.5	87.4	131.6	188.1
1993.....	16.8	*	1.8	1.1	1.7	2.9	7.4	22.8	52.7	93.9	139.7	186.7
1992.....	15.9	*	1.7	1.3	1.6	2.6	6.4	22.7	52.6	89.1	128.9	181.7
1991.....	16.3	*	2.0	1.3	1.5	2.5	7.1	21.7	53.0	89.0	138.8	205.5
1990.....	16.5	*	1.9	1.4	1.7	3.2	7.2	23.0	54.1	92.0	135.4	183.9
1989.....	16.9	*	1.6	1.5	1.5	2.9	7.5	23.6	57.6	95.3	135.7	187.5
1988.....	17.3	*	1.8	1.5	1.8	2.5	7.9	25.2	59.0	95.1	137.1	189.9
1987.....	17.7	*	1.9	1.3	2.0	2.6	7.7	25.4	59.1	95.7	149.7	211.3
1986.....	17.5	*	2.0	1.5	1.7	3.1	8.1	25.0	61.0	92.5	141.2	197.8
1985.....	17.8	*	1.4	1.3	1.8	2.8	8.8	27.9	59.1	98.3	147.8	183.5
1984.....	17.6	*	1.7	1.6	1.6	2.9	8.4	26.0	61.3	98.1	143.3	170.0
1983.....	17.4	*	1.9	1.7	1.7	2.5	7.2	26.1	61.3	96.9	143.8	173.7
1982.....	16.7	*	1.9	1.6	2.1	3.0	8.0	26.4	57.1	89.5	138.5	152.8
1981.....	16.6	*	2.0	2.0	2.0	2.7	8.3	25.5	55.6	91.2	137.7	162.1
1980.....	17.1	1.6	2.0	1.6	2.0	2.7	8.8	28.4	59.8	91.6	132.3	166.1
1979.....	16.7	1.7	1.8	1.7	2.0	2.3	7.5	26.4	56.3	95.3	130.6	166.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 272
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	16.0	*	*	1.6	2.0	2.7	7.1	23.7	55.3	99.5	139.1	161.9
1997.....	16.4	*	1.9	1.1	2.2	3.2	7.5	24.4	59.6	96.5	142.1	200.2
1996.....	16.7	*	1.5	1.2	2.1	2.7	8.0	25.1	57.6	108.5	150.6	197.5
1995.....	17.7	*	1.8	1.4	2.2	3.6	8.8	25.5	62.0	112.9	167.9	218.0
1994.....	17.2	*	1.7	1.8	1.8	3.2	8.5	27.4	63.8	109.2	151.2	209.5
1993.....	18.3	*	1.9	1.2	1.8	3.3	8.4	29.0	69.3	124.0	160.8	219.4
1992.....	17.1	*	1.8	1.4	1.9	3.3	7.5	28.4	66.5	110.2	156.4	192.3
1991.....	18.1	*	2.3	1.5	1.6	3.1	8.7	28.9	69.8	114.3	174.9	246.5
1990.....	18.5	*	2.3	1.5	2.1	3.5	9.0	30.0	71.1	121.7	166.6	206.4
1989.....	19.3	*	*	1.3	1.6	3.5	9.6	30.8	76.8	123.7	182.8	249.4
1988.....	19.1	*	1.7	1.4	1.9	2.8	9.4	33.6	75.8	122.1	173.4	210.1
1987.....	19.9	*	2.4	1.4	2.3	3.1	9.0	33.0	77.1	125.4	186.0	266.2
1986.....	19.3	*	1.8	1.3	1.9	3.8	9.8	32.3	78.3	118.1	173.7	229.3
1985.....	20.4	*	*	1.2	2.3	3.3	11.4	34.5	77.0	129.5	191.3	245.2
1984.....	20.1	*	2.0	1.6	2.0	3.8	10.5	32.9	82.2	125.9	171.9	202.8
1983.....	19.9	*	2.4	1.9	1.9	3.2	8.4	30.4	80.0	127.5	191.2	207.1
1982.....	18.6	*	2.1	1.4	2.4	3.8	9.3	34.0	73.3	112.0	162.6	185.1
1981.....	18.7	*	2.3	1.8	2.5	3.3	10.0	31.7	70.7	115.7	165.7	193.8
1980.....	18.9	1.6	2.2	1.6	2.4	2.9	10.0	34.9	72.9	114.3	161.4	187.6
1979.....	18.7	1.3	1.7	1.9	2.5	2.7	9.9	33.9	67.3	116.3	160.1	186.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 273
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)
 ALL OTHER FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	14.2	*	1.4	1.1	1.3	2.3	5.7	15.0	36.4	62.7	109.1	152.9
1997.....	14.9	*	1.5	1.2	1.6	1.8	5.4	15.1	38.8	66.5	118.2	182.1
1996.....	14.5	*	1.4	1.4	1.4	2.2	5.8	15.3	34.7	69.2	114.2	168.2
1995.....	14.9	*	1.4	1.5	1.4	2.0	5.6	15.9	38.2	70.8	124.9	169.8
1994.....	15.1	*	1.5	1.5	1.4	2.4	6.3	15.6	39.9	71.7	120.0	178.8
1993.....	15.4	*	1.6	1.1	1.6	2.7	6.5	17.4	39.7	72.3	127.2	172.4
1992.....	14.9	*	1.6	1.2	1.2	2.0	5.5	17.8	41.6	74.0	112.5	176.9
1991.....	14.6	*	1.8	1.1	1.5	2.0	5.7	15.6	39.9	71.0	116.9	185.7
1990.....	14.7	*	1.6	1.3	1.3	2.8	5.7	17.0	40.7	70.8	116.7	173.7
1989.....	14.7	*	2.0	1.7	1.5	2.3	5.7	17.5	42.6	75.0	107.2	158.9
1988.....	15.6	*	1.9	1.7	1.7	2.1	6.7	18.1	45.8	75.8	115.3	180.5
1987.....	15.7	*	*	1.3	1.6	2.1	6.5	18.9	45.1	74.5	127.1	185.3
1986.....	15.8	*	2.2	1.6	1.5	2.6	6.7	18.9	47.4	74.1	121.1	182.7
1985.....	15.4	*	*	1.3	1.3	2.4	6.5	22.3	44.9	75.7	120.4	154.7
1984.....	15.4	*	*	1.6	1.2	2.1	6.6	20.3	44.6	78.1	125.4	153.8
1983.....	15.1	*	*	1.5	1.6	2.0	6.2	22.4	46.3	74.4	113.5	156.8
1982.....	15.0	*	1.8	1.8	1.8	2.4	6.9	20.1	44.0	72.9	122.9	135.3
1981.....	14.7	*	1.8	2.1	1.4	2.2	6.9	20.3	43.3	72.8	119.5	146.0
1980.....	15.5	1.6	1.8	1.5	1.7	2.5	7.9	23.0	49.1	74.4	113.1	155.1
1979.....	15.0	2.0	1.9	1.5	1.5	2.0	5.6	20.2	47.3	79.4	110.9	157.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 274
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)
 BLACK, BOTH SEXES

Year	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
1998	17.4	*	1.3	1.5	1.7	2.7	7.2	22.6	53.4	88.8	130.2	174.7
1997	18.2	*	1.6	1.2	2.1	2.8	7.4	23.4	56.8	89.8	141.5	204.8
1996	18.0	*	1.5	1.5	1.9	2.7	7.7	23.3	53.8	96.4	137.6	195.6
1995	18.9	*	1.8	1.5	2.0	3.0	8.4	24.4	56.3	101.9	154.4	188.3
1994	18.9	*	1.8	1.8	1.8	3.2	8.7	25.3	60.3	100.1	141.0	192.0
1993	19.4	*	1.7	1.2	1.8	3.4	8.4	27.0	62.1	104.8	149.7	189.7
1992	18.6	*	1.6	1.5	1.7	3.1	7.6	27.1	62.2	101.4	137.7	188.5
1991	18.9	*	2.4	1.4	1.6	3.0	8.3	25.5	61.5	101.0	149.2	209.5
1990	19.2	*	2.2	1.5	1.9	3.6	8.4	27.1	63.3	103.6	143.8	189.1
1989	19.6	*	1.7	1.6	1.7	3.2	9.1	27.9	67.3	105.0	143.8	192.3
1988	20.0	*	2.1	1.7	2.0	2.8	9.5	29.6	67.0	106.3	145.2	198.1
1987	20.5	*	2.1	1.4	2.2	2.9	8.9	30.4	68.4	106.3	161.6	217.3
1986	20.1	*	2.0	1.6	1.9	3.4	9.1	29.8	70.1	102.2	149.7	206.5
1985	20.3	*	1.5	1.4	1.9	3.3	10.0	32.5	66.8	108.0	153.1	196.4
1984	20.0	*	1.7	1.7	1.7	3.3	9.5	30.5	68.4	107.4	152.8	173.7
1983	19.6	*	2.0	1.8	1.8	2.6	8.3	29.9	68.4	105.2	152.6	175.0
1982	18.8	*	2.3	1.7	2.2	3.3	9.2	30.0	63.8	96.4	147.4	157.4
1981	18.6	*	2.0	2.2	2.0	2.9	9.6	28.8	61.8	98.2	144.5	167.9
1980	19.1	1.7	2.2	1.7	2.2	2.9	10.2	32.4	65.3	98.5	139.8	174.8
1979	18.4	1.7	2.1	1.9	2.1	2.5	8.4	29.6	60.8	101.9	134.3	173.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 275												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)												
BLACK MALE												
1998.....	18.5	*	*	1.8	1.9	2.6	7.9	28.8	69.3	113.8	149.7	181.4
1997.....	19.4	*	1.9	1.1	2.5	3.8	9.1	30.3	73.9	111.2	162.0	220.8
1996.....	19.6	*	*	1.4	2.4	3.0	9.4	30.4	71.8	124.3	163.0	217.2
1995.....	20.6	*	2.1	1.4	2.6	4.2	10.5	31.2	72.9	129.3	186.9	215.9
1994.....	20.3	*	2.1	1.9	1.9	3.8	10.1	33.3	78.6	126.2	164.6	217.3
1993.....	21.3	*	1.9	1.2	2.0	3.7	9.9	35.1	83.4	140.3	175.5	232.6
1992.....	20.2	*	1.7	1.4	2.1	3.9	8.9	36.0	80.3	127.0	174.3	192.3
1991.....	21.5	*	2.5	1.7	1.6	3.7	10.4	35.6	83.2	132.8	193.6	265.2
1990.....	21.7	*	2.4	1.6	2.2	4.1	10.7	36.3	84.3	140.5	179.4	223.3
1989.....	22.6	*	*	1.4	1.8	3.8	11.8	37.9	90.4	137.3	199.3	268.2
1988.....	22.4	*	1.9	1.5	2.0	3.3	11.5	41.1	87.5	139.0	190.4	221.5
1987.....	23.5	*	2.9	1.3	2.7	3.4	10.8	40.6	91.0	143.5	206.7	276.6
1986.....	22.3	*	*	1.5	2.1	4.1	11.5	39.1	90.7	132.3	183.6	246.0
1985.....	23.4	*	*	1.3	2.5	3.8	13.2	41.8	87.6	143.2	201.2	261.3
1984.....	22.9	*	2.0	1.6	2.2	4.3	12.1	38.9	93.4	139.7	185.7	218.0
1983.....	22.6	*	2.5	2.0	2.0	3.3	10.2	35.7	90.1	140.2	205.7	213.3
1982.....	21.1	*	2.4	1.5	2.5	4.2	10.8	38.7	82.5	122.9	178.4	198.3
1981.....	21.1	*	2.1	2.1	2.7	3.6	11.9	37.0	78.7	126.9	177.9	201.8
1980.....	21.1	1.9	2.6	1.7	2.6	3.4	11.5	40.0	79.6	125.9	173.3	198.1
1979.....	20.6	1.5	1.9	2.1	2.6	2.8	11.4	38.3	73.1	126.6	167.6	198.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 276												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)												
BLACK FEMALE												
1998.....	16.4	*	*	1.2	1.5	2.8	6.6	17.5	41.2	70.8	118.6	172.0
1997.....	17.1	*	*	1.3	1.7	2.0	5.9	17.7	43.7	74.3	129.5	198.2
1996.....	16.6	*	*	1.5	1.5	2.4	6.3	17.5	40.0	76.4	122.8	186.7
1995.....	17.4	*	*	1.5	1.4	2.0	6.5	18.8	43.5	82.4	135.8	177.0
1994.....	17.6	*	*	1.7	1.6	2.7	7.4	18.7	46.3	81.5	127.7	181.7
1993.....	17.6	*	*	1.2	1.7	3.1	7.0	20.4	45.6	79.7	135.2	172.2
1992.....	17.2	*	*	1.5	1.3	2.3	6.4	19.8	48.2	83.3	117.3	186.9
1991.....	16.7	*	2.3	1.2	1.5	2.3	6.5	17.2	44.7	78.9	124.4	185.9
1990.....	17.0	*	1.9	1.5	1.5	3.2	6.5	19.4	47.1	77.9	123.9	174.6
1989.....	16.9	*	1.9	1.9	1.6	2.6	6.7	19.6	49.3	82.5	112.3	160.8
1988.....	17.8	*	2.2	1.9	2.1	2.4	7.8	20.1	51.0	83.4	119.4	187.9
1987.....	17.9	*	*	1.5	1.7	2.4	7.3	22.0	50.7	80.4	135.4	191.0
1986.....	18.1	*	2.5	1.7	1.8	2.7	7.0	22.2	53.9	80.9	129.8	188.4
1985.....	17.5	*	*	1.4	1.3	2.7	7.2	24.8	50.5	83.2	124.4	166.2
1984.....	17.4	*	*	1.7	1.3	2.3	7.4	23.5	48.4	84.6	133.3	152.7
1983.....	16.9	*	*	1.6	1.5	2.1	6.7	25.2	51.0	80.5	119.8	156.5
1982.....	16.7	*	2.2	2.0	2.0	2.6	7.9	22.8	48.8	77.4	128.2	137.3
1981.....	16.3	*	*	2.3	1.5	2.2	7.6	22.2	48.2	77.6	123.7	149.6
1980.....	17.2	1.5	1.9	1.6	1.8	2.5	9.1	26.2	53.7	78.5	118.6	163.1
1979.....	16.4	2.0	2.2	1.6	1.5	2.3	6.0	22.5	50.8	83.7	111.9	160.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 277												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 LEUKEMIA (204-208) TOTAL, BOTH SEXES												
1998.....	7.5	*	0.8	0.8	1.2	1.3	2.1	3.9	10.3	26.9	52.3	76.5
1997.....	7.6	0.8	0.9	0.9	1.2	1.3	1.9	4.2	11.1	27.3	51.2	79.7
1996.....	7.7	0.8	1.0	0.9	1.2	1.4	1.9	4.3	11.1	27.7	52.8	80.6
1995.....	7.7	0.6	1.0	1.0	1.2	1.4	2.0	4.1	11.4	27.1	53.6	81.6
1994.....	7.6	*	1.1	1.0	1.4	1.5	2.0	4.5	11.5	26.4	51.1	82.1
1993.....	7.6	0.8	1.0	1.1	1.3	1.5	2.2	4.5	11.6	26.9	50.7	81.4
1992.....	7.6	0.9	1.1	1.2	1.3	1.5	2.1	4.6	11.8	26.5	51.0	81.4
1991.....	7.5	0.5	1.2	1.2	1.3	1.4	2.2	4.7	11.7	26.7	51.1	81.6
1990.....	7.5	0.6	1.1	1.1	1.4	1.5	2.3	4.8	11.6	26.3	51.2	79.2
1989.....	7.4	0.8	1.1	1.2	1.4	1.6	2.4	4.6	11.9	26.7	49.9	75.5
1988.....	7.2	0.6	1.3	1.2	1.4	1.3	2.6	4.7	11.2	24.8	50.1	77.4
1987.....	7.1	0.8	1.3	1.4	1.3	1.5	2.4	4.9	11.3	24.8	48.5	76.6
1986.....	7.2	0.7	1.4	1.3	1.5	1.6	2.5	4.9	11.5	25.5	49.9	75.8
1985.....	7.3	0.8	1.3	1.5	1.3	1.5	2.5	5.0	11.8	25.9	49.9	78.4
1984.....	7.2	0.9	1.2	1.4	1.5	1.5	2.7	5.3	11.8	25.7	49.3	76.6
1983.....	7.2	1.0	1.7	1.5	1.4	1.6	2.7	5.3	11.3	25.6	49.1	79.3
1982.....	7.2	0.9	1.5	1.7	1.7	1.6	2.7	5.0	11.1	25.4	51.5	78.7
1981.....	7.1	*	1.8	1.7	1.5	1.7	2.6	5.1	11.4	25.4	50.9	73.1
1980.....	7.3	0.9	1.5	1.9	1.7	1.9	2.9	5.3	11.8	25.9	50.7	78.2
1979.....	7.1	1.0	1.7	1.9	1.7	1.7	2.7	5.5	11.3	25.4	50.3	76.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 278												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
0 LEUKEMIA (204-208) TOTAL, MALE												
1998.....	8.5	*	0.7	1.0	1.4	1.5	2.5	4.6	12.8	36.8	71.9	102.2
1997.....	8.6	*	0.9	1.1	1.5	1.5	2.1	4.9	13.8	37.4	71.6	115.7
1996.....	8.6	*	1.1	1.0	1.4	1.7	2.1	5.1	14.0	37.1	71.4	120.7
1995.....	8.8	*	1.2	1.2	1.4	1.7	2.4	4.8	14.5	37.2	75.1	123.0
1994.....	8.5	*	1.1	1.1	1.8	1.9	2.2	5.2	14.8	35.6	71.5	118.5
1993.....	8.5	1.0	1.1	1.3	1.5	1.7	2.5	5.2	14.7	36.7	71.4	115.6
1992.....	8.5	1.0	1.2	1.4	1.6	1.8	2.5	5.2	14.9	36.1	72.3	116.8
1991.....	8.3	*	1.2	1.3	1.6	1.7	2.3	5.5	14.6	36.1	69.7	111.7
1990.....	8.4	*	1.2	1.3	1.7	1.8	2.5	5.6	14.7	36.0	71.9	116.0
1989.....	8.3	*	1.1	1.5	1.7	1.9	2.7	5.3	14.9	36.3	72.2	102.3
1988.....	8.2	*	1.3	1.5	1.7	1.6	3.0	5.5	14.2	33.6	72.0	112.1
1987.....	8.0	*	1.3	1.7	1.6	1.7	2.8	5.4	14.2	33.3	69.1	104.8
1986.....	8.2	*	1.5	1.5	1.9	1.8	2.8	5.5	14.3	34.8	71.6	110.3
1985.....	8.2	*	1.5	1.7	1.6	1.7	3.0	5.7	14.7	34.7	70.0	114.8
1984.....	8.1	*	1.3	1.7	1.8	1.7	3.2	6.0	14.7	34.2	68.8	110.3
1983.....	8.2	*	2.0	1.7	1.8	2.0	2.9	6.1	14.4	34.8	69.5	120.6
1982.....	8.2	*	1.5	2.0	1.9	1.7	3.2	5.9	14.1	34.6	73.9	115.2
1981.....	8.1	*	1.8	2.0	1.8	2.0	2.9	5.7	14.8	35.1	72.4	105.0
1980.....	8.4	1.1	1.6	2.3	2.1	2.1	3.2	6.2	14.7	35.3	71.5	117.1
1979.....	8.1	0.9	1.8	2.2	2.1	2.0	2.9	6.1	14.3	34.9	70.1	116.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 279												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
0 LEUKEMIA (204-208) TOTAL, FEMALE												
1998.....	6.6	*	0.8	0.7	1.0	1.1	1.7	3.3	7.9	18.9	39.4	65.8
1997.....	6.6	*	0.8	0.8	1.0	1.1	1.7	3.5	8.7	19.2	37.9	65.3
1996.....	6.8	*	0.8	0.8	1.0	1.2	1.7	3.5	8.5	20.0	40.8	64.6
1995.....	6.6	*	0.8	0.8	1.0	1.2	1.7	3.5	8.7	18.9	39.9	65.5
1994.....	6.6	*	1.1	0.9	1.0	1.1	1.8	3.8	8.5	19.1	38.3	68.1
1993.....	6.7	*	0.8	0.9	1.1	1.2	2.0	3.9	8.7	19.1	37.8	68.2
1992.....	6.6	*	1.1	0.9	1.1	1.3	1.8	4.0	9.0	19.0	38.0	67.7
1991.....	6.8	*	1.1	1.0	1.0	1.2	2.0	4.0	9.1	19.3	39.8	70.0
1990.....	6.6	*	1.1	0.8	1.2	1.3	2.2	4.1	8.8	18.8	38.8	65.0
1989.....	6.5	1.1	1.1	1.0	1.0	1.3	2.0	3.9	9.2	19.2	36.6	65.1
1988.....	6.3	*	1.3	0.9	1.0	1.1	2.1	4.0	8.6	17.9	37.1	63.9
1987.....	6.4	*	1.3	1.1	1.0	1.2	2.0	4.4	8.8	18.2	36.3	65.5
1986.....	6.3	*	1.2	1.2	1.0	1.3	2.2	4.3	9.1	18.3	37.2	62.1
1985.....	6.4	*	1.0	1.3	1.0	1.4	2.1	4.3	9.2	19.2	38.0	63.9
1984.....	6.4	*	1.2	1.1	1.2	1.3	2.3	4.7	9.3	19.2	37.9	63.0
1983.....	6.2	1.2	1.4	1.3	1.1	1.3	2.5	4.5	8.6	18.5	37.1	62.4
1982.....	6.3	*	1.4	1.3	1.4	1.5	2.2	4.3	8.4	18.3	38.2	63.5
1981.....	6.1	*	1.7	1.4	1.1	1.4	2.4	4.5	8.5	17.9	38.2	59.5
1980.....	6.3	0.7	1.3	1.4	1.4	1.6	2.6	4.4	9.3	18.7	38.5	61.1
1979.....	6.1	1.0	1.5	1.5	1.3	1.3	2.5	4.9	8.7	18.1	38.6	58.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 280												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 LEUKEMIA (204-208) WHITE, BOTH SEXES												
1998.....	8.2	*	0.8	0.9	1.3	1.2	2.0	3.8	10.2	27.9	53.9	78.8
1997.....	8.3	0.9	0.8	1.0	1.3	1.2	1.8	4.2	11.3	28.1	52.9	82.9
1996.....	8.3	0.9	1.0	0.9	1.2	1.4	1.8	4.3	11.3	28.2	54.1	82.6
1995.....	8.3	*	0.9	1.0	1.2	1.4	2.1	4.1	11.6	27.8	54.9	84.2
1994.....	8.2	*	1.0	1.0	1.4	1.5	2.0	4.5	11.6	27.1	52.4	84.2
1993.....	8.1	0.8	1.0	1.2	1.3	1.4	2.2	4.5	11.6	27.5	51.7	83.4
1992.....	8.2	1.0	1.2	1.2	1.3	1.5	2.1	4.6	12.0	27.1	52.4	83.9
1991.....	8.1	*	1.2	1.2	1.4	1.4	2.1	4.7	11.8	27.3	52.4	83.4
1990.....	8.0	*	1.2	1.1	1.5	1.5	2.3	4.8	11.6	26.9	52.4	81.5
1989.....	7.9	1.0	1.1	1.3	1.3	1.6	2.3	4.6	12.0	27.1	51.2	77.3
1988.....	7.7	*	1.3	1.3	1.4	1.3	2.5	4.8	11.4	25.1	51.0	79.3
1987.....	7.6	0.9	1.4	1.5	1.3	1.5	2.4	4.8	11.4	25.2	49.5	78.6
1986.....	7.7	*	1.4	1.4	1.5	1.6	2.4	4.9	11.5	26.1	51.2	77.7
1985.....	7.8	0.9	1.3	1.5	1.4	1.6	2.5	5.0	11.8	26.3	51.3	81.2
1984.....	7.7	0.9	1.3	1.4	1.5	1.5	2.6	5.3	12.0	26.1	50.7	79.5
1983.....	7.6	1.1	1.8	1.6	1.5	1.6	2.6	5.2	11.4	25.9	50.3	81.8
1982.....	7.7	0.9	1.5	1.7	1.7	1.6	2.7	5.0	11.0	26.0	52.6	82.2
1981.....	7.5	*	1.8	1.7	1.5	1.7	2.5	5.1	11.6	25.8	52.0	75.6
1980.....	7.7	0.9	1.5	2.0	1.7	1.9	2.9	5.3	11.9	26.5	52.2	81.0
1979.....	7.5	1.0	1.7	2.0	1.8	1.7	2.6	5.5	11.4	25.9	52.0	78.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 281
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 LEUKEMIA (204-208) WHITE MALE													
1998	9.2	*	0.7	1.0	1.6	1.4	2.4	4.5	12.8	38.1	74.3	105.5
1997	9.3	*	0.9	1.1	1.5	1.5	2.0	4.9	13.9	38.4	74.0	121.8
1996	9.3	*	1.2	1.0	1.4	1.7	2.1	5.1	14.1	37.8	73.3	124.7
1995	9.5	*	1.1	1.2	1.4	1.6	2.5	4.8	14.5	38.0	77.3	128.0
1994	9.2	*	1.1	1.1	1.8	1.9	2.2	5.3	14.8	36.4	73.4	122.2
1993	9.2	*	1.2	1.4	1.5	1.6	2.5	5.2	14.8	37.7	72.9	120.3
1992	9.2	*	1.3	1.5	1.6	1.8	2.5	5.1	15.2	37.0	74.1	122.0
1991	8.9	*	1.1	1.4	1.7	1.6	2.2	5.3	14.8	37.0	71.0	114.6
1990	9.0	*	1.3	1.3	1.8	1.8	2.4	5.6	14.8	36.4	73.9	120.7
1989	8.9	*	1.2	1.5	1.6	1.9	2.6	5.4	14.9	36.6	73.6	104.9
1988	8.7	*	1.3	1.6	1.8	1.6	2.9	5.6	14.3	34.1	74.0	115.0
1987	8.5	*	1.4	1.8	1.6	1.7	2.8	5.4	14.2	33.9	70.9	107.9
1986	8.7	*	1.7	1.6	2.0	1.8	2.7	5.6	14.3	35.5	73.9	114.9
1985	8.7	*	1.5	1.7	1.7	1.7	3.0	5.7	14.8	35.2	71.8	119.6
1984	8.6	*	1.3	1.7	1.8	1.7	3.1	5.9	14.9	34.8	70.8	115.9
1983	8.7	*	2.1	1.7	1.8	1.9	2.9	6.1	14.5	35.4	71.8	125.6
1982	8.7	*	1.6	2.0	1.9	1.8	3.3	5.9	14.1	35.5	75.7	120.8
1981	8.6	*	1.8	2.0	1.9	2.0	2.8	5.7	15.0	36.1	74.7	109.4
1980	8.8	1.1	1.6	2.5	2.0	2.2	3.3	6.3	14.9	35.9	74.3	121.6
1979	8.6	0.9	1.9	2.4	2.2	2.0	2.8	6.1	14.4	35.8	72.9	121.1

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 282	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 LEUKEMIA (204-208)													
WHITE FEMALE													
1998.....		7.2	*	0.9	0.7	1.0	1.1	1.7	3.2	7.8	19.5	40.2	67.8
1997.....		7.2	*	0.8	0.8	1.0	1.0	1.7	3.6	8.8	19.7	39.0	67.4
1996.....		7.3	*	0.9	0.8	0.9	1.1	1.6	3.5	8.6	20.4	41.6	66.2
1995.....		7.2	*	0.7	0.8	0.9	1.1	1.7	3.4	8.9	19.4	40.6	67.3
1994.....		7.2	*	1.0	0.9	1.0	1.1	1.8	3.7	8.6	19.7	39.1	69.7
1993.....		7.2	*	0.8	1.0	1.0	1.2	1.9	3.8	8.8	19.4	38.6	69.4
1992.....		7.2	*	1.1	1.0	1.1	1.3	1.7	4.1	9.0	19.3	39.1	69.3
1991.....		7.3	*	1.2	1.0	1.0	1.2	2.0	4.0	9.1	19.6	41.1	71.6
1990.....		7.1	*	1.1	0.9	1.2	1.2	2.2	4.1	8.7	19.3	39.6	66.6
1989.....		7.0	1.3	0.9	1.1	1.1	1.3	2.0	3.9	9.3	19.5	37.8	66.8
1988.....		6.7	*	1.3	0.9	1.0	1.0	2.1	4.0	8.8	18.1	37.5	65.5
1987.....		6.8	*	1.3	1.2	1.0	1.2	2.0	4.3	8.8	18.4	37.0	67.2
1986.....		6.8	*	1.2	1.2	1.0	1.3	2.1	4.3	8.9	18.7	37.8	63.2
1985.....		6.9	*	1.1	1.3	1.0	1.4	2.1	4.4	9.2	19.4	39.3	66.2
1984.....		6.9	*	1.2	1.2	1.2	1.3	2.1	4.7	9.3	19.4	39.0	65.1
1983.....		6.6	*	1.4	1.4	1.1	1.2	2.4	4.4	8.7	18.6	37.7	64.2
1982.....		6.7	*	1.3	1.4	1.4	1.5	2.2	4.3	8.2	18.7	39.1	66.4
1981.....		6.5	*	1.7	1.4	1.2	1.4	2.3	4.5	8.6	17.9	38.8	61.4
1980.....		6.7	0.7	1.3	1.5	1.4	1.6	2.5	4.3	9.3	19.3	39.3	63.5
1979.....		6.5	1.1	1.5	1.6	1.3	1.4	2.5	4.9	8.8	18.4	39.8	59.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 283												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 LEUKEMIA (204-208) ALL OTHER, BOTH SEXES												
1998.....	4.5	*	0.8	0.8	0.9	1.4	2.4	4.5	10.5	19.8	38.1	54.9
1997.....	4.4	*	1.0	0.8	1.0	1.6	2.3	4.0	10.1	21.6	35.8	49.6
1996.....	4.6	*	0.7	0.9	1.2	1.4	2.0	4.3	10.2	23.3	40.3	60.8
1995.....	4.6	*	1.2	1.1	1.2	1.7	1.8	4.5	10.4	21.5	41.0	55.1
1994.....	4.5	*	1.2	0.8	1.3	1.5	2.1	4.3	10.9	20.8	38.4	61.1
1993.....	4.7	*	0.9	0.9	1.5	1.8	2.4	4.8	11.1	21.5	40.1	60.7
1992.....	4.4	*	0.8	0.9	1.3	1.7	2.2	4.6	10.6	21.0	37.5	55.1
1991.....	4.6	*	1.1	1.0	1.2	1.4	2.5	5.1	10.9	21.5	38.7	62.4
1990.....	4.6	*	0.9	1.0	1.3	1.7	2.7	4.8	11.5	21.8	38.8	54.9
1989.....	4.6	*	1.2	1.1	1.4	1.5	2.6	4.5	11.2	23.4	37.3	56.6
1988.....	4.5	*	1.2	1.1	1.2	1.4	2.8	4.4	9.5	21.8	40.7	57.7
1987.....	4.6	*	1.3	1.1	1.5	1.6	2.6	5.0	10.7	21.4	37.8	55.0
1986.....	4.5	*	1.0	1.1	1.2	1.6	2.7	4.3	11.9	20.6	37.7	55.4
1985.....	4.5	*	1.2	1.4	1.1	1.5	2.4	4.7	11.6	22.7	35.9	47.8
1984.....	4.6	*	1.1	1.3	1.5	1.3	3.2	5.5	10.7	22.2	35.3	44.7
1983.....	4.6	*	1.4	1.2	1.1	1.8	3.0	5.3	10.6	23.0	36.5	51.7
1982.....	4.6	*	1.6	1.4	1.6	1.5	2.8	5.1	11.8	20.1	39.8	40.2
1981.....	4.5	*	1.7	1.5	1.1	1.8	3.3	4.9	10.0	21.0	38.6	44.7
1980.....	4.6	0.8	1.3	1.2	1.8	1.9	2.9	5.6	11.0	20.0	35.5	45.7
1979.....	4.5	0.8	1.6	1.2	1.6	1.6	3.2	5.4	10.6	20.3	32.4	49.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 284												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 LEUKEMIA (204-208) ALL OTHER MALE												
1998.....	5.0	*	*	0.9	1.0	1.8	3.2	5.3	12.9	26.3	48.9	73.1
1997.....	4.9	*	*	0.9	1.3	1.9	2.6	4.7	13.1	28.9	48.7	62.1
1996.....	5.2	*	*	0.9	1.4	1.7	2.2	5.0	13.4	31.5	52.8	86.1
1995.....	5.1	*	1.2	1.2	1.3	2.0	2.0	5.2	14.0	30.2	53.6	76.4
1994.....	5.1	*	*	0.9	1.6	2.0	2.5	4.8	14.7	28.8	52.0	83.6
1993.....	5.3	*	*	1.1	1.8	2.4	2.9	5.3	14.6	28.0	56.6	72.1
1992.....	5.0	*	*	1.2	1.6	2.0	2.7	5.9	13.0	27.6	54.5	68.3
1991.....	5.2	*	1.4	1.0	1.5	1.8	3.0	6.5	12.9	28.0	56.5	84.9
1990.....	5.3	*	*	1.3	1.3	1.9	3.2	5.8	14.0	32.1	53.0	72.5
1989.....	5.5	*	*	1.4	1.7	1.8	3.2	5.2	14.8	32.9	57.7	77.8
1988.....	5.1	*	*	1.2	1.5	1.7	3.7	5.2	12.7	29.5	52.8	84.8
1987.....	5.1	*	*	1.2	1.7	1.9	3.0	5.3	13.6	27.7	52.4	75.3
1986.....	5.0	*	*	1.3	1.6	1.9	3.1	4.8	14.2	28.5	49.5	66.7
1985.....	5.2	*	1.8	1.7	1.3	1.6	2.7	6.0	14.4	29.4	52.7	69.9
1984.....	5.2	*	*	1.4	1.9	1.6	3.5	6.5	13.1	28.9	49.7	58.3
1983.....	5.2	*	1.6	1.3	1.6	2.1	3.1	6.3	13.4	29.5	46.9	71.4
1982.....	5.3	*	*	1.7	2.0	1.5	3.0	5.9	14.4	26.5	56.6	61.2
1981.....	5.1	*	1.6	1.9	1.4	2.1	3.7	5.8	12.5	26.0	50.2	60.9
1980.....	5.3	0.9	1.4	1.3	2.3	2.1	3.0	6.0	13.6	29.1	44.7	70.8
1979.....	5.2	1.0	1.5	1.4	1.8	2.1	3.8	5.8	13.6	26.6	43.7	62.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 285												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 LEUKEMIA (204-208) ALL OTHER FEMALE												
1998.....	4.0	*	*	0.7	0.7	1.1	1.7	3.7	8.7	15.1	31.3	46.6
1997.....	3.9	*	*	0.7	0.7	1.2	2.0	3.3	7.8	16.3	27.9	43.9
1996.....	4.1	*	*	0.9	1.0	1.2	1.9	3.6	7.7	17.4	32.7	49.4
1995.....	4.1	*	1.2	1.1	1.1	1.5	1.7	3.9	7.6	15.2	33.4	45.9
1994.....	3.9	*	1.2	0.7	1.1	1.1	1.8	3.9	8.0	15.1	30.2	51.4
1993.....	4.2	*	*	0.7	1.2	1.3	2.0	4.3	8.4	16.8	30.3	55.7
1992.....	3.9	*	*	0.7	1.1	1.4	1.8	3.6	8.6	16.2	27.4	49.2
1991.....	4.0	*	*	0.9	0.9	1.0	2.0	3.9	9.3	16.9	27.9	51.9
1990.....	4.1	*	*	0.8	1.2	1.6	2.3	3.9	9.5	14.5	30.4	46.9
1989.....	3.8	*	1.6	0.8	1.0	1.2	2.1	3.9	8.4	16.5	24.9	46.9
1988.....	3.9	*	1.5	1.0	0.9	1.2	2.1	3.6	6.9	16.3	33.5	45.0
1987.....	4.1	*	1.5	0.9	1.3	1.3	2.2	4.8	8.5	16.9	28.8	45.4
1986.....	4.0	*	*	1.0	0.8	1.4	2.3	3.9	10.0	14.9	30.4	50.0
1985.....	3.8	*	*	1.1	0.9	1.4	2.2	3.6	9.5	17.9	25.3	37.3
1984.....	4.0	*	*	1.1	1.1	1.1	3.0	4.7	8.9	17.3	26.3	37.9
1983.....	4.1	*	*	1.1	0.7	1.5	2.8	4.5	8.2	18.3	29.8	41.7
1982.....	4.0	*	1.8	1.1	1.3	1.5	2.6	4.5	9.7	15.3	29.0	29.3
1981.....	4.0	*	1.8	1.1	0.9	1.5	2.9	4.2	7.9	17.3	31.1	36.5
1980.....	3.9	0.6	1.2	1.1	1.4	1.7	2.8	5.2	8.9	13.1	29.4	32.9
1979.....	3.9	0.7	1.6	1.1	1.3	1.2	2.7	5.1	8.1	15.4	24.8	43.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	286	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
0 LEUKEMIA (204-208) BLACK, BOTH SEXES															
1998.....		5.1	*	*	0.7	0.9	1.6	2.7	5.0	12.3	22.0	43.3	58.1		
1997.....		4.9	*	1.0	0.8	1.1	1.7	2.4	4.4	11.5	24.0	40.0	54.7		
1996.....		5.3	*	*	0.9	1.2	1.6	2.2	4.8	11.9	25.4	46.6	66.4		
1995.....		5.1	*	1.3	1.1	1.2	1.8	1.9	5.2	12.2	24.2	43.0	56.6		
1994.....		5.0	*	1.1	0.8	1.4	1.5	2.3	4.8	12.4	23.3	40.7	65.0		
1993.....		5.2	*	*	0.9	1.6	1.9	2.7	5.3	12.5	23.8	42.7	60.0		
1992.....		5.0	*	*	0.9	1.3	1.8	2.6	5.1	12.3	22.8	41.6	61.6		
1991.....		5.2	*	1.2	0.9	1.2	1.5	2.6	5.7	12.4	24.2	41.6	67.7		
1990.....		5.2	*	*	1.0	1.3	1.8	2.7	5.7	13.0	24.5	42.2	59.7		
1989.....		5.1	*	1.0	1.0	1.5	1.4	2.7	5.1	12.1	24.8	41.3	60.0		
1988.....		5.0	*	1.1	0.9	1.3	1.6	3.0	4.5	10.3	23.9	43.8	62.6		
1987.....		5.0	*	1.0	1.0	1.5	1.6	2.6	5.7	12.0	23.0	40.6	59.1		
1986.....		5.0	*	1.1	1.1	1.3	1.8	2.8	4.6	13.2	22.3	41.1	59.2		
1985.....		4.9	*	0.9	1.4	1.0	1.4	2.8	4.9	12.4	24.9	37.9	51.3		
1984.....		5.0	*	1.1	1.3	1.5	1.5	3.6	5.6	11.5	23.8	37.5	46.3		
1983.....		5.0	*	1.3	1.2	1.1	2.0	3.1	5.8	11.4	24.7	37.7	53.8		
1982.....		5.0	*	1.6	1.5	1.6	1.6	3.1	5.3	12.9	21.7	41.5	40.3		
1981.....		4.9	*	1.8	1.5	1.2	1.9	3.4	5.2	10.7	22.4	41.6	46.4		
1980.....		4.9	0.9	1.4	1.2	1.8	2.1	3.0	5.9	11.8	20.8	38.3	49.0		
1979.....		4.8	0.8	1.5	1.2	1.7	1.6	3.2	6.0	11.5	21.5	34.0	52.6		

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	287
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 LEUKEMIA (204-208) BLACK MALE													
1998.....		5.7	*	*	0.8	1.1	2.3	3.6	6.2	15.7	28.6	55.7	79.0
1997.....		5.6	*	*	0.7	1.4	2.2	3.0	5.4	15.3	32.8	54.2	72.4
1996.....		5.9	*	*	0.9	1.3	2.1	2.5	5.8	15.5	33.3	63.3	99.6
1995.....		5.8	*	*	1.0	1.2	2.2	2.3	6.2	17.0	34.6	57.7	78.3
1994.....		5.7	*	*	0.9	1.8	2.1	2.6	5.4	16.9	33.5	55.7	86.4
1993.....		5.9	*	*	1.0	1.9	2.4	3.1	6.0	17.0	32.5	62.1	68.6
1992.....		5.6	*	*	1.1	1.5	2.1	3.2	6.5	15.6	30.2	59.7	73.2
1991.....		5.9	*	*	1.0	1.5	2.1	3.2	7.1	15.1	31.5	62.1	95.7
1990.....		5.9	*	*	1.3	1.2	2.0	3.2	6.9	16.6	36.0	58.1	83.0
1989.....		6.1	*	*	1.5	1.9	1.7	3.3	6.3	15.2	35.6	65.1	86.4
1988.....		5.7	*	*	1.0	1.7	2.0	4.1	5.7	13.3	32.4	57.6	101.5
1987.....		5.6	*	*	1.1	1.6	2.1	2.9	6.0	15.2	31.2	58.1	81.3
1986.....		5.6	*	*	1.4	1.8	2.1	3.2	5.1	15.6	31.5	54.6	73.0
1985.....		5.7	*	*	1.7	1.2	1.5	3.3	6.5	15.0	32.6	56.8	77.4
1984.....		5.7	*	*	1.5	1.8	1.8	4.1	6.6	14.0	30.4	55.8	60.7
1983.....		5.6	*	*	1.4	1.4	2.3	3.4	6.7	14.9	30.9	50.2	78.3
1982.....		5.7	*	*	1.8	2.1	1.6	3.3	6.2	15.9	28.6	59.3	63.8
1981.....		5.5	*	*	2.0	1.6	2.2	4.0	5.8	13.5	26.9	53.6	64.3
1980.....		5.7	1.1	1.6	1.3	2.4	2.4	3.1	5.9	14.8	30.7	47.8	75.5
1979.....		5.4	0.8	1.4	1.3	1.9	2.0	3.9	6.0	14.7	28.9	45.4	69.2

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 288	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 LEUKEMIA (204-208) BLACK FEMALE													
1998.....		4.5	*	*	0.7	0.8	1.1	1.9	4.1	9.7	17.2	35.9	49.5
1997.....		4.3	*	*	0.8	0.8	1.3	1.9	3.6	8.6	17.6	31.6	47.4
1996.....		4.7	*	*	0.9	1.1	1.2	1.9	4.1	9.2	19.8	36.8	52.7
1995.....		4.5	*	*	1.1	1.2	1.5	1.6	4.3	8.5	16.9	34.6	47.7
1994.....		4.4	*	*	*	1.1	1.0	2.0	4.3	9.0	16.0	32.3	56.3
1993.....		4.6	*	*	0.9	1.2	1.4	2.3	4.7	9.0	17.7	31.9	56.5
1992.....		4.5	*	*	*	1.1	1.5	2.1	3.9	9.7	17.7	31.4	56.7
1991.....		4.5	*	*	0.9	0.9	1.0	2.2	4.5	10.3	19.1	30.2	55.8
1990.....		4.6	*	*	*	1.3	1.7	2.4	4.7	10.2	16.5	33.3	49.9
1989.....		4.2	*	*	*	1.1	1.2	2.2	4.2	9.6	17.4	27.8	49.0
1988.....		4.3	*	*	*	0.9	1.3	2.1	3.4	7.9	17.9	35.9	45.6
1987.....		4.5	*	*	0.9	1.4	1.2	2.4	5.5	9.4	17.3	30.4	49.3
1986.....		4.5	*	*	0.9	0.9	1.5	2.5	4.1	11.3	15.9	33.2	52.9
1985.....		4.2	*	*	1.1	0.9	1.4	2.3	3.5	10.4	19.6	26.7	39.1
1984.....		4.4	*	*	1.1	1.3	1.3	3.1	4.7	9.4	19.2	26.6	39.5
1983.....		4.4	*	*	1.1	0.8	1.6	2.9	5.0	8.6	20.2	30.0	41.9
1982.....		4.4	*	*	1.1	1.2	1.6	3.0	4.5	10.5	16.6	30.5	28.8
1981.....		4.4	*	*	1.1	0.8	1.7	2.8	4.7	8.4	19.2	34.0	37.2
1980.....		4.2	0.8	1.2	1.1	1.3	1.8	2.9	5.9	9.3	13.7	32.2	35.8
1979.....		4.2	0.8	1.6	1.2	1.4	1.2	2.6	6.0	8.9	16.1	26.4	44.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 289
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)
 TOTAL, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	13.0	*	*	0.1	0.7	1.6	2.9	7.9	21.6	51.3	94.4	114.3
1997	13.3	*	*	0.2	0.7	1.8	3.3	8.3	23.0	52.4	93.9	116.8
1996	13.0	*	*	0.2	0.7	1.8	3.4	8.2	23.0	51.3	93.2	113.8
1995	13.0	*	*	0.2	0.7	1.9	3.6	8.6	22.9	51.7	91.6	115.5
1994	12.8	*	*	0.2	0.7	1.8	3.4	8.8	23.2	51.0	90.8	111.7
1993	12.5	*	0.1	0.2	0.7	1.9	3.4	8.1	22.1	49.8	89.6	109.4
1992	12.2	*	*	0.2	0.9	2.1	3.5	8.4	21.6	48.8	86.7	105.4
1991	12.2	*	*	0.2	0.9	1.9	3.6	8.6	22.2	48.5	86.2	106.2
1990	11.7	*	*	0.2	0.8	2.0	3.3	8.4	21.7	47.1	83.7	104.1
1989	11.5	*	0.2	0.3	0.8	1.8	3.5	8.3	21.9	46.3	82.6	98.0
1988	11.1	*	0.2	0.3	0.8	1.8	3.4	8.3	21.1	45.2	78.9	94.2
1987	10.9	*	*	0.2	0.9	1.7	3.0	8.3	20.8	45.2	77.0	91.7
1986	10.9	*	0.2	0.3	1.0	1.9	3.4	8.3	20.2	46.4	76.6	87.7
1985	10.6	*	0.2	0.3	1.0	1.8	3.4	8.2	21.2	43.8	74.3	85.4
1984	10.2	*	0.1	0.3	1.0	1.8	3.4	8.3	21.0	42.6	71.8	79.9
1983	10.0	*	0.2	0.4	1.0	1.7	3.1	8.3	20.6	42.6	70.8	78.9
1982	9.8	*	0.2	0.4	0.9	1.7	3.3	8.7	20.0	41.2	69.6	77.3
1981	9.4	*	0.2	0.4	1.0	1.7	3.2	8.0	19.9	39.3	67.5	71.1
1980	9.5	0.1	0.2	0.4	1.0	1.8	3.3	8.4	20.4	40.3	66.0	72.2
1979	9.1	0.1	0.3	0.4	0.9	1.8	3.0	8.6	19.5	39.5	63.1	66.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 290
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	13.9	*	*	0.2	0.8	2.1	3.9	10.2	26.5	61.9	112.6	153.1
1997.....	14.1	*	*	0.2	0.8	2.4	4.3	10.9	27.6	63.5	114.1	148.8
1996.....	13.9	*	*	0.2	0.8	2.3	4.6	10.3	27.8	61.6	113.4	153.7
1995.....	13.8	*	*	0.2	0.9	2.6	4.9	11.0	27.7	61.3	109.3	154.2
1994.....	13.6	*	*	0.3	0.8	2.4	4.6	11.2	28.3	61.6	109.0	155.1
1993.....	13.0	*	*	0.3	0.8	2.5	4.7	10.3	26.1	59.0	107.8	145.6
1992.....	13.0	*	*	0.2	1.0	2.7	4.9	10.8	26.5	58.7	106.5	138.9
1991.....	12.8	*	*	0.3	1.0	2.6	5.1	11.0	26.7	57.9	104.1	140.7
1990.....	12.6	*	*	0.3	1.0	2.7	4.5	10.9	27.2	56.8	104.5	140.5
1989.....	12.3	*	*	0.4	1.0	2.5	4.7	10.5	26.7	55.3	101.4	131.8
1988.....	11.8	*	*	0.4	1.0	2.4	4.4	10.5	26.1	53.6	96.8	129.1
1987.....	11.5	*	*	0.3	1.1	2.2	4.2	10.5	25.1	55.0	92.9	114.8
1986.....	11.6	*	0.3	0.5	1.1	2.7	4.7	10.3	24.3	56.7	94.0	111.8
1985.....	11.3	*	*	0.3	1.2	2.4	4.6	10.0	25.3	53.2	92.8	114.8
1984.....	10.8	*	*	0.4	1.2	2.3	4.3	10.1	25.2	51.0	86.4	103.6
1983.....	10.7	*	*	0.5	1.2	2.1	4.1	10.0	25.2	50.9	87.1	106.6
1982.....	10.5	*	0.3	0.6	1.1	2.3	4.4	10.7	24.0	49.5	84.1	98.6
1981.....	9.9	*	*	0.5	1.2	2.2	4.0	10.0	23.5	46.2	80.7	91.3
1980.....	10.1	0.1	0.2	0.6	1.3	2.2	4.3	10.2	24.4	48.1	80.0	93.2
1979.....	10.0	0.3	0.3	0.7	1.2	2.3	4.1	10.8	23.7	48.2	78.5	91.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 291
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	12.2	*	*	*	0.5	1.1	1.9	5.6	17.2	42.8	82.4	98.3
1997.....	12.5	*	*	0.2	0.5	1.1	2.3	5.8	18.9	43.5	80.7	103.9
1996.....	12.3	*	*	*	0.6	1.3	2.2	6.2	18.6	43.0	80.2	98.0
1995.....	12.3	*	*	*	0.5	1.1	2.3	6.2	18.6	44.0	80.3	100.4
1994.....	12.1	*	*	*	0.6	1.3	2.2	6.6	18.6	42.5	79.3	94.9
1993.....	11.9	*	*	0.1	0.6	1.3	2.0	6.0	18.4	42.5	78.4	95.5
1992.....	11.4	*	*	0.1	0.6	1.4	2.2	6.1	17.3	41.0	74.6	92.5
1991.....	11.5	*	*	*	0.7	1.2	2.2	6.4	18.1	41.1	75.4	92.8
1990.....	10.9	*	*	*	0.6	1.2	2.1	6.0	16.7	39.5	71.2	90.0
1989.....	10.9	*	*	0.2	0.6	1.1	2.3	6.2	17.7	39.4	71.3	84.9
1988.....	10.5	*	*	0.1	0.6	1.2	2.4	6.2	16.7	38.6	68.3	80.6
1987.....	10.3	*	*	0.1	0.7	1.2	1.9	6.1	16.9	37.6	67.6	82.6
1986.....	10.2	*	*	0.2	0.8	1.2	2.2	6.5	16.6	38.4	66.4	78.2
1985.....	9.9	*	*	0.2	0.7	1.3	2.3	6.5	17.6	36.6	63.5	73.7
1984.....	9.7	*	*	0.2	0.7	1.2	2.4	6.5	17.4	36.1	63.2	70.3
1983.....	9.4	*	*	0.2	0.8	1.2	2.1	6.7	16.6	36.1	61.2	67.6
1982.....	9.2	*	*	0.2	0.7	1.2	2.2	6.9	16.4	34.8	61.0	68.5
1981.....	8.9	*	*	0.3	0.8	1.2	2.3	6.2	16.7	34.0	59.7	62.5
1980.....	8.8	-	0.2	0.2	0.7	1.3	2.4	6.6	16.8	34.4	57.8	63.0
1979.....	8.3	-	0.2	0.2	0.6	1.4	2.1	6.5	15.9	32.8	53.9	54.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 292
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)
 WHITE, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	14.0	*	*	0.1	0.7	1.5	2.8	7.6	21.3	52.0	95.9	116.2
1997.....	14.2	*	*	0.2	0.7	1.7	3.1	8.1	22.9	53.2	95.3	118.9
1996.....	14.0	*	*	0.1	0.7	1.7	3.3	8.0	22.7	51.6	94.5	116.2
1995.....	14.0	*	*	0.1	0.6	1.8	3.6	8.4	22.6	52.6	92.8	116.9
1994.....	13.8	*	*	0.2	0.7	1.8	3.4	8.6	22.9	51.8	92.2	113.1
1993.....	13.3	*	*	0.2	0.7	1.9	3.3	7.9	22.0	50.0	90.7	110.1
1992.....	13.0	*	*	0.2	0.9	2.0	3.4	8.3	21.3	49.4	87.8	106.6
1991.....	12.9	*	*	0.2	0.9	1.8	3.5	8.6	22.0	48.3	86.6	108.5
1990.....	12.5	*	*	0.2	0.8	2.0	3.2	8.2	21.5	47.1	84.9	105.9
1989.....	12.3	*	*	0.3	0.8	1.8	3.5	8.1	21.9	46.6	83.5	99.4
1988.....	11.8	*	0.2	0.3	0.8	1.8	3.3	8.1	21.0	45.3	79.9	95.8
1987.....	11.5	*	*	0.2	0.9	1.7	3.0	8.1	20.8	45.2	77.8	92.3
1986.....	11.5	*	0.2	0.3	1.0	2.0	3.4	8.2	20.0	46.3	77.2	89.0
1985.....	11.1	*	0.2	0.3	1.0	1.8	3.4	8.2	21.0	43.9	74.6	86.6
1984.....	10.8	*	*	0.3	1.0	1.7	3.4	8.1	20.8	43.0	72.5	81.8
1983.....	10.6	*	0.2	0.3	1.0	1.7	3.1	8.2	20.4	42.8	71.0	80.1
1982.....	10.3	*	0.2	0.4	1.0	1.7	3.3	8.7	19.9	41.2	70.0	78.4
1981.....	9.8	*	0.2	0.4	1.0	1.7	3.1	8.0	19.7	39.0	68.2	71.4
1980.....	9.9	0.0	0.2	0.4	1.1	1.8	3.3	8.3	20.0	40.5	66.6	73.4
1979.....	9.5	0.1	0.3	0.5	1.0	1.8	3.1	8.5	19.3	39.6	64.3	66.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 293
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	14.9	*	*	0.2	0.9	2.1	3.8	9.9	26.1	62.8	114.4	156.6
1997.....	15.0	*	*	0.2	0.8	2.4	4.0	10.6	27.3	64.4	115.4	152.0
1996.....	14.7	*	*	0.2	0.8	2.2	4.5	10.0	27.5	61.8	114.8	158.4
1995.....	14.7	*	*	0.2	0.8	2.5	4.9	10.7	27.6	62.3	110.5	155.9
1994.....	14.6	*	*	0.3	0.7	2.3	4.5	11.0	27.8	62.5	111.1	157.8
1993.....	13.8	*	*	0.3	0.8	2.5	4.6	10.1	26.1	58.7	109.2	145.4
1992.....	13.8	*	*	0.2	1.1	2.7	4.7	10.7	25.9	59.2	107.9	141.0
1991.....	13.6	*	*	0.4	1.1	2.5	5.0	10.9	26.4	57.7	104.6	145.2
1990.....	13.3	*	*	0.4	1.0	2.8	4.4	10.7	26.9	56.6	105.9	142.0
1989.....	12.9	*	*	0.4	1.0	2.4	4.7	10.1	26.6	55.5	102.4	132.9
1988.....	12.5	*	*	0.4	1.0	2.5	4.3	10.2	26.1	53.8	97.8	132.7
1987.....	12.1	*	*	0.4	1.1	2.2	4.1	10.4	25.2	54.6	92.9	115.1
1986.....	12.1	*	*	0.5	1.1	2.8	4.6	10.2	23.9	56.2	93.7	113.9
1985.....	11.9	*	*	0.4	1.3	2.4	4.6	9.9	25.0	53.2	93.7	117.6
1984.....	11.3	*	*	0.4	1.3	2.3	4.3	9.9	24.7	51.5	86.8	107.3
1983.....	11.2	*	*	0.5	1.2	2.1	4.1	9.8	24.6	51.2	86.9	107.5
1982.....	10.9	*	*	0.6	1.2	2.3	4.4	10.5	23.9	49.3	84.3	99.7
1981.....	10.3	*	*	0.5	1.2	2.3	3.9	9.9	23.4	45.8	81.1	92.3
1980.....	10.5	0.1	0.2	0.6	1.4	2.3	4.3	10.2	24.0	47.8	80.4	95.7
1979.....	10.4	0.2	0.3	0.7	1.3	2.3	4.1	10.7	23.2	48.6	80.1	92.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 294
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	13.1	*	*	*	0.5	1.0	1.8	5.4	16.7	43.0	83.6	99.7
1997.....	13.5	*	*	0.2	0.5	1.1	2.2	5.6	18.7	44.0	82.1	105.7
1996.....	13.2	*	*	*	0.6	1.2	2.1	6.2	18.3	43.3	81.3	99.6
1995.....	13.3	*	*	*	0.4	1.1	2.2	6.1	18.0	44.7	81.5	101.9
1994.....	13.0	*	*	*	0.6	1.3	2.2	6.3	18.4	43.2	80.2	96.0
1993.....	12.8	*	*	*	0.6	1.3	2.0	5.7	18.1	43.1	79.2	96.7
1992.....	12.3	*	*	0.1	0.7	1.4	2.1	5.9	17.1	41.5	75.4	93.5
1991.....	12.3	*	*	*	0.7	1.1	2.1	6.3	18.0	40.9	75.8	94.6
1990.....	11.6	*	*	*	0.6	1.2	2.0	5.8	16.5	39.6	72.3	92.1
1989.....	11.6	*	*	0.2	0.6	1.1	2.2	6.1	17.6	39.6	72.2	86.6
1988.....	11.2	*	*	0.2	0.6	1.2	2.4	6.0	16.4	38.7	69.3	81.6
1987.....	11.0	*	*	*	0.7	1.2	1.9	6.0	16.9	37.8	68.9	83.4
1986.....	10.9	*	*	0.2	0.9	1.2	2.2	6.2	16.6	38.6	67.5	79.2
1985.....	10.4	*	*	0.2	0.7	1.2	2.3	6.4	17.5	36.7	63.4	74.5
1984.....	10.3	*	*	0.2	0.7	1.2	2.5	6.4	17.2	36.4	64.1	71.8
1983.....	10.0	*	*	*	0.8	1.2	2.1	6.7	16.6	36.4	61.8	69.1
1982.....	9.8	*	*	0.2	0.8	1.2	2.2	6.9	16.4	34.9	61.6	69.7
1981.....	9.4	*	*	0.2	0.9	1.2	2.2	6.1	16.5	33.8	60.8	62.7
1980.....	9.3	-	0.2	0.2	0.7	1.3	2.4	6.5	16.5	34.9	58.5	63.8
1979.....	8.7	-	0.2	0.2	0.6	1.4	2.0	6.4	15.8	32.7	55.0	55.2

OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)
 ALL OTHER, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	8.6	*	*	*	0.6	1.8	3.5	9.3	24.0	46.8	80.6	96.7
1997.....	8.7	*	*	*	0.8	1.9	4.4	9.7	24.1	46.7	80.4	96.7
1996.....	8.6	*	*	*	0.7	2.0	4.0	8.9	24.4	48.6	81.4	91.2
1995.....	8.4	*	*	*	0.8	2.2	3.9	9.7	24.9	45.0	79.9	100.4
1994.....	8.2	*	*	*	0.7	2.0	3.5	10.1	24.6	44.2	77.2	97.2
1993.....	8.2	*	*	*	0.7	1.9	3.5	9.6	22.7	48.0	79.1	102.4
1992.....	8.1	*	*	*	0.8	2.2	4.2	9.3	23.8	44.2	76.4	93.0
1991.....	8.3	*	*	*	0.8	2.2	4.1	9.0	23.5	50.0	82.5	81.8
1990.....	7.8	*	*	*	0.8	1.8	3.8	9.7	23.2	46.8	72.2	85.2
1989.....	7.7	*	*	*	0.8	2.0	3.5	9.9	22.2	44.4	73.6	84.0
1988.....	7.4	*	*	*	0.7	1.6	3.5	9.9	21.6	43.9	68.8	77.8
1987.....	7.3	*	*	*	0.8	1.5	3.3	9.1	20.3	45.2	69.0	85.4
1986.....	7.6	*	*	0.4	0.7	1.6	3.7	9.3	21.7	47.1	71.2	74.5
1985.....	7.3	*	*	*	0.8	1.9	3.5	8.3	22.5	43.4	71.6	71.9
1984.....	7.0	*	*	*	0.8	1.9	3.3	9.1	23.1	38.8	64.8	58.5
1983.....	7.0	*	*	0.4	0.9	1.6	3.1	9.0	22.5	40.1	68.4	65.1
1982.....	6.8	*	*	0.3	0.7	1.6	3.2	9.4	20.2	41.4	65.1	65.8
1981.....	6.8	*	*	*	0.9	1.4	3.8	8.3	21.3	42.1	60.0	67.4
1980.....	6.7	0.2	0.2	0.3	0.8	1.6	3.2	8.9	23.1	39.1	59.7	58.0
1979.....	6.5	0.3	0.3	0.3	0.7	1.8	3.0	9.3	21.9	38.1	50.5	60.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 296
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	9.1	*	*	*	0.7	2.3	4.4	12.2	28.6	54.6	94.9	122.4
1997.....	9.6	*	*	*	1.0	2.4	5.9	12.9	29.6	56.5	101.2	121.5
1996.....	9.4	*	*	*	0.8	2.8	5.4	12.1	30.0	59.5	99.8	112.3
1995.....	9.1	*	*	*	1.1	3.0	5.3	12.8	28.4	53.6	97.2	138.5
1994.....	8.9	*	*	*	0.8	2.6	4.9	12.5	31.3	54.1	87.9	130.2
1993.....	9.0	*	*	*	0.9	2.6	5.1	12.0	25.9	61.8	93.4	147.4
1992.....	8.9	*	*	*	0.9	2.9	5.9	11.4	30.6	54.3	92.6	118.4
1991.....	9.0	*	*	*	0.8	3.1	5.6	11.5	29.1	60.4	99.4	100.0
1990.....	8.8	*	*	*	1.1	2.5	5.3	12.3	29.4	58.2	91.2	126.5
1989.....	8.7	*	*	*	1.2	3.3	4.7	13.1	27.2	53.3	91.5	121.0
1988.....	8.1	*	*	*	0.9	2.1	4.7	13.0	25.9	52.3	87.2	96.2
1987.....	8.2	*	*	*	0.9	2.0	4.5	11.5	24.3	57.9	92.7	111.7
1986.....	8.7	*	*	*	0.9	2.1	5.3	10.9	27.6	61.5	96.9	92.0
1985.....	8.1	*	*	*	1.2	2.5	4.8	10.3	27.7	53.3	83.6	89.0
1984.....	7.9	*	*	*	1.1	2.7	4.7	11.4	29.1	46.6	81.8	69.4
1983.....	8.1	*	*	*	1.1	2.3	3.9	11.6	30.4	48.7	89.1	95.7
1982.....	7.7	*	*	*	0.9	2.2	4.0	12.1	24.4	50.8	82.2	88.1
1981.....	7.4	*	*	*	1.2	1.6	4.8	10.1	25.1	49.9	77.3	81.3
1980.....	7.7	0.3	0.2	0.5	1.0	1.8	4.2	10.5	28.7	50.9	75.8	67.5
1979.....	7.4	0.7	0.4	0.5	1.1	2.2	3.7	11.6	27.6	44.7	62.7	83.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 297
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	8.1	*	*	*	*	1.3	2.7	6.8	20.3	41.1	71.7	84.9
1997.....	7.9	*	*	*	0.6	1.3	3.0	7.0	19.8	39.6	67.6	85.5
1996.....	7.8	*	*	*	0.6	1.3	2.7	6.3	19.9	40.7	70.1	81.6
1995.....	7.8	*	*	*	0.6	1.4	2.7	7.0	22.1	38.7	69.6	83.8
1994.....	7.5	*	*	*	0.6	1.4	2.2	8.0	19.3	37.1	70.9	83.0
1993.....	7.5	*	*	*	0.6	1.2	2.2	7.6	20.2	38.0	70.6	82.8
1992.....	7.3	*	*	*	0.6	1.5	2.7	7.5	18.5	37.0	66.8	81.5
1991.....	7.7	*	*	*	0.8	1.5	2.8	6.9	19.0	42.6	72.3	73.0
1990.....	6.9	*	*	*	*	1.2	2.6	7.5	18.3	38.7	60.9	66.5
1989.....	6.8	*	*	*	*	0.9	2.5	7.1	18.3	38.1	62.8	66.9
1988.....	6.8	*	*	*	0.6	1.2	2.5	7.3	18.3	37.9	57.8	69.2
1987.....	6.5	*	*	*	0.7	1.0	2.2	7.1	17.1	36.1	54.3	73.0
1986.....	6.5	*	*	*	*	1.2	2.3	8.0	17.1	36.8	55.2	66.0
1985.....	6.7	*	*	*	*	1.3	2.5	6.6	18.3	36.3	64.0	64.0
1984.....	6.2	*	*	*	0.6	1.2	2.2	7.1	18.4	33.2	54.2	53.1
1983.....	6.0	*	*	*	0.7	1.1	2.4	6.9	16.1	33.8	55.1	49.6
1982.....	6.0	*	*	*	*	1.0	2.4	7.1	16.9	34.4	54.1	54.1
1981.....	6.2	*	*	*	0.6	1.1	3.0	6.8	18.2	36.3	48.7	60.3
1980.....	5.9	-	0.3	0.2	0.6	1.4	2.3	7.5	18.6	30.1	49.1	53.1
1979.....	5.7	-	0.2	0.1	0.4	1.4	2.4	7.4	17.2	33.0	42.3	49.1

OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)

BLACK, BOTH SEXES

1998.....	10.1	*	*	*	0.6	2.1	4.3	11.7	29.4	52.6	87.4	103.5
1997.....	10.2	*	*	*	0.9	2.2	5.4	11.8	28.2	53.2	86.9	105.0
1996.....	10.1	*	*	*	0.8	2.4	4.8	11.0	29.8	54.4	88.8	96.7
1995.....	9.9	*	*	*	0.9	2.6	4.8	12.0	29.3	50.8	85.9	101.1
1994.....	9.5	*	*	*	0.7	2.2	4.1	12.3	28.6	50.8	83.0	98.3
1993.....	9.7	*	*	*	0.8	2.2	4.3	12.1	27.0	54.1	85.6	103.2
1992.....	9.4	*	*	*	0.8	2.7	5.2	11.5	27.5	49.8	81.4	96.6
1991.....	9.7	*	*	*	1.0	2.7	5.0	10.7	26.9	56.1	88.7	87.5
1990.....	9.1	*	*	*	0.9	2.2	4.6	11.5	27.0	51.5	76.3	87.1
1989.....	8.9	*	*	*	1.0	2.4	4.4	11.6	25.0	49.4	76.9	89.5
1988.....	8.6	*	*	*	0.8	2.0	4.2	11.6	24.9	48.6	72.1	80.8
1987.....	8.5	*	*	*	0.9	1.8	4.0	10.9	23.1	50.3	72.6	87.5
1986.....	8.7	*	*	0.4	0.8	1.9	4.4	11.0	24.7	52.1	73.6	78.1
1985.....	8.3	*	*	*	0.9	2.1	4.2	9.2	25.0	47.5	75.7	72.8
1984.....	7.9	*	*	*	1.0	2.4	4.0	10.3	26.0	41.6	69.5	58.9
1983.....	8.0	*	*	0.5	0.9	1.9	3.7	10.3	25.2	43.9	73.4	64.7
1982.....	7.7	*	*	*	0.8	1.9	3.7	10.7	22.5	44.7	68.9	67.6
1981.....	7.6	*	*	*	1.0	1.5	4.2	9.1	23.5	45.4	63.7	69.6
1980.....	7.4	0.2	0.2	0.4	0.8	1.8	3.5	9.9	25.0	40.9	62.9	60.4
1979.....	7.0	0.4	0.3	0.3	0.8	1.9	3.3	10.2	23.8	39.8	51.8	57.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 299
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)

BLACK MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	10.7	*	*	*	*	2.9	5.2	15.7	35.2	61.9	104.4	130.2
1997.....	11.1	*	*	*	1.2	2.8	7.5	15.7	34.0	64.2	108.1	134.4
1996.....	11.1	*	*	*	1.0	3.4	6.7	15.1	37.3	66.2	109.0	123.6
1995.....	10.7	*	*	*	1.1	3.7	6.6	16.3	34.1	60.1	106.4	133.8
1994.....	10.3	*	*	*	0.8	3.1	5.7	15.6	36.9	62.7	92.7	132.2
1993.....	10.4	*	*	*	0.9	3.2	6.2	15.3	31.6	68.6	101.3	139.8
1992.....	10.3	*	*	*	0.9	3.8	7.4	13.7	35.2	61.6	100.6	124.9
1991.....	10.5	*	*	*	1.0	3.8	6.9	13.9	33.6	67.4	108.2	110.1
1990.....	10.3	*	*	*	1.3	3.1	6.3	15.2	34.5	65.0	100.0	131.3
1989.....	10.1	*	*	*	1.5	3.9	5.9	16.0	30.9	59.6	96.4	130.3
1988.....	9.4	*	*	*	1.1	2.5	5.6	15.4	30.2	58.0	93.4	104.6
1987.....	9.6	*	*	*	1.0	2.5	5.6	14.2	28.2	65.9	98.1	117.2
1986.....	9.9	*	*	*	1.0	2.5	6.3	12.8	31.6	68.0	98.9	95.2
1985.....	9.1	*	*	*	1.3	2.9	5.6	11.7	30.4	59.7	87.2	90.3
1984.....	9.0	*	*	*	1.3	3.5	5.7	13.3	32.8	50.2	90.4	70.5
1983.....	9.2	*	*	*	1.0	2.6	4.7	13.4	33.6	54.1	96.4	96.7
1982.....	8.6	*	*	*	1.0	2.6	4.8	13.9	26.6	55.6	85.5	93.1
1981.....	8.3	*	*	*	1.3	1.8	5.4	11.4	27.5	54.2	83.4	83.9
1980.....	8.4	0.4	0.1	0.5	1.1	2.1	4.8	12.0	31.1	53.8	79.0	67.9
1979.....	8.0	0.8	0.4	0.5	1.2	2.4	4.0	12.9	30.4	47.0	64.3	80.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 300
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	9.6	*	*	*	*	1.5	3.4	8.4	25.0	45.9	77.3	92.5
1997.....	9.4	*	*	*	*	1.7	3.6	8.6	23.7	45.2	74.4	92.8
1996.....	9.2	*	*	*	*	1.5	3.2	7.6	24.2	45.8	77.0	85.7
1995.....	9.2	*	*	*	*	1.6	3.3	8.4	25.6	44.2	74.1	87.8
1994.....	8.9	*	*	*	*	1.4	2.8	9.7	22.3	42.4	77.6	84.5
1993.....	9.0	*	*	*	*	1.4	2.7	9.4	23.5	43.7	76.8	88.3
1992.....	8.6	*	*	*	0.7	1.7	3.3	9.6	21.6	41.5	70.6	84.8
1991.....	9.0	*	*	*	1.0	1.7	3.3	8.0	21.6	48.2	77.8	77.9
1990.....	8.0	*	*	*	*	1.4	3.2	8.4	21.2	42.2	63.1	68.4
1989.....	7.9	*	*	*	*	1.0	3.1	8.0	20.5	42.2	65.8	72.5
1988.....	7.8	*	*	*	*	1.5	3.0	8.6	20.8	42.0	59.9	70.5
1987.....	7.4	*	*	*	0.7	1.1	2.7	8.2	19.2	39.3	57.8	74.3
1986.....	7.6	*	*	*	*	1.4	2.8	9.5	19.2	40.9	58.7	70.3
1985.....	7.6	*	*	*	*	1.4	3.0	7.1	20.8	38.9	68.9	64.7
1984.....	7.0	*	*	*	*	1.4	2.7	7.9	20.6	35.6	57.1	53.5
1983.....	6.9	*	*	*	0.8	1.3	2.8	7.8	18.5	36.7	59.2	49.2
1982.....	6.9	*	*	*	*	1.2	2.7	8.1	19.2	36.9	58.7	55.1
1981.....	6.9	*	*	*	0.7	1.3	3.3	7.1	20.3	39.1	51.3	61.9
1980.....	6.4	-	0.2	0.2	0.6	1.5	2.4	8.1	20.1	31.4	52.8	56.6
1979.....	6.2	-	0.2	0.2	0.4	1.5	2.7	8.1	18.5	34.6	43.3	46.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 301
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)
 TOTAL, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	2.9	1.6	0.3	0.2	0.3	0.5	0.7	1.5	3.4	8.3	19.7	47.9
1997.....	2.9	1.7	0.4	0.2	0.3	0.5	0.7	1.5	3.3	8.2	20.1	44.9
1996.....	2.9	1.6	0.5	0.2	0.3	0.4	0.8	1.5	3.7	8.1	20.4	44.4
1995.....	3.0	1.9	0.3	0.3	0.3	0.5	0.8	1.6	3.8	8.6	20.6	46.0
1994.....	2.9	1.7	0.5	0.3	0.3	0.5	0.9	1.7	3.6	8.0	20.4	45.6
1993.....	2.9	1.6	0.5	0.2	0.3	0.5	0.8	1.7	3.7	8.5	20.6	44.9
1992.....	2.8	1.5	0.4	0.3	0.3	0.5	0.8	1.6	3.6	8.5	19.7	42.7
1991.....	2.8	1.5	0.5	0.2	0.3	0.5	0.7	1.5	3.7	8.7	20.3	42.3
1990.....	2.7	1.8	0.5	0.3	0.3	0.5	0.8	1.6	3.6	8.5	20.0	40.2
1989.....	2.7	1.5	0.5	0.2	0.2	0.4	0.8	1.7	3.8	8.7	20.3	40.0
1988.....	2.8	1.6	0.5	0.3	0.3	0.4	0.8	1.7	3.9	8.9	20.5	39.5
1987.....	2.7	1.6	0.4	0.2	0.3	0.4	0.7	1.6	3.9	9.4	20.6	37.4
1986.....	2.8	2.1	0.4	0.3	0.3	0.5	0.8	1.9	4.2	9.0	21.5	38.1
1985.....	2.8	1.7	0.5	0.3	0.3	0.4	0.9	1.9	4.3	9.9	20.7	38.9
1984.....	2.7	2.2	0.3	0.2	0.2	0.5	0.8	1.6	4.2	9.7	21.0	36.6
1983.....	2.8	1.5	0.4	0.3	0.3	0.4	0.9	2.0	4.3	9.6	21.4	37.4
1982.....	2.8	1.6	0.4	0.3	0.3	0.4	0.9	2.1	4.8	10.3	20.4	33.6
1981.....	2.7	1.5	0.4	0.3	0.3	0.4	1.0	2.2	4.5	10.2	20.7	31.8
1980.....	2.7	1.9	0.3	0.3	0.3	0.5	1.0	2.4	4.9	10.1	19.8	31.2
1979.....	2.6	1.4	0.4	0.3	0.3	0.5	1.0	2.2	4.9	10.1	18.3	29.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 302
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	2.7	1.5	0.4	0.2	0.4	0.5	0.8	1.7	3.7	9.3	21.7	48.8
1997.....	2.6	1.6	0.4	0.2	0.3	0.5	0.7	1.6	3.8	9.0	22.5	45.5
1996.....	2.6	1.3	0.5	0.2	0.3	0.5	0.9	1.7	4.4	8.8	22.3	47.9
1995.....	2.7	2.2	0.4	0.3	0.3	0.7	0.9	1.8	4.2	9.6	22.2	49.9
1994.....	2.7	1.7	0.5	0.3	0.3	0.5	1.1	1.8	4.2	9.3	22.2	49.1
1993.....	2.7	1.5	0.6	0.2	0.3	0.6	1.0	1.8	4.5	9.9	22.8	51.7
1992.....	2.6	1.7	0.4	0.3	0.3	0.5	0.9	1.8	4.2	9.8	22.3	48.6
1991.....	2.6	1.5	0.5	0.2	0.3	0.6	0.8	1.8	4.3	9.9	23.1	44.8
1990.....	2.5	1.5	0.5	0.3	0.2	0.5	0.9	1.6	3.8	10.2	21.8	44.9
1989.....	2.5	1.5	0.5	0.3	0.3	0.4	0.8	1.9	4.1	9.8	23.4	47.2
1988.....	2.5	1.4	0.5	0.3	0.3	0.5	0.9	1.9	4.1	9.9	22.9	45.3
1987.....	2.6	1.4	0.4	0.3	0.3	0.5	0.7	1.8	4.4	11.4	24.3	41.1
1986.....	2.7	2.0	0.4	0.3	0.4	0.6	0.9	2.2	4.7	9.7	25.0	46.0
1985.....	2.6	1.2	0.6	0.2	0.3	0.5	1.0	2.1	4.7	10.7	23.1	44.2
1984.....	2.5	1.9	0.3	0.2	0.2	0.5	1.0	1.8	4.6	10.7	23.8	42.2
1983.....	2.6	1.6	0.4	0.3	0.3	0.5	1.0	2.0	5.0	10.7	24.6	41.9
1982.....	2.6	1.5	0.4	0.3	0.3	0.5	0.9	2.2	5.3	11.3	23.6	40.9
1981.....	2.6	1.6	0.4	0.3	0.3	0.4	1.0	2.3	5.0	11.9	24.3	35.5
1980.....	2.6	2.0	0.3	0.3	0.3	0.5	1.1	2.3	5.4	11.2	23.9	34.0
1979.....	2.5	1.0	0.4	0.2	0.3	0.6	1.0	2.2	5.2	11.2	21.1	32.5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	3.2	1.7	0.3	0.2	0.3	0.4	0.7	1.3	3.2	7.4	18.5	47.5
1997.....	3.1	1.7	0.4	0.2	0.3	0.4	0.7	1.4	2.9	7.6	18.5	44.6
1996.....	3.1	1.8	0.4	0.2	0.2	0.3	0.7	1.4	3.1	7.6	19.3	43.1
1995.....	3.2	1.7	*	0.3	0.3	0.4	0.7	1.4	3.5	7.8	19.6	44.5
1994.....	3.1	1.8	0.5	0.3	0.3	0.4	0.7	1.6	3.0	6.9	19.3	44.2
1993.....	3.0	1.6	0.4	0.2	0.2	0.4	0.7	1.6	3.0	7.3	19.3	42.4
1992.....	2.9	1.4	0.4	0.3	0.3	0.4	0.7	1.4	3.1	7.5	18.0	40.4
1991.....	3.0	1.5	0.5	0.2	0.3	0.4	0.7	1.3	3.2	7.7	18.7	41.3
1990.....	2.9	2.1	0.6	0.3	0.3	0.4	0.7	1.6	3.4	7.2	19.0	38.3
1989.....	2.9	1.4	0.4	0.2	0.2	0.3	0.8	1.5	3.6	7.8	18.4	37.2
1988.....	3.0	1.9	0.5	0.3	0.2	0.4	0.7	1.6	3.7	8.1	19.1	37.3
1987.....	2.8	1.8	0.4	0.2	0.3	0.4	0.8	1.4	3.4	7.9	18.4	36.0
1986.....	2.9	2.3	0.4	0.3	0.3	0.4	0.7	1.7	3.7	8.5	19.4	35.0
1985.....	3.0	2.2	0.3	0.3	0.2	0.4	0.8	1.7	4.0	9.2	19.2	36.8
1984.....	2.9	2.5	0.4	0.3	0.2	0.4	0.7	1.5	3.8	9.0	19.3	34.4
1983.....	2.9	1.3	0.4	0.3	0.3	0.4	0.8	2.0	3.8	8.7	19.4	35.5
1982.....	2.9	1.8	0.4	0.3	0.3	0.4	0.8	2.0	4.4	9.5	18.6	30.5
1981.....	2.8	1.4	0.3	0.3	0.2	0.5	0.9	2.0	4.1	8.9	18.6	30.1
1980.....	2.8	1.8	0.3	0.3	0.3	0.5	1.0	2.5	4.4	9.2	17.4	29.9
1979.....	2.8	1.9	0.4	0.3	0.3	0.5	1.0	2.2	4.6	9.3	16.6	27.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 304
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)
 WHITE, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	3.1	1.5	0.3	0.2	0.3	0.5	0.7	1.4	3.3	8.1	19.9	48.8
1997.....	3.0	1.6	0.5	0.2	0.3	0.5	0.7	1.4	3.2	8.0	20.0	45.8
1996.....	3.0	1.7	0.4	0.2	0.2	0.3	0.8	1.5	3.6	8.1	20.1	45.4
1995.....	3.1	2.3	0.3	0.3	0.2	0.5	0.7	1.6	3.7	8.3	20.7	45.3
1994.....	3.0	1.7	0.5	0.3	0.3	0.5	0.9	1.6	3.4	8.0	20.3	46.3
1993.....	3.0	1.6	0.5	0.2	0.3	0.5	0.8	1.6	3.6	8.4	20.6	45.9
1992.....	2.9	1.5	0.4	0.3	0.3	0.4	0.8	1.5	3.5	8.2	19.5	43.3
1991.....	2.9	1.5	0.5	0.2	0.3	0.4	0.7	1.4	3.6	8.5	20.3	43.1
1990.....	2.8	1.8	0.5	0.3	0.2	0.5	0.7	1.4	3.5	8.3	19.8	41.0
1989.....	2.8	1.3	0.4	0.3	0.2	0.4	0.7	1.6	3.7	8.4	20.4	39.7
1988.....	2.8	1.8	0.5	0.3	0.2	0.4	0.8	1.6	3.7	8.6	20.2	39.9
1987.....	2.8	1.8	0.4	0.2	0.3	0.4	0.7	1.6	3.7	9.3	20.5	37.6
1986.....	2.9	2.2	0.4	0.3	0.3	0.5	0.8	1.8	4.0	8.8	21.4	38.6
1985.....	2.9	1.7	0.5	0.2	0.2	0.4	0.8	1.7	4.1	9.5	20.7	39.6
1984.....	2.8	2.1	0.4	0.2	0.2	0.5	0.8	1.5	4.1	9.5	20.9	36.7
1983.....	2.9	1.4	0.4	0.3	0.3	0.4	0.9	1.9	4.2	9.2	21.5	38.2
1982.....	2.9	1.4	0.4	0.3	0.3	0.4	0.8	2.0	4.5	10.1	20.5	34.5
1981.....	2.8	1.5	0.3	0.3	0.3	0.4	1.0	2.0	4.3	10.0	21.0	31.9
1980.....	2.8	1.8	0.3	0.3	0.3	0.5	1.0	2.1	4.6	9.6	19.8	31.6
1979.....	2.7	1.5	0.3	0.2	0.3	0.5	0.9	2.0	4.7	10.0	18.6	30.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 305
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	2.8	1.3	0.4	0.2	0.4	0.5	0.7	1.6	3.6	9.3	21.9	50.2
1997.....	2.7	1.3	0.4	*	0.3	0.5	0.7	1.6	3.6	8.7	22.3	46.8
1996.....	2.8	1.6	0.5	0.2	0.3	0.4	0.9	1.6	4.2	8.8	21.8	49.4
1995.....	2.8	2.5	0.4	0.2	0.3	0.7	0.8	1.8	4.2	9.4	22.5	48.4
1994.....	2.8	1.5	0.5	0.3	0.3	0.5	1.1	1.8	4.0	9.3	22.3	50.5
1993.....	2.8	1.5	0.6	0.2	0.3	0.6	0.9	1.6	4.3	9.9	22.8	53.5
1992.....	2.7	1.5	0.4	0.3	0.3	0.5	0.9	1.7	4.1	9.5	22.0	50.1
1991.....	2.7	1.4	0.5	0.3	0.3	0.5	0.8	1.6	4.2	9.8	23.2	44.9
1990.....	2.6	1.6	0.5	0.3	0.2	0.5	0.8	1.5	3.7	9.9	22.1	47.4
1989.....	2.6	1.5	0.3	0.3	0.2	0.5	0.8	1.8	3.9	9.6	23.9	47.5
1988.....	2.6	1.4	0.5	0.3	0.3	0.4	0.9	1.8	4.0	9.7	22.7	45.6
1987.....	2.7	1.6	0.3	0.3	0.3	0.5	0.6	1.7	4.2	11.2	24.1	40.9
1986.....	2.8	2.0	0.4	0.3	0.4	0.6	0.9	2.0	4.6	9.4	25.3	47.0
1985.....	2.7	*	0.6	0.2	0.2	0.5	0.9	1.9	4.6	10.3	23.1	45.9
1984.....	2.6	1.8	0.4	0.2	0.2	0.5	0.9	1.6	4.5	10.5	24.1	42.5
1983.....	2.7	1.7	0.3	0.2	0.3	0.5	1.0	2.0	4.9	10.4	25.0	43.1
1982.....	2.7	*	0.4	0.2	0.3	0.4	0.8	2.1	5.0	11.3	23.8	43.5
1981.....	2.7	1.6	0.4	0.3	0.3	0.4	1.1	2.2	4.9	11.9	24.7	36.6
1980.....	2.6	2.0	0.3	0.3	0.4	0.5	1.0	2.1	5.1	10.7	23.8	35.1
1979.....	2.5	1.0	0.4	0.2	0.3	0.5	0.8	2.1	5.0	11.3	21.9	34.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 306
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	3.4	1.6	*	0.2	0.2	0.4	0.6	1.2	3.1	7.2	18.6	48.3
1997.....	3.3	1.9	0.5	0.2	0.3	0.4	0.6	1.3	2.9	7.4	18.5	45.4
1996.....	3.3	1.8	*	0.2	0.2	0.3	0.6	1.4	3.1	7.4	19.0	43.9
1995.....	3.4	2.0	*	0.3	0.2	0.3	0.6	1.3	3.4	7.5	19.6	44.2
1994.....	3.3	1.8	0.4	0.3	0.3	0.4	0.7	1.5	2.9	6.9	19.1	44.7
1993.....	3.2	1.7	0.4	0.2	0.3	0.4	0.6	1.5	2.9	7.2	19.2	43.0
1992.....	3.1	1.5	0.4	0.3	0.3	0.4	0.7	1.4	2.9	7.2	17.9	40.7
1991.....	3.1	1.7	0.5	0.2	0.3	0.3	0.6	1.2	3.0	7.5	18.6	42.4
1990.....	3.0	2.1	0.5	0.4	0.2	0.5	0.7	1.4	3.2	6.9	18.4	38.6
1989.....	3.0	*	0.4	0.2	0.2	0.3	0.7	1.4	3.5	7.5	18.3	36.8
1988.....	3.1	2.2	0.4	0.3	0.2	0.4	0.6	1.5	3.5	7.7	18.8	37.7
1987.....	3.0	2.0	0.4	0.2	0.3	0.4	0.7	1.4	3.3	7.8	18.5	36.3
1986.....	3.0	2.3	0.4	0.3	0.3	0.4	0.6	1.5	3.4	8.3	19.1	35.4
1985.....	3.1	2.3	*	0.2	0.2	0.4	0.7	1.5	3.7	8.8	19.3	37.1
1984.....	3.0	2.4	0.4	0.3	0.2	0.4	0.7	1.4	3.7	8.7	19.1	34.4
1983.....	3.0	*	0.4	0.3	0.3	0.4	0.8	1.9	3.7	8.4	19.4	36.2
1982.....	3.0	1.6	0.4	0.3	0.3	0.4	0.8	1.9	4.1	9.2	18.5	30.8
1981.....	2.9	*	*	0.2	0.2	0.4	0.9	1.9	3.8	8.6	18.8	29.9
1980.....	2.9	1.6	0.3	0.3	0.3	0.5	1.0	2.2	4.2	8.7	17.4	30.1
1979.....	2.8	2.0	0.3	0.2	0.3	0.5	1.0	1.9	4.4	9.0	16.6	28.4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)												
ALL OTHER, BOTH SEXES												
1998.....	2.1	*	*	0.3	0.4	0.4	1.1	2.0	3.8	9.2	17.8	38.9
1997.....	2.1	*	*	0.3	0.3	0.6	1.0	1.9	3.9	9.7	20.7	36.0
1996.....	2.2	*	0.6	0.3	0.4	0.7	1.1	2.0	4.1	8.5	23.8	34.9
1995.....	2.3	*	*	0.3	0.4	0.6	1.2	2.0	4.2	10.6	19.4	52.3
1994.....	2.1	*	*	0.3	0.3	0.5	1.2	2.3	4.6	8.2	21.0	38.1
1993.....	2.1	*	*	*	*	0.7	1.1	2.3	4.5	9.4	21.1	35.5
1992.....	2.1	*	*	*	0.3	0.5	0.9	2.0	4.4	10.7	21.6	36.8
1991.....	2.1	*	*	*	0.3	0.7	0.9	2.0	4.9	10.5	20.3	34.3
1990.....	2.1	*	*	*	0.3	0.5	1.1	2.6	4.3	10.3	22.3	31.5
1989.....	2.1	*	0.7	*	0.3	0.4	1.1	2.1	4.6	11.0	19.3	43.0
1988.....	2.3	*	*	0.3	0.4	0.6	0.7	2.3	5.3	11.4	23.4	35.9
1987.....	2.0	*	*	*	0.3	0.5	1.0	1.7	5.1	10.5	21.0	35.8
1986.....	2.3	*	*	*	0.4	0.4	1.0	2.9	5.8	10.9	22.7	32.9
1985.....	2.4	*	*	0.3	0.3	0.5	1.3	2.8	6.0	13.6	20.5	31.3
1984.....	2.2	*	*	*	*	0.5	1.1	2.6	5.2	11.9	21.6	35.9
1983.....	2.2	*	*	*	0.3	0.6	1.1	2.6	5.2	12.3	20.2	27.8
1982.....	2.4	*	*	0.4	0.4	0.6	1.3	3.0	7.3	12.2	20.3	23.1
1981.....	2.2	*	*	*	0.4	0.5	1.2	3.0	6.0	11.8	17.9	30.5
1980.....	2.6	2.2	0.4	0.4	0.3	0.6	1.2	4.1	7.0	14.5	20.0	26.2
1979.....	2.3	1.2	0.5	0.4	0.4	0.6	1.7	3.7	6.6	11.2	15.2	19.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 308
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	1.9	*	*	*	*	0.6	1.0	2.6	3.9	9.5	19.1	36.2
1997.....	2.0	*	*	*	*	0.6	0.8	1.8	5.1	10.8	24.5	34.1
1996.....	2.0	*	*	*	*	0.7	1.0	2.3	5.3	8.3	26.5	34.4
1995.....	2.1	*	*	*	*	0.6	1.4	2.0	4.3	11.4	19.5	63.2
1994.....	1.9	*	*	*	*	0.6	1.3	2.4	5.4	9.3	20.6	36.0
1993.....	2.1	*	*	*	*	0.8	1.4	2.7	5.5	10.5	23.3	34.9
1992.....	2.1	*	*	*	*	0.6	0.8	2.5	4.6	12.6	25.3	35.3
1991.....	2.0	*	*	*	*	0.9	0.8	2.6	5.5	11.2	21.7	44.2
1990.....	1.9	*	*	*	*	0.6	1.3	2.4	4.3	12.1	19.6	*
1989.....	1.9	*	*	*	0.6	*	0.8	2.3	5.5	11.6	19.2	44.4
1988.....	2.0	*	*	*	*	0.6	*	2.4	5.4	11.3	24.8	43.0
1987.....	2.1	*	*	*	*	*	1.2	1.9	5.9	13.0	26.8	42.9
1986.....	2.1	*	*	*	*	*	1.0	3.5	5.5	12.2	22.3	36.0
1985.....	2.2	*	*	*	*	*	1.5	3.1	5.4	14.1	23.5	27.4
1984.....	2.1	*	*	*	*	*	1.3	2.9	6.0	12.7	21.2	38.9
1983.....	2.1	*	*	*	*	*	1.3	2.5	5.7	13.7	21.1	30.0
1982.....	2.3	*	*	*	*	*	1.4	3.0	8.1	11.9	22.4	*
1981.....	2.0	*	*	*	*	*	*	3.1	5.9	12.2	20.2	*
1980.....	2.4	1.9	0.4	0.4	0.2	0.5	1.1	3.7	8.0	15.3	24.4	23.0
1979.....	2.0	1.0	0.4	0.3	0.3	0.9	2.3	2.8	7.4	10.1	13.4	16.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 309
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	2.2	*	*	*	*	*	1.1	1.6	3.8	9.1	17.0	40.2
1997.....	2.2	*	*	*	*	0.6	1.1	2.0	3.0	8.9	18.4	36.8
1996.....	2.3	*	*	*	*	0.7	1.2	1.7	3.1	8.6	22.1	35.1
1995.....	2.4	*	*	*	*	0.5	1.0	1.9	4.2	10.0	19.3	47.6
1994.....	2.2	*	*	*	*	*	1.1	2.2	3.9	7.4	21.3	39.0
1993.....	2.1	*	*	*	*	0.5	0.9	1.9	3.7	8.5	19.8	35.7
1992.....	2.1	*	*	*	*	*	1.0	1.4	4.2	9.3	19.4	37.4
1991.....	2.1	*	*	*	*	0.5	1.0	1.4	4.5	10.0	19.4	29.6
1990.....	2.3	*	*	*	*	*	0.8	2.7	4.3	9.1	24.0	35.7
1989.....	2.3	*	*	*	*	0.6	1.3	1.9	3.9	10.5	19.4	42.3
1988.....	2.5	*	*	*	*	0.6	0.7	2.1	5.2	11.4	22.5	32.5
1987.....	2.0	*	*	*	*	*	0.8	1.5	4.4	8.7	17.3	32.5
1986.....	2.4	*	*	*	*	*	1.0	2.5	6.1	10.0	23.0	31.4
1985.....	2.6	*	*	*	*	*	1.2	2.5	6.6	13.2	18.6	33.3
1984.....	2.3	*	*	*	*	*	*	2.3	4.6	11.3	21.8	34.5
1983.....	2.3	*	*	*	*	0.6	1.0	2.6	4.8	11.3	19.6	26.6
1982.....	2.5	*	*	*	*	*	1.2	2.9	6.6	12.4	19.0	27.1
1981.....	2.4	*	*	*	*	*	1.5	2.9	6.1	11.5	16.5	33.3
1980.....	2.7	2.5	0.3	0.4	0.4	0.7	1.3	4.4	6.1	14.0	17.0	27.8
1979.....	2.5	1.3	0.6	0.5	0.5	0.5	1.3	4.5	6.0	12.0	16.5	21.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 310
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK, BOTH SEXES												
1998.....	2.5	*	*	0.4	0.5	0.5	1.3	2.4	4.6	10.7	20.1	41.8
1997.....	2.5	*	*	0.3	0.4	0.7	1.2	2.3	5.0	11.2	23.6	40.0
1996.....	2.6	*	0.8	0.4	0.4	0.8	1.4	2.5	4.9	9.7	24.9	37.7
1995.....	2.6	*	*	0.4	0.5	0.7	1.4	2.3	5.0	12.3	21.7	52.5
1994.....	2.5	*	*	0.3	*	0.6	1.5	2.8	5.5	9.5	22.8	37.8
1993.....	2.5	*	*	*	*	0.8	1.5	2.6	5.2	11.1	23.1	36.2
1992.....	2.5	*	*	*	*	0.7	1.0	2.4	5.0	12.1	23.8	39.2
1991.....	2.5	*	*	*	*	0.9	1.1	2.4	6.0	12.4	21.8	36.2
1990.....	2.5	*	*	*	*	0.5	1.3	2.9	4.8	11.8	23.6	34.1
1989.....	2.5	*	*	*	0.4	0.5	1.2	2.5	5.4	12.0	20.8	44.1
1988.....	2.6	*	*	*	0.4	0.7	0.9	2.8	6.2	13.3	24.7	38.3
1987.....	2.3	*	*	*	0.4	0.6	1.2	2.0	5.8	11.4	22.8	35.1
1986.....	2.6	*	*	*	0.4	0.5	1.0	3.4	6.6	12.1	24.7	35.8
1985.....	2.7	*	*	*	0.4	0.5	1.5	3.4	7.0	14.7	21.4	30.3
1984.....	2.5	*	*	*	*	0.5	1.4	3.1	5.7	12.6	22.1	36.3
1983.....	2.5	*	*	*	0.4	0.7	1.4	2.9	5.7	13.3	21.5	27.7
1982.....	2.7	*	*	0.4	0.5	0.7	1.4	3.2	8.2	13.5	22.3	23.3
1981.....	2.5	*	*	*	0.4	0.6	1.5	3.4	6.5	12.3	19.1	30.4
1980.....	2.8	2.2	0.4	0.4	0.3	0.6	1.3	4.7	7.6	15.3	21.6	24.5
1979.....	2.5	1.4	0.5	0.4	0.5	0.7	2.0	4.1	7.1	11.7	15.2	21.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 311
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	2.2	*	*	*	*	*	1.2	3.1	4.8	10.6	21.6	35.6
1997.....	2.3	*	*	*	*	*	1.0	2.0	6.4	12.6	29.5	31.5
1996.....	2.3	*	*	*	*	0.8	1.3	3.0	6.6	8.9	27.7	36.0
1995.....	2.5	*	*	*	*	0.8	1.6	2.5	5.3	13.8	22.5	65.7
1994.....	2.3	*	*	*	*	*	1.6	2.8	6.6	10.8	22.7	34.0
1993.....	2.5	*	*	*	*	1.1	1.8	2.9	6.7	12.8	25.7	32.3
1992.....	2.4	*	*	*	*	0.8	1.0	3.1	5.3	14.3	27.6	40.2
1991.....	2.4	*	*	*	*	1.1	*	3.4	6.9	13.3	23.8	46.4
1990.....	2.2	*	*	*	*	*	1.7	3.0	5.0	14.2	21.3	*
1989.....	2.3	*	*	*	*	*	*	2.7	6.7	12.8	21.1	47.0
1988.....	2.3	*	*	*	*	*	*	3.0	6.3	13.5	25.1	46.2
1987.....	2.4	*	*	*	*	*	1.5	2.4	6.8	13.9	30.0	43.8
1986.....	2.4	*	*	*	*	*	1.2	4.1	6.1	14.0	24.0	41.3
1985.....	2.5	*	*	*	*	*	1.7	3.8	6.1	15.4	24.9	*
1984.....	2.3	*	*	*	*	*	1.7	3.5	6.6	13.4	20.7	39.3
1983.....	2.3	*	*	*	*	*	1.6	3.0	6.1	14.9	22.7	*
1982.....	2.5	*	*	*	*	*	1.6	3.3	9.1	13.4	24.9	*
1981.....	2.1	*	*	*	*	*	*	3.6	6.1	12.4	21.7	*
1980.....	2.7	1.9	0.5	0.4	0.3	0.4	1.4	4.3	8.9	16.6	26.8	20.8
1979.....	2.2	1.2	0.3	0.3	0.3	1.0	2.6	3.1	7.9	11.0	13.9	19.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 312
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	2.7	*	*	*	*	*	1.4	1.8	4.5	10.9	19.2	44.4
1997.....	2.7	*	*	*	*	0.7	1.3	2.5	3.9	10.2	20.2	43.5
1996.....	2.7	*	*	*	*	0.8	1.4	2.1	3.6	10.2	23.4	38.4
1995.....	2.8	*	*	*	*	*	1.2	2.1	4.8	11.2	21.3	47.2
1994.....	2.6	*	*	*	*	*	1.4	2.8	4.6	8.6	22.9	39.3
1993.....	2.5	*	*	*	*	*	1.1	2.4	4.0	9.8	21.6	37.8
1992.....	2.5	*	*	*	*	*	1.1	1.8	4.9	10.6	21.7	38.8
1991.....	2.6	*	*	*	*	0.7	1.2	1.6	5.2	11.8	20.6	31.9
1990.....	2.7	*	*	*	*	*	1.0	2.8	4.7	10.2	24.9	38.4
1989.....	2.7	*	*	*	*	0.7	1.3	2.3	4.3	11.4	20.6	43.1
1988.....	2.9	*	*	*	*	*	*	2.6	6.2	13.2	24.5	34.9
1987.....	2.3	*	*	*	*	*	*	1.6	5.0	9.6	18.7	31.3
1986.....	2.8	*	*	*	*	*	*	2.9	7.1	10.7	25.1	33.3
1985.....	2.9	*	*	*	*	*	1.4	3.0	7.7	14.3	19.3	33.8
1984.....	2.6	*	*	*	*	*	*	2.8	5.0	12.0	23.0	34.9
1983.....	2.6	*	*	*	*	*	1.3	2.9	5.3	12.3	20.8	27.4
1982.....	2.9	*	*	*	*	*	1.3	3.2	7.4	13.7	20.8	27.1
1981.....	2.7	*	*	*	*	*	1.8	3.3	6.8	12.2	17.6	34.5
1980.....	2.9	2.6	0.3	0.5	0.4	0.8	1.2	5.1	6.5	14.4	18.3	26.4
1979.....	2.7	1.6	0.7	0.5	0.6	0.5	1.5	4.9	6.5	12.3	16.1	22.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 313												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
DIABETES MELLITUS (250) TOTAL, BOTH SEXES												
1998.....	24.0	*	*	0.1	0.4	1.6	4.2	12.7	38.4	89.6	171.8	294.9
1997.....	23.4	*	*	0.1	0.4	1.6	4.2	12.9	38.4	88.2	167.4	294.1
1996.....	23.3	*	*	0.1	0.4	1.6	4.3	13.2	39.5	88.7	166.1	288.0
1995.....	22.6	*	*	*	0.4	1.5	4.3	12.9	38.7	86.5	162.7	278.0
1994.....	21.8	*	*	*	0.4	1.6	4.3	12.3	37.0	84.1	157.2	274.8
1993.....	20.9	*	*	0.1	0.3	1.4	4.2	12.0	35.7	80.4	152.3	269.4
1992.....	19.6	*	*	0.1	0.4	1.6	4.0	11.7	34.0	75.7	142.9	253.8
1991.....	19.4	*	*	0.1	0.3	1.5	4.0	11.8	33.4	75.7	142.3	253.8
1990.....	19.2	*	*	0.1	0.3	1.6	4.0	11.3	33.0	73.6	145.2	255.0
1989.....	19.0	*	*	0.1	0.4	1.6	3.9	11.3	32.7	73.7	143.8	251.7
1988.....	16.5	*	*	0.1	0.3	1.5	4.0	10.4	28.4	62.9	123.9	227.0
1987.....	15.9	*	*	0.1	0.3	1.4	3.5	9.8	27.2	61.9	122.3	216.7
1986.....	15.5	*	*	0.1	0.4	1.5	3.6	9.5	26.3	59.9	121.0	216.6
1985.....	15.5	*	*	0.1	0.3	1.3	3.7	8.9	26.3	60.3	127.2	218.1
1984.....	15.2	*	*	0.1	0.3	1.4	3.5	9.0	24.8	59.7	125.4	219.3
1983.....	15.5	*	*	0.1	0.3	1.5	3.6	9.3	26.7	62.1	129.6	211.6
1982.....	14.9	*	*	0.1	0.3	1.4	3.3	9.2	25.6	60.1	126.0	212.1
1981.....	15.1	*	*	0.1	0.4	1.4	3.5	9.6	25.6	61.9	128.1	218.0
1980.....	15.4	0.1	0.1	0.1	0.3	1.5	3.5	9.6	26.7	64.9	131.1	221.9
1979.....	14.8	0.1	0.1	0.1	0.4	1.4	3.6	9.0	25.8	61.3	130.3	211.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 314												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
DIABETES MELLITUS (250) TOTAL, MALE												
1998.....	22.4	*	*	*	0.3	1.8	5.2	14.7	43.0	98.9	187.7	317.1
1997.....	21.5	*	*	*	0.4	1.6	5.3	14.8	40.5	97.1	181.9	316.2
1996.....	21.3	*	*	*	0.4	1.8	5.3	15.4	43.0	94.8	180.5	304.1
1995.....	20.4	*	*	*	0.5	1.7	5.1	15.1	41.5	90.7	176.4	289.3
1994.....	19.5	*	*	*	0.3	1.9	5.3	14.1	39.5	88.4	166.3	293.5
1993.....	18.6	*	*	*	0.4	1.5	5.0	13.7	38.1	85.1	161.5	282.2
1992.....	17.4	*	*	*	0.4	1.8	4.9	13.5	35.9	78.5	150.9	268.7
1991.....	17.2	*	*	*	0.4	1.7	4.7	13.2	34.9	79.6	153.1	256.2
1990.....	16.7	*	*	*	0.3	1.7	4.9	12.6	34.5	76.4	153.6	253.4
1989.....	16.4	*	*	*	0.4	1.9	4.9	12.9	33.8	75.7	147.8	245.6
1988.....	14.3	*	*	*	0.3	1.8	4.8	11.6	29.1	63.7	127.5	233.5
1987.....	13.8	*	*	*	0.3	1.7	4.3	10.9	28.6	64.5	124.3	209.0
1986.....	13.2	*	*	*	0.4	1.7	4.2	10.3	27.0	61.1	122.0	210.5
1985.....	13.2	*	*	*	0.3	1.5	4.5	9.9	26.6	61.3	128.8	208.9
1984.....	13.0	*	*	*	0.3	1.6	4.2	10.4	25.1	60.0	129.3	215.9
1983.....	12.9	*	*	*	0.3	1.6	4.3	10.0	26.9	61.4	126.3	201.4
1982.....	12.6	*	*	*	0.3	1.5	3.9	10.0	26.0	60.9	126.0	193.4
1981.....	12.7	*	*	*	0.3	1.6	4.0	10.7	26.4	61.0	125.7	212.1
1980.....	13.0	0.1	0.1	0.1	0.3	1.7	4.0	9.9	27.1	63.9	131.3	217.3
1979.....	12.6	0.2	0.0	0.1	0.4	1.6	4.2	9.6	26.9	62.2	128.2	201.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 315												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
DIABETES MELLITUS (250) TOTAL, FEMALE												
1998.....	25.4	*	*	*	0.4	1.4	3.3	10.7	34.2	82.1	161.2	285.7
1997.....	25.2	*	*	*	0.4	1.5	3.2	11.0	36.4	81.0	157.9	285.2
1996.....	25.2	*	*	*	0.4	1.4	3.4	11.0	36.3	83.7	156.8	281.6
1995.....	24.6	*	*	*	0.3	1.3	3.6	10.7	36.2	83.2	154.0	273.6
1994.....	24.0	*	*	*	0.4	1.4	3.3	10.7	34.8	80.8	151.6	267.6
1993.....	23.1	*	*	*	0.3	1.3	3.3	10.5	33.6	76.6	146.5	264.5
1992.....	21.7	*	*	*	0.3	1.3	3.2	10.0	32.3	73.5	138.0	248.0
1991.....	21.6	*	*	*	0.3	1.4	3.2	10.4	32.0	72.6	135.7	252.8
1990.....	21.5	*	*	*	0.4	1.4	3.1	10.0	31.7	71.4	140.2	255.7
1989.....	21.4	*	*	0.1	0.4	1.3	2.9	9.7	31.7	72.2	141.3	254.0
1988.....	18.7	*	*	*	0.3	1.2	3.1	9.3	27.8	62.3	121.7	224.4
1987.....	17.9	*	*	*	0.3	1.2	2.7	8.7	25.9	59.9	121.2	219.8
1986.....	17.7	*	*	*	0.3	1.3	2.9	8.8	25.7	59.0	120.5	219.0
1985.....	17.8	*	*	*	0.3	1.1	2.9	7.9	26.0	59.5	126.3	221.8
1984.....	17.3	*	*	*	0.3	1.3	2.8	7.6	24.5	59.5	123.1	220.6
1983.....	18.0	*	*	0.2	0.4	1.3	3.0	8.7	26.5	62.5	131.5	215.8
1982.....	17.1	*	*	0.2	0.3	1.2	2.7	8.4	25.3	59.6	126.0	219.9
1981.....	17.3	*	*	*	0.4	1.2	3.0	8.6	25.0	62.7	129.5	220.3
1980.....	17.6	0.1	0.1	0.1	0.3	1.4	3.0	9.3	26.3	65.7	131.0	223.9
1979.....	16.8	-	0.1	0.2	0.4	1.3	3.0	8.3	24.9	60.6	131.6	216.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 316												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
DIABETES MELLITUS (250) WHITE, BOTH SEXES												
1998.....	23.2	*	*	*	0.3	1.4	3.6	10.6	32.4	79.7	159.4	280.8
1997.....	22.5	*	*	*	0.3	1.3	3.6	10.7	32.1	78.4	154.9	277.3
1996.....	22.5	*	*	*	0.3	1.4	3.8	10.9	33.6	79.0	154.1	275.3
1995.....	21.8	*	*	*	0.3	1.3	3.8	10.7	32.5	77.2	150.8	264.0
1994.....	21.1	*	*	*	0.3	1.5	3.7	10.3	31.6	75.3	145.6	261.8
1993.....	20.2	*	*	*	0.3	1.3	3.6	10.0	30.3	71.7	141.8	257.4
1992.....	19.0	*	*	*	0.3	1.4	3.5	9.7	28.6	68.0	133.1	241.9
1991.....	18.8	*	*	0.1	0.3	1.4	3.4	9.7	28.4	68.0	132.7	242.3
1990.....	18.5	*	*	*	0.3	1.4	3.6	9.2	28.1	65.9	136.0	245.2
1989.....	18.3	*	*	0.1	0.3	1.5	3.5	9.4	27.6	66.2	134.0	242.7
1988.....	15.9	*	*	0.1	0.3	1.4	3.4	8.6	24.1	56.1	115.3	219.0
1987.....	15.3	*	*	0.1	0.3	1.3	3.2	8.0	23.1	55.5	113.8	210.6
1986.....	14.9	*	*	0.1	0.3	1.4	3.0	7.7	22.2	53.9	113.3	207.8
1985.....	15.0	*	*	0.1	0.2	1.2	3.3	7.1	22.5	54.2	118.9	213.7
1984.....	14.7	*	*	0.1	0.3	1.3	3.0	7.4	21.1	53.5	118.9	216.4
1983.....	15.0	*	*	0.1	0.3	1.3	3.2	7.7	22.7	56.8	122.6	209.0
1982.....	14.6	*	*	0.1	0.3	1.2	3.0	7.7	22.1	55.4	120.6	209.7
1981.....	14.6	*	*	0.1	0.3	1.3	3.0	8.0	22.2	56.1	122.2	214.7
1980.....	14.8	0.1	0.1	0.1	0.3	1.4	2.9	7.9	22.8	58.8	125.0	218.3
1979.....	14.3	0.1	0.1	0.1	0.4	1.3	3.0	7.1	22.4	55.5	126.2	207.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 317												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
DIABETES MELLITUS (250)												
WHITE MALE												
1998.....	22.1	*	*	*	0.3	1.5	4.5	12.5	37.6	91.3	180.8	310.5
1997.....	21.1	*	*	*	0.3	1.2	4.6	12.5	35.1	89.2	173.3	308.7
1996.....	21.1	*	*	*	0.4	1.7	4.6	13.2	38.3	88.2	172.9	299.9
1995.....	20.0	*	*	*	0.3	1.4	4.5	12.8	36.2	83.7	168.7	279.6
1994.....	19.2	*	*	*	0.3	1.7	4.7	12.1	34.7	81.6	158.0	289.4
1993.....	18.3	*	*	*	0.3	1.3	4.4	11.8	33.4	78.6	155.3	273.4
1992.....	17.2	*	*	*	0.3	1.7	4.4	11.5	31.4	73.1	144.7	264.6
1991.....	16.9	*	*	*	0.3	1.6	4.1	11.3	30.7	74.2	146.6	253.5
1990.....	16.5	*	*	*	0.3	1.5	4.5	10.6	30.3	71.0	148.1	250.5
1989.....	16.0	*	*	*	0.3	1.7	4.4	11.0	29.3	69.7	142.2	242.1
1988.....	13.9	*	*	*	0.3	1.7	4.2	9.9	25.5	58.8	121.6	231.5
1987.....	13.5	*	*	*	0.3	1.6	4.0	9.1	25.4	60.1	120.1	208.5
1986.....	12.9	*	*	*	0.3	1.6	3.6	8.8	23.9	56.8	116.8	208.2
1985.....	12.9	*	*	*	0.2	1.4	4.0	8.3	23.9	57.4	123.2	208.1
1984.....	12.7	*	*	*	0.3	1.4	3.7	8.8	22.2	55.8	125.8	217.8
1983.....	12.7	*	*	*	0.3	1.4	3.8	8.5	23.7	58.3	122.0	204.1
1982.....	12.5	*	*	*	0.3	1.3	3.5	8.8	23.8	58.3	122.8	194.0
1981.....	12.6	*	*	*	0.3	1.5	3.5	9.3	24.3	57.5	122.7	213.8
1980.....	12.8	0.1	0.0	0.1	0.3	1.6	3.4	8.7	24.2	60.4	127.4	219.2
1979.....	12.4	0.2	0.0	0.1	0.4	1.4	3.6	8.1	24.4	58.7	126.2	199.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	318	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
DIABETES MELLITUS (250)															
WHITE FEMALE															
1998	24.2	*	*	*	0.3	1.2	2.8	8.8	27.6	70.2	145.2	268.6		
1997	23.9	*	*	*	0.3	1.3	2.6	9.0	29.3	69.5	142.7	264.9		
1996	23.9	*	*	*	0.3	1.2	2.9	8.7	29.3	71.4	141.9	265.7		
1995	23.5	*	*	*	0.2	1.1	3.1	8.7	29.2	71.9	139.4	258.0		
1994	22.9	*	*	*	0.3	1.3	2.7	8.6	28.7	70.3	137.8	251.3		
1993	22.1	*	*	*	0.2	1.2	2.8	8.3	27.4	66.2	133.4	251.3		
1992	20.7	*	*	*	0.2	1.2	2.6	8.0	26.0	63.9	126.1	233.3		
1991	20.6	*	*	*	0.2	1.2	2.8	8.1	26.2	63.1	124.3	238.1		
1990	20.5	*	*	*	0.2	1.3	2.7	7.8	26.0	61.8	128.8	243.2		
1989	20.5	*	*	0.1	0.3	1.2	2.6	7.8	26.0	63.4	129.1	243.0		
1988	17.7	*	*	*	0.2	1.1	2.6	7.4	22.9	53.9	111.5	214.2		
1987	17.0	*	*	*	0.3	1.0	2.4	7.0	21.0	51.9	110.1	211.4		
1986	16.8	*	*	*	0.4	1.3	2.5	6.7	20.7	51.6	111.3	207.6		
1985	17.0	*	*	*	0.3	1.0	2.6	6.0	21.3	51.7	116.4	215.9		
1984	16.6	*	*	*	0.3	1.2	2.3	6.1	20.1	51.7	114.9	215.8		
1983	17.3	*	*	*	0.3	1.3	2.6	6.9	21.7	55.6	123.0	210.9		
1982	16.6	*	*	*	0.3	1.2	2.4	6.6	20.6	53.2	119.3	216.2		
1981	16.6	*	*	*	0.3	1.1	2.5	6.8	20.3	55.0	121.9	215.0		
1980	16.8	0.1	0.1	0.1	0.3	1.2	2.5	7.2	21.6	57.6	123.6	217.9		
1979	16.1	-	0.1	0.2	0.4	1.2	2.3	6.2	20.5	53.1	126.2	210.9		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 319
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
DIABETES MELLITUS (250)													
ALL OTHER, BOTH SEXES													
1998.....	27.6	*	*	*	0.7	2.8	7.1	24.3	75.3	161.5	286.9	428.6	
1997.....	27.6	*	*	*	0.6	2.7	7.1	25.3	77.2	161.0	286.2	454.2	
1996.....	26.9	*	*	*	0.7	2.3	7.2	25.9	76.0	163.0	281.3	409.7	
1995.....	26.4	*	*	*	0.7	2.5	6.9	25.6	78.3	160.2	278.9	419.9	
1994.....	25.2	*	*	*	0.6	2.3	7.2	24.5	72.3	154.6	271.5	408.2	
1993.....	24.3	*	*	*	0.6	2.1	7.1	24.2	71.7	151.0	255.2	393.9	
1992.....	22.8	*	*	*	0.7	2.2	6.5	23.7	70.2	139.4	238.3	377.8	
1991.....	22.7	*	*	*	0.6	2.2	6.8	24.7	68.0	140.4	236.3	374.8	
1990.....	22.4	*	*	*	0.6	2.4	6.4	24.4	68.1	140.4	235.2	359.4	
1989.....	22.4	*	*	*	0.7	2.2	6.3	23.2	69.6	139.1	240.0	346.9	
1988.....	20.0	*	*	*	0.5	2.2	7.2	22.0	60.1	123.2	208.7	312.1	
1987.....	19.0	*	*	*	0.3	2.1	5.4	20.6	58.3	118.9	206.8	282.9	
1986.....	18.8	*	*	*	0.4	1.7	6.7	20.9	58.1	113.5	197.8	312.1	
1985.....	18.6	*	*	*	0.6	1.7	6.1	20.0	56.3	114.6	210.4	265.2	
1984.....	18.0	*	*	*	0.4	2.2	6.6	19.2	55.0	116.2	191.4	251.2	
1983.....	18.2	*	*	*	0.4	2.1	6.5	20.1	59.9	109.9	200.7	239.7	
1982.....	16.9	*	*	*	0.5	2.0	5.4	19.6	55.1	102.5	182.3	240.2	
1981.....	17.9	*	*	*	0.6	2.1	6.6	20.8	55.6	115.1	188.7	255.3	
1980.....	18.9	0.3	0.2	0.1	0.5	2.3	7.2	21.7	60.2	120.4	195.6	263.7	
1979.....	18.1	-	0.1	0.2	0.6	2.2	7.9	22.8	56.6	114.1	173.3	258.0	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 320												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
DIABETES MELLITUS (250)												
ALL OTHER MALE												
1998.....	23.7	*	*	*	0.6	3.2	8.8	28.2	79.8	158.5	254.6	374.7
1997.....	23.6	*	*	*	0.6	3.4	8.7	29.5	77.0	160.3	266.8	382.0
1996.....	22.1	*	*	*	0.8	2.5	8.9	28.9	74.7	149.1	256.5	340.7
1995.....	22.1	*	*	*	0.9	3.0	8.3	30.0	78.6	149.2	254.6	380.0
1994.....	20.9	*	*	*	0.7	2.8	8.6	26.7	73.1	146.1	250.4	332.3
1993.....	20.1	*	*	*	0.7	2.5	8.7	26.2	71.9	141.6	223.8	364.6
1992.....	18.5	*	*	*	0.8	2.5	7.4	26.6	68.4	125.2	212.5	307.3
1991.....	18.4	*	*	*	0.7	2.5	8.3	26.1	66.2	127.9	217.0	281.4
1990.....	18.1	*	*	*	*	2.9	7.7	26.2	66.7	126.4	207.5	281.3
1989.....	18.4	*	*	*	0.7	3.0	8.0	25.9	69.0	130.6	202.3	277.8
1988.....	16.2	*	*	*	*	2.6	9.0	23.3	57.6	109.2	185.4	251.9
1987.....	15.0	*	*	*	*	2.3	6.6	23.3	55.1	106.1	164.0	214.3
1986.....	14.8	*	*	*	*	2.0	8.1	20.4	52.5	100.7	171.2	232.0
1985.....	14.7	*	*	*	0.6	2.0	7.7	20.5	50.4	98.0	182.0	216.4
1984.....	14.4	*	*	*	*	2.5	7.6	21.6	50.4	99.7	163.2	198.6
1983.....	14.3	*	*	*	*	2.5	7.8	20.5	54.8	90.9	167.7	172.9
1982.....	13.0	*	*	*	*	2.5	6.6	19.1	45.8	84.3	157.3	188.1
1981.....	13.7	*	*	*	0.7	2.6	7.7	21.5	45.8	93.3	154.5	195.3
1980.....	14.6	0.3	0.4	0.2	0.5	2.4	8.5	19.5	53.3	96.0	168.9	197.5
1979.....	14.4	-	0.1	0.1	0.7	2.5	8.8	22.3	49.7	94.0	147.0	216.9

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 321
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
DIABETES MELLITUS (250)													
ALL OTHER FEMALE													
1998.....		31.2	*	*	*	0.7	2.3	5.5	21.0	71.7	163.7	307.2	453.2
1997.....		31.3	*	*	*	0.6	2.1	5.7	21.7	77.4	161.5	298.1	486.9
1996.....		31.3	*	*	*	0.7	2.1	5.6	23.5	76.9	173.0	296.6	440.9
1995.....		30.2	*	*	*	0.6	2.1	5.7	21.9	78.2	168.1	293.5	437.2
1994.....		29.1	*	*	*	0.6	1.8	6.0	22.6	71.7	160.7	284.1	441.1
1993.....		28.1	*	*	*	*	1.8	5.6	22.5	71.4	157.9	273.9	406.6
1992.....		26.8	*	*	*	0.6	1.8	5.7	21.3	71.6	149.6	253.7	409.6
1991.....		26.6	*	*	*	*	1.9	5.4	23.5	69.4	149.5	247.4	415.3
1990.....		26.4	*	*	*	0.8	1.9	5.3	22.8	69.2	150.5	251.8	394.8
1989.....		26.0	*	*	*	0.6	1.5	4.8	21.0	70.0	145.2	262.8	378.9
1988.....		23.5	*	*	*	*	1.8	5.6	20.9	62.2	133.3	223.3	340.2
1987.....		22.7	*	*	*	*	1.9	4.4	18.4	60.9	128.1	232.7	315.3
1986.....		22.5	*	*	*	*	1.5	5.5	21.3	62.6	122.8	214.4	350.6
1985.....		22.1	*	*	*	0.6	1.5	4.7	19.5	61.1	126.5	228.3	290.7
1984.....		21.3	*	*	*	*	1.8	5.8	17.1	58.6	128.3	209.7	277.2
1983.....		21.8	*	*	*	*	1.7	5.4	19.8	64.1	123.7	221.8	273.4
1982.....		20.4	*	*	*	*	1.6	4.3	20.0	62.5	116.0	198.4	264.7
1981.....		21.8	*	*	*	0.6	1.7	5.7	20.3	63.5	131.2	211.1	285.7
1980.....		22.7	0.3	-	0.1	0.4	2.2	6.1	23.4	65.8	138.9	213.1	297.5
1979.....		21.4	-	0.1	0.3	0.5	1.8	7.2	23.1	62.2	129.7	191.6	281.6

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 322	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
DIABETES MELLITUS (250)													
BLACK, BOTH SEXES													
1998.....		33.0	*	*	*	0.9	3.6	9.1	29.5	90.5	188.3	324.1	478.8
1997.....		32.8	*	*	*	0.8	3.7	8.9	31.6	92.5	183.6	317.0	497.1
1996.....		32.2	*	*	*	0.9	2.8	8.8	32.4	91.2	187.6	317.3	453.7
1995.....		31.4	*	*	*	0.9	3.2	8.7	32.0	92.5	184.4	303.7	446.6
1994.....		30.1	*	*	*	0.9	3.0	9.2	30.2	86.2	178.3	297.8	435.8
1993.....		29.1	*	*	*	0.8	2.7	9.2	30.4	84.6	175.6	280.7	410.6
1992.....		27.3	*	*	*	0.9	2.8	8.4	29.9	81.9	159.4	261.4	407.8
1991.....		27.3	*	*	*	0.7	2.9	8.7	30.8	80.9	161.1	257.5	413.4
1990.....		26.6	*	*	*	0.7	3.1	8.0	29.8	79.3	158.4	255.6	376.9
1989.....		26.4	*	*	*	0.8	2.7	8.2	27.9	81.0	156.4	255.3	366.8
1988.....		23.5	*	*	*	0.5	2.8	9.2	26.1	69.3	137.2	224.6	323.8
1987.....		22.2	*	*	*	0.4	2.5	6.7	24.9	66.2	131.2	222.8	292.3
1986.....		21.8	*	*	*	0.5	2.1	8.3	24.8	65.7	125.2	209.2	327.9
1985.....		21.4	*	*	*	0.7	2.1	7.5	23.4	62.4	125.3	228.1	273.3
1984.....		20.6	*	*	*	0.4	2.6	8.4	22.2	61.1	126.6	205.8	253.2
1983.....		20.8	*	*	*	0.5	2.6	7.8	23.7	66.9	118.8	213.7	248.9
1982.....		19.0	*	*	*	0.5	2.4	6.5	22.1	61.0	110.8	191.0	247.2
1981.....		20.1	*	*	*	0.7	2.5	7.9	23.4	60.6	123.4	200.5	266.7
1980.....		20.8	0.2	0.3	0.2	0.5	2.7	8.3	23.8	64.2	128.1	207.6	277.3
1979.....		19.7	-	0.1	0.2	0.6	2.5	9.0	25.1	61.2	120.5	175.9	259.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 323												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
DIABETES MELLITUS (250) BLACK MALE												
1998.....	27.6	*	*	*	0.8	4.1	11.3	33.8	94.6	181.0	287.5	414.0
1997.....	27.5	*	*	*	0.8	4.8	10.9	37.0	91.7	180.4	294.6	405.4
1996.....	26.0	*	*	*	1.0	3.0	10.9	36.4	88.0	167.9	292.9	374.4
1995.....	26.1	*	*	*	1.2	3.9	10.3	37.2	93.6	171.4	280.4	396.4
1994.....	24.7	*	*	*	1.0	3.8	10.9	33.0	88.5	167.4	273.6	349.6
1993.....	23.9	*	*	*	0.9	3.2	11.6	32.9	85.4	163.9	245.5	381.8
1992.....	21.8	*	*	*	1.0	3.3	9.6	33.6	79.5	141.5	235.1	324.4
1991.....	22.1	*	*	*	0.8	3.3	10.7	33.4	78.4	148.7	239.4	320.3
1990.....	21.1	*	*	*	*	3.9	9.5	31.7	77.4	141.9	224.9	298.8
1989.....	21.5	*	*	*	0.9	3.6	10.5	31.5	80.2	148.6	212.7	287.9
1988.....	18.8	*	*	*	*	3.3	11.7	27.8	66.1	120.8	199.3	250.8
1987.....	17.2	*	*	*	*	2.8	8.1	28.1	61.9	116.3	175.7	220.3
1986.....	16.8	*	*	*	*	2.6	10.2	24.4	59.2	108.0	178.2	238.1
1985.....	16.5	*	*	*	0.8	2.5	9.5	24.2	54.7	104.9	196.1	212.9
1984.....	16.2	*	*	*	*	3.1	9.7	25.0	54.9	106.7	176.5	191.8
1983.....	16.1	*	*	*	*	3.1	9.3	24.6	61.4	98.3	174.9	178.3
1982.....	14.4	*	*	*	*	3.0	8.1	21.5	49.9	91.1	161.8	194.8
1981.....	15.0	*	*	*	0.8	3.0	9.2	23.7	49.1	97.9	161.7	196.4
1980.....	16.0	-	0.5	0.2	0.6	2.8	9.7	21.1	57.3	101.8	182.0	209.4
1979.....	15.4	-	0.1	0.1	0.7	3.0	9.7	24.1	53.5	99.8	145.8	205.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 324												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
DIABETES MELLITUS (250) BLACK FEMALE												
1998.....	38.0	*	*	*	1.0	3.2	7.2	26.0	87.5	193.6	345.9	505.7
1997.....	37.5	*	*	*	0.8	2.8	7.0	27.2	93.1	185.8	330.2	535.1
1996.....	37.9	*	*	*	0.9	2.6	6.9	29.1	93.7	201.8	331.5	486.3
1995.....	36.1	*	*	*	*	2.6	7.2	27.6	91.6	193.7	317.1	467.0
1994.....	35.0	*	*	*	0.7	2.4	7.8	27.8	84.4	186.0	311.5	470.8
1993.....	33.9	*	*	*	*	2.3	7.2	28.2	83.9	183.9	300.4	422.4
1992.....	32.3	*	*	*	0.7	2.3	7.3	26.9	83.7	172.0	276.1	442.5
1991.....	32.0	*	*	*	*	2.5	6.9	28.6	82.8	169.8	267.7	452.8
1990.....	31.5	*	*	*	1.0	2.5	6.8	28.1	80.7	169.9	272.9	409.9
1989.....	30.7	*	*	*	0.8	1.9	6.3	24.9	81.5	161.9	279.4	403.3
1988.....	27.7	*	*	*	*	2.4	7.1	24.6	71.8	148.7	239.0	355.7
1987.....	26.6	*	*	*	*	2.2	5.5	22.3	69.5	141.7	250.2	324.3
1986.....	26.2	*	*	*	*	1.7	6.7	25.1	70.9	137.2	227.4	368.8
1985.....	25.7	*	*	*	0.7	1.8	5.9	22.7	68.5	139.6	247.1	301.5
1984.....	24.5	*	*	*	*	2.2	7.3	19.9	66.0	140.7	224.0	282.2
1983.....	25.0	*	*	*	*	2.2	6.6	23.0	71.2	133.5	236.9	283.1
1982.....	23.1	*	*	*	*	1.9	5.2	22.5	69.8	124.8	209.0	272.9
1981.....	24.7	*	*	*	0.7	2.0	6.9	23.2	69.9	141.9	224.7	299.1
1980.....	25.2	0.4	-	0.2	0.5	2.6	7.2	26.1	69.8	147.3	223.8	311.2
1979.....	23.5	-	-	0.3	0.5	2.1	8.4	25.8	67.4	135.6	195.3	286.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	325
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
NUTRITIONAL DEFICIENCIES (260-269)			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES													
1998.....		1.5	*	*	*	*	*	0.1	0.2	0.5	1.9	9.8	57.0
1997.....		1.5	*	*	*	*	*	0.1	0.2	0.6	2.0	9.3	56.6
1996.....		1.4	*	*	*	*	*	0.1	0.2	0.5	1.9	9.0	55.2
1995.....		1.4	*	*	*	*	*	0.1	0.2	0.6	1.9	9.0	54.0
1994.....		1.3	*	*	*	*	*	0.1	0.2	0.5	1.9	8.9	53.3
1993.....		1.3	0.6	*	*	*	*	0.1	0.2	0.5	2.0	9.4	53.3
1992.....		1.2	0.5	*	*	*	0.1	0.1	0.2	0.5	1.8	8.5	50.5
1991.....		1.2	0.5	*	*	*	*	0.1	0.2	0.5	1.7	8.9	48.2
1990.....		1.2	*	*	*	*	*	0.1	0.2	0.6	1.8	9.1	50.7
1989.....		1.2	*	*	*	*	*	0.1	0.2	0.6	1.9	9.5	51.4
1988.....		1.2	0.7	*	*	*	*	0.1	0.2	0.6	2.0	9.4	50.9
1987.....		1.2	0.7	*	*	*	0.0	0.1	0.2	0.5	2.0	9.5	49.9
1986.....		1.2	0.6	*	*	*	*	0.1	0.2	0.6	2.3	9.0	50.2
1985.....		1.2	0.8	*	*	*	*	0.1	0.2	0.6	2.2	9.9	50.7
1984.....		1.1	*	*	*	*	*	0.1	0.2	0.6	2.2	9.0	47.1
1983.....		1.1	0.9	*	*	*	*	0.1	0.2	0.6	2.3	9.7	47.6
1982.....		1.0	0.9	*	*	*	*	*	0.2	0.6	2.2	9.6	41.6
1981.....		1.0	0.8	*	*	*	*	0.1	0.2	0.7	2.3	8.5	42.2
1980.....		1.0	0.8	0.1	0.0	0.0	0.0	0.1	0.3	0.7	2.4	9.4	42.9
1979.....		1.0	1.3	0.0	0.0	0.0	0.1	0.1	0.3	0.8	2.2	9.2	37.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 326
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 NUTRITIONAL DEFICIENCIES (260-269) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	1.0	*	*	*	*	*	0.1	0.2	0.6	2.0	9.1	45.8
1997.....	0.9	*	*	*	*	*	0.1	0.2	0.6	2.1	8.4	46.7
1996.....	0.9	*	*	*	*	*	*	0.2	0.6	2.1	8.5	50.3
1995.....	0.9	*	*	*	*	*	0.1	0.2	0.7	1.9	8.7	50.2
1994.....	0.9	*	*	*	*	*	*	0.2	0.7	2.1	9.0	49.5
1993.....	1.0	*	*	*	*	*	*	0.2	0.5	2.6	10.2	52.9
1992.....	0.9	*	*	*	*	*	*	0.2	0.6	2.1	8.9	46.9
1991.....	0.9	*	*	*	*	*	*	0.2	0.5	1.9	9.8	48.4
1990.....	0.9	*	*	*	*	*	*	0.2	0.6	2.1	10.0	52.9
1989.....	0.9	*	*	*	*	*	*	0.2	0.6	2.1	9.9	52.9
1988.....	0.9	*	*	*	*	*	0.1	0.2	0.6	2.4	10.2	50.0
1987.....	0.9	*	*	*	*	*	*	*	0.6	2.2	11.1	51.8
1986.....	0.9	*	*	*	*	*	0.1	0.2	0.7	2.8	10.4	50.6
1985.....	0.9	*	*	*	*	*	*	0.2	0.8	2.5	10.9	51.9
1984.....	0.9	*	*	*	*	*	*	0.2	0.7	2.7	9.3	47.1
1983.....	0.9	*	*	*	*	*	*	0.2	0.7	2.9	10.7	51.1
1982.....	0.9	*	*	*	*	*	*	0.2	0.7	2.8	11.4	44.4
1981.....	0.8	*	*	*	*	*	*	0.3	0.7	2.6	10.0	43.9
1980.....	0.9	0.9	0.0	0.0	0.0	0.1	0.1	0.3	0.7	2.9	10.5	45.8
1979.....	0.8	1.9	0.0	0.0	0.0	0.1	0.1	0.4	0.8	2.4	10.9	40.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 327												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
NUTRITIONAL DEFICIENCIES (260-269)												
TOTAL, FEMALE												
1998.....	2.0	*	*	*	*	*	*	0.2	0.5	1.8	10.2	61.6
1997.....	2.0	*	*	*	*	*	0.1	0.2	0.5	1.9	9.9	60.6
1996.....	1.8	*	*	*	*	*	*	0.2	0.4	1.8	9.2	57.2
1995.....	1.8	*	*	*	*	*	*	0.2	0.5	2.0	9.2	55.6
1994.....	1.7	*	*	*	*	*	*	0.2	0.4	1.7	8.8	54.8
1993.....	1.7	*	*	*	*	*	0.1	0.2	0.4	1.5	9.0	53.4
1992.....	1.6	*	*	*	*	*	*	0.2	0.4	1.6	8.3	51.9
1991.....	1.5	*	*	*	*	*	*	*	0.5	1.6	8.4	48.2
1990.....	1.5	*	*	*	*	*	*	*	0.6	1.7	8.5	49.9
1989.....	1.5	*	*	*	*	*	*	*	0.5	1.8	9.2	50.8
1988.....	1.5	*	*	*	*	*	*	*	0.5	1.7	9.0	51.2
1987.....	1.4	*	*	*	*	*	*	0.2	0.4	1.8	8.6	49.1
1986.....	1.4	*	*	*	*	*	*	0.2	0.5	1.9	8.2	50.1
1985.....	1.5	*	*	*	*	*	*	0.2	0.5	1.9	9.3	50.2
1984.....	1.3	*	*	*	*	*	*	*	0.5	1.8	8.8	47.1
1983.....	1.3	*	*	*	*	*	*	0.2	0.5	1.7	9.1	46.1
1982.....	1.2	*	*	*	*	*	*	0.2	0.5	1.8	8.6	40.5
1981.....	1.2	*	*	*	*	*	0.2	*	0.6	2.0	7.7	41.4
1980.....	1.2	0.8	0.1	0.0	0.0	0.0	0.1	0.2	0.7	2.0	8.8	41.6
1979.....	1.1	0.7	0.0	-	0.0	0.0	0.1	0.3	0.8	2.0	8.2	36.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	328
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
NUTRITIONAL DEFICIENCIES (260-269)													
WHITE, BOTH SEXES													
1998.....		1.6	*	*	*	*	*	0.1	0.2	0.5	1.7	9.3	55.9
1997.....		1.6	*	*	*	*	*	0.1	0.2	0.5	1.8	9.1	56.8
1996.....		1.5	*	*	*	*	*	*	0.2	0.5	1.8	8.7	55.4
1995.....		1.4	*	*	*	*	*	0.1	0.2	0.5	1.8	8.4	53.8
1994.....		1.4	*	*	*	*	*	*	0.1	0.5	1.8	8.5	52.8
1993.....		1.4	*	*	*	*	*	0.1	0.2	0.4	1.8	9.0	53.3
1992.....		1.2	*	*	*	*	*	0.1	0.2	0.4	1.6	7.8	49.3
1991.....		1.2	*	*	*	*	*	0.1	0.2	0.4	1.5	8.6	46.1
1990.....		1.2	*	*	*	*	*	*	0.1	0.5	1.6	8.4	49.6
1989.....		1.2	*	*	*	*	*	0.1	0.2	0.5	1.7	8.8	49.6
1988.....		1.2	*	*	*	*	*	0.1	0.1	0.4	1.8	9.0	49.3
1987.....		1.2	*	*	*	*	*	*	0.1	0.4	1.8	9.1	49.2
1986.....		1.2	*	*	*	*	*	0.1	0.1	0.5	2.1	8.3	49.5
1985.....		1.2	0.7	*	*	*	*	*	0.2	0.5	1.9	9.4	50.9
1984.....		1.1	*	*	*	*	*	*	0.2	0.4	1.9	8.3	47.0
1983.....		1.1	*	*	*	*	*	*	0.2	0.5	1.9	9.1	46.8
1982.....		1.0	*	*	*	*	*	*	0.2	0.5	2.0	8.9	40.5
1981.....		1.0	*	*	*	*	*	0.1	0.2	0.6	2.1	8.2	40.8
1980.....		1.0	0.3	0.0	0.0	0.0	0.0	0.1	0.2	0.6	2.2	8.8	42.2
1979.....		1.0	0.7	0.0	-	0.0	0.0	0.1	0.2	0.7	1.9	8.7	37.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 329
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 NUTRITIONAL DEFICIENCIES (260-269)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	1.0	*	*	*	*	*	*	0.1	0.6	1.8	8.3	44.4
1997.....	0.9	*	*	*	*	*	*	0.2	0.5	1.8	7.9	45.2
1996.....	1.0	*	*	*	*	*	*	0.2	0.5	1.8	8.1	49.2
1995.....	0.9	*	*	*	*	*	*	0.2	0.5	1.8	7.9	49.2
1994.....	0.9	*	*	*	*	*	*	*	0.6	2.0	8.4	48.1
1993.....	1.0	*	*	*	*	*	*	*	0.4	2.3	9.5	52.6
1992.....	0.8	*	*	*	*	*	*	0.2	0.4	1.7	8.0	44.9
1991.....	0.8	*	*	*	*	*	*	0.2	0.4	1.6	9.1	42.9
1990.....	0.9	*	*	*	*	*	*	*	0.4	1.8	9.2	50.3
1989.....	0.9	*	*	*	*	*	*	*	0.5	1.7	9.1	50.4
1988.....	0.9	*	*	*	*	*	*	*	0.4	2.0	9.7	47.1
1987.....	0.9	*	*	*	*	*	*	*	0.5	1.9	10.4	49.8
1986.....	0.9	*	*	*	*	*	*	*	0.6	2.5	9.2	48.6
1985.....	0.9	*	*	*	*	*	*	*	0.6	2.2	10.2	52.8
1984.....	0.8	*	*	*	*	*	*	*	0.5	2.5	8.2	45.5
1983.....	0.9	*	*	*	*	*	*	*	0.6	2.5	9.6	49.9
1982.....	0.8	*	*	*	*	*	*	*	0.6	2.5	10.2	42.9
1981.....	0.8	*	*	*	*	*	*	0.2	0.6	2.3	9.5	43.0
1980.....	0.8	0.3	0.0	0.0	0.0	0.1	0.1	0.2	0.5	2.6	9.8	44.5
1979.....	0.8	1.0	0.0	-	0.0	0.1	0.1	0.3	0.7	2.0	10.1	39.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 330
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 NUTRITIONAL DEFICIENCIES (260-269)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	2.2	*	*	*	*	*	*	0.2	0.4	1.7	10.0	60.6
1997.....	2.2	*	*	*	*	*	0.1	0.2	0.5	1.8	9.9	61.4
1996.....	2.0	*	*	*	*	*	*	*	0.4	1.7	9.1	57.8
1995.....	1.9	*	*	*	*	*	*	0.2	0.5	1.8	8.7	55.6
1994.....	1.8	*	*	*	*	*	*	*	0.4	1.6	8.6	54.6
1993.....	1.8	*	*	*	*	*	*	0.2	0.4	1.3	8.6	53.6
1992.....	1.6	*	*	*	*	*	*	0.2	0.4	1.4	7.7	51.0
1991.....	1.6	*	*	*	*	*	*	*	0.5	1.4	8.3	47.3
1990.....	1.5	*	*	*	*	*	*	*	0.5	1.3	7.9	49.3
1989.....	1.6	*	*	*	*	*	*	*	0.4	1.6	8.6	49.3
1988.....	1.6	*	*	*	*	*	*	*	0.4	1.6	8.6	50.1
1987.....	1.5	*	*	*	*	*	*	*	0.3	1.7	8.3	49.0
1986.....	1.5	*	*	*	*	*	*	*	0.5	1.8	7.7	49.8
1985.....	1.5	*	*	*	*	*	*	0.2	0.4	1.7	8.9	50.1
1984.....	1.4	*	*	*	*	*	*	*	0.4	1.5	8.3	47.6
1983.....	1.4	*	*	*	*	*	*	0.2	0.4	1.6	8.8	45.5
1982.....	1.2	*	*	*	*	*	*	*	0.4	1.6	8.2	39.4
1981.....	1.2	*	*	*	*	*	*	*	0.6	1.9	7.4	39.9
1980.....	1.2	0.4	0.0	-	0.0	0.0	0.1	0.2	0.7	1.9	8.3	41.2
1979.....	1.1	0.4	0.0	-	0.0	0.0	0.1	0.2	0.7	1.8	7.9	35.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	331	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
NUTRITIONAL DEFICIENCIES (260-269)															
ALL OTHER, BOTH SEXES															
1998.....		1.1	*	*	*	*	*	*	*	0.7	3.0	13.8	67.6		
1997.....		1.0	*	*	*	*	*	*	0.4	1.0	3.4	11.2	55.0		
1996.....		1.0	*	*	*	*	*	*	*	0.9	3.2	11.4	54.0		
1995.....		1.0	*	*	*	*	*	*	*	1.0	3.0	14.7	56.3		
1994.....		1.0	*	*	*	*	*	*	*	0.9	2.4	12.8	58.5		
1993.....		1.1	*	*	*	*	*	*	*	1.1	3.9	14.2	52.4		
1992.....		1.2	*	*	*	*	*	*	0.5	1.1	3.7	15.8	62.9		
1991.....		1.0	*	*	*	*	*	*	*	0.9	4.0	12.1	70.8		
1990.....		1.2	*	*	*	*	*	*	0.6	1.5	4.2	15.7	62.6		
1989.....		1.2	*	*	*	*	*	*	*	1.4	4.0	16.5	70.7		
1988.....		1.2	*	*	*	*	*	*	*	1.6	4.3	13.5	68.1		
1987.....		1.1	*	*	*	*	*	*	*	1.1	3.7	14.1	57.1		
1986.....		1.2	*	*	*	*	*	*	*	1.2	4.3	16.9	58.4		
1985.....		1.1	*	*	*	*	*	*	*	1.3	4.6	15.0	48.7		
1984.....		1.1	*	*	*	*	*	*	*	1.6	4.5	16.2	48.4		
1983.....		1.2	*	*	*	*	*	*	*	1.5	5.0	16.1	56.0		
1982.....		1.1	*	*	*	*	*	*	*	1.3	4.8	16.5	55.3		
1981.....		1.0	*	*	*	*	*	*	*	1.2	4.4	12.4	57.9		
1980.....		1.1	3.1	0.2	0.0	0.0	0.1	0.3	0.6	1.7	4.2	15.5	50.7		
1979.....		1.1	4.0	-	0.0	0.0	0.1	0.4	0.8	1.5	5.3	14.5	44.8		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 332
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 NUTRITIONAL DEFICIENCIES (260-269)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	0.9	*	*	*	*	*	*	*	*	3.8	16.6	58.3
1997.....	0.9	*	*	*	*	*	*	*	1.6	4.5	13.4	59.4
1996.....	0.9	*	*	*	*	*	*	*	*	4.5	12.2	59.8
1995.....	0.9	*	*	*	*	*	*	*	1.7	3.0	16.2	59.1
1994.....	0.9	*	*	*	*	*	*	*	*	2.6	15.3	62.4
1993.....	1.0	*	*	*	*	*	*	*	*	5.3	17.1	55.7
1992.....	1.1	*	*	*	*	*	*	*	1.8	4.9	18.3	64.9
1991.....	1.1	*	*	*	*	*	*	*	*	5.1	16.7	98.8
1990.....	1.1	*	*	*	*	*	*	*	*	4.2	18.4	77.4
1989.....	1.1	*	*	*	*	*	*	*	1.9	4.9	18.4	76.5
1988.....	1.2	*	*	*	*	*	*	*	2.1	5.9	14.9	77.2
1987.....	1.2	*	*	*	*	*	*	*	1.8	5.3	18.0	70.1
1986.....	1.2	*	*	*	*	*	*	*	*	5.5	21.9	69.3
1985.....	1.0	*	*	*	*	*	*	*	1.8	5.8	17.4	43.8
1984.....	1.1	*	*	*	*	*	*	*	2.1	4.9	19.9	62.5
1983.....	1.3	*	*	*	*	*	*	*	2.2	7.2	21.8	61.4
1982.....	1.1	*	*	*	*	*	*	*	*	5.4	22.4	58.2
1981.....	1.0	*	*	*	*	*	*	*	*	5.3	14.8	53.1
1980.....	1.2	3.8	-	0.0	0.0	0.1	0.4	1.1	2.5	6.2	17.3	59.2
1979.....	1.2	6.3	-	0.0	0.0	0.1	0.4	1.2	1.4	6.3	18.7	49.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 333
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 NUTRITIONAL DEFICIENCIES (260-269)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	1.3	*	*	*	*	*	*	*	*	2.4	12.0	71.8
1997.....	1.1	*	*	*	*	*	*	*	*	2.7	9.9	53.0
1996.....	1.1	*	*	*	*	*	*	*	*	2.3	10.9	51.4
1995.....	1.2	*	*	*	*	*	*	*	*	3.0	13.8	55.1
1994.....	1.1	*	*	*	*	*	*	*	*	2.2	11.3	56.9
1993.....	1.1	*	*	*	*	*	*	*	*	2.9	12.6	50.9
1992.....	1.3	*	*	*	*	*	*	*	*	2.8	14.3	62.0
1991.....	1.0	*	*	*	*	*	*	*	*	3.2	9.3	57.7
1990.....	1.3	*	*	*	*	*	*	*	1.5	4.2	14.1	55.8
1989.....	1.3	*	*	*	*	*	*	*	*	3.3	15.3	68.0
1988.....	1.2	*	*	*	*	*	*	*	*	3.2	12.7	63.9
1987.....	1.0	*	*	*	*	*	*	*	*	2.6	11.7	50.9
1986.....	1.1	*	*	*	*	*	*	*	*	3.5	13.8	53.2
1985.....	1.1	*	*	*	*	*	*	*	*	3.8	13.6	51.3
1984.....	1.0	*	*	*	*	*	*	*	*	4.3	13.9	41.4
1983.....	1.1	*	*	*	*	*	*	*	*	3.4	12.4	53.2
1982.....	1.2	*	*	*	*	*	*	*	*	4.3	12.7	53.4
1981.....	1.1	*	*	*	*	*	*	*	*	3.8	10.8	60.3
1980.....	1.0	2.5	0.4	0.0	0.0	0.1	0.2	0.2	1.1	2.6	14.3	46.4
1979.....	1.1	1.7	-	-	-	0.1	0.3	0.5	1.5	4.5	11.6	43.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	334	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
NUTRITIONAL DEFICIENCIES (260-269)															
BLACK, BOTH SEXES															
1998.....		1.4	*	*	*	*	*	*	*	0.9	3.8	16.5	72.8		
1997.....		1.3	*	*	*	*	*	*	*	1.3	4.1	13.0	60.9		
1996.....		1.2	*	*	*	*	*	*	*	1.0	3.9	13.5	56.6		
1995.....		1.3	*	*	*	*	*	*	*	1.4	3.8	16.4	56.6		
1994.....		1.3	*	*	*	*	*	*	*	1.1	3.0	15.2	61.6		
1993.....		1.3	*	*	*	*	*	*	*	1.3	4.8	16.1	53.8		
1992.....		1.4	*	*	*	*	*	*	*	1.5	4.2	17.2	66.2		
1991.....		1.3	*	*	*	*	*	*	*	1.1	4.5	13.6	74.1		
1990.....		1.4	*	*	*	*	*	*	0.8	1.9	4.9	17.4	66.0		
1989.....		1.5	*	*	*	*	*	*	*	1.6	4.7	18.3	75.9		
1988.....		1.4	*	*	*	*	*	*	*	2.0	4.9	14.4	72.4		
1987.....		1.3	*	*	*	*	*	*	*	1.2	4.2	15.8	60.6		
1986.....		1.4	*	*	*	*	*	*	*	1.4	4.9	18.5	58.7		
1985.....		1.2	*	*	*	*	*	*	*	1.5	5.1	15.4	50.8		
1984.....		1.2	*	*	*	*	*	*	*	1.9	5.0	17.5	47.4		
1983.....		1.3	*	*	*	*	*	*	*	1.8	5.4	17.8	53.3		
1982.....		1.3	*	*	*	*	*	*	*	1.5	5.4	17.3	52.8		
1981.....		1.1	*	*	*	*	*	*	*	1.4	4.8	12.9	54.8		
1980.....		1.3	3.7	0.3	0.0	0.0	0.1	0.3	0.7	1.9	4.5	15.6	54.1		
1979.....		1.2	4.5	-	0.0	-	0.1	0.4	0.9	1.5	5.6	14.7	47.4		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 335
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 NUTRITIONAL DEFICIENCIES (260-269)

BLACK MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	1.2	*	*	*	*	*	*	*	*	5.0	19.8	64.5
1997	1.1	*	*	*	*	*	*	*	2.1	5.4	16.6	64.3
1996	1.1	*	*	*	*	*	*	*	*	5.6	15.1	63.6
1995	1.1	*	*	*	*	*	*	*	2.3	3.9	18.2	63.1
1994	1.1	*	*	*	*	*	*	*	*	3.2	18.7	66.8
1993	1.3	*	*	*	*	*	*	*	*	6.6	19.8	59.1
1992	1.3	*	*	*	*	*	*	*	2.4	5.4	20.6	71.8
1991	1.3	*	*	*	*	*	*	*	*	5.5	18.8	108.7
1990	1.3	*	*	*	*	*	*	*	*	5.4	20.9	81.5
1989	1.3	*	*	*	*	*	*	*	2.4	5.7	21.5	83.3
1988	1.4	*	*	*	*	*	*	*	2.7	6.8	17.0	86.2
1987	1.4	*	*	*	*	*	*	*	*	5.9	21.7	78.1
1986	1.4	*	*	*	*	*	*	*	*	6.1	25.6	69.8
1985	1.1	*	*	*	*	*	*	*	*	6.5	17.9	40.3
1984	1.2	*	*	*	*	*	*	*	2.5	5.5	21.1	62.3
1983	1.5	*	*	*	*	*	*	*	2.6	8.1	24.3	63.3
1982	1.2	*	*	*	*	*	*	*	*	6.3	23.2	55.2
1981	1.1	*	*	*	*	*	*	*	*	5.6	15.3	46.4
1980	1.4	4.5	-	0.0	0.0	0.1	0.5	1.2	2.9	6.9	18.0	62.3
1979	1.3	6.9	-	0.0	-	0.1	0.4	1.4	1.7	6.7	19.3	53.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 336
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 NUTRITIONAL DEFICIENCIES (260-269)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	1.6	*	*	*	*	*	*	*	*	2.9	14.5	76.3
1997.....	1.4	*	*	*	*	*	*	*	*	3.2	10.8	59.5
1996.....	1.3	*	*	*	*	*	*	*	*	2.6	12.5	53.7
1995.....	1.4	*	*	*	*	*	*	*	*	3.7	15.4	53.9
1994.....	1.4	*	*	*	*	*	*	*	*	2.9	13.2	59.5
1993.....	1.4	*	*	*	*	*	*	*	*	3.6	14.0	51.6
1992.....	1.5	*	*	*	*	*	*	*	*	3.4	15.2	63.9
1991.....	1.2	*	*	*	*	*	*	*	*	3.8	10.7	59.5
1990.....	1.5	*	*	*	*	*	*	*	1.8	4.6	15.4	59.5
1989.....	1.6	*	*	*	*	*	*	*	*	4.0	16.5	73.2
1988.....	1.4	*	*	*	*	*	*	*	*	3.6	12.9	66.4
1987.....	1.2	*	*	*	*	*	*	*	*	3.0	12.4	52.8
1986.....	1.3	*	*	*	*	*	*	*	*	4.0	14.3	53.6
1985.....	1.3	*	*	*	*	*	*	*	*	4.1	13.9	55.6
1984.....	1.2	*	*	*	*	*	*	*	*	4.6	15.3	40.3
1983.....	1.2	*	*	*	*	*	*	*	*	3.6	13.9	48.4
1982.....	1.3	*	*	*	*	*	*	*	*	4.8	13.6	51.7
1981.....	1.2	*	*	*	*	*	*	*	*	4.2	11.4	58.4
1980.....	1.1	3.0	0.5	-	0.0	0.1	0.2	0.2	1.1	2.8	14.2	50.0
1979.....	1.2	2.0	-	-	-	0.1	0.4	0.6	1.4	4.8	11.7	44.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 337	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ANEMIAS (280-285)		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, BOTH SEXES													
1998.....		1.7	0.6	0.2	0.1	0.2	0.4	0.5	0.6	1.0	3.1	10.6	41.8
1997.....		1.7	0.7	0.3	0.2	0.2	0.3	0.5	0.6	1.0	3.0	10.7	43.6
1996.....		1.6	0.8	0.3	0.1	0.3	0.4	0.5	0.6	1.2	3.1	10.2	40.7
1995.....		1.7	0.9	0.3	0.2	0.4	0.4	0.5	0.6	1.2	3.2	11.1	44.8
1994.....		1.7	0.7	0.3	0.2	0.3	0.6	0.6	0.7	1.1	3.1	11.0	41.3
1993.....		1.7	1.1	0.3	0.1	0.3	0.4	0.5	0.6	1.1	3.0	11.2	43.8
1992.....		1.7	1.2	0.4	0.2	0.4	0.5	0.6	0.6	1.1	3.3	10.7	42.4
1991.....		1.6	0.7	0.3	0.2	0.3	0.5	0.4	0.6	1.2	3.2	11.6	42.1
1990.....		1.6	0.7	0.3	0.1	0.3	0.4	0.5	0.6	1.3	3.3	11.2	43.0
1989.....		1.6	1.0	0.3	0.1	0.3	0.4	0.5	0.7	1.2	3.6	11.3	40.7
1988.....		1.6	0.7	0.3	0.2	0.3	0.3	0.4	0.6	1.2	3.3	11.7	41.1
1987.....		1.6	*	0.3	0.2	0.3	0.5	0.4	0.6	1.2	3.4	11.5	41.1
1986.....		1.5	0.6	0.4	0.2	0.3	0.4	0.4	0.5	1.1	3.4	12.3	40.1
1985.....		1.6	*	0.4	0.2	0.3	0.4	0.4	0.6	1.3	3.5	12.3	39.3
1984.....		1.5	0.9	0.5	0.2	0.3	0.3	0.4	0.6	1.2	3.7	11.7	38.1
1983.....		1.5	1.0	0.4	0.2	0.3	0.4	0.4	0.5	1.4	3.6	11.8	35.7
1982.....		1.4	1.0	0.5	0.2	0.3	0.3	0.4	0.5	1.2	3.6	11.8	34.1
1981.....		1.4	0.7	0.4	0.2	0.3	0.3	0.5	0.6	1.3	4.0	11.4	34.7
1980.....		1.4	0.7	0.5	0.2	0.3	0.4	0.4	0.6	1.3	3.8	11.9	33.7
1979.....		1.4	1.0	0.6	0.2	0.3	0.4	0.5	0.6	1.3	3.7	11.5	33.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 338
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ANEMIAS (280-285)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	1.4	*	*	0.1	0.3	0.5	0.5	0.6	1.2	3.6	11.5	41.9
1997.....	1.4	*	0.3	0.2	0.2	0.4	0.5	0.6	1.1	3.1	12.1	44.3
1996.....	1.4	*	0.3	0.2	0.2	0.4	0.4	0.6	1.4	3.7	12.1	40.0
1995.....	1.4	*	0.3	0.2	0.4	0.5	0.5	0.6	1.1	3.7	12.0	46.8
1994.....	1.5	*	0.3	0.2	0.3	0.6	0.6	0.7	1.2	3.6	12.4	49.7
1993.....	1.4	1.4	0.3	0.2	0.3	0.5	0.5	0.5	1.2	3.3	12.3	48.9
1992.....	1.5	*	0.5	0.2	0.4	0.5	0.6	0.6	1.0	3.8	11.8	50.2
1991.....	1.4	*	0.3	0.1	0.3	0.5	0.5	0.6	1.2	3.5	12.8	51.3
1990.....	1.5	1.0	0.4	0.2	0.4	0.5	0.5	0.7	1.2	3.8	13.0	49.0
1989.....	1.4	1.1	0.4	*	0.3	0.4	0.5	0.7	1.3	3.7	13.0	45.2
1988.....	1.4	*	0.3	0.1	0.3	0.4	0.4	0.6	1.3	4.0	13.1	42.8
1987.....	1.4	*	0.4	0.2	0.3	0.6	0.5	0.6	1.5	4.0	13.6	43.6
1986.....	1.4	*	0.4	0.2	0.3	0.4	0.4	0.6	1.1	3.7	14.6	49.3
1985.....	1.4	*	0.4	0.2	0.3	0.4	0.4	0.6	1.5	3.9	14.9	45.3
1984.....	1.3	*	0.5	0.2	0.3	0.3	0.3	0.6	1.3	4.2	14.1	43.2
1983.....	1.4	*	0.4	0.3	0.3	0.4	0.4	0.6	1.5	4.2	13.6	44.1
1982.....	1.3	1.1	0.4	0.2	0.4	0.4	0.4	0.5	1.3	4.0	14.0	37.8
1981.....	1.4	*	0.4	0.2	0.3	0.3	0.5	0.6	1.4	4.5	14.6	40.4
1980.....	1.3	0.7	0.5	0.2	0.4	0.4	0.4	0.6	1.4	4.2	13.5	37.7
1979.....	1.4	1.4	0.6	0.3	0.4	0.4	0.5	0.6	1.4	4.5	13.8	38.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 339
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ANEMIAS (280-285) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	1.9	*	*	0.1	0.2	0.4	0.5	0.6	0.9	2.7	9.9	41.7
1997.....	2.0	*	*	0.2	0.2	0.3	0.4	0.6	0.9	3.0	9.9	43.3
1996.....	1.9	*	*	0.1	0.3	0.4	0.5	0.6	1.0	2.7	9.0	41.0
1995.....	2.0	*	0.3	0.2	0.4	0.3	0.5	0.5	1.2	2.8	10.5	44.1
1994.....	1.9	*	0.3	0.2	0.3	0.5	0.5	0.6	1.0	2.8	10.1	38.1
1993.....	1.9	*	0.3	0.1	0.3	0.4	0.5	0.6	1.0	2.8	10.4	41.9
1992.....	1.9	1.5	0.3	0.1	0.3	0.4	0.5	0.6	1.1	3.0	10.1	39.3
1991.....	1.8	*	0.3	0.2	0.2	0.5	0.4	0.7	1.2	2.9	10.8	38.6
1990.....	1.8	*	0.3	0.1	0.3	0.4	0.5	0.5	1.3	3.0	10.2	40.7
1989.....	1.8	*	0.3	0.2	0.3	0.4	0.5	0.6	1.2	3.5	10.2	38.9
1988.....	1.8	*	*	0.2	0.3	0.3	0.4	0.5	1.2	2.8	10.9	40.4
1987.....	1.7	*	*	0.2	0.3	0.4	0.4	0.5	1.0	3.0	10.2	40.1
1986.....	1.7	*	0.4	0.2	0.2	0.4	0.3	0.4	1.1	3.1	10.9	36.5
1985.....	1.7	*	0.4	0.2	0.2	0.3	0.4	0.6	1.2	3.3	10.8	36.8
1984.....	1.6	*	0.4	0.3	0.3	0.3	0.4	0.5	1.1	3.2	10.2	36.0
1983.....	1.6	1.1	0.4	0.2	0.3	0.3	0.3	0.5	1.3	3.2	10.8	32.2
1982.....	1.5	*	0.6	0.2	0.3	0.3	0.5	0.5	1.1	3.4	10.4	32.6
1981.....	1.5	*	0.3	0.2	0.2	0.3	0.5	0.7	1.1	3.7	9.6	32.3
1980.....	1.6	0.6	0.5	0.2	0.3	0.4	0.4	0.6	1.2	3.5	11.0	31.9
1979.....	1.5	0.7	0.5	0.2	0.3	0.4	0.4	0.6	1.2	3.1	10.1	30.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 340
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ANEMIAS (280-285) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE, BOTH SEXES												
1998.....	1.6	*	*	0.1	0.1	0.1	0.2	0.3	0.8	2.8	10.3	41.4
1997.....	1.6	*	*	0.1	0.1	0.1	0.1	0.3	0.8	2.8	10.7	43.3
1996.....	1.5	*	*	0.1	0.1	0.1	0.1	0.3	1.0	3.0	9.9	40.4
1995.....	1.6	*	*	0.1	0.1	0.1	0.2	0.3	0.9	3.0	10.5	44.3
1994.....	1.5	*	*	0.1	0.1	0.2	0.2	0.4	0.9	2.9	10.7	41.0
1993.....	1.5	0.7	*	0.1	0.1	0.1	0.2	0.3	0.9	2.8	10.9	43.3
1992.....	1.5	0.6	0.2	0.1	0.1	0.1	0.2	0.4	0.9	3.1	10.3	42.4
1991.....	1.5	*	*	0.1	0.1	0.1	0.2	0.4	1.0	2.9	11.3	41.5
1990.....	1.5	*	*	*	0.1	0.1	0.2	0.4	1.1	3.1	10.9	42.8
1989.....	1.5	*	0.2	0.1	0.1	0.1	0.2	0.4	1.0	3.4	11.1	40.3
1988.....	1.5	*	*	0.1	0.1	0.1	0.2	0.4	1.1	3.1	11.4	41.1
1987.....	1.5	*	*	0.1	0.1	0.1	0.2	0.4	1.1	3.2	11.5	41.6
1986.....	1.4	*	0.2	0.1	0.1	0.1	0.2	0.4	1.0	3.3	12.0	40.1
1985.....	1.5	*	*	0.1	0.1	0.1	0.2	0.4	1.1	3.3	12.1	39.4
1984.....	1.4	*	0.2	0.2	0.1	0.1	0.2	0.4	1.0	3.4	11.7	38.4
1983.....	1.4	*	*	0.1	0.1	0.1	0.2	0.3	1.2	3.5	11.9	36.2
1982.....	1.3	*	0.2	0.1	0.1	0.1	0.2	0.3	1.1	3.4	11.5	34.2
1981.....	1.4	*	*	0.1	0.1	0.1	0.2	0.5	1.1	3.9	11.3	35.4
1980.....	1.3	0.2	0.2	0.2	0.2	0.1	0.2	0.4	1.1	3.5	11.8	34.1
1979.....	1.3	0.7	0.3	0.2	0.2	0.2	0.2	0.5	1.1	3.5	11.3	33.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 341
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ANEMIAS (280-285) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	1.3	*	*	*	*	*	0.1	0.4	0.9	3.3	11.3	41.8
1997.....	1.2	*	*	*	*	*	0.1	0.3	0.9	2.9	12.0	44.0
1996.....	1.3	*	*	*	*	*	0.1	0.3	1.2	3.6	11.8	40.5
1995.....	1.3	*	*	*	*	*	0.2	0.3	0.9	3.4	11.5	47.1
1994.....	1.3	*	*	*	*	0.2	0.3	0.4	1.0	3.3	12.2	50.1
1993.....	1.3	*	*	*	0.1	0.2	0.2	0.3	1.1	3.0	12.2	49.6
1992.....	1.3	*	*	*	0.1	0.2	0.2	0.5	1.0	3.5	11.4	51.4
1991.....	1.3	*	*	*	*	0.1	0.2	0.3	1.0	3.2	12.2	51.8
1990.....	1.2	*	*	*	0.1	0.1	0.2	0.4	1.0	3.5	12.2	49.0
1989.....	1.2	*	*	*	0.2	*	0.2	0.5	1.0	3.5	12.8	45.3
1988.....	1.2	*	*	*	0.2	0.1	0.2	0.4	1.2	3.9	12.7	43.2
1987.....	1.3	*	*	*	*	0.1	0.2	0.5	1.4	3.8	13.5	44.5
1986.....	1.3	*	*	*	0.1	*	0.2	0.4	1.0	3.7	14.5	49.4
1985.....	1.3	*	*	*	*	0.2	0.2	0.4	1.2	3.7	14.8	46.2
1984.....	1.2	*	*	*	0.1	*	*	0.4	1.2	3.9	14.2	44.0
1983.....	1.3	*	*	0.2	0.1	0.1	0.3	0.3	1.3	4.0	13.5	45.9
1982.....	1.2	*	*	0.1	0.1	0.1	0.2	0.3	1.2	3.9	14.0	38.3
1981.....	1.2	*	*	0.2	0.2	*	0.2	0.5	1.3	4.4	14.2	41.1
1980.....	1.1	0.2	0.3	0.1	0.2	0.1	0.1	0.5	1.2	3.9	13.5	38.8
1979.....	1.2	1.0	0.2	0.2	0.2	0.1	0.3	0.5	1.3	4.4	14.1	38.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 342
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ANEMIAS (280-285) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	1.9	*	*	*	*	*	0.2	0.3	0.7	2.5	9.7	41.3
1997.....	1.9	*	*	*	*	*	*	0.3	0.7	2.6	9.8	43.1
1996.....	1.8	*	*	*	*	*	0.2	0.3	0.8	2.6	8.7	40.4
1995.....	1.9	*	*	*	*	*	0.2	0.3	0.9	2.6	9.9	43.3
1994.....	1.7	*	*	*	*	0.2	0.1	0.3	0.9	2.6	9.8	37.5
1993.....	1.8	*	*	*	*	*	0.2	0.4	0.7	2.6	10.0	40.9
1992.....	1.7	*	*	*	*	*	0.2	0.3	0.9	2.8	9.6	39.0
1991.....	1.7	*	*	*	*	0.2	0.2	0.4	1.0	2.6	10.8	37.6
1990.....	1.7	*	*	*	*	*	0.2	0.3	1.2	2.7	10.1	40.5
1989.....	1.7	*	*	*	*	0.1	0.2	0.3	0.9	3.2	10.0	38.4
1988.....	1.7	*	*	*	*	0.1	0.1	0.3	0.9	2.6	10.7	40.2
1987.....	1.7	*	*	*	*	0.2	0.1	0.3	0.8	2.8	10.3	40.4
1986.....	1.6	*	*	*	*	*	0.1	0.3	1.0	3.0	10.6	36.4
1985.....	1.6	*	*	*	0.1	*	0.1	0.4	1.0	3.0	10.5	36.8
1984.....	1.6	*	*	0.2	0.1	*	0.3	0.4	1.0	3.1	10.2	36.2
1983.....	1.5	*	*	*	*	0.1	0.2	0.4	1.1	3.1	10.9	32.3
1982.....	1.5	*	*	*	0.1	*	0.2	0.3	0.9	3.1	10.0	32.6
1981.....	1.5	*	*	*	*	*	0.2	0.5	1.0	3.5	9.6	33.0
1980.....	1.5	0.3	0.2	0.2	0.2	0.1	0.2	0.4	1.0	3.2	10.8	32.0
1979.....	1.4	0.4	0.3	0.2	0.2	0.2	0.2	0.5	1.0	2.8	9.6	30.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 343
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ANEMIAS (280-285)												
ALL OTHER, BOTH SEXES												
1998.....	2.2	*	*	0.2	0.9	1.9	2.1	2.0	2.5	5.1	12.7	44.9
1997.....	2.2	*	0.9	0.5	0.8	1.4	2.1	2.0	2.3	5.2	11.7	45.8
1996.....	2.2	*	0.9	0.3	0.9	1.8	2.1	2.3	2.8	3.9	12.9	43.6
1995.....	2.5	*	1.0	0.5	1.4	1.7	2.2	2.0	2.7	5.1	17.0	49.9
1994.....	2.4	*	1.0	0.4	1.1	2.3	2.4	2.5	2.2	5.3	13.7	44.8
1993.....	2.3	2.8	0.9	0.4	1.1	1.9	2.3	2.2	2.7	4.8	14.0	49.7
1992.....	2.4	3.3	1.2	0.5	1.3	2.1	2.4	2.0	1.9	5.5	15.0	41.7
1991.....	2.3	*	1.0	0.4	1.1	2.0	1.8	2.4	2.5	5.8	14.4	48.9
1990.....	2.4	*	1.1	0.5	1.3	2.1	2.3	2.2	2.6	5.8	14.6	44.9
1989.....	2.3	2.9	1.0	0.3	1.1	1.8	2.1	2.4	3.1	5.5	13.1	44.1
1988.....	2.0	*	1.2	0.4	1.0	1.4	1.8	1.9	2.5	4.5	14.7	41.5
1987.....	2.1	*	1.0	0.6	1.0	2.1	2.0	1.6	2.3	5.4	11.5	36.3
1986.....	2.1	*	1.4	0.5	1.1	2.1	1.6	1.5	2.0	4.0	15.3	40.7
1985.....	2.1	*	1.7	0.6	1.0	1.6	1.8	2.0	2.8	5.5	14.5	37.1
1984.....	1.9	*	1.6	0.5	1.1	1.4	1.5	1.7	2.2	5.7	11.8	35.0
1983.....	2.0	3.0	1.7	0.6	1.2	1.6	1.3	1.8	3.1	5.1	11.4	29.7
1982.....	2.0	*	1.8	0.4	1.2	1.6	1.7	1.5	2.1	5.3	14.4	33.2
1981.....	2.0	*	1.2	0.6	1.0	1.5	2.3	1.9	2.4	5.3	12.4	26.8
1980.....	2.2	2.7	1.6	0.5	1.1	2.2	1.9	1.8	3.0	6.2	13.1	29.0
1979.....	2.2	2.7	2.0	0.6	1.3	1.7	2.0	1.7	2.8	5.5	13.6	32.2

00/04/10 TABLE 290
 CAUSE OF DEATH CODE,
 RACE, SEX, AND YEAR
 ANEMIAS (280-285)

DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 344

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	2.1	*	*	*	1.0	2.1	2.0	2.0	3.5	6.2	13.2	42.7
1997.....	2.0	*	1.4	0.5	0.9	1.6	2.4	2.1	2.5	4.4	12.9	47.2
1996.....	2.1	*	*	*	0.9	1.9	2.2	2.4	3.3	4.1	14.6	35.3
1995.....	2.3	*	*	0.5	1.5	2.1	2.4	2.1	2.2	6.2	16.9	43.8
1994.....	2.3	*	*	*	1.1	2.5	2.7	2.5	2.3	6.5	14.5	45.5
1993.....	2.2	*	*	*	1.2	2.2	2.4	2.3	2.5	5.6	13.5	42.6
1992.....	2.4	*	1.5	0.5	1.5	2.3	2.9	1.9	*	6.5	15.5	38.7
1991.....	2.3	*	*	*	1.4	2.1	2.2	2.5	2.7	5.6	19.5	46.5
1990.....	2.6	*	1.5	0.6	1.6	2.4	2.3	2.5	3.2	6.7	20.4	49.1
1989.....	2.2	*	*	*	1.2	2.3	2.3	2.4	3.4	5.3	14.3	44.4
1988.....	2.0	*	*	*	1.0	1.9	2.0	2.2	2.1	4.8	16.7	39.2
1987.....	2.2	*	*	*	1.1	2.9	2.5	1.7	2.3	6.1	14.6	35.1
1986.....	2.1	*	1.6	*	1.3	2.4	1.7	1.8	1.8	3.9	16.0	48.0
1985.....	2.2	*	1.6	0.6	1.3	1.9	1.8	2.2	3.3	5.5	15.4	37.0
1984.....	2.0	*	1.9	*	1.3	1.7	1.8	1.7	2.3	7.1	13.6	36.1
1983.....	2.2	*	1.8	0.7	1.4	1.9	1.6	2.4	3.3	5.8	14.3	*
1982.....	2.0	*	1.8	*	1.5	1.9	1.6	1.6	2.2	5.0	14.3	32.8
1981.....	2.1	*	*	*	1.1	1.9	2.5	1.9	2.6	5.3	17.7	32.8
1980.....	2.2	3.1	1.6	0.6	1.5	2.5	2.2	1.3	3.1	7.3	12.8	26.3
1979.....	2.1	3.3	2.4	0.7	1.5	1.8	2.2	1.8	2.4	5.7	10.8	32.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 345
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ANEMIAS (280-285) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	2.3	*	*	*	0.9	1.7	2.2	1.9	1.7	4.3	12.4	45.8
1997.....	2.3	*	*	0.5	0.7	1.3	1.9	2.0	2.2	5.8	10.9	45.1
1996.....	2.3	*	*	*	1.0	1.6	2.0	2.1	2.4	3.8	11.9	47.4
1995.....	2.6	*	*	0.6	1.4	1.4	2.0	1.9	3.1	4.3	17.0	52.5
1994.....	2.5	*	*	*	1.1	2.0	2.2	2.5	2.2	4.4	13.2	44.5
1993.....	2.5	*	*	*	1.0	1.6	2.3	2.1	2.8	4.2	14.3	52.8
1992.....	2.4	*	*	*	1.1	1.9	1.9	2.0	2.3	4.8	14.7	43.1
1991.....	2.3	*	*	*	0.7	1.8	1.5	2.3	2.3	5.9	11.4	49.7
1990.....	2.2	*	*	*	1.0	1.7	2.2	1.9	2.1	5.2	11.0	43.0
1989.....	2.4	*	*	*	1.1	1.4	2.0	2.4	2.8	5.7	12.3	44.0
1988.....	2.1	*	*	*	1.0	1.0	1.7	1.6	2.7	4.3	13.5	42.6
1987.....	2.0	*	*	0.7	1.0	1.4	1.6	1.6	2.2	4.9	9.6	36.8
1986.....	2.1	*	*	*	0.8	1.8	1.5	1.3	2.2	4.1	14.8	37.2
1985.....	2.1	*	1.9	*	0.7	1.3	1.8	1.7	2.4	5.5	14.0	37.3
1984.....	1.9	*	*	*	0.9	1.2	1.2	1.6	2.1	4.7	10.7	34.5
1983.....	1.9	*	1.7	*	1.1	1.4	1.1	1.3	2.9	4.5	9.6	30.9
1982.....	2.0	*	1.7	*	0.9	1.3	1.7	1.4	1.9	5.5	14.5	33.1
1981.....	1.8	*	*	*	1.0	1.1	2.1	1.9	2.1	5.2	8.9	23.8
1980.....	2.1	2.2	1.6	0.4	0.8	1.9	1.6	2.3	2.9	5.4	13.3	30.3
1979.....	2.2	2.0	1.6	0.5	1.1	1.6	1.9	1.7	3.0	5.4	15.4	32.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 346												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ANEMIAS (280-285)												
BLACK, BOTH SEXES												
1998.....	2.8	*	*	*	1.2	2.6	2.9	2.6	3.3	5.3	14.6	51.0
1997.....	2.7	*	1.2	0.7	1.0	1.9	2.9	2.8	2.9	6.2	13.2	52.0
1996.....	2.8	*	1.2	0.4	1.2	2.4	2.8	3.0	3.6	4.5	14.9	49.2
1995.....	3.1	*	1.3	0.7	1.9	2.3	3.0	2.7	3.4	5.8	18.0	54.0
1994.....	3.0	*	1.3	0.5	1.4	3.0	3.3	3.3	2.8	6.3	15.8	46.9
1993.....	2.9	*	1.1	0.5	1.4	2.6	3.1	2.9	3.2	5.5	16.0	53.4
1992.....	3.0	3.3	1.6	0.6	1.6	2.8	3.2	2.6	2.4	6.4	17.3	44.7
1991.....	2.8	*	1.3	0.5	1.2	2.6	2.4	3.2	2.7	6.8	16.4	54.3
1990.....	2.9	*	1.3	0.6	1.6	2.7	3.0	2.8	2.9	6.5	16.2	47.6
1989.....	2.8	*	1.3	*	1.4	2.4	2.9	3.1	3.7	6.1	14.5	48.2
1988.....	2.5	*	1.6	0.5	1.2	1.8	2.4	2.4	3.1	4.9	15.8	43.5
1987.....	2.5	*	1.3	0.7	1.2	2.7	2.7	2.0	2.5	6.2	12.2	37.0
1986.....	2.4	*	1.7	0.5	1.3	2.7	2.0	1.9	2.4	4.5	15.7	41.3
1985.....	2.5	*	2.1	0.7	1.2	2.0	2.3	2.5	3.2	6.1	15.6	37.4
1984.....	2.3	*	1.8	0.5	1.3	1.8	1.9	2.0	2.4	6.0	12.9	37.9
1983.....	2.4	*	2.1	0.7	1.5	2.0	1.7	2.2	3.6	5.5	12.5	30.4
1982.....	2.3	*	2.1	0.5	1.3	2.0	2.1	1.8	2.3	5.4	15.4	33.5
1981.....	2.3	*	1.5	0.6	1.2	1.9	2.7	2.3	2.5	5.9	13.6	28.6
1980.....	2.5	2.8	1.9	0.6	1.3	2.7	2.3	2.1	3.3	6.6	13.6	31.4
1979.....	2.4	1.9	2.4	0.6	1.5	1.9	2.4	1.9	3.1	6.0	14.7	32.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 347
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ANEMIAS (280-285) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

BLACK MALE

1998.....	2.6	*	*	*	1.2	3.0	2.7	2.7	4.6	5.9	15.2	49.0
1997.....	2.6	*	1.8	*	1.0	2.1	3.2	3.0	3.2	5.4	15.7	56.1
1996.....	2.6	*	*	*	1.1	2.7	3.0	3.2	4.2	4.8	17.7	38.4
1995.....	2.9	*	*	*	2.0	2.9	3.2	2.9	2.8	7.0	18.6	41.7
1994.....	3.0	*	*	*	1.4	3.4	3.6	3.3	3.0	8.0	17.0	47.1
1993.....	2.8	*	*	*	1.5	3.0	3.3	3.2	3.1	6.3	16.3	43.0
1992.....	3.0	*	2.0	0.7	1.9	3.1	4.0	2.5	*	7.8	17.5	40.2
1991.....	2.8	*	*	*	1.5	2.8	2.9	3.4	3.3	6.3	22.7	52.2
1990.....	3.2	*	*	0.7	2.0	3.2	3.2	3.4	3.4	7.7	23.1	52.8
1989.....	2.8	*	*	*	1.5	3.0	3.1	3.1	4.2	5.6	16.4	53.0
1988.....	2.4	*	*	*	1.2	2.4	2.6	2.9	2.6	5.0	17.7	40.0
1987.....	2.7	*	*	*	1.3	3.8	3.3	2.3	2.4	7.0	16.1	34.4
1986.....	2.4	*	2.0	*	1.6	3.1	2.1	2.2	*	4.4	16.4	49.2
1985.....	2.6	*	2.0	*	1.6	2.3	2.3	2.8	3.7	6.3	16.3	33.9
1984.....	2.4	*	2.1	*	1.6	2.1	2.3	2.1	2.5	7.6	14.3	37.7
1983.....	2.5	*	2.2	*	1.6	2.4	2.0	2.8	3.9	6.4	16.2	*
1982.....	2.3	*	2.2	*	1.6	2.3	2.0	1.9	2.5	4.9	15.8	*
1981.....	2.4	*	*	*	1.3	2.4	3.1	2.3	2.7	5.9	19.6	35.7
1980.....	2.6	3.3	1.9	0.7	1.7	3.1	2.8	1.6	3.5	7.8	13.2	26.4
1979.....	2.4	3.1	2.8	0.7	1.7	2.1	2.7	2.1	2.7	6.4	11.8	32.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 348
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ANEMIAS (280-285) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	2.9	*	*	*	1.2	2.3	3.0	2.6	2.3	4.9	14.3	51.8
1997.....	2.8	*	*	0.7	0.9	1.8	2.6	2.7	2.7	6.8	11.8	50.3
1996.....	2.9	*	*	*	1.3	2.2	2.7	2.8	3.2	4.3	13.3	53.7
1995.....	3.2	*	*	0.7	1.8	1.8	2.8	2.6	3.8	5.0	17.7	59.0
1994.....	3.1	*	*	*	1.4	2.7	2.9	3.3	2.7	5.1	15.2	46.8
1993.....	3.1	*	*	*	1.3	2.2	3.0	2.7	3.3	5.0	15.8	57.6
1992.....	3.0	*	*	*	1.3	2.4	2.5	2.7	2.8	5.5	17.2	46.6
1991.....	2.8	*	*	*	0.9	2.3	2.0	3.0	2.2	7.2	12.9	55.2
1990.....	2.7	*	*	*	1.2	2.2	2.9	2.3	2.5	5.8	12.3	45.4
1989.....	2.8	*	*	*	1.4	1.8	2.7	3.1	3.3	6.5	13.4	46.4
1988.....	2.5	*	*	*	1.2	1.2	2.2	2.0	3.4	4.9	14.8	45.0
1987.....	2.3	*	*	0.8	1.1	1.8	2.1	1.9	2.6	5.6	10.0	38.2
1986.....	2.4	*	*	*	1.0	2.3	1.9	1.6	2.7	4.5	15.2	37.7
1985.....	2.5	*	2.3	*	0.8	1.6	2.2	2.2	2.8	5.9	15.1	39.1
1984.....	2.2	*	*	*	1.0	1.5	1.6	1.9	2.3	4.9	12.0	38.0
1983.....	2.3	*	2.0	*	1.3	1.7	1.4	1.6	3.4	4.9	10.1	32.3
1982.....	2.3	*	2.0	*	1.0	1.6	2.2	1.7	2.2	5.8	15.1	35.6
1981.....	2.1	*	*	*	1.1	1.4	2.4	2.3	2.3	5.8	9.8	24.8
1980.....	2.4	2.3	1.9	0.4	0.9	2.4	1.9	2.6	3.2	5.7	13.9	33.9
1979.....	2.4	0.8	1.9	0.5	1.3	1.8	2.2	1.8	3.4	5.7	16.7	32.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	349
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR MENINGITIS (320-322)		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, BOTH SEXES													
1998.....		0.3	2.8	0.3	0.1	0.1	0.1	0.2	0.3	0.3	0.5	0.9	1.0
1997.....		0.3	2.6	0.3	0.1	0.1	0.1	0.2	0.3	0.4	0.5	1.0	1.4
1996.....		0.3	2.7	0.2	0.1	0.1	0.1	0.2	0.3	0.4	0.6	1.0	1.3
1995.....		0.3	3.1	0.2	0.1	0.1	0.1	0.2	0.3	0.4	0.5	0.8	1.5
1994.....		0.3	2.8	0.3	0.1	0.1	0.1	0.2	0.3	0.4	0.6	1.0	1.4
1993.....		0.3	2.7	0.2	0.1	0.1	0.1	0.2	0.3	0.4	0.7	1.2	1.5
1992.....		0.3	3.1	0.2	0.1	0.1	0.1	0.2	0.2	0.4	0.6	1.1	1.8
1991.....		0.4	3.2	0.3	0.1	0.1	0.1	0.2	0.2	0.5	0.8	1.4	2.4
1990.....		0.4	5.0	0.5	0.1	0.1	0.1	0.2	0.3	0.5	0.8	1.3	2.0
1989.....		0.4	5.9	0.7	0.1	0.1	0.2	0.2	0.3	0.5	0.9	1.2	2.2
1988.....		0.5	5.5	0.9	0.2	0.1	0.1	0.1	0.3	0.6	1.1	1.7	2.8
1987.....		0.5	5.8	1.0	0.1	0.1	0.2	0.2	0.4	0.6	0.9	1.4	2.9
1986.....		0.5	5.9	1.0	0.1	0.1	0.1	0.2	0.3	0.7	1.0	1.7	2.6
1985.....		0.5	7.0	1.1	0.1	0.1	0.2	0.1	0.3	0.6	1.0	2.0	2.4
1984.....		0.5	7.5	1.2	0.1	0.1	0.1	0.1	0.3	0.7	0.8	1.8	2.4
1983.....		0.6	8.7	1.4	0.1	0.1	0.1	0.2	0.4	0.6	1.0	1.7	2.4
1982.....		0.6	9.1	1.4	0.1	0.1	0.1	0.2	0.4	0.6	0.9	1.6	3.4
1981.....		0.6	11.7	1.2	0.1	0.1	0.2	0.2	0.5	0.7	0.9	1.6	2.9
1980.....		0.6	12.5	1.7	0.1	0.1	0.1	0.2	0.3	0.7	1.1	1.5	2.0
1979.....		0.6	12.9	1.4	0.2	0.1	0.1	0.3	0.4	0.7	1.1	1.6	2.1

00/04/10 TABLE 290
 CAUSE OF DEATH CODE,
 RACE, SEX, AND YEAR
 MENINGITIS (320-322)
 TOTAL, MALE

	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98												PAGE 350
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
1998.....	0.3	3.2	0.4	0.1	0.1	*	0.2	0.4	0.4	0.7	1.1	*	
1997.....	0.3	2.1	0.3	*	*	0.1	0.2	0.4	0.5	0.7	1.1	*	
1996.....	0.3	3.2	0.3	*	*	0.1	0.2	0.4	0.5	0.7	1.2	*	
1995.....	0.3	3.2	0.3	*	0.1	0.2	0.2	0.4	0.5	0.6	0.9	*	
1994.....	0.3	3.1	0.4	0.1	*	0.1	0.2	0.3	0.5	0.6	1.0	2.1	
1993.....	0.3	3.1	0.2	0.1	*	0.2	0.2	0.3	0.4	0.8	1.4	*	
1992.....	0.3	3.0	*	*	*	0.1	0.3	0.3	0.6	0.7	1.2	*	
1991.....	0.4	3.3	0.3	*	*	0.2	0.3	0.3	0.6	0.7	1.3	3.0	
1990.....	0.4	5.4	0.7	0.1	*	0.2	0.4	0.4	0.6	0.8	1.3	2.6	
1989.....	0.5	6.4	0.9	*	*	0.2	0.4	0.4	0.6	1.0	1.2	2.8	
1988.....	0.5	5.7	1.0	0.1	*	0.2	0.2	0.4	0.8	1.1	1.5	3.5	
1987.....	0.5	6.3	1.1	0.1	*	0.3	0.3	0.5	0.8	1.2	1.5	2.8	
1986.....	0.5	6.5	1.4	*	*	0.2	0.3	0.3	0.8	1.1	2.1	2.6	
1985.....	0.5	7.5	1.4	*	*	0.2	0.2	0.3	0.6	1.2	2.0	2.6	
1984.....	0.6	8.5	1.5	0.1	*	0.2	0.2	0.4	0.8	1.0	2.3	*	
1983.....	0.6	9.5	1.5	0.1	0.1	0.2	0.2	0.4	0.7	1.1	1.6	2.7	
1982.....	0.6	10.4	1.6	0.2	*	0.1	0.3	0.4	0.8	1.1	1.3	4.3	
1981.....	0.7	13.7	1.4	0.2	0.1	0.2	0.3	0.6	0.9	1.0	1.6	3.4	
1980.....	0.7	13.9	2.2	0.1	0.1	0.1	0.2	0.5	0.9	1.2	2.0	1.9	
1979.....	0.7	14.4	1.7	0.1	0.1	0.2	0.3	0.4	0.9	1.2	1.9	2.2	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 351												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR MENINGITIS (320-322)	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE												
1998.....	0.2	2.5	*	*	*	*	0.2	0.2	0.3	0.4	0.8	1.2
1997.....	0.3	3.1	0.3	*	*	0.1	0.1	0.2	0.3	0.4	0.9	1.4
1996.....	0.2	2.3	*	*	*	*	0.1	0.2	0.3	0.5	0.9	1.3
1995.....	0.3	3.1	*	*	*	*	0.1	0.2	0.4	0.5	0.7	1.5
1994.....	0.3	2.4	*	*	*	*	0.1	0.2	0.4	0.6	0.9	1.1
1993.....	0.3	2.4	*	*	*	0.1	0.1	0.2	0.3	0.6	1.0	1.4
1992.....	0.3	3.3	*	*	*	*	0.2	0.2	0.3	0.6	1.1	1.7
1991.....	0.3	3.1	*	*	*	*	0.2	0.2	0.4	0.9	1.4	2.2
1990.....	0.4	4.6	0.4	*	*	*	0.1	0.2	0.5	0.8	1.3	1.8
1989.....	0.4	5.5	0.4	*	*	0.1	0.1	0.2	0.4	0.8	1.3	2.0
1988.....	0.4	5.2	0.8	0.2	*	*	*	0.2	0.4	1.1	1.8	2.5
1987.....	0.4	5.2	0.9	*	*	0.1	0.2	0.3	0.4	0.7	1.3	3.0
1986.....	0.4	5.4	0.6	*	*	0.1	0.1	0.3	0.6	1.0	1.4	2.5
1985.....	0.5	6.4	0.8	0.1	*	*	*	0.3	0.5	0.9	1.9	2.3
1984.....	0.4	6.5	1.0	0.2	*	*	*	0.3	0.6	0.7	1.5	2.6
1983.....	0.5	7.9	1.3	*	*	*	0.2	0.3	0.5	1.0	1.8	2.2
1982.....	0.5	7.7	1.1	*	*	0.1	*	0.3	0.5	0.8	1.7	3.0
1981.....	0.5	9.6	1.0	0.1	*	0.1	*	0.3	0.6	0.8	1.7	2.7
1980.....	0.5	11.1	1.2	0.2	0.1	0.1	0.2	0.2	0.5	1.0	1.2	2.1
1979.....	0.5	11.3	1.2	0.2	0.0	0.1	0.2	0.3	0.5	1.0	1.4	2.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 352
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MENINGITIS (320-322)													
WHITE, BOTH SEXES													
1998	0.2	2.2	0.3	0.1	0.1	0.1	0.2	0.2	0.3	0.5	0.9	1.0
1997	0.2	2.1	0.2	0.1	*	0.1	0.1	0.2	0.4	0.4	0.9	1.3
1996	0.2	1.9	0.2	0.1	*	0.1	0.1	0.2	0.3	0.5	1.0	1.1
1995	0.2	2.1	0.3	0.1	0.1	0.1	0.1	0.2	0.4	0.5	0.7	1.4
1994	0.3	1.9	0.2	0.1	*	0.1	0.1	0.2	0.4	0.6	0.9	1.2
1993	0.3	1.8	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.6	1.1	1.3
1992	0.3	2.5	0.2	0.1	*	0.1	0.1	0.2	0.4	0.6	1.0	1.8
1991	0.3	2.3	0.2	0.1	0.1	0.1	0.1	0.2	0.4	0.7	1.2	1.9
1990	0.3	3.5	0.5	0.1	*	0.1	0.2	0.2	0.5	0.7	1.1	1.7
1989	0.3	4.2	0.6	*	*	0.1	0.2	0.2	0.4	0.7	1.2	1.9
1988	0.4	4.5	0.8	0.1	0.1	0.1	0.1	0.2	0.5	0.9	1.4	2.4
1987	0.4	4.4	0.9	0.1	*	0.1	0.1	0.3	0.5	0.8	1.3	2.5
1986	0.4	4.5	0.9	*	0.1	0.1	0.1	0.2	0.6	0.9	1.5	2.2
1985	0.4	5.2	1.0	0.1	*	0.1	0.1	0.2	0.5	0.9	1.8	2.3
1984	0.4	5.9	1.1	0.1	0.1	0.1	0.1	0.2	0.5	0.7	1.6	2.3
1983	0.5	6.8	1.3	0.1	0.1	0.1	0.1	0.3	0.5	0.8	1.6	2.3
1982	0.5	7.0	1.3	0.1	*	0.1	0.1	0.3	0.5	0.8	1.3	3.2
1981	0.5	9.1	1.2	0.1	0.1	0.1	0.1	0.3	0.6	0.7	1.4	2.8
1980	0.5	10.1	1.6	0.2	0.1	0.1	0.1	0.2	0.6	0.9	1.4	1.7
1979	0.5	9.7	1.3	0.1	0.0	0.1	0.2	0.3	0.5	0.9	1.4	1.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 353													
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR MENINGITIS (320-322) WHITE MALE	TOTAL	UNDER	1-4	5-14	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
1998.....	0.3	2.3	0.4	*	*	*	0.2	0.3	0.3	0.6	1.1	*	
1997.....	0.3	1.4	*	*	*	*	0.2	0.3	0.4	0.6	1.0	*	
1996.....	0.3	2.4	*	*	*	*	0.2	0.3	0.3	0.6	1.1	*	
1995.....	0.3	2.3	0.3	*	*	0.1	0.1	0.3	0.4	0.6	0.7	*	
1994.....	0.3	2.2	0.3	*	*	*	0.2	0.2	0.4	0.6	0.8	*	
1993.....	0.3	2.0	*	*	*	0.1	0.1	0.2	0.3	0.7	1.3	*	
1992.....	0.3	2.7	*	*	*	*	0.2	0.2	0.4	0.7	1.1	*	
1991.....	0.3	2.5	*	*	*	*	0.2	0.3	0.5	0.7	1.1	2.5	
1990.....	0.4	4.1	0.6	*	*	0.1	0.3	0.3	0.5	0.8	1.0	*	
1989.....	0.4	4.7	0.8	*	*	0.1	0.2	0.2	0.4	0.9	1.1	2.8	
1988.....	0.4	4.8	0.8	*	*	0.1	*	0.2	0.6	0.9	1.2	2.9	
1987.....	0.5	5.2	1.0	*	*	0.2	0.2	0.4	0.6	1.1	1.3	2.9	
1986.....	0.4	5.0	1.3	*	*	0.2	*	0.2	0.6	0.9	1.9	*	
1985.....	0.5	5.6	1.3	*	*	0.1	*	0.3	0.6	1.1	1.7	*	
1984.....	0.5	7.2	1.4	*	*	0.2	0.2	0.3	0.6	0.8	2.1	*	
1983.....	0.5	7.6	1.4	*	*	*	0.2	0.3	0.6	0.9	1.3	3.0	
1982.....	0.5	8.2	1.6	0.2	*	*	0.2	0.3	0.6	1.0	1.1	3.8	
1981.....	0.6	11.0	1.5	*	0.1	0.1	*	0.5	0.7	0.8	1.3	3.3	
1980.....	0.6	11.5	2.0	0.1	0.1	0.1	0.1	0.3	0.8	1.0	1.9	1.6	
1979.....	0.6	10.8	1.5	0.2	0.1	0.1	0.2	0.3	0.7	1.1	1.6	1.3	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 354												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR MENINGITIS (320-322)	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
WHITE FEMALE												
1998.....	0.2	2.1	*	*	*	*	0.1	0.1	0.3	0.4	0.7	1.2
1997.....	0.2	2.8	*	*	*	*	0.1	*	0.3	0.3	0.9	1.3
1996.....	0.2	1.4	*	*	*	*	*	*	0.2	0.4	0.9	1.1
1995.....	0.2	1.8	*	*	*	*	*	0.2	0.3	0.4	0.6	1.4
1994.....	0.2	1.6	*	*	*	*	*	0.2	0.4	0.6	0.9	1.0
1993.....	0.2	1.7	*	*	*	*	*	0.2	0.3	0.5	1.0	1.2
1992.....	0.3	2.3	*	*	*	*	*	*	0.3	0.5	1.0	1.9
1991.....	0.3	2.1	*	*	*	*	*	*	0.3	0.7	1.3	1.7
1990.....	0.3	3.0	0.3	*	*	*	*	*	0.5	0.7	1.1	1.6
1989.....	0.3	3.6	0.4	*	*	*	*	*	0.3	0.6	1.2	1.6
1988.....	0.4	4.2	0.7	*	*	*	*	*	0.3	0.9	1.5	2.2
1987.....	0.3	3.6	0.9	*	*	*	*	0.2	0.3	0.6	1.2	2.3
1986.....	0.4	4.0	0.5	*	*	*	*	0.3	0.5	0.9	1.3	2.1
1985.....	0.4	4.7	0.7	*	*	*	*	*	0.4	0.8	1.9	2.2
1984.....	0.4	4.6	0.8	*	*	*	*	*	0.4	0.6	1.3	2.3
1983.....	0.4	6.0	1.2	*	*	*	*	0.2	0.4	0.7	1.7	2.0
1982.....	0.4	5.7	1.0	*	*	*	*	0.2	0.4	0.7	1.5	2.9
1981.....	0.4	7.2	1.0	*	*	*	*	*	0.5	0.7	1.5	2.6
1980.....	0.4	8.7	1.2	0.2	0.1	0.1	0.1	0.2	0.4	0.8	1.1	1.8
1979.....	0.4	8.4	1.0	0.1	0.0	0.1	0.1	0.2	0.4	0.8	1.3	1.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	355
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
MENINGITIS (320-322)			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ALL OTHER, BOTH SEXES														
1998	0.5	5.2	*	*	*	*	0.4	0.5	0.8	1.0	*	*	
1997	0.5	4.5	0.6	*	*	0.3	0.4	0.6	*	1.2	*	*	
1996	0.5	6.1	*	*	*	0.3	0.4	0.6	0.7	0.9	*	*	
1995	0.5	7.1	*	*	*	*	0.3	0.6	1.0	*	*	*	
1994	0.5	6.0	*	*	*	0.3	0.3	0.8	*	*	2.1	*	
1993	0.6	6.0	*	*	*	0.3	0.4	0.6	0.9	1.6	*	*	
1992	0.5	5.5	*	*	*	*	0.6	0.6	0.9	1.3	*	*	
1991	0.7	6.3	*	*	*	0.4	0.6	*	0.9	1.6	2.8	7.3	
1990	0.8	10.5	0.8	*	*	*	0.6	1.0	1.0	1.4	3.3	*	
1989	0.9	12.7	1.0	*	*	0.3	0.8	1.2	1.6	2.3	*	*	
1988	0.9	9.3	1.4	*	*	0.3	0.4	1.2	1.3	2.3	4.5	*	
1987	0.9	11.4	1.2	*	*	0.3	0.9	1.1	1.5	1.8	2.9	*	
1986	0.9	12.1	1.5	*	*	*	0.6	0.8	1.8	2.1	3.5	*	
1985	0.9	14.8	1.6	*	*	0.4	*	0.9	1.3	2.1	3.6	*	
1984	1.0	14.5	1.9	*	*	*	*	1.0	1.9	1.7	3.9	*	
1983	1.0	17.1	1.8	*	*	*	0.6	0.9	1.3	3.1	3.1	*	
1982	1.1	18.6	1.6	*	*	0.4	0.6	1.1	1.7	1.7	4.1	*	
1981	1.3	23.3	1.3	*	*	0.4	0.6	1.4	2.0	2.7	4.0	*	
1980	1.2	23.5	2.3	0.1	0.2	0.2	0.6	1.1	1.4	3.2	3.3	5.0	
1979	1.4	28.0	2.4	0.3	0.2	0.2	0.9	1.3	2.2	2.7	3.2	7.5	

00/04/10 TABLE 290
 CAUSE OF DEATH CODE,
 RACE, SEX, AND YEAR
 MENINGITIS (320-322)

	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98												PAGE	356
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
1998.....	0.6	6.3	*	*	*	*	*	0.8	*	*	*	*	*	*
1997.....	0.6	*	*	*	*	*	0.6	1.0	*	*	*	*	*	*
1996.....	0.6	6.3	*	*	*	*	*	0.9	*	*	*	*	*	*
1995.....	0.6	6.6	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.6	6.4	*	*	*	*	*	1.2	*	*	*	*	*	*
1993.....	0.7	7.3	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	0.8	*	*	*	*	*	*	*
1991.....	0.7	6.3	*	*	*	*	0.8	*	*	*	*	*	*	*
1990.....	0.9	10.4	*	*	*	*	1.0	1.3	*	*	*	*	*	*
1989.....	1.1	12.9	1.4	*	*	*	1.3	1.7	1.9	*	*	*	*	*
1988.....	1.1	9.5	1.9	*	*	*	0.9	1.9	1.8	*	*	*	*	*
1987.....	1.0	11.0	1.4	*	*	0.6	1.0	1.4	2.1	*	*	*	*	*
1986.....	1.0	13.0	1.7	*	*	*	1.0	*	2.3	*	*	*	*	*
1985.....	1.1	16.1	1.9	*	*	0.7	*	*	*	*	*	*	*	*
1984.....	1.1	14.3	1.9	*	*	*	*	*	2.3	*	*	*	*	*
1983.....	1.1	17.9	1.9	*	*	*	*	*	*	*	*	*	*	*
1982.....	1.3	20.5	1.9	*	*	*	*	1.6	2.3	*	*	*	*	*
1981.....	1.5	26.2	*	*	*	*	*	*	2.3	3.3	*	*	*	*
1980.....	1.5	25.0	3.1	0.1	0.3	0.2	0.6	1.4	2.0	3.8	3.4	4.9		
1979.....	1.7	31.4	2.5	0.1	0.3	0.3	1.3	1.4	3.3	2.6	4.1	11.9		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 357												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR MENINGITIS (320-322) ALL OTHER FEMALE	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
1998.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.4	5.9	*	*	*	*	*	*	*	*	*	*
1995.....	0.4	7.5	*	*	*	*	*	*	*	*	*	*
1994.....	0.4	5.6	*	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.5	7.0	*	*	*	*	*	*	*	*	*	*
1991.....	0.6	6.3	*	*	*	*	*	*	*	1.9	*	*
1990.....	0.7	10.6	*	*	*	*	*	*	*	*	*	*
1989.....	0.8	12.4	*	*	*	*	*	*	*	2.2	*	*
1988.....	0.7	9.2	*	*	*	*	*	*	*	2.4	4.5	*
1987.....	0.8	11.8	*	*	*	*	*	*	*	*	*	*
1986.....	0.8	11.3	*	*	*	*	*	*	*	2.1	*	*
1985.....	0.8	13.5	*	*	*	*	*	*	*	*	*	*
1984.....	0.9	14.6	1.9	*	*	*	*	*	1.6	*	*	*
1983.....	0.9	16.2	1.6	*	*	*	*	*	*	3.5	*	*
1982.....	0.9	16.6	*	*	*	*	*	*	*	*	4.5	*
1981.....	1.1	20.4	*	*	*	*	*	1.5	1.7	2.2	*	*
1980.....	1.1	21.9	1.5	0.1	0.1	0.2	0.5	0.8	1.0	2.7	3.2	5.1
1979.....	1.2	24.5	2.2	0.5	0.1	0.2	0.5	1.1	1.3	2.8	2.5	5.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 358
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
MENINGITIS (320-322)													
BLACK, BOTH SEXES													
1998.....		0.6	6.8	*	*	*	*	0.5	0.7	0.9	1.4	*	*
1997.....		0.6	4.9	*	*	*	0.4	0.5	0.8	*	1.3	*	*
1996.....		0.6	8.1	*	*	*	0.4	0.5	0.8	0.9	*	*	*
1995.....		0.6	8.5	*	*	*	*	0.4	0.8	1.2	*	*	*
1994.....		0.6	7.8	*	*	*	*	0.4	1.1	*	*	*	*
1993.....		0.7	7.8	*	*	*	*	0.6	0.7	1.1	1.6	*	*
1992.....		0.6	6.1	*	*	*	*	0.8	0.8	1.1	1.4	*	*
1991.....		0.8	7.2	*	*	*	0.5	0.8	*	1.1	1.9	3.3	*
1990.....		0.9	11.6	1.0	*	*	*	0.8	1.3	1.3	1.5	3.8	*
1989.....		1.1	13.9	1.1	*	*	0.4	1.0	1.5	1.7	2.4	*	*
1988.....		1.1	10.6	1.8	*	*	0.4	0.5	1.5	1.6	2.6	5.1	*
1987.....		1.1	12.1	1.4	*	*	0.4	1.1	1.4	1.7	2.1	3.3	*
1986.....		1.1	13.3	1.8	*	*	*	0.8	0.9	1.8	2.5	4.0	*
1985.....		1.1	15.9	1.8	*	*	0.4	*	1.1	1.5	2.4	3.3	*
1984.....		1.1	14.9	2.2	*	*	*	*	1.2	2.2	2.0	4.3	*
1983.....		1.2	19.6	2.1	*	*	*	0.8	1.0	1.4	3.6	3.4	*
1982.....		1.2	20.1	1.8	*	*	0.5	*	1.3	1.9	1.9	4.6	*
1981.....		1.4	26.1	1.4	*	*	0.5	*	1.5	2.1	2.8	4.1	*
1980.....		1.4	25.8	2.6	0.1	0.2	0.2	0.7	1.2	1.6	3.5	3.6	4.4
1979.....		1.5	29.3	2.5	0.3	0.2	0.2	1.0	1.3	2.3	2.7	3.4	8.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 359
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 MENINGITIS (320-322) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

BLACK MALE

1998.....	0.7	8.4	*	*	*	*	*	*	*	*	*	*
1997.....	0.7	*	*	*	*	*	*	1.3	*	*	*	*
1996.....	0.7	8.7	*	*	*	*	*	*	*	*	*	*
1995.....	0.7	8.3	*	*	*	*	*	*	*	*	*	*
1994.....	0.8	8.3	*	*	*	*	*	1.6	*	*	*	*
1993.....	0.8	9.4	*	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	1.1	*	*	*	*	*
1991.....	0.8	7.9	*	*	*	*	1.1	*	*	*	*	*
1990.....	1.1	11.5	*	*	*	*	1.3	*	*	*	*	*
1989.....	1.3	14.0	*	*	*	*	1.7	2.2	*	*	*	*
1988.....	1.3	11.4	2.4	*	*	*	*	2.5	*	*	*	*
1987.....	1.2	11.8	*	*	*	*	1.3	*	2.5	*	*	*
1986.....	1.2	14.3	2.0	*	*	*	1.4	*	2.5	*	*	*
1985.....	1.2	17.0	2.1	*	*	*	*	*	*	*	*	*
1984.....	1.2	14.6	2.2	*	*	*	*	*	2.6	*	*	*
1983.....	1.3	20.5	2.4	*	*	*	*	*	*	*	*	*
1982.....	1.5	23.1	2.1	*	*	*	*	1.9	2.6	*	*	*
1981.....	1.6	29.3	*	*	*	*	*	*	2.3	*	*	*
1980.....	1.6	27.9	3.3	0.2	0.4	0.2	0.7	1.5	2.2	4.1	3.9	5.7
1979.....	1.8	31.5	2.7	0.1	0.3	0.3	1.6	1.5	3.7	2.7	4.2	13.5

BLACK FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.4	*	*	*	*	*	*	*	*	*	*	*
1997	0.5	*	*	*	*	*	*	*	*	*	*	*
1996	0.5	7.4	*	*	*	*	*	*	*	*	*	*
1995	0.5	8.8	*	*	*	*	*	*	*	*	*	*
1994	0.5	7.2	*	*	*	*	*	*	*	*	*	*
1993	0.6	*	*	*	*	*	*	*	*	*	*	*
1992	0.6	7.6	*	*	*	*	*	*	*	*	*	*
1991	0.7	6.6	*	*	*	*	*	*	*	2.4	*	*
1990	0.8	11.7	*	*	*	*	*	*	*	*	*	*
1989	0.9	13.9	*	*	*	*	*	*	*	2.4	*	*
1988	0.9	9.6	*	*	*	*	*	*	*	2.8	5.1	*
1987	1.0	12.5	*	*	*	*	*	*	*	*	*	*
1986	0.9	12.4	*	*	*	*	*	*	*	2.5	*	*
1985	0.9	14.8	*	*	*	*	*	*	*	*	*	*
1984	1.0	15.2	2.1	*	*	*	*	*	1.8	*	*	*
1983	1.1	18.7	*	*	*	*	*	*	*	4.0	*	*
1982	1.0	17.0	*	*	*	*	*	*	*	*	*	*
1981	1.2	22.9	*	*	*	*	*	1.7	1.9	*	*	*
1980	1.2	23.7	1.8	0.1	0.1	0.2	0.7	1.0	1.1	3.1	3.3	3.8
1979	1.3	27.0	2.4	0.5	0.1	0.2	0.5	1.1	1.2	2.7	2.8	5.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 361
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
MAJOR CARDIOVASCULAR DISEASES (390-448)													
TOTAL, BOTH SEXES													
1998.....	348.0	24.7	1.8	1.1	3.5	10.7	38.4	123.1	347.5	924.2	2,510.5	8,013.8	
1997.....	352.8	23.8	1.8	1.1	3.8	10.7	38.3	127.2	365.0	948.9	2,569.1	8,301.4	
1996.....	358.2	23.4	1.8	1.1	3.4	10.7	38.6	131.6	379.2	971.5	2,652.3	8,456.2	
1995.....	362.1	23.4	2.0	1.0	3.6	10.9	40.6	134.0	388.2	998.4	2,709.5	8,647.7	
1994.....	361.3	23.3	2.2	1.1	3.5	11.1	40.1	135.6	394.5	1,014.2	2,737.9	8,634.5	
1993.....	367.8	22.8	2.2	1.1	3.5	11.0	40.3	137.1	409.9	1,045.6	2,827.3	8,818.5	
1992.....	358.3	22.4	2.2	1.0	3.5	10.6	40.1	137.3	412.1	1,044.6	2,777.7	8,613.8	
1991.....	363.4	22.0	2.6	1.1	3.5	10.5	39.7	141.7	422.9	1,074.1	2,862.5	8,743.4	
1990.....	368.3	24.4	2.3	1.1	3.3	10.4	39.4	144.6	434.9	1,101.3	2,963.6	8,942.7	
1989.....	377.5	24.0	2.3	1.1	3.3	10.7	40.6	149.5	452.8	1,139.0	3,065.4	9,130.1	
1988.....	396.5	27.5	2.9	1.2	3.8	11.1	42.8	157.2	479.2	1,221.6	3,246.5	9,636.9	
1987.....	397.7	29.5	2.7	1.2	3.6	11.3	44.3	167.2	487.0	1,248.1	3,279.0	9,587.8	
1986.....	403.2	30.2	2.9	1.2	3.7	11.5	46.2	171.5	503.0	1,287.3	3,373.1	9,713.3	
1985.....	411.0	29.5	2.6	1.3	3.8	11.0	46.9	180.6	518.8	1,330.4	3,484.9	9,945.1	
1984.....	412.8	30.3	2.9	1.4	3.7	10.9	47.8	185.4	531.1	1,356.2	3,554.9	9,956.0	
1983.....	419.6	30.7	2.9	1.3	3.7	11.0	48.3	193.4	544.9	1,397.4	3,666.9	10,196.1	
1982.....	417.8	25.3	2.7	1.5	3.6	11.1	49.9	198.6	550.6	1,421.1	3,706.4	10,121.2	
1981.....	424.0	25.4	3.0	1.3	3.6	11.6	53.5	208.0	566.4	1,455.2	3,796.4	10,454.7	
1980.....	436.4	27.8	3.2	1.3	4.1	11.5	54.9	212.0	581.8	1,513.4	4,020.1	10,951.9	
1979.....	426.7	25.5	2.5	1.2	3.8	11.7	56.2	217.3	589.4	1,501.6	3,954.7	10,446.5	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 362												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR MAJOR CARDIOVASCULAR DISEASES (390-448)	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, MALE												
1998.....	334.2	26.0	1.8	1.2	4.3	13.3	52.6	177.8	484.6	1,219.1	3,044.7	8,201.0
1997.....	340.2	26.0	2.1	1.2	4.4	13.3	52.7	184.1	510.7	1,263.8	3,133.5	8,711.1
1996.....	345.8	24.5	1.7	1.2	4.1	13.4	53.2	189.2	532.1	1,298.4	3,244.5	8,908.9
1995.....	351.1	24.5	2.2	1.1	4.3	14.1	56.9	195.7	544.7	1,341.3	3,337.7	9,156.3
1994.....	351.9	24.9	2.4	1.2	4.2	13.6	55.9	197.6	556.4	1,371.7	3,389.5	9,236.4
1993.....	359.6	24.8	2.4	1.1	4.2	14.0	56.5	199.3	578.8	1,417.4	3,530.1	9,467.5
1992.....	352.9	24.5	2.3	1.1	4.3	13.4	57.0	199.8	582.9	1,420.6	3,477.8	9,252.2
1991.....	359.2	24.0	2.7	1.1	4.3	13.2	56.6	206.6	601.2	1,470.7	3,599.7	9,360.7
1990.....	365.2	26.8	2.2	1.2	4.0	13.1	57.0	210.6	619.2	1,505.8	3,749.5	9,598.2
1989.....	375.0	25.8	2.5	1.2	3.9	13.9	58.5	219.1	647.7	1,559.5	3,854.3	9,727.7
1988.....	395.4	30.0	2.8	1.3	4.6	14.6	61.9	228.7	684.0	1,674.4	4,091.0	10,323.1
1987.....	398.5	33.2	2.8	1.3	4.3	14.5	64.7	244.9	697.3	1,705.9	4,132.7	10,212.8
1986.....	407.0	33.8	3.0	1.3	4.4	14.9	67.6	251.2	725.7	1,766.2	4,258.9	10,354.0
1985.....	419.1	33.5	2.6	1.2	4.4	14.4	68.0	268.3	753.2	1,837.6	4,414.9	10,737.2
1984.....	423.0	32.7	3.0	1.4	4.4	14.3	69.7	275.8	771.2	1,867.3	4,482.0	10,847.4
1983.....	433.2	34.0	3.2	1.3	4.3	14.6	70.3	287.4	792.4	1,939.1	4,628.4	11,119.5
1982.....	434.5	29.5	2.9	1.4	4.2	14.6	72.4	297.2	805.0	1,974.3	4,652.3	11,076.3
1981.....	443.2	27.6	3.0	1.3	4.3	14.8	77.5	311.0	828.4	2,019.9	4,785.2	11,379.7
1980.....	457.7	31.3	3.3	1.3	5.0	14.7	79.6	318.6	855.0	2,098.4	5,019.2	11,928.8
1979.....	452.9	29.0	2.6	1.2	4.4	15.1	81.2	328.6	871.6	2,093.9	4,933.2	11,381.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 363
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
MAJOR CARDIOVASCULAR DISEASES (390-448)													
TOTAL, FEMALE													
1998.....	361.1	23.3	1.8	0.9	2.7	8.2	24.3	70.9	222.8	684.4	2,156.9	7,936.2	
1997.....	364.8	21.5	1.5	1.0	3.1	8.1	24.0	72.7	232.4	694.4	2,199.9	8,136.3	
1996.....	370.0	22.2	1.8	1.1	2.6	8.0	24.1	76.4	240.4	708.4	2,269.7	8,276.4	
1995.....	372.6	22.3	1.8	0.9	2.8	7.8	24.5	75.2	246.5	723.7	2,310.4	8,449.6	
1994.....	370.3	21.6	2.1	1.1	2.8	8.6	24.6	76.4	248.1	729.8	2,330.1	8,402.5	
1993.....	375.6	20.7	2.0	1.1	2.8	8.0	24.3	77.6	257.4	751.3	2,392.6	8,569.5	
1992.....	363.4	20.2	2.2	0.9	2.6	7.8	23.5	77.5	258.4	749.1	2,349.4	8,366.5	
1991.....	367.4	19.8	2.5	1.0	2.8	7.8	23.1	79.8	263.0	763.9	2,416.4	8,504.7	
1990.....	371.3	21.9	2.4	1.1	2.6	7.7	22.3	81.7	270.5	786.0	2,494.1	8,689.8	
1989.....	380.0	22.0	2.0	1.1	2.7	7.6	23.1	83.2	279.2	811.3	2,595.3	8,897.7	
1988.....	397.5	24.9	2.9	1.0	2.9	7.7	24.2	89.0	297.4	869.6	2,745.7	9,369.1	
1987.....	397.0	25.7	2.6	1.1	2.9	8.2	24.6	93.3	300.9	892.9	2,774.2	9,341.5	
1986.....	399.7	26.4	2.8	1.1	2.9	8.1	25.5	95.9	306.0	916.8	2,851.5	9,459.0	
1985.....	403.3	25.3	2.5	1.4	3.0	7.6	26.4	97.5	311.6	939.4	2,938.1	9,628.8	
1984.....	403.1	27.9	2.8	1.4	3.1	7.6	26.6	100.1	319.4	963.6	3,010.1	9,595.7	
1983.....	406.8	27.2	2.7	1.2	3.0	7.5	27.0	104.8	327.1	981.7	3,101.6	9,817.6	
1982.....	402.0	21.0	2.4	1.5	2.9	7.7	28.2	105.8	326.9	997.5	3,149.7	9,723.0	
1981.....	405.9	23.0	2.9	1.2	3.0	8.4	30.4	111.4	336.0	1,023.0	3,214.9	10,055.1	
1980.....	416.2	24.2	3.1	1.3	3.2	8.4	31.2	112.4	341.6	1,065.5	3,430.9	10,524.8	
1979.....	402.0	21.8	2.4	1.1	3.1	8.3	32.1	113.5	341.0	1,048.4	3,375.1	10,030.9	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 364
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MAJOR CARDIOVASCULAR DISEASES (390-448)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE, BOTH SEXES												
1998.....	368.5	20.7	1.4	1.0	2.9	8.9	32.4	108.1	318.6	891.4	2,487.3	8,147.1
1997.....	373.9	20.9	1.5	1.0	3.1	9.0	32.2	111.8	335.7	915.8	2,552.4	8,447.9
1996.....	379.2	19.8	1.4	1.0	2.8	8.8	32.5	116.1	349.8	937.5	2,631.0	8,609.6
1995.....	382.6	20.6	1.5	0.9	2.8	9.1	34.2	118.2	358.9	960.0	2,682.1	8,760.8
1994.....	381.8	19.6	1.8	1.0	2.9	9.0	33.3	119.4	367.1	977.8	2,712.1	8,758.3
1993.....	387.8	19.5	1.8	1.0	2.9	9.0	33.5	121.0	379.2	1,007.6	2,800.8	8,933.6
1992.....	377.6	18.7	1.8	0.9	2.9	8.5	33.4	121.4	382.3	1,008.2	2,758.2	8,724.0
1991.....	382.3	18.5	2.1	0.9	3.0	8.5	33.0	125.4	393.6	1,034.9	2,838.3	8,860.7
1990.....	387.0	19.4	1.8	1.0	2.7	8.3	32.8	128.1	405.5	1,062.2	2,945.0	9,064.1
1989.....	395.5	20.2	1.8	1.0	2.8	8.7	33.8	131.2	420.0	1,098.1	3,041.3	9,260.3
1988.....	415.5	23.1	2.4	1.1	3.2	8.8	35.9	139.5	446.4	1,182.6	3,221.3	9,798.3
1987.....	416.8	26.0	2.2	1.1	3.0	9.1	37.6	150.0	457.3	1,209.2	3,262.2	9,750.2
1986.....	422.2	25.8	2.4	1.1	3.1	9.0	39.3	154.2	473.2	1,251.0	3,356.9	9,879.5
1985.....	430.2	25.2	2.0	1.1	3.2	8.7	40.1	163.6	488.5	1,292.1	3,472.2	10,145.0
1984.....	432.2	26.1	2.5	1.3	3.2	8.7	41.1	168.7	501.7	1,320.1	3,548.7	10,184.6
1983.....	438.8	25.6	2.6	1.1	3.1	8.9	41.7	176.5	514.1	1,361.3	3,663.8	10,427.4
1982.....	437.2	21.5	2.3	1.4	3.1	9.0	43.2	181.7	522.0	1,390.9	3,712.6	10,356.4
1981.....	442.6	21.9	2.6	1.2	3.1	9.3	46.2	190.3	536.7	1,423.8	3,803.9	10,678.8
1980.....	453.5	23.5	2.6	1.2	3.4	9.0	46.8	193.5	551.5	1,476.9	4,020.2	11,173.6
1979.....	443.3	20.3	2.1	1.1	3.2	9.3	48.2	199.0	560.6	1,466.3	3,974.2	10,683.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 365
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MAJOR CARDIOVASCULAR DISEASES (390-448)

WHITE MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	351.2	22.2	1.4	1.1	3.5	11.2	46.3	160.1	451.0	1,190.9	3,037.8	8,375.5
1997.....	357.9	23.3	1.6	1.1	3.7	11.4	46.2	165.6	476.4	1,235.7	3,134.3	8,923.8
1996.....	363.6	20.8	1.6	1.1	3.3	11.4	46.9	171.1	498.9	1,269.1	3,241.8	9,122.6
1995.....	368.1	21.6	1.7	1.0	3.4	11.8	49.7	176.5	511.9	1,306.0	3,324.6	9,303.5
1994.....	369.5	21.5	1.9	1.1	3.5	11.3	48.2	178.4	526.8	1,340.1	3,380.1	9,404.3
1993.....	377.0	21.8	2.0	1.0	3.4	11.7	48.8	180.6	544.9	1,383.9	3,524.9	9,630.5
1992.....	369.8	20.8	1.8	1.0	3.6	11.0	49.4	182.1	552.0	1,387.7	3,475.2	9,420.1
1991.....	375.5	20.4	2.1	1.0	3.6	11.0	48.6	187.8	569.7	1,436.8	3,593.7	9,531.3
1990.....	381.6	21.1	1.7	1.2	3.4	10.8	49.0	191.9	589.0	1,471.8	3,753.9	9,767.2
1989.....	390.7	22.7	2.0	1.0	3.4	11.6	50.4	197.3	613.3	1,524.2	3,858.2	9,919.1
1988.....	412.0	25.6	2.3	1.2	3.9	11.8	53.8	209.1	649.5	1,641.8	4,090.5	10,557.3
1987.....	415.1	29.5	2.3	1.2	3.7	11.9	56.1	225.6	667.0	1,673.1	4,139.4	10,442.4
1986.....	423.9	29.5	2.4	1.2	3.8	11.9	59.1	232.4	695.2	1,739.7	4,270.8	10,585.7
1985.....	436.7	28.9	2.1	1.1	3.8	11.6	59.8	249.8	724.2	1,808.8	4,437.4	11,025.9
1984.....	440.9	28.2	2.6	1.3	3.7	11.6	61.9	257.6	742.9	1,842.2	4,517.4	11,173.6
1983.....	451.3	28.5	2.8	1.2	3.7	12.1	62.7	269.2	763.3	1,916.9	4,668.2	11,436.7
1982.....	452.7	26.0	2.5	1.3	3.8	12.1	64.5	279.9	778.4	1,956.3	4,700.1	11,394.5
1981.....	461.0	23.6	2.6	1.2	3.6	11.9	68.8	292.3	800.4	2,006.3	4,838.4	11,680.2
1980.....	473.9	27.4	2.6	1.2	4.1	11.8	70.0	298.9	826.8	2,081.2	5,059.8	12,192.9
1979.....	468.7	23.6	2.2	1.2	3.9	12.5	71.6	309.0	845.0	2,078.7	4,998.6	11,665.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 366
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MAJOR CARDIOVASCULAR DISEASES (390-448)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	385.3	19.1	1.5	0.8	2.3	6.5	18.5	57.2	195.4	644.0	2,120.6	8,053.4
1997.....	389.3	18.4	1.5	0.8	2.6	6.6	18.1	59.1	204.8	653.3	2,169.4	8,258.6
1996.....	394.3	18.7	1.3	1.0	2.1	6.1	18.0	62.3	211.5	667.0	2,234.2	8,408.5
1995.....	396.5	19.6	1.4	0.8	2.2	6.3	18.6	61.4	217.4	679.3	2,271.8	8,551.7
1994.....	393.7	17.6	1.6	1.0	2.2	6.6	18.3	61.8	219.5	686.0	2,292.0	8,512.2
1993.....	398.3	17.0	1.6	0.9	2.4	6.3	18.1	62.8	226.5	706.3	2,351.2	8,669.7
1992.....	385.1	16.5	1.9	0.7	2.2	5.9	17.3	62.3	226.5	706.7	2,318.6	8,458.5
1991.....	388.8	16.5	2.1	0.9	2.3	6.0	17.4	64.7	232.6	717.3	2,380.9	8,609.9
1990.....	392.1	17.6	2.0	0.9	2.0	5.8	16.6	66.3	238.7	739.6	2,461.8	8,797.2
1989.....	400.1	17.6	1.7	0.9	2.1	5.7	17.3	67.1	244.9	762.7	2,555.6	9,013.1
1988.....	418.8	20.4	2.6	1.0	2.5	5.9	18.1	72.1	263.2	822.4	2,707.4	9,507.2
1987.....	418.4	22.2	2.1	1.0	2.3	6.3	19.3	76.8	268.7	846.3	2,746.4	9,482.2
1986.....	420.5	21.8	2.3	1.0	2.4	6.1	19.7	78.7	274.2	870.1	2,821.6	9,604.4
1985.....	424.0	21.3	1.9	1.2	2.5	5.8	20.6	80.7	277.5	890.8	2,908.2	9,799.8
1984.....	423.8	23.9	2.4	1.3	2.6	5.7	20.6	83.1	286.4	916.4	2,983.8	9,792.6
1983.....	426.9	22.5	2.4	1.1	2.5	5.7	21.0	87.5	292.2	932.6	3,077.5	10,021.1
1982.....	422.3	16.7	2.0	1.4	2.4	5.8	22.2	87.7	294.2	956.1	3,136.9	9,931.3
1981.....	425.1	20.1	2.6	1.1	2.5	6.6	23.9	92.9	302.8	976.7	3,201.5	10,259.7
1980.....	434.1	19.3	2.6	1.1	2.6	6.2	24.0	93.4	307.5	1,013.7	3,413.6	10,734.2
1979.....	419.1	16.9	2.0	1.0	2.6	6.1	25.2	94.6	308.4	998.1	3,374.0	10,245.1

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 367
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
MAJOR CARDIOVASCULAR DISEASES (390-448)													
ALL OTHER, BOTH SEXES													
1998.....	251.0	39.8	3.3	1.6	5.8	18.4	66.6	206.8	526.9	1,161.9	2,727.9	6,753.8	
1997.....	252.0	34.9	2.9	1.5	6.1	17.8	67.9	214.9	546.3	1,196.0	2,727.7	6,901.9	
1996.....	256.5	37.8	3.0	1.6	5.7	18.9	68.5	221.0	562.5	1,231.7	2,855.7	6,986.2	
1995.....	262.0	33.5	3.8	1.5	6.7	19.3	72.5	227.5	574.9	1,300.0	2,976.0	7,497.3	
1994.....	260.3	36.9	3.9	1.5	6.0	20.8	74.5	232.8	572.6	1,305.3	2,989.8	7,363.8	
1993.....	267.6	35.0	3.7	1.6	6.0	20.3	74.8	235.2	612.8	1,355.5	3,087.4	7,630.5	
1992.....	260.7	36.2	3.7	1.5	5.8	20.3	74.8	234.7	613.5	1,345.9	2,967.4	7,455.6	
1991.....	266.6	33.7	4.6	1.6	5.9	20.2	75.3	241.3	625.3	1,402.9	3,101.7	7,507.7	
1990.....	270.8	43.6	3.9	1.5	5.8	20.4	75.7	246.7	644.2	1,439.7	3,146.4	7,655.6	
1989.....	282.7	38.2	4.1	1.8	5.8	20.9	78.3	264.2	690.1	1,494.8	3,302.5	7,750.4	
1988.....	294.6	45.3	4.5	1.5	6.2	22.7	82.2	268.1	722.5	1,564.2	3,495.0	7,921.0	
1987.....	293.5	44.3	4.7	1.7	6.2	23.0	83.9	275.0	712.9	1,593.4	3,445.1	7,839.6	
1986.....	298.1	48.9	5.1	1.7	6.4	24.5	87.4	281.3	734.7	1,609.7	3,529.9	7,906.5	
1985.....	302.9	48.3	4.8	1.8	6.6	23.0	88.5	289.9	760.5	1,673.9	3,608.8	7,719.6	
1984.....	301.9	49.0	4.8	1.9	6.5	22.8	89.6	296.2	770.2	1,680.5	3,612.7	7,450.7	
1983.....	308.5	53.0	4.4	1.9	6.5	22.7	90.5	307.7	800.1	1,722.4	3,703.6	7,590.9	
1982.....	303.6	42.4	4.4	1.9	6.1	23.3	93.1	315.0	791.5	1,694.3	3,642.6	7,527.6	
1981.....	312.8	41.3	4.6	1.7	6.7	25.1	100.7	333.4	820.3	1,739.4	3,718.9	7,907.9	
1980.....	330.9	47.9	5.8	1.9	8.1	27.0	108.2	347.0	846.3	1,847.7	4,018.9	8,406.2	
1979.....	322.5	49.6	4.6	1.5	6.8	26.5	110.2	354.7	844.6	1,825.9	3,751.5	7,693.1	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 368												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR MAJOR CARDIOVASCULAR DISEASES (390-448) ALL OTHER MALE	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	251.6	40.3	3.5	1.7	7.1	22.6	84.9	283.6	711.8	1,438.1	3,110.7	6,672.9
1997.....	253.2	36.6	4.0	1.4	7.2	21.9	86.7	298.0	741.8	1,488.2	3,125.6	6,856.9
1996.....	257.1	39.8	2.4	1.7	7.0	22.4	86.3	302.1	757.5	1,538.8	3,271.2	7,050.8
1995.....	265.8	34.8	4.2	1.7	8.1	24.8	95.1	318.0	772.2	1,637.4	3,470.1	7,778.5
1994.....	263.1	37.5	4.1	1.6	7.0	24.6	97.5	321.6	765.9	1,641.1	3,484.3	7,663.1
1993.....	270.7	35.9	3.7	1.8	7.3	25.7	98.3	321.7	822.4	1,707.0	3,582.6	7,945.6
1992.....	265.7	38.5	4.1	1.8	7.5	24.9	98.8	316.4	809.9	1,709.3	3,503.3	7,684.1
1991.....	273.4	36.4	5.3	1.7	7.0	24.8	102.3	329.1	837.8	1,772.7	3,659.3	7,783.7
1990.....	277.1	49.0	4.1	1.3	6.6	25.0	103.6	334.4	852.5	1,816.2	3,706.4	8,020.8
1989.....	289.6	38.1	4.6	1.6	6.4	25.8	107.2	364.9	917.1	1,883.6	3,816.3	7,955.6
1988.....	304.0	47.8	4.8	1.8	7.6	29.8	111.8	360.5	960.0	1,976.1	4,108.1	8,155.7
1987.....	305.6	48.6	4.7	1.8	7.2	28.8	119.0	373.5	944.7	2,013.8	4,068.3	8,062.3
1986.....	310.8	52.1	5.3	1.6	7.3	31.5	122.0	379.1	980.4	2,012.4	4,131.0	8,180.0
1985.....	317.5	54.2	4.7	1.6	7.5	30.3	121.8	396.6	1,000.0	2,105.2	4,184.2	8,016.4
1984.....	317.6	52.8	5.0	2.1	7.6	29.6	122.5	404.8	1,015.3	2,101.6	4,141.7	7,788.9
1983.....	325.5	58.5	5.0	2.0	7.3	29.7	122.6	419.5	1,046.3	2,142.5	4,245.2	7,957.1
1982.....	324.5	45.1	4.8	1.9	6.7	29.7	126.9	426.1	1,040.3	2,141.0	4,192.7	7,989.6
1981.....	333.9	46.3	4.7	1.7	7.9	32.5	137.4	454.5	1,080.4	2,142.1	4,270.4	8,389.1
1980.....	355.7	49.4	6.5	1.7	10.1	34.0	147.3	474.3	1,112.9	2,257.6	4,623.1	9,231.3
1979.....	350.8	54.8	4.9	1.3	7.6	32.6	151.2	487.2	1,117.4	2,234.1	4,289.2	8,413.6

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 369
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
MAJOR CARDIOVASCULAR DISEASES (390-448)													
ALL OTHER FEMALE													
1998.....	250.5	39.4	3.0	1.5	4.4	14.7	50.2	141.9	380.3	961.0	2,487.6	6,790.8	
1997.....	250.9	33.2	1.8	1.6	5.1	14.1	51.1	144.8	391.4	984.3	2,482.3	6,922.2	
1996.....	255.9	35.8	3.6	1.5	4.4	15.7	52.6	152.5	408.1	1,009.4	2,601.1	6,957.1	
1995.....	258.6	32.1	3.3	1.3	5.3	14.3	52.4	151.2	418.9	1,056.3	2,678.2	7,375.5	
1994.....	257.8	36.3	3.7	1.3	5.0	17.3	54.4	157.7	420.3	1,063.5	2,694.7	7,234.1	
1993.....	264.8	34.1	3.7	1.5	4.6	15.5	54.2	161.8	447.5	1,101.9	2,792.5	7,493.1	
1992.....	256.2	34.0	3.4	1.3	4.2	16.2	53.8	165.0	459.2	1,084.8	2,647.1	7,352.6	
1991.....	260.4	30.8	3.9	1.4	4.7	16.1	51.8	166.4	458.6	1,139.5	2,762.3	7,342.3	
1990.....	265.0	38.1	3.7	1.8	4.9	16.3	51.4	171.7	481.2	1,170.7	2,810.9	7,489.6	
1989.....	276.3	38.3	3.5	2.0	5.1	16.5	53.3	178.0	512.0	1,217.7	2,991.7	7,655.4	
1988.....	286.0	42.7	4.3	1.3	4.7	16.4	56.6	189.2	536.0	1,269.0	3,128.0	7,811.2	
1987.....	282.5	40.0	4.6	1.7	5.1	17.9	53.6	191.0	530.8	1,291.7	3,054.3	7,734.4	
1986.....	286.6	45.7	4.9	1.8	5.4	18.2	57.7	198.3	540.2	1,319.6	3,156.1	7,775.0	
1985.....	289.7	42.4	4.9	2.0	5.7	16.5	59.9	199.8	569.7	1,360.6	3,246.6	7,626.7	
1984.....	287.6	45.1	4.5	1.7	5.4	16.8	61.6	204.8	574.0	1,376.6	3,284.7	7,282.8	
1983.....	293.0	47.4	3.9	1.8	5.7	16.5	63.1	214.4	602.1	1,413.2	3,356.6	7,406.5	
1982.....	284.8	39.6	4.0	1.8	5.5	17.6	64.3	222.7	590.4	1,364.8	3,286.7	7,238.3	
1981.....	293.6	36.2	4.4	1.7	5.5	18.7	69.4	233.6	609.4	1,437.3	3,359.5	7,663.5	
1980.....	308.4	46.3	5.0	2.1	6.2	20.9	74.8	242.5	628.5	1,537.4	3,621.3	7,983.6	
1979.....	297.0	44.3	4.3	1.7	6.0	21.1	75.7	245.9	620.2	1,514.6	3,396.2	7,387.7	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	370
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
MAJOR CARDIOVASCULAR DISEASES (390-448)														
BLACK, BOTH SEXES														
1998.....	300.5	47.4	3.7	1.9	6.9	23.8	84.5	262.8	646.7	1,359.3	3,065.2	7,317.2		
1997.....	300.4	42.3	3.7	1.8	7.3	22.3	84.8	271.7	664.6	1,390.5	3,026.4	7,469.3		
1996.....	306.3	45.4	3.4	1.8	6.9	24.0	85.7	279.0	685.7	1,430.8	3,164.1	7,497.2		
1995.....	312.4	39.6	4.5	1.7	8.0	24.2	91.2	286.1	693.2	1,504.9	3,258.8	7,752.9		
1994.....	309.7	43.8	4.6	1.7	7.0	26.0	93.4	291.4	687.6	1,505.5	3,263.7	7,598.5		
1993.....	319.2	38.9	4.0	1.8	7.2	25.3	93.9	295.7	738.3	1,565.5	3,361.1	7,881.2		
1992.....	310.5	43.8	4.4	1.7	7.0	25.2	94.7	293.6	732.2	1,540.8	3,224.5	7,851.2		
1991.....	317.8	40.8	5.4	1.8	6.9	25.3	95.5	302.0	743.3	1,604.9	3,370.0	7,832.8		
1990.....	321.7	48.4	4.5	1.7	6.9	25.0	95.3	305.0	761.7	1,631.5	3,400.5	7,998.9		
1989.....	334.7	43.3	4.5	2.0	6.9	26.0	98.9	322.8	811.4	1,694.6	3,565.8	8,040.0		
1988.....	348.0	51.1	5.0	1.7	7.4	28.0	103.8	326.2	845.2	1,762.8	3,781.5	8,278.0		
1987.....	344.1	48.8	5.3	1.9	7.1	27.8	104.4	330.6	826.3	1,785.7	3,714.4	8,161.5		
1986.....	348.6	56.0	5.7	1.8	7.2	29.6	109.0	335.4	851.3	1,799.3	3,794.8	8,267.2		
1985.....	351.1	53.8	5.5	1.9	7.5	27.9	108.7	345.5	870.8	1,852.7	3,863.8	8,042.6		
1984.....	347.9	56.0	5.1	2.1	7.2	27.0	109.8	347.6	875.9	1,857.3	3,870.0	7,731.1		
1983.....	353.5	59.7	4.7	1.9	7.3	27.0	108.8	359.7	904.8	1,889.3	3,965.4	7,879.9		
1982.....	345.6	44.2	4.9	2.0	6.8	27.4	111.7	365.1	890.2	1,847.3	3,888.0	7,791.5		
1981.....	354.9	44.4	4.7	2.0	7.3	29.6	120.4	383.7	918.3	1,896.9	3,979.9	8,236.3		
1980.....	369.9	52.4	6.1	2.0	8.8	31.6	126.5	394.7	936.0	1,989.8	4,274.5	8,722.0		
1979.....	354.9	52.0	4.8	1.6	7.2	29.9	126.1	400.2	922.1	1,944.7	3,886.1	7,880.8		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 371
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MAJOR CARDIOVASCULAR DISEASES (390-448)

BLACK MALE

1998.....	296.1	48.9	4.2	2.0	8.6	28.6	106.0	358.5	877.6	1,671.6	3,498.5	7,194.0
1997.....	297.4	44.4	5.2	1.9	8.6	27.1	108.0	376.0	908.5	1,710.8	3,481.3	7,326.2
1996.....	303.0	48.1	2.8	1.9	8.5	28.2	106.4	380.6	928.8	1,775.8	3,652.6	7,535.2
1995.....	312.8	42.3	5.3	1.9	9.5	31.2	118.6	401.3	938.7	1,880.3	3,811.6	7,890.9
1994.....	308.7	44.3	4.7	1.8	8.2	30.2	121.7	401.3	923.9	1,876.2	3,836.2	7,736.7
1993.....	319.0	38.0	3.9	1.9	8.8	31.7	122.2	406.4	997.5	1,965.1	3,901.5	8,138.1
1992.....	313.1	47.6	4.8	2.0	8.7	30.8	124.5	397.1	965.2	1,959.9	3,845.0	8,141.8
1991.....	323.0	43.1	6.1	2.0	8.2	31.1	129.5	416.0	994.1	2,031.5	4,021.6	8,165.2
1990.....	327.4	54.3	4.8	1.5	7.8	30.5	129.9	417.0	1,008.7	2,070.3	4,068.3	8,486.5
1989.....	340.2	42.2	5.1	1.9	7.7	32.3	135.4	450.6	1,076.5	2,145.6	4,146.5	8,313.6
1988.....	356.3	53.2	5.2	2.0	9.1	36.7	141.1	442.9	1,116.9	2,233.4	4,488.9	8,581.5
1987.....	354.8	52.3	5.6	2.0	8.4	34.4	147.9	453.1	1,085.0	2,259.9	4,406.7	8,467.2
1986.....	360.8	60.7	6.0	1.7	8.3	37.8	152.2	455.4	1,129.7	2,255.7	4,461.1	8,638.1
1985.....	365.6	59.8	5.3	1.7	8.7	36.6	150.9	474.8	1,143.3	2,336.2	4,487.2	8,387.1
1984.....	363.6	60.3	5.3	2.3	8.3	35.1	150.9	478.1	1,154.4	2,329.4	4,432.7	8,172.1
1983.....	370.6	64.8	5.3	2.1	8.3	34.9	147.0	493.0	1,179.6	2,357.2	4,556.7	8,338.3
1982.....	366.4	47.3	5.0	2.1	7.5	34.8	152.4	494.8	1,167.9	2,342.2	4,462.7	8,275.9
1981.....	376.7	49.6	5.0	2.0	8.7	38.3	166.0	522.4	1,210.1	2,345.8	4,579.1	8,675.0
1980.....	394.2	53.9	7.0	1.9	10.8	40.0	172.8	537.6	1,228.5	2,440.6	4,922.8	9,477.5
1979.....	382.9	56.5	5.2	1.4	8.1	36.8	173.3	546.4	1,219.8	2,396.6	4,408.4	8,592.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 372
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MAJOR CARDIOVASCULAR DISEASES (390-448)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	304.4	45.9	3.3	1.7	5.1	19.4	65.5	183.4	470.3	1,133.4	2,807.4	7,368.3
1997.....	303.1	40.2	2.1	1.7	5.9	18.0	64.3	185.2	477.8	1,159.7	2,759.7	7,528.5
1996.....	309.3	42.7	4.0	1.7	5.3	20.3	67.5	194.9	499.3	1,183.2	2,880.2	7,481.7
1995.....	312.0	36.8	3.6	1.5	6.4	18.0	67.2	190.7	504.1	1,236.7	2,941.8	7,696.8
1994.....	310.6	43.3	4.6	1.5	5.9	22.2	68.8	200.2	505.8	1,241.9	2,939.8	7,542.3
1993.....	319.5	39.8	4.1	1.7	5.6	19.6	69.2	204.1	538.1	1,282.5	3,057.9	7,776.4
1992.....	308.2	39.8	3.9	1.5	5.2	20.1	68.9	207.8	552.0	1,246.5	2,877.9	7,730.3
1991.....	313.1	38.3	4.6	1.7	5.5	20.0	66.1	207.9	548.8	1,307.5	3,005.4	7,692.0
1990.....	316.6	42.4	4.1	1.9	6.1	20.1	65.6	212.1	570.6	1,326.9	3,026.6	7,792.2
1989.....	329.8	44.3	3.8	2.1	6.0	20.4	67.6	216.8	605.1	1,381.1	3,237.2	7,974.5
1988.....	340.5	48.8	4.9	1.4	5.8	20.1	71.9	229.4	632.9	1,434.8	3,377.0	8,145.6
1987.....	334.6	45.2	5.0	1.8	5.9	22.0	67.4	229.3	622.8	1,454.7	3,312.6	8,025.7
1986.....	337.7	51.3	5.3	2.0	6.0	22.3	72.4	236.6	631.8	1,477.6	3,403.4	8,097.8
1985.....	338.0	47.6	5.7	2.1	6.4	20.3	73.1	238.9	656.0	1,512.6	3,492.1	7,882.0
1984.....	333.8	51.7	4.8	1.9	6.2	19.9	75.2	240.0	654.6	1,523.8	3,540.5	7,522.5
1983.....	338.2	54.5	4.1	1.7	6.3	20.1	76.8	250.6	685.8	1,559.3	3,594.1	7,658.1
1982.....	327.0	41.1	4.7	2.0	6.1	20.8	77.7	259.2	668.1	1,493.2	3,532.8	7,553.4
1981.....	335.3	39.1	4.4	1.9	6.0	22.0	82.4	270.3	684.3	1,573.1	3,605.3	7,946.0
1980.....	348.1	50.8	5.2	2.1	6.8	24.3	88.1	278.2	700.2	1,660.4	3,864.0	8,344.4
1979.....	329.7	47.3	4.5	1.8	6.4	23.9	87.0	280.2	681.2	1,612.0	3,530.0	7,525.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 373
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
DISEASES OF HEART (390-398,402,404-429)													
TOTAL, BOTH SEXES													
1998.....	268.2	16.1	1.4	0.8	2.8	8.3	30.5	101.4	286.9	735.5	1,897.3	6,009.6	
1997.....	271.6	16.4	1.4	0.8	3.0	8.3	30.1	104.9	302.4	753.7	1,943.6	6,198.9	
1996.....	276.4	16.6	1.4	0.9	2.7	8.3	30.5	108.2	315.2	776.2	2,010.2	6,314.5	
1995.....	280.7	17.1	1.6	0.8	2.9	8.5	32.0	111.0	322.9	799.9	2,064.7	6,484.1	
1994.....	281.3	17.7	1.8	0.9	2.8	8.5	31.8	112.6	329.9	817.4	2,093.0	6,494.9	
1993.....	288.4	16.9	1.9	0.8	2.7	8.5	32.2	114.0	344.3	848.2	2,182.9	6,668.9	
1992.....	281.4	17.9	1.8	0.8	2.7	8.1	31.8	114.6	346.5	847.9	2,147.3	6,513.5	
1991.....	285.9	17.6	2.2	0.8	2.7	8.0	31.6	118.0	357.0	872.0	2,219.1	6,613.4	
1990.....	289.5	20.1	1.9	0.9	2.5	7.6	31.4	120.5	367.3	894.3	2,295.7	6,739.9	
1989.....	297.3	20.1	1.9	0.8	2.5	8.0	32.4	125.5	383.0	928.1	2,378.9	6,868.7	
1988.....	312.9	23.2	2.4	0.9	2.9	8.3	34.3	132.6	406.8	999.2	2,518.9	7,253.1	
1987.....	313.8	25.7	2.2	1.0	2.7	8.5	35.7	141.6	413.9	1,021.8	2,539.5	7,184.4	
1986.....	318.8	26.5	2.6	0.9	2.8	8.7	37.6	145.6	428.8	1,054.9	2,617.8	7,267.7	
1985.....	324.1	25.0	2.2	1.0	2.8	8.3	38.1	153.8	443.0	1,089.8	2,693.1	7,384.1	
1984.....	324.4	26.7	2.4	1.0	2.7	8.1	38.7	157.4	453.6	1,109.8	2,733.7	7,332.0	
1983.....	329.5	26.2	2.5	0.9	2.6	8.3	39.4	164.9	465.6	1,145.5	2,807.2	7,478.3	
1982.....	326.2	21.1	2.3	1.1	2.7	8.2	40.8	169.2	470.4	1,156.2	2,816.0	7,341.8	
1981.....	328.5	21.2	2.5	0.9	2.6	8.4	43.3	177.3	482.0	1,176.5	2,858.2	7,484.2	
1980.....	336.0	22.8	2.6	0.9	2.9	8.3	44.6	180.2	494.1	1,218.6	2,993.1	7,777.1	
1979.....	326.5	20.2	2.1	0.8	2.6	8.4	45.3	184.6	499.0	1,199.8	2,925.2	7,310.9	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 374
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
DISEASES OF HEART (390-398,402,404-429)													
TOTAL, MALE													
1998.....	268.0	16.2	1.5	1.0	3.5	10.8	44.0	152.2	411.1	997.3	2,377.2	6,330.6	
1997.....	272.2	18.0	1.5	0.9	3.6	10.8	43.7	157.7	434.6	1,031.1	2,443.6	6,658.5	
1996.....	277.4	17.4	1.4	0.9	3.3	11.0	44.2	161.8	453.8	1,065.0	2,529.4	6,834.0	
1995.....	282.7	17.5	1.7	0.8	3.6	11.4	47.2	168.6	465.4	1,102.3	2,615.0	7,039.6	
1994.....	284.3	18.6	1.8	0.9	3.4	11.0	46.6	170.6	478.1	1,133.1	2,655.1	7,123.0	
1993.....	292.1	18.3	2.0	0.8	3.4	11.3	47.4	172.8	499.2	1,175.3	2,788.7	7,331.9	
1992.....	287.2	18.7	1.9	0.9	3.4	10.7	47.8	173.7	503.9	1,178.9	2,754.1	7,157.6	
1991.....	292.6	19.3	2.3	0.8	3.4	10.7	47.4	179.3	520.8	1,219.1	2,850.9	7,262.4	
1990.....	297.6	21.9	1.9	0.9	3.1	10.3	48.1	183.0	537.3	1,250.0	2,968.2	7,418.4	
1989.....	306.1	21.5	2.1	0.8	3.1	10.9	49.1	191.7	562.2	1,298.8	3,054.2	7,506.0	
1988.....	323.6	25.3	2.4	1.1	3.6	11.4	52.3	201.0	594.9	1,399.3	3,244.5	7,975.9	
1987.....	326.6	28.8	2.3	1.0	3.4	11.5	55.1	215.9	607.5	1,426.7	3,273.9	7,873.2	
1986.....	334.5	29.7	2.6	1.0	3.5	11.9	58.1	222.4	635.3	1,480.0	3,378.8	7,982.5	
1985.....	344.1	27.8	2.2	0.9	3.5	11.6	58.6	237.8	659.1	1,535.8	3,496.9	8,251.8	
1984.....	346.3	28.7	2.5	1.0	3.3	11.4	59.8	244.0	676.7	1,558.9	3,533.0	8,242.2	
1983.....	354.4	28.8	2.7	1.0	3.2	11.6	60.9	255.2	695.1	1,623.8	3,621.5	8,419.1	
1982.....	354.0	24.3	2.5	1.0	3.3	11.4	62.8	264.3	707.1	1,640.3	3,625.4	8,290.1	
1981.....	359.2	22.5	2.6	1.0	3.2	11.5	66.8	276.8	725.5	1,671.0	3,696.7	8,427.4	
1980.....	368.6	25.5	2.8	1.0	3.7	11.4	68.7	282.6	746.8	1,728.0	3,834.3	8,752.7	
1979.....	363.2	23.2	2.1	0.8	3.2	11.6	69.6	291.8	760.2	1,714.8	3,744.4	8,240.5	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 375
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
DISEASES OF HEART (390-398,402,404-429)													
TOTAL, FEMALE													
1998.....	268.3	16.1	1.3	0.7	2.1	5.8	17.3	52.8	173.9	522.6	1,579.5	5,876.6	
1997.....	271.1	14.7	1.2	0.7	2.4	5.8	16.5	54.3	182.1	529.4	1,616.6	6,013.7	
1996.....	275.5	15.7	1.4	0.8	2.0	5.6	16.8	56.9	189.3	543.8	1,674.7	6,108.0	
1995.....	278.8	16.7	1.5	0.7	2.2	5.6	17.1	56.0	193.9	557.8	1,715.2	6,267.8	
1994.....	278.5	16.7	1.8	0.8	2.1	6.0	17.2	57.1	195.8	566.3	1,741.3	6,252.7	
1993.....	284.9	15.5	1.7	0.9	2.0	5.6	17.2	57.9	204.5	589.3	1,808.2	6,414.6	
1992.....	275.8	17.0	1.8	0.7	1.9	5.4	16.1	58.1	204.9	587.8	1,776.1	6,264.0	
1991.....	279.5	15.7	2.1	0.7	2.0	5.3	16.0	59.5	210.0	600.6	1,836.9	6,362.5	
1990.....	281.8	18.3	1.9	0.8	1.8	5.0	15.1	61.0	215.7	616.8	1,893.8	6,478.1	
1989.....	289.0	18.6	1.7	0.9	1.9	5.1	16.0	62.4	223.5	639.1	1,976.4	6,620.9	
1988.....	302.8	21.0	2.5	0.8	2.0	5.1	16.8	67.5	239.9	688.2	2,088.6	6,970.9	
1987.....	301.7	22.4	2.2	0.9	2.0	5.5	16.8	71.0	242.4	707.6	2,105.2	6,913.0	
1986.....	303.9	23.2	2.5	0.9	2.1	5.5	17.7	72.7	246.2	726.0	2,169.7	6,984.1	
1985.....	305.2	22.0	2.2	1.0	2.1	5.0	18.3	74.4	252.1	746.1	2,220.4	7,037.6	
1984.....	303.8	24.6	2.4	1.0	2.1	4.9	18.3	75.6	256.9	764.7	2,264.0	6,964.1	
1983.....	306.1	23.4	2.3	0.9	2.0	5.0	18.7	79.7	263.5	778.6	2,328.5	7,092.7	
1982.....	299.8	17.8	2.0	1.1	2.1	5.0	19.7	79.7	262.3	785.5	2,339.7	6,946.5	
1981.....	299.5	19.8	2.5	0.9	1.9	5.3	20.7	84.1	267.9	798.1	2,365.0	7,078.7	
1980.....	305.1	20.0	2.5	0.9	2.1	5.3	21.4	84.5	272.1	828.6	2,497.0	7,350.5	
1979.....	291.8	17.2	2.1	0.8	2.0	5.3	22.0	84.7	269.2	805.8	2,439.8	6,897.8	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	376
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
DISEASES OF HEART (390-398,402,404-429)														
WHITE, BOTH SEXES														
1998.....	285.0	13.5	1.1	0.7	2.3	6.8	26.4	91.2	266.8	714.3	1,886.2	6,118.9		
1997.....	288.8	14.6	1.2	0.7	2.5	7.0	26.1	94.6	282.3	732.5	1,936.4	6,313.4		
1996.....	293.8	13.9	1.1	0.7	2.1	6.8	26.4	97.8	294.9	755.2	2,000.7	6,437.6		
1995.....	297.6	14.9	1.2	0.6	2.2	7.0	27.8	100.1	302.8	774.5	2,050.8	6,578.7		
1994.....	298.5	14.5	1.4	0.8	2.2	6.9	27.2	101.6	311.1	793.9	2,082.2	6,596.5		
1993.....	305.1	14.0	1.5	0.7	2.2	6.9	27.4	102.9	322.6	823.0	2,169.4	6,761.9		
1992.....	297.5	15.1	1.5	0.6	2.2	6.5	27.2	103.6	325.6	824.4	2,138.5	6,600.3		
1991.....	301.9	14.9	1.7	0.7	2.2	6.5	27.0	107.0	336.8	846.0	2,208.3	6,710.6		
1990.....	305.4	16.0	1.5	0.8	2.0	6.1	27.0	109.5	346.8	868.6	2,289.1	6,837.3		
1989.....	312.6	16.9	1.5	0.7	2.1	6.5	27.8	112.8	359.7	901.2	2,369.3	6,971.3		
1988.....	329.2	19.7	2.1	0.9	2.4	6.7	29.6	120.3	384.1	974.9	2,507.4	7,380.7		
1987.....	330.0	22.7	1.8	0.8	2.3	6.8	31.1	129.9	393.6	997.1	2,534.4	7,306.6		
1986.....	334.9	23.0	2.1	0.8	2.3	6.9	32.9	133.7	408.5	1,032.8	2,614.1	7,391.3		
1985.....	340.6	21.5	1.7	0.8	2.3	6.6	33.5	142.4	422.2	1,067.1	2,694.1	7,539.3		
1984.....	341.0	23.0	2.1	0.9	2.3	6.5	34.1	146.1	433.8	1,090.4	2,739.6	7,499.7		
1983.....	345.9	21.8	2.2	0.8	2.1	6.7	34.9	153.6	444.9	1,125.8	2,813.4	7,651.9		
1982.....	342.8	18.2	1.9	1.0	2.3	6.7	36.3	158.0	451.9	1,141.8	2,833.4	7,516.9		
1981.....	344.5	18.5	2.2	0.9	2.1	6.8	38.4	165.9	462.6	1,162.7	2,875.8	7,652.4		
1980.....	350.8	19.2	2.1	0.8	2.3	6.5	38.9	168.0	474.8	1,201.6	3,005.7	7,940.4		
1979.....	340.7	16.2	1.7	0.8	2.2	6.8	39.9	172.8	481.1	1,183.6	2,950.2	7,485.7		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 377
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
DISEASES OF HEART (390-398,402,404-429)													
WHITE MALE													
1998.....	283.1	14.0	1.1	0.9	2.9	9.0	39.4	140.2	388.1	981.3	2,381.5	6,478.8	
1997.....	287.7	16.6	1.1	0.9	3.0	9.3	39.3	145.4	411.2	1,015.1	2,453.7	6,829.7	
1996.....	293.3	14.4	1.2	0.8	2.6	9.4	40.0	149.8	431.8	1,049.5	2,536.0	7,014.5	
1995.....	297.9	15.3	1.3	0.7	2.7	9.5	42.4	155.7	443.0	1,080.5	2,616.1	7,165.5	
1994.....	300.1	15.5	1.4	0.8	2.8	9.1	41.4	157.7	458.6	1,114.7	2,661.8	7,262.2	
1993.....	307.6	15.9	1.7	0.7	2.8	9.3	41.9	159.9	475.6	1,154.6	2,795.3	7,466.9	
1992.....	302.4	16.3	1.4	0.7	2.7	8.8	42.6	161.4	483.2	1,159.9	2,761.0	7,290.1	
1991.....	307.6	16.7	1.7	0.7	2.8	8.9	41.9	166.9	499.4	1,198.6	2,858.2	7,411.2	
1990.....	312.7	17.5	1.5	0.9	2.6	8.4	42.6	170.6	516.7	1,230.5	2,983.4	7,558.7	
1989.....	320.5	19.0	1.7	0.8	2.6	9.1	43.5	176.4	537.9	1,278.0	3,067.0	7,660.7	
1988.....	338.9	22.0	2.0	1.0	3.0	9.3	46.6	187.7	571.2	1,381.1	3,255.6	8,160.9	
1987.....	341.8	25.4	1.8	0.9	2.9	9.5	49.1	202.9	588.0	1,408.3	3,291.0	8,052.8	
1986.....	350.2	26.5	2.1	0.9	3.0	9.6	52.1	209.9	615.4	1,467.6	3,401.9	8,161.5	
1985.....	360.3	24.2	1.7	0.8	2.9	9.3	52.7	225.5	640.1	1,522.7	3,527.0	8,481.7	
1984.....	362.9	25.1	2.2	0.9	2.7	9.3	54.2	232.1	659.2	1,550.4	3,573.1	8,491.3	
1983.....	371.0	24.1	2.2	0.9	2.7	9.5	55.6	243.3	676.9	1,617.5	3,663.0	8,670.1	
1982.....	371.0	21.8	2.1	0.9	2.8	9.5	57.4	253.3	691.5	1,639.0	3,678.7	8,533.1	
1981.....	375.8	19.4	2.2	0.9	2.6	9.3	60.8	265.1	708.8	1,673.7	3,754.3	8,663.4	
1980.....	384.0	22.5	2.1	0.9	2.9	9.1	61.8	269.8	730.6	1,729.7	3,883.2	8,958.0	
1979.....	378.2	19.2	1.7	0.8	2.8	9.8	63.2	279.5	746.1	1,718.0	3,808.9	8,458.5	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 378
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
DISEASES OF HEART (390-398,402,404-429)													
WHITE FEMALE													
1998.....	286.8	13.0	1.1	0.6	1.8	4.6	13.2	43.4	153.9	493.8	1,556.3	5,971.4	
1997.....	289.8	12.6	1.2	0.6	1.9	4.6	12.8	44.9	162.5	500.7	1,595.9	6,108.0	
1996.....	294.2	13.4	1.0	0.7	1.6	4.2	12.7	46.9	167.8	515.1	1,652.9	6,211.4	
1995.....	297.4	14.6	1.2	0.6	1.6	4.4	13.1	45.9	173.1	526.3	1,689.8	6,352.6	
1994.....	296.8	13.4	1.4	0.8	1.6	4.6	13.0	47.0	174.7	535.6	1,717.6	6,342.8	
1993.....	302.8	12.1	1.3	0.8	1.6	4.5	12.9	47.5	181.7	557.4	1,780.8	6,495.0	
1992.....	292.9	13.9	1.5	0.6	1.6	4.1	11.8	47.3	180.9	557.8	1,756.7	6,337.0	
1991.....	296.5	13.1	1.7	0.7	1.6	4.1	12.1	48.8	188.2	567.4	1,814.7	6,447.3	
1990.....	298.4	14.5	1.6	0.7	1.4	3.7	11.4	50.2	192.4	583.6	1,874.3	6,563.4	
1989.....	305.1	14.7	1.3	0.7	1.5	3.9	12.1	51.0	198.3	604.7	1,954.5	6,711.3	
1988.....	319.9	17.4	2.2	0.7	1.7	3.9	12.6	55.0	215.3	656.2	2,065.1	7,081.4	
1987.....	318.7	19.8	1.7	0.7	1.6	4.2	13.2	59.3	218.9	675.3	2,089.5	7,017.6	
1986.....	320.4	19.5	2.1	0.7	1.6	4.1	13.9	60.2	223.0	693.9	2,152.7	7,091.3	
1985.....	321.8	18.6	1.6	0.9	1.7	3.9	14.4	62.5	227.1	713.3	2,207.5	7,170.0	
1984.....	320.2	20.7	2.0	0.9	1.8	3.8	14.2	63.5	232.7	734.7	2,253.4	7,106.8	
1983.....	321.9	19.4	2.1	0.8	1.6	3.8	14.5	67.5	238.3	746.3	2,317.4	7,242.0	
1982.....	315.9	14.5	1.7	1.0	1.7	3.8	15.6	66.7	239.0	759.5	2,340.6	7,100.6	
1981.....	314.7	17.5	2.2	0.8	1.6	4.2	16.3	71.2	244.2	770.3	2,364.1	7,229.3	
1980.....	319.2	15.7	2.1	0.8	1.7	3.9	16.4	71.2	248.1	796.7	2,493.6	7,501.6	
1979.....	305.1	13.2	1.7	0.7	1.6	3.9	17.1	71.5	246.1	775.0	2,447.1	7,053.7	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 379
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
DISEASES OF HEART (390-398,402,404-429)													
ALL OTHER, BOTH SEXES													
1998.....	188.8	26.1	2.5	1.2	4.8	14.1	50.4	157.6	411.8	889.0	2,001.0	4,976.4	
1997.....	189.5	23.2	2.3	1.1	5.1	13.9	49.4	163.3	426.3	911.4	2,012.6	5,105.2	
1996.....	192.9	27.3	2.5	1.4	4.9	14.7	50.5	168.6	442.3	937.3	2,100.9	5,133.6	
1995.....	198.1	25.0	3.0	1.2	5.6	15.0	53.4	175.7	451.1	999.8	2,200.3	5,522.8	
1994.....	196.8	29.4	3.4	1.2	4.9	16.0	54.8	178.1	452.0	1,005.3	2,199.3	5,451.7	
1993.....	204.9	27.7	3.2	1.2	4.9	15.6	56.4	181.7	487.7	1,053.8	2,315.7	5,709.6	
1992.....	199.8	28.4	3.3	1.3	4.8	15.4	55.6	182.0	487.7	1,042.4	2,233.4	5,601.5	
1991.....	203.6	26.5	3.9	1.3	4.7	15.0	56.0	185.1	496.5	1,090.1	2,327.3	5,590.1	
1990.....	206.7	35.8	3.4	1.2	4.5	15.0	55.4	188.9	513.0	1,115.7	2,360.2	5,707.5	
1989.....	216.4	32.5	3.5	1.4	4.4	15.4	57.8	205.4	551.5	1,161.4	2,473.0	5,781.3	
1988.....	225.8	37.0	3.9	1.3	5.1	16.5	61.3	209.9	575.0	1,212.8	2,631.7	5,896.8	
1987.....	225.5	38.1	4.2	1.4	4.8	17.2	62.9	215.2	567.4	1,241.4	2,589.4	5,869.6	
1986.....	229.2	41.5	4.5	1.4	5.0	18.4	65.9	220.6	587.3	1,250.6	2,651.6	5,924.2	
1985.....	231.3	40.5	4.2	1.5	5.1	17.2	66.7	227.3	609.1	1,293.9	2,679.4	5,657.6	
1984.....	229.5	43.0	3.9	1.3	4.9	16.6	67.7	231.7	614.0	1,284.0	2,670.9	5,494.0	
1983.....	234.7	45.3	4.1	1.4	4.9	17.0	68.0	240.7	636.5	1,323.9	2,748.6	5,523.4	
1982.....	228.3	33.9	3.9	1.5	4.7	16.8	69.9	246.5	626.5	1,286.3	2,638.0	5,411.1	
1981.....	232.8	33.3	4.1	1.4	4.9	17.8	75.0	258.3	647.7	1,302.5	2,675.8	5,572.6	
1980.....	245.0	39.4	5.0	1.5	6.0	19.3	82.1	269.3	663.2	1,374.9	2,860.5	5,902.3	
1979.....	237.0	38.9	3.9	1.1	4.9	18.5	81.7	273.9	658.0	1,348.3	2,664.3	5,279.3	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 380
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
DISEASES OF HEART (390-398,402,404-429)													
ALL OTHER MALE													
1998.....	194.8	24.5	2.8	1.3	6.2	18.2	67.3	224.0	566.5	1,121.9	2,335.4	5,032.6	
1997.....	195.6	23.4	3.0	1.1	6.1	17.9	66.9	233.4	592.4	1,158.6	2,343.5	5,165.6	
1996.....	198.5	29.6	2.0	1.6	6.0	18.4	66.8	236.5	603.9	1,192.4	2,464.0	5,265.0	
1995.....	206.2	25.6	3.2	1.4	7.0	20.1	73.1	251.1	620.5	1,285.2	2,603.5	5,861.4	
1994.....	204.1	30.2	3.3	1.3	5.9	20.2	74.8	254.1	615.7	1,289.9	2,587.5	5,818.5	
1993.....	212.8	27.4	3.2	1.1	6.1	20.9	77.5	257.4	669.2	1,354.2	2,722.4	6,072.2	
1992.....	208.8	28.1	3.8	1.4	6.3	20.1	77.1	254.4	655.7	1,345.2	2,685.2	5,920.1	
1991.....	214.0	28.4	4.4	1.4	6.1	19.7	79.0	260.6	682.0	1,401.4	2,779.4	5,887.2	
1990.....	216.9	39.1	3.4	1.1	5.4	19.8	80.1	265.0	695.7	1,428.4	2,819.4	6,109.3	
1989.....	228.4	31.4	4.0	1.2	5.2	20.4	82.7	294.1	751.9	1,489.8	2,929.7	6,074.1	
1988.....	239.8	38.8	4.2	1.6	6.6	22.7	86.7	290.7	784.3	1,567.7	3,146.6	6,264.6	
1987.....	241.2	43.1	4.2	1.5	5.8	22.8	93.6	303.2	766.8	1,600.9	3,109.5	6,190.9	
1986.....	245.5	43.9	4.7	1.3	5.9	24.8	97.0	307.1	801.9	1,595.9	3,146.7	6,302.7	
1985.....	250.6	44.1	3.9	1.5	6.2	24.4	97.0	323.0	819.9	1,657.1	3,197.4	6,084.9	
1984.....	249.1	44.5	4.0	1.4	6.0	23.6	97.0	328.4	827.0	1,638.6	3,147.7	5,906.9	
1983.....	255.4	49.7	4.8	1.5	5.8	23.5	96.9	341.6	854.1	1,680.1	3,222.4	5,921.4	
1982.....	251.7	35.6	4.3	1.4	5.5	23.0	99.8	346.0	844.8	1,652.4	3,112.9	5,932.8	
1981.....	257.2	36.9	4.2	1.5	6.0	24.9	107.6	366.0	875.8	1,644.1	3,139.0	6,078.1	
1980.....	271.8	39.1	5.8	1.2	7.8	25.8	117.3	384.1	894.7	1,712.4	3,356.6	6,655.6	
1979.....	266.2	42.2	4.0	0.9	5.8	24.0	116.2	391.5	890.1	1,685.4	3,114.2	5,961.0	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 381
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
DISEASES OF HEART (390-398,402,404-429)													
ALL OTHER FEMALE													
1998.....	183.4	27.7	2.2	1.2	3.3	10.5	35.3	101.6	289.2	719.5	1,791.1	4,950.7	
1997.....	183.9	23.0	1.5	1.2	4.1	10.3	33.7	104.0	294.7	732.3	1,808.6	5,077.9	
1996.....	187.8	25.0	3.1	1.1	3.7	11.3	35.9	111.1	314.4	752.7	1,878.5	5,074.4	
1995.....	190.6	24.3	2.7	1.1	4.3	10.4	36.0	112.0	317.1	793.6	1,957.3	5,376.2	
1994.....	190.2	28.7	3.4	1.0	3.9	12.2	37.1	113.9	323.0	800.2	1,967.5	5,292.9	
1993.....	197.7	28.0	3.2	1.2	3.7	10.7	37.8	117.5	344.7	837.1	2,073.5	5,551.5	
1992.....	191.5	28.7	2.9	1.2	3.2	11.1	36.8	120.2	355.6	824.9	1,963.3	5,458.0	
1991.....	194.2	24.6	3.4	1.1	3.3	10.7	35.9	120.7	350.8	868.4	2,052.4	5,425.4	
1990.....	197.4	32.4	3.3	1.3	3.5	10.6	33.9	123.8	370.1	892.4	2,085.1	5,524.9	
1989.....	205.5	33.5	3.0	1.6	3.5	10.8	36.3	129.5	394.4	927.1	2,196.6	5,645.7	
1988.....	213.0	35.1	3.7	0.9	3.6	10.8	39.3	140.9	410.6	958.3	2,322.9	5,724.9	
1987.....	211.2	33.0	4.2	1.4	3.8	12.2	36.5	140.2	410.6	983.3	2,263.9	5,717.8	
1986.....	214.4	39.0	4.3	1.4	4.0	12.6	39.2	147.1	417.5	1,001.9	2,343.7	5,742.3	
1985.....	213.8	36.8	4.5	1.6	4.0	10.8	40.7	146.5	441.1	1,030.2	2,353.2	5,487.3	
1984.....	211.7	41.5	3.9	1.3	3.7	10.5	42.7	150.5	443.5	1,027.8	2,373.9	5,289.0	
1983.....	215.9	40.8	3.4	1.2	4.0	11.2	43.4	156.5	461.5	1,062.1	2,445.1	5,323.0	
1982.....	207.0	32.0	3.5	1.6	4.0	11.4	44.3	163.9	450.1	1,016.3	2,330.8	5,107.5	
1981.....	210.7	29.7	4.0	1.3	3.8	11.7	47.1	169.5	462.6	1,046.3	2,373.9	5,315.9	
1980.....	220.7	39.6	4.2	1.7	4.3	13.6	52.1	175.2	474.2	1,119.3	2,534.1	5,516.5	
1979.....	210.6	35.6	3.8	1.3	4.0	13.8	52.8	177.4	467.1	1,091.0	2,365.8	4,972.8	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 382
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
DISEASES OF HEART (390-398,402,404-429)													
BLACK, BOTH SEXES													
1998.....	227.4	29.6	2.8	1.4	5.7	18.4	64.0	200.8	508.1	1,049.3	2,270.4	5,394.7	
1997.....	227.3	28.1	2.8	1.4	6.1	17.5	61.8	206.8	522.3	1,065.8	2,256.3	5,541.4	
1996.....	231.7	32.8	2.8	1.5	6.0	18.9	63.3	214.0	541.4	1,095.2	2,341.9	5,546.5	
1995.....	237.3	29.0	3.6	1.4	6.8	18.9	67.4	222.0	547.1	1,162.5	2,424.8	5,722.0	
1994.....	235.2	34.6	4.2	1.3	5.7	20.1	68.8	223.5	544.4	1,165.1	2,416.9	5,643.7	
1993.....	245.5	31.2	3.5	1.4	6.0	19.4	70.8	229.4	590.6	1,224.8	2,529.1	5,917.5	
1992.....	238.8	33.8	3.9	1.5	5.7	19.1	70.3	228.6	585.7	1,198.9	2,431.6	5,920.5	
1991.....	243.9	32.2	4.6	1.5	5.6	18.8	71.1	232.8	592.3	1,254.4	2,539.2	5,860.8	
1990.....	246.4	39.8	3.9	1.3	5.4	18.6	69.7	234.1	608.7	1,269.6	2,558.2	5,978.5	
1989.....	256.9	36.7	4.0	1.6	5.2	19.2	73.4	252.0	649.9	1,319.0	2,673.3	6,012.7	
1988.....	267.4	41.9	4.4	1.4	6.1	20.3	77.6	256.6	673.3	1,368.5	2,854.4	6,186.9	
1987.....	265.1	41.4	4.8	1.6	5.6	20.8	78.1	259.3	658.4	1,395.4	2,803.2	6,119.7	
1986.....	268.6	47.7	5.1	1.5	5.6	22.1	82.3	263.5	682.1	1,401.7	2,854.2	6,200.5	
1985.....	268.4	44.9	4.9	1.7	5.8	20.8	82.0	270.6	697.9	1,434.6	2,870.8	5,911.3	
1984.....	264.8	48.9	4.3	1.5	5.5	19.7	83.1	272.1	698.8	1,417.9	2,863.7	5,715.3	
1983.....	269.2	51.2	4.3	1.4	5.5	20.1	81.9	281.6	719.1	1,453.5	2,942.6	5,737.5	
1982.....	259.8	35.2	4.3	1.6	5.2	19.6	83.6	285.6	704.3	1,400.6	2,815.4	5,617.6	
1981.....	264.2	35.6	4.2	1.5	5.4	20.9	89.3	297.6	725.5	1,419.5	2,860.7	5,816.1	
1980.....	274.0	43.2	5.4	1.5	6.4	22.5	95.7	306.1	734.1	1,479.2	3,045.1	6,137.4	
1979.....	260.7	40.4	4.1	1.2	5.2	20.7	93.5	309.7	717.4	1,433.2	2,757.5	5,405.1	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 383
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
DISEASES OF HEART (390-398,402,404-429)													
BLACK MALE													
1998.....	230.5	28.8	3.3	1.5	7.5	23.4	84.0	282.7	699.9	1,312.7	2,649.3	5,446.7	
1997.....	230.8	28.4	3.8	1.4	7.3	22.2	83.5	293.7	727.8	1,335.4	2,641.6	5,538.7	
1996.....	234.8	36.1	2.3	1.7	7.4	23.3	82.5	297.7	740.9	1,381.3	2,762.0	5,675.4	
1995.....	244.2	30.5	4.1	1.6	8.3	25.5	91.7	317.1	757.8	1,482.9	2,881.4	5,985.7	
1994.....	240.4	35.0	3.9	1.5	6.8	24.9	93.4	316.5	742.3	1,479.3	2,874.5	5,919.4	
1993.....	251.4	28.6	3.3	1.3	7.4	25.8	96.1	324.2	813.4	1,565.2	2,975.6	6,240.0	
1992.....	246.9	34.8	4.5	1.6	7.4	24.8	96.9	318.7	784.0	1,548.0	2,960.9	6,298.7	
1991.....	253.9	33.5	5.1	1.6	7.3	24.8	100.0	329.6	810.3	1,614.3	3,063.1	6,240.6	
1990.....	256.8	43.7	4.0	1.3	6.4	24.5	100.0	328.9	824.0	1,632.9	3,107.1	6,479.6	
1989.....	268.8	34.3	4.7	1.4	6.3	25.8	104.5	363.4	880.7	1,700.0	3,191.6	6,368.2	
1988.....	281.6	43.4	4.6	1.8	7.9	28.1	109.6	357.0	912.1	1,772.4	3,448.3	6,640.0	
1987.....	280.7	46.0	5.2	1.7	6.9	27.3	115.8	366.7	881.6	1,801.7	3,384.3	6,523.4	
1986.....	285.5	51.4	5.4	1.4	6.7	29.7	120.9	368.5	925.2	1,792.0	3,407.3	6,666.7	
1985.....	288.6	48.6	4.5	1.6	7.2	29.5	119.8	385.2	935.3	1,839.2	3,436.6	6,393.5	
1984.....	285.2	50.6	4.4	1.5	6.7	27.8	119.3	387.1	939.5	1,812.2	3,375.7	6,213.1	
1983.....	290.9	55.7	5.1	1.6	6.6	27.5	115.9	400.5	961.8	1,851.3	3,457.5	6,203.3	
1982.....	284.0	37.7	4.5	1.5	6.1	26.8	119.5	400.5	949.3	1,800.3	3,313.3	6,158.6	
1981.....	290.0	39.3	4.5	1.7	6.8	29.2	129.1	420.8	980.3	1,800.0	3,358.7	6,280.4	
1980.....	301.0	42.8	6.3	1.3	8.3	30.3	136.6	433.4	987.2	1,847.2	3,578.8	6,819.5	
1979.....	290.2	42.7	4.3	1.0	6.1	26.8	132.5	438.4	969.3	1,805.7	3,193.7	6,094.2	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 384
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
DISEASES OF HEART (390-398,402,404-429)													
BLACK FEMALE													
1998.....	224.6	30.4	2.3	1.4	3.9	13.9	46.4	132.9	361.5	858.8	2,044.8	5,373.1	
1997.....	224.2	27.8	1.7	1.3	4.9	13.3	42.7	134.8	364.8	871.6	2,030.5	5,542.5	
1996.....	229.0	29.3	3.3	1.4	4.5	14.9	46.4	144.7	388.4	890.0	2,097.7	5,493.6	
1995.....	231.1	27.4	3.0	1.2	5.3	13.1	46.2	143.1	384.9	933.7	2,163.1	5,614.8	
1994.....	230.6	34.1	4.4	1.2	4.7	15.7	47.4	146.4	392.2	941.7	2,158.1	5,531.8	
1993.....	240.2	34.0	3.7	1.4	4.5	13.6	48.8	150.8	418.6	983.7	2,278.5	5,785.8	
1992.....	231.6	32.8	3.2	1.3	4.0	14.0	47.2	153.8	432.5	953.7	2,135.8	5,763.1	
1991.....	235.0	30.8	4.0	1.3	3.9	13.5	46.1	152.8	423.3	1,003.4	2,246.0	5,700.0	
1990.....	237.0	35.8	3.8	1.4	4.4	13.4	43.6	155.3	442.0	1,017.5	2,250.9	5,766.1	
1989.....	246.2	39.2	3.2	1.7	4.2	13.3	46.6	159.6	470.3	1,054.1	2,380.0	5,898.7	
1988.....	254.6	40.2	4.2	1.0	4.4	13.4	50.3	173.4	486.8	1,087.0	2,514.8	5,989.3	
1987.....	251.1	36.7	4.4	1.4	4.4	15.0	46.1	170.5	482.8	1,111.9	2,465.9	5,940.3	
1986.....	253.4	44.0	4.8	1.5	4.6	15.4	49.7	177.0	490.5	1,126.7	2,529.4	5,987.7	
1985.....	250.3	41.0	5.3	1.8	4.6	13.2	50.1	176.2	510.7	1,149.9	2,533.4	5,686.5	
1984.....	246.4	47.1	4.3	1.5	4.3	12.6	52.5	177.3	507.7	1,139.4	2,562.4	5,479.8	
1983.....	249.7	46.6	3.6	1.1	4.4	13.7	53.4	184.2	525.7	1,172.6	2,620.5	5,512.1	
1982.....	238.1	32.6	4.0	1.7	4.3	13.3	53.6	191.8	508.3	1,114.5	2,507.7	5,351.7	
1981.....	241.2	32.0	4.0	1.4	4.2	13.7	56.1	197.0	521.1	1,145.0	2,549.5	5,534.5	
1980.....	249.7	43.6	4.4	1.7	4.6	15.7	61.7	202.4	530.1	1,210.3	2,707.2	5,796.5	
1979.....	234.1	37.9	4.0	1.3	4.3	15.5	61.1	204.1	513.5	1,158.9	2,461.4	5,060.6	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 385
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)													
TOTAL, BOTH SEXES													
1998.....		1.8	*	*	*	0.1	0.2	0.4	0.9	2.4	5.8	12.7	25.0
1997.....		1.9	*	*	*	0.1	0.2	0.5	1.0	2.5	6.1	13.7	26.8
1996.....		1.9	*	*	*	0.1	0.2	0.5	1.0	2.6	6.4	14.3	25.3
1995.....		2.0	*	*	*	0.1	0.2	0.5	1.0	2.8	6.6	15.1	26.8
1994.....		2.1	*	*	0.1	0.1	0.2	0.5	1.2	3.1	7.7	15.6	25.6
1993.....		2.2	*	*	*	0.1	0.2	0.5	1.3	3.3	8.1	16.8	29.4
1992.....		2.2	*	*	*	0.1	0.2	0.6	1.4	3.5	8.0	17.5	27.2
1991.....		2.4	*	*	*	0.1	0.2	0.6	1.5	3.8	8.6	18.6	29.3
1990.....		2.4	*	*	*	0.1	0.2	0.7	1.5	4.1	9.0	18.7	29.3
1989.....		2.5	*	*	*	0.1	0.2	0.7	1.6	4.0	9.3	19.5	27.9
1988.....		2.6	*	*	*	0.1	0.3	0.6	1.8	4.6	10.3	20.3	28.0
1987.....		2.6	*	*	*	0.1	0.4	0.7	1.9	4.7	10.8	19.9	26.6
1986.....		2.7	*	*	*	0.1	0.3	0.8	2.1	5.1	10.8	20.0	26.0
1985.....		2.8	*	*	*	0.2	0.4	0.8	2.3	5.3	11.3	20.4	24.9
1984.....		2.9	*	*	*	0.2	0.3	0.9	2.4	6.0	12.5	21.0	25.1
1983.....		2.9	*	*	*	0.1	0.4	1.0	2.9	6.2	12.2	20.2	25.8
1982.....		3.0	*	*	*	0.2	0.4	0.9	2.6	6.7	13.9	20.2	24.1
1981.....		3.2	*	*	*	0.1	0.4	1.2	3.1	7.0	14.8	21.0	24.3
1980.....		3.5	0.1	0.0	0.1	0.2	0.4	1.3	3.7	7.8	15.7	22.2	23.9
1979.....		3.5	0.1	0.0	0.0	0.2	0.4	1.4	3.9	8.0	16.0	20.6	25.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 386
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	1.1	*	*	*	*	0.2	0.3	0.8	1.7	4.0	9.0	17.7
1997.....	1.2	*	*	*	0.1	0.2	0.3	0.8	2.0	4.3	10.3	21.0
1996.....	1.1	*	*	*	*	0.1	0.4	0.8	1.8	4.6	10.4	17.4
1995.....	1.2	*	*	*	*	0.2	0.4	0.7	2.2	4.5	10.7	21.5
1994.....	1.3	*	*	*	*	0.2	0.4	1.0	2.4	5.9	11.1	19.2
1993.....	1.4	*	*	*	*	0.2	0.5	0.9	2.7	6.0	12.4	24.6
1992.....	1.4	*	*	*	*	0.2	0.5	1.2	2.6	5.7	12.1	19.9
1991.....	1.5	*	*	*	*	0.2	0.5	1.0	3.0	6.3	12.8	22.7
1990.....	1.5	*	*	*	*	0.2	0.6	1.1	3.4	7.1	12.3	18.7
1989.....	1.6	*	*	*	*	0.2	0.6	1.2	3.3	6.9	13.8	20.2
1988.....	1.6	*	*	*	0.2	0.2	0.5	1.5	3.4	7.5	13.7	21.5
1987.....	1.6	*	*	*	*	0.3	0.6	1.3	3.8	7.7	13.7	16.8
1986.....	1.8	*	*	*	0.1	0.3	0.7	1.6	4.2	8.0	14.1	18.9
1985.....	1.9	*	*	*	0.2	0.4	0.7	1.9	4.3	8.7	14.7	18.0
1984.....	2.0	*	*	*	0.2	0.3	0.8	2.0	5.0	9.4	15.5	18.1
1983.....	1.9	*	*	*	0.1	0.4	0.8	2.2	5.0	8.9	14.1	18.2
1982.....	2.1	*	*	*	0.2	0.3	0.8	2.3	5.7	10.7	13.4	15.9
1981.....	2.2	*	*	*	0.1	0.3	1.0	2.6	5.6	11.3	16.1	18.4
1980.....	2.4	0.1	0.0	0.1	0.2	0.4	1.2	3.1	6.2	11.8	16.7	19.5
1979.....	2.4	0.2	0.0	0.0	0.2	0.4	1.3	3.2	6.7	11.8	15.9	15.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 387
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	2.4	*	*	*	0.1	0.3	0.5	1.1	3.0	7.3	15.1	28.0
1997.....	2.5	*	*	*	*	0.2	0.6	1.3	2.9	7.5	15.9	29.2
1996.....	2.6	*	*	*	*	0.3	0.6	1.3	3.3	7.9	16.8	28.4
1995.....	2.7	*	*	*	*	0.2	0.6	1.3	3.4	8.3	17.9	28.8
1994.....	2.8	*	*	*	0.1	0.3	0.6	1.4	3.7	9.1	18.5	28.1
1993.....	3.0	*	*	*	*	0.3	0.6	1.7	3.9	9.7	19.6	31.3
1992.....	3.1	*	*	*	0.1	0.3	0.6	1.6	4.3	9.9	20.7	30.0
1991.....	3.2	*	*	*	*	0.3	0.6	1.8	4.6	10.4	22.2	31.8
1990.....	3.3	*	*	*	*	0.2	0.7	1.9	4.7	10.5	22.5	33.3
1989.....	3.3	*	*	*	0.1	0.3	0.8	2.0	4.7	11.2	22.9	30.8
1988.....	3.6	*	*	*	0.1	0.3	0.8	2.1	5.7	12.6	24.2	30.6
1987.....	3.6	*	*	*	0.1	0.4	0.7	2.4	5.5	13.1	23.5	30.5
1986.....	3.6	*	*	*	0.1	0.3	0.8	2.6	5.8	12.9	23.5	28.9
1985.....	3.6	*	*	*	0.1	0.4	0.9	2.8	6.3	13.3	23.8	27.6
1984.....	3.8	*	*	*	0.2	0.4	1.0	2.7	6.9	14.8	24.2	28.0
1983.....	3.9	*	*	*	0.1	0.3	1.1	3.7	7.3	14.8	23.7	28.9
1982.....	4.0	*	*	*	0.1	0.4	1.1	2.9	7.7	16.3	24.2	27.5
1981.....	4.2	*	*	*	*	0.5	1.4	3.6	8.2	17.4	23.9	26.7
1980.....	4.4	0.1	0.1	0.1	0.2	0.4	1.5	4.3	9.2	18.6	25.4	25.8
1979.....	4.5	0.1	0.0	0.0	0.2	0.5	1.5	4.5	9.2	19.3	23.4	29.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 388
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398) WHITE, BOTH SEXES													
1998.....	1.9	*	*	*	0.1	0.2	0.4	0.9	2.4	6.1	13.4	26.3	
1997.....	2.1	*	*	*	0.1	0.2	0.4	0.9	2.4	6.4	14.5	28.7	
1996.....	2.1	*	*	*	0.1	0.2	0.4	1.0	2.5	6.6	15.1	26.7	
1995.....	2.1	*	*	*	0.1	0.2	0.4	0.9	2.7	6.8	15.9	28.5	
1994.....	2.3	*	*	*	0.1	0.2	0.4	1.0	3.1	7.9	16.7	27.0	
1993.....	2.4	*	*	*	0.1	0.2	0.4	1.2	3.3	8.4	17.6	31.1	
1992.....	2.4	*	*	*	0.1	0.2	0.5	1.2	3.5	8.3	18.3	28.5	
1991.....	2.6	*	*	*	*	0.2	0.5	1.3	3.9	8.9	19.5	30.7	
1990.....	2.6	*	*	*	0.1	0.2	0.5	1.4	4.1	9.4	19.8	30.5	
1989.....	2.7	*	*	*	0.1	0.2	0.6	1.5	4.0	9.6	20.5	29.4	
1988.....	2.8	*	*	*	0.1	0.2	0.5	1.7	4.7	10.8	21.5	29.3	
1987.....	2.9	*	*	*	0.1	0.3	0.5	1.9	4.8	11.3	21.0	28.1	
1986.....	2.9	*	*	*	0.1	0.2	0.6	2.1	5.1	11.3	21.2	27.5	
1985.....	3.0	*	*	*	0.1	0.3	0.7	2.2	5.4	11.9	21.6	25.7	
1984.....	3.2	*	*	*	0.1	0.2	0.8	2.4	6.1	12.9	22.4	26.4	
1983.....	3.2	*	*	*	0.1	0.3	0.8	2.9	6.4	12.9	21.3	26.9	
1982.....	3.3	*	*	*	0.1	0.3	0.8	2.6	6.8	14.7	21.3	25.2	
1981.....	3.5	*	*	*	0.1	0.3	1.1	3.1	7.1	15.6	22.1	25.4	
1980.....	3.7	0.1	0.0	0.0	0.1	0.3	1.2	3.6	8.0	16.6	23.4	24.9	
1979.....	3.7	0.2	0.0	0.0	0.1	0.3	1.3	3.8	8.3	17.0	21.6	26.4	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 389
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	1.2	*	*	*	*	0.2	0.3	0.7	1.7	4.3	9.5	18.9
1997.....	1.3	*	*	*	*	0.2	0.2	0.7	1.9	4.5	10.8	22.9
1996.....	1.2	*	*	*	*	0.1	0.4	0.7	1.8	4.6	11.0	18.3
1995.....	1.3	*	*	*	*	0.1	0.3	0.6	2.1	4.7	11.4	22.9
1994.....	1.4	*	*	*	*	0.1	0.3	0.9	2.5	6.0	11.7	20.6
1993.....	1.5	*	*	*	*	0.2	0.4	0.9	2.7	6.2	13.0	26.3
1992.....	1.5	*	*	*	*	0.2	0.4	1.1	2.7	5.8	12.5	21.2
1991.....	1.6	*	*	*	*	0.2	0.5	0.9	3.0	6.4	13.3	23.6
1990.....	1.6	*	*	*	*	0.2	0.5	1.0	3.3	7.5	12.9	19.2
1989.....	1.6	*	*	*	*	0.2	0.4	1.2	3.3	7.0	14.5	21.7
1988.....	1.7	*	*	*	0.1	0.2	0.4	1.4	3.6	7.7	14.4	22.2
1987.....	1.8	*	*	*	*	0.3	0.5	1.3	4.0	8.2	14.2	17.3
1986.....	1.9	*	*	*	*	0.2	0.6	1.6	4.3	8.4	14.8	19.9
1985.....	2.0	*	*	*	0.1	0.3	0.6	1.9	4.3	9.0	15.6	18.3
1984.....	2.1	*	*	*	0.1	0.2	0.7	2.0	5.2	9.8	16.5	19.1
1983.....	2.1	*	*	*	*	0.3	0.7	2.2	5.2	9.2	14.9	19.2
1982.....	2.2	*	*	*	0.1	0.3	0.7	2.4	5.8	11.2	14.1	16.9
1981.....	2.4	*	*	*	*	0.3	0.9	2.6	5.6	11.8	17.0	19.3
1980.....	2.6	0.1	0.0	0.0	0.1	0.3	1.1	3.0	6.3	12.5	17.8	20.6
1979.....	2.6	0.2	0.0	0.0	0.2	0.3	1.1	3.1	6.9	12.4	16.9	16.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 390
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	2.7	*	*	*	*	0.2	0.4	1.0	2.9	7.5	16.1	29.3
1997.....	2.8	*	*	*	*	0.2	0.5	1.2	2.9	8.0	16.8	31.0
1996.....	2.9	*	*	*	*	0.3	0.4	1.2	3.2	8.2	17.8	30.0
1995.....	3.0	*	*	*	*	0.2	0.5	1.1	3.3	8.6	18.8	30.7
1994.....	3.1	*	*	*	*	0.3	0.4	1.2	3.6	9.5	19.8	29.5
1993.....	3.3	*	*	*	*	0.2	0.5	1.5	3.9	10.2	20.4	32.9
1992.....	3.3	*	*	*	*	0.3	0.5	1.4	4.3	10.2	21.9	31.3
1991.....	3.5	*	*	*	*	0.3	0.5	1.6	4.7	10.8	23.3	33.4
1990.....	3.6	*	*	*	*	0.2	0.5	1.8	4.7	10.9	23.9	34.8
1989.....	3.6	*	*	*	*	0.2	0.7	1.8	4.7	11.6	24.1	32.3
1988.....	3.9	*	*	*	*	0.3	0.6	1.9	5.8	13.2	25.7	32.0
1987.....	3.9	*	*	*	*	0.3	0.6	2.3	5.6	13.8	25.0	32.3
1986.....	3.9	*	*	*	*	0.3	0.6	2.5	5.9	13.5	25.0	30.5
1985.....	4.0	*	*	*	*	0.3	0.8	2.6	6.4	14.1	25.2	28.6
1984.....	4.2	*	*	*	0.2	0.3	0.8	2.7	7.0	15.3	25.9	29.2
1983.....	4.3	*	*	*	*	0.3	1.0	3.6	7.5	15.7	25.0	30.1
1982.....	4.3	*	*	*	0.1	0.3	1.0	2.9	7.8	17.4	25.5	28.6
1981.....	4.5	*	*	*	*	0.4	1.2	3.6	8.4	18.5	25.1	28.0
1980.....	4.8	0.1	0.1	0.0	0.1	0.3	1.3	4.2	9.5	19.7	26.7	26.8
1979.....	4.8	0.1	0.0	0.0	0.1	0.3	1.4	4.4	9.5	20.5	24.4	30.9

0	RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
	ALL OTHER, BOTH SEXES												
1998	1.0	*	*	*	*	0.3	0.7	1.5	2.9	4.0	5.9	12.4	
1997	1.0	*	*	*	*	0.3	1.0	1.7	2.7	3.6	6.4	9.3	
1996	1.0	*	*	*	*	*	1.0	1.4	2.9	5.1	6.1	11.8	
1995	1.1	*	*	*	*	0.4	0.9	1.9	3.3	4.6	7.0	8.9	
1994	1.1	*	*	*	*	0.4	1.0	2.0	3.2	5.3	5.2	11.2	
1993	1.2	*	*	*	*	0.5	1.1	1.8	3.1	5.1	9.6	12.3	
1992	1.3	*	*	*	*	0.3	1.1	2.4	3.5	5.9	9.3	12.7	
1991	1.3	*	*	*	*	0.3	1.1	2.5	3.2	6.0	10.2	13.9	
1990	1.3	*	*	*	*	0.4	1.5	2.1	4.2	5.7	8.2	16.1	
1989	1.4	*	*	*	*	0.5	1.5	2.3	4.3	6.9	9.7	12.1	
1988	1.4	*	*	*	*	0.5	1.5	2.7	3.8	6.4	8.4	14.9	
1987	1.4	*	*	*	*	0.8	1.3	2.1	3.9	5.8	8.8	10.0	
1986	1.6	*	*	*	0.4	0.7	1.8	2.4	4.8	6.6	8.2	10.0	
1985	1.6	*	*	*	0.3	0.8	1.7	3.0	4.7	6.1	8.4	15.2	
1984	1.6	*	*	*	0.3	0.9	1.8	2.4	4.6	8.3	6.3	11.5	
1983	1.6	*	*	*	0.3	0.9	1.8	3.0	4.8	6.2	8.5	12.9	
1982	1.6	*	*	*	0.3	0.9	1.5	2.7	5.9	6.9	8.5	11.6	
1981	1.8	*	*	*	0.3	0.9	1.9	3.3	5.9	7.1	9.8	11.1	
1980	2.0	0.2	0.0	0.2	0.6	1.2	2.2	4.0	6.1	7.4	8.6	11.7	
1979	1.9	-	-	0.1	0.5	1.1	2.3	4.3	5.7	7.1	10.1	10.9	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 392
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	0.6	*	*	*	*	*	*	1.2	1.9	2.2	4.5	*
1997.....	0.7	*	*	*	*	*	0.8	1.4	2.4	2.8	4.7	*
1996.....	0.7	*	*	*	*	*	0.6	1.0	1.8	4.9	*	*
1995.....	0.7	*	*	*	*	*	0.9	1.3	2.4	2.9	*	*
1994.....	0.8	*	*	*	*	*	0.8	1.5	1.9	4.7	*	*
1993.....	0.8	*	*	*	*	0.6	0.9	1.1	2.1	4.2	6.5	*
1992.....	0.9	*	*	*	*	*	0.8	2.0	2.3	4.4	8.2	*
1991.....	0.9	*	*	*	*	*	0.7	1.9	2.7	5.1	8.1	*
1990.....	0.9	*	*	*	*	*	1.3	1.3	3.5	3.6	6.3	*
1989.....	1.1	*	*	*	*	*	1.6	1.6	3.8	5.3	7.0	*
1988.....	1.1	*	*	*	*	*	1.2	2.2	2.4	5.3	6.9	*
1987.....	0.9	*	*	*	*	0.6	1.3	*	2.8	3.3	8.8	*
1986.....	1.2	*	*	*	*	0.8	1.8	1.8	4.0	4.8	6.9	*
1985.....	1.2	*	*	*	*	0.8	1.4	2.2	3.6	5.8	6.8	*
1984.....	1.1	*	*	*	*	0.8	1.7	2.1	3.1	5.7	*	*
1983.....	1.2	*	*	*	*	1.0	1.5	2.0	3.5	5.6	*	*
1982.....	1.3	*	*	*	*	0.8	1.2	2.2	4.7	6.6	*	*
1981.....	1.4	*	*	*	*	*	1.6	2.5	5.0	6.4	7.6	*
1980.....	1.6	-	-	0.1	0.8	0.9	2.0	3.1	5.2	6.1	6.0	8.2
1979.....	1.6	-	-	0.1	0.6	1.1	2.7	3.8	4.1	6.1	7.1	10.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	393
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)													
ALL OTHER FEMALE													
1998.....		1.3	*	*	*	*	*	1.0	1.7	3.6	5.3	6.8	14.7
1997.....		1.3	*	*	*	*	*	1.1	1.9	3.0	4.2	7.4	11.1
1996.....		1.4	*	*	*	*	*	1.3	1.8	3.8	5.3	7.2	13.1
1995.....		1.4	*	*	*	*	*	0.9	2.4	3.9	5.9	9.0	8.8
1994.....		1.4	*	*	*	*	*	1.1	2.4	4.2	5.8	5.8	13.3
1993.....		1.5	*	*	*	*	*	1.2	2.3	3.9	5.7	11.4	13.8
1992.....		1.7	*	*	*	*	*	1.4	2.7	4.4	6.9	9.9	14.9
1991.....		1.6	*	*	*	*	*	1.4	3.0	3.5	6.6	11.5	13.8
1990.....		1.7	*	*	*	*	*	1.6	2.7	4.7	7.1	9.3	17.3
1989.....		1.8	*	*	*	*	*	1.4	2.9	4.6	8.0	11.3	14.9
1988.....		1.7	*	*	*	*	*	1.7	3.1	4.8	7.1	9.3	14.8
1987.....		1.8	*	*	*	*	0.9	1.4	3.0	4.9	7.6	8.8	*
1986.....		1.9	*	*	*	*	0.7	1.8	2.9	5.4	7.9	9.0	*
1985.....		1.9	*	*	*	*	0.8	1.9	3.6	5.6	6.4	9.5	15.3
1984.....		2.0	*	*	*	*	1.0	1.9	2.8	5.8	10.3	6.7	*
1983.....		1.9	*	*	*	*	0.8	2.1	3.9	5.8	6.7	9.8	15.1
1982.....		2.0	*	*	*	*	0.9	1.7	3.2	6.9	7.1	10.0	*
1981.....		2.1	*	*	*	*	1.1	2.2	3.9	6.6	7.6	11.3	*
1980.....		2.4	0.3	0.1	0.3	0.4	1.4	2.5	4.8	6.9	8.4	10.4	13.5
1979.....		2.2	-	-	0.1	0.4	1.2	2.0	4.7	7.0	7.9	12.2	11.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 394												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398) BLACK, BOTH SEXES												
1998.....	1.0	*	*	*	*	*	0.9	1.7	3.1	4.0	5.7	10.8
1997.....	1.0	*	*	*	*	0.4	1.0	2.1	3.0	3.2	5.4	8.2
1996.....	1.1	*	*	*	*	*	1.1	1.6	3.0	4.5	5.6	10.5
1995.....	1.1	*	*	*	*	0.5	1.0	2.1	3.2	4.3	6.8	*
1994.....	1.1	*	*	*	*	0.5	1.0	2.1	3.4	5.4	4.0	9.8
1993.....	1.3	*	*	*	*	0.7	1.2	2.3	3.3	4.7	8.1	12.1
1992.....	1.4	*	*	*	*	0.4	1.3	2.8	3.5	5.8	8.0	13.5
1991.....	1.3	*	*	*	*	0.4	1.2	2.9	3.4	5.1	8.9	14.7
1990.....	1.4	*	*	*	*	0.4	1.7	2.4	4.2	5.9	7.3	15.7
1989.....	1.5	*	*	*	*	0.5	1.7	2.4	4.4	6.3	9.7	11.4
1988.....	1.4	*	*	*	*	0.5	1.6	3.1	3.7	5.7	7.4	13.1
1987.....	1.4	*	*	*	*	0.9	1.5	2.3	4.0	5.5	7.7	*
1986.....	1.6	*	*	*	0.4	0.7	2.1	2.6	5.2	6.1	7.6	*
1985.....	1.7	*	*	*	*	0.9	1.9	3.3	5.0	5.8	8.1	11.8
1984.....	1.6	*	*	*	*	1.0	1.9	2.6	4.5	8.6	4.9	11.1
1983.....	1.7	*	*	*	0.4	0.9	2.0	3.3	4.8	6.1	8.2	11.4
1982.....	1.7	*	*	*	*	0.9	1.4	2.8	5.8	7.0	9.2	11.9
1981.....	1.8	*	*	*	*	1.0	2.1	3.4	6.0	6.6	9.2	*
1980.....	2.1	0.2	0.1	0.2	0.6	1.2	2.4	4.5	6.3	7.4	8.8	11.9
1979.....	2.0	-	-	0.1	0.5	1.2	2.5	4.7	5.7	6.8	10.2	11.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 395
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	0.6	*	*	*	*	*	*	*	2.1	*	*	*
1997.....	0.8	*	*	*	*	*	0.9	1.8	2.7	*	*	*
1996.....	0.7	*	*	*	*	*	*	*	*	4.5	*	*
1995.....	0.8	*	*	*	*	*	1.0	1.5	2.7	3.0	*	*
1994.....	0.8	*	*	*	*	*	0.9	1.8	*	5.1	*	*
1993.....	0.9	*	*	*	*	0.8	0.9	*	2.6	3.2	*	*
1992.....	0.9	*	*	*	*	*	1.0	2.4	*	4.0	*	*
1991.....	0.9	*	*	*	*	*	*	2.2	3.0	4.4	*	*
1990.....	1.0	*	*	*	*	*	1.4	*	3.8	3.9	*	*
1989.....	1.2	*	*	*	*	*	1.9	1.7	4.2	5.4	7.3	*
1988.....	1.1	*	*	*	*	*	1.4	2.7	2.4	5.0	*	*
1987.....	1.0	*	*	*	*	*	1.6	*	2.6	3.4	*	*
1986.....	1.3	*	*	*	*	0.9	2.1	2.1	4.4	4.4	*	*
1985.....	1.3	*	*	*	*	0.9	1.6	2.3	3.9	5.6	*	*
1984.....	1.2	*	*	*	*	1.0	1.8	2.3	2.9	5.8	*	*
1983.....	1.3	*	*	*	*	1.1	1.6	1.9	3.9	5.0	*	*
1982.....	1.2	*	*	*	*	*	*	2.3	4.2	6.3	*	*
1981.....	1.3	*	*	*	*	*	1.7	2.5	5.4	5.6	*	*
1980.....	1.6	-	-	0.1	0.9	1.0	2.1	3.4	4.9	6.3	6.6	9.4
1979.....	1.7	-	-	0.1	0.6	1.1	2.9	4.2	4.1	6.2	7.6	11.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 396
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	1.4	*	*	*	*	*	1.1	2.2	3.9	5.4	6.0	13.4
1997.....	1.3	*	*	*	*	*	1.1	2.3	3.2	3.9	6.2	10.6
1996.....	1.4	*	*	*	*	*	1.6	2.0	4.0	4.4	6.7	12.3
1995.....	1.4	*	*	*	*	*	1.0	2.6	3.5	5.3	9.1	*
1994.....	1.4	*	*	*	*	*	1.1	2.3	4.4	5.7	4.8	11.2
1993.....	1.6	*	*	*	*	*	1.4	2.9	3.9	5.7	9.5	13.2
1992.....	1.8	*	*	*	*	*	1.6	3.2	4.6	7.1	9.4	14.9
1991.....	1.7	*	*	*	*	*	1.6	3.4	3.8	5.5	10.1	14.1
1990.....	1.8	*	*	*	*	*	2.0	3.0	4.5	7.4	7.7	16.6
1989.....	1.8	*	*	*	*	*	1.5	2.9	4.6	7.0	11.1	13.7
1988.....	1.7	*	*	*	*	*	1.9	3.4	4.7	6.3	7.6	14.8
1987.....	1.8	*	*	*	*	1.1	1.5	3.4	5.1	7.0	8.3	*
1986.....	1.9	*	*	*	*	*	2.1	3.0	5.8	7.3	8.5	*
1985.....	2.0	*	*	*	*	0.8	2.1	4.0	5.9	6.0	9.3	*
1984.....	2.0	*	*	*	*	1.0	1.9	2.8	5.8	10.6	5.8	*
1983.....	2.0	*	*	*	*	0.8	2.3	4.4	5.6	6.9	9.7	*
1982.....	2.1	*	*	*	*	0.9	1.7	3.2	7.0	7.5	11.0	*
1981.....	2.1	*	*	*	*	1.2	2.4	4.0	6.4	7.3	10.9	*
1980.....	2.5	0.4	0.1	0.3	0.4	1.3	2.6	5.3	7.5	8.1	10.3	13.2
1979.....	2.3	-	-	0.0	0.5	1.2	2.1	5.2	6.9	7.2	11.9	11.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 397
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
HYPERTENSIVE HEART DISEASE (402)													
TOTAL, BOTH SEXES													
1998.....	10.3	*	*	*	0.1	0.5	2.3	6.8	14.7	26.6	60.9	212.4	
1997.....	9.9	*	*	*	0.1	0.4	2.2	6.7	13.7	26.1	60.3	214.3	
1996.....	9.9	*	*	*	0.1	0.5	2.0	6.5	14.2	25.6	62.6	212.8	
1995.....	9.5	*	*	*	*	0.4	2.0	6.3	13.6	26.0	61.3	204.1	
1994.....	9.2	*	*	*	0.1	0.5	2.0	6.3	13.2	24.9	60.7	195.9	
1993.....	8.9	*	*	*	*	0.4	1.8	5.9	13.2	25.5	61.1	186.6	
1992.....	8.6	*	*	*	0.1	0.4	1.8	5.5	13.9	25.4	58.1	175.2	
1991.....	8.5	*	*	*	*	0.3	1.7	5.6	13.3	24.9	60.5	173.9	
1990.....	8.5	*	*	*	*	0.3	1.6	5.6	13.3	26.3	60.9	173.4	
1989.....	8.5	*	*	*	*	0.3	1.6	5.8	13.9	26.3	62.7	167.6	
1988.....	8.5	*	*	*	0.1	0.3	1.5	5.7	14.1	27.9	62.8	163.5	
1987.....	8.5	*	*	*	*	0.3	1.6	5.9	14.4	28.8	63.5	160.3	
1986.....	8.5	*	*	*	*	0.3	1.6	6.0	14.0	29.0	65.7	162.1	
1985.....	8.8	*	*	*	0.1	0.3	1.6	6.1	14.7	30.1	68.2	166.0	
1984.....	8.8	*	*	*	*	0.3	1.7	6.1	14.6	31.4	69.3	164.2	
1983.....	9.0	*	*	*	*	0.3	1.7	6.2	15.5	32.7	71.7	163.8	
1982.....	9.0	*	*	*	*	0.3	1.6	6.4	15.0	32.6	74.9	164.5	
1981.....	9.1	*	*	*	*	0.3	1.8	6.8	15.7	33.2	74.6	168.7	
1980.....	9.3	0.0	-	0.0	0.0	0.3	1.9	6.3	15.8	34.8	80.7	176.3	
1979.....	9.3	0.0	-	0.0	0.0	0.4	1.9	7.0	16.2	35.7	79.6	170.3	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	398	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
HYPERTENSIVE HEART DISEASE (402)															
TOTAL, MALE															
1998.....		9.0	*	*	*	*	0.7	3.2	9.5	19.9	32.1	59.1	156.1		
1997.....		8.7	*	*	*	*	0.6	3.1	9.4	18.2	31.6	58.5	161.4		
1996.....		8.6	*	*	*	0.1	0.7	2.8	8.9	19.0	31.0	60.3	162.8		
1995.....		8.3	*	*	*	*	0.6	2.8	8.8	18.2	30.9	59.7	154.9		
1994.....		7.9	*	*	*	*	0.7	2.8	8.7	17.3	29.4	59.3	143.0		
1993.....		7.8	*	*	*	*	0.6	2.5	8.0	17.1	29.9	59.7	148.0		
1992.....		7.4	*	*	*	*	0.5	2.6	7.2	17.8	29.9	56.3	127.6		
1991.....		7.3	*	*	*	*	0.4	2.3	7.6	17.4	28.8	59.6	128.4		
1990.....		7.3	*	*	*	*	0.5	2.3	7.2	17.1	30.3	59.6	129.1		
1989.....		7.4	*	*	*	*	0.5	2.2	7.6	18.4	31.2	60.3	120.9		
1988.....		7.4	*	*	*	*	0.5	2.0	7.6	17.9	33.1	59.8	122.5		
1987.....		7.5	*	*	*	*	0.4	2.2	7.8	18.5	33.6	61.8	113.7		
1986.....		7.4	*	*	*	*	0.4	2.1	7.6	17.8	33.8	62.3	109.8		
1985.....		7.8	*	*	*	*	0.5	2.3	8.0	18.6	35.2	66.5	120.5		
1984.....		7.8	*	*	*	*	0.4	2.3	8.0	18.8	35.9	65.8	122.8		
1983.....		8.0	*	*	*	*	0.5	2.3	8.2	20.2	36.9	69.0	121.3		
1982.....		7.9	*	*	*	*	0.5	2.1	8.3	18.9	37.1	71.1	124.0		
1981.....		8.1	*	*	*	*	0.5	2.2	8.7	19.6	38.5	70.8	124.7		
1980.....		8.1	0.1	-	-	0.0	0.4	2.4	7.8	20.1	38.9	73.5	123.1		
1979.....		8.2	-	-	-	0.0	0.4	2.6	8.9	20.0	39.6	72.0	122.8		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	399
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
HYPERTENSIVE HEART DISEASE (402)													
TOTAL, FEMALE													
1998.....	11.4	*	*	*	*	0.3	1.3	4.2	10.0	22.2	62.0	235.7	
1997.....	11.1	*	*	*	*	0.3	1.2	4.2	9.6	21.7	61.4	235.7	
1996.....	11.1	*	*	*	*	0.3	1.3	4.2	9.9	21.2	64.1	232.7	
1995.....	10.7	*	*	*	*	0.3	1.2	3.9	9.3	22.1	62.4	223.2	
1994.....	10.4	*	*	*	*	0.3	1.3	4.1	9.5	21.4	61.7	216.3	
1993.....	10.1	*	*	*	*	0.2	1.2	3.8	9.6	22.0	61.9	201.4	
1992.....	9.7	*	*	*	*	0.3	1.0	3.9	10.3	21.9	59.3	193.6	
1991.....	9.6	*	*	*	*	0.3	1.1	3.7	9.6	21.9	61.0	191.5	
1990.....	9.6	*	*	*	*	0.2	1.0	4.1	9.9	23.2	61.7	190.5	
1989.....	9.5	*	*	*	*	0.2	1.1	4.0	9.9	22.5	64.1	185.7	
1988.....	9.5	*	*	*	*	0.2	1.0	4.0	10.7	23.9	64.5	179.5	
1987.....	9.5	*	*	*	*	0.2	0.9	4.2	10.7	25.1	64.4	178.7	
1986.....	9.6	*	*	*	*	0.2	1.1	4.4	10.6	25.2	67.7	182.9	
1985.....	9.7	*	*	*	*	0.1	1.0	4.4	11.3	26.3	69.3	184.1	
1984.....	9.8	*	*	*	*	0.1	1.0	4.3	10.8	27.9	71.3	181.0	
1983.....	9.9	*	*	*	*	0.1	1.0	4.3	11.3	29.5	73.4	181.2	
1982.....	10.0	*	*	*	*	0.2	1.1	4.7	11.6	29.1	77.1	181.4	
1981.....	10.0	*	*	*	*	0.2	1.4	5.0	12.2	29.2	76.9	187.3	
1980.....	10.5	-	-	0.0	0.0	0.2	1.4	5.0	11.9	31.6	85.0	199.5	
1979.....	10.5	0.1	-	0.0	0.0	0.4	1.3	5.3	12.8	32.7	84.1	191.5	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	400	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
HYPERTENSIVE HEART DISEASE (402)															
WHITE, BOTH SEXES															
1998.....		9.0	*	*	*	*	0.2	1.3	4.4	9.9	20.3	52.3	200.4		
1997.....		8.8	*	*	*	*	0.3	1.3	4.3	9.1	19.6	52.2	203.3		
1996.....		8.7	*	*	*	*	0.3	1.2	4.1	10.0	19.8	54.1	201.1		
1995.....		8.3	*	*	*	*	0.2	1.2	3.8	9.0	20.3	52.7	191.1		
1994.....		8.0	*	*	*	*	0.3	1.1	3.8	8.8	19.3	52.4	184.9		
1993.....		7.7	*	*	*	*	0.2	1.0	3.4	8.9	19.2	52.3	175.1		
1992.....		7.4	*	*	*	*	0.2	0.9	3.2	9.2	19.6	50.0	163.2		
1991.....		7.3	*	*	*	*	0.2	0.9	3.3	9.0	19.0	52.0	162.7		
1990.....		7.3	*	*	*	*	0.2	0.9	3.1	8.8	19.7	53.2	162.9		
1989.....		7.2	*	*	*	*	0.2	0.8	3.2	9.1	20.1	54.1	156.7		
1988.....		7.2	*	*	*	*	0.2	0.8	3.3	9.5	21.6	53.7	153.0		
1987.....		7.4	*	*	*	*	0.1	0.8	3.5	10.0	22.6	55.8	151.3		
1986.....		7.4	*	*	*	*	0.2	0.8	3.3	9.7	22.9	57.3	154.3		
1985.....		7.6	*	*	*	*	0.2	0.8	3.6	10.2	24.0	59.3	158.7		
1984.....		7.6	*	*	*	*	0.2	0.8	3.5	10.0	25.0	61.4	157.0		
1983.....		7.8	*	*	*	*	0.2	0.8	3.6	11.0	25.9	63.5	157.1		
1982.....		7.8	*	*	*	*	0.1	0.8	3.8	10.6	26.1	66.7	157.4		
1981.....		7.9	*	*	*	*	0.2	0.8	4.0	11.3	27.0	66.8	161.0		
1980.....		8.0	0.0	-	-	0.0	0.1	0.8	3.7	11.3	28.0	72.5	168.2		
1979.....		8.0	0.0	-	0.0	0.0	0.2	0.9	4.2	11.5	28.5	71.4	163.1		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	401
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
HYPERTENSIVE HEART DISEASE (402)														
WHITE MALE														
1998.....		7.5	*	*	*	*	0.4	2.0	6.6	14.2	24.9	49.8	143.0	
1997.....		7.3	*	*	*	*	0.4	2.0	6.4	12.8	24.2	51.0	147.9	
1996.....		7.2	*	*	*	*	0.4	1.8	6.0	13.8	24.4	51.0	146.7	
1995.....		6.9	*	*	*	*	0.3	1.8	5.7	12.8	24.5	50.8	140.4	
1994.....		6.6	*	*	*	*	0.5	1.7	5.8	12.0	23.1	50.6	132.4	
1993.....		6.4	*	*	*	*	0.4	1.6	5.0	12.3	22.9	50.9	132.3	
1992.....		6.0	*	*	*	*	0.3	1.5	4.6	12.6	23.7	47.8	111.2	
1991.....		6.0	*	*	*	*	0.3	1.3	4.7	12.2	22.7	51.1	115.1	
1990.....		5.9	*	*	*	*	0.3	1.4	4.3	12.1	23.3	51.2	116.6	
1989.....		6.0	*	*	*	*	0.3	1.2	4.5	12.6	24.4	51.8	107.3	
1988.....		6.1	*	*	*	*	0.2	1.2	4.8	12.5	26.2	50.8	108.6	
1987.....		6.2	*	*	*	*	0.2	1.3	4.9	13.4	27.3	53.8	103.5	
1986.....		6.1	*	*	*	*	0.3	1.2	4.4	13.2	27.4	53.2	99.0	
1985.....		6.4	*	*	*	*	0.3	1.3	5.0	13.6	28.4	57.2	110.3	
1984.....		6.4	*	*	*	*	0.3	1.1	5.0	13.5	29.1	58.0	115.0	
1983.....		6.6	*	*	*	*	0.3	1.3	5.2	15.0	29.8	60.2	111.3	
1982.....		6.6	*	*	*	*	0.2	1.1	5.3	13.9	30.2	62.3	115.5	
1981.....		6.7	*	*	*	*	0.3	1.2	5.6	14.7	31.6	63.1	114.1	
1980.....		6.7	0.1	-	-	0.0	0.2	1.2	5.0	14.9	32.0	65.3	117.9	
1979.....		6.7	-	-	-	0.0	0.2	1.3	5.7	14.9	32.1	62.5	114.3	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	402
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
HYPERTENSIVE HEART DISEASE (402)													
WHITE FEMALE													
1998.....	10.4	*	*	*	*	*	0.5	2.2	5.9	16.5	54.1	223.9	
1997.....	10.2	*	*	*	*	0.1	0.6	2.3	5.7	15.8	53.0	225.3	
1996.....	10.3	*	*	*	*	*	0.6	2.2	6.4	16.0	56.1	222.4	
1995.....	9.7	*	*	*	*	*	0.5	2.0	5.6	16.8	53.9	210.7	
1994.....	9.4	*	*	*	*	*	0.4	1.8	5.8	16.3	53.5	204.9	
1993.....	9.0	*	*	*	*	*	0.5	1.8	5.7	16.2	53.2	191.3	
1992.....	8.6	*	*	*	*	*	0.4	1.8	6.0	16.4	51.4	183.0	
1991.....	8.5	*	*	*	*	*	0.4	1.8	6.1	16.1	52.6	180.9	
1990.....	8.5	*	*	*	*	*	0.4	2.0	5.9	16.8	54.4	180.5	
1989.....	8.4	*	*	*	*	*	0.4	1.9	6.0	16.7	55.5	175.7	
1988.....	8.4	*	*	*	*	*	0.4	1.8	6.8	18.0	55.3	170.0	
1987.....	8.5	*	*	*	*	*	0.4	2.1	7.0	19.0	57.0	169.9	
1986.....	8.6	*	*	*	*	*	0.4	2.2	6.5	19.3	59.7	175.9	
1985.....	8.7	*	*	*	*	*	0.3	2.1	7.1	20.6	60.5	177.6	
1984.....	8.7	*	*	*	*	*	0.4	2.0	6.9	21.8	63.4	173.7	
1983.....	8.8	*	*	*	*	*	0.4	2.0	7.5	22.9	65.4	175.5	
1982.....	8.9	*	*	*	*	*	0.5	2.4	7.7	22.9	69.2	174.5	
1981.....	8.9	*	*	*	*	*	0.5	2.5	8.3	23.5	68.9	180.7	
1980.....	9.3	-	-	-	0.0	0.1	0.5	2.5	8.1	24.9	76.7	189.9	
1979.....	9.3	0.1	-	0.0	0.0	0.1	0.5	2.8	8.5	25.8	76.6	184.4	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 403
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
HYPERTENSIVE HEART DISEASE (402)													
ALL OTHER, BOTH SEXES													
1998.....	16.2	*	*	*	*	1.7	6.9	20.4	44.6	72.7	140.3	325.9	
1997.....	15.6	*	*	*	*	1.2	6.4	20.6	41.9	74.6	136.7	320.1	
1996.....	15.4	*	*	*	*	1.4	6.3	20.4	40.6	70.2	143.9	325.6	
1995.....	15.3	*	*	*	*	1.4	6.5	21.0	42.4	71.6	145.5	335.5	
1994.....	14.9	*	*	*	*	1.5	6.7	21.7	41.8	69.8	142.5	309.3	
1993.....	14.9	*	*	*	*	1.2	6.0	21.0	41.2	76.3	146.6	305.3	
1992.....	14.6	*	*	*	*	1.3	6.2	19.6	45.7	73.5	137.6	301.5	
1991.....	14.4	*	*	*	*	1.1	6.2	19.9	42.8	74.6	143.1	292.0	
1990.....	14.8	*	*	*	*	1.2	5.8	20.8	45.1	83.6	136.4	284.5	
1989.....	15.2	*	*	*	*	1.0	6.1	21.9	48.1	80.3	146.9	282.8	
1988.....	15.3	*	*	*	*	1.3	5.9	21.3	48.2	83.6	152.4	275.0	
1987.....	14.8	*	*	*	*	0.9	6.1	21.5	47.6	84.0	139.2	257.1	
1986.....	15.1	*	*	*	*	0.9	6.5	22.9	47.5	83.2	149.3	246.8	
1985.....	15.5	*	*	*	*	1.0	6.5	22.7	50.8	85.2	158.3	244.6	
1984.....	15.6	*	*	*	*	0.9	7.3	23.4	51.7	88.5	148.3	242.9	
1983.....	16.1	*	*	*	*	1.3	7.1	23.9	52.4	94.3	156.0	236.8	
1982.....	16.0	*	*	*	*	1.5	6.8	24.4	51.9	91.4	159.1	245.2	
1981.....	16.2	*	*	*	*	1.3	7.9	26.5	53.0	89.7	155.8	255.8	
1980.....	17.1	-	-	0.0	0.2	1.4	8.8	25.7	54.8	97.2	167.3	269.2	
1979.....	17.8	-	-	-	0.2	1.9	8.9	28.2	57.7	101.4	165.5	254.0	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	404
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
HYPERTENSIVE HEART DISEASE (402)													
ALL OTHER MALE													
1998	16.5	*	*	*	*	2.3	9.0	27.3	58.3	88.2	149.1	271.2
1997	15.7	*	*	*	*	1.4	8.9	27.9	54.6	90.7	132.4	279.7
1996	15.6	*	*	*	*	1.9	8.2	27.0	54.0	85.7	151.8	303.5
1995	15.3	*	*	*	*	1.6	8.3	28.4	56.3	85.3	149.0	290.3
1994	14.6	*	*	*	*	1.9	8.4	27.4	54.4	82.5	146.7	242.3
1993	14.8	*	*	*	*	1.6	7.7	27.9	51.4	89.9	148.3	294.8
1992	14.4	*	*	*	*	1.6	8.6	24.6	56.2	84.8	140.6	281.1
1991	14.1	*	*	*	*	1.2	7.8	26.0	56.4	83.0	143.5	251.2
1990	14.4	*	*	*	*	1.5	7.6	25.9	55.8	94.3	141.0	245.7
1989	15.2	*	*	*	*	1.4	7.9	28.5	63.8	94.0	143.1	246.9
1988	15.0	*	*	*	*	1.7	7.2	26.0	61.0	97.5	147.5	250.6
1987	14.6	*	*	*	*	1.2	8.4	26.9	60.6	92.7	139.0	209.1
1986	14.7	*	*	*	*	1.3	7.9	29.0	56.5	93.6	149.2	210.7
1985	15.5	*	*	*	*	1.7	8.7	28.3	61.4	98.7	155.3	216.4
1984	15.5	*	*	*	*	1.2	10.1	29.4	64.7	98.9	140.1	195.8
1983	16.2	*	*	*	*	2.1	9.5	30.0	65.7	103.2	153.1	214.3
1982	16.0	*	*	*	*	2.0	9.5	30.6	63.1	101.0	155.2	206.0
1981	16.2	*	*	*	*	2.0	9.8	32.9	63.8	102.7	145.1	229.7
1980	16.5	-	-	-	0.2	1.9	11.2	30.3	68.2	103.4	153.5	176.1
1979	17.6	-	-	-	0.2	2.1	11.9	34.8	66.8	108.4	163.1	211.9

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	405
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
HYPERTENSIVE HEART DISEASE (402)														
ALL OTHER FEMALE														
1998	16.0	*	*	*	*	1.2	5.1	14.5	33.8	61.4	134.7	351.0	
1997	15.6	*	*	*	*	1.1	4.2	14.4	31.7	62.9	139.3	338.5	
1996	15.1	*	*	*	*	1.0	4.6	14.9	30.0	59.0	139.0	335.5	
1995	15.3	*	*	*	*	1.1	4.9	14.6	31.4	61.7	143.4	355.1	
1994	15.2	*	*	*	*	1.2	5.1	17.0	31.8	60.6	140.0	338.4	
1993	15.1	*	*	*	*	0.8	4.6	15.2	33.2	66.4	145.6	309.9	
1992	14.9	*	*	*	*	1.1	4.0	15.4	37.4	65.4	135.8	310.7	
1991	14.7	*	*	*	*	1.0	4.8	14.7	32.2	68.6	142.6	309.0	
1990	15.1	*	*	*	*	0.9	4.3	16.5	36.7	76.0	133.6	302.1	
1989	15.1	*	*	*	*	0.7	4.6	16.3	35.8	70.6	149.2	299.4	
1988	15.6	*	*	*	*	0.9	4.7	17.4	38.1	73.6	155.6	286.4	
1987	15.0	*	*	*	*	0.7	4.1	16.8	37.4	77.8	139.1	279.8	
1986	15.4	*	*	*	*	0.6	5.2	17.7	40.4	75.7	149.3	264.1	
1985	15.6	*	*	*	*	*	4.6	18.1	42.4	75.4	160.1	260.0	
1984	15.7	*	*	*	*	*	4.9	18.4	41.2	81.1	153.8	266.2	
1983	15.9	*	*	*	*	*	5.1	18.8	41.6	87.6	158.0	248.2	
1982	16.1	*	*	*	*	1.0	4.6	19.3	42.9	84.2	161.5	263.2	
1981	16.2	*	*	*	*	0.7	6.4	21.3	44.3	80.0	162.8	269.0	
1980	17.6	-	-	0.0	0.2	1.1	6.8	22.0	43.9	92.5	176.3	316.9	
1979	17.9	-	-	-	0.1	1.8	6.4	22.8	50.2	96.1	167.6	278.1	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	406
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+
HYPERTENSIVE HEART DISEASE (402)													
BLACK, BOTH SEXES													
1998.....		20.8	*	*	*	*	2.2	9.2	27.5	58.8	90.2	171.9	368.4
1997.....		19.8	*	*	*	*	1.7	8.5	27.5	54.0	92.1	160.9	358.3
1996.....		19.6	*	*	*	*	1.9	8.4	27.5	52.7	87.5	170.8	366.7
1995.....		19.3	*	*	*	*	1.8	8.6	28.0	54.1	88.2	168.3	355.0
1994.....		18.9	*	*	*	*	2.0	8.7	29.0	53.3	85.8	163.6	335.2
1993.....		18.8	*	*	*	*	1.5	8.1	28.1	52.2	92.8	168.9	326.8
1992.....		18.5	*	*	*	*	1.7	8.3	26.1	58.1	89.2	158.1	329.4
1991.....		18.1	*	*	*	*	1.4	8.3	26.4	53.5	90.4	162.3	308.2
1990.....		18.5	*	*	*	*	1.6	7.7	27.3	56.3	99.7	153.7	309.0
1989.....		18.8	*	*	*	*	1.3	8.2	28.3	59.7	95.7	164.8	300.9
1988.....		18.9	*	*	*	*	1.6	7.7	27.5	58.9	98.2	169.1	300.0
1987.....		18.0	*	*	*	*	1.2	8.0	26.8	57.5	97.2	155.2	268.3
1986.....		18.4	*	*	*	*	1.2	8.5	28.6	57.7	96.6	166.2	264.2
1985.....		18.7	*	*	*	*	1.3	8.5	28.2	60.7	97.7	173.7	260.0
1984.....		18.7	*	*	*	*	1.1	9.3	28.6	61.1	100.9	164.6	265.3
1983.....		19.2	*	*	*	*	1.6	8.9	28.7	61.5	107.5	173.2	255.4
1982.....		18.9	*	*	*	*	1.9	8.5	29.5	60.1	102.8	175.0	261.4
1981.....		19.0	*	*	*	*	1.6	9.8	31.6	61.3	100.7	170.7	278.0
1980.....		19.6	-	-	-	0.2	1.7	10.7	30.1	62.6	107.4	180.4	291.1
1979.....		20.2	-	-	-	0.1	2.3	10.6	32.8	64.6	110.8	178.6	266.0

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
HYPERTENSIVE HEART DISEASE (402)												
BLACK MALE												
1998.....	21.2	*	*	*	*	2.8	11.8	36.8	78.5	110.1	187.4	319.4
1997.....	19.8	*	*	*	*	2.0	11.7	37.3	71.1	111.7	156.7	316.6
1996.....	19.9	*	*	*	*	2.5	10.8	36.4	70.8	105.9	185.2	343.2
1995.....	19.3	*	*	*	*	2.1	11.0	38.1	72.3	105.1	176.6	296.7
1994.....	18.4	*	*	*	*	2.6	11.0	36.8	69.7	100.6	173.1	260.6
1993.....	18.6	*	*	*	*	2.1	10.3	37.4	65.9	109.5	172.3	326.7
1992.....	18.2	*	*	*	*	2.1	11.6	33.2	71.8	102.9	163.5	310.1
1991.....	17.9	*	*	*	*	1.6	10.5	35.1	70.8	102.2	168.8	272.5
1990.....	18.1	*	*	*	*	2.0	10.1	34.2	70.0	113.9	161.7	277.7
1989.....	18.9	*	*	*	*	1.8	10.7	36.9	78.9	113.1	162.5	265.2
1988.....	18.5	*	*	*	*	2.3	9.4	33.7	74.1	115.0	168.6	278.5
1987.....	17.8	*	*	*	*	1.6	11.1	33.8	73.4	107.4	157.3	226.6
1986.....	18.0	*	*	*	*	1.6	10.3	36.9	69.1	110.3	169.5	225.4
1985.....	18.6	*	*	*	*	2.2	11.3	35.5	73.8	113.1	171.2	225.8
1984.....	18.6	*	*	*	*	1.5	13.1	36.1	76.4	112.9	155.0	226.2
1983.....	19.3	*	*	*	*	2.7	11.9	36.2	77.2	119.3	172.5	233.3
1982.....	18.8	*	*	*	*	2.6	12.0	37.3	73.4	113.9	170.1	227.6
1981.....	19.1	*	*	*	*	2.4	12.3	39.4	74.4	115.9	159.1	251.8
1980.....	19.0	-	-	-	0.2	2.3	13.5	35.5	78.2	115.0	167.1	196.2
1979.....	19.9	-	-	-	0.2	2.4	14.1	40.1	74.8	119.3	178.2	225.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	408
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
HYPERTENSIVE HEART DISEASE (402)													
BLACK FEMALE													
1998.....	20.4	*	*	*	*	1.6	6.8	19.8	43.7	75.8	162.6	388.8	
1997.....	19.7	*	*	*	*	1.5	5.7	19.4	40.9	78.0	163.3	375.6	
1996.....	19.3	*	*	*	*	1.4	6.2	20.0	38.8	74.3	162.4	376.4	
1995.....	19.3	*	*	*	*	1.5	6.4	19.6	40.0	76.1	163.6	378.7	
1994.....	19.2	*	*	*	*	1.5	6.8	22.5	40.6	75.2	158.2	365.6	
1993.....	19.0	*	*	*	*	1.0	6.2	20.5	41.5	80.9	166.9	326.9	
1992.....	18.8	*	*	*	*	1.4	5.4	20.3	47.6	79.5	155.1	337.4	
1991.....	18.3	*	*	*	*	1.2	6.5	19.2	40.2	82.1	158.7	323.3	
1990.....	18.9	*	*	*	*	1.2	5.7	21.5	45.7	89.8	149.2	322.3	
1989.....	18.8	*	*	*	*	0.8	6.1	21.2	44.8	83.6	166.0	318.3	
1988.....	19.3	*	*	*	*	1.1	6.3	22.3	47.0	86.6	169.4	309.4	
1987.....	18.2	*	*	*	*	0.8	5.4	20.9	44.9	90.2	153.9	286.8	
1986.....	18.7	*	*	*	*	0.8	6.9	21.8	48.7	86.8	164.3	281.9	
1985.....	18.8	*	*	*	*	*	6.0	22.2	50.3	86.8	175.2	275.9	
1984.....	18.8	*	*	*	*	*	6.1	22.4	49.1	92.4	170.7	283.7	
1983.....	19.0	*	*	*	*	*	6.4	22.6	49.0	99.3	173.3	266.1	
1982.....	18.9	*	*	*	*	1.2	5.7	23.2	49.4	94.8	177.9	278.0	
1981.....	19.0	*	*	*	*	0.9	7.8	25.3	50.8	89.7	177.9	288.5	
1980.....	20.2	-	-	-	0.2	1.2	8.3	25.6	49.9	101.9	188.8	338.5	
1979.....	20.4	-	-	-	0.1	2.1	7.8	26.7	56.4	104.4	178.3	286.5	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	409	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
HYPERTENSIVE HEART AND RENAL DISEASE (404)															
TOTAL, BOTH SEXES															
1998.....		0.9	*	*	*	*	0.1	0.1	0.3	0.7	2.2	7.0	20.1		
1997.....		0.9	*	*	*	*	0.1	0.1	0.2	0.8	2.2	7.1	22.2		
1996.....		0.9	*	*	*	*	*	0.1	0.3	1.0	2.1	7.2	23.8		
1995.....		0.9	*	*	*	*	*	0.1	0.3	0.9	2.3	7.8	23.1		
1994.....		1.0	*	*	*	*	0.1	0.1	0.3	0.9	2.5	7.8	23.0		
1993.....		1.0	*	*	*	*	0.1	0.1	0.3	0.9	2.5	7.9	23.2		
1992.....		1.0	*	*	*	*	*	0.1	0.3	1.1	2.6	8.0	24.8		
1991.....		1.0	*	*	*	*	0.0	0.1	0.4	0.9	2.7	8.1	24.2		
1990.....		1.0	*	*	*	*	0.0	0.1	0.3	1.0	2.8	8.1	22.6		
1989.....		1.0	*	*	*	*	*	0.1	0.3	0.9	2.7	8.7	24.8		
1988.....		1.0	*	*	*	*	*	0.1	0.3	1.0	2.7	9.1	25.9		
1987.....		1.0	*	*	*	*	*	0.2	0.3	1.0	2.9	9.3	27.8		
1986.....		1.0	*	*	*	*	0.1	0.1	0.3	1.0	3.1	9.0	29.3		
1985.....		1.2	*	*	*	*	*	0.1	0.4	1.1	3.2	11.2	32.8		
1984.....		1.2	*	*	*	*	*	0.1	0.3	0.9	3.7	11.7	35.0		
1983.....		1.3	*	*	*	*	*	0.1	0.3	1.1	3.7	12.8	40.3		
1982.....		1.3	*	*	*	*	0.1	0.1	0.3	1.1	3.7	13.1	40.7		
1981.....		1.5	*	*	*	*	0.1	0.1	0.4	1.2	4.4	14.8	44.7		
1980.....		1.6	-	0.0	-	0.0	0.0	0.1	0.5	1.5	4.9	16.5	53.1		
1979.....		1.6	-	-	0.0	0.0	0.0	0.2	0.4	1.4	5.1	16.8	50.9		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	410
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
HYPERTENSIVE HEART AND RENAL DISEASE (404)													
TOTAL, MALE													
1998.....		0.8	*	*	*	*	*	0.1	0.4	0.9	2.5	7.0	20.5
1997.....		0.8	*	*	*	*	*	0.2	0.4	0.9	2.5	8.0	24.0
1996.....		0.8	*	*	*	*	*	0.2	0.4	1.1	2.0	7.8	24.4
1995.....		0.8	*	*	*	*	*	0.1	0.4	0.8	2.3	8.2	26.5
1994.....		0.8	*	*	*	*	*	0.2	0.5	0.9	2.7	9.0	24.8
1993.....		0.8	*	*	*	*	*	0.2	0.4	1.0	2.7	8.8	25.7
1992.....		0.8	*	*	*	*	*	0.1	0.4	1.1	2.6	8.5	30.1
1991.....		0.8	*	*	*	*	*	0.2	0.4	1.0	2.7	8.8	26.8
1990.....		0.8	*	*	*	*	*	0.2	0.4	1.0	2.9	8.3	25.2
1989.....		0.8	*	*	*	*	*	0.1	0.4	1.0	2.7	9.4	25.3
1988.....		0.8	*	*	*	*	*	0.2	0.3	1.0	2.8	9.9	29.1
1987.....		0.8	*	*	*	*	*	0.2	0.5	1.1	3.0	10.0	26.2
1986.....		0.9	*	*	*	*	0.1	0.2	0.3	1.0	3.7	10.4	26.2
1985.....		1.0	*	*	*	*	*	*	0.5	1.2	3.7	12.9	32.6
1984.....		1.0	*	*	*	*	*	*	0.4	1.0	4.2	13.2	33.3
1983.....		1.1	*	*	*	*	*	*	0.4	1.2	4.3	13.5	40.7
1982.....		1.1	*	*	*	*	*	*	0.4	1.3	3.8	14.4	42.7
1981.....		1.2	*	*	*	*	*	0.2	0.4	1.4	4.9	15.9	44.8
1980.....		1.4	-	0.0	-	0.0	0.0	0.1	0.5	1.6	5.4	17.2	57.2
1979.....		1.4	-	-	0.0	0.0	0.1	0.2	0.5	1.5	5.7	18.8	53.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 411
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERTENSIVE HEART AND RENAL DISEASE (404)
 TOTAL, FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	1.0	*	*	*	*	*	0.1	0.2	0.6	2.1	7.0	19.9
1997	1.0	*	*	*	*	*	*	0.1	0.7	1.9	6.5	21.5
1996	1.1	*	*	*	*	*	*	0.2	0.9	2.3	6.8	23.6
1995	1.1	*	*	*	*	*	0.1	0.3	0.9	2.2	7.6	21.8
1994	1.1	*	*	*	*	*	*	0.2	0.8	2.3	7.0	22.3
1993	1.1	*	*	*	*	*	*	0.2	0.9	2.4	7.4	22.2
1992	1.1	*	*	*	*	*	*	0.2	1.0	2.6	7.7	22.8
1991	1.1	*	*	*	*	*	*	0.3	0.8	2.7	7.7	23.3
1990	1.1	*	*	*	*	*	*	0.2	1.0	2.7	8.0	21.6
1989	1.1	*	*	*	*	*	*	0.2	0.8	2.6	8.3	24.6
1988	1.2	*	*	*	*	*	*	0.2	1.0	2.5	8.7	24.7
1987	1.2	*	*	*	*	*	*	0.2	0.9	2.8	8.9	28.4
1986	1.2	*	*	*	*	*	*	0.2	0.9	2.6	8.1	30.6
1985	1.3	*	*	*	*	*	*	0.3	1.0	2.8	10.2	32.9
1984	1.4	*	*	*	*	*	*	0.2	0.8	3.3	10.9	35.6
1983	1.5	*	*	*	*	*	*	0.3	1.1	3.3	12.3	40.1
1982	1.5	*	*	*	*	*	*	0.2	0.9	3.6	12.4	39.9
1981	1.7	*	*	*	*	*	*	0.4	1.1	3.9	14.2	44.7
1980	1.9	-	-	-	0.0	0.0	0.1	0.5	1.3	4.6	16.1	51.3
1979	1.9	-	-	0.0	0.0	0.0	0.1	0.4	1.3	4.7	15.6	49.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	412	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
HYPERTENSIVE HEART AND RENAL DISEASE (404)															
WHITE, BOTH SEXES															
1998.....		0.7	*	*	*	*	*	*	0.1	0.3	1.6	5.7	18.0		
1997.....		0.8	*	*	*	*	*	*	0.1	0.4	1.6	6.0	19.8		
1996.....		0.8	*	*	*	*	*	*	0.2	0.5	1.5	5.8	21.8		
1995.....		0.8	*	*	*	*	*	*	0.1	0.5	1.6	6.6	20.5		
1994.....		0.8	*	*	*	*	*	*	0.1	0.4	1.8	6.5	20.8		
1993.....		0.8	*	*	*	*	*	*	0.1	0.6	1.9	6.5	21.1		
1992.....		0.8	*	*	*	*	*	*	0.1	0.5	1.8	6.8	22.2		
1991.....		0.8	*	*	*	*	*	*	0.1	0.5	1.8	6.6	22.7		
1990.....		0.8	*	*	*	*	*	*	0.1	0.6	2.0	6.7	20.3		
1989.....		0.8	*	*	*	*	*	*	*	0.5	1.9	7.1	22.7		
1988.....		0.9	*	*	*	*	*	*	0.1	0.6	1.9	7.5	24.6		
1987.....		0.9	*	*	*	*	*	*	0.1	0.5	2.1	7.9	26.1		
1986.....		0.9	*	*	*	*	*	*	0.1	0.6	2.2	7.7	27.7		
1985.....		1.0	*	*	*	*	*	*	0.1	0.7	2.4	10.0	30.5		
1984.....		1.1	*	*	*	*	*	*	0.2	0.6	2.7	10.2	33.9		
1983.....		1.2	*	*	*	*	*	*	0.1	0.7	2.8	11.4	38.9		
1982.....		1.2	*	*	*	*	*	*	0.1	0.7	2.8	11.7	39.9		
1981.....		1.3	*	*	*	*	*	*	0.2	0.7	3.4	13.6	44.2		
1980.....		1.5	-	-	-	-	0.0	0.0	0.2	1.0	3.7	14.8	53.1		
1979.....		1.5	-	-	0.0	0.0	0.0	0.1	0.2	0.9	4.0	15.6	50.2		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	413
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
HYPERTENSIVE HEART AND RENAL DISEASE (404)														
WHITE MALE														
1998.....		0.6	*	*	*	*	*	*	0.2	0.4	1.8	5.7	19.4	
1997.....		0.7	*	*	*	*	*	*	0.2	0.5	1.9	7.0	21.9	
1996.....		0.6	*	*	*	*	*	*	0.2	0.6	1.4	6.5	22.4	
1995.....		0.7	*	*	*	*	*	*	0.2	0.5	1.7	7.1	23.7	
1994.....		0.7	*	*	*	*	*	*	0.2	0.5	2.0	8.0	22.5	
1993.....		0.7	*	*	*	*	*	*	*	0.6	2.1	7.6	23.9	
1992.....		0.7	*	*	*	*	*	*	0.2	0.6	1.9	7.3	26.9	
1991.....		0.7	*	*	*	*	*	*	*	0.6	1.8	7.6	25.2	
1990.....		0.6	*	*	*	*	*	*	*	0.5	2.2	6.8	23.6	
1989.....		0.6	*	*	*	*	*	*	*	0.7	2.1	7.3	24.4	
1988.....		0.7	*	*	*	*	*	*	*	0.7	2.1	8.6	26.8	
1987.....		0.7	*	*	*	*	*	*	*	0.6	2.3	8.3	24.3	
1986.....		0.7	*	*	*	*	*	*	*	0.7	2.7	9.1	24.3	
1985.....		0.9	*	*	*	*	*	*	*	0.8	3.1	11.5	31.5	
1984.....		0.9	*	*	*	*	*	*	*	0.7	3.2	11.5	31.9	
1983.....		0.9	*	*	*	*	*	*	*	0.8	3.4	12.4	39.1	
1982.....		1.0	*	*	*	*	*	*	*	0.9	3.2	13.1	42.6	
1981.....		1.1	*	*	*	*	*	*	0.3	0.9	4.1	15.1	43.8	
1980.....		1.2	-	-	-	-	0.0	0.0	0.2	1.3	4.4	15.8	55.9	
1979.....		1.2	-	-	0.0	0.0	0.0	0.1	0.2	0.9	4.7	17.8	52.4	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 414
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERTENSIVE HEART AND RENAL DISEASE (404)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	0.9	*	*	*	*	*	*	*	*	1.4	5.6	17.5
1997.....	0.9	*	*	*	*	*	*	*	0.4	1.4	5.3	19.0
1996.....	1.0	*	*	*	*	*	*	*	0.5	1.6	5.3	21.5
1995.....	1.0	*	*	*	*	*	*	*	0.5	1.5	6.3	19.2
1994.....	0.9	*	*	*	*	*	*	*	0.4	1.6	5.6	20.2
1993.....	0.9	*	*	*	*	*	*	*	0.5	1.7	5.8	20.0
1992.....	1.0	*	*	*	*	*	*	*	0.5	1.7	6.5	20.4
1991.....	1.0	*	*	*	*	*	*	*	0.4	1.8	6.1	21.8
1990.....	0.9	*	*	*	*	*	*	*	0.6	1.8	6.7	19.1
1989.....	1.0	*	*	*	*	*	*	*	0.4	1.7	7.0	22.1
1988.....	1.0	*	*	*	*	*	*	*	0.6	1.8	6.9	23.8
1987.....	1.1	*	*	*	*	*	*	*	0.5	1.9	7.7	26.7
1986.....	1.1	*	*	*	*	*	*	*	0.5	1.8	6.9	29.0
1985.....	1.2	*	*	*	*	*	*	*	0.6	1.9	9.1	30.1
1984.....	1.3	*	*	*	*	*	*	*	0.5	2.2	9.4	34.8
1983.....	1.4	*	*	*	*	*	*	*	0.6	2.4	10.8	38.9
1982.....	1.4	*	*	*	*	*	*	*	0.5	2.5	11.0	38.8
1981.....	1.6	*	*	*	*	*	*	*	0.6	2.9	12.8	44.3
1980.....	1.7	-	-	-	-	0.0	0.1	0.2	0.7	3.1	14.2	51.9
1979.....	1.7	-	-	-	-	0.0	0.0	0.2	0.8	3.5	14.3	49.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	415
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
HYPERTENSIVE HEART AND RENAL DISEASE (404)													
ALL OTHER, BOTH SEXES													
1998.....	1.6	*	*	*	*	*	0.6	1.3	3.4	7.0	19.2	39.5	
1997.....	1.5	*	*	*	*	*	0.5	1.0	2.9	6.6	17.9	45.2	
1996.....	1.7	*	*	*	*	*	0.5	1.3	3.7	7.0	20.6	43.1	
1995.....	1.6	*	*	*	*	*	0.4	1.5	3.2	7.4	18.9	50.2	
1994.....	1.7	*	*	*	*	*	0.4	1.7	3.7	8.2	20.0	45.1	
1993.....	1.7	*	*	*	*	*	0.6	1.4	3.3	7.8	22.1	44.8	
1992.....	1.8	*	*	*	*	*	0.6	1.3	4.9	8.8	19.7	52.3	
1991.....	1.8	*	*	*	*	*	0.5	1.9	3.6	10.1	22.4	40.1	
1990.....	1.8	*	*	*	*	*	0.8	1.7	4.2	9.4	21.7	46.5	
1989.....	1.8	*	*	*	*	*	0.4	1.5	3.7	9.5	23.7	46.5	
1988.....	1.8	*	*	*	*	*	0.7	1.2	4.1	9.2	24.9	39.9	
1987.....	1.8	*	*	*	*	*	0.7	1.6	4.6	9.7	22.8	46.3	
1986.....	1.8	*	*	*	*	*	0.6	1.3	3.7	11.3	21.6	47.2	
1985.....	2.0	*	*	*	*	*	*	2.1	4.7	10.6	23.7	58.5	
1984.....	2.0	*	*	*	*	*	*	1.4	4.0	13.0	27.6	46.1	
1983.....	2.1	*	*	*	*	*	0.5	1.5	4.9	12.1	27.1	55.0	
1982.....	2.0	*	*	*	*	*	*	1.6	4.4	11.7	27.2	50.8	
1981.....	2.1	*	*	*	*	*	0.6	1.6	5.4	13.2	27.1	51.1	
1980.....	2.5	-	0.0	-	0.0	0.1	0.6	2.4	5.8	16.0	34.9	53.5	
1979.....	2.5	-	-	0.0	0.0	0.2	0.9	2.6	6.0	15.2	29.5	58.6	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	416
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
HYPERTENSIVE HEART AND RENAL DISEASE (404)													
ALL OTHER MALE													
1998.....		1.4	*	*	*	*	*	0.7	1.9	4.2	7.4	18.6	30.4
1997.....		1.4	*	*	*	*	*	0.7	1.4	3.6	7.4	17.6	42.8
1996.....		1.5	*	*	*	*	*	0.7	1.8	4.5	6.5	20.2	41.7
1995.....		1.4	*	*	*	*	*	*	1.8	3.3	7.6	18.5	52.0
1994.....		1.5	*	*	*	*	*	0.7	2.6	4.1	8.5	19.5	46.6
1993.....		1.4	*	*	*	*	*	0.9	1.8	3.5	7.4	20.3	42.6
1992.....		1.6	*	*	*	*	*	0.8	1.6	5.4	8.3	20.7	60.3
1991.....		1.6	*	*	*	*	*	0.8	2.5	3.6	10.7	20.9	41.9
1990.....		1.6	*	*	*	*	*	1.1	2.2	4.8	9.1	22.7	40.5
1989.....		1.6	*	*	*	*	*	*	2.4	3.9	8.6	28.9	33.3
1988.....		1.6	*	*	*	*	*	1.0	1.4	4.2	10.1	22.4	50.6
1987.....		1.7	*	*	*	*	*	1.0	2.4	5.3	9.4	26.2	44.2
1986.....		1.7	*	*	*	*	*	*	1.6	3.6	12.8	23.2	44.0
1985.....		1.7	*	*	*	*	*	*	2.6	4.9	9.6	26.4	42.5
1984.....		1.8	*	*	*	*	*	*	1.8	4.2	13.1	29.5	47.2
1983.....		1.8	*	*	*	*	*	*	1.8	5.5	12.6	24.1	55.7
1982.....		1.7	*	*	*	*	*	*	2.2	4.6	9.5	27.3	43.3
1981.....		1.9	*	*	*	*	*	*	1.7	6.0	12.8	23.8	54.7
1980.....		2.1	-	0.1	-	0.0	0.1	0.8	2.6	4.8	14.1	31.5	70.8
1979.....		2.2	-	-	-	0.0	0.3	1.2	2.9	6.1	14.6	28.7	62.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	417
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
HYPERTENSIVE HEART AND RENAL DISEASE (404)													
ALL OTHER FEMALE													
1998.....		1.8	*	*	*	*	*	*	0.7	2.7	6.7	19.6	43.6
1997.....		1.6	*	*	*	*	*	*	*	2.4	6.0	18.1	46.3
1996.....		1.8	*	*	*	*	*	*	0.8	3.1	7.4	20.9	43.7
1995.....		1.8	*	*	*	*	*	*	1.2	3.2	7.2	19.2	49.4
1994.....		1.8	*	*	*	*	*	*	1.0	3.4	7.9	20.3	44.5
1993.....		1.9	*	*	*	*	*	*	1.0	3.1	8.0	23.2	45.7
1992.....		1.9	*	*	*	*	*	*	1.0	4.5	9.2	19.1	48.7
1991.....		1.9	*	*	*	*	*	*	1.4	3.6	9.7	23.2	39.2
1990.....		2.0	*	*	*	*	*	*	1.3	3.6	9.5	21.0	49.1
1989.....		1.9	*	*	*	*	*	*	*	3.6	10.1	20.6	52.6
1988.....		1.9	*	*	*	*	*	*	*	4.0	8.5	26.5	34.9
1987.....		1.9	*	*	*	*	*	*	*	4.1	9.9	20.7	47.2
1986.....		1.9	*	*	*	*	*	*	*	3.8	10.2	20.7	48.7
1985.....		2.2	*	*	*	*	*	*	1.7	4.6	11.3	22.1	66.7
1984.....		2.1	*	*	*	*	*	*	*	3.8	12.9	26.5	45.5
1983.....		2.3	*	*	*	*	*	*	1.3	4.5	11.7	29.0	54.7
1982.....		2.3	*	*	*	*	*	*	*	4.2	13.3	27.1	54.1
1981.....		2.4	*	*	*	*	*	*	1.6	4.9	13.5	29.2	49.2
1980.....		2.9	-	-	-	0.0	0.2	0.4	2.3	6.7	17.4	37.0	44.7
1979.....		2.7	-	-	0.0	0.0	0.2	0.7	2.3	5.9	15.7	30.1	57.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	418
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
HYPERTENSIVE HEART AND RENAL DISEASE (404)													
BLACK, BOTH SEXES													
1998.....	2.0	*	*	*	*	*	0.7	1.7	4.3	8.5	22.5	45.4	
1997.....	1.9	*	*	*	*	*	0.7	1.3	3.8	8.0	21.3	52.7	
1996.....	2.1	*	*	*	*	*	0.7	1.8	4.8	8.4	23.6	46.5	
1995.....	2.0	*	*	*	*	*	0.6	2.0	4.0	9.1	21.6	55.5	
1994.....	2.1	*	*	*	*	*	0.6	2.2	4.4	10.2	22.6	47.6	
1993.....	2.1	*	*	*	*	*	0.8	1.8	4.2	9.6	25.4	49.9	
1992.....	2.2	*	*	*	*	*	0.8	1.7	6.0	10.7	22.4	59.0	
1991.....	2.2	*	*	*	*	*	0.6	2.6	4.6	12.1	25.7	44.0	
1990.....	2.3	*	*	*	*	*	1.1	2.3	5.3	11.3	24.5	53.5	
1989.....	2.2	*	*	*	*	*	0.5	2.0	4.4	11.3	26.5	50.9	
1988.....	2.2	*	*	*	*	*	0.9	1.5	5.1	11.0	28.9	43.0	
1987.....	2.3	*	*	*	*	*	0.9	2.0	5.7	11.2	25.0	51.0	
1986.....	2.2	*	*	*	*	*	0.7	1.7	4.6	13.0	23.7	51.2	
1985.....	2.4	*	*	*	*	*	*	2.6	5.7	12.1	25.9	63.1	
1984.....	2.4	*	*	*	*	*	*	1.6	4.8	14.7	31.4	48.4	
1983.....	2.5	*	*	*	*	*	0.7	1.9	5.8	13.8	30.2	59.8	
1982.....	2.4	*	*	*	*	*	*	1.9	5.0	13.3	29.8	56.3	
1981.....	2.5	*	*	*	*	*	0.7	1.9	6.3	14.9	30.3	53.6	
1980.....	2.9	-	0.1	-	0.0	0.2	0.7	2.9	6.6	17.5	38.8	56.6	
1979.....	2.8	-	-	0.0	0.0	0.2	1.1	3.0	6.8	16.5	31.8	63.5	

HYPERTENSIVE HEART AND RENAL DISEASE (404)
 BLACK MALE

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	1.8	*	*	*	*	*	0.9	2.5	5.6	9.0	21.6	33.4
1997	1.8	*	*	*	*	*	1.0	1.9	4.8	9.0	21.6	47.9
1996	1.9	*	*	*	*	*	0.9	2.5	6.0	8.4	22.8	49.2
1995	1.7	*	*	*	*	*	*	2.3	4.2	9.3	21.9	58.1
1994	1.9	*	*	*	*	*	0.9	3.4	5.1	10.4	21.7	49.8
1993	1.8	*	*	*	*	*	1.2	2.5	4.3	9.1	23.6	47.0
1992	2.0	*	*	*	*	*	1.1	2.2	6.4	9.6	22.7	71.8
1991	2.0	*	*	*	*	*	1.1	3.4	4.6	13.0	25.2	46.4
1990	2.1	*	*	*	*	*	1.5	3.0	6.0	11.1	27.1	46.8
1989	2.0	*	*	*	*	*	*	3.3	4.7	10.3	33.1	37.9
1988	2.0	*	*	*	*	*	1.3	1.8	5.1	12.3	25.8	53.8
1987	2.2	*	*	*	*	*	1.3	3.1	6.6	11.1	29.6	50.0
1986	2.0	*	*	*	*	*	*	2.1	4.4	15.1	24.8	50.8
1985	2.0	*	*	*	*	*	*	3.3	6.0	10.8	30.0	45.2
1984	2.2	*	*	*	*	*	*	2.1	5.1	15.1	34.7	50.8
1983	2.2	*	*	*	*	*	*	2.2	6.3	14.7	27.9	61.7
1982	2.0	*	*	*	*	*	*	2.6	5.3	11.1	30.7	50.0
1981	2.2	*	*	*	*	*	*	2.0	7.1	14.5	26.8	53.6
1980	2.4	-	0.1	-	0.0	0.1	1.1	3.1	5.3	15.9	35.1	77.3
1979	2.6	-	-	-	-	0.3	1.4	3.3	7.0	16.3	30.7	71.2

HYPERTENSIVE HEART AND RENAL DISEASE (404)
 BLACK FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	2.2	*	*	*	*	*	*	1.0	3.4	8.2	23.0	50.4
1997	2.1	*	*	*	*	*	*	*	3.0	7.3	21.1	54.6
1996	2.2	*	*	*	*	*	*	1.1	3.9	8.5	24.1	45.3
1995	2.3	*	*	*	*	*	*	1.7	3.9	8.9	21.5	54.4
1994	2.2	*	*	*	*	*	*	1.2	4.0	10.1	23.0	46.8
1993	2.4	*	*	*	*	*	*	1.3	4.0	9.9	26.5	51.0
1992	2.5	*	*	*	*	*	*	1.3	5.6	11.5	22.2	53.7
1991	2.4	*	*	*	*	*	*	1.9	4.6	11.5	26.0	42.9
1990	2.5	*	*	*	*	*	*	1.7	4.7	11.4	23.0	56.3
1989	2.4	*	*	*	*	*	*	*	4.2	12.0	22.8	56.9
1988	2.4	*	*	*	*	*	*	*	5.0	10.1	30.6	38.3
1987	2.3	*	*	*	*	*	*	*	5.0	11.4	22.4	51.4
1986	2.3	*	*	*	*	*	*	*	4.7	11.6	23.1	51.4
1985	2.7	*	*	*	*	*	*	2.0	5.4	13.0	23.4	71.4
1984	2.5	*	*	*	*	*	*	*	4.6	14.4	29.5	47.3
1983	2.7	*	*	*	*	*	*	1.6	5.3	13.3	31.4	58.9
1982	2.7	*	*	*	*	*	*	*	4.9	14.9	29.2	59.3
1981	2.8	*	*	*	*	*	*	1.8	5.7	15.3	32.4	53.1
1980	3.4	-	-	-	0.0	0.2	0.5	2.8	7.7	18.7	41.1	46.2
1979	3.1	-	-	0.0	0.0	0.2	0.9	2.7	6.6	16.7	32.5	59.6

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	421
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ISCHEMIC HEART DISEASE (410-414)														
TOTAL, BOTH SEXES														
1998.....	170.1	*	*	0.1	0.3	2.4	14.7	58.3	180.7	487.2	1,252.2	3,743.9		
1997.....	174.2	0.6	*	*	0.3	2.5	14.6	62.1	192.9	504.4	1,291.5	3,900.5		
1996.....	179.5	0.6	*	*	0.3	2.6	15.6	65.3	204.1	526.0	1,352.0	4,005.0		
1995.....	183.2	0.5	*	*	0.3	2.6	16.2	67.6	209.9	544.1	1,391.2	4,152.2		
1994.....	184.9	0.7	*	*	0.3	2.5	16.1	69.0	216.8	556.8	1,420.5	4,200.9		
1993.....	190.1	0.7	*	*	0.3	2.7	16.6	70.5	225.8	578.0	1,484.3	4,325.8		
1992.....	188.2	0.5	*	*	0.3	2.6	17.0	72.3	230.2	585.8	1,480.3	4,285.8		
1991.....	192.5	0.5	*	*	0.3	2.6	17.1	75.5	240.5	605.8	1,536.7	4,374.1		
1990.....	196.7	0.7	*	*	0.3	2.5	17.3	77.7	248.6	627.0	1,602.5	4,498.1		
1989.....	201.8	0.9	*	*	0.3	2.6	18.0	81.2	259.5	650.0	1,655.2	4,577.2		
1988.....	208.4	0.8	*	*	0.3	2.7	19.3	85.1	270.8	687.1	1,722.2	4,717.7		
1987.....	211.4	0.7	*	*	0.3	2.8	20.8	92.7	282.1	709.3	1,749.8	4,716.0		
1986.....	216.9	0.6	*	*	0.3	3.0	22.5	96.6	295.7	741.7	1,816.4	4,807.5		
1985.....	225.6	0.6	*	*	0.3	3.1	23.4	105.3	312.5	782.9	1,905.7	5,006.9		
1984.....	229.5	0.9	*	0.1	0.4	2.8	24.0	110.0	325.5	808.3	1,970.4	5,040.5		
1983.....	236.3	1.0	0.2	0.1	0.3	3.1	24.9	116.5	338.3	847.2	2,043.3	5,224.0		
1982.....	238.6	0.8	0.2	0.1	0.3	3.3	26.6	122.6	349.5	871.7	2,084.6	5,228.5		
1981.....	241.9	0.7	*	0.1	0.3	3.2	28.3	128.2	360.3	892.7	2,130.5	5,378.0		
1980.....	249.7	0.8	0.1	0.0	0.3	3.2	29.1	131.9	372.4	930.6	2,254.8	5,652.1		
1979.....	245.5	0.7	0.1	0.0	0.3	3.6	30.1	136.1	381.0	926.6	2,224.8	5,376.1		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	422	
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ISCHEMIC HEART DISEASE (410-414)														
TOTAL, MALE														
1998.....	176.7	*	*	*	0.4	3.4	22.8	92.0	267.6	682.8	1,631.8	4,132.7		
1997.....	181.1	*	*	*	0.5	3.7	22.9	98.0	286.0	712.1	1,688.0	4,370.7		
1996.....	186.5	*	*	*	0.4	3.8	24.1	102.0	303.4	741.6	1,763.4	4,496.3		
1995.....	190.8	*	*	*	0.5	3.9	25.7	107.5	312.6	770.5	1,824.0	4,674.4		
1994.....	193.1	*	*	*	0.4	3.7	25.6	109.2	323.4	794.0	1,863.9	4,771.9		
1993.....	199.0	*	*	*	0.5	4.0	26.5	112.0	337.9	823.7	1,962.7	4,920.7		
1992.....	198.4	*	*	*	0.4	3.9	27.2	114.9	345.1	837.5	1,961.2	4,878.3		
1991.....	203.1	*	*	*	0.5	3.8	27.8	119.6	360.3	870.2	2,032.3	4,964.5		
1990.....	208.3	*	*	*	0.4	3.8	28.5	123.8	375.4	898.5	2,129.6	5,120.7		
1989.....	214.1	*	*	*	0.4	4.0	29.6	130.0	392.6	932.1	2,188.9	5,157.8		
1988.....	222.1	*	*	*	0.5	4.2	31.7	135.3	408.3	985.9	2,281.3	5,333.2		
1987.....	227.0	*	*	*	0.5	4.4	34.4	148.1	428.0	1,015.8	2,318.6	5,313.7		
1986.....	234.6	*	*	*	0.4	4.7	37.3	155.7	451.8	1,064.3	2,404.3	5,425.0		
1985.....	247.3	*	*	*	0.5	4.8	38.8	170.6	479.9	1,130.9	2,544.2	5,748.1		
1984.....	252.4	*	*	0.2	0.5	4.6	39.8	178.6	500.3	1,161.5	2,616.3	5,790.8		
1983.....	261.8	1.5	*	0.1	0.4	5.0	41.5	189.0	520.7	1,230.5	2,702.1	6,003.4		
1982.....	267.2	*	*	0.1	0.4	5.4	44.0	200.3	542.2	1,268.8	2,753.9	6,037.8		
1981.....	272.6	*	*	0.1	0.5	5.1	47.3	209.4	559.8	1,301.5	2,819.1	6,176.9		
1980.....	282.4	0.9	0.2	0.0	0.5	5.3	48.7	217.3	581.1	1,355.5	2,953.7	6,501.6		
1979.....	281.6	0.8	0.1	0.1	0.5	5.9	50.0	225.3	599.3	1,360.5	2,916.2	6,188.6		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 423
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
ISCHEMIC HEART DISEASE (410-414)													
TOTAL, FEMALE													
1998.....	163.8	*	*	*	0.2	1.4	6.7	26.1	101.5	328.2	1,000.9	3,582.8	
1997.....	167.5	*	*	*	0.2	1.4	6.4	27.8	108.2	336.5	1,032.3	3,711.0	
1996.....	172.8	*	*	*	0.2	1.3	7.1	30.2	114.0	352.6	1,086.2	3,809.8	
1995.....	175.9	*	*	*	0.2	1.4	6.9	29.4	116.8	362.8	1,116.3	3,948.8	
1994.....	177.2	*	*	*	0.2	1.4	6.8	30.6	120.4	368.1	1,142.9	3,980.8	
1993.....	181.6	*	*	*	0.2	1.4	7.0	30.8	124.5	383.6	1,188.3	4,097.6	
1992.....	178.5	*	*	*	0.2	1.3	7.0	31.6	126.7	387.9	1,186.1	4,056.4	
1991.....	182.4	*	*	*	0.2	1.3	6.6	33.4	133.1	398.9	1,236.9	4,145.9	
1990.....	185.6	*	*	*	0.2	1.2	6.4	33.6	135.4	415.2	1,287.6	4,257.8	
1989.....	190.1	*	*	*	0.2	1.3	6.7	34.6	141.0	430.1	1,337.1	4,351.4	
1988.....	195.4	*	*	*	0.1	1.2	7.2	37.3	148.9	454.8	1,390.6	4,477.4	
1987.....	196.6	*	*	*	0.2	1.3	7.6	40.0	152.9	471.5	1,413.6	4,480.5	
1986.....	200.0	*	*	*	0.2	1.3	8.1	40.6	157.7	492.2	1,470.2	4,562.4	
1985.....	205.1	*	*	*	0.2	1.3	8.5	43.6	164.5	514.7	1,530.3	4,711.0	
1984.....	207.9	*	*	*	0.2	1.1	8.7	45.2	171.4	536.9	1,590.9	4,737.2	
1983.....	212.2	*	*	*	0.2	1.2	8.9	48.1	177.8	553.0	1,655.9	4,904.5	
1982.....	211.6	*	*	0.1	0.2	1.2	9.8	49.6	180.1	567.7	1,690.7	4,891.2	
1981.....	213.0	*	*	*	0.2	1.3	9.9	52.1	185.0	579.7	1,725.5	5,035.2	
1980.....	218.9	0.7	0.1	0.1	0.1	1.3	10.3	52.2	189.0	605.3	1,842.7	5,280.6	
1979.....	211.4	0.5	0.1	0.0	0.2	1.3	11.0	52.9	188.9	594.7	1,815.1	5,014.9	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	424	
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ISCHEMIC HEART DISEASE (410-414)														
WHITE, BOTH SEXES														
1998.....	184.9	*	*	*	0.3	2.3	14.0	56.0	176.1	486.4	1,262.0	3,838.1		
1997.....	189.1	*	*	*	0.3	2.4	13.9	59.7	188.0	502.5	1,303.6	3,999.7		
1996.....	195.0	*	*	*	0.3	2.4	14.8	63.1	199.6	525.5	1,364.0	4,112.0		
1995.....	198.7	*	*	*	0.3	2.5	15.5	64.9	205.9	540.7	1,402.3	4,246.4		
1994.....	200.7	*	*	*	0.3	2.4	15.1	66.5	213.4	554.4	1,434.7	4,297.9		
1993.....	205.9	0.8	*	*	0.3	2.5	15.6	68.2	221.5	576.6	1,498.5	4,417.9		
1992.....	203.9	*	*	*	0.3	2.4	16.2	69.6	226.3	585.1	1,498.0	4,380.1		
1991.....	208.2	*	*	*	0.3	2.3	16.2	73.0	236.1	603.9	1,554.1	4,479.8		
1990.....	212.7	*	*	*	0.3	2.2	16.6	75.2	245.1	625.5	1,624.9	4,609.8		
1989.....	217.7	*	*	*	0.2	2.4	17.1	78.1	254.5	649.4	1,678.9	4,693.4		
1988.....	224.9	0.7	*	*	0.3	2.5	18.5	82.5	266.7	689.3	1,746.5	4,854.2		
1987.....	227.9	0.7	*	*	0.3	2.6	19.9	90.3	279.2	711.0	1,779.4	4,847.0		
1986.....	233.7	*	*	*	0.3	2.7	21.5	94.4	293.0	746.1	1,848.4	4,942.7		
1985.....	242.8	*	*	*	0.3	2.8	22.3	103.2	308.9	786.9	1,939.5	5,164.1		
1984.....	246.9	0.7	*	0.1	0.3	2.6	23.0	107.5	322.4	814.3	2,007.6	5,207.0		
1983.....	253.7	0.9	0.2	0.1	0.3	2.8	23.9	114.0	335.0	853.3	2,081.1	5,393.9		
1982.....	256.1	0.7	*	0.1	0.3	2.9	25.5	119.9	346.6	881.0	2,129.8	5,397.0		
1981.....	259.0	*	*	0.1	0.3	2.8	27.1	125.9	356.9	900.7	2,175.5	5,547.5		
1980.....	266.4	0.9	0.1	0.0	0.3	2.8	27.7	128.8	369.4	938.9	2,297.2	5,823.0		
1979.....	261.7	0.6	0.0	0.0	0.3	3.2	28.7	133.1	378.7	935.4	2,275.4	5,550.3		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	425	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
ISCHEMIC HEART DISEASE (410-414)															
WHITE MALE															
1998.....		191.9	*	*	*	0.4	3.3	22.2	89.9	263.4	690.6	1,658.7	4,268.2		
1997.....		196.5	*	*	*	0.4	3.5	22.2	95.5	282.0	718.7	1,718.0	4,523.9		
1996.....		202.5	*	*	*	0.4	3.6	23.4	100.2	301.0	750.5	1,794.1	4,660.1		
1995.....		206.6	*	*	*	0.4	3.7	25.0	105.1	310.4	775.0	1,852.7	4,802.8		
1994.....		209.3	*	*	*	0.3	3.5	24.6	106.6	322.5	800.3	1,898.4	4,912.3		
1993.....		215.4	*	*	*	0.4	3.7	25.3	110.3	335.6	831.5	1,998.4	5,058.1		
1992.....		214.8	*	*	*	0.3	3.6	26.4	112.8	344.6	846.0	1,999.5	5,028.9		
1991.....		219.5	*	*	*	0.4	3.5	26.7	117.6	359.0	878.7	2,072.3	5,127.5		
1990.....		225.1	*	*	*	0.4	3.5	27.8	122.1	375.8	906.5	2,178.3	5,280.9		
1989.....		230.8	*	*	*	0.3	3.8	28.6	127.0	390.7	943.1	2,240.1	5,331.3		
1988.....		239.4	*	*	*	0.4	3.8	30.9	133.9	407.8	998.4	2,334.0	5,536.4		
1987.....		244.3	*	*	*	0.4	4.0	33.3	146.9	429.6	1,027.6	2,375.6	5,508.9		
1986.....		252.7	*	*	*	0.3	4.3	36.1	155.2	453.8	1,082.5	2,470.3	5,625.9		
1985.....		265.8	*	*	*	0.4	4.4	37.5	170.1	481.7	1,149.0	2,611.1	5,982.1		
1984.....		271.1	*	*	0.2	0.4	4.1	38.8	177.5	502.8	1,182.2	2,690.9	6,037.5		
1983.....		280.9	*	*	*	0.4	4.6	40.7	187.9	523.4	1,254.1	2,779.3	6,245.4		
1982.....		286.4	*	*	*	0.4	4.9	42.9	199.8	545.8	1,295.7	2,837.7	6,270.5		
1981.....		291.6	*	*	0.2	0.4	4.6	45.9	208.5	562.4	1,328.9	2,906.9	6,427.2		
1980.....		300.9	1.0	0.1	0.0	0.4	4.7	47.1	215.5	585.5	1,384.6	3,035.2	6,721.9		
1979.....		299.7	0.7	0.0	0.0	0.4	5.3	48.5	224.0	604.0	1,391.2	3,010.9	6,414.6		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	426
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ISCHEMIC HEART DISEASE (410-414)														
WHITE FEMALE														
1998.....	178.2	*	*	*	0.1	1.3	5.8	22.9	94.8	317.8	997.8	3,661.9		
1997.....	182.0	*	*	*	0.2	1.3	5.4	24.7	100.5	325.1	1,030.9	3,791.1		
1996.....	187.7	*	*	*	0.2	1.2	6.1	26.8	105.5	342.0	1,084.6	3,897.0		
1995.....	191.1	*	*	*	0.2	1.4	5.9	25.7	109.2	350.6	1,114.5	4,032.0		
1994.....	192.4	*	*	*	0.1	1.2	5.7	27.5	112.5	356.4	1,143.1	4,063.8		
1993.....	196.8	*	*	*	*	1.3	5.8	27.1	116.4	372.4	1,188.0	4,175.4		
1992.....	193.4	*	*	*	0.2	1.2	6.0	27.5	117.7	377.8	1,190.4	4,132.5		
1991.....	197.4	*	*	*	0.2	1.1	5.6	29.7	123.8	386.9	1,240.2	4,235.5		
1990.....	200.8	*	*	*	0.2	1.0	5.4	29.8	126.3	404.0	1,294.4	4,354.9		
1989.....	205.1	*	*	*	0.1	1.0	5.7	30.7	131.1	418.3	1,345.3	4,451.8		
1988.....	211.1	*	*	*	0.1	1.1	6.1	32.7	139.4	446.8	1,399.2	4,592.5		
1987.....	212.3	*	*	*	0.2	1.1	6.7	35.7	143.9	463.3	1,428.8	4,590.7		
1986.....	215.5	*	*	*	0.2	1.1	7.1	35.8	148.9	483.9	1,484.0	4,676.6		
1985.....	220.9	*	*	*	0.2	1.1	7.3	38.9	154.2	505.7	1,547.2	4,843.6		
1984.....	223.7	*	*	*	0.2	1.0	7.4	40.2	161.4	529.7	1,609.0	4,877.8		
1983.....	227.8	*	*	*	0.2	1.0	7.4	43.1	167.4	544.1	1,673.7	5,051.1		
1982.....	227.3	*	*	0.1	0.2	0.9	8.4	43.5	169.7	562.1	1,717.0	5,039.3		
1981.....	228.1	*	*	*	0.2	1.1	8.6	47.0	174.5	572.0	1,749.5	5,179.4		
1980.....	233.7	0.8	0.1	0.1	0.1	1.0	8.6	46.4	177.9	597.3	1,866.6	5,435.5		
1979.....	225.4	0.4	0.1	0.0	0.2	1.0	9.3	46.9	178.9	586.9	1,844.5	5,167.4		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	427
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+		
ISCHEMIC HEART DISEASE (410-414)														
ALL OTHER, BOTH SEXES														
1998.....	100.4	*	*	*	0.4	2.9	17.9	71.1	209.0	493.2	1,160.9	2,853.2		
1997.....	102.7	*	*	*	0.4	3.1	18.3	76.0	223.4	518.7	1,176.9	2,953.5		
1996.....	104.7	*	*	*	0.4	3.2	19.1	78.0	232.1	530.0	1,237.7	2,980.2		
1995.....	107.4	*	*	*	0.5	3.2	19.9	83.3	234.9	571.2	1,283.6	3,194.4		
1994.....	107.3	*	*	*	0.6	3.3	21.1	83.9	239.1	575.9	1,281.2	3,205.4		
1993.....	111.0	*	*	*	0.6	3.5	22.1	84.7	254.1	590.2	1,344.7	3,375.6		
1992.....	109.1	*	*	*	0.4	3.5	21.3	89.1	256.4	591.6	1,307.9	3,295.7		
1991.....	112.1	*	*	*	0.6	3.7	22.1	90.4	271.1	620.5	1,368.9	3,261.7		
1990.....	113.3	*	*	*	0.5	3.5	21.2	92.6	273.4	640.0	1,382.6	3,314.1		
1989.....	117.7	*	*	*	0.6	3.7	22.8	100.5	296.0	655.0	1,421.5	3,346.1		
1988.....	119.7	*	*	*	0.6	3.9	24.1	101.6	301.5	667.6	1,482.6	3,266.5		
1987.....	121.1	*	*	*	0.5	4.2	26.0	107.4	304.0	694.2	1,456.1	3,307.1		
1986.....	123.5	*	*	*	0.5	4.6	28.2	110.5	316.6	702.4	1,495.2	3,337.2		
1985.....	129.0	*	*	*	0.6	4.7	30.0	118.8	341.0	748.3	1,564.1	3,269.2		
1984.....	130.5	*	*	*	0.5	4.4	30.3	126.5	350.9	754.5	1,592.7	3,216.1		
1983.....	135.5	*	*	*	0.3	4.6	31.4	132.9	365.6	791.4	1,660.0	3,321.1		
1982.....	135.6	*	*	*	0.6	5.2	33.7	141.1	374.2	788.4	1,620.7	3,360.8		
1981.....	139.5	*	*	*	0.7	5.2	36.0	144.5	389.6	819.7	1,664.2	3,452.1		
1980.....	147.1	0.5	0.2	0.0	0.6	5.7	38.8	154.7	399.0	854.4	1,808.7	3,689.4		
1979.....	144.1	1.2	0.2	0.0	0.6	6.3	39.9	158.4	401.9	844.4	1,696.1	3,350.0		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	428
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
ISCHEMIC HEART DISEASE (410-414)														
ALL OTHER MALE														
1998	103.4	*	*	*	0.7	3.9	25.9	104.5	295.9	621.6	1,371.0	2,946.1	
1997	105.8	*	*	*	0.6	4.6	26.4	113.7	313.1	659.7	1,390.7	3,034.7	
1996	106.7	*	*	*	0.6	4.7	27.9	112.7	319.4	668.6	1,459.5	3,072.4	
1995	111.4	*	*	*	0.8	4.8	29.1	123.1	327.5	732.6	1,533.5	3,472.6	
1994	110.8	*	*	*	0.6	4.6	31.0	126.1	329.6	740.2	1,515.5	3,456.4	
1993	114.8	*	*	*	0.9	5.3	32.9	123.2	354.6	756.5	1,602.9	3,637.6	
1992	113.2	*	*	*	*	5.3	31.6	128.5	349.0	763.4	1,581.1	3,471.0	
1991	116.9	*	*	*	0.9	5.3	33.9	132.4	370.9	794.8	1,639.6	3,457.0	
1990	118.7	*	*	*	0.7	5.3	32.6	135.3	372.8	825.2	1,653.3	3,625.3	
1989	123.6	*	*	*	0.7	5.4	35.1	149.9	407.7	831.5	1,691.0	3,550.6	
1988	126.9	*	*	*	1.1	6.2	37.0	144.8	412.5	870.3	1,778.2	3,453.2	
1987	130.2	*	*	*	0.7	6.5	41.4	156.5	414.7	906.6	1,770.1	3,485.7	
1986	131.9	*	*	*	0.8	6.9	45.0	159.0	435.8	895.2	1,762.7	3,540.0	
1985	140.6	*	*	*	1.0	7.1	47.5	173.9	464.2	962.6	1,894.2	3,542.5	
1984	142.7	*	*	*	0.7	7.3	46.3	185.9	479.2	968.4	1,899.7	3,477.8	
1983	148.4	*	*	*	*	6.9	47.1	196.9	497.5	1,009.4	1,959.9	3,625.7	
1982	151.4	*	*	*	0.9	8.3	51.6	203.7	510.2	1,019.8	1,947.2	3,780.6	
1981	155.8	*	*	*	0.9	8.4	57.3	216.1	536.1	1,047.5	1,969.7	3,685.9	
1980	165.8	0.6	0.3	-	1.1	9.1	59.8	230.9	541.0	1,087.2	2,157.3	4,251.1	
1979	164.6	1.3	0.2	0.1	0.6	9.6	61.4	235.6	556.2	1,077.0	2,000.4	3,825.4	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 429												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ISCHEMIC HEART DISEASE (410-414)												
ALL OTHER FEMALE												
1998.....	97.7	*	*	*	*	1.9	10.7	42.8	140.1	399.7	1,029.0	2,810.7
1997.....	99.9	*	*	*	*	1.7	11.1	44.1	152.2	416.5	1,045.0	2,916.8
1996.....	102.8	*	*	*	*	1.8	11.4	48.7	162.9	429.7	1,101.8	2,938.7
1995.....	103.7	*	*	*	*	1.7	11.8	49.7	161.7	454.6	1,132.9	3,073.9
1994.....	104.0	*	*	*	*	2.2	12.4	48.2	167.8	457.6	1,141.3	3,096.7
1993.....	107.6	*	*	*	*	1.9	12.6	51.9	174.9	470.2	1,190.9	3,261.4
1992.....	105.2	*	*	*	*	1.9	12.2	55.4	183.7	468.2	1,144.5	3,216.7
1991.....	107.7	*	*	*	*	2.3	11.7	54.7	192.7	496.4	1,204.3	3,155.6
1990.....	108.3	*	*	*	*	1.8	11.3	56.0	195.7	507.7	1,220.4	3,172.6
1989.....	112.3	*	*	*	*	2.2	12.2	58.2	208.5	529.2	1,258.6	3,251.4
1988.....	113.1	*	*	*	*	1.8	12.9	64.6	214.5	522.3	1,305.3	3,179.3
1987.....	112.8	*	*	*	*	2.1	12.7	65.6	216.9	541.8	1,259.8	3,222.7
1986.....	115.9	*	*	*	*	2.5	13.8	69.3	222.3	563.5	1,328.8	3,239.7
1985.....	118.3	*	*	*	*	2.5	14.9	72.2	242.8	592.8	1,356.3	3,158.0
1984.....	119.4	*	*	*	*	1.9	16.7	76.4	248.3	599.9	1,401.3	3,086.2
1983.....	123.7	*	*	*	*	2.6	17.9	79.5	259.6	631.1	1,468.0	3,167.6
1982.....	121.3	*	*	*	*	2.5	18.4	89.1	264.3	617.7	1,409.5	3,124.1
1981.....	124.8	*	*	*	*	2.4	17.8	85.5	270.8	649.0	1,465.2	3,333.3
1980.....	130.2	0.3	0.1	0.1	0.2	2.7	21.0	92.1	283.0	678.2	1,579.4	3,401.8
1979.....	125.5	1.0	0.2	-	0.5	3.4	21.9	95.0	275.0	666.9	1,493.9	3,133.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 430												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ISCHEMIC HEART DISEASE (410-414)												
BLACK, BOTH SEXES												
1998.....	117.9	*	*	*	0.6	3.8	22.2	87.9	251.2	567.7	1,284.4	3,046.7
1997.....	120.7	*	*	*	0.5	3.8	22.4	93.5	267.7	591.7	1,300.3	3,170.7
1996.....	123.2	*	*	*	0.5	4.0	23.3	96.9	277.8	606.5	1,354.1	3,188.9
1995.....	126.3	*	*	*	0.5	3.8	24.5	102.8	279.4	652.1	1,390.6	3,280.2
1994.....	125.8	*	*	*	0.7	4.0	25.8	102.5	282.1	652.3	1,384.0	3,297.7
1993.....	130.7	*	*	*	0.8	4.3	26.8	103.1	301.5	675.1	1,449.0	3,462.4
1992.....	127.6	*	*	*	0.5	4.2	26.3	108.4	300.0	666.3	1,398.7	3,438.5
1991.....	132.1	*	*	*	0.6	4.6	26.9	110.5	316.6	701.4	1,473.9	3,407.3
1990.....	133.1	*	*	*	0.6	4.3	26.1	112.6	319.2	717.0	1,481.0	3,439.3
1989.....	137.3	*	*	*	0.7	4.7	28.3	120.1	342.6	731.1	1,512.7	3,440.5
1988.....	139.3	*	*	*	0.8	4.7	30.2	121.4	345.9	741.1	1,584.0	3,386.9
1987.....	140.1	*	*	*	0.6	4.9	31.5	126.8	347.4	768.3	1,549.0	3,400.5
1986.....	142.4	*	*	*	0.5	5.4	34.6	128.9	359.9	775.4	1,583.2	3,464.2
1985.....	147.6	*	*	*	0.7	5.6	36.1	138.6	384.9	817.5	1,653.1	3,387.7
1984.....	148.4	*	*	*	0.6	5.2	36.8	146.7	394.1	821.0	1,681.3	3,295.8
1983.....	153.4	*	*	*	0.4	5.4	36.9	153.2	408.2	857.4	1,756.5	3,412.5
1982.....	152.4	*	*	*	0.6	5.8	40.0	161.1	416.7	845.7	1,705.5	3,444.9
1981.....	156.6	*	*	*	0.7	6.0	42.2	164.0	431.6	884.0	1,761.0	3,557.1
1980.....	162.8	0.4	0.2	0.0	0.7	6.7	44.6	173.1	437.5	910.0	1,905.0	3,797.4
1979.....	156.7	1.2	0.1	0.1	0.6	6.9	45.4	176.6	434.3	887.1	1,736.7	3,383.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	431
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ISCHEMIC HEART DISEASE (410-414)														
BLACK MALE														
1998.....	118.2	*	*	*	0.8	5.1	31.1	127.7	353.6	705.4	1,501.9	3,120.7		
1997.....	120.9	*	*	*	0.7	5.3	32.3	137.9	372.4	736.5	1,534.9	3,170.7		
1996.....	122.5	*	*	*	*	5.8	32.9	137.4	380.8	752.2	1,592.9	3,257.7		
1995.....	128.0	*	*	*	0.8	5.7	35.1	150.7	389.8	822.5	1,649.7	3,485.9		
1994.....	127.0	*	*	*	*	5.4	37.1	151.2	388.2	825.1	1,642.3	3,489.3		
1993.....	132.0	*	*	*	1.2	6.3	39.1	148.7	420.1	854.5	1,715.5	3,664.4		
1992.....	130.0	*	*	*	*	6.3	38.3	154.9	402.8	856.8	1,707.7	3,618.7		
1991.....	135.3	*	*	*	1.0	6.5	41.1	161.7	428.7	895.1	1,770.9	3,631.9		
1990.....	137.7	*	*	*	0.8	6.4	39.8	163.6	432.6	926.8	1,790.7	3,786.0		
1989.....	142.0	*	*	*	0.8	6.8	43.1	179.7	467.0	927.3	1,805.1	3,660.6		
1988.....	145.3	*	*	*	1.3	7.5	46.0	172.5	466.8	961.6	1,902.6	3,601.5		
1987.....	148.0	*	*	*	0.8	7.6	49.8	184.5	466.7	998.8	1,882.4	3,570.3		
1986.....	149.8	*	*	*	0.8	7.9	54.8	185.2	488.9	984.8	1,857.6	3,717.5		
1985.....	158.6	*	*	*	1.2	8.5	57.2	202.2	519.1	1,048.1	1,990.7	3,664.5		
1984.....	160.3	*	*	*	0.9	8.5	55.8	215.9	535.3	1,049.3	1,991.6	3,598.4		
1983.....	166.4	*	*	*	*	8.1	54.8	227.2	550.4	1,095.3	2,068.4	3,773.3		
1982.....	167.7	*	*	*	1.0	9.2	60.9	231.1	565.3	1,089.2	2,032.0	3,858.6		
1981.....	173.0	*	*	*	1.1	9.5	67.3	243.1	591.0	1,129.7	2,080.9	3,760.7		
1980.....	180.9	0.4	0.2	-	1.1	10.7	68.3	255.5	588.3	1,157.1	2,268.6	4,287.9		
1979.....	176.6	1.2	0.1	0.1	0.7	10.4	69.6	258.5	597.8	1,134.2	2,018.9	3,832.7		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	432	
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ISCHEMIC HEART DISEASE (410-414)														
BLACK FEMALE														
1998.....	117.7	*	*	*	*	2.6	14.3	54.9	173.0	468.1	1,155.0	3,015.9		
1997.....	120.6	*	*	*	*	2.3	13.6	56.7	187.5	487.4	1,162.9	3,170.7		
1996.....	123.9	*	*	*	*	2.3	14.9	63.3	198.9	502.0	1,215.4	3,160.7		
1995.....	124.7	*	*	*	*	2.1	15.1	63.1	194.4	530.4	1,242.1	3,196.6		
1994.....	124.6	*	*	*	*	2.7	16.0	62.2	200.5	529.4	1,238.0	3,219.9		
1993.....	129.5	*	*	*	*	2.5	16.1	65.4	210.0	547.9	1,299.6	3,380.0		
1992.....	125.4	*	*	*	*	2.4	15.8	69.8	220.6	532.6	1,226.2	3,363.5		
1991.....	129.1	*	*	*	*	2.9	14.6	68.2	229.7	566.3	1,307.7	3,312.3		
1990.....	128.9	*	*	*	*	2.4	14.4	70.3	231.5	571.4	1,307.7	3,292.4		
1989.....	133.0	*	*	*	*	2.9	15.7	70.6	245.8	594.7	1,347.3	3,368.0		
1988.....	134.0	*	*	*	*	2.2	16.7	79.1	251.5	587.5	1,401.9	3,293.3		
1987.....	133.0	*	*	*	*	2.5	15.9	79.0	253.6	607.4	1,355.4	3,325.0		
1986.....	135.7	*	*	*	*	3.1	17.5	82.5	258.3	627.8	1,422.0	3,348.6		
1985.....	137.7	*	*	*	*	3.1	18.3	86.2	279.1	655.2	1,451.7	3,258.6		
1984.....	137.7	*	*	*	*	2.3	20.8	89.6	281.9	659.7	1,498.6	3,152.7		
1983.....	141.8	*	*	*	*	3.1	21.8	92.6	294.9	689.4	1,561.4	3,237.9		
1982.....	138.6	*	*	*	*	2.8	22.5	103.9	297.8	671.4	1,503.8	3,241.5		
1981.....	141.8	*	*	*	*	2.9	21.3	99.4	303.8	706.8	1,561.2	3,424.8		
1980.....	146.7	0.4	0.1	0.1	0.2	3.3	24.9	106.0	316.0	729.6	1,674.7	3,552.2		
1979.....	138.9	1.2	0.1	-	0.6	3.8	25.2	109.4	302.0	705.2	1,545.3	3,158.7		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 433
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
0 ACUTE MYOCARDIAL INFARCTION (410)													
TOTAL, BOTH SEXES													
1998.....	75.3	*	*	*	0.2	1.3	7.8	32.4	98.0	237.7	554.6	1,382.4	
1997.....	77.0	*	*	*	0.2	1.3	7.8	34.6	104.6	248.5	574.6	1,407.8	
1996.....	80.5	*	*	*	0.2	1.4	8.4	36.9	111.4	262.1	608.0	1,465.1	
1995.....	83.1	*	*	*	0.2	1.4	8.9	38.5	115.8	274.9	634.5	1,517.6	
1994.....	85.4	*	*	*	0.2	1.4	9.0	40.1	121.6	287.8	659.2	1,549.1	
1993.....	88.2	*	*	*	0.2	1.4	9.3	40.8	127.4	299.1	694.9	1,593.5	
1992.....	89.9	*	*	*	0.2	1.5	9.7	42.7	131.1	310.5	715.1	1,622.4	
1991.....	93.3	*	*	*	0.2	1.4	9.8	45.0	138.2	326.3	752.9	1,669.4	
1990.....	96.1	*	*	*	0.2	1.4	10.0	46.5	144.3	342.1	793.6	1,695.5	
1989.....	100.1	*	*	*	0.2	1.5	10.5	48.9	152.5	362.1	829.3	1,737.8	
1988.....	101.4	*	*	*	0.2	1.5	11.4	50.9	157.5	380.3	846.3	1,688.2	
1987.....	104.6	*	*	*	0.2	1.6	12.3	57.0	167.2	399.9	873.7	1,677.8	
1986.....	108.7	*	*	*	0.2	1.8	13.6	60.0	178.0	424.6	914.9	1,699.7	
1985.....	115.2	*	*	*	0.2	1.9	14.5	65.8	193.7	459.0	970.2	1,776.5	
1984.....	118.4	0.6	*	0.1	0.2	1.8	15.1	70.8	205.2	478.3	1,004.3	1,767.2	
1983.....	122.5	0.7	*	0.1	0.2	2.0	16.0	76.2	215.7	506.7	1,033.2	1,814.2	
1982.....	125.6	0.5	*	0.1	0.2	2.1	17.5	81.1	226.6	529.7	1,058.1	1,832.8	
1981.....	127.5	*	*	*	0.2	2.1	18.9	86.0	233.7	543.2	1,072.9	1,869.0	
1980.....	132.2	0.6	0.1	0.0	0.2	2.1	19.6	89.6	245.8	570.1	1,126.6	1,961.5	
1979.....	133.8	0.4	0.0	0.0	0.2	2.4	21.1	94.6	258.9	577.2	1,135.2	1,916.3	

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 434
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)													
TOTAL, MALE													
1998.....		81.0	*	*	*	0.2	1.7	12.3	51.2	145.4	329.9	706.8	1,571.0
1997.....		83.3	*	*	*	0.2	1.8	12.1	54.6	154.2	347.4	736.1	1,644.4
1996.....		86.8	*	*	*	0.2	1.9	13.0	57.8	164.3	364.6	778.0	1,716.4
1995.....		90.4	*	*	*	0.2	2.0	14.2	61.4	172.0	383.4	825.3	1,792.1
1994.....		93.1	*	*	*	0.2	2.1	14.1	63.4	180.3	404.4	857.1	1,845.4
1993.....		96.8	*	*	*	0.3	2.0	14.8	64.9	190.1	421.4	916.0	1,908.6
1992.....		98.9	*	*	*	0.2	2.2	15.4	67.7	194.9	437.0	940.3	1,977.0
1991.....		102.6	*	*	*	0.3	2.1	15.8	71.0	205.2	461.8	991.9	2,002.6
1990.....		106.8	*	*	*	0.2	2.1	16.3	74.5	216.4	483.5	1,059.5	2,064.8
1989.....		111.7	*	*	*	0.3	2.3	17.2	78.1	229.5	514.3	1,103.2	2,103.0
1988.....		114.1	*	*	*	0.3	2.3	18.7	80.9	235.2	538.8	1,133.9	2,063.2
1987.....		118.9	*	*	*	0.3	2.5	20.3	90.8	252.1	567.7	1,165.7	2,058.5
1986.....		124.8	*	*	*	0.2	2.8	22.5	96.5	270.2	604.6	1,230.0	2,071.4
1985.....		134.7	*	*	*	0.3	3.0	24.0	106.5	296.1	661.6	1,320.8	2,235.1
1984.....		139.5	*	*	*	0.3	2.8	25.1	115.3	315.1	688.6	1,370.2	2,220.2
1983.....		145.8	*	*	*	0.2	3.1	26.5	124.1	332.0	739.0	1,408.4	2,280.9
1982.....		151.3	*	*	*	0.3	3.4	29.0	133.2	352.5	777.3	1,441.7	2,307.8
1981.....		155.1	*	*	*	0.3	3.3	32.1	141.3	365.1	800.0	1,475.0	2,335.9
1980.....		162.2	0.7	0.2	0.0	0.4	3.4	33.1	148.8	387.3	843.5	1,535.1	2,477.8
1979.....		165.9	0.3	0.0	0.0	0.3	4.0	35.4	157.3	409.2	861.1	1,547.6	2,417.6

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 435
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)													
TOTAL, FEMALE													
1998.....		69.8	*	*	*	*	0.8	3.4	14.4	54.9	162.8	453.9	1,304.3
1997.....		71.0	*	*	*	0.1	0.7	3.5	15.3	59.5	168.5	469.0	1,312.5
1996.....		74.4	*	*	*	0.1	0.8	3.7	16.8	63.3	179.7	498.1	1,365.2
1995.....		76.0	*	*	*	0.1	0.8	3.7	16.6	64.9	188.1	513.2	1,410.8
1994.....		78.1	*	*	*	0.2	0.8	3.9	17.9	68.6	195.0	535.4	1,434.8
1993.....		80.1	*	*	*	*	0.8	3.8	17.8	70.7	202.3	558.2	1,472.6
1992.....		81.4	*	*	*	0.1	0.8	4.1	18.8	73.7	211.1	577.3	1,485.1
1991.....		84.5	*	*	*	0.1	0.8	3.9	20.2	78.2	220.4	608.3	1,540.6
1990.....		85.9	*	*	*	0.2	0.7	3.8	19.9	79.9	231.9	634.7	1,553.0
1989.....		89.0	*	*	*	0.1	0.7	3.9	21.0	83.8	243.5	666.1	1,595.7
1988.....		89.4	*	*	*	0.1	0.8	4.4	22.3	88.5	257.1	675.7	1,541.9
1987.....		91.1	*	*	*	0.1	0.8	4.5	25.0	92.1	269.6	701.0	1,527.7
1986.....		93.5	*	*	*	*	0.8	4.9	25.5	96.4	285.3	729.3	1,552.3
1985.....		96.8	*	*	*	0.2	0.8	5.3	27.3	103.3	302.8	764.0	1,593.4
1984.....		98.4	*	*	*	0.2	0.7	5.4	28.9	108.3	316.7	789.3	1,584.1
1983.....		100.4	*	*	*	0.1	0.8	5.8	31.0	113.4	328.5	812.6	1,622.9
1982.....		101.3	*	*	*	0.1	0.8	6.4	32.2	115.9	340.2	832.3	1,634.8
1981.....		101.4	*	*	*	0.2	0.9	6.2	34.2	118.4	346.6	836.4	1,669.3
1980.....		104.0	0.5	0.0	0.1	0.1	0.9	6.6	34.3	121.5	360.7	885.7	1,735.8
1979.....		103.4	0.4	0.0	0.0	0.1	0.9	7.5	36.1	126.5	360.0	890.8	1,693.6

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	436	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+		
0	ACUTE MYOCARDIAL INFARCTION (410)														
	WHITE, BOTH SEXES														
1998	81.3	*	*	*	0.1	1.2	7.6	31.4	96.7	237.7	556.4	1,405.4		
1997	83.2	*	*	*	0.2	1.2	7.4	33.6	103.1	247.9	578.7	1,433.5		
1996	87.0	*	*	*	0.2	1.3	8.2	36.1	109.9	262.4	612.9	1,492.6		
1995	89.7	*	*	*	0.2	1.4	8.6	37.8	115.2	274.4	638.4	1,540.3		
1994	92.3	*	*	*	0.1	1.3	8.6	39.0	121.2	287.3	665.3	1,575.9		
1993	95.2	*	*	*	0.1	1.3	8.8	39.9	126.1	299.2	701.1	1,614.2		
1992	97.0	*	*	*	0.1	1.3	9.4	41.6	129.6	311.0	723.7	1,647.7		
1991	100.5	*	*	*	0.2	1.3	9.3	44.4	136.4	326.6	761.3	1,697.7		
1990	103.6	*	*	*	0.2	1.3	9.7	45.7	143.3	342.4	805.1	1,728.4		
1989	107.6	*	*	*	0.2	1.4	10.1	47.7	150.7	362.6	841.1	1,769.1		
1988	109.3	*	*	*	0.2	1.4	11.1	50.4	156.4	383.5	859.6	1,728.0		
1987	112.7	*	*	*	0.2	1.5	12.0	56.6	167.4	403.1	890.6	1,712.4		
1986	117.1	*	*	*	0.1	1.6	13.3	59.6	178.1	429.7	933.3	1,742.3		
1985	124.0	*	*	*	0.2	1.7	14.1	65.9	193.7	464.3	990.8	1,821.4		
1984	127.3	*	*	*	0.2	1.6	14.7	70.4	205.7	485.7	1,026.7	1,813.9		
1983	131.7	*	*	*	0.2	1.8	15.6	76.1	216.6	514.6	1,057.4	1,867.3		
1982	135.3	*	*	0.1	0.2	1.9	17.1	81.5	227.9	540.6	1,088.2	1,889.8		
1981	137.0	*	*	*	0.2	1.9	18.6	86.2	235.1	554.1	1,103.0	1,925.3		
1980	141.7	0.7	0.1	0.0	0.2	1.9	18.9	89.5	248.0	582.2	1,154.7	2,014.6		
1979	143.0	0.3	0.0	0.0	0.2	2.2	20.5	94.5	261.0	589.6	1,166.8	1,969.6		

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 437
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)													
WHITE MALE													
1998.....		87.6	*	*	*	0.2	1.7	12.1	50.4	144.8	334.1	714.7	1,612.1
1997.....		90.2	*	*	*	0.2	1.7	11.8	53.8	153.9	351.3	748.9	1,693.3
1996.....		94.1	*	*	*	0.2	1.8	12.9	57.5	164.3	369.8	790.3	1,767.8
1995.....		97.9	*	*	*	0.2	1.9	13.9	61.4	172.8	387.3	837.0	1,830.1
1994.....		100.8	*	*	*	0.2	1.9	13.9	62.3	182.5	408.2	871.2	1,886.1
1993.....		104.6	*	*	*	0.2	1.8	14.3	64.5	190.3	426.3	932.6	1,949.0
1992.....		106.9	*	*	*	0.2	2.0	15.2	67.2	195.4	442.0	958.2	2,023.2
1991.....		110.8	*	*	*	0.2	2.0	15.3	70.9	205.3	467.7	1,011.8	2,054.2
1990.....		115.4	*	*	*	0.2	1.9	16.1	74.3	218.2	489.2	1,083.2	2,120.2
1989.....		120.4	*	*	*	0.2	2.2	16.9	77.6	230.2	520.9	1,129.8	2,161.9
1988.....		123.3	*	*	*	0.3	2.1	18.5	81.9	237.3	548.1	1,162.4	2,134.7
1987.....		128.3	*	*	*	0.2	2.3	20.0	91.6	255.6	577.3	1,198.9	2,122.5
1986.....		134.8	*	*	*	0.2	2.5	22.1	97.7	274.0	618.4	1,266.7	2,148.6
1985.....		145.3	*	*	*	0.2	2.8	23.7	108.5	300.5	675.2	1,360.6	2,318.8
1984.....		150.3	*	*	*	0.2	2.5	24.8	116.5	320.3	706.2	1,413.2	2,300.6
1983.....		157.2	*	*	*	0.2	2.9	26.4	125.6	337.9	757.9	1,456.8	2,367.0
1982.....		163.3	*	*	*	0.2	3.1	28.9	136.0	359.0	800.9	1,495.9	2,396.3
1981.....		167.0	*	*	*	0.3	3.1	31.8	143.2	371.9	823.9	1,531.4	2,431.2
1980.....		174.2	0.7	0.1	0.0	0.3	3.1	32.6	150.7	396.1	871.0	1,589.7	2,561.7
1979.....		177.7	0.3	0.0	0.0	0.3	3.6	34.9	159.2	417.7	889.2	1,607.1	2,500.2

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 438	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)													
WHITE FEMALE													
1998.....		75.2	*	*	*	*	0.7	3.0	12.8	51.8	158.0	451.0	1,320.7
1997.....		76.4	*	*	*	*	0.7	3.0	13.9	55.9	163.1	466.6	1,330.1
1996.....		80.2	*	*	*	*	0.7	3.4	15.2	59.5	174.8	497.6	1,384.7
1995.....		81.9	*	*	*	*	0.8	3.1	14.7	61.9	182.8	511.6	1,428.7
1994.....		84.2	*	*	*	*	0.7	3.3	16.3	64.6	190.0	535.8	1,457.7
1993.....		86.1	*	*	*	*	0.7	3.3	16.0	66.9	197.5	557.4	1,487.4
1992.....		87.6	*	*	*	*	0.7	3.5	16.7	69.1	207.0	579.9	1,504.4
1991.....		90.7	*	*	*	*	0.6	3.3	18.6	73.4	215.1	609.6	1,563.0
1990.....		92.3	*	*	*	0.1	0.6	3.3	18.0	75.2	226.8	639.0	1,579.6
1989.....		95.3	*	*	*	*	0.6	3.4	18.7	78.7	237.9	669.5	1,619.8
1988.....		95.9	*	*	*	*	0.7	3.8	20.0	83.5	254.4	680.5	1,572.0
1987.....		97.8	*	*	*	*	0.7	4.0	22.7	88.1	266.8	709.3	1,553.7
1986.....		100.2	*	*	*	*	0.7	4.5	22.9	92.1	282.7	737.9	1,584.0
1985.....		103.7	*	*	*	0.1	0.7	4.7	24.9	98.1	300.6	774.7	1,626.5
1984.....		105.3	*	*	*	0.2	0.6	4.7	26.2	103.5	315.3	801.3	1,621.0
1983.....		107.4	*	*	*	0.1	0.6	4.9	28.7	108.7	326.9	824.4	1,666.1
1982.....		108.6	*	*	*	0.1	0.7	5.5	29.4	111.3	340.4	850.5	1,682.4
1981.....		108.5	*	*	*	0.1	0.8	5.6	31.9	113.8	347.0	853.5	1,713.5
1980.....		110.7	0.6	0.1	0.0	0.1	0.7	5.6	31.3	116.7	360.9	900.8	1,778.7
1979.....		110.0	0.3	0.0	0.0	0.1	0.7	6.4	33.0	122.0	360.6	908.8	1,735.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 439												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)												
ALL OTHER, BOTH SEXES												
1998.....	47.0	*	*	*	0.3	1.6	9.2	37.6	106.5	238.1	537.7	1,165.0
1997.....	47.7	*	*	*	*	1.7	9.5	39.8	113.7	252.6	536.0	1,162.3
1996.....	49.0	*	*	*	*	1.8	9.3	41.1	120.3	260.1	560.9	1,201.4
1995.....	50.4	*	*	*	0.3	1.5	10.5	42.7	119.7	279.0	596.0	1,287.0
1994.....	51.4	*	*	*	0.3	1.9	10.7	46.9	124.3	291.7	600.0	1,273.8
1993.....	53.7	*	*	*	0.3	2.0	11.8	46.0	135.8	298.3	634.2	1,379.8
1992.....	54.0	*	*	*	*	2.0	11.4	49.2	141.5	306.2	630.7	1,357.2
1991.....	56.2	*	*	*	0.3	2.0	12.3	48.9	150.9	323.4	672.0	1,371.2
1990.....	56.9	*	*	*	0.3	2.0	11.7	51.5	151.3	339.6	680.4	1,346.8
1989.....	60.4	*	*	*	0.4	2.0	12.3	56.1	165.3	358.3	713.3	1,405.5
1988.....	59.1	*	*	*	0.3	2.1	13.4	53.6	164.9	352.2	715.3	1,265.7
1987.....	60.6	*	*	*	*	2.3	14.1	59.7	165.9	371.1	705.5	1,304.6
1986.....	62.1	*	*	*	0.3	2.6	15.3	62.9	177.1	378.1	730.5	1,237.2
1985.....	66.0	*	*	*	0.4	2.7	16.8	64.8	193.9	411.8	762.0	1,278.6
1984.....	67.3	*	*	*	0.3	2.8	17.5	73.5	201.2	411.4	776.3	1,255.8
1983.....	69.1	*	*	*	*	2.9	18.5	76.6	208.3	435.6	787.6	1,218.7
1982.....	68.6	*	*	*	0.4	3.1	20.0	78.4	216.1	431.6	748.6	1,201.5
1981.....	70.4	*	*	*	0.5	3.0	21.0	84.9	222.1	443.9	761.0	1,228.9
1980.....	74.5	0.2	0.1	0.0	0.4	3.5	23.7	90.7	227.2	458.6	831.6	1,352.3
1979.....	75.9	0.8	0.1	0.0	0.4	4.2	25.3	95.6	240.1	461.8	805.0	1,296.6

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	440
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)													
ALL OTHER MALE													
1998.....		49.1	*	*	*	*	2.0	13.3	55.5	149.1	297.2	629.8	1,211.3
1997.....		49.4	*	*	*	*	2.5	13.3	59.8	156.1	316.4	609.0	1,217.6
1996.....		50.7	*	*	*	*	2.5	13.8	59.9	164.3	322.0	656.3	1,269.4
1995.....		52.9	*	*	*	*	2.2	15.4	61.7	167.0	350.3	707.7	1,436.3
1994.....		54.2	*	*	*	*	2.7	15.4	70.1	164.5	372.4	715.5	1,463.6
1993.....		56.5	*	*	*	*	2.7	17.8	67.0	188.5	379.1	748.4	1,531.7
1992.....		57.6	*	*	*	*	3.0	16.8	71.1	191.1	393.5	762.8	1,545.5
1991.....		59.4	*	*	*	*	2.7	18.5	71.4	204.5	408.6	796.4	1,525.6
1990.....		60.9	*	*	*	*	3.0	17.6	76.0	203.0	431.1	828.0	1,547.9
1989.....		64.4	*	*	*	*	2.9	18.8	81.5	224.5	453.3	844.0	1,558.0
1988.....		63.4	*	*	*	*	3.3	20.1	74.7	218.4	453.1	862.1	1,401.3
1987.....		66.1	*	*	*	*	3.5	22.2	85.1	223.7	479.4	846.0	1,459.7
1986.....		67.7	*	*	*	*	4.1	24.8	88.8	238.4	476.7	873.4	1,346.7
1985.....		73.4	*	*	*	0.6	4.1	25.7	92.2	258.5	535.2	934.7	1,446.6
1984.....		75.8	*	*	*	*	4.6	27.1	106.8	270.7	525.3	957.3	1,466.7
1983.....		78.1	*	*	*	*	4.2	27.1	113.5	280.0	562.0	943.2	1,432.9
1982.....		78.9	*	*	*	0.7	4.9	29.4	112.3	294.3	558.4	919.9	1,449.3
1981.....		82.0	*	*	*	0.7	4.8	33.8	127.2	303.6	578.6	928.9	1,387.5
1980.....		86.3	0.3	0.3	-	0.8	5.2	36.5	134.1	307.1	589.5	1,002.3	1,621.1
1979.....		89.9	0.7	0.1	0.1	0.6	6.6	38.5	141.8	331.0	602.2	972.8	1,554.2

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 441
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)													
ALL OTHER FEMALE													
1998.....		45.2	*	*	*	*	1.2	5.5	22.6	72.7	195.2	479.9	1,143.8
1997.....		46.1	*	*	*	*	1.0	6.1	22.9	80.1	206.4	490.9	1,137.3
1996.....		47.3	*	*	*	*	1.2	5.3	25.1	85.6	215.3	502.5	1,170.7
1995.....		48.1	*	*	*	*	0.8	6.2	26.7	82.3	227.6	528.7	1,222.4
1994.....		48.8	*	*	*	*	1.2	6.6	27.3	92.6	233.6	531.0	1,191.6
1993.....		51.0	*	*	*	*	1.3	6.5	28.1	94.3	240.0	566.2	1,313.6
1992.....		50.7	*	*	*	*	1.1	6.7	30.5	102.4	243.5	551.7	1,272.3
1991.....		53.3	*	*	*	*	1.4	6.8	29.7	108.8	262.7	596.3	1,293.7
1990.....		53.2	*	*	*	*	1.1	6.5	30.6	110.8	274.3	592.0	1,255.4
1989.....		56.7	*	*	*	*	1.2	6.5	34.4	118.9	290.6	634.2	1,334.9
1988.....		55.2	*	*	*	*	1.1	7.7	35.5	123.0	279.9	627.3	1,202.4
1987.....		55.6	*	*	*	*	1.3	7.0	38.1	120.5	293.5	617.5	1,231.3
1986.....		57.0	*	*	*	*	1.4	7.2	40.9	128.5	307.2	641.7	1,184.6
1985.....		59.2	*	*	*	*	1.4	9.1	41.8	142.4	322.3	653.2	1,205.3
1984.....		59.5	*	*	*	*	1.1	9.3	45.6	145.4	329.1	663.0	1,151.0
1983.....		60.9	*	*	*	*	1.8	11.1	45.8	150.6	342.6	688.0	1,110.8
1982.....		59.2	*	*	*	*	1.5	12.0	50.3	152.9	338.1	637.8	1,067.7
1981.....		59.9	*	*	*	*	1.5	10.2	50.0	156.0	343.0	651.5	1,148.4
1980.....		63.7	-	-	0.1	0.1	2.0	12.9	55.1	162.0	359.5	719.3	1,214.6
1979.....		63.2	1.0	0.1	-	0.3	2.1	14.2	57.7	165.2	354.6	693.2	1,174.6

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 442	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 ACUTE MYOCARDIAL INFARCTION (410) BLACK, BOTH SEXES													
1998.....		55.8	*	*	*	*	2.1	11.4	46.7	128.0	274.6	603.6	1,265.3
1997.....		56.7	*	*	*	*	2.1	11.7	48.9	135.8	290.9	600.8	1,277.3
1996.....		58.2	*	*	*	*	2.3	11.2	50.6	145.3	300.3	620.7	1,303.9
1995.....		59.6	*	*	*	*	1.8	12.9	52.2	140.9	321.4	651.3	1,350.0
1994.....		60.6	*	*	*	0.4	2.3	13.2	57.6	147.4	331.2	653.0	1,325.1
1993.....		63.4	*	*	*	0.4	2.4	14.5	55.3	161.3	341.0	687.4	1,428.1
1992.....		63.5	*	*	*	*	2.5	14.1	59.9	165.2	345.3	680.0	1,436.5
1991.....		66.3	*	*	*	*	2.6	15.0	59.5	176.1	364.6	725.2	1,444.4
1990.....		67.0	*	*	*	*	2.5	14.2	62.4	176.3	381.6	731.8	1,410.0
1989.....		70.3	*	*	*	0.5	2.5	15.1	66.2	190.5	398.7	755.7	1,458.6
1988.....		68.6	*	*	*	0.4	2.5	16.8	64.0	187.4	389.6	761.2	1,311.7
1987.....		69.7	*	*	*	*	2.8	17.0	70.3	187.8	408.6	748.3	1,331.3
1986.....		71.5	*	*	*	0.4	3.2	18.8	72.7	199.6	418.1	770.8	1,293.0
1985.....		75.1	*	*	*	0.5	3.3	20.0	74.1	217.3	447.4	798.4	1,337.9
1984.....		76.2	*	*	*	0.4	3.3	20.8	84.5	225.3	446.4	814.1	1,281.6
1983.....		78.1	*	*	*	*	3.5	21.7	87.8	232.0	470.4	828.8	1,259.8
1982.....		76.7	*	*	*	0.5	3.5	23.8	88.8	240.4	460.5	780.5	1,222.2
1981.....		78.7	*	*	*	0.6	3.5	24.5	96.1	245.0	476.0	799.8	1,264.3
1980.....		82.2	0.2	0.1	0.0	0.4	4.1	27.3	101.2	248.7	484.9	871.8	1,396.4
1979.....		82.5	0.8	0.1	0.1	0.5	4.7	28.8	106.8	259.3	483.8	818.4	1,320.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	443	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+		
0	ACUTE MYOCARDIAL INFARCTION (410)														
	BLACK MALE														
1998	56.7	*	*	*	*	2.6	16.0	68.0	178.6	339.0	699.2	1,317.7		
1997	57.2	*	*	*	*	2.9	16.6	72.4	184.6	357.1	681.1	1,307.3		
1996	58.8	*	*	*	*	3.2	16.1	72.2	197.3	368.1	724.1	1,367.9		
1995	61.0	*	*	*	*	2.7	18.3	75.2	195.4	397.1	766.8	1,474.7		
1994	62.8	*	*	*	*	3.2	18.6	84.7	194.1	415.9	785.8	1,539.8		
1993	65.1	*	*	*	*	3.2	21.4	79.6	223.3	428.4	804.2	1,543.2		
1992	66.5	*	*	*	*	3.6	20.5	85.9	219.5	440.8	837.6	1,627.8		
1991	68.9	*	*	*	*	3.4	22.3	86.8	235.7	460.5	862.4	1,613.0		
1990	71.1	*	*	*	*	3.8	21.3	91.1	234.4	487.1	905.6	1,661.4		
1989	74.0	*	*	*	*	3.6	22.8	96.2	256.0	504.6	901.8	1,631.8		
1988	72.5	*	*	*	*	3.8	24.8	88.7	245.9	499.3	922.5	1,461.5		
1987	74.6	*	*	*	*	4.0	26.7	99.7	249.4	525.3	891.0	1,470.3		
1986	76.9	*	*	*	*	4.9	30.4	102.0	265.1	527.1	921.8	1,428.6		
1985	82.2	*	*	*	0.7	4.9	30.7	104.2	286.8	579.7	971.6	1,506.5		
1984	84.9	*	*	*	*	5.4	32.0	123.4	300.3	567.4	1,002.8	1,513.1		
1983	87.5	*	*	*	*	5.0	31.6	130.2	308.1	608.6	996.0	1,496.7		
1982	87.3	*	*	*	0.7	5.5	34.8	126.0	326.4	593.9	951.9	1,491.4		
1981	90.7	*	*	*	0.8	5.5	39.4	142.5	332.8	621.3	975.3	1,423.2		
1980	94.0	0.4	0.2	-	0.7	6.2	41.9	147.8	333.9	621.5	1,052.7	1,645.0		
1979	96.5	0.4	0.1	0.1	0.6	7.5	43.7	155.8	356.7	633.2	974.4	1,569.2		

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 444
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)													
BLACK FEMALE													
1998.....		54.9	*	*	*	*	1.6	7.3	28.9	89.3	227.9	546.6	1,243.5
1997.....		56.3	*	*	*	*	1.3	7.4	29.5	98.3	243.3	553.8	1,264.9
1996.....		57.6	*	*	*	*	1.5	7.0	32.7	105.4	251.7	560.7	1,277.6
1995.....		58.4	*	*	*	*	1.1	8.1	33.1	98.9	267.2	585.1	1,299.4
1994.....		58.6	*	*	*	*	1.5	8.5	35.2	111.4	270.9	577.8	1,238.0
1993.....		61.8	*	*	*	*	1.7	8.4	35.2	113.5	279.0	622.0	1,381.2
1992.....		60.9	*	*	*	*	1.4	8.6	38.3	123.3	278.1	592.0	1,356.9
1991.....		64.0	*	*	*	*	1.8	8.7	37.0	129.9	297.7	648.4	1,373.0
1990.....		63.4	*	*	*	*	1.4	8.1	38.5	131.4	308.3	634.4	1,303.4
1989.....		67.1	*	*	*	*	1.6	8.5	41.4	139.5	325.0	673.0	1,393.5
1988.....		65.1	*	*	*	*	1.4	10.0	43.5	141.7	313.1	669.0	1,246.3
1987.....		65.4	*	*	*	*	1.6	8.7	46.0	139.4	327.0	665.4	1,269.4
1986.....		66.6	*	*	*	*	1.7	9.0	48.5	148.0	341.2	682.1	1,231.2
1985.....		68.7	*	*	*	*	1.8	11.0	49.2	162.4	354.4	695.1	1,259.4
1984.....		68.4	*	*	*	*	1.4	11.4	52.5	165.7	360.9	702.4	1,172.1
1983.....		69.7	*	*	*	*	2.2	13.4	52.9	171.4	372.8	724.5	1,145.2
1982.....		67.2	*	*	*	*	1.7	14.6	58.4	171.6	365.1	674.6	1,089.8
1981.....		68.0	*	*	*	*	1.8	12.0	58.1	174.7	371.1	690.2	1,174.3
1980.....		71.6	-	-	0.1	0.1	2.3	15.1	63.3	180.1	385.1	757.3	1,272.1
1979.....		70.0	1.2	0.1	-	0.3	2.3	16.5	66.6	180.6	373.8	713.1	1,196.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	445
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, BOTH SEXES													
1998	1.1	*	*	*	*	*	0.2	0.8	1.8	3.1	6.5	19.3
1997	1.1	*	*	*	*	*	0.2	0.9	2.1	3.5	6.2	20.3
1996	1.1	*	*	*	*	*	0.3	0.8	1.9	3.3	6.3	19.8
1995	1.0	*	*	*	*	*	0.2	0.8	1.9	3.2	6.1	19.5
1994	1.1	*	*	*	*	*	0.3	0.9	1.9	3.2	6.6	21.3
1993	1.2	*	*	*	*	0.1	0.3	0.9	2.0	3.6	7.4	19.5
1992	1.2	*	*	*	*	*	0.3	1.0	2.3	4.0	7.7	21.8
1991	1.3	*	*	*	*	0.1	0.3	1.1	2.5	4.4	8.0	21.8
1990	1.3	*	*	*	*	0.1	0.3	1.3	2.7	4.5	8.6	21.2
1989	1.4	*	*	*	*	0.1	0.3	1.0	2.7	4.6	8.9	24.2
1988	1.4	*	*	*	*	0.1	0.3	1.1	2.5	4.9	9.2	24.5
1987	1.5	*	*	*	*	0.1	0.3	1.3	2.9	5.0	10.1	23.2
1986	1.6	*	*	*	*	0.1	0.4	1.4	3.5	5.9	10.4	23.6
1985	1.7	*	*	*	*	0.1	0.3	1.7	3.6	6.1	10.8	24.9
1984	1.7	*	*	*	*	0.1	0.4	1.5	3.6	6.4	11.7	25.9
1983	1.7	*	*	*	*	*	0.4	1.8	3.6	6.6	11.5	26.1
1982	1.8	*	*	*	*	0.1	0.5	1.8	4.0	6.9	11.5	24.3
1981	2.0	*	*	*	*	0.1	0.5	1.9	4.4	7.6	13.5	29.3
1980	2.1	-	-	-	0.0	0.1	0.5	2.1	4.5	8.2	15.1	31.0
1979	2.1	0.1	-	-	0.0	0.1	0.5	2.0	4.8	8.2	15.3	30.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 446
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	1.2	*	*	*	*	*	0.3	1.2	2.7	4.4	7.8	19.7
1997.....	1.3	*	*	*	*	*	0.3	1.5	3.2	5.0	7.7	21.9
1996.....	1.2	*	*	*	*	*	0.4	1.3	3.0	4.7	8.1	20.6
1995.....	1.2	*	*	*	*	*	0.3	1.3	2.9	4.7	7.7	20.7
1994.....	1.2	*	*	*	*	*	0.4	1.4	2.9	4.7	8.3	24.1
1993.....	1.3	*	*	*	*	0.1	0.4	1.5	3.0	5.3	9.4	22.7
1992.....	1.4	*	*	*	*	*	0.6	1.7	3.6	5.7	9.6	24.0
1991.....	1.6	*	*	*	*	0.1	0.6	1.8	3.8	7.0	10.3	26.0
1990.....	1.6	*	*	*	*	*	0.5	2.1	4.1	7.0	11.7	24.5
1989.....	1.6	*	*	*	*	0.1	0.4	1.6	4.3	6.8	11.6	27.0
1988.....	1.6	*	*	*	*	*	0.5	1.7	4.0	7.1	12.5	28.1
1987.....	1.8	*	*	*	*	0.1	0.4	2.1	4.5	7.4	14.6	26.1
1986.....	2.0	*	*	*	*	0.1	0.7	2.3	5.5	9.0	15.3	25.4
1985.....	2.1	*	*	*	*	*	0.5	2.8	5.6	9.3	14.8	28.4
1984.....	2.1	*	*	*	*	*	0.7	2.4	5.7	10.0	15.9	32.3
1983.....	2.2	*	*	*	*	*	0.6	2.9	5.7	10.3	16.9	31.7
1982.....	2.3	*	*	*	*	0.1	0.8	3.1	6.5	10.8	16.4	29.7
1981.....	2.5	*	*	*	*	*	0.8	3.1	7.1	11.8	18.1	35.8
1980.....	2.7	-	-	-	0.0	0.1	0.9	3.4	7.4	12.8	20.4	37.7
1979.....	2.7	0.2	-	-	0.0	0.2	0.8	3.4	7.9	12.5	21.2	36.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 447
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	1.0	*	*	*	*	*	0.1	0.3	0.9	2.0	5.6	19.1
1997.....	1.0	*	*	*	*	*	0.1	0.4	1.1	2.2	5.2	19.7
1996.....	1.0	*	*	*	*	*	0.1	0.4	1.0	2.1	5.1	19.5
1995.....	0.9	*	*	*	*	*	0.1	0.3	0.9	1.9	5.1	19.0
1994.....	1.0	*	*	*	*	*	0.1	0.4	0.9	2.0	5.6	20.2
1993.....	1.0	*	*	*	*	*	0.1	0.3	1.2	2.3	6.1	18.2
1992.....	1.1	*	*	*	*	*	0.1	0.4	1.2	2.7	6.5	21.0
1991.....	1.1	*	*	*	*	*	*	0.4	1.3	2.4	6.7	20.2
1990.....	1.1	*	*	*	*	*	0.1	0.5	1.4	2.5	6.8	20.0
1989.....	1.2	*	*	*	*	*	0.1	0.4	1.4	2.9	7.4	23.1
1988.....	1.2	*	*	*	*	*	*	0.5	1.2	3.1	7.3	23.1
1987.....	1.2	*	*	*	*	*	0.2	0.5	1.4	3.1	7.5	22.0
1986.....	1.2	*	*	*	*	*	0.2	0.5	1.6	3.5	7.5	22.9
1985.....	1.3	*	*	*	*	*	0.1	0.6	1.8	3.6	8.5	23.5
1984.....	1.3	*	*	*	*	*	0.1	0.6	1.7	3.6	9.2	23.3
1983.....	1.3	*	*	*	*	*	0.2	0.8	1.7	3.8	8.4	23.8
1982.....	1.3	*	*	*	*	*	0.2	0.7	1.8	4.0	8.7	22.1
1981.....	1.5	*	*	*	*	*	0.3	0.7	2.1	4.4	10.8	26.6
1980.....	1.5	-	-	-	0.0	0.0	0.2	0.9	2.1	4.6	11.9	28.1
1979.....	1.5	-	-	-	0.0	0.0	0.2	0.8	2.1	4.9	11.8	27.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	448	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
0	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)														
	WHITE, BOTH SEXES														
	1998.....	1.1	*	*	*	*	*	0.2	0.7	1.6	2.8	6.2	19.3		
	1997.....	1.2	*	*	*	*	*	0.2	0.9	1.9	3.3	6.0	20.1		
	1996.....	1.1	*	*	*	*	*	0.3	0.7	1.8	3.1	6.1	19.5		
	1995.....	1.1	*	*	*	*	*	0.2	0.8	1.8	3.1	5.9	19.6		
	1994.....	1.1	*	*	*	*	*	0.2	0.8	1.7	3.1	6.3	21.3		
	1993.....	1.2	*	*	*	*	*	0.3	0.8	2.0	3.4	7.2	19.4		
	1992.....	1.3	*	*	*	*	*	0.3	0.9	2.2	3.9	7.2	21.0		
	1991.....	1.3	*	*	*	*	0.1	0.3	1.1	2.4	4.1	7.6	21.6		
	1990.....	1.3	*	*	*	*	*	0.3	1.2	2.5	4.2	8.3	20.7		
	1989.....	1.4	*	*	*	*	*	0.3	0.9	2.4	4.3	8.4	24.4		
	1988.....	1.4	*	*	*	*	*	0.3	1.0	2.4	4.6	8.9	24.3		
	1987.....	1.5	*	*	*	*	*	0.3	1.2	2.6	4.7	9.8	22.8		
	1986.....	1.6	*	*	*	*	*	0.4	1.3	3.3	5.5	10.0	23.5		
	1985.....	1.7	*	*	*	*	*	0.3	1.5	3.4	5.8	10.7	24.6		
	1984.....	1.7	*	*	*	*	*	0.3	1.3	3.3	5.9	11.1	25.6		
	1983.....	1.7	*	*	*	*	*	0.4	1.7	3.3	6.1	10.9	25.1		
	1982.....	1.8	*	*	*	*	0.1	0.4	1.6	3.7	6.7	11.1	23.5		
	1981.....	2.0	*	*	*	*	0.1	0.5	1.7	4.0	7.1	12.8	29.1		
	1980.....	2.1	-	-	-	0.0	0.1	0.5	1.8	4.1	7.7	14.6	31.2		
	1979.....	2.1	0.1	-	-	0.0	0.1	0.5	1.8	4.3	7.7	14.6	29.8		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 449
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411) YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	1.2	*	*	*	*	*	0.3	1.1	2.5	4.1	7.4	19.7
1997.....	1.3	*	*	*	*	*	0.3	1.5	3.0	4.8	7.4	21.7
1996.....	1.2	*	*	*	*	*	0.4	1.2	2.8	4.5	7.6	20.7
1995.....	1.2	*	*	*	*	*	0.3	1.3	2.7	4.6	7.5	21.7
1994.....	1.3	*	*	*	*	*	0.4	1.2	2.7	4.6	8.0	23.8
1993.....	1.3	*	*	*	*	*	0.4	1.4	3.0	5.0	9.0	22.6
1992.....	1.4	*	*	*	*	*	0.5	1.6	3.4	5.5	8.9	23.5
1991.....	1.6	*	*	*	*	*	0.5	1.8	3.7	6.7	9.9	24.5
1990.....	1.6	*	*	*	*	*	0.4	1.9	3.8	6.7	11.5	23.7
1989.....	1.6	*	*	*	*	*	0.4	1.5	3.9	6.5	10.8	26.9
1988.....	1.6	*	*	*	*	*	0.5	1.6	3.9	6.7	12.0	28.2
1987.....	1.7	*	*	*	*	*	0.4	1.9	4.2	7.0	14.0	25.2
1986.....	2.0	*	*	*	*	*	0.7	2.2	5.3	8.3	15.0	25.4
1985.....	2.1	*	*	*	*	*	0.5	2.6	5.4	9.0	14.8	28.1
1984.....	2.1	*	*	*	*	*	0.6	2.2	5.3	9.4	15.8	31.1
1983.....	2.2	*	*	*	*	*	0.6	2.8	5.3	9.8	16.2	30.3
1982.....	2.3	*	*	*	*	0.1	0.7	2.7	6.1	10.6	15.9	28.2
1981.....	2.5	*	*	*	*	*	0.7	2.9	6.6	11.3	17.2	36.3
1980.....	2.7	-	-	-	0.0	0.1	0.8	2.9	6.7	12.3	20.0	38.3
1979.....	2.7	0.2	-	-	0.0	0.1	0.8	3.1	7.2	11.9	20.4	36.8

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	450
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)														
WHITE FEMALE														
1998.....		1.0	*	*	*	*	*	*	0.3	0.9	1.8	5.4	19.1	
1997.....		1.0	*	*	*	*	*	*	0.3	0.9	2.0	5.0	19.5	
1996.....		1.0	*	*	*	*	*	*	0.3	0.8	2.0	5.1	19.0	
1995.....		0.9	*	*	*	*	*	*	0.3	0.8	1.8	5.0	18.7	
1994.....		1.0	*	*	*	*	*	*	0.3	0.8	1.9	5.3	20.3	
1993.....		1.0	*	*	*	*	*	*	0.3	1.0	2.2	6.0	18.2	
1992.....		1.1	*	*	*	*	*	*	0.3	1.1	2.7	6.2	20.0	
1991.....		1.1	*	*	*	*	*	*	0.4	1.2	2.1	6.2	20.5	
1990.....		1.1	*	*	*	*	*	*	0.4	1.2	2.2	6.3	19.5	
1989.....		1.2	*	*	*	*	*	*	0.3	1.1	2.6	6.9	23.5	
1988.....		1.2	*	*	*	*	*	*	0.4	1.1	3.0	7.1	22.8	
1987.....		1.2	*	*	*	*	*	0.1	0.5	1.3	2.9	7.3	21.9	
1986.....		1.2	*	*	*	*	*	*	0.4	1.5	3.2	7.1	22.8	
1985.....		1.3	*	*	*	*	*	*	0.4	1.6	3.2	8.3	23.2	
1984.....		1.3	*	*	*	*	*	*	0.5	1.5	3.2	8.4	23.4	
1983.....		1.2	*	*	*	*	*	0.2	0.7	1.5	3.2	7.8	23.0	
1982.....		1.2	*	*	*	*	*	*	0.5	1.5	3.7	8.3	21.6	
1981.....		1.4	*	*	*	*	*	0.2	0.6	1.8	3.8	10.3	26.1	
1980.....		1.5	-	-	-	0.0	0.0	0.2	0.7	1.8	4.1	11.5	28.1	
1979.....		1.5	-	-	-	0.0	0.0	0.1	0.6	1.7	4.6	11.2	26.7	

0	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
	ALL OTHER, BOTH SEXES												
1998	1.0	*	*	*	*	*	0.3	1.1	2.7	4.9	8.6	19.3
1997	1.0	*	*	*	*	*	*	1.1	3.0	4.9	8.2	22.3
1996	1.0	*	*	*	*	*	0.4	1.2	3.0	4.1	8.3	22.8
1995	0.9	*	*	*	*	*	0.3	1.1	2.7	4.1	7.7	18.8
1994	1.0	*	*	*	*	*	0.3	1.5	2.8	4.0	9.7	21.8
1993	1.0	*	*	*	*	*	0.5	1.3	2.6	5.1	9.3	19.9
1992	1.1	*	*	*	*	*	0.4	1.4	3.4	4.9	11.7	30.7
1991	1.2	*	*	*	*	*	0.6	1.3	3.4	6.6	12.3	24.5
1990	1.3	*	*	*	*	*	0.5	1.9	4.1	7.1	12.3	27.3
1989	1.4	*	*	*	*	*	*	1.8	4.9	7.1	14.4	21.9
1988	1.3	*	*	*	*	*	0.5	2.1	3.0	7.2	12.1	27.4
1987	1.4	*	*	*	*	*	0.5	2.0	4.7	7.1	13.0	27.1
1986	1.5	*	*	*	*	*	0.7	2.0	4.6	10.1	13.5	24.2
1985	1.6	*	*	*	*	*	0.7	2.6	5.4	9.3	12.2	28.1
1984	1.8	*	*	*	*	*	0.8	2.6	6.0	10.9	17.3	29.0
1983	1.9	*	*	*	*	*	0.7	2.6	6.2	11.5	17.7	37.3
1982	1.9	*	*	*	*	*	0.8	3.5	6.7	9.3	16.3	34.2
1981	2.2	*	*	*	*	*	1.1	3.3	7.9	12.4	20.4	31.6
1980	2.3	-	-	-	-	0.3	0.8	4.5	8.0	12.7	19.8	29.5
1979	2.4	-	-	-	0.0	0.2	0.7	3.5	9.6	12.9	22.6	35.1

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	452
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)														
ALL OTHER MALE														
1998.....		1.2	*	*	*	*	*	*	1.8	4.5	7.1	11.2	19.7	
1997.....		1.1	*	*	*	*	*	*	1.7	4.1	6.3	10.8	24.5	
1996.....		1.1	*	*	*	*	*	0.6	1.6	4.4	6.1	13.4	19.0	
1995.....		1.0	*	*	*	*	*	*	1.8	3.9	5.6	10.3	*	
1994.....		1.1	*	*	*	*	*	*	2.4	4.4	5.4	11.3	26.5	
1993.....		1.2	*	*	*	*	*	0.6	2.3	3.3	7.4	13.3	24.0	
1992.....		1.4	*	*	*	*	*	0.7	2.2	5.0	7.8	16.6	28.5	
1991.....		1.5	*	*	*	*	*	1.0	1.7	4.9	9.9	13.9	39.5	
1990.....		1.6	*	*	*	*	*	*	3.1	6.3	10.0	14.1	31.9	
1989.....		1.6	*	*	*	*	*	*	2.4	7.1	9.4	19.0	27.2	
1988.....		1.6	*	*	*	*	*	0.9	2.8	4.5	11.6	17.0	27.8	
1987.....		1.8	*	*	*	*	*	*	3.3	7.2	10.6	19.5	33.8	
1986.....		1.9	*	*	*	*	*	1.0	3.1	7.4	15.2	17.2	*	
1985.....		1.9	*	*	*	*	*	1.0	3.6	7.9	12.1	14.1	31.5	
1984.....		2.3	*	*	*	*	*	1.2	4.1	9.1	15.9	16.9	43.1	
1983.....		2.3	*	*	*	*	*	*	3.7	9.3	14.6	22.8	44.3	
1982.....		2.4	*	*	*	*	*	1.3	5.6	9.5	12.7	21.0	44.8	
1981.....		2.7	*	*	*	*	*	1.4	5.1	12.0	16.2	26.7	31.3	
1980.....		3.0	-	-	-	-	0.5	1.3	7.0	13.2	17.4	25.2	31.3	
1979.....		3.1	-	-	-	-	0.4	1.3	5.4	14.6	18.9	29.1	37.3	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	453	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
0	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)														
	ALL OTHER FEMALE														
1998	0.8	*	*	*	*	*	*	*	1.3	3.2	7.0	19.2		
1997	0.9	*	*	*	*	*	*	*	2.2	3.9	6.5	21.4		
1996	0.8	*	*	*	*	*	*	*	1.9	2.7	5.2	24.5		
1995	0.7	*	*	*	*	*	*	*	1.6	3.0	6.2	21.6		
1994	0.8	*	*	*	*	*	*	*	1.5	3.1	8.7	19.7		
1993	0.8	*	*	*	*	*	*	*	2.1	3.4	6.9	18.1		
1992	0.9	*	*	*	*	*	*	*	2.1	2.8	8.8	31.8		
1991	1.0	*	*	*	*	*	*	*	2.2	4.3	11.4	17.5		
1990	1.1	*	*	*	*	*	*	*	2.3	4.9	11.2	25.1		
1989	1.2	*	*	*	*	*	*	1.3	3.1	5.5	11.6	19.4		
1988	1.0	*	*	*	*	*	*	1.5	1.8	4.0	9.1	27.2		
1987	1.0	*	*	*	*	*	*	*	2.8	4.7	9.0	23.9		
1986	1.2	*	*	*	*	*	*	*	2.4	6.4	11.1	23.7		
1985	1.4	*	*	*	*	*	*	1.8	3.4	7.3	10.9	26.7		
1984	1.5	*	*	*	*	*	*	1.4	3.5	7.4	17.6	22.1		
1983	1.6	*	*	*	*	*	*	1.7	3.7	9.2	14.4	33.8		
1982	1.4	*	*	*	*	*	*	1.7	4.4	6.7	13.3	28.6		
1981	1.7	*	*	*	*	*	*	1.8	4.5	9.6	16.2	31.7		
1980	1.6	-	-	-	-	0.1	0.3	2.5	3.8	9.2	16.3	28.7		
1979	1.7	-	-	-	0.0	0.1	0.3	1.8	5.5	8.3	18.2	34.2		

0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)
 BLACK, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	1.2	*	*	*	*	*	0.4	1.4	3.1	5.9	10.3	21.2
1997.....	1.2	*	*	*	*	*	*	1.3	3.7	5.8	9.4	24.6
1996.....	1.2	*	*	*	*	*	0.5	1.5	3.8	4.9	9.7	25.5
1995.....	1.1	*	*	*	*	*	0.5	1.4	3.3	4.7	8.8	20.8
1994.....	1.1	*	*	*	*	*	0.4	1.8	3.1	4.6	10.1	22.3
1993.....	1.2	*	*	*	*	*	0.6	1.6	3.3	5.6	10.8	20.6
1992.....	1.4	*	*	*	*	*	0.4	1.4	4.1	5.8	13.5	33.3
1991.....	1.4	*	*	*	*	*	0.7	1.4	3.9	7.9	14.0	27.2
1990.....	1.6	*	*	*	*	*	0.6	2.4	4.9	8.0	13.1	29.2
1989.....	1.6	*	*	*	*	*	*	2.3	5.7	8.4	16.2	23.2
1988.....	1.6	*	*	*	*	*	0.6	2.6	3.7	8.5	13.6	29.0
1987.....	1.6	*	*	*	*	*	0.6	2.3	5.4	8.3	14.2	27.9
1986.....	1.8	*	*	*	*	*	0.8	2.5	5.4	10.9	14.4	26.4
1985.....	1.9	*	*	*	*	*	0.8	3.2	6.4	10.9	13.4	29.2
1984.....	2.2	*	*	*	*	*	1.0	3.3	6.9	12.0	19.6	31.6
1983.....	2.2	*	*	*	*	*	0.8	3.1	7.2	12.9	19.5	40.8
1982.....	2.2	*	*	*	*	*	0.9	4.1	7.5	10.1	18.1	36.9
1981.....	2.5	*	*	*	*	*	1.3	3.7	8.7	13.9	22.3	33.3
1980.....	2.6	-	-	-	-	0.4	0.9	5.1	9.0	13.6	20.9	32.1
1979.....	2.7	-	-	-	0.0	0.3	0.8	3.9	10.6	14.1	24.0	36.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	455	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
0	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)														
	BLACK MALE														
1998	1.4	*	*	*	*	*	*	2.2	5.2	8.3	13.7	23.4		
1997	1.3	*	*	*	*	*	*	2.0	5.3	7.5	12.5	26.9		
1996	1.4	*	*	*	*	*	0.8	2.1	5.6	7.5	16.1	24.0		
1995	1.2	*	*	*	*	*	*	2.3	4.9	6.4	13.3	*		
1994	1.3	*	*	*	*	*	*	2.8	4.8	6.0	12.2	28.8		
1993	1.4	*	*	*	*	*	*	2.8	4.1	7.8	16.0	*		
1992	1.6	*	*	*	*	*	*	1.8	5.8	9.5	19.9	33.0		
1991	1.8	*	*	*	*	*	1.2	2.0	5.6	11.9	16.0	46.4		
1990	1.9	*	*	*	*	*	*	4.0	7.6	11.7	14.8	36.2		
1989	1.9	*	*	*	*	*	*	3.0	8.1	11.2	22.2	30.3		
1988	1.9	*	*	*	*	*	1.1	3.4	5.5	14.0	19.2	32.3		
1987	2.1	*	*	*	*	*	*	3.9	8.0	12.2	21.7	34.4		
1986	2.2	*	*	*	*	*	1.2	4.0	8.5	16.6	18.3	*		
1985	2.3	*	*	*	*	*	*	4.3	9.5	14.2	16.0	32.3		
1984	2.7	*	*	*	*	*	1.6	5.1	10.3	17.4	19.5	49.2		
1983	2.7	*	*	*	*	*	*	4.6	10.8	16.6	25.5	48.3		
1982	2.7	*	*	*	*	*	1.6	6.7	10.6	13.5	24.1	50.0		
1981	3.1	*	*	*	*	*	1.6	5.6	13.5	18.5	29.8	*		
1980	3.3	-	-	-	-	0.6	1.5	7.8	14.8	18.5	26.3	34.0		
1979	3.5	-	-	-	-	0.4	1.4	6.0	16.3	20.9	30.7	38.5		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	456	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
0	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)														
	BLACK FEMALE														
1998	1.0	*	*	*	*	*	*	*	1.5	4.1	8.3	20.3		
1997	1.0	*	*	*	*	*	*	*	2.5	4.6	7.5	23.7		
1996	1.0	*	*	*	*	*	*	*	2.5	3.0	6.0	26.1		
1995	0.9	*	*	*	*	*	*	*	2.1	3.5	6.3	24.6		
1994	1.0	*	*	*	*	*	*	*	1.8	3.5	8.8	19.7		
1993	1.0	*	*	*	*	*	*	*	2.7	4.0	8.0	18.6		
1992	1.1	*	*	*	*	*	*	*	2.7	3.3	10.0	33.4		
1991	1.2	*	*	*	*	*	*	*	2.5	5.2	12.9	19.0		
1990	1.3	*	*	*	*	*	*	*	2.8	5.4	12.1	26.2		
1989	1.4	*	*	*	*	*	*	1.6	3.8	6.4	12.8	20.3		
1988	1.2	*	*	*	*	*	*	1.9	2.2	4.7	10.3	27.5		
1987	1.2	*	*	*	*	*	*	*	3.4	5.6	9.8	25.0		
1986	1.4	*	*	*	*	*	*	*	2.9	6.9	12.1	26.1		
1985	1.6	*	*	*	*	*	*	2.2	4.0	8.5	11.8	27.8		
1984	1.8	*	*	*	*	*	*	1.8	4.2	8.3	19.7	23.3		
1983	1.9	*	*	*	*	*	*	1.9	4.3	10.3	15.8	37.1		
1982	1.7	*	*	*	*	*	*	2.1	5.0	7.6	14.4	30.5		
1981	1.9	*	*	*	*	*	*	2.1	4.7	10.6	17.6	32.7		
1980	1.9	-	-	-	-	0.1	0.3	2.9	4.3	10.1	17.5	31.1		
1979	2.0	-	-	-	0.0	0.1	0.3	2.2	5.9	9.0	19.4	35.6		

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	457
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
0 ANGINA PECTORIS (413)													
TOTAL, BOTH SEXES													
1998.....		0.2	*	*	*	*	*	*	0.1	0.2	0.5	1.7	6.9
1997.....		0.3	*	*	*	*	*	*	0.1	0.2	0.6	1.9	8.3
1996.....		0.3	*	*	*	*	*	*	0.1	0.2	0.8	2.2	8.7
1995.....		0.3	*	*	*	*	*	*	0.1	0.3	0.9	2.2	9.2
1994.....		0.4	*	*	*	*	*	*	0.1	0.4	0.8	2.7	9.7
1993.....		0.4	*	*	*	*	*	*	0.1	0.3	0.9	2.9	11.2
1992.....		0.4	*	*	*	*	*	*	0.1	0.3	0.9	3.5	10.9
1991.....		0.4	*	*	*	*	*	*	0.1	0.3	1.2	3.5	11.4
1990.....		0.4	*	*	*	*	*	*	0.1	0.3	1.3	3.6	11.9
1989.....		0.4	*	*	*	*	*	*	0.2	0.4	1.3	3.7	11.0
1988.....		0.4	*	*	*	*	*	*	0.1	0.4	1.4	3.7	10.2
1987.....		0.4	*	*	*	*	*	*	0.1	0.5	1.3	3.8	10.2
1986.....		0.4	*	*	*	*	*	*	0.2	0.5	1.5	3.5	8.8
1985.....		0.4	*	*	*	*	*	*	0.2	0.5	1.3	3.8	8.3
1984.....		0.4	*	*	*	*	*	*	0.2	0.5	1.3	3.1	6.8
1983.....		0.3	*	*	*	*	*	*	0.2	0.4	1.1	3.0	6.6
1982.....		0.3	*	*	*	*	*	*	0.2	0.4	1.0	2.7	4.1
1981.....		0.2	*	*	*	*	*	*	0.2	0.3	0.8	2.5	5.2
1980.....		0.2	-	-	-	-	0.0	0.1	0.1	0.4	1.0	2.4	4.2
1979.....		0.2	0.0	-	-	0.0	0.0	0.1	0.1	0.3	0.9	2.1	4.6

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	458
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 ANGINA PECTORIS (413)													
TOTAL, MALE													
1998.....		0.2	*	*	*	*	*	*	*	0.2	0.6	2.1	6.5
1997.....		0.2	*	*	*	*	*	*	*	0.2	0.9	2.4	6.9
1996.....		0.3	*	*	*	*	*	*	*	0.4	1.0	2.9	7.7
1995.....		0.3	*	*	*	*	*	*	*	0.3	1.1	2.4	7.8
1994.....		0.3	*	*	*	*	*	*	0.2	0.4	1.1	3.1	9.6
1993.....		0.3	*	*	*	*	*	*	*	0.4	1.1	3.1	11.5
1992.....		0.3	*	*	*	*	*	*	*	0.5	1.2	4.2	10.0
1991.....		0.4	*	*	*	*	*	*	0.2	0.4	1.3	3.9	11.6
1990.....		0.4	*	*	*	*	*	*	*	0.5	1.8	3.6	10.7
1989.....		0.4	*	*	*	*	*	*	0.3	0.6	1.6	4.6	10.1
1988.....		0.4	*	*	*	*	*	*	*	0.6	1.8	4.5	8.9
1987.....		0.4	*	*	*	*	*	*	*	0.8	1.8	4.1	11.9
1986.....		0.4	*	*	*	*	*	*	0.2	0.7	1.8	4.2	8.5
1985.....		0.4	*	*	*	*	*	*	0.3	0.6	1.6	4.3	9.9
1984.....		0.4	*	*	*	*	*	*	0.3	0.7	1.8	4.2	7.8
1983.....		0.3	*	*	*	*	*	*	0.2	0.6	1.6	3.6	7.9
1982.....		0.3	*	*	*	*	*	*	0.2	0.5	1.4	3.3	5.2
1981.....		0.3	*	*	*	*	*	*	0.2	0.5	1.2	3.2	7.1
1980.....		0.3	-	-	-	-	0.0	0.1	0.2	0.5	1.5	3.2	4.5
1979.....		0.2	0.1	-	-	0.0	0.0	0.1	0.2	0.4	1.3	2.4	5.0

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	459
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
0 ANGINA PECTORIS (413)			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
TOTAL, FEMALE														
1998.....		0.3	*	*	*	*	*	*	*	0.2	0.3	1.5	7.0	
1997.....		0.3	*	*	*	*	*	*	*	0.2	0.4	1.6	8.8	
1996.....		0.3	*	*	*	*	*	*	*	*	0.6	1.9	9.2	
1995.....		0.4	*	*	*	*	*	*	*	0.2	0.7	2.0	9.8	
1994.....		0.4	*	*	*	*	*	*	*	0.3	0.6	2.5	9.7	
1993.....		0.4	*	*	*	*	*	*	*	0.3	0.8	2.7	11.1	
1992.....		0.4	*	*	*	*	*	*	*	0.2	0.7	3.0	11.3	
1991.....		0.5	*	*	*	*	*	*	*	0.3	1.1	3.3	11.3	
1990.....		0.5	*	*	*	*	*	*	*	0.2	0.9	3.5	12.4	
1989.....		0.5	*	*	*	*	*	*	*	0.3	1.0	3.2	11.4	
1988.....		0.5	*	*	*	*	*	*	*	0.3	1.0	3.2	10.7	
1987.....		0.5	*	*	*	*	*	*	*	0.3	1.0	3.7	9.5	
1986.....		0.4	*	*	*	*	*	*	*	0.3	1.4	3.1	8.9	
1985.....		0.4	*	*	*	*	*	*	*	0.3	1.1	3.4	7.7	
1984.....		0.3	*	*	*	*	*	*	*	0.3	1.0	2.5	6.4	
1983.....		0.3	*	*	*	*	*	*	*	0.3	0.8	2.6	6.0	
1982.....		0.2	*	*	*	*	*	*	*	0.3	0.6	2.3	3.6	
1981.....		0.2	*	*	*	*	*	*	*	0.2	0.6	2.0	4.3	
1980.....		0.2	-	-	-	-	-	0.0	0.1	0.3	0.7	2.0	4.1	
1979.....		0.2	-	-	-	-	0.0	0.0	0.1	0.2	0.5	1.9	4.3	

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	460
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
0 ANGINA PECTORIS (413)													
WHITE, BOTH SEXES													
1998.....		0.3	*	*	*	*	*	*	*	0.2	0.5	1.7	7.3
1997.....		0.3	*	*	*	*	*	*	*	0.2	0.6	2.0	8.5
1996.....		0.3	*	*	*	*	*	*	*	0.2	0.7	2.3	9.1
1995.....		0.4	*	*	*	*	*	*	0.1	0.3	0.9	2.2	9.5
1994.....		0.4	*	*	*	*	*	*	0.1	0.3	0.8	2.7	10.0
1993.....		0.4	*	*	*	*	*	*	0.1	0.3	0.9	2.9	11.6
1992.....		0.4	*	*	*	*	*	*	0.1	0.3	0.9	3.6	11.2
1991.....		0.5	*	*	*	*	*	*	0.1	0.3	1.2	3.6	11.5
1990.....		0.5	*	*	*	*	*	*	*	0.3	1.3	3.6	12.4
1989.....		0.5	*	*	*	*	*	*	0.2	0.4	1.2	3.7	11.5
1988.....		0.4	*	*	*	*	*	*	*	0.4	1.4	3.7	10.6
1987.....		0.4	*	*	*	*	*	*	0.1	0.5	1.2	4.0	10.3
1986.....		0.4	*	*	*	*	*	*	0.1	0.5	1.5	3.5	9.0
1985.....		0.4	*	*	*	*	*	*	0.2	0.4	1.3	3.8	8.7
1984.....		0.4	*	*	*	*	*	*	0.2	0.5	1.3	3.2	7.1
1983.....		0.3	*	*	*	*	*	*	0.1	0.4	1.1	3.1	7.0
1982.....		0.3	*	*	*	*	*	*	0.2	0.4	1.0	2.8	4.3
1981.....		0.3	*	*	*	*	*	*	0.1	0.3	0.9	2.6	5.3
1980.....		0.3	-	-	-	-	0.0	0.1	0.1	0.4	1.0	2.4	4.4
1979.....		0.2	0.0	-	-	0.0	0.0	0.0	0.1	0.3	0.8	2.1	4.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 461
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 0 ANGINA PECTORIS (413) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.2	*	*	*	*	*	*	*	*	0.6	2.1	6.7
1997.....	0.2	*	*	*	*	*	*	*	0.2	0.9	2.5	6.8
1996.....	0.3	*	*	*	*	*	*	*	0.4	1.0	2.8	8.0
1995.....	0.3	*	*	*	*	*	*	*	0.3	1.2	2.4	7.8
1994.....	0.3	*	*	*	*	*	*	0.2	0.4	1.1	3.1	10.1
1993.....	0.3	*	*	*	*	*	*	*	0.4	1.1	3.2	12.2
1992.....	0.4	*	*	*	*	*	*	*	0.4	1.2	4.4	10.4
1991.....	0.4	*	*	*	*	*	*	0.2	0.4	1.4	4.0	11.9
1990.....	0.4	*	*	*	*	*	*	*	0.4	1.8	3.7	10.9
1989.....	0.4	*	*	*	*	*	*	0.2	0.6	1.6	4.4	10.7
1988.....	0.4	*	*	*	*	*	*	*	0.6	1.8	4.5	9.4
1987.....	0.4	*	*	*	*	*	*	*	0.8	1.7	4.2	12.3
1986.....	0.4	*	*	*	*	*	*	*	0.7	1.7	4.3	8.9
1985.....	0.4	*	*	*	*	*	*	0.2	0.6	1.6	4.5	10.6
1984.....	0.4	*	*	*	*	*	*	0.3	0.8	1.8	4.2	8.1
1983.....	0.3	*	*	*	*	*	*	*	0.5	1.5	3.8	8.4
1982.....	0.3	*	*	*	*	*	*	*	0.5	1.5	3.5	5.5
1981.....	0.3	*	*	*	*	*	*	*	0.4	1.2	3.4	7.2
1980.....	0.3	-	-	-	-	0.0	0.1	0.2	0.5	1.5	3.3	4.7
1979.....	0.3	0.1	-	-	0.0	0.0	0.1	0.2	0.5	1.3	2.6	5.3

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	462
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
0 ANGINA PECTORIS (413)													
WHITE FEMALE													
1998.....		0.3	*	*	*	*	*	*	*	*	0.3	1.5	7.5
1997.....		0.4	*	*	*	*	*	*	*	*	0.4	1.7	9.1
1996.....		0.4	*	*	*	*	*	*	*	*	0.5	1.9	9.5
1995.....		0.4	*	*	*	*	*	*	*	0.2	0.7	2.0	10.2
1994.....		0.4	*	*	*	*	*	*	*	0.2	0.6	2.5	10.0
1993.....		0.5	*	*	*	*	*	*	*	*	0.8	2.8	11.3
1992.....		0.5	*	*	*	*	*	*	*	0.2	0.6	3.1	11.5
1991.....		0.5	*	*	*	*	*	*	*	*	1.0	3.3	11.4
1990.....		0.5	*	*	*	*	*	*	*	0.2	0.9	3.6	12.9
1989.....		0.5	*	*	*	*	*	*	*	0.3	1.0	3.2	11.8
1988.....		0.5	*	*	*	*	*	*	*	0.2	1.0	3.2	11.1
1987.....		0.5	*	*	*	*	*	*	*	0.2	0.9	3.8	9.5
1986.....		0.5	*	*	*	*	*	*	*	0.3	1.3	3.1	9.1
1985.....		0.4	*	*	*	*	*	*	*	0.3	1.0	3.4	7.9
1984.....		0.4	*	*	*	*	*	*	*	0.3	1.0	2.5	6.6
1983.....		0.3	*	*	*	*	*	*	*	0.2	0.7	2.7	6.4
1982.....		0.3	*	*	*	*	*	*	*	0.3	0.6	2.4	3.8
1981.....		0.2	*	*	*	*	*	*	*	*	0.6	2.1	4.5
1980.....		0.2	-	-	-	-	-	0.0	0.0	0.3	0.6	1.8	4.2
1979.....		0.2	-	-	-	-	-	0.0	0.0	0.1	0.5	1.8	4.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	463
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
0 ANGINA PECTORIS (413)														
ALL OTHER, BOTH SEXES														
1998.....	0.2	*	*	*	*	*	*	*	*	*		1.8	*	
1997.....	0.2	*	*	*	*	*	*	*	*	*		*	6.3	
1996.....	0.2	*	*	*	*	*	*	*	*	1.2		2.2	*	
1995.....	0.2	*	*	*	*	*	*	*	*	*		2.1	6.2	
1994.....	0.2	*	*	*	*	*	*	*	*	*		2.8	*	
1993.....	0.2	*	*	*	*	*	*	*	*	1.2		2.0	7.3	
1992.....	0.2	*	*	*	*	*	*	*	*	1.2		2.4	7.8	
1991.....	0.3	*	*	*	*	*	*	*	*	1.2		3.1	9.5	
1990.....	0.3	*	*	*	*	*	*	*	*	1.7		3.1	*	
1989.....	0.3	*	*	*	*	*	*	*	*	1.7		4.1	*	
1988.....	0.2	*	*	*	*	*	*	*	*	1.3		3.4	*	
1987.....	0.3	*	*	*	*	*	*	*	0.8	2.3		2.7	9.6	
1986.....	0.3	*	*	*	*	*	*	*	*	2.3		3.2	*	
1985.....	0.2	*	*	*	*	*	*	*	*	1.5		3.4	*	
1984.....	0.2	*	*	*	*	*	*	*	*	1.5		3.0	*	
1983.....	0.2	*	*	*	*	*	*	*	*	1.8		*	*	
1982.....	0.1	*	*	*	*	*	*	*	*	*		*	*	
1981.....	0.2	*	*	*	*	*	*	*	*	*		*	*	
1980.....	0.2	-	-	-	-	-	0.1	0.3	0.2	0.8		2.8	2.8	
1979.....	0.2	-	-	-	-	0.0	0.1	0.2	0.4	1.2		2.4	1.1	

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 464
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 ANGINA PECTORIS (413)													
ALL OTHER MALE													
1998.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*	5.8	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	-	-	-	-	-	0.1	0.3	0.3	0.8	2.3	3.3
1979.....	0.1	-	-	-	-	-	-	0.1	0.2	0.2	1.5	1.1	1.7

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	465
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
0 ANGINA PECTORIS (413)														
ALL OTHER FEMALE														
1998.....		0.1	*	*	*	*	*	*	*	*	*	*	*	*
1997.....		0.2	*	*	*	*	*	*	*	*	*	*	*	*
1996.....		0.2	*	*	*	*	*	*	*	*	*	*	*	*
1995.....		0.2	*	*	*	*	*	*	*	*	*	*	*	*
1994.....		0.2	*	*	*	*	*	*	*	*	*	*	*	*
1993.....		0.3	*	*	*	*	*	*	*	*	*	*	*	*
1992.....		0.2	*	*	*	*	*	*	*	*	*	*	*	*
1991.....		0.3	*	*	*	*	*	*	*	*	*	*	*	*
1990.....		0.3	*	*	*	*	*	*	*	*	*	*	*	*
1989.....		0.3	*	*	*	*	*	*	*	*	*	*	*	*
1988.....		0.3	*	*	*	*	*	*	*	*	*	*	*	*
1987.....		0.4	*	*	*	*	*	*	*	*	2.3	*	*	*
1986.....		0.3	*	*	*	*	*	*	*	*	2.5	*	*	*
1985.....		0.3	*	*	*	*	*	*	*	*	*	*	*	*
1984.....		0.2	*	*	*	*	*	*	*	*	*	*	*	*
1983.....		0.2	*	*	*	*	*	*	*	*	*	*	*	*
1982.....		0.1	*	*	*	*	*	*	*	*	*	*	*	*
1981.....		0.1	*	*	*	*	*	*	*	*	*	*	*	*
1980.....		0.2	-	-	-	-	-	-	0.2	0.2	0.9	3.2	2.5	
1979.....		0.2	-	-	-	-	0.0	0.1	0.2	0.5	0.9	3.3	0.9	

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	466
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 ANGINA PECTORIS (413) BLACK, BOTH SEXES													
1998.....		0.2	*	*	*	*	*	*	*	*	*	*	*
1997.....		0.2	*	*	*	*	*	*	*	*	*	*	7.5
1996.....		0.2	*	*	*	*	*	*	*	*	1.4	2.7	*
1995.....		0.2	*	*	*	*	*	*	*	*	*	2.4	*
1994.....		0.2	*	*	*	*	*	*	*	*	*	2.9	*
1993.....		0.2	*	*	*	*	*	*	*	*	1.3	*	7.8
1992.....		0.3	*	*	*	*	*	*	*	*	*	2.8	8.4
1991.....		0.3	*	*	*	*	*	*	*	*	1.4	3.6	10.3
1990.....		0.3	*	*	*	*	*	*	*	*	2.0	3.8	*
1989.....		0.3	*	*	*	*	*	*	*	*	1.9	4.1	*
1988.....		0.3	*	*	*	*	*	*	*	*	1.6	4.0	*
1987.....		0.4	*	*	*	*	*	*	*	1.0	2.6	3.0	10.1
1986.....		0.3	*	*	*	*	*	*	*	*	2.6	3.4	*
1985.....		0.3	*	*	*	*	*	*	*	*	1.8	3.6	*
1984.....		0.3	*	*	*	*	*	*	*	*	1.6	3.3	*
1983.....		0.3	*	*	*	*	*	*	*	*	1.9	*	*
1982.....		0.1	*	*	*	*	*	*	*	*	*	*	*
1981.....		0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....		0.2	-	-	-	-	-	0.1	0.3	0.2	0.9	3.1	1.3
1979.....		0.2	-	-	-	-	-	0.1	0.3	0.4	1.2	2.5	1.3

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 467
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 ANGINA PECTORIS (413)													
BLACK MALE													
1998.....		0.2	*	*	*	*	*	*	*	*	*	*	*
1997.....		0.2	*	*	*	*	*	*	*	*	*	*	*
1996.....		0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....		0.2	*	*	*	*	*	*	*	*	*	*	*
1994.....		0.2	*	*	*	*	*	*	*	*	*	*	*
1993.....		0.2	*	*	*	*	*	*	*	*	*	*	*
1992.....		0.2	*	*	*	*	*	*	*	*	*	*	*
1991.....		0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....		0.3	*	*	*	*	*	*	*	*	*	*	*
1989.....		0.3	*	*	*	*	*	*	*	*	*	*	*
1988.....		0.3	*	*	*	*	*	*	*	*	*	*	*
1987.....		0.3	*	*	*	*	*	*	*	*	*	*	*
1986.....		0.3	*	*	*	*	*	*	*	*	*	*	*
1985.....		0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....		0.3	*	*	*	*	*	*	*	*	*	*	*
1983.....		0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....		*	*	*	*	*	*	*	*	*	*	*	*
1981.....		0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....		0.2	-	-	-	-	-	0.2	0.4	0.2	0.7	2.6	1.9
1979.....		0.2	-	-	-	-	-	0.2	0.3	0.2	1.4	1.3	1.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 468
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 0 ANGINA PECTORIS (413) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.2	*	*	*	*	*	*	*	*	*	*	*
1997	0.2	*	*	*	*	*	*	*	*	*	*	*
1996	0.2	*	*	*	*	*	*	*	*	*	*	*
1995	0.2	*	*	*	*	*	*	*	*	*	*	*
1994	0.3	*	*	*	*	*	*	*	*	*	*	*
1993	0.3	*	*	*	*	*	*	*	*	*	*	*
1992	0.3	*	*	*	*	*	*	*	*	*	*	*
1991	0.4	*	*	*	*	*	*	*	*	*	*	*
1990	0.3	*	*	*	*	*	*	*	*	*	*	*
1989	0.3	*	*	*	*	*	*	*	*	*	*	*
1988	0.3	*	*	*	*	*	*	*	*	*	*	*
1987	0.4	*	*	*	*	*	*	*	*	2.7	*	*
1986	0.4	*	*	*	*	*	*	*	*	2.8	*	*
1985	0.3	*	*	*	*	*	*	*	*	*	*	*
1984	0.2	*	*	*	*	*	*	*	*	*	*	*
1983	0.3	*	*	*	*	*	*	*	*	*	*	*
1982	0.2	*	*	*	*	*	*	*	*	*	*	*
1981	0.2	*	*	*	*	*	*	*	*	*	*	*
1980	0.2	-	-	-	-	-	-	0.2	0.2	1.0	3.3	0.9
1979	0.2	-	-	-	-	-	0.1	0.2	0.6	1.0	3.3	1.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 469												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
TOTAL, BOTH SEXES												
1998.....	93.5	*	*	*	0.1	1.1	6.6	25.1	80.7	245.9	689.4	2,335.4
1997.....	95.7	*	*	*	0.1	1.2	6.6	26.6	86.0	251.8	708.9	2,464.1
1996.....	97.6	*	*	*	0.1	1.1	6.9	27.6	90.5	259.9	735.6	2,511.4
1995.....	98.8	*	*	*	0.1	1.2	7.1	28.2	91.9	265.1	748.5	2,605.8
1994.....	98.1	*	*	*	0.1	1.1	6.9	27.9	93.0	265.0	751.9	2,620.9
1993.....	100.3	*	*	*	0.1	1.2	7.0	28.7	96.0	274.4	779.1	2,701.6
1992.....	96.6	*	*	*	0.1	1.1	7.0	28.5	96.4	270.3	754.1	2,630.7
1991.....	97.5	*	*	*	0.1	1.1	7.0	29.2	99.4	273.9	772.2	2,671.5
1990.....	98.8	*	*	*	0.1	1.0	7.0	29.7	101.3	279.0	796.7	2,769.4
1989.....	99.9	*	*	*	0.1	1.1	7.2	31.1	103.9	282.0	813.2	2,804.2
1988.....	105.2	*	*	*	0.1	1.1	7.5	33.0	110.4	300.6	863.0	2,994.7
1987.....	104.8	*	*	*	0.1	1.1	8.2	34.2	111.5	303.1	862.2	3,004.9
1986.....	106.1	*	*	*	0.1	1.2	8.4	35.0	113.8	309.7	887.6	3,075.3
1985.....	108.3	*	*	*	0.1	1.1	8.5	37.7	114.7	316.5	921.0	3,197.2
1984.....	109.1	*	*	0.1	0.1	1.0	8.4	37.4	116.2	322.3	951.3	3,240.6
1983.....	111.8	*	*	*	0.1	1.1	8.5	38.3	118.6	332.7	995.6	3,377.1
1982.....	110.9	*	*	0.1	0.1	1.1	8.6	39.5	118.6	334.1	1,012.3	3,367.3
1981.....	112.2	*	*	0.1	0.1	1.0	8.8	40.1	121.8	341.0	1,041.6	3,474.6
1980.....	115.1	0.3	0.0	0.0	0.1	1.0	9.0	40.1	121.7	351.4	1,110.7	3,655.3
1979.....	109.4	0.2	0.0	0.0	0.1	1.0	8.4	39.3	117.0	340.3	1,072.2	3,424.9

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 470	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)													
TOTAL, MALE													
1998.....		94.3	*	*	*	0.2	1.6	10.1	39.5	119.3	347.8	915.2	2,535.5
1997.....		96.3	*	*	*	0.2	1.8	10.5	41.8	128.5	358.8	941.8	2,697.4
1996.....		98.1	*	*	*	0.2	1.8	10.6	42.8	135.7	371.3	974.5	2,751.7
1995.....		99.0	*	*	*	0.2	1.9	11.2	44.6	137.3	381.2	988.5	2,853.8
1994.....		98.4	*	*	*	0.2	1.6	11.0	44.3	139.8	383.8	995.3	2,892.9
1993.....		100.6	*	*	*	0.2	1.9	11.1	45.5	144.3	395.9	1,034.3	2,977.8
1992.....		97.7	*	*	*	0.2	1.7	11.2	45.4	146.2	393.6	1,007.1	2,867.3
1991.....		98.6	*	*	*	0.2	1.6	11.3	46.6	150.9	400.1	1,026.2	2,924.3
1990.....		99.6	*	*	*	0.2	1.6	11.6	47.1	154.5	406.2	1,054.7	3,020.7
1989.....		100.5	*	*	*	*	1.7	12.0	50.1	158.2	409.5	1,069.6	3,017.7
1988.....		106.0	*	*	*	0.2	1.8	12.5	52.5	168.5	438.1	1,130.5	3,233.0
1987.....		105.9	*	*	*	0.2	1.8	13.6	55.1	170.6	438.9	1,134.2	3,217.2
1986.....		107.5	*	*	*	0.2	1.8	14.0	56.6	175.5	448.9	1,154.8	3,319.8
1985.....		110.2	*	*	*	0.2	1.7	14.3	61.1	177.5	458.4	1,204.3	3,474.8
1984.....		110.4	*	*	*	0.2	1.7	13.9	60.6	178.8	461.0	1,226.0	3,530.5
1983.....		113.5	*	*	*	0.1	1.8	14.3	61.7	182.5	479.6	1,273.2	3,682.9
1982.....		113.3	*	*	*	0.1	1.9	14.2	63.9	182.8	479.3	1,292.6	3,695.1
1981.....		114.7	*	*	*	0.1	1.7	14.4	64.7	187.1	488.6	1,322.8	3,798.0
1980.....		117.2	0.3	0.0	0.0	0.1	1.8	14.6	64.8	185.9	497.8	1,394.9	3,981.5
1979.....		112.7	0.2	0.0	0.0	0.1	1.7	13.7	64.4	181.7	485.6	1,344.9	3,729.1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+

0	OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
	TOTAL, FEMALE												
1998	92.7	*	*	*	*	0.6	3.1	11.4	45.5	163.1	539.9	2,252.5
1997	95.1	*	*	*	*	0.6	2.8	12.0	47.4	165.3	556.5	2,370.1
1996	97.1	*	*	*	*	0.5	3.2	13.1	49.6	170.2	581.2	2,415.9
1995	98.6	*	*	*	*	0.6	3.1	12.5	50.7	172.2	596.0	2,509.3
1994	97.7	*	*	*	*	0.6	2.8	12.3	50.6	170.5	599.5	2,516.1
1993	100.1	*	*	*	*	0.6	2.9	12.6	52.4	178.1	621.3	2,595.7
1992	95.6	*	*	*	*	0.5	2.8	12.4	51.6	173.4	599.4	2,539.0
1991	96.4	*	*	*	*	0.5	2.7	12.7	53.3	175.1	618.5	2,573.8
1990	98.1	*	*	*	*	0.4	2.4	13.2	53.9	179.9	642.5	2,672.5
1989	99.4	*	*	*	*	0.5	2.6	13.1	55.5	182.7	660.4	2,721.2
1988	104.5	*	*	*	*	0.4	2.7	14.4	58.9	193.6	704.4	2,901.7
1987	103.8	*	*	*	*	0.4	2.9	14.4	59.1	197.8	701.4	2,921.3
1986	104.9	*	*	*	*	0.5	3.0	14.5	59.3	202.0	730.3	2,978.3
1985	106.6	*	*	*	*	0.5	3.0	15.6	59.1	207.2	754.3	3,086.4
1984	107.8	*	*	*	*	0.4	3.2	15.6	61.1	215.7	789.9	3,123.4
1983	110.2	*	*	*	*	0.4	2.9	16.2	62.4	219.9	832.4	3,251.8
1982	108.7	*	*	*	*	0.4	3.2	16.6	62.1	223.0	847.4	3,230.6
1981	109.9	*	*	*	*	0.4	3.4	17.0	64.3	228.1	876.3	3,335.0
1980	113.2	0.2	0.0	0.0	0.1	0.3	3.6	16.9	65.2	239.3	943.2	3,512.6
1979	106.3	0.1	0.0	0.0	0.1	0.4	3.4	15.9	60.1	229.2	910.6	3,289.7

0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)
 WHITE, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	102.3	*	*	*	0.1	1.1	6.2	23.8	77.6	245.4	697.6	2,406.2
1997.....	104.4	*	*	*	0.1	1.2	6.2	25.1	82.7	250.6	717.0	2,537.6
1996.....	106.5	*	*	*	0.1	1.1	6.4	26.2	87.7	259.3	742.8	2,590.8
1995.....	107.5	*	*	*	0.1	1.1	6.7	26.3	88.7	262.3	755.8	2,677.0
1994.....	106.8	*	*	*	0.1	1.0	6.2	26.7	90.1	263.2	760.4	2,690.7
1993.....	109.2	*	*	*	0.1	1.2	6.5	27.3	93.1	273.0	787.3	2,772.7
1992.....	105.1	*	*	*	0.1	1.0	6.5	26.9	94.2	269.2	763.5	2,700.2
1991.....	105.9	*	*	*	0.1	1.0	6.5	27.4	97.0	272.0	781.6	2,748.9
1990.....	107.3	*	*	*	0.1	0.9	6.6	28.3	99.1	277.6	807.9	2,848.4
1989.....	108.3	*	*	*	0.1	1.0	6.7	29.4	100.9	281.3	825.8	2,888.3
1988.....	113.8	*	*	*	0.1	1.0	7.1	31.0	107.4	299.8	874.3	3,091.3
1987.....	113.3	*	*	*	0.1	1.0	7.6	32.4	108.7	302.0	875.0	3,101.5
1986.....	114.5	*	*	*	0.1	1.0	7.8	33.4	111.2	309.4	901.5	3,167.9
1985.....	116.7	*	*	*	0.1	1.0	7.9	35.6	111.4	315.5	934.2	3,309.5
1984.....	117.5	*	*	*	0.1	1.0	7.9	35.6	112.9	321.3	966.5	3,360.4
1983.....	120.0	*	*	*	0.1	1.0	8.0	36.1	114.7	331.6	1,009.7	3,494.6
1982.....	118.7	*	*	*	0.1	1.0	7.9	36.7	114.7	332.7	1,027.7	3,479.4
1981.....	119.8	*	*	0.1	0.1	0.8	8.0	37.9	117.4	338.7	1,057.1	3,587.8
1980.....	122.4	0.2	0.0	0.0	0.1	0.9	8.2	37.4	116.9	348.0	1,125.6	3,772.9
1979.....	116.3	0.1	0.0	0.0	0.1	0.9	7.7	36.7	113.1	337.2	1,091.9	3,546.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 473												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
WHITE MALE												
1998.....	102.8	*	*	*	0.2	1.6	9.7	38.2	116.0	351.8	934.6	2,629.7
1997.....	104.7	*	*	*	0.2	1.7	10.0	40.1	124.9	361.7	959.3	2,802.1
1996.....	106.8	*	*	*	0.2	1.7	10.1	41.5	133.5	375.2	993.4	2,863.6
1995.....	107.2	*	*	*	0.2	1.7	10.8	42.3	134.6	381.8	1,005.9	2,943.3
1994.....	106.9	*	*	*	0.1	1.5	10.3	42.9	136.8	386.5	1,016.1	2,992.3
1993.....	109.1	*	*	*	0.2	1.7	10.6	44.3	141.8	399.0	1,053.6	3,074.4
1992.....	106.1	*	*	*	0.2	1.6	10.6	43.9	145.4	397.4	1,028.1	2,971.9
1991.....	106.7	*	*	*	0.1	1.5	10.8	44.7	149.5	402.9	1,046.6	3,036.9
1990.....	107.7	*	*	*	0.1	1.5	11.2	45.7	153.4	408.9	1,079.9	3,126.1
1989.....	108.4	*	*	*	*	1.5	11.3	47.7	156.0	414.1	1,095.0	3,131.9
1988.....	114.0	*	*	*	*	1.6	11.9	50.4	165.9	441.8	1,155.1	3,364.0
1987.....	113.8	*	*	*	0.2	1.6	12.8	53.2	169.1	441.6	1,158.4	3,348.8
1986.....	115.5	*	*	*	0.1	1.7	13.2	55.2	173.8	454.1	1,184.2	3,442.9
1985.....	118.0	*	*	*	0.1	1.6	13.3	58.7	175.2	463.1	1,231.2	3,624.7
1984.....	118.3	*	*	*	0.2	1.6	13.3	58.6	176.5	464.9	1,257.7	3,697.6
1983.....	121.2	*	*	*	0.1	1.7	13.7	59.3	179.6	484.8	1,302.4	3,839.7
1982.....	120.4	*	*	*	*	1.7	13.2	60.9	180.2	482.7	1,322.4	3,840.5
1981.....	121.9	*	*	*	*	1.4	13.3	62.3	183.5	492.5	1,354.9	3,952.4
1980.....	123.7	0.3	0.0	0.0	0.1	1.5	13.6	61.7	182.1	499.8	1,422.2	4,117.2
1979.....	119.1	0.1	0.0	0.0	0.1	1.6	12.7	61.5	178.6	488.9	1,380.8	3,872.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	474	
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
0	OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)													
	WHITE FEMALE													
1998.....	101.7	*	*	*	*	0.6	2.7	9.8	42.0	157.6	539.9	2,314.6		
1997.....	104.2	*	*	*	*	0.6	2.3	10.4	43.5	159.6	557.6	2,432.3		
1996.....	106.2	*	*	*	*	0.5	2.6	11.3	45.1	164.6	580.0	2,483.8		
1995.....	107.8	*	*	*	*	0.5	2.7	10.7	46.2	165.3	596.0	2,574.4		
1994.....	106.7	*	*	*	*	0.5	2.2	10.9	46.9	163.9	599.5	2,575.8		
1993.....	109.2	*	*	*	*	0.6	2.4	10.8	48.2	172.0	621.9	2,658.4		
1992.....	104.2	*	*	*	*	0.5	2.3	10.4	47.3	167.4	601.2	2,596.5		
1991.....	105.1	*	*	*	*	0.4	2.3	10.7	49.0	168.6	621.1	2,640.7		
1990.....	106.8	*	*	*	*	0.4	2.0	11.3	49.7	174.2	645.5	2,742.9		
1989.....	108.2	*	*	*	*	0.4	2.1	11.5	51.0	176.8	665.7	2,796.7		
1988.....	113.6	*	*	*	*	0.4	2.3	12.2	54.6	188.4	708.3	2,986.7		
1987.....	112.8	*	*	*	*	0.4	2.5	12.4	54.4	192.7	708.4	3,005.7		
1986.....	113.7	*	*	*	*	0.4	2.4	12.4	55.0	196.7	735.9	3,060.7		
1985.....	115.5	*	*	*	*	0.4	2.5	13.5	54.2	200.9	760.7	3,185.9		
1984.....	116.7	*	*	*	*	0.3	2.5	13.4	56.2	210.3	796.7	3,226.8		
1983.....	118.9	*	*	*	*	0.3	2.4	13.7	57.0	213.4	838.8	3,355.7		
1982.....	117.1	*	*	*	*	0.3	2.7	13.4	56.6	217.4	855.9	3,331.5		
1981.....	117.9	*	*	*	*	0.3	2.8	14.5	58.8	220.6	883.7	3,435.2		
1980.....	121.2	0.2	0.0	0.0	0.1	0.3	2.9	14.4	59.1	231.7	952.5	3,624.4		
1979.....	113.7	0.1	0.0	0.0	0.0	0.3	2.7	13.2	55.0	221.2	922.7	3,400.4		

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+

0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

ALL OTHER, BOTH SEXES

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	52.2	*	*	*	*	1.2	8.3	32.1	99.5	249.6	612.7	1,665.8
1997.....	53.9	*	*	*	*	1.4	8.5	34.9	106.4	260.3	631.5	1,762.6
1996.....	54.6	*	*	*	*	1.3	9.4	35.8	108.4	264.6	666.3	1,750.7
1995.....	56.0	*	*	*	*	1.6	9.0	39.4	112.4	287.4	677.7	1,882.4
1994.....	54.7	*	*	*	*	1.3	10.0	35.4	111.5	279.6	668.8	1,904.0
1993.....	56.1	*	*	*	0.3	1.5	9.7	37.2	115.2	285.7	699.2	1,968.6
1992.....	53.7	*	*	*	*	1.4	9.4	38.3	111.2	279.4	663.0	1,900.0
1991.....	54.5	*	*	*	*	1.6	9.2	40.1	116.1	289.3	681.4	1,856.6
1990.....	54.8	*	*	*	*	1.4	8.9	39.0	117.4	291.6	686.8	1,932.7
1989.....	55.6	*	*	*	*	1.6	10.3	42.3	125.3	287.9	689.8	1,912.5
1988.....	59.0	*	*	*	*	1.6	10.1	45.6	133.0	307.0	751.8	1,967.7
1987.....	58.8	*	*	*	*	1.7	11.4	45.6	132.6	313.6	734.9	1,965.8
1986.....	59.6	*	*	*	*	1.8	12.1	45.3	134.3	311.9	748.0	2,069.7
1985.....	61.2	*	*	*	*	1.9	12.5	51.1	140.9	325.7	786.6	1,958.5
1984.....	61.2	*	*	*	*	1.5	11.9	49.9	143.5	330.6	796.1	1,927.2
1983.....	64.2	*	*	*	*	1.6	12.1	53.3	150.6	342.6	853.1	2,062.7
1982.....	65.1	*	*	*	*	1.9	12.9	59.0	151.0	346.7	854.4	2,124.1
1981.....	66.8	*	*	*	*	2.1	13.8	55.9	159.1	362.6	881.5	2,188.4
1980.....	70.2	0.3	0.0	-	0.2	1.9	14.3	59.2	163.5	382.3	954.5	2,304.9
1979.....	65.7	0.3	0.1	-	0.1	1.8	13.8	59.1	151.9	368.5	866.1	2,017.2

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	476
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)													
ALL OTHER MALE													
1998.....		52.9	*	*	*	*	1.8	12.1	47.0	141.9	316.7	728.0	1,710.1
1997.....		55.1	*	*	*	*	2.1	12.8	52.0	152.7	335.9	769.0	1,784.8
1996.....		54.7	*	*	*	*	2.1	13.3	51.1	150.5	339.0	787.0	1,779.5
1995.....		57.4	*	*	*	*	2.5	13.2	59.4	156.4	376.1	813.1	2,017.0
1994.....		55.4	*	*	*	*	1.9	15.2	53.5	160.4	361.5	785.5	1,961.0
1993.....		56.9	*	*	*	*	2.5	14.3	53.7	162.5	368.9	839.9	2,076.5
1992.....		54.1	*	*	*	*	2.2	14.1	55.1	152.3	360.8	798.7	1,890.3
1991.....		55.9	*	*	*	*	2.4	14.4	58.9	161.2	375.3	826.2	1,883.7
1990.....		55.9	*	*	*	*	2.2	14.1	56.1	162.4	381.9	808.4	2,036.8
1989.....		57.3	*	*	*	*	2.3	16.0	65.5	175.5	367.2	822.2	1,960.5
1988.....		61.6	*	*	*	*	2.8	16.0	66.8	189.0	404.1	895.2	2,020.3
1987.....		62.1	*	*	*	*	2.8	18.4	67.9	183.2	414.4	901.8	1,984.4
1986.....		62.1	*	*	*	*	2.7	19.0	66.6	189.2	401.4	868.7	2,164.0
1985.....		65.2	*	*	*	*	2.7	20.8	77.7	197.2	413.9	942.8	2,061.6
1984.....		64.4	*	*	*	*	2.4	17.8	74.8	199.0	425.3	921.2	1,963.9
1983.....		67.8	*	*	*	*	2.6	18.9	79.2	207.4	430.9	992.2	2,145.7
1982.....		70.0	*	*	*	*	3.1	20.9	85.7	206.0	447.7	1,005.6	2,285.1
1981.....		71.0	*	*	*	*	3.5	22.0	83.2	219.9	451.6	1,012.3	2,260.9
1980.....		76.4	0.3	-	-	0.3	3.4	21.8	89.5	220.5	479.6	1,127.6	2,595.4
1979.....		71.5	0.7	0.1	-	0.0	2.6	21.5	88.1	210.4	454.4	997.4	2,232.2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
ALL OTHER FEMALE												
1998.....	51.6	*	*	*	*	0.7	4.9	19.6	65.8	200.9	540.3	1,645.5
1997.....	52.8	*	*	*	*	0.8	4.7	20.5	69.8	205.5	546.7	1,752.5
1996.....	54.5	*	*	*	*	0.6	5.9	22.8	75.2	210.7	592.4	1,737.7
1995.....	54.7	*	*	*	*	0.8	5.3	22.4	77.5	223.3	596.1	1,824.1
1994.....	54.2	*	*	*	*	0.9	5.4	20.2	73.0	220.7	599.2	1,879.4
1993.....	55.5	*	*	*	*	0.6	5.7	23.2	77.9	225.6	615.4	1,921.6
1992.....	53.4	*	*	*	*	0.6	5.3	24.0	78.9	220.9	581.9	1,904.4
1991.....	53.2	*	*	*	*	0.8	4.7	24.0	80.7	228.0	593.5	1,834.4
1990.....	53.8	*	*	*	*	0.7	4.4	24.4	82.2	227.0	613.9	1,885.4
1989.....	54.1	*	*	*	*	1.0	5.4	22.3	86.0	231.4	609.7	1,890.3
1988.....	56.6	*	*	*	*	0.6	5.0	27.4	89.0	237.4	665.8	1,943.2
1987.....	55.9	*	*	*	*	0.7	5.3	26.6	92.8	241.3	630.6	1,957.1
1986.....	57.4	*	*	*	*	1.0	6.2	27.2	90.9	247.5	672.9	2,024.4
1985.....	57.5	*	*	*	*	1.1	5.4	28.6	96.1	261.6	688.3	1,921.3
1984.....	58.2	*	*	*	*	0.7	6.9	29.0	99.0	262.2	718.5	1,909.0
1983.....	61.0	*	*	*	*	0.8	6.3	31.6	104.8	277.6	764.1	2,020.9
1982.....	60.6	*	*	*	*	0.9	6.1	36.8	106.6	272.1	756.6	2,027.1
1981.....	63.0	*	*	*	*	0.9	6.8	33.4	109.7	295.8	796.2	2,151.6
1980.....	64.7	0.3	0.1	-	0.1	0.7	7.9	34.3	117.1	308.6	840.6	2,156.0
1979.....	60.4	-	0.1	-	0.2	1.1	7.3	35.3	103.8	303.1	779.2	1,923.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 478												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414) BLACK, BOTH SEXES												
1998.....	60.8	*	*	*	*	1.6	10.3	39.6	119.6	286.7	668.6	1,756.2
1997.....	62.7	*	*	*	*	1.6	10.3	43.0	128.0	293.9	688.9	1,861.3
1996.....	63.6	*	*	*	*	1.6	11.6	44.7	128.3	299.9	721.0	1,852.9
1995.....	65.3	*	*	*	*	1.9	11.1	49.0	135.0	325.2	728.0	1,902.8
1994.....	63.8	*	*	*	*	1.6	12.1	43.0	130.9	315.9	718.1	1,943.5
1993.....	65.8	*	*	*	0.4	1.8	11.6	46.0	136.2	327.2	748.9	2,005.9
1992.....	62.5	*	*	*	*	1.6	11.7	46.9	130.1	314.0	702.4	1,960.3
1991.....	64.0	*	*	*	*	2.0	11.2	49.4	135.7	327.4	731.2	1,925.4
1990.....	64.1	*	*	*	*	1.6	11.2	47.7	137.2	325.4	732.4	1,993.0
1989.....	65.0	*	*	*	*	2.1	12.9	51.2	145.9	322.2	736.8	1,951.4
1988.....	68.9	*	*	*	*	2.0	12.7	54.5	154.2	341.5	805.2	2,039.7
1987.....	68.3	*	*	*	*	2.0	13.9	54.0	153.1	348.8	783.5	2,031.3
1986.....	68.8	*	*	*	*	2.1	14.8	53.4	154.2	343.9	794.6	2,138.3
1985.....	70.3	*	*	*	*	2.2	15.2	61.0	160.3	357.4	837.6	2,015.9
1984.....	69.7	*	*	*	*	1.8	14.8	58.4	161.6	361.0	844.4	1,977.9
1983.....	72.8	*	*	*	*	1.8	14.3	61.9	168.4	372.2	906.3	2,109.2
1982.....	73.3	*	*	*	*	2.2	15.2	68.0	168.4	374.1	905.5	2,184.7
1981.....	75.2	*	*	*	*	2.4	16.4	63.8	177.3	393.3	937.5	2,256.5
1980.....	77.9	0.2	0.1	-	0.2	2.2	16.3	66.4	179.6	410.6	1,009.2	2,367.7
1979.....	71.3	0.4	-	-	0.1	1.9	15.6	65.7	163.9	388.1	891.8	2,025.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 479
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	59.8	*	*	*	*	2.3	14.4	57.1	169.3	357.2	786.8	1,772.9
1997.....	62.3	*	*	*	*	2.3	15.3	63.2	182.1	370.7	839.7	1,827.2
1996.....	62.0	*	*	*	*	2.5	15.9	63.0	177.5	374.8	849.2	1,859.8
1995.....	65.6	*	*	*	*	3.0	16.1	73.0	189.2	418.1	866.6	1,992.3
1994.....	62.7	*	*	*	*	2.1	18.0	63.5	188.8	402.1	840.8	1,914.2
1993.....	65.2	*	*	*	*	3.0	16.7	66.0	192.3	416.8	894.0	2,089.0
1992.....	61.8	*	*	*	*	2.6	17.1	67.0	176.7	405.1	846.3	1,950.8
1991.....	64.5	*	*	*	*	3.0	17.5	72.7	187.1	421.4	889.0	1,962.3
1990.....	64.3	*	*	*	*	2.4	17.5	68.3	189.5	425.2	866.6	2,080.9
1989.....	65.8	*	*	*	*	3.0	19.9	79.9	202.4	409.5	875.3	1,992.4
1988.....	70.6	*	*	*	*	3.4	20.1	79.9	214.8	446.3	956.1	2,103.1
1987.....	71.0	*	*	*	*	3.3	22.3	80.6	208.3	458.7	966.7	2,056.3
1986.....	70.3	*	*	*	*	2.9	23.0	78.7	214.3	438.9	913.7	2,257.1
1985.....	73.9	*	*	*	*	3.2	25.3	93.1	222.0	452.6	1,000.4	2,122.6
1984.....	72.5	*	*	*	*	2.9	22.0	87.1	224.3	462.5	964.1	2,031.1
1983.....	75.9	*	*	*	*	2.8	22.0	91.9	230.8	468.2	1,044.9	2,225.0
1982.....	77.6	*	*	*	*	3.4	24.5	98.4	228.0	480.7	1,055.2	2,315.5
1981.....	78.9	*	*	*	*	3.8	26.2	94.4	244.0	488.6	1,074.0	2,298.2
1980.....	83.3	-	-	-	0.4	3.9	24.7	99.5	239.5	516.4	1,187.0	2,607.1
1979.....	76.4	0.8	-	-	0.0	2.5	24.3	96.5	224.5	478.7	1,012.6	2,223.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 480
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	61.7	*	*	*	*	1.0	6.6	25.0	81.7	235.7	598.2	1,749.3
1997.....	63.1	*	*	*	*	1.0	5.9	26.2	86.4	238.6	600.4	1,875.4
1996.....	65.1	*	*	*	*	0.8	7.7	29.6	90.6	246.1	646.5	1,850.1
1995.....	65.1	*	*	*	*	0.9	6.7	29.1	93.2	258.9	648.6	1,866.5
1994.....	64.7	*	*	*	*	1.1	7.0	25.9	86.3	254.6	648.6	1,955.3
1993.....	66.4	*	*	*	*	0.7	7.1	29.4	92.9	263.7	667.5	1,971.9
1992.....	63.2	*	*	*	*	0.8	7.0	30.3	94.2	250.1	622.1	1,964.2
1991.....	63.6	*	*	*	*	1.1	5.7	30.1	95.9	261.9	642.9	1,909.8
1990.....	64.0	*	*	*	*	0.9	5.8	30.6	96.8	256.2	657.3	1,955.7
1989.....	64.2	*	*	*	*	1.3	6.9	27.4	101.9	261.5	658.4	1,946.4
1988.....	67.4	*	*	*	*	0.7	6.4	33.5	106.8	268.4	719.0	2,012.1
1987.....	65.9	*	*	*	*	0.9	6.8	31.9	109.7	272.0	677.2	2,020.1
1986.....	67.4	*	*	*	*	1.3	8.0	32.5	106.8	276.9	724.7	2,084.1
1985.....	67.0	*	*	*	*	1.3	6.7	34.7	111.7	290.5	740.6	1,966.2
1984.....	67.3	*	*	*	*	0.9	8.8	34.8	111.8	289.2	774.3	1,952.7
1983.....	70.0	*	*	*	*	0.9	7.9	37.4	118.7	304.4	819.3	2,053.2
1982.....	69.5	*	*	*	*	1.0	7.4	43.1	120.7	297.9	813.1	2,120.3
1981.....	71.8	*	*	*	*	1.1	8.2	38.9	123.9	324.5	852.1	2,215.9
1980.....	73.0	0.4	0.1	-	0.1	0.8	9.4	39.5	131.3	333.3	896.7	2,248.1
1979.....	66.7	-	-	-	0.2	1.4	8.4	40.4	114.9	321.4	809.4	1,926.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	481
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
OTHER DISEASES OF ENDOCARDIUM (424)														
TOTAL, BOTH SEXES														
1998.....		6.9	*	*	*	0.1	0.2	0.7	1.6	3.9	13.3	50.7	199.6	
1997.....		6.6	*	*	*	0.1	0.3	0.7	1.5	4.0	13.0	50.9	192.4	
1996.....		6.5	*	*	*	0.1	0.2	0.6	1.4	4.1	13.2	50.4	191.9	
1995.....		6.2	*	*	*	0.1	0.2	0.6	1.4	4.0	13.1	49.9	179.3	
1994.....		5.9	*	*	*	0.1	0.2	0.6	1.4	4.0	13.3	47.7	171.4	
1993.....		5.9	*	*	*	0.1	0.3	0.7	1.3	4.1	12.6	49.8	169.8	
1992.....		5.6	*	*	*	0.1	0.2	0.6	1.5	4.2	12.8	48.8	158.2	
1991.....		5.4	0.5	*	*	0.1	0.3	0.6	1.4	4.1	12.7	47.6	152.8	
1990.....		5.2	*	*	*	0.1	0.3	0.6	1.6	4.5	13.3	46.0	140.2	
1989.....		4.9	*	*	*	0.1	0.4	0.7	1.3	4.3	13.0	43.9	128.4	
1988.....		4.8	*	*	*	0.1	0.3	0.7	1.4	4.4	13.7	42.9	120.5	
1987.....		4.5	*	*	*	0.1	0.3	0.7	1.6	4.3	12.8	41.4	110.2	
1986.....		4.2	*	*	*	0.1	0.3	0.6	1.4	4.3	12.8	39.6	97.6	
1985.....		4.0	0.7	*	*	0.1	0.3	0.6	1.5	4.0	12.3	37.8	90.0	
1984.....		3.7	*	*	*	0.1	0.3	0.5	1.4	4.1	11.9	35.7	79.2	
1983.....		3.6	0.7	*	*	0.1	0.2	0.6	1.5	4.1	12.2	34.4	75.1	
1982.....		3.4	*	*	*	0.1	0.3	0.5	1.6	4.2	11.5	33.0	65.4	
1981.....		3.2	*	*	*	0.1	0.2	0.6	1.7	4.2	12.0	30.1	60.0	
1980.....		3.2	0.2	0.0	0.0	0.2	0.3	0.6	1.5	4.6	12.0	30.1	57.3	
1979.....		2.9	0.4	0.0	0.0	0.1	0.2	0.6	1.5	4.3	11.6	27.5	47.1	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	482
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
OTHER DISEASES OF ENDOCARDIUM (424)														
TOTAL, MALE														
1998.....		5.5	*	*	*	0.2	0.3	0.9	2.0	4.7	15.1	55.4	193.1	
1997.....		5.4	*	*	*	0.1	0.3	0.9	1.9	4.7	14.5	55.5	194.4	
1996.....		5.3	*	*	*	*	0.3	0.8	1.9	4.7	15.4	55.0	197.1	
1995.....		5.1	*	*	*	0.1	0.3	0.9	1.8	4.6	15.1	55.6	187.0	
1994.....		4.9	*	*	*	0.1	0.3	0.8	1.7	5.1	15.1	53.5	178.0	
1993.....		4.9	*	*	*	0.1	0.4	0.9	1.7	5.1	15.3	54.9	173.7	
1992.....		4.9	*	*	*	0.2	0.3	0.9	1.9	5.3	15.8	55.2	164.9	
1991.....		4.7	*	*	*	0.1	0.4	0.8	1.8	5.1	15.6	55.4	160.3	
1990.....		4.5	*	*	*	0.1	0.3	0.8	2.1	5.7	16.1	51.7	142.3	
1989.....		4.4	*	*	*	0.1	0.4	1.0	1.8	5.3	16.0	50.8	133.8	
1988.....		4.4	*	*	*	*	0.3	0.9	2.0	5.7	17.6	49.3	123.1	
1987.....		4.2	*	*	*	0.1	0.4	0.9	2.2	5.7	16.1	49.7	116.2	
1986.....		3.9	*	*	*	0.1	0.3	0.8	1.9	5.5	15.8	47.1	100.9	
1985.....		3.8	*	*	*	0.1	0.4	0.8	2.1	5.2	15.9	45.2	94.7	
1984.....		3.6	*	*	*	0.1	0.4	0.7	2.0	5.5	15.1	42.9	83.4	
1983.....		3.6	*	*	*	0.1	0.3	0.6	2.0	5.7	16.6	41.1	80.9	
1982.....		3.3	*	*	*	0.1	0.3	0.7	2.2	5.6	14.8	38.4	68.5	
1981.....		3.3	*	*	*	0.1	0.3	0.8	2.3	5.6	15.3	37.6	65.0	
1980.....		3.4	0.3	0.0	0.1	0.2	0.3	0.7	2.2	6.7	15.9	36.5	64.0	
1979.....		3.1	0.6	0.0	0.1	0.2	0.3	0.8	2.1	6.3	15.0	33.8	51.0	

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	483
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
OTHER DISEASES OF ENDOCARDIUM (424)													
TOTAL, FEMALE													
1998.....		8.1	*	*	*	*	0.2	0.5	1.2	3.2	11.9	47.6	202.3
1997.....		7.8	*	*	*	*	0.3	0.5	1.1	3.3	11.8	47.8	191.6
1996.....		7.6	*	*	*	*	0.2	0.4	0.9	3.5	11.4	47.4	189.8
1995.....		7.2	*	*	*	*	0.2	0.4	1.0	3.5	11.5	46.4	176.3
1994.....		6.9	*	*	*	*	0.2	0.4	1.1	3.0	11.8	44.1	168.8
1993.....		6.8	*	*	*	*	0.2	0.5	1.0	3.2	10.5	46.6	168.3
1992.....		6.4	*	*	*	*	0.1	0.4	1.1	3.3	10.4	44.9	155.6
1991.....		6.1	*	*	*	*	0.2	0.4	1.0	3.2	10.5	42.8	150.0
1990.....		5.9	*	*	*	*	0.2	0.4	1.1	3.4	11.1	42.6	139.4
1989.....		5.4	*	*	*	*	0.3	0.3	0.9	3.4	10.7	39.9	126.3
1988.....		5.2	*	*	*	*	0.3	0.4	0.9	3.3	10.7	39.1	119.5
1987.....		4.8	*	*	*	*	0.2	0.4	1.0	3.1	10.2	36.5	107.9
1986.....		4.5	*	*	*	*	0.2	0.4	1.0	3.1	10.5	35.2	96.3
1985.....		4.2	*	*	*	0.1	0.2	0.4	1.1	3.0	9.6	33.5	88.1
1984.....		3.8	*	*	*	*	0.1	0.3	0.9	3.0	9.5	31.5	77.5
1983.....		3.6	*	*	*	*	0.1	0.5	1.0	2.7	8.9	30.5	72.7
1982.....		3.4	*	*	*	0.1	0.2	0.4	1.0	3.0	9.0	29.9	64.2
1981.....		3.1	*	*	*	*	0.2	0.3	1.2	2.9	9.5	25.7	57.9
1980.....		3.0	0.2	0.0	0.0	0.1	0.2	0.4	0.9	2.8	9.0	26.3	54.4
1979.....		2.7	0.1	0.1	0.0	0.1	0.2	0.4	0.9	2.5	8.9	23.7	45.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	484
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
OTHER DISEASES OF ENDOCARDIUM (424)														
WHITE, BOTH SEXES														
1998.....		7.7	*	*	*	0.1	0.2	0.6	1.4	3.7	13.5	52.8	212.3	
1997.....		7.4	*	*	*	0.1	0.3	0.6	1.2	3.9	13.3	53.0	202.6	
1996.....		7.2	*	*	*	0.1	0.2	0.5	1.2	3.9	13.5	52.5	202.8	
1995.....		6.9	*	*	*	0.1	0.2	0.6	1.2	3.8	13.2	51.8	188.4	
1994.....		6.6	*	*	*	0.1	0.2	0.5	1.3	3.9	13.5	49.6	180.5	
1993.....		6.5	*	*	*	0.1	0.3	0.6	1.2	3.9	12.8	51.3	178.2	
1992.....		6.2	*	*	*	0.1	0.2	0.5	1.3	4.0	13.0	50.6	166.4	
1991.....		6.0	*	*	*	0.1	0.3	0.5	1.2	4.0	13.0	49.5	161.1	
1990.....		5.7	*	*	*	0.1	0.2	0.5	1.4	4.5	13.4	47.5	146.2	
1989.....		5.4	*	*	*	0.1	0.3	0.5	1.2	4.2	13.3	45.6	133.7	
1988.....		5.2	*	*	*	0.1	0.2	0.5	1.2	4.3	13.8	44.0	125.2	
1987.....		4.9	*	*	*	0.1	0.2	0.5	1.4	4.2	12.8	42.7	114.1	
1986.....		4.6	*	*	*	0.1	0.2	0.5	1.3	4.2	13.0	41.0	101.7	
1985.....		4.3	0.7	*	*	0.1	0.3	0.5	1.4	3.9	12.4	38.7	93.2	
1984.....		3.9	*	*	*	0.1	0.2	0.4	1.3	4.1	11.8	36.6	82.1	
1983.....		3.8	0.7	*	*	0.1	0.2	0.5	1.4	4.0	12.4	35.5	77.9	
1982.....		3.6	*	*	*	0.1	0.2	0.5	1.5	4.2	11.4	33.8	68.0	
1981.....		3.4	*	*	*	0.1	0.2	0.5	1.6	4.1	12.1	30.6	61.6	
1980.....		3.3	0.3	0.0	0.0	0.1	0.2	0.5	1.4	4.6	12.0	30.5	59.4	
1979.....		3.0	0.4	0.0	0.0	0.1	0.2	0.6	1.4	4.2	11.4	28.0	48.5	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	485
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
OTHER DISEASES OF ENDOCARDIUM (424)														
WHITE MALE														
1998		6.1	*	*	*	*	0.2	0.7	1.8	4.5	15.2	58.1	206.4	
1997		5.9	*	*	*	0.1	0.3	0.8	1.6	4.7	14.9	57.6	205.8	
1996		5.8	*	*	*	*	0.2	0.7	1.6	4.5	15.7	57.1	209.8	
1995		5.6	*	*	*	*	0.3	0.8	1.7	4.4	15.5	57.4	197.2	
1994		5.4	*	*	*	0.1	0.3	0.6	1.6	4.9	15.4	55.6	186.6	
1993		5.4	*	*	*	0.1	0.4	0.8	1.6	4.8	15.7	57.0	185.7	
1992		5.3	*	*	*	0.1	0.2	0.8	1.6	5.0	16.1	57.2	173.9	
1991		5.2	*	*	*	0.1	0.4	0.7	1.6	5.0	16.1	57.6	170.3	
1990		4.9	*	*	*	*	0.3	0.6	1.9	5.8	16.3	53.7	150.2	
1989		4.8	*	*	*	0.1	0.4	0.8	1.6	5.1	16.6	52.7	139.7	
1988		4.6	*	*	*	*	0.3	0.7	1.7	5.6	17.8	50.7	128.0	
1987		4.5	*	*	*	*	0.3	0.7	2.0	5.7	16.3	51.6	121.4	
1986		4.2	*	*	*	*	0.3	0.7	1.7	5.4	16.2	48.5	107.1	
1985		4.0	*	*	*	*	0.4	0.7	1.9	5.1	16.0	46.4	99.0	
1984		3.8	*	*	*	0.1	0.4	0.6	1.9	5.4	14.9	44.5	87.6	
1983		3.8	*	*	*	*	0.3	0.6	1.9	5.7	16.9	42.7	84.3	
1982		3.5	*	*	*	0.1	0.3	0.6	2.1	5.6	14.7	39.5	71.4	
1981		3.4	*	*	*	0.1	0.2	0.7	2.2	5.6	15.5	38.3	66.7	
1980		3.5	0.3	0.0	0.1	0.2	0.3	0.7	1.9	6.7	16.0	37.5	66.4	
1979		3.2	0.6	0.0	0.1	0.2	0.3	0.8	2.0	6.2	15.0	34.7	52.7	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	486
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
OTHER DISEASES OF ENDOCARDIUM (424)														
WHITE FEMALE														
1998.....		9.2	*	*	*	*	0.2	0.4	1.1	2.9	12.2	49.2	214.7	
1997.....		8.8	*	*	*	*	0.2	0.4	0.9	3.1	11.9	49.9	201.3	
1996.....		8.6	*	*	*	*	0.2	0.3	0.7	3.3	11.7	49.5	200.1	
1995.....		8.1	*	*	*	*	0.2	0.4	0.8	3.3	11.3	48.2	185.0	
1994.....		7.7	*	*	*	*	0.1	0.4	0.9	3.0	12.0	45.7	178.2	
1993.....		7.6	*	*	*	*	0.2	0.4	0.8	3.1	10.4	47.8	175.4	
1992.....		7.1	*	*	*	*	0.1	0.3	0.9	3.0	10.5	46.6	163.6	
1991.....		6.9	*	*	*	*	0.2	0.3	0.9	3.2	10.6	44.6	157.7	
1990.....		6.5	*	*	*	*	0.2	0.3	1.0	3.2	11.2	43.8	144.7	
1989.....		6.0	*	*	*	*	0.2	0.3	0.8	3.3	10.7	41.4	131.5	
1988.....		5.7	*	*	*	*	0.2	0.3	0.8	3.2	10.6	40.0	124.1	
1987.....		5.2	*	*	*	*	0.2	0.3	0.9	2.8	10.1	37.4	111.3	
1986.....		4.9	*	*	*	*	0.2	0.3	0.9	3.0	10.5	36.5	99.6	
1985.....		4.5	*	*	*	*	0.1	0.3	0.9	2.9	9.6	34.2	91.0	
1984.....		4.1	*	*	*	*	0.1	0.2	0.7	2.9	9.4	32.1	80.0	
1983.....		3.9	*	*	*	*	0.1	0.4	0.9	2.5	9.0	31.2	75.3	
1982.....		3.6	*	*	*	*	0.1	0.3	0.9	2.9	8.9	30.5	66.6	
1981.....		3.3	*	*	*	*	0.1	0.3	1.1	2.7	9.6	26.1	59.5	
1980.....		3.2	0.2	0.0	0.0	0.1	0.1	0.4	0.9	2.8	9.0	26.4	56.4	
1979.....		2.8	0.1	0.0	0.0	0.1	0.1	0.4	0.8	2.4	8.6	24.1	46.7	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	487
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
OTHER DISEASES OF ENDOCARDIUM (424)													
ALL OTHER, BOTH SEXES													
1998.....	3.0	*	*	*	*	0.4	1.5	2.6	5.3	11.6	31.2	79.4	
1997.....	2.9	*	*	*	*	0.4	1.0	2.9	4.7	11.1	30.8	94.8	
1996.....	2.8	*	*	*	*	0.4	1.2	2.6	5.4	11.4	30.2	87.2	
1995.....	2.8	*	*	*	*	0.3	1.1	2.3	4.9	12.7	31.9	86.8	
1994.....	2.6	*	*	*	*	0.3	1.3	2.3	4.8	11.0	29.7	77.4	
1993.....	2.8	*	*	*	*	0.5	1.3	2.0	5.6	11.5	34.7	83.2	
1992.....	2.6	*	*	*	*	0.3	1.3	2.6	5.7	11.0	31.3	72.1	
1991.....	2.4	*	*	*	*	0.5	1.3	2.2	4.6	9.9	28.4	65.7	
1990.....	2.6	*	*	*	*	0.5	1.3	2.6	4.9	12.0	30.8	76.4	
1989.....	2.5	*	*	*	*	0.6	1.4	2.1	5.1	10.9	27.7	72.7	
1988.....	2.7	*	*	*	*	0.6	1.5	2.6	5.0	13.0	32.2	71.0	
1987.....	2.6	*	*	*	*	0.5	1.7	2.5	5.1	12.4	28.6	67.9	
1986.....	2.3	*	*	*	*	0.6	1.3	2.0	5.0	11.6	26.3	53.2	
1985.....	2.4	*	*	*	*	0.8	1.3	2.4	4.8	11.9	28.8	54.5	
1984.....	2.3	*	*	*	*	0.3	1.1	2.2	4.9	13.5	26.6	47.0	
1983.....	2.0	*	*	*	*	0.4	0.9	2.1	4.6	10.8	23.6	43.1	
1982.....	2.2	*	*	*	*	0.5	0.9	2.3	4.9	12.5	25.4	37.2	
1981.....	2.1	*	*	*	*	0.6	0.9	2.4	5.1	11.0	25.4	42.1	
1980.....	2.1	-	-	-	0.3	0.6	0.9	2.6	5.0	11.2	25.8	33.4	
1979.....	2.1	0.3	0.1	0.0	0.2	0.4	1.0	2.4	5.2	13.1	22.1	29.9	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	488
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
OTHER DISEASES OF ENDOCARDIUM (424)													
ALL OTHER MALE													
1998	2.8	*	*	*	*	*	2.0	3.4	5.8	14.0	28.9	76.4
1997	2.6	*	*	*	*	*	1.2	4.0	4.8	11.4	34.6	94.4
1996	2.6	*	*	*	*	*	1.4	3.4	5.8	13.7	33.3	86.1
1995	2.5	*	*	*	*	*	1.4	2.7	5.4	12.4	37.2	91.7
1994	2.6	*	*	*	*	*	1.9	2.8	6.8	12.3	32.5	97.4
1993	2.4	*	*	*	*	*	1.6	2.3	7.6	12.3	34.4	62.2
1992	2.7	*	*	*	*	*	1.8	3.7	6.8	13.1	35.4	80.8
1991	2.4	*	*	*	*	*	1.8	3.1	5.8	10.9	34.0	67.4
1990	2.5	*	*	*	*	0.7	1.8	3.5	5.0	14.5	32.2	68.8
1989	2.5	*	*	*	*	0.8	2.1	2.8	6.5	10.7	32.9	79.0
1988	2.8	*	*	*	*	0.7	2.1	3.6	6.2	15.7	36.4	77.2
1987	2.6	*	*	*	*	0.7	2.6	3.4	5.6	14.7	31.1	67.5
1986	2.3	*	*	*	*	0.6	1.8	3.0	6.2	12.8	32.9	42.7
1985	2.6	*	*	*	*	0.8	1.8	3.0	6.4	15.2	33.4	54.8
1984	2.4	*	*	*	*	*	1.6	2.7	6.4	17.1	27.5	44.4
1983	2.1	*	*	*	*	*	*	2.7	5.6	14.5	25.5	47.1
1982	2.3	*	*	*	*	*	*	3.0	5.8	15.8	27.3	40.3
1981	2.3	*	*	*	*	0.8	1.2	3.2	5.8	14.1	31.4	48.4
1980	2.4	-	-	-	0.3	0.7	1.0	4.0	7.5	14.4	26.7	39.5
1979	2.3	0.7	0.1	0.0	0.4	0.5	1.2	3.0	7.1	14.9	25.4	33.9

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	489
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
OTHER DISEASES OF ENDOCARDIUM (424)													
ALL OTHER FEMALE													
1998.....		3.1	*	*	*	*	*	1.1	1.9	4.8	9.9	32.7	80.8
1997.....		3.1	*	*	*	*	*	0.8	1.9	4.5	11.0	28.4	95.0
1996.....		3.0	*	*	*	*	*	1.0	2.0	5.1	9.7	28.3	87.8
1995.....		3.0	*	*	*	*	*	0.8	2.0	4.6	13.0	28.7	84.7
1994.....		2.6	*	*	*	*	*	0.7	1.9	3.3	10.1	28.0	68.8
1993.....		3.1	*	*	*	*	*	1.0	1.8	4.0	10.9	34.8	92.4
1992.....		2.6	*	*	*	*	*	0.8	1.7	4.9	9.4	28.8	68.2
1991.....		2.4	*	*	*	*	*	0.9	1.4	3.7	9.2	25.0	64.6
1990.....		2.8	*	*	*	*	*	0.8	1.8	4.9	10.2	30.0	79.9
1989.....		2.5	*	*	*	*	*	0.7	1.4	3.9	11.1	24.5	69.7
1988.....		2.7	*	*	*	*	*	1.1	1.7	4.1	11.1	29.6	68.0
1987.....		2.6	*	*	*	*	*	1.0	1.9	4.7	10.7	27.1	68.1
1986.....		2.3	*	*	*	*	*	0.9	1.3	4.0	10.6	22.2	58.3
1985.....		2.3	*	*	*	*	0.7	1.0	1.8	3.6	9.5	25.9	54.7
1984.....		2.2	*	*	*	*	*	*	1.8	3.8	10.9	26.1	48.3
1983.....		1.9	*	*	*	*	*	0.9	1.6	3.7	8.0	22.4	41.0
1982.....		2.1	*	*	*	*	*	*	1.7	4.2	10.0	24.2	35.3
1981.....		1.9	*	*	*	*	*	*	1.7	4.5	8.7	21.4	38.9
1980.....		1.8	-	-	-	0.3	0.4	0.8	1.3	3.0	8.8	25.2	30.3
1979.....		1.9	-	0.2	0.1	0.0	0.3	0.9	1.8	3.6	11.8	20.0	28.1

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	490
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
OTHER DISEASES OF ENDOCARDIUM (424)													
BLACK, BOTH SEXES													
1998.....		3.3	*	*	*	*	0.5	1.8	3.3	6.1	12.6	33.2	78.4
1997.....		3.3	*	*	*	*	0.5	1.3	3.7	5.7	12.0	31.4	94.0
1996.....		3.2	*	*	*	*	0.4	1.6	3.2	6.3	12.9	31.6	87.0
1995.....		3.1	*	*	*	*	0.4	1.4	2.9	5.7	13.6	33.1	78.1
1994.....		2.9	*	*	*	*	0.4	1.6	3.0	5.8	12.2	29.4	67.7
1993.....		3.1	*	*	*	*	0.5	1.6	2.6	6.2	12.6	35.0	77.9
1992.....		3.1	*	*	*	*	0.4	1.7	3.4	6.8	12.6	33.1	74.6
1991.....		2.8	*	*	*	*	0.6	1.7	2.7	5.4	10.6	29.4	65.5
1990.....		3.0	*	*	*	*	0.6	1.7	3.2	5.5	13.4	31.6	74.6
1989.....		2.9	*	*	*	*	0.8	1.6	2.4	5.7	12.5	29.6	66.8
1988.....		3.0	*	*	*	*	0.7	2.0	3.1	5.6	13.5	32.3	71.5
1987.....		3.0	*	*	*	*	0.6	2.2	3.2	6.0	13.7	30.3	64.4
1986.....		2.6	*	*	*	*	0.7	1.7	2.5	5.8	12.8	25.7	51.2
1985.....		2.8	*	*	*	*	0.9	1.7	2.9	5.3	13.1	29.5	55.4
1984.....		2.5	*	*	*	*	0.4	1.4	2.4	5.6	14.2	27.8	44.7
1983.....		2.2	*	*	*	*	0.5	1.0	2.4	4.9	11.4	23.5	40.8
1982.....		2.4	*	*	*	*	0.6	1.0	2.6	5.4	13.5	25.2	36.4
1981.....		2.3	*	*	*	*	0.7	1.1	2.7	5.4	12.0	25.2	40.5
1980.....		2.2	-	-	-	0.3	0.6	1.0	3.0	5.2	11.3	25.3	32.7
1979.....		2.2	0.4	0.2	0.1	0.2	0.4	1.1	2.8	5.4	13.5	22.6	28.2

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
OTHER DISEASES OF ENDOCARDIUM (424)												
BLACK MALE												
1998.....	3.0	*	*	*	*	*	2.3	4.2	6.7	14.6	30.7	70.1
1997.....	2.9	*	*	*	*	*	1.5	5.3	5.7	12.6	33.5	79.4
1996.....	3.0	*	*	*	*	*	1.9	4.3	6.8	15.8	32.5	81.6
1995.....	2.8	*	*	*	*	*	1.8	3.5	6.3	13.1	37.4	73.2
1994.....	2.8	*	*	*	*	*	2.5	3.7	8.3	12.9	31.6	72.0
1993.....	2.6	*	*	*	*	*	1.9	2.9	8.5	13.1	33.3	48.4
1992.....	3.1	*	*	*	*	*	2.4	4.7	8.0	15.1	38.4	76.1
1991.....	2.7	*	*	*	*	*	2.3	3.9	6.3	11.3	35.5	69.6
1990.....	2.9	*	*	*	*	0.8	2.4	4.3	5.9	16.3	32.5	63.4
1989.....	2.8	*	*	*	*	1.1	2.7	3.4	7.6	12.2	34.5	63.6
1988.....	3.0	*	*	*	*	0.8	2.6	4.2	6.9	15.8	36.9	78.5
1987.....	3.0	*	*	*	*	0.8	3.0	4.3	6.8	16.8	32.6	64.1
1986.....	2.6	*	*	*	*	*	2.3	3.6	7.0	14.2	31.3	38.1
1985.....	2.9	*	*	*	*	1.0	2.2	3.8	6.9	17.2	33.1	54.8
1984.....	2.6	*	*	*	*	*	2.0	3.1	7.2	18.4	29.5	42.6
1983.....	2.3	*	*	*	*	*	*	3.1	6.3	14.7	24.3	45.0
1982.....	2.5	*	*	*	*	*	*	3.5	6.5	16.8	24.9	44.8
1981.....	2.5	*	*	*	*	1.0	*	3.8	6.3	15.6	31.5	42.9
1980.....	2.5	-	-	-	0.4	0.8	1.2	4.7	7.7	14.6	25.4	35.8
1979.....	2.4	0.8	0.1	0.0	0.3	0.6	1.2	3.5	7.5	15.2	26.1	26.9

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	492
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
OTHER DISEASES OF ENDOCARDIUM (424)													
BLACK FEMALE													
1998.....		3.6	*	*	*	*	*	1.4	2.6	5.7	11.2	34.6	81.8
1997.....		3.6	*	*	*	*	*	1.1	2.4	5.7	11.5	30.1	100.1
1996.....		3.5	*	*	*	*	*	1.3	2.4	6.0	10.7	31.0	89.2
1995.....		3.4	*	*	*	*	*	1.0	2.4	5.3	14.0	30.6	80.1
1994.....		3.0	*	*	*	*	*	0.9	2.4	3.8	11.7	28.2	65.9
1993.....		3.6	*	*	*	*	*	1.3	2.3	4.5	12.2	36.0	90.0
1992.....		3.1	*	*	*	*	*	1.0	2.2	5.9	10.8	30.0	74.1
1991.....		2.8	*	*	*	*	*	1.2	1.8	4.7	10.2	26.0	63.8
1990.....		3.2	*	*	*	*	*	1.1	2.3	5.1	11.3	31.1	79.3
1989.....		2.9	*	*	*	*	*	*	1.6	4.2	12.8	26.7	68.6
1988.....		3.0	*	*	*	*	*	1.4	2.1	4.5	11.9	29.7	68.5
1987.....		3.1	*	*	*	*	*	1.4	2.3	5.5	11.6	28.9	64.6
1986.....		2.6	*	*	*	*	*	1.1	1.6	4.8	11.8	22.4	57.2
1985.....		2.7	*	*	*	*	0.9	1.2	2.2	4.0	10.2	27.4	55.6
1984.....		2.4	*	*	*	*	*	*	1.7	4.3	11.2	26.9	45.7
1983.....		2.1	*	*	*	*	*	*	1.8	3.9	9.1	23.0	38.7
1982.....		2.3	*	*	*	*	*	*	1.9	4.5	11.2	25.4	32.2
1981.....		2.1	*	*	*	*	*	*	1.9	4.7	9.5	21.3	38.9
1980.....		2.0	-	-	-	0.3	0.4	0.9	1.6	3.2	8.9	25.3	31.1
1979.....		2.1	-	0.2	0.1	0.0	0.3	1.0	2.2	3.7	12.3	20.3	28.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	493
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)													
TOTAL, BOTH SEXES													
1998.....	78.3	15.0	1.3	0.7	2.3	4.8	12.3	33.4	84.5	200.3	513.9	1,808.7	
1997.....	78.2	15.6	1.3	0.7	2.3	4.7	12.0	33.2	88.5	201.9	520.2	1,842.6	
1996.....	77.8	15.5	1.3	0.8	2.1	4.8	11.6	33.7	89.2	202.8	523.7	1,855.6	
1995.....	78.9	16.1	1.5	0.7	2.3	4.9	12.5	34.4	91.9	207.8	539.4	1,898.7	
1994.....	78.2	16.7	1.7	0.7	2.2	4.9	12.4	34.3	91.9	212.3	540.7	1,878.0	
1993.....	80.3	15.7	1.7	0.7	2.2	4.8	12.4	34.7	97.1	221.5	563.1	1,934.1	
1992.....	75.8	17.0	1.7	0.7	2.1	4.6	11.7	33.7	93.7	213.3	534.6	1,842.2	
1991.....	76.1	16.3	2.0	0.7	2.1	4.5	11.5	33.8	94.3	217.4	547.6	1,859.0	
1990.....	75.8	18.8	1.8	0.8	1.9	4.3	11.1	33.9	95.8	215.9	559.5	1,876.4	
1989.....	78.7	18.6	1.8	0.7	2.0	4.4	11.3	35.3	100.3	226.8	588.9	1,942.9	
1988.....	87.6	21.8	2.3	0.8	2.2	4.7	12.1	38.3	111.8	257.5	661.6	2,197.4	
1987.....	85.7	24.3	2.0	0.9	2.1	4.7	11.8	39.2	107.4	257.3	655.6	2,143.5	
1986.....	85.4	25.4	2.4	0.8	2.2	4.8	12.1	39.2	108.8	257.5	667.1	2,145.2	
1985.....	81.8	23.6	2.0	0.8	2.1	4.2	11.6	38.1	105.4	249.9	649.6	2,063.5	
1984.....	78.3	25.1	2.2	0.8	2.0	4.3	11.5	37.2	102.5	242.0	625.5	1,988.1	
1983.....	76.4	24.3	2.2	0.7	2.1	4.2	11.2	37.5	100.3	237.5	624.9	1,949.4	
1982.....	70.9	19.6	2.0	0.8	2.0	3.9	11.1	35.6	93.8	222.8	590.2	1,818.5	
1981.....	69.7	19.9	2.4	0.7	2.0	4.1	11.4	37.1	93.6	219.5	587.2	1,808.4	
1980.....	68.7	21.6	2.4	0.8	2.1	4.0	11.5	36.3	92.0	220.7	588.8	1,814.4	
1979.....	63.7	19.0	2.0	0.7	1.9	3.7	11.0	35.7	88.1	204.8	555.9	1,641.4	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 494
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)													
TOTAL, MALE													
1998.....	74.9	14.9	1.4	0.8	2.8	6.1	16.6	47.4	116.3	260.9	615.0	1,810.4	
1997.....	75.0	17.2	1.4	0.8	2.7	5.9	16.4	47.2	122.7	266.0	623.3	1,886.9	
1996.....	75.1	16.4	1.3	0.8	2.6	6.0	16.0	47.9	123.9	270.4	632.6	1,936.0	
1995.....	76.5	16.5	1.6	0.8	2.9	6.4	17.3	49.4	127.0	278.9	656.9	1,975.3	
1994.....	76.2	17.6	1.7	0.8	2.8	6.1	16.9	49.4	129.0	286.1	658.3	1,986.1	
1993.....	78.2	17.1	1.9	0.7	2.6	6.0	16.9	49.8	135.5	297.8	690.2	2,039.2	
1992.....	74.4	17.7	1.7	0.7	2.7	5.8	16.5	48.2	132.0	287.4	660.8	1,936.7	
1991.....	75.2	18.2	2.1	0.7	2.7	5.8	15.9	48.9	134.1	295.5	682.0	1,959.8	
1990.....	75.1	20.7	1.8	0.8	2.4	5.4	15.8	48.4	134.6	295.1	706.8	1,982.5	
1989.....	77.8	19.7	2.0	0.7	2.5	5.7	15.7	50.7	141.5	309.9	731.1	2,048.0	
1988.....	87.3	23.7	2.3	1.0	2.8	6.2	17.0	54.4	158.6	352.4	830.4	2,346.5	
1987.....	85.4	27.4	2.0	0.9	2.7	6.1	16.8	56.0	150.3	350.6	820.2	2,286.7	
1986.....	86.0	28.3	2.5	0.9	2.7	6.1	17.1	55.4	154.9	354.3	840.6	2,301.8	
1985.....	82.4	26.3	1.9	0.8	2.6	5.4	15.8	54.8	149.9	341.3	813.4	2,237.8	
1984.....	79.5	26.9	2.3	0.8	2.5	5.6	16.0	53.0	146.0	332.8	779.3	2,193.8	
1983.....	78.0	26.2	2.4	0.8	2.5	5.3	15.5	53.6	142.2	326.6	781.8	2,154.6	
1982.....	72.5	22.4	2.2	0.8	2.5	4.8	15.1	50.8	133.4	305.1	734.3	2,001.3	
1981.....	71.9	21.1	2.4	0.8	2.3	5.1	15.3	53.4	133.6	299.5	737.3	1,997.6	
1980.....	71.0	24.1	2.6	0.8	2.6	4.9	15.5	51.8	131.0	300.5	736.8	1,987.3	
1979.....	66.6	21.6	2.0	0.7	2.3	4.5	14.6	51.8	126.5	282.3	687.6	1,809.2	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	495
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)														
TOTAL, FEMALE														
1998.....	81.5	15.2	1.3	0.6	1.8	3.5	8.1	20.0	55.6	151.0	446.9	1,808.0		
1997.....	81.2	13.9	1.1	0.6	1.9	3.5	7.7	19.8	57.4	150.1	452.7	1,824.8		
1996.....	80.3	14.6	1.3	0.7	1.7	3.5	7.4	20.1	57.8	148.4	453.3	1,823.7		
1995.....	81.3	15.7	1.4	0.6	1.8	3.4	7.8	20.1	60.0	150.9	464.7	1,868.8		
1994.....	80.2	15.7	1.6	0.7	1.6	3.8	8.0	19.8	58.3	153.5	467.1	1,836.3		
1993.....	82.3	14.2	1.6	0.8	1.7	3.5	7.9	20.4	62.4	161.1	484.5	1,893.8		
1992.....	77.0	16.4	1.7	0.6	1.5	3.4	7.0	19.8	59.2	155.1	457.4	1,805.6		
1991.....	77.0	14.3	1.9	0.7	1.6	3.2	7.2	19.3	58.7	156.2	466.4	1,820.1		
1990.....	76.4	16.9	1.8	0.7	1.4	3.1	6.5	20.0	61.2	154.2	471.5	1,835.5		
1989.....	79.5	17.4	1.6	0.7	1.5	3.1	7.0	20.6	63.7	162.0	504.2	1,902.0		
1988.....	87.9	19.7	2.3	0.7	1.6	3.1	7.3	22.9	70.2	183.7	561.5	2,139.2		
1987.....	86.1	21.1	2.0	0.8	1.6	3.4	7.0	23.2	69.4	184.9	558.3	2,087.0		
1986.....	85.0	22.4	2.4	0.8	1.6	3.5	7.2	23.9	68.1	182.6	564.9	2,083.0		
1985.....	81.2	20.7	2.1	0.9	1.5	3.0	7.5	22.3	66.0	179.4	553.3	1,993.9		
1984.....	77.1	23.3	2.1	0.8	1.6	3.1	7.2	22.2	64.0	172.2	535.1	1,904.9		
1983.....	74.9	22.2	2.1	0.7	1.6	3.1	7.0	22.4	63.4	169.1	532.7	1,865.3		
1982.....	69.4	16.6	1.8	0.9	1.6	3.0	7.2	21.3	59.0	159.7	505.4	1,742.3		
1981.....	67.6	18.6	2.4	0.6	1.6	3.2	7.6	21.9	58.5	158.3	498.9	1,726.9		
1980.....	66.4	19.0	2.3	0.8	1.6	3.2	7.7	21.7	57.8	159.6	501.6	1,738.8		
1979.....	60.9	16.3	1.9	0.7	1.5	3.0	7.6	20.7	54.4	145.5	477.8	1,566.8		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 496												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)												
WHITE, BOTH SEXES												
1998.....	80.7	12.8	1.0	0.6	1.9	3.9	10.1	28.4	74.5	186.5	500.0	1,823.8
1997.....	80.7	13.8	1.0	0.6	1.9	3.8	9.9	28.3	78.5	189.2	507.2	1,859.4
1996.....	79.9	12.9	1.0	0.7	1.6	3.7	9.5	28.3	78.3	188.3	509.2	1,873.3
1995.....	80.8	14.1	1.2	0.6	1.7	3.8	10.1	29.1	80.8	192.0	521.5	1,903.7
1994.....	80.1	13.6	1.2	0.7	1.7	3.8	10.1	28.9	81.5	196.9	522.3	1,885.3
1993.....	81.7	12.6	1.4	0.7	1.7	3.7	9.8	28.8	84.4	204.2	543.3	1,938.6
1992.....	76.8	14.3	1.3	0.6	1.7	3.5	9.1	28.2	82.2	196.6	514.8	1,839.9
1991.....	77.0	13.9	1.6	0.6	1.8	3.5	9.0	28.1	83.2	199.3	526.6	1,853.5
1990.....	76.3	14.7	1.4	0.7	1.6	3.2	8.5	28.2	83.8	198.7	536.9	1,867.6
1989.....	78.8	15.6	1.4	0.6	1.6	3.4	8.7	28.7	87.4	207.0	563.0	1,935.5
1988.....	88.1	18.4	1.9	0.8	1.9	3.6	9.3	31.5	98.2	237.5	634.2	2,194.4
1987.....	86.1	21.3	1.5	0.7	1.8	3.6	9.2	32.7	94.9	237.3	627.6	2,140.0
1986.....	85.5	21.9	2.0	0.7	1.8	3.5	9.5	32.6	95.9	237.5	638.6	2,137.4
1985.....	82.0	20.0	1.5	0.7	1.7	3.1	9.1	31.9	93.1	229.6	625.0	2,067.0
1984.....	78.4	21.8	1.9	0.7	1.7	3.3	9.1	31.3	90.7	223.7	601.3	1,993.3
1983.....	76.2	20.1	1.9	0.7	1.7	3.3	8.8	31.6	87.7	218.4	600.7	1,957.1
1982.....	70.9	16.8	1.7	0.8	1.8	3.1	8.7	29.9	82.9	205.9	570.0	1,829.4
1981.....	69.4	17.4	2.1	0.6	1.6	3.2	8.8	31.1	82.5	203.8	567.3	1,812.6
1980.....	67.8	17.9	1.9	0.7	1.7	3.0	8.6	30.3	80.6	202.3	567.3	1,811.7
1979.....	62.9	15.1	1.6	0.7	1.7	3.0	8.4	30.1	77.6	187.2	538.1	1,647.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 497
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	75.8	13.2	1.1	0.7	2.2	4.9	14.1	41.0	103.9	244.5	599.7	1,822.9
1997.....	76.1	15.8	1.0	0.7	2.2	4.8	14.0	41.0	109.2	250.9	609.2	1,907.4
1996.....	75.9	13.4	1.1	0.7	2.0	4.9	13.7	41.0	110.0	253.0	616.3	1,957.2
1995.....	76.8	14.6	1.2	0.6	2.2	5.0	14.3	42.5	112.8	259.2	636.6	1,978.4
1994.....	76.7	14.7	1.3	0.7	2.2	4.7	14.1	42.6	116.3	267.8	637.4	1,987.9
1993.....	78.1	14.5	1.6	0.6	2.1	4.7	13.8	42.0	119.6	276.3	668.4	2,040.6
1992.....	74.1	15.2	1.2	0.6	2.1	4.5	13.5	41.2	117.8	266.4	636.7	1,927.9
1991.....	74.7	15.8	1.6	0.6	2.2	4.5	12.7	41.9	119.6	272.9	656.4	1,949.4
1990.....	74.4	16.3	1.4	0.8	2.0	4.2	12.3	41.1	119.2	274.7	680.5	1,968.2
1989.....	76.6	17.3	1.5	0.6	2.1	4.5	12.4	42.0	125.6	284.8	700.7	2,036.1
1988.....	86.3	20.5	1.8	0.9	2.4	4.8	13.5	45.7	141.1	329.0	797.1	2,338.9
1987.....	84.3	24.0	1.5	0.9	2.3	4.7	13.3	47.5	134.7	326.7	787.5	2,277.5
1986.....	84.6	25.0	2.0	0.8	2.4	4.5	13.6	46.9	138.0	330.5	805.9	2,285.4
1985.....	81.2	22.5	1.5	0.6	2.3	4.0	12.6	46.4	134.6	317.2	785.2	2,240.4
1984.....	78.5	23.8	1.9	0.7	2.0	4.2	12.9	45.5	131.7	311.1	751.7	2,200.3
1983.....	76.7	21.9	1.9	0.7	2.1	4.1	12.3	46.1	126.8	304.1	753.5	2,170.9
1982.....	71.4	20.0	1.8	0.8	2.2	3.8	12.1	43.6	119.5	284.1	711.9	2,016.2
1981.....	70.6	18.1	2.0	0.7	2.0	3.9	12.1	46.0	119.7	281.9	714.1	1,992.3
1980.....	69.1	21.0	2.0	0.8	2.1	3.7	11.7	44.1	116.0	280.2	711.7	1,975.3
1979.....	64.8	17.7	1.7	0.7	2.0	3.6	11.5	44.5	113.1	262.6	666.2	1,808.4

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	498
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)														
WHITE FEMALE														
1998.....	85.5	12.4	1.0	0.5	1.5	2.8	6.1	16.1	47.2	138.5	433.6	1,824.1		
1997.....	85.2	11.8	1.0	0.5	1.6	2.8	5.9	15.8	49.9	138.5	440.0	1,840.4		
1996.....	83.9	12.3	0.8	0.6	1.3	2.5	5.3	15.8	48.9	135.6	439.6	1,840.5		
1995.....	84.6	13.6	1.1	0.6	1.2	2.6	5.7	16.1	51.2	137.5	448.0	1,875.0		
1994.....	83.3	12.5	1.2	0.7	1.2	2.8	6.0	15.6	49.4	139.8	449.8	1,846.2		
1993.....	85.1	10.6	1.2	0.7	1.3	2.7	5.8	16.0	52.1	146.4	465.6	1,899.9		
1992.....	79.4	13.4	1.4	0.5	1.2	2.5	4.7	15.6	49.4	141.1	440.0	1,806.2		
1991.....	79.2	11.9	1.6	0.6	1.3	2.5	5.2	14.7	50.0	141.2	447.9	1,817.9		
1990.....	78.1	13.1	1.4	0.6	1.1	2.3	4.7	15.6	51.7	138.8	451.1	1,829.4		
1989.....	81.0	13.8	1.2	0.6	1.2	2.3	5.1	15.7	52.8	145.7	481.2	1,898.0		
1988.....	89.8	16.2	2.0	0.7	1.3	2.3	5.2	17.8	59.5	165.7	537.9	2,139.0		
1987.....	87.7	18.6	1.6	0.6	1.3	2.5	5.2	18.3	59.1	167.3	533.5	2,086.7		
1986.....	86.4	18.7	2.0	0.7	1.3	2.5	5.5	18.7	58.1	165.0	540.6	2,079.7		
1985.....	82.6	17.4	1.6	0.8	1.2	2.3	5.6	17.9	56.0	161.5	531.4	1,999.1		
1984.....	78.3	19.7	1.8	0.8	1.3	2.3	5.3	17.7	54.1	156.2	513.6	1,911.3		
1983.....	75.8	18.2	1.8	0.6	1.3	2.4	5.3	17.8	52.9	152.3	511.4	1,871.1		
1982.....	70.4	13.5	1.5	0.8	1.3	2.4	5.4	16.9	50.5	145.7	487.3	1,752.9		
1981.....	68.3	16.6	2.1	0.6	1.3	2.5	5.6	16.8	49.6	143.8	481.8	1,737.5		
1980.....	66.5	14.6	1.9	0.7	1.3	2.3	5.5	17.2	49.1	142.6	483.0	1,741.2		
1979.....	61.0	12.4	1.6	0.7	1.3	2.3	5.5	16.5	46.1	129.6	463.1	1,575.1		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 499												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)												
ALL OTHER, BOTH SEXES												
1998.....	66.7	23.6	2.4	1.1	3.9	8.7	22.8	60.9	146.7	300.5	643.6	1,666.0
1997.....	65.8	22.3	2.2	1.0	4.1	8.7	22.2	61.2	150.8	296.8	643.9	1,682.2
1996.....	67.4	26.1	2.4	1.3	4.0	9.3	22.3	64.8	157.6	313.6	662.4	1,685.7
1995.....	69.9	23.5	2.8	1.2	4.6	9.6	24.6	65.7	162.3	332.2	713.4	1,847.0
1994.....	69.2	27.9	3.3	1.0	4.0	10.2	24.3	66.5	159.3	335.0	720.7	1,803.3
1993.....	73.3	27.1	3.1	1.1	3.8	9.7	25.3	70.9	180.5	363.1	758.0	1,888.4
1992.....	70.4	27.3	3.2	1.1	4.0	9.7	25.3	66.9	171.4	351.6	727.7	1,867.2
1991.....	71.7	24.6	3.7	1.1	3.7	9.3	24.9	68.2	171.1	369.0	754.3	1,916.8
1990.....	72.9	34.4	3.2	1.0	3.5	9.2	24.9	69.2	181.3	365.1	780.5	1,970.0
1989.....	77.9	30.1	3.5	1.3	3.5	9.4	25.6	77.1	194.3	398.8	843.4	2,021.1
1988.....	84.8	35.2	3.7	1.1	3.9	10.1	27.6	80.5	212.4	433.0	931.3	2,229.4
1987.....	83.8	36.7	4.0	1.3	3.8	10.6	27.0	80.0	202.2	435.3	933.8	2,181.3
1986.....	85.0	40.2	4.4	1.3	3.8	11.3	27.5	81.5	209.7	435.5	951.0	2,229.9
1985.....	80.8	39.0	4.1	1.4	3.7	9.8	26.9	78.4	203.0	431.8	896.0	2,015.6
1984.....	77.6	39.8	3.8	1.2	3.8	10.0	26.8	75.9	198.0	406.1	869.4	1,930.4
1983.....	77.5	42.8	3.8	1.0	3.9	9.7	26.3	77.3	204.2	409.2	873.3	1,854.5
1982.....	70.8	31.8	3.6	1.1	3.4	8.5	26.5	74.4	185.2	375.5	797.1	1,705.5
1981.....	71.0	31.2	3.9	1.1	3.7	9.6	27.6	79.9	188.7	361.7	793.4	1,760.5
1980.....	74.1	38.7	4.7	1.2	4.3	10.3	30.7	79.9	192.4	388.7	815.2	1,845.0
1979.....	68.6	37.4	3.6	0.9	3.4	8.6	28.6	78.2	181.5	367.0	741.0	1,575.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 500												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)												
ALL OTHER MALE												
1998.....	70.2	21.4	2.6	1.2	4.9	11.2	29.3	85.8	200.3	388.4	763.2	1,701.1
1997.....	69.4	22.9	2.9	0.9	4.8	11.0	28.9	85.0	213.9	386.6	763.4	1,708.8
1996.....	71.3	28.8	2.0	1.5	4.9	10.9	28.0	90.7	218.5	413.1	794.7	1,752.3
1995.....	74.8	23.7	3.0	1.4	5.5	12.8	32.9	93.8	225.5	444.4	861.5	1,945.6
1994.....	73.7	28.5	3.3	1.2	5.0	12.7	32.0	93.8	218.8	441.6	869.1	1,969.5
1993.....	78.6	26.9	3.1	1.1	4.6	12.6	33.6	101.0	250.1	483.9	910.0	2,026.2
1992.....	76.1	27.0	3.6	1.2	5.2	12.3	33.5	94.0	236.0	471.2	899.3	2,018.9
1991.....	78.0	26.7	4.1	1.2	4.7	12.2	34.1	94.8	242.6	496.9	933.4	2,055.8
1990.....	78.9	37.4	3.4	0.9	4.1	11.9	35.8	96.8	253.8	481.7	963.8	2,115.5
1989.....	84.5	29.0	4.0	1.1	4.2	12.1	35.5	108.9	266.2	539.7	1,026.8	2,158.0
1988.....	92.4	36.7	4.0	1.4	4.7	13.4	38.3	112.6	298.0	568.8	1,155.2	2,417.7
1987.....	91.2	42.0	4.1	1.3	4.6	13.6	38.9	112.9	278.0	574.4	1,134.1	2,372.7
1986.....	93.7	42.5	4.7	1.3	4.5	14.7	39.6	112.8	295.8	576.5	1,171.8	2,456.0
1985.....	89.0	42.9	3.7	1.4	4.4	13.7	37.2	112.9	279.4	565.3	1,081.4	2,213.7
1984.....	85.6	40.9	4.0	1.2	4.8	13.7	36.7	106.5	269.5	535.3	1,045.4	2,133.3
1983.....	85.6	45.9	4.4	1.1	4.6	12.8	37.1	108.3	276.4	534.8	1,053.4	1,970.0
1982.....	79.1	33.2	3.9	1.0	3.8	10.8	35.7	104.4	256.4	499.7	949.7	1,856.7
1981.....	79.5	35.1	4.0	1.3	4.3	12.7	36.9	109.7	259.1	460.7	961.4	2,050.0
1980.....	83.5	38.5	5.5	1.1	5.3	13.1	42.5	113.1	267.9	487.3	981.6	2,109.9
1979.....	77.8	40.3	3.8	0.7	4.0	10.4	37.8	111.4	249.7	464.4	889.6	1,816.9

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	501	
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)														
ALL OTHER FEMALE														
1998.....	63.5	25.9	2.1	1.1	2.9	6.5	17.1	39.9	104.1	236.5	568.5	1,650.0		
1997.....	62.4	21.7	1.5	1.0	3.3	6.6	16.2	41.1	100.8	231.7	570.3	1,670.2		
1996.....	63.7	23.4	2.9	1.1	3.1	7.8	17.2	42.9	109.4	241.5	581.3	1,655.7		
1995.....	65.4	23.4	2.6	1.0	3.7	6.7	17.3	42.0	112.3	251.2	624.1	1,804.3		
1994.....	65.1	27.2	3.3	0.8	2.9	8.0	17.5	43.4	112.4	258.2	632.1	1,731.3		
1993.....	68.5	27.3	3.0	1.2	3.0	6.9	18.1	45.3	125.6	275.9	667.5	1,828.3		
1992.....	65.2	27.7	2.7	1.1	2.7	7.4	18.0	43.9	120.7	265.7	625.2	1,798.8		
1991.....	65.8	22.5	3.2	1.0	2.8	6.6	16.9	45.5	115.1	277.8	645.7	1,843.4		
1990.....	67.4	31.4	3.1	1.1	2.9	6.8	15.4	45.5	124.6	281.8	670.6	1,903.8		
1989.....	71.9	31.2	3.0	1.5	2.7	6.9	17.1	49.9	137.9	298.1	732.5	1,957.7		
1988.....	77.9	33.8	3.3	0.8	3.0	7.2	18.4	53.1	145.2	335.7	796.5	2,141.4		
1987.....	77.0	31.3	3.8	1.3	2.9	7.9	16.8	52.0	142.6	335.5	808.5	2,090.8		
1986.....	77.1	37.9	4.2	1.3	3.0	8.2	17.1	54.9	141.6	333.9	813.6	2,121.2		
1985.....	73.3	35.0	4.5	1.4	3.0	6.3	18.1	49.2	142.1	334.9	779.4	1,932.7		
1984.....	70.3	38.7	3.7	1.2	2.8	6.7	18.2	50.1	140.7	312.8	759.7	1,829.7		
1983.....	70.1	39.6	3.2	0.9	3.3	6.9	17.1	51.4	146.2	316.9	758.0	1,796.4		
1982.....	63.3	30.2	3.2	1.3	3.0	6.5	18.6	49.4	127.6	283.9	698.4	1,616.5		
1981.....	63.3	27.2	3.8	0.9	3.1	6.8	19.6	55.3	131.5	287.5	684.0	1,613.5		
1980.....	65.7	39.0	4.0	1.3	3.2	7.8	20.7	52.7	130.7	314.1	705.7	1,709.3		
1979.....	60.3	34.6	3.5	1.1	2.8	7.0	20.9	50.9	125.4	292.7	642.0	1,464.9		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 502
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)													
BLACK, BOTH SEXES													
1998.....	82.3	27.1	2.7	1.3	4.7	11.4	29.3	78.7	184.5	366.3	752.7	1,845.0	
1997.....	80.6	26.8	2.7	1.2	4.9	10.9	28.0	78.7	188.2	358.8	736.9	1,857.5	
1996.....	82.5	31.3	2.7	1.4	4.9	12.0	28.2	83.1	196.8	375.4	756.2	1,847.0	
1995.....	85.5	27.2	3.4	1.4	5.6	12.3	31.4	84.2	200.7	395.2	804.5	1,947.7	
1994.....	84.5	32.5	4.0	1.1	4.7	13.0	31.0	84.7	195.4	399.2	813.3	1,885.6	
1993.....	89.5	30.6	3.2	1.3	4.6	12.0	32.3	91.5	223.2	430.1	842.6	1,988.3	
1992.....	86.0	32.4	3.7	1.2	4.7	12.2	32.0	86.2	211.4	414.2	811.2	2,005.4	
1991.....	87.5	29.8	4.3	1.3	4.4	11.6	32.2	87.7	208.7	434.8	838.9	2,021.1	
1990.....	88.0	38.4	3.7	1.1	4.2	11.5	31.3	86.4	218.2	422.4	860.2	2,086.4	
1989.....	94.3	34.3	3.9	1.4	4.2	11.7	33.0	96.8	233.1	462.0	930.0	2,142.3	
1988.....	102.4	39.9	4.2	1.3	4.7	12.6	35.1	100.1	254.2	498.9	1,032.6	2,372.4	
1987.....	100.4	39.8	4.5	1.4	4.5	13.0	34.0	98.3	237.7	499.4	1,036.0	2,328.8	
1986.....	101.4	46.3	5.0	1.4	4.4	13.9	34.8	99.2	249.0	497.7	1,047.7	2,360.7	
1985.....	95.3	43.0	4.7	1.5	4.3	11.9	33.5	95.1	236.3	488.4	980.5	2,133.3	
1984.....	91.2	45.8	4.3	1.3	4.3	11.9	33.3	90.3	228.7	458.6	953.7	2,050.0	
1983.....	90.3	48.8	4.2	1.0	4.5	11.5	32.4	92.2	233.8	457.2	951.1	1,957.6	
1982.....	82.1	34.1	3.9	1.3	3.8	10.1	32.0	87.7	211.4	418.3	870.7	1,806.8	
1981.....	82.0	33.8	4.0	1.3	4.2	11.4	33.3	93.9	214.9	401.2	864.3	1,876.2	
1980.....	84.3	42.6	5.1	1.2	4.6	12.2	36.3	92.5	215.8	425.5	886.8	1,947.7	
1979.....	76.7	38.8	3.9	1.0	3.7	9.7	32.8	89.8	200.6	398.4	777.6	1,652.6	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 503
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)

	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
1998.....	85.7	25.7	3.2	1.4	5.9	14.4	37.3	110.3	253.4	471.6	902.5	1,898.7
1997.....	84.7	27.7	3.7	1.2	5.7	13.6	36.1	109.5	271.1	463.3	890.8	1,921.8
1996.....	86.9	35.1	2.3	1.6	6.0	13.9	35.4	116.0	275.0	494.4	925.1	1,937.8
1995.....	91.6	28.3	3.8	1.6	6.5	16.4	42.1	120.9	282.5	530.0	993.2	2,066.8
1994.....	89.4	32.8	3.9	1.4	5.7	15.9	41.0	119.6	268.9	525.2	1,003.1	2,041.2
1993.....	95.6	28.3	3.1	1.2	5.5	15.6	42.6	131.4	312.0	575.7	1,025.4	2,144.1
1992.....	92.8	33.3	4.3	1.3	6.1	15.4	42.6	121.3	293.0	559.5	1,023.1	2,212.0
1991.....	95.0	31.2	4.8	1.4	5.6	15.4	44.3	123.3	296.8	588.3	1,056.0	2,204.3
1990.....	95.1	41.9	4.0	1.1	4.8	14.7	44.8	122.2	305.6	560.9	1,088.6	2,292.1
1989.....	102.0	31.7	4.6	1.2	5.2	15.3	45.5	138.5	318.4	631.7	1,149.1	2,334.8
1988.....	111.6	41.1	4.4	1.6	5.8	16.9	48.8	142.0	356.8	662.8	1,307.4	2,618.5
1987.....	108.9	44.9	5.0	1.5	5.6	16.4	48.9	140.0	325.6	664.3	1,275.7	2,601.6
1986.....	111.8	49.6	5.3	1.3	5.2	18.0	50.3	138.5	351.5	663.3	1,317.9	2,627.0
1985.....	105.2	47.1	4.2	1.5	5.1	16.6	46.8	138.2	325.6	644.4	1,205.4	2,390.3
1984.....	100.4	47.2	4.4	1.4	5.3	16.1	46.0	127.7	312.6	610.7	1,161.4	2,286.9
1983.....	99.5	52.4	4.8	1.2	5.2	14.8	45.7	130.0	317.7	602.2	1,158.7	2,081.7
1982.....	91.8	36.3	4.1	1.2	4.3	12.9	43.5	123.7	294.6	563.0	1,049.4	1,972.4
1981.....	91.9	38.1	4.3	1.5	5.0	15.2	45.2	130.0	296.2	518.7	1,054.0	2,164.3
1980.....	94.6	42.4	6.0	1.2	5.6	15.5	50.4	131.0	302.7	538.2	1,076.0	2,212.8
1979.....	87.0	40.8	4.1	0.8	4.4	11.9	43.2	128.7	278.2	514.4	932.4	1,926.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 504
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)
 BLACK FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	79.2	28.6	2.1	1.2	3.4	8.7	22.2	52.5	131.8	290.1	663.6	1,822.8
1997.....	76.9	26.0	*	1.2	4.0	8.5	20.9	53.2	124.7	283.6	646.7	1,830.9
1996.....	78.6	27.4	3.0	1.3	3.8	10.4	22.0	55.8	136.8	290.0	658.0	1,809.7
1995.....	79.9	26.1	2.9	1.1	4.7	8.5	22.0	53.7	137.8	298.9	696.3	1,899.3
1994.....	80.1	32.1	4.1	0.9	3.6	10.4	22.3	55.8	138.9	309.7	705.9	1,822.5
1993.....	84.1	33.0	3.4	1.4	3.6	8.9	23.3	58.4	154.7	327.0	740.1	1,924.8
1992.....	79.9	31.6	3.0	1.2	3.3	9.3	22.8	57.1	148.3	312.2	692.9	1,919.4
1991.....	80.6	28.4	3.8	1.2	3.3	8.2	21.9	58.2	140.3	327.8	717.5	1,943.6
1990.....	81.7	34.8	3.4	1.1	3.6	8.6	19.7	56.7	150.6	326.2	732.3	1,999.2
1989.....	87.3	36.9	3.2	1.5	3.2	8.5	22.3	62.2	166.7	344.1	806.0	2,073.2
1988.....	94.1	38.5	3.9	0.9	3.7	8.8	23.5	65.3	174.1	384.7	875.5	2,265.1
1987.....	92.8	34.5	4.0	1.3	3.5	9.9	21.3	63.8	168.7	384.4	897.0	2,207.6
1986.....	92.1	42.9	4.7	1.4	3.6	10.2	21.6	66.7	168.3	381.2	889.0	2,239.1
1985.....	86.5	38.7	5.2	1.6	3.5	7.7	22.3	59.6	165.9	378.8	846.4	2,013.5
1984.....	82.9	44.5	4.1	1.3	3.3	8.2	22.6	59.6	162.1	351.2	830.9	1,938.0
1983.....	82.0	45.1	3.5	0.8	3.8	8.6	21.3	61.2	166.9	354.7	821.8	1,897.6
1982.....	73.5	31.9	3.7	1.3	3.3	7.7	22.5	58.2	144.8	314.8	760.3	1,725.4
1981.....	73.2	29.3	3.8	1.0	3.5	8.0	23.3	64.5	149.7	316.5	745.7	1,716.8
1980.....	75.0	42.9	4.2	1.2	3.5	9.3	24.6	61.1	145.8	343.1	767.0	1,815.2
1979.....	67.4	36.7	3.6	1.2	3.1	7.9	24.1	58.0	137.8	313.1	673.1	1,515.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 505
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)
 TOTAL, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	5.3	*	*	*	*	0.1	0.5	1.7	5.0	13.6	38.3	128.4
1997.....	5.1	*	*	*	*	0.1	0.5	1.7	4.6	13.1	38.2	122.5
1996.....	4.9	*	*	*	*	0.1	0.5	1.8	4.7	12.8	37.3	116.9
1995.....	4.8	*	*	*	*	0.2	0.6	1.8	4.9	13.0	35.8	114.1
1994.....	4.5	*	*	*	*	0.2	0.5	1.6	4.8	12.5	35.8	105.2
1993.....	4.4	*	*	*	*	0.2	0.6	1.7	5.0	12.2	33.3	103.6
1992.....	4.0	*	*	*	*	0.2	0.5	1.5	4.5	11.9	32.2	93.3
1991.....	3.8	*	*	*	*	0.1	0.5	1.6	4.2	11.3	30.5	86.9
1990.....	3.7	*	*	*	*	0.1	0.5	1.6	4.2	11.0	30.0	87.3
1989.....	3.6	*	*	*	*	0.2	0.5	1.5	4.0	10.7	29.0	83.5
1988.....	3.5	*	*	*	*	0.1	0.5	1.5	4.2	10.8	28.5	80.1
1987.....	3.4	*	*	*	*	0.1	0.5	1.5	4.0	11.0	27.4	78.6
1986.....	3.3	*	*	*	*	0.1	0.4	1.6	4.0	10.6	28.8	76.9
1985.....	3.3	*	*	*	*	0.1	0.4	1.5	4.1	10.4	28.4	76.2
1984.....	3.3	*	*	*	*	0.1	0.4	1.4	4.2	11.3	28.3	77.2
1983.....	3.3	*	*	*	*	0.1	0.4	1.5	4.1	10.6	29.4	83.2
1982.....	3.3	*	*	*	*	0.1	0.4	1.5	4.1	10.8	29.2	83.2
1981.....	3.3	*	*	*	*	0.2	0.5	1.7	4.1	10.7	30.2	84.5
1980.....	3.5	0.1	0.0	0.0	0.0	0.2	0.6	1.8	4.3	11.2	31.7	91.5
1979.....	3.2	0.1	0.0	0.0	0.0	0.1	0.6	1.7	4.1	10.4	29.5	88.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 506
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)
 TOTAL, MALE

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	4.2	*	*	*	*	0.2	0.7	2.3	5.8	14.4	37.5	112.6
1997.....	4.1	*	*	*	*	0.2	0.7	2.3	5.8	14.0	39.4	113.2
1996.....	4.0	*	*	*	*	0.2	0.6	2.3	5.7	14.2	37.4	112.2
1995.....	3.9	*	*	*	*	0.2	0.7	2.3	5.9	14.1	36.5	109.6
1994.....	3.8	*	*	*	*	0.2	0.7	2.3	5.9	13.6	36.9	101.7
1993.....	3.6	*	*	*	*	0.2	0.8	2.1	5.8	13.0	34.9	98.8
1992.....	3.4	*	*	*	*	0.2	0.6	1.9	5.1	13.3	35.4	94.7
1991.....	3.2	*	*	*	*	0.2	0.6	1.9	5.1	12.3	32.1	93.2
1990.....	3.2	*	*	*	*	0.2	0.7	1.9	4.8	12.2	31.5	95.8
1989.....	3.1	*	*	*	*	0.2	0.6	2.1	4.8	12.2	33.0	82.9
1988.....	3.0	*	*	*	*	0.2	0.6	1.8	4.7	12.1	32.4	79.1
1987.....	3.0	*	*	*	*	0.1	0.6	1.8	5.1	12.4	30.4	82.6
1986.....	2.9	*	*	*	*	0.2	0.4	1.9	4.7	12.0	31.4	81.3
1985.....	2.9	*	*	*	*	0.1	0.5	1.9	4.9	12.0	32.1	81.2
1984.....	3.0	*	*	*	*	0.2	0.5	1.8	4.8	13.3	31.0	89.8
1983.....	3.1	*	*	*	*	0.2	0.6	1.8	4.8	12.1	34.3	97.4
1982.....	3.0	*	*	*	*	0.2	0.5	1.7	4.9	12.7	33.1	101.3
1981.....	3.1	*	*	*	*	0.2	0.6	2.0	4.9	12.3	36.3	102.0
1980.....	3.3	0.2	-	0.0	0.0	0.2	0.7	2.1	5.3	12.6	35.9	116.4
1979.....	3.1	0.2	0.0	0.0	0.0	0.2	0.7	1.9	4.8	12.6	34.7	107.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 507
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)
 TOTAL, FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	6.4	*	*	*	*	0.1	0.4	1.2	4.2	12.9	38.8	134.9
1997.....	5.9	*	*	*	*	0.1	0.4	1.2	3.5	12.3	37.4	126.3
1996.....	5.7	*	*	*	*	0.1	0.4	1.3	3.8	11.8	37.3	118.7
1995.....	5.5	*	*	*	*	*	0.5	1.3	4.1	12.1	35.3	115.8
1994.....	5.2	*	*	*	*	0.1	0.4	1.0	3.8	11.6	35.1	106.6
1993.....	5.1	*	*	*	*	0.1	0.4	1.3	4.3	11.5	32.3	105.5
1992.....	4.6	*	*	*	*	*	0.4	1.2	4.0	10.8	30.3	92.8
1991.....	4.3	*	*	*	*	*	0.4	1.4	3.4	10.6	29.5	84.5
1990.....	4.2	*	*	*	*	*	0.3	1.2	3.7	10.1	29.1	84.1
1989.....	3.9	*	*	*	*	*	0.4	1.0	3.4	9.6	26.6	83.8
1988.....	3.9	*	*	*	*	0.1	0.4	1.3	3.8	9.7	26.1	80.5
1987.....	3.7	*	*	*	*	*	0.3	1.2	2.9	10.0	25.6	77.0
1986.....	3.7	*	*	*	*	*	0.3	1.3	3.3	9.5	27.2	75.1
1985.....	3.6	*	*	*	*	*	0.3	1.2	3.3	9.2	26.2	74.2
1984.....	3.6	*	*	*	*	*	0.3	1.1	3.7	9.8	26.7	72.1
1983.....	3.5	*	*	*	*	*	0.3	1.2	3.4	9.5	26.5	77.4
1982.....	3.5	*	*	*	*	*	0.3	1.3	3.3	9.3	26.9	75.6
1981.....	3.5	*	*	*	*	0.2	0.4	1.4	3.4	9.4	26.6	77.0
1980.....	3.6	0.1	0.0	0.0	0.0	0.1	0.5	1.5	3.4	10.1	29.2	80.7
1979.....	3.4	0.1	0.0	0.0	0.0	0.1	0.5	1.5	3.5	8.7	26.4	80.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 508
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)
 WHITE, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	4.9	*	*	*	*	0.1	0.3	1.0	3.3	10.7	33.5	119.6
1997.....	4.7	*	*	*	*	0.1	0.3	1.0	3.3	10.5	34.0	115.1
1996.....	4.5	*	*	*	*	0.1	0.3	1.0	3.2	10.5	33.1	108.7
1995.....	4.3	*	*	*	*	0.1	0.3	1.0	3.3	10.4	31.3	107.1
1994.....	4.1	*	*	*	*	0.1	0.3	0.9	3.5	10.0	30.9	98.6
1993.....	3.9	*	*	*	*	0.1	0.3	1.0	3.5	9.7	29.0	95.4
1992.....	3.6	*	*	*	*	0.1	0.2	0.8	3.1	9.3	28.6	87.7
1991.....	3.4	*	*	*	*	0.1	0.2	0.9	2.9	9.0	26.4	82.2
1990.....	3.3	*	*	*	*	*	0.2	0.9	3.0	8.9	26.6	82.8
1989.....	3.2	*	*	*	*	0.1	0.2	0.9	2.9	8.5	25.4	80.1
1988.....	3.1	*	*	*	*	0.1	0.3	0.8	2.8	8.8	25.5	75.9
1987.....	3.1	*	*	*	*	0.1	0.2	0.9	2.9	9.0	24.3	75.1
1986.....	3.0	*	*	*	*	0.1	0.2	1.0	2.9	8.8	25.6	73.7
1985.....	2.9	*	*	*	*	*	0.2	0.9	2.8	8.5	25.4	72.7
1984.....	3.0	*	*	*	*	*	0.2	0.9	3.0	9.2	25.1	75.5
1983.....	3.1	*	*	*	*	0.1	0.2	0.9	2.9	8.8	26.9	81.6
1982.....	3.0	*	*	*	*	0.1	0.2	0.9	3.0	9.0	26.4	82.7
1981.....	3.0	*	*	*	*	0.1	0.2	0.9	2.9	8.7	27.6	82.4
1980.....	3.1	0.1	-	0.0	0.0	0.1	0.3	1.0	3.1	9.1	29.3	90.5
1979.....	2.9	0.1	0.0	0.0	0.0	0.0	0.3	1.0	3.0	8.5	27.5	87.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 509
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	3.7	*	*	*	*	*	0.4	1.4	4.2	11.4	33.2	107.3
1997.....	3.7	*	*	*	*	*	0.4	1.3	4.4	11.6	34.9	105.9
1996.....	3.5	*	*	*	*	*	0.3	1.3	4.0	11.8	33.2	102.0
1995.....	3.5	*	*	*	*	0.1	0.4	1.4	4.2	11.5	32.0	100.9
1994.....	3.3	*	*	*	*	*	0.3	1.3	4.4	11.4	32.1	95.8
1993.....	3.2	*	*	*	*	*	0.5	1.4	4.2	10.6	31.2	91.3
1992.....	3.1	*	*	*	*	*	0.4	1.1	3.8	10.6	32.1	90.3
1991.....	2.8	*	*	*	*	*	0.2	1.1	3.7	10.1	28.4	88.2
1990.....	2.8	*	*	*	*	*	0.3	1.2	3.6	10.0	28.3	90.5
1989.....	2.8	*	*	*	*	0.1	0.3	1.2	3.7	9.8	29.5	80.0
1988.....	2.7	*	*	*	*	*	0.3	1.0	3.7	10.4	30.0	75.6
1987.....	2.7	*	*	*	*	*	0.3	1.1	3.9	10.5	27.3	80.6
1986.....	2.7	*	*	*	*	*	0.2	1.2	3.5	10.7	28.4	79.1
1985.....	2.6	*	*	*	*	*	0.2	1.2	3.7	10.1	29.6	77.8
1984.....	2.7	*	*	*	*	*	0.3	1.2	3.5	11.2	28.4	89.0
1983.....	2.8	*	*	*	*	*	0.3	1.2	3.7	10.4	32.0	96.1
1982.....	2.8	*	*	*	*	*	0.3	1.1	3.9	11.2	30.5	102.5
1981.....	2.8	*	*	*	*	*	0.3	1.2	3.7	10.5	33.9	100.9
1980.....	3.0	0.2	-	0.0	0.0	0.1	0.4	1.2	4.2	10.6	33.8	115.7
1979.....	2.8	0.1	-	0.0	0.0	0.1	0.4	1.2	3.7	10.6	32.8	105.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 510
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	5.9	*	*	*	*	*	0.2	0.6	2.5	10.1	33.7	124.6
1997.....	5.6	*	*	*	*	*	0.1	0.7	2.3	9.5	33.5	118.8
1996.....	5.4	*	*	*	*	*	0.2	0.7	2.5	9.4	33.0	111.4
1995.....	5.2	*	*	*	*	*	0.2	0.7	2.5	9.4	30.8	109.5
1994.....	4.9	*	*	*	*	*	0.2	0.5	2.7	9.0	30.2	99.7
1993.....	4.6	*	*	*	*	*	0.2	0.7	2.9	8.9	27.6	96.9
1992.....	4.2	*	*	*	*	*	0.1	0.5	2.5	8.3	26.5	86.7
1991.....	3.9	*	*	*	*	*	0.2	0.7	2.2	8.3	25.3	80.0
1990.....	3.8	*	*	*	*	*	0.1	0.6	2.4	8.0	25.6	79.9
1989.....	3.6	*	*	*	*	*	0.2	0.5	2.1	7.5	23.0	80.2
1988.....	3.5	*	*	*	*	*	0.2	0.6	2.0	7.5	22.8	76.0
1987.....	3.4	*	*	*	*	*	*	0.6	2.0	7.8	22.6	72.9
1986.....	3.4	*	*	*	*	*	*	0.8	2.3	7.3	24.1	71.6
1985.....	3.2	*	*	*	*	*	0.2	0.6	2.0	7.3	23.0	70.7
1984.....	3.3	*	*	*	*	*	*	0.6	2.6	7.7	23.1	70.2
1983.....	3.3	*	*	*	*	*	0.2	0.6	2.3	7.6	23.9	75.7
1982.....	3.2	*	*	*	*	*	*	0.7	2.3	7.4	24.1	74.7
1981.....	3.2	*	*	*	*	*	0.2	0.7	2.2	7.3	24.0	74.6
1980.....	3.3	0.1	-	0.0	0.0	0.1	0.2	0.8	2.2	7.9	26.6	79.7
1979.....	3.1	-	0.0	0.0	0.0	0.0	0.3	0.7	2.3	6.9	24.4	78.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 511
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)
 ALL OTHER, BOTH SEXES

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	7.4	*	*	*	*	0.4	1.7	5.6	15.0	34.4	83.1	211.4
1997.....	6.8	*	*	*	*	0.5	1.9	6.1	12.6	32.3	77.4	193.5
1996.....	6.8	*	*	*	*	0.5	1.6	6.3	13.8	31.0	77.9	194.7
1995.....	6.8	*	*	*	*	0.5	2.0	6.1	15.2	33.5	79.5	184.4
1994.....	6.5	*	*	*	*	0.5	1.9	6.0	13.3	31.8	82.8	173.1
1993.....	6.5	*	*	*	*	0.6	2.1	5.7	14.7	32.3	75.9	189.0
1992.....	6.0	*	*	*	*	0.6	1.6	6.0	13.6	33.4	67.2	152.7
1991.....	5.7	*	*	*	*	0.5	1.9	6.0	13.1	30.5	70.1	136.5
1990.....	5.5	*	*	*	*	0.4	2.0	6.1	13.3	29.6	63.2	135.5
1989.....	5.4	*	*	*	*	0.5	1.9	5.7	12.6	30.1	64.3	119.5
1988.....	5.3	*	*	*	*	0.5	1.4	6.2	14.6	28.1	57.6	125.4
1987.....	5.0	*	*	*	*	0.3	1.7	5.3	12.4	29.0	58.0	116.3
1986.....	4.9	*	*	*	*	0.5	1.6	5.3	12.7	26.7	60.0	111.3
1985.....	5.1	*	*	*	*	0.4	2.0	6.0	13.8	27.6	57.8	113.8
1984.....	5.1	*	*	*	*	0.5	1.7	5.1	13.9	29.9	61.0	95.9
1983.....	4.8	*	*	*	*	0.4	1.8	5.5	13.3	26.9	54.7	101.0
1982.....	4.7	*	*	*	*	0.5	1.5	5.6	12.6	26.4	57.4	88.4
1981.....	5.2	*	*	*	*	0.6	2.4	7.0	14.0	28.3	56.7	108.9
1980.....	5.3	-	0.0	0.0	0.1	0.6	2.6	7.8	14.5	30.2	57.2	103.1
1979.....	5.1	0.3	0.1	-	0.0	0.7	2.5	7.4	14.2	27.6	50.2	105.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 512
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	6.3	*	*	*	*	0.6	2.0	7.6	16.8	37.9	79.6	158.6
1997.....	6.2	*	*	*	*	0.6	2.6	8.4	15.8	33.0	83.7	177.4
1996.....	6.2	*	*	*	*	*	1.9	8.2	17.0	33.7	79.1	200.2
1995.....	6.2	*	*	*	*	0.7	2.7	7.9	17.4	36.0	81.8	190.5
1994.....	6.0	*	*	*	*	0.6	2.7	8.6	17.0	32.4	85.0	157.7
1993.....	5.6	*	*	*	*	0.6	2.5	6.4	17.2	33.6	72.0	169.2
1992.....	5.2	*	*	*	*	0.8	1.7	7.1	14.1	36.4	68.4	136.6
1991.....	5.2	*	*	*	*	0.6	2.6	6.6	15.2	32.0	68.5	139.5
1990.....	5.1	*	*	*	*	0.6	2.9	7.2	14.4	32.5	63.0	145.0
1989.....	5.1	*	*	*	*	0.8	2.4	7.7	13.4	34.4	66.8	109.9
1988.....	4.4	*	*	*	*	0.7	1.9	7.2	12.9	27.4	55.5	111.4
1987.....	4.7	*	*	*	*	*	2.3	6.4	15.7	29.9	60.7	101.3
1986.....	4.4	*	*	*	*	0.7	1.7	6.4	14.6	24.6	60.5	101.3
1985.....	4.7	*	*	*	*	*	2.6	7.0	14.8	29.5	55.6	113.7
1984.....	4.7	*	*	*	*	0.8	2.1	6.2	15.4	32.7	55.6	97.2
1983.....	4.6	*	*	*	*	*	2.5	6.5	14.9	28.5	56.1	108.6
1982.....	4.3	*	*	*	*	0.7	2.1	6.3	13.8	26.4	57.7	89.6
1981.....	4.9	*	*	*	*	*	2.8	8.1	15.4	28.8	59.2	112.5
1980.....	5.1	-	-	0.0	0.1	0.6	3.1	9.0	15.9	30.6	57.1	123.4
1979.....	5.0	0.3	0.2	-	0.1	1.0	3.2	7.7	14.7	30.7	53.0	127.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 513
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)
 ALL OTHER FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	8.4	*	*	*	*	*	1.3	3.9	13.7	31.8	85.3	235.6
1997.....	7.3	*	*	*	*	*	1.3	4.2	10.1	31.8	73.6	200.7
1996.....	7.3	*	*	*	*	*	1.4	4.7	11.3	29.0	77.2	192.3
1995.....	7.3	*	*	*	*	*	1.4	4.6	13.5	31.8	78.1	181.8
1994.....	7.0	*	*	*	*	*	1.3	3.9	10.4	31.3	81.6	179.7
1993.....	7.4	*	*	*	*	0.6	1.6	5.2	12.7	31.3	78.2	197.6
1992.....	6.6	*	*	*	*	*	1.6	5.0	13.1	31.3	66.4	159.9
1991.....	6.2	*	*	*	*	*	1.2	5.4	11.5	29.4	71.0	134.4
1990.....	5.9	*	*	*	*	*	1.2	5.2	12.5	27.6	63.3	131.2
1989.....	5.7	*	*	*	*	*	1.4	4.0	12.0	27.1	62.8	124.0
1988.....	6.1	*	*	*	*	*	1.0	5.4	15.9	28.6	58.9	132.0
1987.....	5.4	*	*	*	*	*	1.3	4.3	9.8	28.4	56.2	123.3
1986.....	5.5	*	*	*	*	*	1.5	4.3	11.1	28.3	59.6	116.0
1985.....	5.5	*	*	*	*	*	1.4	5.1	13.0	26.1	59.1	114.7
1984.....	5.4	*	*	*	*	*	1.3	4.3	12.7	27.9	64.5	95.2
1983.....	5.0	*	*	*	*	*	1.2	4.8	12.0	25.7	53.8	97.1
1982.....	5.0	*	*	*	*	*	1.0	5.0	11.6	26.3	57.2	87.2
1981.....	5.4	*	*	*	*	*	2.0	6.1	12.8	27.9	55.1	107.1
1980.....	5.6	-	0.1	0.0	0.1	0.5	2.1	6.8	13.3	29.9	57.3	92.7
1979.....	5.1	0.3	0.1	-	-	0.5	1.9	7.1	13.8	25.2	48.4	94.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 514
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)
 BLACK, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	9.2	*	*	*	*	0.6	2.2	7.4	19.8	42.7	95.5	239.7
1997.....	8.6	*	*	*	*	0.6	2.5	8.2	16.6	39.7	91.2	218.1
1996.....	8.5	*	*	*	*	0.6	2.1	8.5	17.8	37.5	91.4	217.6
1995.....	8.5	*	*	*	*	0.6	2.6	8.3	19.1	40.8	90.1	198.5
1994.....	8.1	*	*	*	*	0.7	2.5	8.0	16.9	38.6	94.3	183.7
1993.....	8.1	*	*	*	*	0.8	2.8	7.5	18.8	38.9	86.7	199.8
1992.....	7.4	*	*	*	*	0.8	2.2	7.9	17.0	39.5	74.4	164.1
1991.....	7.1	*	*	*	*	0.6	2.5	8.0	16.4	36.2	80.4	145.3
1990.....	6.9	*	*	*	*	0.5	2.5	8.0	16.5	35.4	72.7	148.7
1989.....	6.6	*	*	*	*	0.7	2.5	7.2	15.7	35.4	71.4	126.8
1988.....	6.5	*	*	*	*	0.7	2.0	7.8	18.0	32.6	64.6	136.0
1987.....	6.2	*	*	*	*	0.4	2.2	6.7	15.2	34.1	64.5	123.6
1986.....	6.0	*	*	*	*	0.6	2.1	6.6	15.2	31.0	66.5	120.4
1985.....	6.2	*	*	*	*	0.5	2.5	7.5	16.3	31.8	64.1	124.6
1984.....	6.1	*	*	*	*	0.6	2.1	6.2	16.6	34.6	66.8	102.6
1983.....	5.7	*	*	*	*	0.5	2.3	6.6	15.8	30.3	60.9	107.1
1982.....	5.4	*	*	*	*	0.6	1.8	6.8	14.4	29.8	62.6	89.2
1981.....	6.0	*	*	*	*	0.7	3.0	8.3	15.9	32.1	61.5	117.9
1980.....	6.1	-	0.1	0.0	0.1	0.7	3.2	8.9	16.2	33.6	61.7	107.5
1979.....	5.7	0.4	0.1	-	0.0	0.9	2.9	8.6	15.9	30.3	53.3	110.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 515
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	7.8	*	*	*	*	0.8	2.6	10.0	22.7	47.5	89.8	180.3
1997.....	7.8	*	*	*	*	*	3.3	11.5	21.0	39.9	99.7	197.4
1996.....	7.8	*	*	*	*	*	2.4	11.1	22.4	41.3	95.8	223.2
1995.....	7.7	*	*	*	*	0.9	3.6	10.7	21.7	43.9	94.1	204.5
1994.....	7.4	*	*	*	*	0.9	3.5	11.5	21.8	39.3	99.1	162.4
1993.....	7.0	*	*	*	*	0.8	3.4	8.6	22.4	41.9	82.2	180.1
1992.....	6.5	*	*	*	*	1.2	2.2	9.5	18.0	43.2	75.8	153.6
1991.....	6.4	*	*	*	*	0.8	3.4	8.9	19.1	38.2	81.2	144.9
1990.....	6.4	*	*	*	*	*	3.6	9.5	17.4	39.9	74.0	164.5
1989.....	6.3	*	*	*	*	1.1	3.2	9.9	16.9	40.6	76.7	115.2
1988.....	5.3	*	*	*	*	0.9	2.6	8.9	15.8	31.4	60.9	123.1
1987.....	5.7	*	*	*	*	*	2.9	8.2	19.4	35.2	68.5	107.8
1986.....	5.3	*	*	*	*	0.9	2.2	7.9	17.4	28.6	68.3	111.1
1985.....	5.7	*	*	*	*	*	3.3	8.9	17.7	34.8	63.0	125.8
1984.....	5.6	*	*	*	*	1.0	2.7	7.5	18.6	38.5	59.8	108.2
1983.....	5.5	*	*	*	*	*	3.2	7.8	17.9	32.5	64.0	115.0
1982.....	5.0	*	*	*	*	*	2.4	7.7	15.5	30.9	63.1	86.2
1981.....	5.7	*	*	*	*	*	3.5	9.5	17.2	33.4	64.3	125.0
1980.....	5.8	-	-	0.0	0.1	0.8	3.9	10.4	17.8	33.9	61.4	130.2
1979.....	5.7	0.4	0.1	-	0.1	1.3	3.8	9.0	16.3	34.4	57.1	136.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 516
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	10.5	*	*	*	*	*	1.8	5.3	17.7	39.3	98.9	264.4
1997.....	9.3	*	*	*	*	*	1.8	5.6	13.2	39.7	86.2	226.7
1996.....	9.2	*	*	*	*	*	1.9	6.4	14.3	34.7	88.8	215.3
1995.....	9.1	*	*	*	*	*	1.8	6.2	17.1	38.6	87.8	196.0
1994.....	8.8	*	*	*	*	*	1.7	5.1	13.0	38.2	91.6	192.3
1993.....	9.2	*	*	*	*	0.8	2.2	6.6	15.9	36.8	89.3	207.9
1992.....	8.2	*	*	*	*	*	2.2	6.7	16.2	36.8	73.6	168.4
1991.....	7.8	*	*	*	*	*	1.6	7.2	14.3	34.8	80.0	145.4
1990.....	7.4	*	*	*	*	*	1.6	6.8	15.8	32.2	72.0	142.0
1989.....	7.0	*	*	*	*	*	1.9	5.1	14.8	31.7	68.3	132.7
1988.....	7.5	*	*	*	*	*	1.4	6.8	19.7	33.4	66.7	141.6
1987.....	6.5	*	*	*	*	*	1.6	5.4	11.9	33.3	62.2	130.6
1986.....	6.6	*	*	*	*	*	1.9	5.5	13.5	32.7	65.5	124.6
1985.....	6.6	*	*	*	*	*	1.8	6.4	15.3	29.7	64.7	124.1
1984.....	6.5	*	*	*	*	*	1.7	5.1	15.1	31.9	71.2	100.0
1983.....	5.9	*	*	*	*	*	1.5	5.7	14.1	28.7	58.9	103.2
1982.....	5.8	*	*	*	*	*	1.2	6.0	13.6	29.1	62.3	90.7
1981.....	6.3	*	*	*	*	*	2.5	7.3	14.8	31.1	59.8	113.3
1980.....	6.4	-	0.1	0.0	0.2	0.7	2.6	7.7	14.9	33.4	61.9	96.2
1979.....	5.8	0.4	0.1	-	-	0.6	2.2	8.2	15.5	27.3	50.6	98.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 517												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 CEREBROVASCULAR DISEASES (430-438) TOTAL, BOTH SEXES												
1998.....	58.6	7.8	0.4	0.2	0.5	1.7	6.0	16.5	42.6	130.0	455.4	1,500.0
1997.....	59.7	7.0	0.4	0.2	0.5	1.7	6.3	16.9	44.4	134.8	462.0	1,584.6
1996.....	60.3	6.2	0.3	0.2	0.5	1.8	6.3	17.9	45.3	135.5	477.0	1,612.7
1995.....	60.1	5.8	0.4	0.2	0.5	1.8	6.5	17.6	46.1	137.2	481.4	1,636.5
1994.....	58.9	5.1	0.3	0.2	0.5	1.9	6.5	17.9	45.6	135.7	480.2	1,604.1
1993.....	58.2	5.5	0.3	0.2	0.6	1.9	6.2	17.6	46.0	135.8	479.1	1,607.7
1992.....	56.4	4.1	0.3	0.2	0.5	1.9	6.5	17.5	46.4	135.3	468.2	1,566.0
1991.....	56.9	4.0	0.4	0.2	0.6	1.9	6.4	18.3	46.4	139.6	479.4	1,587.7
1990.....	57.9	3.8	0.3	0.2	0.6	2.2	6.5	18.7	48.0	144.4	499.3	1,633.9
1989.....	59.0	3.3	0.3	0.2	0.6	2.1	6.5	18.6	49.6	147.3	515.1	1,671.6
1988.....	61.6	4.0	0.4	0.2	0.7	2.2	6.9	19.3	52.0	157.1	548.4	1,744.7
1987.....	61.8	3.4	0.4	0.2	0.6	2.3	7.0	20.2	52.8	159.3	558.1	1,760.1
1986.....	62.3	2.9	0.3	0.2	0.7	2.3	7.1	20.5	53.6	166.0	569.5	1,784.5
1985.....	64.3	3.7	0.3	0.2	0.8	2.2	7.2	21.3	54.8	172.8	601.5	1,865.1
1984.....	65.4	3.1	0.4	0.3	0.8	2.3	7.5	22.7	56.2	178.2	622.8	1,904.9
1983.....	66.6	3.9	0.4	0.3	0.8	2.2	7.4	22.8	58.0	183.2	650.6	1,949.8
1982.....	68.1	3.6	0.3	0.3	0.7	2.4	7.7	23.7	59.1	193.5	678.6	2,000.8
1981.....	71.3	3.7	0.3	0.3	0.9	2.6	8.5	24.8	63.0	206.4	717.6	2,134.1
1980.....	75.1	4.4	0.5	0.3	1.0	2.6	8.5	25.2	65.2	219.5	788.6	2,288.9
1979.....	75.5	4.6	0.3	0.3	0.9	2.6	9.1	26.4	68.1	226.9	793.8	2,264.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 518												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 CEREBROVASCULAR DISEASES (430-438)												
TOTAL, MALE												
1998.....	46.3	9.0	0.3	0.2	0.6	1.7	6.2	18.5	49.5	145.7	474.7	1,347.2
1997.....	47.8	7.6	0.5	0.2	0.6	1.7	6.5	19.2	51.4	153.1	488.7	1,500.7
1996.....	48.1	6.5	0.3	0.2	0.5	1.7	6.7	20.0	52.5	154.7	508.7	1,512.7
1995.....	48.0	6.3	0.4	0.2	0.5	1.9	7.1	19.8	53.4	155.9	517.1	1,537.7
1994.....	47.4	5.8	0.4	0.2	0.5	1.8	7.1	20.1	52.5	156.0	524.6	1,521.8
1993.....	46.9	5.9	0.3	0.3	0.5	2.0	6.8	19.6	52.5	157.4	523.7	1,541.9
1992.....	45.5	5.3	0.3	0.2	0.6	1.9	6.9	19.3	53.2	155.8	509.7	1,500.8
1991.....	46.1	4.1	0.4	0.2	0.6	1.8	7.1	20.3	52.7	163.8	530.0	1,491.3
1990.....	46.8	4.4	0.3	0.2	0.7	2.1	6.8	20.5	54.4	166.8	552.7	1,533.2
1989.....	47.7	3.6	*	0.3	0.6	2.1	7.1	20.2	57.0	170.0	566.0	1,574.4
1988.....	50.2	4.3	0.4	0.2	0.7	2.4	7.6	21.1	60.5	181.9	604.2	1,655.7
1987.....	50.1	4.0	0.4	0.2	0.6	2.3	7.5	21.9	60.5	182.9	613.2	1,640.9
1986.....	50.6	3.4	0.3	0.2	0.7	2.3	7.8	21.8	60.7	189.3	629.7	1,671.2
1985.....	52.5	4.6	0.4	0.2	0.7	2.2	7.4	23.2	63.5	201.4	661.2	1,730.1
1984.....	53.8	3.6	0.4	0.3	0.9	2.3	7.9	24.6	64.2	208.3	679.2	1,816.2
1983.....	55.3	4.7	0.4	0.2	0.8	2.3	7.4	24.4	66.4	214.9	721.0	1,862.4
1982.....	56.7	4.4	0.3	0.3	0.7	2.5	7.8	25.4	67.4	228.4	739.4	1,924.0
1981.....	59.6	4.4	0.3	0.3	0.9	2.6	8.6	26.4	71.6	242.5	786.6	2,033.8
1980.....	63.6	5.0	0.4	0.3	1.1	2.6	8.7	27.3	74.7	259.2	868.3	2,199.2
1979.....	64.5	4.9	0.4	0.3	0.9	2.7	9.5	28.4	79.4	267.6	873.0	2,188.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 519												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 CEREBROVASCULAR DISEASES (430-438)												
TOTAL, FEMALE												
1998.....	70.4	6.6	0.4	0.2	0.4	1.8	5.7	14.6	36.3	117.2	442.6	1,563.3
1997.....	71.2	6.3	0.3	0.2	0.5	1.7	6.2	14.8	37.9	120.1	444.4	1,618.4
1996.....	71.9	5.9	0.3	0.2	0.4	1.8	5.9	15.9	38.8	120.1	456.5	1,652.4
1995.....	71.7	5.2	0.3	0.2	0.4	1.7	6.0	15.5	39.4	122.2	458.7	1,675.0
1994.....	69.8	4.3	*	0.2	0.5	2.1	5.9	15.8	39.3	119.5	452.4	1,635.9
1993.....	69.0	5.0	0.3	0.2	0.6	1.8	5.6	15.8	40.1	118.7	451.6	1,632.9
1992.....	66.7	2.9	0.4	0.1	0.4	1.9	6.1	15.7	40.3	119.2	442.8	1,591.3
1991.....	67.2	3.8	0.3	0.2	0.6	2.0	5.8	16.4	40.7	120.7	448.8	1,625.0
1990.....	68.6	3.1	0.3	0.2	0.6	2.2	6.1	17.0	42.2	126.9	467.4	1,672.7
1989.....	69.7	3.0	0.3	0.2	0.6	2.1	5.9	17.1	43.0	129.5	484.8	1,709.5
1988.....	72.4	3.8	0.4	0.3	0.7	2.1	6.2	17.6	44.5	137.9	515.4	1,779.5
1987.....	73.0	2.9	0.3	0.2	0.6	2.2	6.6	18.7	46.0	141.0	525.5	1,807.1
1986.....	73.4	2.5	*	0.2	0.6	2.2	6.5	19.3	47.3	148.0	534.0	1,829.4
1985.....	75.5	2.7	0.3	0.3	0.8	2.1	6.9	19.4	47.2	150.7	566.3	1,918.9
1984.....	76.5	2.6	0.4	0.3	0.8	2.2	7.2	20.9	49.1	155.0	589.7	1,940.7
1983.....	77.2	3.2	*	0.3	0.8	2.0	7.3	21.3	50.6	158.9	609.2	1,985.6
1982.....	78.8	2.9	*	0.3	0.7	2.3	7.6	22.1	51.8	166.8	642.9	2,032.8
1981.....	82.3	2.9	0.3	0.3	0.9	2.6	8.3	23.3	55.4	178.8	677.0	2,175.4
1980.....	86.1	3.8	0.5	0.3	0.8	2.6	8.4	23.3	56.9	189.0	741.6	2,328.2
1979.....	85.8	4.2	0.3	0.3	0.9	2.5	8.7	24.6	58.2	195.8	747.0	2,298.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 520												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 CEREBROVASCULAR DISEASES (430-438) WHITE, BOTH SEXES												
1998.....	61.4	6.6	0.3	0.2	0.4	1.4	4.6	12.7	35.9	120.5	446.5	1,524.5
1997.....	62.5	5.9	0.3	0.2	0.5	1.5	4.7	13.1	36.9	125.1	454.5	1,613.0
1996.....	62.9	5.3	0.3	0.2	0.5	1.5	4.7	14.0	38.2	124.5	467.7	1,639.4
1995.....	62.6	5.3	0.3	0.2	0.4	1.5	4.8	13.8	38.9	126.4	470.4	1,651.1
1994.....	61.2	4.6	0.3	0.2	0.5	1.6	4.7	13.8	38.7	124.8	469.2	1,624.4
1993.....	60.5	5.0	0.3	0.2	0.5	1.6	4.7	13.7	38.9	125.1	468.6	1,627.3
1992.....	58.4	3.3	0.3	0.2	0.5	1.5	4.7	13.8	39.1	124.4	458.9	1,584.2
1991.....	58.7	3.3	0.3	0.2	0.6	1.5	4.8	14.1	38.9	128.1	468.3	1,601.3
1990.....	59.7	2.8	0.3	0.2	0.6	1.7	4.7	14.4	40.6	132.5	488.7	1,652.5
1989.....	60.5	2.7	0.2	0.2	0.5	1.7	4.7	14.1	41.7	134.8	502.2	1,690.7
1988.....	63.1	3.1	0.3	0.2	0.7	1.7	5.1	15.1	43.8	143.8	536.0	1,767.1
1987.....	63.5	2.9	0.4	0.2	0.6	1.8	5.3	15.7	44.7	146.7	547.7	1,786.2
1986.....	63.9	2.2	0.2	0.2	0.6	1.7	5.3	16.1	45.8	153.1	558.2	1,812.5
1985.....	65.8	3.0	0.3	0.3	0.7	1.7	5.4	16.7	46.9	159.1	588.7	1,894.4
1984.....	67.0	2.6	0.3	0.3	0.7	1.7	5.8	18.2	48.1	163.4	610.5	1,946.6
1983.....	68.0	3.3	0.4	0.2	0.7	1.8	5.6	18.0	49.3	168.3	641.1	1,983.0
1982.....	69.5	2.8	0.3	0.3	0.6	1.9	5.8	18.9	50.4	179.2	666.9	2,039.2
1981.....	72.6	2.8	0.3	0.3	0.8	2.1	6.6	19.6	54.3	190.7	707.0	2,168.2
1980.....	76.3	3.6	0.4	0.2	0.8	2.0	6.6	20.2	56.0	202.1	776.2	2,328.4
1979.....	76.6	3.4	0.3	0.3	0.8	2.1	6.9	21.1	58.8	209.6	786.5	2,303.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 521												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 CEREBROVASCULAR DISEASES (430-438)												
WHITE MALE												
1998.....	47.3	7.6	*	0.2	0.6	1.5	4.9	14.2	40.8	134.9	464.9	1,365.9
1997.....	48.8	6.4	0.3	0.2	0.5	1.5	5.0	14.6	42.3	141.8	480.3	1,530.6
1996.....	49.1	5.8	*	0.3	0.5	1.5	5.2	15.2	43.4	142.0	500.1	1,537.7
1995.....	48.6	6.0	0.3	0.2	0.5	1.6	5.2	14.8	44.7	143.5	503.1	1,550.0
1994.....	48.1	5.5	0.4	0.2	0.5	1.6	5.2	15.2	44.1	143.6	511.0	1,539.8
1993.....	47.7	5.3	0.3	0.2	0.5	1.8	5.2	14.9	44.1	145.8	511.2	1,562.0
1992.....	46.1	4.1	*	0.2	0.6	1.6	5.0	15.2	44.2	143.0	499.5	1,521.7
1991.....	46.3	3.5	*	0.2	0.6	1.5	5.2	15.2	44.2	150.5	516.4	1,499.5
1990.....	47.0	3.1	*	0.2	0.6	1.8	4.9	15.4	45.8	153.2	540.7	1,549.8
1989.....	47.8	2.9	*	0.3	0.5	1.7	5.0	15.0	48.0	156.3	554.8	1,591.3
1988.....	50.3	3.2	0.3	0.2	0.7	1.8	5.5	16.2	50.9	167.4	590.4	1,685.4
1987.....	50.2	3.7	0.5	0.2	0.6	1.8	5.4	16.8	51.1	169.0	601.2	1,667.7
1986.....	50.7	2.5	*	0.2	0.6	1.8	5.7	16.6	51.8	174.6	616.7	1,701.8
1985.....	52.7	3.7	*	0.2	0.7	1.8	5.5	18.1	54.6	186.4	650.0	1,765.6
1984.....	53.9	2.7	*	0.2	0.8	1.8	6.0	19.4	54.6	192.5	670.0	1,862.8
1983.....	55.5	4.1	0.5	0.2	0.8	1.9	5.6	19.1	56.8	198.8	714.5	1,899.4
1982.....	56.7	3.5	*	0.3	0.7	2.0	5.7	20.1	57.5	211.9	728.1	1,965.7
1981.....	59.4	3.4	*	0.3	0.8	2.1	6.4	20.5	61.6	225.8	776.2	2,067.5
1980.....	63.3	3.8	0.4	0.2	1.0	2.0	6.5	21.7	64.2	240.4	854.8	2,236.9
1979.....	64.2	3.6	0.3	0.3	0.9	2.2	6.8	22.2	68.0	249.5	867.0	2,224.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 522												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 CEREBROVASCULAR DISEASES (430-438)												
WHITE FEMALE												
1998.....	75.0	5.5	0.4	0.2	0.3	1.4	4.3	11.3	31.3	108.6	434.2	1,589.6
1997.....	75.7	5.4	*	0.2	0.4	1.5	4.4	11.6	31.8	111.4	437.5	1,645.8
1996.....	76.3	4.8	*	0.2	0.4	1.5	4.3	12.8	33.3	110.2	446.7	1,679.3
1995.....	76.0	4.6	*	*	0.4	1.4	4.4	12.7	33.6	112.6	449.5	1,690.0
1994.....	73.9	3.6	*	0.2	0.4	1.6	4.3	12.3	33.7	109.7	442.8	1,656.7
1993.....	72.8	4.7	*	0.2	0.6	1.4	4.2	12.6	34.1	108.5	442.1	1,652.0
1992.....	70.3	2.4	*	0.1	0.4	1.4	4.5	12.4	34.4	109.5	434.1	1,608.1
1991.....	70.5	3.2	*	0.2	0.5	1.5	4.4	13.1	34.1	110.5	439.1	1,640.8
1990.....	71.8	2.6	0.3	0.2	0.5	1.7	4.4	13.5	35.8	116.3	457.6	1,691.4
1989.....	72.6	2.6	*	0.2	0.5	1.6	4.4	13.3	35.9	117.8	471.0	1,729.6
1988.....	75.4	2.9	*	0.2	0.6	1.6	4.6	14.0	37.3	125.3	503.8	1,798.5
1987.....	76.2	2.1	*	0.2	0.6	1.7	5.2	14.6	39.0	129.3	516.3	1,832.1
1986.....	76.5	1.8	*	0.2	0.6	1.7	5.0	15.6	40.4	136.3	524.0	1,855.6
1985.....	78.4	2.3	*	0.3	0.7	1.6	5.3	15.5	40.0	137.9	552.9	1,944.9
1984.....	79.4	2.6	*	0.3	0.6	1.6	5.7	17.1	42.2	140.8	575.8	1,979.7
1983.....	79.9	2.6	*	0.3	0.7	1.6	5.6	16.9	42.7	144.8	598.1	2,016.7
1982.....	81.7	2.1	*	0.3	0.6	1.7	5.9	17.8	44.2	154.1	631.3	2,069.3
1981.....	85.1	2.2	*	0.3	0.8	2.0	6.7	18.8	47.8	163.8	666.8	2,210.3
1980.....	88.8	3.3	0.4	0.3	0.7	2.0	6.7	18.7	48.7	172.8	730.3	2,367.8
1979.....	88.5	3.3	0.3	0.3	0.7	2.0	7.0	20.1	50.6	179.2	739.3	2,335.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 523												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 CEREBROVASCULAR DISEASES (430-438)												
ALL OTHER, BOTH SEXES												
1998.....	45.7	12.5	0.7	0.3	0.7	3.0	12.3	37.6	84.0	198.8	538.5	1,267.9
1997.....	46.4	11.0	0.6	0.3	0.7	2.8	14.2	38.9	90.7	207.7	533.3	1,313.3
1996.....	47.5	9.7	*	*	0.5	3.0	13.9	40.5	89.7	220.0	565.8	1,356.4
1995.....	48.2	7.4	0.7	*	0.7	3.0	15.0	40.2	91.7	221.8	589.1	1,488.1
1994.....	47.4	6.9	*	*	0.7	3.6	15.6	42.8	90.0	222.7	588.4	1,395.7
1993.....	46.8	7.2	*	0.3	0.7	3.4	13.9	41.4	93.2	223.0	582.7	1,405.7
1992.....	46.0	7.4	*	*	0.7	3.6	15.6	40.1	95.6	225.6	558.5	1,375.2
1991.....	47.9	6.2	0.6	0.3	0.8	3.8	15.2	43.9	98.2	236.1	588.8	1,444.5
1990.....	48.9	7.2	*	*	0.9	4.3	16.2	45.4	100.5	246.8	603.0	1,437.1
1989.....	51.0	5.4	*	0.3	1.0	4.4	16.3	46.5	107.3	255.6	642.3	1,469.5
1988.....	53.3	7.9	*	*	0.8	5.0	17.3	46.1	113.3	273.9	670.9	1,506.5
1987.....	52.7	5.7	*	*	0.9	4.8	17.2	48.7	114.3	271.2	661.2	1,478.8
1986.....	53.5	6.1	*	*	1.0	5.0	17.8	48.5	114.2	281.0	680.9	1,480.5
1985.....	55.8	6.6	*	*	1.3	4.6	18.0	50.4	118.1	295.4	728.8	1,536.2
1984.....	56.7	5.1	*	0.5	1.3	5.1	18.2	52.4	122.0	311.2	746.5	1,448.4
1983.....	58.2	6.7	*	0.4	1.3	4.5	18.5	55.5	129.3	317.6	748.6	1,572.7
1982.....	59.7	7.3	*	0.4	1.1	5.3	20.0	56.4	132.1	322.3	798.5	1,579.4
1981.....	63.2	7.5	*	*	1.4	5.8	20.6	61.4	137.6	349.0	827.1	1,746.3
1980.....	67.7	8.2	0.7	0.4	1.7	6.2	21.2	62.2	146.4	378.3	919.3	1,836.1
1979.....	68.3	9.8	0.4	0.3	1.4	6.1	23.8	66.4	150.8	386.6	870.8	1,822.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 524												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
0 CEREBROVASCULAR DISEASES (430-438)												
ALL OTHER MALE												
1998.....	41.6	14.4	*	*	0.6	2.7	12.9	44.2	107.7	229.3	569.0	1,184.2
1997.....	42.5	12.2	*	*	0.8	2.7	14.1	47.4	112.9	244.0	572.6	1,239.4
1996.....	43.5	9.4	*	*	*	2.7	14.7	49.6	113.9	259.0	594.0	1,294.7
1995.....	44.6	7.6	*	*	0.8	3.0	16.8	51.2	113.9	260.0	659.2	1,422.1
1994.....	44.0	6.9	*	*	0.7	3.1	17.6	51.8	111.6	262.2	661.7	1,352.5
1993.....	43.0	8.3	*	*	0.7	3.1	15.5	50.0	113.5	258.3	649.3	1,354.8
1992.....	42.6	9.8	*	*	0.8	3.2	17.6	46.3	118.7	267.3	610.2	1,305.3
1991.....	45.0	6.3	*	*	*	3.6	18.0	53.9	117.0	282.6	664.1	1,415.1
1990.....	45.4	9.4	*	*	0.8	3.9	17.8	54.1	120.4	291.5	669.7	1,378.4
1989.....	46.7	6.4	*	*	0.9	4.1	19.3	55.0	127.9	295.7	674.6	1,417.3
1988.....	49.5	8.7	*	*	0.8	5.6	20.1	54.7	137.1	316.0	739.1	1,381.0
1987.....	49.3	*	*	*	0.9	4.8	20.8	55.9	137.5	313.0	729.0	1,389.6
1986.....	50.3	7.0	*	*	1.0	5.1	21.1	56.9	134.8	325.8	753.3	1,384.0
1985.....	51.6	8.6	*	*	1.2	4.7	20.2	58.7	139.0	341.9	766.9	1,395.9
1984.....	53.0	7.5	*	0.7	1.3	4.8	20.7	61.7	146.4	355.3	768.5	1,379.2
1983.....	54.3	7.4	*	*	1.2	5.0	20.1	62.9	150.2	364.0	783.3	1,485.7
1982.....	57.1	8.3	*	*	1.0	5.3	22.7	64.5	155.4	380.8	847.9	1,519.4
1981.....	60.4	9.1	*	*	1.5	6.1	23.6	72.2	161.6	396.0	887.7	1,698.4
1980.....	65.5	10.3	0.6	0.5	1.9	6.5	24.3	71.1	171.2	433.0	1,000.4	1,813.7
1979.....	67.1	11.2	0.4	0.3	1.3	6.3	29.3	78.7	184.8	434.9	927.2	1,810.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	525
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
0 CEREBROVASCULAR DISEASES (430-438)														
ALL OTHER FEMALE														
1998.....	49.4	10.6	*	*	0.7	3.2	11.8	32.1	65.2	176.7	519.3	1,306.2		
1997.....	49.9	9.7	*	*	0.6	2.8	14.2	31.7	73.1	181.4	509.1	1,346.8		
1996.....	51.3	9.9	*	*	*	3.2	13.1	32.7	70.6	191.7	548.5	1,384.2		
1995.....	51.4	7.3	*	*	0.6	2.9	13.4	30.9	74.1	194.3	546.8	1,516.6		
1994.....	50.6	6.9	*	*	0.7	4.1	13.9	35.2	73.0	194.2	544.7	1,414.5		
1993.....	50.2	6.1	*	*	0.6	3.6	12.4	34.1	77.2	197.5	543.0	1,427.9		
1992.....	49.2	4.8	*	*	0.6	4.0	13.8	34.8	77.5	195.6	527.6	1,406.7		
1991.....	50.5	6.0	*	*	1.1	4.1	12.8	35.3	83.3	203.0	542.7	1,450.3		
1990.....	52.1	4.9	*	*	1.0	4.7	14.9	37.9	84.9	214.8	563.0	1,463.7		
1989.....	54.9	*	*	*	1.2	4.6	13.8	39.2	91.1	227.1	622.8	1,493.7		
1988.....	56.7	7.0	*	*	0.9	4.4	14.8	38.8	94.6	243.8	630.5	1,565.1		
1987.....	55.9	6.2	*	*	1.0	4.8	14.1	42.6	96.0	241.2	618.2	1,520.9		
1986.....	56.4	*	*	*	0.9	4.9	15.0	41.4	97.9	248.8	635.9	1,526.9		
1985.....	59.6	*	*	*	1.4	4.6	16.1	43.4	101.4	261.5	704.9	1,614.7		
1984.....	60.1	*	*	*	1.4	5.3	16.0	44.6	102.4	279.6	734.0	1,482.8		
1983.....	61.7	6.0	*	*	1.4	4.2	17.1	49.2	112.5	283.3	726.4	1,616.5		
1982.....	62.0	6.3	*	*	1.2	5.4	17.7	49.5	113.3	279.2	766.5	1,597.7		
1981.....	65.7	*	*	*	1.4	5.6	18.0	52.6	118.1	313.5	787.5	1,770.6		
1980.....	69.7	6.0	0.7	0.3	1.5	6.0	18.5	54.9	126.1	337.0	866.0	1,847.6		
1979.....	69.5	8.4	0.4	0.3	1.5	5.9	19.3	56.2	122.8	350.0	834.7	1,844.7		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	526	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+		
0 CEREBROVASCULAR DISEASES (430-438)															
BLACK, BOTH SEXES															
1998.....		53.0	16.1	0.9	0.4	0.7	3.7	15.6	47.1	99.4	221.9	582.9	1,352.8		
1997.....		53.4	13.1	*	0.3	0.8	3.4	17.3	48.2	106.3	233.9	562.4	1,388.8		
1996.....		55.2	11.5	*	*	0.5	3.7	17.2	49.3	106.6	248.1	610.9	1,410.4		
1995.....		55.9	9.2	0.8	*	0.8	3.6	18.5	49.0	106.6	250.5	625.9	1,518.2		
1994.....		55.2	8.6	*	*	0.8	4.5	19.4	52.9	106.3	249.2	625.5	1,410.9		
1993.....		54.6	7.7	*	0.4	0.7	4.2	17.4	50.8	109.1	250.1	623.1	1,424.2		
1992.....		53.8	9.3	*	*	0.8	4.4	19.7	48.9	110.6	252.8	602.4	1,419.2		
1991.....		55.7	7.2	*	0.4	0.9	4.7	19.0	53.0	114.0	262.7	627.1	1,471.1		
1990.....		57.1	8.1	*	*	1.0	5.1	20.5	55.2	116.5	273.9	641.9	1,476.9		
1989.....		59.6	6.1	*	*	1.2	5.4	20.1	55.6	123.7	287.9	688.8	1,500.9		
1988.....		62.2	8.9	*	*	1.0	6.1	21.4	54.8	131.6	306.6	717.7	1,546.7		
1987.....		61.1	6.9	*	*	1.0	5.7	21.5	57.5	131.1	299.0	703.6	1,526.4		
1986.....		62.0	6.8	*	*	1.1	6.2	22.1	57.2	130.6	309.8	731.4	1,535.3		
1985.....		64.2	7.9	*	*	1.4	5.7	22.0	60.0	134.3	324.5	776.5	1,584.6		
1984.....		65.1	6.0	*	0.5	1.5	6.0	22.1	61.3	137.6	344.7	797.5	1,492.1		
1983.....		66.6	7.6	*	*	1.5	5.5	22.1	64.4	146.5	347.4	802.5	1,630.4		
1982.....		68.0	7.7	*	0.4	1.3	6.4	24.2	65.0	149.1	352.8	851.3	1,625.0		
1981.....		71.6	8.4	*	*	1.6	6.9	24.8	70.2	153.6	381.0	887.1	1,806.5		
1980.....		75.6	8.8	0.6	0.4	1.9	7.3	25.0	71.0	161.5	408.9	976.4	1,888.6		
1979.....		75.4	10.9	0.5	0.4	1.5	6.9	27.4	74.1	165.3	415.0	906.0	1,867.9		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	527	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
0	CEREBROVASCULAR DISEASES (430-438)														
	BLACK MALE														
1998	47.5	17.9	*	*	0.8	3.2	16.0	55.7	129.2	255.8	621.3	1,243.1		
1997	48.3	14.6	*	*	0.9	3.4	17.1	59.8	135.5	274.3	600.5	1,281.6		
1996	50.1	10.8	*	*	*	3.3	18.0	62.1	137.5	292.2	653.0	1,329.5		
1995	51.0	9.5	*	*	0.8	3.5	20.1	64.1	134.1	291.5	700.2	1,393.9		
1994	50.5	8.9	*	*	0.9	3.7	21.8	64.7	134.2	293.2	702.0	1,319.8		
1993	49.8	9.4	*	*	0.8	3.8	19.4	63.2	134.9	291.5	696.0	1,361.7		
1992	49.5	12.1	*	*	0.9	4.0	22.3	58.2	139.4	302.4	661.6	1,340.7		
1991	52.1	7.3	*	*	*	4.5	22.6	67.1	137.4	317.3	719.9	1,415.9		
1990	53.1	10.2	*	*	0.9	4.6	22.7	68.4	141.8	327.2	723.7	1,430.5		
1989	54.3	7.6	*	*	1.0	4.9	24.0	67.6	150.1	335.0	723.3	1,454.5		
1988	57.6	9.4	*	*	0.9	6.9	25.1	67.4	160.3	357.1	799.3	1,403.1		
1987	56.6	*	*	*	0.9	5.5	26.4	68.2	155.7	345.8	780.5	1,443.8		
1986	58.0	8.2	*	*	1.1	6.2	26.6	68.9	154.3	361.8	809.9	1,436.5		
1985	59.2	10.1	*	*	1.3	5.8	25.4	71.1	160.7	379.7	814.4	1,429.0		
1984	60.7	8.6	*	*	1.2	5.8	25.7	73.4	166.7	396.7	819.5	1,441.0		
1983	61.8	7.7	*	*	1.4	5.9	24.3	74.5	169.7	398.1	844.1	1,553.3		
1982	64.7	8.4	*	*	1.2	6.4	27.8	75.5	174.1	422.9	900.0	1,581.0		
1981	68.3	10.0	*	*	1.6	7.2	29.2	83.1	182.1	433.9	960.0	1,755.4		
1980	73.1	11.2	0.6	0.5	2.1	7.7	29.2	82.1	189.8	472.8	1,067.6	1,873.2		
1979	73.8	12.7	0.5	0.3	1.4	7.3	34.4	88.8	204.0	470.9	963.9	1,840.4		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	528
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+
0 CEREBROVASCULAR DISEASES (430-438)													
BLACK FEMALE													
1998.....		57.9	14.1	*	*	*	4.1	15.2	39.9	76.5	197.3	560.0	1,398.4
1997.....		58.0	11.7	*	*	*	3.4	17.5	38.6	84.0	204.8	540.0	1,433.1
1996.....		59.7	12.2	*	*	*	4.1	16.6	38.6	82.9	216.4	586.5	1,443.6
1995.....		60.4	8.8	*	*	*	3.7	17.1	36.4	85.5	221.2	583.2	1,568.8
1994.....		59.3	8.2	*	*	0.8	5.2	17.3	43.1	84.8	217.9	582.2	1,447.9
1993.....		58.8	*	*	*	*	4.6	15.6	40.5	89.2	220.8	582.3	1,449.8
1992.....		57.8	6.4	*	*	*	4.8	17.5	41.1	88.3	218.0	569.4	1,451.8
1991.....		59.0	7.2	*	*	1.3	5.0	16.0	41.4	95.9	224.6	575.2	1,494.5
1990.....		60.7	*	*	*	1.1	5.5	18.6	44.1	97.0	236.8	596.0	1,496.5
1989.....		64.5	*	*	*	1.3	5.8	16.7	45.7	103.3	255.1	669.3	1,530.7
1988.....		66.3	8.2	*	*	1.1	5.4	18.3	44.4	109.2	271.4	671.1	1,609.4
1987.....		65.1	7.8	*	*	1.1	5.9	17.4	48.6	111.7	266.4	658.9	1,563.2
1986.....		65.6	*	*	*	1.0	6.1	18.3	47.6	112.0	273.0	685.2	1,580.4
1985.....		68.6	*	*	*	1.5	5.7	19.1	50.8	113.6	285.6	753.8	1,657.1
1984.....		69.1	*	*	*	1.7	6.1	19.1	51.2	114.4	307.9	786.1	1,516.3
1983.....		70.9	7.5	*	*	1.6	5.2	20.3	56.2	127.9	311.8	775.0	1,667.7
1982.....		70.9	*	*	*	1.4	6.5	21.2	56.6	129.2	302.6	821.3	1,646.6
1981.....		74.5	*	*	*	1.6	6.6	21.0	59.6	130.7	342.9	841.5	1,815.9
1980.....		77.9	6.4	0.5	0.3	1.7	7.0	21.6	61.9	138.7	362.2	918.6	1,896.3
1979.....		76.8	9.0	0.4	0.4	1.5	6.6	21.6	62.1	133.9	373.8	865.3	1,881.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 529
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
TOTAL, BOTH SEXES													
1998.....	9.7	1.0	*	0.1	0.2	0.6	2.4	6.6	13.4	30.4	74.7	121.8	
1997.....	9.7	0.8	*	0.1	0.2	0.7	2.6	6.9	13.7	30.9	72.1	124.9	
1996.....	8.9	1.0	*	0.1	0.2	0.6	2.4	7.0	13.2	28.3	66.1	111.8	
1995.....	8.6	1.0	*	0.1	0.2	0.6	2.6	6.7	13.0	26.8	65.5	110.0	
1994.....	8.4	1.3	*	0.1	0.2	0.6	2.6	6.8	12.9	27.0	61.9	106.2	
1993.....	8.3	1.5	*	0.1	0.2	0.6	2.4	6.6	13.2	27.6	62.4	103.9	
1992.....	8.3	1.0	*	0.1	0.2	0.7	2.5	6.5	13.1	27.5	61.7	108.4	
1991.....	8.2	1.0	*	0.1	0.2	0.6	2.5	6.7	13.1	27.3	61.8	107.6	
1990.....	8.3	1.5	*	*	0.2	0.7	2.4	6.9	13.5	27.5	63.4	108.2	
1989.....	8.4	1.3	*	0.1	0.2	0.7	2.5	7.0	14.1	27.1	64.1	114.8	
1988.....	8.7	1.4	*	0.1	0.2	0.8	2.6	7.3	14.3	29.9	67.3	111.8	
1987.....	8.5	1.4	0.1	0.1	0.2	0.7	2.7	7.5	14.4	29.0	65.7	112.5	
1986.....	8.5	1.4	*	0.1	0.3	0.8	2.7	7.3	14.0	30.0	65.9	115.3	
1985.....	8.7	1.8	*	0.1	0.3	0.7	2.7	7.5	14.4	30.2	68.9	121.6	
1984.....	8.6	1.9	*	0.2	0.3	0.8	2.8	7.8	14.4	30.6	66.7	114.8	
1983.....	8.3	2.6	*	0.1	0.3	0.8	2.7	7.6	14.3	29.2	65.9	112.1	
1982.....	8.6	2.4	*	0.1	0.3	0.8	2.7	8.2	14.9	30.7	68.0	118.0	
1981.....	8.8	2.4	*	0.1	0.3	0.9	3.0	8.4	15.5	31.2	69.5	127.3	
1980.....	9.2	2.6	0.2	0.1	0.3	0.8	3.1	8.4	16.0	32.8	74.1	141.1	
1979.....	9.7	3.2	0.1	0.1	0.3	0.8	3.1	8.9	16.5	36.8	77.6	148.0	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 530
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)
 TOTAL, MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	9.1	1.3	*	0.1	0.2	0.7	2.8	8.1	16.3	34.4	79.1	123.3
1997.....	9.1	*	*	*	0.2	0.7	3.0	8.6	16.4	35.6	77.0	129.4
1996.....	8.3	1.1	*	*	0.2	0.7	3.0	8.4	15.7	31.7	70.9	111.6
1995.....	8.1	1.1	*	*	0.2	0.7	3.1	8.2	15.5	30.3	69.0	115.9
1994.....	7.9	1.4	*	*	0.2	0.7	3.3	8.4	14.9	30.9	66.8	111.4
1993.....	7.9	1.8	*	*	0.2	0.7	3.0	8.1	15.0	32.1	67.9	109.2
1992.....	7.7	1.5	*	*	0.2	0.7	3.2	7.7	15.4	31.0	66.4	112.0
1991.....	7.7	1.3	*	0.1	0.2	0.7	3.1	8.1	15.1	31.5	66.3	111.2
1990.....	7.6	1.8	*	*	0.2	0.8	3.0	8.2	15.4	30.6	67.6	107.8
1989.....	7.9	1.4	*	0.1	0.3	0.9	3.1	8.1	16.2	30.8	70.3	123.5
1988.....	8.2	1.5	*	*	0.3	1.0	3.2	8.5	16.8	34.5	72.3	113.7
1987.....	8.0	1.5	*	0.1	0.2	0.8	3.3	8.7	16.5	32.2	71.9	116.2
1986.....	7.8	1.6	*	*	0.3	0.9	3.3	8.1	15.7	33.2	70.8	115.1
1985.....	8.1	2.5	*	*	0.2	0.9	3.1	8.6	16.8	35.1	73.6	113.4
1984.....	7.9	2.1	*	0.1	0.3	0.8	3.4	8.5	15.8	34.0	71.4	120.6
1983.....	7.7	3.1	*	*	0.3	0.9	3.0	8.7	15.9	32.5	71.6	109.4
1982.....	8.1	2.9	*	0.2	0.3	1.0	3.1	9.2	17.0	35.3	73.2	116.7
1981.....	8.1	2.5	*	*	0.3	1.0	3.4	9.1	17.2	35.1	74.6	127.2
1980.....	8.6	2.8	0.2	0.1	0.4	0.9	3.4	9.1	18.1	37.5	81.2	140.6
1979.....	9.1	3.4	0.1	0.1	0.4	0.8	3.7	10.2	18.6	42.0	84.6	144.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	531	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)															
TOTAL, FEMALE															
1998.....		10.3	*	*	*	0.2	0.6	1.9	5.2	10.8	27.1	71.7	121.1		
1997.....		10.2	*	*	*	0.2	0.6	2.2	5.4	11.2	27.1	68.9	123.1		
1996.....		9.4	*	*	*	0.1	0.5	1.9	5.7	10.9	25.6	63.0	111.8		
1995.....		9.1	*	*	*	0.2	0.5	2.1	5.2	10.7	24.1	63.3	107.6		
1994.....		8.8	1.2	*	*	0.2	0.6	2.0	5.2	11.1	23.9	58.8	104.2		
1993.....		8.7	1.1	*	*	0.2	0.5	1.9	5.1	11.6	24.0	59.0	101.9		
1992.....		8.8	*	*	*	0.2	0.6	1.9	5.5	11.1	24.7	58.9	107.0		
1991.....		8.7	*	*	0.1	0.2	0.6	2.0	5.4	11.4	24.0	59.1	106.2		
1990.....		8.9	1.2	*	*	0.2	0.6	1.9	5.6	11.8	25.1	60.8	108.4		
1989.....		8.9	1.2	*	*	0.2	0.6	1.9	5.9	12.3	24.1	60.3	111.5		
1988.....		9.2	1.3	*	*	0.2	0.6	2.0	6.2	12.1	26.3	64.3	111.1		
1987.....		9.1	1.2	*	*	0.2	0.6	2.1	6.3	12.6	26.6	62.0	111.1		
1986.....		9.2	1.2	*	*	0.2	0.7	2.1	6.6	12.5	27.5	63.0	115.3		
1985.....		9.3	1.2	*	0.2	0.3	0.6	2.3	6.5	12.3	26.3	66.1	124.8		
1984.....		9.2	1.7	*	0.2	0.3	0.7	2.2	7.2	13.1	28.0	63.8	112.4		
1983.....		8.9	2.0	*	*	0.3	0.6	2.4	6.6	12.9	26.6	62.5	113.2		
1982.....		9.1	1.8	*	0.1	0.2	0.7	2.3	7.3	13.0	27.2	64.9	118.5		
1981.....		9.5	2.3	*	0.2	0.3	0.7	2.7	7.7	14.0	28.2	66.5	127.3		
1980.....		9.7	2.4	0.1	0.1	0.3	0.7	2.7	7.6	14.2	29.2	70.0	141.3		
1979.....		10.2	3.0	0.1	0.1	0.3	0.8	2.5	7.8	14.6	32.9	73.5	149.4		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 532
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
WHITE, BOTH SEXES													
1998.....	9.7	*	*	0.1	0.1	0.5	1.6	4.5	10.9	28.8	74.6	124.4	
1997.....	9.6	*	*	0.1	0.2	0.5	1.7	4.9	11.1	29.3	71.8	126.8	
1996.....	8.8	0.7	*	0.1	0.2	0.5	1.6	4.8	10.9	26.6	65.7	113.4	
1995.....	8.5	0.7	*	0.1	0.2	0.5	1.6	4.6	10.8	25.4	64.6	111.3	
1994.....	8.2	1.1	*	0.1	0.2	0.5	1.6	4.6	10.8	25.6	61.2	106.0	
1993.....	8.2	1.5	*	0.1	0.2	0.5	1.6	4.6	10.9	26.0	61.9	104.5	
1992.....	8.1	*	*	0.1	0.2	0.5	1.7	4.6	10.8	26.0	61.7	109.0	
1991.....	8.0	0.7	*	0.1	0.2	0.4	1.6	4.5	10.9	25.4	61.2	107.1	
1990.....	8.0	1.0	*	*	0.2	0.5	1.6	4.7	11.3	25.7	62.6	109.4	
1989.....	8.1	0.9	*	0.1	0.2	0.5	1.6	4.7	11.8	25.3	63.2	114.5	
1988.....	8.4	0.9	*	0.1	0.2	0.6	1.6	5.0	11.8	27.7	66.6	113.1	
1987.....	8.3	1.0	*	0.1	0.2	0.5	1.7	5.2	12.1	27.3	64.8	113.7	
1986.....	8.3	0.9	*	0.1	0.2	0.5	1.7	5.1	11.7	28.5	65.0	116.9	
1985.....	8.4	1.3	*	0.1	0.2	0.5	1.7	5.5	12.3	28.6	67.4	122.0	
1984.....	8.3	1.5	*	0.1	0.2	0.5	1.9	5.9	12.1	28.7	66.3	116.2	
1983.....	8.0	2.2	*	0.1	0.3	0.6	1.8	5.4	12.2	27.4	65.3	113.2	
1982.....	8.3	1.7	*	0.2	0.2	0.6	1.7	6.2	12.8	29.2	67.4	120.3	
1981.....	8.6	1.7	*	0.1	0.3	0.6	2.0	6.2	13.4	29.8	69.3	129.2	
1980.....	8.8	2.2	0.2	0.1	0.3	0.5	2.0	6.3	13.7	30.7	73.0	142.6	
1979.....	9.3	2.4	0.1	0.1	0.3	0.5	2.1	6.6	14.3	34.4	76.9	151.2	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 533
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	8.9	*	*	*	0.2	0.6	2.0	5.5	13.1	32.6	79.2	125.9
1997.....	8.7	*	*	*	0.2	0.6	2.0	6.0	13.0	33.3	76.3	130.1
1996.....	7.9	*	*	*	0.2	0.6	2.0	5.8	12.6	29.7	70.5	113.7
1995.....	7.7	*	*	*	0.2	0.6	1.9	5.5	12.7	28.4	67.9	117.8
1994.....	7.5	1.3	*	*	0.2	0.6	2.1	5.7	12.3	29.2	65.6	111.7
1993.....	7.5	1.8	*	*	0.2	0.6	2.0	5.5	12.1	30.2	66.6	108.8
1992.....	7.4	*	*	*	0.2	0.6	2.1	5.5	12.3	29.2	65.9	112.7
1991.....	7.2	*	*	*	0.2	0.5	2.0	5.3	12.4	29.1	65.3	109.7
1990.....	7.1	*	*	*	0.2	0.6	1.8	5.6	12.8	28.2	65.9	108.4
1989.....	7.4	*	*	*	0.2	0.6	1.9	5.2	13.3	28.7	69.5	125.2
1988.....	7.6	*	*	*	0.3	0.7	2.0	5.6	13.8	31.8	71.3	115.3
1987.....	7.4	*	*	*	0.2	0.6	2.0	5.9	13.7	29.9	70.0	118.7
1986.....	7.3	*	*	*	0.3	0.6	2.1	5.5	13.0	31.3	69.4	118.0
1985.....	7.6	1.8	*	*	0.2	0.7	1.9	6.1	14.5	32.9	71.6	113.8
1984.....	7.4	1.4	*	*	0.3	0.6	2.3	6.0	13.2	32.2	70.9	121.8
1983.....	7.2	2.7	*	*	0.3	0.7	1.9	6.1	13.7	30.4	70.6	110.9
1982.....	7.6	2.2	*	0.2	0.3	0.7	1.9	6.6	14.3	33.6	72.3	119.7
1981.....	7.6	1.7	*	*	0.3	0.6	2.0	6.6	14.6	33.4	73.9	128.4
1980.....	8.0	2.4	0.2	0.1	0.3	0.6	2.0	6.8	15.3	34.9	79.6	143.4
1979.....	8.5	2.6	0.2	0.1	0.3	0.6	2.3	7.3	15.8	39.5	83.8	147.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 534
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)
 WHITE FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	10.4	*	*	*	*	0.4	1.2	3.5	8.9	25.6	71.5	123.7
1997.....	10.4	*	*	*	0.2	0.5	1.3	3.8	9.3	26.0	68.8	125.5
1996.....	9.5	*	*	*	*	0.4	1.2	4.0	9.4	24.1	62.6	113.2
1995.....	9.2	*	*	*	0.2	0.4	1.2	3.8	9.0	22.9	62.4	108.9
1994.....	8.8	*	*	*	0.1	0.4	1.1	3.6	9.4	22.7	58.4	103.8
1993.....	8.8	*	*	*	0.2	0.3	1.2	3.7	9.7	22.6	59.0	102.9
1992.....	8.9	*	*	*	0.2	0.4	1.2	3.8	9.4	23.4	59.1	107.6
1991.....	8.7	*	*	*	0.2	0.4	1.3	3.7	9.5	22.4	58.7	106.2
1990.....	8.9	*	*	*	0.2	0.5	1.3	3.9	9.9	23.8	60.7	109.7
1989.....	8.8	*	*	*	0.2	0.5	1.2	4.2	10.5	22.7	59.5	110.5
1988.....	9.1	*	*	*	0.2	0.5	1.3	4.4	10.1	24.4	63.8	112.2
1987.....	9.1	*	*	*	0.2	0.4	1.5	4.5	10.7	25.3	61.7	111.8
1986.....	9.2	*	*	*	0.2	0.5	1.4	4.8	10.5	26.3	62.4	116.4
1985.....	9.3	*	*	0.2	0.2	0.4	1.5	4.9	10.3	25.2	65.0	125.2
1984.....	9.2	1.6	*	0.2	0.2	0.5	1.6	5.7	11.2	26.0	63.6	114.0
1983.....	8.8	1.6	*	*	0.3	0.5	1.6	4.8	11.0	25.0	62.2	114.1
1982.....	9.1	*	*	*	0.2	0.5	1.6	5.7	11.4	25.9	64.5	120.5
1981.....	9.5	1.6	*	0.2	0.3	0.5	2.0	5.9	12.4	27.0	66.7	129.6
1980.....	9.6	2.1	0.1	0.1	0.2	0.5	2.0	5.9	12.3	27.4	69.2	142.3
1979.....	10.1	2.3	0.1	0.1	0.3	0.5	1.9	6.0	12.8	30.6	72.9	152.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 535
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
ALL OTHER, BOTH SEXES													
1998.....	9.9	2.7	*	*	0.3	1.3	5.9	18.4	28.7	42.0	75.7	97.2	
1997.....	10.1	*	*	*	*	1.2	7.1	18.4	29.5	43.1	75.2	107.1	
1996.....	9.5	*	*	*	*	1.0	6.6	19.4	27.2	41.5	69.6	96.5	
1995.....	9.4	*	*	*	0.3	1.1	7.6	18.8	27.2	38.3	74.3	96.0	
1994.....	9.4	*	*	*	*	1.4	7.9	19.6	26.7	38.3	68.6	108.8	
1993.....	9.1	*	*	*	*	1.4	6.6	18.4	28.6	40.6	67.3	98.1	
1992.....	9.0	2.7	*	*	0.3	1.3	7.2	18.5	29.2	39.5	61.9	101.8	
1991.....	9.5	*	*	*	0.3	1.5	7.3	19.9	28.7	43.5	67.8	112.8	
1990.....	9.5	3.5	*	*	0.4	1.7	7.3	20.4	29.4	43.1	70.6	96.0	
1989.....	9.8	2.8	*	*	0.5	1.8	7.5	20.8	30.9	42.4	72.2	118.4	
1988.....	10.3	3.6	*	*	*	1.9	8.0	21.8	33.1	49.1	74.4	98.4	
1987.....	10.0	2.8	*	*	*	1.8	8.3	21.6	32.2	43.9	74.9	99.6	
1986.....	10.0	3.6	*	*	0.4	2.0	8.5	21.0	32.5	43.2	74.5	97.8	
1985.....	10.3	4.1	*	*	0.5	1.9	9.0	20.9	31.4	44.5	83.1	116.5	
1984.....	10.0	3.6	*	*	0.5	1.9	8.0	20.8	32.4	48.3	70.6	99.1	
1983.....	9.9	4.5	*	*	0.4	1.7	8.5	22.4	31.6	45.3	72.1	99.5	
1982.....	10.0	5.1	*	*	0.4	2.1	8.8	22.4	33.1	44.2	74.2	93.0	
1981.....	10.2	5.7	*	*	0.6	2.5	9.3	23.6	33.2	43.4	71.4	105.8	
1980.....	11.4	4.4	0.1	0.2	0.6	2.5	9.9	23.3	36.5	52.5	85.8	123.2	
1979.....	11.9	6.8	0.0	0.1	0.6	2.4	10.1	26.1	36.2	59.1	84.2	110.9	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	536
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)														
ALL OTHER MALE														
1998.....	10.4	*	*	*	*	1.3	6.9	23.6	37.9	48.2	78.0	100.3		
1997.....	11.0	*	*	*	*	1.4	7.9	24.3	38.9	53.9	83.7	123.2		
1996.....	10.2	*	*	*	*	1.1	8.2	24.7	36.7	48.6	75.2	93.3		
1995.....	10.2	*	*	*	*	1.1	9.3	25.4	35.0	46.3	79.7	98.8		
1994.....	10.1	*	*	*	*	1.5	10.1	25.6	33.4	45.1	79.2	109.0		
1993.....	10.0	*	*	*	*	1.3	8.6	24.9	36.0	48.5	80.1	112.4		
1992.....	9.7	*	*	*	*	1.5	9.2	22.4	38.3	46.7	71.1	105.8		
1991.....	10.2	*	*	*	*	1.5	9.4	26.0	35.5	52.8	75.8	125.6		
1990.....	10.3	5.1	*	*	*	1.9	9.8	25.5	35.8	52.9	84.3	102.0		
1989.....	10.6	*	*	*	*	2.1	10.0	27.1	39.2	50.9	78.1	107.4		
1988.....	11.2	*	*	*	*	2.5	10.4	27.6	41.4	59.0	82.4	98.7		
1987.....	10.9	*	*	*	*	1.9	11.2	27.6	39.7	53.3	89.6	92.2		
1986.....	10.5	*	*	*	*	2.3	11.4	25.4	38.7	50.4	84.0	88.0		
1985.....	11.0	5.8	*	*	*	2.1	11.7	26.4	36.7	55.8	92.6	109.6		
1984.....	10.5	*	*	*	*	2.0	10.8	25.8	38.5	51.7	76.8	109.7		
1983.....	10.4	*	*	*	*	2.1	10.5	27.6	35.7	52.3	80.6	94.3		
1982.....	10.9	5.9	*	*	*	2.7	11.7	28.0	41.1	51.4	81.5	88.1		
1981.....	11.2	6.1	*	*	0.6	3.2	12.5	28.3	40.2	50.3	82.3	115.6		
1980.....	12.2	5.0	0.1	0.3	0.7	2.9	13.1	27.7	44.4	61.4	96.5	111.9		
1979.....	13.0	7.3	-	0.2	0.7	2.6	14.5	33.9	43.7	65.3	91.0	115.3		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 537
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
ALL OTHER FEMALE												
1998.....	9.4	*	*	*	*	1.3	5.0	14.0	21.4	37.5	74.2	95.8
1997.....	9.2	*	*	*	*	1.1	6.3	13.4	22.0	35.2	69.9	99.8
1996.....	8.8	*	*	*	*	1.0	5.1	15.0	19.6	36.4	66.2	98.0
1995.....	8.7	*	*	*	*	1.1	6.0	13.2	21.1	32.5	71.1	94.8
1994.....	8.7	*	*	*	*	1.3	6.0	14.5	21.5	33.4	62.4	108.7
1993.....	8.2	*	*	*	*	1.4	5.0	12.8	22.7	34.8	59.7	91.9
1992.....	8.3	*	*	*	*	1.2	5.4	15.1	22.1	34.3	56.3	100.0
1991.....	8.8	*	*	*	*	1.5	5.5	14.8	23.4	36.8	62.9	106.3
1990.....	8.7	*	*	*	*	1.4	5.1	16.1	24.5	36.2	62.4	93.3
1989.....	9.1	*	*	*	*	1.4	5.3	15.5	24.4	36.4	68.6	123.4
1988.....	9.5	*	*	*	*	1.3	5.9	16.8	26.6	42.0	69.6	98.2
1987.....	9.1	*	*	*	*	1.6	5.8	16.5	26.3	37.2	65.6	103.1
1986.....	9.5	*	*	*	*	1.7	6.0	17.3	27.6	38.0	68.6	102.6
1985.....	9.6	*	*	*	*	1.7	6.8	16.3	27.1	36.3	77.1	120.7
1984.....	9.6	*	*	*	0.6	1.8	5.7	16.6	27.5	45.9	66.8	93.8
1983.....	9.5	*	*	*	*	1.3	6.7	18.0	28.3	40.2	66.7	102.2
1982.....	9.2	*	*	*	*	1.6	6.3	17.8	26.6	38.9	69.5	94.7
1981.....	9.4	*	*	*	*	1.8	6.6	19.8	27.6	38.2	64.2	100.8
1980.....	10.6	3.8	0.2	0.2	0.5	2.0	7.2	19.7	30.1	45.7	78.8	129.0
1979.....	10.9	6.4	0.1	0.1	0.4	2.3	6.3	19.7	30.1	54.5	79.7	109.6

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 538
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
BLACK, BOTH SEXES													
1998.....	10.7	*	*	*	0.4	1.6	7.5	22.6	32.4	41.7	68.1	86.2	
1997.....	10.9	*	*	*	*	1.5	8.8	22.8	33.0	43.3	66.4	97.8	
1996.....	10.4	*	*	*	*	1.3	8.2	23.4	31.3	41.3	64.1	84.9	
1995.....	10.2	*	*	*	*	1.4	9.3	22.8	29.6	38.9	66.2	83.2	
1994.....	10.4	*	*	*	*	1.6	9.8	24.2	30.5	37.9	63.4	96.0	
1993.....	10.1	*	*	*	*	1.7	8.4	22.9	31.6	41.0	62.2	85.7	
1992.....	9.9	3.5	*	*	*	1.6	9.1	22.6	32.3	38.7	56.2	96.2	
1991.....	10.4	*	*	*	*	1.8	9.3	24.0	31.3	43.4	61.5	105.2	
1990.....	10.6	4.1	*	*	0.4	1.9	9.3	24.6	33.0	43.3	66.5	93.0	
1989.....	11.0	*	*	*	0.5	2.2	9.4	24.7	34.4	44.0	69.8	114.1	
1988.....	11.6	4.1	*	*	*	2.3	10.2	26.0	37.1	50.4	73.4	93.0	
1987.....	11.0	3.5	*	*	*	2.2	10.5	25.0	35.5	44.0	71.9	93.3	
1986.....	11.1	4.0	*	*	0.4	2.5	10.8	24.4	36.0	44.1	73.2	93.5	
1985.....	11.4	4.9	*	*	0.6	2.4	11.3	24.7	34.1	45.2	81.0	114.4	
1984.....	11.2	4.3	*	*	0.6	2.3	10.1	24.0	35.6	50.6	71.2	97.4	
1983.....	11.0	5.0	*	*	0.5	2.0	10.3	26.1	34.3	46.7	72.5	98.9	
1982.....	11.2	5.9	*	*	0.5	2.5	10.9	25.9	35.8	46.2	75.6	94.3	
1981.....	11.3	6.3	*	*	0.6	3.0	11.3	26.5	35.5	44.5	72.5	103.6	
1980.....	12.4	5.0	0.2	0.3	0.7	2.9	11.8	26.4	39.3	54.6	86.4	120.7	
1979.....	12.9	8.0	0.1	0.2	0.6	2.8	11.6	29.1	39.3	61.2	83.2	110.3	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 539
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)
 BLACK MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	11.4	*	*	*	*	1.5	8.6	29.7	42.9	48.5	70.6	83.5
1997	12.0	*	*	*	*	1.7	9.7	30.5	45.4	54.5	71.8	101.6
1996	11.3	*	*	*	*	1.3	10.2	30.6	42.8	48.7	70.7	74.4
1995	11.0	*	*	*	*	1.4	11.3	31.4	38.2	46.7	67.6	78.3
1994	11.1	*	*	*	*	1.6	12.4	32.0	38.4	44.1	69.9	86.4
1993	11.1	*	*	*	*	1.7	10.9	31.7	41.4	48.5	69.7	86.0
1992	10.8	*	*	*	*	1.8	11.7	28.3	43.6	46.8	62.5	96.2
1991	11.2	*	*	*	*	1.8	12.1	32.4	39.1	52.0	65.2	118.8
1990	11.5	*	*	*	*	2.2	12.7	31.6	40.5	52.8	77.6	90.5
1989	12.0	*	*	*	*	2.6	12.7	32.9	45.1	53.4	74.9	95.5
1988	12.7	*	*	*	*	3.0	13.2	34.4	46.9	61.0	79.0	93.8
1987	12.1	*	*	*	*	2.4	14.4	33.4	42.7	53.5	86.5	87.5
1986	11.6	*	*	*	*	2.8	14.6	29.9	42.1	51.3	80.2	74.6
1985	12.3	*	*	*	*	2.6	14.7	31.7	40.9	57.5	87.2	108.1
1984	11.7	*	*	*	*	2.4	13.7	30.4	43.1	54.3	73.3	111.5
1983	11.5	*	*	*	*	2.4	13.0	32.9	38.3	53.0	81.0	95.0
1982	12.1	*	*	*	*	3.2	14.7	32.5	43.8	54.2	77.6	89.7
1981	12.3	*	*	*	*	3.9	15.6	32.1	43.5	50.5	86.4	105.4
1980	13.4	5.6	0.1	0.3	0.9	3.5	15.7	31.8	47.3	64.2	97.8	107.5
1979	14.2	8.5	-	0.2	0.8	3.0	17.2	38.1	48.0	66.7	89.9	113.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 540
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)
 BLACK FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	10.1	*	*	*	*	1.7	6.6	16.7	24.3	36.7	66.7	87.4
1997	10.0	*	*	*	*	1.3	8.0	16.4	23.5	35.3	63.2	96.2
1996	9.6	*	*	*	*	1.3	6.5	17.5	22.5	36.1	60.2	89.2
1995	9.5	*	*	*	*	1.5	7.6	15.7	23.1	33.3	65.4	85.2
1994	9.7	*	*	*	*	1.6	7.6	17.8	24.3	33.6	59.7	99.9
1993	9.1	*	*	*	*	1.8	6.3	15.5	24.0	35.8	58.0	85.6
1992	9.1	*	*	*	*	1.4	6.9	17.9	23.5	33.1	52.7	96.2
1991	9.7	*	*	*	*	1.8	6.9	17.2	25.3	37.5	59.3	99.4
1990	9.7	*	*	*	*	1.7	6.4	18.9	27.1	36.8	60.2	94.0
1989	10.1	*	*	*	*	1.8	6.6	17.9	26.1	37.6	66.9	122.9
1988	10.6	*	*	*	*	1.7	7.6	19.0	29.4	43.1	70.3	92.6
1987	10.1	*	*	*	*	2.0	7.2	18.1	29.9	37.4	63.5	95.8
1986	10.7	*	*	*	*	2.1	7.5	19.8	31.2	39.0	69.1	102.2
1985	10.6	*	*	*	*	2.1	8.4	19.0	28.7	36.5	77.3	117.3
1984	10.7	*	*	*	0.7	2.2	7.1	18.8	29.6	47.9	70.0	90.7
1983	10.6	*	*	*	*	1.6	8.0	20.6	31.0	42.3	67.1	100.8
1982	10.4	*	*	*	*	1.9	7.7	20.6	29.4	40.5	74.4	96.6
1981	10.3	*	*	*	*	2.2	7.8	21.9	29.2	40.1	63.8	101.8
1980	11.6	4.5	0.2	0.2	0.6	2.4	8.6	21.9	32.8	47.5	79.1	127.3
1979	11.8	7.4	0.1	0.1	0.4	2.7	7.1	21.7	32.2	57.2	78.6	108.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 541
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)
 TOTAL, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	4.1	0.7	*	*	*	0.1	0.3	0.8	2.6	8.4	31.1	113.0
1997.....	4.5	0.7	*	*	*	0.1	0.3	0.9	2.9	9.6	34.9	129.9
1996.....	4.9	*	*	*	*	0.1	0.3	1.1	3.3	11.0	38.3	141.8
1995.....	5.3	0.6	*	*	*	0.1	0.3	1.0	3.6	11.8	42.5	155.7
1994.....	5.6	0.7	*	*	0.1	0.1	0.3	1.1	3.7	12.9	46.4	165.0
1993.....	5.9	0.6	*	*	0.1	0.1	0.3	1.2	3.9	13.4	48.9	178.9
1992.....	6.1	0.5	*	*	*	0.1	0.4	1.1	4.3	14.0	52.4	186.0
1991.....	6.6	0.5	*	*	0.1	0.1	0.4	1.3	4.8	15.7	57.0	201.1
1990.....	7.3	*	*	*	0.1	0.1	0.4	1.5	5.2	17.4	64.5	229.5
1989.....	8.0	*	*	*	0.1	0.1	0.3	1.4	5.6	19.2	71.0	257.1
1988.....	8.7	0.8	*	*	*	0.2	0.4	1.6	6.1	21.5	80.3	270.6
1987.....	9.2	*	*	*	0.1	0.1	0.4	1.7	6.8	23.2	86.2	289.3
1986.....	9.8	*	*	*	*	0.1	0.4	1.8	7.1	25.3	92.1	310.2
1985.....	10.3	*	*	*	0.1	0.1	0.4	1.9	7.3	26.9	99.5	331.3
1984.....	10.7	*	*	*	0.1	0.1	0.5	2.1	7.8	27.3	106.1	349.8
1983.....	11.3	*	*	*	0.0	0.1	0.5	2.2	8.2	29.3	116.0	369.9
1982.....	12.2	*	*	*	0.1	0.1	0.4	2.3	8.1	32.4	128.7	411.4
1981.....	13.5	*	*	*	0.1	0.1	0.5	2.4	8.9	37.5	145.9	454.5
1980.....	15.0	0.4	0.1	0.0	0.1	0.2	0.5	2.4	10.5	41.3	167.5	517.7
1979.....	15.9	0.3	0.1	0.0	0.0	0.1	0.6	2.8	11.1	44.6	179.4	543.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 542
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	3.2	*	*	*	*	*	0.3	1.1	3.2	9.7	31.6	101.5
1997.....	3.5	*	*	*	*	*	0.4	1.1	3.9	10.8	36.9	118.5
1996.....	3.9	*	*	*	*	*	0.3	1.3	4.1	13.7	40.0	130.7
1995.....	4.1	*	*	*	*	0.1	0.4	1.3	4.3	14.3	44.5	140.5
1994.....	4.5	*	*	*	*	*	0.3	1.4	4.9	15.3	50.2	155.0
1993.....	4.8	*	*	*	*	0.1	0.3	1.5	4.9	16.4	54.0	169.8
1992.....	4.9	*	*	*	*	0.1	0.4	1.3	5.5	16.9	56.2	175.6
1991.....	5.3	*	*	*	*	*	0.5	1.7	6.1	19.5	63.3	181.0
1990.....	5.8	*	*	*	*	0.1	0.4	1.8	6.6	20.8	70.6	206.1
1989.....	6.4	*	*	*	*	*	0.4	1.9	7.0	23.1	76.3	240.6
1988.....	7.0	*	*	*	*	0.2	0.5	2.1	7.4	25.7	87.7	251.5
1987.....	7.4	*	*	*	*	0.2	0.4	2.1	8.4	27.6	95.2	265.4
1986.....	7.9	*	*	*	*	0.1	0.5	2.3	9.0	30.1	101.9	282.2
1985.....	8.2	*	*	*	*	0.1	0.5	2.5	9.1	32.2	107.7	298.3
1984.....	8.8	*	*	*	*	0.1	0.6	2.7	10.0	33.1	117.4	326.9
1983.....	9.3	*	*	*	*	0.1	0.5	2.6	10.5	35.8	127.6	348.6
1982.....	10.0	*	*	*	*	0.1	0.5	3.0	10.6	39.6	139.6	383.8
1981.....	11.1	*	*	*	*	0.1	0.6	3.2	11.2	45.0	158.8	417.3
1980.....	12.5	0.6	0.1	0.0	0.1	0.2	0.6	3.1	13.0	49.4	184.0	487.7
1979.....	13.3	0.2	0.1	0.0	0.1	0.1	0.6	3.5	14.5	54.5	196.1	504.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 543
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	4.9	*	*	*	*	*	0.3	0.6	2.1	7.4	30.7	117.8
1997.....	5.4	*	*	*	*	*	0.3	0.7	2.0	8.7	33.6	134.4
1996.....	5.9	*	*	*	*	*	0.2	0.8	2.6	8.8	37.3	146.2
1995.....	6.4	*	*	*	*	*	0.3	0.8	2.9	9.8	41.2	161.6
1994.....	6.7	*	*	*	*	0.1	0.3	0.8	2.6	11.0	44.0	168.8
1993.....	7.0	*	*	*	*	*	0.3	0.9	2.9	11.1	45.8	182.5
1992.....	7.3	*	*	*	*	0.1	0.3	0.8	3.3	11.7	50.0	190.0
1991.....	7.8	*	*	*	*	*	0.2	0.9	3.7	12.8	53.2	208.9
1990.....	8.8	*	*	*	*	*	0.4	1.1	4.0	14.8	60.9	238.6
1989.....	9.6	*	*	*	*	*	0.2	1.0	4.4	16.1	67.8	263.6
1988.....	10.3	*	*	*	*	0.1	0.3	1.2	4.9	18.1	75.9	278.1
1987.....	11.0	*	*	*	*	0.1	0.3	1.4	5.4	19.8	80.9	298.7
1986.....	11.6	*	*	*	*	0.1	0.3	1.4	5.3	21.7	86.4	321.3
1985.....	12.3	*	*	*	*	0.1	0.3	1.4	5.7	22.9	94.6	344.5
1984.....	12.5	*	*	*	*	0.1	0.5	1.5	5.9	22.8	99.5	359.1
1983.....	13.2	*	*	*	*	*	0.4	1.7	6.1	24.3	109.1	378.7
1982.....	14.3	*	*	*	*	0.1	0.4	1.7	6.0	26.9	122.4	423.0
1981.....	15.8	*	*	*	*	0.1	0.5	1.7	6.9	31.7	138.3	470.0
1980.....	17.4	0.2	0.1	0.0	0.0	0.1	0.4	1.8	8.2	35.1	157.7	530.8
1979.....	18.3	0.4	0.1	0.0	0.0	0.2	0.6	2.2	8.2	37.1	169.6	561.1

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
WHITE, BOTH SEXES												
1998.....	4.3	0.7	*	*	*	0.1	0.3	0.6	2.3	7.7	30.3	114.7
1997.....	4.7	*	*	*	*	0.1	0.3	0.7	2.5	8.8	34.1	131.9
1996.....	5.2	*	*	*	*	*	0.2	0.9	2.8	10.1	37.8	145.1
1995.....	5.5	*	*	*	*	0.1	0.3	0.8	3.0	10.8	41.5	156.5
1994.....	5.9	0.8	*	*	*	0.1	0.2	0.8	3.2	11.7	45.3	167.3
1993.....	6.2	*	*	*	*	0.1	0.2	0.9	3.2	12.4	48.1	181.2
1992.....	6.4	*	*	*	*	0.1	0.2	0.9	3.7	12.8	51.4	187.3
1991.....	6.9	*	*	*	*	0.1	0.3	1.0	4.1	14.6	55.9	204.4
1990.....	7.7	*	*	*	*	0.1	0.3	1.1	4.5	16.1	63.6	233.8
1989.....	8.4	*	*	*	*	0.1	0.3	1.1	4.9	17.6	70.0	262.7
1988.....	9.1	0.7	*	*	*	0.1	0.3	1.3	5.4	20.0	79.0	277.1
1987.....	9.8	*	*	*	*	0.1	0.3	1.4	5.8	21.6	86.1	297.6
1986.....	10.3	*	*	*	*	0.1	0.3	1.5	6.1	23.6	91.6	318.0
1985.....	10.8	*	*	*	*	0.1	0.3	1.5	6.2	25.3	98.5	339.6
1984.....	11.3	*	*	*	*	0.1	0.4	1.8	6.7	25.4	106.0	361.0
1983.....	11.8	*	*	*	*	0.1	0.4	1.7	7.1	27.4	115.5	378.9
1982.....	12.8	*	*	*	*	0.1	0.3	1.9	7.1	30.6	128.0	424.1
1981.....	14.1	*	*	*	*	0.1	0.4	1.9	7.8	35.1	146.0	466.7
1980.....	15.6	0.3	0.1	0.0	0.1	0.1	0.4	1.9	9.1	38.6	166.5	529.3
1979.....	16.5	0.3	0.1	0.0	0.0	0.1	0.4	2.3	9.7	42.0	179.7	556.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 545
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

WHITE MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	3.2	*	*	*	*	*	0.3	0.9	2.7	8.9	30.9	103.0
1997.....	3.6	*	*	*	*	*	0.3	0.8	3.3	10.1	36.2	120.1
1996.....	4.0	*	*	*	*	*	0.3	1.1	3.4	12.7	39.7	133.2
1995.....	4.2	*	*	*	*	*	0.3	1.1	3.8	13.0	43.4	140.2
1994.....	4.6	*	*	*	*	*	0.3	1.1	4.2	13.8	48.5	156.3
1993.....	4.9	*	*	*	*	*	0.3	1.2	4.1	15.2	53.4	173.6
1992.....	5.0	*	*	*	*	*	0.3	1.1	4.6	15.7	55.0	177.2
1991.....	5.5	*	*	*	*	*	0.4	1.3	5.4	18.0	61.7	184.0
1990.....	6.0	*	*	*	*	0.1	0.4	1.3	5.7	19.3	69.7	210.6
1989.....	6.6	*	*	*	*	*	0.3	1.5	6.2	21.1	76.4	246.1
1988.....	7.2	*	*	*	*	0.1	0.4	1.7	6.6	24.3	86.0	258.8
1987.....	7.6	*	*	*	*	0.1	0.3	1.8	7.2	25.6	95.0	273.1
1986.....	8.1	*	*	*	*	*	0.4	1.9	8.0	28.1	101.9	290.9
1985.....	8.5	*	*	*	*	0.1	0.4	2.0	7.8	30.5	107.4	307.6
1984.....	9.1	*	*	*	*	*	0.5	2.2	8.7	31.2	117.7	340.4
1983.....	9.6	*	*	*	*	*	0.4	2.1	9.3	33.5	128.0	361.1
1982.....	10.3	*	*	*	*	*	0.4	2.5	9.5	37.5	138.4	399.2
1981.....	11.4	*	*	*	*	*	0.4	2.6	9.7	42.7	159.7	430.0
1980.....	12.8	0.5	0.0	-	0.1	0.1	0.5	2.5	11.4	46.6	184.5	497.5
1979.....	13.6	0.2	0.1	0.0	0.0	0.1	0.4	2.7	12.6	51.7	196.4	517.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 546
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	5.3	*	*	*	*	*	0.2	0.4	1.9	6.8	29.9	119.5
1997.....	5.8	*	*	*	*	*	0.2	0.6	1.7	7.8	32.8	136.5
1996.....	6.3	*	*	*	*	*	0.2	0.7	2.2	8.0	36.5	149.8
1995.....	6.8	*	*	*	*	*	0.2	0.6	2.3	9.0	40.3	162.8
1994.....	7.2	*	*	*	*	*	0.2	0.6	2.2	10.0	43.3	171.5
1993.....	7.5	*	*	*	*	*	0.2	0.7	2.5	10.2	44.8	184.0
1992.....	7.8	*	*	*	*	*	0.2	0.7	2.9	10.6	49.2	191.2
1991.....	8.4	*	*	*	*	*	0.2	0.7	3.0	11.9	52.4	212.2
1990.....	9.4	*	*	*	*	*	0.3	0.9	3.4	13.6	59.9	242.6
1989.....	10.2	*	*	*	*	*	0.2	0.7	3.6	14.9	66.2	269.2
1988.....	11.0	*	*	*	*	*	0.2	0.9	4.2	16.7	74.8	284.1
1987.....	11.8	*	*	*	*	*	0.3	1.1	4.6	18.4	80.9	307.0
1986.....	12.3	*	*	*	*	*	0.2	1.2	4.3	20.2	85.5	328.6
1985.....	13.0	*	*	*	*	*	0.2	1.1	4.7	21.3	93.2	352.2
1984.....	13.4	*	*	*	*	*	0.4	1.3	5.0	21.0	99.2	369.1
1983.....	13.9	*	*	*	*	*	0.3	1.3	5.1	22.6	108.1	386.1
1982.....	15.2	*	*	*	*	*	0.3	1.3	5.0	25.4	121.9	434.3
1981.....	16.8	*	*	*	*	0.1	0.3	1.3	6.0	29.3	138.1	482.0
1980.....	18.3	0.2	0.1	0.0	0.0	0.1	0.3	1.4	7.0	32.5	156.0	543.1
1979.....	19.4	0.4	0.1	0.0	0.0	0.1	0.4	1.9	7.2	34.6	169.9	573.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 547
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

ALL OTHER, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	3.1	*	*	*	*	*	0.5	2.0	5.0	13.7	38.4	97.0
1997.....	3.3	*	*	*	*	*	0.6	2.1	5.5	15.4	41.8	110.6
1996.....	3.6	*	*	*	*	*	0.6	2.3	6.6	17.7	43.8	109.8
1995.....	4.1	*	*	*	*	*	0.6	2.2	7.5	19.8	51.7	148.1
1994.....	4.3	*	*	*	*	*	0.6	2.7	7.2	22.5	57.5	141.1
1993.....	4.4	*	*	*	*	*	0.7	2.7	7.9	21.8	57.6	156.2
1992.....	4.7	*	*	*	*	*	0.9	2.3	8.6	23.4	61.7	171.8
1991.....	4.9	*	*	*	*	*	0.8	3.1	9.6	25.2	67.8	167.2
1990.....	5.5	*	*	*	*	*	1.1	3.6	10.4	28.5	73.8	184.7
1989.....	5.9	*	*	*	*	*	0.7	3.2	11.0	32.8	80.5	198.0
1988.....	6.4	*	*	*	*	0.4	0.9	3.5	11.2	34.0	93.1	202.4
1987.....	6.5	*	*	*	*	*	0.8	3.5	14.2	38.0	87.3	200.0
1986.....	7.1	*	*	*	*	0.3	1.0	3.7	14.5	40.3	97.1	225.5
1985.....	7.6	*	*	*	*	*	1.1	4.1	16.3	41.8	109.4	239.7
1984.....	7.6	*	*	*	*	*	1.2	4.5	16.6	43.7	107.3	227.6
1983.....	8.4	*	*	*	*	*	1.2	5.4	17.2	47.1	121.4	268.9
1982.....	8.7	*	*	*	*	*	1.1	5.2	17.0	48.5	136.5	270.9
1981.....	9.8	*	*	*	*	*	1.3	6.2	18.7	59.0	144.0	316.3
1980.....	11.5	0.8	0.3	0.0	0.1	0.3	1.3	6.1	22.5	66.3	177.3	383.5
1979.....	11.9	0.5	0.1	0.0	0.1	0.3	1.6	6.6	23.7	68.9	176.5	397.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 548
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)
 ALL OTHER MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	2.7	*	*	*	*	*	*	2.4	7.2	15.8	38.6	87.9
1997	3.0	*	*	*	*	*	0.8	2.7	7.8	16.5	43.5	104.9
1996	3.3	*	*	*	*	*	0.7	2.9	8.8	21.9	43.1	108.7
1995	3.6	*	*	*	*	*	0.7	2.7	8.3	24.9	55.4	143.6
1994	4.1	*	*	*	*	*	0.6	3.3	9.8	28.0	68.3	142.9
1993	3.9	*	*	*	*	*	0.7	3.6	10.7	26.8	60.4	134.3
1992	4.3	*	*	*	*	*	1.0	3.1	12.1	27.4	67.8	160.5
1991	4.8	*	*	*	*	*	1.1	4.4	11.6	32.6	79.1	153.5
1990	4.9	*	*	*	*	*	0.9	4.8	13.6	34.5	78.6	164.6
1989	5.2	*	*	*	*	*	0.9	4.4	12.6	41.7	75.5	188.9
1988	5.8	*	*	*	*	0.6	1.4	4.3	13.5	38.8	104.5	183.5
1987	6.2	*	*	*	*	*	1.0	3.8	18.2	46.4	97.9	193.5
1986	6.4	*	*	*	*	*	1.2	4.6	17.2	48.2	100.9	200.0
1985	6.9	*	*	*	*	*	1.4	5.4	20.2	48.5	110.0	211.0
1984	7.3	*	*	*	*	*	1.5	6.2	21.6	51.0	114.2	200.0
1983	7.8	*	*	*	*	*	1.2	6.6	21.2	57.7	123.8	225.7
1982	8.3	*	*	*	*	*	1.4	6.0	20.7	58.9	150.3	234.3
1981	9.2	*	*	*	*	*	1.6	7.9	23.9	66.6	150.2	290.6
1980	10.8	1.3	0.2	0.0	0.2	0.4	1.7	7.7	28.1	75.2	178.7	388.4
1979	11.8	0.3	0.2	-	0.1	0.2	2.1	9.7	31.7	79.9	192.9	378.0

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+

CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

ALL OTHER FEMALE

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	3.4	*	*	*	*	*	0.5	1.5	3.2	12.1	38.3	101.1
1997.....	3.7	*	*	*	*	*	*	1.5	3.6	14.6	40.8	113.2
1996.....	3.8	*	*	*	*	*	0.6	1.8	4.8	14.6	44.3	110.2
1995.....	4.5	*	*	*	*	*	0.6	1.8	6.9	16.0	49.5	150.0
1994.....	4.5	*	*	*	*	*	0.6	2.1	5.2	18.5	51.0	140.3
1993.....	4.8	*	*	*	*	*	0.6	2.0	5.7	18.2	55.9	165.7
1992.....	5.0	*	*	*	*	*	0.9	1.6	5.9	20.5	58.0	176.9
1991.....	5.1	*	*	*	*	*	*	2.0	7.9	19.9	60.9	172.5
1990.....	5.9	*	*	*	*	*	1.2	2.6	7.9	24.2	70.9	193.8
1989.....	6.4	*	*	*	*	*	*	2.2	9.8	26.4	83.6	202.3
1988.....	6.8	*	*	*	*	*	*	2.9	9.4	30.6	86.4	211.2
1987.....	6.7	*	*	*	*	*	*	3.2	11.0	32.0	80.6	203.1
1986.....	7.6	*	*	*	*	*	0.9	3.0	12.5	34.5	94.7	237.8
1985.....	8.3	*	*	*	*	*	0.9	3.1	13.2	36.9	109.1	255.3
1984.....	7.9	*	*	*	*	*	*	3.0	12.7	38.4	103.2	241.4
1983.....	9.0	*	*	*	*	*	1.1	4.4	14.0	39.3	119.8	290.6
1982.....	9.1	*	*	*	*	*	*	4.5	14.0	40.8	127.6	287.2
1981.....	10.3	*	*	*	*	*	1.1	4.7	14.5	53.2	140.0	329.4
1980.....	12.1	0.3	0.4	0.0	0.1	0.3	1.0	4.7	17.9	59.5	176.3	381.0
1979.....	12.0	0.7	0.1	0.0	0.1	0.4	1.3	4.1	17.1	60.6	165.8	411.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 550
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)
 BLACK, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	3.7	*	*	*	*	*	0.7	2.6	6.1	16.0	43.7	102.9
1997	4.0	*	*	*	*	*	0.8	2.7	6.8	18.3	45.1	120.3
1996	4.2	*	*	*	*	*	0.8	3.0	7.9	20.0	47.4	116.7
1995	4.8	*	*	*	*	*	0.8	2.7	9.1	22.7	56.4	154.7
1994	5.1	*	*	*	*	*	0.8	3.4	8.5	26.3	61.9	144.4
1993	5.2	*	*	*	*	*	0.9	3.2	9.3	25.2	61.7	163.6
1992	5.6	*	*	*	*	*	1.2	3.0	10.3	26.5	68.4	178.8
1991	5.9	*	*	*	*	*	1.0	3.6	11.6	28.8	76.3	171.1
1990	6.5	*	*	*	*	*	1.4	4.4	12.0	32.4	80.6	194.5
1989	7.0	*	*	*	*	*	1.0	3.9	12.9	37.6	88.8	204.5
1988	7.5	*	*	*	*	0.5	1.1	4.3	13.0	38.5	100.7	214.0
1987	7.6	*	*	*	*	*	1.1	4.3	16.8	42.5	93.5	210.1
1986	8.2	*	*	*	*	0.4	1.4	4.4	16.7	45.7	104.7	230.3
1985	8.9	*	*	*	*	*	1.4	5.0	18.9	46.5	118.0	252.3
1984	8.9	*	*	*	*	*	1.5	5.4	19.1	49.3	118.1	228.4
1983	9.7	*	*	*	*	*	1.4	6.4	19.8	51.2	132.3	279.9
1982	9.9	*	*	*	*	*	1.4	6.1	19.1	52.9	148.0	273.3
1981	11.1	*	*	*	*	*	1.6	7.1	21.3	64.2	154.3	328.6
1980	12.9	0.6	0.3	0.0	0.1	0.4	1.7	7.0	24.7	71.9	189.9	396.7
1979	13.1	0.4	0.2	0.0	0.1	0.3	1.8	7.7	25.9	74.4	182.9	402.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 551
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	3.2	*	*	*	*	*	*	3.1	9.1	18.7	43.8	92.4
1997.....	3.6	*	*	*	*	*	1.0	3.5	9.8	19.9	47.0	118.0
1996.....	3.8	*	*	*	*	*	0.9	3.9	10.9	24.9	44.7	117.6
1995.....	4.2	*	*	*	*	*	0.9	3.5	10.4	28.3	60.6	141.4
1994.....	4.8	*	*	*	*	*	*	4.2	11.4	32.9	73.7	140.1
1993.....	4.6	*	*	*	*	*	1.0	4.3	12.8	31.1	64.2	141.1
1992.....	5.0	*	*	*	*	*	1.3	3.9	14.5	31.3	74.7	166.5
1991.....	5.6	*	*	*	*	*	1.4	5.2	13.9	36.9	91.8	156.5
1990.....	5.9	*	*	*	*	*	1.2	6.0	15.8	40.4	89.2	170.5
1989.....	6.2	*	*	*	*	*	1.2	5.3	15.0	48.8	82.9	192.4
1988.....	6.9	*	*	*	*	0.8	1.8	5.2	15.9	44.2	115.5	195.4
1987.....	7.2	*	*	*	*	*	1.3	4.8	21.6	51.8	102.2	207.8
1986.....	7.5	*	*	*	*	*	1.6	5.6	19.3	55.3	108.8	212.7
1985.....	8.0	*	*	*	*	*	1.7	6.5	23.7	53.8	116.7	221.0
1984.....	8.4	*	*	*	*	*	2.0	7.5	24.7	57.6	125.1	198.4
1983.....	8.9	*	*	*	*	*	1.4	7.8	24.7	61.7	135.6	235.0
1982.....	9.5	*	*	*	*	*	1.9	7.1	23.5	64.8	166.4	239.7
1981.....	10.4	*	*	*	*	*	2.0	9.0	27.3	72.4	160.0	301.8
1980.....	12.1	0.7	0.2	0.0	0.1	0.5	2.2	8.7	31.1	82.5	193.0	403.7
1979.....	13.0	0.4	0.2	-	0.1	0.3	2.3	11.1	34.7	86.9	201.7	382.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 552
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	4.0	*	*	*	*	*	*	2.1	3.8	14.1	43.6	107.2
1997.....	4.4	*	*	*	*	*	*	2.0	4.5	17.1	43.9	121.3
1996.....	4.5	*	*	*	*	*	0.7	2.3	5.6	16.5	49.0	116.3
1995.....	5.4	*	*	*	*	*	0.8	2.0	8.2	18.7	54.0	160.1
1994.....	5.3	*	*	*	*	*	0.7	2.7	6.3	21.5	55.3	146.1
1993.....	5.7	*	*	*	*	*	0.8	2.4	6.6	21.0	60.3	172.8
1992.....	6.0	*	*	*	*	*	1.2	2.2	7.0	23.2	64.8	183.9
1991.....	6.2	*	*	*	*	*	*	2.3	9.9	23.2	67.7	177.3
1990.....	7.0	*	*	*	*	*	1.5	3.0	9.1	26.8	75.8	204.7
1989.....	7.7	*	*	*	*	*	*	2.8	11.3	29.9	92.2	211.1
1988.....	8.1	*	*	*	*	*	*	3.6	10.8	34.6	92.2	222.1
1987.....	8.0	*	*	*	*	*	*	3.8	13.1	35.9	88.5	211.1
1986.....	8.9	*	*	*	*	*	1.1	3.4	14.6	39.0	102.2	238.4
1985.....	9.7	*	*	*	*	*	1.1	3.7	15.1	41.4	118.8	266.9
1984.....	9.3	*	*	*	*	*	*	3.7	14.6	43.4	114.1	242.6
1983.....	10.5	*	*	*	*	*	1.3	5.2	16.0	43.8	130.0	301.6
1982.....	10.3	*	*	*	*	*	*	5.3	15.6	44.3	136.7	289.8
1981.....	11.8	*	*	*	*	*	1.3	5.5	16.5	58.3	150.8	338.9
1980.....	13.5	0.4	0.3	0.0	0.1	0.4	1.2	5.6	19.5	64.2	188.0	393.2
1979.....	13.2	0.4	0.1	0.0	0.1	0.4	1.4	4.8	18.9	65.1	170.0	412.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	553	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
CEREBRAL EMBOLISM (434.1)															
TOTAL, BOTH SEXES															
1998.....		0.2	*	*	*	*	*	*	*	0.2	0.6	1.9	4.2		
1997.....		0.2	*	*	*	*	*	*	*	0.2	0.7	1.9	4.6		
1996.....		0.3	*	*	*	*	*	*	0.1	0.2	0.8	2.2	5.3		
1995.....		0.2	*	*	*	*	*	*	0.1	0.2	0.8	1.9	5.3		
1994.....		0.3	*	*	*	*	*	*	*	0.2	0.8	2.3	6.1		
1993.....		0.2	*	*	*	*	*	*	*	0.2	0.6	2.2	5.9		
1992.....		0.2	*	*	*	*	*	*	0.1	0.2	0.8	2.2	5.7		
1991.....		0.3	*	*	*	*	*	*	*	0.2	0.8	2.0	6.1		
1990.....		0.3	*	*	*	*	*	*	*	0.2	0.8	2.7	5.8		
1989.....		0.3	*	*	*	*	*	*	*	0.3	0.9	2.8	5.7		
1988.....		0.3	*	*	*	*	*	*	*	0.3	1.0	2.7	7.0		
1987.....		0.3	*	*	*	*	*	*	0.1	0.3	0.9	3.0	6.7		
1986.....		0.3	*	*	*	*	*	*	*	0.3	1.1	3.3	6.8		
1985.....		0.3	*	*	*	*	*	*	0.1	0.3	1.1	3.3	7.6		
1984.....		0.3	*	*	*	*	*	*	0.1	0.4	1.2	3.3	6.2		
1983.....		0.3	*	*	*	*	*	*	0.1	0.3	1.2	3.2	6.9		
1982.....		0.3	*	*	*	*	*	*	0.1	0.3	1.2	3.3	7.4		
1981.....		0.4	*	*	*	*	*	*	0.1	0.5	1.4	3.4	7.0		
1980.....		0.4	0.0	-	0.0	0.0	0.0	0.1	0.2	0.4	1.2	3.7	6.9		
1979.....		0.4	-	-	-	0.0	0.0	0.0	0.2	0.4	1.5	4.0	7.6		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 554
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 CEREBRAL EMBOLISM (434.1) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.9	3.6
1997.....	0.2	*	*	*	*	*	*	*	0.3	0.8	1.7	3.4
1996.....	0.2	*	*	*	*	*	*	*	0.2	0.7	2.6	4.8
1995.....	0.2	*	*	*	*	*	*	*	0.2	1.0	1.9	5.9
1994.....	0.2	*	*	*	*	*	*	*	*	1.0	2.5	4.7
1993.....	0.2	*	*	*	*	*	*	*	0.3	0.6	2.6	5.5
1992.....	0.2	*	*	*	*	*	*	*	*	0.8	2.3	5.2
1991.....	0.2	*	*	*	*	*	*	*	*	0.9	2.0	4.9
1990.....	0.2	*	*	*	*	*	*	*	0.2	0.9	3.1	5.3
1989.....	0.2	*	*	*	*	*	*	*	0.3	0.9	2.7	5.2
1988.....	0.3	*	*	*	*	*	*	*	0.4	1.2	3.1	6.7
1987.....	0.3	*	*	*	*	*	*	*	0.3	1.1	3.0	7.0
1986.....	0.3	*	*	*	*	*	*	*	0.3	1.3	3.8	5.8
1985.....	0.3	*	*	*	*	*	*	*	0.3	1.2	3.9	8.1
1984.....	0.3	*	*	*	*	*	*	*	0.4	1.6	3.4	5.2
1983.....	0.3	*	*	*	*	*	*	*	0.3	1.3	3.5	6.1
1982.....	0.3	*	*	*	*	*	*	*	0.4	1.4	3.5	6.1
1981.....	0.3	*	*	*	*	*	*	*	0.5	1.5	3.6	5.8
1980.....	0.3	-	-	-	0.0	0.0	0.0	0.2	0.6	1.4	3.8	6.5
1979.....	0.3	-	-	-	0.0	0.0	0.0	0.1	0.4	1.5	3.7	6.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	555
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+
CEREBRAL EMBOLISM (434.1)													
TOTAL, FEMALE													
1998.....		0.2	*	*	*	*	*	*	*	*	0.5	1.9	4.5
1997.....		0.3	*	*	*	*	*	*	*	0.2	0.6	2.0	5.0
1996.....		0.3	*	*	*	*	*	*	*	*	0.8	2.0	5.5
1995.....		0.3	*	*	*	*	*	*	*	0.2	0.7	1.9	5.1
1994.....		0.3	*	*	*	*	*	*	*	0.2	0.8	2.2	6.6
1993.....		0.3	*	*	*	*	*	*	*	*	0.7	2.0	6.1
1992.....		0.3	*	*	*	*	*	*	*	*	0.8	2.1	5.9
1991.....		0.3	*	*	*	*	*	*	*	*	0.8	2.1	6.6
1990.....		0.3	*	*	*	*	*	*	*	*	0.7	2.4	6.0
1989.....		0.3	*	*	*	*	*	*	*	0.2	0.8	2.9	5.9
1988.....		0.3	*	*	*	*	*	*	*	0.2	1.0	2.5	7.2
1987.....		0.3	*	*	*	*	*	*	*	0.2	0.8	3.0	6.5
1986.....		0.4	*	*	*	*	*	*	*	0.3	1.0	2.9	7.2
1985.....		0.4	*	*	*	*	*	*	*	0.3	1.0	2.9	7.3
1984.....		0.4	*	*	*	*	*	*	*	0.3	1.0	3.2	6.6
1983.....		0.4	*	*	*	*	*	*	*	0.3	1.0	3.1	7.2
1982.....		0.4	*	*	*	*	*	*	*	0.3	1.0	3.1	8.0
1981.....		0.4	*	*	*	*	*	*	*	0.4	1.4	3.4	7.5
1980.....		0.4	0.1	-	0.0	0.0	0.0	0.1	0.2	0.2	1.1	3.7	7.1
1979.....		0.5	-	-	-	0.0	0.0	0.0	0.2	0.4	1.4	4.2	8.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	556	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
CEREBRAL EMBOLISM (434.1)															
WHITE, BOTH SEXES															
1998.....		0.2	*	*	*	*	*	*	*	0.2	0.6	1.9	4.4		
1997.....		0.3	*	*	*	*	*	*	*	0.2	0.7	1.9	4.8		
1996.....		0.3	*	*	*	*	*	*	*	0.2	0.8	2.3	5.4		
1995.....		0.3	*	*	*	*	*	*	*	0.2	0.8	1.9	5.4		
1994.....		0.3	*	*	*	*	*	*	*	0.2	0.9	2.4	6.2		
1993.....		0.3	*	*	*	*	*	*	*	0.2	0.6	2.3	6.3		
1992.....		0.3	*	*	*	*	*	*	*	0.1	0.8	2.2	5.8		
1991.....		0.3	*	*	*	*	*	*	*	0.2	0.8	2.1	6.4		
1990.....		0.3	*	*	*	*	*	*	*	0.2	0.8	2.8	6.0		
1989.....		0.3	*	*	*	*	*	*	*	0.2	0.8	2.9	5.8		
1988.....		0.3	*	*	*	*	*	*	*	0.3	1.0	2.8	7.4		
1987.....		0.3	*	*	*	*	*	*	0.1	0.2	0.9	3.1	6.9		
1986.....		0.4	*	*	*	*	*	*	*	0.3	1.1	3.3	7.0		
1985.....		0.4	*	*	*	*	*	*	*	0.3	1.1	3.3	7.9		
1984.....		0.4	*	*	*	*	*	*	*	0.4	1.2	3.5	6.3		
1983.....		0.3	*	*	*	*	*	*	0.1	0.3	1.2	3.4	7.0		
1982.....		0.4	*	*	*	*	*	*	0.1	0.3	1.2	3.5	7.7		
1981.....		0.4	*	*	*	*	*	*	0.1	0.4	1.4	3.5	7.5		
1980.....		0.4	-	-	0.0	0.0	0.0	0.0	0.2	0.4	1.2	3.8	7.1		
1979.....		0.4	-	-	-	0.0	0.0	0.0	0.2	0.4	1.5	4.1	7.9		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	557	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
CEREBRAL EMBOLISM (434.1)															
WHITE MALE															
1998.....		0.2	*	*	*	*	*	*	*	*	0.7	1.9	3.8		
1997.....		0.2	*	*	*	*	*	*	*	0.2	0.8	1.8	3.5		
1996.....		0.2	*	*	*	*	*	*	*	0.2	0.7	2.6	5.0		
1995.....		0.2	*	*	*	*	*	*	*	0.2	1.0	1.9	5.8		
1994.....		0.2	*	*	*	*	*	*	*	*	1.0	2.5	4.9		
1993.....		0.2	*	*	*	*	*	*	*	0.3	0.6	2.7	6.1		
1992.....		0.2	*	*	*	*	*	*	*	*	0.8	2.2	5.1		
1991.....		0.2	*	*	*	*	*	*	*	*	0.9	2.1	5.2		
1990.....		0.2	*	*	*	*	*	*	*	0.2	0.9	3.1	5.4		
1989.....		0.2	*	*	*	*	*	*	*	0.3	0.8	2.8	5.2		
1988.....		0.3	*	*	*	*	*	*	*	0.3	1.1	3.3	7.4		
1987.....		0.3	*	*	*	*	*	*	*	0.3	1.1	3.1	7.2		
1986.....		0.3	*	*	*	*	*	*	*	0.3	1.3	3.8	5.4		
1985.....		0.3	*	*	*	*	*	*	*	0.3	1.3	4.0	8.6		
1984.....		0.3	*	*	*	*	*	*	*	0.4	1.6	3.7	4.7		
1983.....		0.3	*	*	*	*	*	*	*	0.2	1.3	3.6	6.0		
1982.....		0.3	*	*	*	*	*	*	*	0.4	1.5	3.9	6.5		
1981.....		0.3	*	*	*	*	*	*	*	0.5	1.5	3.6	6.4		
1980.....		0.3	-	-	-	0.0	0.0	0.0	0.2	0.5	1.3	3.8	6.6		
1979.....		0.3	-	-	-	0.0	0.0	0.0	0.1	0.4	1.5	3.7	6.8		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 558
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CEREBRAL EMBOLISM (434.1)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	0.3	*	*	*	*	*	*	*	*	0.5	1.9	4.7
1997.....	0.3	*	*	*	*	*	*	*	0.2	0.6	2.1	5.3
1996.....	0.3	*	*	*	*	*	*	*	*	0.8	2.0	5.6
1995.....	0.3	*	*	*	*	*	*	*	*	0.7	1.9	5.2
1994.....	0.4	*	*	*	*	*	*	*	*	0.8	2.3	6.7
1993.....	0.3	*	*	*	*	*	*	*	*	0.7	2.1	6.4
1992.....	0.3	*	*	*	*	*	*	*	*	0.8	2.1	6.0
1991.....	0.3	*	*	*	*	*	*	*	*	0.8	2.1	6.9
1990.....	0.3	*	*	*	*	*	*	*	*	0.7	2.6	6.3
1989.....	0.4	*	*	*	*	*	*	*	0.2	0.8	3.0	6.0
1988.....	0.4	*	*	*	*	*	*	*	0.3	1.0	2.6	7.4
1987.....	0.4	*	*	*	*	*	*	*	*	0.8	3.1	6.7
1986.....	0.4	*	*	*	*	*	*	*	0.4	1.0	3.0	7.6
1985.....	0.4	*	*	*	*	*	*	*	0.3	1.1	2.9	7.6
1984.....	0.4	*	*	*	*	*	*	*	0.3	0.9	3.3	7.0
1983.....	0.4	*	*	*	*	*	*	*	0.3	1.0	3.2	7.4
1982.....	0.4	*	*	*	*	*	*	*	0.3	1.0	3.2	8.3
1981.....	0.4	*	*	*	*	*	*	*	0.4	1.4	3.4	7.9
1980.....	0.4	-	-	0.0	0.0	0.1	0.0	0.1	0.2	1.1	3.8	7.4
1979.....	0.5	-	-	-	0.0	0.0	0.0	0.2	0.5	1.4	4.3	8.3

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
CEREBRAL EMBOLISM (434.1)												
ALL OTHER, BOTH SEXES												
1998.....	0.1	*	*	*	*	*	*	*	*	*	1.7	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	1.9	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	2.0	*
1993.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	2.5	*
1991.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	1.1	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	1.5	2.4	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	2.7	*
1984.....	0.2	*	*	*	*	*	*	*	*	1.6	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	3.1	*
1980.....	0.3	0.2	-	-	-	0.0	0.2	0.4	0.7	1.8	2.8	4.5
1979.....	0.2	-	-	-	0.0	-	0.0	0.1	0.7	1.3	3.2	5.2

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
CEREBRAL EMBOLISM (434.1)												
ALL OTHER MALE												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	0.0	0.2	0.5	1.1	2.0	3.0	4.9
1979.....	0.2	-	-	-	-	-	-	0.1	1.0	1.4	3.7	3.4

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
CEREBRAL EMBOLISM (434.1)												
ALL OTHER FEMALE												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	2.1	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	-	-	-	0.0	0.2	0.3	0.4	1.6	2.7	4.2
1979.....	0.2	-	-	-	0.0	-	0.1	0.2	0.4	1.3	2.8	6.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	562
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
CEREBRAL EMBOLISM (434.1) BLACK, BOTH SEXES														
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1994.....	0.2	*	*	*	*	*	*	*	*	*	*	*		
1993.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1992.....	0.2	*	*	*	*	*	*	*	*	*	2.5	*		
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*		
1990.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*		
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*		
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*		
1986.....	0.2	*	*	*	*	*	*	*	*	1.5	*	*		
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*		
1984.....	0.2	*	*	*	*	*	*	*	*	1.8	*	*		
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*		
1982.....	0.2	*	*	*	*	*	*	*	*	*	*	*		
1981.....	0.2	*	*	*	*	*	*	*	*	*	3.4	*		
1980.....	0.3	-	-	-	-	0.0	0.2	0.4	0.7	1.9	2.9	4.4		
1979.....	0.3	-	-	-	0.0	-	0.0	0.2	0.8	1.4	3.0	5.8		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 563
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CEREBRAL EMBOLISM (434.1)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	0.1	0.2	0.6	1.1	2.3	2.6	3.8
1979.....	0.2	-	-	-	-	-	-	0.1	1.2	1.6	3.4	3.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 564
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CEREBRAL EMBOLISM (434.1)

BLACK FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	2.4	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	0.2	0.2	0.5	1.7	3.1	4.7
1979.....	0.3	-	-	-	0.0	-	0.1	0.2	0.5	1.3	2.8	6.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 565
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)
 TOTAL, BOTH SEXES

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	44.7	6.2	0.3	0.1	0.3	1.0	3.3	9.0	26.3	90.6	347.7	1,261.0
1997.....	45.3	5.5	0.2	0.1	0.3	0.9	3.4	9.1	27.6	93.6	353.0	1,325.2
1996.....	46.2	4.7	0.2	0.1	0.3	1.1	3.5	9.8	28.6	95.5	370.3	1,353.8
1995.....	46.0	4.2	0.2	0.1	0.2	1.0	3.6	9.8	29.3	97.7	371.6	1,365.4
1994.....	44.6	3.1	0.2	0.1	0.3	1.2	3.5	10.0	28.8	94.9	369.6	1,326.8
1993.....	43.7	3.3	0.2	0.1	0.3	1.2	3.4	9.9	28.7	94.1	365.6	1,318.8
1992.....	41.7	2.6	0.2	0.1	0.3	1.1	3.6	9.8	28.8	93.1	351.9	1,266.0
1991.....	41.8	2.4	0.2	0.1	0.3	1.2	3.5	10.3	28.2	95.8	358.5	1,272.8
1990.....	42.1	1.8	0.2	0.1	0.4	1.3	3.6	10.3	29.0	98.7	368.7	1,290.4
1989.....	42.3	1.6	*	0.1	0.3	1.3	3.6	10.2	29.6	100.2	377.3	1,293.9
1988.....	43.9	1.8	0.2	0.1	0.4	1.3	3.9	10.4	31.3	104.7	398.1	1,355.2
1987.....	43.8	1.6	0.2	0.1	0.4	1.4	4.0	10.9	31.3	106.2	403.2	1,351.6
1986.....	43.7	1.2	0.1	0.1	0.3	1.4	4.0	11.3	32.2	109.6	408.2	1,352.2
1985.....	45.0	1.4	0.2	0.1	0.4	1.3	4.0	11.7	32.8	114.6	429.9	1,404.6
1984.....	45.8	0.8	0.2	0.1	0.5	1.4	4.2	12.6	33.6	119.0	446.7	1,434.1
1983.....	46.6	1.1	0.2	0.1	0.5	1.3	4.2	12.9	35.2	123.5	465.5	1,460.8
1982.....	46.9	1.0	0.2	0.1	0.4	1.4	4.5	13.0	35.7	129.2	478.6	1,463.9
1981.....	48.6	0.9	0.2	0.1	0.5	1.6	4.9	13.9	38.1	136.4	498.8	1,545.3
1980.....	50.6	1.3	0.2	0.1	0.6	1.6	4.9	14.3	38.4	144.1	543.3	1,623.3
1979.....	49.5	1.1	0.1	0.1	0.5	1.7	5.3	14.5	40.1	144.0	532.9	1,565.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 566
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)
 TOTAL, MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	33.9	7.0	*	0.1	0.3	0.9	3.1	9.2	29.7	100.9	362.1	1,118.9
1997.....	34.9	5.9	0.3	0.1	0.3	0.9	3.1	9.5	30.9	105.9	373.1	1,249.3
1996.....	35.7	5.1	*	0.1	0.3	0.9	3.4	10.2	32.4	108.7	395.2	1,265.6
1995.....	35.6	4.8	*	0.1	0.3	1.0	3.6	10.2	33.3	110.3	401.8	1,275.3
1994.....	34.7	3.6	0.3	0.1	0.3	1.0	3.4	10.3	32.5	108.9	405.1	1,250.6
1993.....	34.1	3.3	*	0.1	0.3	1.1	3.4	9.9	32.4	108.4	399.2	1,257.5
1992.....	32.7	3.4	*	*	0.4	1.0	3.3	10.2	32.1	107.1	384.8	1,208.0
1991.....	32.9	2.4	*	0.1	0.3	1.1	3.5	10.5	31.3	111.9	398.5	1,194.1
1990.....	33.1	2.1	*	0.1	0.4	1.2	3.4	10.4	32.1	114.5	411.4	1,213.9
1989.....	33.2	1.7	*	0.1	0.3	1.2	3.5	10.2	33.5	115.2	416.6	1,205.2
1988.....	34.8	1.9	*	*	0.4	1.2	3.8	10.5	35.9	120.5	441.0	1,283.8
1987.....	34.4	1.8	*	*	0.3	1.3	3.9	10.9	35.3	122.1	443.0	1,252.3
1986.....	34.7	1.3	*	*	0.4	1.3	3.9	11.4	35.7	124.7	453.3	1,268.2
1985.....	35.9	1.6	*	*	0.4	1.2	3.7	12.0	37.3	132.8	476.0	1,310.2
1984.....	36.9	*	*	0.1	0.5	1.3	3.9	13.3	38.0	139.6	487.0	1,363.5
1983.....	38.1	1.2	*	0.1	0.5	1.3	3.9	12.9	39.7	145.2	518.3	1,398.2
1982.....	38.4	1.2	*	0.1	0.4	1.3	4.2	13.2	39.4	152.1	523.1	1,417.3
1981.....	40.1	1.4	*	0.2	0.5	1.5	4.6	14.0	42.7	160.9	549.6	1,483.5
1980.....	42.2	1.6	0.2	0.1	0.6	1.6	4.7	14.9	43.0	170.9	599.4	1,564.4
1979.....	41.8	1.3	0.1	0.2	0.5	1.8	5.1	14.7	46.0	169.6	588.7	1,532.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 567
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	55.0	5.4	0.3	0.1	0.2	1.1	3.5	8.8	23.3	82.2	338.2	1,319.8
1997.....	55.3	5.1	*	*	0.3	1.0	3.7	8.6	24.6	83.6	339.9	1,355.9
1996.....	56.3	4.4	*	*	0.2	1.2	3.7	9.3	25.2	84.9	354.2	1,388.9
1995.....	55.9	3.6	*	*	0.2	1.1	3.6	9.5	25.6	87.7	352.4	1,400.5
1994.....	54.0	2.5	*	*	0.3	1.3	3.7	9.7	25.4	83.8	347.4	1,356.2
1993.....	53.0	3.3	*	*	0.4	1.2	3.4	9.8	25.5	82.9	344.7	1,342.4
1992.....	50.3	1.8	*	*	0.2	1.2	3.8	9.4	25.7	82.0	331.8	1,288.5
1991.....	50.3	2.4	*	*	0.3	1.3	3.6	10.1	25.5	83.1	334.4	1,303.2
1990.....	50.5	1.6	*	0.1	0.3	1.5	3.8	10.2	26.3	86.3	343.2	1,319.8
1989.....	50.9	1.4	*	*	0.3	1.4	3.8	10.2	26.1	88.5	353.9	1,328.5
1988.....	52.5	1.7	*	0.1	0.4	1.3	3.9	10.2	27.3	92.5	372.7	1,383.1
1987.....	52.6	1.3	*	*	0.4	1.5	4.0	10.9	27.8	93.8	379.6	1,390.8
1986.....	52.2	*	*	*	0.3	1.4	4.1	11.2	29.1	97.8	381.7	1,385.5
1985.....	53.6	*	*	*	0.4	1.3	4.3	11.5	28.9	100.5	402.8	1,442.2
1984.....	54.3	*	*	*	0.4	1.4	4.5	12.0	29.8	103.2	423.0	1,462.7
1983.....	54.7	*	*	0.2	0.4	1.3	4.5	12.9	31.2	106.9	434.5	1,486.5
1982.....	55.0	*	*	0.1	0.4	1.5	4.9	12.8	32.5	111.7	452.5	1,483.3
1981.....	56.6	*	*	*	0.5	1.7	5.1	13.8	34.1	117.6	468.9	1,570.6
1980.....	58.5	1.0	0.2	0.1	0.5	1.7	5.1	13.7	34.3	123.6	510.2	1,649.0
1979.....	56.8	0.8	0.1	0.1	0.5	1.5	5.6	14.4	34.9	124.4	499.9	1,580.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 568
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)
 WHITE, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	47.2	5.4	0.2	0.1	0.3	0.9	2.7	7.5	22.5	83.4	339.7	1,281.0
1997.....	47.9	4.8	0.2	0.1	0.2	0.8	2.8	7.4	23.1	86.2	346.6	1,349.6
1996.....	48.7	4.3	0.2	0.1	0.3	0.9	2.9	8.2	24.3	87.0	361.9	1,375.5
1995.....	48.3	4.0	0.2	0.1	0.2	0.9	3.0	8.3	25.0	89.4	362.3	1,377.9
1994.....	46.8	2.8	0.2	0.1	0.3	1.0	2.8	8.2	24.6	86.6	360.3	1,345.0
1993.....	45.9	2.9	0.2	0.1	0.3	1.0	2.8	8.1	24.5	86.1	356.3	1,335.3
1992.....	43.6	2.3	*	0.1	0.3	0.9	2.8	8.2	24.5	84.8	343.7	1,282.2
1991.....	43.5	2.1	0.2	0.1	0.3	1.0	2.9	8.6	23.7	87.4	349.1	1,283.4
1990.....	43.6	1.5	*	0.1	0.3	1.1	2.8	8.5	24.6	89.9	359.7	1,303.3
1989.....	43.6	1.4	*	0.1	0.3	1.0	2.9	8.3	24.7	91.1	366.1	1,307.7
1988.....	45.3	1.5	*	0.1	0.4	1.0	3.1	8.7	26.3	95.1	387.6	1,369.6
1987.....	45.2	1.4	0.2	0.1	0.3	1.1	3.3	8.9	26.6	96.9	393.8	1,368.1
1986.....	45.0	1.0	*	0.1	0.3	1.1	3.3	9.3	27.7	99.8	398.3	1,370.6
1985.....	46.3	1.2	*	0.1	0.4	1.0	3.4	9.7	28.1	104.1	419.5	1,425.0
1984.....	47.0	0.7	*	0.1	0.4	1.1	3.4	10.5	28.8	108.0	434.8	1,463.0
1983.....	47.8	1.0	*	0.1	0.4	1.0	3.5	10.7	29.7	112.4	457.0	1,483.9
1982.....	48.0	0.8	*	0.1	0.3	1.1	3.7	10.8	30.3	118.2	468.1	1,487.0
1981.....	49.5	0.7	0.2	0.1	0.4	1.4	4.1	11.4	32.7	124.3	488.2	1,564.8
1980.....	51.6	1.0	0.2	0.1	0.5	1.3	4.2	11.8	32.8	131.7	532.8	1,649.3
1979.....	50.3	0.7	0.1	0.1	0.5	1.4	4.3	12.0	34.4	131.7	525.8	1,587.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 569
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	35.0	6.2	*	*	0.3	0.8	2.6	7.8	24.9	92.7	352.9	1,133.2
1997.....	36.3	4.8	*	*	0.3	0.8	2.7	7.7	25.7	97.5	366.0	1,276.9
1996.....	36.9	4.9	*	0.1	0.3	0.9	2.9	8.3	27.2	99.0	387.3	1,285.8
1995.....	36.5	4.7	*	0.1	0.3	0.9	3.0	8.2	28.0	101.1	389.8	1,286.3
1994.....	35.7	3.3	*	0.2	0.3	0.9	2.8	8.3	27.5	99.5	394.5	1,266.9
1993.....	35.1	2.7	*	*	0.3	1.0	2.8	8.1	27.6	99.8	388.5	1,273.5
1992.....	33.5	3.0	*	*	0.4	0.9	2.6	8.6	27.3	97.3	376.4	1,226.7
1991.....	33.5	2.2	*	*	0.3	0.9	2.8	8.5	26.2	102.5	387.3	1,200.6
1990.....	33.7	1.7	*	*	0.4	1.0	2.7	8.4	27.2	104.8	401.9	1,225.4
1989.....	33.7	1.5	*	*	0.3	1.1	2.7	8.2	28.2	105.8	406.1	1,214.8
1988.....	35.2	1.4	*	*	0.4	1.0	3.1	8.8	30.2	110.1	429.9	1,303.8
1987.....	34.9	1.8	*	*	0.3	1.0	3.2	9.0	29.9	112.4	433.0	1,268.7
1986.....	34.9	*	*	*	0.3	1.1	3.2	9.1	30.5	113.9	441.5	1,287.5
1985.....	36.3	1.6	*	*	0.4	1.0	3.2	9.9	32.0	121.7	467.0	1,335.6
1984.....	37.2	*	*	*	0.5	1.1	3.2	11.0	32.4	127.6	477.7	1,395.9
1983.....	38.4	*	*	*	0.4	1.1	3.3	10.8	33.6	133.6	512.3	1,421.4
1982.....	38.5	*	*	*	0.3	1.2	3.4	10.9	33.3	139.4	513.5	1,440.3
1981.....	40.2	*	*	0.2	0.4	1.4	3.9	11.1	36.8	148.2	539.1	1,502.7
1980.....	42.2	1.0	0.1	0.1	0.6	1.3	4.0	12.3	37.0	157.5	586.8	1,589.5
1979.....	41.8	0.8	0.1	0.2	0.5	1.5	4.0	12.1	39.2	156.8	583.1	1,553.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 570
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	59.0	4.6	*	*	0.2	1.0	2.8	7.3	20.3	75.7	330.9	1,341.6
1997.....	59.2	4.7	*	*	0.2	0.8	2.9	7.1	20.6	77.0	333.8	1,378.5
1996.....	60.2	3.7	*	*	0.2	1.0	2.8	8.1	21.6	77.3	345.4	1,410.7
1995.....	59.7	3.3	*	*	*	0.9	3.0	8.3	22.2	80.0	344.8	1,413.2
1994.....	57.5	2.2	*	*	0.2	1.1	2.9	8.1	22.0	76.2	338.8	1,374.7
1993.....	56.2	3.1	*	*	0.4	1.0	2.7	8.1	21.7	75.0	336.3	1,358.7
1992.....	53.3	1.6	*	*	0.2	0.9	3.0	7.9	22.0	74.8	323.6	1,303.3
1991.....	53.1	2.0	*	*	0.3	1.0	3.0	8.7	21.4	75.4	325.9	1,315.5
1990.....	53.1	1.3	*	*	0.3	1.1	2.8	8.6	22.4	78.1	334.5	1,332.8
1989.....	53.2	1.4	*	*	0.3	1.0	3.0	8.3	21.6	79.5	342.3	1,343.9
1988.....	54.9	1.6	*	*	0.4	1.0	3.1	8.7	22.8	83.3	362.7	1,394.8
1987.....	55.0	*	*	*	0.3	1.2	3.4	8.9	23.5	84.7	370.7	1,406.6
1986.....	54.7	*	*	*	0.3	1.1	3.4	9.6	25.2	88.9	373.0	1,402.9
1985.....	55.7	*	*	*	0.4	1.1	3.6	9.5	24.6	90.4	391.8	1,460.0
1984.....	56.4	*	*	*	0.3	1.0	3.7	9.9	25.6	92.9	409.7	1,489.7
1983.....	56.8	*	*	0.2	0.3	1.0	3.7	10.7	26.3	96.1	424.6	1,509.0
1982.....	57.0	*	*	0.1	0.3	1.1	4.0	10.7	27.6	101.9	441.7	1,506.1
1981.....	58.5	*	*	*	0.4	1.3	4.3	11.6	29.0	106.0	458.6	1,590.9
1980.....	60.5	0.9	0.2	0.1	0.4	1.4	4.3	11.3	29.2	111.9	501.3	1,675.0
1979.....	58.4	0.7	0.1	0.1	0.4	1.3	4.6	11.9	30.2	112.6	492.2	1,601.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 571
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)

ALL OTHER, BOTH SEXES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	32.6	9.2	*	*	0.3	1.5	5.9	17.2	50.2	142.8	422.7	1,071.4
1997.....	32.8	8.4	*	*	0.4	1.4	6.5	18.4	55.5	148.6	414.6	1,093.1
1996.....	34.4	6.6	*	*	*	1.7	6.7	18.6	55.8	160.2	450.4	1,145.9
1995.....	34.6	4.7	*	*	0.4	1.7	6.8	19.2	56.7	163.1	461.7	1,239.0
1994.....	33.6	4.1	*	*	0.4	2.0	7.0	20.5	55.8	161.3	460.3	1,140.8
1993.....	33.2	4.9	*	*	0.4	1.8	6.5	20.3	56.4	159.9	456.6	1,149.1
1992.....	32.2	3.8	*	*	0.4	2.0	7.4	19.2	57.5	162.0	432.5	1,096.7
1991.....	33.3	3.5	*	*	0.4	2.1	7.1	20.6	59.6	166.4	451.4	1,161.7
1990.....	33.8	3.1	*	*	0.4	2.4	7.9	21.2	60.4	174.6	457.2	1,153.3
1989.....	35.1	*	*	*	0.5	2.5	8.0	22.3	65.0	179.5	487.7	1,148.0
1988.....	36.5	2.9	*	*	0.5	2.7	8.3	20.7	68.7	189.6	501.7	1,202.4
1987.....	36.1	*	*	*	0.6	2.8	8.0	23.4	67.5	188.3	497.0	1,174.6
1986.....	36.3	*	*	*	0.5	2.7	8.2	23.6	66.9	196.1	506.9	1,152.4
1985.....	37.7	*	*	*	0.7	2.5	7.8	25.2	70.1	208.2	533.5	1,175.4
1984.....	38.9	*	*	*	0.8	2.9	9.0	27.0	72.5	217.7	566.8	1,117.1
1983.....	39.7	*	*	*	0.8	2.6	8.8	27.4	80.1	224.1	553.3	1,198.6
1982.....	40.8	*	*	*	0.7	2.9	10.0	28.5	81.6	228.6	586.5	1,211.6
1981.....	42.9	*	*	*	0.8	3.1	9.9	31.6	84.8	245.6	608.5	1,322.6
1980.....	44.6	2.8	0.3	0.1	1.0	3.4	9.7	32.5	86.7	257.8	653.5	1,324.9
1979.....	44.3	2.5	0.2	0.2	0.7	3.4	12.1	33.5	90.1	257.2	606.9	1,308.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 572
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)

ALL OTHER MALE	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	28.3	10.1	*	*	*	1.3	5.4	18.1	62.4	165.0	450.8	993.5
1997.....	28.5	10.2	*	*	*	1.2	5.5	20.3	65.7	173.1	443.9	1,008.7
1996.....	29.9	6.0	*	*	*	1.4	5.8	21.9	68.2	188.1	473.5	1,090.0
1995.....	30.8	5.0	*	*	*	1.7	6.7	23.1	70.4	188.0	522.5	1,172.5
1994.....	29.7	*	*	*	*	1.5	6.8	22.8	68.1	188.3	511.9	1,097.4
1993.....	29.0	5.7	*	*	*	1.6	6.2	21.5	66.5	182.2	507.8	1,108.1
1992.....	28.4	4.9	*	*	*	1.5	7.4	20.8	68.0	192.9	468.0	1,033.3
1991.....	29.9	*	*	*	*	1.8	7.4	23.3	69.6	195.9	507.8	1,133.7
1990.....	30.0	*	*	*	*	1.8	7.1	23.8	70.7	203.3	504.5	1,106.9
1989.....	30.7	*	*	*	*	1.8	8.2	23.4	75.5	201.6	519.2	1,116.0
1988.....	32.4	*	*	*	*	2.5	8.3	22.6	81.6	216.5	550.4	1,098.7
1987.....	32.0	*	*	*	*	2.6	8.5	24.2	79.2	212.3	539.3	1,098.7
1986.....	33.2	*	*	*	0.6	2.5	8.3	26.9	78.8	226.0	565.2	1,086.7
1985.....	33.5	*	*	*	0.6	2.3	7.1	26.7	81.7	236.6	560.8	1,071.2
1984.....	35.1	*	*	*	0.8	2.4	8.3	29.6	85.8	251.7	576.5	1,059.7
1983.....	35.9	*	*	*	0.8	2.4	8.2	28.5	92.8	253.2	576.5	1,158.6
1982.....	37.7	*	*	*	0.6	2.2	9.5	30.4	92.9	269.5	615.7	1,194.0
1981.....	39.8	*	*	*	0.7	2.5	9.5	35.8	96.4	277.9	651.6	1,292.2
1980.....	42.2	4.1	0.3	0.2	1.0	3.2	9.2	35.2	97.7	294.4	722.2	1,308.4
1979.....	42.1	3.6	0.3	0.1	0.5	3.5	12.7	35.1	108.4	288.3	639.6	1,313.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 573
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)
 ALL OTHER FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	36.5	8.3	*	*	*	1.8	6.3	16.5	40.5	126.7	405.0	1,107.0
1997.....	36.9	6.5	*	*	*	1.6	7.4	16.7	47.4	130.8	396.5	1,131.4
1996.....	38.4	7.3	*	*	*	2.1	7.4	15.9	46.0	140.1	436.3	1,171.1
1995.....	38.1	*	*	*	*	1.7	6.8	15.9	45.9	145.1	425.0	1,267.8
1994.....	37.2	*	*	*	*	2.6	7.3	18.6	46.0	141.8	429.6	1,159.5
1993.....	37.1	*	*	*	*	2.0	6.8	19.2	48.5	143.8	426.1	1,167.0
1992.....	35.6	*	*	*	*	2.6	7.5	17.9	49.2	139.8	411.2	1,125.2
1991.....	36.4	*	*	*	*	2.4	6.8	18.3	51.8	145.5	416.9	1,168.3
1990.....	37.3	*	*	*	*	3.0	8.6	19.0	52.3	154.0	428.9	1,174.5
1989.....	39.2	*	*	*	0.7	3.1	7.8	21.4	56.8	163.8	468.6	1,162.9
1988.....	40.2	*	*	*	0.7	2.8	8.3	19.1	58.6	170.4	472.9	1,250.9
1987.....	39.7	*	*	*	0.6	3.1	7.5	22.7	58.3	171.0	469.9	1,210.4
1986.....	39.1	*	*	*	*	2.9	8.1	20.8	57.6	174.5	470.6	1,184.0
1985.....	41.5	*	*	*	0.7	2.7	8.4	23.9	60.9	187.5	516.4	1,234.0
1984.....	42.4	*	*	*	0.7	3.3	9.5	24.9	61.9	193.3	561.8	1,145.5
1983.....	43.0	*	*	*	0.9	2.7	9.3	26.4	69.9	202.5	538.3	1,218.7
1982.....	43.5	*	*	*	0.7	3.5	10.4	26.9	72.4	198.4	567.6	1,211.3
1981.....	45.8	*	*	*	0.8	3.6	10.2	28.1	75.4	221.2	580.5	1,338.1
1980.....	46.8	1.6	0.2	0.1	1.0	3.6	10.1	30.2	77.7	230.2	608.2	1,333.4
1979.....	46.4	1.3	0.2	0.2	1.0	3.2	11.6	32.2	75.1	233.6	586.3	1,317.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 574
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)
 BLACK, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	38.5	12.1	*	*	*	1.9	7.3	21.8	60.7	163.8	469.6	1,161.4
1997.....	38.4	10.3	*	*	0.4	1.7	7.8	22.6	66.4	171.7	449.4	1,169.3
1996.....	40.5	7.7	*	*	*	2.1	8.2	22.7	67.1	186.2	497.5	1,204.7
1995.....	40.8	5.8	*	*	0.4	2.1	8.3	23.4	67.5	188.3	502.2	1,275.6
1994.....	39.6	5.2	*	*	0.5	2.6	8.7	25.2	66.9	184.4	498.1	1,166.0
1993.....	39.2	5.1	*	*	0.5	2.3	8.0	24.5	67.8	183.3	498.0	1,172.6
1992.....	38.2	4.7	*	*	0.4	2.5	9.3	23.2	67.6	186.8	475.3	1,140.0
1991.....	39.2	4.1	*	*	0.5	2.6	8.7	25.2	70.8	189.3	487.4	1,191.8
1990.....	39.9	3.4	*	*	0.5	2.9	9.8	26.1	71.2	197.6	493.3	1,186.3
1989.....	41.4	*	*	*	0.6	3.0	9.6	26.9	76.0	205.1	528.4	1,176.8
1988.....	42.9	*	*	*	0.6	3.2	10.1	24.4	81.2	216.6	542.1	1,236.0
1987.....	42.2	*	*	*	0.6	3.3	9.8	27.9	78.3	211.4	535.9	1,218.3
1986.....	42.4	*	*	*	0.5	3.3	9.9	28.2	77.7	218.4	551.0	1,206.0
1985.....	43.7	*	*	*	0.7	3.1	9.3	30.2	81.0	231.8	574.9	1,212.8
1984.....	44.8	*	*	*	0.8	3.4	10.4	31.7	82.4	243.0	606.3	1,162.1
1983.....	45.7	*	*	*	0.9	3.2	10.4	31.6	91.9	248.3	595.7	1,245.1
1982.....	46.7	*	*	*	0.8	3.6	11.9	32.7	93.7	252.6	626.3	1,253.4
1981.....	48.9	*	*	*	0.8	3.6	11.7	36.6	95.7	271.2	656.8	1,372.6
1980.....	50.0	3.2	0.2	0.1	1.1	4.0	11.3	37.2	96.8	280.5	697.2	1,366.8
1979.....	49.1	2.5	0.3	0.2	0.8	3.7	13.9	37.2	99.3	278.0	636.9	1,349.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 575
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	32.8	13.0	*	*	*	1.5	6.7	22.8	76.8	188.3	505.4	1,065.1
1997.....	32.7	12.4	*	*	*	1.4	6.4	25.7	79.9	199.6	480.2	1,062.0
1996.....	34.9	*	*	*	*	1.7	6.9	27.4	83.6	218.2	535.4	1,135.1
1995.....	35.6	6.4	*	*	*	2.0	7.9	29.1	85.2	215.6	570.3	1,169.1
1994.....	34.6	*	*	*	*	1.9	8.5	28.5	84.0	215.4	555.7	1,090.7
1993.....	34.0	6.3	*	*	*	1.9	7.6	27.1	80.4	211.2	561.1	1,134.5
1992.....	33.5	*	*	*	*	1.8	9.2	25.9	81.0	224.1	521.1	1,075.1
1991.....	35.1	*	*	*	*	2.3	8.9	29.4	84.2	226.8	561.0	1,137.7
1990.....	35.5	*	*	*	*	2.2	8.7	30.8	85.0	233.4	554.1	1,164.9
1989.....	35.9	*	*	*	*	2.1	10.0	29.2	89.3	231.2	564.0	1,162.1
1988.....	37.9	*	*	*	*	3.1	10.0	27.6	96.8	250.5	603.3	1,113.8
1987.....	37.1	*	*	*	*	2.8	10.5	29.8	91.0	239.3	589.9	1,143.8
1986.....	38.7	*	*	*	*	3.0	10.3	33.3	92.7	254.0	617.2	1,138.1
1985.....	38.8	*	*	*	*	2.8	9.0	32.6	95.6	267.2	607.4	1,095.2
1984.....	40.4	*	*	*	0.7	3.0	9.9	35.4	98.4	283.8	619.9	1,121.3
1983.....	41.2	*	*	*	0.9	3.0	9.7	33.5	106.1	282.7	624.7	1,215.0
1982.....	43.0	*	*	*	0.7	2.7	11.3	35.7	106.1	303.0	655.6	1,250.0
1981.....	45.4	*	*	*	0.8	2.9	11.5	41.8	109.8	309.6	709.8	1,348.2
1980.....	47.3	4.8	0.3	0.2	1.1	3.7	11.1	41.0	110.3	323.8	774.2	1,358.2
1979.....	46.4	3.8	0.3	0.2	0.5	4.0	14.9	39.5	120.1	315.8	668.9	1,340.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 576
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	43.6	11.2	*	*	*	2.2	7.9	21.0	48.4	146.0	448.3	1,201.5
1997.....	43.5	8.0	*	*	*	1.9	8.9	20.0	56.0	151.7	431.4	1,213.7
1996.....	45.4	8.5	*	*	*	2.6	9.3	18.8	54.5	163.3	475.5	1,233.2
1995.....	45.5	*	*	*	*	2.1	8.7	18.7	53.9	168.8	463.2	1,318.9
1994.....	44.1	*	*	*	*	3.3	8.9	22.5	53.8	162.3	465.5	1,196.6
1993.....	43.9	*	*	*	*	2.6	8.4	22.4	58.1	163.5	462.6	1,188.1
1992.....	42.4	*	*	*	*	3.2	9.4	20.9	57.3	160.6	449.8	1,167.0
1991.....	42.9	*	*	*	*	3.0	8.4	21.8	60.5	163.1	446.2	1,214.7
1990.....	43.9	*	*	*	*	3.6	10.7	22.1	60.6	172.8	459.2	1,195.3
1989.....	46.4	*	*	*	0.8	3.8	9.3	24.9	65.6	187.0	508.2	1,190.8
1988.....	47.4	*	*	*	0.9	3.4	10.2	21.8	68.9	192.9	507.2	1,289.3
1987.....	46.7	*	*	*	*	3.8	9.2	26.4	68.3	192.0	504.6	1,251.4
1986.....	45.8	*	*	*	*	3.6	9.6	24.1	65.9	193.2	512.1	1,237.0
1985.....	48.1	*	*	*	0.7	3.3	9.6	28.1	69.5	206.8	555.5	1,267.7
1984.....	48.8	*	*	*	0.9	3.9	10.9	28.6	69.7	214.1	599.5	1,181.4
1983.....	49.6	*	*	*	0.9	3.3	11.0	30.0	80.6	224.2	576.5	1,259.7
1982.....	49.9	*	*	*	0.9	4.4	12.4	30.4	83.8	216.6	608.2	1,255.1
1981.....	52.1	*	*	*	0.8	4.2	11.8	32.3	84.4	243.5	623.7	1,372.6
1980.....	52.5	1.5	-	0.0	1.1	4.2	11.6	34.1	85.9	248.8	648.4	1,371.1
1979.....	51.5	1.2	0.2	0.2	1.0	3.5	13.0	35.4	82.4	250.1	613.9	1,353.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 577												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ATHEROSCLEROSIS (440) TOTAL, BOTH SEXES												
1998.....	5.7	*	*	*	*	*	0.1	0.5	2.5	9.2	36.9	207.2
1997.....	6.0	*	*	*	*	*	0.1	0.6	2.4	9.8	40.5	225.5
1996.....	6.3	*	*	*	*	*	0.1	0.6	2.7	10.1	43.0	241.7
1995.....	6.4	*	*	*	*	*	0.1	0.6	2.8	10.2	45.2	246.4
1994.....	6.6	*	*	*	*	*	0.1	0.5	2.7	10.8	45.5	265.1
1993.....	6.7	*	*	*	*	*	0.1	0.6	2.7	10.8	47.2	275.4
1992.....	6.6	*	*	*	*	*	0.1	0.6	2.9	11.0	46.5	278.1
1991.....	6.9	*	*	*	*	*	0.1	0.6	3.1	11.6	50.6	291.9
1990.....	7.3	*	*	*	*	*	0.1	0.6	3.2	12.3	53.2	318.0
1989.....	7.8	*	*	*	*	*	0.1	0.7	3.4	13.1	58.5	347.2
1988.....	9.0	*	*	*	*	*	0.2	0.7	3.7	15.3	69.5	404.7
1987.....	9.3	*	*	*	*	*	0.1	0.8	4.0	16.5	73.0	412.8
1986.....	9.5	*	*	*	*	*	0.1	0.8	4.0	16.1	74.3	438.0
1985.....	10.1	*	*	*	*	*	0.2	0.8	4.0	17.2	81.7	472.8
1984.....	10.4	*	*	*	*	*	0.1	0.7	4.1	17.5	87.9	493.8
1983.....	11.3	*	*	*	*	*	0.1	1.1	4.5	19.4	98.2	541.1
1982.....	11.6	*	*	*	*	*	0.1	1.0	4.5	20.6	103.4	563.0
1981.....	12.2	*	*	*	*	*	0.2	1.0	4.5	21.4	112.5	610.7
1980.....	13.0	0.1	-	-	0.0	0.0	0.2	1.2	4.8	23.6	125.5	656.5
1979.....	12.8	0.1	-	-	0.0	0.0	0.1	0.9	4.8	24.4	125.3	649.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 578												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ATHEROSCLEROSIS (440)												
TOTAL, MALE												
1998.....	4.3	*	*	*	*	*	0.1	0.7	3.4	11.9	41.4	189.6
1997.....	4.6	*	*	*	*	*	0.2	0.9	3.2	12.5	46.0	209.7
1996.....	4.8	*	*	*	*	*	0.2	0.9	3.7	12.4	50.0	227.8
1995.....	5.0	*	*	*	*	*	0.2	0.9	3.7	13.3	52.6	242.8
1994.....	5.1	*	*	*	*	*	0.2	0.7	3.6	13.3	53.5	260.1
1993.....	5.1	*	*	*	*	*	0.2	0.8	3.7	13.7	54.5	266.6
1992.....	5.1	*	*	*	*	*	0.1	0.9	3.7	14.1	54.8	271.3
1991.....	5.4	*	*	*	*	*	0.1	0.9	4.2	14.9	61.2	283.3
1990.....	5.7	*	*	*	*	*	0.1	0.9	4.4	15.9	63.1	315.5
1989.....	6.0	*	*	*	*	*	0.2	0.9	4.6	16.9	69.2	335.1
1988.....	7.0	*	*	*	*	*	0.2	1.0	5.0	20.1	81.9	392.3
1987.....	7.1	*	*	*	*	*	0.2	1.1	5.4	21.8	84.1	392.9
1986.....	7.3	*	*	*	*	*	0.2	1.2	5.7	21.4	87.5	419.4
1985.....	7.8	*	*	*	*	*	0.2	1.2	5.7	23.0	93.5	463.9
1984.....	8.1	*	*	*	*	*	0.2	1.0	5.2	22.6	103.4	482.5
1983.....	8.8	*	*	*	*	*	0.2	1.6	6.0	25.0	114.5	529.5
1982.....	9.4	*	*	*	*	*	0.2	1.4	6.1	27.4	122.7	573.5
1981.....	9.8	*	*	*	*	*	0.3	1.3	6.2	28.0	132.3	614.8
1980.....	10.5	0.1	-	-	0.0	0.0	0.2	1.6	6.6	31.3	142.7	661.5
1979.....	10.5	0.1	-	-	-	0.0	0.2	1.4	6.3	31.3	144.5	656.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 579												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ATHEROSCLEROSIS (440) TOTAL, FEMALE												
1998.....	6.9	*	*	*	*	*	*	0.3	1.7	6.9	33.9	214.5
1997.....	7.3	*	*	*	*	*	*	0.4	1.6	7.5	36.9	231.9
1996.....	7.7	*	*	*	*	*	0.1	0.3	1.7	8.2	38.5	247.2
1995.....	7.7	*	*	*	*	*	*	0.3	2.0	7.7	40.5	247.8
1994.....	8.0	*	*	*	*	*	*	0.3	1.8	8.8	40.5	267.0
1993.....	8.2	*	*	*	*	*	*	0.4	1.9	8.4	42.7	278.7
1992.....	8.0	*	*	*	*	*	*	0.3	2.3	8.6	41.4	280.7
1991.....	8.3	*	*	*	*	*	*	0.3	2.1	9.0	44.2	295.2
1990.....	8.8	*	*	*	*	*	*	0.4	2.1	9.5	47.4	318.9
1989.....	9.6	*	*	*	*	*	*	0.5	2.4	10.2	52.1	351.8
1988.....	11.0	*	*	*	*	*	*	0.5	2.5	11.6	62.1	409.6
1987.....	11.3	*	*	*	*	*	*	0.4	2.8	12.4	66.4	420.6
1986.....	11.5	*	*	*	*	*	*	0.5	2.6	12.1	66.5	445.3
1985.....	12.2	*	*	*	*	*	*	0.5	2.5	12.7	74.8	476.3
1984.....	12.6	*	*	*	*	*	*	0.4	3.1	13.6	78.8	498.4
1983.....	13.6	*	*	*	*	*	*	0.6	3.2	15.2	88.6	545.9
1982.....	13.6	*	*	*	*	*	*	0.6	3.1	15.4	92.1	558.6
1981.....	14.4	*	*	*	*	*	*	0.7	3.1	16.3	100.8	608.6
1980.....	15.3	0.1	-	-	-	0.0	0.1	0.8	3.2	17.7	115.3	654.3
1979.....	15.1	0.1	-	-	0.0	0.0	0.1	0.5	3.4	19.0	114.0	645.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 580												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ATHEROSCLEROSIS (440)												
WHITE, BOTH SEXES												
1998.....	6.3	*	*	*	*	*	0.1	0.5	2.4	9.2	37.5	214.5
1997.....	6.7	*	*	*	*	*	0.1	0.5	2.3	9.6	41.2	233.9
1996.....	7.0	*	*	*	*	*	0.1	0.6	2.4	10.1	43.7	250.2
1995.....	7.1	*	*	*	*	*	0.1	0.6	2.7	9.9	45.6	255.1
1994.....	7.2	*	*	*	*	*	0.1	0.4	2.5	10.6	45.7	272.8
1993.....	7.4	*	*	*	*	*	0.1	0.6	2.6	10.5	47.7	285.3
1992.....	7.3	*	*	*	*	*	0.1	0.5	2.8	10.8	46.9	287.2
1991.....	7.6	*	*	*	*	*	0.1	0.6	2.8	11.4	50.8	300.8
1990.....	7.9	*	*	*	*	*	0.1	0.6	3.0	12.0	53.4	326.8
1989.....	8.6	*	*	*	*	*	0.1	0.7	3.2	12.9	59.0	356.3
1988.....	9.8	*	*	*	*	*	0.2	0.7	3.4	15.0	69.1	417.5
1987.....	10.1	*	*	*	*	*	0.1	0.7	3.8	16.2	73.3	427.2
1986.....	10.3	*	*	*	*	*	0.1	0.8	3.8	15.6	74.3	452.1
1985.....	10.9	*	*	*	*	*	0.1	0.8	3.8	16.6	82.0	487.6
1984.....	11.3	*	*	*	*	*	0.1	0.7	3.9	16.9	89.0	511.2
1983.....	12.3	*	*	*	*	*	0.1	1.0	4.2	19.0	98.6	563.7
1982.....	12.5	*	*	*	*	*	0.1	0.9	4.3	20.2	104.0	581.0
1981.....	13.1	*	*	*	*	*	0.2	0.9	4.2	20.5	113.0	630.5
1980.....	13.9	0.1	-	-	0.0	0.0	0.1	1.0	4.4	22.8	126.0	673.4
1979.....	13.7	0.1	-	-	-	0.0	0.2	0.8	4.3	23.4	126.4	669.6

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ATHEROSCLEROSIS (440)												
WHITE MALE												
1998.....	4.8	*	*	*	*	*	0.1	0.6	3.3	11.8	41.9	197.8
1997.....	5.1	*	*	*	*	*	0.1	0.8	3.2	12.5	46.8	219.9
1996.....	5.3	*	*	*	*	*	0.2	0.9	3.5	12.6	50.8	236.9
1995.....	5.5	*	*	*	*	*	0.2	0.9	3.6	13.1	53.2	250.8
1994.....	5.5	*	*	*	*	*	0.2	0.7	3.4	13.2	53.7	269.4
1993.....	5.6	*	*	*	*	*	0.1	0.8	3.5	13.5	55.5	277.2
1992.....	5.5	*	*	*	*	*	0.1	0.8	3.5	13.8	55.3	281.2
1991.....	5.8	*	*	*	*	*	0.1	0.8	3.9	15.0	61.1	293.3
1990.....	6.1	*	*	*	*	*	*	0.8	4.3	15.7	63.6	323.1
1989.....	6.6	*	*	*	*	*	0.2	0.9	4.4	16.7	70.6	346.9
1988.....	7.5	*	*	*	*	*	0.2	0.9	4.8	19.8	81.3	404.0
1987.....	7.7	*	*	*	*	*	0.2	1.0	5.1	21.2	84.9	408.3
1986.....	7.8	*	*	*	*	*	0.2	1.1	5.3	20.8	87.4	433.4
1985.....	8.4	*	*	*	*	*	0.2	1.1	5.5	22.3	94.4	480.4
1984.....	8.6	*	*	*	*	*	0.2	1.0	5.0	21.8	104.5	503.3
1983.....	9.4	*	*	*	*	*	0.2	1.5	5.7	24.5	114.9	550.5
1982.....	10.0	*	*	*	*	*	0.2	1.3	6.0	26.8	123.8	595.7
1981.....	10.5	*	*	*	*	*	0.3	1.2	5.8	27.3	133.9	636.6
1980.....	11.1	0.1	-	-	0.0	0.0	0.2	1.4	6.1	30.6	144.3	676.9
1979.....	11.1	0.1	-	-	-	0.0	0.2	1.3	5.9	30.5	146.3	679.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 582
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ATHEROSCLEROSIS (440) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	7.8	*	*	*	*	*	*	0.3	1.6	7.1	34.6	221.4
1997.....	8.2	*	*	*	*	*	*	0.3	1.5	7.2	37.5	239.4
1996.....	8.6	*	*	*	*	*	*	0.3	1.5	8.1	39.0	255.4
1995.....	8.6	*	*	*	*	*	*	0.4	1.8	7.4	40.7	256.7
1994.....	8.9	*	*	*	*	*	*	0.2	1.6	8.5	40.6	274.1
1993.....	9.2	*	*	*	*	*	*	0.3	1.8	8.1	42.8	288.4
1992.....	9.0	*	*	*	*	*	*	0.3	2.2	8.4	41.7	289.4
1991.....	9.2	*	*	*	*	*	*	0.4	1.8	8.6	44.5	303.8
1990.....	9.7	*	*	*	*	*	*	0.4	1.8	9.1	47.3	328.2
1989.....	10.5	*	*	*	*	*	*	0.4	2.1	9.9	52.2	360.1
1988.....	12.1	*	*	*	*	*	*	0.4	2.2	11.2	62.0	422.7
1987.....	12.5	*	*	*	*	*	*	0.4	2.5	12.2	66.5	434.5
1986.....	12.6	*	*	*	*	*	*	0.4	2.4	11.4	66.6	459.4
1985.....	13.3	*	*	*	*	*	*	0.4	2.3	12.2	74.7	490.4
1984.....	13.8	*	*	*	*	*	*	0.4	2.9	13.1	80.0	514.3
1983.....	15.0	*	*	*	*	*	*	0.6	2.9	14.7	89.1	569.0
1982.....	14.9	*	*	*	*	*	*	0.5	2.8	15.1	92.5	575.0
1981.....	15.7	*	*	*	*	*	*	0.5	2.8	15.3	100.8	628.0
1980.....	16.6	0.1	-	-	-	0.0	0.1	0.6	2.9	16.8	115.3	671.9
1979.....	16.3	0.1	-	-	-	0.0	0.1	0.4	2.9	17.9	114.8	664.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	583	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
ATHEROSCLEROSIS (440)															
ALL OTHER, BOTH SEXES															
1998	2.6	*	*	*	*	*	*	0.7	2.9	8.9	31.0	137.4		
1997	2.8	*	*	*	*	*	*	1.1	2.9	11.1	33.6	145.8		
1996	3.0	*	*	*	*	*	*	0.8	4.1	10.1	36.6	160.1		
1995	3.0	*	*	*	*	*	*	0.6	3.8	12.1	41.5	158.5		
1994	3.3	*	*	*	*	*	*	0.9	4.0	12.4	43.9	186.5		
1993	3.2	*	*	*	*	*	*	0.8	3.9	12.8	42.4	172.7		
1992	3.2	*	*	*	*	*	*	0.9	3.9	12.8	42.4	182.4		
1991	3.5	*	*	*	*	*	*	0.8	4.8	13.3	49.1	197.8		
1990	3.7	*	*	*	*	*	*	0.8	4.5	14.8	52.0	224.6		
1989	4.0	*	*	*	*	*	*	0.8	4.7	15.4	53.0	250.4		
1988	4.8	*	*	*	*	*	*	1.2	5.3	18.1	72.8	269.4		
1987	4.7	*	*	*	*	*	*	1.1	5.8	19.4	69.5	257.9		
1986	5.0	*	*	*	*	*	*	1.4	6.2	21.3	73.9	284.0		
1985	5.3	*	*	*	*	*	*	1.2	6.0	22.5	78.6	308.9		
1984	5.2	*	*	*	*	*	*	0.9	5.6	23.1	76.8	303.7		
1983	5.6	*	*	*	*	*	*	1.6	7.0	23.8	93.4	289.0		
1982	6.0	*	*	*	*	*	*	1.7	5.9	24.9	97.4	363.3		
1981	6.6	*	*	*	*	*	*	1.7	7.1	29.5	106.7	385.8		
1980	7.5	-	-	-	-	0.1	0.4	2.5	8.1	31.2	119.9	462.1		
1979	7.1	-	-	-	0.0	0.0	0.1	1.4	8.5	33.2	113.9	410.9		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 584												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ATHEROSCLEROSIS (440)												
ALL OTHER MALE												
1998.....	2.2	*	*	*	*	*	*	1.0	3.6	12.9	36.1	117.5
1997.....	2.3	*	*	*	*	*	*	1.6	3.6	12.9	38.3	120.6
1996.....	2.5	*	*	*	*	*	*	0.9	5.4	11.3	41.6	148.6
1995.....	2.6	*	*	*	*	*	*	1.1	4.3	15.2	46.4	168.1
1994.....	2.8	*	*	*	*	*	*	1.1	5.3	14.3	51.4	173.6
1993.....	2.7	*	*	*	*	*	*	*	5.4	16.2	44.7	168.1
1992.....	2.8	*	*	*	*	*	*	1.5	5.2	16.5	49.9	178.7
1991.....	3.1	*	*	*	*	*	*	1.5	5.9	14.2	62.1	190.7
1990.....	3.3	*	*	*	*	*	*	1.2	5.1	18.1	58.4	244.5
1989.....	3.2	*	*	*	*	*	*	*	5.7	18.9	55.4	225.9
1988.....	4.4	*	*	*	*	*	*	1.9	6.2	22.7	87.8	284.8
1987.....	4.1	*	*	*	*	*	*	1.4	7.3	26.6	75.9	248.1
1986.....	4.7	*	*	*	*	*	*	2.0	9.0	26.4	87.5	288.0
1985.....	4.7	*	*	*	*	*	*	1.7	7.6	29.5	84.2	308.2
1984.....	4.7	*	*	*	*	*	*	*	6.8	30.0	93.0	287.5
1983.....	5.4	*	*	*	*	*	*	2.1	8.7	29.0	110.2	322.9
1982.....	5.6	*	*	*	*	*	*	2.3	6.6	33.2	112.6	358.2
1981.....	6.0	*	*	*	*	*	*	1.9	9.4	34.6	116.2	398.4
1980.....	7.0	-	-	-	-	0.0	0.5	3.6	11.1	37.5	126.9	503.6
1979.....	6.6	-	-	-	-	0.0	0.2	2.2	10.1	38.2	126.5	420.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 585												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ATHEROSCLEROSIS (440)												
ALL OTHER FEMALE												
1998.....	2.9	*	*	*	*	*	*	*	2.3	6.0	27.7	146.5
1997.....	3.3	*	*	*	*	*	*	*	2.3	9.7	30.6	157.2
1996.....	3.5	*	*	*	*	*	*	*	3.2	9.2	33.5	165.3
1995.....	3.3	*	*	*	*	*	*	*	3.4	9.8	38.5	154.4
1994.....	3.8	*	*	*	*	*	*	*	3.1	11.0	39.4	192.1
1993.....	3.6	*	*	*	*	*	*	*	2.7	10.4	41.1	174.7
1992.....	3.5	*	*	*	*	*	*	*	2.9	10.1	37.9	184.0
1991.....	3.9	*	*	*	*	*	*	*	3.9	12.7	41.2	200.0
1990.....	4.2	*	*	*	*	*	*	*	4.0	12.5	48.1	215.6
1989.....	4.7	*	*	*	*	*	*	*	3.9	12.9	51.5	261.7
1988.....	5.1	*	*	*	*	*	*	*	4.5	14.8	63.8	262.1
1987.....	5.1	*	*	*	*	*	*	*	4.6	14.3	65.4	262.6
1986.....	5.4	*	*	*	*	*	*	*	4.0	17.6	65.5	282.1
1985.....	5.8	*	*	*	*	*	*	*	4.7	17.4	75.1	311.3
1984.....	5.6	*	*	*	*	*	*	*	4.6	18.2	66.6	311.7
1983.....	5.8	*	*	*	*	*	*	*	5.6	20.0	82.6	271.9
1982.....	6.5	*	*	*	*	*	*	*	5.4	18.7	87.6	363.2
1981.....	7.2	*	*	*	*	*	*	*	5.2	25.8	100.5	379.4
1980.....	7.9	-	-	-	-	0.1	0.3	1.5	5.6	26.4	115.3	440.8
1979.....	7.6	-	-	-	0.0	-	0.1	0.7	7.2	29.4	105.6	409.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 586												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ATHEROSCLEROSIS (440) BLACK, BOTH SEXES												
1998.....	3.1	*	*	*	*	*	*	0.8	3.8	10.8	35.1	151.2
1997.....	3.4	*	*	*	*	*	*	1.3	3.5	13.3	39.0	163.1
1996.....	3.6	*	*	*	*	*	*	1.1	5.2	12.1	41.0	171.8
1995.....	3.6	*	*	*	*	*	*	0.8	4.6	13.9	46.4	167.8
1994.....	4.0	*	*	*	*	*	*	1.1	5.0	14.6	48.4	195.8
1993.....	3.8	*	*	*	*	*	*	1.0	4.7	15.0	48.7	179.6
1992.....	3.8	*	*	*	*	*	*	1.2	4.6	14.4	47.2	198.6
1991.....	4.2	*	*	*	*	*	*	1.0	5.8	15.6	54.1	209.9
1990.....	4.5	*	*	*	*	*	*	1.0	5.6	17.2	57.3	238.5
1989.....	4.8	*	*	*	*	*	*	1.0	5.7	17.0	59.4	265.0
1988.....	5.7	*	*	*	*	*	*	1.5	6.3	21.0	80.8	284.6
1987.....	5.5	*	*	*	*	*	*	1.4	7.0	22.3	75.5	272.1
1986.....	5.9	*	*	*	*	*	*	1.8	7.4	24.1	79.8	302.5
1985.....	6.2	*	*	*	*	*	*	1.4	7.1	25.7	87.5	320.0
1984.....	6.0	*	*	*	*	*	*	1.0	6.5	25.9	83.3	314.7
1983.....	6.5	*	*	*	*	*	*	1.9	8.1	26.7	102.8	302.2
1982.....	6.9	*	*	*	*	*	*	2.0	6.5	27.6	106.5	374.4
1981.....	7.6	*	*	*	*	*	*	2.0	8.1	32.7	116.7	402.4
1980.....	8.5	-	-	-	-	0.1	0.4	2.9	9.0	34.1	129.7	487.2
1979.....	7.8	-	-	-	-	0.0	0.1	1.6	9.5	35.1	118.8	421.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	587
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ATHEROSCLEROSIS (440)													
BLACK MALE													
1998.....		2.7	*	*	*	*	*	*	1.2	5.0	15.9	41.1	126.9
1997.....		2.8	*	*	*	*	*	*	1.9	4.4	15.4	45.8	139.0
1996.....		2.9	*	*	*	*	*	*	*	6.9	13.5	46.9	154.8
1995.....		3.1	*	*	*	*	*	*	1.4	5.3	17.2	53.0	174.2
1994.....		3.3	*	*	*	*	*	*	*	6.7	17.1	57.0	179.4
1993.....		3.2	*	*	*	*	*	*	*	6.6	18.9	52.4	169.4
1992.....		3.4	*	*	*	*	*	*	2.0	6.0	18.5	55.2	205.3
1991.....		3.7	*	*	*	*	*	*	1.8	7.6	17.1	68.8	210.1
1990.....		3.9	*	*	*	*	*	*	*	6.4	21.3	64.6	261.1
1989.....		3.8	*	*	*	*	*	*	*	7.3	21.0	63.6	247.0
1988.....		5.3	*	*	*	*	*	*	2.4	7.3	26.9	101.5	310.8
1987.....		4.9	*	*	*	*	*	*	1.9	8.9	30.9	83.5	265.6
1986.....		5.5	*	*	*	*	*	*	2.6	10.6	30.1	95.0	319.0
1985.....		5.6	*	*	*	*	*	*	2.1	8.8	34.3	96.5	325.8
1984.....		5.4	*	*	*	*	*	*	*	7.8	34.4	101.6	291.8
1983.....		6.2	*	*	*	*	*	*	2.7	10.1	32.5	123.1	350.0
1982.....		6.4	*	*	*	*	*	*	2.8	7.1	37.5	125.7	365.5
1981.....		6.9	*	*	*	*	*	*	2.2	10.8	38.6	127.7	414.3
1980.....		7.9	-	-	-	-	0.1	0.6	4.3	12.5	41.8	137.3	528.2
1979.....		7.1	-	-	-	-	0.1	0.2	2.5	11.4	40.1	131.5	428.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	588
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ATHEROSCLEROSIS (440)													
BLACK FEMALE													
1998	3.6	*	*	*	*	*	*	*	2.9	7.1	31.5	161.3
1997	4.0	*	*	*	*	*	*	*	2.8	11.8	35.1	173.0
1996	4.2	*	*	*	*	*	*	*	3.8	11.0	37.6	178.9
1995	4.1	*	*	*	*	*	*	*	4.1	11.4	42.6	165.2
1994	4.6	*	*	*	*	*	*	*	3.6	12.8	43.6	202.4
1993	4.4	*	*	*	*	*	*	*	3.3	12.2	46.7	183.8
1992	4.2	*	*	*	*	*	*	*	3.5	11.6	42.7	195.9
1991	4.6	*	*	*	*	*	*	*	4.5	14.6	45.8	209.8
1990	5.1	*	*	*	*	*	*	*	5.0	14.4	53.2	229.0
1989	5.6	*	*	*	*	*	*	*	4.4	14.3	57.0	274.5
1988	6.1	*	*	*	*	*	*	*	5.5	16.9	69.0	273.2
1987	6.1	*	*	*	*	*	*	*	5.6	16.4	70.9	275.0
1986	6.3	*	*	*	*	*	*	*	4.9	19.8	70.9	294.9
1985	6.8	*	*	*	*	*	*	*	5.7	19.7	82.1	317.3
1984	6.5	*	*	*	*	*	*	*	5.4	19.9	72.4	325.6
1983	6.7	*	*	*	*	*	*	*	6.4	22.6	90.1	279.0
1982	7.4	*	*	*	*	*	*	*	6.1	20.5	94.6	378.8
1981	8.3	*	*	*	*	*	*	*	1.8	6.0	28.4	109.8
1980	9.0	-	-	-	-	0.1	0.3	1.7	6.1	28.5	125.0	466.8
1979	8.4	-	-	-	-	-	0.1	0.9	8.0	31.5	110.0	418.3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
--	-------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-----------

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

TOTAL, BOTH SEXES

1998.....	10.2	*	*	*	0.2	0.6	1.2	3.1	10.6	36.0	82.7	168.6
1997.....	10.4	*	*	0.1	0.2	0.5	1.2	3.0	11.3	37.6	84.9	169.8
1996.....	10.2	*	*	*	0.2	0.4	1.2	3.0	11.3	36.8	84.8	170.6
1995.....	10.1	*	*	0.1	0.2	0.5	1.3	3.0	11.5	38.1	82.4	166.6
1994.....	10.0	*	*	*	0.2	0.5	1.1	2.9	11.6	37.8	83.4	165.2
1993.....	10.1	*	*	0.1	0.2	0.5	1.2	3.1	11.8	38.7	84.8	162.9
1992.....	9.9	*	*	*	0.2	0.5	1.2	3.1	11.8	38.5	83.5	162.9
1991.....	9.9	*	*	*	0.2	0.5	1.1	3.2	12.3	39.5	82.9	163.5
1990.....	9.9	*	*	*	0.2	0.4	1.0	3.1	12.2	39.4	85.4	163.6
1989.....	9.8	*	*	*	0.2	0.4	1.2	3.2	12.7	39.8	83.9	159.1
1988.....	9.5	*	*	*	0.2	0.4	1.0	2.9	12.5	39.2	81.2	154.2
1987.....	9.4	*	*	*	0.2	0.4	1.0	3.1	12.4	39.4	81.0	151.9
1986.....	9.3	0.5	*	*	0.2	0.4	1.0	3.0	12.5	39.7	82.7	146.2
1985.....	9.2	0.7	*	0.1	0.2	0.4	1.0	3.1	12.8	40.2	80.3	147.0
1984.....	9.2	*	*	*	0.2	0.4	1.0	3.2	13.0	39.5	82.2	148.0
1983.....	9.0	*	*	0.1	0.2	0.4	1.0	3.1	12.9	38.5	81.6	143.7
1982.....	8.7	*	*	*	0.2	0.4	0.8	3.3	12.5	40.0	79.1	132.4
1981.....	8.7	*	*	*	0.2	0.4	1.0	3.2	12.8	40.2	78.0	141.2
1980.....	8.8	0.5	0.1	0.1	0.2	0.4	1.0	3.6	13.3	40.6	81.3	137.9
1979.....	8.7	0.5	0.1	0.1	0.2	0.5	1.1	3.6	13.3	40.1	80.9	133.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 590
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	11.4	*	*	*	0.2	0.7	1.6	4.2	14.8	49.8	113.9	221.1
1997.....	11.5	*	*	*	0.2	0.6	1.6	4.0	15.7	53.0	115.9	229.1
1996.....	11.4	*	*	*	0.2	0.5	1.5	4.2	16.4	52.0	119.0	222.2
1995.....	11.5	*	*	*	0.2	0.6	1.7	4.1	16.4	55.7	116.5	226.7
1994.....	11.4	*	*	*	0.2	0.6	1.3	3.8	16.3	55.7	119.4	229.7
1993.....	11.9	*	*	*	0.2	0.6	1.4	4.1	17.5	57.9	128.4	228.2
1992.....	11.7	*	*	*	0.2	0.5	1.5	4.1	17.1	58.6	123.8	227.8
1991.....	11.8	*	*	*	0.2	0.6	1.3	4.2	18.4	60.6	125.5	230.5
1990.....	12.0	*	*	*	0.2	0.5	1.3	4.3	18.4	60.7	134.0	235.3
1989.....	12.0	*	*	*	0.2	0.5	1.5	4.3	19.1	61.5	132.0	229.2
1988.....	11.6	*	*	*	0.2	0.5	1.3	3.7	18.9	61.0	128.1	220.0
1987.....	11.7	*	*	*	0.2	0.5	1.2	4.2	18.7	62.0	131.1	223.3
1986.....	11.6	*	*	*	0.2	0.5	1.1	3.9	19.3	63.5	131.5	199.6
1985.....	11.8	*	*	*	0.2	0.4	1.3	4.3	20.0	65.4	131.1	210.2
1984.....	11.8	*	*	*	0.2	0.4	1.4	4.4	20.4	64.2	135.3	216.7
1983.....	11.7	*	*	*	0.2	0.5	1.2	4.3	20.1	63.3	137.1	211.1
1982.....	11.3	*	*	*	0.2	0.5	1.1	4.4	19.5	65.5	131.8	187.4
1981.....	11.5	*	*	*	0.2	0.5	1.2	4.5	20.3	66.1	133.3	201.7
1980.....	11.8	0.7	0.1	0.1	0.2	0.5	1.2	5.0	21.6	67.3	138.0	199.1
1979.....	11.6	0.6	0.1	0.1	0.2	0.6	1.2	5.0	20.9	67.6	136.6	188.8

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
--	-------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-----------

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

TOTAL, FEMALE

1998.....	9.2	*	*	*	0.2	0.5	0.9	2.0	6.7	24.8	62.1	146.9
1997.....	9.3	*	*	*	0.2	0.5	0.8	2.0	7.3	25.1	64.6	145.9
1996.....	9.1	*	*	*	0.2	0.4	0.9	1.9	6.7	24.5	62.7	150.0
1995.....	8.8	*	*	*	0.2	0.5	0.9	2.0	7.0	24.0	60.7	143.2
1994.....	8.7	*	*	*	0.2	0.4	1.0	2.1	7.3	23.7	60.8	140.3
1993.....	8.4	*	*	*	0.1	0.4	1.0	2.1	6.7	23.5	57.8	137.8
1992.....	8.3	*	*	*	0.2	0.4	0.9	2.3	7.0	22.7	58.8	137.8
1991.....	8.1	*	*	*	0.1	0.4	0.8	2.2	6.8	22.9	57.1	137.6
1990.....	7.9	*	*	*	0.1	0.4	0.7	2.1	6.7	22.7	56.4	136.0
1989.....	7.8	*	*	*	0.1	0.4	0.8	2.1	7.0	22.9	55.3	131.8
1988.....	7.5	*	*	*	0.1	0.3	0.7	2.1	6.8	22.3	53.5	128.6
1987.....	7.2	*	*	*	0.1	0.3	0.8	2.0	6.8	21.9	51.4	123.8
1986.....	7.2	*	*	*	0.2	0.3	0.9	2.1	6.6	21.3	54.0	125.1
1985.....	6.8	*	*	*	0.1	0.4	0.8	2.1	6.5	20.7	50.4	121.7
1984.....	6.8	*	*	*	0.2	0.4	0.7	2.1	6.5	20.5	50.9	120.2
1983.....	6.4	*	*	*	0.2	0.3	0.7	2.0	6.5	19.5	48.9	116.1
1982.....	6.2	*	*	*	0.2	0.3	0.6	2.2	6.4	20.5	48.1	109.5
1981.....	6.1	*	*	*	0.2	0.4	0.8	2.0	6.3	20.3	45.5	115.4
1980.....	6.0	0.3	0.1	0.1	0.2	0.4	0.8	2.3	6.0	20.0	47.9	111.1
1979.....	5.9	0.3	0.1	0.1	0.2	0.4	0.9	2.2	6.7	19.0	47.9	108.5

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

WHITE, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	11.0	*	*	*	0.1	0.5	1.1	2.7	10.2	36.7	83.6	169.5
1997.....	11.2	*	*	*	0.2	0.5	1.0	2.5	10.9	38.1	86.3	172.5
1996.....	11.1	*	*	*	0.2	0.4	1.0	2.7	11.1	37.2	85.9	173.6
1995.....	11.0	*	*	*	0.2	0.5	1.2	2.7	11.2	38.8	84.1	168.9
1994.....	10.8	*	*	*	0.2	0.5	1.0	2.6	11.3	38.4	84.2	166.0
1993.....	10.9	*	*	*	0.2	0.4	1.0	2.7	11.6	39.3	86.2	163.8
1992.....	10.8	*	*	*	0.2	0.4	1.1	2.7	11.6	39.3	85.3	164.7
1991.....	10.7	*	*	*	0.1	0.4	0.9	2.8	12.2	40.3	84.6	165.9
1990.....	10.7	*	*	*	0.1	0.4	0.8	2.8	12.1	40.2	87.2	164.8
1989.....	10.6	*	*	*	0.1	0.4	1.0	2.7	12.5	40.6	85.3	161.8
1988.....	10.2	*	*	*	0.2	0.4	0.8	2.6	12.2	40.1	83.2	157.2
1987.....	10.1	*	*	*	0.2	0.4	0.9	2.8	12.3	40.2	82.4	155.2
1986.....	10.0	*	*	*	0.2	0.3	0.8	2.6	12.3	40.8	84.6	149.9
1985.....	9.9	*	*	*	0.2	0.3	0.9	2.8	12.7	40.8	81.9	150.9
1984.....	9.9	*	*	*	0.2	0.4	0.9	2.8	12.8	40.3	84.6	151.6
1983.....	9.6	*	*	*	0.2	0.4	0.8	3.0	12.7	39.5	83.8	147.1
1982.....	9.3	*	*	*	0.2	0.4	0.7	3.0	12.3	40.6	81.8	136.7
1981.....	9.3	*	*	*	0.2	0.3	0.8	3.0	12.7	41.3	80.5	145.3
1980.....	9.4	0.5	0.1	0.0	0.2	0.4	0.9	3.4	13.2	41.4	83.1	140.9
1979.....	9.3	0.5	0.1	0.0	0.2	0.4	0.9	3.3	13.4	41.2	83.6	138.2

CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

WHITE MALE

1998.....	12.3	*	*	*	*	0.6	1.4	3.7	14.4	51.6	116.3	225.8
1997.....	12.5	*	*	*	0.2	0.6	1.4	3.4	15.5	54.7	118.7	237.7
1996.....	12.4	*	*	*	0.2	0.4	1.3	3.8	16.2	53.2	121.7	231.4
1995.....	12.6	*	*	*	0.2	0.5	1.6	3.6	16.5	57.5	120.2	236.3
1994.....	12.4	*	*	*	0.2	0.6	1.1	3.5	16.2	57.3	121.5	237.1
1993.....	12.9	*	*	*	0.2	0.5	1.2	3.6	17.5	59.4	131.8	233.3
1992.....	12.7	*	*	*	0.2	0.5	1.4	3.6	17.2	60.3	127.3	236.8
1991.....	12.9	*	*	*	0.2	0.5	1.1	3.8	18.6	62.7	129.6	239.1
1990.....	13.1	*	*	*	0.2	0.5	1.1	3.9	18.6	62.4	137.9	245.1
1989.....	13.1	*	*	*	0.2	0.6	1.3	3.8	19.3	63.3	136.3	240.1
1988.....	12.6	*	*	*	0.2	0.5	1.1	3.4	18.9	63.0	133.2	231.5
1987.....	12.7	*	*	*	0.2	0.5	1.0	3.8	18.9	64.0	135.0	233.0
1986.....	12.6	*	*	*	0.2	0.4	1.0	3.5	19.2	66.1	136.5	209.8
1985.....	12.8	*	*	*	0.2	0.4	1.2	4.0	20.2	67.4	136.4	220.5
1984.....	12.8	*	*	*	0.2	0.4	1.2	3.9	20.5	66.3	141.4	227.3
1983.....	12.6	*	*	*	0.2	0.5	1.0	4.1	20.3	65.7	143.8	220.5
1982.....	12.2	*	*	*	0.2	0.4	1.0	4.1	19.5	67.4	139.0	197.5
1981.....	12.4	*	*	*	0.2	0.4	1.0	4.2	20.5	69.1	140.1	211.8
1980.....	12.6	0.8	0.1	0.1	0.2	0.4	1.1	4.8	21.8	69.9	143.7	205.4
1979.....	12.4	0.6	0.1	0.1	0.2	0.5	1.1	4.8	21.2	70.1	143.6	197.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 594
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	9.8	*	*	*	0.2	0.4	0.7	1.7	6.2	24.4	61.8	146.4
1997.....	9.9	*	*	*	0.2	0.4	0.6	1.6	6.6	24.5	65.0	146.6
1996.....	9.7	*	*	*	0.1	0.3	0.7	1.7	6.3	24.2	62.7	151.0
1995.....	9.4	*	*	*	0.2	0.4	0.8	1.8	6.4	23.6	61.0	142.9
1994.....	9.2	*	*	*	0.2	0.3	0.8	1.8	6.8	23.3	60.8	139.0
1993.....	8.9	*	*	*	0.1	0.3	0.8	1.8	6.1	23.2	57.9	137.4
1992.....	8.9	*	*	*	0.2	0.4	0.7	1.9	6.5	22.7	59.5	137.2
1991.....	8.6	*	*	*	*	0.3	0.6	1.7	6.4	22.6	57.3	138.1
1990.....	8.4	*	*	*	*	0.3	0.6	1.7	6.3	22.7	56.9	134.3
1989.....	8.2	*	*	*	*	0.3	0.7	1.7	6.5	22.8	55.0	132.0
1988.....	7.9	*	*	*	0.2	0.3	0.6	1.9	6.3	22.1	53.6	128.7
1987.....	7.6	*	*	*	*	0.3	0.7	1.9	6.4	21.6	51.5	125.0
1986.....	7.6	*	*	*	0.2	0.3	0.7	1.6	6.1	21.1	54.2	126.6
1985.....	7.2	*	*	*	0.1	0.3	0.6	1.7	6.1	20.1	50.1	123.7
1984.....	7.1	*	*	*	0.1	0.3	0.6	1.7	6.0	20.2	51.4	121.6
1983.....	6.7	*	*	*	0.2	0.2	0.6	1.9	6.0	19.2	48.9	117.6
1982.....	6.6	*	*	*	0.1	0.3	0.5	2.0	5.9	20.0	48.4	111.7
1981.....	6.4	*	*	*	0.1	0.3	0.7	1.7	5.8	19.9	45.7	117.5
1980.....	6.3	0.2	0.1	0.0	0.2	0.3	0.7	2.0	5.6	19.5	47.8	113.1
1979.....	6.3	0.4	0.1	0.0	0.2	0.2	0.8	1.9	6.4	19.1	48.4	111.9

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)
 ALL OTHER, BOTH SEXES

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	6.6	*	*	*	0.3	0.8	2.0	5.2	13.1	30.8	74.3	160.6
1997.....	6.5	*	*	*	0.3	0.6	2.3	5.6	13.8	33.5	70.8	144.1
1996.....	6.3	*	*	*	*	0.7	2.3	4.9	12.5	33.4	74.4	141.3
1995.....	6.0	*	*	*	*	0.8	2.0	4.9	13.2	32.8	65.7	143.4
1994.....	6.2	*	*	*	*	0.6	2.0	4.8	13.3	33.2	75.4	156.8
1993.....	6.2	*	*	*	*	0.8	2.2	5.5	13.2	33.6	70.7	153.5
1992.....	5.8	*	*	*	*	0.7	1.9	5.7	12.7	31.8	65.9	143.8
1991.....	5.9	*	*	*	*	0.9	2.1	5.5	12.8	32.9	66.4	138.7
1990.....	5.9	*	*	*	*	0.7	2.0	5.5	12.8	32.8	68.0	150.9
1989.....	5.9	*	*	*	*	0.6	2.2	5.8	13.9	32.4	70.0	129.7
1988.....	5.5	*	*	*	*	0.7	2.0	4.7	14.3	31.4	62.1	123.0
1987.....	5.6	*	*	*	0.3	0.7	1.9	4.7	13.1	32.4	66.9	117.1
1986.....	5.4	*	*	*	0.3	0.6	1.9	5.6	14.3	30.1	63.6	106.5
1985.....	5.5	*	*	*	*	0.7	1.6	5.1	13.6	34.5	64.2	103.1
1984.....	5.4	*	*	*	*	0.6	1.8	6.0	14.7	32.3	57.6	108.8
1983.....	5.1	*	*	*	*	0.8	2.0	4.4	14.0	30.1	58.3	104.8
1982.....	5.0	*	*	*	*	0.7	1.5	4.8	14.4	34.4	51.2	85.4
1981.....	5.0	*	*	*	*	0.9	2.2	5.0	14.1	30.2	52.7	94.2
1980.....	5.4	0.3	0.1	0.1	0.3	0.8	1.9	5.2	14.1	33.1	62.0	102.6
1979.....	5.0	0.5	0.1	0.1	0.5	1.1	1.9	5.6	13.1	30.2	52.4	75.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 596
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	6.7	*	*	*	*	0.9	2.5	7.0	17.2	36.1	90.6	180.0
1997.....	6.5	*	*	*	*	0.6	2.9	7.2	17.1	39.7	87.5	153.8
1996.....	6.5	*	*	*	*	0.7	2.7	6.8	17.4	42.5	92.5	142.2
1995.....	6.0	*	*	*	*	1.0	2.5	6.7	16.2	41.0	79.2	136.5
1994.....	6.3	*	*	*	*	0.6	2.1	5.9	16.4	42.2	98.7	160.9
1993.....	6.6	*	*	*	*	1.0	2.4	7.0	17.1	44.8	94.2	181.2
1992.....	6.2	*	*	*	*	0.7	2.3	7.0	16.2	44.0	89.6	143.4
1991.....	6.2	*	*	*	*	0.9	2.4	6.5	17.6	42.6	85.2	151.2
1990.....	6.4	*	*	*	*	0.6	2.6	6.9	16.9	45.8	95.8	143.7
1989.....	6.2	*	*	*	*	*	2.6	7.4	18.2	44.8	89.8	128.4
1988.....	5.9	*	*	*	*	0.7	2.7	6.0	19.4	42.3	79.1	113.9
1987.....	6.2	*	*	*	*	0.8	2.3	6.6	17.4	43.4	93.3	132.5
1986.....	5.9	*	*	*	*	0.8	2.0	6.8	20.0	39.8	83.1	104.0
1985.....	6.0	*	*	*	*	0.6	1.7	6.2	18.6	47.1	80.1	113.7
1984.....	6.1	*	*	*	*	*	2.5	7.5	19.7	45.0	76.8	118.1
1983.....	5.8	*	*	*	*	*	2.8	6.3	18.3	40.9	73.1	118.6
1982.....	5.8	*	*	*	*	*	2.0	6.9	19.7	48.2	61.5	89.6
1981.....	5.5	*	*	*	*	0.8	2.9	6.3	18.2	38.7	68.2	101.6
1980.....	6.2	-	0.1	0.0	0.3	1.0	2.1	6.5	20.1	44.0	82.2	135.0
1979.....	6.0	1.0	0.3	0.1	0.4	1.2	2.2	7.0	17.8	44.9	68.3	94.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 597
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	6.5	*	*	*	*	0.7	1.6	3.8	10.0	26.9	64.1	151.8
1997.....	6.4	*	*	*	*	0.7	1.7	4.2	11.2	29.1	60.5	139.7
1996.....	6.1	*	*	*	*	0.7	1.9	3.2	8.6	26.8	63.4	140.8
1995.....	6.0	*	*	*	*	0.7	1.6	3.5	10.7	26.9	57.5	146.5
1994.....	6.2	*	*	*	*	0.5	1.9	3.9	10.9	26.7	61.6	155.0
1993.....	5.8	*	*	*	*	0.6	2.1	4.3	10.2	25.6	56.7	141.4
1992.....	5.5	*	*	*	*	0.6	1.5	4.6	10.1	23.1	51.8	144.0
1991.....	5.6	*	*	*	*	1.0	1.8	4.7	9.1	26.0	54.9	132.3
1990.....	5.4	*	*	*	*	0.7	1.4	4.3	9.6	23.5	51.4	154.1
1989.....	5.6	*	*	*	*	0.8	1.8	4.4	10.5	23.5	58.0	130.3
1988.....	5.1	*	*	*	*	0.7	1.4	3.6	10.3	23.5	51.8	127.2
1987.....	5.0	*	*	*	*	0.7	1.7	3.1	9.7	24.4	50.6	109.8
1986.....	5.0	*	*	*	*	*	1.9	4.6	9.7	23.1	51.5	107.7
1985.....	5.0	*	*	*	*	0.7	1.5	4.1	9.6	25.4	54.3	98.7
1984.....	4.8	*	*	*	*	0.8	1.3	4.8	10.7	23.1	45.6	104.1
1983.....	4.6	*	*	*	*	0.9	1.4	2.9	10.4	22.2	48.8	97.8
1982.....	4.3	*	*	*	*	0.6	1.1	3.0	10.0	24.3	44.6	82.7
1981.....	4.5	*	*	*	*	0.9	1.7	3.9	10.7	23.8	42.6	90.5
1980.....	4.6	0.6	0.1	0.1	0.2	0.7	1.7	4.1	9.3	24.9	48.6	86.0
1979.....	4.1	-	-	0.1	0.5	1.1	1.7	4.5	9.3	19.0	41.8	65.8

CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

BLACK, BOTH SEXES

1998.....	7.7	*	*	*	0.4	1.0	2.6	6.6	15.6	34.6	81.4	178.7
1997.....	7.6	*	*	*	*	0.8	2.9	7.1	15.9	37.7	77.5	158.0
1996.....	7.3	*	*	*	*	0.8	2.7	6.2	14.7	38.0	79.0	150.9
1995.....	7.1	*	*	*	*	1.0	2.5	6.1	15.8	37.2	71.6	146.3
1994.....	7.2	*	*	*	*	0.7	2.5	5.9	15.1	37.9	78.5	164.4
1993.....	7.2	*	*	*	*	0.9	2.7	7.1	15.0	36.7	73.4	160.1
1992.....	6.7	*	*	*	*	0.8	2.3	7.0	14.3	35.2	69.0	148.9
1991.....	6.9	*	*	*	*	1.1	2.7	7.3	14.8	36.1	69.2	145.7
1990.....	6.8	*	*	*	*	0.8	2.5	6.8	14.4	35.4	70.5	156.3
1989.....	6.8	*	*	*	*	0.7	2.8	6.9	16.3	35.4	72.9	134.5
1988.....	6.3	*	*	*	*	0.8	2.6	5.5	16.0	34.0	64.0	123.8
1987.....	6.3	*	*	*	0.4	0.9	2.4	5.8	14.6	34.8	67.7	119.7
1986.....	6.1	*	*	*	0.4	0.7	2.4	6.4	15.9	32.8	62.9	108.5
1985.....	6.1	*	*	*	*	0.8	1.9	6.0	15.2	36.2	65.0	102.1
1984.....	6.0	*	*	*	*	0.7	2.2	7.1	16.4	34.1	58.7	106.3
1983.....	5.6	*	*	*	*	0.9	2.4	5.1	15.4	31.5	56.6	102.7
1982.....	5.5	*	*	*	*	0.7	1.8	5.7	15.8	36.5	52.1	85.2
1981.....	5.5	*	*	*	*	1.0	2.7	5.5	15.2	31.6	53.8	93.5
1980.....	5.8	0.4	0.1	0.1	0.3	1.0	2.2	5.8	15.2	34.0	61.6	101.2
1979.....	5.3	0.4	0.1	0.1	0.5	1.3	2.1	6.2	14.0	31.2	50.6	75.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 599
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	7.7	*	*	*	*	1.2	3.1	8.8	20.8	39.8	97.1	197.0
1997.....	7.6	*	*	*	*	*	3.8	9.1	19.8	45.8	93.7	169.4
1996.....	7.5	*	*	*	*	0.8	3.3	8.5	21.0	47.5	94.9	152.4
1995.....	6.9	*	*	*	*	1.2	3.1	8.0	19.8	44.8	82.8	132.6
1994.....	7.1	*	*	*	*	*	2.6	7.4	18.9	47.2	103.5	155.8
1993.....	7.5	*	*	*	*	1.2	2.8	9.3	20.2	47.6	95.4	186.9
1992.....	6.9	*	*	*	*	0.8	2.9	8.8	18.0	47.7	91.5	143.5
1991.....	7.0	*	*	*	*	1.0	3.2	8.5	19.9	44.7	88.7	153.6
1990.....	7.2	*	*	*	*	*	3.3	8.6	19.1	48.9	98.9	150.9
1989.....	7.1	*	*	*	*	*	3.3	8.8	21.6	49.1	91.3	128.8
1988.....	6.5	*	*	*	*	0.8	3.5	7.2	21.4	45.5	79.0	104.6
1987.....	6.8	*	*	*	*	1.0	2.6	8.1	19.4	46.3	89.9	126.6
1986.....	6.5	*	*	*	*	0.9	2.3	7.6	22.2	43.1	80.5	104.8
1985.....	6.4	*	*	*	*	*	2.0	7.6	20.9	48.1	76.7	112.9
1984.....	6.7	*	*	*	*	*	2.9	9.0	21.8	47.6	76.1	118.0
1983.....	6.2	*	*	*	*	*	3.4	7.5	20.1	42.8	68.0	116.7
1982.....	6.3	*	*	*	*	*	2.3	8.3	21.9	50.5	60.6	84.5
1981.....	5.9	*	*	*	*	*	3.6	6.8	19.7	39.9	68.5	100.0
1980.....	6.5	-	0.1	0.0	0.3	1.2	2.5	7.4	21.2	45.0	77.6	126.4
1979.....	6.1	0.8	0.2	0.1	0.4	1.4	2.3	7.7	18.7	45.6	62.2	92.3

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)

BLACK FEMALE

1998.....	7.8	*	*	*	*	0.8	2.1	4.7	11.6	30.8	72.1	171.0
1997.....	7.6	*	*	*	*	0.8	2.1	5.4	12.9	31.8	68.0	153.2
1996.....	7.2	*	*	*	*	0.8	2.3	4.2	9.8	31.1	69.7	150.3
1995.....	7.3	*	*	*	*	0.9	2.0	4.6	12.7	31.8	65.2	151.9
1994.....	7.3	*	*	*	*	0.7	2.3	4.8	12.2	31.2	64.3	167.9
1993.....	6.8	*	*	*	*	*	2.5	5.2	11.1	29.0	61.1	149.2
1992.....	6.5	*	*	*	*	0.8	1.8	5.6	11.5	26.4	56.4	151.1
1991.....	6.8	*	*	*	*	1.2	2.3	6.2	10.8	30.1	58.3	142.3
1990.....	6.4	*	*	*	*	0.8	1.7	5.3	10.8	26.0	54.6	158.6
1989.....	6.6	*	*	*	*	1.0	2.4	5.3	12.3	25.8	62.6	137.9
1988.....	6.0	*	*	*	*	0.8	1.8	4.0	11.8	26.0	55.5	132.2
1987.....	5.8	*	*	*	*	0.8	2.1	3.9	10.9	26.7	54.8	116.7
1986.....	5.7	*	*	*	*	*	2.4	5.5	11.0	25.5	52.5	110.1
1985.....	5.7	*	*	*	*	1.0	1.8	4.7	10.8	27.7	58.0	97.0
1984.....	5.4	*	*	*	*	0.9	1.6	5.5	12.0	24.6	48.4	100.8
1983.....	5.0	*	*	*	*	1.0	1.6	3.2	11.6	23.6	49.5	96.0
1982.....	4.9	*	*	*	*	*	1.3	3.5	10.9	26.5	46.9	85.6
1981.....	5.1	*	*	*	*	1.1	2.0	4.5	11.7	25.7	44.7	89.4
1980.....	5.1	0.8	0.1	0.1	0.3	0.9	2.0	4.5	10.4	26.0	51.4	88.6
1979.....	4.5	-	-	0.1	0.5	1.2	2.0	4.9	10.2	20.6	42.8	66.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	601	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)															
TOTAL, BOTH SEXES															
1998.....		0.2	1.2	*	*	*	*	*	*	0.1	0.3	0.9	3.9		
1997.....		0.2	1.8	0.1	*	*	*	*	*	0.1	0.3	0.9	4.0		
1996.....		0.2	1.7	0.2	*	*	*	*	*	0.1	0.4	1.0	4.2		
1995.....		0.2	1.8	0.2	*	*	*	*	*	0.1	0.4	1.2	4.7		
1994.....		0.2	2.2	0.2	*	*	*	*	*	0.2	0.4	1.4	4.7		
1993.....		0.3	1.9	*	*	*	*	*	0.1	0.2	0.5	1.5	6.1		
1992.....		0.2	2.3	*	*	*	*	*	0.1	0.2	0.5	1.3	4.7		
1991.....		0.3	1.7	*	*	*	*	*	*	0.2	0.4	1.5	6.8		
1990.....		0.3	1.9	*	*	*	*	*	*	0.2	0.5	1.6	6.6		
1989.....		0.3	1.9	0.1	*	*	*	*	0.1	0.2	0.6	1.8	6.2		
1988.....		0.3	1.9	0.2	*	*	*	*	0.1	0.2	0.6	1.6	6.7		
1987.....		0.2	1.7	0.1	*	*	*	*	*	0.2	0.4	1.5	5.6		
1986.....		0.2	1.6	*	*	*	*	*	*	0.2	0.6	1.9	6.0		
1985.....		0.3	1.7	*	*	*	*	*	*	0.2	0.5	1.7	7.0		
1984.....		0.2	1.6	0.2	*	*	*	*	*	0.2	0.5	1.5	6.2		
1983.....		0.2	2.4	*	*	*	*	*	0.1	0.2	0.4	1.4	6.4		
1982.....		0.2	2.0	0.2	*	*	*	*	0.1	0.2	0.4	1.4	5.2		
1981.....		0.2	2.4	0.2	*	*	*	*	0.1	0.2	0.6	1.7	5.9		
1980.....		0.3	2.5	0.3	0.0	0.0	0.0	0.0	0.1	0.3	0.6	1.9	7.3		
1979.....		0.2	2.7	0.3	0.0	0.0	0.0	0.0	0.1	0.2	0.6	1.5	5.0		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	602	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)															
TOTAL, MALE															
1998	0.1	1.5	*	*	*	*	*	*	*	0.3	0.9	4.2		
1997	0.1	2.1	*	*	*	*	*	*	*	0.3	1.0	3.8		
1996	0.2	2.1	*	*	*	*	*	*	*	0.4	1.1	4.2		
1995	0.2	2.0	*	*	*	*	*	*	*	0.3	1.5	5.3		
1994	0.2	2.7	*	*	*	*	*	*	*	0.4	1.6	4.7		
1993	0.2	2.2	*	*	*	*	*	*	*	0.5	1.8	6.4		
1992	0.2	3.0	*	*	*	*	*	*	0.2	0.6	1.6	4.6		
1991	0.2	2.2	*	*	*	*	*	*	0.2	0.6	1.8	7.7		
1990	0.2	2.2	*	*	*	*	*	*	0.3	0.6	1.7	7.5		
1989	0.2	2.4	*	*	*	*	*	*	0.2	0.6	2.2	6.5		
1988	0.2	2.4	*	*	*	*	*	*	*	0.8	1.8	6.5		
1987	0.2	2.1	*	*	*	*	*	*	0.2	0.6	2.0	7.1		
1986	0.2	2.0	*	*	*	*	*	*	0.2	0.8	2.3	6.7		
1985	0.3	2.3	*	*	*	*	*	*	0.3	0.7	2.3	7.8		
1984	0.2	1.9	*	*	*	*	*	*	0.3	0.7	1.9	6.8		
1983	0.2	3.1	*	*	*	*	*	*	0.3	0.5	1.7	8.3		
1982	0.2	2.5	*	*	*	*	*	*	*	0.6	1.7	5.0		
1981	0.2	2.8	*	*	*	*	*	*	0.3	0.7	2.2	6.4		
1980	0.3	2.9	0.4	0.0	0.0	0.0	0.0	0.1	0.2	0.7	2.3	7.6		
1979	0.3	3.3	0.2	0.0	0.0	0.0	0.0	0.1	0.3	0.7	2.0	6.1		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 603
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ACUTE BRONCHITIS AND BRONCHIOLITIS (466) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	0.2	*	*	*	*	*	*	*	*	0.3	0.9	3.8
1997.....	0.2	1.5	*	*	*	*	*	*	*	0.3	0.9	4.0
1996.....	0.2	1.4	*	*	*	*	*	*	*	0.4	0.9	4.2
1995.....	0.2	1.7	*	*	*	*	*	*	0.2	0.4	1.0	4.5
1994.....	0.3	1.6	*	*	*	*	*	*	0.2	0.5	1.2	4.8
1993.....	0.3	1.6	*	*	*	*	*	*	0.2	0.5	1.4	6.0
1992.....	0.2	1.6	*	*	*	*	*	*	*	0.4	1.1	4.7
1991.....	0.3	1.2	*	*	*	*	*	*	0.2	0.3	1.4	6.5
1990.....	0.3	1.6	*	*	*	*	*	*	0.2	0.4	1.5	6.3
1989.....	0.3	1.3	*	*	*	*	*	*	*	0.5	1.5	6.0
1988.....	0.3	1.4	*	*	*	*	*	*	0.2	0.4	1.4	6.7
1987.....	0.2	1.3	*	*	*	*	*	*	0.2	0.3	1.2	5.0
1986.....	0.2	1.2	*	*	*	*	*	*	*	0.4	1.7	5.8
1985.....	0.2	1.1	*	*	*	*	*	*	*	0.4	1.3	6.7
1984.....	0.2	1.3	*	*	*	*	*	*	*	0.4	1.2	6.0
1983.....	0.2	1.7	*	*	*	*	*	*	*	0.3	1.2	5.6
1982.....	0.2	1.5	*	*	*	*	*	*	*	*	1.2	5.3
1981.....	0.3	1.9	*	*	*	*	*	*	0.2	0.5	1.3	5.6
1980.....	0.3	2.0	0.2	0.0	0.0	0.0	0.0	0.1	0.4	0.5	1.6	7.1
1979.....	0.2	2.2	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.5	1.2	4.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	604	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)															
WHITE, BOTH SEXES															
1998.....		0.2	0.9	*	*	*	*	*	*	0.1	0.3	0.9	4.1		
1997.....		0.2	1.5	*	*	*	*	*	*	*	0.3	1.0	4.2		
1996.....		0.2	1.3	*	*	*	*	*	*	0.1	0.4	1.0	4.3		
1995.....		0.2	1.5	*	*	*	*	*	*	0.1	0.4	1.3	5.1		
1994.....		0.2	1.6	*	*	*	*	*	*	0.2	0.5	1.4	5.1		
1993.....		0.3	1.6	*	*	*	*	*	0.1	0.2	0.5	1.6	6.3		
1992.....		0.2	1.8	*	*	*	*	*	*	0.2	0.5	1.3	4.9		
1991.....		0.3	1.7	*	*	*	*	*	*	0.2	0.5	1.6	6.9		
1990.....		0.3	1.2	*	*	*	*	*	*	0.2	0.5	1.7	7.0		
1989.....		0.3	1.2	*	*	*	*	*	*	0.2	0.6	1.8	6.4		
1988.....		0.3	1.5	*	*	*	*	*	0.1	0.2	0.6	1.6	6.9		
1987.....		0.2	1.2	*	*	*	*	*	*	0.2	0.5	1.6	5.9		
1986.....		0.3	1.4	*	*	*	*	*	*	0.2	0.6	2.0	6.4		
1985.....		0.3	1.6	*	*	*	*	*	*	0.2	0.5	1.7	7.4		
1984.....		0.2	1.2	*	*	*	*	*	*	0.2	0.5	1.5	6.6		
1983.....		0.2	1.9	*	*	*	*	*	*	0.2	0.4	1.4	6.9		
1982.....		0.2	1.6	*	*	*	*	*	*	0.2	0.4	1.4	5.5		
1981.....		0.3	1.9	*	*	*	*	*	*	0.2	0.5	1.7	6.2		
1980.....		0.3	2.2	0.2	0.0	0.0	0.0	0.0	0.1	0.3	0.6	2.0	7.6		
1979.....		0.2	2.2	0.2	0.0	0.0	0.0	0.0	0.1	0.2	0.6	1.6	5.3		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 605
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ACUTE BRONCHITIS AND BRONCHIOLITIS (466) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.1	*	*	*	*	*	*	*	*	0.3	0.9	4.4
1997.....	0.1	1.8	*	*	*	*	*	*	*	0.3	1.0	3.9
1996.....	0.2	1.7	*	*	*	*	*	*	*	0.4	1.1	4.2
1995.....	0.2	1.7	*	*	*	*	*	*	*	0.3	1.6	5.7
1994.....	0.2	2.0	*	*	*	*	*	*	*	0.4	1.6	5.1
1993.....	0.2	2.0	*	*	*	*	*	*	*	0.5	1.7	6.6
1992.....	0.2	2.4	*	*	*	*	*	*	*	0.6	1.6	4.9
1991.....	0.2	2.2	*	*	*	*	*	*	*	0.6	1.8	7.8
1990.....	0.2	1.3	*	*	*	*	*	*	0.3	0.6	1.8	8.3
1989.....	0.2	1.5	*	*	*	*	*	*	*	0.6	2.3	7.1
1988.....	0.2	1.9	*	*	*	*	*	*	*	0.8	1.9	7.0
1987.....	0.2	1.7	*	*	*	*	*	*	*	0.6	2.1	7.5
1986.....	0.3	1.8	*	*	*	*	*	*	0.2	0.8	2.4	7.2
1985.....	0.3	2.1	*	*	*	*	*	*	0.3	0.7	2.3	8.1
1984.....	0.2	1.7	*	*	*	*	*	*	0.3	0.6	1.9	7.3
1983.....	0.2	2.5	*	*	*	*	*	*	0.3	0.5	1.7	9.0
1982.....	0.2	1.9	*	*	*	*	*	*	*	0.6	1.7	5.4
1981.....	0.3	2.2	*	*	*	*	*	*	0.3	0.7	2.4	6.8
1980.....	0.3	2.5	0.3	0.0	0.0	0.0	0.0	0.1	0.2	0.7	2.4	7.7
1979.....	0.3	2.8	0.2	0.0	0.0	0.0	0.0	0.1	0.3	0.7	2.1	6.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 606
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ACUTE BRONCHITIS AND BRONCHIOLITIS (466) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.2	*	*	*	*	*	*	*	*	0.3	1.0	4.0
1997.....	0.2	*	*	*	*	*	*	*	*	0.3	1.0	4.3
1996.....	0.2	*	*	*	*	*	*	*	*	0.4	0.9	4.4
1995.....	0.3	*	*	*	*	*	*	*	*	0.5	1.1	4.8
1994.....	0.3	*	*	*	*	*	*	*	0.2	0.5	1.2	5.1
1993.....	0.3	*	*	*	*	*	*	*	0.2	0.5	1.5	6.2
1992.....	0.2	*	*	*	*	*	*	*	*	0.4	1.2	5.0
1991.....	0.3	*	*	*	*	*	*	*	*	0.4	1.5	6.6
1990.....	0.3	*	*	*	*	*	*	*	0.2	0.5	1.6	6.5
1989.....	0.3	*	*	*	*	*	*	*	*	0.5	1.6	6.2
1988.....	0.3	*	*	*	*	*	*	*	0.3	0.4	1.5	6.8
1987.....	0.2	*	*	*	*	*	*	*	*	0.3	1.3	5.3
1986.....	0.3	*	*	*	*	*	*	*	*	0.4	1.8	6.1
1985.....	0.3	*	*	*	*	*	*	*	*	0.4	1.3	7.2
1984.....	0.2	*	*	*	*	*	*	*	*	0.4	1.3	6.3
1983.....	0.2	*	*	*	*	*	*	*	*	0.3	1.3	6.0
1982.....	0.2	1.4	*	*	*	*	*	*	*	*	1.3	5.6
1981.....	0.3	1.6	*	*	*	*	*	*	0.2	0.4	1.4	6.0
1980.....	0.3	1.9	0.1	0.0	0.0	0.0	0.0	0.1	0.4	0.5	1.7	7.5
1979.....	0.2	1.7	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.5	1.2	4.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 607
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ACUTE BRONCHITIS AND BRONCHIOLITIS (466) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER, BOTH SEXES												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	2.7	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	3.6	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	3.2	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	4.3	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	3.1	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	4.0	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	4.4	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	4.5	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	3.7	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	3.6	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	3.3	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	4.6	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	3.7	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	4.5	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	3.6	0.5	0.0	0.0	0.0	0.1	0.1	0.3	0.7	0.9	3.9
1979.....	0.2	5.2	0.5	0.0	0.0	0.1	0.1	0.2	0.3	0.3	0.3	1.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 608
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ACUTE BRONCHITIS AND BRONCHIOLITIS (466) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	5.2	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	5.2	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	5.5	*	*	*	*	*	*	*	*	*	*
1989.....	0.3	5.9	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	4.7	0.6	0.0	0.0	0.0	0.1	0.2	0.2	0.9	1.1	6.6
1979.....	0.3	5.6	0.4	0.0	0.0	0.1	-	0.2	0.6	0.6	0.4	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 609
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ACUTE BRONCHITIS AND BRONCHIOLITIS (466) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	2.5	0.4	0.0	-	0.0	0.1	-	0.4	0.5	0.7	2.5
1979.....	0.2	4.7	0.5	-	-	0.1	0.1	0.2	0.1	0.1	0.3	1.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 610
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ACUTE BRONCHITIS AND BRONCHIOLITIS (466) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK, BOTH SEXES												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	4.0	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	4.0	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	5.2	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	4.0	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	5.0	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	5.0	*	*	*	*	*	*	*	*	*	*
1989.....	0.3	4.8	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	3.9	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	3.9	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	4.2	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	4.6	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	3.9	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	4.7	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	3.9	0.5	0.0	0.0	-	0.1	0.0	0.4	0.7	0.9	3.1
1979.....	0.3	5.8	0.5	0.0	0.0	0.1	0.1	0.3	0.4	0.3	0.3	1.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 611
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.3	6.5	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	6.2	*	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	4.8	0.6	0.0	0.0	-	0.1	0.1	0.2	1.1	0.9	3.8
1979.....	0.3	6.5	0.5	0.0	0.0	0.1	-	0.3	0.7	0.5	0.4	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 612
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ACUTE BRONCHITIS AND BRONCHIOLITIS (466) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	3.0	0.4	0.0	-	-	0.1	-	0.5	0.5	0.8	2.8
1979.....	0.2	5.1	0.4	-	-	0.1	0.1	0.2	0.1	0.1	0.3	1.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 613												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
PNEUMONIA AND INFLUENZA (480-487) TOTAL, BOTH SEXES												
1998.....	34.0	11.7	1.0	0.3	0.6	1.4	3.1	6.3	17.0	59.8	241.4	1,063.9
1997.....	32.3	11.1	1.2	0.4	0.6	1.3	3.2	6.6	17.2	57.0	233.7	1,024.7
1996.....	31.6	13.2	1.1	0.4	0.6	1.4	3.4	6.5	16.9	56.8	230.6	1,010.9
1995.....	31.6	12.8	1.0	0.3	0.6	1.5	3.5	6.7	16.4	57.2	233.2	1,035.7
1994.....	31.3	14.4	1.1	0.3	0.6	1.6	3.6	6.6	16.7	56.7	235.8	1,033.6
1993.....	32.1	13.5	1.2	0.4	0.7	1.7	3.8	6.6	17.7	58.1	241.2	1,089.0
1992.....	29.7	15.0	1.2	0.3	0.6	1.5	3.4	6.0	16.5	55.3	227.1	1,022.8
1991.....	30.9	15.1	1.4	0.4	0.7	1.8	3.7	6.8	17.8	55.9	238.5	1,080.5
1990.....	32.0	16.1	1.2	0.4	0.6	1.8	3.8	7.0	18.6	59.1	253.5	1,140.0
1989.....	31.0	16.5	1.6	0.4	0.7	2.0	3.9	6.9	18.3	58.3	243.9	1,110.3
1988.....	31.8	17.1	1.3	0.4	0.7	2.0	3.8	7.4	19.2	60.8	254.7	1,149.0
1987.....	28.6	18.2	1.4	0.3	0.7	1.8	3.4	7.0	17.8	57.5	232.3	1,018.0
1986.....	29.1	17.9	1.4	0.4	0.7	1.7	3.6	7.1	18.8	59.3	241.0	1,044.9
1985.....	28.4	19.2	1.5	0.4	0.6	1.5	3.3	7.2	18.7	58.3	239.6	1,038.8
1984.....	25.0	19.2	1.5	0.5	0.6	1.6	3.0	6.7	16.9	54.0	214.8	893.1
1983.....	23.9	21.1	1.7	0.4	0.7	1.4	2.8	6.7	16.9	51.4	205.2	876.6
1982.....	21.1	20.7	1.7	0.4	0.7	1.4	2.8	6.5	16.4	47.5	184.4	747.8
1981.....	23.4	22.4	1.8	0.5	0.8	1.5	3.3	7.4	18.4	52.5	209.9	848.7
1980.....	24.1	28.6	2.1	0.6	0.8	1.5	3.5	7.7	18.6	55.6	220.0	885.7
1979.....	20.1	33.0	2.0	0.6	0.8	1.5	3.2	7.1	16.4	47.8	184.2	694.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 614												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA AND INFLUENZA (480-487)	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, MALE												
1998.....	31.0	12.4	0.9	0.3	0.6	1.6	3.7	7.7	21.2	77.3	305.4	1,252.4
1997.....	30.0	13.2	1.1	0.4	0.6	1.6	3.9	8.4	21.1	74.3	301.6	1,250.5
1996.....	29.3	15.5	1.1	0.4	0.6	1.6	4.2	8.2	21.3	74.1	297.8	1,233.5
1995.....	29.4	14.2	0.9	0.3	0.6	1.8	4.4	8.7	20.7	75.0	305.2	1,286.7
1994.....	29.4	17.1	1.2	0.3	0.6	2.0	4.5	8.6	21.2	74.6	307.8	1,315.0
1993.....	30.2	15.5	1.2	0.4	0.7	2.0	5.0	8.3	22.4	78.1	323.0	1,363.4
1992.....	28.5	17.4	1.2	0.3	0.7	1.9	4.5	7.9	21.2	74.1	310.4	1,310.4
1991.....	29.4	16.0	1.6	0.4	0.8	2.3	4.9	8.5	23.4	74.1	326.9	1,368.7
1990.....	30.4	18.1	1.2	0.4	0.6	2.2	5.1	9.1	24.6	80.4	345.5	1,421.5
1989.....	29.7	19.4	1.6	0.4	0.8	2.4	5.2	9.1	24.6	81.3	328.4	1,387.8
1988.....	30.9	19.8	1.2	0.4	0.7	2.4	5.1	10.0	25.6	85.0	353.0	1,454.7
1987.....	28.5	20.1	1.5	0.3	0.8	2.3	4.7	9.4	24.1	81.5	324.2	1,324.2
1986.....	29.3	20.4	1.5	0.4	0.8	2.1	4.8	9.2	25.8	83.6	342.5	1,373.2
1985.....	28.7	21.9	1.5	0.4	0.7	1.9	4.3	9.5	25.8	83.4	338.1	1,360.3
1984.....	25.7	21.9	1.5	0.5	0.7	2.0	4.0	8.8	24.0	77.3	306.3	1,184.6
1983.....	24.6	23.7	1.7	0.4	0.7	1.8	3.7	8.8	23.8	74.4	291.4	1,162.7
1982.....	22.5	22.8	1.8	0.5	0.9	1.8	3.5	8.8	22.7	68.9	269.4	1,026.9
1981.....	24.3	25.4	2.0	0.5	0.9	1.7	4.2	9.6	25.7	74.6	296.5	1,098.3
1980.....	25.1	33.1	2.2	0.5	0.8	1.8	4.5	10.6	25.6	79.1	305.0	1,145.4
1979.....	21.7	35.8	2.1	0.6	0.9	1.8	4.2	9.7	22.9	71.1	261.6	933.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	615
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA AND INFLUENZA (480-487)	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
TOTAL, FEMALE														
1998.....	36.8	10.9	1.0	0.3	0.6	1.1	2.6	4.9	13.2	45.6	199.1	985.8		
1997.....	34.5	8.8	1.2	0.4	0.6	1.1	2.5	5.0	13.7	42.9	189.3	933.7		
1996.....	33.8	10.7	1.0	0.4	0.6	1.2	2.5	4.8	12.9	42.8	187.2	922.5		
1995.....	33.6	11.3	1.1	0.4	0.5	1.2	2.6	4.8	12.4	43.0	187.4	937.9		
1994.....	33.1	11.6	1.0	0.2	0.6	1.1	2.8	4.8	12.6	42.4	190.7	925.1		
1993.....	34.0	11.5	1.2	0.3	0.7	1.4	2.6	4.9	13.4	42.2	190.6	983.7		
1992.....	30.8	12.5	1.2	0.3	0.6	1.1	2.3	4.2	12.2	40.5	176.1	911.3		
1991.....	32.2	14.2	1.1	0.4	0.6	1.3	2.5	5.1	12.8	41.7	185.0	969.1		
1990.....	33.4	14.0	1.1	0.4	0.6	1.3	2.5	5.0	13.2	42.5	198.5	1,031.3		
1989.....	32.3	13.4	1.5	0.3	0.7	1.7	2.6	4.9	12.6	40.4	193.5	1,002.4		
1988.....	32.6	14.2	1.3	0.3	0.7	1.5	2.5	4.9	13.5	42.0	196.4	1,029.7		
1987.....	28.7	16.2	1.3	0.3	0.6	1.2	2.2	4.8	12.3	38.9	177.9	897.4		
1986.....	28.9	15.3	1.3	0.5	0.6	1.3	2.5	5.0	12.7	40.4	181.1	914.7		
1985.....	28.2	16.3	1.6	0.4	0.5	1.1	2.3	5.1	12.3	38.9	181.6	910.4		
1984.....	24.3	16.3	1.5	0.5	0.5	1.2	2.1	4.6	10.7	36.1	161.0	775.3		
1983.....	23.2	18.4	1.6	0.4	0.6	1.1	1.9	4.7	10.9	33.8	154.5	759.4		
1982.....	19.8	18.6	1.5	0.4	0.6	1.0	2.0	4.4	10.8	31.2	134.4	631.5		
1981.....	22.6	19.4	1.6	0.5	0.6	1.2	2.3	5.4	12.0	35.7	158.9	742.0		
1980.....	23.2	24.0	2.0	0.6	0.8	1.2	2.6	5.1	12.5	37.6	169.9	772.2		
1979.....	18.5	29.9	1.9	0.6	0.7	1.1	2.3	4.7	10.7	30.1	138.2	589.0		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 616												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
PNEUMONIA AND INFLUENZA (480-487) WHITE, BOTH SEXES												
1998.....	36.6	8.5	0.8	0.3	0.5	1.1	2.5	5.4	15.5	57.9	240.1	1,088.8
1997.....	34.7	8.7	1.0	0.3	0.5	1.1	2.6	5.6	15.6	55.0	233.0	1,049.2
1996.....	33.8	10.3	0.9	0.3	0.5	1.1	2.6	5.4	15.1	54.4	229.6	1,033.5
1995.....	33.8	10.0	0.7	0.3	0.5	1.2	2.8	5.5	14.7	55.0	232.0	1,055.2
1994.....	33.5	11.2	0.9	0.2	0.6	1.2	2.8	5.6	15.2	54.7	235.9	1,055.0
1993.....	34.3	10.5	0.9	0.4	0.6	1.4	3.0	5.5	16.0	55.6	240.2	1,113.8
1992.....	31.7	11.3	0.9	0.3	0.6	1.2	2.5	5.0	14.8	53.0	227.8	1,044.5
1991.....	32.8	11.2	1.1	0.4	0.6	1.4	2.7	5.5	16.1	53.9	238.2	1,103.7
1990.....	33.9	12.0	1.0	0.4	0.5	1.2	2.7	5.8	16.6	56.6	253.6	1,167.5
1989.....	32.7	12.9	1.2	0.3	0.6	1.5	2.7	5.5	16.3	55.5	243.4	1,136.2
1988.....	33.8	12.9	1.2	0.3	0.6	1.4	2.8	5.7	17.1	58.4	257.1	1,187.3
1987.....	30.2	13.8	1.2	0.3	0.6	1.3	2.4	5.6	16.0	55.8	233.5	1,046.1
1986.....	30.6	14.0	1.2	0.4	0.6	1.3	2.5	5.7	17.0	57.1	241.8	1,073.0
1985.....	29.9	14.8	1.3	0.3	0.6	1.1	2.3	5.9	16.7	56.3	240.1	1,071.2
1984.....	26.2	15.2	1.2	0.5	0.5	1.1	2.1	5.2	15.2	51.8	215.5	921.0
1983.....	25.1	15.6	1.4	0.4	0.6	1.0	2.1	5.5	15.2	49.5	206.7	906.8
1982.....	22.0	15.4	1.4	0.4	0.6	1.0	2.0	5.1	14.6	45.7	186.6	772.1
1981.....	24.4	17.2	1.5	0.5	0.7	1.2	2.2	5.8	16.3	50.5	212.1	877.1
1980.....	24.8	20.5	1.9	0.5	0.7	1.2	2.6	6.0	16.5	53.1	220.8	909.9
1979.....	20.5	24.9	1.6	0.6	0.7	1.1	2.2	5.7	14.6	45.9	186.2	715.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 617
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 PNEUMONIA AND INFLUENZA (480-487)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	32.7	9.0	0.8	0.3	0.5	1.3	2.8	6.4	18.9	73.5	301.7	1,281.6
1997.....	31.6	10.8	0.9	0.3	0.6	1.3	3.2	6.8	18.6	71.5	298.8	1,280.5
1996.....	30.5	12.3	0.9	0.3	0.5	1.2	3.2	6.6	18.4	70.1	293.7	1,257.3
1995.....	30.8	11.0	0.6	0.3	0.7	1.5	3.5	6.9	18.2	71.2	302.2	1,306.8
1994.....	30.8	13.0	1.0	0.2	0.6	1.6	3.4	7.0	18.9	71.7	304.8	1,341.1
1993.....	31.5	11.8	1.0	0.4	0.6	1.7	3.9	6.7	19.8	74.1	318.9	1,393.0
1992.....	29.7	13.5	0.9	0.3	0.6	1.5	3.2	6.3	18.4	70.4	309.2	1,340.8
1991.....	30.6	12.3	1.3	0.4	0.7	1.8	3.6	6.7	20.8	70.8	324.4	1,398.2
1990.....	31.4	13.3	1.0	0.4	0.6	1.6	3.6	7.2	21.8	76.1	343.2	1,456.9
1989.....	30.4	15.7	1.2	0.3	0.6	1.8	3.5	6.8	21.5	76.2	326.5	1,422.4
1988.....	32.0	15.5	1.1	0.4	0.6	1.8	3.7	7.3	22.2	81.3	354.7	1,507.3
1987.....	29.3	15.4	1.2	0.2	0.7	1.7	3.3	7.2	21.1	78.3	324.2	1,362.4
1986.....	30.1	16.3	1.3	0.4	0.7	1.7	3.2	7.3	23.0	79.8	342.6	1,406.7
1985.....	29.4	16.7	1.3	0.3	0.7	1.4	2.9	7.4	22.9	79.5	338.5	1,406.5
1984.....	26.2	17.0	1.2	0.5	0.7	1.5	2.7	6.5	21.1	73.6	306.4	1,226.1
1983.....	25.1	16.9	1.5	0.3	0.7	1.2	2.5	7.0	21.0	70.9	291.6	1,206.9
1982.....	22.9	17.2	1.5	0.4	0.8	1.2	2.3	6.6	20.0	65.6	273.3	1,062.9
1981.....	24.5	19.5	1.7	0.5	0.9	1.4	2.7	7.0	22.3	70.8	299.6	1,134.1
1980.....	25.1	23.5	2.0	0.5	0.6	1.3	3.1	8.0	22.3	74.9	305.3	1,172.7
1979.....	21.7	27.2	1.7	0.6	0.8	1.4	2.7	7.5	20.0	68.2	263.7	959.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 618
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 PNEUMONIA AND INFLUENZA (480-487) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	40.4	8.0	0.8	0.3	0.4	0.9	2.2	4.3	12.4	45.0	199.1	1,009.8
1997.....	37.8	6.5	1.1	0.3	0.5	0.8	2.1	4.4	12.7	41.5	189.8	957.1
1996.....	36.9	8.2	0.9	0.3	0.4	1.1	2.0	4.2	12.0	41.7	188.0	945.7
1995.....	36.6	9.0	0.8	0.3	0.4	1.0	2.1	4.1	11.4	41.8	187.2	958.3
1994.....	36.2	9.4	0.9	0.2	0.5	0.8	2.1	4.2	11.9	41.0	192.7	946.0
1993.....	37.0	9.1	0.9	0.4	0.6	1.1	2.0	4.4	12.4	40.7	191.4	1,008.0
1992.....	33.6	9.0	1.0	0.3	0.5	0.9	1.8	3.7	11.5	39.2	177.9	931.4
1991.....	35.0	9.9	0.9	0.4	0.5	1.0	1.8	4.3	11.9	40.5	185.9	992.2
1990.....	36.3	10.6	1.0	0.4	0.5	0.9	1.8	4.4	11.9	41.2	200.2	1,057.5
1989.....	34.9	10.1	1.2	0.3	0.6	1.1	1.9	4.2	11.6	39.2	194.1	1,027.4
1988.....	35.4	10.1	1.2	0.3	0.6	1.1	1.9	4.1	12.4	40.5	199.4	1,064.6
1987.....	31.1	12.2	1.1	0.3	0.5	0.9	1.6	4.0	11.4	38.2	180.2	923.6
1986.....	31.2	11.6	1.0	0.4	0.5	1.0	1.8	4.2	11.5	39.4	182.7	943.0
1985.....	30.4	12.8	1.3	0.4	0.5	0.8	1.8	4.4	11.2	38.2	182.7	939.9
1984.....	26.1	13.2	1.1	0.5	0.4	0.8	1.6	4.0	10.0	35.0	162.4	800.1
1983.....	25.0	14.3	1.3	0.4	0.5	0.8	1.6	4.0	10.0	33.0	157.1	786.0
1982.....	21.1	13.5	1.2	0.3	0.5	0.7	1.6	3.7	9.8	30.5	136.1	653.0
1981.....	24.2	14.7	1.4	0.5	0.6	1.0	1.7	4.7	11.0	35.0	161.1	769.6
1980.....	24.6	17.2	1.7	0.5	0.7	1.0	2.1	4.2	11.5	36.3	171.5	796.7
1979.....	19.4	22.5	1.6	0.6	0.6	0.8	1.7	4.0	9.7	28.8	140.7	608.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	619	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
PNEUMONIA AND INFLUENZA (480-487)															
ALL OTHER, BOTH SEXES															
1998	21.6	23.8	1.5	0.4	1.0	2.5	6.1	11.3	26.1	73.6	253.5	828.2		
1997	20.7	20.2	1.9	0.4	0.9	2.6	5.8	12.8	27.4	71.5	240.2	790.7		
1996	20.9	24.7	1.8	0.4	0.9	2.6	7.1	12.7	28.3	74.5	239.8	795.0		
1995	20.8	22.8	2.0	0.5	0.7	2.8	7.0	13.6	27.1	75.2	244.2	836.4		
1994	20.2	26.2	1.8	0.4	0.8	3.1	8.0	13.1	26.0	72.2	234.3	814.1		
1993	21.2	24.8	2.0	0.3	1.2	3.4	8.1	13.0	29.2	78.4	250.7	833.5		
1992	19.6	28.9	2.2	0.3	0.9	3.3	7.9	12.1	27.7	74.3	220.1	794.5		
1991	20.8	28.7	2.3	0.3	1.0	3.6	8.9	14.6	29.3	73.3	241.7	835.8		
1990	21.8	31.6	1.8	0.5	1.1	4.3	9.5	14.6	32.6	80.7	251.7	848.5		
1989	22.1	30.1	3.1	0.4	1.2	4.9	10.6	16.2	32.5	82.8	248.2	835.9		
1988	21.1	33.9	1.9	0.5	1.2	4.7	9.6	17.9	34.9	81.3	231.2	741.5		
1987	19.8	36.4	2.3	0.4	1.1	4.3	9.5	16.2	31.7	72.9	219.8	715.8		
1986	20.4	34.5	2.4	0.5	1.0	3.9	10.3	15.6	33.5	78.5	232.5	739.8		
1985	19.8	38.1	2.6	0.6	0.7	3.7	9.1	16.1	34.2	76.5	233.3	680.4		
1984	18.2	36.8	2.9	0.4	1.0	4.1	8.6	16.1	30.7	73.5	208.0	587.1		
1983	17.0	45.2	2.7	0.5	0.8	3.7	7.5	14.9	31.5	68.5	190.0	538.8		
1982	16.0	44.7	3.2	0.6	1.3	3.7	7.9	16.0	31.7	63.8	161.5	478.9		
1981	17.7	46.4	3.0	0.4	1.0	3.3	10.3	18.6	36.6	71.0	186.6	525.3		
1980	19.7	66.0	3.2	0.7	1.5	3.6	9.6	20.0	36.9	79.2	211.5	607.6		
1979	17.0	70.9	3.9	0.7	1.2	3.9	10.3	18.1	32.5	66.1	163.3	456.3		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 620												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
PNEUMONIA AND INFLUENZA (480-487)												
ALL OTHER MALE												
1998.....	23.0	25.5	1.3	*	0.8	3.1	7.9	15.5	36.5	106.6	341.1	996.8
1997.....	22.1	22.6	2.0	*	0.9	3.0	7.6	18.1	37.7	97.2	329.3	988.5
1996.....	23.3	28.5	2.2	*	0.9	3.3	9.6	18.2	40.8	106.6	338.2	1,027.5
1995.....	22.7	26.0	1.7	*	0.6	3.7	9.1	19.8	38.0	106.8	335.9	1,098.1
1994.....	22.4	32.3	1.9	0.5	0.8	3.8	10.2	19.1	37.3	99.4	338.8	1,069.9
1993.....	23.6	29.3	1.9	*	1.2	3.8	11.1	18.9	41.2	111.9	363.5	1,087.4
1992.....	22.4	32.4	2.4	*	0.9	4.3	11.2	18.2	41.9	106.9	322.5	1,026.5
1991.....	23.5	28.6	2.9	*	1.2	4.8	12.1	20.0	42.6	103.3	351.5	1,095.3
1990.....	25.1	36.4	1.7	0.6	1.0	5.8	14.0	22.0	46.2	120.0	368.4	1,090.9
1989.....	25.7	33.9	3.3	*	1.3	5.7	15.3	24.5	48.8	127.5	347.5	1,067.9
1988.....	25.0	37.5	1.8	*	1.3	6.0	13.9	28.1	52.2	118.8	337.9	968.4
1987.....	23.9	40.1	2.6	*	1.1	5.9	14.1	23.9	48.2	111.8	324.4	966.2
1986.....	24.7	38.3	2.4	*	1.2	4.8	15.2	22.2	49.4	118.4	340.4	1,058.7
1985.....	24.2	45.0	2.7	0.6	0.7	4.9	13.6	24.1	51.3	119.4	333.1	924.7
1984.....	22.5	43.6	2.5	*	1.0	5.1	12.5	25.5	48.4	111.3	305.3	795.8
1983.....	21.7	54.1	2.8	*	0.8	5.3	11.8	22.1	48.6	106.6	289.5	727.1
1982.....	20.2	48.1	3.4	0.7	1.4	4.9	11.8	25.0	47.3	99.1	231.1	677.6
1981.....	22.6	52.4	3.6	*	1.2	4.2	15.2	29.1	56.1	109.3	266.1	742.2
1980.....	25.0	77.6	3.1	0.6	1.6	5.2	14.0	31.3	56.5	117.7	302.2	865.7
1979.....	21.7	77.2	4.0	0.7	1.2	4.8	15.7	28.3	49.3	97.5	240.7	661.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 621												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
PNEUMONIA AND INFLUENZA (480-487)												
ALL OTHER FEMALE												
1998.....	20.3	22.0	1.7	*	1.2	2.0	4.5	7.8	17.8	49.6	198.5	751.2
1997.....	19.3	17.8	1.7	*	0.9	2.3	4.2	8.3	19.2	52.8	185.3	701.1
1996.....	18.8	20.7	1.4	*	1.0	1.9	4.9	7.9	18.5	51.3	179.5	690.3
1995.....	19.0	19.5	2.4	0.5	0.9	2.0	5.1	8.3	18.6	52.3	188.9	723.0
1994.....	18.3	19.8	1.7	*	0.9	2.5	6.0	8.1	17.1	52.6	172.0	703.3
1993.....	18.9	20.2	2.0	*	1.2	3.0	5.4	8.0	19.8	54.2	183.5	722.7
1992.....	17.0	25.3	2.1	*	0.9	2.4	5.0	6.9	16.5	50.9	158.9	690.0
1991.....	18.4	28.8	1.7	*	0.8	2.5	6.2	9.9	18.8	51.9	175.5	713.2
1990.....	18.7	26.7	1.8	*	1.2	3.0	5.7	8.3	22.0	52.6	181.8	738.3
1989.....	18.9	26.1	2.9	*	1.1	4.2	6.5	9.0	19.8	50.8	188.2	728.6
1988.....	17.5	30.3	1.9	*	1.1	3.6	5.9	9.3	21.2	54.4	166.5	635.5
1987.....	16.0	32.7	2.1	*	1.1	3.0	5.5	9.6	18.7	45.0	154.9	597.5
1986.....	16.5	30.6	2.5	*	0.8	3.1	6.1	10.0	20.9	49.8	165.3	586.5
1985.....	15.8	31.2	2.5	*	0.7	2.5	5.3	9.4	20.6	45.4	170.4	566.0
1984.....	14.2	29.9	3.3	*	1.0	3.3	5.2	8.2	16.5	46.1	146.6	483.4
1983.....	12.8	36.0	2.7	*	0.9	2.4	3.8	8.9	17.8	40.5	126.4	443.9
1982.....	12.2	41.1	3.0	*	1.1	2.6	4.5	8.6	19.0	37.7	116.5	375.2
1981.....	13.3	40.2	2.4	*	0.8	2.5	6.0	9.9	20.7	42.4	134.8	415.1
1980.....	14.9	54.2	3.2	0.8	1.4	2.3	5.9	10.8	20.9	50.0	151.9	475.4
1979.....	12.6	64.4	3.7	0.7	1.2	3.2	5.7	9.7	18.7	42.0	111.1	354.4

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	622
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
PNEUMONIA AND INFLUENZA (480-487)														
BLACK, BOTH SEXES														
1998.....		24.2	26.4	1.9	0.5	1.1	3.0	7.8	14.4	32.0	81.2	266.2	811.0	
1997.....		23.3	25.4	2.1	0.5	1.0	3.3	7.4	15.7	32.6	79.0	249.5	791.8	
1996.....		23.8	29.1	2.2	0.5	1.2	3.2	9.0	16.0	34.4	83.0	246.3	796.0	
1995.....		23.5	26.7	2.3	0.6	0.9	3.5	8.8	17.0	32.6	84.2	251.4	788.5	
1994.....		22.9	30.5	1.9	0.4	0.9	3.8	10.1	17.0	31.0	79.4	239.5	773.7	
1993.....		24.0	28.1	2.2	0.4	1.4	4.3	10.2	16.7	35.1	85.5	255.5	795.9	
1992.....		22.3	34.0	2.3	*	1.1	4.2	10.1	15.1	32.2	82.2	228.3	773.1	
1991.....		23.7	34.6	2.8	0.4	1.2	4.6	11.5	18.4	34.1	81.1	247.2	793.1	
1990.....		24.8	36.8	1.7	0.5	1.3	5.4	12.2	18.1	38.4	90.8	255.4	809.4	
1989.....		25.2	33.7	3.3	0.5	1.5	6.3	13.6	19.7	37.5	91.6	251.9	799.1	
1988.....		24.2	38.2	2.1	0.5	1.4	6.1	12.4	21.9	40.3	88.8	239.6	728.0	
1987.....		22.4	40.0	2.4	0.4	1.3	5.5	12.1	19.4	36.3	80.7	227.2	682.2	
1986.....		23.1	40.2	2.7	0.5	1.2	4.8	13.0	18.9	39.2	86.8	238.6	712.9	
1985.....		22.2	43.4	3.0	0.7	0.9	4.4	11.3	19.4	39.4	82.2	239.0	653.3	
1984.....		20.1	41.5	3.2	0.4	1.1	5.1	10.6	19.0	34.4	78.7	210.6	554.7	
1983.....		18.8	51.6	3.0	0.5	0.9	4.5	8.9	17.8	35.3	72.7	192.9	508.2	
1982.....		17.4	49.4	3.5	0.6	1.3	4.4	9.5	18.7	35.3	67.2	163.2	446.6	
1981.....		19.4	51.1	3.1	0.4	1.1	3.9	12.5	21.6	41.0	75.4	189.4	502.4	
1980.....		21.2	73.1	3.3	0.8	1.6	4.1	11.3	22.5	41.0	83.2	210.3	578.4	
1979.....		18.0	76.7	4.4	0.7	1.2	4.4	11.6	20.5	35.2	68.4	158.0	434.6	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 623												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
PNEUMONIA AND INFLUENZA (480-487)												
BLACK MALE												
1998.....	25.6	29.2	1.7	*	0.8	3.6	10.1	20.0	46.5	118.1	363.3	960.5
1997.....	24.7	26.6	2.4	*	1.0	3.7	9.7	22.8	46.2	106.7	342.3	991.9
1996.....	26.2	32.2	2.8	*	1.1	4.0	12.4	23.5	50.1	118.4	349.5	1,034.3
1995.....	25.6	30.5	1.8	*	*	4.8	11.6	25.4	46.7	119.6	346.3	1,020.1
1994.....	25.2	37.9	2.1	*	0.9	4.7	12.7	24.9	45.0	110.1	348.3	1,014.7
1993.....	26.6	33.0	2.1	*	1.4	5.0	14.2	25.0	50.6	121.7	374.5	1,008.2
1992.....	25.5	38.5	2.5	*	1.1	5.4	14.4	22.9	49.8	120.4	339.2	989.0
1991.....	26.7	34.1	3.4	*	1.5	6.2	15.7	26.1	50.9	114.3	362.4	1,058.0
1990.....	28.9	42.2	1.7	*	1.2	7.3	18.2	28.0	55.1	137.7	379.4	1,054.8
1989.....	29.2	38.4	3.5	*	1.6	7.4	19.8	30.5	57.9	144.3	355.6	1,007.6
1988.....	28.8	41.4	2.1	*	1.5	7.9	18.3	35.4	60.8	131.6	356.5	949.2
1987.....	27.4	44.3	2.7	*	1.3	7.5	18.2	29.4	55.7	125.0	342.3	951.6
1986.....	28.0	43.9	2.9	*	1.4	5.8	19.2	27.4	58.0	134.2	351.1	1,028.6
1985.....	27.1	51.1	3.2	*	0.8	6.0	17.2	29.7	59.0	130.2	339.7	895.2
1984.....	25.0	49.1	2.9	*	1.1	6.3	15.5	30.8	54.3	120.3	311.6	767.2
1983.....	24.2	63.0	3.0	*	0.8	6.5	14.2	27.2	55.2	115.0	296.4	716.7
1982.....	22.2	54.2	3.6	*	1.5	5.8	14.8	30.0	53.1	106.1	236.5	620.7
1981.....	25.0	57.4	3.7	*	1.3	5.0	19.0	34.2	63.9	117.5	273.2	698.2
1980.....	26.9	85.9	3.5	0.7	1.7	5.8	16.4	36.0	63.1	125.9	299.2	816.8
1979.....	23.2	83.8	4.6	0.7	1.3	5.3	18.3	32.0	53.6	102.1	233.6	636.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 624
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 PNEUMONIA AND INFLUENZA (480-487)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	22.9	23.5	2.1	*	1.4	2.5	5.7	9.7	20.8	54.5	208.5	748.9
1997.....	22.1	24.1	1.9	*	1.0	2.9	5.4	9.9	22.2	59.1	195.1	709.1
1996.....	21.6	26.0	*	*	1.2	2.4	6.1	9.7	22.4	57.6	186.3	698.2
1995.....	21.7	22.8	2.9	0.7	1.1	2.4	6.3	10.1	21.8	58.9	197.0	694.3
1994.....	20.8	23.0	1.8	*	0.9	3.0	7.8	10.5	20.2	57.6	178.0	675.9
1993.....	21.7	23.0	2.2	*	1.4	3.6	6.8	9.8	23.1	59.8	188.7	709.2
1992.....	19.5	29.3	2.1	*	1.0	3.0	6.4	8.6	18.7	55.4	166.4	683.2
1991.....	20.9	35.0	2.2	*	1.0	3.1	7.8	12.0	21.1	57.9	182.7	681.0
1990.....	21.2	31.4	1.8	*	1.4	3.6	7.1	10.0	25.4	58.2	185.9	705.4
1989.....	21.5	28.8	3.2	*	1.4	5.3	8.3	10.7	21.6	54.9	193.2	714.4
1988.....	20.1	34.7	2.0	*	1.2	4.6	7.4	10.8	24.4	59.0	172.8	631.5
1987.....	17.9	35.6	2.2	*	1.2	3.7	6.9	11.1	21.0	49.8	160.4	562.5
1986.....	18.8	36.4	2.5	*	1.0	4.0	7.7	11.9	24.3	53.6	172.4	568.8
1985.....	17.8	35.4	2.8	*	0.9	3.0	6.3	10.9	24.0	48.5	178.9	540.6
1984.....	15.7	33.8	3.5	*	1.1	4.0	6.4	9.3	18.5	49.3	150.4	454.3
1983.....	13.9	39.9	2.9	*	1.0	2.7	4.5	10.1	19.5	42.7	129.2	407.3
1982.....	13.2	44.4	3.4	*	1.1	3.2	5.1	9.6	21.0	39.4	117.9	361.0
1981.....	14.5	44.7	2.5	*	0.9	3.0	7.1	11.3	22.6	45.0	137.0	400.9
1980.....	16.1	60.2	3.2	0.9	1.6	2.7	7.1	11.5	23.2	52.1	154.1	459.2
1979.....	13.4	69.1	4.2	0.8	1.2	3.6	6.1	11.0	20.2	43.6	107.5	333.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 625												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA (480-486) TOTAL, BOTH SEXES	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
1998.....	33.4	11.5	0.9	0.3	0.6	1.4	3.1	6.2	16.7	59.0	237.1	1,041.1
1997.....	32.0	10.8	1.1	0.3	0.6	1.3	3.1	6.6	17.1	56.5	232.3	1,015.2
1996.....	31.3	12.8	1.1	0.3	0.5	1.4	3.3	6.4	16.7	56.3	229.0	1,001.3
1995.....	31.3	12.6	0.9	0.3	0.6	1.5	3.5	6.6	16.2	56.8	231.9	1,027.4
1994.....	30.8	14.3	1.1	0.3	0.6	1.5	3.6	6.5	16.4	55.9	232.7	1,016.6
1993.....	31.7	13.3	1.1	0.3	0.7	1.7	3.8	6.5	17.5	57.5	238.8	1,073.4
1992.....	29.3	14.8	1.2	0.3	0.6	1.5	3.3	5.9	16.3	54.7	224.5	1,007.6
1991.....	30.4	14.7	1.3	0.3	0.7	1.7	3.6	6.7	17.5	55.2	235.6	1,063.4
1990.....	31.1	15.9	1.1	0.3	0.6	1.8	3.7	6.9	18.1	57.7	247.2	1,105.4
1989.....	30.4	16.2	1.5	0.3	0.7	2.0	3.8	6.8	17.9	57.4	239.5	1,083.7
1988.....	31.0	16.9	1.2	0.4	0.7	1.9	3.8	7.3	18.9	59.7	248.8	1,113.0
1987.....	28.3	18.0	1.3	0.3	0.7	1.8	3.4	7.0	17.7	57.2	230.6	1,006.9
1986.....	28.3	17.7	1.3	0.4	0.7	1.7	3.6	6.9	18.6	58.0	235.0	1,011.4
1985.....	27.6	19.0	1.5	0.4	0.6	1.5	3.3	7.1	18.3	57.0	232.8	998.8
1984.....	24.5	19.0	1.5	0.5	0.6	1.6	3.0	6.6	16.7	53.2	210.9	873.7
1983.....	23.3	20.9	1.6	0.4	0.6	1.4	2.7	6.6	16.6	50.3	200.4	848.2
1982.....	20.8	20.5	1.7	0.4	0.7	1.4	2.7	6.4	16.2	47.0	182.0	733.6
1981.....	22.1	22.1	1.7	0.4	0.7	1.4	3.2	7.2	17.7	50.0	198.1	790.3
1980.....	22.9	28.3	2.0	0.5	0.8	1.5	3.4	7.6	18.1	53.6	208.9	828.2
1979.....	19.8	32.7	2.0	0.6	0.8	1.4	3.2	7.1	16.2	47.3	181.9	682.8

00/04/10 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA (480-486) TOTAL, MALE	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	626
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
1998.....	30.6	12.3	0.9	0.3	0.6	1.6	3.6	7.6	20.9	76.4	300.7	1,233.1	
1997.....	29.8	12.9	1.1	0.3	0.6	1.6	3.8	8.3	20.9	73.8	300.1	1,241.4	
1996.....	29.1	15.0	1.1	0.3	0.5	1.6	4.2	8.1	21.1	73.6	296.0	1,224.5	
1995.....	29.3	14.0	0.8	0.3	0.6	1.8	4.4	8.6	20.6	74.6	303.8	1,278.4	
1994.....	29.0	16.9	1.2	0.3	0.6	2.0	4.4	8.5	20.9	73.9	304.6	1,298.3	
1993.....	29.9	15.2	1.1	0.3	0.7	2.0	4.9	8.2	22.3	77.4	319.7	1,350.1	
1992.....	28.2	17.1	1.2	0.3	0.7	1.9	4.4	7.8	21.1	73.5	307.8	1,296.2	
1991.....	29.1	15.4	1.5	0.4	0.8	2.2	4.8	8.4	23.1	73.3	324.0	1,350.1	
1990.....	29.8	17.8	1.1	0.4	0.6	2.2	5.1	9.0	24.0	78.9	338.3	1,384.4	
1989.....	29.2	19.1	1.6	0.3	0.7	2.4	5.1	8.9	24.2	80.2	323.9	1,363.8	
1988.....	30.4	19.7	1.1	0.4	0.7	2.4	5.1	9.9	25.3	83.7	346.6	1,420.7	
1987.....	28.2	19.7	1.5	0.3	0.7	2.3	4.7	9.3	23.9	81.0	322.3	1,312.9	
1986.....	28.7	20.2	1.4	0.4	0.8	2.1	4.8	9.0	25.5	82.1	335.4	1,343.4	
1985.....	28.0	21.7	1.5	0.3	0.7	1.9	4.3	9.4	25.5	82.1	330.4	1,320.5	
1984.....	25.3	21.8	1.4	0.5	0.7	1.9	3.9	8.8	23.7	76.6	301.7	1,164.7	
1983.....	24.2	23.5	1.7	0.4	0.7	1.8	3.6	8.8	23.5	73.1	286.1	1,131.4	
1982.....	22.2	22.6	1.8	0.5	0.9	1.7	3.5	8.7	22.5	68.3	266.3	1,011.7	
1981.....	23.3	24.9	2.0	0.4	0.8	1.7	4.2	9.4	25.0	71.9	283.3	1,042.4	
1980.....	24.2	32.7	2.1	0.5	0.8	1.8	4.4	10.4	25.1	76.7	293.5	1,089.9	
1979.....	21.5	35.6	2.1	0.6	0.9	1.8	4.2	9.7	22.8	70.3	259.2	922.8	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	627
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
PNEUMONIA (480-486) TOTAL, FEMALE													
1998	36.0	10.7	1.0	0.3	0.6	1.1	2.6	4.8	12.9	44.8	195.1	961.5
1997	34.2	8.6	1.1	0.3	0.6	1.1	2.4	4.9	13.6	42.5	188.0	924.0
1996	33.4	10.4	1.0	0.3	0.5	1.2	2.4	4.7	12.8	42.4	185.7	912.6
1995	33.3	11.2	1.1	0.4	0.5	1.2	2.5	4.7	12.2	42.6	186.3	929.6
1994	32.5	11.5	1.0	0.2	0.6	1.1	2.7	4.7	12.3	41.5	187.6	908.1
1993	33.5	11.3	1.1	0.3	0.7	1.4	2.6	4.9	13.2	41.7	188.8	967.3
1992	30.3	12.4	1.2	0.3	0.6	1.1	2.3	4.1	12.0	39.9	173.5	895.9
1991	31.7	14.0	1.0	0.3	0.6	1.2	2.5	5.0	12.6	41.0	182.2	952.6
1990	32.4	13.9	1.0	0.3	0.6	1.3	2.4	4.8	12.9	41.2	192.8	997.8
1989	31.5	13.1	1.4	0.3	0.6	1.6	2.5	4.8	12.3	39.6	189.2	974.8
1988	31.5	14.0	1.3	0.3	0.6	1.5	2.5	4.8	13.2	41.0	190.8	992.9
1987	28.4	16.2	1.2	0.3	0.6	1.2	2.2	4.8	12.1	38.7	176.4	886.3
1986	27.9	15.2	1.2	0.4	0.5	1.3	2.4	4.9	12.5	39.4	175.9	879.7
1985	27.1	16.1	1.5	0.4	0.5	1.1	2.3	4.9	11.9	37.7	175.4	870.3
1984	23.7	16.1	1.5	0.5	0.5	1.2	2.1	4.5	10.6	35.3	157.5	756.1
1983	22.4	18.2	1.5	0.4	0.6	1.0	1.9	4.6	10.6	32.8	150.0	732.1
1982	19.4	18.3	1.5	0.3	0.6	1.0	2.0	4.3	10.7	30.7	132.4	617.6
1981	21.0	19.1	1.5	0.4	0.6	1.1	2.2	5.2	11.4	33.3	148.0	682.6
1980	21.7	23.7	1.9	0.6	0.8	1.2	2.5	4.9	12.0	35.9	159.0	713.8
1979	18.1	29.6	1.9	0.6	0.7	1.1	2.3	4.6	10.5	29.7	136.2	576.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 628												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
PNEUMONIA (480-486) WHITE, BOTH SEXES												
1998.....	35.9	8.4	0.8	0.2	0.4	1.1	2.5	5.3	15.3	57.0	235.5	1,064.1
1997.....	34.4	8.4	0.9	0.3	0.5	1.0	2.6	5.5	15.5	54.5	231.6	1,038.8
1996.....	33.4	9.9	0.9	0.3	0.4	1.1	2.6	5.3	14.9	54.0	228.0	1,023.2
1995.....	33.5	9.9	0.7	0.3	0.5	1.2	2.8	5.5	14.5	54.5	230.8	1,046.5
1994.....	33.0	11.1	0.9	0.2	0.5	1.2	2.7	5.4	14.9	53.9	232.6	1,036.9
1993.....	33.9	10.3	0.8	0.3	0.6	1.4	2.9	5.4	15.7	54.9	237.7	1,097.2
1992.....	31.2	11.1	0.9	0.3	0.5	1.2	2.5	4.9	14.6	52.4	225.0	1,028.4
1991.....	32.3	10.8	1.0	0.4	0.6	1.3	2.7	5.4	15.8	53.1	235.2	1,085.7
1990.....	33.0	11.8	0.9	0.3	0.5	1.2	2.7	5.6	16.1	55.2	247.1	1,130.7
1989.....	32.0	12.6	1.1	0.3	0.6	1.4	2.6	5.3	15.9	54.5	238.8	1,108.2
1988.....	32.8	12.8	1.1	0.3	0.6	1.4	2.8	5.6	16.8	57.3	250.8	1,148.8
1987.....	29.9	13.6	1.1	0.3	0.6	1.3	2.4	5.5	15.8	55.4	231.8	1,034.6
1986.....	29.8	13.8	1.1	0.4	0.6	1.3	2.4	5.5	16.7	55.8	235.6	1,037.2
1985.....	29.0	14.7	1.3	0.3	0.6	1.1	2.3	5.7	16.3	55.0	233.1	1,028.7
1984.....	25.6	15.1	1.1	0.5	0.5	1.1	2.1	5.1	15.0	51.0	211.4	900.4
1983.....	24.4	15.5	1.4	0.4	0.6	1.0	2.0	5.4	14.8	48.3	201.6	876.3
1982.....	21.6	15.2	1.3	0.4	0.6	1.0	1.9	5.1	14.4	45.2	184.2	756.9
1981.....	22.9	16.8	1.5	0.4	0.7	1.1	2.1	5.6	15.6	47.9	199.9	815.1
1980.....	23.5	20.2	1.7	0.5	0.7	1.1	2.5	5.9	16.0	50.9	209.0	849.0
1979.....	20.3	24.7	1.6	0.6	0.7	1.0	2.2	5.6	14.4	45.4	183.9	702.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 629												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA (480-486) WHITE MALE	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
1998.....	32.2	8.9	0.8	0.2	0.5	1.3	2.8	6.3	18.6	72.6	296.6	1,260.8
1997.....	31.3	10.5	0.8	0.3	0.6	1.3	3.1	6.7	18.5	70.9	297.2	1,270.5
1996.....	30.2	11.9	0.8	0.3	0.5	1.2	3.2	6.5	18.3	69.6	291.9	1,247.8
1995.....	30.6	10.9	0.6	0.2	0.6	1.4	3.5	6.9	18.1	70.8	300.7	1,297.9
1994.....	30.4	12.9	1.0	0.2	0.6	1.6	3.4	6.8	18.6	71.0	301.3	1,323.2
1993.....	31.1	11.5	0.9	0.3	0.5	1.6	3.8	6.5	19.6	73.4	315.5	1,379.0
1992.....	29.4	13.1	0.9	0.2	0.6	1.4	3.2	6.3	18.3	69.8	306.5	1,325.6
1991.....	30.2	11.8	1.1	0.4	0.7	1.7	3.6	6.6	20.5	70.0	321.4	1,378.2
1990.....	30.7	13.0	1.0	0.3	0.5	1.6	3.6	7.0	21.2	74.5	335.7	1,416.9
1989.....	29.9	15.4	1.1	0.3	0.6	1.8	3.4	6.6	21.1	75.1	321.6	1,397.1
1988.....	31.4	15.4	1.0	0.4	0.6	1.7	3.7	7.2	22.0	80.0	348.0	1,470.2
1987.....	29.0	15.1	1.2	0.2	0.7	1.7	3.2	7.1	20.9	77.7	322.1	1,350.5
1986.....	29.4	16.0	1.2	0.4	0.7	1.6	3.2	7.1	22.7	78.3	335.1	1,374.4
1985.....	28.7	16.6	1.2	0.3	0.7	1.4	2.9	7.3	22.5	78.3	330.5	1,364.4
1984.....	25.8	17.0	1.2	0.5	0.6	1.4	2.6	6.4	20.8	72.9	301.7	1,205.2
1983.....	24.6	16.8	1.4	0.3	0.7	1.2	2.5	6.9	20.6	69.6	286.0	1,173.0
1982.....	22.6	17.0	1.5	0.4	0.8	1.2	2.3	6.5	19.8	65.0	270.3	1,046.8
1981.....	23.5	19.1	1.6	0.4	0.8	1.3	2.6	6.9	21.6	68.1	285.7	1,074.6
1980.....	24.1	23.3	1.9	0.5	0.6	1.3	3.0	7.9	21.7	72.4	292.9	1,112.8
1979.....	21.5	27.0	1.6	0.6	0.8	1.3	2.6	7.4	19.9	67.5	261.3	948.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 630												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA (480-486) WHITE FEMALE	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
1998.....	39.4	7.8	0.8	0.3	0.4	0.9	2.1	4.3	12.1	44.2	194.8	983.6
1997.....	37.4	6.3	1.0	0.3	0.5	0.8	2.0	4.3	12.6	41.1	188.3	946.7
1996.....	36.5	7.9	0.9	0.3	0.4	1.1	1.9	4.2	11.8	41.2	186.4	935.1
1995.....	36.3	8.9	0.7	0.3	0.4	1.0	2.0	4.1	11.2	41.3	186.1	949.6
1994.....	35.5	9.3	0.8	0.2	0.5	0.8	2.0	4.1	11.5	40.2	189.3	927.8
1993.....	36.5	9.0	0.8	0.3	0.6	1.1	2.0	4.3	12.1	40.1	189.4	990.4
1992.....	33.0	9.0	1.0	0.3	0.5	0.9	1.8	3.6	11.3	38.5	175.0	915.0
1991.....	34.4	9.7	0.9	0.3	0.5	1.0	1.7	4.2	11.6	39.7	183.0	974.9
1990.....	35.2	10.4	0.9	0.3	0.5	0.9	1.8	4.2	11.5	39.9	194.1	1,022.1
1989.....	33.9	9.7	1.1	0.3	0.5	1.1	1.8	4.1	11.2	38.3	189.5	998.3
1988.....	34.3	10.0	1.2	0.3	0.5	1.0	1.9	4.0	12.1	39.6	193.3	1,025.5
1987.....	30.7	12.1	1.0	0.3	0.5	0.8	1.5	4.0	11.2	38.0	178.6	912.2
1986.....	30.1	11.6	1.0	0.4	0.5	1.0	1.7	4.0	11.4	38.3	177.2	905.9
1985.....	29.2	12.6	1.3	0.3	0.4	0.8	1.8	4.2	10.8	36.9	176.2	897.2
1984.....	25.5	13.1	1.1	0.5	0.4	0.8	1.6	3.9	9.8	34.1	158.7	779.6
1983.....	24.2	14.1	1.3	0.4	0.5	0.8	1.6	3.9	9.7	31.9	152.4	756.9
1982.....	20.7	13.3	1.2	0.3	0.5	0.7	1.6	3.7	9.7	30.0	133.9	638.1
1981.....	22.4	14.5	1.4	0.5	0.6	0.9	1.6	4.5	10.3	32.5	149.9	706.6
1980.....	23.0	17.0	1.6	0.5	0.7	1.0	1.9	4.1	11.0	34.4	160.0	735.3
1979.....	19.1	22.3	1.5	0.6	0.6	0.8	1.7	3.9	9.6	28.4	138.6	594.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 631												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
PNEUMONIA (480-486)												
ALL OTHER, BOTH SEXES												
1998.....	21.5	23.5	1.5	0.4	1.0	2.5	6.1	11.3	25.9	73.3	252.3	822.8
1997.....	20.6	20.0	1.8	0.4	0.9	2.6	5.8	12.7	27.2	71.3	239.6	789.3
1996.....	20.8	24.0	1.8	0.4	0.9	2.5	7.1	12.6	28.2	74.3	238.8	791.6
1995.....	20.7	22.3	2.0	0.5	0.7	2.8	6.9	13.5	27.0	74.9	243.4	833.0
1994.....	20.1	25.8	1.8	0.4	0.8	3.1	8.0	13.1	25.8	71.5	233.5	809.0
1993.....	21.0	24.3	1.9	0.3	1.2	3.4	8.1	13.0	29.0	77.9	249.8	828.5
1992.....	19.5	28.8	2.2	0.3	0.9	3.3	7.8	12.0	27.6	73.7	219.3	789.6
1991.....	20.6	28.3	2.2	*	1.0	3.6	8.8	14.5	29.3	72.9	240.0	828.8
1990.....	21.5	31.6	1.7	0.4	1.1	4.3	9.5	14.5	32.3	79.8	248.9	837.0
1989.....	21.9	29.8	3.1	0.4	1.2	4.8	10.5	16.0	32.4	81.9	246.5	823.8
1988.....	20.9	33.5	1.7	0.5	1.2	4.6	9.5	17.8	34.7	80.5	229.2	732.7
1987.....	19.7	36.0	2.3	0.4	1.1	4.3	9.5	16.1	31.5	72.6	219.1	709.2
1986.....	20.2	34.4	2.3	0.5	1.0	3.8	10.3	15.5	33.2	77.8	229.2	730.7
1985.....	19.5	37.7	2.5	0.6	0.7	3.6	9.1	15.9	33.7	75.2	229.8	667.9
1984.....	18.0	36.3	2.8	0.4	1.0	4.1	8.5	16.1	30.5	73.1	205.4	581.6
1983.....	16.9	45.0	2.7	0.4	0.8	3.7	7.4	14.9	31.3	67.9	188.2	533.5
1982.....	15.9	44.2	3.2	0.6	1.3	3.7	7.8	15.9	31.4	63.5	159.9	475.4
1981.....	17.2	45.8	2.9	0.4	1.0	3.2	10.1	18.4	35.7	68.9	179.3	507.4
1980.....	19.4	65.2	3.1	0.7	1.4	3.6	9.5	19.7	36.5	78.2	207.8	589.7
1979.....	16.8	70.0	3.9	0.7	1.2	3.9	10.1	18.1	32.4	65.1	161.4	449.4

00/04/10 TABLE 290 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA (480-486) ALL OTHER MALE	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 632
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	22.9	25.2	1.3	*	0.8	3.1	7.8	15.4	36.4	106.3	339.8	990.3
1997.....	22.0	22.4	1.9	*	0.9	2.9	7.5	18.1	37.4	97.0	328.9	987.7
1996.....	23.2	27.7	2.2	*	0.9	3.3	9.6	18.1	40.5	106.4	337.3	1,022.0
1995.....	22.6	25.3	1.7	*	0.6	3.7	9.1	19.8	37.9	106.4	334.9	1,096.1
1994.....	22.3	31.8	1.9	0.5	0.8	3.8	10.2	19.1	37.1	99.0	337.7	1,064.6
1993.....	23.5	28.8	1.9	*	1.2	3.8	11.1	18.9	41.1	111.4	361.9	1,080.8
1992.....	22.3	32.4	2.4	*	0.9	4.2	11.1	18.1	41.7	106.1	321.5	1,022.0
1991.....	23.3	28.0	2.8	*	1.2	4.8	12.0	19.9	42.6	102.8	349.9	1,089.5
1990.....	24.9	36.4	1.7	*	0.9	5.8	13.9	21.8	45.9	118.5	364.0	1,081.1
1989.....	25.5	33.7	3.3	*	1.3	5.6	15.2	24.3	48.5	126.2	345.8	1,055.6
1988.....	24.8	37.2	1.6	*	1.3	5.9	13.8	27.8	52.1	118.1	334.9	963.3
1987.....	23.8	39.3	2.6	*	1.1	5.9	14.1	23.8	48.1	111.4	323.5	961.0
1986.....	24.5	38.3	2.3	*	1.2	4.8	15.2	22.2	49.0	117.5	337.0	1,052.0
1985.....	23.8	44.4	2.7	0.6	0.7	4.9	13.5	23.9	50.6	117.9	328.0	906.8
1984.....	22.3	43.6	2.4	*	1.0	5.1	12.5	25.5	48.1	110.9	301.7	784.7
1983.....	21.5	53.8	2.8	*	0.8	5.3	11.8	22.1	48.3	106.1	287.1	721.4
1982.....	20.0	48.1	3.3	0.7	1.4	4.9	11.7	24.8	47.0	98.7	228.3	671.6
1981.....	22.1	51.5	3.5	*	1.1	4.0	15.1	28.9	55.4	106.7	259.9	721.9
1980.....	24.7	76.6	3.1	0.6	1.5	5.1	13.9	30.9	56.2	116.4	299.2	855.8
1979.....	21.5	76.6	4.0	0.7	1.2	4.7	15.6	28.3	49.2	96.2	238.1	654.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 633												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
PNEUMONIA (480-486)												
ALL OTHER FEMALE												
1998.....	20.2	21.7	1.7	*	1.2	2.0	4.5	7.8	17.6	49.3	197.4	746.3
1997.....	19.3	17.5	1.7	*	0.9	2.3	4.2	8.2	19.2	52.6	184.5	699.5
1996.....	18.7	20.2	1.4	*	0.9	1.9	4.9	7.9	18.4	51.0	178.5	687.8
1995.....	18.9	19.2	2.4	0.5	0.9	2.0	5.0	8.2	18.4	52.2	188.3	719.1
1994.....	18.1	19.6	1.7	*	0.9	2.5	6.0	8.0	16.9	51.7	171.3	698.3
1993.....	18.8	19.7	2.0	*	1.2	3.0	5.4	7.9	19.5	53.7	183.0	718.5
1992.....	16.9	25.1	2.0	*	0.9	2.4	4.9	6.8	16.4	50.4	158.3	684.9
1991.....	18.2	28.6	1.6	*	0.8	2.5	6.1	9.9	18.8	51.6	173.8	705.8
1990.....	18.5	26.7	1.8	*	1.2	3.0	5.7	8.2	21.6	52.2	179.9	726.0
1989.....	18.7	25.9	2.9	*	1.1	4.1	6.4	8.9	19.7	50.3	186.4	716.6
1988.....	17.3	29.7	1.9	*	1.1	3.5	5.8	9.3	20.9	53.5	165.3	624.9
1987.....	15.9	32.7	2.1	*	1.1	3.0	5.5	9.6	18.5	44.7	154.3	590.2
1986.....	16.3	30.3	2.4	*	0.7	3.0	6.0	9.9	20.8	49.2	162.2	576.3
1985.....	15.6	30.9	2.4	*	0.7	2.5	5.3	9.2	20.2	44.3	168.0	556.0
1984.....	14.1	29.0	3.2	*	1.0	3.3	5.1	8.2	16.3	45.7	144.7	480.7
1983.....	12.7	36.0	2.6	*	0.9	2.3	3.7	8.8	17.6	40.0	124.8	438.8
1982.....	12.1	40.2	3.0	*	1.1	2.6	4.5	8.5	18.8	37.5	115.6	372.9
1981.....	12.7	39.9	2.3	*	0.8	2.4	5.9	9.7	19.8	40.7	126.8	398.4
1980.....	14.5	53.6	3.1	0.7	1.4	2.3	5.8	10.6	20.3	49.3	147.7	453.5
1979.....	12.5	63.4	3.7	0.7	1.2	3.2	5.6	9.7	18.6	41.3	109.9	347.4

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	634	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
PNEUMONIA (480-486) BLACK, BOTH SEXES															
1998	24.1	26.2	1.9	0.4	1.1	3.0	7.8	14.4	31.8	80.9	265.4	807.4		
1997	23.3	25.0	2.1	0.5	1.0	3.3	7.4	15.7	32.5	78.8	248.9	790.8		
1996	23.7	28.6	2.2	0.5	1.1	3.2	9.0	15.9	34.2	82.7	245.7	792.5		
1995	23.5	26.2	2.3	0.6	0.8	3.5	8.7	16.9	32.4	84.0	250.8	785.9		
1994	22.8	30.1	1.9	0.4	0.9	3.8	10.1	17.0	30.8	78.6	238.7	769.9		
1993	23.9	27.6	2.1	*	1.4	4.2	10.2	16.6	34.8	85.0	254.4	790.4		
1992	22.2	34.0	2.3	*	1.1	4.1	10.0	14.9	32.1	81.5	227.7	768.4		
1991	23.5	34.0	2.8	*	1.2	4.6	11.4	18.2	34.1	80.7	245.5	787.1		
1990	24.5	36.8	1.7	0.5	1.2	5.3	12.2	18.0	37.9	89.9	252.0	797.7		
1989	25.0	33.3	3.3	0.4	1.5	6.3	13.6	19.5	37.4	90.8	250.3	788.6		
1988	24.0	37.8	1.9	0.5	1.4	6.0	12.3	21.8	40.1	87.9	237.6	719.2		
1987	22.3	39.8	2.4	0.4	1.3	5.5	12.1	19.3	36.1	80.3	226.7	679.3		
1986	22.9	40.0	2.6	0.5	1.1	4.8	12.9	18.7	38.9	86.2	235.5	705.0		
1985	21.9	43.0	2.9	0.7	0.9	4.4	11.2	19.2	38.8	80.9	235.3	643.1		
1984	19.9	41.1	3.1	0.4	1.1	5.1	10.5	19.0	34.1	78.3	208.2	550.5		
1983	18.6	51.4	2.9	0.5	0.9	4.5	8.9	17.7	35.2	72.1	191.4	503.8		
1982	17.3	49.0	3.5	0.6	1.3	4.4	9.4	18.6	35.0	67.0	162.0	444.9		
1981	18.9	50.7	2.9	*	1.1	3.8	12.4	21.4	40.0	73.1	182.2	485.7		
1980	20.9	72.2	3.3	0.8	1.5	4.1	11.2	22.2	40.6	82.2	206.8	564.6		
1979	17.9	75.9	4.4	0.7	1.2	4.4	11.5	20.4	35.0	67.4	156.4	429.5		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 635												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR PNEUMONIA (480-486) BLACK MALE	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
1998.....	25.5	28.8	*	*	0.8	3.6	10.1	19.9	46.3	117.8	362.7	958.2
1997.....	24.6	26.3	2.2	*	1.0	3.6	9.6	22.7	46.0	106.4	342.0	991.9
1996.....	26.1	31.8	2.8	*	1.1	4.0	12.3	23.4	49.7	118.3	349.2	1,029.5
1995.....	25.5	29.9	1.8	*	*	4.8	11.6	25.4	46.6	119.2	345.3	1,020.1
1994.....	25.1	37.3	2.1	*	0.9	4.7	12.6	24.9	44.8	109.5	347.3	1,010.8
1993.....	26.4	32.3	2.1	*	1.3	5.0	14.1	25.0	50.5	121.1	372.4	1,000.1
1992.....	25.4	38.5	2.5	*	1.1	5.4	14.2	22.8	49.5	119.6	338.8	984.7
1991.....	26.5	33.2	3.4	*	1.4	6.2	15.6	25.8	50.8	113.9	360.6	1,053.6
1990.....	28.5	42.2	*	*	1.2	7.3	18.1	27.7	54.7	136.1	373.9	1,042.7
1989.....	29.0	38.1	3.4	*	1.6	7.4	19.8	30.3	57.7	142.9	354.5	998.5
1988.....	28.6	41.4	1.8	*	1.5	7.7	18.2	35.1	60.8	130.7	353.1	946.2
1987.....	27.3	43.9	2.7	*	1.3	7.5	18.2	29.3	55.6	124.7	341.6	948.4
1986.....	27.9	43.9	2.7	*	1.4	5.8	19.2	27.3	57.6	133.5	347.7	1,025.4
1985.....	26.8	50.7	3.1	*	0.8	5.9	17.1	29.5	58.2	128.5	334.2	879.0
1984.....	24.9	49.1	2.8	*	1.1	6.3	15.5	30.8	54.0	119.8	308.0	759.0
1983.....	24.1	62.6	2.9	*	0.8	6.5	14.2	27.1	54.9	114.3	294.7	710.0
1982.....	22.1	54.2	3.6	*	1.5	5.8	14.7	29.8	52.8	105.6	234.4	619.0
1981.....	24.5	57.0	3.6	*	1.2	4.9	18.8	33.9	63.0	114.7	266.0	680.4
1980.....	26.6	84.8	3.5	0.7	1.5	5.7	16.4	35.5	62.8	124.5	296.1	809.3
1979.....	23.0	83.1	4.6	0.7	1.3	5.2	18.2	31.9	53.5	100.7	231.5	634.6

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	636
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
PNEUMONIA (480-486) BLACK FEMALE													
1998	22.8	23.5	2.1	*	1.3	2.5	5.7	9.7	20.8	54.2	207.6	744.7
1997	22.0	23.8	1.9	*	1.0	2.9	5.4	9.9	22.1	58.9	194.4	707.6
1996	21.4	25.2	*	*	1.2	2.4	6.0	9.7	22.4	57.2	185.6	695.2
1995	21.6	22.5	2.9	*	1.1	2.4	6.2	9.9	21.6	58.8	196.6	690.7
1994	20.7	22.6	1.8	*	0.9	3.0	7.8	10.3	20.0	56.7	177.2	672.1
1993	21.6	22.7	2.1	*	1.4	3.6	6.8	9.7	22.7	59.5	188.1	704.9
1992	19.4	29.3	2.1	*	1.0	3.0	6.3	8.4	18.6	54.8	165.7	678.4
1991	20.7	34.7	2.1	*	1.0	3.1	7.8	12.0	21.1	57.6	181.2	674.2
1990	20.9	31.4	*	*	1.3	3.6	7.1	9.9	24.9	57.8	183.7	693.9
1989	21.3	28.5	3.2	*	1.4	5.2	8.2	10.5	21.6	54.7	191.4	703.3
1988	19.8	34.0	2.0	*	1.2	4.5	7.3	10.8	24.0	58.1	171.5	620.1
1987	17.8	35.6	2.2	*	1.2	3.7	6.9	11.1	20.7	49.4	160.0	559.7
1986	18.5	36.0	2.5	*	0.9	3.9	7.5	11.7	24.1	53.0	169.5	558.7
1985	17.5	35.1	2.7	*	0.9	3.0	6.3	10.7	23.5	47.4	176.3	533.1
1984	15.5	33.1	3.4	*	1.1	4.0	6.3	9.3	18.2	49.0	148.7	451.9
1983	13.8	39.9	2.8	*	1.0	2.7	4.4	10.1	19.5	42.2	127.7	404.0
1982	13.1	43.7	3.4	*	1.1	3.2	5.0	9.5	20.8	39.4	117.2	359.3
1981	13.9	44.4	2.3	*	0.9	2.9	7.0	11.1	21.5	43.1	129.8	385.0
1980	15.7	59.4	3.1		0.9	1.6	2.7	6.9	11.4	22.7	51.3	150.2
1979	13.2	68.4	4.2		0.8	1.2	3.6	6.0	11.0	20.1	43.0	106.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 637												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
INFLUENZA (487)												
TOTAL, BOTH SEXES												
1998.....	0.6	*	*	*	*	*	*	0.1	0.3	0.8	4.3	22.8
1997.....	0.3	*	*	*	*	*	*	*	0.1	0.4	1.4	9.5
1996.....	0.3	*	*	*	*	*	*	0.1	0.2	0.4	1.6	9.7
1995.....	0.2	*	*	*	*	*	*	*	0.1	0.4	1.2	8.3
1994.....	0.5	*	*	*	*	*	0.0	0.1	0.3	0.8	3.1	17.0
1993.....	0.4	*	*	*	*	*	*	0.1	0.2	0.6	2.4	15.6
1992.....	0.4	*	*	*	*	*	*	*	0.2	0.7	2.6	15.1
1991.....	0.5	*	*	*	*	*	0.1	0.1	0.3	0.7	2.8	17.1
1990.....	0.8	*	*	*	*	*	*	0.1	0.5	1.4	6.2	34.6
1989.....	0.6	*	*	*	*	*	0.1	0.1	0.3	1.0	4.4	26.7
1988.....	0.8	*	*	*	*	*	*	0.1	0.3	1.1	5.9	36.0
1987.....	0.3	*	*	*	*	*	*	*	0.2	0.4	1.7	11.1
1986.....	0.8	*	*	*	*	*	0.1	0.2	0.3	1.2	6.0	33.5
1985.....	0.9	*	*	*	*	*	*	0.1	0.4	1.3	6.7	40.0
1984.....	0.5	*	*	*	*	*	*	*	0.2	0.8	4.0	19.4
1983.....	0.6	*	*	*	*	*	*	*	0.3	1.1	4.7	28.4
1982.....	0.3	*	*	*	*	*	*	*	0.2	0.5	2.4	14.3
1981.....	1.3	*	*	*	*	0.1	*	0.2	0.7	2.5	11.8	58.4
1980.....	1.2	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.5	2.1	11.1	57.5
1979.....	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.5	2.2	12.1

00/04/10 TABLE 290
 CAUSE OF DEATH CODE,
 RACE, SEX, AND YEAR
 INFLUENZA (487)

DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 638

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	0.4	*	*	*	*	*	*	*	0.2	0.9	4.7	19.4
1997.....	0.2	*	*	*	*	*	*	*	*	0.5	1.4	9.1
1996.....	0.2	*	*	*	*	*	*	*	*	0.5	1.8	9.1
1995.....	0.2	*	*	*	*	*	*	*	*	0.4	1.4	8.3
1994.....	0.3	*	*	*	*	*	*	*	0.3	0.7	3.3	16.7
1993.....	0.3	*	*	*	*	*	*	*	*	0.7	3.2	13.3
1992.....	0.3	*	*	*	*	*	*	*	*	0.6	2.6	14.2
1991.....	0.4	*	*	*	*	*	*	*	0.3	0.7	2.9	18.6
1990.....	0.7	*	*	*	*	*	*	*	0.6	1.5	7.2	37.1
1989.....	0.5	*	*	*	*	*	*	*	0.3	1.1	4.6	24.1
1988.....	0.6	*	*	*	*	*	*	*	0.3	1.3	6.4	34.0
1987.....	0.2	*	*	*	*	*	*	*	*	0.5	1.9	11.3
1986.....	0.6	*	*	*	*	*	*	0.2	0.3	1.5	7.1	29.8
1985.....	0.6	*	*	*	*	*	*	*	0.4	1.3	7.7	39.8
1984.....	0.4	*	*	*	*	*	*	*	0.3	0.7	4.7	19.9
1983.....	0.5	*	*	*	*	*	*	*	0.4	1.2	5.3	31.3
1982.....	0.3	*	*	*	*	*	*	*	0.2	0.6	3.0	15.2
1981.....	1.0	*	*	*	*	*	*	*	0.7	2.6	13.2	55.9
1980.....	0.9	0.4	0.1	0.0	0.0	0.0	0.1	0.1	0.6	2.5	11.5	55.5
1979.....	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.7	2.5	10.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 639												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR INFLUENZA (487)	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE												
1998.....	0.8	*	*	*	*	*	*	*	0.3	0.8	4.0	24.3
1997.....	0.3	*	*	*	*	*	*	*	*	0.4	1.3	9.6
1996.....	0.4	*	*	*	*	*	*	*	0.2	0.4	1.5	9.9
1995.....	0.3	*	*	*	*	*	*	*	*	0.4	1.1	8.3
1994.....	0.6	*	*	*	*	*	*	*	0.3	0.9	3.1	17.1
1993.....	0.5	*	*	*	*	*	*	*	0.3	0.6	1.9	16.5
1992.....	0.5	*	*	*	*	*	*	*	0.3	0.7	2.7	15.5
1991.....	0.5	*	*	*	*	*	*	*	0.2	0.8	2.8	16.5
1990.....	1.0	*	*	*	*	*	*	*	0.4	1.2	5.6	33.6
1989.....	0.8	*	*	*	*	*	*	*	0.3	0.8	4.3	27.7
1988.....	1.0	*	*	*	*	*	*	*	0.3	1.0	5.6	36.8
1987.....	0.3	*	*	*	*	*	*	*	0.2	0.3	1.5	11.1
1986.....	0.9	*	*	*	*	*	*	*	0.2	1.0	5.3	35.0
1985.....	1.1	*	*	*	*	*	*	*	0.4	1.2	6.1	40.1
1984.....	0.6	*	*	*	*	*	*	*	0.2	0.8	3.6	19.2
1983.....	0.7	*	*	*	*	*	*	*	0.2	1.0	4.4	27.2
1982.....	0.4	*	*	*	*	*	*	*	*	0.5	2.0	13.9
1981.....	1.6	*	*	*	*	*	*	0.2	0.7	2.4	10.9	59.4
1980.....	1.5	0.3	0.1	0.0	0.0	0.0	0.1	0.2	0.5	1.8	10.9	58.4
1979.....	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.4	2.1	12.9

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	640	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
INFLUENZA (487)															
WHITE, BOTH SEXES															
1998.....		0.7	*	*	*	*	*	*	*	0.3	0.9	4.6	24.7		
1997.....		0.3	*	*	*	*	*	*	*	0.1	0.5	1.5	10.3		
1996.....		0.3	*	*	*	*	*	*	*	0.2	0.5	1.7	10.3		
1995.....		0.3	*	*	*	*	*	*	*	0.1	0.5	1.3	8.7		
1994.....		0.5	*	*	*	*	*	*	0.1	0.3	0.8	3.4	18.1		
1993.....		0.5	*	*	*	*	*	*	0.1	0.2	0.6	2.6	16.6		
1992.....		0.4	*	*	*	*	*	*	*	0.2	0.6	2.8	16.1		
1991.....		0.5	*	*	*	*	*	*	0.1	0.3	0.8	2.9	18.1		
1990.....		1.0	*	*	*	*	*	*	0.1	0.5	1.4	6.6	36.7		
1989.....		0.7	*	*	*	*	*	0.1	0.1	0.4	1.0	4.6	28.0		
1988.....		0.9	*	*	*	*	*	*	0.1	0.3	1.1	6.3	38.6		
1987.....		0.3	*	*	*	*	*	*	*	0.2	0.4	1.7	11.5		
1986.....		0.9	*	*	*	*	*	0.1	0.2	0.3	1.3	6.2	35.8		
1985.....		1.0	*	*	*	*	*	*	0.1	0.4	1.3	7.0	42.6		
1984.....		0.5	*	*	*	*	*	*	*	0.2	0.8	4.1	20.6		
1983.....		0.7	*	*	*	*	*	*	*	0.3	1.2	5.0	30.5		
1982.....		0.3	*	*	*	*	*	*	*	0.2	0.6	2.5	15.2		
1981.....		1.4	*	*	*	*	0.1	*	0.2	0.6	2.6	12.2	62.0		
1980.....		1.3	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.5	2.2	11.8	61.0		
1979.....		0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.5	2.3	12.5		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 641
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 INFLUENZA (487) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.5	*	*	*	*	*	*	*	0.2	0.9	5.1	20.8
1997.....	0.2	*	*	*	*	*	*	*	*	0.5	1.5	10.0
1996.....	0.2	*	*	*	*	*	*	*	*	0.5	1.8	9.5
1995.....	0.2	*	*	*	*	*	*	*	*	0.4	1.4	8.9
1994.....	0.4	*	*	*	*	*	*	*	0.3	0.7	3.5	18.0
1993.....	0.3	*	*	*	*	*	*	*	*	0.7	3.4	14.0
1992.....	0.3	*	*	*	*	*	*	*	*	0.6	2.7	15.2
1991.....	0.4	*	*	*	*	*	*	*	0.3	0.8	3.0	20.0
1990.....	0.7	*	*	*	*	*	*	*	0.6	1.6	7.5	40.0
1989.....	0.5	*	*	*	*	*	*	*	0.4	1.1	4.9	25.3
1988.....	0.6	*	*	*	*	*	*	*	0.3	1.3	6.7	37.1
1987.....	0.2	*	*	*	*	*	*	*	*	0.5	2.0	11.9
1986.....	0.6	*	*	*	*	*	*	0.2	0.3	1.6	7.5	32.2
1985.....	0.7	*	*	*	*	*	*	*	0.3	1.3	8.0	42.2
1984.....	0.4	*	*	*	*	*	*	*	0.3	0.7	4.8	20.9
1983.....	0.5	*	*	*	*	*	*	*	0.4	1.3	5.6	33.9
1982.....	0.3	*	*	*	*	*	*	*	*	0.6	3.1	16.2
1981.....	1.1	*	*	*	*	*	*	*	0.7	2.6	13.9	59.5
1980.....	1.0	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.6	2.6	12.3	59.9
1979.....	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.7	2.5	10.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 642
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 INFLUENZA (487) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	1.0	*	*	*	*	*	*	*	0.3	0.9	4.3	26.3
1997.....	0.4	*	*	*	*	*	*	*	*	0.4	1.4	10.5
1996.....	0.4	*	*	*	*	*	*	*	*	0.5	1.5	10.6
1995.....	0.3	*	*	*	*	*	*	*	*	0.5	1.1	8.7
1994.....	0.7	*	*	*	*	*	*	*	0.3	0.8	3.3	18.2
1993.....	0.6	*	*	*	*	*	*	*	0.3	0.6	2.0	17.6
1992.....	0.6	*	*	*	*	*	*	*	0.3	0.7	2.9	16.4
1991.....	0.6	*	*	*	*	*	*	*	0.3	0.8	2.9	17.4
1990.....	1.2	*	*	*	*	*	*	*	0.4	1.3	6.0	35.5
1989.....	0.9	*	*	*	*	*	*	*	0.4	0.9	4.5	29.1
1988.....	1.2	*	*	*	*	*	*	*	0.3	1.0	6.0	39.1
1987.....	0.3	*	*	*	*	*	*	*	*	0.3	1.6	11.4
1986.....	1.1	*	*	*	*	*	*	*	0.2	1.0	5.5	37.1
1985.....	1.2	*	*	*	*	*	*	*	0.4	1.3	6.5	42.7
1984.....	0.6	*	*	*	*	*	*	*	*	0.9	3.7	20.6
1983.....	0.8	*	*	*	*	*	*	*	0.3	1.1	4.7	29.1
1982.....	0.4	*	*	*	*	*	*	*	*	0.5	2.1	14.9
1981.....	1.8	*	*	*	*	*	*	0.2	0.6	2.5	11.2	63.0
1980.....	1.6	0.2	0.1	0.0	0.0	0.0	0.1	0.2	0.4	1.9	11.6	61.4
1979.....	0.3	0.1	0.1	0.0	0.0	0.0	-	0.1	0.2	0.4	2.1	13.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 643												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
INFLUENZA (487)												
ALL OTHER, BOTH SEXES												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	5.4
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*	2.8	11.5
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	12.1
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	8.9
1987.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	3.2	9.1
1985.....	0.3	*	*	*	*	*	*	*	*	1.3	3.5	12.5
1984.....	0.2	*	*	*	*	*	*	*	*	*	2.6	*
1983.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	0.9	2.1	7.3	17.9
1980.....	0.3	0.8	0.0	0.0	0.1	0.0	0.1	0.3	0.4	1.0	3.7	17.8
1979.....	0.2	0.8	-	0.0	-	0.0	0.1	0.0	0.1	1.0	1.8	6.9

00/04/10 TABLE 290
 CAUSE OF DEATH CODE,
 RACE, SEX, AND YEAR
 INFLUENZA (487)

DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 644

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.9	-	-	0.2	0.0	0.1	0.4	0.3	1.4	3.0	9.9
1979.....	0.2	0.7	-	0.0	-	0.0	0.1	0.1	0.1	1.4	2.6	6.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 645												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
INFLUENZA (487)												
ALL OTHER FEMALE												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*	*	12.3
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	12.0
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*	8.0	16.7
1980.....	0.4	0.6	0.1	0.0	-	-	0.1	0.2	0.6	0.7	4.2	21.9
1979.....	0.2	1.0	-	-	-	-	0.1	-	0.2	0.7	1.3	7.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 646												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
INFLUENZA (487)												
BLACK, BOTH SEXES												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*	3.4	11.7
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	10.5
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	3.1	*
1985.....	0.3	*	*	*	*	*	*	*	*	*	3.6	10.3
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	2.3	7.2	16.7
1980.....	0.3	0.9	0.1	0.0	0.1	0.0	0.1	0.3	0.5	1.0	3.6	13.8
1979.....	0.2	0.8	-	0.0	-	0.0	0.1	0.0	0.1	1.0	1.5	5.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 647
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 INFLUENZA (487) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

BLACK MALE

1998.....	*	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	*	*	*	*	*	*	*	*	*	*	*	*	*
1996.....	*	*	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	1.1	-	-	0.2	0.1	0.1	0.5	0.4	1.4	3.1	7.5	
1979.....	0.2	0.8	-	0.0	-	0.1	0.2	0.1	0.1	1.4	2.1	1.9	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 648
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 INFLUENZA (487) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

BLACK FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.1	*	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*	*	*
1996	0.1	*	*	*	*	*	*	*	*	*	*	*
1995	0.1	*	*	*	*	*	*	*	*	*	*	*
1994	0.1	*	*	*	*	*	*	*	*	*	*	*
1993	0.1	*	*	*	*	*	*	*	*	*	*	*
1992	0.1	*	*	*	*	*	*	*	*	*	*	*
1991	0.2	*	*	*	*	*	*	*	*	*	*	*
1990	0.3	*	*	*	*	*	*	*	*	*	*	*
1989	0.2	*	*	*	*	*	*	*	*	*	*	*
1988	0.3	*	*	*	*	*	*	*	*	*	*	*
1987	*	*	*	*	*	*	*	*	*	*	*	*
1986	0.3	*	*	*	*	*	*	*	*	*	*	*
1985	0.3	*	*	*	*	*	*	*	*	*	*	*
1984	0.1	*	*	*	*	*	*	*	*	*	*	*
1983	0.1	*	*	*	*	*	*	*	*	*	*	*
1982	*	*	*	*	*	*	*	*	*	*	*	*
1981	0.6	*	*	*	*	*	*	*	*	*	7.2	*
1980	0.4	0.8	0.1	0.0	-	-	0.1	0.1	0.6	0.8	3.9	17.0
1979	0.2	0.8	-	-	-	-	0.1	-	0.1	0.7	1.1	6.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 649
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)
 TOTAL, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	41.7	1.0	0.3	0.4	0.6	0.8	2.0	8.2	44.8	169.1	365.8	569.3
1997.....	40.7	1.3	0.3	0.3	0.5	0.9	2.0	8.4	46.3	165.3	359.6	561.9
1996.....	40.0	1.0	0.3	0.4	0.7	0.9	2.0	8.7	47.0	161.6	358.3	540.9
1995.....	39.2	1.1	0.2	0.4	0.7	0.9	2.0	8.9	47.3	160.6	351.8	527.8
1994.....	39.0	1.4	0.3	0.3	0.6	0.9	1.8	9.0	49.2	163.8	351.9	509.7
1993.....	39.2	1.4	0.3	0.4	0.6	0.7	1.8	8.7	51.0	167.8	357.3	493.9
1992.....	36.0	1.1	0.4	0.3	0.5	0.7	1.8	8.3	48.3	155.5	326.5	460.9
1991.....	35.9	1.5	0.3	0.3	0.6	0.8	1.7	9.1	49.7	156.3	327.0	446.9
1990.....	34.9	1.4	0.4	0.3	0.5	0.7	1.6	9.1	48.9	152.5	321.1	433.3
1989.....	34.2	1.2	0.4	0.3	0.5	0.7	1.7	9.3	50.6	151.5	310.9	413.5
1988.....	33.9	1.5	0.3	0.3	0.5	0.7	1.8	9.4	49.5	154.2	310.1	402.9
1987.....	32.3	1.4	0.3	0.4	0.5	0.6	1.8	9.3	48.0	147.5	298.0	382.8
1986.....	31.9	1.6	0.2	0.3	0.5	0.6	1.6	9.9	47.7	150.9	292.6	367.4
1985.....	31.4	1.4	0.3	0.3	0.5	0.6	1.6	10.2	47.9	149.2	289.5	365.4
1984.....	29.3	1.6	0.3	0.3	0.4	0.6	1.6	9.5	46.4	142.3	268.8	334.7
1983.....	28.3	1.4	0.4	0.3	0.4	0.6	1.7	10.0	45.2	140.5	259.9	315.3
1982.....	25.8	1.7	0.4	0.3	0.5	0.6	1.6	9.5	41.9	131.2	237.3	278.0
1981.....	25.6	1.7	0.3	0.3	0.4	0.5	1.7	9.9	43.3	132.7	232.1	275.6
1980.....	24.7	1.6	0.4	0.2	0.3	0.5	1.6	9.8	42.7	129.1	224.4	274.0
1979.....	22.2	1.9	0.5	0.2	0.3	0.5	1.7	9.3	40.2	117.0	200.6	230.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 650
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	43.2	1.2	0.4	0.4	0.8	0.9	1.9	8.2	49.6	201.2	471.5	869.8
1997.....	42.7	1.6	0.3	0.4	0.7	1.0	1.9	8.8	50.5	201.3	469.6	902.8
1996.....	42.0	1.3	0.4	0.5	0.7	0.8	1.9	8.9	52.2	192.6	478.8	878.6
1995.....	42.0	1.4	0.2	0.5	0.7	0.9	1.7	9.0	52.9	196.9	482.5	896.2
1994.....	42.3	1.7	0.3	0.4	0.8	0.9	1.8	9.3	55.9	202.0	490.4	874.9
1993.....	43.2	1.5	0.4	0.4	0.7	0.6	1.8	9.5	58.1	208.4	512.1	883.1
1992.....	40.5	1.7	0.4	0.3	0.6	0.7	1.8	8.7	56.3	199.7	478.6	830.9
1991.....	41.1	1.6	0.4	0.4	0.6	0.8	1.8	9.3	57.5	202.4	495.4	830.8
1990.....	40.8	1.6	0.5	0.4	0.5	0.7	1.7	9.4	58.6	204.0	500.0	815.1
1989.....	40.1	1.8	0.4	0.4	0.5	0.8	1.9	9.5	60.0	201.5	488.3	792.3
1988.....	41.1	1.7	0.3	0.4	0.5	0.7	1.9	10.3	60.9	212.2	505.6	791.2
1987.....	39.9	1.8	0.3	0.5	0.6	0.6	2.0	9.7	60.0	205.7	501.2	747.9
1986.....	40.3	2.3	*	0.3	0.6	0.6	1.8	11.1	60.1	215.9	502.4	752.0
1985.....	40.3	2.0	*	0.3	0.4	0.6	1.6	11.3	60.8	218.9	505.2	758.1
1984.....	38.4	1.9	*	0.3	0.4	0.5	1.7	11.0	60.8	211.4	481.9	699.3
1983.....	37.9	1.8	0.6	0.3	0.4	0.6	1.6	11.3	60.3	212.9	480.1	670.9
1982.....	35.3	2.1	0.4	0.2	0.6	0.6	1.6	11.1	56.7	203.3	446.6	593.2
1981.....	35.7	2.1	0.5	0.3	0.4	0.6	1.7	11.9	59.6	211.1	441.3	600.6
1980.....	35.1	1.9	0.5	0.2	0.4	0.6	1.7	12.1	59.9	210.0	437.4	583.4
1979.....	32.3	2.3	0.5	0.2	0.3	0.5	1.8	11.7	57.4	196.7	399.2	500.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 651
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	40.2	*	*	0.3	0.5	0.8	2.0	8.2	40.5	143.0	295.8	444.7
1997.....	38.8	*	*	0.3	0.4	0.8	2.1	8.1	42.6	136.1	287.6	424.5
1996.....	38.0	*	*	0.4	0.6	0.9	2.1	8.4	42.4	136.7	280.4	406.7
1995.....	36.4	*	*	0.2	0.6	0.9	2.2	8.8	42.2	131.5	268.8	384.3
1994.....	35.9	1.1	*	0.2	0.5	0.9	1.7	8.7	43.1	133.4	265.2	368.8
1993.....	35.4	1.2	*	0.3	0.4	0.8	1.8	8.0	44.6	135.6	261.5	344.6
1992.....	31.8	*	0.4	0.3	0.5	0.6	1.7	7.9	41.0	120.7	233.4	317.6
1991.....	31.1	1.4	*	0.3	0.5	0.7	1.7	8.9	42.7	120.2	225.1	298.6
1990.....	29.2	1.2	*	0.3	0.5	0.7	1.5	8.8	40.3	112.3	214.2	286.0
1989.....	28.6	*	0.4	0.3	0.4	0.7	1.6	9.1	42.3	112.6	205.3	266.2
1988.....	27.0	1.2	*	0.2	0.4	0.7	1.7	8.6	39.4	109.2	194.1	251.3
1987.....	25.2	*	0.3	0.2	0.5	0.6	1.7	8.9	37.5	102.3	177.9	238.9
1986.....	23.9	*	*	0.3	0.4	0.6	1.5	8.7	36.7	100.7	169.1	214.8
1985.....	23.0	*	*	0.4	0.5	0.6	1.5	9.2	36.6	95.5	162.7	208.6
1984.....	20.7	1.2	0.4	0.2	0.4	0.6	1.5	8.0	33.6	89.3	143.5	187.3
1983.....	19.2	*	*	0.2	0.4	0.6	1.7	8.7	31.8	85.0	130.4	169.5
1982.....	16.9	1.2	0.5	0.3	0.4	0.5	1.6	8.0	28.8	76.0	114.1	146.7
1981.....	16.2	1.3	*	0.2	0.3	0.5	1.6	8.1	29.0	72.7	109.0	137.3
1980.....	15.0	1.3	0.3	0.3	0.3	0.5	1.5	7.7	27.6	67.1	98.7	138.7
1979.....	12.7	1.6	0.5	0.1	0.3	0.5	1.6	7.1	25.1	56.0	82.9	110.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 652
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE, BOTH SEXES												
1998.....	46.7	0.7	0.2	0.3	0.4	0.5	1.6	7.6	46.2	178.1	381.9	594.0
1997.....	45.5	1.0	*	0.2	0.4	0.6	1.6	8.0	47.8	173.3	374.5	585.9
1996.....	44.5	*	0.2	0.2	0.4	0.6	1.6	8.2	48.3	169.2	373.1	562.7
1995.....	43.6	1.0	0.2	0.2	0.5	0.7	1.5	8.3	48.5	167.5	366.0	547.1
1994.....	43.5	1.2	0.2	0.2	0.5	0.6	1.4	8.5	50.7	170.8	366.7	529.1
1993.....	43.6	1.1	0.2	0.2	0.4	0.5	1.3	8.3	52.5	174.7	371.5	514.0
1992.....	40.0	0.7	0.3	0.2	0.4	0.5	1.4	7.9	49.6	161.7	340.9	477.6
1991.....	39.8	1.1	0.2	0.2	0.4	0.6	1.4	8.4	50.9	162.2	341.5	464.6
1990.....	38.4	1.2	0.3	0.2	0.4	0.5	1.3	8.5	49.9	158.1	333.7	449.4
1989.....	37.5	1.1	0.3	0.2	0.4	0.5	1.3	8.7	51.6	156.4	322.9	429.2
1988.....	37.2	1.2	0.2	0.2	0.3	0.5	1.4	8.8	50.3	159.6	323.0	419.6
1987.....	35.5	1.3	0.3	0.2	0.4	0.4	1.5	8.8	49.0	152.7	311.0	396.5
1986.....	35.0	1.3	0.2	0.2	0.3	0.4	1.3	9.4	48.3	156.6	305.8	382.1
1985.....	34.4	1.2	0.2	0.2	0.3	0.4	1.3	9.8	48.6	155.3	301.7	381.0
1984.....	32.0	1.1	0.3	0.2	0.3	0.4	1.3	9.0	47.1	148.2	280.4	348.0
1983.....	30.9	1.3	0.3	0.2	0.3	0.4	1.3	9.7	45.6	146.9	271.8	327.1
1982.....	28.2	1.3	0.3	0.2	0.4	0.4	1.2	9.1	42.5	137.0	248.9	290.7
1981.....	28.0	1.5	0.2	0.2	0.3	0.4	1.4	9.6	44.2	138.8	242.4	288.6
1980.....	26.9	1.2	0.2	0.2	0.2	0.4	1.3	9.5	43.4	135.0	235.1	284.9
1979.....	24.1	1.8	0.5	0.1	0.2	0.3	1.4	9.0	41.1	122.3	210.0	239.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 653
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	47.7	*	*	0.3	0.5	0.6	1.5	7.6	50.0	208.5	485.5	904.8
1997.....	47.0	*	*	0.2	0.6	0.6	1.5	8.3	51.0	207.5	481.4	940.1
1996.....	46.1	*	*	0.3	0.4	0.5	1.5	8.5	52.3	198.4	491.1	917.5
1995.....	46.1	1.3	*	0.3	0.4	0.7	1.4	8.3	53.2	201.6	496.3	924.0
1994.....	46.4	1.3	*	0.3	0.5	0.5	1.4	8.7	56.7	206.9	504.2	907.7
1993.....	47.3	1.3	*	0.3	0.5	0.5	1.3	9.0	58.5	213.3	525.2	917.6
1992.....	44.4	*	0.3	0.2	0.4	0.5	1.5	8.3	56.6	204.6	494.1	862.5
1991.....	44.9	*	*	0.3	0.4	0.6	1.4	8.4	57.8	206.7	511.8	867.4
1990.....	44.3	1.3	0.3	0.2	0.3	0.5	1.3	8.6	58.7	208.1	513.5	847.0
1989.....	43.4	1.6	*	0.3	0.4	0.5	1.3	8.7	60.2	204.5	502.2	824.9
1988.....	44.5	1.5	*	0.2	0.3	0.5	1.4	9.5	60.9	215.8	521.3	829.0
1987.....	43.3	1.6	*	0.2	0.4	0.4	1.6	9.0	60.3	209.6	521.2	779.1
1986.....	43.6	1.8	*	0.2	0.4	0.4	1.4	10.2	59.8	220.6	522.4	785.7
1985.....	43.7	2.0	*	0.2	0.2	0.4	1.3	10.5	60.6	225.2	525.5	798.1
1984.....	41.6	1.3	*	0.2	0.3	0.4	1.3	10.1	61.0	217.2	502.5	736.1
1983.....	41.1	1.4	0.4	0.2	0.3	0.4	1.3	10.9	59.9	220.0	502.5	703.2
1982.....	38.3	1.8	*	0.2	0.4	0.5	1.2	10.5	57.1	210.4	470.2	625.2
1981.....	38.6	1.9	*	0.3	0.3	0.4	1.4	11.2	60.0	218.7	461.8	632.8
1980.....	37.9	1.3	0.3	0.1	0.3	0.4	1.2	11.4	60.0	218.4	459.8	611.2
1979.....	34.9	2.0	0.5	0.2	0.3	0.4	1.4	11.0	58.1	204.8	420.0	520.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 654
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	45.7	*	*	0.2	0.3	0.5	1.6	7.7	42.7	153.0	312.9	466.6
1997.....	44.1	*	*	0.2	0.3	0.6	1.7	7.8	44.8	145.3	304.2	445.0
1996.....	43.0	*	*	0.2	0.4	0.7	1.7	8.0	44.6	145.3	296.4	423.6
1995.....	41.2	*	*	0.2	0.5	0.7	1.7	8.4	44.3	139.8	282.8	402.0
1994.....	40.6	*	*	0.1	0.4	0.7	1.3	8.3	45.2	141.8	280.1	384.9
1993.....	40.0	*	*	0.2	0.3	0.5	1.4	7.6	47.0	143.8	276.1	361.2
1992.....	35.8	*	*	0.2	0.4	0.4	1.3	7.5	43.2	127.7	246.9	330.7
1991.....	35.0	*	*	0.2	0.4	0.5	1.3	8.4	44.7	127.0	238.3	311.6
1990.....	32.8	*	*	0.2	0.4	0.5	1.2	8.3	41.9	118.8	226.3	298.4
1989.....	31.9	*	*	0.2	0.4	0.5	1.3	8.8	43.7	118.6	216.2	278.1
1988.....	30.2	*	*	*	0.3	0.5	1.3	8.2	40.7	115.6	205.9	262.6
1987.....	28.1	*	*	0.2	0.3	0.4	1.5	8.5	38.8	108.2	187.4	248.4
1986.....	26.7	*	*	0.2	0.3	0.5	1.3	8.6	38.0	106.7	179.0	224.9
1985.....	25.5	*	*	0.2	0.4	0.4	1.3	9.1	37.8	101.1	171.0	217.6
1984.....	22.9	*	0.4	0.2	0.3	0.4	1.2	8.0	34.7	94.8	150.9	194.2
1983.....	21.3	*	*	0.2	0.3	0.4	1.3	8.6	32.9	90.5	137.2	175.7
1982.....	18.6	*	*	0.2	0.3	0.4	1.3	7.8	29.6	80.6	120.0	153.6
1981.....	17.9	*	*	0.2	0.3	0.4	1.4	8.1	30.1	77.4	114.5	144.5
1980.....	16.4	1.1	0.2	0.2	0.2	0.3	1.3	7.6	28.7	71.0	104.0	144.2
1979.....	13.9	1.5	0.4	0.1	0.2	0.3	1.4	7.1	25.9	59.2	87.0	115.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 655
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)
 ALL OTHER, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	18.0	*	0.8	0.9	1.4	2.1	4.0	11.3	36.0	103.5	215.0	335.2
1997.....	17.8	2.7	0.8	0.8	1.0	2.1	3.9	10.7	37.5	105.1	217.3	332.4
1996.....	17.9	*	0.9	1.1	1.5	2.0	4.0	11.1	39.2	103.6	216.5	332.4
1995.....	17.5	*	*	1.0	1.5	1.9	4.1	11.9	39.1	105.7	213.4	330.9
1994.....	17.2	*	0.7	0.8	1.4	2.1	3.9	11.8	39.0	107.8	207.9	309.7
1993.....	17.4	*	0.8	0.9	1.2	1.7	4.2	11.4	41.0	110.8	217.0	286.1
1992.....	15.9	2.7	1.0	0.7	1.2	1.5	3.5	11.0	39.4	103.8	186.0	285.2
1991.....	16.2	2.8	0.8	0.8	1.3	1.8	3.9	13.1	41.0	106.3	185.8	260.9
1990.....	16.2	*	0.8	0.8	1.0	1.7	3.6	13.0	42.0	103.6	197.4	262.6
1989.....	16.5	*	*	0.7	0.9	1.8	4.2	12.5	43.7	108.7	193.5	247.3
1988.....	16.1	2.7	*	0.8	1.1	1.8	4.3	13.3	44.0	106.9	182.6	225.0
1987.....	15.2	*	*	0.9	1.2	1.5	3.8	12.6	40.9	101.4	168.6	235.0
1986.....	14.8	3.1	*	0.7	1.2	1.3	3.4	12.9	42.9	100.5	160.1	207.8
1985.....	14.6	*	*	0.9	1.2	1.4	3.1	12.8	42.8	94.3	166.6	193.3
1984.....	13.7	3.8	*	0.6	0.9	1.4	3.9	12.7	40.1	90.2	150.8	188.9
1983.....	13.2	*	1.0	0.7	1.0	1.7	3.9	11.6	41.5	83.1	139.2	183.3
1982.....	11.8	3.3	1.0	0.6	1.1	1.4	3.8	12.3	36.4	78.7	117.4	137.7
1981.....	11.7	*	*	0.6	0.8	1.4	3.5	12.4	36.1	77.4	125.5	128.4
1980.....	11.6	3.3	0.9	0.6	0.8	1.6	3.8	12.2	37.0	75.0	111.6	148.3
1979.....	10.5	2.7	0.6	0.2	0.7	1.5	3.8	11.8	32.7	68.2	102.4	128.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 656
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	21.5	*	*	1.1	1.8	2.5	3.9	11.8	46.5	144.0	335.7	563.7
1997.....	21.7	*	*	0.9	1.4	2.4	3.8	11.9	47.0	151.4	353.1	577.7
1996.....	21.4	*	1.2	1.2	1.8	2.0	4.0	11.7	51.2	145.1	357.0	540.9
1995.....	21.7	*	*	1.5	1.8	2.2	3.7	13.5	50.8	156.6	342.8	635.6
1994.....	21.5	*	*	1.1	1.9	2.7	3.8	13.0	49.9	160.8	351.2	568.3
1993.....	22.2	*	*	1.1	1.6	1.6	4.3	12.9	55.2	165.8	380.3	561.1
1992.....	20.4	*	*	0.8	1.5	1.9	3.6	11.8	54.5	157.1	324.7	536.0
1991.....	21.2	*	*	0.9	1.6	2.0	4.4	14.9	55.5	163.8	333.7	491.9
1990.....	21.9	*	*	1.1	1.2	1.8	4.1	15.0	57.5	166.6	368.1	517.2
1989.....	22.0	*	*	0.9	1.2	2.2	5.3	14.9	57.8	173.3	352.5	490.1
1988.....	22.5	*	*	0.9	1.4	2.2	5.0	15.9	61.4	179.3	356.1	441.8
1987.....	21.0	*	*	1.4	1.4	1.8	4.4	14.7	57.4	170.0	308.5	455.8
1986.....	21.2	*	*	1.0	1.4	1.4	4.1	16.6	62.4	171.7	308.8	436.0
1985.....	20.6	*	*	0.9	1.4	1.8	4.1	16.5	62.0	159.9	309.6	380.8
1984.....	19.6	*	*	0.8	1.0	1.2	4.1	17.6	59.0	157.3	283.4	354.2
1983.....	19.2	*	1.5	0.9	1.1	1.8	4.2	14.1	64.2	146.7	264.6	355.7
1982.....	17.1	*	*	*	1.4	1.7	4.4	15.6	53.3	137.9	219.6	282.1
1981.....	17.8	*	*	*	1.2	1.7	3.8	17.4	56.0	140.5	242.2	279.7
1980.....	17.6	4.4	1.1	0.7	1.0	1.6	5.0	17.2	59.7	132.6	218.1	299.5
1979.....	16.1	3.6	0.5	0.3	0.6	1.5	4.7	17.0	50.7	122.1	198.5	288.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 657
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	14.9	*	*	0.7	1.1	1.8	4.0	10.9	27.7	74.1	139.2	230.7
1997.....	14.3	*	*	0.8	0.7	1.7	4.1	9.7	30.0	71.5	133.6	221.3
1996.....	14.6	*	*	1.0	1.3	2.0	3.9	10.6	29.6	73.7	130.5	238.4
1995.....	13.7	*	*	*	1.1	1.6	4.4	10.6	29.9	68.9	135.4	199.0
1994.....	13.3	*	*	0.6	0.9	1.6	3.9	10.8	30.4	69.6	122.4	197.6
1993.....	12.9	*	*	0.7	0.8	1.8	4.1	10.2	29.8	71.2	119.8	166.2
1992.....	11.8	*	*	0.6	0.9	1.1	3.4	10.3	27.5	65.5	103.1	172.2
1991.....	11.7	*	*	0.7	1.0	1.7	3.3	11.5	29.7	65.2	96.8	154.5
1990.....	11.1	*	*	*	0.8	1.6	3.1	11.3	29.8	58.6	95.2	146.9
1989.....	11.4	*	*	*	0.7	1.4	3.3	10.5	32.6	62.5	97.4	134.9
1988.....	10.3	*	*	0.6	0.8	1.4	3.7	11.1	30.4	55.1	77.3	123.7
1987.....	10.0	*	*	*	1.1	1.3	3.3	10.7	27.9	52.2	82.0	130.7
1986.....	9.0	*	*	*	1.0	1.3	2.9	9.8	27.4	49.3	67.6	98.1
1985.....	9.1	*	*	0.9	0.9	1.2	2.3	9.8	27.6	46.7	76.5	103.3
1984.....	8.4	*	*	*	0.8	1.5	3.7	8.5	25.1	41.5	67.0	106.9
1983.....	7.7	*	*	*	0.9	1.5	3.7	9.5	23.3	36.6	58.8	96.4
1982.....	7.1	*	*	*	0.8	1.1	3.3	9.6	22.7	35.1	51.4	63.9
1981.....	6.2	*	*	*	*	1.2	3.3	8.2	19.9	30.3	49.4	51.6
1980.....	6.2	2.2	0.7	0.5	0.7	1.6	2.8	8.1	18.5	31.4	41.5	70.8
1979.....	5.5	1.7	0.6	0.2	0.8	1.4	3.1	7.5	17.8	26.9	37.5	46.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 658
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)
 BLACK, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	20.9	*	1.1	1.0	1.9	2.7	5.1	14.6	43.6	118.1	232.2	330.9
1997.....	20.3	*	0.9	1.1	1.2	2.7	4.9	13.4	44.8	118.8	224.8	327.9
1996.....	20.7	*	1.0	1.3	1.9	2.5	5.1	14.2	47.1	116.6	226.9	336.4
1995.....	20.1	*	*	1.2	1.9	2.5	4.9	14.9	46.6	118.7	220.4	313.4
1994.....	19.9	*	0.8	1.1	1.7	2.7	5.0	14.9	46.8	121.8	213.2	300.9
1993.....	20.0	*	0.9	1.1	1.5	2.1	5.3	14.5	48.6	122.5	223.3	278.5
1992.....	18.5	3.3	1.1	0.8	1.5	1.8	4.5	14.1	46.4	115.4	194.8	283.8
1991.....	18.7	3.7	1.0	1.0	1.5	2.2	4.8	17.1	48.3	116.7	189.9	243.5
1990.....	18.6	*	1.0	1.0	1.2	2.1	4.5	16.2	48.2	113.8	201.9	241.7
1989.....	18.8	*	*	0.9	1.1	2.2	5.2	15.2	50.2	119.5	198.3	235.5
1988.....	18.4	*	*	0.8	1.3	2.1	5.5	16.3	50.9	117.8	185.6	213.1
1987.....	17.2	*	*	1.1	1.5	1.9	4.8	14.7	46.7	110.2	171.9	217.3
1986.....	16.8	*	*	0.9	1.4	1.6	4.2	15.4	49.1	110.0	160.3	199.0
1985.....	16.3	*	*	1.0	1.4	1.8	4.0	14.9	47.8	101.9	168.2	183.1
1984.....	15.2	4.3	*	0.7	1.0	1.6	4.7	14.9	45.0	96.1	151.1	170.5
1983.....	14.6	*	1.2	0.8	1.1	2.0	4.7	13.8	46.5	86.9	139.5	176.1
1982.....	13.2	3.9	1.2	0.7	1.2	1.6	4.7	14.4	40.7	84.7	116.5	129.5
1981.....	13.0	*	*	0.6	0.9	1.6	4.2	14.2	40.1	81.7	127.7	123.2
1980.....	12.7	3.7	0.9	0.7	0.9	1.9	4.5	14.0	41.2	78.8	114.3	132.7
1979.....	11.2	2.7	0.6	0.3	0.8	1.7	4.3	13.4	35.4	70.8	101.7	106.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 659
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

BLACK MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	24.7	*	*	1.2	2.4	3.2	5.0	15.1	56.6	164.2	372.1	570.9
1997.....	24.6	*	*	1.1	1.5	3.1	4.8	14.9	56.6	170.7	374.9	586.5
1996.....	24.7	*	*	1.3	2.2	2.5	5.2	15.4	63.2	161.6	380.7	579.5
1995.....	24.9	*	*	1.8	2.3	3.0	4.3	17.3	62.0	175.1	366.5	613.6
1994.....	24.9	*	*	1.3	2.1	3.5	4.9	16.6	61.0	181.7	374.1	561.7
1993.....	25.7	*	*	1.3	2.1	2.0	5.4	16.9	65.9	184.9	407.1	560.6
1992.....	23.8	*	*	1.0	1.9	2.3	4.7	15.1	64.8	175.1	354.5	559.8
1991.....	24.5	*	*	1.1	1.9	2.5	5.5	19.8	66.7	183.2	357.8	482.6
1990.....	25.2	*	*	1.4	1.4	2.4	5.3	18.8	67.4	184.5	390.9	498.0
1989.....	25.2	*	*	1.0	1.4	2.8	6.5	18.1	66.6	192.8	373.5	481.8
1988.....	25.9	*	*	0.9	1.6	2.6	6.5	19.9	71.3	202.3	374.5	441.5
1987.....	23.9	*	*	1.6	1.7	2.3	5.6	17.8	65.9	188.8	325.8	440.6
1986.....	24.1	*	*	1.2	1.6	1.7	5.1	20.5	71.5	190.7	317.2	423.8
1985.....	23.4	*	*	1.0	1.7	2.1	5.3	19.5	69.6	178.2	321.8	374.2
1984.....	21.9	*	*	0.9	1.1	1.4	5.0	20.8	66.6	169.9	294.4	326.2
1983.....	21.4	*	*	1.0	1.2	2.3	5.2	16.8	72.6	156.5	271.7	346.7
1982.....	19.1	*	*	*	1.7	2.0	5.6	18.5	59.4	151.0	224.5	272.4
1981.....	19.8	*	*	*	1.3	1.9	4.7	20.2	62.7	152.3	252.8	271.4
1980.....	19.3	4.8	1.1	0.8	1.1	1.9	5.8	19.7	66.6	142.0	229.8	271.6
1979.....	17.4	3.8	0.6	0.3	0.7	1.7	5.3	19.3	56.3	130.7	203.4	246.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 660
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	17.5	*	*	0.8	1.3	2.2	5.3	14.2	33.8	84.8	148.9	231.1
1997.....	16.5	*	*	1.0	0.8	2.3	5.0	12.2	35.8	81.4	136.9	220.9
1996.....	17.0	*	*	1.3	1.5	2.5	5.0	13.2	34.8	84.3	137.6	236.5
1995.....	15.8	*	*	*	1.5	2.0	5.4	12.9	34.7	78.3	136.6	191.4
1994.....	15.4	*	*	0.8	1.2	2.0	5.1	13.5	35.8	79.2	122.1	195.0
1993.....	14.9	*	*	0.9	1.0	2.2	5.3	12.6	35.2	78.3	120.2	163.5
1992.....	13.7	*	*	*	1.1	1.3	4.3	13.3	32.1	73.5	105.6	169.0
1991.....	13.4	*	*	0.9	1.2	2.1	4.1	15.0	34.0	70.4	96.0	142.3
1990.....	12.6	*	*	*	0.9	1.9	3.8	14.0	33.4	64.7	96.0	133.0
1989.....	13.1	*	*	*	0.8	1.8	4.2	12.8	37.4	68.5	99.2	130.7
1988.....	11.7	*	*	0.8	0.9	1.7	4.6	13.3	35.0	58.9	77.6	113.4
1987.....	11.2	*	*	*	1.2	1.6	4.2	12.1	31.6	55.4	82.6	118.1
1986.....	10.2	*	*	*	1.1	1.6	3.4	11.2	31.4	53.4	68.2	96.4
1985.....	10.0	*	*	1.1	1.1	1.4	2.8	11.2	30.6	48.3	76.6	94.0
1984.....	9.2	*	*	*	0.9	1.8	4.4	10.0	27.8	43.9	65.2	96.9
1983.....	8.5	*	*	*	1.0	1.8	4.3	11.3	25.7	37.5	58.4	93.5
1982.....	7.9	*	*	*	0.8	1.3	4.0	11.2	25.7	37.3	49.7	59.3
1981.....	6.8	*	*	*	*	1.4	3.8	9.4	22.0	30.8	49.5	48.7
1980.....	6.8	2.6	0.7	0.6	0.8	1.8	3.4	9.3	20.8	32.7	41.1	63.2
1979.....	5.7	1.6	0.5	0.2	0.9	1.6	3.6	8.5	18.4	26.8	34.2	36.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 661
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 TOTAL, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	1.1	0.7	*	*	*	*	0.1	0.3	1.2	3.7	8.8	20.1
1997.....	1.1	1.0	*	*	*	*	0.1	0.3	1.1	3.9	8.9	21.4
1996.....	1.2	0.7	*	*	*	0.1	0.1	0.3	1.2	4.1	9.6	20.7
1995.....	1.3	0.7	*	*	*	0.1	0.1	0.3	1.3	4.4	10.1	24.5
1994.....	1.4	1.1	*	*	*	*	0.1	0.4	1.5	5.0	11.1	25.0
1993.....	1.5	1.0	*	*	*	*	0.1	0.4	1.7	5.2	11.9	26.9
1992.....	1.4	0.8	0.1	*	*	*	0.1	0.4	1.8	5.3	11.7	25.7
1991.....	1.5	1.1	*	*	*	*	0.1	0.4	1.9	5.2	12.3	26.6
1990.....	1.4	1.0	0.2	*	*	*	0.1	0.4	1.8	5.0	12.7	27.0
1989.....	1.5	0.8	0.2	*	*	*	0.1	0.4	1.9	5.5	13.0	29.8
1988.....	1.5	1.1	*	*	*	0.1	0.1	0.4	2.0	5.8	13.0	27.7
1987.....	1.5	1.0	0.2	*	*	*	0.1	0.3	1.9	5.3	13.3	27.9
1986.....	1.6	1.1	*	*	*	*	0.1	0.4	1.9	6.1	14.0	28.8
1985.....	1.5	1.1	*	*	*	*	0.1	0.4	2.0	6.3	12.9	29.1
1984.....	1.5	1.1	*	*	*	*	0.1	0.4	2.1	6.2	13.3	26.3
1983.....	1.5	1.0	0.2	*	*	*	0.1	0.5	2.1	6.6	13.2	27.0
1982.....	1.5	1.1	0.2	*	*	*	0.1	0.6	2.1	6.5	13.5	24.6
1981.....	1.6	1.2	0.2	*	*	*	0.1	0.5	2.5	7.2	13.8	26.8
1980.....	1.6	1.2	0.2	0.0	0.0	0.0	0.1	0.6	2.6	7.6	14.8	25.8
1979.....	1.6	1.7	0.3	0.0	0.0	0.0	0.1	0.6	2.8	7.6	14.3	23.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 662
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	1.1	*	*	*	*	*	0.1	0.3	1.5	4.4	10.8	27.6
1997.....	1.1	1.4	*	*	*	*	*	0.3	1.1	4.5	11.3	30.6
1996.....	1.2	*	*	*	*	*	0.1	0.3	1.3	5.0	12.9	30.3
1995.....	1.3	1.1	*	*	*	*	*	0.3	1.5	5.5	13.9	33.4
1994.....	1.4	1.3	*	*	*	*	0.1	0.4	1.7	5.9	15.1	35.0
1993.....	1.5	1.2	*	*	*	*	0.1	0.4	1.8	6.4	16.6	38.8
1992.....	1.5	1.2	*	*	*	*	0.1	0.4	2.0	6.4	16.3	34.3
1991.....	1.6	1.1	*	*	*	*	0.1	0.5	2.2	6.4	18.3	41.8
1990.....	1.5	1.1	*	*	*	*	*	0.4	2.1	6.6	18.5	39.7
1989.....	1.6	1.1	*	*	*	*	0.1	0.4	2.1	7.1	19.4	42.6
1988.....	1.7	1.4	*	*	*	*	*	0.4	2.1	7.8	20.2	41.0
1987.....	1.6	1.2	*	*	*	*	*	0.4	2.1	6.9	20.2	40.1
1986.....	1.8	1.4	*	*	*	*	0.1	0.5	2.3	8.2	22.7	43.9
1985.....	1.8	1.5	*	*	*	*	*	0.3	2.4	8.9	21.2	44.3
1984.....	1.8	1.4	*	*	*	*	*	0.5	2.6	9.0	21.1	41.9
1983.....	1.9	1.2	*	*	*	*	*	0.7	2.7	9.8	22.1	45.5
1982.....	1.9	1.3	*	*	*	*	*	0.6	2.7	9.7	23.8	43.1
1981.....	2.1	1.7	*	*	*	*	*	0.6	3.6	11.0	24.4	48.2
1980.....	2.2	1.4	0.2	0.0	0.0	0.0	0.2	0.8	3.4	12.2	26.4	42.1
1979.....	2.2	1.9	0.3	0.0	0.0	0.1	0.1	0.8	3.6	11.8	27.2	45.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 663
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	1.1	*	*	*	*	*	*	0.3	1.0	3.1	7.4	17.0
1997.....	1.2	*	*	*	*	*	0.1	0.3	1.1	3.4	7.4	17.7
1996.....	1.2	*	*	*	*	*	0.1	0.4	1.2	3.4	7.4	16.8
1995.....	1.2	*	*	*	*	*	0.1	0.2	1.2	3.5	7.8	21.0
1994.....	1.4	*	*	*	*	*	*	0.4	1.4	4.2	8.6	21.1
1993.....	1.4	*	*	*	*	*	0.1	0.4	1.6	4.3	9.0	22.3
1992.....	1.4	*	*	*	*	*	*	0.4	1.6	4.5	8.9	22.4
1991.....	1.4	1.1	*	*	*	*	*	0.3	1.6	4.3	8.7	20.8
1990.....	1.4	*	*	*	*	*	0.1	0.3	1.6	3.7	9.2	22.2
1989.....	1.4	*	*	*	*	*	*	0.4	1.7	4.2	9.1	24.8
1988.....	1.4	*	*	*	*	*	*	0.3	1.9	4.3	8.7	22.5
1987.....	1.4	*	*	*	*	*	*	0.3	1.7	4.2	9.1	23.2
1986.....	1.4	*	*	*	*	*	*	0.4	1.6	4.5	8.9	22.8
1985.....	1.3	*	*	*	*	*	*	0.5	1.6	4.2	7.9	23.0
1984.....	1.3	*	*	*	*	*	*	0.3	1.6	4.1	8.6	20.0
1983.....	1.2	*	*	*	*	*	*	0.4	1.6	4.2	7.9	19.4
1982.....	1.1	*	*	*	*	*	0.2	0.6	1.6	4.1	7.5	16.9
1981.....	1.1	*	*	*	*	*	*	0.4	1.6	4.3	7.5	17.6
1980.....	1.2	1.0	0.1	0.0	0.0	0.1	0.1	0.4	1.8	4.0	8.0	18.7
1979.....	1.1	1.4	0.2	0.0	0.0	0.0	0.1	0.4	2.0	4.3	6.6	13.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 664
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)
 WHITE, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	1.3	*	*	*	*	*	0.1	0.3	1.3	3.8	9.2	21.3
1997.....	1.3	0.8	*	*	*	*	0.1	0.3	1.2	4.0	9.3	22.5
1996.....	1.3	*	*	*	*	0.1	0.1	0.3	1.3	4.3	10.0	21.6
1995.....	1.4	*	*	*	*	*	0.1	0.2	1.4	4.6	10.4	25.1
1994.....	1.5	0.9	*	*	*	*	0.1	0.4	1.6	5.1	11.6	25.9
1993.....	1.6	0.8	*	*	*	*	0.1	0.4	1.8	5.6	12.4	28.0
1992.....	1.6	*	*	*	*	*	0.1	0.4	1.9	5.6	12.4	26.7
1991.....	1.6	0.8	*	*	*	*	0.1	0.4	2.0	5.6	13.0	27.7
1990.....	1.6	0.9	*	*	*	*	0.1	0.4	1.9	5.3	13.2	28.3
1989.....	1.7	0.7	0.2	*	*	*	0.1	0.4	2.0	5.7	13.6	31.3
1988.....	1.7	1.0	*	*	*	*	0.1	0.4	2.0	6.1	13.8	29.3
1987.....	1.7	0.9	*	*	*	*	0.1	0.4	1.9	5.6	14.0	29.5
1986.....	1.7	0.9	*	*	*	*	0.1	0.5	2.0	6.4	14.6	30.4
1985.....	1.7	0.9	*	*	*	*	*	0.4	2.1	6.6	13.5	30.7
1984.....	1.7	0.7	*	*	*	*	0.1	0.4	2.1	6.6	14.1	27.9
1983.....	1.7	0.8	*	*	*	*	*	0.5	2.2	7.0	13.9	28.0
1982.....	1.7	0.9	*	*	*	*	0.1	0.6	2.2	7.0	14.3	25.8
1981.....	1.8	1.1	*	*	*	*	0.1	0.5	2.6	7.6	14.4	28.3
1980.....	1.8	0.9	0.1	0.0	0.0	0.0	0.1	0.6	2.6	8.0	15.6	27.2
1979.....	1.8	1.5	0.3	0.0	0.0	0.0	0.1	0.6	2.9	8.0	15.0	24.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 665
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	1.2	*	*	*	*	*	*	0.2	1.6	4.6	11.2	29.1
1997.....	1.2	*	*	*	*	*	*	0.3	1.2	4.4	11.6	32.2
1996.....	1.3	*	*	*	*	*	*	0.3	1.3	5.1	13.3	32.2
1995.....	1.4	*	*	*	*	*	*	0.3	1.6	5.6	14.2	34.3
1994.....	1.5	*	*	*	*	*	0.1	0.4	1.8	5.9	15.5	36.6
1993.....	1.6	*	*	*	*	*	*	0.4	1.8	6.7	17.2	40.5
1992.....	1.6	*	*	*	*	*	*	0.4	2.0	6.7	17.1	35.8
1991.....	1.7	*	*	*	*	*	*	0.4	2.2	6.7	19.2	44.2
1990.....	1.7	*	*	*	*	*	*	0.4	2.2	6.8	18.7	42.1
1989.....	1.8	*	*	*	*	*	*	0.4	2.2	7.3	20.3	45.1
1988.....	1.8	*	*	*	*	*	*	0.5	2.1	8.0	21.3	43.6
1987.....	1.8	*	*	*	*	*	*	0.4	2.2	7.1	21.4	42.2
1986.....	1.9	*	*	*	*	*	*	0.5	2.3	8.5	23.5	46.6
1985.....	2.0	1.5	*	*	*	*	*	0.3	2.5	9.5	22.4	46.9
1984.....	2.0	*	*	*	*	*	*	0.5	2.7	9.4	22.4	44.9
1983.....	2.1	*	*	*	*	*	*	0.7	2.8	10.2	23.4	46.8
1982.....	2.1	*	*	*	*	*	*	0.6	2.8	10.3	25.2	45.4
1981.....	2.3	1.5	*	*	*	*	*	0.6	3.7	11.4	25.6	51.3
1980.....	2.3	1.1	0.2	0.1	0.0	0.0	0.2	0.7	3.5	12.8	28.0	44.3
1979.....	2.4	1.6	0.4	0.1	0.0	0.1	0.1	0.8	3.8	12.4	28.8	47.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 666
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	1.3	*	*	*	*	*	*	0.3	1.1	3.2	7.9	18.1
1997.....	1.3	*	*	*	*	*	*	0.3	1.2	3.6	7.7	18.6
1996.....	1.3	*	*	*	*	*	*	0.3	1.3	3.6	7.9	17.5
1995.....	1.4	*	*	*	*	*	*	0.2	1.3	3.8	8.1	21.6
1994.....	1.5	*	*	*	*	*	*	0.4	1.5	4.5	9.1	21.9
1993.....	1.6	*	*	*	*	*	*	0.4	1.7	4.7	9.4	23.3
1992.....	1.6	*	*	*	*	*	*	0.4	1.7	4.7	9.5	23.2
1991.....	1.5	*	*	*	*	*	*	0.3	1.7	4.7	9.3	21.5
1990.....	1.5	*	*	*	*	*	*	0.4	1.7	4.0	9.9	23.1
1989.....	1.6	*	*	*	*	*	*	0.4	1.7	4.5	9.7	26.0
1988.....	1.6	*	*	*	*	*	*	0.4	2.0	4.6	9.3	23.8
1987.....	1.5	*	*	*	*	*	*	0.3	1.7	4.5	9.6	24.5
1986.....	1.5	*	*	*	*	*	*	0.4	1.7	4.8	9.4	24.1
1985.....	1.4	*	*	*	*	*	*	0.5	1.7	4.4	8.4	24.4
1984.....	1.4	*	*	*	*	*	*	0.4	1.6	4.5	9.2	21.1
1983.....	1.3	*	*	*	*	*	*	0.4	1.7	4.5	8.4	20.5
1982.....	1.3	*	*	*	*	*	*	0.6	1.7	4.4	7.9	17.8
1981.....	1.3	*	*	*	*	*	*	0.4	1.7	4.7	7.9	18.7
1980.....	1.3	0.8	0.1	0.0	0.0	0.1	0.1	0.4	1.9	4.4	8.4	19.9
1979.....	1.2	1.3	0.2	0.0	0.0	0.0	0.1	0.5	2.1	4.6	6.9	13.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	667	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)															
ALL OTHER, BOTH SEXES															
1998.....		0.5	*	*	*	*	*	*	0.4	0.6	2.5	4.5	8.5		
1997.....		0.5	*	*	*	*	*	*	*	0.8	3.1	5.8	11.2		
1996.....		0.6	*	*	*	*	*	*	*	1.1	3.0	5.6	11.5		
1995.....		0.6	*	*	*	*	*	*	*	0.9	3.0	7.1	18.2		
1994.....		0.6	*	*	*	*	*	*	*	0.9	3.5	6.3	15.0		
1993.....		0.6	*	*	*	*	*	*	*	1.3	2.7	7.1	15.6		
1992.....		0.6	*	*	*	*	*	*	*	1.4	3.1	5.4	15.6		
1991.....		0.6	*	*	*	*	*	*	0.8	1.5	2.4	5.7	15.3		
1990.....		0.6	*	*	*	*	*	*	*	1.0	2.5	8.0	13.4		
1989.....		0.6	*	*	*	*	*	*	*	1.3	3.3	6.5	14.5		
1988.....		0.6	*	*	*	*	*	*	*	1.4	3.5	5.5	10.9		
1987.....		0.5	*	*	*	*	*	*	*	1.1	2.9	5.9	11.7		
1986.....		0.6	*	*	*	*	*	*	*	1.3	3.4	8.1	11.3		
1985.....		0.6	*	*	*	*	*	*	*	1.5	2.8	6.0	10.7		
1984.....		0.5	*	*	*	*	*	*	*	1.6	2.8	4.9	*		
1983.....		0.6	*	*	*	*	*	*	*	1.6	3.4	5.4	15.3		
1982.....		0.5	*	*	*	*	*	*	*	1.5	2.4	5.6	11.1		
1981.....		0.6	*	*	*	*	*	*	*	1.6	3.4	7.1	*		
1980.....		0.7	2.4	0.4	0.0	0.0	0.0	0.3	0.8	1.8	3.7	6.1	9.5		
1979.....		0.6	2.7	0.3	0.0	0.0	0.0	0.2	0.6	1.5	3.3	7.2	10.3		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 668
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	0.5	*	*	*	*	*	*	*	*	3.2	7.2	*
1997.....	0.6	*	*	*	*	*	*	*	*	4.6	8.7	*
1996.....	0.6	*	*	*	*	*	*	*	1.5	4.0	9.2	*
1995.....	0.7	*	*	*	*	*	*	*	*	4.8	10.8	25.5
1994.....	0.7	*	*	*	*	*	*	*	*	5.6	10.8	*
1993.....	0.8	*	*	*	*	*	*	*	2.1	3.7	10.6	22.9
1992.....	0.7	*	*	*	*	*	*	*	2.1	4.1	8.4	*
1991.....	0.8	*	*	*	*	*	*	1.3	2.1	4.0	9.5	*
1990.....	0.8	*	*	*	*	*	*	*	*	3.8	16.4	*
1989.....	0.7	*	*	*	*	*	*	*	*	5.1	10.8	*
1988.....	0.8	*	*	*	*	*	*	*	1.9	6.1	10.4	*
1987.....	0.7	*	*	*	*	*	*	*	*	5.0	8.8	*
1986.....	0.8	*	*	*	*	*	*	*	2.4	5.4	14.7	*
1985.....	0.7	*	*	*	*	*	*	*	2.1	3.8	9.6	*
1984.....	0.7	*	*	*	*	*	*	*	*	4.7	8.3	*
1983.....	0.9	*	*	*	*	*	*	*	2.3	5.9	9.2	32.9
1982.....	0.7	*	*	*	*	*	*	*	2.1	4.4	9.8	*
1981.....	1.0	*	*	*	*	*	*	*	2.3	7.3	12.6	*
1980.....	1.0	2.8	0.5	-	0.0	0.0	0.4	1.1	2.8	6.8	10.1	19.7
1979.....	0.9	3.6	0.3	0.0	-	-	0.2	0.8	1.9	6.0	12.3	18.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	669
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)														
ALL OTHER FEMALE														
1998.....	0.4	*	*	*	*	*	*	*	*	2.0	2.8	*		
1997.....	0.5	*	*	*	*	*	*	*	*	2.0	4.1	8.7		
1996.....	0.5	*	*	*	*	*	*	*	*	2.3	3.4	10.6		
1995.....	0.5	*	*	*	*	*	*	*	*	1.7	4.9	15.0		
1994.....	0.5	*	*	*	*	*	*	*	*	2.0	3.6	12.8		
1993.....	0.5	*	*	*	*	*	*	*	*	1.9	5.0	12.4		
1992.....	0.5	*	*	*	*	*	*	*	*	2.3	3.6	13.3		
1991.....	0.5	*	*	*	*	*	*	*	*	*	3.5	13.2		
1990.....	0.4	*	*	*	*	*	*	*	*	*	*	11.7		
1989.....	0.5	*	*	*	*	*	*	*	*	2.1	3.9	12.0		
1988.....	0.4	*	*	*	*	*	*	*	*	*	*	*		
1987.....	0.4	*	*	*	*	*	*	*	*	*	4.1	*		
1986.....	0.4	*	*	*	*	*	*	*	*	2.0	3.9	*		
1985.....	0.5	*	*	*	*	*	*	*	*	2.0	*	*		
1984.....	0.4	*	*	*	*	*	*	*	*	*	*	*		
1983.....	0.4	*	*	*	*	*	*	*	*	*	*	*		
1982.....	0.4	*	*	*	*	*	*	*	*	*	*	*		
1981.....	0.3	*	*	*	*	*	*	*	*	*	*	*		
1980.....	0.4	1.9	0.3	0.0	0.0	0.0	0.2	0.5	1.1	1.3	3.5	4.2		
1979.....	0.4	1.7	0.4	-	0.0	0.1	0.2	0.3	1.2	1.3	3.8	6.1		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 670
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)
 BLACK, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.5	*	*	*	*	*	*	0.5	*	2.6	4.7	*
1997.....	0.6	*	*	*	*	*	*	*	0.9	3.1	5.8	10.6
1996.....	0.6	*	*	*	*	*	*	*	1.3	2.9	5.6	12.6
1995.....	0.7	*	*	*	*	*	*	*	1.0	3.3	6.3	16.1
1994.....	0.6	*	*	*	*	*	*	*	1.0	3.8	6.4	13.6
1993.....	0.7	*	*	*	*	*	*	*	1.5	2.9	6.5	13.2
1992.....	0.6	*	*	*	*	*	*	*	1.4	3.5	5.3	15.6
1991.....	0.7	*	*	*	*	*	*	1.0	1.7	2.7	5.6	12.5
1990.....	0.6	*	*	*	*	*	*	*	1.1	2.9	7.5	9.0
1989.....	0.7	*	*	*	*	*	*	*	1.5	3.9	6.6	13.2
1988.....	0.6	*	*	*	*	*	*	*	1.7	3.7	5.1	9.8
1987.....	0.6	*	*	*	*	*	*	*	1.3	3.0	6.2	*
1986.....	0.6	*	*	*	*	*	*	*	1.4	3.8	7.3	*
1985.....	0.6	*	*	*	*	*	*	*	1.6	2.8	5.7	*
1984.....	0.6	*	*	*	*	*	*	*	1.7	2.8	5.1	*
1983.....	0.6	*	*	*	*	*	*	*	1.6	3.4	5.4	13.6
1982.....	0.6	*	*	*	*	*	*	*	1.6	2.8	5.5	*
1981.....	0.7	*	*	*	*	*	*	*	1.7	3.7	7.2	*
1980.....	0.7	2.6	0.4	0.0	0.0	0.0	0.3	1.0	1.9	3.9	5.8	8.8
1979.....	0.6	2.7	0.3	0.0	0.0	0.0	0.2	0.5	1.6	3.4	6.5	9.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 671
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	0.6	*	*	*	*	*	*	*	*	3.3	7.3	*
1997.....	0.7	*	*	*	*	*	*	*	*	4.5	8.8	*
1996.....	0.7	*	*	*	*	*	*	*	*	3.5	8.7	*
1995.....	0.8	*	*	*	*	*	*	*	*	5.3	9.6	*
1994.....	0.8	*	*	*	*	*	*	*	*	6.2	11.5	*
1993.....	0.8	*	*	*	*	*	*	*	2.4	4.0	10.4	*
1992.....	0.8	*	*	*	*	*	*	*	*	5.0	9.1	*
1991.....	0.9	*	*	*	*	*	*	*	2.5	4.4	9.9	*
1990.....	0.9	*	*	*	*	*	*	*	*	4.6	16.6	*
1989.....	0.8	*	*	*	*	*	*	*	*	6.2	10.2	*
1988.....	0.9	*	*	*	*	*	*	*	2.3	6.5	10.3	*
1987.....	0.7	*	*	*	*	*	*	*	*	5.5	9.4	*
1986.....	0.9	*	*	*	*	*	*	*	2.7	6.1	13.7	*
1985.....	0.7	*	*	*	*	*	*	*	2.5	3.9	9.3	*
1984.....	0.8	*	*	*	*	*	*	*	*	5.2	9.2	*
1983.....	0.9	*	*	*	*	*	*	*	2.4	6.4	9.3	*
1982.....	0.8	*	*	*	*	*	*	*	2.3	5.2	10.0	*
1981.....	1.0	*	*	*	*	*	*	*	2.4	7.9	13.2	*
1980.....	1.1	3.0	0.5	-	0.0	0.1	0.5	1.4	3.0	7.4	10.5	17.0
1979.....	0.9	3.8	0.3	0.0	-	-	0.2	0.8	2.1	6.4	12.2	19.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 672
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	0.4	*	*	*	*	*	*	*	*	2.2	*	*
1997.....	0.5	*	*	*	*	*	*	*	*	2.1	4.0	*
1996.....	0.6	*	*	*	*	*	*	*	*	2.4	3.7	12.3
1995.....	0.5	*	*	*	*	*	*	*	*	*	4.4	12.8
1994.....	0.5	*	*	*	*	*	*	*	*	2.1	*	12.2
1993.....	0.6	*	*	*	*	*	*	*	*	2.2	4.3	11.0
1992.....	0.5	*	*	*	*	*	*	*	*	2.5	*	13.7
1991.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	2.3	4.5	*
1988.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*	4.3	*
1986.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	2.3	0.3	0.0	0.0	0.0	0.2	0.6	1.0	1.3	2.8	4.7
1979.....	0.4	1.6	0.3	-	0.0	0.0	0.3	0.2	1.2	1.2	2.8	4.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 673												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR EMPHYSEMA (492)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, BOTH SEXES												
1998.....	6.5	*	*	*	*	*	0.2	1.4	8.8	31.7	56.2	59.9
1997.....	6.5	*	*	*	*	*	0.2	1.4	9.0	31.9	57.2	62.0
1996.....	6.5	*	*	*	*	*	0.2	1.4	9.1	30.7	59.0	61.5
1995.....	6.4	*	*	*	*	*	0.2	1.6	9.7	30.4	57.3	60.8
1994.....	6.6	*	*	*	*	*	0.2	1.4	10.0	31.8	58.6	63.3
1993.....	6.8	*	*	*	*	*	0.1	1.5	10.8	33.1	61.3	60.2
1992.....	6.4	*	*	*	*	*	0.2	1.5	9.8	31.9	56.2	60.8
1991.....	6.5	*	*	*	*	*	0.2	1.8	10.3	31.8	58.3	60.8
1990.....	6.3	*	*	*	*	*	0.2	1.7	10.5	31.3	56.6	55.5
1989.....	6.3	*	*	*	*	*	0.2	1.6	10.9	31.3	55.7	53.4
1988.....	6.3	*	*	*	*	*	0.2	1.7	10.7	32.6	55.9	55.9
1987.....	6.0	*	*	*	*	*	0.2	1.8	10.4	30.0	53.5	51.5
1986.....	6.0	*	*	*	*	*	0.2	2.1	10.3	31.2	53.8	49.9
1985.....	5.9	*	*	*	*	*	0.2	2.0	10.2	31.5	53.0	49.3
1984.....	5.6	*	*	*	*	*	0.2	1.8	10.0	29.7	50.2	48.9
1983.....	5.7	*	*	*	*	*	0.2	2.1	10.1	30.5	50.5	49.3
1982.....	5.5	*	*	*	*	*	0.2	2.1	10.0	30.0	49.2	47.4
1981.....	5.8	*	*	*	*	*	0.3	2.4	10.6	32.6	50.7	49.9
1980.....	6.1	0.1	-	0.0	0.0	0.1	0.3	2.4	11.3	33.5	55.1	56.9
1979.....	6.0	0.1	0.0	0.0	0.0	0.1	0.4	2.7	11.5	33.6	53.4	52.7

00/04/10 TABLE 290
 CAUSE OF DEATH CODE,
 RACE, SEX, AND YEAR
 EMPHYSEMA (492)

DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 674

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	7.1	*	*	*	*	*	0.2	1.5	10.3	38.3	74.5	100.8
1997.....	7.2	*	*	*	*	*	0.3	1.6	10.2	39.8	77.7	109.9
1996.....	7.3	*	*	*	*	*	0.2	1.7	10.6	38.0	82.1	111.2
1995.....	7.3	*	*	*	*	*	0.2	2.0	11.5	37.9	81.6	113.6
1994.....	7.6	*	*	*	*	*	0.2	1.7	11.5	40.6	85.5	122.4
1993.....	7.9	*	*	*	*	*	0.2	1.9	12.5	41.9	91.8	119.7
1992.....	7.6	*	*	*	*	*	0.3	1.7	11.9	41.8	85.8	122.5
1991.....	7.8	*	*	*	*	*	0.2	2.0	12.4	41.9	91.4	123.3
1990.....	7.8	*	*	*	*	*	0.3	1.9	12.9	42.9	92.7	115.7
1989.....	7.7	*	*	*	*	*	0.2	1.9	13.1	43.1	91.4	116.5
1988.....	8.1	*	*	*	*	*	0.3	1.9	13.7	45.5	98.0	123.7
1987.....	7.8	*	*	*	*	*	0.3	2.1	13.5	42.8	96.7	108.5
1986.....	8.0	*	*	*	*	*	0.3	2.6	13.6	46.3	97.5	113.0
1985.....	8.1	*	*	*	*	*	0.3	2.6	13.3	47.6	99.0	117.5
1984.....	7.8	*	*	*	*	*	0.3	2.2	13.7	45.5	96.2	111.0
1983.....	8.1	*	*	*	*	*	0.3	2.6	14.1	48.5	98.7	117.9
1982.....	8.0	*	*	*	*	*	0.3	2.7	13.7	49.3	98.6	115.5
1981.....	8.6	*	*	*	*	*	0.4	3.3	15.2	54.5	101.8	120.4
1980.....	9.2	0.1	-	0.0	0.0	0.1	0.4	3.2	16.7	56.4	115.4	131.9
1979.....	9.3	-	0.0	0.0	0.0	0.1	0.5	3.7	17.4	59.3	111.2	125.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 675												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR EMPHYSEMA (492)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	5.9	*	*	*	*	*	0.1	1.3	7.5	26.4	44.1	42.9
1997.....	5.9	*	*	*	*	*	0.2	1.1	7.9	25.5	43.8	42.8
1996.....	5.8	*	*	*	*	*	0.1	1.2	7.8	24.9	44.1	41.8
1995.....	5.6	*	*	*	*	*	0.1	1.3	8.1	24.5	41.8	40.2
1994.....	5.7	*	*	*	*	*	0.1	1.2	8.7	24.8	41.8	40.5
1993.....	5.8	*	*	*	*	*	*	1.2	9.3	26.1	42.5	37.4
1992.....	5.3	*	*	*	*	*	0.1	1.3	7.9	24.2	38.0	36.9
1991.....	5.3	*	*	*	*	*	0.1	1.5	8.4	23.9	38.3	36.6
1990.....	4.9	*	*	*	*	*	0.1	1.5	8.3	22.2	35.1	32.3
1989.....	4.9	*	*	*	*	*	0.1	1.3	9.0	22.2	34.4	28.9
1988.....	4.6	*	*	*	*	*	0.1	1.5	8.0	22.5	30.9	29.5
1987.....	4.3	*	*	*	*	*	0.1	1.6	7.7	20.0	28.0	29.0
1986.....	4.1	*	*	*	*	*	*	1.7	7.5	19.6	28.0	24.9
1985.....	3.9	*	*	*	*	*	0.1	1.5	7.5	19.1	26.0	22.1
1984.....	3.6	*	*	*	*	*	0.1	1.3	6.7	17.6	23.2	23.8
1983.....	3.4	*	*	*	*	*	0.2	1.6	6.5	16.6	22.1	21.2
1982.....	3.2	*	*	*	*	*	0.2	1.6	6.7	15.2	20.1	19.1
1981.....	3.2	*	*	*	*	*	0.2	1.6	6.5	15.9	20.6	19.8
1980.....	3.2	0.1	-	-	0.0	0.0	0.2	1.7	6.7	15.9	19.6	24.1
1979.....	2.9	0.1	0.0	-	0.0	0.0	0.3	1.7	6.3	13.9	19.2	20.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 676												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
EMPHYSEMA (492)												
WHITE, BOTH SEXES												
1998.....	7.4	*	*	*	*	*	0.2	1.4	9.3	33.9	59.5	63.2
1997.....	7.5	*	*	*	*	*	0.2	1.3	9.6	34.0	60.4	65.3
1996.....	7.4	*	*	*	*	*	0.1	1.4	9.6	32.8	62.1	64.2
1995.....	7.3	*	*	*	*	*	0.1	1.7	10.4	32.4	59.9	63.5
1994.....	7.5	*	*	*	*	*	0.2	1.5	10.6	33.7	61.8	66.0
1993.....	7.7	*	*	*	*	*	0.1	1.6	11.6	34.9	64.3	62.7
1992.....	7.2	*	*	*	*	*	0.2	1.5	10.4	33.7	59.0	63.2
1991.....	7.4	*	*	*	*	*	0.2	1.8	10.9	33.5	61.7	63.9
1990.....	7.1	*	*	*	*	*	0.2	1.7	11.0	33.0	59.5	58.3
1989.....	7.0	*	*	*	*	*	0.2	1.7	11.5	32.9	58.6	55.4
1988.....	7.1	*	*	*	*	*	0.2	1.7	11.1	34.2	58.5	58.8
1987.....	6.7	*	*	*	*	*	0.2	1.9	10.9	31.5	56.5	53.5
1986.....	6.7	*	*	*	*	*	0.2	2.2	10.7	32.9	56.8	52.3
1985.....	6.6	*	*	*	*	*	0.2	2.0	10.7	33.2	55.6	51.2
1984.....	6.3	*	*	*	*	*	0.2	1.7	10.5	31.3	52.8	51.0
1983.....	6.3	*	*	*	*	*	0.2	2.2	10.4	32.2	53.2	51.3
1982.....	6.1	*	*	*	*	*	0.2	2.2	10.4	31.7	51.9	49.9
1981.....	6.5	*	*	*	*	*	0.3	2.4	11.0	34.6	53.4	52.2
1980.....	6.8	0.1	-	0.0	0.0	0.0	0.3	2.5	11.7	35.5	58.4	59.5
1979.....	6.7	0.1	0.0	-	0.0	0.0	0.3	2.7	12.0	35.5	56.5	55.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 677
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR EMPHYSEMA (492)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	7.9	*	*	*	*	*	0.2	1.4	10.6	40.3	77.7	107.1
1997.....	8.1	*	*	*	*	*	0.3	1.5	10.7	41.5	80.7	114.9
1996.....	8.1	*	*	*	*	*	0.2	1.6	10.8	39.8	85.2	116.1
1995.....	8.1	*	*	*	*	*	0.1	2.0	11.8	39.5	83.9	118.2
1994.....	8.4	*	*	*	*	*	0.2	1.7	11.8	42.4	88.9	127.2
1993.....	8.7	*	*	*	*	*	0.1	1.9	13.1	43.5	94.9	123.7
1992.....	8.4	*	*	*	*	*	0.2	1.6	12.2	43.4	88.8	127.2
1991.....	8.6	*	*	*	*	*	0.2	1.9	12.7	43.5	95.5	130.2
1990.....	8.6	*	*	*	*	*	0.3	1.8	13.2	44.5	96.2	122.0
1989.....	8.5	*	*	*	*	*	0.2	1.9	13.6	44.5	95.4	120.5
1988.....	8.9	*	*	*	*	*	0.2	1.9	14.0	46.5	101.1	130.2
1987.....	8.6	*	*	*	*	*	0.2	2.0	13.7	44.3	101.7	113.7
1986.....	8.8	*	*	*	*	*	0.2	2.7	13.8	48.1	102.1	119.3
1985.....	8.9	*	*	*	*	*	0.3	2.5	13.7	49.6	103.5	122.7
1984.....	8.5	*	*	*	*	*	0.3	2.0	14.3	47.2	100.9	117.2
1983.....	8.9	*	*	*	*	*	0.2	2.6	14.3	50.8	104.3	124.3
1982.....	8.8	*	*	*	*	*	0.3	2.6	14.1	51.7	104.3	122.3
1981.....	9.4	*	*	*	*	*	0.3	3.2	15.5	57.1	107.5	127.2
1980.....	10.1	0.1	-	0.0	0.0	0.1	0.3	3.2	16.9	59.5	122.7	138.9
1979.....	10.2	-	0.0	-	0.0	0.1	0.4	3.6	17.9	62.5	118.2	131.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 678
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR EMPHYSEMA (492)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	6.9	*	*	*	*	*	0.1	1.3	8.2	28.7	47.3	45.2
1997.....	6.8	*	*	*	*	*	0.2	1.2	8.7	27.9	47.0	45.5
1996.....	6.7	*	*	*	*	*	*	1.3	8.5	27.1	47.2	43.9
1995.....	6.5	*	*	*	*	*	0.1	1.4	9.0	26.7	44.5	42.4
1994.....	6.6	*	*	*	*	*	0.1	1.2	9.5	26.8	44.7	42.7
1993.....	6.7	*	*	*	*	*	*	1.3	10.3	28.0	45.3	39.6
1992.....	6.1	*	*	*	*	*	*	1.4	8.7	26.0	40.7	38.9
1991.....	6.2	*	*	*	*	*	0.1	1.6	9.1	25.6	41.2	38.8
1990.....	5.7	*	*	*	*	*	*	1.6	9.0	24.0	37.6	34.2
1989.....	5.6	*	*	*	*	*	*	1.4	9.7	23.8	36.8	30.5
1988.....	5.4	*	*	*	*	*	0.1	1.6	8.5	24.5	33.2	31.4
1987.....	4.9	*	*	*	*	*	0.2	1.7	8.3	21.5	29.9	30.2
1986.....	4.7	*	*	*	*	*	*	1.8	8.0	21.1	30.3	26.1
1985.....	4.4	*	*	*	*	*	0.2	1.6	8.0	20.6	27.5	23.2
1984.....	4.1	*	*	*	*	*	*	1.4	7.2	19.0	24.8	24.8
1983.....	3.9	*	*	*	*	*	0.2	1.8	7.0	18.0	23.4	21.9
1982.....	3.6	*	*	*	*	*	0.2	1.7	7.1	16.4	21.4	20.2
1981.....	3.6	*	*	*	*	*	0.2	1.7	7.0	17.3	21.9	20.9
1980.....	3.6	0.1	-	-	0.0	0.0	0.2	1.9	7.1	17.0	20.8	25.3
1979.....	3.3	0.1	0.0	-	0.0	0.0	0.3	1.8	6.7	14.8	20.3	21.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	679
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
EMPHYSEMA (492)													
ALL OTHER, BOTH SEXES													
1998	2.2	*	*	*	*	*	0.3	1.5	5.7	15.6	25.7	29.1
1997	2.2	*	*	*	*	*	*	1.4	4.8	16.0	27.1	31.3
1996	2.3	*	*	*	*	*	0.3	1.3	5.8	15.0	29.0	36.0
1995	2.2	*	*	*	*	*	0.3	1.4	5.4	14.8	32.0	33.2
1994	2.3	*	*	*	*	*	0.4	1.2	6.1	16.4	28.1	34.9
1993	2.4	*	*	*	*	*	0.4	1.5	5.6	18.5	32.3	35.1
1992	2.3	*	*	*	*	*	*	1.4	5.8	17.5	28.4	35.0
1991	2.2	*	*	*	*	*	*	1.7	6.2	17.4	25.3	27.7
1990	2.2	*	*	*	*	*	*	1.5	6.7	16.1	28.6	25.3
1989	2.2	*	*	*	*	*	*	1.3	6.4	17.3	26.6	32.8
1988	2.4	*	*	*	*	*	0.4	1.3	7.3	18.4	30.2	25.4
1987	2.2	*	*	*	*	*	0.4	1.5	7.2	16.0	24.3	29.6
1986	2.1	*	*	*	*	*	*	1.8	7.2	16.0	23.3	24.2
1985	2.2	*	*	*	*	*	*	2.1	6.6	16.1	27.3	28.6
1984	2.0	*	*	*	*	*	*	2.1	5.5	15.2	24.0	25.3
1983	2.1	*	*	*	*	*	0.5	1.5	7.0	14.5	22.4	27.3
1982	1.9	*	*	*	*	*	*	1.8	6.1	14.5	21.0	20.1
1981	2.1	*	*	*	*	*	0.6	2.1	7.0	15.2	21.8	22.6
1980	2.2	-	-	0.0	0.0	0.2	0.6	2.0	7.9	15.1	21.3	26.8
1979	2.2	-	-	0.0	0.0	0.1	0.7	2.7	7.3	15.9	21.5	22.4

00/04/10 TABLE 290
 CAUSE OF DEATH CODE,
 RACE, SEX, AND YEAR
 EMPHYSEMA (492)

DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 680

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	2.9	*	*	*	*	*	*	1.9	8.4	22.9	43.3	46.0
1997.....	3.0	*	*	*	*	*	*	2.1	7.1	26.4	47.8	66.4
1996.....	3.1	*	*	*	*	*	*	1.9	8.7	23.4	51.1	68.9
1995.....	3.2	*	*	*	*	*	*	2.0	9.1	24.3	58.5	70.3
1994.....	3.2	*	*	*	*	*	*	1.8	9.2	25.8	52.0	77.3
1993.....	3.5	*	*	*	*	*	*	2.3	8.6	28.5	60.6	83.0
1992.....	3.4	*	*	*	*	*	*	2.2	9.8	28.1	55.8	78.5
1991.....	3.2	*	*	*	*	*	*	2.7	9.5	28.1	50.7	59.3
1990.....	3.3	*	*	*	*	*	*	2.4	10.2	28.7	57.8	56.5
1989.....	3.4	*	*	*	*	*	*	2.0	9.2	30.1	52.5	79.0
1988.....	4.0	*	*	*	*	*	*	1.9	11.4	35.8	68.4	63.3
1987.....	3.4	*	*	*	*	*	*	2.6	11.8	29.4	48.2	59.7
1986.....	3.5	*	*	*	*	*	*	2.5	12.3	29.7	53.3	53.3
1985.....	3.6	*	*	*	*	*	*	3.6	10.6	29.3	55.3	68.5
1984.....	3.3	*	*	*	*	*	*	3.6	8.9	29.3	50.3	52.8
1983.....	3.4	*	*	*	*	*	*	2.5	12.5	27.5	44.9	55.7
1982.....	3.2	*	*	*	*	*	*	3.2	9.9	27.2	44.1	49.3
1981.....	3.6	*	*	*	*	*	*	3.8	12.7	30.1	46.2	53.1
1980.....	3.6	-	-	0.0	0.0	0.2	1.0	3.5	14.3	27.5	43.9	60.9
1979.....	3.7	-	-	0.0	-	0.1	1.2	4.4	12.8	29.8	43.7	59.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 681												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
EMPHYSEMA (492)												
ALL OTHER FEMALE												
1998.....	1.6	*	*	*	*	*	*	1.0	3.5	10.3	14.6	21.4
1997.....	1.4	*	*	*	*	*	*	0.8	3.0	8.5	14.4	15.4
1996.....	1.5	*	*	*	*	*	*	0.9	3.6	8.9	15.5	21.2
1995.....	1.3	*	*	*	*	*	*	0.9	2.5	7.8	16.1	17.2
1994.....	1.4	*	*	*	*	*	*	*	3.6	9.7	13.9	16.5
1993.....	1.5	*	*	*	*	*	*	*	3.3	11.2	15.5	14.3
1992.....	1.3	*	*	*	*	*	*	*	2.6	9.8	12.1	15.4
1991.....	1.3	*	*	*	*	*	*	*	3.6	9.8	10.0	13.2
1990.....	1.1	*	*	*	*	*	*	*	4.0	7.1	11.0	11.2
1989.....	1.2	*	*	*	*	*	*	*	4.2	8.2	10.9	11.4
1988.....	1.0	*	*	*	*	*	*	*	4.1	5.9	7.1	*
1987.....	1.0	*	*	*	*	*	*	*	3.5	6.4	9.6	15.3
1986.....	0.9	*	*	*	*	*	*	1.2	3.1	6.2	4.7	*
1985.....	1.0	*	*	*	*	*	*	*	3.4	6.6	9.7	*
1984.....	0.9	*	*	*	*	*	*	*	2.8	5.0	7.4	*
1983.....	0.9	*	*	*	*	*	*	*	2.5	5.1	8.1	*
1982.....	0.8	*	*	*	*	*	*	*	2.9	5.1	6.1	*
1981.....	0.7	*	*	*	*	*	*	*	2.4	4.1	5.9	*
1980.....	0.8	-	-	-	-	0.1	0.2	0.8	2.7	5.6	6.4	9.3
1979.....	0.8	-	-	-	0.0	0.1	0.3	1.3	2.9	5.3	6.6	3.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	682
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
EMPHYSEMA (492)													
BLACK, BOTH SEXES													
1998.....		2.6	*	*	*	*	*	0.4	1.8	6.8	17.9	28.2	30.4
1997.....		2.5	*	*	*	*	*	*	1.7	5.9	18.3	28.7	31.5
1996.....		2.6	*	*	*	*	*	0.4	1.6	7.2	17.1	31.1	35.3
1995.....		2.6	*	*	*	*	*	0.4	1.9	6.6	16.2	33.4	31.7
1994.....		2.6	*	*	*	*	*	0.5	1.4	7.5	18.5	29.6	33.3
1993.....		2.8	*	*	*	*	*	0.6	2.0	6.7	19.7	31.9	34.7
1992.....		2.6	*	*	*	*	*	*	1.9	6.6	19.6	29.4	34.6
1991.....		2.5	*	*	*	*	*	*	2.2	7.2	19.1	25.1	28.0
1990.....		2.5	*	*	*	*	*	*	1.9	7.7	17.9	28.5	24.3
1989.....		2.5	*	*	*	*	*	*	1.7	7.2	18.7	27.3	31.8
1988.....		2.7	*	*	*	*	*	0.5	1.6	8.1	20.3	31.4	22.9
1987.....		2.5	*	*	*	*	*	0.5	1.9	8.3	17.6	23.5	25.0
1986.....		2.4	*	*	*	*	*	*	2.2	8.4	17.8	22.6	23.9
1985.....		2.4	*	*	*	*	*	*	2.4	7.0	17.2	25.4	28.7
1984.....		2.2	*	*	*	*	*	*	2.6	6.2	15.8	23.0	23.2
1983.....		2.2	*	*	*	*	*	0.7	1.9	8.0	15.0	20.6	26.1
1982.....		2.1	*	*	*	*	*	*	2.2	7.0	15.1	20.8	19.3
1981.....		2.4	*	*	*	*	*	0.8	2.5	7.9	16.5	22.6	24.4
1980.....		2.3	-	-	0.0	0.0	0.2	0.7	2.2	8.8	15.8	20.9	25.1
1979.....		2.4	-	-	0.0	0.0	0.1	0.8	3.1	7.9	16.4	22.1	20.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 683
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR EMPHYSEMA (492)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	3.3	*	*	*	*	*	*	2.4	10.1	26.3	47.8	46.7
1997.....	3.5	*	*	*	*	*	*	2.7	8.9	29.9	50.8	70.1
1996.....	3.6	*	*	*	*	*	*	2.5	11.0	26.7	54.7	76.8
1995.....	3.7	*	*	*	*	*	*	2.7	11.5	26.3	61.0	69.4
1994.....	3.7	*	*	*	*	*	*	2.3	11.4	28.7	55.0	72.0
1993.....	3.9	*	*	*	*	*	*	3.0	10.3	30.8	62.4	84.7
1992.....	3.9	*	*	*	*	*	*	2.9	11.5	31.9	59.7	80.4
1991.....	3.6	*	*	*	*	*	*	3.5	11.1	31.2	52.1	62.3
1990.....	3.8	*	*	*	*	*	*	3.0	12.0	31.8	59.9	58.9
1989.....	3.8	*	*	*	*	*	*	2.8	10.1	33.2	56.4	78.8
1988.....	4.6	*	*	*	*	*	*	2.5	12.5	40.7	74.5	55.4
1987.....	3.9	*	*	*	*	*	*	3.3	13.9	32.9	47.9	54.7
1986.....	4.0	*	*	*	*	*	*	3.2	14.4	33.7	53.4	54.0
1985.....	3.9	*	*	*	*	*	*	4.2	10.9	32.4	52.9	67.7
1984.....	3.6	*	*	*	*	*	*	4.5	10.1	30.1	49.4	47.5
1983.....	3.7	*	*	*	*	*	*	3.2	14.4	28.8	40.9	55.0
1982.....	3.5	*	*	*	*	*	*	3.8	11.4	29.0	44.4	48.3
1981.....	4.1	*	*	*	*	*	*	4.5	14.6	33.6	48.5	57.1
1980.....	4.0	-	-	0.0	0.0	0.3	1.3	3.9	16.3	29.8	44.3	58.5
1979.....	4.1	-	-	0.0	-	0.1	1.4	5.1	14.1	31.7	45.0	53.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 684												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
EMPHYSEMA (492)												
BLACK FEMALE												
1998.....	1.9	*	*	*	*	*	*	1.3	4.2	11.8	16.5	23.6
1997.....	1.6	*	*	*	*	*	*	*	3.7	9.9	15.8	15.5
1996.....	1.7	*	*	*	*	*	*	*	4.3	10.3	17.4	18.2
1995.....	1.6	*	*	*	*	*	*	1.2	2.9	9.0	17.7	16.4
1994.....	1.7	*	*	*	*	*	*	*	4.5	11.2	15.2	17.5
1993.....	1.7	*	*	*	*	*	*	*	3.9	11.8	14.8	14.3
1992.....	1.5	*	*	*	*	*	*	*	2.9	11.0	12.5	15.5
1991.....	1.4	*	*	*	*	*	*	*	4.3	10.6	9.9	13.5
1990.....	1.3	*	*	*	*	*	*	*	4.4	8.3	10.9	*
1989.....	1.4	*	*	*	*	*	*	*	4.9	8.7	10.9	*
1988.....	1.1	*	*	*	*	*	*	*	4.6	6.1	6.8	*
1987.....	1.1	*	*	*	*	*	*	*	4.0	6.9	9.3	*
1986.....	1.0	*	*	*	*	*	*	*	3.6	6.6	4.5	*
1985.....	1.1	*	*	*	*	*	*	*	3.8	6.5	9.0	*
1984.....	1.0	*	*	*	*	*	*	*	3.1	5.7	7.2	*
1983.....	1.0	*	*	*	*	*	*	*	2.9	5.2	8.2	*
1982.....	0.9	*	*	*	*	*	*	*	3.5	5.2	6.2	*
1981.....	0.8	*	*	*	*	*	*	*	2.6	4.2	6.4	*
1980.....	0.9	-	-	-	-	0.1	0.3	0.9	2.8	5.5	6.1	8.5
1979.....	0.9	-	-	-	0.0	0.1	0.3	1.5	2.9	5.1	6.9	3.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 685												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ASTHMA (493)												
TOTAL, BOTH SEXES												
1998.....	2.0	*	0.2	0.3	0.6	0.7	1.1	1.9	3.0	5.3	10.0	19.9
1997.....	2.0	*	0.2	0.3	0.5	0.8	1.1	1.9	3.5	5.4	10.1	19.4
1996.....	2.1	*	0.2	0.4	0.6	0.7	1.1	2.0	3.8	5.9	10.3	19.6
1995.....	2.1	*	0.1	0.3	0.6	0.7	1.2	2.1	3.7	6.1	10.7	18.3
1994.....	2.1	*	0.2	0.3	0.6	0.7	1.0	2.0	3.7	6.5	10.6	18.3
1993.....	2.0	*	0.2	0.3	0.5	0.6	1.0	1.8	3.5	6.4	10.4	18.3
1992.....	1.9	*	0.2	0.2	0.5	0.5	0.9	1.8	3.3	6.3	10.4	18.7
1991.....	2.0	*	0.2	0.3	0.5	0.7	1.0	2.0	3.5	6.3	11.3	17.5
1990.....	1.9	*	0.2	0.3	0.4	0.5	0.9	2.0	3.5	6.2	10.7	16.9
1989.....	2.0	*	0.2	0.3	0.4	0.6	1.0	1.9	3.5	6.8	11.1	15.9
1988.....	1.9	*	*	0.3	0.4	0.5	1.0	1.8	3.6	6.2	10.3	14.9
1987.....	1.8	*	*	0.3	0.5	0.5	1.0	1.9	3.3	6.2	9.3	14.5
1986.....	1.6	*	*	0.3	0.4	0.5	0.8	1.6	3.1	5.7	9.2	12.8
1985.....	1.6	*	0.1	0.3	0.4	0.4	0.7	1.7	3.4	5.6	8.8	12.4
1984.....	1.5	*	*	0.2	0.3	0.4	0.7	1.6	3.0	5.4	8.1	11.7
1983.....	1.5	*	0.2	0.2	0.4	0.5	0.8	1.7	3.1	5.1	8.2	11.5
1982.....	1.4	*	0.2	0.2	0.4	0.4	0.6	1.5	2.6	4.9	7.2	9.6
1981.....	1.3	*	*	0.2	0.3	0.4	0.7	1.4	2.8	5.1	7.2	9.7
1980.....	1.3	0.2	0.2	0.2	0.2	0.4	0.6	1.4	2.4	4.9	7.7	9.9
1979.....	1.2	0.1	0.2	0.1	0.2	0.3	0.6	1.2	2.3	4.5	6.6	8.6

00/04/10 TABLE 290
 CAUSE OF DEATH CODE,
 RACE, SEX, AND YEAR
 ASTHMA (493)

DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 686

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	1.5	*	0.3	0.4	0.7	0.8	0.9	1.3	2.2	4.6	8.5	15.2
1997.....	1.5	*	0.3	0.3	0.6	0.8	0.9	1.3	2.7	4.7	7.9	15.5
1996.....	1.6	*	0.3	0.5	0.6	0.6	0.9	1.6	2.8	4.8	8.6	17.5
1995.....	1.6	*	*	0.5	0.6	0.7	0.9	1.6	2.9	5.0	8.8	17.9
1994.....	1.7	*	*	0.4	0.7	0.8	0.9	1.5	3.1	5.7	9.3	15.0
1993.....	1.5	*	0.2	0.4	0.6	0.5	0.8	1.4	3.0	5.4	9.0	17.0
1992.....	1.5	*	*	0.3	0.5	0.6	0.8	1.3	2.8	5.3	9.3	18.0
1991.....	1.6	*	*	0.4	0.5	0.6	0.9	1.5	2.7	5.2	10.1	16.1
1990.....	1.6	*	*	0.4	0.4	0.5	0.8	1.5	2.9	5.6	10.4	16.4
1989.....	1.5	*	*	0.3	0.4	0.6	0.8	1.6	2.6	5.9	9.9	16.2
1988.....	1.5	*	*	0.3	0.5	0.5	0.8	1.4	3.0	5.8	9.9	14.0
1987.....	1.5	*	*	0.4	0.5	0.5	0.9	1.4	2.9	5.8	8.8	13.0
1986.....	1.4	*	*	0.3	0.5	0.4	0.6	1.3	2.8	5.0	9.3	12.6
1985.....	1.3	*	*	0.3	0.4	0.4	0.6	1.3	3.0	5.1	9.3	12.6
1984.....	1.3	*	*	0.3	0.3	0.3	0.6	1.4	2.7	5.0	9.0	12.4
1983.....	1.3	*	0.3	0.3	0.3	0.4	0.6	1.3	2.7	5.0	8.5	12.2
1982.....	1.2	*	*	0.2	0.4	0.4	0.5	1.2	2.3	4.8	7.7	8.9
1981.....	1.2	*	*	0.2	0.3	0.4	0.5	1.1	2.6	4.9	7.9	10.7
1980.....	1.2	0.3	0.2	0.2	0.3	0.3	0.4	1.1	2.3	5.6	9.7	10.4
1979.....	1.0	0.2	0.1	0.1	0.2	0.3	0.5	1.0	2.2	4.9	7.4	9.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 687												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ASTHMA (493)	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE												
1998.....	2.5	*	*	0.3	0.4	0.7	1.3	2.4	3.6	5.8	10.9	21.8
1997.....	2.5	*	*	0.3	0.3	0.7	1.4	2.4	4.1	5.9	11.5	21.0
1996.....	2.7	*	*	0.3	0.5	0.8	1.4	2.4	4.7	6.7	11.4	20.5
1995.....	2.6	*	*	0.2	0.6	0.7	1.4	2.7	4.5	7.0	12.0	18.4
1994.....	2.5	*	*	0.2	0.5	0.7	1.2	2.5	4.3	7.2	11.4	19.6
1993.....	2.5	*	*	0.3	0.4	0.7	1.2	2.2	4.0	7.3	11.3	18.7
1992.....	2.4	*	*	0.2	0.4	0.5	1.1	2.3	3.8	7.1	11.0	18.9
1991.....	2.5	*	*	0.2	0.5	0.7	1.0	2.4	4.2	7.2	12.0	18.0
1990.....	2.3	*	*	0.2	0.4	0.6	1.0	2.4	4.1	6.7	10.9	17.2
1989.....	2.4	*	*	0.2	0.4	0.6	1.1	2.2	4.3	7.4	11.8	15.8
1988.....	2.2	*	*	0.2	0.4	0.5	1.1	2.2	4.2	6.6	10.6	15.2
1987.....	2.1	*	*	0.2	0.4	0.5	1.1	2.4	3.5	6.5	9.6	15.0
1986.....	1.9	*	*	0.3	0.4	0.5	0.9	1.8	3.4	6.3	9.2	12.8
1985.....	1.9	*	*	0.3	0.4	0.5	0.8	2.0	3.8	5.9	8.6	12.4
1984.....	1.7	*	*	0.2	0.3	0.5	0.8	1.8	3.4	5.8	7.6	11.4
1983.....	1.8	*	*	0.2	0.4	0.5	0.9	2.1	3.5	5.2	8.1	11.3
1982.....	1.5	*	*	0.2	0.3	0.4	0.7	1.8	2.9	5.0	7.0	9.9
1981.....	1.5	*	*	0.2	0.2	0.4	0.8	1.6	2.9	5.2	6.8	9.3
1980.....	1.4	0.1	0.1	0.2	0.2	0.4	0.7	1.6	2.6	4.4	6.6	9.7
1979.....	1.3	0.1	0.2	0.1	0.2	0.3	0.7	1.5	2.4	4.2	6.1	8.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 688												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ASTHMA (493)												
WHITE, BOTH SEXES												
1998.....	1.8	*	*	0.2	0.4	0.4	0.8	1.3	2.4	4.5	9.4	20.0
1997.....	1.8	*	*	0.2	0.4	0.5	0.8	1.4	2.7	4.7	9.6	19.5
1996.....	1.9	*	*	0.2	0.4	0.5	0.8	1.5	3.0	5.1	9.7	19.0
1995.....	1.9	*	*	0.2	0.4	0.5	0.9	1.6	3.1	5.4	10.2	18.3
1994.....	1.9	*	*	0.2	0.4	0.5	0.7	1.5	3.1	6.0	10.2	18.6
1993.....	1.8	*	*	0.2	0.4	0.4	0.7	1.3	2.8	5.9	10.1	18.2
1992.....	1.8	*	*	0.1	0.3	0.4	0.7	1.4	2.7	5.8	10.1	18.4
1991.....	1.9	*	*	0.2	0.3	0.4	0.7	1.5	2.9	5.8	11.1	17.9
1990.....	1.8	*	*	0.2	0.3	0.4	0.6	1.4	3.0	5.7	10.4	17.2
1989.....	1.8	*	*	0.2	0.3	0.4	0.6	1.5	3.0	6.2	10.8	16.1
1988.....	1.7	*	*	0.2	0.3	0.4	0.7	1.3	2.9	5.6	10.1	15.2
1987.....	1.6	*	*	0.2	0.3	0.3	0.7	1.4	2.7	5.7	9.1	14.5
1986.....	1.5	*	*	0.2	0.3	0.3	0.5	1.1	2.5	5.2	9.2	13.0
1985.....	1.5	*	*	0.2	0.2	0.3	0.5	1.3	3.0	5.2	8.7	12.6
1984.....	1.4	*	*	0.2	0.2	0.3	0.5	1.2	2.6	5.2	7.8	11.7
1983.....	1.4	*	*	0.1	0.2	0.3	0.5	1.3	2.6	4.8	8.2	11.7
1982.....	1.2	*	*	0.1	0.3	0.3	0.4	1.2	2.3	4.7	7.2	9.9
1981.....	1.2	*	*	0.2	0.2	0.3	0.5	1.1	2.5	4.7	7.2	10.0
1980.....	1.2	0.2	0.1	0.1	0.2	0.2	0.4	1.1	2.2	4.6	7.7	9.8
1979.....	1.1	0.2	0.1	0.1	0.2	0.2	0.4	1.0	2.1	4.4	6.6	8.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 689
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ASTHMA (493) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	1.2	*	*	0.2	0.4	0.4	0.6	0.9	1.7	3.8	7.9	15.2
1997.....	1.3	*	*	0.2	0.5	0.5	0.6	1.0	2.0	4.3	7.4	15.0
1996.....	1.3	*	*	0.3	0.4	0.4	0.6	1.2	2.2	4.1	8.0	16.9
1995.....	1.4	*	*	0.2	0.4	0.5	0.7	1.1	2.4	4.3	8.2	17.3
1994.....	1.4	*	*	0.2	0.5	0.4	0.6	1.0	2.5	5.2	8.8	15.2
1993.....	1.3	*	*	0.2	0.4	0.3	0.5	1.1	2.4	4.6	8.4	16.8
1992.....	1.3	*	*	0.1	0.3	0.4	0.6	0.9	2.1	4.6	9.0	17.4
1991.....	1.3	*	*	0.2	0.3	0.4	0.6	1.1	2.1	4.7	9.6	16.2
1990.....	1.3	*	*	0.2	0.3	0.4	0.5	1.1	2.3	5.0	9.7	16.1
1989.....	1.3	*	*	0.2	0.3	0.4	0.5	1.1	2.2	5.2	9.4	16.3
1988.....	1.3	*	*	0.2	0.3	0.3	0.6	1.0	2.3	5.1	9.3	14.4
1987.....	1.2	*	*	0.2	0.3	0.3	0.6	1.0	2.4	5.1	8.2	12.8
1986.....	1.2	*	*	0.2	0.3	0.3	0.5	0.9	2.3	4.5	9.1	12.8
1985.....	1.2	*	*	0.2	0.2	0.2	0.4	1.0	2.5	4.6	9.0	12.5
1984.....	1.1	*	*	0.2	0.2	0.2	0.5	1.0	2.2	4.6	8.6	11.7
1983.....	1.1	*	*	0.1	0.2	0.2	0.5	1.0	2.2	4.6	8.3	12.2
1982.....	1.0	*	*	*	0.3	0.3	0.3	0.9	1.9	4.5	7.6	9.1
1981.....	1.0	*	*	0.2	0.2	0.2	0.4	0.9	2.3	4.3	7.8	10.8
1980.....	1.1	0.2	0.1	0.1	0.2	0.2	0.2	0.9	1.9	5.2	9.5	10.1
1979.....	1.0	0.3	0.1	0.1	0.2	0.2	0.4	0.8	2.0	4.7	7.3	8.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 690												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ASTHMA (493)												
WHITE FEMALE												
1998.....	2.3	*	*	0.2	0.3	0.4	1.0	1.8	3.0	5.1	10.5	22.0
1997.....	2.3	*	*	0.2	0.2	0.5	1.0	1.9	3.4	5.1	11.1	21.3
1996.....	2.4	*	*	0.1	0.4	0.6	1.0	1.9	3.8	6.0	10.8	19.8
1995.....	2.5	*	*	0.2	0.5	0.6	1.1	2.0	3.8	6.3	11.5	18.7
1994.....	2.4	*	*	*	0.3	0.5	0.8	1.9	3.6	6.7	11.1	19.9
1993.....	2.3	*	*	0.2	0.3	0.5	0.8	1.5	3.2	6.9	11.2	18.7
1992.....	2.2	*	*	*	0.3	0.4	0.8	1.8	3.1	6.7	10.8	18.8
1991.....	2.3	*	*	0.2	0.3	0.5	0.7	1.8	3.6	6.8	12.0	18.5
1990.....	2.2	*	*	0.2	0.3	0.3	0.7	1.8	3.6	6.3	10.8	17.7
1989.....	2.3	*	*	0.1	0.3	0.4	0.8	1.8	3.6	6.9	11.6	16.1
1988.....	2.1	*	*	*	0.3	0.4	0.8	1.6	3.5	5.9	10.6	15.5
1987.....	2.0	*	*	0.2	0.3	0.3	0.9	1.8	3.1	6.0	9.6	15.1
1986.....	1.8	*	*	0.2	0.2	0.4	0.6	1.3	2.8	5.8	9.2	13.1
1985.....	1.8	*	*	0.2	0.3	0.3	0.7	1.6	3.4	5.6	8.5	12.6
1984.....	1.6	*	*	*	0.2	0.3	0.5	1.4	3.0	5.6	7.4	11.7
1983.....	1.6	*	*	*	0.3	0.3	0.6	1.6	3.0	5.0	8.1	11.5
1982.....	1.4	*	*	*	0.3	0.3	0.5	1.3	2.6	4.8	7.0	10.2
1981.....	1.4	*	*	*	0.2	0.3	0.6	1.3	2.7	5.0	6.9	9.6
1980.....	1.3	0.1	0.1	0.1	0.1	0.2	0.6	1.3	2.3	4.2	6.6	9.7
1979.....	1.2	0.1	0.2	0.1	0.2	0.2	0.5	1.2	2.2	4.2	6.2	8.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 691
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ASTHMA (493)												
ALL OTHER, BOTH SEXES												
1998.....	3.2	*	0.6	0.8	1.4	1.9	2.7	4.8	6.5	10.8	14.7	19.1
1997.....	3.1	*	0.6	0.8	0.9	1.8	2.8	4.6	8.2	10.1	14.6	18.0
1996.....	3.4	*	0.7	1.0	1.5	1.8	2.8	4.7	8.7	11.5	16.0	25.9
1995.....	3.2	*	*	0.9	1.4	1.5	2.7	5.3	7.7	11.8	15.6	17.9
1994.....	3.1	*	*	0.8	1.3	1.9	2.6	5.1	7.9	10.7	14.1	15.0
1993.....	2.9	*	0.6	0.7	1.1	1.5	2.7	4.4	8.2	10.7	12.8	18.9
1992.....	2.8	*	0.7	0.7	1.1	1.4	2.0	4.6	7.7	10.7	13.2	21.2
1991.....	2.9	*	*	0.7	1.2	1.6	2.6	5.0	7.9	10.3	13.0	13.5
1990.....	2.8	*	*	0.7	0.9	1.5	2.4	5.5	7.3	10.4	14.0	13.8
1989.....	2.8	*	*	0.6	0.8	1.5	2.6	4.8	7.4	11.9	14.3	14.1
1988.....	2.9	*	*	0.7	1.0	1.4	2.8	5.1	8.9	11.9	12.4	11.3
1987.....	2.8	*	*	0.8	1.1	1.2	2.5	5.1	7.3	11.1	11.3	14.2
1986.....	2.5	*	*	0.7	1.1	1.1	2.0	4.5	7.6	10.1	10.0	10.4
1985.....	2.4	*	*	0.8	1.1	1.2	2.0	4.2	6.8	8.9	10.1	11.2
1984.....	2.2	*	*	0.6	0.8	1.1	2.4	3.9	6.5	7.9	10.8	11.5
1983.....	2.4	*	*	0.7	0.9	1.4	2.3	4.6	7.0	7.7	8.8	9.6
1982.....	2.1	*	*	0.5	1.0	1.3	2.1	4.1	5.7	7.1	7.3	*
1981.....	1.9	*	*	0.5	0.7	1.2	2.0	3.4	4.9	8.4	7.3	*
1980.....	1.9	0.5	0.5	0.5	0.7	1.2	1.6	3.2	4.9	7.5	8.3	11.1
1979.....	1.6	-	0.2	0.2	0.6	1.1	1.8	3.0	4.8	5.8	5.9	9.8

00/04/10 TABLE 290
 CAUSE OF DEATH CODE,
 RACE, SEX, AND YEAR
 ASTHMA (493)

DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 692

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	2.8	*	*	1.1	1.8	2.2	2.3	3.4	5.7	10.6	14.4	*
1997.....	2.7	*	*	0.8	1.3	2.2	2.4	3.6	7.7	8.2	13.2	19.2
1996.....	3.0	*	*	1.1	1.8	1.8	2.6	3.8	7.1	10.9	14.4	22.7
1995.....	2.9	*	*	1.4	1.8	1.8	2.4	4.5	6.4	11.2	14.6	23.4
1994.....	2.9	*	*	1.0	1.8	2.4	2.3	4.3	7.5	9.8	14.8	*
1993.....	2.7	*	*	0.9	1.5	1.3	2.5	3.0	7.4	11.6	14.6	*
1992.....	2.5	*	*	0.8	1.4	1.7	1.8	3.3	7.4	10.7	12.5	23.9
1991.....	2.7	*	*	0.8	1.5	1.7	2.6	4.1	7.4	10.4	14.5	*
1990.....	2.8	*	*	1.0	1.1	1.5	2.5	4.7	7.4	11.0	17.0	*
1989.....	2.6	*	*	0.7	1.1	1.8	2.6	4.6	5.8	12.2	14.6	*
1988.....	2.9	*	*	0.8	1.4	1.7	2.6	4.4	9.1	11.8	15.8	*
1987.....	2.7	*	*	1.2	1.3	1.4	2.4	4.1	7.8	11.5	14.3	*
1986.....	2.3	*	*	0.9	1.3	1.1	1.7	4.0	7.3	9.1	11.3	*
1985.....	2.4	*	*	0.8	1.3	1.4	2.3	3.8	7.0	9.3	11.6	*
1984.....	2.2	*	*	0.7	0.8	0.9	1.9	3.8	7.0	8.7	11.9	*
1983.....	2.3	*	*	0.9	1.0	1.5	1.9	3.6	6.8	8.8	10.2	*
1982.....	2.1	*	*	*	1.2	1.5	2.0	3.1	6.1	7.6	8.4	*
1981.....	2.0	*	*	*	1.0	1.3	1.6	3.0	5.3	10.5	8.7	*
1980.....	1.9	0.9	0.6	0.6	0.8	1.0	1.5	2.6	5.4	8.3	11.6	13.2
1979.....	1.6	-	0.2	0.2	0.6	1.1	1.7	2.6	4.8	6.9	8.2	18.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 693												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ASTHMA (493)												
ALL OTHER FEMALE												
1998.....	3.5	*	*	0.6	1.0	1.6	3.0	6.0	7.2	10.8	14.9	20.7
1997.....	3.4	*	*	0.7	0.6	1.5	3.1	5.4	8.6	11.4	15.5	17.4
1996.....	3.8	*	*	0.9	1.1	1.7	3.0	5.5	10.0	11.9	17.0	27.3
1995.....	3.4	*	*	*	1.1	1.3	3.0	6.1	8.8	12.2	16.2	15.4
1994.....	3.2	*	*	0.6	0.9	1.4	2.9	5.8	8.1	11.4	13.7	16.0
1993.....	3.2	*	*	0.5	0.8	1.6	2.9	5.6	8.8	10.1	11.8	19.0
1992.....	3.0	*	*	0.6	0.9	1.0	2.3	5.6	7.9	10.7	13.7	20.0
1991.....	3.0	*	*	*	0.9	1.6	2.6	5.8	8.3	10.2	12.0	12.7
1990.....	2.9	*	*	*	0.8	1.5	2.4	6.2	7.1	10.0	12.2	11.2
1989.....	3.0	*	*	*	*	1.2	2.6	5.0	8.7	11.7	14.1	13.1
1988.....	3.0	*	*	0.6	0.7	1.1	2.9	5.6	8.8	11.9	10.4	11.8
1987.....	2.8	*	*	*	1.0	1.1	2.6	6.0	7.0	10.8	9.4	13.5
1986.....	2.7	*	*	*	0.9	1.2	2.3	4.9	7.9	10.8	9.2	*
1985.....	2.4	*	*	0.9	0.8	1.0	1.7	4.5	6.6	8.6	9.1	*
1984.....	2.3	*	*	*	0.7	1.2	2.8	4.1	6.1	7.4	10.1	*
1983.....	2.4	*	*	*	0.8	1.3	2.7	5.5	7.1	6.9	7.8	*
1982.....	2.1	*	*	*	0.8	1.1	2.2	4.8	5.3	6.7	6.6	*
1981.....	1.8	*	*	*	*	1.1	2.2	3.7	4.7	6.7	6.4	*
1980.....	1.9	-	0.4	0.4	0.6	1.4	1.7	3.8	4.5	6.9	6.2	10.1
1979.....	1.7	-	0.2	0.2	0.7	1.1	1.9	3.4	4.9	5.0	4.3	5.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	694
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ASTHMA (493)													
BLACK, BOTH SEXES													
1998.....		3.7	*	*	1.0	1.8	2.4	3.5	6.3	7.8	11.6	14.6	16.0
1997.....		3.5	*	*	1.0	1.1	2.4	3.4	5.7	9.2	10.0	14.1	17.1
1996.....		4.0	*	0.8	1.2	1.8	2.2	3.6	6.0	9.8	11.7	16.2	25.8
1995.....		3.8	*	*	1.2	1.8	2.1	3.3	6.6	8.9	12.8	15.3	16.8
1994.....		3.6	*	*	1.0	1.6	2.5	3.3	6.2	9.4	11.2	13.7	14.4
1993.....		3.5	*	*	0.9	1.5	1.9	3.4	5.4	9.8	11.6	13.1	17.1
1992.....		3.3	*	0.9	0.8	1.4	1.7	2.6	5.7	9.0	11.1	13.5	19.8
1991.....		3.3	*	*	0.9	1.5	2.0	3.3	6.6	9.1	10.5	11.8	9.1
1990.....		3.2	*	*	0.9	1.1	1.8	3.1	6.8	8.1	11.0	12.4	12.6
1989.....		3.3	*	*	0.7	1.0	1.8	3.3	5.8	8.2	12.7	14.7	13.2
1988.....		3.4	*	*	0.8	1.2	1.7	3.5	6.0	10.4	12.8	12.1	12.1
1987.....		3.1	*	*	1.0	1.4	1.6	3.3	6.0	8.0	11.7	9.9	13.5
1986.....		2.9	*	*	0.8	1.3	1.4	2.5	5.3	8.7	10.7	9.3	*
1985.....		2.7	*	*	1.0	1.2	1.5	2.6	4.9	7.6	9.6	9.7	*
1984.....		2.5	*	*	0.6	0.9	1.3	2.8	4.4	7.3	8.2	10.0	*
1983.....		2.6	*	*	0.7	1.0	1.7	2.8	5.4	7.5	7.8	8.2	*
1982.....		2.4	*	*	0.6	1.1	1.5	2.6	4.7	6.2	7.7	6.5	*
1981.....		2.1	*	*	0.5	0.8	1.4	2.3	3.9	5.5	8.6	7.2	*
1980.....		2.1	0.6	0.5	0.6	0.8	1.4	1.9	3.7	5.3	7.9	8.8	8.8
1979.....		1.8	-	0.2	0.2	0.7	1.4	2.0	3.5	5.3	5.9	5.5	8.3

00/04/10 TABLE 290		DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 695	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ASTHMA (493)													
BLACK MALE													
1998.....		3.3	*	*	1.2	2.4	2.8	3.0	4.2	6.2	10.7	14.6	*
1997.....		3.1	*	*	1.0	1.4	2.9	3.0	4.3	8.2	7.4	14.1	*
1996.....		3.4	*	*	1.3	2.2	2.2	3.3	5.0	8.1	10.1	13.8	*
1995.....		3.4	*	*	1.8	2.3	2.5	2.8	5.7	6.7	11.9	12.9	*
1994.....		3.4	*	*	1.3	2.1	3.3	2.9	5.1	8.7	9.6	14.3	*
1993.....		3.0	*	*	1.2	1.9	1.8	2.9	3.7	8.4	11.7	14.6	*
1992.....		2.9	*	*	1.0	1.8	2.2	2.2	3.9	8.3	10.1	12.6	*
1991.....		3.2	*	*	1.0	1.8	2.2	3.2	5.4	8.9	10.8	13.1	*
1990.....		3.2	*	*	1.2	1.4	1.9	3.4	5.8	8.0	12.1	13.7	*
1989.....		3.0	*	*	0.8	1.3	2.2	3.2	5.4	6.7	12.8	14.2	*
1988.....		3.3	*	*	0.8	1.6	2.1	3.4	5.2	10.4	13.0	14.4	*
1987.....		3.1	*	*	1.4	1.6	1.8	3.0	5.0	8.2	12.6	11.6	*
1986.....		2.6	*	*	1.1	1.6	1.4	2.2	4.8	8.4	9.3	9.5	*
1985.....		2.7	*	*	0.9	1.6	1.7	3.1	4.6	7.8	10.1	10.1	*
1984.....		2.3	*	*	0.9	1.0	1.0	2.2	4.2	7.5	8.4	11.6	*
1983.....		2.6	*	*	1.0	1.1	1.9	2.4	4.2	7.4	9.0	8.5	*
1982.....		2.3	*	*	*	1.5	1.8	2.5	3.4	6.4	8.2	*	*
1981.....		2.2	*	*	*	1.1	1.5	2.0	3.5	5.9	10.8	*	*
1980.....		2.1	1.1	0.6	0.7	1.0	1.2	1.7	2.9	5.6	8.6	12.3	11.3
1979.....		1.7	-	0.2	0.3	0.6	1.4	1.7	2.9	5.3	6.7	8.0	17.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 696												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ASTHMA (493)												
BLACK FEMALE												
1998.....	4.2	*	*	0.7	1.2	2.0	3.9	7.9	9.0	12.3	14.7	17.6
1997.....	3.9	*	*	0.9	0.8	2.0	3.8	6.9	9.9	11.9	14.1	16.0
1996.....	4.5	*	*	1.1	1.4	2.2	3.8	6.9	11.1	12.8	17.6	27.6
1995.....	4.1	*	*	*	1.4	1.7	3.8	7.3	10.6	13.5	16.7	13.9
1994.....	3.8	*	*	0.8	1.2	1.8	3.7	7.1	9.9	12.3	13.4	15.4
1993.....	3.8	*	*	*	1.0	2.0	3.7	6.8	10.8	11.6	12.3	18.1
1992.....	3.6	*	*	*	1.1	1.2	2.9	7.3	9.5	11.8	14.0	18.5
1991.....	3.5	*	*	*	1.2	1.9	3.3	7.6	9.3	10.4	11.1	*
1990.....	3.3	*	*	*	0.9	1.8	2.9	7.7	8.2	10.3	11.7	*
1989.....	3.5	*	*	*	*	1.5	3.4	6.2	9.5	12.7	15.0	*
1988.....	3.5	*	*	0.8	0.8	1.4	3.6	6.7	10.4	12.7	10.8	*
1987.....	3.2	*	*	*	1.1	1.4	3.4	6.8	7.8	11.1	8.9	*
1986.....	3.1	*	*	*	1.1	1.4	2.8	5.6	9.0	11.7	9.2	*
1985.....	2.7	*	*	1.0	0.9	1.3	2.1	5.2	7.4	9.2	9.5	*
1984.....	2.6	*	*	*	0.9	1.5	3.3	4.7	7.1	8.0	9.1	*
1983.....	2.7	*	*	*	0.9	1.6	3.1	6.4	7.5	7.0	7.9	*
1982.....	2.4	*	*	*	0.7	1.3	2.7	5.7	6.1	7.3	5.9	*
1981.....	2.1	*	*	*	*	1.2	2.6	4.2	5.1	6.9	6.6	*
1980.....	2.1	-	0.4	0.5	0.7	1.5	2.0	4.3	5.0	7.3	6.7	7.5
1979.....	1.8	-	0.2	0.2	0.8	1.3	2.3	4.0	5.3	5.4	3.9	3.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 697
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)
 TOTAL, BOTH SEXES

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	32.0	*	*	*	*	0.1	0.6	4.6	31.8	128.4	290.9	469.4
1997	31.0	*	*	*	*	0.1	0.6	4.9	32.8	124.1	283.3	459.0
1996	30.1	*	*	*	*	0.1	0.6	4.9	32.8	120.9	279.4	439.1
1995	29.3	*	*	*	*	0.1	0.5	4.8	32.5	119.6	273.7	424.2
1994	28.9	*	*	*	*	0.1	0.5	5.1	33.9	120.5	271.6	403.1
1993	28.9	*	*	*	*	0.1	0.5	5.0	34.9	123.0	273.6	388.5
1992	26.2	*	*	*	*	0.1	0.5	4.6	33.4	111.9	248.2	355.7
1991	25.9	*	*	*	*	0.1	0.5	4.9	34.0	112.9	245.1	342.0
1990	25.2	*	*	*	*	0.1	0.4	5.0	33.1	110.0	241.0	333.8
1989	24.4	*	*	*	*	0.1	0.5	5.3	34.3	107.9	231.2	314.3
1988	24.1	*	*	*	*	0.1	0.5	5.5	33.3	109.6	230.9	304.4
1987	23.1	*	*	*	*	0.1	0.5	5.2	32.5	106.0	221.9	288.9
1986	22.6	*	*	*	*	0.1	0.6	5.7	32.3	107.9	215.5	276.0
1985	22.3	*	*	*	*	0.1	0.5	6.1	32.3	105.8	214.8	274.5
1984	20.7	*	*	*	*	0.1	0.5	5.7	31.3	100.9	197.2	247.9
1983	19.6	*	*	*	0.1	0.1	0.5	5.6	29.9	98.3	188.1	227.5
1982	17.5	*	*	*	*	0.1	0.6	5.3	27.1	89.8	167.4	196.4
1981	16.9	*	*	*	*	0.1	0.6	5.7	27.4	87.8	160.5	189.2
1980	15.7	0.1	0.0	0.0	0.0	0.1	0.6	5.4	26.4	83.1	146.7	181.4
1979	13.4	0.1	0.0	0.0	0.0	0.1	0.6	4.8	23.6	71.3	126.3	145.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 698
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	33.5	*	*	*	*	*	0.7	5.1	35.6	153.9	377.6	726.2
1997.....	32.9	*	*	*	*	*	0.7	5.6	36.5	152.3	372.7	746.8
1996.....	31.9	*	*	*	*	*	0.6	5.4	37.4	144.8	375.2	719.6
1995.....	31.8	*	*	*	*	0.1	0.6	5.1	37.1	148.5	378.2	731.3
1994.....	31.7	*	*	*	*	*	0.6	5.7	39.6	149.8	380.5	702.6
1993.....	32.3	*	*	*	*	0.1	0.6	5.8	40.7	154.8	394.7	707.6
1992.....	30.0	*	*	*	*	*	0.6	5.4	39.6	146.2	367.2	656.1
1991.....	30.1	*	*	*	*	*	0.6	5.2	40.2	148.8	375.6	649.6
1990.....	29.9	*	*	*	*	*	0.6	5.6	40.7	149.0	378.4	643.3
1989.....	29.2	*	*	*	*	0.1	0.7	5.6	42.1	145.4	367.6	617.0
1988.....	29.8	*	*	*	*	*	0.7	6.5	42.1	153.1	377.5	612.6
1987.....	29.0	*	*	*	*	*	0.7	5.9	41.4	150.2	375.4	586.2
1986.....	29.1	*	*	*	*	*	0.7	6.6	41.4	156.4	372.9	582.5
1985.....	29.1	*	*	*	*	*	0.7	7.0	42.0	157.2	375.8	583.7
1984.....	27.5	*	*	*	*	0.1	0.6	6.9	41.8	151.9	355.7	534.0
1983.....	26.7	*	*	*	*	*	0.6	6.7	40.8	149.6	350.9	495.4
1982.....	24.2	*	*	*	*	0.1	0.7	6.6	38.0	139.5	316.6	425.7
1981.....	23.8	*	*	*	*	0.1	0.7	6.9	38.3	140.7	307.2	421.3
1980.....	22.6	0.1	0.0	0.0	0.0	0.1	0.8	7.0	37.6	135.9	286.0	399.0
1979.....	19.8	0.1	0.0	0.0	0.0	0.1	0.7	6.2	34.1	120.7	253.4	320.1

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	699
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)													
TOTAL, FEMALE													
1998.....	30.6	*	*	*	*	*	0.5	4.2	28.4	107.7	233.4	363.0	
1997.....	29.3	*	*	*	*	*	0.5	4.3	29.4	101.3	224.9	343.1	
1996.....	28.4	*	*	*	*	*	0.5	4.4	28.7	101.7	217.5	327.6	
1995.....	26.9	*	*	*	*	*	0.5	4.6	28.4	96.5	207.3	304.6	
1994.....	26.3	*	*	*	*	0.1	0.4	4.6	28.7	97.2	203.5	287.7	
1993.....	25.7	*	*	*	*	*	0.5	4.2	29.7	97.9	198.7	266.1	
1992.....	22.7	*	*	*	*	*	0.5	3.8	27.8	84.9	175.4	239.3	
1991.....	21.9	*	*	*	*	*	0.4	4.6	28.4	84.8	166.2	223.1	
1990.....	20.6	*	*	*	*	*	0.3	4.5	26.3	79.6	158.9	214.4	
1989.....	19.9	*	*	*	*	*	0.4	5.1	27.4	78.7	149.9	196.6	
1988.....	18.8	*	*	*	*	*	0.4	4.6	25.4	75.8	144.0	184.0	
1987.....	17.5	*	*	*	*	*	0.4	4.6	24.6	71.7	131.1	171.8	
1986.....	16.5	*	*	*	*	*	0.5	4.8	24.3	70.3	122.9	154.3	
1985.....	15.9	*	*	*	*	*	0.4	5.2	23.7	66.2	120.2	151.1	
1984.....	14.1	*	*	*	*	*	0.5	4.6	22.0	61.8	104.1	132.3	
1983.....	12.9	*	*	*	*	*	0.5	4.6	20.2	59.0	92.3	117.7	
1982.....	11.1	*	*	*	*	*	0.5	4.1	17.6	51.7	79.6	100.9	
1981.....	10.3	*	*	*	*	*	0.5	4.5	17.9	47.2	74.1	90.5	
1980.....	9.2	0.1	0.0	0.0	0.0	0.1	0.5	3.9	16.6	42.7	64.6	86.2	
1979.....	7.4	-	0.0	0.0	0.0	0.1	0.5	3.5	14.4	33.6	51.0	68.5	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 700
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)
 WHITE, BOTH SEXES

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	36.2	*	*	*	*	*	0.6	4.6	33.2	135.8	303.8	489.6
1997.....	35.0	*	*	*	*	0.1	0.6	5.0	34.3	130.6	295.3	478.6
1996.....	34.0	*	*	*	*	*	0.5	5.0	34.3	127.0	291.3	457.9
1995.....	33.0	*	*	*	*	0.1	0.5	4.8	33.7	125.1	285.5	440.2
1994.....	32.5	*	*	*	*	0.1	0.4	5.1	35.4	126.0	283.1	418.6
1993.....	32.4	*	*	*	*	0.1	0.5	5.0	36.3	128.4	284.7	405.2
1992.....	29.4	*	*	*	*	*	0.4	4.6	34.7	116.7	259.4	369.2
1991.....	28.9	*	*	*	*	0.1	0.4	4.8	35.2	117.2	255.7	355.1
1990.....	27.9	*	*	*	*	0.1	0.4	5.0	34.0	114.1	250.6	345.5
1989.....	27.0	*	*	*	*	0.1	0.4	5.2	35.1	111.6	239.8	326.4
1988.....	26.7	*	*	*	*	0.1	0.4	5.4	34.2	113.8	240.7	316.3
1987.....	25.5	*	*	*	*	0.1	0.5	5.2	33.5	109.9	231.4	299.1
1986.....	25.0	*	*	*	*	*	0.5	5.6	33.0	112.0	225.2	286.5
1985.....	24.6	*	*	*	*	*	0.5	6.1	32.8	110.2	223.9	286.5
1984.....	22.7	*	*	*	*	0.1	0.5	5.6	31.8	105.0	205.7	257.4
1983.....	21.6	*	*	*	*	*	0.5	5.7	30.3	102.9	196.5	236.1
1982.....	19.2	*	*	*	*	0.1	0.5	5.2	27.6	93.6	175.5	205.1
1981.....	18.5	*	*	*	*	0.1	0.5	5.6	28.0	91.9	167.3	198.0
1980.....	17.1	0.0	0.0	0.0	0.0	0.1	0.5	5.3	26.9	86.9	153.5	188.4
1979.....	14.6	0.1	0.0	0.0	0.0	0.1	0.5	4.7	24.1	74.4	132.0	151.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 701
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	37.2	*	*	*	*	*	0.7	5.0	36.2	159.8	388.7	753.4
1997.....	36.4	*	*	*	*	*	0.6	5.5	37.2	157.3	381.7	777.9
1996.....	35.4	*	*	*	*	*	0.6	5.4	38.0	149.4	384.6	752.2
1995.....	35.2	*	*	*	*	0.1	0.5	4.9	37.5	152.3	390.0	754.2
1994.....	35.0	*	*	*	*	*	0.5	5.5	40.6	153.3	391.1	728.6
1993.....	35.6	*	*	*	*	*	0.5	5.6	41.3	158.5	404.6	736.6
1992.....	33.1	*	*	*	*	*	0.5	5.3	40.2	149.9	379.2	682.1
1991.....	33.1	*	*	*	*	*	0.5	4.9	40.7	151.9	387.5	676.9
1990.....	32.7	*	*	*	*	*	0.5	5.4	41.0	151.8	388.8	666.9
1989.....	31.7	*	*	*	*	*	0.5	5.3	42.2	147.5	377.2	643.1
1988.....	32.5	*	*	*	*	*	0.5	6.1	42.5	156.1	389.6	640.8
1987.....	31.7	*	*	*	*	*	0.6	5.6	42.0	153.1	389.8	610.4
1986.....	31.6	*	*	*	*	*	0.6	6.2	41.5	159.5	387.7	607.0
1985.....	31.7	*	*	*	*	*	0.6	6.7	42.0	161.5	390.5	616.0
1984.....	30.0	*	*	*	*	*	0.5	6.5	41.9	156.0	370.5	562.4
1983.....	29.0	*	*	*	*	*	0.5	6.6	40.6	154.5	366.5	519.9
1982.....	26.3	*	*	*	*	*	0.6	6.3	38.3	143.9	333.1	448.5
1981.....	25.9	*	*	*	*	*	0.6	6.5	38.5	145.9	320.9	443.5
1980.....	24.4	-	0.1	0.0	0.0	0.1	0.6	6.6	37.6	140.8	299.6	417.9
1979.....	21.3	0.1	-	0.0	0.0	0.1	0.6	5.8	34.4	125.2	265.7	332.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 702
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	35.3	*	*	*	*	*	0.4	4.3	30.4	116.0	247.3	381.4
1997.....	33.6	*	*	*	*	*	0.5	4.4	31.5	108.7	238.4	359.5
1996.....	32.6	*	*	*	*	*	0.5	4.5	31.0	108.7	230.6	342.4
1995.....	30.8	*	*	*	*	*	0.4	4.8	30.2	103.1	218.8	319.2
1994.....	30.1	*	*	*	*	*	0.3	4.7	30.6	103.9	215.2	300.4
1993.....	29.4	*	*	*	*	*	0.4	4.4	31.8	104.3	210.2	279.6
1992.....	25.8	*	*	*	*	*	0.4	3.9	29.6	90.3	185.9	249.8
1991.....	24.9	*	*	*	*	*	0.4	4.7	30.2	89.9	175.9	232.8
1990.....	23.4	*	*	*	*	*	0.3	4.6	27.6	84.4	168.1	223.5
1989.....	22.5	*	*	*	*	*	0.3	5.2	28.7	83.3	158.1	205.5
1988.....	21.3	*	*	*	*	*	0.4	4.6	26.7	80.6	152.7	191.9
1987.....	19.7	*	*	*	*	*	0.4	4.7	25.7	76.1	138.3	178.5
1986.....	18.7	*	*	*	*	*	0.5	5.1	25.4	75.0	130.0	161.6
1985.....	17.8	*	*	*	*	*	0.4	5.5	24.6	70.5	126.6	157.4
1984.....	15.8	*	*	*	*	*	0.4	4.8	22.9	65.6	109.5	136.6
1983.....	14.5	*	*	*	*	*	0.5	4.9	21.2	63.0	97.3	121.9
1982.....	12.3	*	*	*	*	*	0.5	4.1	18.1	55.0	83.7	105.4
1981.....	11.5	*	*	*	*	*	0.5	4.7	18.6	50.4	77.8	95.3
1980.....	10.2	0.1	0.0	0.0	0.0	0.1	0.4	4.1	17.3	45.5	68.2	89.5
1979.....	8.2	-	0.0	0.0	0.0	0.1	0.4	3.6	15.0	35.5	53.6	71.5

OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)
 ALL OTHER, BOTH SEXES

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	12.2	*	*	*	*	*	0.9	4.6	23.2	74.7	170.1	278.5
1997	12.0	*	*	*	*	*	0.9	4.4	23.7	75.9	169.8	271.9
1996	11.6	*	*	*	*	*	0.6	4.6	23.5	74.2	165.9	258.9
1995	11.4	*	*	*	*	*	0.8	4.8	25.1	76.2	158.6	261.7
1994	11.3	*	*	*	*	*	0.8	5.2	24.1	77.1	159.4	244.7
1993	11.3	*	*	*	*	*	0.9	5.1	25.9	79.0	164.8	216.5
1992	10.3	*	*	*	*	*	1.0	4.7	24.5	72.6	138.9	213.5
1991	10.5	*	*	*	*	*	0.9	5.5	25.4	76.1	141.8	204.4
1990	10.7	*	*	*	*	*	0.8	5.6	27.0	74.6	146.9	210.0
1989	10.8	*	*	*	*	*	1.2	5.9	28.6	76.2	146.2	185.9
1988	10.2	*	*	*	*	*	0.9	6.6	26.4	73.2	134.4	177.4
1987	9.7	*	*	*	*	*	0.8	5.6	25.2	71.3	127.0	179.6
1986	9.6	*	*	*	*	*	1.0	6.3	26.8	71.0	118.8	161.9
1985	9.4	*	*	*	*	*	0.8	6.1	28.0	66.5	123.2	142.9
1984	8.9	*	*	*	*	*	0.9	6.2	26.6	64.3	111.2	143.3
1983	8.2	*	*	*	*	*	0.9	5.0	26.1	57.5	102.5	131.1
1982	7.3	*	*	*	*	*	1.1	6.0	23.2	54.8	83.5	100.0
1981	7.1	*	*	*	*	*	0.8	6.4	22.6	50.4	89.3	89.5
1980	6.9	0.5	0.0	0.0	0.1	0.2	1.4	6.2	22.4	48.8	75.8	100.9
1979	6.0	-	0.1	-	0.0	0.2	1.1	5.5	19.0	43.1	67.8	85.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 704
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)

ALL OTHER MALE													
Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
1998	15.3	*	*	*	*	*	1.0	6.0	31.5	107.3	270.9	487.3	
1997	15.3	*	*	*	*	*	1.0	5.9	31.6	112.3	283.5	475.5	
1996	14.7	*	*	*	*	*	0.6	5.5	33.9	106.8	282.3	435.8	
1995	14.8	*	*	*	*	*	0.7	6.4	34.5	116.3	259.0	516.5	
1994	14.7	*	*	*	*	*	0.8	6.5	32.4	119.6	273.6	458.2	
1993	15.3	*	*	*	*	*	1.1	7.0	37.0	122.0	294.5	436.7	
1992	13.9	*	*	*	*	*	1.2	6.1	35.2	114.3	247.9	413.1	
1991	14.4	*	*	*	*	*	1.3	6.9	36.5	121.4	259.1	397.7	
1990	15.0	*	*	*	*	*	1.1	7.3	38.5	123.0	276.9	423.8	
1989	15.3	*	*	*	*	*	1.9	7.9	41.5	125.9	274.6	375.3	
1988	14.8	*	*	*	*	*	1.4	9.1	39.1	125.5	261.5	351.9	
1987	14.1	*	*	*	*	*	1.1	7.7	36.7	124.0	237.2	359.7	
1986	14.6	*	*	*	*	*	1.6	9.7	40.4	127.5	229.5	353.3	
1985	14.0	*	*	*	*	*	1.3	8.8	42.2	117.6	233.1	279.5	
1984	13.5	*	*	*	*	*	1.2	9.7	41.3	114.6	212.9	268.1	
1983	12.7	*	*	*	*	*	1.3	7.3	42.6	104.5	200.3	255.7	
1982	11.1	*	*	*	*	*	1.6	8.9	35.1	98.7	157.3	204.5	
1981	11.2	*	*	*	*	*	*	9.8	35.8	92.6	174.7	200.0	
1980	11.1	0.6	-	0.0	0.1	0.4	2.1	10.0	37.3	89.9	152.4	205.7	
1979	9.8	-	0.1	-	0.1	0.3	1.7	9.1	31.2	79.4	134.3	191.5	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 705
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)
 ALL OTHER FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	9.4	*	*	*	*	*	0.8	3.4	16.6	50.9	106.9	183.0
1997.....	9.1	*	*	*	*	*	0.7	3.2	17.4	49.6	99.7	179.7
1996.....	8.8	*	*	*	*	*	0.5	3.8	15.3	50.6	94.5	179.2
1995.....	8.4	*	*	*	*	*	0.9	3.5	17.6	47.2	98.1	151.3
1994.....	8.2	*	*	*	*	*	0.7	4.2	17.6	46.5	91.2	152.2
1993.....	7.7	*	*	*	*	*	0.7	3.4	17.1	48.0	87.5	120.5
1992.....	7.0	*	*	*	*	*	0.8	3.6	16.1	42.7	73.8	123.5
1991.....	6.9	*	*	*	*	*	*	4.4	16.7	43.8	71.3	115.3
1990.....	6.7	*	*	*	*	*	*	4.2	18.0	40.0	69.0	112.8
1989.....	6.7	*	*	*	*	*	*	4.3	18.5	40.6	68.4	98.3
1988.....	5.9	*	*	*	*	*	*	4.5	16.4	35.7	57.3	95.9
1987.....	5.7	*	*	*	*	*	*	3.8	16.2	33.5	58.8	94.5
1986.....	5.0	*	*	*	*	*	*	3.4	16.0	30.2	49.9	69.9
1985.....	5.2	*	*	*	*	*	*	3.9	16.7	29.5	54.0	77.3
1984.....	4.8	*	*	*	*	*	*	3.3	14.8	27.8	46.8	81.4
1983.....	4.1	*	*	*	*	*	*	3.0	12.8	23.0	39.9	68.3
1982.....	3.8	*	*	*	*	*	*	3.5	13.5	22.4	35.7	46.6
1981.....	3.4	*	*	*	*	*	*	3.5	11.9	18.9	33.6	33.3
1980.....	3.0	0.3	0.1	0.1	0.1	0.1	0.8	3.0	10.3	17.6	25.4	47.2
1979.....	2.6	-	0.1	-	0.0	0.2	0.6	2.4	8.9	15.3	22.8	31.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 706
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)
 BLACK, BOTH SEXES

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	14.1	*	*	*	*	*	1.1	6.0	28.5	86.0	184.7	278.6
1997.....	13.7	*	*	*	*	*	1.1	5.7	28.8	87.4	176.2	268.7
1996.....	13.4	*	*	*	*	*	0.8	6.1	28.7	84.9	174.1	262.7
1995.....	13.1	*	*	*	*	*	0.9	6.0	30.0	86.4	165.3	248.8
1994.....	13.0	*	*	*	*	*	1.0	6.9	29.0	88.3	163.5	239.6
1993.....	13.1	*	*	*	*	*	1.1	6.6	30.6	88.3	171.9	213.5
1992.....	12.0	*	*	*	*	*	1.3	6.1	29.4	81.2	146.6	213.8
1991.....	12.1	*	*	*	*	*	1.1	7.4	30.2	84.4	147.5	194.0
1990.....	12.2	*	*	*	*	*	1.0	6.9	31.4	81.9	153.4	195.8
1989.....	12.3	*	*	*	*	*	1.4	7.2	33.2	84.1	149.7	177.3
1988.....	11.6	*	*	*	*	*	1.2	8.3	30.7	81.0	137.0	168.2
1987.....	11.1	*	*	*	*	*	1.0	6.4	29.1	77.9	132.3	170.7
1986.....	10.8	*	*	*	*	*	1.2	7.6	30.5	77.7	121.0	158.2
1985.....	10.6	*	*	*	*	*	1.0	7.1	31.6	72.3	127.3	136.9
1984.....	9.9	*	*	*	*	*	1.2	7.4	29.8	69.3	113.0	129.5
1983.....	9.1	*	*	*	*	*	1.1	5.9	29.4	60.7	105.4	127.2
1982.....	8.2	*	*	*	*	*	1.3	7.2	25.8	59.2	83.7	96.0
1981.....	7.8	*	*	*	*	*	1.0	7.3	25.0	53.0	90.7	85.7
1980.....	7.5	0.6	-	0.1	0.1	0.3	1.6	7.1	25.2	51.3	78.7	89.9
1979.....	6.4	-	0.1	-	0.0	0.2	1.3	6.2	20.5	45.1	67.5	67.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 707
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	17.5	*	*	*	*	*	1.1	7.8	39.3	123.8	302.4	499.7
1997.....	17.4	*	*	*	*	*	1.4	7.6	38.9	129.0	301.2	479.0
1996.....	17.0	*	*	*	*	*	0.8	7.5	42.1	121.3	303.5	468.0
1995.....	17.0	*	*	*	*	*	*	8.2	42.8	131.6	283.0	496.2
1994.....	17.1	*	*	*	*	*	1.1	8.8	40.1	137.2	293.3	460.9
1993.....	17.9	*	*	*	*	*	1.5	9.4	44.7	138.4	319.7	442.3
1992.....	16.2	*	*	*	*	*	1.6	8.0	42.9	128.1	273.1	436.4
1991.....	16.8	*	*	*	*	*	1.7	9.3	44.2	136.8	282.6	389.9
1990.....	17.3	*	*	*	*	*	1.4	9.3	45.8	136.1	300.7	412.0
1989.....	17.5	*	*	*	*	*	2.3	9.5	48.2	140.6	292.7	366.7
1988.....	17.2	*	*	*	*	*	1.8	11.7	46.1	142.2	275.3	360.0
1987.....	16.2	*	*	*	*	*	1.3	9.1	42.6	137.8	256.9	354.7
1986.....	16.6	*	*	*	*	*	1.8	12.0	46.0	141.6	240.5	355.6
1985.....	16.0	*	*	*	*	*	1.7	10.3	48.4	131.7	249.4	282.3
1984.....	15.2	*	*	*	*	*	1.6	11.6	47.4	126.3	224.3	250.8
1983.....	14.2	*	*	*	*	*	1.6	8.8	48.4	112.3	213.0	248.3
1982.....	12.6	*	*	*	*	*	2.0	11.0	39.3	108.7	162.7	206.9
1981.....	12.5	*	*	*	*	*	*	11.4	39.8	100.0	183.0	194.6
1980.....	12.1	0.7	-	0.0	0.0	0.4	2.3	11.5	41.7	96.1	162.7	184.9
1979.....	10.7	-	0.1	-	0.0	0.3	2.1	10.5	34.8	85.8	138.2	155.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 708
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	11.0	*	*	*	*	*	1.0	4.5	20.1	58.6	114.6	186.8
1997.....	10.5	*	*	*	*	*	0.9	4.1	21.1	57.5	102.9	181.7
1996.....	10.2	*	*	*	*	*	0.7	5.0	18.5	58.8	98.9	178.4
1995.....	9.6	*	*	*	*	*	1.1	4.2	20.1	54.1	97.8	148.3
1994.....	9.4	*	*	*	*	*	0.9	5.3	20.4	53.5	90.1	149.8
1993.....	8.8	*	*	*	*	*	0.8	4.2	19.7	52.8	88.9	120.1
1992.....	8.1	*	*	*	*	*	1.0	4.6	19.0	48.2	75.9	121.2
1991.....	7.9	*	*	*	*	*	*	5.8	19.3	48.0	71.8	111.0
1990.....	7.6	*	*	*	*	*	*	5.0	20.2	44.3	70.9	104.2
1989.....	7.7	*	*	*	*	*	*	5.2	21.6	44.9	68.7	96.7
1988.....	6.6	*	*	*	*	*	*	5.5	18.7	38.3	58.0	84.6
1987.....	6.4	*	*	*	*	*	*	4.2	18.4	36.1	60.0	88.9
1986.....	5.7	*	*	*	*	*	*	4.0	18.4	32.8	50.9	68.1
1985.....	5.7	*	*	*	*	*	*	4.5	18.4	30.5	54.5	69.2
1984.....	5.2	*	*	*	*	*	*	3.9	15.9	29.0	46.3	72.1
1983.....	4.5	*	*	*	*	*	*	3.5	14.2	24.2	39.4	68.5
1982.....	4.2	*	*	*	*	*	*	4.1	15.0	23.7	34.9	41.5
1981.....	3.6	*	*	*	*	*	*	4.0	13.2	19.0	33.0	31.0
1980.....	3.4	0.4	-	0.1	0.1	0.1	0.9	3.5	11.9	18.6	25.5	42.4
1979.....	2.6	-	-	-	0.0	0.1	0.7	2.7	9.0	15.1	20.6	24.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	709
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ULCER OF STOMACH AND DUODENUM (531-533)													
TOTAL, BOTH SEXES													
1998.....	1.7	*	*	*	*	0.1	0.2	0.7	1.8	4.6	12.5	37.5	
1997.....	1.9	*	*	*	*	0.1	0.3	0.8	2.0	5.1	13.9	42.8	
1996.....	1.9	*	*	*	*	0.1	0.3	0.8	1.9	5.2	14.7	41.8	
1995.....	2.1	*	*	*	*	0.1	0.3	0.9	2.3	5.6	16.4	45.3	
1994.....	2.3	*	*	*	*	0.1	0.3	1.0	2.5	6.6	17.9	52.8	
1993.....	2.3	*	*	*	*	0.1	0.4	1.1	2.5	6.4	18.3	51.6	
1992.....	2.4	*	*	*	*	0.1	0.4	0.9	2.5	6.7	19.8	55.7	
1991.....	2.4	*	*	*	*	0.1	0.4	1.0	2.8	6.7	20.0	55.6	
1990.....	2.5	*	*	*	*	0.1	0.3	1.0	2.7	7.5	20.2	58.4	
1989.....	2.6	*	*	*	*	0.1	0.4	1.1	2.9	7.7	22.0	61.0	
1988.....	2.6	*	*	*	*	0.1	0.4	1.1	3.1	8.0	22.3	60.0	
1987.....	2.6	*	*	*	*	0.1	0.4	1.2	3.0	8.1	22.5	60.3	
1986.....	2.7	*	*	*	*	0.1	0.4	1.1	3.3	8.3	23.3	62.4	
1985.....	2.8	*	*	*	*	0.1	0.4	1.3	3.5	8.9	24.6	63.4	
1984.....	2.8	*	*	*	*	0.1	0.4	1.2	3.7	9.2	24.3	63.0	
1983.....	2.7	*	*	*	*	0.1	0.4	1.4	3.5	9.3	24.3	60.1	
1982.....	2.9	*	*	*	*	0.2	0.5	1.4	3.9	9.9	26.1	65.1	
1981.....	2.8	*	*	*		0.1	0.2	0.5	4.1	10.0	24.9	60.7	
1980.....	2.7	0.3	0.1	0.0	0.1	0.2	0.6	1.6	4.1	9.9	23.8	55.1	
1979.....	2.6	0.5	0.0	0.0	0.1	0.2	0.6	1.8	3.9	9.3	23.3	53.8	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 710												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ULCER OF STOMACH AND DUODENUM (531-533) TOTAL, MALE												
1998.....	1.7	*	*	*	*	0.1	0.3	0.9	2.5	5.9	14.7	44.2
1997.....	1.8	*	*	*	*	*	0.4	1.2	2.6	6.3	16.3	45.8
1996.....	1.9	*	*	*	*	*	0.5	1.1	2.5	6.5	17.9	45.0
1995.....	2.0	*	*	*	*	0.1	0.4	1.3	2.9	7.1	20.4	51.0
1994.....	2.3	*	*	*	*	0.2	0.5	1.4	3.3	8.5	21.8	61.9
1993.....	2.2	*	*	*	*	0.1	0.5	1.4	3.4	8.1	22.5	59.4
1992.....	2.3	*	*	*	*	0.2	0.5	1.3	3.3	8.9	23.6	65.8
1991.....	2.4	*	*	*	*	0.1	0.5	1.4	3.7	8.8	25.3	62.9
1990.....	2.5	*	*	*	*	0.2	0.5	1.3	3.7	10.2	24.7	66.8
1989.....	2.6	*	*	*	*	0.1	0.6	1.4	3.8	10.4	28.5	70.9
1988.....	2.7	*	*	*	*	0.2	0.6	1.4	4.1	10.9	27.9	73.0
1987.....	2.7	*	*	*	*	0.2	0.6	1.6	4.2	11.1	29.7	70.1
1986.....	2.7	*	*	*	*	0.2	0.6	1.5	4.5	10.9	27.9	72.8
1985.....	2.9	*	*	*	*	0.1	0.6	1.8	4.7	12.0	31.8	75.8
1984.....	2.8	*	*	*	*	0.2	0.5	1.6	5.2	11.8	30.7	72.8
1983.....	2.9	*	*	*	*	0.1	0.6	1.8	4.6	13.1	31.7	72.1
1982.....	3.0	*	*	*	*	0.2	0.6	1.9	5.2	13.4	33.5	78.4
1981.....	3.1	*	*	*	*	0.2	0.7	2.1	5.4	13.8	33.8	74.5
1980.....	3.1	0.4	0.1	0.0	0.1	0.2	0.8	2.3	5.9	14.3	33.0	70.3
1979.....	3.0	0.6	0.0	0.0	0.1	0.2	0.9	2.5	5.4	12.9	32.8	68.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 711
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ULCER OF STOMACH AND DUODENUM (531-533)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	1.8	*	*	*	*	*	0.2	0.6	1.3	3.5	11.1	34.7
1997.....	2.0	*	*	*	*	*	0.2	0.5	1.4	4.0	12.3	41.6
1996.....	2.0	*	*	*	*	*	0.2	0.5	1.4	4.2	12.7	40.6
1995.....	2.1	*	*	*	*	*	0.2	0.5	1.7	4.4	13.8	43.1
1994.....	2.4	*	*	*	*	*	0.2	0.6	1.7	5.0	15.4	49.3
1993.....	2.4	*	*	*	*	*	0.3	0.7	1.6	5.0	15.8	48.6
1992.....	2.5	*	*	*	*	*	0.2	0.5	1.8	5.0	17.5	51.8
1991.....	2.5	*	*	*	*	*	0.3	0.7	2.0	5.1	16.8	52.8
1990.....	2.5	*	*	*	*	*	0.2	0.7	1.9	5.4	17.5	55.1
1989.....	2.6	*	*	*	*	*	0.2	0.8	2.1	5.7	18.2	57.1
1988.....	2.6	*	*	*	*	*	0.2	0.7	2.1	5.8	18.9	54.9
1987.....	2.5	*	*	*	*	0.1	0.2	0.7	1.9	5.8	18.3	56.5
1986.....	2.7	*	*	*	*	0.1	0.3	0.7	2.3	6.3	20.6	58.2
1985.....	2.7	*	*	*	*	*	0.2	0.8	2.5	6.5	20.4	58.5
1984.....	2.8	*	*	*	*	*	0.3	0.9	2.4	7.1	20.5	59.0
1983.....	2.6	*	*	*	*	*	0.3	0.9	2.5	6.4	20.0	55.2
1982.....	2.8	*	*	*	*	0.2	0.3	1.0	2.6	7.2	21.7	59.5
1981.....	2.6	*	*	*	*	0.1	0.3	1.0	2.9	7.1	19.6	54.8
1980.....	2.3	0.2	0.1	0.0	0.0	0.2	0.3	0.9	2.5	6.5	18.4	48.5
1979.....	2.3	0.4	0.0	0.0	0.1	0.1	0.4	1.1	2.6	6.6	17.7	47.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 712
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ULCER OF STOMACH AND DUODENUM (531-533) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	1.9	*	*	*	*	0.1	0.2	0.7	1.8	4.5	12.5	38.6
1997.....	2.0	*	*	*	*	*	0.3	0.7	1.8	4.9	13.9	44.2
1996.....	2.0	*	*	*	*	*	0.3	0.7	1.7	4.9	14.8	43.5
1995.....	2.2	*	*	*	*	0.1	0.2	0.8	2.2	5.4	16.4	46.9
1994.....	2.5	*	*	*	*	0.1	0.3	0.9	2.3	6.4	17.9	53.8
1993.....	2.5	*	*	*	*	0.1	0.3	0.9	2.4	6.1	18.4	53.2
1992.....	2.6	*	*	*	*	0.1	0.3	0.8	2.3	6.5	20.2	57.0
1991.....	2.6	*	*	*	*	0.1	0.3	0.9	2.6	6.7	20.2	57.3
1990.....	2.6	*	*	*	*	0.1	0.3	0.9	2.5	7.3	20.6	60.3
1989.....	2.7	*	*	*	*	0.1	0.3	1.0	2.7	7.4	22.0	62.2
1988.....	2.8	*	*	*	*	0.1	0.3	1.0	2.8	8.0	22.8	62.1
1987.....	2.8	*	*	*	*	0.1	0.3	1.1	2.8	8.0	23.2	62.4
1986.....	2.8	*	*	*	*	0.1	0.4	1.0	3.1	8.2	23.5	64.4
1985.....	3.0	*	*	*	*	*	0.3	1.3	3.3	8.9	24.8	65.3
1984.....	3.0	*	*	*	*	0.1	0.3	1.0	3.6	9.2	24.7	65.3
1983.....	2.9	*	*	*	*	0.1	0.4	1.3	3.3	9.2	25.0	62.3
1982.....	3.1	*	*	*	*	0.1	0.4	1.2	3.7	9.8	26.4	67.7
1981.....	3.0	*	*	*	*	0.1	0.4	1.4	3.9	9.9	25.4	62.9
1980.....	2.8	0.2	0.1	0.0	0.1	0.1	0.4	1.4	4.1	9.9	24.2	57.3
1979.....	2.8	0.2	0.0	0.0	0.1	0.1	0.6	1.6	3.8	9.3	24.0	55.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 713
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ULCER OF STOMACH AND DUODENUM (531-533)

WHITE MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
1998.....	1.8	*	*	*	*	*	0.3	0.8	2.3	5.7	14.7	46.2	
1997.....	1.9	*	*	*	*	*	0.4	1.0	2.3	6.1	16.2	47.3	
1996.....	1.9	*	*	*	*	*	0.4	1.0	2.2	6.1	17.9	47.0	
1995.....	2.1	*	*	*	*	*	0.3	1.2	2.7	6.9	20.2	52.5	
1994.994.....	2.4	*	*	*	*	*	0.1	0.3	1.2	3.0	8.4	21.8	62.2
1993.....	2.3	*	*	*	*	*	0.4	1.2	3.1	7.6	22.2	61.1	
1992.....	2.4	*	*	*	*	0.1	0.4	1.2	3.0	8.7	23.7	67.4	
1991.....	2.5	*	*	*	*	*	0.4	1.2	3.5	8.6	25.3	65.0	
1990.....	2.5	*	*	*	*	0.1	0.4	1.2	3.3	9.9	25.1	69.8	
1989.....	2.7	*	*	*	*	*	0.4	1.1	3.4	9.8	28.4	72.3	
1988.....	2.8	*	*	*	*	0.1	0.4	1.3	3.8	10.7	28.4	76.3	
1987.....	2.8	*	*	*	*	0.1	0.4	1.5	3.9	10.8	30.6	73.4	
1986.....	2.7	*	*	*	*	0.1	0.5	1.3	4.2	10.6	27.8	76.0	
1985.....	3.0	*	*	*	*	*	0.5	1.8	4.3	12.0	32.0	78.2	
1984.....	2.9	*	*	*	*	*	0.4	1.3	5.0	11.9	31.4	75.6	
1983.....	3.0	*	*	*	*	*	0.5	1.6	4.3	12.8	32.2	74.1	
1982.....	3.1	*	*	*	*	0.2	0.5	1.6	5.0	13.4	33.8	81.8	
1981.....	3.2	*	*	*	*	0.2	0.5	1.9	5.1	13.6	34.5	77.4	
1980.....	3.2	0.1	0.1	0.0	0.1	0.1	0.6	2.0	5.7	14.4	33.5	73.3	
1979.....	3.1	0.4	0.0	0.0	0.1	0.1	0.7	2.1	5.3	13.0	33.7	70.8	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 714
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ULCER OF STOMACH AND DUODENUM (531-533)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	1.9	*	*	*	*	*	0.1	0.6	1.3	3.5	11.1	35.5
1997.....	2.2	*	*	*	*	*	0.2	0.4	1.4	4.0	12.4	42.9
1996.....	2.2	*	*	*	*	*	0.1	0.5	1.3	3.9	12.8	42.1
1995.....	2.3	*	*	*	*	*	0.2	0.4	1.7	4.2	14.0	44.7
1994.....	2.6	*	*	*	*	*	0.2	0.6	1.6	4.9	15.4	50.7
1993.....	2.6	*	*	*	*	*	0.3	0.6	1.6	4.9	16.0	50.2
1992.....	2.7	*	*	*	*	*	0.2	0.5	1.7	4.8	18.0	53.0
1991.....	2.7	*	*	*	*	*	0.3	0.6	1.8	5.1	17.2	54.4
1990.....	2.7	*	*	*	*	*	0.1	0.6	1.9	5.3	17.9	56.7
1989.....	2.8	*	*	*	*	*	0.2	0.8	1.9	5.5	18.1	58.4
1988.....	2.8	*	*	*	*	*	0.2	0.7	1.9	5.8	19.5	56.7
1987.....	2.8	*	*	*	*	*	0.2	0.7	1.8	5.8	18.9	58.2
1986.....	2.9	*	*	*	*	*	0.2	0.7	2.2	6.3	21.0	59.9
1985.....	2.9	*	*	*	*	*	0.2	0.8	2.4	6.6	20.6	60.2
1984.....	3.0	*	*	*	*	*	0.3	0.8	2.4	7.2	20.7	61.2
1983.....	2.8	*	*	*	*	*	0.2	0.9	2.3	6.4	20.7	57.6
1982.....	3.0	*	*	*	*	0.1	0.3	0.9	2.5	7.1	22.1	61.9
1981.....	2.8	*	*	*	*	*	0.3	1.0	2.8	7.1	20.0	56.9
1980.....	2.5	0.2	0.1	0.0	0.0	0.1	0.3	0.9	2.5	6.5	18.8	50.4
1979.....	2.5	0.1	0.0	0.0	0.1	0.1	0.4	1.0	2.5	6.5	18.3	49.1

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	715
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ULCER OF STOMACH AND DUODENUM (531-533)														
ALL OTHER, BOTH SEXES														
1998.....	1.1	*	*	*	*	*	0.4	1.0	2.2	5.3	12.5	26.8		
1997.....	1.4	*	*	*	*	*	0.5	1.7	2.9	6.1	13.6	30.0		
1996.....	1.4	*	*	*	*	*	0.6	1.3	3.1	7.8	14.1	25.9		
1995.....	1.4	*	*	*	*	*	0.7	1.4	2.8	6.9	16.2	29.6		
1994.....	1.6	*	*	*	*	*	0.7	1.5	3.8	7.6	18.0	41.9		
1993.....	1.6	*	*	*	*	*	0.7	2.0	3.1	8.1	18.1	35.8		
1992.....	1.6	*	*	*	*	*	0.8	1.6	3.7	8.0	16.2	42.8		
1991.....	1.6	*	*	*	*	*	0.7	2.0	4.0	7.4	17.9	38.0		
1990.....	1.7	*	*	*	*	0.4	0.8	1.6	4.2	9.4	16.2	38.0		
1989.....	2.0	*	*	*	*	*	0.9	1.9	4.5	10.8	22.6	47.7		
1988.....	1.7	*	*	*	*	0.3	0.9	1.6	4.7	8.4	16.7	37.5		
1987.....	1.6	*	*	*	*	*	0.9	1.6	4.1	9.2	15.5	37.5		
1986.....	1.9	*	*	*	*	0.3	0.9	1.7	5.0	9.4	21.9	40.3		
1985.....	1.8	*	*	*	*	0.3	0.7	1.3	5.3	8.9	22.9	43.3		
1984.....	1.8	*	*	*	*	*	0.9	2.5	4.6	8.5	20.5	37.8		
1983.....	1.8	*	*	*	*	*	0.8	2.0	5.2	10.6	17.9	35.9		
1982.....	2.0	*	*	*	*	0.3	0.7	2.8	5.5	10.4	22.8	36.2		
1981.....	2.0	*	*	*	*	0.4	1.0	2.6	5.9	10.5	19.7	35.3		
1980.....	1.8	0.9	0.0	0.0	0.1	0.4	1.3	2.6	4.2	9.1	19.8	30.1		
1979.....	1.9	1.5	-	0.0	0.1	0.4	1.1	3.4	4.7	9.3	16.1	31.0		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	716
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ULCER OF STOMACH AND DUODENUM (531-533)													
ALL OTHER MALE													
1998.....	1.2	*	*	*	*	*	*	1.5	3.4	7.1	14.8	27.1	
1997.....	1.6	*	*	*	*	*	0.7	2.6	4.5	8.7	17.9	32.3	
1996.....	1.6	*	*	*	*	*	1.0	2.1	4.8	10.0	17.5	27.2	
1995.....	1.7	*	*	*	*	*	1.2	2.0	3.9	9.0	23.1	37.7	
1994.....	1.9	*	*	*	*	*	1.2	2.4	5.3	9.5	22.2	59.3	
1993.....	1.9	*	*	*	*	*	1.1	2.8	5.0	12.2	24.9	43.7	
1992.....	1.9	*	*	*	*	*	1.4	2.4	5.2	10.7	22.6	51.2	
1991.....	1.9	*	*	*	*	*	1.3	2.9	5.4	10.0	25.6	43.0	
1990.....	2.0	*	*	*	*	0.6	1.2	2.4	6.8	13.0	20.1	39.3	
1989.....	2.4	*	*	*	*	*	1.5	2.9	6.3	15.6	29.2	58.0	
1988.....	2.0	*	*	*	*	*	1.5	2.3	6.5	12.6	22.7	41.8	
1987.....	2.0	*	*	*	*	*	1.6	2.6	6.2	13.4	21.0	39.0	
1986.....	2.2	*	*	*	*	*	1.4	2.8	6.8	13.4	29.5	42.7	
1985.....	2.2	*	*	*	*	*	1.2	2.2	8.0	12.5	30.5	53.4	
1984.....	2.2	*	*	*	*	*	1.4	3.7	7.2	11.4	24.2	47.2	
1983.....	2.3	*	*	*	*	*	1.1	3.1	6.8	16.0	26.2	52.9	
1982.....	2.4	*	*	*	*	*	1.2	4.3	7.8	13.9	30.4	44.8	
1981.....	2.5	*	*	*	*	*	2.0	4.0	8.2	15.1	27.4	45.3	
1980.....	2.4	1.6	-	0.1	0.1	0.5	2.2	4.7	7.1	13.0	27.4	39.5	
1979.....	2.5	1.3	-	-	0.1	0.8	2.1	5.8	6.7	12.3	23.9	44.1	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	717	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
ULCER OF STOMACH AND DUODENUM (531-533)			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ALL OTHER FEMALE															
1998.....		1.0	*	*	*	*	*	*	*	1.3	3.9	11.0	26.7		
1997.....		1.1	*	*	*	*	*	*	1.0	1.7	4.2	11.0	28.9		
1996.....		1.2	*	*	*	*	*	*	*	1.8	6.2	11.9	25.3		
1995.....		1.2	*	*	*	*	*	*	1.0	1.9	5.4	12.1	26.0		
1994.....		1.4	*	*	*	*	*	*	*	2.6	6.3	15.6	34.4		
1993.....		1.3	*	*	*	*	*	*	1.3	1.6	5.2	14.0	32.4		
1992.....		1.3	*	*	*	*	*	*	*	2.4	6.0	12.4	39.0		
1991.....		1.3	*	*	*	*	*	*	1.3	3.0	5.5	13.2	35.4		
1990.....		1.4	*	*	*	*	*	*	*	2.1	6.8	13.8	37.4		
1989.....		1.7	*	*	*	*	*	*	1.1	3.1	7.3	18.7	42.9		
1988.....		1.4	*	*	*	*	*	*	*	3.3	5.4	13.1	35.5		
1987.....		1.3	*	*	*	*	*	*	*	2.5	6.1	12.0	36.8		
1986.....		1.6	*	*	*	*	*	*	*	3.5	6.6	17.2	39.1		
1985.....		1.5	*	*	*	*	*	*	*	3.2	6.3	18.0	38.7		
1984.....		1.5	*	*	*	*	*	*	1.4	2.5	6.4	18.3	33.1		
1983.....		1.3	*	*	*	*	*	*	*	3.9	6.6	12.6	27.3		
1982.....		1.6	*	*	*	*	*	*	1.6	3.6	7.8	17.9	31.6		
1981.....		1.5	*	*	*	*	*	*	1.5	4.0	7.0	14.6	30.2		
1980.....		1.2	0.3	0.1	-	0.1	0.2	0.5	0.9	1.8	6.2	14.8	25.3		
1979.....		1.3	1.7	-	0.0	0.1	0.2	0.3	1.4	2.9	7.1	10.9	24.6		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	718	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
ULCER OF STOMACH AND DUODENUM (531-533)															
BLACK, BOTH SEXES															
1998.....		1.2	*	*	*	*	*	0.5	1.3	2.6	5.1	12.0	24.8		
1997.....		1.4	*	*	*	*	*	0.6	2.0	3.4	6.0	12.7	28.0		
1996.....		1.6	*	*	*	*	*	0.8	1.7	3.3	8.5	13.8	23.8		
1995.....		1.6	*	*	*	*	*	0.9	1.8	3.3	7.6	16.1	25.5		
1994.....		1.8	*	*	*	*	*	1.0	1.8	4.3	7.4	16.8	38.2		
1993.....		1.7	*	*	*	*	*	0.9	2.5	3.3	8.8	17.2	31.6		
1992.....		1.8	*	*	*	*	*	1.0	2.0	4.2	8.1	16.8	40.9		
1991.....		1.8	*	*	*	*	*	0.9	2.4	4.6	7.4	17.0	36.2		
1990.....		1.9	*	*	*	*	0.4	1.0	1.9	5.0	10.6	16.2	33.7		
1989.....		2.2	*	*	*	*	*	1.1	2.5	4.7	11.2	23.1	40.9		
1988.....		1.9	*	*	*	*	0.4	1.1	1.9	5.4	8.8	16.5	35.0		
1987.....		1.9	*	*	*	*	*	1.2	2.1	4.3	9.9	16.1	34.1		
1986.....		2.1	*	*	*	*	0.4	1.1	1.9	5.6	10.4	21.3	37.8		
1985.....		2.0	*	*	*	*	*	0.9	1.5	5.9	9.1	22.8	40.0		
1984.....		2.0	*	*	*	*	*	1.2	3.0	4.9	8.7	21.1	35.8		
1983.....		2.0	*	*	*	*	*	0.9	2.3	5.8	10.5	18.5	34.8		
1982.....		2.2	*	*	*	*	0.4	0.9	3.2	6.0	10.9	21.4	32.4		
1981.....		2.2	*	*	*	*	0.5	1.2	2.9	6.5	10.7	20.0	35.1		
1980.....		1.9	0.9	0.1	0.0	0.1	0.4	1.6	3.0	4.5	9.6	17.9	28.9		
1979.....		1.9	1.6	-	0.0	0.1	0.5	1.2	3.6	4.9	9.6	15.4	26.9		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 719
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ULCER OF STOMACH AND DUODENUM (531-533)

BLACK MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	1.2	*	*	*	*	*	*	1.9	4.1	6.3	14.6	*
1997.....	1.7	*	*	*	*	*	0.8	3.1	5.1	8.8	16.9	29.2
1996.....	1.8	*	*	*	*	*	1.2	2.7	5.3	10.8	16.4	*
1995.....	1.8	*	*	*	*	*	1.6	2.4	4.8	9.9	22.9	25.3
1994.....	2.0	*	*	*	*	*	1.6	2.9	6.1	9.2	19.0	52.4
1993.....	2.1	*	*	*	*	*	1.4	3.5	5.6	13.3	21.8	37.6
1992.....	2.2	*	*	*	*	*	1.8	3.1	6.0	11.0	25.1	41.6
1991.....	2.0	*	*	*	*	*	1.6	3.7	6.2	10.3	24.1	37.7
1990.....	2.3	*	*	*	*	*	1.6	3.0	8.1	15.0	19.9	36.2
1989.....	2.5	*	*	*	*	*	1.8	3.9	6.9	15.1	29.1	45.5
1988.....	2.3	*	*	*	*	*	1.8	2.8	7.3	14.1	21.4	36.9
1987.....	2.3	*	*	*	*	*	2.2	3.3	6.1	14.6	22.8	*
1986.....	2.4	*	*	*	*	*	1.7	3.4	7.5	14.7	28.2	41.3
1985.....	2.4	*	*	*	*	*	1.5	2.7	9.0	12.5	29.2	50.0
1984.....	2.3	*	*	*	*	*	1.8	4.5	7.5	11.7	23.9	45.9
1983.....	2.5	*	*	*	*	*	1.5	3.6	7.4	15.9	26.3	51.7
1982.....	2.6	*	*	*	*	*	1.5	4.8	9.1	14.6	27.0	36.2
1981.....	2.8	*	*	*	*	*	2.4	4.5	9.0	15.4	26.4	50.0
1980.....	2.6	1.5	-	0.0	0.1	0.6	2.8	5.5	8.0	14.1	24.1	34.0
1979.....	2.5	1.2	-	-	0.1	0.9	2.1	6.3	7.2	12.6	22.3	34.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 720
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ULCER OF STOMACH AND DUODENUM (531-533) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	1.1	*	*	*	*	*	*	*	*	4.2	10.5	26.4
1997.....	1.2	*	*	*	*	*	*	1.0	2.2	4.0	10.3	27.6
1996.....	1.4	*	*	*	*	*	*	*	1.7	6.8	12.3	24.6
1995.....	1.3	*	*	*	*	*	*	1.2	2.2	5.9	12.2	25.7
1994.....	1.5	*	*	*	*	*	*	*	3.0	6.2	15.6	32.4
1993.....	1.4	*	*	*	*	*	*	1.7	*	5.6	14.6	29.1
1992.....	1.5	*	*	*	*	*	*	*	2.8	6.0	12.1	40.6
1991.....	1.5	*	*	*	*	*	*	1.4	3.4	5.3	13.1	35.6
1990.....	1.6	*	*	*	*	*	*	*	2.6	7.6	14.1	32.6
1989.....	1.9	*	*	*	*	*	*	*	3.0	8.6	19.8	39.2
1988.....	1.5	*	*	*	*	*	*	*	3.8	5.1	13.7	34.2
1987.....	1.5	*	*	*	*	*	*	*	2.9	6.6	12.2	36.1
1986.....	1.8	*	*	*	*	*	*	*	4.1	7.3	17.3	36.2
1985.....	1.6	*	*	*	*	*	*	*	3.5	6.7	19.0	35.3
1984.....	1.7	*	*	*	*	*	*	1.8	2.9	6.6	19.4	31.0
1983.....	1.5	*	*	*	*	*	*	*	4.4	6.7	13.6	26.6
1982.....	1.8	*	*	*	*	*	*	1.9	3.5	8.3	17.9	30.5
1981.....	1.6	*	*	*	*	*	*	1.6	4.5	7.3	16.0	27.4
1980.....	1.3	0.4	0.1	-	0.1	0.3	0.7	1.0	1.8	6.3	13.9	26.4
1979.....	1.4	2.0	-	0.0	0.1	0.1	0.4	1.4	3.0	7.4	10.8	23.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 721												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
APPENDICITIS (540-543)												
TOTAL, BOTH SEXES												
1998.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.4	1.0	1.9
1997.....	0.1	*	*	*	*	*	0.1	0.1	0.2	0.5	0.8	1.8
1996.....	0.2	*	*	0.1	*	*	0.1	0.1	0.2	0.4	1.0	1.7
1995.....	0.2	*	*	*	*	*	*	0.1	0.3	0.4	0.8	2.0
1994.....	0.1	*	*	*	*	*	0.1	0.1	0.2	0.4	0.9	1.8
1993.....	0.1	*	*	*	*	*	0.1	0.1	0.2	0.5	0.7	1.6
1992.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.6	0.9	2.3
1991.....	0.2	*	*	*	*	*	0.1	0.1	0.2	0.5	0.9	1.9
1990.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.5	1.1	2.2
1989.....	0.2	*	*	*	*	*	*	0.1	0.2	0.6	1.1	2.5
1988.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.6	1.3	2.8
1987.....	0.2	*	*	*	*	*	0.1	0.1	0.3	0.7	1.3	3.3
1986.....	0.2	*	*	*	*	*	*	0.1	0.4	0.7	1.4	2.5
1985.....	0.2	*	*	*	*	*	*	0.1	0.3	0.7	1.4	3.5
1984.....	0.2	*	*	*	*	*	*	0.1	0.3	0.7	1.6	3.1
1983.....	0.2	*	*	*	*	*	*	0.1	0.3	0.8	1.5	3.6
1982.....	0.2	*	*	0.1	*	*	0.1	0.2	0.4	0.7	1.5	3.5
1981.....	0.3	*	*	*	0.1	0.1	0.1	0.2	0.4	1.0	1.7	3.3
1980.....	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.2	0.6	0.9	2.2	4.5
1979.....	0.3	0.2	0.1	0.1	0.1	0.0	0.1	0.2	0.5	1.1	2.2	4.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 722
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 APPENDICITIS (540-543) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	0.2	*	*	*	*	*	*	*	0.3	0.6	1.2	3.0
1997.....	0.2	*	*	*	*	*	*	*	0.3	0.6	1.0	3.1
1996.....	0.2	*	*	*	*	*	*	0.2	0.3	0.6	1.2	2.5
1995.....	0.2	*	*	*	*	*	*	0.2	0.4	0.6	1.2	2.4
1994.....	0.2	*	*	*	*	*	*	0.2	0.2	0.7	1.1	3.0
1993.....	0.2	*	*	*	*	*	*	0.2	0.3	0.6	1.0	2.1
1992.....	0.2	*	*	*	*	*	*	*	0.2	0.7	1.4	4.4
1991.....	0.2	*	*	*	*	*	*	*	0.3	0.6	1.2	*
1990.....	0.2	*	*	*	*	*	*	0.2	0.4	0.8	1.7	3.1
1989.....	0.2	*	*	*	*	*	*	0.2	0.3	0.8	1.6	2.5
1988.....	0.2	*	*	*	*	*	*	*	0.4	0.7	1.6	3.6
1987.....	0.2	*	*	*	*	*	*	*	0.4	0.8	1.7	4.6
1986.....	0.2	*	*	*	*	*	*	*	0.5	1.0	2.0	4.4
1985.....	0.2	*	*	*	*	*	*	0.2	0.4	1.0	1.7	5.0
1984.....	0.2	*	*	*	*	*	*	*	0.5	0.9	2.2	4.8
1983.....	0.3	*	*	*	*	*	*	*	0.4	1.1	2.1	5.1
1982.....	0.3	*	*	0.1	*	*	*	0.2	0.5	1.0	2.2	4.7
1981.....	0.3	*	*	*	*	*	0.2	0.2	0.5	1.4	2.2	4.6
1980.....	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.3	0.7	1.3	2.9	5.7
1979.....	0.3	0.2	0.0	0.1	0.1	0.1	0.1	0.3	0.6	1.4	3.0	5.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 723
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 APPENDICITIS (540-543) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 TOTAL, FEMALE

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.1	*	*	*	*	*	*	*	*	0.2	0.9	1.5
1997.....	0.1	*	*	*	*	*	*	*	*	0.4	0.6	1.3
1996.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	1.4
1995.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.6	1.8
1994.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	1.3
1993.....	0.1	*	*	*	*	*	*	*	*	0.3	0.6	1.3
1992.....	0.1	*	*	*	*	*	*	*	*	0.4	0.6	1.4
1991.....	0.1	*	*	*	*	*	*	*	0.2	0.4	0.7	1.8
1990.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	1.9
1989.....	0.2	*	*	*	*	*	*	*	0.2	0.5	0.8	2.5
1988.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.1	2.6
1987.....	0.2	*	*	*	*	*	*	*	0.2	0.6	1.1	2.7
1986.....	0.2	*	*	*	*	*	*	*	0.3	0.5	1.1	1.8
1985.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.1	2.9
1984.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.2	2.4
1983.....	0.2	*	*	*	*	*	*	*	0.3	0.6	1.1	3.0
1982.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.0	3.0
1981.....	0.2	*	*	*	*	*	*	*	0.3	0.8	1.3	2.7
1980.....	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.5	1.8	3.9
1979.....	0.3	0.1	0.1	0.1	0.0	0.0	0.1	0.2	0.4	0.8	1.7	3.6

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	724
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
APPENDICITIS (540-543)													
WHITE, BOTH SEXES													
1998.....		0.2	*	*	*	*	*	0.1	*	0.2	0.4	1.0	2.0
1997.....		0.1	*	*	*	*	*	*	0.1	0.2	0.4	0.7	1.9
1996.....		0.2	*	*	0.1	*	*	0.1	0.1	0.2	0.4	0.9	1.7
1995.....		0.1	*	*	*	*	*	*	0.1	0.2	0.4	0.8	1.9
1994.....		0.1	*	*	*	*	*	*	0.1	0.2	0.4	0.8	1.7
1993.....		0.1	*	*	*	*	*	*	*	0.2	0.4	0.7	1.5
1992.....		0.2	*	*	*	*	*	*	*	0.2	0.5	0.9	2.2
1991.....		0.2	*	*	*	*	*	0.1	0.1	0.2	0.4	0.8	2.0
1990.....		0.2	*	*	*	*	*	0.1	0.1	0.3	0.4	1.1	2.2
1989.....		0.2	*	*	*	*	*	*	0.1	0.2	0.6	1.1	2.3
1988.....		0.2	*	*	*	*	*	*	*	0.2	0.5	1.2	2.8
1987.....		0.2	*	*	*	*	*	*	*	0.2	0.6	1.2	3.1
1986.....		0.2	*	*	*	*	*	*	*	0.3	0.6	1.3	2.5
1985.....		0.2	*	*	*	*	*	*	0.1	0.3	0.6	1.3	3.4
1984.....		0.2	*	*	*	*	*	*	*	0.3	0.6	1.5	3.1
1983.....		0.2	*	*	*	*	*	*	0.1	0.3	0.7	1.4	3.6
1982.....		0.2	*	*	0.1	*	*	*	0.1	0.3	0.6	1.4	3.3
1981.....		0.2	*	*	*	*	*	0.1	0.1	0.3	0.9	1.5	3.0
1980.....		0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.5	0.8	2.2	4.6
1979.....		0.3	0.2	0.0	0.1	0.1	0.0	0.1	0.1	0.4	0.9	2.0	4.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 725
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 APPENDICITIS (540-543) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.2	*	*	*	*	*	*	*	0.3	0.6	1.2	3.1
1997.....	0.2	*	*	*	*	*	*	*	0.3	0.5	0.9	3.0
1996.....	0.2	*	*	*	*	*	*	*	0.3	0.6	1.1	2.5
1995.....	0.2	*	*	*	*	*	*	*	0.3	0.6	1.0	2.3
1994.....	0.2	*	*	*	*	*	*	0.2	*	0.6	1.0	2.9
1993.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.0	*
1992.....	0.2	*	*	*	*	*	*	*	*	0.6	1.3	4.5
1991.....	0.2	*	*	*	*	*	*	*	0.3	0.5	1.1	*
1990.....	0.2	*	*	*	*	*	*	*	0.4	0.7	1.6	3.4
1989.....	0.2	*	*	*	*	*	*	*	*	0.7	1.6	*
1988.....	0.2	*	*	*	*	*	*	*	0.3	0.6	1.4	3.3
1987.....	0.2	*	*	*	*	*	*	*	0.4	0.6	1.7	4.3
1986.....	0.2	*	*	*	*	*	*	*	0.4	0.8	1.8	4.4
1985.....	0.2	*	*	*	*	*	*	*	0.3	0.9	1.6	4.8
1984.....	0.2	*	*	*	*	*	*	*	0.4	0.8	2.3	4.7
1983.....	0.2	*	*	*	*	*	*	*	0.4	0.9	2.0	4.8
1982.....	0.2	*	*	*	*	*	*	*	0.5	0.8	2.0	4.5
1981.....	0.3	*	*	*	*	*	*	0.2	0.4	1.2	1.8	4.1
1980.....	0.3	0.2	0.1	0.0	0.1	0.1	0.1	0.2	0.6	1.2	2.8	5.8
1979.....	0.3	0.2	0.0	0.1	0.1	0.0	0.1	0.2	0.5	1.2	2.6	5.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 726
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 APPENDICITIS (540-543) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.1	*	*	*	*	*	*	*	*	0.2	0.8	1.5
1997.....	0.1	*	*	*	*	*	*	*	*	0.3	0.6	1.4
1996.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	1.3
1995.....	0.1	*	*	*	*	*	*	*	*	0.3	0.6	1.8
1994.....	0.1	*	*	*	*	*	*	*	*	0.2	0.7	1.3
1993.....	0.1	*	*	*	*	*	*	*	*	0.3	0.5	1.3
1992.....	0.1	*	*	*	*	*	*	*	*	0.4	0.6	1.3
1991.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	1.9
1990.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	1.7
1989.....	0.2	*	*	*	*	*	*	*	*	0.5	0.8	2.3
1988.....	0.2	*	*	*	*	*	*	*	*	0.4	1.0	2.6
1987.....	0.2	*	*	*	*	*	*	*	*	0.5	0.9	2.6
1986.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.1	1.8
1985.....	0.2	*	*	*	*	*	*	*	0.2	0.4	1.1	2.8
1984.....	0.2	*	*	*	*	*	*	*	0.2	0.4	1.1	2.4
1983.....	0.2	*	*	*	*	*	*	*	0.2	0.6	1.1	3.1
1982.....	0.2	*	*	*	*	*	*	*	*	0.4	1.0	2.8
1981.....	0.2	*	*	*	*	*	*	*	0.2	0.6	1.3	2.5
1980.....	0.3	0.3	0.1	0.1	0.0	0.1	0.1	0.1	0.3	0.4	1.8	4.1
1979.....	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.3	0.7	1.7	3.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 727												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
APPENDICITIS (540-543)												
ALL OTHER, BOTH SEXES												
1998.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	1.1	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	0.7	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	1.1	*	*
1989.....	0.2	*	*	*	*	*	*	*	0.8	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	0.9	1.2	2.3	*
1987.....	0.3	*	*	*	*	*	*	*	*	1.5	2.6	*
1986.....	0.3	*	*	*	*	*	*	*	0.8	1.6	2.4	*
1985.....	0.3	*	*	*	*	*	*	*	*	1.7	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	1.2	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	1.7	*	*
1982.....	0.3	*	*	*	*	*	*	*	0.9	1.9	2.7	*
1981.....	0.4	*	*	*	*	*	*	*	1.1	2.1	3.7	*
1980.....	0.4	0.5	0.0	0.1	0.1	0.1	0.2	0.7	1.6	1.7	2.7	2.8
1979.....	0.5	0.2	0.1	0.1	0.1	0.2	0.2	0.8	1.2	2.5	3.5	2.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 728
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 APPENDICITIS (540-543) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	2.9	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.5	0.3	-	0.1	0.1	0.1	0.3	0.9	1.8	2.4	4.1	4.9
1979.....	0.6	0.3	0.1	0.0	0.2	0.2	0.2	1.1	1.2	3.4	6.3	1.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 729
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 APPENDICITIS (540-543) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.6	0.1	0.1	0.1	0.1	0.2	0.5	1.5	1.1	1.7	1.7
1979.....	0.4	-	0.1	0.2	0.1	0.1	0.2	0.5	1.1	1.9	1.5	2.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 730												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
APPENDICITIS (540-543) BLACK, BOTH SEXES												
1998.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	1.0	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	1.0	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	1.8	2.9	*
1986.....	0.4	*	*	*	*	*	*	*	1.0	1.8	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	1.9	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	2.0	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	2.0	*	*
1981.....	0.4	*	*	*	*	*	*	*	1.1	2.3	4.1	*
1980.....	0.5	0.6	0.1	0.1	0.1	0.1	0.3	0.8	1.8	1.9	2.7	3.1
1979.....	0.5	0.2	0.1	0.1	0.1	0.2	0.3	0.9	1.2	2.7	3.7	2.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 731
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 APPENDICITIS (540-543) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

BLACK MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.3	*	*	*	*	*	*	*	*	*	*	*
1997	0.3	*	*	*	*	*	*	*	*	*	*	*
1996	0.3	*	*	*	*	*	*	*	*	*	*	*
1995	0.4	*	*	*	*	*	*	*	*	*	*	*
1994	0.3	*	*	*	*	*	*	*	*	*	*	*
1993	0.3	*	*	*	*	*	*	*	*	*	*	*
1992	0.3	*	*	*	*	*	*	*	*	*	*	*
1991	0.3	*	*	*	*	*	*	*	*	*	*	*
1990	0.3	*	*	*	*	*	*	*	*	*	*	*
1989	0.3	*	*	*	*	*	*	*	*	*	*	*
1988	0.4	*	*	*	*	*	*	*	*	*	*	*
1987	0.3	*	*	*	*	*	*	*	*	*	*	*
1986	0.4	*	*	*	*	*	*	*	*	*	*	*
1985	0.4	*	*	*	*	*	*	*	*	*	*	*
1984	0.3	*	*	*	*	*	*	*	*	*	*	*
1983	0.4	*	*	*	*	*	*	*	*	3.5	*	*
1982	0.5	*	*	*	*	*	*	*	*	*	*	*
1981	0.5	*	*	*	*	*	*	*	*	*	*	*
1980	0.6	0.4	-	0.2	0.1	0.1	0.4	1.1	2.1	2.8	3.9	5.7
1979	0.6	0.4	-	0.0	0.2	0.2	0.2	1.3	1.3	3.5	6.7	1.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 732
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 APPENDICITIS (540-543) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

BLACK FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.1	*	*	*	*	*	*	*	*	*	*	*
1997	0.1	*	*	*	*	*	*	*	*	*	*	*
1996	0.1	*	*	*	*	*	*	*	*	*	*	*
1995	0.1	*	*	*	*	*	*	*	*	*	*	*
1994	0.1	*	*	*	*	*	*	*	*	*	*	*
1993	0.1	*	*	*	*	*	*	*	*	*	*	*
1992	0.2	*	*	*	*	*	*	*	*	*	*	*
1991	0.1	*	*	*	*	*	*	*	*	*	*	*
1990	0.2	*	*	*	*	*	*	*	*	*	*	*
1989	0.3	*	*	*	*	*	*	*	*	*	*	*
1988	0.3	*	*	*	*	*	*	*	*	*	*	*
1987	0.3	*	*	*	*	*	*	*	*	*	*	*
1986	0.3	*	*	*	*	*	*	*	*	*	*	*
1985	0.3	*	*	*	*	*	*	*	*	*	*	*
1984	0.3	*	*	*	*	*	*	*	*	*	*	*
1983	0.3	*	*	*	*	*	*	*	*	*	*	*
1982	0.3	*	*	*	*	*	*	*	*	*	*	*
1981	0.4	*	*	*	*	*	*	*	*	*	*	*
1980	0.4	0.8	0.1	0.1	0.2	0.1	0.2	0.6	1.6	1.2	1.9	1.9
1979	0.4	-	0.1	0.2	0.1	0.1	0.3	0.6	1.1	2.1	1.7	2.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 733
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, BOTH SEXES												
1998.....	2.5	1.8	0.1	*	0.1	0.1	0.2	0.6	1.5	4.8	18.3	68.3
1997.....	2.4	2.0		*	0.1	0.1	0.2	0.6	1.4	4.8	18.0	70.2
1996.....	2.4	1.8	0.2	0.1	0.1	0.1	0.2	0.5	1.5	4.8	18.6	70.5
1995.....	2.4	1.9	0.2	0.1	0.1	0.1	0.2	0.6	1.4	4.8	18.5	67.9
1994.....	2.4	1.6	0.1	0.1	0.1	0.1	0.2	0.6	1.7	4.7	18.2	70.5
1993.....	2.3	1.8	0.2	0.1	*	0.1	0.2	0.5	1.4	4.8	18.3	69.2
1992.....	2.4	1.9	0.1	0.1	0.1	0.1	0.2	0.5	1.6	5.1	18.9	73.6
1991.....	2.4	2.2	0.2	*	0.1	0.1	0.2	0.6	1.6	5.3	19.8	72.8
1990.....	2.3	2.2	0.2	0.1	0.1	0.1	0.3	0.5	1.6	4.9	19.8	73.4
1989.....	2.2	2.3	0.2	0.1	*	0.1	0.3	0.5	1.7	5.0	18.8	67.4
1988.....	2.3	2.0	0.2	*	*	0.1	0.2	0.7	1.7	5.1	19.2	71.6
1987.....	2.3	2.5	0.2	*	0.1	0.1	0.2	0.6	1.7	5.4	19.5	69.5
1986.....	2.3	2.8	0.2	0.1	0.1	0.1	0.2	0.6	1.8	5.4	19.9	68.3
1985.....	2.3	2.2	0.2	0.1	0.1	0.1	0.2	0.5	1.8	5.3	20.7	68.7
1984.....	2.2	2.9	0.1	*	0.1	0.1	0.2	0.6	1.8	5.5	20.4	69.6
1983.....	2.2	2.9	0.2	0.1	0.1	0.1	0.2	0.6	1.8	5.9	19.6	64.9
1982.....	2.2	3.6	0.2	*	0.1	0.1	0.3	0.8	1.8	5.6	19.5	66.9
1981.....	2.3	3.5	0.2	0.1	0.1	0.1	0.3	0.9	1.8	6.5	21.5	68.0
1980.....	2.4	3.7	0.2	0.1	0.1	0.1	0.4	0.9	2.3	6.6	22.1	71.0
1979.....	2.4	5.0	0.2	0.1	0.1	0.2	0.3	0.9	2.3	7.1	22.7	64.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 734
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	1.8	2.1	*	*	*	*	0.2	0.7	1.5	4.9	17.9	55.1
1997.....	1.8	2.5	*	*	*	0.1	0.2	0.6	1.7	5.1	19.0	61.8
1996.....	1.8	1.9	*	*	*	0.1	0.2	0.7	1.7	5.4	18.4	65.1
1995.....	1.8	2.0	*	0.1	*	0.1	0.3	0.6	1.5	5.0	18.2	64.2
1994.....	1.8	1.9	*	*	*	0.1	0.3	0.7	1.8	5.2	18.9	62.7
1993.....	1.7	2.3	*	*	*	0.1	0.2	0.6	1.6	5.3	18.7	63.5
1992.....	1.8	2.0	*	*	*	0.2	0.3	0.5	1.6	5.3	19.8	68.5
1991.....	1.8	3.0	0.3	*	*	0.1	0.3	0.7	1.6	5.5	20.2	67.1
1990.....	1.8	2.9	*	*	*	*	0.3	0.5	1.6	5.1	20.4	66.8
1989.....	1.7	2.9	*	*	*	0.1	0.2	0.4	1.9	5.2	20.1	59.3
1988.....	1.7	1.9	*	*	*	0.1	0.3	0.7	1.9	5.4	19.5	62.6
1987.....	1.8	3.1	0.3	*	*	0.1	0.3	0.7	1.8	5.6	20.8	63.3
1986.....	1.8	3.4	0.3	*	*	0.1	0.2	0.6	1.9	5.5	21.1	65.2
1985.....	1.8	2.3	*	*	*	0.1	0.3	0.6	1.9	5.9	21.6	63.9
1984.....	1.8	3.9	*	*	*	0.1	0.3	0.6	1.9	5.6	22.9	60.2
1983.....	1.8	3.3	0.3	*	*	0.1	0.3	0.6	1.9	6.9	22.0	62.7
1982.....	1.7	4.4	0.3	*	0.1	0.1	0.3	0.8	1.9	6.2	19.1	64.3
1981.....	1.9	4.3	*	*	*	0.1	0.3	0.9	1.8	7.1	22.1	66.9
1980.....	2.0	4.3	0.2	0.1	0.1	0.1	0.3	1.0	2.3	6.9	22.9	70.9
1979.....	2.0	5.9	0.2	0.1	0.1	0.2	0.4	1.1	2.4	7.3	23.4	59.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 735
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	3.1	1.6	*	*	*	*	0.2	0.5	1.5	4.6	18.5	73.8
1997.....	3.0	1.5	*	*	*	*	0.2	0.5	1.2	4.6	17.4	73.6
1996.....	3.0	1.8	*	*	*	0.1	0.2	0.4	1.4	4.4	18.8	72.6
1995.....	2.9	1.9	*	*	*	*	0.2	0.5	1.3	4.7	18.6	69.3
1994.....	2.9	1.3	*	*	*	*	0.1	0.6	1.5	4.3	17.7	73.6
1993.....	2.8	1.2	*	*	*	*	0.2	0.4	1.3	4.4	18.1	71.4
1992.....	2.9	1.9	*	*	*	*	0.2	0.5	1.5	4.9	18.3	75.6
1991.....	3.0	1.4	*	*	*	*	0.2	0.6	1.6	5.2	19.6	74.9
1990.....	2.9	1.5	*	*	*	*	0.2	0.5	1.6	4.8	19.4	75.9
1989.....	2.8	1.6	*	*	*	0.1	0.3	0.6	1.6	4.8	18.0	70.5
1988.....	2.8	2.2	*	*	*	*	0.2	0.6	1.5	4.9	19.1	75.1
1987.....	2.8	2.0	*	*	*	0.1	0.2	0.5	1.7	5.2	18.8	72.0
1986.....	2.7	2.2	*	*	*	*	0.2	0.6	1.8	5.3	19.1	69.5
1985.....	2.7	2.1	*	*	*	0.1	0.2	0.5	1.8	4.8	20.2	70.7
1984.....	2.7	1.9	*	*	*	*	0.2	0.6	1.6	5.3	18.9	73.4
1983.....	2.5	2.4	*	*	*	*	0.2	0.7	1.8	5.1	18.2	65.7
1982.....	2.6	2.7	*	*	*	*	0.2	0.8	1.8	5.2	19.7	68.0
1981.....	2.7	2.6	*	*	*	*	0.3	0.9	1.9	6.1	21.2	68.4
1980.....	2.8	3.1	0.2	0.1	0.1	0.1	0.5	0.9	2.2	6.4	21.7	71.1
1979.....	2.8	4.0	0.2	0.0	0.1	0.1	0.3	0.8	2.3	7.0	22.2	66.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 736
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE, BOTH SEXES												
1998.....	2.6	1.4	*	*	*	0.1	0.2	0.5	1.4	4.6	17.8	69.2
1997.....	2.6	1.7	*	*	*	0.1	0.2	0.5	1.4	4.6	18.0	71.2
1996.....	2.5	1.5	*	*	*	0.1	0.2	0.4	1.4	4.5	18.1	70.5
1995.....	2.5	1.6	0.2	*	*	0.1	0.2	0.5	1.3	4.6	17.7	68.5
1994.....	2.5	1.5	*	*	*	0.1	0.2	0.5	1.5	4.4	17.7	70.5
1993.....	2.4	1.6	*	*	*	0.1	0.2	0.4	1.2	4.6	17.7	70.1
1992.....	2.5	1.5	*	*	0.1	0.1	0.2	0.4	1.4	4.7	18.2	73.9
1991.....	2.5	1.8	*	*	*	0.1	0.2	0.5	1.4	4.9	19.2	73.6
1990.....	2.4	1.9	*	0.1	*	*	0.2	0.4	1.4	4.6	19.4	74.1
1989.....	2.3	1.9	*	*	*	0.1	0.2	0.4	1.5	4.6	18.2	68.0
1988.....	2.4	1.6	*	*	*	0.1	0.2	0.5	1.5	4.8	18.9	72.2
1987.....	2.4	1.7	0.2	*	*	0.1	0.2	0.6	1.5	5.2	19.1	70.8
1986.....	2.3	2.4	0.2	0.1	*	0.1	0.2	0.5	1.6	5.0	19.2	69.4
1985.....	2.3	2.0	*	*	*	0.1	0.2	0.5	1.6	4.9	20.0	70.1
1984.....	2.3	2.7	*	*	0.1	0.1	0.2	0.5	1.6	5.1	20.0	70.8
1983.....	2.2	2.5	0.2	*	*	0.1	0.2	0.5	1.6	5.4	19.0	66.0
1982.....	2.2	3.0	0.2	*	0.1	0.1	0.2	0.7	1.7	5.2	19.1	68.4
1981.....	2.3	3.1	0.2	0.1	0.1	0.1	0.2	0.8	1.7	6.1	21.0	68.9
1980.....	2.4	3.2	0.1	0.1	0.1	0.1	0.3	0.8	2.1	6.3	21.9	72.6
1979.....	2.4	4.4	0.2	0.0	0.1	0.1	0.2	0.9	2.1	6.8	22.4	65.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 737
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	1.8	1.4	*	*	*	*	0.2	0.6	1.4	4.7	17.1	55.7
1997.....	1.9	2.0	*	*	*	*	0.2	0.5	1.5	4.7	18.7	62.1
1996.....	1.9	1.5	*	*	*	*	0.2	0.5	1.5	4.9	17.8	63.6
1995.....	1.8	1.4	*	*	*	*	0.2	0.5	1.3	4.7	17.2	65.6
1994.....	1.8	1.7	*	*	*	0.1	0.2	0.6	1.6	4.7	18.1	61.7
1993.....	1.8	2.2	*	*	*	*	0.2	0.4	1.3	4.9	17.7	62.9
1992.....	1.8	1.4	*	*	*	0.1	0.2	0.4	1.5	4.9	18.8	66.4
1991.....	1.8	2.5	*	*	*	0.1	0.2	0.5	1.3	4.9	19.3	67.4
1990.....	1.7	2.5	*	*	*	*	0.2	0.4	1.4	4.7	19.6	66.5
1989.....	1.7	2.2	*	*	*	*	0.2	0.3	1.6	4.6	19.4	60.0
1988.....	1.7	1.5	*	*	*	*	0.2	0.6	1.7	4.8	18.7	61.8
1987.....	1.7	1.8	*	*	*	*	0.2	0.7	1.4	5.4	20.0	61.9
1986.....	1.8	3.0	*	*	*	*	0.1	0.5	1.7	5.0	20.1	65.8
1985.....	1.7	2.1	*	*	*	*	0.2	0.5	1.6	5.4	20.0	65.1
1984.....	1.8	3.7	*	*	*	*	0.3	0.5	1.7	5.2	22.3	60.1
1983.....	1.8	2.8	*	*	*	*	0.2	0.5	1.7	6.4	20.7	62.3
1982.....	1.7	3.5	*	*	*	*	0.3	0.7	1.7	5.4	18.1	64.5
1981.....	1.8	3.8	*	*	*	*	0.2	0.7	1.6	6.4	20.8	66.9
1980.....	1.9	3.7	0.1	0.1	0.1	0.1	0.3	0.8	2.1	6.4	21.9	71.0
1979.....	1.9	5.3	0.2	0.0	0.1	0.2	0.2	0.9	2.0	6.8	23.0	58.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 738
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	3.4	*	*	*	*	*	0.2	0.5	1.4	4.5	18.2	74.7
1997.....	3.3	*	*	*	*	*	0.2	0.5	1.2	4.5	17.6	74.9
1996.....	3.2	1.4	*	*	*	*	0.2	0.4	1.3	4.2	18.3	73.2
1995.....	3.1	1.8	*	*	*	*	0.2	0.5	1.2	4.5	18.1	69.7
1994.....	3.1	*	*	*	*	*	0.1	0.4	1.5	4.1	17.5	73.8
1993.....	3.0	*	*	*	*	*	0.1	0.4	1.1	4.3	17.6	72.8
1992.....	3.1	1.6	*	*	*	*	0.2	0.4	1.4	4.7	17.9	76.8
1991.....	3.2	*	*	*	*	*	0.2	0.5	1.4	4.9	19.2	76.0
1990.....	3.1	*	*	*	*	*	0.2	0.4	1.4	4.5	19.2	77.1
1989.....	2.9	1.5	*	*	*	*	0.2	0.5	1.5	4.7	17.5	71.1
1988.....	3.0	1.8	*	*	*	*	*	0.4	1.3	4.7	18.9	76.1
1987.....	3.0	1.6	*	*	*	0.1	*	0.5	1.6	5.1	18.6	74.3
1986.....	2.9	1.7	*	*	*	*	0.2	0.6	1.5	4.9	18.7	70.8
1985.....	2.9	2.0	*	*	*	*	0.2	0.5	1.6	4.5	20.0	72.0
1984.....	2.8	1.7	*	*	*	*	*	0.6	1.5	5.0	18.8	75.0
1983.....	2.6	2.1	*	*	*	*	0.2	0.6	1.6	4.7	18.0	67.5
1982.....	2.8	2.4	*	*	*	*	0.2	0.7	1.6	5.1	19.6	70.1
1981.....	2.8	2.5	*	*	*	*	0.2	0.8	1.8	5.8	21.1	69.8
1980.....	3.0	2.7	0.1	0.0	0.1	0.1	0.4	0.7	2.1	6.2	21.9	73.3
1979.....	2.9	3.3	0.2	0.0	0.1	0.1	0.2	0.8	2.2	6.7	22.1	68.4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER, BOTH SEXES												
1998.....	1.7	3.6	*	*	*	*	*	0.9	2.3	6.0	22.7	59.6
1997.....	1.7	3.5	*	*	*	*	0.4	1.0	2.0	6.8	18.2	60.8
1996.....	2.0	3.3	*	*	*	0.3	0.4	1.1	2.3	7.4	23.8	70.4
1995.....	1.8	3.2	*	*	*	*	0.4	1.2	2.1	7.0	25.7	61.3
1994.....	1.9	*	*	*	*	*	0.4	1.4	2.6	7.8	22.6	71.3
1993.....	1.7	2.4	*	*	*	*	*	1.0	2.9	6.4	24.7	59.7
1992.....	1.9	3.6	*	*	*	*	0.4	0.9	2.4	7.7	25.2	70.7
1991.....	2.0	3.5	*	*	*	*	0.4	1.3	3.3	8.5	25.9	63.9
1990.....	1.9	3.4	*	*	*	*	0.6	1.3	2.8	7.9	23.9	65.3
1989.....	1.9	3.9	*	*	*	0.3	0.5	1.0	3.0	8.0	24.4	60.9
1988.....	1.9	3.7	*	*	*	*	0.4	1.6	3.2	8.3	23.1	65.7
1987.....	1.8	6.1	*	*	*	0.3	0.4	0.8	3.5	6.9	23.2	55.4
1986.....	2.0	4.7	*	*	*	*	0.5	1.0	3.7	9.1	26.4	56.3
1985.....	1.9	2.9	*	*	*	*	*	0.9	3.6	8.3	27.7	53.6
1984.....	1.8	3.9	*	*	*	*	0.5	1.2	3.0	8.5	24.0	57.1
1983.....	2.0	4.6	*	*	*	*	0.6	1.4	3.6	9.7	25.6	52.2
1982.....	1.9	6.3	*	*	*	*	0.6	1.5	3.2	9.6	23.5	50.3
1981.....	2.1	5.1	*	*	*	*	0.8	1.8	2.9	10.8	26.8	57.4
1980.....	2.1	6.0	0.6	0.1	0.2	0.2	0.9	2.2	3.6	9.5	24.3	52.4
1979.....	2.2	8.0	0.2	0.1	0.2	0.4	1.1	1.6	4.3	10.5	25.3	49.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 740
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	1.5	*	*	*	*	*	*	1.0	2.5	6.7	25.8	49.3
1997.....	1.6	*	*	*	*	*	*	1.2	2.8	7.8	22.8	59.4
1996.....	1.8	*	*	*	*	*	*	1.6	2.8	9.2	24.6	77.9
1995.....	1.7	*	*	*	*	*	*	1.6	2.8	8.2	29.0	50.9
1994.....	1.8	*	*	*	*	*	0.6	1.4	3.6	9.6	26.9	72.0
1993.....	1.7	*	*	*	*	*	*	1.4	3.2	8.7	28.4	68.8
1992.....	1.8	*	*	*	*	*	*	*	2.7	9.0	30.0	88.8
1991.....	1.9	4.8	*	*	*	*	*	1.8	4.0	10.4	28.7	64.0
1990.....	1.8	*	*	*	*	*	0.8	1.4	3.4	8.9	28.8	70.0
1989.....	1.8	5.4	*	*	*	*	*	*	4.4	10.3	27.1	53.1
1988.....	1.8	*	*	*	*	*	*	1.8	3.5	10.5	27.2	69.6
1987.....	1.9	8.5	*	*	*	*	*	*	4.6	7.5	28.4	76.6
1986.....	1.9	*	*	*	*	*	*	*	3.7	10.2	30.7	60.0
1985.....	1.9	*	*	*	*	*	*	*	4.0	10.0	37.0	52.1
1984.....	1.8	*	*	*	*	*	*	1.6	3.6	9.4	29.1	61.1
1983.....	2.2	*	*	*	*	*	*	1.8	4.1	11.8	34.4	65.7
1982.....	2.2	8.6	*	*	*	*	*	2.2	3.8	13.6	28.0	62.7
1981.....	2.2	7.0	*	*	*	*	*	1.8	3.6	13.4	35.0	67.2
1980.....	2.3	7.2	0.7	0.1	0.3	0.2	0.8	2.8	4.6	10.7	32.7	69.1
1979.....	2.4	8.9	0.3	0.2	0.2	0.4	1.2	2.5	5.9	11.7	28.0	66.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 741
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	1.9	*	*	*	*	*	*	0.9	2.0	5.5	20.7	64.3
1997.....	1.7	*	*	*	*	*	*	0.8	1.4	6.0	15.4	61.4
1996.....	2.1	*	*	*	*	*	*	*	2.0	6.1	23.3	66.9
1995.....	1.9	*	*	*	*	*	*	0.9	1.4	6.2	23.8	65.7
1994.....	1.9	*	*	*	*	*	*	1.3	1.7	6.5	20.0	71.1
1993.....	1.8	*	*	*	*	*	*	*	2.7	4.7	22.4	55.7
1992.....	1.9	*	*	*	*	*	*	*	2.2	6.7	22.3	62.5
1991.....	2.0	*	*	*	*	*	*	*	2.8	7.2	24.2	63.5
1990.....	1.9	*	*	*	*	*	*	1.2	2.3	7.1	21.0	63.1
1989.....	2.0	*	*	*	*	*	*	1.1	1.9	6.3	22.8	64.6
1988.....	2.0	*	*	*	*	*	*	1.4	2.9	6.7	20.7	63.9
1987.....	1.7	*	*	*	*	*	*	*	2.6	6.5	19.9	45.4
1986.....	2.0	*	*	*	*	*	*	*	3.7	8.4	23.8	54.5
1985.....	1.9	*	*	*	*	*	*	*	3.4	7.0	21.9	54.7
1984.....	1.9	*	*	*	*	*	*	*	2.5	7.9	20.8	55.2
1983.....	1.8	*	*	*	*	*	*	*	3.1	8.1	20.0	45.3
1982.....	1.6	*	*	*	*	*	*	*	2.7	6.6	20.6	43.6
1981.....	1.9	*	*	*	*	*	*	1.7	2.4	9.0	21.4	52.4
1980.....	1.9	4.8	0.4	0.1	0.1	0.2	1.0	1.7	2.8	8.6	18.8	43.8
1979.....	2.0	7.0	0.2	0.1	0.3	0.3	1.0	0.8	3.0	9.7	23.5	41.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 742
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK, BOTH SEXES												
1998.....	2.2	4.3	*	*	*	*	*	1.2	3.1	7.4	27.2	67.0
1997.....	2.1	4.5	*	*	*	*	0.6	1.3	2.4	8.2	21.7	70.4
1996.....	2.5	3.8	*	*	*	*	0.5	1.4	3.2	9.0	28.1	81.0
1995.....	2.3	3.7	*	*	*	*	0.5	1.5	2.6	8.5	30.6	67.1
1994.....	2.3	*	*	*	*	*	0.5	1.7	3.2	9.4	26.2	79.4
1993.....	2.2	*	*	*	*	*	*	1.3	3.6	7.7	28.0	64.3
1992.....	2.3	3.9	*	*	*	*	0.5	1.2	2.9	9.4	27.9	79.7
1991.....	2.4	4.3	*	*	*	*	*	1.8	4.2	9.6	29.9	71.6
1990.....	2.3	4.1	*	*	*	*	0.8	1.6	3.3	9.0	26.9	71.0
1989.....	2.3	4.3	*	*	*	0.4	0.6	1.3	3.6	9.5	27.5	63.6
1988.....	2.3	4.6	*	*	*	*	0.6	2.0	3.9	9.5	25.8	72.0
1987.....	2.2	6.7	*	*	*	*	0.6	0.9	4.2	8.0	25.2	61.1
1986.....	2.3	4.9	*	*	*	*	0.7	1.2	4.3	10.3	29.2	60.7
1985.....	2.2	*	*	*	*	*	*	1.1	4.2	9.4	30.2	57.9
1984.....	2.1	4.5	*	*	*	*	*	1.5	3.2	9.6	26.2	63.2
1983.....	2.3	5.5	*	*	*	*	0.8	1.7	3.8	11.0	27.7	53.3
1982.....	2.2	7.6	*	*	*	*	0.7	1.8	3.7	10.5	25.2	54.0
1981.....	2.4	5.2	*	*	*	*	1.0	2.0	3.3	12.1	29.3	60.7
1980.....	2.3	5.6	0.6	0.1	0.2	0.3	1.1	2.5	4.1	10.5	25.5	55.3
1979.....	2.4	7.8	0.3	0.1	0.2	0.4	1.3	1.8	4.8	11.5	26.6	52.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 743
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	1.9	*	*	*	*	*	*	1.3	3.5	8.0	30.7	56.8
1997.....	2.0	*	*	*	*	*	*	1.5	3.3	9.7	27.3	72.4
1996.....	2.3	*	*	*	*	*	*	2.1	3.8	11.1	29.3	98.4
1995.....	2.1	*	*	*	*	*	*	2.0	3.7	9.8	34.5	59.3
1994.....	2.3	*	*	*	*	*	*	1.9	4.7	11.4	32.9	82.5
1993.....	2.1	*	*	*	*	*	*	1.7	4.1	10.7	33.3	79.3
1992.....	2.2	*	*	*	*	*	*	*	3.3	10.9	33.5	103.4
1991.....	2.4	*	*	*	*	*	*	2.4	5.1	11.6	34.4	76.8
1990.....	2.2	*	*	*	*	*	1.1	1.8	4.2	10.3	33.2	77.0
1989.....	2.2	6.3	*	*	*	*	*	*	5.3	12.5	32.0	59.1
1988.....	2.2	*	*	*	*	*	*	2.4	4.3	12.3	30.6	73.8
1987.....	2.3	9.4	*	*	*	*	*	*	5.6	8.7	31.8	90.6
1986.....	2.2	*	*	*	*	*	*	*	4.4	11.7	34.7	68.3
1985.....	2.3	*	*	*	*	*	*	*	4.7	11.4	41.6	56.5
1984.....	2.1	*	*	*	*	*	*	2.1	3.7	10.1	32.7	68.9
1983.....	2.5	*	*	*	*	*	*	2.1	4.3	14.0	37.7	66.7
1982.....	2.5	10.3	*	*	*	*	*	2.6	4.4	14.8	29.0	69.0
1981.....	2.5	*	*	*	*	*	*	2.0	4.2	14.7	38.3	75.0
1980.....	2.5	7.8	0.8	0.1	0.3	0.2	1.0	3.2	5.3	11.8	35.1	71.7
1979.....	2.7	8.5	0.3	0.2	0.2	0.5	1.4	2.7	6.9	13.3	29.8	73.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 744
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	2.4	*	*	*	*	*	*	1.2	2.7	6.9	25.2	71.2
1997.....	2.2	*	*	*	*	*	*	1.1	1.8	7.1	18.4	69.6
1996.....	2.6	*	*	*	*	*	*	*	2.6	7.5	27.5	73.9
1995.....	2.4	*	*	*	*	*	*	1.2	1.7	7.6	28.3	70.3
1994.....	2.4	*	*	*	*	*	*	1.6	1.9	7.9	22.5	78.1
1993.....	2.2	*	*	*	*	*	*	*	3.3	5.6	25.1	58.1
1992.....	2.4	*	*	*	*	*	*	*	2.7	8.3	24.8	69.9
1991.....	2.5	*	*	*	*	*	*	*	3.5	8.2	27.4	69.3
1990.....	2.4	*	*	*	*	*	*	1.4	2.6	8.1	23.4	68.4
1989.....	2.3	*	*	*	*	*	*	*	2.3	7.4	24.9	66.0
1988.....	2.4	*	*	*	*	*	*	1.7	3.5	7.6	23.0	71.1
1987.....	2.0	*	*	*	*	*	*	*	3.0	7.5	21.3	47.9
1986.....	2.4	*	*	*	*	*	*	*	4.3	9.4	26.0	57.2
1985.....	2.2	*	*	*	*	*	*	*	3.8	7.9	23.4	58.6
1984.....	2.2	*	*	*	*	*	*	*	2.8	9.2	22.3	60.5
1983.....	2.0	*	*	*	*	*	*	*	3.4	9.0	21.5	46.8
1982.....	2.0	*	*	*	*	*	*	*	3.2	7.5	22.8	46.6
1981.....	2.2	*	*	*	*	*	*	2.0	2.6	10.2	23.7	53.1
1980.....	2.1	3.4	0.4	0.1	0.2	0.3	1.3	2.0	3.1	9.5	19.4	47.1
1979.....	2.2	7.0	0.2	0.0	0.3	0.3	1.2	1.0	3.2	10.2	24.4	42.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	745
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
TOTAL, BOTH SEXES													
1998.....	9.3	*	*	*	0.1	1.3	7.6	16.6	23.3	30.7	31.0	21.9	
1997.....	9.4	*	*	*	0.1	1.3	8.0	16.7	24.1	31.4	30.2	22.8	
1996.....	9.4	*	*	*	0.1	1.4	8.4	16.8	24.9	30.7	30.7	21.4	
1995.....	9.6	0.6	*	*	0.1	1.5	8.7	16.9	25.3	31.5	31.3	22.9	
1994.....	9.8	*	*	*	0.1	1.8	8.9	16.9	26.3	32.9	30.9	23.0	
1993.....	9.8	*	*	*	0.1	1.7	9.2	16.4	26.8	32.7	32.6	21.7	
1992.....	9.9	0.6	*	*	0.1	1.8	9.0	16.7	27.6	33.9	32.3	24.2	
1991.....	10.1	*	*	*	0.1	2.0	9.1	17.3	28.8	34.0	33.4	23.1	
1990.....	10.4	*	*	*	0.1	2.1	9.7	18.0	29.9	34.9	34.1	23.4	
1989.....	10.8	*	*	*	0.2	2.3	9.9	19.2	31.8	36.3	33.9	23.7	
1988.....	10.8	0.6	*	*	0.1	2.5	10.1	20.0	32.4	35.5	32.1	20.5	
1987.....	10.8	*	*	*	0.2	2.7	10.0	20.0	32.5	35.6	32.4	21.2	
1986.....	10.9	0.5	*	*	0.2	2.8	9.7	20.4	32.6	37.7	31.2	21.1	
1985.....	11.3	*	*	*	0.2	3.0	9.8	22.1	34.1	37.8	32.4	20.1	
1984.....	11.6	0.6	*	0.1	0.2	2.8	10.1	23.3	35.3	39.6	32.9	18.9	
1983.....	11.7	0.6	*	*	0.2	3.0	10.1	24.3	36.4	38.7	31.7	18.8	
1982.....	12.0	0.9	*	*	0.2	3.0	10.7	25.4	37.0	40.1	31.3	17.9	
1981.....	12.8	0.8	*	*	0.2	3.1	12.2	28.3	39.4	42.4	31.0	20.8	
1980.....	13.5	0.9	0.1	0.0	0.3	3.5	13.6	30.9	41.6	43.1	30.6	19.9	
1979.....	13.2	1.0	0.1	0.0	0.2	3.4	13.9	31.0	40.9	41.8	28.3	18.1	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 746
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	12.4	*	*	*	*	1.7	10.6	25.4	34.6	41.2	38.4	32.5
1997.....	12.4	*	*	*	*	1.7	11.3	25.5	35.2	41.7	38.7	30.7
1996.....	12.6	*	*	*	*	1.8	12.2	25.4	36.3	41.4	40.1	30.8
1995.....	12.9	*	*	*	0.1	2.0	12.8	25.6	36.5	44.1	40.7	34.8
1994.....	13.0	*	*	*	*	2.4	13.0	25.1	38.5	45.2	41.2	33.3
1993.....	12.9	*	*	*	0.1	2.3	13.5	24.6	38.2	44.8	42.6	34.2
1992.....	13.2	*	*	*	*	2.4	13.7	24.8	40.2	46.9	44.7	36.5
1991.....	13.2	*	*	*	0.1	2.5	13.3	25.3	41.6	46.1	45.8	34.3
1990.....	13.7	*	*	*	0.1	2.6	14.3	26.6	42.8	48.1	46.9	36.3
1989.....	14.4	*	*	*	0.1	3.1	15.1	28.1	45.2	50.3	47.1	36.3
1988.....	14.4	*	*	*	0.2	3.3	15.0	29.2	46.5	50.2	43.9	34.4
1987.....	14.5	*	*	*	0.2	3.5	14.6	29.2	47.1	49.9	45.5	34.3
1986.....	14.4	*	*	*	0.2	3.7	14.0	29.0	45.8	53.1	44.2	33.9
1985.....	14.9	*	*	*	0.2	4.0	14.1	31.2	49.0	53.5	45.5	29.2
1984.....	15.3	*	*	*	0.2	3.9	14.5	32.6	49.8	56.3	47.0	30.1
1983.....	15.4	*	*	*	0.1	4.1	14.3	33.8	51.0	56.3	45.9	27.9
1982.....	15.9	1.1	*	*	0.2	4.2	15.2	36.0	52.1	58.3	44.3	28.7
1981.....	16.9	*	*	*	0.3	4.2	17.1	38.9	55.3	61.7	46.5	34.0
1980.....	18.0	1.1	0.1	0.0	0.3	4.7	18.6	42.7	58.9	63.1	45.0	32.1
1979.....	17.7	1.1	0.1	0.0	0.3	4.7	19.2	42.7	57.8	62.3	42.3	28.4

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	747
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
TOTAL, FEMALE													
1998	6.4	*	*	*	*	0.9	4.6	8.2	13.0	22.3	26.1	17.5
1997	6.5	*	*	*	*	0.9	4.7	8.3	14.0	23.0	24.7	19.7
1996	6.4	*	*	*	*	1.0	4.6	8.5	14.5	22.1	24.6	17.6
1995	6.5	*	*	*	*	0.9	4.7	8.6	15.2	21.4	25.4	18.3
1994	6.7	*	*	*	*	1.2	4.8	9.1	15.3	23.2	24.4	19.0
1993	6.8	*	*	*	*	1.2	5.0	8.5	16.5	23.1	26.3	16.9
1992	6.7	*	*	*	*	1.2	4.5	8.9	16.3	23.7	24.8	19.5
1991	7.1	*	*	*	*	1.5	5.0	9.7	17.3	24.6	26.0	18.8
1990	7.2	*	*	*	0.1	1.5	5.1	9.7	18.3	24.6	26.5	18.4
1989	7.4	*	*	*	0.2	1.4	4.8	10.6	19.9	25.5	26.1	18.8
1988	7.3	*	*	*	0.1	1.6	5.4	11.1	20.0	24.1	25.1	15.0
1987	7.4	*	*	*	0.2	1.8	5.5	11.2	19.6	24.5	24.6	16.0
1986	7.6	*	*	*	0.1	1.8	5.4	12.3	20.9	25.7	23.6	16.0
1985	7.8	*	*	*	0.1	2.0	5.6	13.5	20.9	25.8	24.7	16.5
1984	8.1	*	*	*	0.1	1.8	5.8	14.5	22.5	26.7	24.7	14.4
1983	8.1	*	*	*	0.2	1.9	6.0	15.4	23.6	25.2	23.3	15.1
1982	8.2	*	*	*	0.2	1.9	6.4	15.4	23.8	26.2	23.6	13.4
1981	8.8	*	*	*	0.2	1.9	7.6	18.4	25.3	27.7	22.0	15.2
1980	9.3	0.8	0.1	0.0	0.3	2.3	8.9	19.9	26.5	27.7	22.1	14.6
1979	9.0	0.9	0.0	0.1	0.2	2.1	8.8	20.2	26.0	26.1	20.0	13.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	748	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)														
WHITE, BOTH SEXES														
1998.....	9.8	*	*	*	*	1.3	7.4	15.9	22.9	31.7	32.3	22.9		
1997.....	9.8	*	*	*	*	1.3	7.9	15.9	23.6	32.1	31.4	24.0		
1996.....	9.7	*	*	*	*	1.4	7.9	16.0	24.3	31.1	31.8	21.9		
1995.....	9.8	*	*	*	*	1.4	8.2	15.8	24.4	32.1	32.2	23.4		
1994.....	9.9	*	*	*	*	1.6	8.3	15.4	25.7	33.1	31.8	23.2		
1993.....	9.9	*	*	*	0.1	1.6	8.2	15.2	26.4	33.0	33.4	22.5		
1992.....	10.0	*	*	*	0.1	1.6	8.2	15.2	26.8	33.8	33.3	24.8		
1991.....	10.1	*	*	*	0.1	1.7	8.0	15.7	28.0	34.0	34.6	23.8		
1990.....	10.3	*	*	*	0.1	1.7	8.2	16.0	28.5	35.2	34.8	24.1		
1989.....	10.7	*	*	*	0.1	1.8	8.2	17.3	30.5	36.3	34.9	24.4		
1988.....	10.6	*	*	*	0.1	1.9	8.4	17.7	31.4	35.7	32.6	21.2		
1987.....	10.6	*	*	*	0.2	2.1	8.0	17.7	31.6	36.0	33.3	21.9		
1986.....	10.8	*	*	*	0.1	2.1	7.8	18.5	31.8	38.2	32.0	21.9		
1985.....	11.0	*	*	*	0.1	2.2	7.6	19.8	32.9	38.0	33.1	20.5		
1984.....	11.4	*	*	*	0.1	2.0	8.1	21.3	34.2	40.0	33.7	19.7		
1983.....	11.5	*	*	*	0.1	2.2	8.0	22.2	35.4	39.1	32.9	19.9		
1982.....	11.8	*	*	*	0.1	2.2	8.7	23.2	36.4	40.9	32.2	18.5		
1981.....	12.4	*	*	*	0.2	2.1	9.5	25.5	38.3	42.8	31.9	21.5		
1980.....	13.0	0.8	0.1	0.0	0.2	2.3	10.4	27.6	40.1	43.4	31.4	20.5		
1979.....	12.7	0.9	0.1	0.0	0.2	2.2	10.9	27.7	39.6	42.2	28.9	18.5		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	749
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
WHITE MALE													
1998.....	12.9	*	*	*	*	1.7	10.5	24.5	33.6	41.7	40.0	33.8	
1997.....	12.9	*	*	*	*	1.7	11.3	24.4	34.2	42.4	40.2	32.2	
1996.....	12.9	*	*	*	*	1.7	11.8	24.2	35.4	41.8	41.3	31.8	
1995.....	13.2	*	*	*	*	2.0	12.1	24.1	35.3	44.7	42.2	35.6	
1994.....	13.2	*	*	*	*	2.3	12.4	22.8	37.6	45.4	42.3	33.4	
1993.....	13.1	*	*	*	*	2.1	12.3	22.9	37.5	44.9	43.9	36.2	
1992.....	13.3	*	*	*	*	2.1	12.5	22.7	39.0	46.4	45.6	37.9	
1991.....	13.4	*	*	*	*	2.3	12.0	23.2	40.2	46.2	47.6	35.6	
1990.....	13.6	*	*	*	*	2.2	12.4	23.7	40.9	48.4	48.0	37.4	
1989.....	14.2	*	*	*	*	2.6	12.8	25.5	43.4	50.2	48.3	36.9	
1988.....	14.3	*	*	*	0.1	2.7	12.7	26.3	45.0	50.6	45.0	36.5	
1987.....	14.2	*	*	*	0.2	2.8	11.9	25.9	45.7	50.3	46.8	35.4	
1986.....	14.2	*	*	*	0.2	2.9	11.5	26.4	44.6	53.9	45.2	35.4	
1985.....	14.5	*	*	*	0.2	3.1	11.1	28.0	47.2	53.6	47.0	29.7	
1984.....	15.1	*	*	*	0.2	3.0	11.9	29.6	48.5	56.9	48.2	31.9	
1983.....	15.2	*	*	*	*	3.2	11.6	31.0	49.6	56.9	47.9	30.2	
1982.....	15.8	*	*	*	0.2	3.2	12.6	33.1	51.1	59.7	45.7	30.6	
1981.....	16.5	*	*	*	0.2	3.1	13.5	35.0	54.0	62.5	48.0	35.5	
1980.....	17.3	1.0	0.1	0.0	0.3	3.3	14.3	38.2	56.9	63.7	46.5	33.2	
1979.....	17.0	0.9	0.1	0.0	0.2	3.3	15.3	37.9	55.8	63.1	43.7	28.5	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 750
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	6.8	*	*	*	*	0.8	4.3	7.6	13.0	23.4	27.2	18.4
1997.....	6.8	*	*	*	*	0.8	4.4	7.6	13.7	23.5	25.6	20.7
1996.....	6.7	*	*	*	*	1.0	4.0	7.9	14.1	22.3	25.7	18.1
1995.....	6.6	*	*	*	*	0.8	4.2	7.7	14.4	21.9	25.8	18.7
1994.....	6.8	*	*	*	*	0.9	4.1	8.1	14.7	23.2	25.2	19.3
1993.....	6.9	*	*	*	*	1.0	4.1	7.6	16.1	23.4	26.9	17.3
1992.....	6.8	*	*	*	*	1.0	3.7	8.0	15.6	23.7	25.7	19.8
1991.....	7.1	*	*	*	*	1.1	3.9	8.4	16.8	24.4	26.7	19.3
1990.....	7.1	*	*	*	*	1.1	3.9	8.5	17.2	24.7	26.9	19.0
1989.....	7.4	*	*	*	*	1.0	3.6	9.3	18.9	25.4	27.0	19.6
1988.....	7.2	*	*	*	*	1.2	4.1	9.5	19.1	24.0	25.3	15.3
1987.....	7.3	*	*	*	*	1.2	4.1	9.7	18.9	24.8	25.4	16.7
1986.....	7.5	*	*	*	*	1.2	4.1	10.8	20.4	25.9	24.3	16.7
1985.....	7.6	*	*	*	*	1.3	4.2	11.9	20.1	25.8	25.0	16.9
1984.....	7.9	*	*	*	*	1.1	4.3	13.3	21.4	27.0	25.2	14.9
1983.....	7.9	*	*	*	*	1.2	4.5	13.8	22.7	25.4	24.1	15.8
1982.....	8.0	*	*	*	*	1.1	4.8	13.8	23.2	26.4	24.3	13.5
1981.....	8.5	*	*	*	0.2	1.1	5.6	16.4	24.4	27.7	22.5	15.6
1980.....	8.8	0.5	0.0	0.0	0.2	1.3	6.5	17.6	25.2	27.9	22.6	15.1
1979.....	8.6	0.9	0.1	0.0	0.2	1.2	6.6	18.0	25.2	26.1	20.3	14.1

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	751
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
ALL OTHER, BOTH SEXES													
1998.....	7.2	*	*	*	*	1.4	8.2	20.3	25.4	23.8	18.6	12.6	
1997.....	7.5	*	*	*	*	1.5	8.5	21.4	27.0	26.3	19.3	11.7	
1996.....	8.0	*	*	*	*	1.6	10.7	21.5	28.2	27.4	19.9	16.3	
1995.....	8.5	*	*	*	*	1.9	11.5	23.4	31.1	26.8	22.8	17.9	
1994.....	9.0	*	*	*	*	2.5	12.0	26.1	30.2	31.4	21.8	20.8	
1993.....	9.0	*	*	*	*	2.5	14.4	24.0	29.7	30.2	24.1	13.9	
1992.....	9.4	*	*	*	*	2.9	13.7	25.4	33.3	35.4	23.1	18.7	
1991.....	9.8	*	*	*	*	3.3	15.4	26.9	34.3	34.3	22.4	16.1	
1990.....	10.8	*	*	*	*	3.9	17.8	30.3	39.9	32.1	27.6	15.7	
1989.....	11.4	*	*	*	0.3	4.6	19.3	31.1	41.0	36.4	24.0	16.8	
1988.....	11.7	*	*	*	*	5.0	20.2	34.0	40.5	34.1	27.0	12.9	
1987.....	11.8	*	*	*	0.3	5.8	21.8	34.6	39.9	32.3	22.8	13.3	
1986.....	11.6	*	*	*	0.3	6.7	20.7	33.1	38.3	33.3	23.4	12.1	
1985.....	12.7	*	*	*	*	7.1	23.2	36.9	43.5	36.5	25.1	16.1	
1984.....	12.6	*	*	*	0.3	7.2	22.6	36.4	44.1	35.6	25.4	10.1	
1983.....	12.6	*	*	*	0.4	7.5	23.2	38.5	45.0	34.8	19.1	*	
1982.....	12.7	*	*	*	0.5	8.0	24.0	40.3	42.7	32.7	21.7	11.6	
1981.....	14.8	*	*	*	0.5	8.7	29.7	48.2	48.1	39.1	22.1	13.2	
1980.....	16.8	1.7	0.1	0.0	0.7	10.8	35.0	55.1	55.1	39.8	21.7	12.8	
1979.....	16.5	1.5	0.1	0.1	0.4	10.7	34.3	56.1	52.6	38.3	21.5	13.2	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	752
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
ALL OTHER MALE													
1998.....	10.0	*	*	*	*	1.8	10.8	30.8	40.8	36.8	22.2	21.4	
1997.....	10.0	*	*	*	*	1.7	11.2	32.5	41.5	35.7	24.2	17.5	
1996.....	10.7	*	*	*	*	2.0	14.5	32.6	42.2	37.6	28.5	22.7	
1995.....	11.4	*	*	*	*	2.4	16.6	35.4	44.9	38.9	25.4	27.5	
1994.....	11.9	*	*	*	*	2.7	16.5	40.1	44.5	43.4	30.6	31.7	
1993.....	12.0	*	*	*	*	3.0	20.3	36.2	43.5	43.9	29.2	*	
1992.....	12.8	*	*	*	*	3.5	20.0	38.4	48.7	51.5	35.1	23.9	
1991.....	12.6	*	*	*	*	3.7	20.9	38.5	51.5	45.4	27.6	*	
1990.....	14.3	*	*	*	*	4.5	25.2	45.8	57.7	44.8	36.5	25.8	
1989.....	15.5	*	*	*	*	6.0	28.9	45.7	58.8	51.6	35.3	30.9	
1988.....	15.4	*	*	*	*	6.4	29.1	49.3	58.4	46.4	33.4	*	
1987.....	16.1	*	*	*	*	7.4	32.0	51.3	58.6	46.4	33.5	*	
1986.....	15.4	*	*	*	*	8.6	30.2	47.2	55.2	46.3	35.1	*	
1985.....	17.1	*	*	*	*	8.9	34.0	53.5	64.4	52.2	30.5	*	
1984.....	16.6	*	*	*	*	9.2	32.1	53.6	60.8	51.0	35.4	*	
1983.....	16.6	*	*	*	*	9.4	32.8	54.3	63.3	50.4	26.5	*	
1982.....	16.7	*	*	*	*	10.2	33.4	57.9	60.9	44.5	30.8	*	
1981.....	19.4	*	*	*	*	11.0	41.9	68.7	67.3	54.2	31.8	*	
1980.....	22.3	1.3	-	0.0	0.6	14.2	49.0	78.8	77.3	57.1	30.4	21.4	
1979.....	22.3	2.0	0.3	0.1	0.6	14.5	48.1	81.7	76.2	55.1	28.7	27.1	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 753
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 CHRONIC LIVER DISEASE AND CIRRHOSIS (571) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	4.7	*	*	*	*	1.1	5.9	11.5	13.2	14.4	16.3	8.6
1997.....	5.3	*	*	*	*	1.4	6.1	12.0	15.5	19.5	16.2	9.1
1996.....	5.5	*	*	*	*	1.2	7.3	12.1	17.0	20.0	14.6	13.5
1995.....	5.8	*	*	*	*	1.4	6.9	13.3	20.2	18.1	21.2	13.7
1994.....	6.2	*	*	*	*	2.3	8.1	14.2	18.8	22.8	16.5	16.0
1993.....	6.3	*	*	*	*	2.0	9.2	13.7	18.9	20.4	21.1	12.9
1992.....	6.4	*	*	*	*	2.3	8.1	14.3	21.2	23.8	16.0	16.4
1991.....	7.2	*	*	*	*	3.0	10.7	17.0	20.8	26.3	19.2	13.2
1990.....	7.6	*	*	*	*	3.4	11.4	17.1	26.0	23.1	22.2	11.2
1989.....	7.7	*	*	*	*	3.3	10.9	18.6	27.0	25.7	17.1	*
1988.....	8.3	*	*	*	*	3.8	12.6	21.0	26.4	25.4	23.1	11.8
1987.....	7.9	*	*	*	*	4.4	13.1	20.3	25.1	22.1	16.2	*
1986.....	8.0	*	*	*	*	4.9	12.5	21.0	24.9	24.0	16.2	*
1985.....	8.8	*	*	*	*	5.5	14.0	22.8	26.9	25.2	21.7	*
1984.....	8.9	*	*	*	*	5.5	14.4	21.9	30.8	24.4	19.1	*
1983.....	9.1	*	*	*	0.6	5.7	15.0	25.2	30.3	23.4	14.4	*
1982.....	9.1	*	*	*	0.6	6.1	15.9	25.6	28.0	24.0	15.8	*
1981.....	10.6	*	*	*	*	6.6	19.3	31.3	32.6	27.8	15.8	*
1980.....	11.9	2.2	0.3	0.1	0.8	7.9	23.1	35.7	37.0	26.7	16.1	8.4
1979.....	11.2	1.0	-	0.1	0.3	7.5	22.8	35.0	33.2	25.4	16.7	6.1

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	754
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
BLACK, BOTH SEXES													
1998.....	7.8	*	*	*	*	1.1	8.8	23.3	28.1	25.9	18.4	10.5	
1997.....	8.3	*	*	*	*	1.2	9.1	25.0	31.5	27.6	19.2	12.6	
1996.....	8.8	*	*	*	*	1.4	11.9	25.8	31.4	30.2	17.4	13.6	
1995.....	9.3	*	*	*	*	1.7	12.6	27.6	34.0	28.8	21.1	17.1	
1994.....	9.9	*	*	*	*	2.4	13.7	30.6	33.6	33.8	20.8	18.9	
1993.....	10.0	*	*	*	*	2.7	16.3	28.4	33.7	32.8	23.1	11.7	
1992.....	10.5	*	*	*	*	2.9	16.3	29.6	37.0	36.7	22.3	16.4	
1991.....	11.1	*	*	*	*	3.7	18.6	31.9	38.5	36.7	21.4	13.8	
1990.....	12.3	*	*	*	*	4.3	21.7	35.4	45.0	34.4	26.3	15.7	
1989.....	12.8	*	*	*	*	5.1	23.0	35.8	45.6	38.5	22.5	14.1	
1988.....	13.1	*	*	*	*	5.7	24.6	38.6	44.4	36.0	26.4	13.1	
1987.....	13.4	*	*	*	*	6.9	26.9	39.6	43.4	33.5	23.0	11.5	
1986.....	12.9	*	*	*	*	7.7	25.0	37.1	42.4	35.5	22.0	*	
1985.....	14.2	*	*	*	*	8.2	27.7	41.5	47.6	38.3	24.3	13.8	
1984.....	13.8	*	*	*	0.4	8.2	26.1	40.3	48.4	37.0	24.8	*	
1983.....	13.9	*	*	*	0.5	8.5	27.2	42.8	49.1	35.6	18.9	*	
1982.....	14.0	*	*	*	0.6	8.9	28.0	44.5	46.5	33.8	20.3	*	
1981.....	16.0	*	*	*	0.5	9.6	33.9	52.8	51.8	40.8	21.4	*	
1980.....	18.0	1.9	0.2	0.1	0.8	11.8	38.6	60.0	58.8	40.2	20.2	11.9	
1979.....	17.4	1.2	0.1	0.1	0.5	11.2	37.5	60.3	55.1	39.6	19.1	12.2	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 755
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	11.0	*	*	*	*	1.4	11.9	36.7	46.2	40.3	23.7	*
1997.....	11.3	*	*	*	*	1.4	11.9	39.0	49.4	39.4	25.4	*
1996.....	12.1	*	*	*	*	1.7	16.7	40.3	48.2	42.6	27.3	*
1995.....	12.7	*	*	*	*	2.0	18.2	43.0	51.1	43.5	24.2	29.0
1994.....	13.5	*	*	*	*	2.8	19.4	48.0	50.4	48.9	29.5	26.2
1993.....	13.8	*	*	*	*	3.3	23.5	43.6	51.7	49.1	29.8	*
1992.....	14.5	*	*	*	*	3.7	24.1	45.9	56.3	55.2	32.5	*
1991.....	14.5	*	*	*	*	4.0	25.4	46.8	58.9	48.8	27.3	*
1990.....	16.6	*	*	*	*	5.3	30.7	54.5	66.6	49.4	36.1	*
1989.....	17.7	*	*	*	*	6.8	35.1	54.6	66.3	55.8	33.8	*
1988.....	17.6	*	*	*	*	7.6	35.8	57.6	65.1	49.5	33.6	*
1987.....	18.6	*	*	*	*	8.9	40.1	60.5	66.2	48.5	35.2	*
1986.....	17.6	*	*	*	*	10.2	37.1	53.9	61.3	51.1	34.7	*
1985.....	19.4	*	*	*	*	10.3	41.7	61.5	71.8	55.5	29.2	*
1984.....	18.4	*	*	*	*	10.3	38.2	60.1	67.2	53.3	34.3	*
1983.....	18.4	*	*	*	*	10.6	38.9	61.9	69.3	53.0	25.5	*
1982.....	18.5	*	*	*	*	11.4	39.7	64.7	67.7	46.5	29.5	*
1981.....	21.4	*	*	*	*	12.5	48.7	76.8	72.5	58.6	32.3	*
1980.....	24.0	1.5	-	0.0	0.7	15.8	55.2	86.2	82.7	58.4	28.5	22.6
1979.....	23.7	1.5	0.2	0.1	0.6	15.4	53.5	88.4	80.9	58.0	24.8	26.9

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	756
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
BLACK FEMALE													
1998.....	4.9	*	*	*	*	0.9	6.0	12.3	14.3	15.5	15.2	*	
1997.....	5.6	*	*	*	*	1.1	6.5	13.4	17.7	19.1	15.6	10.6	
1996.....	5.8	*	*	*	*	1.1	7.8	13.7	18.5	21.3	11.6	13.3	
1995.....	6.2	*	*	*	*	1.5	7.7	14.8	20.8	18.2	19.4	12.3	
1994.....	6.7	*	*	*	*	2.1	8.8	16.2	20.6	23.0	15.9	15.9	
1993.....	6.7	*	*	*	*	2.1	10.0	15.7	19.7	21.2	19.3	11.0	
1992.....	6.8	*	*	*	*	2.3	9.4	16.1	22.1	23.7	16.6	13.1	
1991.....	8.1	*	*	*	*	3.4	12.8	19.5	22.7	28.2	18.1	12.9	
1990.....	8.5	*	*	*	*	3.4	13.9	19.5	28.2	24.0	20.8	*	
1989.....	8.4	*	*	*	*	3.5	12.6	20.2	29.4	26.4	16.0	*	
1988.....	9.1	*	*	*	*	4.0	15.1	22.9	28.2	26.6	22.4	*	
1987.....	8.7	*	*	*	*	5.1	15.7	22.3	25.5	23.1	15.9	*	
1986.....	8.8	*	*	*	*	5.5	14.7	23.2	27.5	24.5	14.6	*	
1985.....	9.6	*	*	*	*	6.3	15.9	25.0	28.5	26.3	21.3	*	
1984.....	9.7	*	*	*	*	6.3	15.9	23.9	33.5	25.5	19.2	*	
1983.....	9.9	*	*	*	*	6.7	17.5	27.1	33.1	23.3	14.9	*	
1982.....	9.9	*	*	*	0.7	6.8	18.1	27.9	29.5	24.7	14.6	*	
1981.....	11.2	*	*	*	*	7.1	21.6	33.1	35.2	28.0	14.6	*	
1980.....	12.6	2.3	0.3	0.1	0.9	8.4	24.8	38.6	39.6	26.9	15.0	6.6	
1979.....	11.6	0.8	-	0.1	0.3	7.5	24.2	37.3	34.1	26.1	15.3	4.8	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 757
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)
 TOTAL, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	1.0	*	*	*	*	0.1	0.1	0.3	0.8	2.7	8.0	24.3
1997.....	1.0	*	*	*	*	0.1	0.1	0.3	0.8	2.7	7.9	24.9
1996.....	1.1	*	*	*	*	0.1	0.1	0.3	1.0	3.0	8.1	24.8
1995.....	1.0	*	*	*	*	*	0.1	0.3	1.0	2.6	8.6	25.3
1994.....	1.1	*	*	*	*	0.1	0.1	0.3	1.0	3.0	8.5	27.7
1993.....	1.1	*	*	*	*	*	0.1	0.3	0.9	2.9	8.9	27.2
1992.....	1.1	*	*	*	*	0.1	0.1	0.4	0.9	3.1	9.3	30.3
1991.....	1.1	*	*	*	*	0.0	0.1	0.3	1.0	3.0	9.5	31.2
1990.....	1.2	*	*	*	*	0.1	0.1	0.3	1.0	3.5	10.3	33.4
1989.....	1.2	*	*	*	*	0.0	0.1	0.3	1.1	3.3	10.5	34.9
1988.....	1.3	*	*	*	*	0.1	0.1	0.3	1.1	3.5	10.6	37.5
1987.....	1.3	*	*	*	*	*	0.1	0.4	1.2	3.7	11.2	33.8
1986.....	1.2	*	*	*	*	*	0.1	0.3	1.0	3.6	11.6	33.6
1985.....	1.3	*	*	*	*	0.1	0.1	0.4	1.2	3.7	11.0	35.4
1984.....	1.3	*	*	*	*	0.0	0.2	0.4	1.2	4.0	11.8	34.5
1983.....	1.3	*	*	*	*	0.1	0.1	0.4	1.3	3.6	12.4	35.1
1982.....	1.3	*	*	*	*	*	0.1	0.5	1.2	4.1	11.9	35.2
1981.....	1.3	*	*	*	*	*	0.1	0.4	1.3	4.4	13.1	37.4
1980.....	1.5	0.0	-	-	0.0	0.1	0.2	0.5	1.5	4.6	14.6	40.1
1979.....	1.4	0.1	0.0	-	0.0	0.1	0.2	0.5	1.5	4.9	13.8	37.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 758
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	0.9	*	*	*	*	*	0.1	0.3	0.9	3.2	9.0	27.8
1997.....	0.9	*	*	*	*	*	0.1	0.4	1.0	3.3	10.2	26.0
1996.....	0.9	*	*	*	*	*	0.1	0.4	1.0	3.6	9.9	23.9
1995.....	0.9	*	*	*	*	*	0.1	0.3	1.2	3.5	10.1	27.4
1994.....	1.0	*	*	*	*	*	0.2	0.3	1.1	3.4	9.7	34.6
1993.....	1.0	*	*	*	*	*	0.1	0.3	1.2	3.6	10.5	29.8
1992.....	1.0	*	*	*	*	*	0.1	0.4	1.0	3.7	11.3	34.0
1991.....	1.0	*	*	*	*	*	0.1	0.3	1.2	3.7	11.9	34.3
1990.....	1.1	*	*	*	*	*	0.1	0.3	1.1	4.4	12.1	36.3
1989.....	1.1	*	*	*	*	*	0.1	0.3	1.2	4.2	12.9	39.8
1988.....	1.2	*	*	*	*	*	0.1	0.4	1.1	4.7	13.8	40.7
1987.....	1.1	*	*	*	*	*	*	0.4	1.4	4.4	14.1	33.0
1986.....	1.2	*	*	*	*	*	*	0.4	1.3	4.3	15.4	37.5
1985.....	1.2	*	*	*	*	*	0.2	0.4	1.3	4.9	14.0	42.2
1984.....	1.2	*	*	*	*	*	0.2	0.4	1.5	5.1	14.9	40.2
1983.....	1.2	*	*	*	*	*	0.2	0.4	1.6	4.6	16.3	40.7
1982.....	1.1	*	*	*	*	*	*	0.5	1.3	5.3	14.8	35.6
1981.....	1.2	*	*	*	*	*	*	0.4	1.5	5.0	16.1	42.1
1980.....	1.3	-	-	-	0.0	0.1	0.2	0.5	1.8	5.8	17.3	45.2
1979.....	1.3	0.3	-	-	-	0.1	0.1	0.6	1.5	6.1	15.7	43.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 759
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE												
1998.....	1.2	*	*	*	*	*	0.1	0.3	0.7	2.3	7.3	22.9
1997.....	1.1	*	*	*	*	*	0.1	0.2	0.7	2.2	6.4	24.5
1996.....	1.2	*	*	*	*	*	0.1	0.2	0.9	2.5	7.0	25.2
1995.....	1.1	*	*	*	*	*	0.1	0.3	0.8	1.9	7.7	24.4
1994.....	1.2	*	*	*	*	*	0.1	0.3	0.8	2.6	7.8	25.1
1993.....	1.2	*	*	*	*	*	*	0.2	0.7	2.3	7.9	26.3
1992.....	1.3	*	*	*	*	*	0.1	0.3	0.9	2.7	8.1	28.9
1991.....	1.3	*	*	*	*	*	0.1	0.3	0.8	2.5	8.1	30.0
1990.....	1.4	*	*	*	*	*	*	0.3	1.0	2.8	9.1	32.3
1989.....	1.4	*	*	*	*	*	0.1	0.4	0.9	2.6	9.0	33.0
1988.....	1.4	*	*	*	*	*	0.1	0.3	1.0	2.7	8.7	36.2
1987.....	1.4	*	*	*	*	*	*	0.3	1.0	3.1	9.5	34.1
1986.....	1.3	*	*	*	*	*	*	0.2	0.8	3.0	9.4	32.0
1985.....	1.3	*	*	*	*	*	*	0.3	1.0	2.8	9.3	32.7
1984.....	1.4	*	*	*	*	*	0.1	0.4	1.0	3.1	9.9	32.1
1983.....	1.3	*	*	*	*	*	*	0.4	1.1	2.9	10.1	32.8
1982.....	1.4	*	*	*	*	*	0.2	0.5	1.1	3.2	10.2	35.1
1981.....	1.5	*	*	*	*	*	0.2	0.4	1.2	3.9	11.3	35.4
1980.....	1.6	0.1	-	-	0.0	0.1	0.2	0.5	1.2	3.8	13.1	37.9
1979.....	1.5	-	0.0	-	0.0	0.1	0.2	0.5	1.5	3.9	12.6	35.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 760
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE, BOTH SEXES												
1998.....	1.1	*	*	*	*	0.1	0.1	0.3	0.7	2.5	8.0	24.8
1997.....	1.1	*	*	*	*	*	0.1	0.2	0.7	2.6	7.8	25.3
1996.....	1.1	*	*	*	*	*	0.1	0.3	0.9	2.8	8.0	24.9
1995.....	1.1	*	*	*	*	*	0.1	0.3	0.9	2.5	8.5	26.0
1994.....	1.2	*	*	*	*	*	0.1	0.3	0.9	2.9	8.5	28.2
1993.....	1.1	*	*	*	*	*	0.1	0.2	0.9	2.7	8.7	27.3
1992.....	1.2	*	*	*	*	*	0.1	0.3	0.9	3.0	9.2	30.8
1991.....	1.2	*	*	*	*	*	0.1	0.3	0.9	2.9	9.5	31.4
1990.....	1.3	*	*	*	*	*	0.1	0.3	0.9	3.4	10.4	33.9
1989.....	1.3	*	*	*	*	*	0.1	0.3	1.0	3.3	10.6	35.5
1988.....	1.4	*	*	*	*	*	0.1	0.3	1.0	3.5	10.5	38.4
1987.....	1.3	*	*	*	*	*	0.1	0.3	1.1	3.6	11.2	34.1
1986.....	1.3	*	*	*	*	*	0.1	0.3	1.0	3.5	11.5	34.8
1985.....	1.3	*	*	*	*	*	0.1	0.4	1.1	3.6	10.9	36.1
1984.....	1.4	*	*	*	*	*	0.1	0.4	1.1	4.1	11.9	35.6
1983.....	1.3	*	*	*	*	*	0.1	0.4	1.2	3.6	12.3	36.1
1982.....	1.3	*	*	*	*	*	0.1	0.5	1.2	4.0	12.0	36.4
1981.....	1.4	*	*	*	*	*	0.1	0.4	1.3	4.3	13.3	38.8
1980.....	1.5	0.0	-	-	0.0	0.1	0.2	0.4	1.5	4.5	14.9	42.0
1979.....	1.5	0.1	0.0	-	0.0	0.1	0.1	0.5	1.5	4.8	14.1	39.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 761
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	1.0	*	*	*	*	*	0.1	0.3	0.8	3.1	9.2	28.1
1997.....	1.0	*	*	*	*	*	0.1	0.3	0.9	3.3	10.1	27.1
1996.....	1.0	*	*	*	*	*	*	0.4	0.9	3.5	10.0	24.4
1995.....	1.0	*	*	*	*	*	*	0.3	1.1	3.4	10.2	28.4
1994.....	1.0	*	*	*	*	*	0.2	0.3	1.0	3.4	9.8	35.0
1993.....	1.0	*	*	*	*	*	0.1	0.3	1.1	3.4	10.4	30.8
1992.....	1.1	*	*	*	*	*	0.1	0.4	0.9	3.6	11.4	35.7
1991.....	1.1	*	*	*	*	*	0.1	0.3	1.2	3.6	11.9	35.1
1990.....	1.1	*	*	*	*	*	*	0.3	1.0	4.3	12.4	37.5
1989.....	1.2	*	*	*	*	*	*	0.3	1.2	4.3	13.3	40.8
1988.....	1.2	*	*	*	*	*	*	0.3	1.1	4.7	13.7	43.1
1987.....	1.2	*	*	*	*	*	*	0.4	1.3	4.4	14.5	34.4
1986.....	1.2	*	*	*	*	*	*	0.4	1.3	4.4	15.3	39.9
1985.....	1.2	*	*	*	*	*	0.2	0.4	1.3	4.8	14.0	43.9
1984.....	1.3	*	*	*	*	*	*	0.4	1.4	5.3	15.1	42.7
1983.....	1.3	*	*	*	*	*	0.2	0.4	1.5	4.7	16.6	41.8
1982.....	1.2	*	*	*	*	*	*	0.4	1.3	5.3	15.0	37.2
1981.....	1.3	*	*	*	*	*	*	0.4	1.4	5.2	16.9	44.7
1980.....	1.4	-	-	-	0.0	0.0	0.1	0.5	1.8	5.8	18.0	47.8
1979.....	1.3	0.3	-	-	-	0.0	0.1	0.6	1.5	6.0	16.3	44.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 762
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	1.2	*	*	*	*	*	0.1	0.3	0.7	2.0	7.2	23.5
1997.....	1.2	*	*	*	*	*	*	0.2	0.6	2.1	6.3	24.7
1996.....	1.2	*	*	*	*	*	*	0.2	0.8	2.3	6.7	25.1
1995.....	1.2	*	*	*	*	*	*	0.2	0.7	1.8	7.4	25.1
1994.....	1.3	*	*	*	*	*	*	0.2	0.8	2.5	7.6	25.6
1993.....	1.2	*	*	*	*	*	*	0.2	0.6	2.1	7.7	26.0
1992.....	1.3	*	*	*	*	*	*	0.3	0.9	2.5	7.8	28.9
1991.....	1.3	*	*	*	*	*	*	0.3	0.7	2.3	8.1	30.0
1990.....	1.5	*	*	*	*	*	*	0.2	0.9	2.8	9.2	32.6
1989.....	1.4	*	*	*	*	*	*	0.3	0.9	2.5	8.9	33.5
1988.....	1.5	*	*	*	*	*	*	0.3	0.9	2.6	8.6	36.6
1987.....	1.5	*	*	*	*	*	*	0.3	0.9	3.0	9.3	34.0
1986.....	1.4	*	*	*	*	*	*	*	0.7	2.9	9.3	32.8
1985.....	1.4	*	*	*	*	*	*	0.3	0.9	2.7	9.0	33.1
1984.....	1.4	*	*	*	*	*	*	0.4	0.9	3.1	10.0	32.8
1983.....	1.4	*	*	*	*	*	*	0.4	0.9	2.8	9.8	33.8
1982.....	1.5	*	*	*	*	*	*	0.5	1.1	3.0	10.2	36.0
1981.....	1.5	*	*	*	*	*	*	0.3	1.1	3.7	11.2	36.3
1980.....	1.6	0.1	-	-	0.0	0.1	0.2	0.4	1.2	3.5	13.1	39.5
1979.....	1.6	-	0.0	-	0.0	0.1	0.2	0.4	1.4	3.9	12.9	36.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 763
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)
 ALL OTHER, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.7	*	*	*	*	*	*	0.5	1.0	3.9	8.2	19.3
1997	0.7	*	*	*	*	*	*	0.6	1.5	3.5	8.4	20.7
1996	0.8	*	*	*	*	*	*	0.4	1.6	4.4	9.6	23.6
1995	0.7	*	*	*	*	*	*	0.7	1.4	3.6	10.0	17.5
1994	0.8	*	*	*	*	*	*	*	1.5	3.5	9.0	23.4
1993	0.8	*	*	*	*	*	*	*	1.2	4.4	10.3	26.5
1992	0.8	*	*	*	*	*	*	*	1.2	3.9	10.2	25.8
1991	0.8	*	*	*	*	*	*	*	1.3	3.9	9.6	28.8
1990	0.7	*	*	*	*	*	*	*	1.4	4.0	9.1	28.0
1989	0.8	*	*	*	*	*	*	*	1.6	3.5	9.5	29.3
1988	0.8	*	*	*	*	*	*	0.7	1.8	3.7	11.5	27.8
1987	0.8	*	*	*	*	*	*	*	1.7	4.1	10.8	30.4
1986	0.8	*	*	*	*	*	*	*	1.1	4.0	12.5	19.9
1985	0.9	*	*	*	*	*	*	*	1.6	4.7	12.8	27.2
1984	0.8	*	*	*	*	*	*	*	1.8	3.6	10.7	22.1
1983	0.9	*	*	*	*	*	*	0.7	2.3	3.8	13.0	24.4
1982	0.8	*	*	*	*	*	*	*	1.2	4.8	11.5	22.1
1981	0.8	*	*	*	*	*	*	*	1.9	4.8	11.3	21.6
1980	0.9	-	-	-	0.1	0.2	0.4	1.1	1.3	5.5	12.2	17.8
1979	0.9	0.2	-	-	0.0	0.2	0.3	1.0	1.7	5.5	10.1	21.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 764
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	0.6	*	*	*	*	*	*	*	*	3.3	7.8	24.7
1997.....	0.7	*	*	*	*	*	*	1.0	1.7	3.6	11.1	*
1996.....	0.7	*	*	*	*	*	*	*	1.8	4.5	9.2	19.9
1995.....	0.6	*	*	*	*	*	*	*	1.6	4.4	9.2	*
1994.....	0.6	*	*	*	*	*	*	*	1.7	3.7	8.4	30.7
1993.....	0.7	*	*	*	*	*	*	*	*	5.4	11.6	*
1992.....	0.6	*	*	*	*	*	*	*	*	3.7	10.1	*
1991.....	0.6	*	*	*	*	*	*	*	*	4.2	11.4	26.7
1990.....	0.6	*	*	*	*	*	*	*	*	5.3	9.2	24.6
1989.....	0.7	*	*	*	*	*	*	*	*	4.0	9.0	30.9
1988.....	0.8	*	*	*	*	*	*	*	*	4.7	15.2	*
1987.....	0.6	*	*	*	*	*	*	*	2.0	4.1	10.4	*
1986.....	0.7	*	*	*	*	*	*	*	*	3.9	15.7	*
1985.....	0.8	*	*	*	*	*	*	*	1.8	5.8	13.8	*
1984.....	0.7	*	*	*	*	*	*	*	2.0	3.4	13.2	*
1983.....	0.8	*	*	*	*	*	*	*	2.3	3.9	12.9	30.0
1982.....	0.7	*	*	*	*	*	*	*	*	4.4	12.9	*
1981.....	0.6	*	*	*	*	*	*	*	2.1	3.4	8.3	*
1980.....	0.8	-	-	-	0.1	0.2	0.6	1.1	1.5	5.0	11.3	18.1
1979.....	0.8	0.3	-	-	-	0.1	0.3	0.5	1.7	6.9	10.1	23.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 765
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	0.8	*	*	*	*	*	*	*	*	4.4	8.4	16.9
1997.....	0.8	*	*	*	*	*	*	*	1.3	3.4	6.8	22.6
1996.....	1.0	*	*	*	*	*	*	*	1.3	4.3	9.8	25.3
1995.....	0.9	*	*	*	*	*	*	*	1.3	3.0	10.5	17.2
1994.....	0.8	*	*	*	*	*	*	*	1.3	3.4	9.3	20.2
1993.....	0.9	*	*	*	*	*	*	*	*	3.6	9.5	29.0
1992.....	1.0	*	*	*	*	*	*	*	1.3	4.1	10.3	29.2
1991.....	0.9	*	*	*	*	*	*	*	1.4	3.6	8.5	29.6
1990.....	0.8	*	*	*	*	*	*	*	1.4	3.0	9.0	29.6
1989.....	0.9	*	*	*	*	*	*	*	1.5	3.1	9.7	28.6
1988.....	0.9	*	*	*	*	*	*	*	1.9	3.1	9.3	32.0
1987.....	1.0	*	*	*	*	*	*	*	1.5	4.2	11.1	35.6
1986.....	0.8	*	*	*	*	*	*	*	*	4.2	10.5	22.4
1985.....	0.9	*	*	*	*	*	*	*	*	3.9	12.1	28.0
1984.....	0.8	*	*	*	*	*	*	*	1.6	3.7	9.0	24.8
1983.....	1.0	*	*	*	*	*	*	*	2.3	3.8	13.1	21.6
1982.....	0.9	*	*	*	*	*	*	*	*	5.2	10.6	23.3
1981.....	1.1	*	*	*	*	*	*	*	1.7	5.9	13.2	24.6
1980.....	1.0	-	-	-	0.2	0.2	0.3	1.1	1.1	5.8	12.8	17.7
1979.....	1.0	-	-	-	0.0	0.3	0.4	1.4	1.7	4.4	10.1	20.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 766
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK, BOTH SEXES												
1998.....	0.8	*	*	*	*	*	*	0.6	1.3	4.1	7.9	21.2
1997.....	0.8	*	*	*	*	*	*	0.8	1.6	3.4	8.3	21.9
1996.....	0.9	*	*	*	*	*	*	*	1.9	4.5	9.8	23.8
1995.....	0.8	*	*	*	*	*	*	0.8	1.6	3.6	9.7	17.9
1994.....	0.8	*	*	*	*	*	*	*	1.7	3.8	9.3	21.9
1993.....	0.8	*	*	*	*	*	*	*	1.3	4.6	10.2	24.2
1992.....	0.9	*	*	*	*	*	*	*	1.4	4.0	11.1	24.5
1991.....	0.8	*	*	*	*	*	*	*	1.4	4.1	9.4	26.3
1990.....	0.8	*	*	*	*	*	*	*	1.5	3.9	9.1	25.6
1989.....	0.8	*	*	*	*	*	*	*	1.8	3.6	9.3	25.9
1988.....	0.9	*	*	*	*	*	*	*	1.8	3.5	11.0	25.7
1987.....	0.9	*	*	*	*	*	*	*	1.7	4.3	10.6	30.8
1986.....	0.8	*	*	*	*	*	*	*	1.1	3.8	11.7	19.4
1985.....	0.9	*	*	*	*	*	*	*	1.8	4.5	13.1	25.1
1984.....	0.8	*	*	*	*	*	*	*	1.9	3.6	10.0	21.6
1983.....	0.9	*	*	*	*	*	*	*	2.3	3.6	13.7	22.8
1982.....	0.8	*	*	*	*	*	*	*	1.2	4.8	10.3	19.3
1981.....	0.8	*	*	*	*	*	*	*	1.9	4.2	10.0	20.2
1980.....	0.9	-	-	-	0.1	0.2	0.6	1.2	1.2	4.9	10.4	15.1
1979.....	0.9	0.2	-	-	0.0	0.2	0.4	0.9	1.7	5.3	9.0	17.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 767
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

BLACK MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.7	*	*	*	*	*	*	*	*	3.7	6.1	25.6
1997	0.7	*	*	*	*	*	*	1.2	*	3.5	10.7	*
1996	0.8	*	*	*	*	*	*	*	2.3	4.5	10.0	*
1995	0.6	*	*	*	*	*	*	*	*	4.2	8.3	*
1994	0.7	*	*	*	*	*	*	*	*	4.2	8.1	28.8
1993	0.7	*	*	*	*	*	*	*	*	5.5	9.7	*
1992	0.6	*	*	*	*	*	*	*	*	3.7	11.9	*
1991	0.6	*	*	*	*	*	*	*	*	4.3	10.3	*
1990	0.7	*	*	*	*	*	*	*	*	5.1	8.7	*
1989	0.7	*	*	*	*	*	*	*	*	3.8	9.5	*
1988	0.8	*	*	*	*	*	*	*	*	3.8	15.5	*
1987	0.6	*	*	*	*	*	*	*	*	4.4	9.4	*
1986	0.7	*	*	*	*	*	*	*	*	*	14.5	*
1985	0.9	*	*	*	*	*	*	*	*	5.5	14.4	*
1984	0.7	*	*	*	*	*	*	*	*	3.4	12.0	*
1983	0.8	*	*	*	*	*	*	*	*	*	13.4	*
1982	0.7	*	*	*	*	*	*	*	*	4.3	10.4	*
1981	0.5	*	*	*	*	*	*	*	*	*	*	*
1980	0.7	-	-	-	0.1	0.3	0.8	1.1	1.3	3.9	8.8	15.1
1979	0.7	0.4	-	-	-	0.2	0.2	0.4	1.8	6.6	8.0	17.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 768
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	1.0	*	*	*	*	*	*	*	*	4.4	9.1	19.4
1997.....	0.9	*	*	*	*	*	*	*	*	3.3	7.0	24.2
1996.....	1.0	*	*	*	*	*	*	*	*	4.4	9.7	24.6
1995.....	1.0	*	*	*	*	*	*	*	*	3.2	10.4	19.0
1994.....	1.0	*	*	*	*	*	*	*	*	3.5	10.0	19.1
1993.....	1.0	*	*	*	*	*	*	*	*	4.0	10.5	27.4
1992.....	1.1	*	*	*	*	*	*	*	*	4.1	10.7	29.3
1991.....	1.0	*	*	*	*	*	*	*	1.7	4.0	8.9	27.6
1990.....	0.9	*	*	*	*	*	*	*	*	3.2	9.3	27.5
1989.....	1.0	*	*	*	*	*	*	*	*	3.4	9.3	26.8
1988.....	1.0	*	*	*	*	*	*	*	2.0	3.2	8.4	31.5
1987.....	1.1	*	*	*	*	*	*	*	1.8	4.2	11.3	36.8
1986.....	0.9	*	*	*	*	*	*	*	*	4.3	10.1	21.0
1985.....	1.0	*	*	*	*	*	*	*	*	3.8	12.3	25.6
1984.....	0.9	*	*	*	*	*	*	*	1.8	3.8	8.9	26.4
1983.....	1.1	*	*	*	*	*	*	*	2.4	3.9	13.9	21.8
1982.....	1.0	*	*	*	*	*	*	*	*	5.1	10.3	22.0
1981.....	1.0	*	*	*	*	*	*	*	*	5.5	12.0	23.0
1980.....	1.0	-	-	-	0.2	0.2	0.3	1.4	1.1	5.7	11.4	15.1
1979.....	1.0	-	-	-	0.0	0.3	0.5	1.4	1.6	4.3	9.7	17.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	769	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)															
TOTAL, BOTH SEXES															
1998.....		9.7	3.7	*	0.1	0.1	0.4	1.0	2.7	8.0	26.0	75.8	217.2		
1997.....		9.5	3.6	*	*	0.1	0.5	1.0	2.6	8.4	25.6	73.6	218.0		
1996.....		9.2	3.8	*	0.1	0.2	0.4	1.1	2.7	7.9	24.8	73.1	209.6		
1995.....		9.0	4.0	*	0.1	0.2	0.5	1.2	2.6	8.2	24.5	72.5	207.1		
1994.....		8.8	4.5	*	*	0.1	0.5	1.0	2.5	8.1	24.9	71.3	205.2		
1993.....		9.0	4.7	0.1	0.1	0.1	0.5	1.1	2.7	8.9	25.6	72.8	209.6		
1992.....		8.7	4.7	*	0.1	0.2	0.6	1.2	2.6	8.2	24.6	70.4	207.0		
1991.....		8.5	4.7	*	0.1	0.2	0.5	1.3	2.6	8.1	24.1	69.7	201.8		
1990.....		8.3	3.8	0.2	0.1	0.2	0.5	1.4	2.9	8.2	23.9	69.7	199.1		
1989.....		8.6	5.1	*	0.1	0.2	0.6	1.3	2.9	8.8	24.7	72.4	200.8		
1988.....		9.2	5.8	0.1	0.1	0.2	0.6	1.4	3.3	9.6	26.0	77.7	221.7		
1987.....		9.1	5.9	0.1	0.1	0.2	0.6	1.2	3.3	9.3	26.7	78.3	221.5		
1986.....		9.1	6.8	0.2	0.1	0.2	0.6	1.3	3.2	9.6	27.1	78.8	219.0		
1985.....		9.0	7.5	0.2	0.1	0.2	0.6	1.4	3.2	9.7	27.9	77.6	216.9		
1984.....		8.5	7.6	0.2	0.1	0.2	0.6	1.3	3.1	9.3	26.9	75.7	203.2		
1983.....		8.1	6.4	0.1	0.1	0.2	0.6	1.2	3.2	9.3	25.6	74.4	190.3		
1982.....		7.8	7.1	0.2	0.1	0.2	0.6	1.3	3.1	9.3	25.8	70.0	182.8		
1981.....		7.5	7.2	0.2	0.1	0.3	0.6	1.4	3.3	8.8	25.3	69.0	172.5		
1980.....		7.4	6.4	0.2	0.1	0.3	0.7	1.4	3.6	9.0	24.6	67.8	174.1		
1979.....		7.0	6.4	0.2	0.2	0.3	0.7	1.5	3.7	8.5	23.7	64.7	155.2		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	770	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
TOTAL, MALE															
1998.....		9.5	3.6	*	*	0.1	0.4	1.2	3.4	9.1	30.4	95.0	295.3		
1997.....		9.3	4.2	*	*	0.2	0.5	1.2	3.1	9.4	30.5	92.2	302.6		
1996.....		9.0	4.7	*	*	0.2	0.5	1.3	3.2	9.2	29.4	92.6	286.6		
1995.....		8.9	4.6	*	*	0.2	0.6	1.5	3.0	9.3	29.4	92.3	292.5		
1994.....		8.6	5.3	*	*	0.1	0.5	1.3	2.9	9.0	28.6	90.6	289.9		
1993.....		8.9	5.1	*	*	0.2	0.6	1.4	3.1	9.8	30.7	93.5	301.3		
1992.....		8.7	4.6	*	*	0.2	0.7	1.6	3.2	9.6	29.3	92.5	300.0		
1991.....		8.5	5.8	*	*	0.2	0.6	1.8	3.2	9.7	28.9	91.3	287.1		
1990.....		8.3	4.1	*	*	0.2	0.6	1.9	3.3	8.9	28.6	92.4	281.3		
1989.....		8.6	6.0	*	*	0.2	0.8	1.8	3.4	10.6	30.0	94.8	282.7		
1988.....		9.1	5.9	*	*	0.2	0.8	1.8	3.9	11.1	31.4	102.8	314.8		
1987.....		9.2	5.9	*	*	0.2	0.7	1.5	4.0	11.1	32.4	104.7	322.7		
1986.....		9.3	7.9	*	*	0.2	0.6	1.6	3.9	11.3	34.0	106.9	320.2		
1985.....		9.1	8.3	*	*	0.2	0.7	1.8	3.5	11.2	34.5	102.7	319.1		
1984.....		8.8	8.9	*	*	0.2	0.7	1.6	3.4	10.9	33.2	102.4	300.1		
1983.....		8.2	6.5	*	*	0.2	0.7	1.3	3.6	10.5	31.0	100.0	271.3		
1982.....		8.1	8.4	*	*	0.2	0.7	1.6	3.7	10.8	31.8	94.2	275.3		
1981.....		7.8	7.8	*		0.1	0.3	0.7	1.6	3.8	10.5	31.5	91.5	252.4	
1980.....		7.8	7.1	0.2	0.1	0.2	0.8	1.8	3.9	10.6	31.5	93.4	255.5		
1979.....		7.6	7.0	0.3	0.2	0.3	0.9	1.8	4.2	10.3	29.9	90.9	234.0		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 771													
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)													
TOTAL, FEMALE													
1998.....	9.9	3.7	*	*	0.1	0.3	0.7	2.0	7.0	22.4	63.1	184.8	
1997.....	9.7	3.0	*	*	0.1	0.4	0.8	2.1	7.5	21.5	61.5	183.8	
1996.....	9.3	2.9	*	*	0.1	0.3	0.9	2.3	6.6	21.1	60.4	179.0	
1995.....	9.1	3.5	*	*	0.1	0.4	0.9	2.2	7.2	20.5	59.9	173.8	
1994.....	9.1	3.8	*	*	0.1	0.4	0.7	2.1	7.3	21.9	59.2	172.5	
1993.....	9.2	4.2	*	*	*	0.4	0.9	2.2	8.0	21.6	60.0	174.5	
1992.....	8.7	4.9	*	*	0.1	0.4	0.8	2.1	7.0	20.9	56.8	171.0	
1991.....	8.5	3.6	*	*	0.2	0.4	0.8	2.1	6.6	20.2	56.6	168.8	
1990.....	8.4	3.6	*	*	0.1	0.3	1.0	2.5	7.6	20.2	56.1	167.4	
1989.....	8.5	4.2	*	*	0.2	0.4	0.8	2.4	7.1	20.6	59.1	169.0	
1988.....	9.2	5.7	*	*	0.2	0.5	0.9	2.7	8.2	21.9	62.8	185.3	
1987.....	9.0	6.0	*	*	0.2	0.5	0.8	2.6	7.8	22.3	62.7	181.6	
1986.....	8.8	5.6	*	0.1	0.2	0.5	1.0	2.6	8.1	21.8	62.3	178.9	
1985.....	8.8	6.7	*	*	0.1	0.4	0.9	2.9	8.5	22.9	62.8	176.2	
1984.....	8.3	6.3	*	0.1	0.2	0.5	1.0	2.9	7.9	22.1	60.0	164.0	
1983.....	8.1	6.2	*	*	0.2	0.5	1.1	2.9	8.1	21.5	59.4	157.1	
1982.....	7.5	5.8	*	*	0.2	0.5	1.0	2.4	8.0	21.1	55.8	144.2	
1981.....	7.3	6.5	*	*	0.2	0.4	1.1	2.8	7.3	20.6	55.7	138.5	
1980.....	7.0	5.6	0.2	0.1	0.3	0.5	1.1	3.4	7.7	19.2	52.7	138.6	
1979.....	6.5	5.7	0.2	0.1	0.3	0.6	1.2	3.2	7.0	19.0	49.2	120.2	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 772
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)													
WHITE, BOTH SEXES													
1998.....		9.6	3.0	*	*	0.1	0.3	0.7	2.0	6.2	23.0	71.3	209.4
1997.....		9.3	3.2	*	*	0.1	0.3	0.7	1.9	6.4	22.7	69.3	209.9
1996.....		9.0	2.8	*	*	0.1	0.3	0.7	2.0	6.3	21.7	68.1	200.7
1995.....		8.8	3.1	*	*	0.1	0.4	0.7	1.9	6.4	21.6	67.1	198.4
1994.....		8.6	3.3	*	*	0.1	0.3	0.6	1.8	6.2	21.9	66.8	197.6
1993.....		8.8	3.7	*	0.1	0.1	0.3	0.7	1.8	7.0	22.7	67.4	199.9
1992.....		8.4	4.0	*	*	0.1	0.4	0.8	1.8	6.3	21.5	66.0	198.0
1991.....		8.1	4.1	*	*	0.1	0.3	0.8	1.9	6.3	20.8	65.2	191.6
1990.....		7.9	2.9	*	*	0.1	0.3	0.9	2.0	6.2	20.5	64.3	191.3
1989.....		8.0	4.2	*	*	0.1	0.4	0.8	2.0	6.6	20.8	65.7	191.6
1988.....		8.7	4.9	*	*	0.1	0.4	0.9	2.3	7.5	22.6	71.3	212.0
1987.....		8.7	4.2	*	*	0.1	0.4	0.8	2.3	7.4	23.1	72.8	212.4
1986.....		8.6	5.5	*	0.1	0.2	0.4	0.9	2.2	7.5	23.5	72.6	208.8
1985.....		8.4	6.2	*	0.1	0.1	0.4	0.9	2.3	7.7	23.9	71.3	206.4
1984.....		8.1	6.1	*	0.1	0.2	0.5	0.9	2.2	7.3	23.3	69.7	195.9
1983.....		7.7	5.3	*	0.1	0.2	0.4	0.8	2.5	7.2	21.9	69.2	184.3
1982.....		7.3	5.8	0.2	0.1	0.1	0.4	1.0	2.1	7.2	22.0	64.3	176.8
1981.....		7.0	6.2	0.2	0.1	0.2	0.4	1.0	2.4	6.8	21.4	64.1	167.3
1980.....		6.7	5.3	0.2	0.1	0.2	0.5	1.0	2.5	6.7	20.6	61.9	166.3
1979.....		6.5	5.6	0.2	0.1	0.2	0.6	1.1	2.7	6.6	20.3	59.7	150.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 773
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)													
WHITE MALE													
1998.....		9.5	2.9	*	*	*	0.3	0.8	2.5	7.0	27.9	91.5	292.8
1997.....		9.2	3.4	*	*	0.2	0.3	0.8	2.2	7.4	27.9	88.6	296.5
1996.....		8.8	3.4	*	*	0.1	0.3	0.8	2.4	7.5	26.5	88.5	280.4
1995.....		8.7	3.4	*	*	*	0.4	0.9	2.2	7.4	26.7	87.4	285.0
1994.....		8.4	3.6	*	*	*	0.3	0.7	2.0	7.0	25.6	87.8	285.3
1993.....		8.7	3.9	*	*	0.1	0.3	0.8	2.2	8.0	27.8	88.2	292.9
1992.....		8.4	4.2	*	*	0.1	0.5	1.0	2.3	7.6	26.2	87.9	291.8
1991.....		8.1	5.2	*	*	*	0.3	1.2	2.2	7.6	25.4	87.4	277.5
1990.....		7.9	3.1	*	*	0.2	0.4	1.2	2.3	6.9	25.1	86.7	273.9
1989.....		8.0	5.0	*	*	*	0.5	1.0	2.3	8.3	25.7	87.1	272.5
1988.....		8.7	5.3	*	*	0.1	0.5	1.2	2.7	8.9	28.0	96.1	308.8
1987.....		8.8	4.3	*	*	0.1	0.5	1.0	2.9	8.9	28.9	99.0	312.8
1986.....		8.8	6.6	*	*	0.2	0.4	1.0	2.7	9.2	30.1	100.1	310.5
1985.....		8.6	7.2	*	*	0.2	0.4	1.2	2.7	9.1	30.4	95.4	307.7
1984.....		8.3	7.2	*	*	0.2	0.5	1.1	2.5	8.7	29.8	96.6	293.2
1983.....		7.8	5.6	*	*	0.2	0.5	0.8	2.8	8.4	27.4	94.4	262.7
1982.....		7.7	7.1	*	*	0.2	0.5	1.2	2.6	8.8	28.0	88.4	268.9
1981.....		7.3	6.7	*	0.1	0.3	0.5	1.2	2.8	8.4	27.3	86.9	244.0
1980.....		7.2	6.3	0.2	0.1	0.2	0.6	1.2	2.7	8.4	27.5	86.0	245.7
1979.....		7.0	5.7	0.3	0.2	0.2	0.7	1.2	3.0	8.5	26.5	84.5	227.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 774
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	9.7	3.0	*	*	*	0.3	0.5	1.5	5.4	19.0	57.9	175.2
1997.....	9.5	3.0	*	*	*	0.3	0.6	1.6	5.6	18.4	56.6	175.4
1996.....	9.1	2.0	*	*	*	0.2	0.6	1.7	5.2	17.8	54.8	169.5
1995.....	8.8	2.7	*	*	*	0.3	0.6	1.6	5.4	17.5	54.1	165.0
1994.....	8.8	3.0	*	*	0.1	0.3	0.5	1.5	5.4	18.9	53.6	164.2
1993.....	8.8	3.4	*	*	*	0.3	0.6	1.5	6.0	18.6	54.5	164.6
1992.....	8.4	3.8	*	*	*	0.2	0.6	1.4	5.1	17.8	52.5	162.2
1991.....	8.1	2.9	*	*	*	0.3	0.5	1.6	5.1	17.1	51.8	159.0
1990.....	8.0	2.6	*	*	*	0.2	0.6	1.7	5.5	16.9	50.9	159.9
1989.....	8.0	3.5	*	*	0.2	0.3	0.5	1.7	5.0	16.9	53.0	160.7
1988.....	8.7	4.5	*	*	0.2	0.3	0.6	1.8	6.1	18.3	56.7	174.9
1987.....	8.6	4.1	*	*	0.1	0.3	0.7	1.7	6.0	18.5	57.4	173.5
1986.....	8.4	4.3	*	*	0.1	0.4	0.7	1.8	6.1	18.4	56.6	169.2
1985.....	8.3	5.1	*	*	*	0.3	0.7	1.9	6.4	18.8	57.2	166.7
1984.....	7.8	5.0	*	*	0.2	0.4	0.7	2.0	6.1	18.3	54.0	157.3
1983.....	7.6	4.9	*	*	0.2	0.4	0.8	2.1	6.2	17.7	54.5	152.7
1982.....	6.9	4.6	*	*	0.1	0.4	0.7	1.7	5.9	17.4	50.2	139.0
1981.....	6.8	5.8	*	*	0.2	0.3	0.7	2.0	5.5	16.8	50.8	135.3
1980.....	6.3	4.4	0.2	0.1	0.2	0.4	0.8	2.3	5.2	15.3	47.9	132.1
1979.....	5.9	5.5	0.2	0.1	0.2	0.5	0.9	2.3	5.0	15.6	45.2	117.1

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	775	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)															
ALL OTHER, BOTH SEXES															
1998.....		10.2	6.3	*	*	*	0.8	2.4	6.5	19.4	47.3	117.3	290.9		
1997.....		10.0	5.2	*	*	*	1.0	2.3	6.7	20.5	46.8	115.0	294.8		
1996.....		10.1	8.1	*	*	0.3	0.9	2.8	6.7	17.7	48.3	120.7	294.4		
1995.....		10.2	7.6	*	*	0.3	1.0	3.3	7.0	20.1	47.2	125.2	295.5		
1994.....		9.9	9.0	*	*	*	1.3	3.0	6.9	20.5	48.6	115.1	282.8		
1993.....		10.5	8.4	*	*	*	1.6	3.3	7.6	21.4	49.6	126.2	310.6		
1992.....		10.1	7.4	*	*	0.3	1.5	3.5	7.6	21.3	50.1	113.3	301.8		
1991.....		10.2	6.9	*	*	0.4	1.4	3.8	7.2	20.5	51.8	113.8	309.1		
1990.....		10.5	7.5	*	*	0.3	1.3	4.2	8.5	22.8	53.0	123.0	282.2		
1989.....		11.5	8.5	*	*	0.4	1.7	4.1	8.7	24.9	58.8	138.2	298.8		
1988.....		11.7	9.3	*	*	0.5	1.7	4.0	9.8	25.2	56.3	140.3	325.0		
1987.....		11.4	13.1	*	*	0.4	1.7	3.2	9.4	24.4	59.2	132.6	319.2		
1986.....		11.8	12.4	*	*	0.4	1.5	4.0	9.5	25.8	59.2	140.5	329.9		
1985.....		12.0	13.4	*	*	0.4	1.7	4.0	9.1	26.2	64.2	140.6	330.8		
1984.....		11.2	14.3	*	*	0.3	1.4	3.6	8.9	25.4	59.7	136.1	283.4		
1983.....		10.7	11.1	*	*	0.4	1.5	3.5	8.3	25.8	59.2	127.2	255.5		
1982.....		10.9	12.9	*	*	0.4	1.4	3.5	9.6	27.0	59.9	128.8	251.8		
1981.....		10.5	11.4	*	*	0.4	1.5	3.9	9.6	25.9	61.3	119.7	231.6		
1980.....		11.4	11.0	0.2	0.1	0.7	1.9	3.9	11.7	29.3	61.1	129.7	264.2		
1979.....		10.4	10.1	0.2	0.2	0.7	1.8	4.4	11.5	25.7	55.4	117.0	206.3		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	776	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)															
ALL OTHER MALE															
1998.....		9.6	6.0	*	*	*	1.0	3.4	8.6	23.5	49.7	128.3	316.4		
1997.....		9.7	7.4	*	*	*	1.2	3.2	8.7	23.5	51.4	127.5	355.7		
1996.....		9.6	9.9	*	*	*	1.2	3.9	8.1	21.2	53.2	133.3	340.7		
1995.....		9.9	8.8	*	*	*	1.4	4.5	8.5	22.9	52.2	141.5	362.6		
1994.....		9.4	11.4	*	*	*	1.7	4.4	9.0	22.9	53.8	119.3	333.4		
1993.....		10.2	9.4	*	*	*	2.2	4.5	9.6	22.8	55.5	147.5	378.8		
1992.....		10.1	6.1	*	*	*	2.0	5.4	9.4	24.4	55.9	138.1	376.7		
1991.....		10.2	7.8	*	*	*	2.1	5.4	9.3	25.4	60.0	129.5	375.6		
1990.....		10.4	7.7	*	*	*	1.8	5.5	10.1	24.6	61.2	148.5	350.1		
1989.....		11.9	9.9	*	*	*	2.3	6.3	11.0	28.6	69.8	169.4	376.5		
1988.....		11.4	8.2	*	*	0.6	2.2	5.5	12.0	28.5	62.5	168.4	370.9		
1987.....		11.6	12.4	*	*	*	2.3	4.9	11.4	28.9	65.5	158.8	415.6		
1986.....		12.1	13.8	*	*	*	1.9	5.6	12.0	28.9	69.5	171.8	410.7		
1985.....		12.1	13.3	*	*	*	2.4	6.0	9.5	28.8	72.0	171.7	426.0		
1984.....		11.2	16.7	*	*	*	1.8	4.6	10.0	29.7	65.6	158.3	365.3		
1983.....		10.8	10.3	*	*	*	1.9	4.5	9.3	29.1	64.2	153.7	348.6		
1982.....		11.0	14.5	*	*	*	1.7	4.0	12.2	28.7	67.1	150.0	337.3		
1981.....		10.9	13.1	*	*	*	1.9	4.7	11.2	29.9	70.3	135.7	335.9		
1980.....		11.9	10.9	0.2	0.1	0.5	2.6	5.7	13.1	30.7	68.6	166.3	355.5		
1979.....		11.1	13.2	0.3	0.3	0.9	2.1	5.9	13.3	27.0	61.1	152.2	303.4		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 777
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	10.7	6.5	*	*	*	0.6	1.6	4.7	16.1	45.6	110.4	279.2
1997.....	10.4	*	*	*	*	0.7	1.6	5.0	18.1	43.4	107.2	267.2
1996.....	10.6	6.2	*	*	*	0.6	1.9	5.6	15.0	44.7	113.0	273.5
1995.....	10.5	6.3	*	*	*	0.7	2.2	5.7	17.9	43.6	115.3	266.5
1994.....	10.3	6.6	*	*	*	0.9	1.8	5.1	18.7	44.8	112.6	260.9
1993.....	10.8	7.3	*	*	*	1.0	2.1	5.8	20.2	45.3	113.5	280.9
1992.....	10.1	8.7	*	*	*	1.1	1.8	6.0	18.9	46.0	98.5	268.1
1991.....	10.1	6.0	*	*	*	0.8	2.4	5.4	16.7	45.9	104.2	277.2
1990.....	10.6	7.2	*	*	*	0.9	3.0	7.1	21.3	47.2	107.8	251.3
1989.....	11.1	7.1	*	*	*	1.2	2.2	6.7	22.0	50.9	119.4	262.9
1988.....	11.9	10.5	*	*	*	1.2	2.7	8.0	22.7	51.9	123.5	303.6
1987.....	11.3	13.8	*	*	*	1.2	1.8	7.7	20.9	54.6	116.2	273.6
1986.....	11.5	11.0	*	*	*	1.2	2.7	7.4	23.4	51.7	121.1	291.0
1985.....	11.9	13.5	*	*	*	1.1	2.3	8.7	24.1	58.4	121.1	286.7
1984.....	11.1	11.9	*	*	*	1.0	2.8	8.0	21.9	55.5	122.3	242.8
1983.....	10.5	12.0	*	*	*	1.1	2.8	7.4	23.2	55.5	110.2	208.6
1982.....	10.7	11.2	*	*	*	1.1	3.0	7.4	25.6	54.6	115.2	206.8
1981.....	10.1	9.6	*	*	*	1.1	3.3	8.3	22.7	54.5	109.2	178.6
1980.....	11.0	11.1	0.2	0.1	0.8	1.4	2.5	10.5	28.1	55.5	105.7	217.5
1979.....	9.7	7.0	0.1	0.1	0.6	1.5	3.2	10.0	24.6	51.1	93.4	157.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 778												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)												
BLACK, BOTH SEXES												
1998.....	12.6	7.5	*	*	*	1.0	3.1	8.1	24.6	55.9	137.0	336.1
1997.....	12.5	6.3	*	*	*	1.3	3.1	8.5	25.8	56.1	133.6	341.5
1996.....	12.4	10.8	*	*	0.4	1.1	3.7	8.7	22.1	56.5	137.3	328.0
1995.....	12.5	9.5	*	*	0.4	1.4	4.3	8.9	24.8	56.0	141.5	320.0
1994.....	12.2	11.1	*	*	*	1.7	3.9	9.1	25.2	58.0	129.5	304.3
1993.....	12.8	10.7	*	*	*	2.0	4.2	9.7	26.2	57.9	138.7	330.0
1992.....	12.3	8.8	*	*	*	1.9	4.5	9.4	25.8	57.9	126.2	332.8
1991.....	12.4	9.0	*	*	0.5	1.8	5.0	9.2	24.7	60.7	126.2	331.5
1990.....	12.6	8.5	*	*	0.4	1.7	5.4	10.5	27.2	60.5	134.7	303.2
1989.....	13.8	10.4	*	*	0.5	2.2	5.3	10.9	29.7	67.3	151.4	316.4
1988.....	14.0	10.9	*	*	0.6	2.1	5.1	12.0	29.9	64.2	154.0	348.1
1987.....	13.6	15.0	*	*	0.5	2.1	4.0	11.4	28.9	66.7	145.1	338.9
1986.....	13.9	14.8	*	*	0.5	1.8	5.2	11.1	29.6	67.4	154.5	347.3
1985.....	14.2	15.0	*	*	0.4	2.2	5.3	10.4	30.7	71.8	152.6	362.1
1984.....	13.0	17.2	*	*	0.4	1.6	4.4	10.1	29.0	67.0	146.9	301.1
1983.....	12.3	13.1	*	*	0.4	1.8	4.1	9.7	29.3	65.1	138.6	267.4
1982.....	12.4	15.5	*	*	0.4	1.6	4.1	11.0	30.4	66.6	137.9	264.8
1981.....	12.0	12.9	*	*	0.5	1.8	4.7	11.1	29.2	67.2	130.3	242.9
1980.....	12.8	12.5	0.2	0.1	0.7	2.3	4.5	13.3	32.4	66.9	139.1	278.5
1979.....	11.5	11.3	0.2	0.2	0.8	2.1	5.3	12.8	28.5	59.2	121.8	209.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 779
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)													
BLACK MALE													
1998.....		11.8	8.1	*	*	*	1.3	4.4	10.8	31.2	58.5	153.7	378.4
1997.....		12.0	8.9	*	*	*	1.7	4.3	11.3	29.9	63.2	151.1	424.1
1996.....		11.8	13.7	*	*	*	1.6	5.1	10.9	26.8	62.3	156.3	385.2
1995.....		12.2	11.8	*	*	*	1.9	6.0	10.8	28.7	62.8	164.7	401.5
1994.....		11.6	14.0	*	*	*	2.3	5.8	12.0	28.9	64.5	136.8	358.8
1993.....		12.3	12.2	*	*	*	2.9	5.9	12.4	27.9	65.7	162.3	403.3
1992.....		12.3	7.2	*	*	*	2.6	7.0	11.9	30.3	65.2	159.6	422.0
1991.....		12.5	10.2	*	*	*	2.7	7.3	12.2	30.8	72.1	146.1	413.0
1990.....		12.5	8.7	*	*	*	2.3	7.2	13.2	29.3	71.1	164.6	383.3
1989.....		14.4	12.4	*	*	*	3.0	8.3	14.3	34.4	80.5	189.8	410.6
1988.....		13.6	9.8	*	*	0.8	2.8	7.3	14.8	33.6	71.1	185.6	398.5
1987.....		13.7	14.3	*	*	*	2.9	6.1	13.9	34.2	74.5	176.4	454.7
1986.....		14.3	16.4	*	*	*	2.3	7.4	14.5	33.3	80.5	196.2	436.5
1985.....		14.3	14.9	*	*	*	3.0	7.9	11.5	33.9	81.7	187.5	474.2
1984.....		13.0	20.2	*	*	*	2.3	5.9	11.5	33.9	73.5	172.1	391.8
1983.....		12.5	12.1	*	*	*	2.3	5.5	10.8	33.3	72.0	170.9	368.3
1982.....		12.7	17.2	*	*	*	1.9	4.7	14.6	32.7	75.7	163.5	363.8
1981.....		12.5	15.2	*	*	*	2.3	5.9	12.9	34.0	78.0	151.1	358.9
1980.....		13.5	12.6	0.2	0.1	0.5	3.0	6.8	15.3	34.5	76.4	179.8	381.1
1979.....		12.3	14.6	0.3	0.4	0.9	2.5	7.1	14.9	29.8	65.8	159.2	305.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 780
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	13.3	*	*	*	*	0.8	2.1	5.8	19.6	54.1	127.1	318.5
1997.....	12.9	*	*	*	*	0.8	1.9	6.1	22.6	51.1	123.3	307.4
1996.....	12.9	7.8	*	*	*	*	2.4	6.9	18.4	52.4	126.3	304.5
1995.....	12.9	7.2	*	*	*	0.9	2.8	7.3	21.8	51.1	128.2	286.9
1994.....	12.7	8.2	*	*	*	1.1	2.2	6.7	22.3	53.4	125.4	282.1
1993.....	13.2	9.1	*	*	*	1.2	2.8	7.4	24.9	52.3	125.5	300.0
1992.....	12.2	10.5	*	*	*	1.2	2.3	7.4	22.2	52.7	107.5	295.6
1991.....	12.3	7.8	*	*	*	1.1	3.0	6.7	19.9	52.8	115.1	296.9
1990.....	12.8	8.2	*	*	*	1.2	3.9	8.3	25.7	53.2	118.0	269.2
1989.....	13.3	8.4	*	*	*	1.4	2.7	8.2	26.0	58.2	129.6	277.8
1988.....	14.4	12.0	*	*	*	1.4	3.3	9.8	27.1	59.4	135.9	326.2
1987.....	13.4	15.7	*	*	*	1.3	2.2	9.3	24.7	61.2	127.0	287.5
1986.....	13.5	13.1	*	*	*	1.4	3.3	8.2	26.7	58.1	130.0	306.5
1985.....	14.0	15.1	*	*	*	1.4	3.0	9.6	28.1	64.8	131.8	309.8
1984.....	13.0	14.1	*	*	*	1.1	3.1	9.0	25.1	62.4	132.1	258.1
1983.....	12.1	14.2	*	*	*	1.3	2.9	8.8	26.1	60.2	118.6	218.5
1982.....	12.2	13.7	*	*	*	1.3	3.5	8.0	28.6	60.1	122.1	216.1
1981.....	11.6	10.5	*	*	*	1.3	3.8	9.6	25.3	59.4	117.3	183.2
1980.....	12.3	12.4	0.1	0.1	0.8	1.6	2.6	11.7	30.6	59.9	113.3	227.3
1979.....	10.8	7.8	0.1	0.1	0.6	1.8	3.8	11.1	27.5	54.4	96.7	160.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 781
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)
 TOTAL, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.1	*	*	*	*	*	*	*	0.1	0.3	0.9	2.2
1997.....	0.1	*	*	*	*	*	*	*	0.1	0.3	0.9	2.4
1996.....	0.1	*	*	*	*	*	*	*	0.1	0.3	1.0	2.1
1995.....	0.1	*	*	*	*	*	*	*	*	0.3	0.9	2.3
1994.....	0.1	*	*	*	*	*	*	*	0.1	0.3	1.0	2.5
1993.....	0.1	*	*	*	*	*	*	*	0.1	0.3	0.9	2.3
1992.....	0.1	*	*	*	*	*	*	*	0.2	0.3	1.0	1.9
1991.....	0.1	*	*	*	*	*	*	*	0.1	0.3	1.0	2.9
1990.....	0.1	*	*	*	*	*	*	*	0.1	0.3	0.8	2.4
1989.....	0.1	*	*	*	*	*	*	*	0.2	0.4	1.1	1.7
1988.....	0.1	*	*	*	*	*	*	*	0.2	0.4	1.0	2.4
1987.....	0.1	*	*	*	*	*	*	*	0.1	0.4	1.0	1.8
1986.....	0.1	*	*	*	*	*	*	*	0.2	0.3	1.0	2.1
1985.....	0.1	*	*	*	*	*	*	*	0.2	0.4	1.2	2.7
1984.....	0.1	*	*	*	*	*	*	0.1	0.1	0.4	1.3	2.3
1983.....	0.2	*	*	*	*	*	*	*	0.2	0.5	1.3	3.0
1982.....	0.1	*	*	*	*	*	*	*	0.2	0.4	1.3	2.2
1981.....	0.1	*	*	*	*	*	*	*	0.1	0.5	1.1	2.3
1980.....	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.4	1.3	2.9
1979.....	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.5	1.4	2.5

ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)
 TOTAL, MALE

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.1	*	*	*	*	*	*	*	*	0.4	0.9	3.4
1997	0.1	*	*	*	*	*	*	*	*	0.3	1.1	3.1
1996	0.1	*	*	*	*	*	*	*	*	0.3	1.3	2.5
1995	0.1	*	*	*	*	*	*	*	*	0.3	1.1	3.2
1994	0.1	*	*	*	*	*	*	*	*	0.3	1.2	3.0
1993	0.1	*	*	*	*	*	*	*	*	0.2	0.9	2.9
1992	0.1	*	*	*	*	*	*	*	*	0.3	1.2	3.0
1991	0.1	*	*	*	*	*	*	*	*	0.3	1.3	3.9
1990	0.1	*	*	*	*	*	*	*	*	0.4	1.0	3.0
1989	0.1	*	*	*	*	*	*	*	0.2	0.5	1.4	*
1988	0.1	*	*	*	*	*	*	*	0.2	0.5	1.3	3.1
1987	0.1	*	*	*	*	*	*	*	*	0.4	1.3	2.5
1986	0.1	*	*	*	*	*	*	*	*	0.4	1.2	3.0
1985	0.1	*	*	*	*	*	*	*	0.3	0.4	1.5	2.8
1984	0.1	*	*	*	*	*	*	*	0.2	0.4	1.8	3.1
1983	0.2	*	*	*	*	*	*	*	*	0.7	1.7	3.4
1982	0.1	*	*	*	*	*	*	*	0.2	0.5	1.5	3.8
1981	0.1	*	*	*	*	*	*	*	*	0.5	1.4	3.4
1980	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.5	1.6	3.4
1979	0.2	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.7	1.8	3.4

ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)
 TOTAL, FEMALE

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.1	*	*	*	*	*	*	*	*	0.3	0.9	1.7
1997	0.1	*	*	*	*	*	*	*	*	0.3	0.8	2.1
1996	0.1	*	*	*	*	*	*	*	*	0.3	0.9	1.9
1995	0.1	*	*	*	*	*	*	*	*	0.3	0.8	1.9
1994	0.1	*	*	*	*	*	*	*	*	0.2	0.9	2.3
1993	0.1	*	*	*	*	*	*	*	*	0.3	0.8	2.1
1992	0.1	*	*	*	*	*	*	*	*	0.3	0.9	1.5
1991	0.1	*	*	*	*	*	*	*	*	0.3	0.8	2.6
1990	0.1	*	*	*	*	*	*	*	*	0.3	0.7	2.2
1989	0.1	*	*	*	*	*	*	*	*	0.3	1.0	1.6
1988	0.1	*	*	*	*	*	*	*	*	0.3	0.8	2.2
1987	0.1	*	*	*	*	*	*	*	*	0.3	0.7	1.5
1986	0.1	*	*	*	*	*	*	*	0.2	0.3	0.9	1.8
1985	0.2	*	*	*	*	*	*	*	*	0.4	1.1	2.7
1984	0.1	*	*	*	*	*	*	*	*	0.4	1.0	2.0
1983	0.2	*	*	*	*	*	*	*	0.2	0.3	1.1	2.8
1982	0.1	*	*	*	*	*	*	*	*	0.3	1.1	1.5
1981	0.1	*	*	*	*	*	*	*	*	0.5	1.0	1.9
1980	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	1.1	2.6
1979	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.2	2.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 784
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)
 WHITE, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.1	*	*	*	*	*	*	*	*	0.3	0.9	2.1
1997.....	0.1	*	*	*	*	*	*	*	*	0.2	0.9	2.4
1996.....	0.1	*	*	*	*	*	*	*	*	0.3	0.9	1.9
1995.....	0.1	*	*	*	*	*	*	*	*	0.3	0.9	2.1
1994.....	0.1	*	*	*	*	*	*	*	*	0.2	0.9	2.4
1993.....	0.1	*	*	*	*	*	*	*	*	0.2	0.8	2.3
1992.....	0.1	*	*	*	*	*	*	*	0.2	0.3	1.0	1.8
1991.....	0.1	*	*	*	*	*	*	*	*	0.2	0.9	3.0
1990.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	2.5
1989.....	0.1	*	*	*	*	*	*	*	0.1	0.3	1.0	1.5
1988.....	0.1	*	*	*	*	*	*	*	0.1	0.4	0.9	2.3
1987.....	0.1	*	*	*	*	*	*	*	*	0.3	1.0	1.8
1986.....	0.1	*	*	*	*	*	*	*	0.2	0.3	1.0	2.0
1985.....	0.1	*	*	*	*	*	*	*	0.2	0.4	1.2	2.8
1984.....	0.1	*	*	*	*	*	*	*	0.1	0.4	1.3	2.3
1983.....	0.2	*	*	*	*	*	*	*	0.2	0.4	1.3	3.1
1982.....	0.1	*	*	*	*	*	*	*	0.2	0.4	1.2	2.2
1981.....	0.1	*	*	*	*	*	*	*	0.1	0.5	1.1	2.4
1980.....	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	1.3	2.9
1979.....	0.2	0.1	0.1	-	0.0	0.0	0.0	0.1	0.1	0.5	1.4	2.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 785
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	0.1	*	*	*	*	*	*	*	*	0.4	0.9	3.6
1997.....	0.1	*	*	*	*	*	*	*	*	*	1.0	3.2
1996.....	0.1	*	*	*	*	*	*	*	*	0.3	1.2	2.6
1995.....	0.1	*	*	*	*	*	*	*	*	0.3	1.1	3.3
1994.....	0.1	*	*	*	*	*	*	*	*	*	1.1	2.6
1993.....	0.1	*	*	*	*	*	*	*	*	*	0.9	2.9
1992.....	0.1	*	*	*	*	*	*	*	*	*	1.2	2.7
1991.....	0.1	*	*	*	*	*	*	*	*	0.3	1.3	4.2
1990.....	0.1	*	*	*	*	*	*	*	*	0.4	1.1	3.2
1989.....	0.1	*	*	*	*	*	*	*	*	0.5	1.4	*
1988.....	0.1	*	*	*	*	*	*	*	0.2	0.5	1.3	3.1
1987.....	0.1	*	*	*	*	*	*	*	*	0.3	1.3	*
1986.....	0.1	*	*	*	*	*	*	*	*	0.3	1.2	3.0
1985.....	0.1	*	*	*	*	*	*	*	0.3	0.4	1.4	2.9
1984.....	0.1	*	*	*	*	*	*	*	*	0.4	1.8	3.1
1983.....	0.1	*	*	*	*	*	*	*	*	0.6	1.7	3.8
1982.....	0.1	*	*	*	*	*	*	*	*	0.4	1.4	3.7
1981.....	0.1	*	*	*	*	*	*	*	*	0.5	1.4	3.3
1980.....	0.1	0.3	0.0	0.0	0.0	-	0.0	0.1	0.2	0.5	1.6	3.4
1979.....	0.2	0.2	0.1	-	0.0	0.0	0.1	0.1	0.2	0.7	1.9	3.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 786
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	1.5
1997.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	2.1
1996.....	0.1	*	*	*	*	*	*	*	*	0.3	0.8	1.6
1995.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	1.6
1994.....	0.1	*	*	*	*	*	*	*	*	0.2	0.8	2.4
1993.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	2.1
1992.....	0.1	*	*	*	*	*	*	*	*	0.3	0.9	1.4
1991.....	0.1	*	*	*	*	*	*	*	*	*	0.7	2.6
1990.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	2.2
1989.....	0.1	*	*	*	*	*	*	*	*	0.2	0.8	1.4
1988.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	1.9
1987.....	0.1	*	*	*	*	*	*	*	*	0.3	0.7	1.6
1986.....	0.1	*	*	*	*	*	*	*	0.2	0.3	0.9	1.5
1985.....	0.2	*	*	*	*	*	*	*	*	0.4	1.0	2.7
1984.....	0.1	*	*	*	*	*	*	*	*	0.4	1.0	1.9
1983.....	0.2	*	*	*	*	*	*	*	*	0.3	1.1	2.8
1982.....	0.1	*	*	*	*	*	*	*	*	0.3	1.1	1.6
1981.....	0.1	*	*	*	*	*	*	*	*	0.4	0.9	2.0
1980.....	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.2	2.7
1979.....	0.1	0.1	0.1	-	0.0	0.0	0.0	0.0	0.1	0.4	1.1	2.3

ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)
 ALL OTHER, BOTH SEXES

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	1.9	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	0.0	0.0	0.1	0.1	0.4	0.5	0.8	1.2	2.2
1979.....	0.2	0.5	0.1	0.0	0.1	0.0	0.1	0.1	0.3	0.5	2.0	0.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 788
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	0.0	-	0.1	0.1	0.5	0.4	1.1	2.3	3.3
1979.....	0.2	1.0	0.2	0.1	0.2	0.0	0.1	0.2	0.2	0.3	1.5	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 789
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	0.1	0.1	-	0.3	0.6	0.7	0.5	1.7
1979.....	0.1	-	-	0.0	-	-	0.1	0.1	0.3	0.6	2.3	0.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 790
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)
 BLACK, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.1	*	*	*	*	*	*	*	*	*	*	*
1997	0.1	*	*	*	*	*	*	*	*	*	*	*
1996	0.2	*	*	*	*	*	*	*	*	*	2.4	*
1995	0.1	*	*	*	*	*	*	*	*	*	*	*
1994	0.2	*	*	*	*	*	*	*	*	*	*	*
1993	0.2	*	*	*	*	*	*	*	*	*	*	*
1992	0.1	*	*	*	*	*	*	*	*	*	*	*
1991	0.2	*	*	*	*	*	*	*	*	*	*	*
1990	0.1	*	*	*	*	*	*	*	*	*	*	*
1989	0.2	*	*	*	*	*	*	*	*	*	*	*
1988	0.2	*	*	*	*	*	*	*	*	*	*	*
1987	0.2	*	*	*	*	*	*	*	*	*	*	*
1986	0.2	*	*	*	*	*	*	*	*	*	*	*
1985	0.2	*	*	*	*	*	*	*	*	*	*	*
1984	0.2	*	*	*	*	*	*	*	*	*	*	*
1983	0.2	*	*	*	*	*	*	*	*	*	*	*
1982	0.2	*	*	*	*	*	*	*	*	*	*	*
1981	0.2	*	*	*	*	*	*	*	*	*	*	*
1980	0.2	-	-	0.0	0.0	0.2	0.0	0.4	0.6	0.9	1.2	2.5
1979	0.2	0.6	0.1	0.1	0.1	0.0	0.1	0.1	0.3	0.5	1.8	0.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 791
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	*	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	0.0	-	0.2	0.1	0.6	0.5	1.1	2.2	3.8
1979.....	0.2	1.2	0.2	0.1	0.2	0.1	0.2	0.1	0.2	0.4	1.7	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 792
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	0.1	0.2	-	0.3	0.7	0.8	0.6	1.9
1979.....	0.1	-	-	0.0	-	-	0.1	0.1	0.4	0.7	1.9	1.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 793
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

TOTAL, BOTH SEXES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.6	*	*	*	*	0.1	0.1	0.2	0.5	1.6	4.8	14.2
1997.....	0.6	*	*	*	*	0.1	0.1	0.2	0.5	1.6	4.6	12.9
1996.....	0.6	*	*	*	*	*	0.1	0.3	0.4	1.7	4.5	14.5
1995.....	0.6	*	*	*	*	0.1	0.1	0.2	0.6	1.5	4.2	12.4
1994.....	0.6	*	*	*	*	0.1	0.1	0.2	0.6	1.6	4.9	12.7
1993.....	0.6	*	*	*	*	0.1	0.1	0.2	0.6	1.8	4.7	13.6
1992.....	0.6	*	*	*	*	0.1	0.1	0.3	0.5	1.6	4.7	13.5
1991.....	0.6	*	*	*	*	*	0.2	0.3	0.6	1.7	4.8	13.2
1990.....	0.6	*	*	*	*	0.1	0.2	0.3	0.6	1.7	4.9	12.8
1989.....	0.6	*	*	*	*	0.1	0.2	0.2	0.7	1.8	4.9	13.3
1988.....	0.6	*	*	*	*	0.1	0.2	0.3	0.6	1.8	5.1	14.2
1987.....	0.6	*	*	*	*	0.1	0.2	0.3	0.7	1.7	5.3	14.5
1986.....	0.6	*	*	*	*	0.1	0.1	0.2	0.7	2.0	5.3	12.8
1985.....	0.7	*	*	*	*	0.1	0.2	0.3	0.7	2.1	5.6	15.4
1984.....	0.8	*	*	*	*	0.1	0.2	0.3	0.8	2.3	6.6	17.7
1983.....	0.8	*	*	*	0.1	0.1	0.2	0.4	0.9	2.5	7.4	17.5
1982.....	0.8	*	*	*	*	0.1	0.2	0.4	1.0	2.7	7.5	18.3
1981.....	0.9	*	*	*	0.1	0.1	0.2	0.5	1.0	2.9	8.7	18.0
1980.....	1.0	-	0.0	0.0	0.1	0.1	0.3	0.5	1.2	3.4	9.0	22.2
1979.....	1.1	0.2	0.0	0.0	0.1	0.2	0.3	0.6	1.2	3.7	9.4	22.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 794
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.6	*	*	*	*	*	0.1	0.2	0.6	2.0	6.3	18.5
1997.....	0.6	*	*	*	*	*	0.2	0.3	0.6	1.7	6.0	19.2
1996.....	0.6	*	*	*	*	*	0.1	0.4	0.4	2.0	6.2	19.7
1995.....	0.6	*	*	*	*	*	0.1	0.2	0.7	1.9	5.8	17.9
1994.....	0.6	*	*	*	*	*	0.1	0.2	0.6	1.8	6.3	17.1
1993.....	0.6	*	*	*	*	*	0.2	0.3	0.7	2.2	6.1	21.2
1992.....	0.6	*	*	*	*	0.1	0.2	0.3	0.7	1.9	6.4	20.8
1991.....	0.6	*	*	*	*	*	0.2	0.3	0.7	1.9	6.4	21.1
1990.....	0.6	*	*	*	*	0.1	0.3	0.4	0.8	2.1	6.2	19.3
1989.....	0.6	*	*	*	*	0.1	0.2	0.3	0.9	2.0	5.9	19.1
1988.....	0.7	*	*	*	*	0.1	0.2	0.3	0.8	2.2	7.2	22.8
1987.....	0.6	*	*	*	*	*	0.2	0.4	0.8	2.1	6.6	20.1
1986.....	0.7	*	*	*	*	0.1	0.2	0.3	0.9	2.5	7.0	20.8
1985.....	0.7	*	*	*	*	0.1	0.2	0.4	0.8	2.6	6.7	22.2
1984.....	0.8	*	*	*	*	0.2	0.3	0.4	1.0	3.1	8.4	25.2
1983.....	0.8	*	*	*	*	0.1	0.2	0.3	1.0	2.8	10.0	22.3
1982.....	0.9	*	*	*	*	0.2	0.3	0.5	1.1	3.2	9.4	30.3
1981.....	0.9	*	*	*	*	0.2	0.2	0.5	1.1	3.3	10.3	25.4
1980.....	1.0	-	0.0	0.0	0.1	0.2	0.3	0.6	1.4	4.3	12.1	31.1
1979.....	1.1	0.2	0.0	0.0	0.1	0.2	0.4	0.7	1.5	4.8	12.5	32.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 795
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.6	*	*	*	*	*	*	0.1	0.5	1.3	3.8	12.5
1997.....	0.6	*	*	*	*	*	0.1	0.2	0.4	1.5	3.8	10.3
1996.....	0.6	*	*	*	*	*	*	0.2	0.4	1.4	3.4	12.4
1995.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.3	3.2	10.3
1994.....	0.6	*	*	*	*	*	*	0.2	0.5	1.4	4.0	11.1
1993.....	0.6	*	*	*	*	*	*	0.2	0.5	1.5	3.9	10.7
1992.....	0.6	*	*	*	*	*	0.1	0.2	0.3	1.3	3.7	10.7
1991.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.5	3.8	10.1
1990.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.4	4.2	10.3
1989.....	0.6	*	*	*	*	*	*	0.2	0.6	1.6	4.2	11.0
1988.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.4	3.8	10.9
1987.....	0.6	*	*	*	*	*	*	0.2	0.5	1.4	4.5	12.3
1986.....	0.6	*	*	*	*	*	*	0.2	0.6	1.7	4.3	9.7
1985.....	0.7	*	*	*	*	*	*	0.2	0.6	1.7	4.9	12.7
1984.....	0.8	*	*	*	*	*	0.2	0.3	0.7	1.7	5.6	14.7
1983.....	0.8	*	*	*	*	0.1	0.2	0.4	0.8	2.3	5.9	15.5
1982.....	0.8	*	*	*	*	*	*	0.3	0.9	2.3	6.3	13.4
1981.....	0.9	*	*	*	*	*	0.3	0.4	0.9	2.6	7.8	14.9
1980.....	1.0	-	-	0.0	0.1	0.1	0.2	0.5	1.0	2.7	7.2	18.4
1979.....	1.0	0.1	-	0.0	0.1	0.2	0.2	0.5	0.9	2.9	7.6	17.7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+

0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

WHITE, BOTH SEXES

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.6	*	*	*	*	*	0.1	0.2	0.4	1.4	4.4	13.1
1997.....	0.6	*	*	*	*	0.1	0.1	0.2	0.4	1.5	4.3	12.4
1996.....	0.6	*	*	*	*	*	0.1	0.2	0.3	1.4	4.3	13.5
1995.....	0.6	*	*	*	*	0.1	0.1	0.1	0.5	1.3	4.0	11.8
1994.....	0.6	*	*	*	*	*	0.1	0.1	0.4	1.4	4.5	11.9
1993.....	0.6	*	*	*	*	*	0.1	0.2	0.4	1.5	4.3	12.6
1992.....	0.6	*	*	*	*	*	0.1	0.2	0.4	1.4	4.5	12.3
1991.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.4	4.3	12.4
1990.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.5	4.4	11.9
1989.....	0.6	*	*	*	*	0.1	0.1	0.2	0.6	1.5	4.4	12.3
1988.....	0.6	*	*	*	*	0.1	0.1	0.2	0.5	1.6	4.7	13.6
1987.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.4	4.9	13.7
1986.....	0.6	*	*	*	*	0.1	0.1	0.2	0.6	1.7	4.8	11.9
1985.....	0.6	*	*	*	*	*	0.1	0.2	0.6	1.9	5.0	14.6
1984.....	0.7	*	*	*	*	0.1	0.2	0.2	0.7	2.1	6.2	16.4
1983.....	0.8	*	*	*	*	0.1	0.1	0.3	0.6	2.2	6.7	16.9
1982.....	0.8	*	*	*	*	0.1	0.1	0.3	0.8	2.4	6.9	17.8
1981.....	0.8	*	*	*	0.1	0.1	0.1	0.4	0.9	2.5	8.2	17.3
1980.....	0.9	-	0.0	0.0	0.1	0.1	0.2	0.4	0.9	2.8	7.9	20.7
1979.....	1.0	0.2	0.0	0.0	0.1	0.1	0.2	0.4	1.0	3.1	8.6	20.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 797
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	0.6	*	*	*	*	*	0.1	0.2	0.5	1.7	5.7	17.5
1997.....	0.6	*	*	*	*	*	0.1	0.2	0.6	1.6	5.6	18.8
1996.....	0.6	*	*	*	*	*	*	0.3	0.3	1.8	5.7	19.0
1995.....	0.6	*	*	*	*	*	*	0.2	0.6	1.7	5.4	16.8
1994.....	0.5	*	*	*	*	*	*	*	0.4	1.7	6.0	16.3
1993.....	0.6	*	*	*	*	*	*	0.2	0.6	2.0	5.5	20.6
1992.....	0.6	*	*	*	*	*	*	0.2	0.5	1.7	6.0	19.4
1991.....	0.6	*	*	*	*	*	0.2	0.3	0.6	1.6	5.9	20.4
1990.....	0.6	*	*	*	*	*	0.2	0.3	0.6	1.8	5.7	17.8
1989.....	0.6	*	*	*	*	*	0.1	0.2	0.8	1.9	5.5	18.0
1988.....	0.6	*	*	*	*	*	*	0.3	0.6	2.0	6.8	22.2
1987.....	0.6	*	*	*	*	*	*	0.3	0.7	1.9	6.2	19.6
1986.....	0.6	*	*	*	*	*	*	0.2	0.8	2.2	6.5	19.3
1985.....	0.6	*	*	*	*	*	0.2	0.3	0.7	2.3	6.0	21.2
1984.....	0.8	*	*	*	*	*	0.2	0.3	0.8	2.9	8.0	23.0
1983.....	0.7	*	*	*	*	*	*	0.3	0.7	2.4	8.9	21.4
1982.....	0.8	*	*	*	*	*	0.2	0.3	0.9	2.9	9.0	30.0
1981.....	0.8	*	*	*	*	*	*	0.5	1.0	2.7	9.9	24.3
1980.....	0.9	-	0.0	0.0	0.1	0.1	0.2	0.4	1.2	3.6	10.7	29.5
1979.....	1.0	0.2	0.0	0.1	0.1	0.2	0.2	0.5	1.3	4.1	11.7	30.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 798
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	0.6	*	*	*	*	*	*	*	0.4	1.2	3.5	11.3
1997.....	0.6	*	*	*	*	*	*	0.2	0.3	1.4	3.4	9.9
1996.....	0.6	*	*	*	*	*	*	0.2	0.3	1.0	3.4	11.3
1995.....	0.5	*	*	*	*	*	*	*	0.4	1.1	3.1	9.9
1994.....	0.6	*	*	*	*	*	*	*	0.4	1.2	3.5	10.2
1993.....	0.6	*	*	*	*	*	*	*	0.3	1.2	3.6	9.6
1992.....	0.5	*	*	*	*	*	*	0.2	0.3	1.1	3.6	9.6
1991.....	0.6	*	*	*	*	*	*	*	0.4	1.3	3.4	9.3
1990.....	0.6	*	*	*	*	*	*	0.2	0.4	1.2	3.7	9.7
1989.....	0.6	*	*	*	*	*	*	*	0.5	1.3	3.8	10.1
1988.....	0.6	*	*	*	*	*	*	0.2	0.5	1.3	3.5	10.3
1987.....	0.6	*	*	*	*	*	*	*	0.4	1.1	4.2	11.5
1986.....	0.5	*	*	*	*	*	*	*	0.4	1.4	3.8	9.1
1985.....	0.6	*	*	*	*	*	*	*	0.4	1.6	4.4	12.0
1984.....	0.7	*	*	*	*	*	*	0.2	0.5	1.5	5.2	13.7
1983.....	0.8	*	*	*	*	*	0.2	0.3	0.6	2.0	5.4	15.1
1982.....	0.7	*	*	*	*	*	*	0.3	0.7	2.0	5.6	12.9
1981.....	0.9	*	*	*	*	*	*	0.3	0.7	2.3	7.2	14.4
1980.....	0.8	-	-	0.0	0.1	0.0	0.2	0.4	0.6	2.2	6.3	16.9
1979.....	0.9	0.1	-	0.0	0.0	0.1	0.2	0.4	0.6	2.4	6.7	16.8

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
--	-------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-----------

0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

ALL OTHER, BOTH SEXES

1998.....	0.7	*	*	*	*	*	*	0.4	1.2	3.0	8.2	25.3
1997.....	0.7	*	*	*	*	*	0.3	0.5	1.1	2.6	8.0	17.4
1996.....	0.7	*	*	*	*	*	0.3	0.5	1.0	4.0	6.6	24.5
1995.....	0.7	*	*	*	*	*	0.4	0.4	1.2	3.1	6.9	18.8
1994.....	0.8	*	*	*	*	*	*	0.7	1.6	2.9	9.1	21.8
1993.....	0.8	*	*	*	*	*	0.3	*	1.4	3.9	8.6	23.5
1992.....	0.7	*	*	*	*	*	0.4	0.6	1.3	3.3	6.8	25.8
1991.....	0.8	*	*	*	*	*	*	0.6	1.1	4.0	9.0	21.5
1990.....	0.8	*	*	*	*	*	0.4	0.6	1.6	3.7	10.1	21.9
1989.....	0.8	*	*	*	*	*	0.4	0.7	1.4	3.7	9.1	23.8
1988.....	0.7	*	*	*	*	*	0.4	*	1.3	3.1	8.5	21.0
1987.....	0.8	*	*	*	*	*	0.5	*	1.5	4.1	8.7	22.5
1986.....	0.9	*	*	*	*	*	0.4	*	2.0	4.9	9.7	22.5
1985.....	0.9	*	*	*	*	*	*	0.7	1.4	3.9	11.4	24.1
1984.....	1.0	*	*	*	*	0.3	0.6	1.0	2.0	4.0	10.4	32.7
1983.....	1.1	*	*	*	*	0.4	*	0.7	3.0	5.4	14.5	23.4
1982.....	1.2	*	*	*	*	0.4	0.6	1.4	2.7	5.1	13.7	24.1
1981.....	1.2	*	*	*	*	*	0.8	1.0	2.4	6.5	13.7	25.8
1980.....	1.7	-	0.0	0.0	0.1	0.5	0.6	1.7	3.9	8.7	20.1	39.6
1979.....	1.7	0.2	-	0.0	0.2	0.5	0.9	1.9	3.3	9.5	17.9	35.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 800
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	0.7	*	*	*	*	*	*	*	*	4.1	11.2	27.9
1997.....	0.7	*	*	*	*	*	*	*	*	2.7	9.9	22.7
1996.....	0.7	*	*	*	*	*	*	*	*	4.1	10.5	26.3
1995.....	0.7	*	*	*	*	*	*	*	*	3.6	10.5	28.5
1994.....	0.7	*	*	*	*	*	*	*	1.9	3.0	9.5	25.4
1993.....	0.8	*	*	*	*	*	*	*	1.6	4.6	12.2	27.3
1992.....	0.8	*	*	*	*	*	*	*	2.2	3.8	9.8	34.1
1991.....	0.8	*	*	*	*	*	*	*	*	4.8	11.1	27.9
1990.....	0.9	*	*	*	*	*	*	*	*	5.0	12.1	33.2
1989.....	0.8	*	*	*	*	*	*	*	1.8	2.9	9.6	29.6
1988.....	0.8	*	*	*	*	*	*	*	2.0	4.0	11.0	29.1
1987.....	0.9	*	*	*	*	*	0.9	*	*	4.6	11.0	*
1986.....	1.0	*	*	*	*	*	*	*	2.5	5.7	11.3	34.7
1985.....	1.0	*	*	*	*	*	*	*	*	5.3	13.5	31.5
1984.....	1.0	*	*	*	*	*	*	*	2.0	4.6	12.3	45.8
1983.....	1.3	*	*	*	*	*	*	*	3.3	6.8	20.4	30.0
1982.....	1.2	*	*	*	*	*	*	2.0	2.9	5.3	13.3	32.8
1981.....	1.1	*	*	*	*	*	*	*	2.1	8.0	14.1	35.9
1980.....	1.7	-	0.1	0.0	0.1	0.6	0.8	1.9	3.8	10.7	25.2	47.7
1979.....	1.9	0.3	-	0.0	0.2	0.6	1.3	2.9	3.5	12.0	19.8	50.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 801
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	0.7	*	*	*	*	*	*	*	1.3	2.1	6.3	24.0
1997.....	0.7	*	*	*	*	*	*	*	*	2.5	6.8	15.0
1996.....	0.7	*	*	*	*	*	*	*	*	3.9	4.2	23.7
1995.....	0.6	*	*	*	*	*	*	*	*	2.8	4.8	14.6
1994.....	0.8	*	*	*	*	*	*	*	1.3	2.9	8.8	20.2
1993.....	0.8	*	*	*	*	*	*	*	*	3.5	6.4	21.9
1992.....	0.6	*	*	*	*	*	*	*	*	2.9	5.0	22.0
1991.....	0.7	*	*	*	*	*	*	*	*	3.4	7.7	18.5
1990.....	0.8	*	*	*	*	*	*	*	1.5	2.8	9.0	16.8
1989.....	0.8	*	*	*	*	*	*	*	*	4.4	8.8	21.1
1988.....	0.6	*	*	*	*	*	*	*	*	2.4	6.9	17.2
1987.....	0.8	*	*	*	*	*	*	*	*	3.8	7.3	21.5
1986.....	0.8	*	*	*	*	*	*	*	1.6	4.4	8.8	16.7
1985.....	0.8	*	*	*	*	*	*	*	1.5	2.8	10.1	20.7
1984.....	1.0	*	*	*	*	*	*	*	2.0	3.6	9.2	26.2
1983.....	1.0	*	*	*	*	*	*	*	2.7	4.3	10.7	20.1
1982.....	1.1	*	*	*	*	*	*	*	2.6	5.0	14.0	19.5
1981.....	1.2	*	*	*	*	*	*	*	2.5	5.3	13.4	20.6
1980.....	1.6	-	-	-	0.1	0.4	0.4	1.5	4.0	7.1	16.8	35.4
1979.....	1.5	-	-	0.0	0.2	0.5	0.5	1.0	3.2	7.5	16.7	28.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 802
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK, BOTH SEXES												
1998.....	0.9	*	*	*	*	*	*	*	1.5	3.5	10.3	28.1
1997.....	0.8	*	*	*	*	*	0.4	*	1.4	3.2	8.6	20.5
1996.....	0.9	*	*	*	*	*	*	0.6	1.1	4.7	7.6	28.6
1995.....	0.8	*	*	*	*	*	0.5	*	1.3	3.8	8.1	20.1
1994.....	0.9	*	*	*	*	*	*	1.0	1.9	3.4	10.1	24.6
1993.....	1.0	*	*	*	*	*	0.4	*	1.7	4.7	9.6	25.3
1992.....	0.9	*	*	*	*	*	0.5	0.8	1.4	3.9	7.5	29.9
1991.....	0.9	*	*	*	*	*	*	*	1.3	4.4	10.2	24.6
1990.....	1.0	*	*	*	*	*	0.6	*	1.9	4.3	10.9	23.8
1989.....	1.0	*	*	*	*	*	0.5	1.0	1.7	4.3	10.1	25.9
1988.....	0.8	*	*	*	*	*	0.5	*	1.5	3.2	9.1	21.5
1987.....	0.9	*	*	*	*	*	0.6	*	1.7	4.4	9.6	22.6
1986.....	1.0	*	*	*	*	*	0.6	*	2.2	5.8	10.6	22.9
1985.....	1.0	*	*	*	*	*	*	*	1.6	4.2	12.4	27.2
1984.....	1.1	*	*	*	*	*	0.7	1.2	2.2	4.6	11.8	32.1
1983.....	1.3	*	*	*	*	0.4	*	*	3.4	6.0	15.5	25.5
1982.....	1.3	*	*	*	*	*	0.7	1.4	3.2	5.6	14.4	24.4
1981.....	1.3	*	*	*	*	*	1.0	1.2	2.6	7.0	14.6	27.4
1980.....	1.9	-	0.1	0.0	0.1	0.6	0.7	1.8	4.2	9.5	22.1	42.8
1979.....	1.8	-	-	0.0	0.2	0.6	1.0	2.1	3.7	10.1	19.1	34.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 803
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	0.9	*	*	*	*	*	*	*	*	4.9	14.9	34.5
1997.....	0.8	*	*	*	*	*	*	*	*	3.6	11.6	26.9
1996.....	0.9	*	*	*	*	*	*	*	*	4.8	12.9	34.8
1995.....	0.9	*	*	*	*	*	*	*	*	4.7	12.6	31.6
1994.....	0.9	*	*	*	*	*	*	*	2.4	3.8	10.9	28.8
1993.....	1.0	*	*	*	*	*	*	*	*	5.6	14.2	28.2
1992.....	1.0	*	*	*	*	*	*	*	2.5	4.7	11.5	41.6
1991.....	0.9	*	*	*	*	*	*	*	*	5.5	12.8	33.3
1990.....	1.1	*	*	*	*	*	*	*	*	5.9	13.0	37.7
1989.....	1.0	*	*	*	*	*	*	*	2.3	3.4	11.3	34.8
1988.....	0.9	*	*	*	*	*	*	*	2.4	4.0	12.2	30.8
1987.....	1.0	*	*	*	*	*	*	*	*	5.0	12.7	*
1986.....	1.2	*	*	*	*	*	*	*	3.0	6.8	13.0	38.1
1985.....	1.1	*	*	*	*	*	*	*	*	6.5	14.0	37.1
1984.....	1.2	*	*	*	*	*	*	*	*	5.2	13.9	47.5
1983.....	1.5	*	*	*	*	*	*	*	3.8	7.9	22.7	*
1982.....	1.3	*	*	*	*	*	*	2.1	3.4	5.7	14.9	36.2
1981.....	1.3	*	*	*	*	*	*	*	2.5	8.7	15.3	37.5
1980.....	1.9	-	0.1	0.0	0.1	0.7	0.9	2.0	4.1	12.0	27.6	52.8
1979.....	2.0	-	-	0.0	0.2	0.6	1.5	3.3	3.8	12.8	21.0	51.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 804
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	0.9	*	*	*	*	*	*	*	*	2.5	7.6	25.4
1997.....	0.8	*	*	*	*	*	*	*	*	2.9	6.8	17.9
1996.....	0.8	*	*	*	*	*	*	*	*	4.5	4.5	26.1
1995.....	0.7	*	*	*	*	*	*	*	*	3.2	5.5	15.4
1994.....	1.0	*	*	*	*	*	*	*	*	3.1	9.6	22.8
1993.....	0.9	*	*	*	*	*	*	*	*	4.1	7.0	24.1
1992.....	0.8	*	*	*	*	*	*	*	*	3.4	5.3	25.1
1991.....	0.9	*	*	*	*	*	*	*	*	3.6	8.7	20.9
1990.....	0.9	*	*	*	*	*	*	*	1.9	3.2	9.7	17.9
1989.....	1.0	*	*	*	*	*	*	*	*	4.9	9.5	22.2
1988.....	0.7	*	*	*	*	*	*	*	*	2.7	7.4	17.4
1987.....	0.9	*	*	*	*	*	*	*	*	4.0	7.8	21.5
1986.....	0.9	*	*	*	*	*	*	*	*	5.1	9.2	15.9
1985.....	0.9	*	*	*	*	*	*	*	*	2.6	11.4	22.6
1984.....	1.1	*	*	*	*	*	*	*	2.2	4.2	10.6	24.8
1983.....	1.2	*	*	*	*	*	*	*	3.1	4.7	11.1	22.6
1982.....	1.2	*	*	*	*	*	*	*	3.0	5.6	14.1	18.6
1981.....	1.3	*	*	*	*	*	*	*	2.6	5.8	14.1	22.1
1980.....	1.8	-	-	-	0.1	0.4	0.5	1.7	4.3	7.7	18.6	37.7
1979.....	1.7	-	-	0.0	0.2	0.6	0.6	1.1	3.6	8.1	17.8	26.0

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
--	-------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-----------

RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

TOTAL, BOTH SEXES

1998.....	8.9	3.3	*	*	0.1	0.3	0.9	2.5	7.4	24.0	70.1	200.8
1997.....	8.7	3.3	*	*	0.1	0.4	0.9	2.3	7.8	23.7	68.1	202.7
1996.....	8.4	3.5	*	*	0.1	0.3	1.0	2.4	7.3	22.9	67.5	193.0
1995.....	8.3	3.8	*	*	0.1	0.4	1.0	2.4	7.6	22.6	67.3	192.4
1994.....	8.1	4.3	*	*	0.1	0.4	0.9	2.2	7.4	23.0	65.4	189.9
1993.....	8.3	4.4	*	0.1	0.1	0.5	1.0	2.4	8.2	23.6	67.2	193.8
1992.....	8.0	4.5	*	*	0.1	0.5	1.1	2.4	7.6	22.7	64.7	191.6
1991.....	7.7	4.4	*	*	0.1	0.5	1.1	2.3	7.4	22.1	64.0	185.7
1990.....	7.6	3.5	*	*	0.1	0.4	1.2	2.5	7.5	21.9	63.9	183.9
1989.....	7.8	4.8	*	*	0.1	0.5	1.1	2.6	7.9	22.6	66.4	185.8
1988.....	8.4	5.6	*	*	0.2	0.5	1.2	3.0	8.8	23.9	71.6	205.0
1987.....	8.4	5.6	*	*	0.1	0.5	1.0	3.0	8.6	24.6	72.1	205.2
1986.....	8.3	6.5	0.1	0.1	0.2	0.5	1.1	3.0	8.7	24.7	72.5	204.1
1985.....	8.2	7.3	*	0.1	0.2	0.5	1.2	2.9	8.9	25.4	70.8	198.8
1984.....	7.6	7.4	*	0.1	0.2	0.5	1.0	2.7	8.4	24.2	67.8	183.2
1983.....	7.2	6.0	*	0.1	0.1	0.5	1.0	2.8	8.2	22.6	65.7	169.8
1982.....	6.8	6.7	0.2	0.1	0.1	0.4	1.1	2.6	8.2	22.7	61.3	162.3
1981.....	6.5	6.8	*	0.1	0.2	0.4	1.1	2.7	7.7	22.0	59.2	152.2
1980.....	6.3	6.2	0.1	0.1	0.2	0.5	1.1	3.0	7.7	20.8	57.5	149.1
1979.....	5.8	6.0	0.1	0.1	0.2	0.5	1.2	3.0	7.2	19.5	53.9	130.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 806
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	8.8	3.4	*	*	*	0.4	1.1	3.1	8.4	28.0	87.8	273.4
1997.....	8.5	3.9	*	*	0.1	0.4	1.0	2.7	8.6	28.5	85.1	280.2
1996.....	8.2	4.5	*	*	0.1	0.4	1.2	2.8	8.7	27.1	85.2	264.4
1995.....	8.2	4.2	*	*	0.1	0.5	1.3	2.8	8.5	27.2	85.4	271.3
1994.....	7.9	5.0	*	*	*	0.5	1.1	2.7	8.2	26.5	83.1	269.8
1993.....	8.2	4.8	*	*	0.1	0.5	1.2	2.8	9.0	28.2	86.5	277.2
1992.....	8.0	4.3	*	*	0.1	0.6	1.5	2.9	8.7	27.0	84.9	276.3
1991.....	7.7	5.5	*	*	0.1	0.6	1.6	2.8	8.8	26.7	83.7	262.1
1990.....	7.5	3.8	*	*	0.1	0.5	1.5	2.8	8.0	26.2	85.1	259.0
1989.....	7.8	5.7	*	*	0.1	0.6	1.5	3.0	9.5	27.6	87.5	261.7
1988.....	8.3	5.7	*	*	0.2	0.6	1.6	3.5	10.1	28.7	94.2	288.9
1987.....	8.5	5.6	*	*	0.2	0.6	1.3	3.6	10.2	29.9	96.7	300.1
1986.....	8.5	7.5	*	*	0.2	0.5	1.4	3.6	10.2	31.1	98.6	296.4
1985.....	8.3	8.1	*	*	0.2	0.6	1.5	3.1	10.1	31.5	94.5	294.1
1984.....	7.8	8.6	*	*	0.2	0.5	1.3	3.0	9.7	29.8	92.3	271.9
1983.....	7.3	6.1	*	*	0.1	0.5	1.1	3.2	9.4	27.5	88.3	245.6
1982.....	7.1	8.0	*	*	0.2	0.5	1.2	3.2	9.5	28.2	83.3	241.3
1981.....	6.8	7.4	*	*	0.2	0.6	1.3	3.2	9.3	27.7	79.8	223.5
1980.....	6.7	6.8	0.1	0.1	0.2	0.7	1.4	3.2	8.9	26.7	79.7	221.0
1979.....	6.3	6.4	0.2	0.1	0.2	0.6	1.4	3.3	8.6	24.4	76.6	198.7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR

RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	9.1	3.3	*	*	*	0.3	0.6	1.8	6.4	20.8	58.4	170.7
1997.....	8.9	2.6	*	*	*	0.3	0.7	1.9	7.0	19.8	56.9	171.4
1996.....	8.6	2.6	*	*	*	0.2	0.8	2.0	6.1	19.5	56.1	164.6
1995.....	8.5	3.4	*	*	*	0.3	0.7	2.0	6.7	19.0	55.9	161.6
1994.....	8.4	3.6	*	*	0.1	0.3	0.7	1.8	6.7	20.3	54.3	159.1
1993.....	8.5	4.0	*	*	*	0.4	0.7	2.0	7.4	19.9	55.3	161.8
1992.....	8.0	4.8	*	*	0.1	0.3	0.7	1.9	6.5	19.3	52.3	158.8
1991.....	7.8	3.3	*	*	*	0.4	0.6	1.9	6.1	18.5	52.1	156.1
1990.....	7.7	3.3	*	*	*	0.3	0.9	2.2	7.0	18.5	51.3	154.9
1989.....	7.8	3.9	*	*	0.2	0.3	0.7	2.2	6.5	18.7	53.9	156.3
1988.....	8.5	5.6	*	*	0.2	0.4	0.8	2.5	7.6	20.2	58.2	172.3
1987.....	8.3	5.6	*	*	0.1	0.4	0.7	2.4	7.2	20.6	57.5	167.8
1986.....	8.1	5.5	*	*	0.1	0.4	0.9	2.4	7.4	19.9	57.1	167.4
1985.....	8.0	6.4	*	*	0.1	0.4	0.8	2.6	7.8	20.8	56.9	160.8
1984.....	7.4	6.2	*	*	0.1	0.4	0.8	2.4	7.2	20.0	53.4	147.3
1983.....	7.1	5.8	*	*	0.2	0.4	0.9	2.4	7.1	18.9	52.4	138.7
1982.....	6.6	5.4	*	*	0.1	0.4	0.9	2.0	7.0	18.5	48.3	129.4
1981.....	6.2	6.1	*	*	0.2	0.3	0.8	2.4	6.3	17.6	47.0	121.8
1980.....	5.9	5.5	0.2	0.1	0.2	0.4	0.8	2.8	6.5	16.3	44.4	117.6
1979.....	5.4	5.6	0.1	0.1	0.2	0.4	1.0	2.7	6.0	15.7	40.4	100.3

CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

WHITE, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	8.8	2.6	*	*	0.1	0.2	0.6	1.8	5.7	21.3	66.0	194.2
1997.....	8.6	2.8	*	*	0.1	0.2	0.6	1.6	5.9	21.0	64.1	195.1
1996.....	8.3	2.5	*	*	0.1	0.2	0.7	1.7	5.9	20.1	62.9	185.3
1995.....	8.1	2.9	*	*	0.1	0.3	0.6	1.7	5.8	19.9	62.2	184.5
1994.....	7.9	3.1	*	*	0.1	0.2	0.6	1.6	5.7	20.2	61.4	183.3
1993.....	8.1	3.4	*	*	0.1	0.3	0.6	1.6	6.4	20.9	62.3	184.9
1992.....	7.7	3.8	*	*	0.1	0.3	0.7	1.6	5.7	19.9	60.5	183.9
1991.....	7.4	3.9	*	*	0.1	0.3	0.7	1.6	5.7	19.1	59.9	176.2
1990.....	7.2	2.6	*	*	0.1	0.3	0.7	1.7	5.6	18.8	59.0	176.9
1989.....	7.3	3.9	*	*	0.1	0.3	0.6	1.8	5.8	18.9	60.2	177.7
1988.....	8.0	4.7	*	*	0.1	0.3	0.8	2.0	6.8	20.6	65.7	196.1
1987.....	8.0	4.0	*	*	0.1	0.4	0.7	2.1	6.7	21.3	66.9	196.8
1986.....	7.9	5.1	*	0.1	0.1	0.3	0.7	2.0	6.8	21.5	66.8	194.9
1985.....	7.7	6.0	*	*	0.1	0.3	0.8	2.0	7.0	21.6	65.2	189.0
1984.....	7.2	5.9	*	0.1	0.1	0.4	0.7	1.9	6.6	20.8	62.2	177.2
1983.....	6.8	5.0	*	*	0.1	0.4	0.6	2.1	6.4	19.3	61.2	164.3
1982.....	6.4	5.6	*	0.1	0.1	0.3	0.8	1.8	6.3	19.2	56.3	156.7
1981.....	6.1	5.8	*	0.1	0.2	0.3	0.8	1.9	5.9	18.4	54.8	147.6
1980.....	5.7	5.1	0.2	0.1	0.1	0.4	0.8	2.1	5.7	17.4	52.7	142.7
1979.....	5.4	5.3	0.2	0.1	0.2	0.4	0.8	2.1	5.5	16.6	49.7	127.2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
--	-------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-----------

RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

WHITE MALE

1998.....	8.8	2.7	*	*	*	0.3	0.7	2.3	6.4	25.8	84.9	271.8
1997.....	8.5	3.1	*	*	*	0.3	0.7	1.9	6.7	26.1	82.0	274.5
1996.....	8.1	3.2	*	*	*	0.3	0.8	2.0	7.1	24.4	81.6	258.8
1995.....	8.0	3.1	*	*	*	0.3	0.8	2.0	6.7	24.7	81.0	264.9
1994.....	7.7	3.5	*	*	*	0.2	0.6	1.8	6.5	23.7	80.6	266.4
1993.....	8.0	3.7	*	*	*	0.3	0.7	1.9	7.4	25.7	81.8	269.4
1992.....	7.7	3.8	*	*	*	0.4	0.9	2.0	6.9	24.3	80.7	269.8
1991.....	7.4	5.0	*	*	*	0.3	1.0	1.9	6.8	23.5	80.2	253.0
1990.....	7.2	2.9	*	*	*	0.3	1.0	1.9	6.1	23.0	79.9	253.0
1989.....	7.3	4.6	*	*	*	0.4	0.8	2.0	7.3	23.4	80.2	252.7
1988.....	7.9	5.1	*	*	*	0.4	1.0	2.4	8.1	25.6	87.9	283.4
1987.....	8.1	4.2	*	*	*	0.4	0.9	2.6	8.1	26.7	91.5	290.8
1986.....	8.1	6.0	*	*	0.1	0.4	0.9	2.4	8.2	27.6	92.4	288.2
1985.....	7.9	7.0	*	*	0.2	0.3	1.0	2.4	8.1	27.8	88.1	283.6
1984.....	7.5	6.8	*	*	0.2	0.4	0.9	2.2	7.7	26.5	86.9	267.1
1983.....	6.9	5.4	*	*	0.1	0.4	0.7	2.5	7.5	24.4	83.8	237.6
1982.....	6.7	6.9	*	*	0.1	0.4	1.0	2.2	7.7	24.6	78.0	235.2
1981.....	6.4	6.1	*	*	0.2	0.4	1.0	2.3	7.2	24.1	75.6	216.3
1980.....	6.1	5.9	0.1	0.1	0.1	0.5	1.0	2.2	7.0	23.4	73.7	212.8
1979.....	5.8	5.3	0.2	0.1	0.2	0.5	0.9	2.5	7.0	21.7	70.8	193.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 810
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	8.9	2.5	*	*	*	0.2	0.5	1.4	5.0	17.6	53.5	162.4
1997.....	8.8	2.6	*	*	*	0.2	0.5	1.4	5.2	16.8	52.4	163.5
1996.....	8.4	1.6	*	*	*	0.2	0.6	1.4	4.8	16.6	50.7	156.5
1995.....	8.2	2.6	*	*	*	0.3	0.5	1.4	5.0	16.1	50.3	153.5
1994.....	8.1	2.8	*	*	*	0.2	0.5	1.4	5.0	17.4	49.3	151.7
1993.....	8.2	3.1	*	*	*	0.2	0.5	1.4	5.6	17.1	50.1	152.9
1992.....	7.7	3.8	*	*	*	0.2	0.5	1.3	4.6	16.4	48.1	151.1
1991.....	7.5	2.7	*	*	*	0.3	0.4	1.4	4.6	15.6	47.7	147.1
1990.....	7.3	2.3	*	*	*	0.2	0.5	1.5	5.1	15.4	46.5	148.0
1989.....	7.3	3.2	*	*	*	0.2	0.4	1.5	4.4	15.4	48.4	149.1
1988.....	8.0	4.3	*	*	*	0.3	0.5	1.6	5.6	16.7	52.5	162.6
1987.....	7.9	3.7	*	*	*	0.3	0.6	1.6	5.5	17.1	52.5	160.4
1986.....	7.7	4.2	*	*	*	0.3	0.6	1.6	5.4	16.7	51.8	158.6
1985.....	7.5	4.9	*	*	*	0.3	0.6	1.7	5.9	16.8	51.8	152.0
1984.....	7.0	4.9	*	*	*	0.3	0.6	1.7	5.5	16.4	47.8	141.6
1983.....	6.7	4.6	*	*	*	0.3	0.6	1.7	5.5	15.3	48.0	134.8
1982.....	6.1	4.2	*	*	*	0.3	0.6	1.4	5.1	15.1	43.6	124.5
1981.....	5.8	5.4	*	*	0.2	0.2	0.6	1.6	4.7	14.1	42.6	118.9
1980.....	5.3	4.2	0.2	0.0	0.1	0.3	0.6	1.9	4.5	12.9	40.4	112.4
1979.....	4.9	5.2	0.1	0.1	0.2	0.3	0.7	1.9	4.2	12.8	37.4	98.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 811
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

ALL OTHER, BOTH SEXES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	9.3	6.0	*	*	*	0.7	2.2	6.0	17.9	44.0	107.8	262.8
1997.....	9.3	4.9	*	*	*	0.8	2.0	6.2	19.1	43.7	105.4	275.2
1996.....	9.3	7.8	*	*	*	0.8	2.5	6.1	16.5	43.9	112.2	266.2
1995.....	9.4	7.1	*	*	*	0.9	2.8	6.4	18.9	43.8	117.2	272.4
1994.....	9.0	8.8	*	*	*	1.1	2.7	6.0	18.7	45.2	104.3	257.8
1993.....	9.6	8.3	*	*	*	1.4	2.9	7.0	19.6	45.1	116.0	285.1
1992.....	9.3	7.1	*	*	*	1.3	3.0	6.9	19.9	46.2	105.6	272.5
1991.....	9.3	6.4	*	*	0.3	1.3	3.4	6.6	19.2	47.0	103.6	285.4
1990.....	9.5	7.2	*	*	*	1.1	3.7	7.6	20.9	48.8	112.3	258.4
1989.....	10.5	8.4	*	*	0.3	1.4	3.6	7.8	23.2	54.2	127.4	271.9
1988.....	10.8	9.3	*	*	0.4	1.4	3.5	9.2	23.6	52.6	130.1	300.0
1987.....	10.5	12.2	*	*	0.4	1.5	2.6	8.7	22.5	54.2	122.9	295.0
1986.....	10.8	12.4	*	*	*	1.3	3.5	9.0	23.8	53.7	129.6	303.5
1985.....	11.0	12.8	*	*	*	1.4	3.5	8.2	24.5	59.6	127.3	304.5
1984.....	10.0	14.0	*	*	*	1.0	2.9	7.6	23.1	55.2	124.1	247.9
1983.....	9.4	10.4	*	*	*	1.1	3.0	7.5	22.4	52.7	111.7	230.1
1982.....	9.5	11.8	*	*	0.3	1.0	2.8	7.8	23.7	54.3	112.9	226.1
1981.....	9.2	11.2	*	*	0.3	1.2	3.0	8.4	23.2	53.9	104.7	204.2
1980.....	9.5	11.0	0.1	0.1	0.5	1.3	3.3	9.6	24.9	51.6	108.4	222.4
1979.....	8.5	9.5	0.1	0.1	0.4	1.3	3.5	9.5	22.1	45.5	97.1	170.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 812
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

ALL OTHER MALE	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	8.7	5.8	*	*	*	0.8	3.1	8.1	22.0	45.2	116.0	286.8
1997.....	8.9	7.1	*	*	*	1.0	2.8	7.9	21.9	47.9	116.0	330.4
1996.....	8.8	9.4	*	*	*	1.1	3.4	7.3	19.8	48.5	121.2	312.6
1995.....	9.0	8.0	*	*	*	1.3	4.0	7.9	21.4	48.3	130.3	331.1
1994.....	8.5	10.9	*	*	*	1.5	3.9	8.1	20.6	49.9	108.2	301.6
1993.....	9.3	9.2	*	*	*	1.9	4.1	9.0	20.7	50.4	134.3	349.4
1992.....	9.2	5.9	*	*	*	1.7	4.8	8.5	22.1	51.3	127.2	336.9
1991.....	9.3	7.4	*	*	*	1.8	4.9	8.6	23.7	54.4	117.5	346.5
1990.....	9.3	7.5	*	*	*	1.3	4.7	8.9	22.5	55.7	135.8	315.7
1989.....	10.9	9.9	*	*	*	2.0	5.5	9.6	26.4	66.0	158.6	345.7
1988.....	10.5	8.2	*	*	*	1.9	4.8	11.2	26.1	57.7	155.8	339.2
1987.....	10.6	11.3	*	*	*	2.0	3.9	10.5	26.7	59.8	146.6	387.0
1986.....	10.9	13.8	*	*	*	1.6	4.7	11.4	26.2	63.0	158.6	373.3
1985.....	11.0	12.7	*	*	*	1.8	5.3	8.4	27.1	66.2	155.6	393.2
1984.....	10.1	16.4	*	*	*	1.3	4.0	8.8	27.2	60.6	144.0	316.7
1983.....	9.3	9.4	*	*	*	1.4	3.7	8.4	25.5	55.9	131.3	318.6
1982.....	9.6	13.1	*	*	*	1.2	2.9	10.0	25.3	61.2	133.9	300.0
1981.....	9.6	13.1	*	*	*	1.5	3.9	10.1	27.5	61.3	120.2	295.3
1980.....	9.9	10.9	0.1	0.0	0.4	1.9	4.8	10.8	26.5	56.8	138.9	304.5
1979.....	9.1	11.9	0.1	0.2	0.5	1.5	4.5	10.3	23.4	48.8	131.0	252.5

CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

ALL OTHER FEMALE

1998.....	9.9	6.2	*	*	*	0.5	1.4	4.3	14.7	43.1	102.6	251.8
1997.....	9.6	*	*	*	*	0.6	1.3	4.7	16.8	40.7	98.9	250.2
1996.....	9.7	6.2	*	*	*	0.5	1.7	5.2	13.9	40.6	106.8	245.3
1995.....	9.8	6.1	*	*	*	0.5	1.8	5.2	16.9	40.6	109.3	247.0
1994.....	9.4	6.6	*	*	*	0.7	1.6	4.3	17.3	41.8	102.0	238.9
1993.....	9.9	7.3	*	*	*	0.9	1.8	5.3	18.7	41.3	105.1	257.1
1992.....	9.4	8.4	*	*	*	0.9	1.4	5.5	18.2	42.5	92.7	243.5
1991.....	9.2	5.4	*	*	*	0.8	2.0	4.8	15.7	41.7	95.0	256.1
1990.....	9.7	6.9	*	*	*	0.9	2.7	6.5	19.7	43.9	98.1	232.3
1989.....	10.1	6.9	*	*	*	0.9	2.0	6.3	20.8	45.8	108.5	237.7
1988.....	11.1	10.5	*	*	*	1.0	2.5	7.4	21.6	49.0	114.7	281.7
1987.....	10.4	13.2	*	*	*	1.1	1.5	7.1	19.3	50.1	108.1	251.5
1986.....	10.6	11.0	*	*	*	1.0	2.4	6.9	21.8	47.1	111.5	269.9
1985.....	10.9	12.9	*	*	*	1.0	2.0	8.0	22.4	54.8	109.5	263.3
1984.....	10.0	11.6	*	*	*	0.8	2.0	6.6	19.8	51.3	111.8	213.8
1983.....	9.4	11.4	*	*	*	0.8	2.4	6.8	20.0	50.3	99.1	185.6
1982.....	9.4	10.6	*	*	*	0.8	2.7	6.1	22.4	49.1	99.3	187.2
1981.....	8.8	9.3	*	*	*	0.9	2.2	7.1	19.7	48.3	94.6	157.9
1980.....	9.2	11.1	0.2	0.1	0.6	0.9	2.0	8.7	23.6	47.7	88.4	180.4
1979.....	8.0	7.0	0.1	0.1	0.4	1.1	2.7	8.9	21.1	42.9	74.4	128.9

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
--	-------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-----------

RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

BLACK, BOTH SEXES

1998.....	11.5	7.3	*	*	*	0.9	2.9	7.6	22.8	52.0	125.2	304.4
1997.....	11.5	5.9	*	*	*	1.0	2.6	7.9	24.0	52.4	123.0	318.3
1996.....	11.3	10.4	*	*	*	1.0	3.3	8.0	20.7	51.4	127.4	295.1
1995.....	11.6	9.0	*	*	*	1.2	3.7	8.3	23.4	51.8	132.2	294.8
1994.....	11.1	11.0	*	*	*	1.4	3.5	8.0	23.1	54.0	117.7	276.3
1993.....	11.6	10.5	*	*	*	1.7	3.7	9.0	24.0	52.4	127.4	302.7
1992.....	11.3	8.5	*	*	*	1.6	3.9	8.6	24.1	53.2	117.8	299.9
1991.....	11.3	8.4	*	*	*	1.7	4.4	8.5	23.1	55.3	114.5	304.3
1990.....	11.5	8.3	*	*	*	1.4	4.7	9.6	25.0	55.6	123.2	278.0
1989.....	12.6	10.3	*	*	0.4	1.8	4.7	9.8	27.6	62.0	139.2	286.8
1988.....	13.0	10.9	*	*	0.5	1.8	4.5	11.2	28.0	60.2	143.0	322.4
1987.....	12.4	14.1	*	*	0.4	1.8	3.3	10.5	26.7	61.3	134.5	314.4
1986.....	12.7	14.8	*	*	*	1.5	4.4	10.5	27.3	60.9	142.5	320.4
1985.....	12.9	14.5	*	*	*	1.7	4.7	9.4	28.7	66.8	138.5	332.3
1984.....	11.7	16.8	*	*	*	1.2	3.5	8.6	26.5	61.8	133.5	265.8
1983.....	10.8	12.2	*	*	*	1.3	3.6	8.8	25.4	57.8	121.8	240.2
1982.....	10.9	14.2	*	*	*	1.1	3.3	9.1	26.6	60.3	121.2	238.6
1981.....	10.5	12.9	*	*	0.3	1.4	3.7	9.8	26.2	59.0	114.2	213.7
1980.....	10.8	12.5	0.1	0.1	0.5	1.5	3.8	11.1	27.5	56.4	115.8	233.2
1979.....	9.5	10.7	0.1	0.2	0.5	1.5	4.2	10.6	24.5	48.6	100.8	173.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 815
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	10.8	7.7	*	*	*	1.1	4.0	10.3	29.1	53.2	137.2	341.7
1997.....	11.1	8.5	*	*	*	1.4	3.7	10.5	28.0	58.8	137.3	393.7
1996.....	10.7	13.0	*	*	*	1.5	4.5	9.8	25.2	56.6	141.5	348.0
1995.....	11.2	10.8	*	*	*	1.8	5.3	10.0	27.0	57.7	151.1	366.1
1994.....	10.5	13.7	*	*	*	2.1	5.1	10.8	26.1	59.6	124.2	323.4
1993.....	11.2	11.9	*	*	*	2.4	5.3	11.6	25.5	59.3	146.7	373.7
1992.....	11.2	6.8	*	*	*	2.2	6.3	11.0	27.6	59.9	147.4	376.1
1991.....	11.4	9.9	*	*	*	2.4	6.6	11.4	28.8	65.6	132.3	378.3
1990.....	11.3	8.4	*	*	*	1.7	6.2	11.7	27.0	64.5	151.2	345.6
1989.....	13.2	12.4	*	*	*	2.6	7.2	12.4	31.6	75.9	177.1	374.2
1988.....	12.4	9.8	*	*	*	2.4	6.2	13.7	30.7	66.1	171.6	364.6
1987.....	12.5	12.9	*	*	*	2.5	5.0	12.9	31.6	68.3	162.5	425.0
1986.....	12.9	16.4	*	*	*	1.9	6.1	13.8	30.0	72.8	180.9	396.8
1985.....	13.0	14.1	*	*	*	2.3	7.0	10.1	31.9	74.7	171.2	435.5
1984.....	11.7	19.9	*	*	*	1.6	5.0	9.9	31.3	67.9	156.2	341.0
1983.....	10.8	11.0	*	*	*	1.6	4.7	9.8	29.2	62.5	145.7	336.7
1982.....	11.1	15.4	*	*	*	1.3	3.4	12.2	28.7	69.3	145.6	322.4
1981.....	11.1	15.2	*	*	*	1.8	4.9	11.6	31.1	68.0	134.0	316.1
1980.....	11.3	12.6	0.1	0.0	0.5	2.1	5.8	12.8	30.0	63.3	150.0	324.5
1979.....	10.0	13.5	0.1	0.3	0.5	1.8	5.4	11.5	25.8	52.7	136.6	253.8

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
---	-------	-----------------	--------------	---------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	--------------

RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)

BLACK FEMALE

1998.....	12.3	*	*	*	*	0.7	1.8	5.3	18.0	51.2	118.1	288.9
1997.....	11.9	*	*	*	*	*	1.6	5.8	21.0	47.8	114.7	287.1
1996.....	11.9	7.8	*	*	*	*	2.2	6.5	17.2	47.6	119.2	273.4
1995.....	12.0	7.2	*	*	*	0.7	2.4	6.8	20.6	47.6	121.4	265.8
1994.....	11.6	8.2	*	*	*	0.9	2.0	5.6	20.7	50.1	114.1	257.2
1993.....	12.1	9.1	*	*	*	1.1	2.3	6.8	22.9	47.5	116.5	273.7
1992.....	11.3	10.2	*	*	*	1.1	1.8	6.7	21.4	48.6	101.3	268.1
1991.....	11.2	6.9	*	*	*	1.0	2.6	6.0	18.7	48.1	104.6	273.0
1990.....	11.7	8.2	*	*	*	1.1	3.5	7.8	23.5	49.4	107.5	249.4
1989.....	12.1	8.1	*	*	*	1.2	2.5	7.6	24.6	52.4	117.7	251.0
1988.....	13.5	12.0	*	*	*	1.3	3.1	9.2	25.9	56.1	126.6	304.0
1987.....	12.4	15.3	*	*	*	1.2	1.8	8.5	22.8	56.4	118.3	265.3
1986.....	12.5	13.1	*	*	*	1.2	3.0	7.8	25.2	52.6	120.0	285.5
1985.....	12.9	14.8	*	*	*	1.2	2.7	8.8	26.2	61.2	119.0	284.2
1984.....	11.7	13.7	*	*	*	0.8	2.3	7.5	22.7	57.5	120.1	230.2
1983.....	10.8	13.4	*	*	*	0.9	2.6	8.0	22.4	54.6	106.9	193.5
1982.....	10.7	13.0	*	*	*	1.0	3.1	6.6	25.0	53.9	106.2	197.5
1981.....	10.0	10.5	*	*	*	1.1	2.6	8.2	22.2	52.6	101.9	161.1
1980.....	10.3	12.4	0.1	0.1	0.6	1.0	2.2	9.7	25.6	51.4	94.1	187.7
1979.....	9.0	7.8	0.1	0.0	0.4	1.2	3.1	9.9	23.5	45.7	76.9	133.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	817
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
INFECTIONS OF KIDNEY (590)													
TOTAL, BOTH SEXES													
1998.....		0.3	*	*	*	*	*	0.1	0.1	0.3	0.7	2.0	7.9
1997.....		0.3	*	*	*	*	*	0.0	0.1	0.2	0.7	2.2	8.1
1996.....		0.3	*	*	*	*	*	0.1	0.1	0.3	0.8	2.5	8.5
1995.....		0.3	*	*	*	*	*	0.1	0.1	0.3	0.8	2.4	9.7
1994.....		0.4	*	*	*	*	*	0.1	0.1	0.3	0.7	3.0	10.0
1993.....		0.4	*	*	*	*	*	0.1	0.2	0.3	0.7	3.2	11.2
1992.....		0.4	*	*	*	*	*	0.1	0.1	0.3	0.8	3.2	13.5
1991.....		0.5	*	*	*	*	*	0.1	0.2	0.3	0.9	4.0	14.2
1990.....		0.5	*	*	*	*	*	0.1	0.2	0.4	1.1	4.4	15.4
1989.....		0.6	*	*	*	*	0.1	0.1	0.2	0.4	1.3	4.8	17.6
1988.....		0.7	*	*	*	*	*	0.1	0.2	0.4	1.3	5.9	20.5
1987.....		0.7	*	*	*	*	*	0.1	0.2	0.5	1.7	6.3	22.3
1986.....		0.8	*	*	*	*	*	0.1	0.2	0.6	1.7	6.6	26.5
1985.....		0.8	*	*	*	*	0.1	0.1	0.2	0.6	1.8	8.4	25.9
1984.....		0.9	*	*	*	*	0.1	0.1	0.3	0.7	2.2	8.1	27.7
1983.....		0.9	*	*	*	*	0.1	0.1	0.3	0.7	2.1	8.8	28.5
1982.....		1.0	*	*	*	*	0.1	0.1	0.3	0.7	2.6	9.6	29.3
1981.....		1.0	*	*	*	*	0.1	0.1	0.4	0.8	2.5	11.1	29.8
1980.....		1.2	0.2	-	0.0	0.0	0.1	0.2	0.4	0.9	3.4	12.4	38.5
1979.....		1.3	0.3	0.0	0.0	0.0	0.1	0.2	0.4	1.0	3.7	13.3	40.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	818
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
INFECTIONS OF KIDNEY (590)														
TOTAL, MALE														
1998.....		0.2	*	*	*	*	*	*	*	*	0.4	1.3	5.2	
1997.....		0.2	*	*	*	*	*	*	*	*	0.4	2.0	6.5	
1996.....		0.2	*	*	*	*	*	*	*	0.2	0.6	1.9	6.6	
1995.....		0.2	*	*	*	*	*	*	*	*	0.6	1.7	7.2	
1994.....		0.2	*	*	*	*	*	*	*	0.3	0.6	2.0	8.0	
1993.....		0.2	*	*	*	*	*	*	*	0.2	0.5	2.6	8.3	
1992.....		0.3	*	*	*	*	*	*	*	0.2	0.7	2.9	11.4	
1991.....		0.3	*	*	*	*	*	*	*	*	0.6	3.1	10.2	
1990.....		0.3	*	*	*	*	*	*	0.2	0.4	0.9	3.5	13.9	
1989.....		0.4	*	*	*	*	*	*	*	0.3	1.1	3.9	15.4	
1988.....		0.4	*	*	*	*	*	*	0.2	0.3	1.1	5.1	17.9	
1987.....		0.5	*	*	*	*	*	*	*	0.4	1.6	5.1	19.9	
1986.....		0.5	*	*	*	*	*	*	0.2	0.4	1.4	6.1	22.3	
1985.....		0.6	*	*	*	*	*	*	*	0.5	1.5	8.6	26.5	
1984.....		0.6	*	*	*	*	*	*	0.2	0.6	2.1	8.0	26.9	
1983.....		0.6	*	*	*	*	*	*	0.2	0.6	1.9	8.7	28.7	
1982.....		0.7	*	*	*	*	*	*	0.2	0.6	2.2	8.8	28.6	
1981.....		0.8	*	*	*	*	*	*	0.2	0.7	2.1	11.4	32.8	
1980.....		0.9	0.1	-	-	0.0	0.1	0.1	0.3	0.7	3.0	11.8	40.9	
1979.....		1.0	0.3	0.0	0.0	0.0	0.1	0.1	0.3	0.9	3.5	14.0	44.7	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	819
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
INFECTIONS OF KIDNEY (590)														
TOTAL, FEMALE														
1998.....		0.4	*	*	*	*	*	*	0.1	0.3	0.9	2.4	9.1	
1997.....		0.4	*	*	*	*	*	*	0.2	0.3	0.9	2.3	8.8	
1996.....		0.5	*	*	*	*	*	*	0.1	0.4	0.9	2.9	9.3	
1995.....		0.5	*	*	*	*	*	*	0.2	0.4	0.9	2.9	10.7	
1994.....		0.5	*	*	*	*	*	*	0.2	0.3	0.8	3.7	10.8	
1993.....		0.6	*	*	*	*	*	0.1	0.2	0.4	0.9	3.6	12.3	
1992.....		0.6	*	*	*	*	*	0.1	0.2	0.4	0.9	3.4	14.3	
1991.....		0.7	*	*	*	*	*	0.1	0.2	0.5	1.2	4.6	15.8	
1990.....		0.7	*	*	*	*	*	0.1	0.2	0.5	1.3	4.9	16.0	
1989.....		0.8	*	*	*	*	*	0.1	0.2	0.4	1.4	5.3	18.5	
1988.....		0.9	*	*	*	*	*	0.1	0.3	0.5	1.5	6.3	21.5	
1987.....		1.0	*	*	*	*	*	*	0.3	0.6	1.8	7.0	23.3	
1986.....		1.1	*	*	*	*	*	0.1	0.3	0.7	2.0	6.9	28.2	
1985.....		1.1	*	*	*	*	*	*	0.3	0.6	2.1	8.3	25.7	
1984.....		1.1	*	*	*	*	*	0.2	0.3	0.8	2.3	8.2	28.1	
1983.....		1.1	*	*	*	*	*	*	0.3	0.9	2.3	8.9	28.4	
1982.....		1.2	*	*	*	*	*	*	0.4	0.9	2.9	10.1	29.5	
1981.....		1.2	*	*	*	*	*	0.2	0.5	0.9	2.7	11.0	28.4	
1980.....		1.5	0.2	-	0.0	0.0	0.1	0.2	0.5	1.1	3.8	12.7	37.4	
1979.....		1.5	0.2	-	0.0	0.1	0.1	0.2	0.5	1.1	3.9	12.8	38.2	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	820
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
INFECTIONS OF KIDNEY (590)													
WHITE, BOTH SEXES													
1998.....		0.3	*	*	*	*	*	0.1	0.1	0.2	0.6	1.9	8.0
1997.....		0.3	*	*	*	*	*	*	0.1	0.2	0.6	2.2	8.3
1996.....		0.4	*	*	*	*	*	*	*	0.3	0.7	2.5	8.4
1995.....		0.4	*	*	*	*	*	0.1	0.1	0.2	0.7	2.4	9.6
1994.....		0.4	*	*	*	*	*	*	0.1	0.3	0.7	2.9	9.9
1993.....		0.4	*	*	*	*	*	0.1	0.1	0.3	0.7	3.1	11.0
1992.....		0.4	*	*	*	*	*	*	0.1	0.3	0.8	3.2	13.7
1991.....		0.5	*	*	*	*	*	0.1	0.2	0.3	0.9	3.9	13.9
1990.....		0.5	*	*	*	*	*	0.1	0.2	0.4	1.0	4.3	15.5
1989.....		0.6	*	*	*	*	*	0.1	0.1	0.3	1.2	4.5	17.7
1988.....		0.7	*	*	*	*	*	0.1	0.2	0.4	1.3	5.7	20.9
1987.....		0.7	*	*	*	*	*	*	0.2	0.5	1.5	6.3	22.5
1986.....		0.8	*	*	*	*	*	*	0.2	0.5	1.6	6.4	26.5
1985.....		0.8	*	*	*	*	*	*	0.2	0.5	1.6	8.1	25.8
1984.....		0.9	*	*	*	*	*	0.1	0.2	0.6	2.0	7.9	27.9
1983.....		0.9	*	*	*	*	*	*	0.2	0.6	2.0	8.7	28.2
1982.....		1.0	*	*	*	*	*	*	0.3	0.7	2.4	9.4	29.8
1981.....		1.0	*	*	*	*	*	0.1	0.3	0.7	2.3	10.9	30.1
1980.....		1.2	0.1	-	0.0	0.0	0.1	0.1	0.3	0.8	3.2	11.9	38.9
1979.....		1.3	0.2	0.0	0.0	0.0	0.1	0.1	0.3	0.8	3.5	13.0	40.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	821
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
INFECTIONS OF KIDNEY (590)													
WHITE MALE													
1998.....		0.2	*	*	*	*	*	*	*	*	0.4	1.2	4.7
1997.....		0.2	*	*	*	*	*	*	*	*	0.3	2.0	6.5
1996.....		0.2	*	*	*	*	*	*	*	*	0.6	2.0	6.4
1995.....		0.2	*	*	*	*	*	*	*	*	0.5	1.6	7.2
1994.....		0.2	*	*	*	*	*	*	*	0.2	0.5	1.8	7.8
1993.....		0.2	*	*	*	*	*	*	*	*	0.5	2.5	7.8
1992.....		0.3	*	*	*	*	*	*	*	*	0.6	2.9	11.4
1991.....		0.3	*	*	*	*	*	*	*	*	0.6	2.9	10.4
1990.....		0.3	*	*	*	*	*	*	*	0.4	0.8	3.3	14.1
1989.....		0.4	*	*	*	*	*	*	*	0.2	1.0	3.7	14.8
1988.....		0.4	*	*	*	*	*	*	*	0.3	1.0	4.8	17.8
1987.....		0.5	*	*	*	*	*	*	*	0.4	1.4	5.0	20.0
1986.....		0.5	*	*	*	*	*	*	0.2	0.3	1.3	5.7	21.7
1985.....		0.6	*	*	*	*	*	*	*	0.5	1.3	8.3	26.7
1984.....		0.6	*	*	*	*	*	*	*	0.4	1.9	7.8	25.8
1983.....		0.6	*	*	*	*	*	*	*	0.5	1.8	8.3	27.8
1982.....		0.7	*	*	*	*	*	*	*	0.5	2.2	8.4	28.3
1981.....		0.8	*	*	*	*	*	*	*	0.7	2.0	11.4	33.4
1980.....		0.9	-	-	-	0.0	0.1	0.1	0.3	0.6	2.7	10.9	41.1
1979.....		1.0	0.2	0.0	0.0	0.0	0.0	0.1	0.2	0.7	3.3	13.6	45.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 822
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 INFECTIONS OF KIDNEY (590) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	0.5	*	*	*	*	*	*	*	0.3	0.8	2.5	9.3
1997.....	0.5	*	*	*	*	*	*	0.1	0.3	0.9	2.3	9.0
1996.....	0.5	*	*	*	*	*	*	*	0.4	0.9	2.8	9.2
1995.....	0.5	*	*	*	*	*	*	0.2	0.3	0.9	2.9	10.6
1994.....	0.6	*	*	*	*	*	*	0.2	0.3	0.8	3.6	10.7
1993.....	0.6	*	*	*	*	*	*	0.2	0.4	0.9	3.5	12.2
1992.....	0.6	*	*	*	*	*	*	0.2	0.4	0.9	3.4	14.5
1991.....	0.7	*	*	*	*	*	*	0.2	0.4	1.1	4.4	15.3
1990.....	0.7	*	*	*	*	*	*	0.2	0.4	1.2	4.8	16.0
1989.....	0.8	*	*	*	*	*	*	*	0.4	1.3	5.0	18.9
1988.....	1.0	*	*	*	*	*	*	0.2	0.5	1.5	6.3	22.1
1987.....	1.0	*	*	*	*	*	*	0.3	0.6	1.7	7.0	23.5
1986.....	1.1	*	*	*	*	*	*	*	0.6	1.9	6.8	28.4
1985.....	1.1	*	*	*	*	*	*	0.2	0.6	1.9	8.1	25.4
1984.....	1.2	*	*	*	*	*	*	0.3	0.7	2.1	8.1	28.8
1983.....	1.2	*	*	*	*	*	*	0.3	0.8	2.1	8.9	28.4
1982.....	1.3	*	*	*	*	*	*	0.3	0.8	2.6	10.0	30.4
1981.....	1.3	*	*	*	*	*	*	0.4	0.8	2.5	10.7	28.6
1980.....	1.6	0.3	-	0.0	0.0	0.1	0.2	0.3	0.9	3.6	12.5	38.0
1979.....	1.6	0.2	-	0.0	0.0	0.1	0.1	0.4	0.9	3.7	12.7	38.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	823	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
INFECTIONS OF KIDNEY (590)															
ALL OTHER, BOTH SEXES															
1998	0.3	*	*	*	*	*	*	*	0.6	1.0	2.6	7.7		
1997	0.2	*	*	*	*	*	*	*	*	1.1	2.1	6.5		
1996	0.3	*	*	*	*	*	*	*	*	*	2.6	9.8		
1995	0.3	*	*	*	*	*	*	*	*	1.1	3.2	10.5		
1994	0.3	*	*	*	*	*	*	*	*	1.3	4.1	10.9		
1993	0.3	*	*	*	*	*	*	*	*	*	4.2	12.9		
1992	0.3	*	*	*	*	*	*	*	*	1.3	3.1	11.7		
1991	0.4	*	*	*	*	*	*	*	*	1.3	5.6	17.2		
1990	0.4	*	*	*	*	*	*	*	*	1.9	5.3	14.6		
1989	0.5	*	*	*	*	*	*	*	0.9	2.1	6.9	16.4		
1988	0.5	*	*	*	*	*	*	*	*	1.9	7.2	15.7		
1987	0.6	*	*	*	*	*	*	*	*	3.4	6.8	20.0		
1986	0.7	*	*	*	*	*	*	0.6	1.1	2.7	8.7	26.4		
1985	0.8	*	*	*	*	*	*	*	1.0	3.7	11.2	27.2		
1984	0.8	*	*	*	*	*	*	*	1.7	3.5	9.9	25.8		
1983	0.8	*	*	*	*	*	*	*	1.6	3.3	9.7	31.1		
1982	0.8	*	*	*	*	*	*	*	1.4	4.0	11.3	23.6		
1981	0.9	*	*	*	*	*	*	0.8	1.4	4.2	13.2	26.3		
1980	1.2	0.3	-	-	0.0	0.2	0.4	1.2	2.1	5.7	17.6	33.4		
1979	1.2	0.5	-	-	0.1	0.1	0.5	1.2	2.7	5.9	15.8	36.2		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 824												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
INFECTIONS OF KIDNEY (590)												
ALL OTHER MALE												
1998.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*	7.5	*
1987.....	0.4	*	*	*	*	*	*	*	*	3.4	6.1	*
1986.....	0.5	*	*	*	*	*	*	*	*	*	9.1	28.0
1985.....	0.6	*	*	*	*	*	*	*	*	3.9	11.6	*
1984.....	0.7	*	*	*	*	*	*	*	1.9	3.6	9.9	37.5
1983.....	0.6	*	*	*	*	*	*	*	*	*	11.9	37.1
1982.....	0.7	*	*	*	*	*	*	*	*	2.9	12.6	31.3
1981.....	0.6	*	*	*	*	*	*	*	*	3.6	11.2	*
1980.....	1.0	0.6	-	-	-	-	0.3	0.9	1.5	5.4	20.6	39.5
1979.....	1.1	0.7	-	-	-	0.1	0.2	1.0	3.0	6.1	18.3	39.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	825
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
INFECTIONS OF KIDNEY (590)													
ALL OTHER FEMALE													
1998.....		0.3	*	*	*	*	*	*	*	*	1.6	*	*
1997.....		0.3	*	*	*	*	*	*	*	*	*	*	*
1996.....		0.4	*	*	*	*	*	*	*	*	*	3.6	10.2
1995.....		0.4	*	*	*	*	*	*	*	*	*	3.6	11.9
1994.....		0.4	*	*	*	*	*	*	*	*	*	4.6	11.5
1993.....		0.4	*	*	*	*	*	*	*	*	*	4.8	12.9
1992.....		0.4	*	*	*	*	*	*	*	*	*	*	11.8
1991.....		0.6	*	*	*	*	*	*	*	*	*	5.8	21.2
1990.....		0.5	*	*	*	*	*	*	*	*	1.8	5.3	15.6
1989.....		0.7	*	*	*	*	*	*	*	*	2.0	8.1	14.3
1988.....		0.6	*	*	*	*	*	*	*	*	*	7.1	14.2
1987.....		0.7	*	*	*	*	*	*	*	*	3.4	7.1	20.2
1986.....		0.9	*	*	*	*	*	*	*	*	3.0	8.4	25.6
1985.....		0.9	*	*	*	*	*	*	*	*	3.6	10.9	28.7
1984.....		0.8	*	*	*	*	*	*	*	1.6	3.5	9.9	20.0
1983.....		0.9	*	*	*	*	*	*	*	1.7	3.9	8.3	28.1
1982.....		0.9	*	*	*	*	*	*	*	*	4.8	10.4	19.5
1981.....		1.1	*	*	*	*	*	*	*	*	4.6	14.6	26.2
1980.....		1.3	-	-	-	0.0	0.3	0.4	1.5	2.5	5.8	15.6	30.3
1979.....		1.3	0.3	-	-	0.1	0.1	0.7	1.4	2.5	5.7	14.2	35.1

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	826
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
INFECTIONS OF KIDNEY (590) BLACK, BOTH SEXES													
1998.....		0.3	*	*	*	*	*	*	*	*	*	2.8	7.8
1997.....		0.3	*	*	*	*	*	*	*	*	*	2.5	7.2
1996.....		0.3	*	*	*	*	*	*	*	*	*	3.0	11.5
1995.....		0.3	*	*	*	*	*	*	*	*	*	3.4	11.3
1994.....		0.4	*	*	*	*	*	*	*	*	1.4	4.7	11.3
1993.....		0.4	*	*	*	*	*	*	*	*	*	4.9	14.0
1992.....		0.4	*	*	*	*	*	*	*	*	1.7	3.0	12.2
1991.....		0.5	*	*	*	*	*	*	*	*	1.4	6.1	18.1
1990.....		0.5	*	*	*	*	*	*	*	*	2.0	5.1	15.3
1989.....		0.6	*	*	*	*	*	*	*	1.1	2.4	7.4	18.2
1988.....		0.6	*	*	*	*	*	*	*	*	2.0	7.5	17.8
1987.....		0.7	*	*	*	*	*	*	*	*	4.0	7.4	19.2
1986.....		0.8	*	*	*	*	*	*	*	1.2	2.9	9.6	26.9
1985.....		0.9	*	*	*	*	*	*	*	1.1	3.9	12.2	27.7
1984.....		0.9	*	*	*	*	*	*	*	2.0	3.8	9.9	26.3
1983.....		0.9	*	*	*	*	*	*	*	1.8	3.9	10.9	29.9
1982.....		0.9	*	*	*	*	*	*	*	1.6	4.4	12.4	23.9
1981.....		1.0	*	*	*	*	*	*	*	1.6	4.4	14.7	29.2
1980.....		1.3	0.4	-	-	0.0	0.2	0.4	1.3	2.3	6.4	18.9	35.2
1979.....		1.3	0.6	-	-	0.0	0.1	0.6	1.3	2.9	6.3	17.1	35.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 827
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 INFECTIONS OF KIDNEY (590) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*	8.5	*
1987.....	0.5	*	*	*	*	*	*	*	*	4.2	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*	10.3	31.7
1985.....	0.8	*	*	*	*	*	*	*	*	4.1	14.0	*
1984.....	0.8	*	*	*	*	*	*	*	*	4.0	10.4	41.0
1983.....	0.7	*	*	*	*	*	*	*	*	*	13.8	35.0
1982.....	0.8	*	*	*	*	*	*	*	*	3.5	14.1	*
1981.....	0.7	*	*	*	*	*	*	*	*	4.0	13.2	*
1980.....	1.1	0.7	-	-	-	-	0.3	0.8	1.6	6.3	22.8	41.5
1979.....	1.2	0.8	-	-	-	0.1	0.2	1.2	3.3	6.7	19.7	40.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 828
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 INFECTIONS OF KIDNEY (590) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1997.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.4	*	*	*	*	*	*	*	*	*	3.9	11.3
1995.....	0.4	*	*	*	*	*	*	*	*	*	*	12.8
1994.....	0.5	*	*	*	*	*	*	*	*	*	4.8	12.2
1993.....	0.5	*	*	*	*	*	*	*	*	*	5.3	14.8
1992.....	0.5	*	*	*	*	*	*	*	*	*	*	12.5
1991.....	0.7	*	*	*	*	*	*	*	*	*	6.0	21.5
1990.....	0.5	*	*	*	*	*	*	*	*	*	4.9	16.0
1989.....	0.8	*	*	*	*	*	*	*	*	*	8.4	16.3
1988.....	0.6	*	*	*	*	*	*	*	*	*	7.0	15.4
1987.....	0.8	*	*	*	*	*	*	*	*	3.9	7.6	18.1
1986.....	1.0	*	*	*	*	*	*	*	*	3.2	9.2	24.6
1985.....	1.0	*	*	*	*	*	*	*	*	3.8	11.1	27.1
1984.....	0.9	*	*	*	*	*	*	*	1.8	3.8	9.6	19.4
1983.....	1.1	*	*	*	*	*	*	*	2.0	4.5	9.2	27.4
1982.....	1.0	*	*	*	*	*	*	*	*	5.1	11.3	19.5
1981.....	1.2	*	*	*	*	*	*	*	*	4.7	15.7	28.3
1980.....	1.5	-	-	-	0.0	0.4	0.5	1.7	2.8	6.4	16.4	32.1
1979.....	1.4	0.4	-	-	0.1	0.1	0.8	1.4	2.5	6.0	15.3	32.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	829
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
HYPERPLASIA OF PROSTATE (600) TOTAL, BOTH SEXES													
1998.....		0.2	*	*	*	*	*	*	*	*	0.1	1.4	5.1
1997.....		0.2	*	*	*	*	*	*	*	*	0.2	1.3	5.6
1996.....		0.2	*	*	*	*	*	*	*	*	0.3	1.5	6.1
1995.....		0.2	*	*	*	*	*	*	*	*	0.3	1.3	5.5
1994.....		0.2	*	*	*	*	*	*	*	*	0.3	1.6	4.9
1993.....		0.2	*	*	*	*	*	*	*	*	0.3	1.5	5.5
1992.....		0.2	*	*	*	*	*	*	*	*	0.3	1.4	6.0
1991.....		0.2	*	*	*	*	*	*	*	*	0.3	1.6	5.9
1990.....		0.2	*	*	*	*	*	*	*	*	0.3	1.8	6.6
1989.....		0.2	*	*	*	*	*	*	*	*	0.3	1.9	6.3
1988.....		0.2	*	*	*	*	*	*	*	0.1	0.4	1.8	6.2
1987.....		0.2	*	*	*	*	*	*	*	*	0.4	1.9	7.1
1986.....		0.2	*	*	*	*	*	*	*	0.1	0.5	1.9	8.2
1985.....		0.2	*	*	*	*	*	*	*	*	0.4	2.1	7.6
1984.....		0.2	*	*	*	*	*	*	*	0.1	0.5	2.5	8.4
1983.....		0.2	*	*	*	*	*	*	*	0.1	0.6	2.7	8.9
1982.....		0.3	*	*	*	*	*	*	*	0.1	0.7	2.9	11.7
1981.....		0.3	*	*	*	*	*	*	*	0.1	0.8	3.5	11.1
1980.....		0.3	-	-	-	-	-	-	0.0	0.1	0.8	4.0	12.5
1979.....		0.4	-	-	-	-	-	-	0.0	0.1	1.0	4.4	13.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 830
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 HYPERPLASIA OF PROSTATE (600) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	0.3	*	*	*	*	*	*	*	*	0.3	3.4	17.3
1997.....	0.3	*	*	*	*	*	*	*	*	0.4	3.3	19.6
1996.....	0.4	*	*	*	*	*	*	*	*	0.6	3.7	21.6
1995.....	0.3	*	*	*	*	*	*	*	*	0.7	3.3	19.8
1994.....	0.3	*	*	*	*	*	*	*	*	0.7	4.0	17.6
1993.....	0.3	*	*	*	*	*	*	*	*	0.6	3.9	19.8
1992.....	0.3	*	*	*	*	*	*	*	*	0.6	3.6	21.3
1991.....	0.3	*	*	*	*	*	*	*	*	0.7	4.3	21.3
1990.....	0.4	*	*	*	*	*	*	*	*	0.7	4.8	23.8
1989.....	0.4	*	*	*	*	*	*	*	*	0.8	5.0	22.4
1988.....	0.4	*	*	*	*	*	*	*	0.3	0.9	4.9	22.1
1987.....	0.4	*	*	*	*	*	*	*	*	0.9	5.2	25.2
1986.....	0.4	*	*	*	*	*	*	*	0.2	1.1	5.2	28.9
1985.....	0.4	*	*	*	*	*	*	*	*	1.0	5.7	26.7
1984.....	0.5	*	*	*	*	*	*	*	0.2	1.1	6.6	29.3
1983.....	0.5	*	*	*	*	*	*	*	0.2	1.3	7.3	30.7
1982.....	0.6	*	*	*	*	*	*	*	0.2	1.5	7.9	39.7
1981.....	0.6	*	*	*	*	*	*	*	0.2	1.8	9.4	37.2
1980.....	0.7	-	-	-	-	-	-	0.0	0.3	2.0	10.8	41.2
1979.....	0.7	-	-	-	-	-	-	0.0	0.3	2.4	11.8	42.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 831												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
HYPERPLASIA OF PROSTATE (600)												
WHITE, BOTH SEXES												
1998.....	0.2	*	*	*	*	*	*	*	*	0.1	1.3	5.2
1997.....	0.2	*	*	*	*	*	*	*	*	0.1	1.3	5.7
1996.....	0.2	*	*	*	*	*	*	*	*	0.2	1.5	6.2
1995.....	0.2	*	*	*	*	*	*	*	*	0.3	1.2	5.6
1994.....	0.2	*	*	*	*	*	*	*	*	0.3	1.6	5.1
1993.....	0.2	*	*	*	*	*	*	*	*	0.2	1.3	5.4
1992.....	0.2	*	*	*	*	*	*	*	*	0.3	1.4	6.0
1991.....	0.2	*	*	*	*	*	*	*	*	0.3	1.5	5.9
1990.....	0.2	*	*	*	*	*	*	*	*	0.3	1.7	6.7
1989.....	0.2	*	*	*	*	*	*	*	*	0.3	1.7	6.1
1988.....	0.2	*	*	*	*	*	*	*	*	0.4	1.7	6.0
1987.....	0.2	*	*	*	*	*	*	*	*	0.3	1.9	7.3
1986.....	0.2	*	*	*	*	*	*	*	0.1	0.4	1.8	8.3
1985.....	0.2	*	*	*	*	*	*	*	*	0.4	2.1	7.5
1984.....	0.2	*	*	*	*	*	*	*	*	0.4	2.4	8.5
1983.....	0.3	*	*	*	*	*	*	*	*	0.5	2.6	9.2
1982.....	0.3	*	*	*	*	*	*	*	0.1	0.6	2.6	11.8
1981.....	0.3	*	*	*	*	*	*	*	*	0.7	3.3	11.0
1980.....	0.3	-	-	-	-	-	-	0.0	0.1	0.7	3.9	12.5
1979.....	0.4	-	-	-	-	-	-	0.0	0.1	0.9	4.3	13.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 832
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERPLASIA OF PROSTATE (600)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	0.3	*	*	*	*	*	*	*	*	0.3	3.2	17.8
1997.....	0.3	*	*	*	*	*	*	*	*	0.3	3.3	19.8
1996.....	0.4	*	*	*	*	*	*	*	*	0.5	3.7	22.0
1995.....	0.3	*	*	*	*	*	*	*	*	0.7	3.1	20.2
1994.....	0.4	*	*	*	*	*	*	*	*	0.6	4.0	18.4
1993.....	0.3	*	*	*	*	*	*	*	*	0.6	3.5	19.5
1992.....	0.3	*	*	*	*	*	*	*	*	0.6	3.6	21.6
1991.....	0.4	*	*	*	*	*	*	*	*	0.7	4.1	21.4
1990.....	0.4	*	*	*	*	*	*	*	*	0.6	4.6	24.2
1989.....	0.4	*	*	*	*	*	*	*	*	0.7	4.7	22.0
1988.....	0.4	*	*	*	*	*	*	*	*	0.9	4.7	21.8
1987.....	0.4	*	*	*	*	*	*	*	*	0.7	5.0	26.2
1986.....	0.4	*	*	*	*	*	*	*	0.2	0.9	4.8	29.7
1985.....	0.4	*	*	*	*	*	*	*	*	0.9	5.6	26.7
1984.....	0.5	*	*	*	*	*	*	*	*	1.0	6.4	29.8
1983.....	0.5	*	*	*	*	*	*	*	*	1.1	7.1	32.0
1982.....	0.6	*	*	*	*	*	*	*	0.2	1.3	7.1	40.8
1981.....	0.6	*	*	*	*	*	*	*	*	1.7	9.0	37.2
1980.....	0.7	-	-	-	-	-	-	0.0	0.2	1.7	10.5	41.4
1979.....	0.7	-	-	-	-	-	-	0.0	0.2	2.0	11.5	42.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	833
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
HYPERPLASIA OF PROSTATE (600)														
ALL OTHER, BOTH SEXES														
1998.....	0.1	*	*	*	*	*	*	*	*	*	2.3	*		
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	5.4		
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	5.6		
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1993.....	0.1	*	*	*	*	*	*	*	*	*	2.8	6.6		
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1991.....	0.1	*	*	*	*	*	*	*	*	*	2.4	*		
1990.....	0.1	*	*	*	*	*	*	*	*	*	2.5	*		
1989.....	0.2	*	*	*	*	*	*	*	*	*	3.1	8.2		
1988.....	0.2	*	*	*	*	*	*	*	*	*	2.8	8.1		
1987.....	0.1	*	*	*	*	*	*	*	*	*	2.7	*		
1986.....	0.2	*	*	*	*	*	*	*	*	1.2	3.4	*		
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*		
1984.....	0.2	*	*	*	*	*	*	*	*	*	3.3	*		
1983.....	0.2	*	*	*	*	*	*	*	*	1.5	3.7	*		
1982.....	0.3	*	*	*	*	*	*	*	*	1.4	6.2	10.1		
1981.....	0.3	*	*	*	*	*	*	*	*	1.5	5.3	12.6		
1980.....	0.3	-	-	-	-	-	-	-	0.4	2.0	5.5	13.4		
1979.....	0.3	-	-	-	-	-	-	-	0.3	2.6	6.0	12.1		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	834
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
HYPERPLASIA OF PROSTATE (600)														
ALL OTHER MALE														
1998.....	0.2	*	*	*	*	*	*	*	*	*	*	6.1	*	
1997.....	0.2	*	*	*	*	*	*	*	*	*	*	*	17.5	
1996.....	0.2	*	*	*	*	*	*	*	*	*	*	*	18.1	
1995.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*	
1994.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*	
1993.....	0.3	*	*	*	*	*	*	*	*	*	*	7.6	21.8	
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*	*	
1991.....	0.3	*	*	*	*	*	*	*	*	*	*	6.4	*	
1990.....	0.3	*	*	*	*	*	*	*	*	*	*	6.6	*	
1989.....	0.4	*	*	*	*	*	*	*	*	*	*	8.2	25.9	
1988.....	0.3	*	*	*	*	*	*	*	*	*	*	7.5	25.3	
1987.....	0.3	*	*	*	*	*	*	*	*	*	*	7.0	*	
1986.....	0.4	*	*	*	*	*	*	*	*	2.8	*	8.8	*	
1985.....	0.3	*	*	*	*	*	*	*	*	*	*	*	*	
1984.....	0.4	*	*	*	*	*	*	*	*	*	*	8.6	*	
1983.....	0.4	*	*	*	*	*	*	*	*	3.5	*	9.5	*	
1982.....	0.6	*	*	*	*	*	*	*	*	3.2	15.7	29.9		
1981.....	0.6	*	*	*	*	*	*	*	*	3.4	13.4	37.5		
1980.....	0.7	-	-	-	-	-	-	-	0.9	4.5	13.9	39.5		
1979.....	0.7	-	-	-	-	-	-	-	0.7	6.0	14.9	35.6		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	835
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
HYPERPLASIA OF PROSTATE (600) BLACK, BOTH SEXES														
1998.....	0.1	*	*	*	*	*	*	*	*	*	2.5	*		
1997.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1996.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1995.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1994.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1993.....	0.2	*	*	*	*	*	*	*	*	*	2.9	*		
1992.....	0.1	*	*	*	*	*	*	*	*	*	*	*		
1991.....	0.2	*	*	*	*	*	*	*	*	*	2.5	*		
1990.....	0.2	*	*	*	*	*	*	*	*	*	2.9	*		
1989.....	0.2	*	*	*	*	*	*	*	*	*	3.5	*		
1988.....	0.2	*	*	*	*	*	*	*	*	*	3.0	*		
1987.....	0.2	*	*	*	*	*	*	*	*	*	3.0	*		
1986.....	0.2	*	*	*	*	*	*	*	*	1.4	3.5	*		
1985.....	0.2	*	*	*	*	*	*	*	*	*	*	*		
1984.....	0.2	*	*	*	*	*	*	*	*	*	3.9	*		
1983.....	0.2	*	*	*	*	*	*	*	*	1.6	4.3	*		
1982.....	0.3	*	*	*	*	*	*	*	*	1.6	6.8	*		
1981.....	0.3	*	*	*	*	*	*	*	*	1.6	5.7	13.1		
1980.....	0.3	-	-	-	-	-	-	-	0.4	2.2	5.8	13.2		
1979.....	0.4	-	-	-	-	-	-	-	0.4	2.9	6.7	11.5		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 836
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HYPERPLASIA OF PROSTATE (600)

BLACK MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.3	*	*	*	*	*	*	*	*	*	6.7	*
1997.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1996.....	0.3	*	*	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*	8.0	*
1992.....	0.2	*	*	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*	7.1	*
1990.....	0.3	*	*	*	*	*	*	*	*	*	7.9	*
1989.....	0.5	*	*	*	*	*	*	*	*	*	9.8	*
1988.....	0.4	*	*	*	*	*	*	*	*	*	8.1	*
1987.....	0.4	*	*	*	*	*	*	*	*	*	8.2	*
1986.....	0.5	*	*	*	*	*	*	*	*	3.4	9.5	*
1985.....	0.4	*	*	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*	10.4	*
1983.....	0.5	*	*	*	*	*	*	*	*	4.0	11.3	*
1982.....	0.7	*	*	*	*	*	*	*	*	3.8	17.8	*
1981.....	0.7	*	*	*	*	*	*	*	*	3.8	14.9	39.3
1980.....	0.7	-	-	-	-	-	-	-	0.8	5.1	14.9	39.6
1979.....	0.8	-	-	-	-	-	-	-	0.8	6.7	16.8	34.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 838
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

TOTAL, BOTH SEXES													
Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
1998	0.1	*	0.2	0.4	0.2	*	
1997	0.1	*	0.2	0.4	0.2	*	
1996	0.1	*	0.2	0.3	0.2	*	
1995	0.1	*	0.2	0.3	0.2	*	
1994	0.1	*	0.3	0.3	0.2	*	
1993	0.1	*	0.2	0.3	0.2	*	
1992	0.1	*	0.3	0.3	0.2	*	
1991	0.1	*	0.3	0.3	0.2	*	
1990	0.1	*	0.3	0.4	0.2	*	
1989	0.1	*	0.3	0.4	0.1	*	
1988	0.1	*	0.3	0.4	0.2	*	
1987	0.1	*	0.2	0.3	0.1	*	
1986	0.1	*	0.2	0.3	0.2	*	
1985	0.1	*	0.2	0.3	0.2	*	
1984	0.1	*	0.2	0.4	0.2	*	
1983	0.1	*	0.3	0.3	0.1	*	
1982	0.1	*	0.2	0.4	0.2	*	
1981	0.1	*	0.3	0.4	0.2	*	
1980	0.1	-	0.3	0.4	0.2	0.0	
1979	0.1	0.0	0.3	0.4	0.2	0.0	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 839
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
1998.....	0.2	*	0.4	0.7	0.3	*
1997.....	0.2	*	0.5	0.8	0.3	*
1996.....	0.2	*	0.4	0.7	0.4	*
1995.....	0.2	*	0.4	0.6	0.3	*
1994.....	0.2	*	0.6	0.7	0.4	*
1993.....	0.2	*	0.5	0.6	0.4	*
1992.....	0.2	*	0.6	0.7	0.3	*
1991.....	0.3	*	0.5	0.7	0.3	*
1990.....	0.3	*	0.6	0.7	0.4	*
1989.....	0.3	*	0.5	0.8	0.3	*
1988.....	0.3	*	0.6	0.7	0.4	*
1987.....	0.2	*	0.4	0.6	0.2	*
1986.....	0.2	*	0.5	0.6	0.3	*
1985.....	0.2	*	0.5	0.7	0.4	*
1984.....	0.2	*	0.4	0.8	0.3	*
1983.....	0.2	*	0.6	0.7	0.3	*
1982.....	0.2	*	0.4	0.8	0.3	*
1981.....	0.3	*	0.6	0.7	0.4	*
1980.....	0.3	-	0.5	0.9	0.4	0.0
1979.....	0.3	0.0	0.6	0.8	0.5	0.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 840
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
WHITE, BOTH SEXES												
1998.....	0.1	*	0.1	0.3	0.1	*
1997.....	0.1	*	0.2	0.3	0.1	*
1996.....	0.1	*	0.1	0.2	0.2	*
1995.....	0.1	*	0.1	0.2	0.1	*
1994.....	0.1	*	0.2	0.3	0.1	*
1993.....	0.1	*	0.1	0.2	0.1	*
1992.....	0.1	*	0.2	0.2	0.1	*
1991.....	0.1	*	0.2	0.3	0.1	*
1990.....	0.1	*	0.2	0.2	0.1	*
1989.....	0.1	*	0.2	0.3	0.1	*
1988.....	0.1	*	0.2	0.3	0.1	*
1987.....	0.1	*	0.2	0.2	0.1	*
1986.....	0.1	*	0.1	0.2	0.1	*
1985.....	0.1	*	0.1	0.2	0.1	*
1984.....	0.1	*	0.1	0.3	0.1	*
1983.....	0.1	*	0.2	0.2	0.1	*
1982.....	0.1	*	0.1	0.3	0.1	*
1981.....	0.1	*	0.2	0.3	0.1	*
1980.....	0.1	-	0.2	0.3	0.1	0.0
1979.....	0.1	0.0	0.2	0.3	0.1	0.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 841
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	0.1	*	0.2	0.5	0.3	*
1997.....	0.2	*	0.3	0.5	0.2	*
1996.....	0.1	*	0.2	0.4	0.3	*
1995.....	0.1	*	0.2	0.4	0.2	*
1994.....	0.2	*	0.4	0.5	0.2	*
1993.....	0.1	*	0.3	0.4	0.2	*
1992.....	0.1	*	0.4	0.4	0.2	*
1991.....	0.2	*	0.3	0.5	0.3	*
1990.....	0.2	*	0.4	0.5	0.2	*
1989.....	0.2	*	0.4	0.5	0.2	*
1988.....	0.2	*	0.4	0.5	0.2	*
1987.....	0.1	*	0.3	0.4	0.2	*
1986.....	0.1	*	0.3	0.4	0.2	*
1985.....	0.2	*	0.3	0.4	0.2	*
1984.....	0.2	*	0.2	0.6	0.2	*
1983.....	0.2	*	0.4	0.5	0.2	*
1982.....	0.2	*	0.3	0.6	0.2	*
1981.....	0.2	*	0.4	0.5	0.2	*
1980.....	0.2	-	0.4	0.6	0.3	0.0
1979.....	0.2	0.0	0.3	0.6	0.3	0.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	842	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ALL OTHER, BOTH SEXES															
1998.....		0.3	*	0.4	0.8	0.3	*		
1997.....		0.3	*	0.5	0.9	0.4	*		
1996.....		0.3	*	0.5	0.9	0.4	*		
1995.....		0.3	*	0.6	0.9	0.5	*		
1994.....		0.3	*	0.8	0.6	0.5	*		
1993.....		0.3	*	0.6	0.8	0.6	*		
1992.....		0.4	*	0.8	0.8	0.6	*		
1991.....		0.3	*	0.7	0.7	0.4	*		
1990.....		0.4	*	0.8	1.0	0.6	*		
1989.....		0.4	*	0.6	1.0	0.4	*		
1988.....		0.4	*	0.8	0.8	0.7	*		
1987.....		0.3	*	0.4	0.8	*	*		
1986.....		0.3	*	0.7	0.9	0.4	*		
1985.....		0.4	*	0.7	0.9	0.5	*		
1984.....		0.4	*	0.7	0.9	*	*		
1983.....		0.3	*	0.8	0.8	*	*		
1982.....		0.4	*	0.6	1.0	*	*		
1981.....		0.4	*	0.8	0.9	0.6	*		
1980.....		0.4	-	0.7	1.3	0.7	0.0		
1979.....		0.5	0.0	1.0	1.2	0.9	0.1		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 843
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	0.5	*	0.9	1.5	0.7	*
1997.....	0.6	*	1.1	1.8	0.8	*
1996.....	0.6	*	1.0	1.7	0.8	*
1995.....	0.6	*	1.2	1.7	1.0	*
1994.....	0.6	*	1.5	1.1	1.0	*
1993.....	0.7	*	1.3	1.6	1.2	*
1992.....	0.7	*	1.6	1.6	1.0	*
1991.....	0.6	*	1.5	1.4	0.8	*
1990.....	0.8	*	1.6	1.9	1.2	*
1989.....	0.7	*	1.2	1.9	0.8	*
1988.....	0.7	*	1.6	1.6	1.2	*
1987.....	0.5	*	0.8	1.5	*	*
1986.....	0.7	*	1.3	1.6	0.8	*
1985.....	0.7	*	1.4	1.8	1.0	*
1984.....	0.7	*	1.3	1.8	*	*
1983.....	0.7	*	1.6	1.6	*	*
1982.....	0.7	*	1.2	1.8	*	*
1981.....	0.7	*	1.5	1.7	1.1	*
1980.....	0.8	-	1.4	2.4	1.4	0.1
1979.....	1.0	0.0	2.0	2.2	1.6	0.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 844
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK, BOTH SEXES												
1998.....	0.3	*	0.6	0.9	0.4	*
1997.....	0.4	*	0.6	1.2	0.4	*
1996.....	0.4	*	0.6	1.1	0.5	*
1995.....	0.4	*	0.8	1.1	0.6	*
1994.....	0.4	*	0.9	0.7	0.6	*
1993.....	0.4	*	0.8	1.1	0.7	*
1992.....	0.4	*	1.0	1.0	0.6	*
1991.....	0.4	*	0.9	0.9	0.6	*
1990.....	0.5	*	0.9	1.3	0.7	*
1989.....	0.4	*	0.7	1.1	0.5	*
1988.....	0.4	*	0.9	0.9	0.8	*
1987.....	0.3	*	0.5	0.9	*	*
1986.....	0.4	*	0.8	1.0	*	*
1985.....	0.4	*	0.8	1.1	0.6	*
1984.....	0.4	*	0.8	1.0	*	*
1983.....	0.4	*	0.9	0.9	*	*
1982.....	0.4	*	0.7	1.0	*	*
1981.....	0.4	*	0.9	1.1	*	*
1980.....	0.5	-	0.8	1.3	0.8	0.0
1979.....	0.6	0.0	1.2	1.3	0.8	0.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 845
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	0.6	*	1.2	1.8	0.7	*
1997.....	0.7	*	1.3	2.3	0.7	*
1996.....	0.7	*	1.2	2.1	0.9	*
1995.....	0.8	*	1.6	2.0	1.1	*
1994.....	0.7	*	1.8	1.3	1.2	*
1993.....	0.8	*	1.6	2.0	1.3	*
1992.....	0.8	*	2.0	1.9	1.2	*
1991.....	0.8	*	1.8	1.7	1.0	*
1990.....	1.0	*	1.9	2.4	1.4	*
1989.....	0.8	*	1.5	2.1	0.9	*
1988.....	0.8	*	1.8	1.7	1.4	*
1987.....	0.6	*	0.9	1.8	*	*
1986.....	0.8	*	1.6	2.0	*	*
1985.....	0.8	*	1.6	2.1	1.1	*
1984.....	0.8	*	1.6	1.9	*	*
1983.....	0.7	*	1.8	1.7	*	*
1982.....	0.7	*	1.4	1.9	*	*
1981.....	0.8	*	1.7	2.0	*	*
1980.....	0.9	-	1.6	2.5	1.5	0.1
1979.....	1.0	0.0	2.3	2.4	1.5	0.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	846	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
PREGNANCY WITH ABORTIVE OUTCOME (630-638)															
TOTAL, BOTH SEXES															
1998	0.0	*	*	*	*	*
1997	0.0	*	*	*	*	*
1996	0.0	*	*	*	*	*
1995	0.0	*	*	*	*	*
1994	0.0	*	*	0.0	*	*
1993	0.0	*	*	0.1	*	*
1992	0.0	*	*	0.1	*	*
1991	0.0	*	0.1	*	*	*
1990	0.0	*	*	0.1	*	*
1989	0.0	*	*	0.1	*	*
1988	0.0	*	0.1	0.1	*	*
1987	0.0	*	*	0.1	*	*
1986	0.0	*	0.1	*	*	*
1985	0.0	*	0.1	0.1	*	*
1984	0.0	*	0.1	0.1	*	*
1983	0.0	*	*	0.1	*	*
1982	0.0	*	*	0.1	*	*
1981	0.0	*	*	0.1	*	*
1980	0.0	-	0.0	0.1	0.0	-
1979	0.0	-	0.1	0.1	0.0	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 847												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
PREGNANCY WITH ABORTIVE OUTCOME (630-638)												
TOTAL, FEMALE												
1998.....	0.0	*	*	*	*	*
1997.....	0.0	*	*	*	*	*
1996.....	0.0	*	*	*	*	*
1995.....	0.0	*	*	*	*	*
1994.....	0.0	*	*	0.1	*	*
1993.....	0.0	*	*	0.1	*	*
1992.....	0.0	*	*	0.1	*	*
1991.....	0.0	*	0.1	*	*	*
1990.....	0.0	*	*	0.1	*	*
1989.....	0.0	*	*	0.1	*	*
1988.....	0.0	*	0.1	0.1	*	*
1987.....	0.0	*	*	0.1	*	*
1986.....	0.0	*	0.1	*	*	*
1985.....	0.0	*	0.1	0.1	*	*
1984.....	0.0	*	0.1	0.1	*	*
1983.....	0.0	*	*	0.1	*	*
1982.....	0.0	*	*	0.1	*	*
1981.....	0.0	*	*	0.1	*	*
1980.....	0.1	-	0.1	0.2	0.1	-
1979.....	0.1	-	0.1	0.2	0.1	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 848												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
PREGNANCY WITH ABORTIVE OUTCOME (630-638)												
WHITE, BOTH SEXES												
1998.....	*	*	*	*	*	*
1997.....	*	*	*	*	*	*
1996.....	0.0	*	*	*	*	*
1995.....	*	*	*	*	*	*
1994.....	0.0	*	*	*	*	*
1993.....	0.0	*	*	*	*	*
1992.....	0.0	*	*	*	*	*
1991.....	0.0	*	*	*	*	*
1990.....	0.0	*	*	*	*	*
1989.....	0.0	*	*	*	*	*
1988.....	0.0	*	*	*	*	*
1987.....	0.0	*	*	*	*	*
1986.....	0.0	*	*	*	*	*
1985.....	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*
1983.....	0.0	*	*	*	*	*
1982.....	0.0	*	*	*	*	*
1981.....	0.0	*	*	*	*	*
1980.....	0.0	-	0.0	0.0	0.0	-
1979.....	0.0	-	0.0	0.0	0.0	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 849
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 PREGNANCY WITH ABORTIVE OUTCOME (630-638)
 WHITE FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	*	*	*	*	*	*
1997	*	*	*	*	*	*
1996	0.0	*	*	*	*	*
1995	*	*	*	*	*	*
1994	0.0	*	*	*	*	*
1993	0.0	*	*	*	*	*
1992	0.0	*	*	*	*	*
1991	0.0	*	*	*	*	*
1990	0.0	*	*	*	*	*
1989	0.0	*	*	*	*	*
1988	0.0	*	*	*	*	*
1987	0.0	*	*	*	*	*
1986	0.0	*	*	*	*	*
1985	*	*	*	*	*	*
1984	0.0	*	*	*	*	*
1983	0.0	*	*	*	*	*
1982	0.0	*	*	*	*	*
1981	0.0	*	*	*	*	*
1980	0.0	-	0.1	0.1	0.0	-
1979	0.0	-	0.1	0.1	0.0	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 850												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
PREGNANCY WITH ABORTIVE OUTCOME (630-638)												
ALL OTHER, BOTH SEXES												
1998.....	*	*	*	*	*	*
1997.....	0.0	*	*	*	*	*
1996.....	*	*	*	*	*	*
1995.....	0.0	*	*	*	*	*
1994.....	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*
1992.....	0.1	*	*	*	*	*
1991.....	0.1	*	*	*	*	*
1990.....	0.1	*	*	*	*	*
1989.....	0.1	*	*	*	*	*
1988.....	0.1	*	*	*	*	*
1987.....	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*
1985.....	0.1	*	*	*	*	*
1984.....	0.1	*	*	*	*	*
1983.....	0.1	*	*	*	*	*
1982.....	0.1	*	*	*	*	*
1981.....	0.1	*	*	*	*	*
1980.....	0.1	-	0.1	0.4	0.2	-
1979.....	0.1	-	0.2	0.3	0.2	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 851
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 PREGNANCY WITH ABORTIVE OUTCOME (630-638)
 ALL OTHER FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	*	*	*	*	*	*
1997	0.1	*	*	*	*	*
1996	*	*	*	*	*	*
1995	0.1	*	*	*	*	*
1994	*	*	*	*	*	*
1993	0.1	*	*	*	*	*
1992	0.1	*	*	*	*	*
1991	0.1	*	*	*	*	*
1990	0.2	*	*	*	*	*
1989	0.1	*	*	*	*	*
1988	0.2	*	*	*	*	*
1987	*	*	*	*	*	*
1986	0.1	*	*	*	*	*
1985	0.2	*	*	*	*	*
1984	0.2	*	*	*	*	*
1983	0.1	*	*	*	*	*
1982	0.2	*	*	*	*	*
1981	0.1	*	*	*	*	*
1980	0.2	-	0.3	0.7	0.3	-
1979	0.2	-	0.4	0.5	0.3	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 852												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
PREGNANCY WITH ABORTIVE OUTCOME (630-638)												
BLACK, BOTH SEXES												
1998.....	*	*	*	*	*	*
1997.....	0.1	*	*	*	*	*
1996.....	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*
1994.....	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*
1992.....	0.1	*	*	*	*	*
1991.....	0.1	*	*	*	*	*
1990.....	0.1	*	*	*	*	*
1989.....	0.1	*	*	*	*	*
1988.....	0.1	*	*	*	*	*
1987.....	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*
1985.....	0.1	*	*	*	*	*
1984.....	0.1	*	*	*	*	*
1983.....	0.1	*	*	*	*	*
1982.....	0.1	*	*	*	*	*
1981.....	0.1	*	*	*	*	*
1980.....	0.1	-	0.2	0.4	0.2	-
1979.....	0.1	-	0.3	0.3	0.1	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 853
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 PREGNANCY WITH ABORTIVE OUTCOME (630-638)
 BLACK FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	*	*	*	*	*	*
1997	0.1	*	*	*	*	*
1996	*	*	*	*	*	*
1995	0.1	*	*	*	*	*
1994	*	*	*	*	*	*
1993	0.1	*	*	*	*	*
1992	0.2	*	*	*	*	*
1991	0.2	*	*	*	*	*
1990	0.2	*	*	*	*	*
1989	0.2	*	*	*	*	*
1988	0.2	*	*	*	*	*
1987	*	*	*	*	*	*
1986	0.2	*	*	*	*	*
1985	0.2	*	*	*	*	*
1984	0.2	*	*	*	*	*
1983	0.2	*	*	*	*	*
1982	0.2	*	*	*	*	*
1981	0.2	*	*	*	*	*
1980	0.2	-	0.3	0.7	0.3	-
1979	0.2	-	0.5	0.5	0.3	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 854
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)
 TOTAL, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.1	*	0.2	0.3	0.1	*
1997	0.1	*	0.2	0.4	0.1	*
1996	0.1	*	0.1	0.3	0.2	*
1995	0.1	*	0.2	0.3	0.2	*
1994	0.1	*	0.3	0.3	0.2	*
1993	0.1	*	0.2	0.3	0.2	*
1992	0.1	*	0.3	0.3	0.1	*
1991	0.1	*	0.2	0.3	0.1	*
1990	0.1	*	0.2	0.3	0.2	*
1989	0.1	*	0.2	0.3	0.1	*
1988	0.1	*	0.2	0.3	0.2	*
1987	0.1	*	0.2	0.2	0.1	*
1986	0.1	*	0.2	0.3	0.1	*
1985	0.1	*	0.2	0.3	0.2	*
1984	0.1	*	0.1	0.3	0.1	*
1983	0.1	*	0.2	0.3	0.1	*
1982	0.1	*	0.2	0.3	0.1	*
1981	0.1	*	0.2	0.3	0.2	*
1980	0.1	-	0.2	0.3	0.2	0.0
1979	0.1	0.0	0.2	0.3	0.2	0.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 855
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)

	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
1998.....	0.2	*	0.3	0.6	0.3	*
1997.....	0.2	*	0.4	0.7	0.3	*
1996.....	0.2	*	0.3	0.6	0.4	*
1995.....	0.2	*	0.3	0.6	0.3	*
1994.....	0.2	*	0.6	0.6	0.3	*
1993.....	0.2	*	0.4	0.5	0.4	*
1992.....	0.2	*	0.5	0.5	0.3	*
1991.....	0.2	*	0.4	0.6	0.3	*
1990.....	0.2	*	0.5	0.6	0.3	*
1989.....	0.2	*	0.4	0.7	0.2	*
1988.....	0.2	*	0.5	0.6	0.3	*
1987.....	0.2	*	0.3	0.5	0.2	*
1986.....	0.2	*	0.4	0.5	0.3	*
1985.....	0.2	*	0.4	0.6	0.3	*
1984.....	0.2	*	0.3	0.7	0.2	*
1983.....	0.2	*	0.5	0.5	0.2	*
1982.....	0.2	*	0.3	0.7	0.3	*
1981.....	0.2	*	0.5	0.6	0.3	*
1980.....	0.2	-	0.4	0.7	0.4	0.0
1979.....	0.2	0.0	0.5	0.7	0.4	0.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 856
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)
 WHITE, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.1	*	0.1	0.2	0.1	*
1997	0.1	*	0.1	0.2	0.1	*
1996	0.1	*	*	0.2	0.1	*
1995	0.1	*	0.1	0.2	0.1	*
1994	0.1	*	0.2	0.2	0.1	*
1993	0.1	*	0.1	0.2	0.1	*
1992	0.1	*	0.2	0.2	0.1	*
1991	0.1	*	0.1	0.2	0.1	*
1990	0.1	*	0.1	0.2	0.1	*
1989	0.1	*	0.2	0.2	0.1	*
1988	0.1	*	0.2	0.2	0.1	*
1987	0.1	*	0.1	0.2	0.1	*
1986	0.1	*	0.1	0.2	0.1	*
1985	0.1	*	0.1	0.2	0.1	*
1984	0.1	*	0.1	0.2	0.1	*
1983	0.1	*	0.1	0.2	0.1	*
1982	0.1	*	0.1	0.3	0.1	*
1981	0.1	*	0.2	0.2	0.1	*
1980	0.1	-	0.2	0.3	0.1	0.0
1979	0.1	0.0	0.1	0.2	0.1	0.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 857
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.1	*	0.2	0.5	0.2	*
1997	0.1	*	0.3	0.5	0.2	*
1996	0.1	*	*	0.4	0.3	*
1995	0.1	*	0.2	0.4	0.2	*
1994	0.2	*	0.4	0.5	0.2	*
1993	0.1	*	0.2	0.4	0.2	*
1992	0.1	*	0.3	0.4	0.1	*
1991	0.2	*	0.3	0.5	0.2	*
1990	0.1	*	0.3	0.4	0.2	*
1989	0.1	*	0.3	0.5	0.2	*
1988	0.1	*	0.3	0.5	0.2	*
1987	0.1	*	0.3	0.3	0.2	*
1986	0.1	*	0.2	0.3	0.2	*
1985	0.1	*	0.2	0.4	0.2	*
1984	0.1	*	0.2	0.5	0.2	*
1983	0.1	*	0.3	0.4	0.2	*
1982	0.1	*	0.2	0.5	0.2	*
1981	0.2	*	0.3	0.5	0.2	*
1980	0.2	-	0.3	0.5	0.3	0.0
1979	0.2	0.0	0.2	0.5	0.3	0.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	858	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
			1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)															
ALL OTHER, BOTH SEXES															
1998.....		0.2	*	0.4	0.7	0.3	*		
1997.....		0.3	*	0.5	0.8	0.3	*		
1996.....		0.3	*	0.4	0.8	0.4	*		
1995.....		0.3	*	0.4	0.8	0.5	*		
1994.....		0.3	*	0.7	0.5	0.5	*		
1993.....		0.3	*	0.5	0.7	0.6	*		
1992.....		0.3	*	0.7	0.7	0.5	*		
1991.....		0.3	*	0.6	0.6	*	*		
1990.....		0.3	*	0.6	0.8	0.5	*		
1989.....		0.3	*	0.4	0.9	*	*		
1988.....		0.3	*	0.6	0.6	0.5	*		
1987.....		0.2	*	0.3	0.6	*	*		
1986.....		0.3	*	0.5	0.7	*	*		
1985.....		0.3	*	0.5	0.8	0.4	*		
1984.....		0.3	*	0.5	0.8	*	*		
1983.....		0.3	*	0.7	0.6	*	*		
1982.....		0.3	*	0.5	0.7	*	*		
1981.....		0.3	*	0.6	0.7	*	*		
1980.....		0.3	-	0.6	0.9	0.6	0.0		
1979.....		0.4	0.0	0.8	0.9	0.7	0.1		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 859
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	0.4	*	0.8	1.4	0.5	*
1997.....	0.5	*	0.9	1.6	0.6	*
1996.....	0.5	*	0.9	1.5	0.8	*
1995.....	0.5	*	0.8	1.5	1.0	*
1994.....	0.5	*	1.3	0.9	0.9	*
1993.....	0.6	*	1.0	1.3	1.0	*
1992.....	0.6	*	1.4	1.3	0.9	*
1991.....	0.5	*	1.1	1.2	*	*
1990.....	0.6	*	1.3	1.5	1.0	*
1989.....	0.5	*	0.9	1.6	*	*
1988.....	0.6	*	1.2	1.2	0.9	*
1987.....	0.4	*	0.7	1.1	*	*
1986.....	0.5	*	1.1	1.3	*	*
1985.....	0.6	*	1.0	1.5	0.8	*
1984.....	0.5	*	0.9	1.5	*	*
1983.....	0.5	*	1.3	1.2	*	*
1982.....	0.5	*	0.9	1.4	*	*
1981.....	0.6	*	1.2	1.3	*	*
1980.....	0.6	-	1.1	1.7	1.0	0.1
1979.....	0.8	0.0	1.6	1.6	1.3	0.2

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 860
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)
 BLACK, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.3	*	0.5	0.9	*	*
1997	0.3	*	0.5	1.0	*	*
1996	0.3	*	0.5	1.0	0.5	*
1995	0.3	*	0.5	0.9	0.6	*
1994	0.3	*	0.8	0.5	0.6	*
1993	0.3	*	0.6	0.8	0.6	*
1992	0.4	*	0.8	0.8	0.5	*
1991	0.3	*	0.7	0.7	*	*
1990	0.4	*	0.7	1.0	0.6	*
1989	0.3	*	0.5	1.0	*	*
1988	0.3	*	0.7	0.7	0.5	*
1987	0.2	*	0.4	0.7	*	*
1986	0.3	*	0.6	0.8	*	*
1985	0.3	*	0.5	0.9	*	*
1984	0.3	*	0.6	0.8	*	*
1983	0.3	*	0.7	0.7	*	*
1982	0.3	*	0.5	0.8	*	*
1981	0.4	*	0.7	0.8	*	*
1980	0.4	-	0.7	0.9	0.6	0.0
1979	0.4	0.0	0.9	1.0	0.7	0.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 861
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	0.5	*	1.0	1.6	*	*
1997.....	0.6	*	1.0	2.0	*	*
1996.....	0.6	*	1.1	1.9	0.8	*
1995.....	0.6	*	1.1	1.8	1.1	*
1994.....	0.6	*	1.6	1.0	1.1	*
1993.....	0.6	*	1.3	1.6	1.1	*
1992.....	0.7	*	1.7	1.5	1.0	*
1991.....	0.6	*	1.3	1.4	*	*
1990.....	0.7	*	1.5	1.9	1.1	*
1989.....	0.6	*	1.1	1.8	*	*
1988.....	0.6	*	1.4	1.3	1.0	*
1987.....	0.5	*	0.8	1.3	*	*
1986.....	0.6	*	1.2	1.6	*	*
1985.....	0.6	*	1.1	1.7	*	*
1984.....	0.6	*	1.1	1.6	*	*
1983.....	0.6	*	1.4	1.2	*	*
1982.....	0.6	*	1.1	1.5	*	*
1981.....	0.7	*	1.4	1.5	*	*
1980.....	0.7	-	1.3	1.7	1.1	0.1
1979.....	0.8	0.0	1.8	1.9	1.2	0.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	862
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
CONGENITAL ANOMALIES (740-759)														
TOTAL, BOTH SEXES														
1998.....		4.4	164.5	3.7	0.9	1.2	1.2	1.2	1.5	2.3	3.5	8.3	15.9	
1997.....		4.5	162.7	3.8	1.2	1.1	1.1	1.2	1.6	2.3	3.5	8.1	16.6	
1996.....		4.5	169.3	4.1	1.2	1.1	1.0	1.2	1.6	2.2	3.6	7.1	14.9	
1995.....		4.5	170.3	4.4	1.2	1.3	1.2	1.2	1.6	2.2	3.3	6.5	12.3	
1994.....		4.6	177.1	4.5	1.2	1.3	1.1	1.2	1.6	2.2	3.1	6.3	11.7	
1993.....		4.8	182.0	5.1	1.3	1.3	1.1	1.1	1.6	2.3	3.2	6.4	11.6	
1992.....		4.9	186.2	5.5	1.2	1.2	1.1	1.2	1.4	2.2	3.1	5.7	9.7	
1991.....		5.0	191.6	5.7	1.4	1.2	1.1	1.2	1.6	1.9	3.0	5.2	9.2	
1990.....		5.3	208.8	6.0	1.3	1.3	1.1	1.2	1.5	2.0	3.0	4.8	8.6	
1989.....		5.2	210.5	6.3	1.4	1.3	1.1	1.1	1.6	2.0	2.9	4.6	7.3	
1988.....		5.2	216.7	6.3	1.5	1.2	1.1	1.2	1.4	2.0	2.8	4.4	5.7	
1987.....		5.1	212.9	6.4	1.3	1.3	1.0	1.1	1.5	1.9	2.6	4.1	5.5	
1986.....		5.3	222.8	6.2	1.3	1.3	0.9	1.2	1.4	2.0	2.8	4.0	5.9	
1985.....		5.4	232.7	5.9	1.4	1.2	1.0	1.1	1.4	2.0	2.5	3.8	5.7	
1984.....		5.5	239.3	6.7	1.4	1.3	1.1	1.1	1.6	2.2	2.6	3.7	5.9	
1983.....		5.6	239.3	6.6	1.4	1.4	1.1	1.2	1.5	2.0	2.7	4.0	6.0	
1982.....		5.9	247.6	7.6	1.6	1.3	1.1	1.2	1.5	2.0	2.7	4.0	4.5	
1981.....		5.9	247.1	7.7	1.6	1.4	1.3	1.2	1.5	2.0	2.6	4.0	5.1	
1980.....		6.2	260.9	8.0	1.6	1.4	1.3	1.3	1.7	2.2	2.9	3.7	4.6	
1979.....		6.0	260.4	8.1	1.6	1.4	1.2	1.4	1.8	2.1	2.7	3.4	5.2	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	863
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
CONGENITAL ANOMALIES (740-759)		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
TOTAL, MALE														
1998.....		4.7	170.1	3.7	1.0	1.3	1.3	1.3	1.7	2.5	4.1	10.3	21.6	
1997.....		4.8	168.1	4.0	1.2	1.3	1.3	1.3	1.8	2.6	4.1	10.5	23.6	
1996.....		4.8	179.0	4.1	1.4	1.2	1.1	1.3	1.8	2.4	3.9	9.1	19.4	
1995.....		4.9	182.0	4.6	1.2	1.4	1.2	1.3	1.7	2.3	3.6	7.7	15.3	
1994.....		4.9	181.2	4.4	1.2	1.5	1.2	1.2	1.9	2.3	3.6	7.7	15.2	
1993.....		5.3	193.9	4.8	1.4	1.5	1.3	1.3	1.7	2.4	3.9	7.5	16.7	
1992.....		5.3	197.4	5.8	1.3	1.5	1.2	1.4	1.5	2.2	3.4	6.9	13.1	
1991.....		5.5	204.8	6.0	1.4	1.4	1.2	1.3	1.8	2.1	3.6	6.4	13.1	
1990.....		5.8	223.9	6.2	1.4	1.6	1.2	1.4	1.5	2.1	3.2	6.2	12.1	
1989.....		5.7	222.4	5.8	1.4	1.5	1.3	1.2	1.6	2.3	3.1	5.4	11.0	
1988.....		5.7	228.1	6.9	1.6	1.4	1.2	1.3	1.5	2.1	2.8	5.1	7.2	
1987.....		5.6	223.3	6.7	1.5	1.5	1.2	1.3	1.7	2.0	2.8	4.9	7.1	
1986.....		5.8	235.6	6.4	1.5	1.5	1.1	1.3	1.6	1.9	3.2	4.4	7.6	
1985.....		6.0	250.2	6.2	1.4	1.4	1.1	1.2	1.5	2.3	2.5	4.5	7.8	
1984.....		6.0	250.3	6.8	1.5	1.5	1.3	1.3	1.6	2.3	3.1	4.5	7.4	
1983.....		6.2	252.2	6.9	1.5	1.5	1.3	1.3	1.7	2.0	2.9	4.6	8.7	
1982.....		6.4	257.8	7.5	1.7	1.5	1.3	1.2	1.5	2.2	3.0	4.6	5.7	
1981.....		6.4	258.3	7.8	1.6	1.7	1.5	1.3	1.6	2.0	2.8	4.2	6.7	
1980.....		6.8	275.0	8.5	1.7	1.6	1.5	1.5	2.0	2.5	3.3	4.8	4.1	
1979.....		6.7	279.7	8.5	1.7	1.8	1.3	1.5	1.8	1.9	3.2	3.7	5.9	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 864
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CONGENITAL ANOMALIES (740-759)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	4.1	158.6	3.7	0.9	1.1	1.0	1.2	1.4	2.1	3.0	7.0	13.6
1997.....	4.1	157.1	3.6	1.1	1.0	1.0	1.1	1.4	2.0	3.0	6.6	13.8
1996.....	4.1	159.1	4.1	1.0	0.9	0.9	1.2	1.5	2.1	3.4	5.8	13.1
1995.....	4.2	158.1	4.2	1.2	1.1	1.1	1.2	1.4	2.1	3.1	5.7	11.1
1994.....	4.4	172.8	4.6	1.1	1.1	1.0	1.2	1.4	2.1	2.6	5.4	10.3
1993.....	4.4	169.6	5.4	1.2	1.1	1.0	1.0	1.5	2.2	2.6	5.7	9.6
1992.....	4.5	174.5	5.2	1.2	1.0	1.0	1.0	1.3	2.2	2.9	4.9	8.4
1991.....	4.5	177.8	5.4	1.3	1.1	1.0	1.0	1.3	1.8	2.5	4.5	7.8
1990.....	4.7	192.9	5.8	1.3	1.0	0.9	1.0	1.4	1.9	2.9	3.9	7.2
1989.....	4.8	197.9	6.9	1.3	1.1	0.9	1.0	1.6	1.8	2.7	4.1	5.9
1988.....	4.8	204.7	5.7	1.3	1.1	1.0	1.0	1.3	2.0	2.8	3.9	5.2
1987.....	4.6	202.0	6.2	1.1	1.0	0.9	1.0	1.4	1.7	2.4	3.6	4.8
1986.....	4.8	209.6	6.0	1.2	1.1	0.8	1.0	1.2	2.1	2.5	3.8	5.3
1985.....	4.8	214.5	5.6	1.4	0.9	0.9	1.1	1.3	1.7	2.6	3.5	4.8
1984.....	5.0	227.8	6.6	1.4	1.0	0.9	1.0	1.5	2.2	2.2	3.3	5.2
1983.....	5.1	225.8	6.3	1.3	1.2	1.0	1.1	1.3	2.0	2.5	3.6	4.9
1982.....	5.4	237.0	7.6	1.6	1.1	1.0	1.1	1.5	1.8	2.5	3.7	4.0
1981.....	5.4	235.2	7.6	1.6	1.1	1.1	1.2	1.4	1.9	2.5	3.9	4.4
1980.....	5.5	246.2	7.5	1.5	1.2	1.1	1.2	1.5	2.0	2.5	3.1	4.8
1979.....	5.4	240.3	7.6	1.6	0.9	1.0	1.4	1.8	2.3	2.3	3.2	4.9

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	865
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
CONGENITAL ANOMALIES (740-759)														
WHITE, BOTH SEXES														
1998.....		4.3	160.2	3.4	0.9	1.1	1.2	1.2	1.6	2.3	3.6	8.6	16.7	
1997.....		4.4	159.0	3.6	1.1	1.1	1.2	1.2	1.6	2.4	3.6	8.4	17.3	
1996.....		4.3	164.2	3.7	1.1	1.0	1.0	1.2	1.6	2.3	3.7	7.2	15.4	
1995.....		4.4	169.0	4.1	1.1	1.2	1.1	1.2	1.6	2.3	3.3	6.6	12.8	
1994.....		4.5	174.4	4.1	1.1	1.3	1.1	1.2	1.6	2.2	3.1	6.5	12.0	
1993.....		4.6	176.7	4.8	1.3	1.3	1.1	1.1	1.6	2.3	3.1	6.5	12.1	
1992.....		4.6	179.4	5.0	1.2	1.3	1.1	1.2	1.4	2.2	3.2	5.7	10.0	
1991.....		4.7	189.0	5.4	1.3	1.2	1.1	1.1	1.5	2.0	3.1	5.2	9.8	
1990.....		5.0	205.2	5.8	1.3	1.3	1.1	1.2	1.5	2.0	3.0	4.8	8.7	
1989.....		5.0	206.2	6.0	1.4	1.2	1.1	1.1	1.6	2.0	2.9	4.6	7.5	
1988.....		5.0	214.2	6.2	1.4	1.3	1.1	1.1	1.4	2.0	2.8	4.5	5.8	
1987.....		4.8	206.8	6.2	1.2	1.3	1.0	1.1	1.5	1.9	2.6	4.2	5.6	
1986.....		5.0	217.4	5.9	1.3	1.2	0.9	1.1	1.4	2.0	2.8	4.1	6.0	
1985.....		5.2	230.5	5.8	1.3	1.2	1.0	1.1	1.4	1.9	2.6	3.9	5.5	
1984.....		5.3	236.3	6.7	1.4	1.3	1.0	1.2	1.5	2.2	2.6	3.7	5.9	
1983.....		5.4	236.1	6.4	1.3	1.3	1.1	1.2	1.4	2.0	2.7	4.0	6.0	
1982.....		5.6	244.7	7.3	1.6	1.3	1.1	1.1	1.5	2.0	2.8	4.1	4.4	
1981.....		5.7	244.4	7.3	1.6	1.4	1.2	1.2	1.5	2.0	2.6	4.0	5.0	
1980.....		5.9	256.7	7.8	1.6	1.4	1.2	1.3	1.7	2.3	2.9	3.7	4.9	
1979.....		5.8	258.0	7.9	1.6	1.3	1.1	1.4	1.8	2.1	2.8	3.5	5.3	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	866	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
CONGENITAL ANOMALIES (740-759)															
WHITE MALE															
1998	4.6	166.2	3.3	0.9	1.2	1.4	1.2	1.7	2.5	4.2	10.7	23.1		
1997	4.7	165.7	3.8	1.1	1.2	1.3	1.3	1.8	2.7	4.2	10.8	24.8		
1996	4.7	175.1	3.9	1.3	1.2	1.1	1.3	1.8	2.4	3.9	9.3	20.6		
1995	4.7	181.5	4.3	1.1	1.4	1.2	1.3	1.7	2.3	3.7	7.8	16.3		
1994	4.7	179.1	3.9	1.2	1.4	1.1	1.2	1.8	2.3	3.7	8.1	15.8		
1993	5.0	188.9	4.6	1.4	1.5	1.3	1.3	1.7	2.4	3.9	7.7	17.4		
1992	5.0	190.8	5.4	1.2	1.5	1.1	1.4	1.5	2.2	3.5	7.0	13.6		
1991	5.2	202.4	5.5	1.4	1.4	1.2	1.3	1.8	2.1	3.7	6.3	13.8		
1990	5.5	221.0	5.8	1.3	1.5	1.3	1.5	1.5	2.1	3.1	6.2	12.4		
1989	5.4	219.1	5.5	1.4	1.4	1.3	1.1	1.6	2.2	3.2	5.4	11.1		
1988	5.4	225.1	7.0	1.6	1.3	1.2	1.3	1.6	2.0	2.8	5.4	7.1		
1987	5.4	220.3	6.6	1.4	1.5	1.2	1.2	1.7	2.1	2.8	5.0	7.5		
1986	5.5	231.5	6.0	1.5	1.4	1.0	1.3	1.6	1.9	3.1	4.5	7.7		
1985	5.8	249.9	6.1	1.3	1.4	1.1	1.2	1.5	2.2	2.5	4.5	7.8		
1984	5.8	249.8	6.8	1.5	1.4	1.2	1.2	1.6	2.4	3.0	4.4	7.4		
1983	5.9	248.9	6.6	1.4	1.5	1.2	1.3	1.6	2.0	2.9	4.5	8.3		
1982	6.1	255.5	7.5	1.7	1.5	1.3	1.1	1.4	2.2	3.1	4.6	5.5		
1981	6.2	257.2	7.5	1.7	1.7	1.4	1.3	1.5	1.9	2.7	4.3	6.9		
1980	6.5	271.4	8.2	1.7	1.6	1.5	1.5	2.0	2.6	3.3	4.8	4.3		
1979	6.5	277.6	8.6	1.7	1.7	1.3	1.5	1.8	1.9	3.3	3.9	6.0		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 867
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 CONGENITAL ANOMALIES (740-759) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	4.1	153.8	3.4	0.9	1.0	0.9	1.2	1.5	2.2	3.2	7.2	14.2
1997.....	4.1	151.9	3.4	1.1	0.9	1.1	1.2	1.4	2.1	3.1	6.8	14.3
1996.....	4.0	152.8	3.6	0.9	0.8	0.9	1.1	1.5	2.2	3.5	5.9	13.4
1995.....	4.1	155.8	3.8	1.2	1.1	1.1	1.2	1.5	2.3	3.1	5.9	11.4
1994.....	4.2	169.5	4.3	1.1	1.0	1.1	1.2	1.5	2.1	2.7	5.4	10.5
1993.....	4.2	163.9	5.0	1.3	1.1	1.0	1.0	1.5	2.2	2.5	5.7	10.1
1992.....	4.3	167.5	4.6	1.2	1.0	1.0	1.0	1.4	2.2	2.9	5.0	8.6
1991.....	4.3	175.0	5.2	1.2	1.1	1.0	0.9	1.3	1.8	2.6	4.5	8.3
1990.....	4.5	188.6	5.8	1.3	1.1	0.9	1.0	1.5	1.9	2.9	4.0	7.3
1989.....	4.6	192.7	6.5	1.3	1.1	0.9	1.0	1.6	1.7	2.7	4.1	6.2
1988.....	4.6	202.6	5.5	1.3	1.2	0.9	1.0	1.3	2.0	2.8	4.0	5.2
1987.....	4.3	192.8	5.8	1.0	1.0	0.9	1.0	1.4	1.7	2.4	3.8	4.9
1986.....	4.6	202.6	5.9	1.2	1.1	0.8	0.9	1.1	2.2	2.6	3.9	5.3
1985.....	4.6	210.2	5.5	1.3	0.9	0.8	1.0	1.2	1.7	2.6	3.5	4.6
1984.....	4.8	222.3	6.6	1.3	1.1	0.8	1.1	1.4	2.1	2.2	3.3	5.3
1983.....	4.9	222.6	6.3	1.3	1.2	0.9	1.1	1.2	1.9	2.5	3.7	5.1
1982.....	5.2	233.2	7.1	1.5	1.2	0.9	1.1	1.5	1.8	2.5	3.9	4.0
1981.....	5.2	230.9	7.1	1.6	1.2	1.1	1.2	1.5	2.0	2.6	3.9	4.2
1980.....	5.3	241.4	7.4	1.5	1.2	1.0	1.1	1.5	2.0	2.6	3.1	5.1
1979.....	5.2	237.1	7.2	1.5	0.9	0.9	1.4	1.8	2.3	2.3	3.2	5.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	868
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
CONGENITAL ANOMALIES (740-759)		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ALL OTHER, BOTH SEXES														
1998.....		4.8	181.1	5.0	1.2	1.7	1.2	1.4	1.1	2.0	2.9	6.0	8.3	
1997.....		4.7	177.2	4.7	1.4	1.5	1.0	1.1	1.4	1.8	3.0	5.4	10.1	
1996.....		5.0	189.6	5.6	1.5	1.1	1.0	1.5	1.5	1.8	3.0	6.0	9.3	
1995.....		5.1	175.1	5.8	1.3	1.3	1.2	1.2	1.4	1.8	3.1	4.9	7.1	
1994.....		5.4	186.9	6.0	1.2	1.4	1.1	1.2	1.7	2.1	2.6	4.3	9.0	
1993.....		5.8	201.5	6.3	1.2	1.3	1.2	1.2	1.7	2.1	3.4	5.5	6.6	
1992.....		6.2	211.8	7.6	1.4	1.1	1.2	1.2	1.2	2.2	2.6	5.0	*	
1991.....		6.3	200.3	7.0	1.6	1.2	1.1	1.4	1.8	1.8	2.4	5.1	*	
1990.....		6.5	222.4	7.0	1.4	1.6	1.1	1.1	1.2	1.5	3.3	4.4	*	
1989.....		6.6	226.6	7.8	1.4	1.4	1.2	1.3	1.6	2.2	2.7	4.5	*	
1988.....		6.3	226.8	6.6	1.6	1.2	1.2	1.5	1.4	2.1	2.6	3.0	*	
1987.....		6.5	237.8	7.5	1.7	1.3	1.1	1.1	1.3	1.9	2.5	2.8	*	
1986.....		6.7	246.1	7.2	1.5	1.5	1.3	1.4	1.5	2.0	2.5	2.9	*	
1985.....		6.5	242.1	6.6	1.7	1.2	1.1	1.3	1.7	2.1	2.0	3.6	*	
1984.....		6.8	252.3	6.6	1.5	1.4	1.6	1.0	1.8	2.3	2.6	3.9	*	
1983.....		7.1	253.5	7.2	1.6	1.4	1.4	1.6	1.9	2.1	2.4	4.0	*	
1982.....		7.4	261.3	8.7	1.6	1.5	1.5	1.8	1.7	1.9	2.3	2.7	*	
1981.....		7.3	259.6	9.1	1.3	1.3	1.5	1.2	1.5	2.1	2.9	3.7	*	
1980.....		7.8	279.9	9.1	1.6	1.5	1.6	1.3	1.5	1.9	2.5	3.7	1.7	
1979.....		7.5	272.0	8.9	1.7	1.4	1.3	1.5	1.9	2.3	2.1	2.4	4.0	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 869
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
CONGENITAL ANOMALIES (740-759)													
ALL OTHER MALE													
1998.....		5.3	185.3	5.2	1.4	2.0	1.2	1.5	1.5	2.4	3.7	7.0	*
1997.....		5.1	177.6	4.9	1.3	1.8	1.4	1.4	1.4	2.1	3.9	6.8	*
1996.....		5.4	195.1	5.0	1.7	1.2	1.1	1.5	1.9	1.8	3.6	7.5	*
1995.....		5.6	183.7	6.0	1.4	1.5	1.2	1.2	1.8	2.3	2.9	6.7	*
1994.....		5.8	189.3	6.0	1.3	1.6	1.3	1.3	2.4	1.9	3.0	*	*
1993.....		6.5	212.2	5.7	1.5	1.5	1.5	1.2	2.2	2.3	3.7	6.0	*
1992.....		6.8	222.7	7.4	1.6	1.5	1.4	1.3	1.4	2.2	*	6.3	*
1991.....		7.2	213.0	7.9	1.7	1.4	1.1	1.7	2.2	2.1	2.6	6.7	*
1990.....		7.2	235.1	7.9	1.4	2.1	1.1	1.1	1.3	*	4.0	6.3	*
1989.....		7.3	235.1	7.0	1.5	1.9	1.6	1.5	1.4	2.6	3.0	6.1	*
1988.....		7.0	240.1	6.6	1.8	1.6	1.1	1.8	*	2.7	*	*	*
1987.....		6.9	236.8	7.2	2.0	1.7	1.3	1.4	1.5	1.8	*	*	*
1986.....		7.4	253.0	8.1	1.4	2.0	1.7	1.5	1.8	2.2	3.5	*	*
1985.....		7.1	251.6	6.8	1.9	1.6	1.1	1.3	*	2.7	*	*	*
1984.....		7.3	253.4	6.4	1.2	2.0	2.0	1.5	1.7	*	3.9	*	*
1983.....		7.9	267.1	8.1	1.8	1.5	1.7	1.7	2.2	1.9	2.9	*	*
1982.....		8.0	268.2	7.9	1.5	1.8	1.7	2.0	1.8	2.3	*	*	*
1981.....		7.8	264.3	8.8	1.1	1.7	1.8	1.2	1.8	2.7	3.4	*	*
1980.....		8.7	292.1	9.9	1.6	1.9	1.9	1.4	1.9	2.4	3.2	4.5	1.6
1979.....		8.2	289.8	8.3	1.6	1.9	1.3	1.4	2.1	2.0	2.6	2.2	5.1

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	870
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
CONGENITAL ANOMALIES (740-759)		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ALL OTHER FEMALE														
1998.....		4.4	176.8	4.9	0.9	1.3	1.2	1.2	0.8	1.7	2.2	5.3	8.3	
1997.....		4.4	176.8	4.5	1.5	1.3	0.6	0.9	1.3	1.5	2.3	4.5	8.7	
1996.....		4.7	183.9	6.3	1.2	1.0	0.9	1.4	1.3	1.8	2.5	5.1	9.8	
1995.....		4.6	166.2	5.5	1.2	1.1	1.2	1.2	1.0	1.4	3.2	3.9	*	
1994.....		5.0	184.5	6.1	1.2	1.2	0.9	1.1	1.1	2.2	2.3	4.7	*	
1993.....		5.3	190.4	6.9	0.9	1.0	0.9	1.1	1.3	1.9	3.2	5.2	*	
1992.....		5.6	200.7	7.7	1.3	0.8	0.9	1.1	1.1	2.2	2.8	4.2	*	
1991.....		5.6	187.3	6.1	1.4	1.0	1.0	1.1	1.5	1.5	2.3	4.2	*	
1990.....		5.7	209.4	6.1	1.3	1.0	1.1	1.2	1.1	1.6	2.7	*	*	
1989.....		6.0	217.8	8.5	1.3	0.9	0.9	1.0	1.8	2.0	2.4	3.5	*	
1988.....		5.7	213.2	6.6	1.4	0.7	1.2	1.2	1.6	1.6	2.8	*	*	
1987.....		6.0	239.4	7.7	1.4	1.0	0.8	0.9	1.2	2.0	2.5	*	*	
1986.....		6.0	239.0	6.3	1.5	1.1	0.9	1.3	1.3	1.9	*	*	*	
1985.....		6.0	232.4	6.3	1.5	0.8	1.2	1.4	2.0	1.7	2.0	*	*	
1984.....		6.3	251.2	6.8	1.7	0.8	1.2	*	1.9	2.8	*	*	*	
1983.....		6.3	239.6	6.3	1.5	1.3	1.2	1.5	1.6	2.2	*	*	*	
1982.....		6.8	253.5	9.5	1.7	1.1	1.3	1.5	1.6	1.6	2.2	*	*	
1981.....		6.7	254.8	9.4	1.6	1.0	1.2	1.1	*	1.6	2.4	*	*	
1980.....		7.0	267.6	8.2	1.6	1.2	1.4	1.3	1.2	1.5	2.1	3.2	1.7	
1979.....		6.8	254.0	9.6	1.9	0.9	1.4	1.6	1.8	2.4	1.7	2.5	3.5	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	871
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
CONGENITAL ANOMALIES (740-759)														
BLACK, BOTH SEXES														
1998.....		5.5	207.1	5.5	1.3	1.9	1.5	1.6	1.3	2.5	3.1	6.8	8.5	
1997.....		5.3	202.6	4.8	1.6	1.7	1.1	1.3	1.7	1.9	3.2	6.4	10.3	
1996.....		5.7	217.7	6.3	1.7	1.2	1.1	1.8	2.0	2.2	3.2	6.3	9.8	
1995.....		5.7	193.8	6.8	1.3	1.5	1.3	1.4	1.6	2.1	3.3	5.3	*	
1994.....		6.0	204.6	7.0	1.4	1.7	1.3	1.4	2.0	2.2	2.4	4.4	9.1	
1993.....		6.5	223.7	7.0	1.3	1.4	1.5	1.4	2.2	2.2	3.5	5.5	*	
1992.....		6.8	232.5	8.5	1.6	1.3	1.4	1.3	1.3	2.4	2.8	5.1	*	
1991.....		7.1	225.1	7.5	1.6	1.3	1.2	1.7	2.1	2.0	3.0	5.7	*	
1990.....		7.1	239.8	7.6	1.5	1.8	1.3	1.3	1.3	1.5	3.6	4.3	*	
1989.....		7.2	240.1	8.5	1.5	1.5	1.5	1.5	1.9	2.3	3.0	4.6	*	
1988.....		6.8	240.2	6.8	1.7	1.3	1.4	1.8	1.4	2.4	2.7	2.7	*	
1987.....		7.1	255.8	8.1	1.9	1.6	1.3	1.3	1.5	2.1	2.7	3.0	*	
1986.....		7.1	259.8	7.8	1.6	1.7	1.5	1.5	1.6	2.1	2.6	*	*	
1985.....		7.0	259.9	6.8	1.8	1.4	1.4	1.5	1.9	2.2	2.1	3.3	*	
1984.....		7.0	262.1	6.6	1.5	1.4	1.7	1.2	2.0	2.4	2.8	3.9	*	
1983.....		7.5	266.7	7.6	1.8	1.5	1.7	1.9	2.1	2.4	2.5	4.3	*	
1982.....		7.8	274.0	9.3	1.8	1.6	1.7	2.0	1.8	2.0	2.5	*	*	
1981.....		7.6	269.2	9.6	1.5	1.4	1.7	1.3	1.6	2.2	3.1	3.9	*	
1980.....		8.1	288.7	9.6	1.7	1.6	1.8	1.6	1.7	1.9	2.7	4.1	1.3	
1979.....		7.8	278.4	9.5	1.9	1.4	1.4	1.7	2.2	2.4	2.1	2.2	3.2	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	872
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
CONGENITAL ANOMALIES (740-759)		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
BLACK MALE														
1998		6.1	212.5	6.0	1.5	2.4	1.5	1.7	1.8	3.2	4.1	8.2	*	
1997		5.7	201.2	5.0	1.5	2.0	1.6	1.5	1.7	2.4	4.2	8.1	*	
1996		6.1	222.3	5.8	2.0	1.3	1.1	1.8	2.5	2.2	4.0	8.0	*	
1995		6.3	204.5	6.9	1.5	1.6	1.4	1.4	2.1	2.8	3.0	8.0	*	
1994		6.5	208.3	7.1	1.4	1.9	1.6	1.6	2.9	2.2	*	*	*	
1993		7.3	233.3	6.6	1.6	1.6	1.8	1.6	2.8	2.6	4.3	7.3	*	
1992		7.7	247.5	8.2	1.8	1.7	1.7	1.5	1.6	2.5	*	*	*	
1991		8.2	242.9	8.2	1.8	1.6	1.4	2.1	2.5	2.5	3.3	7.1	*	
1990		8.1	255.2	8.5	1.6	2.5	1.3	1.4	*	*	4.7	*	*	
1989		8.0	250.5	7.3	1.6	2.0	1.9	1.9	1.8	2.5	3.4	*	*	
1988		7.6	251.5	7.2	2.0	1.8	1.3	2.2	*	3.3	*	*	*	
1987		7.8	261.7	7.6	2.4	2.0	1.6	1.7	*	*	*	*	*	
1986		8.0	268.9	8.6	1.5	2.2	2.0	1.6	2.0	2.2	3.7	*	*	
1985		7.7	269.9	7.0	2.2	1.8	1.3	1.4	*	2.8	*	*	*	
1984		7.7	264.0	6.6	1.2	2.2	2.2	1.7	*	*	4.0	*	*	
1983		8.4	282.1	8.2	2.0	1.6	1.9	1.9	2.5	2.3	*	*	*	
1982		8.4	279.9	8.4	1.6	2.0	1.9	2.4	*	2.3	*	*	*	
1981		8.3	277.0	9.3	1.2	1.8	2.0	*	2.0	2.9	3.7	*	*	
1980		9.2	303.7	10.6	1.7	2.0	2.2	1.6	2.1	2.6	3.5	4.8	1.9	
1979		8.6	296.2	8.7	1.8	2.0	1.3	1.7	2.4	2.0	2.8	2.1	5.8	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 873
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
CONGENITAL ANOMALIES (740-759)													
BLACK FEMALE													
1998	4.9	201.5	5.0	1.1	1.4	1.5	1.5	1.0	1.9	2.4	6.0	*
1997	4.9	204.0	4.5	1.7	1.5	*	1.1	1.7	*	2.4	5.3	*
1996	5.3	212.9	6.8	1.3	1.0	1.1	1.8	1.6	2.2	2.6	5.2	10.8
1995	5.1	182.9	6.6	1.1	1.3	1.2	1.4	1.2	*	3.6	3.8	*
1994	5.5	200.7	6.8	1.4	1.4	1.0	1.3	1.4	2.3	2.1	4.8	*
1993	5.8	213.7	7.3	1.0	1.2	1.2	1.3	1.7	2.0	3.0	4.5	*
1992	6.1	217.1	8.7	1.5	1.0	1.1	1.1	*	2.3	2.9	4.3	*
1991	6.1	206.9	6.7	1.4	1.0	1.1	1.4	1.7	*	2.8	5.0	*
1990	6.2	223.9	6.8	1.4	1.1	1.2	1.3	*	*	2.8	*	*
1989	6.5	229.4	9.7	1.3	1.0	1.1	1.3	1.9	2.2	2.7	*	*
1988	6.1	227.8	6.4	1.4	0.7	1.5	1.5	1.7	1.8	2.9	*	*
1987	6.4	249.8	8.5	1.4	1.1	1.1	1.0	*	2.1	2.6	*	*
1986	6.3	250.5	6.9	1.6	1.3	1.0	1.4	*	2.0	*	*	*
1985	6.4	248.7	6.6	1.4	0.9	1.4	1.5	2.2	*	*	*	*
1984	6.5	260.1	6.7	1.8	0.7	1.3	*	2.3	2.6	*	*	*
1983	6.7	251.1	7.0	1.6	1.5	1.4	1.9	1.8	2.4	*	*	*
1982	7.2	268.1	10.2	2.0	1.1	1.5	1.7	1.8	*	*	*	*
1981	7.0	261.3	10.0	1.8	1.1	1.5	*	*	*	2.6	*	*
1980	7.2	273.5	8.5	1.7	1.3	1.4	1.5	1.4	1.4	2.1	3.6	0.9
1979	7.0	259.4	10.4	2.0	0.9	1.5	1.7	2.0	2.7	1.6	2.2	1.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 875
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	5.7	385.1	0.5	*	*	*	*	*	*	*	*	*
1997.....	5.6	376.2	0.6	0.1	*	*	*	*	*	*	*	*
1996.....	5.6	375.0	0.6	*	*	*	*	*	*	*	*	*
1995.....	5.9	381.5	0.6	0.1	*	*	*	*	*	*	*	*
1994.....	6.4	406.8	0.8	*	*	*	*	*	*	*	*	*
1993.....	6.7	417.7	0.8	*	*	*	*	*	*	*	*	*
1992.....	7.1	427.1	0.8	0.1	*	*	*	*	*	*	*	*
1991.....	7.8	460.5	1.1	*	*	*	*	*	*	*	*	*
1990.....	8.3	492.3	1.2	*	*	*	*	*	*	*	*	*
1989.....	8.7	526.5	1.2	*	*	*	*	*	*	*	*	*
1988.....	8.7	534.9	1.1	*	*	*	*	*	*	*	*	*
1987.....	8.9	546.1	1.0	*	*	*	*	*	*	*	*	*
1986.....	9.0	552.8	1.1	*	*	*	*	*	*	*	*	*
1985.....	9.6	583.4	1.3	*	*	*	*	*	*	*	*	*
1984.....	9.3	577.0	1.2	*	*	*	*	*	*	*	*	*
1983.....	9.7	586.1	1.0	*	*	*	*	*	*	*	*	*
1982.....	10.5	633.6	0.7	*	*	*	*	*	*	*	*	*
1981.....	11.0	662.4	0.7	*	*	*	*	*	*	*	*	*
1980.....	11.9	718.8	0.7	0.0	0.0	0.0	-	0.0	0.0	0.0	-	0.1
1979.....	12.2	757.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 878
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)

WHITE MALE

Year	Total	Under 1 Year	1-4 Years	5-14 Years	15-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75-84 Years	85+ Years
1998	4.1	292.4	0.4	*	*	*	*	*	*	*	*	*
1997	4.2	289.2	0.4	*	*	*	*	*	*	*	*	*
1996	4.1	284.7	0.4	*	*	*	*	*	*	*	*	*
1995	4.4	298.8	0.4	*	*	*	*	*	*	*	*	*
1994	4.5	305.8	0.6	*	*	*	*	*	*	*	*	*
1993	4.7	309.3	0.6	*	*	*	*	*	*	*	*	*
1992	4.9	313.5	0.6	*	*	*	*	*	*	*	*	*
1991	5.5	351.2	0.8	*	*	*	*	*	*	*	*	*
1990	5.9	372.6	0.9	*	*	*	*	*	*	*	*	*
1989	6.3	404.0	1.0	*	*	*	*	*	*	*	*	*
1988	6.4	415.2	0.8	*	*	*	*	*	*	*	*	*
1987	6.6	424.2	0.8	*	*	*	*	*	*	*	*	*
1986	6.9	438.4	1.0	*	*	*	*	*	*	*	*	*
1985	7.5	477.5	1.0	*	*	*	*	*	*	*	*	*
1984	7.3	472.9	0.9	*	*	*	*	*	*	*	*	*
1983	7.6	481.5	0.8	*	*	*	*	*	*	*	*	*
1982	8.3	521.2	0.5	*	*	*	*	*	*	*	*	*
1981	8.7	548.8	0.6	*	*	*	*	*	*	*	*	*
1980	9.4	598.3	0.6	0.0	0.0	0.0	-	0.0	0.0	0.0	-	0.2
1979	9.8	634.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 880
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)
 ALL OTHER, BOTH SEXES

Year	Total	Under 1 Year	1-4 Years	5-14 Years	15-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75-84 Years	85+ Years
1998	11.2	670.7	0.9	*	*	*	*	*	*	*	*	*
1997	11.0	651.9	1.1	*	*	*	*	*	*	*	*	*
1996	11.2	671.5	0.8	*	*	*	*	*	*	*	*	*
1995	11.9	631.5	1.2	*	*	*	*	*	*	*	*	*
1994	13.5	706.3	1.6	*	*	*	*	*	*	*	*	*
1993	14.6	745.3	1.3	*	*	*	*	*	*	*	*	*
1992	15.6	772.8	1.5	*	*	*	*	*	*	*	*	*
1991	16.7	750.3	1.7	*	*	*	*	*	*	*	*	*
1990	17.9	867.7	1.8	*	*	*	*	*	*	*	*	*
1989	19.0	925.2	1.7	*	*	*	*	*	*	*	*	*
1988	18.3	931.4	1.5	*	*	*	*	*	*	*	*	*
1987	18.2	940.3	1.3	*	*	*	*	*	*	*	*	*
1986	17.9	932.2	1.4	*	*	*	*	*	*	*	*	*
1985	18.4	953.1	2.0	*	*	*	*	*	*	*	*	*
1984	18.3	957.9	1.9	*	*	*	*	*	*	*	*	*
1983	18.9	957.2	1.5	*	*	*	*	*	*	*	*	*
1982	20.4	1,025.0	0.8	*	*	*	*	*	*	*	*	*
1981	21.5	1,081.1	1.2	*	*	*	*	*	*	*	*	*
1980	23.3	1,161.6	1.1	0.0	-	0.0	-	-	-	-	-	-
1979	24.0	1,229.5	0.7	0.0	0.0	-	0.0	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 881
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)

ALL OTHER MALE													
Year	Total	Under 1 Year	1-4 Years	5-14 Years	15-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75-84 Years	85+ Years	
1998	13.2	743.1	*	*	*	*	*	*	*	*	*	*	
1997	12.9	718.7	1.5	*	*	*	*	*	*	*	*	*	
1996	13.1	739.9	1.3	*	*	*	*	*	*	*	*	*	
1995	13.7	684.6	1.3	*	*	*	*	*	*	*	*	*	
1994	15.9	780.9	1.7	*	*	*	*	*	*	*	*	*	
1993	17.1	822.3	1.7	*	*	*	*	*	*	*	*	*	
1992	18.3	857.9	1.6	*	*	*	*	*	*	*	*	*	
1991	19.8	838.0	2.1	*	*	*	*	*	*	*	*	*	
1990	21.0	955.3	2.4	*	*	*	*	*	*	*	*	*	
1989	21.8	1,002.0	2.0	*	*	*	*	*	*	*	*	*	
1988	21.4	1,021.9	2.2	*	*	*	*	*	*	*	*	*	
1987	21.7	1,059.6	1.6	*	*	*	*	*	*	*	*	*	
1986	21.4	1,048.5	1.7	*	*	*	*	*	*	*	*	*	
1985	21.6	1,051.9	2.5	*	*	*	*	*	*	*	*	*	
1984	21.1	1,042.4	2.2	*	*	*	*	*	*	*	*	*	
1983	22.1	1,055.9	1.9	*	*	*	*	*	*	*	*	*	
1982	24.2	1,143.0	*	*	*	*	*	*	*	*	*	*	
1981	25.1	1,189.6	*	*	*	*	*	*	*	*	*	*	
1980	27.2	1,278.9	1.3	0.0	-	-	-	-	-	-	-	-	
1979	27.9	1,344.9	0.7	0.0	0.0	-	-	-	-	-	-	-	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 882
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	9.4	596.3	*	*	*	*	*	*	*	*	*	*
1997.....	9.3	583.0	*	*	*	*	*	*	*	*	*	*
1996.....	9.5	601.1	*	*	*	*	*	*	*	*	*	*
1995.....	10.2	577.0	*	*	*	*	*	*	*	*	*	*
1994.....	11.3	629.3	1.5	*	*	*	*	*	*	*	*	*
1993.....	12.2	665.8	*	*	*	*	*	*	*	*	*	*
1992.....	13.1	685.3	1.5	*	*	*	*	*	*	*	*	*
1991.....	13.8	660.0	*	*	*	*	*	*	*	*	*	*
1990.....	15.1	777.8	*	*	*	*	*	*	*	*	*	*
1989.....	16.4	846.4	1.4	*	*	*	*	*	*	*	*	*
1988.....	15.5	838.6	*	*	*	*	*	*	*	*	*	*
1987.....	14.9	820.6	*	*	*	*	*	*	*	*	*	*
1986.....	14.7	813.0	*	*	*	*	*	*	*	*	*	*
1985.....	15.5	852.4	1.5	*	*	*	*	*	*	*	*	*
1984.....	15.7	871.6	1.6	*	*	*	*	*	*	*	*	*
1983.....	16.0	856.5	*	*	*	*	*	*	*	*	*	*
1982.....	17.0	901.8	*	*	*	*	*	*	*	*	*	*
1981.....	18.3	970.9	*	*	*	*	*	*	*	*	*	*
1980.....	19.8	1,042.8	0.8	0.1	-	0.0	-	-	-	-	-	-
1979.....	20.6	1,112.1	0.7	-	0.0	-	0.1	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 883
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK, BOTH SEXES												
1998.....	14.1	855.3	1.1	*	*	*	*	*	*	*	*	*
1997.....	13.9	839.8	1.5	*	*	*	*	*	*	*	*	*
1996.....	14.1	856.5	0.9	*	*	*	*	*	*	*	*	*
1995.....	14.9	789.7	1.4	*	*	*	*	*	*	*	*	*
1994.....	16.9	881.5	1.8	*	*	*	*	*	*	*	*	*
1993.....	18.3	931.6	1.5	*	*	*	*	*	*	*	*	*
1992.....	19.5	964.0	1.7	*	*	*	*	*	*	*	*	*
1991.....	20.9	952.3	2.1	*	*	*	*	*	*	*	*	*
1990.....	22.1	1,048.1	2.1	*	*	*	*	*	*	*	*	*
1989.....	23.1	1,106.9	2.1	*	*	*	*	*	*	*	*	*
1988.....	22.3	1,118.6	1.8	*	*	*	*	*	*	*	*	*
1987.....	21.7	1,115.5	1.6	*	*	*	*	*	*	*	*	*
1986.....	21.2	1,100.7	1.6	*	*	*	*	*	*	*	*	*
1985.....	21.7	1,124.5	2.2	*	*	*	*	*	*	*	*	*
1984.....	21.3	1,122.6	2.1	*	*	*	*	*	*	*	*	*
1983.....	21.9	1,118.5	1.8	*	*	*	*	*	*	*	*	*
1982.....	23.5	1,186.6	*	*	*	*	*	*	*	*	*	*
1981.....	24.5	1,235.6	1.3	*	*	*	*	*	*	*	*	*
1980.....	26.1	1,296.4	1.2	0.0	-	0.0	-	-	-	-	-	-
1979.....	26.7	1,359.6	0.7	0.0	0.0	-	0.0	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 884
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)

BLACK MALE

Year	Total	Under 1 Year	1-4 Years	5-14 Years	15-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75-84 Years	85+ Years
1998	16.7	953.0	*	*	*	*	*	*	*	*	*	*
1997	16.3	921.0	1.9	*	*	*	*	*	*	*	*	*
1996	16.5	943.3	*	*	*	*	*	*	*	*	*	*
1995	17.4	859.6	*	*	*	*	*	*	*	*	*	*
1994	19.9	973.1	1.9	*	*	*	*	*	*	*	*	*
1993	21.7	1,029.4	2.1	*	*	*	*	*	*	*	*	*
1992	23.1	1,070.7	1.7	*	*	*	*	*	*	*	*	*
1991	25.2	1,070.6	2.6	*	*	*	*	*	*	*	*	*
1990	26.1	1,156.5	2.7	*	*	*	*	*	*	*	*	*
1989	26.7	1,199.4	2.5	*	*	*	*	*	*	*	*	*
1988	26.3	1,232.3	2.6	*	*	*	*	*	*	*	*	*
1987	26.0	1,248.8	2.0	*	*	*	*	*	*	*	*	*
1986	25.6	1,241.8	2.0	*	*	*	*	*	*	*	*	*
1985	25.6	1,240.2	2.7	*	*	*	*	*	*	*	*	*
1984	24.7	1,222.1	2.2	*	*	*	*	*	*	*	*	*
1983	25.8	1,235.5	2.3	*	*	*	*	*	*	*	*	*
1982	27.9	1,324.2	*	*	*	*	*	*	*	*	*	*
1981	28.8	1,359.3	*	*	*	*	*	*	*	*	*	*
1980	30.7	1,432.4	1.6	-	-	-	-	-	-	-	-	-
1979	31.1	1,484.2	0.7	0.0	0.0	-	-	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 885
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	11.7	754.9	*	*	*	*	*	*	*	*	*	*
1997.....	11.7	756.3	*	*	*	*	*	*	*	*	*	*
1996.....	11.8	767.5	*	*	*	*	*	*	*	*	*	*
1995.....	12.7	718.0	*	*	*	*	*	*	*	*	*	*
1994.....	14.1	787.1	1.8	*	*	*	*	*	*	*	*	*
1993.....	15.3	830.8	*	*	*	*	*	*	*	*	*	*
1992.....	16.3	854.6	1.8	*	*	*	*	*	*	*	*	*
1991.....	17.1	830.8	*	*	*	*	*	*	*	*	*	*
1990.....	18.6	937.3	*	*	*	*	*	*	*	*	*	*
1989.....	19.8	1,012.6	*	*	*	*	*	*	*	*	*	*
1988.....	18.6	998.6	*	*	*	*	*	*	*	*	*	*
1987.....	17.9	979.4	*	*	*	*	*	*	*	*	*	*
1986.....	17.4	957.1	*	*	*	*	*	*	*	*	*	*
1985.....	18.2	1,002.6	*	*	*	*	*	*	*	*	*	*
1984.....	18.2	1,021.7	1.9	*	*	*	*	*	*	*	*	*
1983.....	18.4	999.3	*	*	*	*	*	*	*	*	*	*
1982.....	19.5	1,047.4	*	*	*	*	*	*	*	*	*	*
1981.....	20.8	1,110.2	*	*	*	*	*	*	*	*	*	*
1980.....	22.0	1,158.7	0.8	0.1	-	0.0	-	-	-	-	-	-
1979.....	22.7	1,227.7	0.7	-	-	-	0.1	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 886
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)
 TOTAL, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.7	51.6	0.2	*	*	*	*	*	*	*	*	*
1997	0.7	51.0	0.1	*	*	*	*	*	*	*	*	*
1996	0.8	51.9	*	*	*	*	*	*	*	*	*	*
1995	0.8	55.4	0.1	*	*	*	*	*	*	*	*	*
1994	0.9	60.3	0.1	*	*	*	*	*	*	*	*	*
1993	1.0	65.9	0.1	*	*	*	*	*	*	*	*	*
1992	1.1	72.1	0.2	*	*	*	*	*	*	*	*	*
1991	1.4	84.1	0.2	*	*	*	*	*	*	*	*	*
1990	1.6	96.8	0.2	*	*	*	*	*	*	*	*	*
1989	1.9	118.7	0.2	*	*	*	*	*	*	*	*	*
1988	1.7	111.1	0.2	*	*	*	*	*	*	*	*	*
1987	1.8	116.7	*	*	*	*	*	*	*	*	*	*
1986	2.0	125.7	0.2	*	*	*	*	*	*	*	*	*
1985	2.2	140.7	0.2	*	*	*	*	*	*	*	*	*
1984	2.2	142.9	0.3	*	*	*	*	*	*	*	*	*
1983	2.3	146.0	0.2	*	*	*	*	*	*	*	*	*
1982	2.7	168.6	0.2	*	*	*	*	*	*	*	*	*
1981	2.9	184.1	0.2	*	*	*	*	*	*	*	*	*
1980	3.3	213.5	0.2	0.0	0.0	-	-	0.0	0.0	-	-	-
1979	3.6	232.9	0.2	0.0	0.0	0.0	0.0	-	0.0	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 887
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.9	57.6	*	*	*	*	*	*	*	*	*	*
1997.....	0.9	57.3	*	*	*	*	*	*	*	*	*	*
1996.....	0.9	60.2	*	*	*	*	*	*	*	*	*	*
1995.....	1.0	63.9	*	*	*	*	*	*	*	*	*	*
1994.....	1.1	69.8	*	*	*	*	*	*	*	*	*	*
1993.....	1.2	74.8	*	*	*	*	*	*	*	*	*	*
1992.....	1.4	81.9	*	*	*	*	*	*	*	*	*	*
1991.....	1.7	99.3	*	*	*	*	*	*	*	*	*	*
1990.....	1.9	113.1	*	*	*	*	*	*	*	*	*	*
1989.....	2.3	140.3	0.3	*	*	*	*	*	*	*	*	*
1988.....	2.1	128.9	*	*	*	*	*	*	*	*	*	*
1987.....	2.3	139.4	*	*	*	*	*	*	*	*	*	*
1986.....	2.4	146.4	*	*	*	*	*	*	*	*	*	*
1985.....	2.7	167.3	0.3	*	*	*	*	*	*	*	*	*
1984.....	2.7	166.2	0.3	*	*	*	*	*	*	*	*	*
1983.....	2.8	171.0	0.3	*	*	*	*	*	*	*	*	*
1982.....	3.3	197.0	*	*	*	*	*	*	*	*	*	*
1981.....	3.6	215.9	*	*	*	*	*	*	*	*	*	*
1980.....	4.1	248.1	0.2	0.0	0.0	-	-	0.0	-	-	-	-
1979.....	4.4	270.6	0.2	0.0	0.0	0.0	0.0	-	0.0	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 888
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)
 TOTAL, FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.6	45.4	*	*	*	*	*	*	*	*	*	*
1997	0.6	44.5	*	*	*	*	*	*	*	*	*	*
1996	0.6	43.2	*	*	*	*	*	*	*	*	*	*
1995	0.7	46.4	*	*	*	*	*	*	*	*	*	*
1994	0.7	50.2	*	*	*	*	*	*	*	*	*	*
1993	0.8	56.5	*	*	*	*	*	*	*	*	*	*
1992	0.9	61.8	*	*	*	*	*	*	*	*	*	*
1991	1.1	68.1	*	*	*	*	*	*	*	*	*	*
1990	1.2	79.7	*	*	*	*	*	*	*	*	*	*
1989	1.4	96.0	*	*	*	*	*	*	*	*	*	*
1988	1.4	92.4	*	*	*	*	*	*	*	*	*	*
1987	1.4	93.0	*	*	*	*	*	*	*	*	*	*
1986	1.5	104.1	*	*	*	*	*	*	*	*	*	*
1985	1.7	113.0	*	*	*	*	*	*	*	*	*	*
1984	1.7	118.3	*	*	*	*	*	*	*	*	*	*
1983	1.8	119.7	*	*	*	*	*	*	*	*	*	*
1982	2.1	138.8	*	*	*	*	*	*	*	*	*	*
1981	2.3	150.7	*	*	*	*	*	*	*	*	*	*
1980	2.6	177.3	0.2	0.0	-	-	-	-	0.0	-	-	-
1979	2.8	193.4	0.1	0.0	0.0	0.0	0.0	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 889
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)
 WHITE, BOTH SEXES

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	0.6	43.2	*	*	*	*	*	*	*	*	*	*
1997	0.6	42.2	*	*	*	*	*	*	*	*	*	*
1996	0.6	42.5	*	*	*	*	*	*	*	*	*	*
1995	0.6	46.0	*	*	*	*	*	*	*	*	*	*
1994	0.7	50.1	*	*	*	*	*	*	*	*	*	*
1993	0.8	52.7	*	*	*	*	*	*	*	*	*	*
1992	0.9	59.1	*	*	*	*	*	*	*	*	*	*
1991	1.0	69.3	*	*	*	*	*	*	*	*	*	*
1990	1.2	78.5	0.2	*	*	*	*	*	*	*	*	*
1989	1.5	97.9	0.2	*	*	*	*	*	*	*	*	*
1988	1.4	93.8	0.2	*	*	*	*	*	*	*	*	*
1987	1.5	98.9	*	*	*	*	*	*	*	*	*	*
1986	1.6	109.0	0.2	*	*	*	*	*	*	*	*	*
1985	1.9	124.0	0.2	*	*	*	*	*	*	*	*	*
1984	1.8	125.7	0.2	*	*	*	*	*	*	*	*	*
1983	1.9	129.5	0.2	*	*	*	*	*	*	*	*	*
1982	2.3	149.6	*	*	*	*	*	*	*	*	*	*
1981	2.5	162.7	*	*	*	*	*	*	*	*	*	*
1980	2.8	188.8	0.2	0.0	0.0	-	-	0.0	0.0	-	-	-
1979	3.0	204.3	0.2	0.0	0.0	0.0	0.0	-	0.0	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 890
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	0.7	47.8	*	*	*	*	*	*	*	*	*	*
1997.....	0.7	47.8	*	*	*	*	*	*	*	*	*	*
1996.....	0.7	49.7	*	*	*	*	*	*	*	*	*	*
1995.....	0.8	53.0	*	*	*	*	*	*	*	*	*	*
1994.....	0.9	58.0	*	*	*	*	*	*	*	*	*	*
1993.....	0.9	59.6	*	*	*	*	*	*	*	*	*	*
1992.....	1.1	66.9	*	*	*	*	*	*	*	*	*	*
1991.....	1.3	82.8	*	*	*	*	*	*	*	*	*	*
1990.....	1.5	91.1	*	*	*	*	*	*	*	*	*	*
1989.....	1.8	115.8	*	*	*	*	*	*	*	*	*	*
1988.....	1.7	111.7	*	*	*	*	*	*	*	*	*	*
1987.....	1.8	120.1	*	*	*	*	*	*	*	*	*	*
1986.....	2.0	125.9	*	*	*	*	*	*	*	*	*	*
1985.....	2.3	148.3	*	*	*	*	*	*	*	*	*	*
1984.....	2.3	148.1	*	*	*	*	*	*	*	*	*	*
1983.....	2.4	154.5	*	*	*	*	*	*	*	*	*	*
1982.....	2.8	174.0	*	*	*	*	*	*	*	*	*	*
1981.....	3.0	191.4	*	*	*	*	*	*	*	*	*	*
1980.....	3.5	223.3	0.2	0.0	0.0	-	-	0.0	-	-	-	-
1979.....	3.7	239.2	0.2	0.0	0.0	0.0	0.0	-	0.0	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 891
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	0.5	38.3	*	*	*	*	*	*	*	*	*	*
1997.....	0.5	36.4	*	*	*	*	*	*	*	*	*	*
1996.....	0.5	34.8	*	*	*	*	*	*	*	*	*	*
1995.....	0.5	38.6	*	*	*	*	*	*	*	*	*	*
1994.....	0.6	41.9	*	*	*	*	*	*	*	*	*	*
1993.....	0.6	45.4	*	*	*	*	*	*	*	*	*	*
1992.....	0.7	51.0	*	*	*	*	*	*	*	*	*	*
1991.....	0.8	55.2	*	*	*	*	*	*	*	*	*	*
1990.....	0.9	65.2	*	*	*	*	*	*	*	*	*	*
1989.....	1.1	79.1	*	*	*	*	*	*	*	*	*	*
1988.....	1.1	75.0	*	*	*	*	*	*	*	*	*	*
1987.....	1.1	76.7	*	*	*	*	*	*	*	*	*	*
1986.....	1.3	91.2	*	*	*	*	*	*	*	*	*	*
1985.....	1.4	98.4	*	*	*	*	*	*	*	*	*	*
1984.....	1.4	102.1	*	*	*	*	*	*	*	*	*	*
1983.....	1.5	103.0	*	*	*	*	*	*	*	*	*	*
1982.....	1.8	123.9	*	*	*	*	*	*	*	*	*	*
1981.....	1.9	132.4	*	*	*	*	*	*	*	*	*	*
1980.....	2.2	152.5	0.2	0.0	-	-	-	-	0.0	-	-	-
1979.....	2.3	167.4	0.1	0.0	0.0	0.0	-	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 892
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)
 ALL OTHER, BOTH SEXES

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	1.4	84.0	*	*	*	*	*	*	*	*	*	*
1997.....	1.5	85.3	*	*	*	*	*	*	*	*	*	*
1996.....	1.5	89.6	*	*	*	*	*	*	*	*	*	*
1995.....	1.7	89.2	*	*	*	*	*	*	*	*	*	*
1994.....	1.9	97.3	*	*	*	*	*	*	*	*	*	*
1993.....	2.2	114.5	*	*	*	*	*	*	*	*	*	*
1992.....	2.4	120.7	*	*	*	*	*	*	*	*	*	*
1991.....	3.0	134.3	*	*	*	*	*	*	*	*	*	*
1990.....	3.4	166.6	*	*	*	*	*	*	*	*	*	*
1989.....	4.1	198.1	*	*	*	*	*	*	*	*	*	*
1988.....	3.5	180.4	*	*	*	*	*	*	*	*	*	*
1987.....	3.7	190.3	*	*	*	*	*	*	*	*	*	*
1986.....	3.8	197.4	*	*	*	*	*	*	*	*	*	*
1985.....	4.1	213.7	*	*	*	*	*	*	*	*	*	*
1984.....	4.2	218.3	*	*	*	*	*	*	*	*	*	*
1983.....	4.3	218.9	*	*	*	*	*	*	*	*	*	*
1982.....	5.0	253.7	*	*	*	*	*	*	*	*	*	*
1981.....	5.6	281.6	*	*	*	*	*	*	*	*	*	*
1980.....	6.5	326.1	0.3	-	-	-	-	-	-	-	-	-
1979.....	7.2	367.6	0.1	-	0.0	-	0.0	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 893
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)
 ALL OTHER MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	1.7	95.3	*	*	*	*	*	*	*	*	*	*
1997	1.7	94.5	*	*	*	*	*	*	*	*	*	*
1996	1.8	102.8	*	*	*	*	*	*	*	*	*	*
1995	2.1	103.7	*	*	*	*	*	*	*	*	*	*
1994	2.3	113.8	*	*	*	*	*	*	*	*	*	*
1993	2.7	131.5	*	*	*	*	*	*	*	*	*	*
1992	3.0	138.8	*	*	*	*	*	*	*	*	*	*
1991	3.7	156.2	*	*	*	*	*	*	*	*	*	*
1990	4.3	198.0	*	*	*	*	*	*	*	*	*	*
1989	5.1	235.4	*	*	*	*	*	*	*	*	*	*
1988	4.2	198.9	*	*	*	*	*	*	*	*	*	*
1987	4.5	220.6	*	*	*	*	*	*	*	*	*	*
1986	4.8	235.5	*	*	*	*	*	*	*	*	*	*
1985	5.1	251.3	*	*	*	*	*	*	*	*	*	*
1984	5.0	247.5	*	*	*	*	*	*	*	*	*	*
1983	5.1	245.0	*	*	*	*	*	*	*	*	*	*
1982	6.4	301.5	*	*	*	*	*	*	*	*	*	*
1981	7.0	329.9	*	*	*	*	*	*	*	*	*	*
1980	7.7	363.4	0.4	-	-	-	-	-	-	-	-	-
1979	8.7	421.1	0.2	-	0.0	-	-	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 894
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)
 ALL OTHER FEMALE

YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998	1.2	72.5	*	*	*	*	*	*	*	*	*	*
1997	1.2	75.9	*	*	*	*	*	*	*	*	*	*
1996	1.2	76.1	*	*	*	*	*	*	*	*	*	*
1995	1.3	74.2	*	*	*	*	*	*	*	*	*	*
1994	1.4	80.4	*	*	*	*	*	*	*	*	*	*
1993	1.8	97.0	*	*	*	*	*	*	*	*	*	*
1992	2.0	102.1	*	*	*	*	*	*	*	*	*	*
1991	2.4	111.8	*	*	*	*	*	*	*	*	*	*
1990	2.6	134.4	*	*	*	*	*	*	*	*	*	*
1989	3.1	159.9	*	*	*	*	*	*	*	*	*	*
1988	3.0	161.4	*	*	*	*	*	*	*	*	*	*
1987	2.9	159.7	*	*	*	*	*	*	*	*	*	*
1986	2.9	158.4	*	*	*	*	*	*	*	*	*	*
1985	3.2	175.3	*	*	*	*	*	*	*	*	*	*
1984	3.4	188.4	*	*	*	*	*	*	*	*	*	*
1983	3.6	192.2	*	*	*	*	*	*	*	*	*	*
1982	3.9	204.2	*	*	*	*	*	*	*	*	*	*
1981	4.4	232.5	*	*	*	*	*	*	*	*	*	*
1980	5.5	288.2	0.1	-	-	-	-	-	-	-	-	-
1979	5.8	313.1	-	-	-	-	0.1	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 895
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)
 BLACK, BOTH SEXES

Year	Total	Under 1 Year	1-4 Years	5-14 Years	15-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75-84 Years	85+ Years
1998	1.8	106.8	*	*	*	*	*	*	*	*	*	*
1997	1.8	108.6	*	*	*	*	*	*	*	*	*	*
1996	1.8	112.0	*	*	*	*	*	*	*	*	*	*
1995	2.1	108.3	*	*	*	*	*	*	*	*	*	*
1994	2.3	121.7	*	*	*	*	*	*	*	*	*	*
1993	2.8	143.5	*	*	*	*	*	*	*	*	*	*
1992	3.0	149.5	*	*	*	*	*	*	*	*	*	*
1991	3.7	170.6	*	*	*	*	*	*	*	*	*	*
1990	4.2	198.5	*	*	*	*	*	*	*	*	*	*
1989	4.9	233.3	*	*	*	*	*	*	*	*	*	*
1988	4.2	212.6	*	*	*	*	*	*	*	*	*	*
1987	4.4	226.2	*	*	*	*	*	*	*	*	*	*
1986	4.4	228.3	*	*	*	*	*	*	*	*	*	*
1985	4.8	249.8	*	*	*	*	*	*	*	*	*	*
1984	4.8	251.3	*	*	*	*	*	*	*	*	*	*
1983	4.9	251.6	*	*	*	*	*	*	*	*	*	*
1982	5.8	290.4	*	*	*	*	*	*	*	*	*	*
1981	6.3	317.7	*	*	*	*	*	*	*	*	*	*
1980	7.3	361.1	0.3	-	-	-	-	-	-	-	-	-
1979	7.9	400.6	0.1	-	0.0	-	0.0	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 896
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	2.2	121.7	*	*	*	*	*	*	*	*	*	*
1997.....	2.1	117.8	*	*	*	*	*	*	*	*	*	*
1996.....	2.2	127.6	*	*	*	*	*	*	*	*	*	*
1995.....	2.6	128.8	*	*	*	*	*	*	*	*	*	*
1994.....	2.9	142.4	*	*	*	*	*	*	*	*	*	*
1993.....	3.5	165.8	*	*	*	*	*	*	*	*	*	*
1992.....	3.7	172.5	*	*	*	*	*	*	*	*	*	*
1991.....	4.6	198.8	*	*	*	*	*	*	*	*	*	*
1990.....	5.3	236.6	*	*	*	*	*	*	*	*	*	*
1989.....	6.2	275.9	*	*	*	*	*	*	*	*	*	*
1988.....	5.0	234.7	*	*	*	*	*	*	*	*	*	*
1987.....	5.4	261.0	*	*	*	*	*	*	*	*	*	*
1986.....	5.6	273.2	*	*	*	*	*	*	*	*	*	*
1985.....	6.0	291.7	*	*	*	*	*	*	*	*	*	*
1984.....	5.8	284.6	*	*	*	*	*	*	*	*	*	*
1983.....	5.9	280.6	*	*	*	*	*	*	*	*	*	*
1982.....	7.3	344.7	*	*	*	*	*	*	*	*	*	*
1981.....	7.9	372.2	*	*	*	*	*	*	*	*	*	*
1980.....	8.7	403.0	0.5	-	-	-	-	-	-	-	-	-
1979.....	9.6	457.7	0.2	-	0.0	-	-	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 897
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	1.4	91.5	*	*	*	*	*	*	*	*	*	*
1997.....	1.5	99.1	*	*	*	*	*	*	*	*	*	*
1996.....	1.5	96.1	*	*	*	*	*	*	*	*	*	*
1995.....	1.6	87.4	*	*	*	*	*	*	*	*	*	*
1994.....	1.8	100.4	*	*	*	*	*	*	*	*	*	*
1993.....	2.2	120.4	*	*	*	*	*	*	*	*	*	*
1992.....	2.4	125.9	*	*	*	*	*	*	*	*	*	*
1991.....	2.9	141.6	*	*	*	*	*	*	*	*	*	*
1990.....	3.2	159.6	*	*	*	*	*	*	*	*	*	*
1989.....	3.7	190.0	*	*	*	*	*	*	*	*	*	*
1988.....	3.5	189.3	*	*	*	*	*	*	*	*	*	*
1987.....	3.5	190.7	*	*	*	*	*	*	*	*	*	*
1986.....	3.3	182.5	*	*	*	*	*	*	*	*	*	*
1985.....	3.7	206.3	*	*	*	*	*	*	*	*	*	*
1984.....	3.9	217.5	*	*	*	*	*	*	*	*	*	*
1983.....	4.1	222.0	*	*	*	*	*	*	*	*	*	*
1982.....	4.4	235.6	*	*	*	*	*	*	*	*	*	*
1981.....	4.9	262.4	*	*	*	*	*	*	*	*	*	*
1980.....	6.0	318.7	0.1	-	-	-	-	-	-	-	-	-
1979.....	6.3	341.0	-	-	-	-	0.1	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 899
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)

	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, MALE												
1998.....	4.8	327.5	0.3	*	*	*	*	*	*	*	*	*
1997.....	4.8	318.9	0.4	*	*	*	*	*	*	*	*	*
1996.....	4.7	314.8	0.5	*	*	*	*	*	*	*	*	*
1995.....	4.9	317.7	0.4	*	*	*	*	*	*	*	*	*
1994.....	5.3	336.9	0.6	*	*	*	*	*	*	*	*	*
1993.....	5.5	342.9	0.7	*	*	*	*	*	*	*	*	*
1992.....	5.7	345.3	0.6	*	*	*	*	*	*	*	*	*
1991.....	6.1	361.3	0.9	*	*	*	*	*	*	*	*	*
1990.....	6.4	379.2	0.9	*	*	*	*	*	*	*	*	*
1989.....	6.4	386.2	0.9	*	*	*	*	*	*	*	*	*
1988.....	6.6	405.9	0.9	*	*	*	*	*	*	*	*	*
1987.....	6.6	406.7	0.9	*	*	*	*	*	*	*	*	*
1986.....	6.7	406.4	0.9	*	*	*	*	*	*	*	*	*
1985.....	6.8	416.0	1.0	*	*	*	*	*	*	*	*	*
1984.....	6.6	410.7	0.9	*	*	*	*	*	*	*	*	*
1983.....	6.9	415.1	0.7	*	*	*	*	*	*	*	*	*
1982.....	7.3	436.6	0.5	*	*	*	*	*	*	*	*	*
1981.....	7.4	446.5	0.5	*	*	*	*	*	*	*	*	*
1980.....	7.8	470.7	0.5	0.0	0.0	0.0	-	-	0.0	0.0	-	0.1
1979.....	7.9	486.8	0.5	0.0	0.0	-	0.0	0.0	0.0	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 902
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	3.4	244.6	*	*	*	*	*	*	*	*	*	*
1997.....	3.5	241.3	*	*	*	*	*	*	*	*	*	*
1996.....	3.4	235.0	*	*	*	*	*	*	*	*	*	*
1995.....	3.6	245.8	*	*	*	*	*	*	*	*	*	*
1994.....	3.7	247.8	0.4	*	*	*	*	*	*	*	*	*
1993.....	3.8	249.7	0.5	*	*	*	*	*	*	*	*	*
1992.....	3.9	246.6	0.5	*	*	*	*	*	*	*	*	*
1991.....	4.2	268.4	0.7	*	*	*	*	*	*	*	*	*
1990.....	4.5	281.5	0.6	*	*	*	*	*	*	*	*	*
1989.....	4.5	288.2	0.8	*	*	*	*	*	*	*	*	*
1988.....	4.7	303.5	0.7	*	*	*	*	*	*	*	*	*
1987.....	4.7	304.1	0.8	*	*	*	*	*	*	*	*	*
1986.....	4.9	312.5	0.8	*	*	*	*	*	*	*	*	*
1985.....	5.2	329.1	0.7	*	*	*	*	*	*	*	*	*
1984.....	5.0	324.7	0.7	*	*	*	*	*	*	*	*	*
1983.....	5.2	327.0	0.5	*	*	*	*	*	*	*	*	*
1982.....	5.5	347.2	*	*	*	*	*	*	*	*	*	*
1981.....	5.7	357.4	0.4	*	*	*	*	*	*	*	*	*
1980.....	5.9	375.0	0.4	0.0	0.0	0.0	-	-	0.0	0.0	-	0.2
1979.....	6.1	395.5	0.5	0.0	0.0	-	0.0	0.0	0.0	-	-	-

OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)
 ALL OTHER, BOTH SEXES

Year	Total	Under 1 Year	1-4 Years	5-14 Years	15-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75-84 Years	85+ Years
1998	9.8	586.6	*	*	*	*	*	*	*	*	*	*
1997	9.6	566.5	0.9	*	*	*	*	*	*	*	*	*
1996	9.7	581.8	0.7	*	*	*	*	*	*	*	*	*
1995	10.2	542.4	0.9	*	*	*	*	*	*	*	*	*
1994	11.6	609.0	1.4	*	*	*	*	*	*	*	*	*
1993	12.3	630.8	1.0	*	*	*	*	*	*	*	*	*
1992	13.1	652.1	1.2	*	*	*	*	*	*	*	*	*
1991	13.7	616.0	1.4	*	*	*	*	*	*	*	*	*
1990	14.5	701.1	1.6	*	*	*	*	*	*	*	*	*
1989	14.9	727.1	1.3	*	*	*	*	*	*	*	*	*
1988	14.8	751.0	1.2	*	*	*	*	*	*	*	*	*
1987	14.5	750.0	1.0	*	*	*	*	*	*	*	*	*
1986	14.1	734.8	1.2	*	*	*	*	*	*	*	*	*
1985	14.3	739.4	1.8	*	*	*	*	*	*	*	*	*
1984	14.1	739.7	1.5	*	*	*	*	*	*	*	*	*
1983	14.6	738.3	1.0	*	*	*	*	*	*	*	*	*
1982	15.4	771.4	*	*	*	*	*	*	*	*	*	*
1981	15.9	799.5	0.9	*	*	*	*	*	*	*	*	*
1980	16.8	835.6	0.8	0.0	-	0.0	-	-	-	-	-	-
1979	16.9	861.9	0.6	0.0	0.0	-	-	-	-	-	-	-

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 906
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)

ALL OTHER FEMALE	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	8.2	523.8	*	*	*	*	*	*	*	*	*	*
1997.....	8.1	507.2	*	*	*	*	*	*	*	*	*	*
1996.....	8.2	525.0	*	*	*	*	*	*	*	*	*	*
1995.....	8.9	502.7	*	*	*	*	*	*	*	*	*	*
1994.....	9.9	548.9	1.4	*	*	*	*	*	*	*	*	*
1993.....	10.5	568.8	*	*	*	*	*	*	*	*	*	*
1992.....	11.1	583.2	1.3	*	*	*	*	*	*	*	*	*
1991.....	11.5	548.2	*	*	*	*	*	*	*	*	*	*
1990.....	12.5	643.5	*	*	*	*	*	*	*	*	*	*
1989.....	13.3	686.5	*	*	*	*	*	*	*	*	*	*
1988.....	12.6	677.3	*	*	*	*	*	*	*	*	*	*
1987.....	12.0	660.8	*	*	*	*	*	*	*	*	*	*
1986.....	11.9	654.6	*	*	*	*	*	*	*	*	*	*
1985.....	12.3	677.1	*	*	*	*	*	*	*	*	*	*
1984.....	12.3	683.2	*	*	*	*	*	*	*	*	*	*
1983.....	12.4	664.3	*	*	*	*	*	*	*	*	*	*
1982.....	13.1	697.6	*	*	*	*	*	*	*	*	*	*
1981.....	13.9	738.4	*	*	*	*	*	*	*	*	*	*
1980.....	14.4	754.6	0.7	0.1	-	0.0	-	-	-	-	-	-
1979.....	14.8	799.0	0.7	-	0.0	-	-	-	-	-	-	-

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	910
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)		TOTAL, BOTH SEXES												
1998.....		9.6	96.9	1.4	0.4	1.5	2.7	4.4	5.6	7.6	15.8	38.6	175.1	
1997.....		9.6	99.4	1.6	0.4	1.8	2.9	4.7	5.6	8.4	15.6	38.1	170.2	
1996.....		9.9	103.0	1.8	0.4	1.9	3.1	5.0	6.2	8.7	15.5	39.5	169.4	
1995.....		10.4	113.8	2.0	0.5	2.1	3.9	6.0	6.6	9.0	16.4	38.9	165.7	
1994.....		9.7	127.7	1.7	0.4	1.8	3.2	4.9	5.5	8.2	15.2	36.3	160.5	
1993.....		10.3	144.5	1.9	0.5	1.7	3.6	5.3	6.1	9.2	16.0	37.7	156.9	
1992.....		9.2	145.9	1.7	0.4	1.8	3.4	4.4	4.7	7.7	13.9	32.2	136.7	
1991.....		9.7	156.3	2.2	0.4	1.8	3.8	5.0	5.5	7.7	14.3	33.8	130.9	
1990.....		9.7	162.4	1.8	0.4	1.9	3.9	5.4	5.4	8.1	14.3	33.9	125.8	
1989.....		10.9	171.8	1.9	0.5	2.0	4.6	6.1	6.1	9.4	17.3	39.6	147.2	
1988.....		12.7	172.6	2.1	0.5	2.2	4.9	6.2	6.8	12.0	23.5	54.0	180.2	
1987.....		12.9	165.7	2.1	0.5	2.3	5.2	6.3	7.9	13.5	24.6	56.5	176.2	
1986.....		13.1	163.2	2.2	0.4	2.2	4.4	5.3	7.7	14.1	27.4	60.3	192.0	
1985.....		13.0	161.6	2.0	0.3	1.9	4.0	4.7	7.7	15.0	28.7	62.8	193.5	
1984.....		12.6	164.4	1.8	0.3	1.8	3.5	4.3	7.3	15.1	29.2	61.5	184.5	
1983.....		12.7	162.4	2.1	0.4	1.9	3.5	4.3	7.7	15.3	29.2	61.1	187.1	
1982.....		12.9	162.8	2.0	0.4	2.3	4.2	5.0	8.9	16.0	29.6	60.8	169.0	
1981.....		12.8	165.1	2.1	0.5	2.2	3.9	4.8	9.1	16.0	31.0	61.4	168.8	
1980.....		12.7	172.3	2.2	0.4	2.1	3.4	4.4	8.5	16.4	31.0	62.1	169.8	
1979.....		12.3	172.2	2.0	0.3	2.1	3.4	4.5	8.7	15.7	30.4	59.1	157.2	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 911
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)													
TOTAL, MALE													
1998.....	9.7	113.7	1.5	0.4	2.1	3.7	5.9	7.5	10.1	20.2	42.5	156.4	
1997.....	10.0	116.8	1.9	0.5	2.4	4.0	6.4	7.6	11.3	20.1	44.2	154.8	
1996.....	10.3	119.7	2.0	0.5	2.5	4.2	6.7	8.7	11.6	19.5	47.0	157.8	
1995.....	11.1	130.9	2.1	0.7	2.9	5.4	8.2	9.3	12.2	20.8	45.0	159.7	
1994.....	10.4	150.1	2.0	0.5	2.4	4.3	6.8	7.4	11.2	20.1	42.9	153.4	
1993.....	11.3	172.7	2.0	0.5	2.2	5.0	7.6	8.2	12.5	20.3	45.0	158.0	
1992.....	10.1	171.6	1.8	0.4	2.4	4.7	6.2	6.3	10.4	18.5	37.7	138.6	
1991.....	10.9	186.3	2.5	0.4	2.5	5.3	7.2	7.3	10.3	19.2	41.5	133.8	
1990.....	11.2	193.7	1.9	0.4	2.6	5.5	7.8	7.3	11.3	19.2	43.3	128.4	
1989.....	12.6	204.0	2.1	0.6	2.6	6.4	9.0	8.6	12.4	24.1	51.0	159.8	
1988.....	14.2	200.9	2.3	0.6	3.0	7.0	8.6	9.1	16.4	32.0	67.5	198.3	
1987.....	14.8	194.5	2.2	0.6	3.0	7.3	8.9	10.3	18.5	34.3	72.5	199.6	
1986.....	15.0	192.9	2.4	0.6	2.8	6.2	7.6	10.4	19.7	38.0	81.0	224.1	
1985.....	15.1	193.6	2.3	0.4	2.3	5.4	6.7	10.6	21.6	40.3	85.7	224.7	
1984.....	14.6	194.4	1.9	0.4	2.3	4.9	5.9	10.3	22.0	40.7	82.3	213.3	
1983.....	14.7	186.5	2.3	0.5	2.5	4.8	5.8	10.2	21.7	41.9	83.7	223.8	
1982.....	15.2	190.0	2.2	0.6	3.0	5.9	6.6	12.1	22.3	42.2	83.3	200.6	
1981.....	15.4	192.5	2.5	0.6	2.7	5.3	6.3	12.3	23.3	45.5	84.1	214.3	
1980.....	15.0	198.1	2.6	0.4	2.7	4.7	5.6	11.4	23.6	44.4	84.4	200.4	
1979.....	14.7	200.6	2.0	0.4	2.7	4.6	5.8	12.0	22.5	44.7	80.5	187.9	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 912
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)													
TOTAL, FEMALE													
1998.....	9.6	79.3	1.3	0.4	0.9	1.8	3.0	3.8	5.4	12.2	36.1	182.9	
1997.....	9.3	81.2	1.3	0.4	1.1	1.8	3.0	3.6	5.7	11.9	34.1	176.4	
1996.....	9.5	85.5	1.6	0.4	1.2	2.1	3.2	3.8	6.1	12.4	34.6	174.0	
1995.....	9.7	96.0	1.9	0.4	1.2	2.4	3.8	4.1	6.2	12.9	35.0	168.1	
1994.....	9.1	104.2	1.4	0.3	1.2	2.0	3.0	3.7	5.5	11.3	32.2	163.2	
1993.....	9.4	114.8	1.8	0.5	1.2	2.1	3.1	4.2	6.1	12.5	33.1	156.4	
1992.....	8.3	119.1	1.5	0.3	1.1	2.0	2.7	3.2	5.3	10.2	28.8	135.9	
1991.....	8.5	124.8	1.9	0.4	1.1	2.3	2.9	3.7	5.3	10.5	29.2	129.7	
1990.....	8.3	129.6	1.7	0.3	1.2	2.4	3.0	3.6	5.2	10.5	28.4	124.8	
1989.....	9.3	138.0	1.8	0.5	1.3	2.7	3.4	3.8	6.7	12.0	32.8	142.3	
1988.....	11.1	143.1	1.8	0.4	1.5	2.8	4.0	4.6	8.1	16.9	45.9	173.1	
1987.....	11.1	135.6	2.1	0.4	1.4	3.2	3.8	5.5	9.0	17.0	47.1	167.0	
1986.....	11.2	132.1	2.0	0.3	1.6	2.5	3.2	5.2	9.2	19.3	48.1	179.3	
1985.....	11.0	128.2	1.6	0.3	1.4	2.5	2.8	5.0	9.2	19.7	49.3	181.0	
1984.....	10.7	133.0	1.8	0.2	1.3	2.2	2.7	4.4	9.1	20.4	49.3	172.9	
1983.....	10.8	137.2	1.9	0.3	1.3	2.3	2.9	5.3	9.7	19.4	47.7	172.0	
1982.....	10.7	134.4	1.7	0.3	1.6	2.5	3.4	5.9	10.4	19.9	47.6	155.8	
1981.....	10.5	136.3	1.7	0.4	1.6	2.5	3.3	6.0	9.6	19.9	48.0	149.4	
1980.....	10.6	145.3	1.9	0.4	1.4	2.1	3.3	5.8	10.1	20.7	48.9	156.4	
1979.....	10.0	142.4	2.1	0.3	1.4	2.2	3.3	5.7	9.7	19.4	46.4	143.6	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 913
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)													
WHITE, BOTH SEXES													
1998.....	9.4	77.3	1.2	0.3	1.4	2.5	4.0	5.0	7.0	14.9	37.7	175.8	
1997.....	9.4	80.4	1.3	0.4	1.6	2.6	4.2	4.8	7.6	15.1	37.4	170.5	
1996.....	9.6	81.8	1.6	0.4	1.7	2.9	4.3	5.5	8.1	15.0	38.6	171.4	
1995.....	10.0	94.8	1.7	0.5	1.9	3.5	5.4	5.9	8.3	15.6	37.7	164.1	
1994.....	9.2	104.2	1.3	0.3	1.4	2.7	4.1	4.7	7.6	14.3	34.8	161.4	
1993.....	9.6	118.5	1.5	0.5	1.4	3.0	4.2	5.1	8.2	14.9	36.3	156.4	
1992.....	8.4	119.6	1.4	0.3	1.4	2.8	3.6	4.1	6.9	12.9	30.5	135.4	
1991.....	8.8	131.4	1.9	0.3	1.5	3.0	4.0	4.6	7.1	13.5	32.0	128.1	
1990.....	8.7	133.1	1.4	0.3	1.7	3.1	4.1	4.4	7.1	13.3	31.8	122.5	
1989.....	9.9	141.2	1.5	0.4	1.7	3.7	4.9	5.2	8.4	16.2	37.8	144.8	
1988.....	11.7	144.3	1.8	0.4	2.0	4.0	4.7	5.6	10.7	21.8	52.0	177.3	
1987.....	11.8	139.7	1.7	0.4	1.9	4.2	5.0	6.5	12.0	22.5	53.0	171.4	
1986.....	11.9	138.0	1.8	0.4	2.0	3.6	4.1	6.3	12.4	24.8	55.7	182.4	
1985.....	11.8	137.6	1.6	0.3	1.7	3.2	3.7	6.3	13.0	25.4	56.8	183.3	
1984.....	11.4	139.3	1.5	0.3	1.6	2.9	3.3	6.0	12.9	25.9	54.6	173.5	
1983.....	11.2	133.8	1.6	0.3	1.7	3.1	3.4	6.2	13.1	25.2	53.4	172.0	
1982.....	11.3	135.3	1.6	0.3	2.0	3.5	3.8	7.3	13.2	25.5	53.6	155.9	
1981.....	11.2	138.3	1.5	0.4	2.0	3.1	3.7	7.2	13.4	26.8	52.9	153.5	
1980.....	10.7	140.4	2.0	0.3	1.9	2.8	3.1	6.5	13.6	25.3	52.1	148.8	
1979.....	10.3	135.8	1.7	0.3	1.8	2.6	3.4	6.7	12.6	24.9	50.4	138.4	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 914
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	9.2	91.9	1.2	0.4	1.9	3.4	5.3	6.7	9.2	18.7	41.2	156.0
1997.....	9.4	96.8	1.6	0.4	2.2	3.5	5.6	6.5	10.0	19.2	43.2	153.1
1996.....	9.7	96.4	1.8	0.4	2.3	3.8	5.9	7.6	10.6	18.7	45.7	160.5
1995.....	10.4	110.6	1.6	0.6	2.6	5.0	7.4	8.1	11.1	19.7	43.3	156.5
1994.....	9.4	123.9	1.6	0.4	1.9	3.8	5.6	6.2	10.2	18.7	40.5	154.4
1993.....	10.1	142.9	1.6	0.5	1.9	4.3	6.1	6.6	11.1	18.8	42.8	156.1
1992.....	9.0	144.4	1.5	0.3	1.9	3.9	5.0	5.4	9.1	17.1	35.4	137.6
1991.....	9.8	164.9	2.1	0.4	2.0	4.2	5.7	6.0	9.5	18.2	39.5	128.8
1990.....	9.7	163.4	1.6	0.3	2.2	4.4	5.9	5.7	9.7	17.8	40.8	125.2
1989.....	11.2	171.1	1.6	0.4	2.3	5.2	7.0	7.2	10.8	22.8	48.2	155.1
1988.....	12.8	173.7	2.0	0.4	2.7	5.7	6.5	7.4	14.4	29.6	64.3	192.6
1987.....	13.3	167.3	1.7	0.5	2.6	5.9	7.0	8.4	16.5	31.7	68.1	191.3
1986.....	13.5	166.8	2.0	0.5	2.7	5.2	5.7	8.2	17.1	34.4	74.8	211.9
1985.....	13.5	169.9	1.8	0.3	2.2	4.5	5.3	8.4	18.5	36.0	77.8	207.6
1984.....	12.9	170.3	1.5	0.3	2.1	4.1	4.5	8.4	18.6	36.0	72.9	197.6
1983.....	12.9	156.6	1.7	0.4	2.3	4.1	4.5	8.2	18.5	36.7	73.1	205.1
1982.....	13.2	161.2	2.0	0.5	2.7	4.9	4.9	9.7	18.4	36.9	74.0	181.8
1981.....	13.3	165.9	1.7	0.4	2.5	4.3	4.8	9.5	19.9	39.8	72.5	190.3
1980.....	12.6	166.0	2.3	0.3	2.4	3.8	4.0	8.6	19.5	37.2	71.6	174.3
1979.....	12.3	163.0	1.8	0.4	2.4	3.5	4.2	9.2	18.3	37.8	69.3	162.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 915
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	9.7	62.0	1.2	0.3	0.8	1.5	2.7	3.3	4.9	11.8	35.4	184.0
1997.....	9.4	63.1	1.0	0.4	1.0	1.6	2.7	3.1	5.3	11.7	33.5	177.4
1996.....	9.5	66.4	1.4	0.4	1.0	1.9	2.7	3.4	5.7	12.0	33.9	175.7
1995.....	9.6	78.2	1.8	0.4	1.1	2.1	3.3	3.8	5.8	12.3	34.2	167.1
1994.....	8.9	83.6	1.1	0.2	1.0	1.7	2.5	3.2	5.2	10.8	31.2	164.1
1993.....	9.0	92.7	1.4	0.4	1.0	1.7	2.4	3.5	5.7	11.7	32.3	156.6
1992.....	7.9	93.6	1.2	0.2	0.9	1.6	2.2	2.8	4.9	9.6	27.6	134.5
1991.....	7.8	96.1	1.6	0.3	0.9	1.8	2.2	3.2	4.9	9.7	27.5	127.9
1990.....	7.6	101.1	1.2	0.2	1.1	1.8	2.3	3.0	4.7	9.7	26.4	121.5
1989.....	8.7	109.8	1.3	0.4	1.1	2.1	2.7	3.3	6.1	11.1	31.6	140.9
1988.....	10.5	113.4	1.6	0.4	1.2	2.2	3.0	3.9	7.4	15.8	44.8	171.4
1987.....	10.4	110.7	1.6	0.3	1.2	2.4	3.1	4.6	8.0	15.4	44.1	163.7
1986.....	10.4	107.7	1.6	0.2	1.3	1.9	2.5	4.4	8.2	17.4	44.5	170.8
1985.....	10.2	103.6	1.3	0.2	1.2	1.8	2.2	4.2	8.0	17.2	44.5	173.9
1984.....	9.8	106.8	1.5	0.2	1.1	1.8	2.1	3.8	7.9	18.1	43.9	164.0
1983.....	9.7	109.7	1.4	0.3	1.1	2.0	2.3	4.3	8.3	16.4	41.9	158.7
1982.....	9.5	107.9	1.3	0.2	1.3	2.0	2.7	5.0	8.5	16.7	41.8	145.2
1981.....	9.2	109.3	1.3	0.3	1.5	1.9	2.6	5.0	7.7	16.9	41.5	138.1
1980.....	8.9	113.5	1.6	0.3	1.3	1.8	2.4	4.5	8.3	16.1	40.7	137.8
1979.....	8.4	106.9	1.6	0.3	1.2	1.7	2.5	4.4	7.6	15.1	39.3	127.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	916
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)														
ALL OTHER, BOTH SEXES														
1998.....	10.5	171.5	2.5	0.6	2.0	3.8	6.4	8.9	11.7	21.9	47.1	168.4		
1997.....	10.7	173.3	2.6	0.6	2.3	4.3	7.0	10.0	13.3	19.2	45.4	167.6		
1996.....	11.1	187.8	2.7	0.6	2.8	4.4	8.1	10.5	12.9	19.6	48.2	150.6		
1995.....	12.2	182.6	3.1	0.7	3.0	5.6	9.2	10.7	13.5	22.3	49.9	181.9		
1994.....	12.3	213.7	3.0	0.6	3.1	5.1	9.2	10.2	12.1	22.4	51.5	150.7		
1993.....	14.0	240.7	3.4	0.8	2.8	6.2	10.8	12.8	15.2	25.0	51.3	161.1		
1992.....	13.0	244.8	2.8	0.6	3.0	6.3	8.7	8.9	13.2	21.6	47.8	150.6		
1991.....	14.2	241.3	3.5	0.7	3.2	7.2	10.8	10.7	11.9	21.5	51.4	159.9		
1990.....	15.2	274.6	3.4	0.7	2.9	7.8	12.4	11.8	14.9	23.1	55.2	160.9		
1989.....	16.3	288.7	3.9	1.0	3.1	8.8	13.1	11.9	17.1	26.4	57.4	172.7		
1988.....	18.0	286.2	3.2	0.9	3.4	9.6	14.8	14.3	21.3	38.3	73.0	210.9		
1987.....	18.9	273.5	4.0	0.8	3.8	10.6	14.0	16.5	24.4	42.7	91.4	227.5		
1986.....	19.3	271.0	4.0	0.7	3.0	8.3	12.7	16.9	27.1	50.4	106.5	297.4		
1985.....	19.8	265.9	3.7	0.6	2.7	8.3	10.6	17.0	31.5	58.0	122.9	303.1		
1984.....	19.7	274.7	3.3	0.5	2.7	6.7	10.4	15.4	33.1	58.7	131.5	305.1		
1983.....	21.1	289.2	4.4	0.6	2.8	6.3	10.3	17.2	33.3	64.8	139.0	352.6		
1982.....	22.1	285.9	3.5	0.9	3.7	8.3	12.5	19.8	39.4	66.4	134.6	317.1		
1981.....	22.6	286.5	4.7	0.9	3.2	8.3	11.8	22.2	37.8	69.1	148.7	343.2		
1980.....	24.9	317.7	3.6	0.9	3.2	7.2	13.0	23.2	41.5	83.3	167.3	411.4		
1979.....	24.9	343.4	3.8	0.5	3.6	8.2	12.5	23.9	42.7	80.6	150.2	375.9		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 917
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)													
ALL OTHER MALE													
1998.....	12.1	197.6	2.9	0.5	2.8	5.0	8.6	12.3	16.3	31.4	54.3	159.4	
1997.....	12.8	195.1	2.8	0.7	3.2	6.0	10.3	14.6	19.5	27.2	54.8	169.6	
1996.....	13.0	213.9	2.7	0.7	3.5	5.9	11.0	15.4	18.5	25.6	60.1	134.1	
1995.....	14.6	205.2	3.8	1.0	4.4	7.4	12.7	16.6	19.8	30.0	62.8	189.5	
1994.....	15.1	247.2	3.4	0.7	4.3	7.0	13.2	14.7	18.3	32.6	67.3	143.9	
1993.....	17.3	284.0	3.6	0.7	3.6	8.5	16.0	18.4	23.0	33.4	67.7	175.8	
1992.....	15.7	274.8	3.1	0.7	4.2	8.7	12.4	12.8	19.9	30.4	60.2	147.9	
1991.....	16.9	260.3	4.1	0.6	4.4	10.4	16.1	15.9	16.4	27.3	60.7	180.2	
1990.....	18.8	311.1	3.2	0.9	4.1	10.9	19.0	17.9	23.4	31.2	67.6	158.5	
1989.....	20.5	331.7	4.0	1.2	3.8	12.6	20.6	18.3	25.3	36.3	78.4	203.7	
1988.....	22.0	311.6	3.5	1.2	4.0	13.7	21.3	20.9	32.1	54.3	98.5	250.6	
1987.....	23.0	309.3	4.2	0.8	4.9	14.8	21.0	23.1	34.7	59.4	114.3	277.9	
1986.....	23.6	305.9	4.2	1.0	3.4	11.8	19.5	24.9	40.6	71.3	140.4	338.7	
1985.....	24.2	298.3	4.2	*	3.2	11.1	16.0	25.4	47.7	80.5	161.4	386.3	
1984.....	24.1	302.4	3.7	*	3.3	9.4	15.4	23.6	51.5	84.7	172.5	359.7	
1983.....	25.3	320.6	4.8	0.8	3.6	9.0	15.1	24.1	49.3	90.5	185.7	397.1	
1982.....	26.9	320.2	3.2	1.0	4.3	12.2	18.2	29.3	57.0	91.2	172.4	382.1	
1981.....	27.8	316.2	6.0	1.1	3.9	11.6	17.0	33.6	53.4	98.4	196.0	453.1	
1980.....	29.7	347.5	3.8	0.9	4.2	10.7	17.6	33.6	61.0	110.5	210.2	467.4	
1979.....	30.1	380.5	3.3	0.5	4.8	12.1	17.6	35.3	61.2	108.4	186.6	452.5	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	918
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)														
ALL OTHER FEMALE														
1998.....	9.0	144.7	2.1	0.6	1.3	2.8	4.4	6.0	8.0	14.9	42.5	172.5		
1997.....	8.9	150.9	2.4	0.6	1.4	2.7	4.2	6.2	8.4	13.5	39.6	166.7		
1996.....	9.4	161.0	2.7	0.5	2.1	3.0	5.5	6.3	8.4	15.2	40.9	158.0		
1995.....	10.0	159.4	2.5	0.5	1.7	4.0	6.1	5.7	8.6	16.8	42.0	178.7		
1994.....	9.8	179.1	2.6	0.6	1.9	3.4	5.6	6.3	7.3	15.0	42.0	153.6		
1993.....	11.0	196.0	3.2	0.8	2.0	4.0	6.2	8.0	9.0	18.9	41.6	154.7		
1992.....	10.5	213.9	2.5	0.6	1.9	4.1	5.4	5.5	7.9	15.2	40.4	151.7		
1991.....	11.6	221.7	2.9	0.7	2.0	4.3	6.1	6.3	8.3	17.4	45.7	149.7		
1990.....	11.9	237.1	3.7	*	1.8	5.0	6.6	6.6	8.2	17.4	47.8	162.0		
1989.....	12.4	244.7	3.7	0.7	2.4	5.4	6.6	6.5	10.6	19.3	44.6	158.3		
1988.....	14.3	260.3	3.0	0.6	2.9	5.9	9.2	8.7	12.8	26.9	57.6	192.3		
1987.....	15.1	237.5	3.8	0.8	2.6	6.9	8.0	10.8	16.3	30.8	77.1	203.7		
1986.....	15.4	235.3	3.8	*	2.7	5.2	6.8	10.0	16.5	35.4	85.4	277.6		
1985.....	15.9	232.9	3.1	0.6	2.2	5.8	6.0	9.9	18.6	41.8	98.6	264.7		
1984.....	15.7	246.3	2.8	*	2.2	4.4	6.0	8.6	18.4	39.9	105.7	277.9		
1983.....	17.2	257.1	4.0	*	2.0	3.9	6.2	11.4	20.4	45.9	109.2	330.2		
1982.....	17.8	250.2	3.7	0.7	3.1	4.8	7.6	11.8	25.3	48.2	110.2	282.0		
1981.....	18.0	256.3	3.5	*	2.6	5.4	7.4	12.9	25.2	47.2	117.9	287.3		
1980.....	20.6	287.6	3.4	0.9	2.3	4.2	9.0	14.6	25.6	62.7	139.0	382.7		
1979.....	20.2	305.7	4.4	0.6	2.5	4.7	8.3	14.6	27.5	59.3	125.8	339.5		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 919
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)													
BLACK, BOTH SEXES													
1998.....	13.0	213.7	2.9	0.7	2.5	4.7	8.1	11.5	15.1	26.8	56.0	194.0	
1997.....	13.3	217.2	3.3	0.8	2.8	5.3	9.0	13.2	17.2	22.6	52.8	190.1	
1996.....	13.8	231.9	3.3	0.8	3.2	5.5	10.5	13.7	16.0	24.1	56.1	169.7	
1995.....	15.0	221.7	3.7	0.8	3.5	7.1	11.6	13.6	16.9	26.8	57.7	197.0	
1994.....	15.0	251.8	3.6	0.7	3.8	6.3	11.6	12.9	15.1	26.8	59.0	164.8	
1993.....	17.1	287.3	4.2	0.9	3.4	7.6	13.6	16.5	18.6	30.2	58.2	175.3	
1992.....	15.7	289.1	3.1	0.8	3.6	7.8	11.2	11.2	15.7	25.6	54.7	163.6	
1991.....	17.0	290.0	4.1	0.7	3.7	8.9	13.7	13.1	14.3	25.2	58.4	169.8	
1990.....	18.1	315.6	4.0	0.8	3.4	9.2	15.6	14.7	17.4	26.5	61.3	174.7	
1989.....	19.4	323.2	4.4	1.1	3.5	10.7	16.8	14.7	20.7	31.2	65.6	190.0	
1988.....	21.4	326.7	3.7	1.0	3.9	11.5	19.0	17.5	25.5	45.4	81.7	227.1	
1987.....	22.4	310.2	4.6	0.8	4.2	12.8	17.8	20.4	28.7	49.9	103.0	247.1	
1986.....	22.9	308.3	4.6	0.8	3.5	10.2	16.0	20.7	32.5	58.5	120.2	319.4	
1985.....	23.2	294.1	4.0	0.7	3.2	10.0	13.1	20.8	37.2	66.2	136.9	324.6	
1984.....	23.1	312.6	3.5	0.5	3.1	7.8	12.8	18.7	38.6	67.6	146.6	327.4	
1983.....	24.4	323.1	4.8	0.6	3.0	7.6	12.5	20.7	38.6	73.0	153.8	384.2	
1982.....	25.2	315.5	4.1	0.9	4.0	9.5	15.0	23.1	45.2	74.4	148.8	331.8	
1981.....	25.4	314.6	5.3	0.8	3.1	9.2	13.9	25.5	42.4	75.9	161.5	368.5	
1980.....	28.0	346.3	4.0	0.8	3.5	8.3	15.4	27.0	46.3	91.7	183.3	433.2	
1979.....	27.5	364.9	4.1	0.6	3.8	9.2	14.3	27.4	47.5	88.4	159.8	395.5	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 920
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)													
BLACK MALE													
1998.....	15.0	245.2	3.4	0.7	3.5	5.9	10.9	16.0	21.6	38.8	67.2	192.5	
1997.....	15.9	246.3	3.6	0.7	4.0	7.5	13.1	19.3	25.7	31.7	64.6	199.8	
1996.....	16.1	260.9	3.5	0.9	4.0	7.4	14.2	20.4	23.8	31.7	73.0	156.0	
1995.....	18.1	250.6	4.7	1.1	5.2	9.1	16.2	21.1	25.5	35.6	75.9	210.8	
1994.....	18.3	292.7	3.9	0.8	5.3	8.4	16.9	18.8	23.2	39.4	77.4	154.5	
1993.....	21.2	339.5	4.4	0.9	4.4	10.3	20.4	23.9	28.6	40.9	79.1	193.6	
1992.....	19.0	323.3	3.5	0.9	4.8	10.7	16.0	16.2	24.3	37.0	71.3	165.1	
1991.....	20.5	311.1	4.8	*	5.2	12.8	20.4	20.0	20.3	32.6	70.9	197.1	
1990.....	22.3	353.6	3.9	1.0	4.6	12.7	24.0	22.6	28.0	36.3	76.5	176.6	
1989.....	24.5	368.3	4.6	1.3	4.5	15.3	26.7	23.1	30.8	44.2	92.0	234.8	
1988.....	26.3	353.5	4.3	1.4	4.6	16.4	27.6	25.6	38.3	65.0	114.0	275.4	
1987.....	27.5	349.8	4.9	0.8	5.5	17.8	27.1	29.3	41.2	69.6	134.8	310.9	
1986.....	28.2	347.9	5.0	1.0	3.9	14.5	24.8	31.0	48.9	83.4	164.9	382.5	
1985.....	28.4	330.8	4.5	*	3.6	13.4	19.9	31.5	56.6	93.2	184.0	414.5	
1984.....	28.4	346.4	3.8	*	3.7	10.8	19.5	29.0	60.3	99.0	197.2	391.8	
1983.....	29.5	361.9	5.2	0.9	3.8	10.9	18.7	29.7	57.0	103.3	208.9	445.0	
1982.....	30.9	354.2	4.0	1.0	4.6	14.1	22.1	34.9	66.3	104.0	194.2	398.3	
1981.....	31.0	344.1	6.6	1.0	3.5	12.7	20.3	39.0	60.3	108.9	212.8	498.2	
1980.....	33.5	379.2	4.1	0.8	4.5	12.4	21.5	39.1	68.5	123.6	236.0	496.1	
1979.....	33.4	407.3	3.4	0.6	5.1	13.5	20.0	40.4	68.9	120.9	199.6	486.5	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 921
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	11.2	181.2	2.4	0.8	1.5	3.7	5.6	7.7	10.2	18.2	49.3	194.6
1997.....	10.9	187.1	3.0	0.8	1.6	3.4	5.3	8.2	10.6	16.0	45.9	186.1
1996.....	11.6	202.2	3.1	*	2.5	3.9	7.2	8.2	10.1	18.6	46.3	175.4
1995.....	12.2	192.0	2.6	*	1.8	5.3	7.6	7.3	10.2	20.5	47.3	191.4
1994.....	12.0	209.6	3.2	0.7	2.3	4.3	7.1	8.0	9.0	17.9	48.6	169.0
1993.....	13.4	233.4	4.0	0.9	2.5	5.1	7.8	10.3	10.9	22.6	46.5	167.8
1992.....	12.7	254.0	2.7	*	2.4	5.2	6.9	7.0	9.1	17.6	45.5	163.0
1991.....	13.9	268.3	3.4	0.8	2.2	5.5	7.8	7.5	9.6	20.0	51.4	158.3
1990.....	14.3	276.8	4.0	*	2.1	6.1	8.3	8.2	9.3	19.7	52.8	174.0
1989.....	14.7	277.3	4.1	0.9	2.6	6.7	8.2	7.8	12.9	22.3	50.6	171.9
1988.....	17.0	298.3	3.1	*	3.2	7.1	11.7	10.8	15.5	31.7	63.3	206.0
1987.....	17.8	269.8	4.3	*	3.0	8.3	9.8	13.1	18.8	36.2	84.6	218.8
1986.....	18.2	268.0	4.2	*	3.1	6.3	8.6	12.2	19.6	41.0	93.9	290.6
1985.....	18.6	255.7	3.4	*	2.7	7.1	7.4	11.9	21.9	47.3	108.8	282.7
1984.....	18.3	278.3	3.1	*	2.5	5.2	7.3	10.3	21.4	45.5	116.5	296.9
1983.....	19.8	283.6	4.3	*	2.2	4.7	7.3	13.4	24.0	51.7	119.8	354.8
1982.....	20.2	276.3	4.1	*	3.5	5.5	9.1	13.4	28.3	53.2	120.8	299.2
1981.....	20.3	284.6	3.9	*	2.7	6.1	8.7	14.5	28.0	52.1	129.5	300.9
1980.....	23.1	313.0	3.8	0.9	2.5	4.9	10.4	17.2	28.4	68.4	150.0	401.7
1979.....	22.2	320.3	4.8	0.6	2.6	5.4	9.6	16.6	30.3	64.5	133.1	350.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	922	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
ALL OTHER DISEASES (RESIDUAL)															
TOTAL, BOTH SEXES															
1998.....		91.6	35.2	4.7	2.4	4.6	8.5	18.6	37.3	76.2	202.1	634.4	2,176.0		
1997.....		88.0	35.0	4.8	2.4	4.8	8.7	18.6	36.7	75.0	196.7	616.6	2,112.1		
1996.....		84.3	35.5	5.2	2.5	4.7	8.8	18.7	35.4	74.9	190.7	598.3	2,009.8		
1995.....		81.5	34.0	5.3	2.7	5.0	8.9	19.5	36.2	74.4	185.1	584.8	1,939.0		
1994.....		78.3	35.0	5.2	2.7	4.8	9.1	19.0	35.3	74.2	184.2	565.7	1,844.4		
1993.....		75.9	38.2	5.9	2.9	4.8	9.0	19.4	34.4	73.5	180.0	553.4	1,773.6		
1992.....		70.9	37.9	5.8	2.8	4.7	9.0	19.3	33.8	71.4	176.7	512.1	1,637.5		
1991.....		70.5	43.0	5.8	2.9	4.7	8.8	18.9	34.3	74.4	176.7	518.3	1,615.6		
1990.....		69.5	41.9	5.8	2.9	4.7	9.1	18.3	34.3	74.1	176.5	519.9	1,610.5		
1989.....		69.5	42.1	6.1	3.1	5.1	9.6	19.0	34.4	75.0	180.5	523.1	1,573.0		
1988.....		68.7	44.2	6.1	2.8	4.8	9.8	19.5	35.7	76.8	180.8	523.5	1,533.9		
1987.....		66.3	44.3	6.0	2.7	4.9	9.8	18.9	35.0	74.9	181.2	511.3	1,443.6		
1986.....		65.8	45.6	6.5	2.9	5.6	15.2	25.5	39.0	75.8	178.1	490.2	1,336.9		
1985.....		62.9	49.2	6.9	3.0	5.2	12.8	21.7	37.7	76.3	176.3	478.6	1,271.7		
1984.....		58.3	50.3	6.7	3.2	5.4	10.4	19.2	35.2	74.5	170.9	444.5	1,159.9		
1983.....		55.6	51.6	7.3	3.2	5.4	9.9	17.8	36.3	75.1	167.3	422.1	1,070.6		
1982.....		51.8	49.8	7.2	3.2	5.4	9.3	16.9	35.7	72.0	160.1	392.1	967.0		
1981.....		51.3	54.0	8.0	3.4	5.6	9.7	18.7	37.4	74.2	160.3	381.2	932.1		
1980.....		50.9	59.3	7.6	3.7	5.9	10.0	19.0	39.2	74.9	162.0	377.0	903.2		
1979.....		47.8	63.2	8.3	3.5	5.8	10.0	19.0	38.4	72.6	152.6	351.2	800.8		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 923												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER DISEASES (RESIDUAL) TOTAL, MALE												
1998.....	79.2	37.8	4.8	2.6	5.3	9.8	22.3	45.6	88.4	233.8	704.4	2,110.0
1997.....	76.7	39.5	5.2	2.6	5.5	9.7	22.5	44.5	86.3	228.9	698.4	2,095.1
1996.....	74.5	40.8	5.5	2.7	5.4	10.4	23.4	42.7	88.4	222.6	682.9	2,035.9
1995.....	73.0	37.1	5.8	2.7	5.8	10.6	24.4	44.4	88.7	218.8	671.2	2,017.8
1994.....	71.0	39.7	5.5	3.0	5.5	10.8	24.1	42.9	89.2	220.8	656.7	1,945.3
1993.....	69.4	41.8	6.3	3.1	5.6	10.8	24.5	41.6	87.4	215.7	656.4	1,892.4
1992.....	66.0	43.5	5.9	3.0	5.5	10.9	24.8	42.0	85.3	212.7	610.6	1,777.6
1991.....	65.9	48.4	5.9	3.1	5.4	10.7	24.0	42.0	90.7	214.0	625.2	1,737.6
1990.....	65.2	47.2	6.5	3.2	5.5	10.9	23.7	42.8	90.1	215.6	624.1	1,735.6
1989.....	65.9	47.1	6.7	3.2	6.0	11.8	24.7	42.9	92.4	222.5	631.1	1,696.9
1988.....	65.9	48.6	6.5	2.7	5.8	12.1	25.9	44.2	94.2	223.4	634.2	1,695.9
1987.....	64.1	48.7	6.6	2.8	5.8	12.2	24.1	43.9	91.3	222.6	631.3	1,594.9
1986.....	66.9	51.3	7.0	3.2	6.9	21.8	36.9	50.9	94.2	220.9	603.3	1,518.5
1985.....	63.5	53.2	7.2	3.3	6.3	17.4	30.3	47.6	94.2	220.6	590.9	1,465.7
1984.....	58.7	56.5	7.1	3.3	6.4	13.4	24.8	43.4	90.7	214.9	552.5	1,344.6
1983.....	56.6	55.6	8.0	3.2	6.4	12.4	22.0	44.0	92.9	209.5	532.0	1,263.7
1982.....	52.8	56.2	7.3	3.3	6.3	11.5	20.9	43.6	88.6	200.6	485.5	1,132.5
1981.....	52.9	60.5	8.7	3.5	6.5	11.4	22.8	45.6	90.9	203.4	476.8	1,095.1
1980.....	53.2	65.8	8.3	3.8	6.9	12.2	22.7	48.1	92.9	207.8	469.5	1,067.2
1979.....	50.6	70.8	8.9	3.5	7.0	11.8	22.5	47.8	92.1	194.5	445.6	936.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	924
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ALL OTHER DISEASES (RESIDUAL)														
TOTAL, FEMALE														
1998.....	103.5	32.4	4.6	2.2	4.0	7.2	14.9	29.4	65.0	176.3	588.0	2,203.4		
1997.....	98.8	30.2	4.3	2.2	4.2	7.6	14.7	29.2	64.7	170.7	563.1	2,119.0		
1996.....	93.7	30.1	4.8	2.2	4.0	7.1	14.1	28.4	62.7	165.0	543.6	1,999.4		
1995.....	89.6	30.8	4.8	2.6	4.0	7.1	14.7	28.5	61.5	158.2	530.0	1,908.3		
1994.....	85.4	30.0	4.9	2.3	4.0	7.3	14.0	28.0	60.7	155.2	508.8	1,805.5		
1993.....	82.1	34.4	5.5	2.6	3.9	7.1	14.5	27.6	61.0	151.8	489.6	1,728.0		
1992.....	75.6	32.1	5.7	2.5	4.0	7.1	13.9	26.0	59.0	148.4	451.9	1,583.2		
1991.....	74.9	37.2	5.7	2.7	4.0	6.9	13.9	27.0	59.8	147.6	453.6	1,568.4		
1990.....	73.6	36.5	5.1	2.7	3.9	7.2	13.1	26.2	59.8	146.1	457.7	1,562.3		
1989.....	72.8	36.7	5.4	2.9	4.3	7.4	13.4	26.3	59.6	147.8	458.7	1,524.8		
1988.....	71.3	39.5	5.6	2.8	3.7	7.5	13.2	27.6	61.3	147.7	457.9	1,470.7		
1987.....	68.4	39.7	5.5	2.5	4.0	7.3	13.9	26.6	60.4	149.0	440.4	1,384.0		
1986.....	64.9	39.7	5.9	2.6	4.2	8.6	14.3	27.8	59.5	144.9	423.6	1,264.8		
1985.....	62.3	45.0	6.5	2.7	4.1	8.2	13.3	28.4	60.5	142.2	412.5	1,194.2		
1984.....	57.9	43.9	6.2	2.9	4.4	7.5	13.7	27.5	60.1	137.2	381.0	1,085.2		
1983.....	54.7	47.4	6.6	3.1	4.3	7.4	13.7	29.0	59.5	134.8	357.4	991.4		
1982.....	50.9	43.1	7.1	3.1	4.5	7.1	13.1	28.3	57.4	129.0	337.1	898.0		
1981.....	49.9	47.2	7.3	3.4	4.7	7.9	14.7	29.8	59.6	127.4	325.0	862.2		
1980.....	48.7	52.5	6.9	3.6	4.9	7.9	15.5	30.9	59.0	126.8	322.4	831.5		
1979.....	45.2	55.2	7.6	3.5	4.7	8.2	15.6	29.6	55.5	120.5	295.2	740.3		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	925	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
ALL OTHER DISEASES (RESIDUAL)															
WHITE, BOTH SEXES															
1998.....		97.7	31.3	4.3	2.3	4.4	7.3	16.1	33.2	70.5	198.0	638.6	2,228.8		
1997.....		93.6	30.8	4.5	2.3	4.5	7.4	16.0	32.4	69.9	193.2	620.5	2,163.0		
1996.....		89.3	31.2	4.7	2.4	4.4	7.6	15.7	30.9	70.0	186.5	600.9	2,057.7		
1995.....		85.9	30.5	4.8	2.5	4.6	7.6	16.2	31.1	68.9	180.9	585.9	1,971.9		
1994.....		82.2	31.1	4.6	2.5	4.5	7.7	15.8	30.7	69.1	179.4	564.2	1,874.1		
1993.....		79.2	32.5	5.2	2.8	4.4	7.6	15.9	29.8	67.7	175.4	551.9	1,797.3		
1992.....		73.6	33.0	5.4	2.6	4.4	7.6	15.8	28.8	65.4	171.0	511.0	1,656.8		
1991.....		73.0	38.0	5.1	2.9	4.3	7.2	15.3	29.4	68.7	171.2	515.5	1,631.7		
1990.....		71.3	36.5	5.3	2.9	4.5	7.2	14.4	28.8	67.6	170.1	516.4	1,619.2		
1989.....		70.8	35.4	5.7	3.0	4.8	7.7	14.7	28.2	68.0	173.1	519.1	1,579.2		
1988.....		69.9	37.0	5.7	2.6	4.3	7.9	14.8	29.5	70.0	173.6	519.5	1,546.2		
1987.....		67.3	37.9	5.7	2.6	4.5	7.8	14.3	29.1	68.2	174.2	506.2	1,457.5		
1986.....		66.1	38.2	5.8	2.8	5.0	11.8	20.0	32.7	69.0	171.5	485.8	1,342.1		
1985.....		63.2	40.9	6.2	3.0	4.7	9.8	16.8	31.9	69.9	169.6	475.1	1,278.6		
1984.....		58.6	42.6	6.1	3.1	5.0	8.0	14.8	29.5	68.6	165.4	439.1	1,172.1		
1983.....		55.8	45.2	6.8	3.1	5.0	7.6	13.9	30.9	68.6	161.7	418.0	1,078.0		
1982.....		51.8	42.2	6.9	3.2	5.0	7.1	13.0	30.6	66.5	154.8	387.8	972.0		
1981.....		51.0	45.1	7.4	3.4	5.2	7.3	14.3	32.0	68.2	155.6	376.7	935.6		
1980.....		50.2	49.9	7.1	3.6	5.5	7.7	14.3	32.8	68.7	156.1	372.7	909.1		
1979.....		47.1	52.7	7.5	3.5	5.5	7.8	14.3	32.8	67.0	148.1	348.2	805.5		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	926
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
ALL OTHER DISEASES (RESIDUAL)														
WHITE MALE														
1998.....		83.1	33.1	4.4	2.5	5.3	8.7	19.8	40.6	80.8	229.9	709.3	2,167.0	
1997.....		80.1	34.3	5.0	2.6	5.2	8.7	19.9	39.2	80.1	224.8	700.8	2,143.4	
1996.....		77.4	36.4	5.1	2.7	5.3	9.4	19.9	37.2	81.9	217.6	684.1	2,089.0	
1995.....		75.4	34.1	5.3	2.7	5.6	9.4	20.8	37.6	81.6	212.8	670.8	2,050.4	
1994.....		73.1	35.4	5.0	2.9	5.4	9.6	20.3	37.1	83.0	214.0	654.1	1,973.0	
1993.....		71.1	36.2	5.7	3.1	5.3	9.5	20.4	35.9	79.9	209.5	653.5	1,910.4	
1992.....		67.2	38.0	5.5	2.8	5.3	9.5	21.0	35.5	78.2	205.6	607.0	1,797.0	
1991.....		67.0	42.3	5.3	3.0	5.2	9.0	19.7	35.5	83.4	207.0	622.5	1,760.8	
1990.....		65.5	41.8	6.0	3.2	5.3	8.9	18.6	35.5	81.4	207.3	618.5	1,747.9	
1989.....		65.9	40.8	6.1	3.2	5.8	10.0	19.3	34.7	83.5	212.7	626.7	1,708.0	
1988.....		65.6	40.9	6.1	2.6	5.5	9.9	19.5	36.1	85.5	213.7	629.0	1,714.2	
1987.....		63.8	40.7	6.2	2.7	5.5	9.9	18.3	36.1	82.7	214.3	624.9	1,612.5	
1986.....		65.5	42.4	6.3	3.1	6.5	17.4	29.4	42.2	85.3	211.5	597.1	1,536.6	
1985.....		62.5	44.4	6.5	3.2	5.8	13.7	23.4	39.9	85.6	212.3	587.5	1,483.6	
1984.....		58.0	48.7	6.5	3.3	6.1	10.5	18.9	36.1	83.1	208.1	548.6	1,360.9	
1983.....		55.8	48.9	7.4	3.3	6.2	9.7	17.0	37.2	84.5	202.1	527.8	1,278.4	
1982.....		51.8	47.6	6.8	3.3	6.0	8.9	15.6	37.1	80.9	194.1	482.3	1,141.8	
1981.....		51.7	51.2	8.0	3.4	6.3	8.5	17.2	38.5	83.0	197.8	473.5	1,101.7	
1980.....		51.5	56.0	7.6	3.6	6.6	9.5	16.8	39.9	84.6	200.1	465.0	1,070.8	
1979.....		49.1	60.2	8.2	3.5	6.7	9.0	16.4	40.5	84.4	189.1	442.5	940.4	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 927
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ALL OTHER DISEASES (RESIDUAL)													
WHITE FEMALE													
1998.....	111.7	29.4	4.3	2.0	3.5	5.8	12.3	26.0	61.0	171.7	591.5	2,254.2	
1997.....	106.6	27.0	4.1	2.0	3.8	6.1	12.1	25.8	60.4	167.4	567.8	2,170.7	
1996.....	100.7	25.9	4.2	2.1	3.5	5.7	11.4	24.7	59.0	161.2	546.8	2,045.4	
1995.....	96.0	26.7	4.2	2.4	3.6	5.8	11.6	24.8	57.1	155.1	531.7	1,941.7	
1994.....	91.0	26.6	4.3	2.1	3.5	5.7	11.3	24.5	56.2	151.6	507.7	1,836.4	
1993.....	87.1	28.6	4.8	2.5	3.4	5.6	11.4	23.7	56.5	148.0	488.9	1,754.5	
1992.....	79.8	27.6	5.4	2.4	3.5	5.6	10.7	22.3	53.6	143.5	452.1	1,603.3	
1991.....	78.7	33.6	5.0	2.7	3.4	5.3	11.0	23.4	55.3	143.0	450.7	1,583.3	
1990.....	77.0	30.9	4.7	2.5	3.5	5.5	10.1	22.3	55.0	140.8	455.4	1,570.3	
1989.....	75.6	29.7	5.2	2.7	3.7	5.5	10.2	21.9	53.9	142.0	455.1	1,530.8	
1988.....	74.0	32.9	5.3	2.6	3.1	5.8	10.1	23.2	56.0	142.2	454.8	1,481.7	
1987.....	70.7	34.9	5.1	2.6	3.5	5.6	10.4	22.3	55.2	142.9	436.4	1,397.5	
1986.....	66.6	33.9	5.3	2.6	3.6	6.1	10.6	23.6	54.4	140.4	420.6	1,266.2	
1985.....	63.9	37.3	5.9	2.7	3.6	5.8	10.3	24.1	55.9	136.4	409.5	1,198.3	
1984.....	59.2	36.3	5.7	2.9	3.8	5.4	10.8	23.2	55.7	132.4	375.3	1,097.2	
1983.....	55.8	41.2	6.3	3.0	3.8	5.6	10.8	24.8	54.5	130.5	353.9	997.3	
1982.....	51.7	36.5	7.0	3.2	3.9	5.2	10.5	24.3	53.8	124.6	332.8	902.5	
1981.....	50.2	38.6	6.8	3.3	4.1	6.0	11.5	25.7	55.0	123.1	320.4	866.0	
1980.....	48.9	43.5	6.5	3.7	4.3	5.9	11.9	26.0	54.6	122.3	318.8	839.4	
1979.....	45.3	44.8	6.9	3.5	4.3	6.6	12.2	25.4	51.5	116.8	292.9	745.8	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	928	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+		
ALL OTHER DISEASES (RESIDUAL)															
ALL OTHER, BOTH SEXES															
1998.....		63.1	49.8	6.3	2.9	5.4	13.5	30.3	60.0	111.1	231.4	595.0	1,676.9		
1997.....		61.0	51.4	5.8	2.9	6.1	14.1	31.1	60.7	106.5	222.7	579.0	1,626.9		
1996.....		60.1	52.8	7.0	2.7	5.8	13.8	33.8	61.5	105.7	222.5	573.7	1,550.6		
1995.....		60.2	46.6	7.3	3.0	6.3	14.3	36.2	66.5	109.7	218.1	574.2	1,603.8		
1994.....		59.0	49.1	7.2	3.3	5.9	15.3	34.8	62.6	107.7	222.7	580.0	1,539.4		
1993.....		59.1	59.1	8.4	3.2	6.3	15.3	37.5	62.9	111.9	218.2	567.3	1,529.0		
1992.....		57.2	56.6	7.5	3.4	6.1	15.4	37.4	64.5	112.2	223.5	523.5	1,434.9		
1991.....		58.0	59.7	8.2	3.2	6.5	16.5	38.0	64.4	114.3	222.8	546.2	1,446.0		
1990.....		60.0	62.8	7.8	3.2	5.8	18.0	40.1	68.6	120.4	232.3	554.5	1,518.8		
1989.....		62.3	67.7	7.7	3.5	6.8	19.0	42.9	73.3	126.1	244.6	562.3	1,506.6		
1988.....		62.2	73.0	7.6	3.4	6.9	19.6	46.2	74.5	127.2	244.0	563.3	1,403.6		
1987.....		60.7	70.7	7.6	2.8	6.8	20.1	45.9	72.3	125.5	242.8	562.6	1,294.2		
1986.....		64.6	77.3	9.3	3.1	8.1	33.0	58.1	79.1	128.7	236.3	533.4	1,281.0		
1985.....		61.3	85.3	9.7	3.3	7.7	28.8	51.5	75.8	127.3	236.5	512.9	1,190.6		
1984.....		56.6	84.2	9.1	3.4	7.3	23.8	46.2	72.9	121.8	220.5	498.1	1,026.3		
1983.....		54.8	80.1	9.3	3.2	7.2	22.6	42.5	72.5	128.9	217.5	464.3	983.7		
1982.....		52.0	83.8	8.6	3.2	7.4	21.8	41.8	71.2	118.4	208.1	435.6	915.1		
1981.....		53.5	94.8	10.6	3.5	7.6	23.7	46.7	76.2	126.1	203.9	427.9	892.6		
1980.....		55.3	102.3	10.0	4.0	8.3	24.2	50.2	86.2	128.6	215.9	422.6	835.5		
1979.....		52.1	112.6	11.8	3.5	7.6	24.1	50.4	80.6	122.6	193.3	382.7	745.4		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	929
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ALL OTHER DISEASES (RESIDUAL)														
ALL OTHER MALE														
1998.....	60.2	56.0	6.6	3.1	5.3	14.5	34.6	75.4	140.0	263.8	656.9	1,610.7		
1997.....	59.5	60.2	6.1	2.8	6.4	14.5	35.8	77.0	128.1	262.4	675.4	1,674.7		
1996.....	59.6	58.6	6.9	2.9	5.9	15.2	41.8	77.1	132.7	263.6	671.1	1,573.8		
1995.....	60.9	47.8	7.4	3.0	6.8	16.2	44.0	87.6	137.9	269.2	674.3	1,713.4		
1994.....	60.0	55.8	7.4	3.5	5.9	16.5	44.3	80.1	133.4	278.7	683.4	1,685.9		
1993.....	60.6	62.6	8.7	3.2	6.8	17.1	47.1	78.8	141.5	269.2	686.1	1,724.9		
1992.....	59.5	64.0	7.8	3.7	6.4	17.5	46.4	85.2	136.9	275.0	646.2	1,596.7		
1991.....	60.4	69.6	8.1	3.4	6.4	19.3	48.9	84.0	146.1	276.8	651.8	1,523.3		
1990.....	63.6	68.0	8.8	3.2	6.0	21.2	53.7	91.2	157.6	291.2	678.6	1,620.4		
1989.....	66.1	71.8	9.1	3.2	6.8	21.8	57.5	97.8	161.4	312.8	674.3	1,593.8		
1988.....	67.7	80.2	8.3	3.2	7.4	23.8	65.4	98.7	163.9	313.2	686.3	1,526.6		
1987.....	65.9	82.1	8.1	3.1	7.1	25.0	60.8	96.4	161.3	300.8	693.6	1,429.9		
1986.....	74.4	90.1	10.0	3.4	9.0	46.6	85.2	109.7	168.4	308.4	661.1	1,348.0		
1985.....	69.5	92.2	10.5	3.6	8.7	38.8	76.1	101.0	167.4	297.5	621.9	1,297.3		
1984.....	63.0	91.3	9.8	3.7	7.4	30.5	64.4	94.8	156.7	278.0	590.1	1,191.7		
1983.....	61.3	85.6	10.7	2.9	7.7	28.7	56.3	93.3	166.4	278.8	572.8	1,105.7		
1982.....	58.4	95.0	9.6	3.3	7.5	27.2	57.3	91.8	157.4	261.5	516.8	1,041.8		
1981.....	60.0	104.0	11.9	3.6	7.6	29.7	61.8	99.4	161.6	254.7	509.4	1,029.7		
1980.....	63.7	111.7	11.3	4.4	9.0	30.1	64.9	113.4	168.6	279.1	513.5	1,030.3		
1979.....	60.7	121.8	12.5	3.3	8.7	31.2	66.6	107.4	163.0	243.8	473.9	900.0		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 930
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ALL OTHER DISEASES (RESIDUAL) 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

ALL OTHER FEMALE	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	65.6	43.5	6.0	2.7	5.5	12.7	26.4	47.0	88.2	207.8	556.1	1,707.1
1997.....	62.4	42.4	5.5	3.1	5.8	13.7	27.0	47.0	89.4	194.0	519.5	1,605.3
1996.....	60.6	46.8	7.2	2.5	5.8	12.6	26.7	48.3	84.3	192.7	513.9	1,540.2
1995.....	59.6	45.3	7.1	3.1	5.8	12.7	29.4	48.8	87.5	181.2	513.9	1,556.4
1994.....	58.2	42.2	7.0	3.1	5.9	14.2	26.3	47.9	87.5	182.3	518.4	1,475.9
1993.....	57.6	55.6	8.1	3.2	5.7	13.6	29.1	49.5	88.6	181.5	496.6	1,443.6
1992.....	55.1	48.9	7.2	3.1	5.9	13.5	29.5	46.9	92.8	186.6	450.1	1,362.1
1991.....	55.9	49.6	8.3	2.9	6.6	14.0	28.4	47.6	89.4	184.4	482.0	1,403.2
1990.....	56.7	57.4	6.7	3.3	5.5	15.0	28.3	49.3	91.3	190.3	480.1	1,472.7
1989.....	58.8	63.5	6.2	3.7	6.7	16.5	30.3	52.3	98.5	196.0	494.5	1,466.3
1988.....	57.2	65.7	6.8	3.6	6.3	15.8	29.5	53.9	98.4	194.4	489.5	1,346.2
1987.....	55.9	59.2	7.0	2.4	6.5	15.7	33.0	51.9	97.5	201.2	480.8	1,230.1
1986.....	55.6	64.2	8.5	2.8	7.2	20.8	34.8	53.1	97.3	184.3	454.0	1,248.7
1985.....	54.0	78.2	9.0	2.9	6.7	19.9	30.4	54.5	95.4	192.3	444.3	1,146.7
1984.....	50.8	76.8	8.4	3.2	7.2	17.8	30.5	54.5	93.8	179.0	440.8	944.1
1983.....	48.9	74.5	7.8	3.5	6.8	17.1	30.8	55.1	98.6	172.4	394.8	922.3
1982.....	46.2	72.2	7.6	3.0	7.4	17.0	28.5	54.1	86.9	168.8	383.0	844.4
1981.....	47.6	85.4	9.3	3.5	7.6	18.4	33.9	57.0	97.2	165.7	374.8	823.0
1980.....	47.7	92.9	8.7	3.5	7.7	19.0	37.8	63.9	95.9	168.1	362.8	735.8
1979.....	44.3	103.4	11.2	3.7	6.6	18.0	36.8	58.6	89.4	154.8	321.8	671.9

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	931
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER DISEASES (RESIDUAL)													
BLACK, BOTH SEXES													
1998.....		75.9	62.6	7.3	3.2	6.2	16.9	37.9	76.1	134.3	271.9	682.7	1,829.4
1997.....		73.1	60.9	6.5	3.2	6.9	17.4	38.8	77.3	129.7	258.2	646.0	1,781.9
1996.....		72.1	63.7	7.5	3.1	6.8	17.1	42.3	77.3	129.1	258.6	639.7	1,688.8
1995.....		72.0	52.8	8.1	3.5	7.2	18.1	45.2	82.9	131.7	251.8	631.5	1,684.3
1994.....		70.6	56.6	8.1	3.6	7.1	18.4	43.7	78.2	130.5	257.2	637.4	1,606.7
1993.....		70.4	71.6	9.5	3.7	6.9	18.9	46.7	78.2	132.4	252.3	620.5	1,586.3
1992.....		68.4	65.8	8.6	3.8	7.0	18.9	47.2	80.8	134.0	256.9	572.7	1,513.2
1991.....		69.7	73.9	9.0	3.6	7.7	20.4	47.9	81.0	136.5	254.5	600.6	1,519.8
1990.....		71.3	72.2	8.7	3.6	6.6	22.2	50.8	85.0	141.0	262.7	601.6	1,586.0
1989.....		74.1	76.9	8.2	4.0	7.9	23.2	54.7	89.2	147.8	279.3	612.9	1,573.6
1988.....		73.3	80.9	8.3	3.8	7.9	24.2	58.7	90.4	147.7	274.4	606.3	1,463.6
1987.....		71.2	78.5	8.2	2.9	7.8	24.5	58.4	86.6	144.6	273.6	608.5	1,336.1
1986.....		75.7	87.0	10.5	3.3	9.2	41.1	73.4	95.6	148.6	263.5	574.9	1,303.5
1985.....		71.3	95.4	10.7	3.6	8.6	35.0	64.6	90.5	145.5	262.4	547.1	1,236.9
1984.....		64.9	90.6	10.1	3.8	8.1	28.5	56.4	86.3	139.0	242.5	529.1	1,044.7
1983.....		62.1	87.2	9.8	3.5	7.9	26.9	51.8	83.4	145.3	236.0	489.1	996.2
1982.....		58.8	92.1	9.3	3.4	8.0	25.7	50.1	81.0	132.9	226.7	464.2	933.0
1981.....		60.0	104.3	11.0	3.8	8.0	27.8	54.9	86.6	139.7	219.7	454.3	924.4
1980.....		61.0	112.6	10.6	4.2	8.8	27.9	58.5	97.7	140.2	227.9	445.2	843.7
1979.....		56.4	118.3	12.3	3.6	8.0	27.0	57.0	89.5	132.7	202.1	390.3	750.6

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	932	
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
ALL OTHER DISEASES (RESIDUAL)															
BLACK MALE															
1998.....		72.1	70.7	7.7	3.4	6.1	17.8	43.2	96.1	172.9	311.7	769.5	1,765.1		
1997.....		70.9	72.0	6.8	3.2	7.2	18.0	44.3	99.9	158.2	304.2	765.7	1,834.2		
1996.....		71.3	70.5	7.2	3.4	6.9	18.8	52.2	98.9	165.1	307.4	760.4	1,726.6		
1995.....		72.5	53.4	8.4	3.5	7.6	20.7	54.6	110.0	167.0	314.6	750.9	1,794.1		
1994.....		71.6	64.7	8.1	4.1	6.9	20.1	56.1	100.8	164.7	322.5	761.4	1,761.0		
1993.....		72.2	76.0	10.1	3.8	7.5	20.8	59.3	100.6	171.5	311.9	758.0	1,786.5		
1992.....		71.1	71.2	9.0	4.1	7.4	21.6	58.6	109.4	167.1	319.1	717.4	1,703.9		
1991.....		72.5	86.0	9.1	3.8	7.4	23.6	61.8	107.1	175.8	322.5	729.8	1,643.5		
1990.....		75.6	77.5	9.5	3.6	6.8	26.6	68.1	115.7	185.7	328.9	752.9	1,723.3		
1989.....		78.5	80.3	9.6	3.7	7.6	26.9	73.3	121.7	190.2	359.8	745.1	1,710.6		
1988.....		80.1	89.6	9.6	3.6	8.7	30.0	83.8	122.3	191.5	356.6	748.0	1,600.0		
1987.....		77.8	91.3	8.7	3.3	8.1	30.3	78.4	118.8	187.0	345.6	761.0	1,490.6		
1986.....		87.7	101.1	11.2	3.7	10.3	58.5	109.5	135.0	195.4	345.3	724.4	1,361.9		
1985.....		81.2	101.8	11.3	3.8	9.6	48.0	96.5	123.9	193.5	335.3	672.0	1,330.6		
1984.....		72.6	99.6	11.1	4.1	8.1	37.1	80.2	113.9	180.7	308.6	629.1	1,211.5		
1983.....		69.7	94.5	11.4	3.0	8.2	34.5	70.1	109.1	190.0	301.7	605.3	1,135.0		
1982.....		66.1	106.2	10.4	3.5	7.8	32.1	69.6	105.4	178.1	288.4	552.7	1,062.1		
1981.....		67.3	114.1	12.6	3.8	7.7	35.2	74.2	114.3	180.3	278.8	537.0	1,048.2		
1980.....		70.4	123.8	12.0	4.6	9.3	35.0	77.4	129.6	184.4	297.9	545.2	1,041.3		
1979.....		65.4	128.1	13.4	3.3	9.0	35.4	75.8	119.4	176.9	259.2	470.6	875.0		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	933
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
ALL OTHER DISEASES (RESIDUAL)													
BLACK FEMALE													
1998.....	79.3	54.3	6.8	3.0	6.3	16.1	33.1	59.6	104.7	243.0	631.0	1,856.1	
1997.....	75.0	49.3	6.3	3.3	6.5	16.8	34.0	58.5	107.8	225.1	575.8	1,760.3	
1996.....	72.9	56.8	7.9	2.8	6.7	15.6	33.6	59.5	101.4	223.6	569.5	1,673.2	
1995.....	71.6	52.2	7.8	3.6	6.9	15.9	37.1	60.5	104.5	206.9	563.1	1,639.6	
1994.....	69.7	48.2	8.1	3.1	7.2	16.9	32.9	59.4	104.3	210.7	567.2	1,544.1	
1993.....	68.8	67.0	8.9	3.6	6.3	17.1	35.7	59.7	102.2	210.1	543.4	1,504.6	
1992.....	65.9	60.2	8.2	3.3	6.7	16.5	37.2	57.0	108.4	213.2	491.9	1,433.9	
1991.....	67.1	61.4	8.9	3.3	8.1	17.6	35.8	59.5	106.0	207.1	528.4	1,467.5	
1990.....	67.4	66.8	7.9	3.5	6.5	18.2	35.9	59.5	106.3	216.7	516.8	1,527.9	
1989.....	70.1	73.5	6.7	4.2	8.1	20.0	38.7	62.2	114.8	223.4	538.1	1,524.8	
1988.....	67.2	71.8	7.0	4.0	7.1	19.1	37.2	64.1	113.5	217.1	525.3	1,404.0	
1987.....	65.4	65.5	7.5	2.6	7.5	19.3	41.4	60.0	111.1	223.3	520.0	1,267.4	
1986.....	64.9	72.7	9.8	2.9	8.2	25.7	42.8	63.1	111.8	205.8	487.0	1,276.8	
1985.....	62.3	88.6	10.0	3.4	7.5	23.6	37.6	63.1	107.7	211.0	472.6	1,193.2	
1984.....	58.0	81.4	9.0	3.4	8.0	20.9	36.5	63.5	105.8	195.9	470.3	965.9	
1983.....	55.3	79.9	8.3	3.9	7.5	20.3	36.5	62.5	109.7	189.6	416.8	929.0	
1982.....	52.2	77.8	8.3	3.2	8.2	20.1	33.7	61.0	96.8	182.6	409.5	869.5	
1981.....	53.5	94.4	9.4	3.9	8.2	21.4	38.9	64.0	107.1	177.0	402.7	854.9	
1980.....	52.6	101.2	9.3	3.8	8.2	21.8	42.8	71.7	104.6	176.8	381.8	745.0	
1979.....	48.4	107.8	11.3	3.9	7.1	19.8	41.4	65.0	96.9	160.1	336.1	688.5	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 934
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ACCIDENTS AND ADVERSE EFFECTS (E800-E949)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
TOTAL, BOTH SEXES													
1998.....	36.2	20.0	12.7	8.3	35.9	31.1	34.0	31.6	32.4	48.3	106.3	280.5	
1997.....	35.7	20.1	13.1	8.7	36.5	31.8	33.0	31.0	32.6	46.4	103.4	276.5	
1996.....	35.8	21.3	13.8	8.9	38.1	31.8	32.9	30.4	32.2	47.0	102.0	276.2	
1995.....	35.5	20.5	14.5	9.3	38.5	32.9	33.5	29.8	31.9	44.8	98.4	268.2	
1994.....	35.1	23.0	15.9	9.3	38.7	32.5	32.5	29.4	30.6	44.2	100.3	257.8	
1993.....	35.1	22.9	16.4	9.4	38.8	33.5	32.5	28.0	30.6	43.6	99.5	263.5	
1992.....	34.0	20.5	15.9	9.3	37.8	32.5	30.1	27.3	30.6	44.2	96.3	254.8	
1991.....	35.4	24.0	17.5	10.2	42.0	34.5	29.9	27.7	31.2	44.5	98.3	258.4	
1990.....	37.0	23.6	17.3	10.4	43.9	37.0	31.3	29.4	34.3	46.6	100.3	257.1	
1989.....	38.5	25.8	18.9	11.8	44.8	38.3	32.6	30.4	35.6	49.3	104.1	261.6	
1988.....	39.7	24.9	19.8	12.3	48.5	38.8	32.8	31.4	35.6	50.9	105.5	273.1	
1987.....	39.2	25.7	20.4	12.4	48.1	38.8	31.7	30.2	36.0	49.8	105.9	255.9	
1986.....	39.7	24.6	20.6	12.6	50.5	39.9	31.2	30.9	35.1	49.6	105.5	255.4	
1985.....	39.3	24.2	20.2	12.6	47.9	38.1	31.7	31.5	37.0	50.9	106.9	258.2	
1984.....	39.4	23.5	19.9	12.4	48.9	39.0	31.2	32.4	36.2	50.7	106.6	259.7	
1983.....	39.6	26.2	21.9	12.7	48.2	39.0	31.9	32.6	36.8	50.8	105.7	262.5	
1982.....	40.6	28.1	22.7	13.2	51.2	40.4	32.8	34.1	37.5	50.9	104.4	255.9	
1981.....	43.9	27.2	23.7	14.2	55.9	45.0	35.7	37.6	40.4	54.4	108.5	274.2	
1980.....	46.7	33.0	25.9	15.0	61.7	46.3	37.3	39.0	42.6	57.7	120.3	292.5	
1979.....	46.9	31.5	26.5	16.1	62.6	45.7	38.4	39.4	43.5	58.8	117.8	276.0	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 935
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	47.7	22.4	14.9	10.4	51.9	47.5	50.1	47.2	46.2	64.1	138.0	363.5
1997.....	47.3	22.1	15.2	10.6	52.1	48.4	49.5	46.1	46.4	63.0	135.6	362.9
1996.....	47.4	23.2	16.2	11.1	55.2	47.8	49.2	45.1	46.0	63.9	133.1	365.0
1995.....	47.9	21.4	16.8	11.7	56.2	50.5	51.2	45.0	45.8	59.9	130.6	368.7
1994.....	47.6	25.5	18.7	12.0	56.8	50.3	50.1	43.7	44.2	59.8	134.9	359.7
1993.....	47.8	25.1	19.1	11.8	57.6	51.9	50.5	42.2	43.9	59.0	133.2	366.9
1992.....	46.5	22.7	19.1	12.2	55.5	50.6	46.7	41.0	44.8	61.1	130.8	344.3
1991.....	48.6	27.0	20.1	13.6	62.0	54.0	46.2	41.4	45.7	61.4	132.3	350.6
1990.....	51.1	25.2	20.8	13.5	65.9	57.9	48.7	43.7	49.8	64.6	134.0	349.8
1989.....	53.1	27.5	22.3	15.3	66.3	59.5	50.2	45.8	52.9	68.0	141.8	359.8
1988.....	55.3	27.6	23.4	15.9	73.0	60.8	51.1	47.3	52.1	70.7	143.9	381.5
1987.....	54.9	27.7	24.5	16.8	72.4	61.2	49.4	45.4	52.8	69.1	146.3	358.5
1986.....	56.1	26.0	23.9	17.0	77.0	63.9	48.8	47.4	51.8	68.1	145.1	357.6
1985.....	55.4	25.6	24.3	16.8	72.9	61.3	49.3	47.6	55.1	69.2	149.2	364.4
1984.....	55.9	24.6	24.0	16.6	74.8	62.4	48.7	48.9	53.6	72.5	147.5	361.2
1983.....	56.2	29.4	26.0	17.0	74.1	62.6	50.1	49.8	55.2	71.1	145.6	358.1
1982.....	58.4	32.3	26.7	17.5	80.1	65.5	51.5	52.3	56.3	72.2	144.4	343.1
1981.....	63.6	29.4	28.2	19.2	87.2	73.1	56.1	57.8	61.0	78.5	150.4	366.6
1980.....	67.4	36.5	30.5	19.9	96.7	75.4	58.7	60.0	64.0	82.6	163.0	376.9
1979.....	68.2	35.0	30.9	21.8	98.2	74.4	60.4	60.6	65.7	85.5	162.1	355.9

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 936
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)													
TOTAL, FEMALE													
1998.....	25.2	17.4	10.5	6.1	19.1	14.8	18.1	16.8	19.8	35.5	85.4	246.1	
1997.....	24.7	18.1	10.8	6.7	20.1	15.2	16.8	16.4	20.0	32.9	82.3	241.6	
1996.....	24.6	19.3	11.3	6.7	20.1	15.7	16.7	16.3	19.6	33.4	81.9	240.8	
1995.....	23.7	19.4	12.0	6.8	20.1	15.3	16.1	15.3	19.4	32.7	77.9	229.1	
1994.....	23.2	20.3	12.9	6.6	19.8	14.8	15.3	15.6	18.3	31.9	78.7	218.5	
1993.....	23.0	20.6	13.6	6.7	19.1	15.0	14.9	14.5	18.6	31.4	78.6	223.8	
1992.....	22.1	18.2	12.6	6.2	19.3	14.4	13.8	14.2	17.8	31.0	75.3	220.2	
1991.....	22.9	20.7	14.8	6.7	21.0	14.9	13.9	14.6	18.2	31.3	77.8	222.7	
1990.....	23.6	21.8	13.7	7.2	20.8	16.1	14.3	15.8	20.4	32.5	80.2	221.3	
1989.....	24.6	24.1	15.4	8.1	22.3	17.2	15.3	15.7	20.1	34.8	81.7	223.4	
1988.....	24.9	22.1	16.0	8.5	23.0	16.8	15.0	16.2	21.0	35.5	82.8	230.8	
1987.....	24.3	23.6	16.0	7.8	22.9	16.5	14.5	15.8	21.0	34.9	82.0	215.4	
1986.....	24.1	23.1	17.1	8.0	23.2	16.0	14.1	15.3	20.4	35.2	82.2	214.8	
1985.....	24.0	22.8	15.9	8.3	22.2	15.0	14.7	16.3	20.9	36.8	82.0	215.7	
1984.....	23.8	22.3	15.6	8.0	22.4	15.8	14.4	16.8	20.9	33.9	82.5	218.7	
1983.....	23.8	22.8	17.6	8.3	21.6	15.6	14.3	16.4	20.7	35.2	82.2	223.3	
1982.....	23.8	23.7	18.6	8.8	21.6	15.7	14.7	17.0	20.9	34.7	80.8	219.6	
1981.....	25.3	24.9	19.0	8.9	24.0	17.3	16.1	18.6	22.3	35.9	83.9	234.8	
1980.....	27.1	29.4	21.0	9.8	26.0	17.6	16.7	19.4	23.9	38.7	95.1	255.6	
1979.....	26.8	27.9	21.8	10.1	26.4	17.4	17.2	19.5	23.9	38.3	91.6	240.5	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 937
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)													
WHITE, BOTH SEXES													
1998.....	36.9	17.1	11.5	7.6	37.8	31.2	33.4	29.8	31.1	47.6	107.2	288.6	
1997.....	36.1	17.0	11.8	8.0	38.3	31.7	31.9	29.2	31.0	45.2	103.5	284.5	
1996.....	36.1	18.1	12.3	8.3	39.5	31.7	32.0	28.7	30.8	45.5	101.9	284.9	
1995.....	35.7	17.3	13.3	8.8	40.2	32.7	32.0	27.9	30.2	43.3	97.9	273.9	
1994.....	35.1	19.2	13.9	8.5	40.1	32.3	31.1	27.3	28.6	42.9	99.5	262.5	
1993.....	35.0	19.4	14.6	8.6	40.0	33.3	30.8	26.3	29.0	42.0	99.2	266.8	
1992.....	34.0	16.9	14.6	8.6	39.4	32.3	28.6	25.5	28.5	42.9	95.6	259.3	
1991.....	35.3	20.6	16.1	9.6	44.0	33.8	27.8	26.2	29.5	42.7	98.1	260.7	
1990.....	36.9	19.5	15.7	9.8	46.1	36.4	29.6	27.6	32.4	44.7	99.3	259.9	
1989.....	38.1	20.1	17.3	11.1	47.0	37.8	30.5	28.1	33.2	47.2	102.8	261.7	
1988.....	39.3	21.2	17.9	11.5	51.0	38.1	30.7	29.3	33.2	48.3	103.8	275.0	
1987.....	39.0	21.8	18.8	11.8	50.7	38.1	29.7	28.2	33.9	47.5	104.7	257.1	
1986.....	39.5	20.1	19.0	11.7	53.7	39.1	29.4	29.0	32.7	47.9	103.9	256.7	
1985.....	39.1	20.9	18.6	11.9	50.8	37.5	29.9	29.4	34.6	48.8	104.8	259.9	
1984.....	39.5	20.2	18.0	11.9	52.0	38.8	29.7	30.8	34.3	48.5	105.4	261.8	
1983.....	39.4	22.4	20.3	12.1	51.2	38.6	30.4	30.4	34.4	48.1	103.2	266.5	
1982.....	40.6	23.8	21.0	12.6	54.5	40.0	31.3	32.0	35.2	48.6	103.3	260.8	
1981.....	44.0	23.3	21.7	13.5	59.7	44.8	34.0	35.3	38.1	52.1	107.4	277.8	
1980.....	46.3	28.2	23.7	14.1	65.4	45.6	35.3	36.2	39.5	54.4	116.4	294.7	
1979.....	46.6	26.3	23.9	15.2	66.4	44.7	36.1	36.7	41.0	56.4	117.0	277.9	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 938
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	47.9	19.8	13.5	9.3	54.1	47.3	49.1	43.9	43.6	62.6	138.5	371.1
1997.....	47.2	18.4	13.9	9.9	54.0	47.9	47.6	43.1	43.6	61.1	135.3	373.9
1996.....	47.3	19.5	14.6	10.1	56.7	47.4	48.0	42.1	43.5	61.3	131.9	377.3
1995.....	47.4	18.9	15.3	11.0	58.1	50.1	48.7	41.7	42.6	57.0	128.7	373.9
1994.....	46.9	21.7	16.5	10.9	58.3	50.0	47.7	40.3	40.6	57.5	131.9	365.2
1993.....	47.0	21.1	17.1	11.0	58.9	51.7	47.4	38.8	40.8	56.0	132.6	369.6
1992.....	45.9	19.8	18.0	11.2	57.3	50.3	44.3	37.8	41.1	58.4	129.2	348.7
1991.....	47.7	22.7	18.6	12.5	64.3	52.6	42.7	38.8	42.7	58.2	130.5	353.8
1990.....	50.3	20.8	18.9	12.6	68.7	56.7	45.5	40.5	46.5	61.4	131.6	353.1
1989.....	51.9	21.3	20.4	14.3	68.8	58.4	46.6	41.5	48.5	64.2	138.4	360.1
1988.....	54.0	23.3	21.1	15.0	76.3	59.5	47.4	43.3	47.5	65.5	139.9	383.0
1987.....	53.9	23.1	22.5	15.9	75.5	59.8	45.6	41.8	49.0	65.2	144.0	359.5
1986.....	55.2	21.1	22.2	15.8	81.1	62.3	45.4	43.9	47.8	64.9	140.8	359.1
1985.....	54.6	22.3	22.4	15.8	76.7	60.2	45.9	43.7	50.9	65.3	145.3	366.9
1984.....	55.4	20.8	21.9	15.7	79.0	61.7	45.6	46.0	49.9	68.4	145.3	362.8
1983.....	55.6	24.7	24.3	16.3	78.5	61.7	47.1	46.0	51.0	66.5	141.2	363.2
1982.....	57.9	27.3	24.8	16.8	85.0	64.5	48.7	48.4	52.0	68.0	141.1	348.6
1981.....	63.1	25.1	25.8	18.4	92.5	72.5	52.8	53.4	56.7	73.9	147.8	371.0
1980.....	66.3	30.9	28.1	18.7	101.8	73.9	55.0	54.7	58.7	77.3	157.4	379.2
1979.....	67.2	30.5	27.9	20.4	103.7	72.3	56.0	55.7	61.3	81.3	159.5	357.5

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 939
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	26.2	14.2	9.4	5.8	20.4	15.0	17.5	15.9	19.4	35.3	86.3	254.8
1997.....	25.4	15.6	9.7	6.0	21.5	15.0	16.0	15.5	19.4	32.2	82.5	248.9
1996.....	25.4	16.5	9.9	6.4	21.1	15.5	15.9	15.6	19.1	32.7	82.4	248.6
1995.....	24.4	15.7	11.1	6.4	21.3	15.0	15.2	14.4	18.7	32.1	78.1	235.4
1994.....	23.6	16.5	11.2	6.0	21.0	14.3	14.4	14.6	17.6	31.2	79.1	223.4
1993.....	23.5	17.6	11.9	6.0	20.1	14.6	14.1	14.0	18.0	30.7	78.5	227.9
1992.....	22.6	13.8	11.0	5.8	20.5	14.0	12.9	13.6	16.9	30.5	74.9	225.2
1991.....	23.4	18.3	13.5	6.4	22.6	14.6	12.9	13.9	17.4	30.6	78.5	225.4
1990.....	24.0	18.1	12.4	6.8	22.3	15.7	13.7	15.2	19.5	31.6	79.9	224.5
1989.....	24.9	18.8	14.0	7.7	24.2	16.8	14.4	15.1	19.3	33.8	81.6	224.2
1988.....	25.3	19.0	14.5	7.8	24.6	16.3	14.1	15.7	20.3	34.8	82.5	233.5
1987.....	24.7	20.4	14.8	7.4	24.9	16.0	13.9	15.1	20.4	33.6	81.6	217.4
1986.....	24.5	19.0	15.7	7.4	25.1	15.5	13.5	14.7	19.2	34.5	82.3	216.8
1985.....	24.3	19.5	14.5	7.8	23.9	14.5	14.1	15.6	20.1	36.0	81.2	217.9
1984.....	24.3	19.6	13.9	7.8	24.1	15.6	14.0	16.2	20.3	33.1	82.1	221.8
1983.....	24.0	20.0	16.0	7.8	23.0	15.3	13.9	15.5	19.7	33.9	81.0	227.6
1982.....	24.1	20.0	16.9	8.2	23.0	15.4	14.1	16.4	20.2	33.7	81.3	224.8
1981.....	25.7	21.4	17.3	8.4	26.0	16.9	15.6	18.0	21.6	35.4	83.9	238.8
1980.....	27.2	25.3	19.1	9.2	28.0	17.2	16.0	18.7	22.6	36.9	92.6	258.3
1979.....	27.1	21.9	19.6	9.7	28.1	17.0	16.7	18.8	23.1	37.4	92.2	242.7

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 940
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)													
ALL OTHER, BOTH SEXES													
1998.....	33.1	31.0	17.5	11.1	28.6	30.4	36.9	42.0	40.3	53.4	98.6	204.2	
1997.....	34.0	32.2	17.8	11.3	29.7	32.4	38.6	41.2	42.1	54.9	102.7	199.7	
1996.....	34.1	34.3	19.6	11.2	32.7	32.2	37.1	40.5	40.4	58.4	103.2	192.5	
1995.....	34.9	31.7	19.1	11.4	31.9	33.6	41.0	41.2	42.8	56.8	103.8	210.2	
1994.....	35.4	36.9	23.2	12.4	32.9	33.5	39.9	41.7	43.3	54.9	108.2	208.9	
1993.....	35.6	35.9	23.5	12.5	33.8	34.1	41.4	38.8	41.5	56.9	101.8	229.1	
1992.....	34.1	34.0	21.0	12.1	31.2	33.3	37.9	38.2	44.4	55.6	103.8	207.5	
1991.....	36.2	35.5	23.0	12.8	33.5	37.7	41.4	37.2	43.2	59.3	100.6	234.3	
1990.....	37.6	39.2	23.7	13.0	34.4	39.7	40.4	40.5	47.7	62.5	110.4	227.3	
1989.....	40.5	47.9	25.7	14.7	34.9	41.0	44.2	44.9	52.6	68.1	117.5	260.5	
1988.....	41.7	39.8	27.8	15.6	37.3	42.5	44.9	44.6	53.2	73.5	122.6	253.6	
1987.....	40.5	41.7	27.0	15.1	36.1	42.2	43.8	43.0	51.4	70.9	117.6	242.9	
1986.....	40.8	43.8	27.3	16.4	35.8	44.1	41.9	43.1	53.8	65.1	121.6	241.1	
1985.....	40.2	38.4	27.0	15.7	34.3	41.2	42.4	45.1	55.5	69.8	127.6	238.4	
1984.....	39.0	37.7	28.3	14.8	34.0	39.9	40.8	43.0	52.0	70.2	118.6	236.9	
1983.....	40.4	42.9	29.0	15.4	33.1	41.0	41.5	47.5	57.0	75.4	131.1	216.7	
1982.....	40.7	47.5	30.3	15.9	34.4	42.7	42.7	48.7	56.8	71.7	115.7	203.0	
1981.....	43.5	44.9	32.9	17.2	36.2	46.1	46.6	54.0	60.0	75.0	119.8	233.7	
1980.....	49.1	54.9	35.6	19.0	41.9	50.4	50.5	59.0	69.7	88.4	160.6	267.0	
1979.....	48.7	55.9	39.0	20.4	42.0	51.9	53.7	59.1	64.8	80.1	126.2	254.6	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 941
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	47.2	32.5	20.3	14.7	43.1	48.8	55.2	66.9	63.3	75.3	133.2	297.5
1997.....	47.8	36.8	20.1	13.4	44.2	50.5	58.9	64.6	65.1	78.7	138.6	266.6
1996.....	48.4	38.2	22.4	14.7	49.1	49.6	55.5	64.4	63.1	85.4	144.8	258.2
1995.....	50.3	30.8	22.4	14.4	48.5	52.4	64.6	66.0	67.7	84.0	149.7	319.9
1994.....	51.1	39.4	27.2	16.1	50.5	51.5	62.7	65.6	69.7	79.6	164.4	309.0
1993.....	51.7	40.1	26.8	15.2	52.4	52.9	67.2	64.2	65.9	85.0	139.7	341.7
1992.....	49.6	33.5	23.2	16.2	48.0	52.3	60.4	62.1	71.5	84.8	146.6	302.7
1991.....	53.4	42.1	26.1	17.7	52.2	61.1	66.8	58.5	68.8	90.7	150.1	320.9
1990.....	55.5	42.4	28.4	17.1	53.7	63.8	67.2	65.1	75.2	94.0	157.1	319.4
1989.....	59.9	51.5	30.5	19.4	55.2	65.2	71.8	74.9	87.6	102.9	174.3	356.8
1988.....	62.2	44.9	33.1	19.8	58.3	68.0	73.5	74.4	88.5	118.2	183.9	367.1
1987.....	60.8	46.7	32.9	20.8	57.8	68.5	73.6	70.0	84.4	105.7	168.0	349.4
1986.....	61.2	47.3	31.5	21.9	57.4	72.5	70.3	71.6	85.0	98.1	186.2	344.0
1985.....	60.3	40.1	32.3	20.7	54.6	67.7	71.2	74.3	91.2	105.3	186.2	341.1
1984.....	58.8	41.5	33.6	20.8	54.0	66.2	69.3	69.6	84.8	110.4	168.9	345.8
1983.....	60.1	50.6	33.4	20.0	51.7	67.9	70.7	77.2	92.4	114.3	187.4	304.3
1982.....	61.6	54.9	34.9	20.6	54.9	71.6	71.2	81.8	94.3	110.8	176.6	289.6
1981.....	66.5	49.1	39.2	23.1	59.0	76.8	79.2	91.8	99.8	120.6	175.5	323.4
1980.....	74.4	62.2	41.4	25.5	69.0	85.5	85.2	101.5	112.9	132.0	217.7	353.8
1979.....	74.7	56.8	45.7	28.4	67.1	89.4	93.1	101.0	106.5	124.4	185.8	339.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 942
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER FEMALE												
1998.....	20.3	29.5	14.6	7.4	14.0	13.9	20.6	21.0	22.0	37.5	76.9	161.6
1997.....	21.3	27.5	15.3	9.2	15.0	15.8	20.5	21.4	23.9	37.7	80.7	169.4
1996.....	21.1	30.4	16.6	7.6	16.1	16.4	20.7	20.3	22.4	38.7	77.7	162.9
1995.....	20.7	32.6	15.7	8.2	15.2	16.4	20.2	20.3	23.1	37.1	76.0	162.8
1994.....	21.1	34.3	19.1	8.5	15.2	17.0	19.8	21.4	22.5	37.1	74.6	165.5
1993.....	20.9	31.4	20.0	9.8	15.1	17.0	18.6	17.3	22.3	36.6	79.3	180.0
1992.....	20.0	34.4	18.8	8.0	14.3	16.0	18.2	17.8	23.1	34.6	78.2	164.6
1991.....	20.5	28.8	19.7	7.7	14.7	16.4	19.2	18.9	23.1	36.9	70.8	193.7
1990.....	21.3	35.9	18.9	8.9	14.9	17.9	17.1	19.5	26.2	40.1	82.4	185.4
1989.....	22.7	44.2	20.8	9.8	14.6	19.0	20.2	19.2	25.3	43.3	83.1	216.0
1988.....	23.0	34.6	22.5	11.3	16.3	19.4	20.2	19.2	25.6	41.4	85.5	200.6
1987.....	22.1	36.6	21.0	9.3	14.3	18.5	18.2	20.0	25.4	45.9	86.3	192.6
1986.....	22.2	40.2	23.0	10.7	14.2	18.7	17.4	18.9	29.1	41.3	81.5	191.7
1985.....	22.0	36.8	21.6	10.5	14.2	17.6	17.7	20.5	26.9	44.1	90.7	190.0
1984.....	21.0	33.8	22.8	8.7	14.3	16.5	16.5	20.6	25.8	41.1	87.0	182.8
1983.....	22.5	35.1	24.5	10.6	14.9	17.2	16.6	22.7	28.5	46.8	95.0	172.7
1982.....	21.7	39.9	25.6	11.1	14.5	17.3	18.4	21.2	26.6	42.8	76.2	157.9
1981.....	22.5	40.6	26.5	11.2	14.1	19.2	18.8	22.9	27.7	40.8	83.5	188.1
1980.....	26.3	47.6	29.6	12.4	15.7	19.9	20.9	24.2	34.4	55.5	123.0	222.5
1979.....	25.1	55.0	32.2	12.2	17.8	19.4	20.6	24.8	30.5	46.1	86.1	213.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 943
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)													
BLACK, BOTH SEXES													
1998.....	37.2	39.8	20.7	12.3	29.2	33.8	43.2	50.0	46.0	58.7	105.4	211.0	
1997.....	37.3	39.8	19.5	12.4	30.4	35.2	44.1	48.7	47.2	57.8	104.7	204.1	
1996.....	37.8	40.8	22.1	12.2	33.4	35.5	43.0	48.0	45.6	62.8	106.8	195.9	
1995.....	38.5	38.3	20.8	12.4	32.0	36.7	47.6	47.9	47.7	62.1	109.0	209.4	
1994.....	39.1	43.8	26.3	13.8	33.8	36.6	46.5	48.3	47.3	59.1	109.8	206.0	
1993.....	39.5	41.3	26.4	13.7	34.8	37.5	49.3	45.0	46.0	62.2	103.4	227.5	
1992.....	37.3	39.5	23.3	13.3	31.6	35.9	44.3	43.5	49.4	58.9	107.9	205.4	
1991.....	40.0	40.8	26.5	14.3	35.1	41.5	48.0	41.8	47.3	63.2	106.7	238.4	
1990.....	40.7	45.3	25.7	13.9	34.0	43.5	46.0	45.5	52.8	66.4	112.1	227.3	
1989.....	44.5	53.7	27.2	16.1	34.8	45.3	51.1	50.9	59.2	75.4	123.1	268.6	
1988.....	45.4	47.9	30.5	16.9	36.6	46.7	52.0	51.4	58.0	77.4	125.2	255.1	
1987.....	43.6	47.9	30.1	16.1	35.6	45.6	50.0	48.7	55.7	73.3	119.0	242.3	
1986.....	43.5	48.3	29.4	17.3	34.8	47.6	47.0	47.1	59.1	70.0	124.3	237.3	
1985.....	42.7	41.6	28.4	16.5	32.9	43.9	47.5	49.6	61.0	73.5	132.8	237.9	
1984.....	41.4	41.9	29.6	16.3	32.6	43.4	45.3	46.0	56.3	74.6	123.8	237.9	
1983.....	42.6	49.4	32.0	16.2	31.4	43.8	45.6	50.8	61.8	78.8	136.6	217.9	
1982.....	42.5	51.7	32.4	17.1	32.5	45.4	47.1	51.8	59.0	74.2	119.3	201.1	
1981.....	45.4	48.3	35.3	17.8	34.7	48.0	50.6	58.4	64.8	78.3	123.4	236.9	
1980.....	50.6	59.1	37.2	19.5	39.3	52.2	53.2	63.8	74.1	91.7	165.8	265.9	
1979.....	49.4	60.0	39.7	21.2	38.8	53.3	56.0	63.1	66.8	82.5	126.6	253.8	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 944
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

BLACK MALE

1998.....	53.8	41.9	24.3	16.6	45.3	55.4	64.7	81.7	75.3	85.1	145.7	310.5
1997.....	53.2	45.4	22.7	14.8	46.2	55.6	68.6	78.1	75.1	84.2	146.7	265.2
1996.....	54.3	44.1	25.7	16.0	50.5	55.1	65.3	79.9	74.4	96.0	152.1	271.2
1995.....	56.2	37.5	24.4	16.1	50.1	57.8	75.5	79.6	77.1	92.9	162.4	314.4
1994.....	57.0	46.2	30.8	18.0	52.6	57.2	74.2	78.0	79.2	86.8	170.4	301.1
1993.....	58.3	46.5	30.4	16.7	55.2	59.3	81.1	77.7	74.6	97.0	143.6	353.5
1992.....	54.9	37.3	25.6	17.6	49.9	56.8	71.5	73.6	81.8	92.2	159.6	292.8
1991.....	59.8	49.0	30.0	19.9	56.6	67.7	78.9	67.6	77.9	97.6	162.1	336.2
1990.....	60.7	48.7	30.2	18.4	54.5	70.9	77.4	76.0	85.1	102.8	162.4	312.4
1989.....	66.7	56.8	33.0	21.6	56.2	72.7	85.1	87.9	99.7	116.1	189.1	378.8
1988.....	68.4	53.9	36.3	21.9	58.5	75.3	86.7	87.5	98.0	125.7	193.0	373.8
1987.....	66.0	53.0	36.7	22.2	57.9	74.6	85.3	82.0	92.5	111.9	175.3	360.9
1986.....	66.0	52.1	32.9	23.0	56.7	79.5	81.2	80.5	94.6	107.1	196.9	341.3
1985.....	64.8	42.8	33.4	22.1	53.3	73.5	82.4	84.0	102.0	114.3	194.9	335.5
1984.....	63.0	46.4	35.3	23.0	52.4	72.9	77.9	76.3	93.4	119.6	178.9	349.2
1983.....	63.7	58.6	36.8	21.3	49.4	73.2	79.2	84.3	100.6	119.9	195.5	311.7
1982.....	65.0	59.3	38.0	22.1	52.9	77.1	80.7	88.9	98.9	117.7	182.6	279.3
1981.....	70.3	53.0	41.6	24.0	57.8	82.0	88.5	101.1	108.6	127.6	183.8	325.0
1980.....	77.1	66.2	43.3	26.8	65.4	90.0	92.2	111.5	121.2	137.2	223.3	343.3
1979.....	76.2	61.5	46.1	29.7	62.7	91.9	99.1	109.7	109.9	131.6	185.7	334.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 945
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	22.2	37.6	17.1	7.9	13.0	14.4	24.1	23.8	23.5	39.6	81.3	169.7
1997.....	22.9	34.0	16.2	9.9	14.4	16.8	22.5	24.3	25.8	38.7	80.1	178.8
1996.....	22.8	37.5	18.5	8.3	16.3	17.9	23.4	21.6	23.6	39.0	80.6	165.1
1995.....	22.5	39.1	17.1	8.6	14.0	17.8	23.3	21.6	25.1	40.2	78.5	166.8
1994.....	22.9	41.3	21.7	9.5	15.0	18.0	22.4	23.6	22.7	39.5	75.5	167.4
1993.....	22.5	35.9	22.3	10.6	14.5	17.9	21.6	17.9	23.8	37.6	80.9	176.1
1992.....	21.5	41.8	21.0	8.8	13.3	17.1	20.7	18.6	24.3	35.5	79.0	169.0
1991.....	22.2	32.3	22.8	8.5	13.8	18.0	21.4	20.6	23.6	39.1	75.8	196.9
1990.....	22.8	41.8	21.1	9.4	13.8	19.1	18.9	20.2	27.8	41.1	83.9	191.2
1989.....	24.6	50.5	21.4	10.5	13.8	20.9	22.0	20.1	27.7	47.0	85.8	222.9
1988.....	24.8	41.6	24.7	11.8	15.0	21.3	22.4	21.4	26.8	43.6	86.5	203.4
1987.....	23.4	42.7	23.4	9.9	13.7	19.8	19.9	21.2	26.8	46.4	86.3	189.6
1986.....	23.3	44.4	25.7	11.4	13.3	19.3	18.0	19.6	31.1	44.0	81.6	189.9
1985.....	22.9	40.2	23.3	10.8	13.2	17.8	18.1	21.3	28.6	44.8	95.8	192.5
1984.....	22.1	37.3	23.7	9.6	13.4	17.5	17.9	21.0	26.9	42.8	90.9	185.3
1983.....	23.8	39.9	27.2	11.1	14.0	17.9	17.5	23.3	30.9	49.7	100.2	172.6
1982.....	22.3	44.1	26.7	12.0	12.9	17.7	18.9	21.4	27.2	43.1	80.3	162.7
1981.....	23.0	43.6	28.8	11.6	12.5	18.4	19.2	23.5	29.7	42.7	85.6	191.2
1980.....	26.9	51.9	30.9	12.1	14.3	19.5	20.9	24.9	36.2	58.4	129.4	227.3
1979.....	25.3	58.2	33.3	12.5	15.9	19.8	20.2	24.9	31.8	46.3	87.2	213.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	946
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
MOTOR VEHICLE ACCIDENTS (E810-E825)														
TOTAL, BOTH SEXES														
1998.....		16.1	4.3	5.0	4.8	26.9	18.4	15.6	14.4	15.1	18.5	28.9	31.5	
1997.....		16.2	4.3	5.0	5.1	27.9	18.9	15.2	14.3	15.3	18.2	29.0	32.7	
1996.....		16.5	5.7	5.3	5.2	29.2	19.1	15.6	14.1	15.0	18.3	28.3	30.1	
1995.....		16.5	4.7	5.2	5.4	29.5	19.8	15.4	13.9	14.6	17.6	28.6	31.4	
1994.....		16.3	4.8	6.0	5.4	29.7	18.8	14.8	14.0	13.9	18.1	29.2	29.1	
1993.....		16.3	4.9	5.6	5.3	29.1	19.6	14.9	13.3	13.9	16.7	29.8	29.7	
1992.....		16.1	4.0	5.5	5.2	28.5	19.4	14.6	13.6	13.7	17.6	27.6	27.4	
1991.....		17.3	4.3	5.9	5.6	32.0	21.2	15.3	14.1	14.2	17.5	28.4	29.1	
1990.....		18.8	4.9	6.3	5.9	34.1	23.6	16.9	15.6	15.9	18.6	29.1	31.2	
1989.....		19.3	5.6	6.9	6.5	34.6	23.8	17.3	15.7	16.0	19.4	29.5	29.5	
1988.....		20.1	5.7	7.0	7.1	37.8	24.2	17.5	16.0	15.9	19.5	29.9	29.7	
1987.....		19.9	5.4	6.9	7.1	37.1	24.4	17.3	15.5	15.8	18.8	29.1	27.6	
1986.....		19.9	4.9	7.0	7.0	38.5	24.4	16.6	15.2	15.3	18.1	28.6	25.6	
1985.....		19.3	4.9	7.2	6.9	35.7	23.0	17.2	15.2	15.6	17.9	27.4	26.5	
1984.....		19.6	4.5	6.9	6.7	36.4	24.0	17.1	15.5	15.8	18.2	28.0	25.2	
1983.....		19.0	5.2	7.5	6.6	34.8	23.4	16.8	15.3	14.7	17.2	25.9	25.5	
1982.....		19.8	5.8	8.0	6.7	36.8	24.1	17.8	15.7	15.2	17.5	25.3	23.7	
1981.....		22.4	6.1	7.8	7.5	41.1	28.6	20.2	17.8	17.3	19.4	27.3	25.8	
1980.....		23.5	7.0	9.2	7.9	44.8	29.1	20.9	18.6	17.4	19.2	28.1	27.6	
1979.....		23.8	6.5	9.8	8.3	45.6	28.8	21.0	18.6	18.2	20.7	28.7	24.4	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 947
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
MOTOR VEHICLE ACCIDENTS (E810-E825)													
TOTAL, MALE													
1998.....	22.0	4.6	5.4	5.7	37.3	27.0	21.7	20.3	20.5	23.5	39.7	61.2	
1997.....	22.0	4.3	5.3	5.8	38.1	27.5	21.2	19.9	20.2	23.6	39.7	60.4	
1996.....	22.4	5.7	5.7	6.0	40.7	27.5	21.8	19.6	20.1	23.9	38.7	59.0	
1995.....	22.7	4.9	5.6	6.4	41.4	29.1	21.9	19.6	19.8	22.3	39.7	61.9	
1994.....	22.5	4.8	6.6	6.5	41.8	27.7	21.4	19.4	18.9	23.1	40.5	59.6	
1993.....	22.7	4.8	6.1	6.3	41.8	29.1	21.6	18.8	19.0	21.3	41.8	62.8	
1992.....	22.5	4.4	6.1	6.6	40.3	29.0	21.1	19.0	18.8	23.1	39.6	55.7	
1991.....	24.4	4.5	6.3	7.1	45.5	31.9	22.1	19.9	19.7	22.9	41.1	59.5	
1990.....	26.7	5.0	6.9	7.0	49.5	35.7	24.7	22.0	21.7	24.2	41.2	64.5	
1989.....	27.2	5.8	7.3	8.0	49.4	35.4	25.1	22.3	22.6	24.9	43.3	62.0	
1988.....	28.8	6.1	7.3	8.8	55.0	36.7	25.8	22.7	21.8	26.3	43.6	61.1	
1987.....	28.7	5.1	7.6	9.2	54.2	37.3	25.6	22.0	22.1	25.3	42.8	57.6	
1986.....	29.2	5.0	7.8	9.0	57.1	38.1	24.9	22.0	21.3	23.4	43.9	53.3	
1985.....	28.0	5.0	8.3	8.6	52.7	35.9	25.2	21.9	22.1	23.0	41.3	55.3	
1984.....	28.7	4.3	8.0	8.4	54.2	37.3	25.3	22.5	22.1	25.2	42.0	53.9	
1983.....	28.1	5.4	8.7	8.5	52.1	36.6	25.3	22.4	21.0	23.6	40.1	53.8	
1982.....	29.5	6.0	8.8	8.4	55.9	37.9	27.0	23.4	22.0	24.1	39.9	48.3	
1981.....	33.7	6.3	8.4	9.7	62.1	45.4	31.0	26.7	25.0	27.8	43.8	53.2	
1980.....	35.3	7.3	10.2	9.9	68.4	46.3	31.7	27.6	25.4	27.3	44.3	56.1	
1979.....	36.0	6.8	10.4	10.7	69.8	46.1	32.0	27.9	27.0	30.1	45.8	49.0	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	948
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
MOTOR VEHICLE ACCIDENTS (E810-E825)														
TOTAL, FEMALE														
1998.....		10.5	4.0	4.6	3.8	16.1	9.9	9.7	8.8	10.1	14.5	21.8	19.2	
1997.....		10.8	4.4	4.7	4.3	17.1	10.4	9.2	8.9	10.8	13.8	22.0	21.5	
1996.....		10.7	5.8	4.8	4.2	17.1	10.7	9.4	8.8	10.3	13.9	21.5	18.6	
1995.....		10.6	4.4	4.8	4.3	17.1	10.4	9.0	8.5	9.9	13.8	21.5	19.6	
1994.....		10.4	4.8	5.4	4.2	17.0	9.9	8.5	8.8	9.4	14.1	22.1	17.4	
1993.....		10.1	4.9	5.2	4.2	16.0	10.2	8.3	8.0	9.3	13.1	22.3	17.1	
1992.....		10.0	3.6	4.9	3.8	16.2	9.7	8.3	8.4	9.2	13.3	20.2	16.5	
1991.....		10.5	4.2	5.5	4.1	18.0	10.5	8.5	8.6	9.3	13.2	20.8	17.3	
1990.....		11.3	4.9	5.6	4.7	17.9	11.5	9.2	9.6	10.8	14.1	21.9	18.3	
1989.....		11.8	5.4	6.4	5.0	19.2	12.1	9.7	9.5	10.3	15.1	21.4	16.9	
1988.....		11.8	5.3	6.6	5.3	19.9	11.7	9.3	9.6	10.6	14.2	21.8	17.5	
1987.....		11.6	5.8	6.1	4.9	19.5	11.6	9.3	9.3	10.3	13.7	21.0	15.7	
1986.....		11.2	4.9	6.2	4.9	19.3	10.8	8.6	8.7	9.9	14.0	19.6	14.6	
1985.....		11.0	4.7	6.0	5.1	18.2	10.1	9.4	9.0	9.9	14.0	19.2	15.0	
1984.....		11.0	4.7	5.8	5.0	18.2	10.7	9.2	8.8	10.2	12.7	19.9	13.6	
1983.....		10.4	5.1	6.2	4.6	17.2	10.3	8.7	8.7	9.2	12.4	17.5	13.8	
1982.....		10.6	5.5	7.3	5.0	17.3	10.4	8.8	8.5	9.3	12.4	16.7	13.5	
1981.....		11.7	5.9	7.2	5.2	19.7	12.0	9.7	9.4	10.6	13.0	17.6	14.2	
1980.....		12.3	6.7	8.1	5.7	20.8	12.2	10.4	10.2	10.5	13.0	18.5	15.2	
1979.....		12.3	6.1	9.1	5.9	21.0	11.8	10.5	9.9	10.4	13.5	18.5	13.5	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	949
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
MOTOR VEHICLE ACCIDENTS (E810-E825)														
WHITE, BOTH SEXES														
1998.....		16.2	3.9	4.4	4.5	28.7	18.2	15.4	13.9	14.7	18.4	29.1	32.5	
1997.....		16.3	4.0	4.5	4.9	29.5	18.6	14.9	13.8	14.8	17.9	29.2	33.5	
1996.....		16.6	5.5	4.8	5.1	30.6	19.0	15.4	13.7	14.8	18.1	28.4	31.0	
1995.....		16.6	4.4	4.9	5.3	31.1	19.7	15.1	13.5	14.3	17.3	28.8	32.3	
1994.....		16.5	4.1	5.4	5.2	31.2	19.0	14.7	13.5	13.3	17.7	29.2	29.7	
1993.....		16.4	4.4	5.1	5.1	30.8	19.8	14.6	12.8	13.5	16.5	30.1	29.4	
1992.....		16.2	3.5	5.1	5.1	30.3	19.5	14.2	13.0	13.0	17.3	28.0	28.3	
1991.....		17.5	3.9	5.7	5.5	34.4	21.2	14.8	13.7	13.8	17.1	29.1	29.3	
1990.....		19.0	4.7	5.6	5.8	36.5	23.6	16.5	15.0	15.3	18.2	29.4	31.8	
1989.....		19.5	5.0	6.5	6.5	37.2	23.9	16.7	15.1	15.5	19.2	29.9	30.2	
1988.....		20.4	5.7	6.6	7.0	40.5	24.4	17.0	15.6	15.4	19.0	30.2	29.6	
1987.....		20.3	5.2	6.6	7.1	40.0	24.7	17.0	14.9	15.4	18.5	29.7	28.0	
1986.....		20.2	4.4	6.6	6.9	41.8	24.5	16.2	14.6	14.6	18.1	28.6	25.2	
1985.....		19.6	4.2	6.8	6.9	38.6	23.1	16.8	14.9	15.0	17.7	27.6	27.0	
1984.....		20.1	4.3	6.5	6.8	39.6	24.4	16.9	15.2	15.4	17.9	28.3	25.0	
1983.....		19.5	5.3	7.2	6.6	37.8	23.9	16.6	14.8	14.3	17.0	25.9	26.1	
1982.....		20.3	5.6	7.7	6.8	40.1	24.6	17.5	15.3	14.8	17.2	25.6	24.1	
1981.....		23.1	6.2	7.5	7.6	45.0	29.4	19.9	17.3	17.0	19.0	27.5	26.6	
1980.....		24.1	7.0	8.6	7.8	48.7	29.4	20.5	18.1	16.8	18.8	28.1	28.0	
1979.....		24.4	6.8	9.3	8.4	49.5	29.1	20.5	17.9	17.5	20.3	29.1	24.5	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	950
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
MOTOR VEHICLE ACCIDENTS (E810-E825)														
WHITE MALE														
1998.....	21.9	4.6	4.7	5.3	39.4	26.3	21.2	19.5	19.7	23.1	39.3	62.7		
1997.....	21.9	3.7	4.7	5.7	39.8	26.8	20.7	19.1	19.3	23.0	39.7	63.1		
1996.....	22.4	5.2	5.2	5.9	42.2	27.0	21.4	19.0	19.5	23.2	38.5	60.8		
1995.....	22.6	4.3	5.1	6.3	43.2	28.8	21.1	18.8	19.1	21.5	39.3	62.5		
1994.....	22.5	4.3	5.9	6.4	43.6	28.0	21.1	18.6	17.7	22.1	39.7	60.5		
1993.....	22.7	4.4	5.4	6.2	43.8	29.3	20.9	17.8	18.0	20.5	41.9	61.5		
1992.....	22.4	4.2	6.0	6.3	42.3	29.1	20.3	17.9	17.4	22.2	39.7	57.0		
1991.....	24.4	4.1	5.8	6.8	48.3	31.7	21.2	19.1	18.9	21.9	41.4	59.9		
1990.....	26.7	4.8	6.1	6.8	52.5	35.4	23.7	20.7	20.6	23.5	41.1	65.3		
1989.....	27.2	5.1	6.9	7.9	52.5	35.4	23.9	20.9	21.2	24.2	43.1	62.9		
1988.....	28.9	6.0	7.0	8.8	58.6	36.7	24.8	21.7	20.7	24.8	43.4	59.9		
1987.....	29.0	4.4	7.2	9.2	57.8	37.4	24.6	20.8	21.0	24.5	43.4	58.8		
1986.....	29.3	4.2	7.1	8.8	61.4	37.8	23.9	20.9	20.1	22.8	42.9	51.7		
1985.....	28.3	4.6	7.7	8.6	56.5	35.8	24.3	21.0	20.7	22.0	41.2	57.0		
1984.....	29.2	4.0	7.5	8.4	58.4	37.7	24.5	21.7	21.1	24.3	41.8	53.0		
1983.....	28.6	5.7	8.3	8.4	56.3	36.9	24.5	21.3	20.0	22.7	39.8	55.8		
1982.....	30.1	5.8	8.3	8.5	60.7	38.4	26.4	22.3	20.9	23.1	39.6	48.9		
1981.....	34.5	6.0	8.1	9.9	67.6	46.3	30.1	25.5	24.0	26.4	43.9	54.9		
1980.....	35.9	7.0	9.5	9.8	73.8	46.6	30.7	26.3	23.9	25.8	43.6	57.3		
1979.....	36.6	7.4	9.7	10.6	75.4	46.0	30.7	26.5	25.5	29.0	46.4	48.5		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 951
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MOTOR VEHICLE ACCIDENTS (E810-E825)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	10.7	3.3	4.2	3.8	17.3	10.0	9.6	8.5	10.0	14.5	22.3	20.1
1997.....	10.9	4.3	4.2	4.1	18.4	10.3	9.0	8.6	10.6	13.7	22.4	21.7
1996.....	11.0	5.7	4.4	4.3	18.1	10.8	9.3	8.5	10.5	13.9	21.9	19.3
1995.....	10.8	4.5	4.6	4.2	18.4	10.4	9.0	8.3	9.9	14.0	22.2	20.6
1994.....	10.6	3.9	4.9	4.1	18.3	9.8	8.4	8.5	9.3	14.2	22.6	17.9
1993.....	10.3	4.5	4.8	4.0	17.1	10.2	8.2	7.9	9.3	13.2	22.8	17.2
1992.....	10.2	2.9	4.1	3.7	17.7	9.8	8.1	8.1	8.9	13.4	20.8	17.3
1991.....	10.8	3.6	5.5	4.1	19.6	10.6	8.4	8.5	9.1	13.4	21.6	17.7
1990.....	11.6	4.7	5.2	4.7	19.5	11.6	9.2	9.4	10.5	14.0	22.4	19.1
1989.....	12.1	4.9	6.1	5.1	21.1	12.1	9.6	9.6	10.2	15.3	22.0	17.7
1988.....	12.2	5.5	6.2	5.2	21.6	11.8	9.2	9.6	10.6	14.5	22.4	18.0
1987.....	12.0	5.9	5.9	5.0	21.5	11.7	9.3	9.3	10.4	13.8	21.7	16.1
1986.....	11.6	4.7	6.1	4.9	21.4	10.9	8.5	8.6	9.7	14.4	20.3	14.9
1985.....	11.4	3.9	5.8	5.2	20.0	10.1	9.4	9.0	9.9	14.3	19.7	15.3
1984.....	11.5	4.5	5.4	5.1	20.0	11.0	9.4	8.9	10.3	13.0	20.5	13.9
1983.....	10.9	4.8	6.0	4.7	18.7	10.7	8.8	8.5	9.3	12.6	17.8	14.2
1982.....	11.0	5.5	7.0	5.0	18.8	10.6	8.8	8.5	9.3	12.6	17.4	13.9
1981.....	12.3	6.3	6.9	5.1	21.8	12.4	9.9	9.5	10.8	13.3	18.0	14.7
1980.....	12.8	7.1	7.7	5.7	23.0	12.2	10.6	10.2	10.5	13.4	19.0	15.3
1979.....	12.8	6.2	8.9	6.1	22.8	12.1	10.6	9.8	10.3	13.7	18.9	14.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	952
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
MOTOR VEHICLE ACCIDENTS (E810-E825)														
ALL OTHER, BOTH SEXES														
1998.....	15.5	5.6	7.2	5.6	20.2	19.3	16.6	17.2	17.5	19.5	27.2	22.7		
1997.....	15.9	5.8	7.0	5.6	21.7	20.3	16.6	17.0	18.1	20.7	26.5	25.1		
1996.....	15.8	6.6	7.2	5.3	23.8	19.9	16.4	16.0	15.8	20.2	26.7	21.7		
1995.....	15.9	5.6	6.7	5.8	23.0	20.1	17.1	16.7	16.8	19.7	25.9	23.1		
1994.....	15.7	7.5	8.2	5.9	23.3	18.1	15.4	16.8	17.6	21.1	29.5	23.7		
1993.....	15.6	6.4	7.8	6.1	22.5	18.6	16.4	16.0	16.8	18.6	26.3	33.5		
1992.....	15.5	5.7	7.3	5.9	21.1	18.7	16.7	17.3	19.0	19.8	23.6	18.7		
1991.....	16.2	5.9	6.9	6.1	22.3	21.1	17.8	16.6	17.2	20.2	22.4	27.0		
1990.....	17.9	5.7	8.7	6.2	23.8	23.3	19.1	19.8	20.3	21.6	26.9	25.0		
1989.....	18.0	7.9	8.3	6.5	23.5	23.2	20.6	19.5	20.3	20.8	25.9	22.7		
1988.....	18.5	5.7	8.4	7.3	25.5	23.2	20.2	18.5	19.5	23.2	26.6	31.0		
1987.....	17.9	6.5	8.2	6.9	24.0	23.2	19.6	19.0	18.8	21.8	22.6	22.5		
1986.....	18.2	7.1	9.0	7.4	23.2	24.4	19.4	18.8	20.3	17.9	28.4	29.9		
1985.....	17.3	7.6	9.0	6.7	21.9	22.6	19.6	17.7	20.6	19.9	25.1	20.5		
1984.....	16.6	5.6	8.7	6.2	21.3	21.4	18.6	17.0	19.0	20.2	25.4	27.6		
1983.....	16.3	4.9	8.9	6.6	20.0	20.6	18.4	19.2	18.0	19.4	26.0	17.7		
1982.....	16.6	6.4	9.5	6.6	20.3	21.4	19.1	18.7	19.2	20.4	22.3	20.1		
1981.....	18.2	5.8	9.1	7.2	21.3	24.0	22.2	21.4	20.3	23.8	25.4	17.4		
1980.....	19.9	6.8	11.8	8.1	23.8	26.9	23.0	22.2	23.1	22.8	27.9	24.0		
1979.....	20.4	5.0	12.1	8.2	24.8	26.9	24.5	23.2	24.7	23.9	24.7	23.6		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	953
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
MOTOR VEHICLE ACCIDENTS (E810-E825)													
ALL OTHER MALE													
1998.....	22.2	*	7.9	7.3	29.1	30.4	24.0	25.4	25.9	26.4	43.3	48.5	
1997.....	22.3	6.9	7.7	6.2	31.2	30.7	24.1	24.7	26.4	29.2	39.5	37.6	
1996.....	22.6	7.3	7.8	6.7	34.5	30.0	23.9	23.1	23.9	29.1	40.6	43.5	
1995.....	23.1	7.1	7.5	7.0	33.9	30.5	25.8	24.9	25.0	29.6	44.1	56.0	
1994.....	22.5	6.9	9.1	7.2	34.3	26.6	22.9	24.0	27.0	31.6	48.8	50.8	
1993.....	22.7	6.6	8.8	7.0	33.3	28.0	25.0	25.2	26.5	28.0	40.9	74.2	
1992.....	22.7	5.2	6.6	7.7	31.6	28.6	25.1	26.2	28.9	30.9	39.2	43.2	
1991.....	24.2	5.9	8.2	8.0	33.5	33.2	27.5	25.3	25.5	31.9	37.9	55.8	
1990.....	26.8	5.5	10.1	8.0	36.3	37.0	30.2	30.7	30.1	31.0	42.9	57.7	
1989.....	27.1	8.4	8.9	8.3	35.9	35.8	32.3	31.7	32.8	31.1	44.3	53.1	
1988.....	28.0	6.9	8.9	8.8	38.7	36.7	32.0	29.3	30.7	39.6	45.7	72.2	
1987.....	27.3	8.0	9.4	9.1	37.4	36.6	31.7	29.8	30.5	33.0	36.6	46.8	
1986.....	28.2	8.5	11.1	9.7	36.4	39.8	31.2	29.9	31.1	28.7	53.0	68.0	
1985.....	26.6	7.2	11.1	8.7	34.0	36.6	31.3	28.1	33.8	31.8	42.8	39.7	
1984.....	25.9	*	10.0	8.2	33.3	35.1	30.8	27.8	30.9	34.0	44.0	62.5	
1983.....	25.2	*	10.5	8.7	30.6	34.6	30.7	30.7	30.2	31.6	43.2	34.3	
1982.....	25.7	7.1	10.8	8.1	31.3	35.1	31.3	31.6	32.1	33.8	42.7	41.8	
1981.....	28.6	7.6	9.7	8.9	33.4	40.1	37.9	36.4	33.6	41.4	43.7	35.9	
1980.....	31.5	8.8	13.6	10.4	38.7	44.1	38.8	37.5	38.8	41.2	50.7	42.8	
1979.....	32.3	4.3	14.1	11.1	38.7	46.6	41.7	39.2	41.0	40.6	40.3	54.2	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 954
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 MOTOR VEHICLE ACCIDENTS (E810-E825)
 ALL OTHER FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	9.4	6.7	6.4	3.9	11.2	9.4	10.1	10.3	10.8	14.5	17.2	10.9
1997.....	10.0	*	6.4	5.0	12.0	10.7	9.9	10.6	11.6	14.5	18.4	19.4
1996.....	9.6	5.9	6.5	3.8	13.1	10.6	9.7	9.9	9.4	13.7	18.2	11.8
1995.....	9.3	*	5.8	4.5	12.2	10.5	9.4	9.8	10.4	12.5	15.0	8.8
1994.....	9.6	8.1	7.3	4.6	12.2	10.3	8.8	10.8	10.1	13.6	18.0	11.9
1993.....	9.1	6.1	6.9	5.2	11.5	9.9	8.8	8.2	9.2	11.8	17.6	15.7
1992.....	9.0	6.3	7.9	4.1	10.5	9.6	9.4	9.6	11.2	11.9	14.3	*
1991.....	8.9	6.0	5.6	4.1	11.1	10.1	9.3	9.3	10.8	11.8	13.0	13.8
1990.....	9.8	5.9	7.4	4.4	11.3	10.8	9.4	10.4	12.5	14.8	17.2	*
1989.....	9.7	7.4	7.6	4.6	11.0	11.8	10.5	9.1	10.5	13.4	14.8	*
1988.....	9.8	*	7.9	5.7	12.2	11.0	10.1	9.2	10.7	11.3	15.1	11.8
1987.....	9.3	*	6.9	4.7	10.6	11.1	9.2	9.7	9.6	13.7	13.9	*
1986.....	9.1	5.8	6.8	5.1	10.1	10.6	9.3	9.4	11.7	10.0	13.1	*
1985.....	8.8	7.9	6.9	4.6	9.9	10.0	9.5	8.8	10.0	11.3	14.0	*
1984.....	8.1	*	7.3	4.2	9.3	9.1	8.2	8.0	9.4	10.3	13.7	*
1983.....	8.1	6.0	7.3	4.4	9.7	8.1	7.9	9.7	8.2	10.4	15.0	*
1982.....	8.3	*	8.2	5.1	9.6	9.3	8.8	8.0	8.7	10.5	9.0	*
1981.....	8.7	*	8.4	5.3	9.5	9.8	8.8	9.1	9.5	10.6	13.4	*
1980.....	9.3	4.8	9.9	5.7	9.5	11.9	9.7	9.7	10.4	8.9	12.8	14.3
1979.....	9.6	5.7	10.0	5.3	11.3	9.9	10.0	10.1	11.3	11.2	14.2	7.9

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	955
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
MOTOR VEHICLE ACCIDENTS (E810-E825)														
BLACK, BOTH SEXES														
1998.....	16.5	7.3	8.2	6.1	20.3	21.0	18.5	18.9	18.6	20.3	27.0	21.2		
1997.....	16.7	6.7	7.7	6.2	22.0	21.6	18.0	18.8	19.3	19.8	22.9	25.0		
1996.....	16.5	7.7	7.6	5.7	24.3	21.1	17.6	17.2	16.4	19.7	25.8	22.4		
1995.....	16.4	6.4	7.3	6.2	22.5	21.1	18.7	17.4	16.8	19.6	24.0	21.5		
1994.....	16.3	8.7	8.8	6.6	23.4	19.3	16.5	18.0	17.6	20.6	27.5	22.7		
1993.....	16.2	6.7	8.4	6.7	22.4	19.6	18.2	16.9	17.0	19.0	24.2	28.8		
1992.....	16.0	6.6	7.8	6.4	20.9	19.4	18.3	18.2	19.6	19.1	22.7	16.0		
1991.....	16.7	6.2	7.6	6.5	22.4	22.0	19.2	17.1	17.7	19.4	21.5	25.9		
1990.....	18.2	6.3	8.9	6.4	22.9	24.5	20.6	20.7	21.0	21.7	24.2	20.7		
1989.....	18.6	7.7	7.7	6.9	23.2	24.6	22.3	21.2	21.1	21.3	24.3	20.5		
1988.....	18.9	6.6	8.4	7.8	24.2	24.4	22.1	19.8	20.2	22.4	25.1	29.4		
1987.....	18.0	6.9	8.8	7.2	22.7	24.2	20.7	19.9	19.4	21.0	19.9	18.8		
1986.....	18.3	6.8	8.9	7.4	22.0	25.4	20.4	19.2	21.3	17.8	25.7	28.9		
1985.....	17.2	7.1	8.9	6.8	20.4	22.6	20.8	18.2	21.5	18.8	24.9	19.0		
1984.....	16.7	5.7	8.5	6.7	20.0	22.2	19.9	16.5	19.4	21.1	25.3	25.8		
1983.....	16.0	4.4	9.5	6.5	18.3	20.7	19.3	19.5	18.9	18.3	25.1	15.2		
1982.....	16.3	5.3	9.7	7.0	18.6	21.9	19.7	19.0	18.6	19.2	20.9	18.2		
1981.....	17.7	5.0	9.2	7.2	19.1	23.9	22.4	21.8	21.0	23.5	24.5	16.1		
1980.....	19.1	6.5	11.6	7.9	21.1	26.6	23.2	22.6	23.2	22.6	24.8	19.5		
1979.....	19.5	4.9	11.3	8.2	21.6	26.7	23.6	24.1	25.0	23.8	23.3	23.7		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	956
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
MOTOR VEHICLE ACCIDENTS (E810-E825)													
BLACK MALE													
1998.....	24.5	*	9.4	8.1	30.3	34.5	26.9	28.9	29.1	29.3	46.6	49.0	
1997.....	24.2	7.8	9.0	7.0	32.7	33.2	27.0	28.3	29.9	30.0	36.0	37.4	
1996.....	24.3	7.6	8.5	7.2	35.2	32.5	26.6	27.0	26.6	30.6	42.8	49.2	
1995.....	24.6	8.3	8.1	7.7	34.3	32.9	28.9	27.6	25.6	30.9	44.1	53.0	
1994.....	23.9	8.0	10.0	8.1	35.0	29.1	25.3	26.6	28.4	31.9	47.9	48.4	
1993.....	24.6	7.2	9.6	7.7	34.3	30.9	28.6	28.6	28.1	32.3	39.9	72.6	
1992.....	24.0	*	6.8	8.2	32.4	30.4	28.0	30.0	30.8	31.9	40.9	37.3	
1991.....	25.6	*	8.9	8.5	35.0	35.0	30.9	27.0	27.9	31.5	37.9	60.9	
1990.....	28.1	*	10.1	8.4	36.1	39.5	33.5	34.1	32.5	33.2	40.8	48.3	
1989.....	28.9	7.6	9.0	9.0	36.4	38.6	36.4	36.2	35.4	33.3	44.4	53.0	
1988.....	29.4	7.7	9.3	9.8	37.8	39.1	36.2	32.6	33.1	40.5	45.4	70.8	
1987.....	28.2	8.4	10.0	9.5	36.1	38.9	34.3	32.8	32.5	33.9	36.3	43.8	
1986.....	29.0	8.2	10.9	9.9	35.2	42.3	34.3	31.7	34.1	29.1	53.1	66.7	
1985.....	27.1	*	10.9	9.2	32.0	37.7	34.7	30.1	36.3	31.7	42.0	38.7	
1984.....	26.7	*	9.9	8.8	31.9	37.2	33.3	28.7	33.0	37.1	45.0	59.0	
1983.....	25.4	*	11.0	8.6	28.3	35.9	33.6	32.6	32.3	30.4	41.7	*	
1982.....	26.1	*	11.4	8.5	29.7	36.9	34.0	33.4	31.8	33.3	40.7	36.2	
1981.....	28.9	*	9.7	9.2	31.0	42.1	40.0	38.5	35.5	42.1	44.7	35.7	
1980.....	31.1	7.8	13.7	10.5	34.9	44.9	41.2	39.1	40.3	41.8	46.5	34.0	
1979.....	31.6	3.8	13.1	11.2	34.5	46.8	42.1	42.6	42.0	41.5	38.2	55.8	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	957
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+	
MOTOR VEHICLE ACCIDENTS (E810-E825)														
BLACK FEMALE														
1998.....		9.3	9.4	7.0	4.1	10.3	8.9	11.1	10.6	10.6	13.8	15.4	9.7	
1997.....		9.9	*	6.4	5.3	11.3	11.2	10.2	10.9	11.2	12.4	15.2	19.8	
1996.....		9.5	7.8	6.8	4.0	13.3	10.9	9.6	9.2	8.6	11.9	15.9	11.3	
1995.....		9.0	*	6.4	4.6	10.7	10.5	9.8	8.9	10.1	11.6	12.5	*	
1994.....		9.5	9.5	7.5	5.1	11.7	10.4	8.9	10.8	9.2	12.6	15.9	12.2	
1993.....		8.7	*	7.3	5.6	10.6	9.5	9.1	7.2	8.5	9.6	15.4	11.0	
1992.....		8.8	8.3	8.7	4.5	9.5	9.6	9.8	8.5	10.9	10.0	12.5	*	
1991.....		8.7	7.2	6.4	4.4	10.0	10.4	9.2	9.0	9.9	10.9	12.3	*	
1990.....		9.4	7.0	7.7	4.3	9.9	11.1	9.4	9.6	12.2	13.7	15.0	*	
1989.....		9.4	7.8	6.3	4.7	10.2	12.1	10.3	8.7	10.0	12.9	13.0	*	
1988.....		9.5	*	7.5	5.7	10.8	11.3	10.0	9.2	10.1	9.8	13.5	*	
1987.....		8.9	*	7.5	4.8	9.6	11.2	9.2	9.3	9.0	12.1	10.4	*	
1986.....		8.6	*	6.9	4.9	9.2	10.4	8.6	8.9	11.2	9.8	9.6	*	
1985.....		8.3	8.1	6.8	4.4	9.1	9.3	9.1	8.3	9.7	9.7	14.6	*	
1984.....		7.8	*	7.0	4.5	8.5	9.1	8.6	6.5	8.6	9.8	13.4	*	
1983.....		7.6	*	8.0	4.4	8.6	7.4	7.3	8.8	8.3	9.7	14.9	*	
1982.....		7.6	*	8.0	5.6	7.8	8.8	7.8	7.1	8.0	9.1	8.7	*	
1981.....		7.7	*	8.8	5.2	7.7	8.1	7.7	8.2	9.4	10.1	12.0	*	
1980.....		8.3	5.3	9.5	5.2	8.0	10.6	8.3	9.1	9.3	8.5	11.1	12.3	
1979.....		8.7	5.9	9.5	5.2	9.3	9.4	8.3	8.9	11.2	10.7	13.3	7.7	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 958
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)
 TOTAL, BOTH SEXES

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	20.1	15.7	7.7	3.5	8.9	12.7	18.3	17.2	17.3	29.8	77.4	249.0
1997.....	19.5	15.8	8.1	3.6	8.6	12.9	17.9	16.7	17.3	28.2	74.4	243.8
1996.....	19.3	15.6	8.6	3.8	8.9	12.6	17.3	16.4	17.2	28.7	73.7	246.1
1995.....	19.0	15.8	9.2	3.9	9.0	13.1	18.1	15.9	17.3	27.2	69.8	236.8
1994.....	18.8	18.1	9.9	3.9	9.0	13.7	17.7	15.4	16.7	26.2	71.1	228.6
1993.....	18.9	18.1	10.8	4.1	9.6	13.9	17.6	14.7	16.7	26.9	69.7	233.8
1992.....	18.0	16.5	10.4	4.1	9.3	13.1	15.5	13.7	16.8	26.6	68.7	227.4
1991.....	18.2	19.6	11.6	4.6	9.9	13.2	14.7	13.6	17.0	27.0	69.9	229.3
1990.....	18.2	18.6	11.1	4.5	9.8	13.4	14.4	13.8	18.3	28.0	71.2	225.9
1989.....	19.2	20.2	12.1	5.3	10.2	14.6	15.2	14.7	19.5	29.9	74.6	232.0
1988.....	19.6	19.2	12.8	5.2	10.7	14.6	15.4	15.4	19.7	31.4	75.7	243.4
1987.....	19.3	20.2	13.5	5.3	10.9	14.4	14.4	14.7	20.1	31.0	76.8	228.3
1986.....	19.7	19.6	13.5	5.6	12.0	15.5	14.6	15.7	19.9	31.5	76.9	229.8
1985.....	20.0	19.3	13.0	5.7	12.2	15.1	14.5	16.2	21.3	33.0	79.5	231.7
1984.....	19.8	19.0	13.0	5.7	12.5	15.0	14.1	16.9	20.4	32.5	78.5	234.5
1983.....	20.5	21.0	14.4	6.1	13.3	15.6	15.0	17.3	22.1	33.6	79.8	237.1
1982.....	20.9	22.3	14.7	6.5	14.4	16.4	15.0	18.4	22.2	33.4	79.1	232.2
1981.....	21.5	21.1	15.9	6.7	14.7	16.4	15.5	19.8	23.1	34.9	81.2	248.4
1980.....	23.2	26.0	16.7	7.1	16.9	17.2	16.4	20.4	25.2	38.5	92.2	264.9
1979.....	23.1	25.0	16.7	7.7	17.0	16.9	17.4	20.8	25.2	38.1	89.2	251.6

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 959
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)													
TOTAL, MALE													
1998.....	25.8	17.9	9.5	4.7	14.6	20.5	28.4	26.9	25.6	40.6	98.4	302.3	
1997.....	25.3	17.8	9.8	4.8	14.0	20.9	28.2	26.3	26.1	39.4	95.9	302.5	
1996.....	25.0	17.6	10.5	5.1	14.5	20.3	27.4	25.5	25.9	40.0	94.4	306.0	
1995.....	25.1	16.5	11.2	5.3	14.8	21.4	29.3	25.4	25.9	37.5	90.9	306.8	
1994.....	25.1	20.6	12.2	5.4	15.0	22.5	28.7	24.4	25.4	36.7	94.4	300.1	
1993.....	25.1	20.3	13.1	5.5	15.8	22.9	28.9	23.4	24.9	37.7	91.4	304.1	
1992.....	24.0	18.3	12.9	5.6	15.2	21.6	25.7	21.9	26.0	38.0	91.2	288.6	
1991.....	24.2	22.6	13.8	6.5	16.5	22.1	24.1	21.5	26.0	38.6	91.3	291.1	
1990.....	24.4	20.3	13.9	6.4	16.4	22.2	24.0	21.8	28.0	40.4	92.7	285.3	
1989.....	25.9	21.7	15.0	7.3	16.9	24.1	25.1	23.5	30.4	43.1	98.5	297.8	
1988.....	26.5	21.4	16.0	7.1	18.0	24.1	25.3	24.6	30.3	44.4	100.4	320.4	
1987.....	26.2	22.5	16.9	7.6	18.2	23.9	23.8	23.5	30.8	43.8	103.5	300.9	
1986.....	26.9	21.0	16.1	8.0	19.9	25.8	23.9	25.4	30.5	44.8	101.2	304.4	
1985.....	27.4	20.5	16.0	8.2	20.3	25.4	24.1	25.7	33.0	46.2	107.9	309.1	
1984.....	27.1	20.2	16.0	8.3	20.6	25.1	23.4	26.4	31.5	47.3	105.5	307.2	
1983.....	28.2	24.1	17.3	8.5	22.0	26.0	24.8	27.4	34.2	47.6	105.5	304.2	
1982.....	28.9	26.3	17.9	9.1	24.2	27.6	24.5	28.9	34.3	48.0	104.5	294.8	
1981.....	29.9	23.1	19.8	9.5	25.0	27.7	25.1	31.1	36.0	50.6	106.5	313.4	
1980.....	32.1	29.2	20.2	9.9	28.3	29.1	27.0	32.4	38.6	55.3	118.7	320.9	
1979.....	32.2	28.2	20.5	11.1	28.3	28.4	28.4	32.8	38.6	55.4	116.2	307.0	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 960
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)
 TOTAL, FEMALE

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	14.7	13.4	5.9	2.3	3.0	4.9	8.4	8.0	9.7	21.0	63.6	226.9
1997.....	13.9	13.7	6.2	2.4	3.0	4.8	7.6	7.5	9.3	19.1	60.4	220.2
1996.....	13.9	13.6	6.5	2.4	3.0	5.0	7.3	7.5	9.3	19.6	60.4	222.2
1995.....	13.2	15.0	7.2	2.5	3.0	4.8	7.1	6.8	9.4	18.9	56.5	209.5
1994.....	12.8	15.5	7.5	2.4	2.8	4.9	6.9	6.8	8.9	17.8	56.5	201.1
1993.....	12.9	15.7	8.3	2.5	3.1	4.9	6.5	6.5	9.3	18.3	56.3	206.8
1992.....	12.2	14.6	7.7	2.4	3.1	4.6	5.4	5.9	8.6	17.7	55.0	203.7
1991.....	12.4	16.5	9.3	2.6	3.1	4.4	5.4	6.1	8.9	18.0	57.0	205.4
1990.....	12.3	16.9	8.1	2.5	2.9	4.6	5.0	6.2	9.6	18.4	58.3	202.9
1989.....	12.8	18.7	9.0	3.1	3.2	5.1	5.6	6.2	9.8	19.6	60.3	206.5
1988.....	13.1	16.8	9.5	3.2	3.2	5.1	5.7	6.6	10.4	21.3	61.0	213.3
1987.....	12.7	17.8	9.9	2.9	3.4	4.8	5.2	6.5	10.7	21.1	61.1	199.7
1986.....	12.9	18.2	10.9	3.1	3.8	5.2	5.5	6.6	10.5	21.3	62.6	200.2
1985.....	13.0	18.1	9.9	3.2	3.9	4.9	5.2	7.3	11.0	22.9	62.8	200.8
1984.....	12.8	17.6	9.8	3.0	4.2	5.0	5.2	8.0	10.7	21.1	62.7	205.1
1983.....	13.4	17.7	11.4	3.7	4.4	5.3	5.6	7.7	11.4	22.8	64.7	209.5
1982.....	13.2	18.2	11.3	3.7	4.3	5.3	5.9	8.6	11.7	22.3	64.2	206.1
1981.....	13.5	19.0	11.8	3.7	4.3	5.3	6.3	9.2	11.7	22.9	66.3	220.6
1980.....	14.8	22.7	12.9	4.1	5.2	5.5	6.3	9.2	13.4	25.7	76.6	240.4
1979.....	14.5	21.8	12.7	4.2	5.4	5.6	6.7	9.6	13.5	24.8	73.1	227.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 961
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)													
WHITE, BOTH SEXES													
1998.....	20.6	13.1	7.1	3.0	9.1	13.0	17.9	15.8	16.4	29.2	78.1	256.1	
1997.....	19.8	13.1	7.3	3.1	8.8	13.1	17.0	15.4	16.2	27.3	74.2	251.0	
1996.....	19.5	12.6	7.5	3.2	9.0	12.7	16.6	14.9	16.0	27.5	73.5	253.9	
1995.....	19.0	13.0	8.4	3.5	9.1	13.0	16.9	14.4	15.9	25.9	69.0	241.6	
1994.....	18.6	15.1	8.5	3.3	8.9	13.3	16.4	13.8	15.3	25.2	70.3	232.9	
1993.....	18.6	15.0	9.5	3.5	9.2	13.5	16.2	13.4	15.5	25.5	69.1	237.5	
1992.....	17.8	13.3	9.5	3.5	9.1	12.8	14.3	12.6	15.6	25.5	67.6	231.1	
1991.....	17.8	16.7	10.4	4.1	9.6	12.6	13.0	12.5	15.7	25.6	69.1	231.4	
1990.....	17.9	14.7	10.1	4.0	9.7	12.8	13.2	12.7	17.0	26.5	69.9	228.1	
1989.....	18.6	15.1	10.8	4.5	9.9	13.9	13.8	13.0	17.7	27.9	72.9	231.5	
1988.....	19.0	15.5	11.2	4.5	10.5	13.7	13.7	13.7	17.8	29.3	73.6	245.4	
1987.....	18.7	16.6	12.2	4.6	10.7	13.5	12.7	13.3	18.5	29.0	75.0	229.0	
1986.....	19.2	15.6	12.4	4.8	11.9	14.6	13.3	14.4	18.1	29.8	75.3	231.5	
1985.....	19.5	16.7	11.8	5.0	12.2	14.5	13.2	14.5	19.6	31.1	77.2	232.9	
1984.....	19.3	16.0	11.5	5.1	12.5	14.4	12.8	15.6	18.9	30.6	77.1	236.8	
1983.....	19.9	17.1	13.1	5.5	13.4	14.7	13.8	15.7	20.1	31.1	77.3	240.4	
1982.....	20.3	18.1	13.3	5.8	14.4	15.5	13.7	16.7	20.4	31.5	77.7	236.7	
1981.....	20.9	17.2	14.1	5.9	14.7	15.4	14.1	18.0	21.1	33.1	79.9	251.2	
1980.....	22.2	21.1	15.1	6.3	16.7	16.1	14.8	18.2	22.7	35.6	88.4	266.8	
1979.....	22.2	19.5	14.5	6.8	16.9	15.6	15.6	18.8	23.6	36.1	88.0	253.3	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 962
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)													
WHITE MALE													
1998.....	26.0	15.3	8.8	4.0	14.7	21.0	27.9	24.4	23.9	39.5	99.2	308.4	
1997.....	25.3	14.7	9.2	4.2	14.2	21.2	27.0	24.0	24.3	38.1	95.6	310.9	
1996.....	24.8	14.3	9.4	4.3	14.5	20.4	26.6	23.0	24.0	38.1	93.4	316.6	
1995.....	24.7	14.6	10.2	4.7	14.8	21.3	27.5	22.9	23.5	35.5	89.4	311.4	
1994.....	24.4	17.4	10.6	4.5	14.7	22.0	26.6	21.7	22.9	35.4	92.3	304.6	
1993.....	24.4	16.8	11.8	4.8	15.1	22.4	26.4	21.0	22.9	35.5	90.6	308.0	
1992.....	23.4	15.6	12.0	4.9	15.0	21.2	23.9	19.8	23.8	36.2	89.5	291.7	
1991.....	23.3	18.6	12.7	5.7	16.0	21.0	21.5	19.7	23.7	36.3	89.1	294.0	
1990.....	23.6	16.0	12.8	5.8	16.2	21.3	21.8	19.8	25.8	37.9	90.5	287.8	
1989.....	24.7	16.2	13.4	6.4	16.3	23.1	22.7	20.6	27.3	40.0	95.3	297.2	
1988.....	25.1	17.4	14.1	6.2	17.7	22.7	22.6	21.6	26.8	40.7	96.5	323.1	
1987.....	24.9	18.7	15.3	6.7	17.7	22.5	20.9	21.0	27.9	40.7	100.6	300.7	
1986.....	25.9	16.9	15.1	7.0	19.7	24.5	21.6	23.0	27.7	42.1	97.8	307.4	
1985.....	26.3	17.7	14.8	7.3	20.2	24.4	21.7	22.7	30.2	43.3	104.1	309.9	
1984.....	26.1	16.8	14.3	7.3	20.6	24.1	21.2	24.2	28.9	44.2	103.5	309.8	
1983.....	27.0	19.0	16.0	7.9	22.2	24.8	22.6	24.8	31.0	43.8	101.5	307.4	
1982.....	27.8	21.5	16.5	8.3	24.3	26.1	22.3	26.0	31.1	44.9	101.5	299.7	
1981.....	28.6	19.1	17.7	8.5	24.9	26.2	22.7	27.9	32.7	47.5	103.9	316.0	
1980.....	30.4	23.9	18.6	8.9	27.9	27.2	24.3	28.4	34.8	51.4	113.7	321.9	
1979.....	30.6	23.1	18.2	9.8	28.3	26.2	25.3	29.2	35.7	52.4	113.1	309.1	

ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)
 WHITE FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	15.5	10.9	5.3	2.0	3.1	5.0	7.9	7.4	9.4	20.7	64.0	234.7
1997.....	14.5	11.3	5.5	1.9	3.0	4.8	7.0	6.9	8.8	18.5	60.2	227.2
1996.....	14.4	10.8	5.5	2.1	3.0	4.8	6.5	7.0	8.7	18.8	60.5	229.4
1995.....	13.5	11.2	6.5	2.1	3.0	4.6	6.3	6.1	8.9	18.1	56.0	214.8
1994.....	13.0	12.6	6.3	2.0	2.7	4.5	6.0	6.1	8.3	17.0	56.5	205.5
1993.....	13.1	13.1	7.1	2.0	3.0	4.4	5.9	6.0	8.7	17.5	55.8	210.7
1992.....	12.4	11.0	6.8	2.1	2.9	4.3	4.8	5.5	8.0	17.1	54.1	207.9
1991.....	12.6	14.7	8.0	2.3	2.9	4.0	4.5	5.4	8.4	17.2	56.9	207.7
1990.....	12.4	13.5	7.3	2.0	2.7	4.1	4.5	5.7	9.0	17.5	57.5	205.4
1989.....	12.8	13.9	7.9	2.6	3.1	4.6	4.8	5.6	9.1	18.4	59.5	206.5
1988.....	13.1	13.5	8.2	2.6	3.0	4.4	4.9	6.1	9.7	20.3	60.1	215.5
1987.....	12.7	14.5	8.9	2.5	3.4	4.3	4.5	5.8	10.0	19.9	59.9	201.3
1986.....	12.9	14.3	9.6	2.5	3.8	4.6	5.0	6.1	9.5	20.1	62.0	201.9
1985.....	12.9	15.6	8.8	2.6	3.8	4.4	4.7	6.6	10.2	21.7	61.5	202.7
1984.....	12.8	15.1	8.5	2.7	4.1	4.6	4.6	7.3	10.0	20.0	61.7	207.9
1983.....	13.2	15.1	10.0	3.1	4.3	4.6	5.0	6.9	10.3	21.3	63.3	213.4
1982.....	13.2	14.6	9.9	3.2	4.2	4.8	5.3	7.9	10.9	21.1	63.9	210.9
1981.....	13.5	15.1	10.4	3.2	4.2	4.6	5.7	8.5	10.9	22.1	65.9	224.1
1980.....	14.4	18.2	11.4	3.5	5.1	5.0	5.4	8.4	12.1	23.4	73.5	243.0
1979.....	14.3	15.8	10.7	3.7	5.2	4.9	6.1	8.9	12.8	23.7	73.3	228.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 964
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)
 ALL OTHER, BOTH SEXES

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	17.6	25.4	10.3	5.5	8.4	11.1	20.3	24.8	22.8	33.9	71.4	181.5
1997.....	18.1	26.4	10.8	5.7	8.0	12.1	22.0	24.1	24.0	34.3	76.3	174.7
1996.....	18.3	27.7	12.4	6.0	8.8	12.4	20.7	24.5	24.6	38.1	76.5	170.8
1995.....	18.9	26.0	12.4	5.5	8.9	13.5	23.9	24.5	26.0	37.1	77.8	187.2
1994.....	19.7	29.4	15.0	6.4	9.6	15.4	24.5	24.8	25.7	33.8	78.7	185.2
1993.....	20.0	29.5	15.6	6.4	11.3	15.6	25.0	22.8	24.7	38.2	75.6	195.6
1992.....	18.6	28.3	13.7	6.2	10.1	14.6	21.2	20.9	25.4	35.8	80.1	188.7
1991.....	20.0	29.6	16.0	6.7	11.2	16.6	23.6	20.5	25.9	39.2	78.3	207.3
1990.....	19.7	33.5	14.9	6.8	10.5	16.4	21.3	20.8	27.4	41.0	83.6	202.3
1989.....	22.4	40.0	17.4	8.2	11.4	17.8	23.6	25.3	32.3	47.3	91.5	237.9
1988.....	23.2	34.0	19.4	8.3	11.9	19.3	24.7	26.1	33.8	50.3	95.9	222.6
1987.....	22.7	35.1	18.9	8.2	12.1	19.0	24.2	24.0	32.6	49.1	95.0	220.4
1986.....	22.6	36.7	18.3	8.9	12.5	19.7	22.5	24.2	33.5	47.2	93.3	211.3
1985.....	22.9	30.9	18.0	9.0	12.4	18.7	22.8	27.4	34.9	49.9	102.5	217.9
1984.....	22.4	32.1	19.6	8.6	12.7	18.5	22.2	25.9	33.1	50.0	93.2	209.2
1983.....	24.1	38.0	20.1	8.8	13.1	20.4	23.1	28.3	39.0	56.0	105.0	199.0
1982.....	24.1	41.1	20.8	9.3	14.1	21.4	23.6	30.0	37.6	51.3	93.4	182.9
1981.....	25.3	39.0	23.8	10.0	15.0	22.1	24.5	32.6	39.7	51.2	94.4	216.3
1980.....	29.3	48.2	23.8	10.9	18.0	23.5	27.4	36.8	46.6	65.6	132.7	243.0
1979.....	28.3	50.9	26.9	12.2	17.2	24.9	29.2	35.9	40.1	56.1	101.5	231.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 965
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)
 ALL OTHER MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	25.0	28.0	12.4	7.3	14.0	18.4	31.2	41.5	37.4	48.9	89.9	249.0
1997.....	25.5	30.0	12.5	7.2	13.0	19.7	34.8	39.9	38.8	49.6	99.0	229.0
1996.....	25.8	30.9	14.6	8.1	14.6	19.6	31.6	41.3	39.2	56.3	104.1	214.7
1995.....	27.2	23.7	14.9	7.4	14.7	21.9	38.8	41.1	42.7	54.3	105.6	263.8
1994.....	28.6	32.5	18.1	8.9	16.2	24.9	39.8	41.6	42.7	48.0	115.6	258.2
1993.....	29.0	33.5	18.0	8.2	19.0	24.9	42.2	39.0	39.4	56.9	98.8	267.5
1992.....	26.9	28.4	16.6	8.5	16.4	23.7	35.3	35.9	42.6	53.9	107.3	259.5
1991.....	29.2	36.2	17.9	9.7	18.7	27.9	39.3	33.3	43.3	58.9	112.3	265.1
1990.....	28.7	36.9	18.3	9.1	17.4	26.8	37.0	34.5	45.0	63.0	114.3	261.7
1989.....	32.7	43.1	21.6	11.1	19.2	29.4	39.5	43.2	54.7	71.7	130.0	303.7
1988.....	34.2	38.0	24.2	11.0	19.6	31.4	41.5	45.1	57.8	78.6	138.2	294.9
1987.....	33.5	38.7	23.5	11.7	20.5	31.9	41.9	40.2	53.9	72.7	131.4	302.6
1986.....	33.0	38.9	20.4	12.2	21.0	32.7	39.1	41.7	53.9	69.3	133.2	276.0
1985.....	33.7	32.9	21.2	12.1	20.6	31.1	39.9	46.1	57.4	73.6	143.4	301.4
1984.....	32.8	35.8	23.6	12.6	20.6	31.0	38.5	41.8	53.9	76.4	124.8	283.3
1983.....	34.9	46.8	22.9	11.3	21.2	33.2	40.0	46.6	62.2	82.7	144.2	270.0
1982.....	35.9	47.8	24.1	12.5	23.6	36.6	39.9	50.2	62.1	77.0	133.9	247.8
1981.....	37.9	41.5	29.4	14.1	25.6	36.7	41.4	55.3	66.2	79.2	131.8	287.5
1980.....	42.9	53.5	27.8	15.1	30.3	41.4	46.4	64.0	74.1	90.8	167.0	311.1
1979.....	42.4	52.5	31.6	17.4	28.4	42.8	51.4	61.8	65.5	83.9	145.5	284.7

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 966
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)
 ALL OTHER FEMALE

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	10.9	22.8	8.2	3.5	2.7	4.6	10.5	10.7	11.3	23.0	59.7	150.7
1997.....	11.3	22.8	9.0	4.2	2.9	5.1	10.5	10.8	12.3	23.2	62.2	150.0
1996.....	11.5	24.5	10.1	3.8	3.0	5.7	11.0	10.4	13.0	25.0	59.5	151.0
1995.....	11.4	28.5	9.9	3.6	3.0	5.8	10.8	10.5	12.7	24.7	61.1	154.0
1994.....	11.5	26.2	11.9	3.9	3.0	6.7	11.0	10.7	12.4	23.6	56.7	153.6
1993.....	11.8	25.4	13.1	4.6	3.6	7.1	9.8	9.1	13.1	24.8	61.7	164.3
1992.....	11.0	28.2	10.8	3.9	3.9	6.4	8.8	8.2	11.9	22.7	63.8	156.9
1991.....	11.6	22.8	14.1	3.7	3.6	6.3	10.0	9.6	12.3	25.1	57.8	179.9
1990.....	11.5	29.9	11.5	4.5	3.5	7.1	7.6	9.1	13.7	25.2	65.2	175.4
1989.....	13.0	36.8	13.2	5.2	3.6	7.2	9.7	10.0	14.7	29.9	68.3	207.4
1988.....	13.2	30.0	14.6	5.6	4.1	8.4	10.1	9.9	14.9	30.0	70.4	188.8
1987.....	12.8	31.5	14.1	4.6	3.7	7.4	9.0	10.3	15.8	32.1	72.4	181.6
1986.....	13.0	34.4	16.2	5.6	4.1	8.1	8.1	9.5	17.4	31.2	68.4	180.1
1985.....	13.2	28.8	14.7	5.9	4.3	7.6	8.2	11.6	17.0	32.8	76.7	178.7
1984.....	12.8	28.4	15.5	4.5	4.9	7.4	8.2	12.6	16.4	30.8	73.3	172.4
1983.....	14.4	29.1	17.2	6.2	5.3	9.1	8.7	13.0	20.3	36.5	80.0	163.3
1982.....	13.4	34.1	17.4	6.0	4.9	8.0	9.6	13.2	17.8	32.3	67.2	148.9
1981.....	13.9	36.5	18.1	5.8	4.6	9.3	10.0	13.8	18.3	30.2	70.1	180.2
1980.....	16.9	42.8	19.7	6.7	6.2	8.0	11.2	14.5	24.1	46.5	110.1	208.2
1979.....	15.5	49.3	22.2	6.9	6.4	9.5	10.6	14.7	19.2	34.9	71.9	205.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	967
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)														
BLACK, BOTH SEXES														
1998.....	20.7	32.5	12.5	6.2	8.9	12.8	24.6	31.2	27.4	38.4	78.3	189.8		
1997.....	20.6	33.1	11.7	6.2	8.3	13.6	26.1	29.9	27.9	38.0	81.8	179.2		
1996.....	21.3	33.1	14.5	6.5	9.2	14.4	25.4	30.8	29.2	43.1	81.1	173.6		
1995.....	22.1	31.9	13.5	6.3	9.6	15.6	28.9	30.5	30.9	42.5	85.0	187.9		
1994.....	22.7	35.1	17.5	7.2	10.4	17.3	30.0	30.3	29.7	38.5	82.3	183.3		
1993.....	23.3	34.6	18.0	7.0	12.4	17.9	31.1	28.1	28.9	43.2	79.3	198.7		
1992.....	21.3	32.9	15.6	6.9	10.6	16.4	26.1	25.3	29.8	39.8	85.3	189.4		
1991.....	23.3	34.6	18.8	7.8	12.7	19.5	28.8	24.7	29.6	43.8	85.2	212.5		
1990.....	22.5	39.0	16.8	7.6	11.1	19.0	25.4	24.8	31.7	44.7	87.8	206.6		
1989.....	25.9	46.0	19.6	9.2	11.7	20.7	28.8	29.7	38.1	54.1	98.8	248.2		
1988.....	26.5	41.2	22.1	9.1	12.4	22.4	30.0	31.5	37.9	54.9	100.1	225.7		
1987.....	25.5	41.0	21.3	9.0	12.9	21.4	29.3	28.8	36.3	52.3	99.0	223.6		
1986.....	25.2	41.4	20.4	9.9	12.8	22.2	26.5	27.9	37.8	52.2	98.6	208.5		
1985.....	25.5	34.4	19.5	9.7	12.5	21.3	26.7	31.4	39.6	54.7	108.0	219.0		
1984.....	24.7	36.2	21.1	9.6	12.6	21.2	25.5	29.4	36.9	53.5	98.5	212.1		
1983.....	26.6	44.9	22.5	9.7	13.1	23.1	26.3	31.2	42.9	60.5	111.5	202.7		
1982.....	26.2	46.4	22.7	10.0	14.0	23.5	27.3	32.8	40.5	55.0	98.4	183.0		
1981.....	27.6	43.3	26.0	10.6	15.6	24.1	28.3	36.6	43.8	54.8	98.9	220.8		
1980.....	31.5	52.5	25.5	11.6	18.1	25.6	30.0	41.2	51.0	69.1	141.0	246.5		
1979.....	29.9	55.1	28.4	12.9	17.1	26.5	32.3	39.0	41.8	58.7	103.4	230.1		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 968
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	29.3	36.6	14.9	8.5	15.0	21.0	37.8	52.8	46.2	55.8	99.2	261.5
1997.....	29.1	37.6	13.7	7.8	13.4	22.3	41.7	49.8	45.2	54.2	110.6	227.8
1996.....	30.1	36.5	17.2	8.7	15.3	22.6	38.7	52.9	47.8	65.4	109.3	222.0
1995.....	31.6	29.3	16.2	8.4	15.8	24.9	46.6	52.0	51.5	62.0	118.3	261.3
1994.....	33.1	38.2	20.8	9.9	17.6	28.0	49.0	51.4	50.7	54.9	122.5	252.7
1993.....	33.7	39.3	20.9	8.9	21.0	28.5	52.5	49.2	46.5	64.6	103.7	280.9
1992.....	30.9	32.3	18.8	9.4	17.5	26.4	43.5	43.6	51.0	60.3	118.8	255.5
1991.....	34.2	43.7	21.1	11.4	21.6	32.7	48.1	40.6	50.0	66.1	124.1	275.4
1990.....	32.7	43.1	20.1	10.0	18.4	31.4	43.9	41.9	52.6	69.6	121.6	264.1
1989.....	37.8	49.2	24.0	12.6	19.8	34.0	48.6	51.7	64.2	82.8	144.7	325.8
1988.....	38.9	46.1	26.9	12.1	20.6	36.2	50.5	54.9	64.9	85.2	147.6	303.1
1987.....	37.8	44.6	26.7	12.8	21.9	35.7	51.0	49.2	59.9	78.0	139.0	317.2
1986.....	37.0	43.9	22.0	13.1	21.5	37.2	46.8	48.8	60.5	78.0	143.9	274.6
1985.....	37.7	36.6	22.5	12.9	21.2	35.8	47.7	53.9	65.7	82.6	152.9	296.8
1984.....	36.3	40.4	25.4	14.1	20.5	35.7	44.7	47.6	60.4	82.5	133.9	290.2
1983.....	38.2	54.9	25.8	12.6	21.1	37.3	45.6	51.7	68.3	89.5	153.8	281.7
1982.....	38.9	53.8	26.6	13.6	23.2	40.2	46.7	55.5	67.1	84.4	141.9	243.1
1981.....	41.4	46.3	31.9	14.8	26.8	40.0	48.5	62.6	73.0	85.5	139.1	289.3
1980.....	46.0	58.4	29.6	16.3	30.5	45.0	51.0	72.5	80.9	95.4	176.8	309.4
1979.....	44.7	57.7	32.9	18.5	28.1	45.2	57.0	67.1	67.9	90.1	147.5	278.8

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 969
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)
 BLACK FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	12.8	28.2	10.1	3.9	2.7	5.5	13.0	13.2	12.9	25.9	65.9	159.9
1997.....	13.0	28.5	9.7	4.5	3.1	5.7	12.4	13.4	14.6	26.3	64.9	159.0
1996.....	13.3	29.7	11.7	4.2	3.0	7.0	13.7	12.4	15.0	27.1	64.7	153.7
1995.....	13.5	34.6	10.7	4.0	3.3	7.3	13.5	12.7	15.1	28.6	65.9	158.1
1994.....	13.4	31.8	14.2	4.4	3.3	7.6	13.5	12.8	13.5	26.9	59.5	155.2
1993.....	13.8	29.8	15.0	5.0	3.9	8.4	12.5	10.7	15.3	28.0	65.6	165.1
1992.....	12.7	33.5	12.3	4.2	3.8	7.5	10.9	10.1	13.4	25.4	66.5	161.8
1991.....	13.5	25.1	16.5	4.1	3.8	7.7	12.2	11.6	13.7	28.2	63.5	185.9
1990.....	13.4	34.8	13.4	5.1	3.9	8.0	9.5	10.6	15.6	27.4	68.9	182.3
1989.....	15.2	42.7	15.0	5.8	3.7	8.7	11.7	11.5	17.8	34.1	72.8	216.3
1988.....	15.3	36.1	17.1	6.1	4.3	10.0	12.4	12.2	16.8	33.8	73.0	191.9
1987.....	14.5	37.4	15.8	5.1	4.1	8.6	10.8	11.9	17.8	34.3	75.9	181.9
1986.....	14.7	38.9	18.8	6.5	4.2	8.9	9.3	10.7	19.9	34.1	72.0	178.3
1985.....	14.6	32.1	16.5	6.4	4.0	8.5	9.0	12.9	18.9	35.1	81.2	182.7
1984.....	14.3	31.9	16.7	5.1	4.9	8.4	9.3	14.4	18.2	33.0	77.5	175.2
1983.....	16.2	34.7	19.2	6.8	5.4	10.6	10.2	14.5	22.7	40.0	85.4	164.5
1982.....	14.7	38.9	18.7	6.4	5.1	8.9	11.1	14.3	19.2	34.0	71.5	153.4
1981.....	15.3	40.2	20.0	6.4	4.8	10.2	11.4	15.3	20.3	32.7	73.7	185.0
1980.....	18.6	46.7	21.5	6.9	6.4	8.8	12.6	15.7	26.8	49.9	118.3	215.0
1979.....	16.6	52.3	23.8	7.3	6.6	10.4	11.9	16.0	20.6	35.6	73.9	205.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	970
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, BOTH SEXES													
1998.....		11.3	0.8	11.1	13.8	15.4	14.8	13.1	14.1	19.7	21.0
1997.....		11.4	0.8	11.4	14.3	15.3	14.7	13.5	14.4	19.3	20.8
1996.....		11.6	0.8	12.0	14.5	15.5	14.9	13.7	15.0	20.0	20.2
1995.....		11.9	0.9	13.3	15.4	15.2	14.6	13.3	15.8	20.7	21.6
1994.....		12.0	0.9	13.8	15.4	15.3	14.4	13.4	15.3	21.3	23.0
1993.....		12.1	0.9	13.5	15.1	15.1	14.5	14.6	16.3	22.3	22.8
1992.....		12.0	0.9	13.0	14.5	15.1	14.7	14.8	16.5	22.8	21.9
1991.....		12.2	0.7	13.1	15.2	14.7	15.5	15.4	16.9	23.5	24.0
1990.....		12.4	0.8	13.2	15.2	15.3	14.8	16.0	17.9	24.9	22.2
1989.....		12.2	0.7	13.0	15.2	14.6	14.8	15.7	18.3	22.9	23.4
1988.....		12.4	0.7	12.9	15.6	14.8	14.7	15.8	18.7	25.6	21.0
1987.....		12.7	0.7	12.7	15.5	15.0	16.1	16.8	19.7	25.6	22.5
1986.....		12.9	0.8	12.9	15.8	15.2	16.5	17.2	19.9	25.0	21.1
1985.....		12.4	0.8	12.8	15.3	14.6	15.7	16.8	18.7	23.9	19.4
1984.....		12.4	0.7	12.4	15.6	15.1	16.3	17.4	18.9	21.9	18.6
1983.....		12.1	0.6	11.8	15.8	14.7	16.2	16.6	17.8	22.2	19.4
1982.....		12.2	0.6	12.1	16.0	15.4	16.5	17.0	17.4	20.5	17.6
1981.....		12.0	0.5	12.2	16.3	15.9	16.1	16.4	16.2	18.6	17.8
1980.....		11.9	0.4	12.3	16.0	15.4	15.9	15.9	16.9	19.1	19.2
1979.....		12.1	0.4	12.4	16.3	15.4	16.5	16.6	17.8	20.8	17.9

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 971
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, MALE												
1998.....	18.6	1.2	18.5	22.9	24.0	23.1	21.3	26.2	42.0	57.8
1997.....	18.7	1.2	18.9	23.6	23.9	22.5	22.4	26.4	40.9	60.3
1996.....	19.3	1.1	20.0	24.0	24.6	23.3	22.7	27.7	43.4	59.9
1995.....	19.8	1.3	22.5	25.6	24.1	22.8	22.0	28.7	44.8	63.1
1994.....	19.8	1.2	23.4	25.6	24.1	22.1	22.0	27.7	47.0	66.6
1993.....	19.9	1.2	22.4	24.9	24.0	22.4	23.9	29.4	48.9	68.3
1992.....	19.6	1.2	21.9	24.0	23.7	22.4	24.1	29.9	50.0	62.8
1991.....	20.1	1.1	21.9	25.0	23.0	23.7	25.3	30.7	53.0	69.7
1990.....	20.4	1.1	22.0	24.8	23.9	23.2	25.7	32.2	56.1	65.9
1989.....	20.0	1.0	21.5	24.7	22.8	22.6	25.1	34.2	51.5	68.2
1988.....	20.2	1.0	21.3	25.4	22.9	21.9	25.5	34.0	57.3	61.5
1987.....	20.6	1.1	20.8	25.1	23.0	23.9	27.0	35.8	57.2	67.5
1986.....	20.7	1.2	21.3	25.8	23.0	24.6	27.0	36.3	54.9	62.1
1985.....	20.0	1.2	21.0	24.7	22.3	23.6	27.1	33.9	53.1	56.2
1984.....	19.8	1.0	20.3	25.1	22.7	23.7	27.4	33.9	48.5	52.2
1983.....	19.2	0.9	19.2	25.1	22.0	23.9	25.9	31.5	49.2	54.2
1982.....	19.2	0.9	19.8	25.2	22.6	24.1	26.3	31.2	45.3	50.6
1981.....	18.7	0.7	19.7	25.4	23.2	22.5	25.0	28.4	41.4	50.5
1980.....	18.6	0.6	20.2	25.0	22.5	22.9	24.5	30.4	42.3	50.6
1979.....	18.6	0.6	19.8	25.2	21.8	22.8	24.9	31.4	44.7	47.6

00/04/10 TABLE 290 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959) TOTAL, FEMALE	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	972	
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
1998.....	4.4	0.4	3.3	4.9	6.9	7.0	5.5	4.3	4.9	5.8		
1997.....	4.4	0.4	3.5	5.0	6.8	7.3	5.4	4.7	5.2	4.9		
1996.....	4.4	0.4	3.6	5.0	6.6	7.0	5.5	4.8	5.0	4.4		
1995.....	4.4	0.4	3.7	5.2	6.5	6.7	5.3	5.4	5.5	5.5		
1994.....	4.5	0.5	3.7	5.1	6.7	7.0	5.6	5.4	5.3	6.2		
1993.....	4.6	0.5	4.1	5.2	6.5	7.1	6.3	5.9	5.8	5.4		
1992.....	4.6	0.5	3.7	5.0	6.6	7.3	6.5	5.9	6.2	6.1		
1991.....	4.7	0.3	3.8	5.4	6.5	7.6	6.5	6.0	5.7	6.3		
1990.....	4.8	0.4	3.9	5.6	6.8	6.9	7.3	6.7	6.3	5.4		
1989.....	4.8	0.3	4.2	5.7	6.7	7.4	7.4	6.0	5.9	5.9		
1988.....	5.0	0.4	4.2	5.8	6.9	8.0	7.3	6.8	6.8	5.2		
1987.....	5.2	0.3	4.3	6.0	7.2	8.6	7.7	7.2	6.9	4.7		
1986.....	5.4	0.3	4.3	5.9	7.6	8.8	8.5	7.3	7.4	4.8		
1985.....	5.2	0.4	4.3	5.9	7.1	8.3	7.8	6.9	6.7	4.7		
1984.....	5.4	0.3	4.4	6.2	7.7	9.3	8.5	7.3	6.3	5.0		
1983.....	5.4	0.3	4.3	6.5	7.6	9.0	8.4	7.3	6.3	5.2		
1982.....	5.6	0.2	4.2	6.9	8.5	9.5	8.8	6.9	5.8	3.8		
1981.....	5.8	0.3	4.6	7.3	8.9	10.1	8.8	6.8	5.2	3.8		
1980.....	5.5	0.2	4.3	7.1	8.5	9.4	8.4	6.5	5.5	5.5		
1979.....	6.0	0.3	4.8	7.4	9.3	10.6	9.3	7.4	6.5	4.7		

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	973
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE, BOTH SEXES													
1998	12.4	0.9	11.6	14.6	17.1	16.2	14.3	15.2	21.0	22.5
1997	12.4	0.8	11.9	15.2	16.7	16.1	14.6	15.3	20.5	22.0
1996	12.7	0.8	12.6	15.3	16.9	16.3	14.9	16.1	21.3	21.6
1995	12.9	1.0	14.0	16.2	16.5	15.9	14.4	16.7	22.1	23.0
1994	12.9	0.9	14.2	16.2	16.5	15.7	14.4	16.3	22.7	24.4
1993	13.1	0.9	14.0	15.8	16.3	15.7	15.9	17.4	23.7	24.2
1992	13.0	0.9	13.5	15.3	16.2	15.8	16.2	17.7	24.2	23.2
1991	13.3	0.8	13.9	16.0	15.9	16.7	16.5	18.0	24.9	25.4
1990	13.5	0.8	13.9	15.9	16.4	16.0	17.3	19.1	26.7	23.3
1989	13.2	0.7	13.6	15.8	15.6	16.1	17.0	19.4	24.5	24.7
1988	13.5	0.7	13.8	16.2	15.9	15.9	17.1	20.0	27.4	22.3
1987	13.8	0.8	13.6	16.3	16.0	17.4	18.1	20.8	27.2	23.6
1986	14.0	0.8	14.1	16.6	16.2	17.9	18.4	21.1	26.7	22.3
1985	13.4	0.9	13.6	16.1	15.7	17.0	18.0	19.8	25.4	20.6
1984	13.5	0.7	13.4	16.4	16.1	17.6	18.5	20.1	23.4	19.6
1983	13.1	0.6	12.6	16.7	15.7	17.5	17.8	19.0	23.5	20.5
1982	13.2	0.6	12.9	16.8	16.4	17.9	18.2	18.6	21.8	18.6
1981	12.9	0.6	13.1	17.0	16.9	17.3	17.4	17.3	19.6	18.6
1980	12.7	0.5	13.1	16.5	16.3	17.0	17.0	18.1	20.3	19.9
1979	12.9	0.5	12.8	16.6	16.2	17.6	17.6	18.9	22.0	18.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	974
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+
WHITE MALE													
1998	20.3	1.3	19.3	23.8	26.3	24.9	23.1	27.9	44.7	62.7
1997	20.2	1.2	19.5	24.8	25.7	24.4	23.9	28.0	43.4	65.0
1996	20.9	1.2	20.9	25.0	26.4	25.2	24.4	29.6	46.1	65.4
1995	21.4	1.4	23.5	26.8	25.8	24.6	23.6	30.3	47.5	68.2
1994	21.3	1.3	24.1	26.7	25.5	24.0	23.6	29.3	50.0	71.4
1993	21.4	1.2	23.1	25.9	25.5	23.9	25.7	31.4	52.1	73.6
1992	21.2	1.3	22.7	25.1	25.2	24.0	26.0	32.0	53.0	67.6
1991	21.7	1.2	23.0	26.1	24.7	25.3	26.8	32.6	56.1	75.1
1990	22.0	1.1	23.2	25.6	25.3	24.8	27.5	34.2	60.2	70.3
1989	21.5	1.1	22.5	25.5	24.1	24.4	26.9	36.0	55.3	72.9
1988	21.8	1.1	22.7	26.1	24.3	23.4	27.3	36.2	61.4	66.5
1987	22.2	1.2	22.2	26.0	24.1	25.6	28.9	37.6	60.9	72.1
1986	22.4	1.2	23.1	26.8	24.1	26.4	28.9	38.2	58.8	66.5
1985	21.6	1.3	22.3	25.6	23.7	25.2	28.8	35.8	57.0	60.9
1984	21.3	1.1	21.8	26.0	23.8	25.4	29.0	36.0	51.9	56.3
1983	20.7	1.0	20.4	26.2	23.3	25.5	27.5	33.5	52.5	57.9
1982	20.7	0.9	21.2	26.0	23.7	25.7	28.0	33.2	48.5	54.5
1981	20.0	0.8	21.1	26.2	24.4	23.9	26.4	30.4	43.9	54.0
1980	19.9	0.7	21.4	25.6	23.5	24.2	25.8	32.5	45.5	52.8
1979	19.6	0.6	20.5	25.4	22.4	24.0	26.3	33.4	48.0	50.2

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	975
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE													
1998	4.8	0.5	3.5	5.3	7.7	7.7	6.1	4.7	5.1	6.0
1997	4.9	0.4	3.7	5.4	7.6	8.0	5.9	4.9	5.4	4.9
1996	4.8	0.4	3.8	5.3	7.3	7.7	6.0	5.0	5.2	4.5
1995	4.8	0.4	3.9	5.5	7.1	7.4	5.8	5.7	5.8	5.6
1994	4.9	0.5	3.8	5.5	7.4	7.7	6.0	5.8	5.6	6.5
1993	5.0	0.5	4.3	5.5	7.1	7.8	6.8	6.2	6.1	5.4
1992	5.1	0.5	3.8	5.4	7.2	7.9	7.2	6.3	6.6	6.3
1991	5.2	0.4	4.2	5.8	7.2	8.3	7.1	6.4	6.0	6.6
1990	5.3	0.4	4.2	6.0	7.4	7.5	8.0	7.2	6.7	5.4
1989	5.3	0.3	4.3	6.0	7.2	8.1	8.0	6.4	6.1	6.3
1988	5.5	0.4	4.5	6.2	7.5	8.7	8.0	7.3	7.2	5.4
1987	5.8	0.3	4.6	6.4	7.9	9.4	8.4	7.6	7.4	4.8
1986	5.9	0.3	4.7	6.3	8.4	9.7	9.1	7.7	7.9	5.0
1985	5.6	0.5	4.7	6.4	7.7	9.1	8.4	7.3	7.0	4.8
1984	6.0	0.3	4.7	6.7	8.5	10.1	9.2	7.8	6.7	5.1
1983	5.9	0.3	4.5	7.2	8.2	9.9	9.1	7.9	6.6	5.4
1982	6.1	0.3	4.5	7.5	9.2	10.4	9.5	7.4	6.1	3.9
1981	6.2	0.3	4.9	7.7	9.6	11.1	9.4	7.3	5.5	3.7
1980	5.9	0.2	4.6	7.5	9.1	10.2	9.1	7.0	5.7	5.8
1979	6.5	0.3	4.9	7.8	10.1	11.6	9.9	7.8	6.7	5.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	976
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
SUICIDE (E950-E959)													
ALL OTHER, BOTH SEXES													
1998.....	6.2	0.6	9.2	10.7	7.2	7.2	5.4	6.3	8.0	7.0	
1997.....	6.5	0.6	9.8	10.4	8.3	6.6	6.8	7.5	8.2	9.3	
1996.....	6.7	0.7	9.8	11.3	8.7	6.9	6.4	7.2	7.9	6.2	
1995.....	6.9	0.6	10.7	11.6	8.8	6.8	6.3	8.3	7.8	7.4	
1994.....	7.2	0.7	12.2	11.6	9.5	6.2	6.4	7.7	7.8	9.0	
1993.....	7.1	0.8	11.4	11.6	9.0	7.4	6.4	7.1	8.4	8.6	
1992.....	6.8	0.6	10.7	10.9	9.0	7.4	5.6	6.4	9.1	8.1	
1991.....	6.8	0.5	9.6	11.3	8.1	7.9	7.8	7.5	10.0	8.8	
1990.....	7.0	0.6	9.8	11.8	9.2	7.7	7.0	7.9	6.9	11.1	
1989.....	7.1	0.6	10.4	12.0	9.3	6.6	6.8	8.7	7.8	9.4	
1988.....	6.8	0.6	8.9	12.2	8.7	7.5	6.3	7.4	8.4	*	
1987.....	6.9	0.5	8.5	11.6	9.2	7.6	6.4	9.8	9.7	10.0	
1986.....	6.7	0.6	7.6	11.7	9.1	7.5	7.4	9.6	8.3	*	
1985.....	6.6	0.5	8.8	10.9	8.1	7.6	7.3	8.9	8.7	*	
1984.....	6.5	0.4	7.8	11.2	8.8	7.7	8.2	8.0	6.9	*	
1983.....	6.2	0.6	8.0	10.4	8.3	7.4	7.0	6.8	9.0	*	
1982.....	6.2	0.5	7.6	11.6	8.8	7.1	6.6	6.7	7.1	*	
1981.....	6.5	*	7.7	12.4	9.8	7.2	7.7	6.3	8.1	*	
1980.....	6.4	0.2	8.2	12.4	9.3	7.6	6.9	5.9	6.1	10.6	
1979.....	7.3	0.2	9.8	14.2	10.1	8.2	7.9	7.8	8.1	7.5	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 977
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	10.5	0.9	15.6	18.7	12.0	11.7	9.5	12.7	15.7	*
1997.....	11.1	0.9	16.5	18.3	14.3	10.5	12.3	13.7	16.9	20.1
1996.....	11.3	1.1	16.6	19.5	14.9	11.2	10.8	12.4	15.8	*
1995.....	11.8	0.9	18.5	20.1	14.9	11.5	11.1	14.8	16.7	*
1994.....	12.4	1.0	20.9	20.3	16.5	10.0	10.7	14.3	16.9	22.2
1993.....	12.1	1.2	19.2	20.0	15.6	12.6	10.7	12.4	16.8	*
1992.....	11.6	1.0	18.3	18.9	15.3	11.8	9.6	11.7	20.2	*
1991.....	11.8	0.9	16.9	19.7	13.6	13.2	14.1	14.1	21.7	*
1990.....	11.9	0.9	16.8	20.4	15.5	12.8	11.8	14.2	15.3	24.6
1989.....	12.0	0.9	17.3	20.8	15.3	10.3	11.1	17.2	14.9	24.7
1988.....	11.5	0.9	15.0	21.2	14.2	11.8	11.2	13.7	17.6	*
1987.....	11.7	0.8	14.0	20.0	15.8	12.7	11.2	19.0	22.0	*
1986.....	11.2	1.0	12.5	20.1	15.9	12.1	11.3	18.0	16.6	*
1985.....	11.1	0.7	14.9	19.4	13.2	12.3	12.8	15.9	15.4	*
1984.....	10.8	*	12.7	19.6	15.0	11.7	13.8	14.7	15.9	*
1983.....	10.3	*	13.2	18.5	13.3	11.9	11.7	13.6	17.7	*
1982.....	10.4	0.8	12.5	20.1	14.5	11.5	11.0	12.6	14.3	*
1981.....	10.5	*	12.6	20.6	15.3	11.8	13.1	10.5	18.1	*
1980.....	10.6	0.3	13.8	21.1	14.9	12.1	12.1	11.0	11.3	28.0
1979.....	12.0	0.3	16.0	24.2	16.9	13.6	12.1	13.5	12.7	20.3

00/04/10 TABLE 290 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	978	
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
ALL OTHER FEMALE														
1998.....	2.3	*	2.7	3.4	3.0	3.3	2.2	1.7	3.2	*	*	
1997.....	2.4	*	3.0	3.2	3.0	3.3	2.5	3.0	*	*	*	
1996.....	2.5	*	2.8	3.8	3.3	3.2	2.9	3.4	3.0	*	*	
1995.....	2.5	*	3.0	3.9	3.4	2.9	2.6	3.7	*	*	*	
1994.....	2.5	*	3.5	3.6	3.2	3.0	3.1	2.9	*	*	*	
1993.....	2.6	*	3.6	3.9	3.2	3.0	2.9	3.3	3.4	*	*	
1992.....	2.5	*	3.0	3.6	3.5	3.7	2.5	2.6	*	*	*	
1991.....	2.3	*	2.2	3.7	3.3	3.5	2.8	2.7	*	*	*	
1990.....	2.6	*	2.7	4.0	3.8	3.4	3.2	3.3	*	*	*	
1989.....	2.7	*	3.4	4.0	4.0	3.4	3.4	2.6	3.5	*	*	
1988.....	2.6	*	2.7	4.0	3.9	3.8	2.4	2.9	*	*	*	
1987.....	2.5	*	3.0	4.0	3.5	3.4	2.7	3.2	*	*	*	
1986.....	2.7	*	2.7	4.2	3.2	3.7	4.4	3.6	*	*	*	
1985.....	2.5	*	2.8	3.4	3.8	3.6	2.8	3.8	4.5	*	*	
1984.....	2.6	*	2.9	3.7	3.6	4.4	3.8	3.2	*	*	*	
1983.....	2.5	*	3.0	3.3	4.1	3.6	3.1	*	*	*	*	
1982.....	2.5	*	2.9	4.1	4.0	3.4	3.1	2.3	*	*	*	
1981.....	2.9	*	3.0	5.2	5.1	3.5	3.3	3.1	*	*	*	
1980.....	2.6	0.1	2.7	4.9	4.6	3.8	2.7	2.1	2.7	1.7	*	
1979.....	3.1	0.1	3.8	5.5	4.3	3.7	4.5	3.4	5.1	0.9	*	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 979
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
SUICIDE (E950-E959)												
BLACK, BOTH SEXES												
1998.....	5.7	0.5	8.6	10.2	7.0	7.0	4.8	5.3	5.7	*
1997.....	6.2	0.7	9.2	10.5	8.3	6.1	5.9	6.5	6.0	*
1996.....	6.5	0.6	9.5	10.9	9.0	6.9	5.9	6.6	5.9	*
1995.....	6.7	0.5	10.1	11.7	9.3	6.9	5.7	7.3	6.8	*
1994.....	7.0	0.7	11.6	11.1	9.9	6.1	5.5	7.7	6.4	*
1993.....	7.0	0.7	11.4	11.8	9.2	7.6	5.7	6.1	7.6	*
1992.....	6.8	0.6	10.0	11.5	9.6	7.3	5.5	6.1	7.3	*
1991.....	6.7	0.6	9.0	11.7	8.6	8.1	6.9	7.1	8.7	*
1990.....	6.9	0.6	8.7	12.3	10.0	8.5	6.2	7.5	5.6	*
1989.....	7.1	0.6	9.7	12.6	10.1	6.7	6.5	8.3	6.4	*
1988.....	6.8	0.6	8.5	12.7	9.2	7.5	6.5	7.0	7.2	*
1987.....	6.7	0.5	7.7	12.2	9.5	7.2	5.9	9.4	9.1	*
1986.....	6.5	0.5	6.8	12.2	9.3	7.6	7.0	8.8	7.5	*
1985.....	6.3	0.4	7.6	10.9	8.6	7.9	6.6	8.1	8.6	*
1984.....	6.2	*	6.7	11.7	9.2	7.2	8.0	7.5	6.0	*
1983.....	5.8	0.5	7.0	10.4	8.3	7.2	6.3	6.6	6.8	*
1982.....	6.0	0.4	6.7	11.5	9.3	6.9	6.5	6.2	5.5	*
1981.....	6.1	*	6.7	12.6	9.3	6.8	7.2	5.8	7.7	*
1980.....	6.0	0.2	7.2	12.4	9.6	6.9	6.5	5.7	4.9	6.3
1979.....	6.9	0.2	8.5	14.4	9.9	7.8	7.8	7.2	5.7	5.8

00/04/10 TABLE 290 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98												PAGE	980
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
1998.....	10.2	0.7	15.0	18.5	12.0	12.4	8.9	11.4	12.5		*	
1997.....	10.9	0.9	16.0	19.3	14.6	10.1	11.1	12.9	14.1		*	
1996.....	11.4	0.9	16.7	19.6	16.0	11.9	11.5	12.7	12.5		*	
1995.....	11.9	0.8	18.0	20.9	16.2	12.6	10.7	13.5	16.6		*	
1994.....	12.4	1.1	20.6	20.2	17.6	10.6	9.9	15.0	14.9		*	
1993.....	12.5	1.1	20.1	21.5	16.2	14.1	9.7	11.7	16.3		*	
1992.....	12.0	1.0	18.0	20.7	16.9	12.4	10.1	11.8	18.5		*	
1991.....	12.1	1.0	16.4	21.1	15.2	14.3	13.0	13.8	21.6		*	
1990.....	12.0	0.8	15.1	21.9	16.9	14.8	10.8	14.7	14.4		*	
1989.....	12.4	0.9	16.6	22.5	17.4	11.1	11.5	17.1	14.9		*	
1988.....	11.7	*	14.5	22.5	15.9	11.8	11.6	14.1	17.7		*	
1987.....	11.8	0.8	12.9	21.5	17.4	13.1	11.1	19.1	21.0		*	
1986.....	11.2	0.8	11.4	21.6	17.1	12.9	10.6	17.3	16.0		*	
1985.....	11.0	*	13.3	19.9	14.6	13.6	12.2	16.7	15.6		*	
1984.....	10.7	*	11.2	21.0	16.3	11.6	14.0	14.4	15.1		*	
1983.....	10.0	*	11.5	19.1	14.0	12.2	12.1	14.0	15.8		*	
1982.....	10.2	0.8	11.3	20.4	15.6	11.6	11.9	12.0	12.4		*	
1981.....	10.3	*	11.2	21.7	15.5	12.1	12.5	9.6	18.3		*	
1980.....	10.3	0.3	12.3	21.8	15.6	12.0	11.7	11.1	10.5	18.9		
1979.....	11.5	0.2	14.0	24.9	16.9	13.8	12.8	13.5	10.5	15.4		

00/04/10 TABLE 290 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98												PAGE	981
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS		
BLACK FEMALE														
1998.....	1.8	*	2.2	2.8	2.5	2.5	1.7	*	*	*	*	*
1997.....	1.9	*	2.4	2.7	2.8	2.8	1.9	*	*	*	*	*
1996.....	2.0	*	2.3	3.1	2.8	2.8	1.6	2.2	*	*	*	*
1995.....	2.0	*	2.2	3.4	3.4	2.1	1.8	2.9	*	*	*	*
1994.....	2.0	*	2.7	3.0	3.1	2.4	2.1	2.5	*	*	*	*
1993.....	2.1	*	2.7	3.1	3.0	2.2	2.6	2.2	*	*	*	*
1992.....	2.0	*	2.2	3.3	3.3	3.0	2.0	*	*	*	*	*
1991.....	1.9	*	1.6	3.3	2.9	3.0	2.1	2.4	*	*	*	*
1990.....	2.3	*	2.3	3.7	4.0	3.2	2.6	2.6	*	*	*	*
1989.....	2.4	*	2.9	3.8	3.8	3.2	2.6	*	*	*	*	*
1988.....	2.4	*	2.6	3.9	3.4	4.0	2.6	*	*	*	*	*
1987.....	2.1	*	2.5	4.0	2.8	2.2	1.9	2.6	*	*	*	*
1986.....	2.3	*	2.3	3.8	2.8	3.3	4.3	2.8	*	*	*	*
1985.....	2.1	*	2.0	3.0	3.6	3.3	2.2	*	*	*	*	*
1984.....	2.2	*	2.4	3.5	3.2	3.6	3.1	2.5	*	*	*	*
1983.....	2.1	*	2.7	2.9	3.5	3.1	*	*	*	*	*	*
1982.....	2.2	*	2.3	3.7	4.1	3.1	2.2	*	*	*	*	*
1981.....	2.4	*	2.4	4.6	4.2	2.5	3.0	3.0	*	*	*	*
1980.....	2.2	0.1	2.3	4.1	4.6	2.8	2.3	1.7	1.4	-	-	-
1979.....	2.8	0.1	3.3	5.4	4.1	2.9	3.8	2.6	2.5	1.0	1.0	1.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	982
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
TOTAL, BOTH SEXES													
1998.....		6.8	8.5	2.6	1.2	14.8	11.8	8.0	5.0	3.4	2.5	2.7	2.5
1997.....		7.4	8.3	2.4	1.2	16.8	12.8	8.4	5.6	3.9	2.9	2.9	3.8
1996.....		7.9	8.8	2.7	1.3	18.1	13.4	9.0	5.9	4.1	3.0	2.9	3.0
1995.....		8.7	8.1	2.9	1.5	20.3	15.1	9.7	6.2	4.5	3.3	3.1	3.3
1994.....		9.6	8.1	3.0	1.5	22.6	16.7	10.9	6.5	4.3	3.4	3.6	3.5
1993.....		10.1	8.8	2.9	1.8	23.4	17.4	11.1	7.2	4.7	3.7	3.5	4.1
1992.....		10.0	8.1	2.8	1.6	22.2	17.3	11.2	7.5	4.7	3.7	3.8	4.1
1991.....		10.5	9.5	2.8	1.4	22.4	18.2	11.6	8.2	5.5	4.0	4.2	4.1
1990.....		10.0	8.4	2.6	1.5	19.9	17.7	11.8	7.6	5.0	3.8	4.3	4.6
1989.....		9.3	8.7	2.7	1.5	16.5	16.5	11.0	7.7	5.1	4.1	4.2	4.4
1988.....		9.0	8.4	2.6	1.3	15.1	16.2	10.9	7.2	5.3	4.3	4.5	4.8
1987.....		8.7	7.4	2.3	1.2	13.8	15.3	10.9	7.8	5.5	4.4	4.8	5.2
1986.....		9.0	7.5	2.7	1.1	14.0	16.3	11.5	8.4	5.4	4.4	4.6	4.7
1985.....		8.4	5.4	2.5	1.2	11.9	14.8	11.3	8.1	5.7	4.3	4.3	4.2
1984.....		8.4	6.6	2.4	1.3	11.9	14.8	11.4	8.6	5.8	4.2	4.4	4.4
1983.....		8.6	5.3	2.3	1.1	12.3	15.4	11.9	8.7	6.1	4.3	4.9	5.1
1982.....		9.7	6.7	2.8	1.2	13.7	17.3	13.3	10.2	6.5	4.9	4.7	5.8
1981.....		10.3	6.0	2.6	1.3	14.6	18.5	14.5	11.3	7.1	4.8	5.3	5.4
1980.....		10.7	5.9	2.5	1.2	15.6	19.6	15.1	11.1	7.0	5.7	5.2	5.3
1979.....		10.0	5.0	2.5	1.1	14.5	18.2	14.3	10.8	7.0	5.4	4.8	5.0

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	983
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
HOMICIDE AND LEGAL INTERVENTION (E960-E978)														
TOTAL, MALE														
1998.....		10.6	8.9	2.9	1.3	24.8	18.8	11.8	7.8	5.3	3.7	3.5	3.3	
1997.....		11.8	9.4	2.7	1.5	28.2	20.5	12.5	8.5	6.1	4.3	3.8	5.9	
1996.....		12.5	8.7	2.7	1.6	30.4	21.4	13.5	8.9	6.6	4.3	3.8	3.7	
1995.....		13.8	8.9	3.1	1.9	33.9	23.7	14.6	9.6	7.2	4.6	3.7	4.2	
1994.....		15.5	9.0	3.3	1.9	38.3	26.5	17.0	10.3	6.9	5.0	4.9	5.6	
1993.....		16.1	9.6	3.4	2.2	39.2	27.2	17.2	11.4	7.4	5.3	4.5	5.7	
1992.....		16.2	8.9	3.0	2.0	37.3	27.5	17.6	11.8	7.7	5.5	5.3	7.3	
1991.....		16.9	10.0	3.0	1.8	37.2	28.9	18.4	12.8	8.7	6.2	5.7	5.6	
1990.....		16.2	8.8	2.7	1.7	32.9	28.3	19.0	12.1	8.1	5.8	5.7	6.8	
1989.....		14.7	8.4	2.9	1.7	26.8	26.1	17.5	12.3	8.2	6.0	5.8	7.8	
1988.....		14.0	7.9	2.9	1.5	24.0	25.0	17.3	11.4	8.3	6.1	6.3	7.4	
1987.....		13.4	8.2	2.2	1.4	21.3	23.6	17.1	12.2	8.9	6.4	6.8	7.5	
1986.....		14.2	8.0	3.1	1.3	21.6	25.8	18.3	13.5	8.8	6.6	6.5	6.4	
1985.....		13.0	5.6	2.5	1.4	18.6	23.3	17.9	12.9	9.2	6.5	5.8	5.0	
1984.....		13.1	7.3	2.4	1.3	17.9	23.7	18.3	14.1	9.4	6.6	6.2	7.4	
1983.....		13.7	4.9	2.5	1.3	19.0	24.8	19.2	14.0	10.1	6.7	6.9	7.5	
1982.....		15.4	7.5	3.0	1.2	21.2	28.3	21.5	16.9	10.7	7.6	6.9	9.2	
1981.....		16.7	5.7	2.7	1.4	22.9	30.5	24.1	18.9	11.7	7.9	7.4	9.8	
1980.....		17.3	6.3	2.7	1.2	24.5	32.5	24.9	18.6	11.9	9.3	8.1	7.5	
1979.....		16.2	5.9	2.4	1.3	22.5	30.1	23.5	18.1	11.8	8.3	7.1	6.8	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	984
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
HOMICIDE AND LEGAL INTERVENTION (E960-E978)														
TOTAL, FEMALE														
1998	3.1	8.1	2.4	1.1	4.3	4.9	4.3	2.4	1.6	1.6	2.1	2.2	
1997	3.2	7.3	2.2	0.9	4.7	5.1	4.3	2.7	2.0	1.9	2.2	3.0	
1996	3.5	8.9	2.7	1.1	5.1	5.5	4.5	3.0	1.9	1.9	2.4	2.7	
1995	3.8	7.2	2.6	1.0	6.0	6.5	4.9	3.0	2.1	2.2	2.7	2.9	
1994	3.9	7.1	2.7	1.2	6.2	6.8	4.9	2.8	2.0	2.1	2.7	2.6	
1993	4.3	7.9	2.5	1.4	6.9	7.6	5.2	3.1	2.2	2.5	3.0	3.4	
1992	4.1	7.4	2.5	1.2	6.4	7.1	4.9	3.3	2.0	2.4	2.9	2.9	
1991	4.4	8.9	2.6	1.0	6.9	7.5	5.0	3.8	2.6	2.4	3.4	3.6	
1990	4.2	8.0	2.4	1.2	6.3	7.2	4.8	3.2	2.3	2.2	3.4	3.8	
1989	4.1	9.0	2.5	1.2	5.9	6.9	4.7	3.3	2.4	2.7	3.2	3.0	
1988	4.2	8.9	2.3	1.1	5.9	7.4	4.6	3.2	2.5	2.9	3.4	3.8	
1987	4.2	6.5	2.4	1.0	5.9	7.0	4.8	3.6	2.5	2.8	3.6	4.3	
1986	4.2	7.0	2.3	1.0	6.1	6.8	4.8	3.5	2.5	2.8	3.4	4.1	
1985	4.0	5.2	2.4	1.0	5.1	6.4	4.9	3.7	2.7	2.6	3.4	3.8	
1984	3.9	5.9	2.4	1.3	5.8	6.0	4.7	3.3	2.6	2.4	3.4	3.1	
1983	3.9	5.7	2.0	0.8	5.4	6.2	4.8	3.7	2.6	2.4	3.7	4.1	
1982	4.2	5.8	2.5	1.1	6.0	6.4	5.4	3.9	2.8	2.9	3.4	4.4	
1981	4.3	6.4	2.4	1.1	6.1	6.6	5.2	4.2	3.1	2.5	4.0	3.5	
1980	4.5	5.6	2.2	1.1	6.6	7.0	5.7	4.1	2.8	3.0	3.5	4.3	
1979	4.3	3.9	2.6	0.9	6.3	6.5	5.4	4.1	2.9	3.3	3.4	4.2	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	985
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
HOMICIDE AND LEGAL INTERVENTION (E960-E978)														
WHITE, BOTH SEXES														
1998.....		4.1	6.3	1.7	0.9	7.6	6.8	5.3	3.6	2.6	2.1	2.2	2.3	
1997.....		4.5	6.3	1.7	0.8	8.3	7.4	5.4	4.0	3.0	2.4	2.4	3.4	
1996.....		4.7	6.7	1.8	1.0	8.8	7.5	5.8	4.1	3.2	2.4	2.4	2.5	
1995.....		5.2	6.1	1.9	1.0	10.4	8.6	6.3	4.4	3.3	2.4	2.4	2.5	
1994.....		5.5	5.6	2.1	1.0	10.9	9.3	6.8	4.6	3.3	2.5	2.8	2.8	
1993.....		5.7	6.4	1.8	1.2	10.8	9.6	6.9	5.1	3.5	2.8	2.6	3.1	
1992.....		5.9	6.0	1.8	1.0	10.9	9.7	7.2	5.4	3.6	2.7	3.0	3.3	
1991.....		6.1	6.7	1.9	1.0	10.8	10.0	7.3	5.8	4.0	2.9	3.1	3.3	
1990.....		5.8	5.8	1.6	0.9	9.9	9.7	7.3	5.4	3.6	2.8	3.2	3.2	
1989.....		5.4	5.8	1.7	0.9	8.2	9.2	7.0	5.5	3.6	2.9	3.1	2.9	
1988.....		5.4	6.0	1.9	0.9	7.6	9.0	6.9	5.1	3.9	3.1	3.4	3.6	
1987.....		5.4	5.2	1.7	0.8	7.5	9.1	6.9	5.5	4.0	3.3	3.7	4.3	
1986.....		5.7	5.3	1.7	0.8	8.3	9.7	7.6	5.7	3.9	3.2	3.6	3.6	
1985.....		5.5	4.0	1.8	0.9	7.3	9.2	7.6	5.7	4.2	3.2	3.6	3.4	
1984.....		5.5	4.6	1.8	0.9	7.7	9.1	7.6	6.0	4.1	2.9	3.4	3.4	
1983.....		5.6	3.5	1.5	0.8	7.6	9.5	8.0	6.0	4.2	3.1	3.6	4.4	
1982.....		6.3	4.9	1.8	0.9	8.8	10.3	8.9	6.8	4.5	3.5	3.8	5.1	
1981.....		6.6	4.6	1.7	0.9	9.4	10.9	9.3	7.5	4.9	3.4	4.2	4.7	
1980.....		7.0	4.3	1.7	0.9	10.1	11.6	9.7	7.3	4.8	4.4	4.4	4.8	
1979.....		6.4	3.4	1.7	0.9	9.5	10.4	8.7	6.9	4.6	4.1	3.8	4.7	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 986
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HOMICIDE AND LEGAL INTERVENTION (E960-E978)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE MALE												
1998.....	6.1	6.7	1.7	0.9	12.2	10.2	7.5	5.2	3.9	2.8	2.9	2.8
1997.....	6.7	7.8	1.9	1.0	13.2	11.4	7.8	5.9	4.6	3.3	3.1	5.2
1996.....	7.0	6.5	1.9	1.1	14.0	11.5	8.4	5.8	4.9	3.4	2.9	2.8
1995.....	7.8	7.1	2.1	1.3	16.5	12.9	9.2	6.3	5.0	3.2	2.5	3.5
1994.....	8.5	6.0	2.3	1.1	17.4	14.3	10.4	7.1	5.1	3.5	3.7	4.3
1993.....	8.6	7.0	2.2	1.3	17.1	14.4	10.1	7.8	5.2	3.6	3.1	4.0
1992.....	9.1	6.4	2.1	1.2	17.5	15.1	10.9	8.1	5.9	3.6	4.0	5.1
1991.....	9.3	7.6	2.1	1.2	16.9	15.5	11.2	8.7	6.1	4.0	3.8	4.4
1990.....	9.0	6.4	1.8	1.1	15.4	15.1	11.4	8.3	5.5	4.1	3.9	4.9
1989.....	8.2	5.8	1.9	1.0	12.3	14.0	10.6	8.6	5.7	4.0	3.9	5.2
1988.....	7.9	5.8	2.2	1.0	11.2	13.5	10.5	7.7	6.1	4.2	4.3	5.2
1987.....	8.0	6.1	1.8	0.8	11.0	13.4	10.3	8.4	6.4	4.3	4.9	5.4
1986.....	8.6	5.5	1.9	0.9	12.2	14.8	11.7	8.7	6.0	4.4	4.6	4.4
1985.....	8.2	3.8	1.9	1.1	11.0	14.0	11.5	8.6	6.3	4.5	4.5	3.9
1984.....	8.3	5.0	2.0	0.9	11.0	14.2	11.8	9.4	6.3	4.3	4.2	5.3
1983.....	8.6	3.3	1.7	1.0	11.4	14.9	12.5	9.1	6.5	4.7	4.6	5.7
1982.....	9.6	5.6	1.9	0.8	13.1	16.2	14.0	10.8	7.1	5.0	5.2	8.3
1981.....	10.4	4.5	1.6	0.9	14.4	17.5	15.1	12.1	7.9	5.2	5.1	8.0
1980.....	10.9	4.3	2.0	0.9	15.5	18.9	15.5	11.9	7.8	6.9	6.3	6.4
1979.....	9.9	4.0	1.7	1.0	14.4	16.8	13.9	11.2	7.4	6.0	5.4	6.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 987
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HOMICIDE AND LEGAL INTERVENTION (E960-E978)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	2.2	5.9	1.6	0.8	2.8	3.3	3.1	1.9	1.4	1.4	1.8	2.0
1997.....	2.3	4.6	1.6	0.6	3.2	3.4	2.9	2.1	1.6	1.7	2.0	2.7
1996.....	2.5	6.8	1.7	0.8	3.3	3.5	3.2	2.4	1.6	1.6	2.0	2.4
1995.....	2.7	5.0	1.8	0.8	4.0	4.2	3.4	2.5	1.7	1.8	2.3	2.1
1994.....	2.6	5.1	1.9	0.8	3.9	4.2	3.3	2.2	1.6	1.6	2.3	2.2
1993.....	3.0	5.9	1.4	1.0	4.2	4.7	3.7	2.5	1.9	2.1	2.4	2.8
1992.....	2.8	5.5	1.5	0.8	4.1	4.2	3.4	2.7	1.6	1.9	2.3	2.6
1991.....	3.0	5.7	1.6	0.7	4.4	4.4	3.5	3.0	2.1	2.0	2.6	2.9
1990.....	2.8	5.1	1.4	0.8	4.0	4.3	3.2	2.6	1.8	1.8	2.8	2.5
1989.....	2.8	5.8	1.5	0.9	3.8	4.2	3.3	2.6	1.7	2.1	2.6	2.0
1988.....	2.9	6.2	1.6	0.8	3.9	4.5	3.3	2.5	2.0	2.3	2.9	3.0
1987.....	3.0	4.3	1.6	0.8	3.8	4.7	3.6	2.7	1.9	2.4	3.1	3.8
1986.....	3.0	5.2	1.4	0.8	4.3	4.4	3.5	2.8	2.0	2.2	3.0	3.3
1985.....	2.9	4.3	1.7	0.8	3.6	4.4	3.6	2.9	2.3	2.2	3.1	3.2
1984.....	2.9	4.1	1.7	0.9	4.3	3.9	3.4	2.7	2.2	1.9	2.9	2.6
1983.....	2.8	3.7	1.3	0.7	3.7	4.1	3.5	2.9	2.2	2.0	3.1	3.8
1982.....	3.1	4.1	1.8	1.0	4.4	4.3	4.0	2.9	2.2	2.4	2.9	3.8
1981.....	3.1	4.7	1.9	1.0	4.3	4.3	3.7	3.2	2.2	2.1	3.6	3.4
1980.....	3.2	4.3	1.5	1.0	4.7	4.3	4.1	3.0	2.1	2.5	3.3	4.0
1979.....	3.0	2.8	1.7	0.7	4.3	4.0	3.6	2.9	2.1	2.6	2.9	4.1

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 988
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
ALL OTHER, BOTH SEXES													
1998.....	19.1	17.1	6.4	2.3	42.5	32.5	20.8	13.3	8.3	6.0	6.6	*	
1997.....	21.5	16.5	5.1	2.6	49.8	35.7	23.0	14.7	9.4	7.1	6.9	8.2	
1996.....	23.4	17.4	6.0	2.7	54.3	39.2	24.6	15.9	9.9	7.4	8.4	7.6	
1995.....	25.8	15.2	6.4	3.1	59.2	43.9	26.7	16.9	12.3	9.6	9.9	12.0	
1994.....	29.5	17.2	6.3	3.7	69.5	50.0	31.2	17.6	10.8	10.9	11.0	10.2	
1993.....	31.9	17.5	7.4	4.2	74.5	53.3	32.8	19.6	12.5	11.5	12.3	13.6	
1992.....	30.9	16.3	6.4	4.0	68.4	53.0	32.0	20.4	12.1	12.6	12.0	12.7	
1991.....	33.3	19.0	6.4	3.4	71.1	57.4	34.9	22.7	15.8	13.6	15.8	12.4	
1990.....	31.9	18.4	6.3	3.5	62.5	56.6	36.3	20.7	15.0	12.0	15.1	19.6	
1989.....	29.5	19.7	6.6	3.6	52.7	52.9	33.8	20.8	16.1	14.8	14.6	19.9	
1988.....	28.6	18.0	5.7	3.2	48.4	52.6	34.0	20.7	15.0	14.8	15.3	17.7	
1987.....	26.6	16.3	5.1	2.9	42.4	47.3	34.0	22.3	17.0	14.2	15.3	15.4	
1986.....	27.4	16.8	6.9	2.4	40.2	51.2	34.8	25.4	17.5	15.7	14.2	16.9	
1985.....	24.3	11.5	5.4	2.5	33.8	44.9	34.1	23.9	18.2	14.3	11.3	12.1	
1984.....	24.7	15.7	5.0	2.8	32.4	45.6	34.9	25.5	19.5	15.3	14.9	14.7	
1983.....	26.1	13.2	6.0	2.0	35.5	48.2	36.9	27.2	21.8	14.5	17.3	13.4	
1982.....	29.5	14.5	7.0	2.4	38.3	57.0	41.4	33.7	23.0	17.7	14.4	13.1	
1981.....	32.2	12.4	6.3	2.9	41.6	62.6	47.3	37.9	26.4	17.3	16.8	12.6	
1980.....	33.8	13.4	6.0	2.3	45.0	68.1	50.1	38.7	26.5	17.9	14.0	11.1	
1979.....	33.1	12.3	6.2	2.4	42.0	66.9	51.9	40.3	28.8	18.1	14.9	8.6	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE 989
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
ALL OTHER MALE												
1998.....	32.4	17.6	7.5	2.7	74.8	56.4	33.3	22.8	15.4	10.3	9.9	*
1997.....	36.6	15.5	5.6	3.3	88.5	61.9	36.9	24.9	16.2	12.3	11.1	*
1996.....	40.0	17.5	5.6	3.3	96.1	67.1	40.4	27.7	18.1	12.4	13.1	*
1995.....	44.1	15.4	7.1	4.3	104.5	74.5	43.4	30.6	22.4	16.9	15.1	*
1994.....	50.9	20.2	7.0	4.7	123.8	85.1	52.3	30.6	19.1	17.9	17.7	*
1993.....	54.7	19.6	8.2	5.4	131.0	89.3	56.2	35.1	22.9	19.5	18.4	21.8
1992.....	52.9	18.1	6.7	5.1	120.6	88.7	54.8	36.4	21.4	22.0	18.3	27.3
1991.....	56.8	18.4	6.5	4.4	124.2	96.9	59.9	39.6	28.2	24.9	23.7	*
1990.....	54.8	18.1	6.6	4.1	109.1	96.5	63.5	37.6	27.8	20.8	23.6	24.6
1989.....	49.9	18.3	6.8	4.5	90.9	90.0	59.0	36.8	27.5	25.0	24.5	32.1
1988.....	47.6	16.4	6.1	3.7	82.1	87.4	59.6	36.7	26.4	23.7	26.6	27.8
1987.....	44.0	16.8	4.1	3.9	69.5	79.4	60.0	37.8	29.8	25.4	25.6	27.3
1986.....	45.9	19.2	7.9	2.9	66.2	87.6	61.1	46.4	31.9	27.1	24.8	*
1985.....	40.6	13.8	5.4	2.9	55.6	76.6	60.0	42.3	33.6	25.0	18.6	*
1984.....	41.1	17.6	4.3	3.0	52.1	78.5	61.4	47.3	36.3	27.7	25.2	*
1983.....	43.8	12.4	6.4	2.7	57.4	83.5	65.4	49.5	41.8	25.4	28.6	*
1982.....	50.4	15.7	7.9	3.0	63.7	101.6	73.8	62.0	42.4	31.9	23.4	*
1981.....	55.3	11.3	7.6	3.7	68.5	111.8	86.0	70.9	46.3	32.6	30.0	*
1980.....	57.8	15.6	6.4	2.7	74.5	120.9	90.6	72.2	48.9	31.3	25.5	18.1
1979.....	56.2	15.2	5.5	2.9	68.1	120.1	94.4	74.4	52.3	29.5	22.8	15.3

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 990
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
ALL OTHER FEMALE													
1998.....	6.9	16.6	5.2	1.9	10.0	11.0	9.7	5.2	2.7	2.9	4.5	*	
1997.....	7.6	17.5	4.6	1.8	10.8	11.8	10.6	6.1	4.1	3.3	4.4	*	
1996.....	8.2	17.2	6.5	2.1	11.9	13.6	10.6	5.9	3.5	3.8	5.5	*	
1995.....	9.1	15.1	5.5	1.9	13.7	15.9	11.9	5.4	4.3	4.4	6.8	12.4	
1994.....	10.0	14.2	5.5	2.6	15.1	17.9	12.6	6.5	4.2	5.8	7.1	*	
1993.....	11.1	15.4	6.5	2.9	17.6	20.3	12.3	6.4	4.4	5.7	8.7	10.0	
1992.....	10.7	14.5	6.1	2.8	15.7	20.3	11.9	6.7	4.8	5.8	8.3	*	
1991.....	11.8	19.6	6.3	2.3	17.5	21.3	13.0	8.3	6.1	5.6	11.0	10.6	
1990.....	11.1	18.8	6.1	2.9	15.5	20.3	12.6	6.3	5.1	5.8	10.0	17.3	
1989.....	11.0	21.1	6.4	2.7	14.4	19.2	11.9	7.2	7.2	7.5	8.6	14.3	
1988.....	11.2	19.7	5.3	2.6	14.7	21.2	11.8	7.0	6.1	8.4	8.5	13.0	
1987.....	10.7	15.8	6.0	1.8	15.2	18.4	11.7	9.1	6.9	6.2	8.8	*	
1986.....	10.5	14.5	6.0	2.0	14.3	18.5	12.2	7.6	6.2	7.6	7.6	12.8	
1985.....	9.5	9.1	5.4	2.0	12.3	16.5	11.9	8.3	5.8	6.6	6.7	*	
1984.....	9.8	13.7	5.7	2.7	13.0	16.4	12.3	7.3	6.1	6.2	8.4	*	
1983.....	10.0	14.1	5.5	1.3	13.9	17.0	12.5	8.5	5.7	6.4	10.0	*	
1982.....	10.6	13.3	6.0	1.8	13.6	17.8	13.7	10.1	7.3	7.2	8.6	*	
1981.....	11.3	13.6	5.0	2.0	15.4	19.4	14.3	10.6	10.2	5.9	8.2	*	
1980.....	12.1	11.1	5.7	2.0	16.6	22.1	15.7	11.4	8.2	7.7	6.4	7.6	
1979.....	12.2	9.4	6.9	1.8	16.8	20.8	16.2	12.4	9.5	9.3	9.6	5.3	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 991
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
BLACK, BOTH SEXES													
1998.....		24.5	21.9	8.2	2.6	54.7	42.9	26.7	16.9	10.1	7.0	7.7	*
1997.....		27.3	19.8	6.3	3.0	63.5	47.4	29.1	18.2	11.5	8.3	8.3	9.6
1996.....		29.8	22.1	7.2	3.2	69.0	51.6	31.7	19.9	12.3	8.8	10.0	9.4
1995.....		32.5	19.3	7.7	3.7	74.4	57.1	34.0	21.4	14.6	11.8	11.6	13.9
1994.....		37.4	20.7	7.4	4.3	88.1	65.2	39.8	22.2	13.1	13.3	13.1	11.7
1993.....		40.2	21.0	8.7	5.1	94.4	68.4	42.1	24.6	14.9	14.2	14.8	16.0
1992.....		38.9	20.1	7.5	4.7	86.7	68.5	41.2	25.6	14.7	14.8	14.3	13.5
1991.....		41.6	23.5	7.6	4.1	90.0	72.9	44.4	28.1	18.6	16.7	18.7	14.2
1990.....		39.8	22.1	7.4	4.3	78.2	72.5	46.4	25.6	18.0	14.0	17.8	21.6
1989.....		36.4	22.8	7.7	4.1	65.4	66.6	42.9	25.9	19.3	17.0	16.4	22.7
1988.....		35.0	21.6	7.0	3.8	59.1	65.9	43.2	25.1	17.9	17.3	17.2	19.6
1987.....		32.4	19.2	6.1	3.3	51.2	59.4	42.8	27.0	20.0	16.6	17.2	17.3
1986.....		32.8	20.4	8.2	2.8	47.2	63.2	43.6	30.5	20.6	18.5	15.5	17.9
1985.....		29.0	13.7	6.4	2.7	39.7	55.4	42.2	28.3	21.3	16.3	12.6	13.8
1984.....		29.2	19.1	5.9	3.2	37.8	55.9	43.0	30.1	22.6	17.1	16.6	14.7
1983.....		30.5	15.0	6.8	2.3	40.8	58.3	45.5	31.4	25.0	16.1	19.2	15.2
1982.....		34.4	16.0	7.8	2.7	43.8	69.7	50.4	39.2	26.4	19.8	15.2	14.2
1981.....		37.4	13.2	7.3	3.2	47.3	76.0	57.0	43.8	30.0	18.9	18.8	12.5
1980.....		38.6	15.7	6.8	2.6	50.6	81.2	59.7	44.5	29.7	19.3	14.8	11.3
1979.....		37.3	13.6	7.0	2.6	46.7	78.0	60.5	45.9	31.6	19.4	15.9	9.6

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE 992
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
BLACK MALE													
1998.....	42.1	21.8	9.5	3.2	96.5	75.0	43.4	29.8	19.1	12.3	11.6	*	
1997.....	47.1	18.1	7.1	3.8	113.3	82.9	47.1	31.8	20.0	14.3	14.4	*	
1996.....	51.5	23.1	6.9	4.0	123.1	89.5	52.0	35.3	22.6	15.1	16.7	*	
1995.....	56.3	19.4	8.7	5.0	132.0	98.3	56.2	39.3	27.1	21.5	18.2	*	
1994.....	65.1	23.9	8.4	5.6	157.6	112.1	67.6	39.5	24.0	22.4	21.7	*	
1993.....	69.7	23.9	9.6	6.6	167.0	116.5	72.6	45.4	27.9	24.5	22.9	26.9	
1992.....	67.5	22.4	7.6	5.9	154.4	116.1	71.4	46.9	26.7	26.7	23.1	31.6	
1991.....	72.0	22.4	7.9	5.4	158.9	125.0	77.6	50.6	33.9	31.2	29.8	*	
1990.....	69.2	21.4	7.6	5.1	138.3	125.4	82.3	47.7	34.0	24.3	29.2	*	
1989.....	62.3	21.9	8.0	5.1	114.2	114.9	75.9	46.7	33.4	29.2	28.7	37.9	
1988.....	59.1	19.5	7.6	4.3	101.4	110.9	76.9	45.8	31.9	28.7	30.6	33.8	
1987.....	54.2	19.5	4.9	4.5	85.3	100.6	76.3	46.5	35.5	30.4	29.6	31.3	
1986.....	55.8	23.2	9.5	3.3	78.9	109.6	77.7	56.8	37.9	32.1	27.9	*	
1985.....	49.0	16.7	6.6	3.3	65.9	95.6	74.9	51.4	40.0	29.2	21.4	*	
1984.....	49.2	21.0	5.1	3.3	61.4	97.2	77.0	57.5	42.5	31.6	28.3	*	
1983.....	51.8	14.3	7.3	3.1	66.7	102.1	82.0	58.1	48.4	28.8	32.4	*	
1982.....	59.5	17.6	8.9	3.4	73.4	125.3	91.5	73.0	49.2	36.1	25.3	*	
1981.....	64.8	12.2	8.9	4.1	78.9	136.7	105.9	82.7	53.4	36.0	34.0	*	
1980.....	66.6	18.6	7.2	2.9	84.3	145.1	110.3	83.8	55.6	33.9	27.6	17.0	
1979.....	63.8	16.5	6.3	3.2	76.5	140.7	111.1	84.8	57.8	32.6	24.8	17.3	

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 993
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 HOMICIDE AND LEGAL INTERVENTION (E960-E978)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	8.6	22.1	7.0	2.1	12.6	14.1	12.0	6.2	3.2	3.1	5.4	*
1997.....	9.3	21.6	5.5	2.1	13.3	15.4	13.2	6.9	4.9	4.0	4.8	*
1996.....	10.2	21.1	7.6	2.5	14.7	17.6	13.9	7.1	4.4	4.3	6.2	*
1995.....	11.1	19.2	6.8	2.2	16.8	20.1	14.6	6.6	4.9	4.9	7.8	14.4
1994.....	12.4	17.4	6.4	3.0	18.7	23.1	15.6	7.9	4.7	6.8	8.3	*
1993.....	13.6	18.1	7.7	3.6	22.0	25.2	15.5	7.3	4.9	6.9	10.3	11.5
1992.....	13.1	17.8	7.4	3.4	19.4	25.7	14.9	8.0	5.5	6.3	9.4	*
1991.....	14.2	24.6	7.3	2.8	21.6	26.4	15.7	9.5	6.7	6.5	12.5	*
1990.....	13.5	22.8	7.2	3.6	18.9	25.3	15.6	7.3	5.6	6.8	11.3	19.2
1989.....	13.1	23.6	7.3	3.0	17.4	23.5	14.6	8.7	8.4	8.4	9.5	16.3
1988.....	13.3	23.7	6.3	3.2	17.5	25.8	14.4	8.0	7.1	9.3	9.5	13.4
1987.....	12.7	18.9	7.3	2.0	17.8	22.7	14.3	10.9	7.9	7.0	10.0	*
1986.....	12.2	17.5	6.8	2.4	16.3	22.1	14.7	8.8	6.9	8.9	8.3	*
1985.....	11.1	10.7	6.3	2.0	14.2	20.0	14.7	9.2	6.5	7.3	7.4	*
1984.....	11.3	17.1	6.8	3.2	14.9	19.5	14.4	7.6	6.8	6.9	9.6	*
1983.....	11.4	15.7	6.3	1.4	15.7	20.0	14.9	9.6	6.4	7.1	11.1	*
1982.....	12.0	14.4	6.6	2.0	15.4	21.0	16.1	11.5	8.1	8.1	9.0	*
1981.....	12.8	14.3	5.7	2.2	16.9	23.1	16.3	11.9	11.3	6.6	9.3	*
1980.....	13.5	12.8	6.4	2.2	18.4	25.8	17.7	12.5	8.9	8.6	6.7	8.5
1979.....	13.5	10.5	7.7	2.1	18.2	23.7	18.6	14.1	10.3	9.7	10.0	5.8

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	994
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	
ALL OTHER EXTERNAL CAUSES (E980-E999) TOTAL, BOTH SEXES														
1998.....		1.4	2.0	0.3	0.2	0.9	1.9	2.9	2.1	0.9	0.6	0.8	1.6	
1997.....		1.4	1.5	0.3	0.1	1.0	1.8	3.0	1.9	1.0	0.7	0.8	1.4	
1996.....		1.3	1.5	0.3	0.1	1.0	1.9	2.7	1.6	0.8	0.8	0.9	1.7	
1995.....		1.3	1.5	0.3	0.1	1.0	1.9	2.7	1.5	0.7	0.5	0.8	1.6	
1994.....		1.3	1.2	0.3	0.2	1.2	2.0	2.5	1.6	1.0	0.7	0.9	1.6	
1993.....		1.3	1.6	0.2	0.2	1.2	2.1	2.5	1.5	1.0	0.8	0.9	1.5	
1992.....		1.1	1.0	0.2	0.1	0.9	1.8	2.3	1.2	0.8	0.7	0.9	1.2	
1991.....		1.0	1.2	0.3	0.1	0.9	1.5	1.7	1.1	0.8	0.7	1.0	1.3	
1990.....		1.0	1.3	0.2	0.2	0.8	1.5	1.6	1.0	0.8	0.7	0.8	1.5	
1989.....		1.1	1.3	0.4	0.1	0.9	1.8	1.8	1.1	0.9	0.8	1.0	1.2	
1988.....		1.2	1.1	0.4	0.2	1.2	2.1	1.8	1.2	1.0	1.1	1.1	2.1	
1987.....		1.2	1.5	0.5	0.2	1.1	2.0	1.9	1.1	1.1	1.0	1.2	2.2	
1986.....		1.3	1.4	0.4	0.1	1.2	2.0	1.9	1.5	1.3	1.1	1.4	1.9	
1985.....		1.2	1.5	0.5	0.2	1.0	1.9	1.7	1.4	1.2	1.0	1.4	1.9	
1984.....		1.3	1.7	0.4	0.2	1.2	1.9	1.7	1.5	1.3	1.3	1.4	2.4	
1983.....		1.3	1.5	0.5	0.2	1.2	2.0	1.7	1.6	1.4	1.2	1.6	2.7	
1982.....		1.4	2.0	0.5	0.2	1.3	2.1	1.8	1.7	1.5	1.2	1.5	2.2	
1981.....		1.6	2.2	0.6	0.2	1.6	2.1	2.0	2.0	1.9	1.7	1.9	3.0	
1980.....		1.6	1.9	0.8	0.2	1.7	2.4	2.1	1.9	1.8	1.6	2.0	2.7	
1979.....		1.7	2.5	0.8	0.3	1.8	2.4	2.2	2.3	1.9	1.6	1.8	2.6	

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98										PAGE	995
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER EXTERNAL CAUSES (E980-E999)													
TOTAL, MALE													
1998.....		2.0	2.7	0.3	0.3	1.4	2.6	4.2	2.9	1.2	0.7	1.2	2.1
1997.....		2.0	1.9	*	0.2	1.5	2.7	4.4	2.8	1.4	0.9	1.2	2.2
1996.....		2.0	1.5	0.3	0.2	1.7	2.9	4.0	2.3	1.0	1.2	1.3	2.8
1995.....		1.9	1.4	0.3	0.2	1.7	2.8	4.2	2.2	0.9	0.8	1.3	3.0
1994.....		2.0	1.2	0.3	0.3	1.9	2.9	3.9	2.4	1.3	0.9	1.5	3.0
1993.....		2.0	1.9	0.3	0.2	1.8	3.2	3.8	2.1	1.4	1.2	1.5	2.3
1992.....		1.7	1.2	*	0.2	1.5	2.7	3.4	1.6	1.1	1.0	1.3	*
1991.....		1.4	1.4	*	0.2	1.3	2.2	2.6	1.4	1.2	0.9	1.5	2.5
1990.....		1.4	1.5	0.3	0.2	1.3	2.3	2.4	1.4	1.2	1.0	1.4	*
1989.....		1.6	1.5	0.4	0.2	1.5	2.7	2.7	1.6	1.3	1.1	1.5	2.8
1988.....		1.9	1.5	0.4	0.3	1.8	3.2	2.8	1.8	1.4	1.6	1.9	3.5
1987.....		1.9	1.7	0.6	0.3	1.5	3.2	2.9	1.6	1.6	1.7	2.3	4.1
1986.....		1.9	1.6	0.5	0.2	1.8	3.1	2.8	2.2	2.0	1.6	2.5	3.7
1985.....		1.8	1.6	0.6	0.2	1.4	3.0	2.5	1.9	1.7	1.3	2.4	4.6
1984.....		1.9	2.0	0.4	0.3	1.8	3.0	2.5	2.1	2.0	2.1	2.2	4.0
1983.....		1.9	1.4	0.6	0.3	1.8	3.1	2.5	2.3	2.0	1.9	2.6	4.4
1982.....		2.1	2.3	0.6	0.3	2.0	3.3	2.6	2.4	2.3	1.8	2.4	3.3
1981.....		2.3	2.0	0.7	0.3	2.4	3.3	2.9	2.7	2.6	2.6	3.3	6.3
1980.....		2.4	2.4	0.9	0.3	2.6	3.8	2.9	2.6	2.6	2.4	3.4	5.1
1979.....		2.5	2.1	0.9	0.4	2.8	3.6	3.0	3.1	2.8	2.5	2.9	5.0

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 996
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER EXTERNAL CAUSES (E980-E999)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TOTAL, FEMALE												
1998.....	0.8	1.2	*	*	0.4	1.2	1.6	1.3	0.7	0.5	0.5	1.4
1997.....	0.7	1.1	0.3	*	0.4	0.9	1.5	1.0	0.7	0.4	0.5	1.1
1996.....	0.7	1.6	0.4	*	0.3	0.9	1.3	0.8	0.7	0.4	0.6	1.3
1995.....	0.6	1.5	*	*	0.3	1.0	1.1	0.8	0.5	0.4	0.4	1.0
1994.....	0.7	1.2	0.3	0.1	0.4	1.1	1.2	0.8	0.7	0.4	0.5	1.1
1993.....	0.7	1.2	*	*	0.5	1.0	1.2	0.9	0.6	0.4	0.5	1.2
1992.....	0.6	*	*	*	0.3	0.9	1.1	0.8	0.5	0.5	0.6	0.9
1991.....	0.6	*	0.3	*	0.4	0.8	0.9	0.7	0.5	0.5	0.6	*
1990.....	0.5	1.2	*	*	0.3	0.7	0.8	0.7	0.5	0.4	0.5	1.3
1989.....	0.6	1.1	0.3	*	0.3	0.9	0.9	0.7	0.5	0.6	0.7	*
1988.....	0.7	*	0.4	*	0.6	1.0	0.9	0.6	0.6	0.8	0.6	1.6
1987.....	0.7	1.4	0.5	*	0.6	0.9	0.9	0.7	0.7	0.5	0.6	1.4
1986.....	0.7	1.2	0.3	*	0.5	1.0	0.9	0.8	0.7	0.7	0.7	1.2
1985.....	0.7	1.3	0.4	*	0.5	0.8	0.8	1.0	0.6	0.7	0.8	*
1984.....	0.7	1.4	0.4	0.1	0.6	0.8	0.9	1.0	0.7	0.7	0.9	1.7
1983.....	0.8	1.6	0.4	*	0.7	1.0	1.0	1.0	0.9	0.6	1.1	2.0
1982.....	0.8	1.7	0.4	*	0.7	0.9	0.9	1.1	0.8	0.7	1.0	1.7
1981.....	0.9	2.6	0.6	0.1	0.8	1.0	1.2	1.3	1.3	1.0	1.1	1.6
1980.....	0.9	1.4	0.6	0.1	0.7	1.1	1.3	1.3	1.0	0.9	1.2	1.6
1979.....	1.0	2.9	0.6	0.2	0.9	1.2	1.4	1.6	1.2	0.9	1.1	1.5

00/04/10	TABLE 290	DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98											PAGE	997
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
RACE, SEX, AND YEAR	1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS		
ALL OTHER EXTERNAL CAUSES (E980-E999)														
WHITE, BOTH SEXES														
1998.....	1.3	1.8	0.2	0.2	0.9	1.9	2.7	1.9	0.9	0.6	0.8	1.7		
1997.....	1.3	1.3	0.2	0.1	0.9	1.7	2.8	1.8	0.9	0.7	0.7	1.4		
1996.....	1.2	1.3	0.3	0.1	0.9	1.8	2.5	1.5	0.8	0.8	0.9	1.6		
1995.....	1.1	1.1	0.2	0.1	0.9	1.8	2.4	1.3	0.7	0.5	0.8	1.4		
1994.....	1.2	0.9	0.2	0.1	1.1	1.9	2.4	1.3	0.9	0.7	0.9	1.6		
1993.....	1.2	1.0	0.2	0.1	1.1	1.9	2.2	1.4	0.9	0.7	0.8	1.4		
1992.....	1.1	0.7	*	0.1	0.8	1.7	2.1	1.1	0.8	0.6	0.8	1.1		
1991.....	0.9	0.9	0.2	0.1	0.8	1.4	1.6	1.0	0.8	0.6	1.0	1.2		
1990.....	0.9	0.7	*	0.1	0.8	1.4	1.4	1.0	0.7	0.7	0.8	1.3		
1989.....	1.0	0.8	0.3	0.1	0.9	1.5	1.5	1.0	0.8	0.8	0.9	1.3		
1988.....	1.1	0.7	0.2	0.2	1.0	1.8	1.6	1.1	0.8	1.0	1.0	2.1		
1987.....	1.1	1.3	0.3	0.2	1.0	1.7	1.5	1.0	1.0	0.9	1.2	2.1		
1986.....	1.1	0.9	*	0.1	1.1	1.8	1.6	1.3	1.1	1.0	1.3	1.7		
1985.....	1.1	0.9	0.4	0.1	1.0	1.7	1.4	1.3	1.1	0.9	1.3	1.8		
1984.....	1.1	1.2	0.3	0.2	1.2	1.6	1.4	1.3	1.1	1.3	1.3	2.1		
1983.....	1.2	0.7	0.3	0.2	1.1	1.8	1.5	1.4	1.2	1.1	1.6	2.4		
1982.....	1.2	1.3	0.3	0.1	1.2	1.8	1.4	1.5	1.4	1.1	1.4	2.0		
1981.....	1.4	1.6	0.4	0.2	1.4	1.9	1.7	1.7	1.7	1.6	1.7	2.8		
1980.....	1.4	1.4	0.5	0.2	1.6	2.1	1.7	1.7	1.6	1.4	1.9	2.5		
1979.....	1.5	1.5	0.5	0.2	1.6	2.0	1.8	2.0	1.8	1.5	1.7	2.2		

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 998
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER EXTERNAL CAUSES (E980-E999)

WHITE MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	1.8	2.3	*	0.2	1.4	2.6	3.8	2.6	1.0	0.7	1.3	2.1
1997.....	1.9	1.6	*	0.2	1.3	2.5	4.1	2.5	1.1	0.9	1.1	2.3
1996.....	1.8	1.3	*	0.2	1.4	2.6	3.7	2.1	0.9	1.2	1.3	2.6
1995.....	1.7	*	*	0.2	1.4	2.7	3.8	1.8	0.8	0.6	1.3	2.5
1994.....	1.8	*	*	0.2	1.8	2.7	3.6	1.9	1.1	0.9	1.4	2.7
1993.....	1.8	1.3	*	0.2	1.7	2.9	3.3	1.9	1.3	1.1	1.3	*
1992.....	1.5	*	*	0.2	1.3	2.5	3.1	1.4	1.0	0.9	1.2	*
1991.....	1.3	*	*	0.1	1.2	2.0	2.4	1.3	1.0	0.8	1.5	*
1990.....	1.3	*	*	0.2	1.2	2.1	2.1	1.2	1.1	1.0	1.4	*
1989.....	1.4	*	0.4	0.2	1.4	2.3	2.2	1.3	1.1	1.0	1.5	3.1
1988.....	1.6	*	*	0.3	1.5	2.7	2.4	1.6	1.1	1.5	1.8	3.4
1987.....	1.6	1.6	0.4	0.3	1.4	2.6	2.2	1.3	1.3	1.4	2.2	3.9
1986.....	1.7	*	*	0.2	1.7	2.7	2.4	1.8	1.6	1.4	2.4	3.4
1985.....	1.6	*	0.4	0.2	1.4	2.6	2.2	1.6	1.6	1.1	2.1	4.5
1984.....	1.7	1.4	*	0.3	1.8	2.5	2.0	1.8	1.7	2.0	2.2	3.6
1983.....	1.7	*	0.4	0.3	1.7	2.7	2.1	1.9	1.7	1.8	2.4	3.9
1982.....	1.8	1.4	0.4	0.2	1.8	2.8	2.1	1.9	2.1	1.6	2.2	3.1
1981.....	2.0	1.5	0.5	0.2	2.2	2.9	2.3	2.3	2.2	2.4	2.9	5.8
1980.....	2.1	1.8	0.6	0.3	2.4	3.3	2.3	2.1	2.2	2.1	3.2	4.3
1979.....	2.1	1.4	0.6	0.3	2.5	3.0	2.4	2.6	2.4	2.3	2.8	4.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 999
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER EXTERNAL CAUSES (E980-E999)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
WHITE FEMALE												
1998.....	0.8	*	*	*	0.4	1.1	1.7	1.2	0.7	0.5	0.5	1.5
1997.....	0.7	*	*	*	0.4	0.9	1.4	1.0	0.7	0.5	0.5	1.0
1996.....	0.7	*	*	*	0.3	0.9	1.3	0.9	0.7	0.4	0.6	1.2
1995.....	0.6	*	*	*	0.3	0.9	1.0	0.7	0.5	0.4	0.4	1.0
1994.....	0.7	*	*	*	0.4	1.0	1.1	0.8	0.7	0.5	0.5	1.1
1993.....	0.6	*	*	*	0.4	0.9	1.1	0.9	0.6	0.4	0.4	1.2
1992.....	0.6	*	*	*	0.3	0.8	1.1	0.8	0.6	0.4	0.6	0.9
1991.....	0.5	*	*	*	0.4	0.7	0.8	0.7	0.5	0.5	0.7	*
1990.....	0.5	*	*	*	0.3	0.6	0.7	0.7	0.5	0.4	0.5	1.0
1989.....	0.5	*	*	*	0.3	0.7	0.8	0.6	0.6	0.6	0.5	*
1988.....	0.6	*	*	*	0.5	0.8	0.8	0.7	0.6	0.7	0.6	1.6
1987.....	0.6	*	*	*	0.5	0.8	0.8	0.7	0.7	0.5	0.6	1.3
1986.....	0.6	*	*	*	0.5	0.9	0.8	0.8	0.7	0.7	0.7	*
1985.....	0.6	*	*	*	0.5	0.7	0.7	0.9	0.6	0.7	0.8	*
1984.....	0.6	*	*	*	0.6	0.7	0.9	0.9	0.7	0.7	0.8	1.5
1983.....	0.7	*	*	*	0.6	0.8	0.9	0.9	0.8	0.6	1.0	1.8
1982.....	0.7	*	*	*	0.6	0.8	0.8	1.1	0.8	0.6	1.0	1.6
1981.....	0.8	1.7	*	*	0.7	0.8	1.1	1.1	1.3	0.9	0.9	1.5
1980.....	0.8	0.9	0.4	0.1	0.7	0.9	1.1	1.3	1.1	0.9	1.2	1.7
1979.....	0.9	1.5	0.4	0.2	0.7	1.0	1.3	1.4	1.2	0.9	1.0	1.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 1000												
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER EXTERNAL CAUSES (E980-E999)												
ALL OTHER, BOTH SEXES												
1998.....	1.7	2.8	*	*	0.9	2.0	3.7	2.9	1.5	*	*	*
1997.....	1.8	*	*	*	1.4	2.2	3.7	2.6	1.7	*	*	*
1996.....	1.7	*	0.6	*	1.5	2.3	3.5	2.1	1.3	1.0	*	*
1995.....	1.8	2.8	*	*	1.6	2.3	3.8	3.0	1.0	0.9	*	*
1994.....	1.8	2.4	*	0.4	1.4	2.5	3.5	2.9	1.5	*	*	*
1993.....	2.0	3.7	*	*	1.4	3.0	4.1	2.3	1.3	1.3	*	*
1992.....	1.6	*	*	*	1.3	2.3	3.3	1.6	0.9	1.0	*	*
1991.....	1.4	2.3	*	*	1.3	2.0	2.4	1.3	1.3	1.0	*	*
1990.....	1.4	3.8	*	*	1.1	2.1	2.2	1.5	1.5	1.1	*	*
1989.....	1.9	3.3	*	*	1.2	3.1	3.7	2.2	1.6	1.2	*	*
1988.....	2.0	2.7	0.9	0.3	1.8	3.7	3.1	1.8	1.8	1.7	*	*
1987.....	2.2	*	1.4	*	1.6	3.7	4.1	2.0	2.0	2.0	*	*
1986.....	2.2	3.4	1.3	*	1.5	3.4	3.5	2.8	2.8	1.7	*	*
1985.....	1.9	4.1	1.1	*	1.2	3.1	3.1	2.4	1.9	1.8	2.6	*
1984.....	2.1	3.9	1.0	0.4	1.4	3.6	3.4	2.6	2.7	1.9	*	*
1983.....	2.3	5.3	1.3	0.4	1.9	3.4	3.3	3.3	2.9	1.9	2.7	*
1982.....	2.4	5.2	1.2	0.4	1.8	4.0	4.0	3.2	2.3	2.4	*	*
1981.....	2.7	5.2	1.6	*	2.2	3.9	4.5	3.8	3.4	2.7	4.1	*
1980.....	2.8	4.4	2.0	0.5	2.1	4.3	4.6	3.8	3.3	2.8	2.8	4.5
1979.....	3.1	7.3	1.9	0.5	2.9	4.8	4.5	4.5	3.2	2.7	2.7	6.9

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 1001
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER EXTERNAL CAUSES (E980-E999)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ALL OTHER MALE												
1998.....	2.7	*	*	*	1.7	2.8	6.2	4.6	2.7	*	*	*
1997.....	2.8	*	*	*	2.3	3.4	6.0	4.3	3.1	*	*	*
1996.....	2.8	*	*	*	2.6	3.9	5.6	3.9	2.1	*	*	*
1995.....	2.9	*	*	*	2.6	3.4	6.4	5.2	1.7	*	*	*
1994.....	3.0	*	*	*	2.5	3.8	5.8	5.3	2.5	*	*	*
1993.....	3.1	*	*	*	2.3	4.7	6.8	3.8	2.4	2.5	*	*
1992.....	2.5	*	*	*	2.3	3.6	5.4	2.9	1.9	*	*	*
1991.....	2.0	*	*	*	1.9	3.1	3.5	2.0	2.1	*	*	*
1990.....	2.2	*	*	*	1.9	3.2	3.9	2.5	2.5	*	*	*
1989.....	2.9	*	*	*	2.0	4.7	6.1	3.6	3.0	*	*	*
1988.....	3.2	*	*	*	2.8	5.8	5.4	3.4	3.1	*	*	*
1987.....	3.5	*	*	*	2.3	6.3	6.9	3.6	3.8	4.1	*	*
1986.....	3.4	*	*	*	2.3	5.4	5.6	4.9	4.9	3.3	*	*
1985.....	2.9	*	*	*	1.7	5.0	5.0	3.7	3.2	2.8	*	*
1984.....	3.3	*	*	*	2.1	5.9	5.7	4.2	4.5	3.1	*	*
1983.....	3.4	*	1.8	*	2.6	5.4	5.1	5.3	4.9	2.9	*	*
1982.....	3.8	6.5	*	*	2.7	6.7	6.6	5.7	3.8	4.2	*	*
1981.....	4.1	*	1.6	*	3.4	6.4	7.3	5.9	5.4	4.5	*	*
1980.....	4.4	5.3	2.2	0.5	3.2	7.0	7.4	6.5	6.7	5.3	6.0	13.2
1979.....	4.6	5.3	2.2	0.7	4.1	7.6	7.1	6.9	6.0	4.9	3.7	15.3

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 1002
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER EXTERNAL CAUSES (E980-E999)

ALL OTHER FEMALE	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
1998.....	0.7	*	*	*	*	1.3	1.4	1.4	*	*	*	*
1997.....	0.8	*	*	*	*	1.1	1.6	1.2	*	*	*	*
1996.....	0.8	*	*	*	*	0.9	1.6	*	*	*	*	*
1995.....	0.8	*	*	*	*	1.3	1.6	1.1	*	*	*	*
1994.....	0.8	*	*	*	*	1.3	1.5	*	*	*	*	*
1993.....	0.9	*	*	*	0.6	1.4	1.8	1.0	*	*	*	*
1992.....	0.7	*	*	*	*	1.1	1.5	*	*	*	*	*
1991.....	0.8	*	*	*	0.7	0.9	1.5	*	*	*	*	*
1990.....	0.7	*	*	*	*	1.2	0.8	*	*	*	*	*
1989.....	0.9	*	*	*	*	1.6	1.7	1.1	*	*	*	*
1988.....	1.0	*	*	*	0.9	1.7	1.2	*	*	*	*	*
1987.....	1.0	*	1.5	*	1.0	1.4	1.6	*	*	*	*	*
1986.....	1.1	*	*	*	0.7	1.5	1.7	*	*	*	*	*
1985.....	1.0	*	*	*	0.6	1.5	1.5	1.2	*	*	*	*
1984.....	1.1	*	*	*	0.7	1.5	1.5	1.3	*	*	*	*
1983.....	1.3	*	*	*	1.2	1.5	1.7	1.5	*	*	*	*
1982.....	1.2	*	*	*	0.9	1.7	1.7	*	*	*	*	*
1981.....	1.4	6.2	*	*	1.0	1.6	2.1	2.0	1.7	*	*	*
1980.....	1.3	3.5	1.9	0.4	1.1	2.1	2.2	1.7	0.6	0.9	0.7	-
1979.....	1.8	9.4	1.6	0.3	1.8	2.3	2.4	2.5	0.9	0.9	2.0	2.6

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 1003
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER EXTERNAL CAUSES (E980-E999)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK, BOTH SEXES												
1998.....	2.1	*	*	*	1.1	2.4	4.6	3.8	1.8	*	*	*
1997.....	2.2	*	*	*	1.6	2.9	4.5	3.2	2.2	*	*	*
1996.....	2.1	*	*	*	1.9	3.0	4.4	2.5	1.6	1.2	*	*
1995.....	2.2	*	*	*	1.6	2.9	4.8	3.6	1.2	*	*	*
1994.....	2.2	*	*	0.4	1.7	3.1	4.4	3.4	1.7	*	*	*
1993.....	2.3	4.6	*	*	1.6	3.5	5.3	2.7	1.5	1.5	*	*
1992.....	1.9	*	*	*	1.5	2.8	4.3	1.9	1.1	*	*	*
1991.....	1.6	*	*	*	1.5	2.4	3.0	1.5	1.6	*	*	*
1990.....	1.6	4.5	*	*	1.1	2.5	2.8	1.9	1.4	*	*	*
1989.....	2.2	3.8	*	*	1.2	3.8	4.8	2.8	1.7	1.4	*	*
1988.....	2.4	*	1.1	*	2.1	4.4	3.9	2.3	1.9	2.0	*	*
1987.....	2.6	*	1.8	*	1.8	4.4	4.9	2.5	2.3	2.1	*	*
1986.....	2.4	4.3	1.6	*	1.4	3.6	4.1	3.2	3.2	1.8	*	*
1985.....	2.1	4.8	1.2	*	1.1	3.5	3.7	2.6	2.2	1.9	*	*
1984.....	2.3	4.5	1.1	0.4	1.4	4.2	4.1	2.9	2.8	2.1	*	*
1983.....	2.5	6.3	1.4	0.5	1.9	3.8	3.8	3.7	3.1	1.9	*	*
1982.....	2.6	5.9	1.3	0.4	1.8	4.5	4.6	3.3	2.5	2.5	*	*
1981.....	2.9	5.8	1.8	*	2.2	4.4	5.2	4.1	3.5	2.8	4.3	*
1980.....	3.0	4.9	2.4	0.5	2.1	4.8	5.2	4.4	3.5	2.7	2.9	3.8
1979.....	3.3	8.0	2.2	0.5	3.1	5.2	5.0	4.8	3.5	2.5	2.7	7.1

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 1004
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER EXTERNAL CAUSES (E980-E999)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK MALE												
1998.....	3.4	*	*	*	2.0	3.4	7.9	6.4	3.3	*	*	*
1997.....	3.4	*	*	*	2.8	4.5	7.5	5.4	4.0	*	*	*
1996.....	3.5	*	*	*	3.4	5.0	7.4	4.9	2.7	*	*	*
1995.....	3.6	*	*	*	2.7	4.3	8.2	6.5	*	*	*	*
1994.....	3.6	*	*	*	3.0	4.7	7.4	6.6	2.9	*	*	*
1993.....	3.7	*	*	*	2.5	5.5	8.8	4.6	2.8	3.0	*	*
1992.....	3.1	*	*	*	2.6	4.4	7.0	3.5	2.4	*	*	*
1991.....	2.4	*	*	*	2.2	3.9	4.4	2.4	2.7	*	*	*
1990.....	2.5	*	*	*	1.9	3.7	4.9	3.1	2.5	*	*	*
1989.....	3.5	*	*	*	2.1	5.8	7.8	4.6	3.2	*	*	*
1988.....	3.9	*	*	*	3.1	7.3	6.9	4.4	3.4	*	*	*
1987.....	4.1	*	*	*	2.5	7.5	8.5	4.6	4.3	4.4	*	*
1986.....	3.7	*	*	*	2.2	5.9	6.8	5.8	5.8	3.6	*	*
1985.....	3.2	*	*	*	1.7	5.6	6.0	4.3	3.8	*	*	*
1984.....	3.6	*	*	*	2.0	7.1	7.1	4.8	4.6	3.6	*	*
1983.....	3.7	*	2.0	*	2.6	6.1	6.0	6.0	5.3	*	*	*
1982.....	4.1	7.7	*	*	2.7	7.5	7.9	5.8	4.1	4.3	*	*
1981.....	4.5	*	*	*	3.6	7.4	8.7	6.6	5.8	4.5	*	*
1980.....	4.7	6.3	2.6	0.6	3.3	7.8	8.3	7.5	7.0	5.1	6.1	11.3
1979.....	4.9	5.4	2.5	0.7	4.2	8.4	7.9	7.6	6.5	4.6	3.4	15.4

00/04/10 TABLE 290 DEATH RATES FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 1005
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 ALL OTHER EXTERNAL CAUSES (E980-E999)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
BLACK FEMALE												
1998.....	0.9	*	*	*	*	1.5	1.8	1.8	*	*	*	*
1997.....	1.0	*	*	*	*	1.4	1.9	1.3	*	*	*	*
1996.....	0.9	*	*	*	*	1.1	1.9	*	*	*	*	*
1995.....	1.0	*	*	*	*	1.7	1.7	1.2	*	*	*	*
1994.....	0.9	*	*	*	*	1.7	1.8	*	*	*	*	*
1993.....	1.1	*	*	*	*	1.7	2.2	*	*	*	*	*
1992.....	0.8	*	*	*	*	1.4	2.0	*	*	*	*	*
1991.....	0.9	*	*	*	0.8	1.0	1.8	*	*	*	*	*
1990.....	0.8	*	*	*	*	1.5	1.0	*	*	*	*	*
1989.....	1.1	*	*	*	*	2.0	2.1	*	*	*	*	*
1988.....	1.1	*	*	*	1.0	1.9	1.4	*	*	*	*	*
1987.....	1.2	*	2.0	*	1.1	1.7	1.8	*	*	*	*	*
1986.....	1.1	*	*	*	0.7	1.7	1.8	*	*	*	*	*
1985.....	1.1	*	*	*	*	1.7	1.9	*	*	*	*	*
1984.....	1.2	*	*	*	0.8	1.6	1.6	*	*	*	*	*
1983.....	1.4	*	*	*	1.3	1.7	1.9	1.7	*	*	*	*
1982.....	1.2	*	*	*	0.9	1.9	1.9	*	*	*	*	*
1981.....	1.5	*	*	*	0.8	1.9	2.3	2.0	*	*	*	*
1980.....	1.4	3.4	2.2	0.4	1.0	2.2	2.6	1.9	0.7	0.9	0.8	-
1979.....	1.9	10.5	1.8	0.3	1.9	2.4	2.5	2.6	1.1	0.9	2.2	2.9