

**Table HIST002R_1. Death rates for 113 selected causes by 5-year age groups, race and sex:
United States, 1979-98**

Plate 1 of 2 Age groups <1 year to 40-44 years

The mortality trend data in this table are classified by the Ninth Revision, International Classification of Diseases (ICD-9) and sorted into the list of 113 selected causes of death developed for the Tenth Revision (ICD-10). ICD-10 was introduced with 1999 mortality data. Data in these tables were constructed to be most comparable with the ICD-9 cause-of-death titles used in the list of 113 selected causes of death. These data are the most appropriate ICD-9 data to use with [published comparability ratios](#) describing the discontinuities between ICD-9 and ICD-10. Used in conjunction with the comparability ratios, this table provides trend data comparable to that published for data year 1999 and beyond. Although in some cases categories from the list of 113 selected causes are identical to those in the old list of 72 selected causes of death used with ICD-9, it is important to note that many of these categories are not comparable with categories in the list of 72 selected causes even though the cause-of-death titles may be the same.

Deaths rates are per 100,000 population in specified group. Rates are based on populations enumerated as of April 1 for census years and estimated as of July 1 for all other years. **Rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published.**

Description of symbols used in this table:

*** Figure does not meet standards of reliability or precision**

- Quantity zero

0.0 Quantity greater than zero but less than 0.5

--- Category not applicable

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All causes | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 847.3 | 754.0 | 34.1 | 17.2 | 21.5 | 69.5 | 92.7 | 91.7 | 116.3 | 162.4 | 236.6 |
| 1997 | 848.8 | 747.6 | 35.5 | 18.0 | 22.5 | 73.6 | 96.4 | 96.8 | 122.5 | 166.7 | 240.3 |
| 1996 | 859.2 | 760.7 | 38.0 | 19.0 | 23.4 | 77.5 | 99.5 | 104.4 | 138.6 | 186.5 | 257.8 |
| 1995 | 868.3 | 780.3 | 40.4 | 19.4 | 25.1 | 82.1 | 104.7 | 115.2 | 156.7 | 206.7 | 275.9 |
| 1994 | 866.1 | 826.4 | 42.7 | 19.7 | 24.8 | 85.5 | 107.0 | 118.4 | 158.9 | 206.8 | 273.0 |
| 1993 | 872.8 | 859.4 | 44.6 | 21.0 | 25.3 | 85.8 | 107.9 | 120.0 | 157.5 | 204.0 | 269.5 |
| 1992 | 848.1 | 871.6 | 43.5 | 20.3 | 24.4 | 83.6 | 104.9 | 118.6 | 151.9 | 198.7 | 261.8 |
| 1991 | 857.6 | 918.3 | 47.4 | 21.5 | 25.6 | 88.7 | 109.9 | 121.8 | 153.1 | 197.1 | 253.6 |
| 1990 | 863.8 | 971.9 | 46.8 | 22.2 | 26.0 | 87.9 | 109.9 | 124.6 | 153.5 | 197.0 | 252.8 |
| 1989 | 871.3 | 1,027.9 | 49.8 | 24.1 | 27.4 | 85.9 | 108.6 | 124.9 | 155.0 | 194.6 | 253.9 |
| 1988 | 886.7 | 1,035.7 | 51.5 | 24.5 | 27.7 | 86.7 | 112.6 | 123.3 | 151.1 | 192.8 | 252.3 |
| 1987 | 876.4 | 1,037.2 | 52.1 | 24.7 | 27.1 | 83.5 | 111.0 | 121.2 | 148.7 | 187.5 | 247.1 |
| 1986 | 876.7 | 1,051.1 | 52.4 | 23.9 | 28.6 | 86.2 | 114.3 | 120.9 | 146.8 | 180.0 | 256.3 |
| 1985 | 876.9 | 1,088.1 | 51.8 | 25.0 | 28.0 | 80.5 | 107.5 | 114.1 | 135.4 | 172.9 | 251.1 |
| 1984 | 864.8 | 1,108.1 | 52.2 | 25.3 | 28.3 | 80.4 | 109.6 | 113.0 | 131.7 | 167.5 | 251.6 |
| 1983 | 863.7 | 1,113.4 | 56.1 | 26.5 | 27.3 | 81.1 | 108.0 | 114.3 | 129.1 | 164.5 | 249.7 |
| 1982 | 852.4 | 1,163.6 | 58.2 | 28.3 | 28.2 | 85.4 | 115.0 | 118.8 | 132.1 | 169.2 | 256.5 |
| 1981 | 862.0 | 1,200.6 | 60.6 | 29.1 | 29.5 | 90.0 | 122.9 | 128.1 | 135.7 | 180.6 | 270.9 |
| 1980 | 878.3 | 1,288.3 | 63.9 | 30.4 | 30.8 | 97.9 | 132.7 | 131.8 | 139.6 | 183.7 | 280.8 |
| 1979 | 852.2 | 1,332.9 | 64.2 | 31.1 | 31.8 | 98.8 | 131.0 | 130.1 | 136.4 | 184.7 | 283.1 |
| All causes | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 856.4 | 818.6 | 37.1 | 19.4 | 26.1 | 97.2 | 138.2 | 129.2 | 155.3 | 210.3 | 306.4 |
| 1997 | 864.6 | 822.2 | 39.4 | 19.7 | 27.1 | 102.9 | 142.9 | 137.3 | 166.9 | 219.7 | 313.4 |
| 1996 | 882.8 | 832.5 | 41.8 | 21.6 | 28.1 | 109.8 | 149.7 | 148.3 | 193.0 | 253.8 | 345.9 |
| 1995 | 900.8 | 856.3 | 44.5 | 22.2 | 30.6 | 117.2 | 157.9 | 167.3 | 225.2 | 288.8 | 378.3 |
| 1994 | 904.2 | 906.6 | 47.1 | 22.4 | 30.8 | 124.6 | 161.4 | 172.5 | 230.2 | 290.8 | 377.7 |
| 1993 | 915.0 | 950.1 | 49.3 | 23.1 | 31.3 | 124.3 | 162.9 | 175.9 | 229.4 | 288.6 | 371.7 |
| 1992 | 896.1 | 962.6 | 47.9 | 23.6 | 30.5 | 121.3 | 158.2 | 174.9 | 221.1 | 281.6 | 359.5 |
| 1991 | 908.8 | 1,025.9 | 52.0 | 24.5 | 32.8 | 128.2 | 165.5 | 180.7 | 222.1 | 279.5 | 345.8 |
| 1990 | 918.4 | 1,082.8 | 52.4 | 25.6 | 31.6 | 127.2 | 166.3 | 184.9 | 223.4 | 280.7 | 344.2 |
| 1989 | 926.3 | 1,133.4 | 54.8 | 27.4 | 33.9 | 121.2 | 162.5 | 184.2 | 224.5 | 277.6 | 342.0 |
| 1988 | 945.1 | 1,145.0 | 57.1 | 28.3 | 34.4 | 123.4 | 169.0 | 180.3 | 219.2 | 270.8 | 338.8 |
| 1987 | 939.3 | 1,150.3 | 58.0 | 29.6 | 35.1 | 117.7 | 166.1 | 177.1 | 213.8 | 261.4 | 329.6 |
| 1986 | 944.7 | 1,174.0 | 58.4 | 27.8 | 36.3 | 122.7 | 172.1 | 178.6 | 212.5 | 250.7 | 337.7 |
| 1985 | 948.6 | 1,219.9 | 58.5 | 28.5 | 35.0 | 113.4 | 161.6 | 167.9 | 192.5 | 236.9 | 331.6 |
| 1984 | 938.8 | 1,223.1 | 57.3 | 29.7 | 34.8 | 113.3 | 163.5 | 165.4 | 186.2 | 225.0 | 327.2 |
| 1983 | 943.2 | 1,229.6 | 63.5 | 30.8 | 34.2 | 115.1 | 160.9 | 166.5 | 182.7 | 220.5 | 324.1 |
| 1982 | 938.4 | 1,291.5 | 64.0 | 32.9 | 34.9 | 123.4 | 173.3 | 174.8 | 186.8 | 226.7 | 332.2 |
| 1981 | 954.0 | 1,324.6 | 67.7 | 34.3 | 36.7 | 128.9 | 186.4 | 189.5 | 190.9 | 241.5 | 354.0 |
| 1980 | 976.9 | 1,428.5 | 72.6 | 35.0 | 38.3 | 141.4 | 203.5 | 196.2 | 196.0 | 245.2 | 364.2 |
| 1979 | 957.5 | 1,482.0 | 71.0 | 36.7 | 40.0 | 143.3 | 199.5 | 193.4 | 191.1 | 244.3 | 368.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All causes | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 838.5 | 686.0 | 31.0 | 14.9 | 16.7 | 40.2 | 45.3 | 53.5 | 77.0 | 114.8 | 168.1 |
| 1997 | 833.6 | 669.4 | 31.5 | 16.2 | 17.8 | 42.5 | 48.1 | 55.8 | 77.8 | 114.0 | 168.6 |
| 1996 | 836.7 | 685.3 | 34.0 | 16.3 | 18.4 | 43.3 | 47.3 | 59.9 | 83.8 | 119.8 | 171.7 |
| 1995 | 837.2 | 700.5 | 36.0 | 16.5 | 19.3 | 45.0 | 49.5 | 62.5 | 87.9 | 125.3 | 175.9 |
| 1994 | 829.7 | 742.2 | 38.0 | 16.8 | 18.6 | 44.2 | 50.6 | 63.7 | 87.4 | 123.6 | 170.8 |
| 1993 | 832.5 | 764.0 | 39.7 | 18.8 | 19.0 | 45.1 | 50.8 | 63.4 | 85.4 | 120.4 | 169.8 |
| 1992 | 802.4 | 776.5 | 38.9 | 16.8 | 18.0 | 43.7 | 49.7 | 61.6 | 82.7 | 116.8 | 166.6 |
| 1991 | 808.7 | 805.6 | 42.7 | 18.3 | 18.2 | 47.0 | 52.4 | 62.3 | 84.4 | 116.0 | 163.7 |
| 1990 | 812.0 | 855.7 | 41.0 | 18.5 | 20.2 | 46.4 | 51.3 | 63.9 | 84.3 | 114.8 | 163.9 |
| 1989 | 818.9 | 917.0 | 44.5 | 20.6 | 20.6 | 48.7 | 53.0 | 65.2 | 86.1 | 113.2 | 168.2 |
| 1988 | 831.2 | 921.1 | 45.5 | 20.6 | 20.7 | 48.1 | 54.6 | 66.0 | 83.7 | 116.5 | 168.4 |
| 1987 | 816.7 | 918.7 | 45.8 | 19.6 | 18.8 | 47.7 | 54.5 | 65.0 | 84.2 | 115.2 | 167.2 |
| 1986 | 812.3 | 922.9 | 46.2 | 19.7 | 20.4 | 48.2 | 55.1 | 63.0 | 81.8 | 111.1 | 177.6 |
| 1985 | 809.1 | 950.6 | 44.8 | 21.4 | 20.6 | 46.2 | 52.5 | 60.2 | 79.2 | 110.7 | 173.5 |
| 1984 | 794.7 | 987.4 | 46.8 | 20.8 | 21.5 | 46.1 | 54.9 | 60.5 | 78.0 | 111.6 | 178.8 |
| 1983 | 788.4 | 991.5 | 48.4 | 22.0 | 20.2 | 45.8 | 54.6 | 62.3 | 76.4 | 110.3 | 178.2 |
| 1982 | 771.2 | 1,029.7 | 52.1 | 23.5 | 21.1 | 46.0 | 56.3 | 63.0 | 78.4 | 113.4 | 183.8 |
| 1981 | 775.0 | 1,070.0 | 53.1 | 23.6 | 22.0 | 49.8 | 59.1 | 67.1 | 81.7 | 121.8 | 191.2 |
| 1980 | 785.3 | 1,141.7 | 54.7 | 25.6 | 22.9 | 53.1 | 61.9 | 68.2 | 84.5 | 124.4 | 200.8 |
| 1979 | 752.7 | 1,176.6 | 57.0 | 25.3 | 23.3 | 52.8 | 62.4 | 67.5 | 82.9 | 127.2 | 201.7 |
| All causes | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 889.5 | 625.8 | 30.2 | 15.4 | 20.2 | 65.9 | 83.2 | 80.0 | 102.7 | 145.2 | 210.7 |
| 1997 | 889.1 | 625.1 | 31.8 | 16.0 | 21.2 | 68.6 | 84.9 | 84.1 | 108.0 | 146.2 | 212.4 |
| 1996 | 896.0 | 631.1 | 33.0 | 17.3 | 21.8 | 70.8 | 86.9 | 90.0 | 119.5 | 161.0 | 223.4 |
| 1995 | 901.8 | 649.5 | 35.2 | 17.7 | 23.3 | 74.4 | 91.5 | 98.7 | 135.3 | 178.1 | 237.6 |
| 1994 | 897.8 | 677.9 | 36.6 | 17.6 | 22.8 | 75.7 | 92.2 | 101.0 | 135.7 | 177.3 | 234.0 |
| 1993 | 902.7 | 700.9 | 38.5 | 19.0 | 23.4 | 76.2 | 91.0 | 102.1 | 136.0 | 174.6 | 231.3 |
| 1992 | 875.8 | 706.3 | 38.1 | 18.3 | 22.7 | 74.9 | 90.5 | 101.7 | 131.1 | 170.6 | 226.6 |
| 1991 | 883.2 | 746.0 | 41.7 | 19.8 | 24.1 | 80.2 | 95.4 | 104.2 | 131.8 | 168.0 | 220.0 |
| 1990 | 888.0 | 795.7 | 41.1 | 20.3 | 24.3 | 81.4 | 97.4 | 107.8 | 130.5 | 167.8 | 220.5 |
| 1989 | 893.2 | 842.7 | 43.7 | 22.1 | 25.7 | 81.7 | 96.6 | 109.1 | 131.9 | 164.3 | 220.8 |
| 1988 | 910.5 | 861.9 | 46.2 | 22.3 | 26.1 | 83.7 | 102.2 | 107.7 | 128.6 | 162.5 | 220.8 |
| 1987 | 900.1 | 864.9 | 46.8 | 23.1 | 25.6 | 82.1 | 101.7 | 107.8 | 127.2 | 159.6 | 216.1 |
| 1986 | 900.1 | 885.8 | 47.0 | 21.7 | 27.6 | 86.4 | 107.4 | 107.2 | 126.4 | 154.9 | 225.4 |
| 1985 | 900.4 | 931.3 | 46.6 | 22.9 | 27.0 | 80.2 | 102.1 | 102.9 | 116.5 | 150.4 | 221.5 |
| 1984 | 887.8 | 949.1 | 47.2 | 23.5 | 27.4 | 81.3 | 104.8 | 101.9 | 114.9 | 145.9 | 221.8 |
| 1983 | 885.4 | 951.0 | 51.0 | 24.9 | 26.2 | 81.6 | 102.0 | 103.4 | 112.4 | 144.5 | 221.0 |
| 1982 | 873.1 | 996.6 | 53.2 | 26.5 | 27.4 | 85.7 | 109.0 | 106.4 | 114.1 | 147.8 | 228.1 |
| 1981 | 880.4 | 1,031.1 | 54.7 | 27.6 | 28.5 | 91.2 | 116.7 | 114.7 | 117.5 | 156.4 | 237.3 |
| 1980 | 892.5 | 1,099.9 | 57.9 | 28.4 | 29.8 | 99.1 | 124.6 | 116.8 | 120.2 | 158.0 | 244.2 |
| 1979 | 865.2 | 1,135.5 | 57.5 | 29.0 | 31.1 | 100.0 | 123.6 | 114.8 | 116.9 | 157.8 | 246.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All causes | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 887.3 | 678.3 | 32.6 | 17.4 | 24.0 | 89.6 | 123.3 | 112.5 | 138.2 | 190.2 | 276.0 |
| 1997 | 893.3 | 690.6 | 35.3 | 17.9 | 25.5 | 93.4 | 123.6 | 118.5 | 148.0 | 194.7 | 279.0 |
| 1996 | 907.1 | 692.2 | 37.2 | 19.6 | 26.0 | 97.6 | 129.6 | 127.5 | 167.8 | 221.9 | 301.4 |
| 1995 | 921.0 | 720.7 | 39.0 | 20.3 | 28.2 | 103.3 | 137.0 | 143.7 | 196.5 | 250.7 | 326.9 |
| 1994 | 922.6 | 743.7 | 40.6 | 20.1 | 28.0 | 106.7 | 137.5 | 146.9 | 199.2 | 252.2 | 324.8 |
| 1993 | 931.8 | 775.9 | 43.0 | 21.3 | 28.8 | 106.2 | 135.8 | 150.3 | 200.1 | 249.8 | 318.7 |
| 1992 | 912.2 | 785.7 | 42.7 | 21.3 | 28.0 | 105.0 | 134.6 | 150.7 | 193.2 | 244.5 | 312.7 |
| 1991 | 922.7 | 842.3 | 45.5 | 22.6 | 30.4 | 111.8 | 142.3 | 154.5 | 193.0 | 239.8 | 300.1 |
| 1990 | 930.9 | 896.1 | 45.9 | 23.5 | 29.5 | 115.4 | 146.0 | 160.3 | 191.6 | 240.4 | 299.3 |
| 1989 | 936.5 | 940.7 | 48.3 | 25.2 | 31.9 | 112.6 | 143.5 | 161.7 | 192.3 | 234.8 | 295.8 |
| 1988 | 957.9 | 964.2 | 51.5 | 25.7 | 33.0 | 117.5 | 152.8 | 158.1 | 187.3 | 228.2 | 295.7 |
| 1987 | 952.7 | 964.9 | 52.4 | 27.7 | 32.9 | 114.3 | 152.5 | 157.4 | 183.8 | 221.5 | 287.1 |
| 1986 | 958.6 | 993.8 | 52.6 | 25.5 | 34.8 | 122.5 | 161.7 | 158.6 | 184.4 | 215.1 | 295.3 |
| 1985 | 963.6 | 1,056.5 | 52.8 | 26.2 | 33.9 | 112.3 | 153.3 | 152.1 | 166.1 | 205.2 | 290.3 |
| 1984 | 954.1 | 1,059.3 | 52.1 | 27.4 | 33.7 | 114.5 | 156.6 | 149.5 | 162.4 | 194.4 | 288.1 |
| 1983 | 957.7 | 1,055.7 | 57.6 | 29.2 | 32.9 | 116.2 | 152.6 | 150.8 | 158.7 | 193.1 | 285.3 |
| 1982 | 951.8 | 1,111.0 | 58.7 | 30.9 | 33.9 | 124.1 | 164.5 | 156.7 | 160.4 | 196.7 | 293.8 |
| 1981 | 965.2 | 1,147.7 | 61.0 | 32.4 | 35.7 | 130.2 | 177.0 | 169.7 | 164.4 | 207.7 | 308.6 |
| 1980 | 983.3 | 1,230.3 | 66.1 | 32.5 | 37.4 | 142.7 | 190.9 | 174.7 | 167.6 | 208.7 | 316.1 |
| 1979 | 963.3 | 1,276.0 | 64.2 | 34.1 | 38.9 | 145.3 | 188.8 | 170.3 | 162.8 | 206.9 | 317.5 |
| All causes | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 891.6 | 570.5 | 27.6 | 13.3 | 16.2 | 40.6 | 40.6 | 46.2 | 66.1 | 99.4 | 145.3 |
| 1997 | 885.0 | 556.2 | 28.1 | 14.0 | 16.6 | 42.1 | 43.8 | 48.3 | 66.8 | 96.9 | 145.8 |
| 1996 | 885.3 | 566.7 | 28.6 | 14.9 | 17.3 | 42.2 | 41.9 | 51.2 | 69.7 | 99.2 | 145.4 |
| 1995 | 883.2 | 574.4 | 31.3 | 14.9 | 18.0 | 43.7 | 43.7 | 52.0 | 72.3 | 104.4 | 148.5 |
| 1994 | 873.8 | 608.6 | 32.4 | 15.0 | 17.2 | 42.7 | 44.7 | 53.5 | 70.5 | 101.4 | 143.3 |
| 1993 | 874.6 | 621.8 | 33.7 | 16.7 | 17.7 | 44.2 | 43.9 | 52.2 | 70.2 | 98.7 | 144.2 |
| 1992 | 840.8 | 623.0 | 33.3 | 15.1 | 17.0 | 43.0 | 44.1 | 51.2 | 67.6 | 96.0 | 140.7 |
| 1991 | 845.2 | 644.7 | 37.6 | 16.9 | 17.4 | 46.7 | 46.2 | 52.5 | 69.5 | 95.9 | 140.2 |
| 1990 | 846.9 | 690.0 | 36.1 | 17.0 | 18.8 | 45.4 | 46.4 | 54.1 | 68.7 | 95.0 | 142.1 |
| 1989 | 851.8 | 739.5 | 38.8 | 18.8 | 19.1 | 49.2 | 47.6 | 55.2 | 70.9 | 93.7 | 146.4 |
| 1988 | 865.3 | 754.1 | 40.7 | 18.7 | 18.8 | 48.0 | 49.4 | 56.2 | 69.2 | 96.9 | 146.7 |
| 1987 | 849.8 | 760.3 | 40.9 | 18.1 | 17.9 | 48.3 | 49.2 | 57.0 | 69.9 | 97.8 | 146.1 |
| 1986 | 844.3 | 772.6 | 41.0 | 17.6 | 19.9 | 48.7 | 51.3 | 54.6 | 67.9 | 95.0 | 156.5 |
| 1985 | 840.1 | 799.3 | 40.0 | 19.4 | 19.7 | 46.6 | 49.4 | 52.7 | 66.7 | 96.0 | 153.9 |
| 1984 | 824.6 | 833.5 | 41.9 | 19.4 | 20.7 | 46.7 | 51.6 | 53.4 | 67.0 | 97.9 | 156.9 |
| 1983 | 816.4 | 840.5 | 44.0 | 20.4 | 19.2 | 45.6 | 50.2 | 55.2 | 65.9 | 96.4 | 157.9 |
| 1982 | 798.2 | 876.1 | 47.4 | 21.8 | 20.6 | 45.9 | 52.4 | 55.3 | 67.8 | 99.5 | 163.8 |
| 1981 | 799.8 | 908.1 | 48.0 | 22.5 | 20.9 | 50.6 | 55.3 | 59.1 | 70.7 | 105.8 | 167.6 |
| 1980 | 806.1 | 962.5 | 49.3 | 24.1 | 21.9 | 53.7 | 57.3 | 58.4 | 73.0 | 108.1 | 174.1 |
| 1979 | 771.8 | 986.7 | 50.4 | 23.7 | 22.8 | 52.9 | 57.4 | 58.8 | 71.3 | 109.5 | 177.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All causes | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 652.9 | 1,231.0 | 48.4 | 23.5 | 26.3 | 83.1 | 129.0 | 137.8 | 173.8 | 241.3 | 360.5 |
| 1997 | 660.9 | 1,210.3 | 48.9 | 25.2 | 27.6 | 92.6 | 140.6 | 148.7 | 185.2 | 262.2 | 376.0 |
| 1996 | 684.9 | 1,259.3 | 55.7 | 25.2 | 29.7 | 103.1 | 147.6 | 164.0 | 223.9 | 307.4 | 429.0 |
| 1995 | 707.5 | 1,276.6 | 58.9 | 25.9 | 32.1 | 111.8 | 155.8 | 185.2 | 255.4 | 343.7 | 469.3 |
| 1994 | 712.0 | 1,378.9 | 64.7 | 27.5 | 32.8 | 123.6 | 165.8 | 193.4 | 267.8 | 350.0 | 473.2 |
| 1993 | 725.1 | 1,446.8 | 67.4 | 28.7 | 32.7 | 123.8 | 177.0 | 198.4 | 259.9 | 349.0 | 469.1 |
| 1992 | 709.0 | 1,492.9 | 63.6 | 28.2 | 31.3 | 117.5 | 165.9 | 194.1 | 253.0 | 339.7 | 450.7 |
| 1991 | 726.6 | 1,574.6 | 69.6 | 28.2 | 31.8 | 122.3 | 173.2 | 202.8 | 258.3 | 345.9 | 442.8 |
| 1990 | 737.9 | 1,645.0 | 69.3 | 29.6 | 33.0 | 114.2 | 165.8 | 204.9 | 268.3 | 348.9 | 440.3 |
| 1989 | 755.2 | 1,739.1 | 74.6 | 32.2 | 34.3 | 103.0 | 162.8 | 202.0 | 271.5 | 354.7 | 450.2 |
| 1988 | 758.6 | 1,733.6 | 73.0 | 33.8 | 34.4 | 99.4 | 160.9 | 201.0 | 267.2 | 356.1 | 444.3 |
| 1987 | 747.0 | 1,752.2 | 74.3 | 31.5 | 33.3 | 89.7 | 154.6 | 189.7 | 261.3 | 341.9 | 441.7 |
| 1986 | 747.3 | 1,758.5 | 75.8 | 33.2 | 32.8 | 85.3 | 147.6 | 192.4 | 255.6 | 326.0 | 447.8 |
| 1985 | 745.0 | 1,770.9 | 74.5 | 34.2 | 32.2 | 81.7 | 134.9 | 173.2 | 238.1 | 307.6 | 437.1 |
| 1984 | 733.2 | 1,805.7 | 74.1 | 33.3 | 32.3 | 76.1 | 134.3 | 172.4 | 224.7 | 300.4 | 440.0 |
| 1983 | 737.9 | 1,831.5 | 78.7 | 33.7 | 32.3 | 78.5 | 139.6 | 173.9 | 223.0 | 291.9 | 432.6 |
| 1982 | 730.7 | 1,907.5 | 80.5 | 36.3 | 31.7 | 83.6 | 146.9 | 187.5 | 235.9 | 309.5 | 435.0 |
| 1981 | 751.6 | 1,970.4 | 87.1 | 35.9 | 34.6 | 84.2 | 156.7 | 203.9 | 246.6 | 337.5 | 485.1 |
| 1980 | 791.7 | 2,148.5 | 91.4 | 39.6 | 35.4 | 92.1 | 178.2 | 219.7 | 262.2 | 353.2 | 518.4 |
| 1979 | 771.0 | 2,260.6 | 95.6 | 41.2 | 35.5 | 92.2 | 173.3 | 222.6 | 265.4 | 368.0 | 524.9 |
| All causes | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 710.0 | 1,345.3 | 53.5 | 26.4 | 33.6 | 126.3 | 197.4 | 199.8 | 233.0 | 308.3 | 461.5 |
| 1997 | 727.0 | 1,324.0 | 54.1 | 26.4 | 32.9 | 139.9 | 219.5 | 218.4 | 254.4 | 343.7 | 492.8 |
| 1996 | 764.1 | 1,378.6 | 58.4 | 28.9 | 36.6 | 157.3 | 229.8 | 240.0 | 313.1 | 414.4 | 583.0 |
| 1995 | 800.8 | 1,377.4 | 64.8 | 29.5 | 39.6 | 171.7 | 242.3 | 273.1 | 366.3 | 482.7 | 657.2 |
| 1994 | 811.8 | 1,519.7 | 71.0 | 31.5 | 41.5 | 195.5 | 259.8 | 289.2 | 385.4 | 490.4 | 669.6 |
| 1993 | 829.9 | 1,603.1 | 72.7 | 30.2 | 41.1 | 196.7 | 277.5 | 294.3 | 377.9 | 492.9 | 669.8 |
| 1992 | 812.9 | 1,633.7 | 67.4 | 33.2 | 40.4 | 186.7 | 260.8 | 289.2 | 365.2 | 480.3 | 629.7 |
| 1991 | 835.9 | 1,733.7 | 77.0 | 32.3 | 42.1 | 193.9 | 269.9 | 307.6 | 375.2 | 497.3 | 622.4 |
| 1990 | 851.5 | 1,805.1 | 78.5 | 34.3 | 40.4 | 176.0 | 260.2 | 308.9 | 392.5 | 506.3 | 623.4 |
| 1989 | 871.4 | 1,881.4 | 81.9 | 36.5 | 42.0 | 157.5 | 251.4 | 300.0 | 398.6 | 521.0 | 636.4 |
| 1988 | 875.0 | 1,881.0 | 80.8 | 39.3 | 40.4 | 148.9 | 246.2 | 297.0 | 394.6 | 518.3 | 621.2 |
| 1987 | 864.1 | 1,927.4 | 82.2 | 37.4 | 44.1 | 132.9 | 232.6 | 283.8 | 381.5 | 500.2 | 616.6 |
| 1986 | 865.9 | 1,954.9 | 83.5 | 37.7 | 42.9 | 123.6 | 224.2 | 289.2 | 373.4 | 474.8 | 619.3 |
| 1985 | 861.7 | 1,942.4 | 83.8 | 38.6 | 40.0 | 118.4 | 204.6 | 256.7 | 346.7 | 442.4 | 609.5 |
| 1984 | 849.3 | 1,950.6 | 80.3 | 39.5 | 39.5 | 108.1 | 200.2 | 256.3 | 327.4 | 429.3 | 593.2 |
| 1983 | 856.9 | 2,011.2 | 89.8 | 38.0 | 40.1 | 109.9 | 205.7 | 258.0 | 328.4 | 409.0 | 588.4 |
| 1982 | 857.8 | 2,109.2 | 88.0 | 42.0 | 39.5 | 119.9 | 222.4 | 281.9 | 351.4 | 440.0 | 591.0 |
| 1981 | 885.7 | 2,140.1 | 98.4 | 43.2 | 41.8 | 122.2 | 240.0 | 310.1 | 364.8 | 477.8 | 663.5 |
| 1980 | 936.5 | 2,350.2 | 103.0 | 46.9 | 43.0 | 134.4 | 277.1 | 330.9 | 390.1 | 504.8 | 699.8 |
| 1979 | 920.3 | 2,468.0 | 103.6 | 49.1 | 45.1 | 132.4 | 263.3 | 343.0 | 394.6 | 521.8 | 732.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All causes | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 600.6 | 1,112.3 | 43.1 | 20.5 | 18.6 | 38.7 | 62.5 | 81.0 | 120.3 | 181.0 | 271.3 |
| 1997 | 600.3 | 1,092.8 | 43.5 | 23.9 | 22.1 | 43.9 | 63.7 | 84.7 | 122.7 | 189.0 | 273.3 |
| 1996 | 612.3 | 1,136.3 | 53.0 | 21.3 | 22.7 | 47.4 | 67.3 | 94.0 | 143.2 | 211.6 | 294.3 |
| 1995 | 622.0 | 1,173.1 | 52.9 | 22.3 | 24.3 | 50.2 | 71.1 | 104.3 | 155.2 | 219.2 | 305.5 |
| 1994 | 620.5 | 1,233.7 | 58.2 | 23.4 | 23.9 | 49.8 | 73.6 | 105.0 | 161.5 | 224.7 | 302.5 |
| 1993 | 629.2 | 1,285.5 | 61.9 | 27.2 | 23.9 | 48.8 | 78.2 | 109.8 | 153.2 | 220.7 | 295.2 |
| 1992 | 614.0 | 1,348.0 | 59.6 | 23.1 | 21.9 | 46.3 | 72.4 | 105.9 | 151.8 | 214.9 | 295.8 |
| 1991 | 626.6 | 1,411.2 | 61.9 | 23.9 | 21.2 | 48.5 | 78.4 | 105.5 | 153.4 | 212.7 | 287.4 |
| 1990 | 634.2 | 1,480.7 | 59.9 | 24.8 | 25.3 | 50.5 | 72.8 | 108.5 | 157.6 | 211.2 | 282.0 |
| 1989 | 649.0 | 1,588.8 | 67.1 | 27.8 | 26.4 | 46.9 | 76.2 | 111.4 | 158.2 | 209.9 | 289.5 |
| 1988 | 652.6 | 1,582.7 | 65.1 | 28.1 | 28.3 | 48.4 | 77.8 | 112.6 | 153.9 | 215.4 | 292.2 |
| 1987 | 640.2 | 1,567.0 | 66.3 | 25.4 | 22.2 | 45.5 | 78.7 | 103.7 | 154.5 | 205.2 | 291.4 |
| 1986 | 639.3 | 1,556.9 | 68.0 | 28.5 | 22.4 | 46.1 | 73.1 | 104.4 | 151.5 | 198.2 | 300.0 |
| 1985 | 638.8 | 1,600.6 | 65.0 | 29.8 | 24.2 | 44.2 | 67.8 | 97.7 | 142.8 | 192.3 | 289.1 |
| 1984 | 627.6 | 1,651.8 | 67.8 | 27.0 | 24.9 | 43.6 | 71.4 | 96.8 | 134.8 | 190.5 | 309.1 |
| 1983 | 629.8 | 1,648.0 | 67.3 | 29.3 | 24.3 | 46.6 | 77.1 | 98.5 | 131.3 | 192.1 | 299.0 |
| 1982 | 615.4 | 1,702.1 | 72.9 | 30.5 | 23.8 | 46.9 | 76.1 | 103.1 | 136.1 | 198.2 | 301.8 |
| 1981 | 630.0 | 1,791.3 | 75.5 | 28.4 | 27.3 | 45.7 | 79.1 | 109.7 | 143.9 | 217.9 | 332.3 |
| 1980 | 660.6 | 1,944.1 | 79.5 | 32.1 | 27.7 | 49.7 | 86.8 | 121.7 | 152.2 | 224.2 | 364.0 |
| 1979 | 635.7 | 2,056.6 | 87.3 | 33.1 | 25.8 | 51.8 | 90.0 | 116.9 | 154.8 | 239.0 | 349.9 |
| All causes | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 782.3 | 1,477.9 | 55.8 | 26.4 | 28.5 | 95.6 | 158.3 | 174.2 | 215.5 | 301.7 | 453.4 |
| 1997 | 789.9 | 1,457.3 | 54.4 | 27.7 | 30.8 | 105.8 | 172.4 | 187.3 | 231.4 | 326.6 | 470.3 |
| 1996 | 819.7 | 1,527.6 | 62.6 | 28.1 | 32.9 | 118.5 | 180.9 | 206.4 | 281.0 | 385.7 | 544.4 |
| 1995 | 846.2 | 1,533.7 | 66.4 | 28.5 | 35.8 | 128.4 | 188.1 | 233.1 | 320.4 | 433.3 | 594.9 |
| 1994 | 849.0 | 1,634.5 | 73.4 | 30.3 | 37.0 | 143.1 | 202.1 | 240.2 | 333.8 | 439.5 | 601.6 |
| 1993 | 864.6 | 1,721.5 | 76.0 | 31.7 | 36.5 | 142.1 | 216.0 | 245.2 | 324.8 | 438.8 | 589.8 |
| 1992 | 841.8 | 1,780.8 | 71.1 | 31.3 | 34.8 | 134.4 | 199.0 | 238.4 | 313.1 | 425.0 | 569.8 |
| 1991 | 861.4 | 1,882.1 | 79.2 | 31.5 | 36.1 | 140.6 | 207.7 | 245.2 | 319.3 | 430.7 | 554.0 |
| 1990 | 871.0 | 1,925.9 | 76.8 | 32.3 | 36.6 | 127.7 | 192.8 | 246.0 | 329.9 | 431.3 | 550.4 |
| 1989 | 887.9 | 2,007.5 | 81.6 | 35.2 | 37.5 | 114.4 | 187.5 | 239.8 | 333.5 | 438.5 | 561.6 |
| 1988 | 888.3 | 2,017.0 | 81.8 | 37.0 | 37.5 | 108.6 | 182.0 | 236.5 | 326.4 | 441.8 | 553.6 |
| 1987 | 868.9 | 2,017.8 | 83.1 | 34.1 | 35.6 | 97.9 | 171.8 | 219.6 | 318.6 | 420.9 | 542.1 |
| 1986 | 864.9 | 2,018.7 | 84.6 | 35.6 | 35.2 | 91.2 | 160.9 | 221.0 | 309.1 | 394.8 | 547.2 |
| 1985 | 854.8 | 2,026.2 | 80.7 | 36.2 | 34.8 | 85.2 | 145.4 | 197.2 | 284.8 | 370.9 | 526.1 |
| 1984 | 836.1 | 2,053.0 | 79.4 | 36.6 | 35.0 | 78.2 | 144.9 | 195.7 | 267.4 | 360.1 | 521.4 |
| 1983 | 836.6 | 2,078.0 | 85.8 | 35.5 | 34.5 | 80.6 | 148.4 | 195.1 | 263.5 | 346.3 | 505.9 |
| 1982 | 823.4 | 2,144.0 | 87.4 | 39.4 | 33.9 | 84.9 | 156.7 | 211.6 | 276.8 | 365.9 | 508.0 |
| 1981 | 842.4 | 2,193.5 | 93.9 | 38.5 | 36.3 | 85.2 | 167.0 | 229.6 | 285.1 | 394.7 | 557.4 |
| 1980 | 875.4 | 2,356.6 | 97.6 | 41.7 | 36.6 | 92.3 | 188.5 | 242.7 | 302.5 | 404.0 | 589.9 |
| 1979 | 839.3 | 2,443.9 | 100.1 | 43.4 | 37.0 | 92.1 | 179.3 | 240.8 | 297.3 | 411.6 | 586.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All causes | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 848.2 | 1,629.3 | 62.6 | 30.1 | 36.6 | 147.7 | 248.3 | 255.8 | 288.8 | 385.5 | 581.5 |
| 1997 | 867.1 | 1,594.2 | 61.8 | 28.9 | 37.0 | 162.5 | 275.3 | 276.9 | 320.0 | 429.6 | 622.3 |
| 1996 | 915.3 | 1,673.1 | 66.1 | 32.2 | 40.5 | 183.2 | 287.3 | 304.1 | 396.0 | 524.3 | 744.6 |
| 1995 | 960.2 | 1,664.7 | 73.1 | 32.9 | 44.6 | 200.1 | 297.9 | 347.3 | 463.6 | 613.9 | 839.3 |
| 1994 | 970.2 | 1,808.8 | 80.0 | 35.1 | 46.8 | 229.3 | 322.8 | 362.4 | 486.3 | 621.4 | 859.6 |
| 1993 | 992.2 | 1,909.7 | 82.7 | 32.6 | 46.4 | 229.7 | 346.1 | 368.2 | 477.1 | 626.9 | 850.5 |
| 1992 | 967.6 | 1,952.6 | 75.4 | 36.6 | 44.4 | 217.0 | 319.3 | 358.0 | 459.6 | 607.3 | 802.9 |
| 1991 | 994.8 | 2,083.5 | 87.8 | 35.8 | 48.1 | 227.5 | 329.3 | 375.2 | 469.3 | 626.9 | 788.2 |
| 1990 | 1,008.0 | 2,112.4 | 85.8 | 37.3 | 45.2 | 199.7 | 307.4 | 374.2 | 489.8 | 631.5 | 785.5 |
| 1989 | 1,026.7 | 2,172.1 | 90.0 | 40.9 | 46.3 | 178.5 | 293.4 | 359.9 | 495.1 | 653.9 | 800.9 |
| 1988 | 1,026.1 | 2,189.6 | 92.1 | 43.4 | 43.9 | 166.2 | 281.1 | 352.7 | 487.9 | 649.6 | 781.7 |
| 1987 | 1,006.2 | 2,226.8 | 92.0 | 40.4 | 47.7 | 145.7 | 262.2 | 330.8 | 469.2 | 621.2 | 768.3 |
| 1986 | 1,002.6 | 2,251.8 | 92.2 | 40.1 | 46.3 | 133.0 | 247.0 | 334.1 | 457.0 | 581.7 | 770.2 |
| 1985 | 989.3 | 2,219.9 | 90.1 | 40.5 | 44.1 | 125.5 | 221.6 | 293.1 | 420.9 | 541.3 | 745.8 |
| 1984 | 968.5 | 2,232.6 | 86.0 | 42.9 | 43.4 | 111.5 | 216.7 | 291.6 | 395.5 | 522.5 | 713.3 |
| 1983 | 971.2 | 2,292.7 | 97.5 | 40.2 | 42.7 | 113.1 | 219.3 | 290.1 | 391.4 | 493.6 | 698.7 |
| 1982 | 966.2 | 2,375.5 | 95.9 | 45.5 | 42.4 | 122.0 | 239.9 | 319.7 | 415.3 | 527.7 | 701.1 |
| 1981 | 992.6 | 2,389.3 | 105.5 | 46.4 | 43.4 | 124.8 | 258.7 | 352.8 | 426.6 | 570.9 | 778.1 |
| 1980 | 1,034.1 | 2,586.7 | 110.5 | 49.7 | 45.4 | 134.5 | 294.5 | 368.4 | 455.9 | 586.7 | 810.4 |
| 1979 | 999.6 | 2,666.5 | 108.1 | 51.9 | 46.8 | 132.7 | 273.4 | 372.4 | 444.9 | 588.3 | 827.7 |
| All causes | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 722.6 | 1,321.9 | 48.8 | 22.6 | 20.3 | 42.3 | 72.8 | 100.4 | 150.0 | 227.5 | 341.1 |
| 1997 | 720.1 | 1,316.6 | 46.9 | 26.4 | 24.5 | 47.8 | 74.3 | 106.2 | 152.4 | 235.6 | 337.8 |
| 1996 | 733.3 | 1,378.6 | 59.0 | 23.9 | 25.1 | 52.3 | 79.3 | 117.9 | 178.4 | 263.4 | 371.0 |
| 1995 | 743.2 | 1,399.9 | 59.5 | 24.0 | 26.8 | 55.1 | 83.1 | 129.5 | 193.2 | 274.1 | 384.1 |
| 1994 | 739.7 | 1,455.9 | 66.7 | 25.3 | 27.0 | 55.0 | 86.5 | 129.3 | 198.6 | 279.6 | 379.4 |
| 1993 | 749.6 | 1,528.1 | 69.1 | 30.9 | 26.4 | 52.6 | 91.1 | 133.4 | 190.1 | 273.8 | 365.7 |
| 1992 | 728.6 | 1,604.8 | 66.8 | 25.9 | 25.0 | 50.1 | 83.3 | 129.5 | 183.7 | 265.6 | 369.7 |
| 1991 | 741.4 | 1,676.0 | 70.3 | 27.2 | 23.8 | 52.0 | 91.5 | 127.1 | 187.3 | 260.3 | 353.1 |
| 1990 | 747.9 | 1,735.5 | 67.6 | 27.2 | 27.8 | 54.3 | 83.0 | 129.7 | 189.6 | 258.1 | 349.1 |
| 1989 | 763.2 | 1,839.8 | 72.9 | 29.5 | 28.5 | 49.1 | 86.6 | 130.8 | 191.9 | 252.8 | 357.1 |
| 1988 | 764.6 | 1,834.0 | 71.2 | 30.4 | 30.9 | 50.1 | 87.9 | 131.6 | 185.3 | 263.1 | 359.2 |
| 1987 | 745.7 | 1,804.3 | 74.1 | 27.7 | 23.3 | 49.3 | 86.1 | 119.3 | 187.0 | 249.9 | 351.2 |
| 1986 | 741.5 | 1,781.5 | 76.8 | 31.0 | 23.8 | 48.9 | 79.2 | 118.9 | 180.4 | 235.6 | 359.3 |
| 1985 | 734.2 | 1,821.4 | 71.1 | 31.8 | 25.4 | 44.6 | 73.7 | 111.3 | 167.2 | 226.4 | 341.5 |
| 1984 | 717.4 | 1,870.7 | 72.6 | 30.2 | 26.3 | 44.8 | 77.7 | 109.7 | 156.6 | 223.7 | 359.7 |
| 1983 | 715.9 | 1,859.3 | 73.8 | 30.7 | 26.1 | 48.0 | 82.7 | 110.5 | 153.4 | 222.7 | 344.6 |
| 1982 | 695.5 | 1,910.0 | 78.6 | 33.2 | 25.3 | 47.7 | 79.9 | 115.3 | 157.7 | 230.2 | 347.0 |
| 1981 | 707.7 | 1,994.7 | 82.0 | 30.5 | 29.2 | 45.6 | 82.8 | 120.7 | 163.5 | 247.8 | 373.9 |
| 1980 | 733.3 | 2,123.7 | 84.4 | 33.6 | 27.7 | 50.3 | 91.8 | 132.5 | 171.2 | 252.0 | 407.5 |
| 1979 | 695.3 | 2,208.2 | 91.9 | 34.8 | 27.2 | 51.7 | 93.1 | 125.7 | 171.1 | 265.1 | 385.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Salmonella infections (002-003) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| Salmonella infections (002-003) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Salmonella infections (002-003) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| Salmonella infections (002-003) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Salmonella infections (002-003) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| Salmonella infections (002-003) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Salmonella infections (002-003) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Salmonella infections (002-003) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Salmonella infections (002-003) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Salmonella infections (002-003) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Salmonella infections (002-003) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Salmonella infections (002-003) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Shigellosis and amebiasis (004,006) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| Shigellosis and amebiasis (004,006) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Shigellosis and amebiasis (004,006) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Shigellosis and amebiasis (004,006) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Shigellosis and amebiasis (004,006) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| Shigellosis and amebiasis (004,006) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|-------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Shigellosis and amebiasis (004,006) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Shigellosis and amebiasis (004,006) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|-------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Shigellosis and amebiasis (004,006) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Shigellosis and amebiasis (004,006) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Shigellosis and amebiasis (004,006) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Shigellosis and amebiasis (004,006) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Certain other intestinal infections (007-009) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | 6.1 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | 5.3 | 0.1 | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | 5.5 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | 5.3 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | 5.4 | 0.1 | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | 3.4 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 3.3 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | 3.1 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | 2.3 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | 3.1 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | 2.7 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | 3.9 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 3.6 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | 3.8 | 0.1 | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 3.6 | 0.2 | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | 3.2 | 0.2 | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | 3.1 | * | * | * | * | * | * | * | * | * |
| Certain other intestinal infections (007-009) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.3 | 7.1 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | 6.0 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | 6.8 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | 5.9 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | 6.3 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | 4.0 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 3.7 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | 3.3 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | 2.9 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | 4.0 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | 2.9 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | 4.5 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 4.1 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | 3.6 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 3.8 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | 3.5 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | 3.3 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Certain other intestinal infections (007-009) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.4 | 5.1 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | 4.6 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | 4.2 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | 4.7 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | 4.5 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | 2.8 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 2.8 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | 2.9 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | 2.9 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | 2.2 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | 3.2 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 3.0 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 3.9 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 3.5 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | 2.8 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | 2.9 | * | * | * | * | * | * | * | * | * |
| Certain other intestinal infections (007-009) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | 4.3 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | 3.8 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | 3.4 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | 3.3 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | 3.2 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | 2.0 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | 2.2 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | 2.2 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | 2.1 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Certain other intestinal infections (007-009) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.3 | 5.1 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | 4.3 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | 4.2 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | 3.6 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 3.6 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | 2.0 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 2.6 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | 2.0 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | 2.3 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | 2.0 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | 2.3 | * | * | * | * | * | * | * | * | * |
| Certain other intestinal infections (007-009) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.4 | 3.5 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | 3.4 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | 2.6 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | 2.9 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | 2.7 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | 2.0 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | 2.0 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | 1.8 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Certain other intestinal infections (007-009) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | 12.8 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | 10.9 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | 13.6 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | 13.2 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | 13.9 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | 8.8 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 7.8 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | 7.8 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 5.4 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | 6.8 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | 5.3 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 5.8 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | 8.6 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | 6.8 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 10.0 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | 9.8 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | 9.9 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 9.1 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | 7.7 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 7.8 | * | * | * | * | * | * | * | * | * |
| Certain other intestinal infections (007-009) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.4 | 14.5 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | 12.8 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | 17.1 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | 14.7 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | 16.5 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | 11.7 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 7.8 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | 8.5 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 5.3 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | 8.2 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | 6.3 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | 11.0 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | 6.9 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | 13.7 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | 12.1 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | 9.5 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | 9.7 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 8.8 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 7.9 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Certain other intestinal infections (007-009) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.4 | 11.0 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | 9.1 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | 10.0 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | 11.5 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | 11.2 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | 5.9 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 7.8 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | 7.1 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 5.4 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | 5.3 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 7.3 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | 6.1 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | 6.8 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 6.1 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 7.5 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | 10.3 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 8.4 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | 6.7 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 7.7 | * | * | * | * | * | * | * | * | * |
| Certain other intestinal infections (007-009) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | 16.4 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | 13.9 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | 17.5 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | 16.5 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | 16.9 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | 10.8 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | 9.9 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | 9.7 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 6.4 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | 7.9 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | 6.6 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 7.0 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | 9.7 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | 8.1 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | 11.7 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | 11.8 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | 11.2 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | 10.4 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 8.8 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 8.5 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Certain other intestinal infections (007-009) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.5 | 19.0 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.5 | 15.6 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.5 | 21.8 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | 18.0 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | 20.2 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | 14.4 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | 9.9 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | 10.9 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | 9.8 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | 7.7 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | 12.5 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | 8.3 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | 16.1 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | 15.0 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | 10.3 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | 11.5 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 9.7 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | 8.8 | * | * | * | * | * | * | * | * | * |
| Certain other intestinal infections (007-009) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.4 | 13.8 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | 12.2 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | 13.1 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | 15.0 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | 13.5 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | 7.1 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | 9.9 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | 8.6 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 7.0 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 8.9 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | 7.7 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 8.6 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | 12.2 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 9.4 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 7.9 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 8.2 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Tuberculosis (010-018) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1997 | 0.4 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 |
| 1996 | 0.4 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.2 |
| 1995 | 0.5 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.3 |
| 1994 | 0.6 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 |
| 1993 | 0.6 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 |
| 1992 | 0.7 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.5 |
| 1991 | 0.7 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.5 |
| 1990 | 0.7 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.4 | 0.5 |
| 1989 | 0.8 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 | 0.6 |
| 1988 | 0.8 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.6 |
| 1987 | 0.7 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.5 |
| 1986 | 0.7 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.6 |
| 1985 | 0.7 | * | * | * | * | * | * | 0.1 | 0.3 | 0.4 | 0.5 |
| 1984 | 0.7 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.4 | 0.6 |
| 1983 | 0.8 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 |
| 1982 | 0.8 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 |
| 1981 | 0.8 | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.6 |
| 1980 | 0.9 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.6 |
| 1979 | 0.9 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.7 |
| Tuberculosis (010-018) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1997 | 0.5 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1994 | 0.7 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1993 | 0.8 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 |
| 1992 | 0.8 | * | * | * | * | * | * | * | 0.3 | 0.6 | 0.7 |
| 1991 | 0.8 | * | * | * | * | * | * | * | 0.3 | 0.7 | 0.8 |
| 1990 | 0.9 | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 | 0.8 |
| 1989 | 1.1 | * | * | * | * | * | * | 0.2 | 0.6 | 0.7 | 1.1 |
| 1988 | 1.0 | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 | 0.9 |
| 1987 | 1.0 | * | * | * | * | * | * | 0.2 | 0.5 | 0.7 | 0.8 |
| 1986 | 1.0 | * | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 1.0 |
| 1985 | 1.0 | * | * | * | * | * | * | * | 0.4 | 0.5 | 0.8 |
| 1984 | 1.0 | * | * | * | * | * | * | 0.3 | 0.3 | 0.6 | 0.9 |
| 1983 | 1.0 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.7 |
| 1982 | 1.1 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.8 |
| 1981 | 1.2 | * | * | * | * | * | * | * | 0.3 | 0.4 | 1.0 |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1979 | 1.3 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Tuberculosis (010-018) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1994 | 0.4 | * | * | * | * | * | * | * | 0.2 | 0.2 | * |
| 1993 | 0.5 | * | * | * | * | * | * | * | 0.2 | * | 0.3 |
| 1992 | 0.5 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.2 |
| 1991 | 0.5 | * | * | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.3 |
| 1990 | 0.5 | * | * | * | * | * | * | 0.2 | 0.3 | 0.2 | 0.2 |
| 1989 | 0.5 | * | * | * | * | * | * | 0.2 | 0.2 | 0.2 | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.3 |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1986 | 0.5 | * | * | * | * | * | * | * | 0.2 | * | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1979 | 0.6 | * | * | * | * | * | * | * | * | 0.3 | * |
| Tuberculosis (010-018) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | 0.1 | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | 0.1 | 0.1 |
| 1994 | 0.4 | * | * | * | * | * | * | * | 0.1 | 0.1 | 0.2 |
| 1993 | 0.4 | * | * | * | * | * | * | * | 0.1 | * | 0.2 |
| 1992 | 0.5 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 |
| 1991 | 0.5 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 |
| 1990 | 0.5 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 |
| 1989 | 0.6 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 |
| 1988 | 0.6 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1987 | 0.5 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1986 | 0.5 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | 0.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Tuberculosis (010-018) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1989 | 0.7 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 |
| 1988 | 0.7 | * | * | * | * | * | * | * | 0.2 | * | 0.4 |
| 1987 | 0.7 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1986 | 0.7 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1985 | 0.7 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1984 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.0 | * | * | * | * | * | * | * | * | * | 0.5 |
| Tuberculosis (010-018) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Tuberculosis (010-018) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | 0.7 | 1.1 |
| 1997 | 1.0 | * | * | * | * | * | * | * | * | 0.5 | 0.7 |
| 1996 | 1.0 | * | * | * | * | * | * | * | * | 0.9 | 0.7 |
| 1995 | 1.2 | * | * | * | * | * | * | * | * | 0.9 | 1.5 |
| 1994 | 1.4 | * | * | * | * | * | * | * | 0.8 | 1.0 | 1.3 |
| 1993 | 1.5 | * | * | * | * | * | * | * | 0.9 | 1.4 | 1.8 |
| 1992 | 1.7 | * | * | * | * | * | * | * | 1.2 | 2.1 | 1.8 |
| 1991 | 1.8 | * | * | * | * | * | * | 0.8 | 1.2 | 2.0 | 2.3 |
| 1990 | 1.9 | * | * | * | * | * | * | 0.9 | 1.9 | 1.7 | 2.2 |
| 1989 | 2.1 | * | * | * | * | * | * | 0.8 | 1.6 | 1.8 | 2.6 |
| 1988 | 2.0 | * | * | * | * | * | * | 0.7 | 1.2 | 2.5 | 2.2 |
| 1987 | 1.8 | * | * | * | * | * | * | 0.6 | 1.2 | 1.5 | 2.3 |
| 1986 | 2.0 | * | * | * | * | * | * | 0.8 | 1.4 | 2.4 | 2.7 |
| 1985 | 1.8 | * | * | * | * | * | * | 0.6 | 1.2 | 1.9 | 2.0 |
| 1984 | 1.9 | * | * | * | * | * | * | 0.9 | 0.9 | 1.7 | 3.1 |
| 1983 | 1.9 | * | * | * | * | * | * | 0.6 | 1.1 | 1.5 | 2.3 |
| 1982 | 2.0 | * | * | * | * | * | * | * | 1.1 | 1.6 | 2.5 |
| 1981 | 2.2 | * | * | * | * | * | * | 0.7 | 1.1 | 1.7 | 3.2 |
| 1980 | 2.3 | * | * | * | * | * | * | * | * | 1.5 | 3.1 |
| 1979 | 2.3 | * | * | * | * | * | * | * | 1.0 | 2.2 | 3.1 |
| Tuberculosis (010-018) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1997 | 1.2 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1996 | 1.3 | * | * | * | * | * | * | * | * | 1.1 | * |
| 1995 | 1.5 | * | * | * | * | * | * | * | * | 1.1 | 2.1 |
| 1994 | 1.8 | * | * | * | * | * | * | * | * | 1.2 | 2.3 |
| 1993 | 2.0 | * | * | * | * | * | * | * | 1.2 | 2.1 | 2.7 |
| 1992 | 2.2 | * | * | * | * | * | * | * | 1.5 | 2.5 | 2.8 |
| 1991 | 2.3 | * | * | * | * | * | * | * | 1.2 | 2.9 | 3.4 |
| 1990 | 2.7 | * | * | * | * | * | * | * | 2.4 | 3.0 | 3.7 |
| 1989 | 3.0 | * | * | * | * | * | * | * | 2.3 | 3.2 | 4.6 |
| 1988 | 2.7 | * | * | * | * | * | * | * | 1.6 | 3.6 | 3.6 |
| 1987 | 2.5 | * | * | * | * | * | * | * | 2.0 | 2.7 | 3.3 |
| 1986 | 2.7 | * | * | * | * | * | * | 1.2 | 2.0 | 4.2 | 4.6 |
| 1985 | 2.5 | * | * | * | * | * | * | * | 1.6 | 3.0 | 2.9 |
| 1984 | 2.8 | * | * | * | * | * | * | * | * | 3.1 | 4.7 |
| 1983 | 2.8 | * | * | * | * | * | * | * | 1.6 | 2.5 | 3.8 |
| 1982 | 2.9 | * | * | * | * | * | * | * | 1.6 | 2.5 | 4.6 |
| 1981 | 3.2 | * | * | * | * | * | * | * | 1.6 | 2.6 | 5.2 |
| 1980 | 3.2 | * | * | * | * | * | * | * | * | * | 3.8 |
| 1979 | 3.2 | * | * | * | * | * | * | * | * | 3.0 | 5.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Tuberculosis (010-018) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.1 | * | * | * | * | * | * | * | 1.0 | 1.8 | * |
| 1991 | 1.3 | * | * | * | * | * | * | * | 1.2 | 1.2 | * |
| 1990 | 1.2 | * | * | * | * | * | * | * | 1.5 | * | * |
| 1989 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.3 | * | * | * | * | * | * | * | * | 1.6 | * |
| 1987 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.5 | * | * | * | * | * | * | * | * | * | 2.5 |
| 1979 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| Tuberculosis (010-018) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 1.0 | * | * | * | * | * | * | * | * | 0.7 | 1.2 |
| 1997 | 1.0 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1996 | 1.1 | * | * | * | * | * | * | * | * | 1.1 | 0.9 |
| 1995 | 1.2 | * | * | * | * | * | * | * | * | 1.1 | 1.6 |
| 1994 | 1.5 | * | * | * | * | * | * | * | 1.0 | 1.3 | 1.8 |
| 1993 | 1.7 | * | * | * | * | * | * | * | 1.2 | 1.8 | 2.2 |
| 1992 | 1.9 | * | * | * | * | * | * | * | 1.6 | 2.8 | 2.3 |
| 1991 | 2.0 | * | * | * | * | * | * | 1.0 | 1.6 | 2.6 | 2.9 |
| 1990 | 2.2 | * | * | * | * | * | * | 1.2 | 2.4 | 2.2 | 2.9 |
| 1989 | 2.3 | * | * | * | * | * | * | 1.0 | 2.0 | 2.4 | 3.3 |
| 1988 | 2.2 | * | * | * | * | * | * | 0.9 | 1.5 | 3.2 | 2.8 |
| 1987 | 2.0 | * | * | * | * | * | * | 0.7 | 1.6 | 2.1 | 3.1 |
| 1986 | 2.2 | * | * | * | * | * | * | 0.9 | 1.7 | 3.0 | 3.3 |
| 1985 | 2.0 | * | * | * | * | * | * | * | 1.4 | 2.3 | 2.2 |
| 1984 | 2.2 | * | * | * | * | * | * | 1.2 | 1.0 | 2.2 | 3.7 |
| 1983 | 2.1 | * | * | * | * | * | * | * | 1.3 | 1.7 | 2.7 |
| 1982 | 2.1 | * | * | * | * | * | * | * | 1.4 | 1.8 | 2.8 |
| 1981 | 2.4 | * | * | * | * | * | * | 0.9 | 1.3 | 1.9 | 3.8 |
| 1980 | 2.4 | * | * | * | * | * | * | * | * | 1.6 | 3.7 |
| 1979 | 2.4 | * | * | * | * | * | * | * | 1.3 | 2.6 | 3.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Tuberculosis (010-018) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 1.3 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1997 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.7 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1994 | 2.0 | * | * | * | * | * | * | * | * | 1.6 | 3.0 |
| 1993 | 2.3 | * | * | * | * | * | * | * | 1.5 | 2.7 | 3.2 |
| 1992 | 2.6 | * | * | * | * | * | * | * | 1.9 | 3.2 | 3.6 |
| 1991 | 2.6 | * | * | * | * | * | * | * | 1.7 | 3.9 | 4.5 |
| 1990 | 3.1 | * | * | * | * | * | * | * | 3.1 | 3.8 | 5.1 |
| 1989 | 3.4 | * | * | * | * | * | * | * | 2.9 | 4.1 | 6.1 |
| 1988 | 3.0 | * | * | * | * | * | * | * | 2.0 | 4.5 | 4.7 |
| 1987 | 2.8 | * | * | * | * | * | * | * | 2.5 | 3.6 | 4.5 |
| 1986 | 3.1 | * | * | * | * | * | * | * | 2.5 | 5.1 | 5.8 |
| 1985 | 2.9 | * | * | * | * | * | * | * | 2.1 | 3.7 | 3.6 |
| 1984 | 3.2 | * | * | * | * | * | * | * | * | 4.0 | 6.0 |
| 1983 | 3.1 | * | * | * | * | * | * | * | 2.0 | 3.1 | 4.6 |
| 1982 | 3.2 | * | * | * | * | * | * | * | 2.0 | 3.0 | 5.6 |
| 1981 | 3.5 | * | * | * | * | * | * | * | * | * | 6.3 |
| 1980 | 3.5 | * | * | * | * | * | * | * | * | * | 4.7 |
| 1979 | 3.4 | * | * | * | * | * | * | * | * | 3.5 | 6.2 |
| Tuberculosis (010-018) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.3 | * | * | * | * | * | * | * | 1.3 | 2.3 | * |
| 1991 | 1.4 | * | * | * | * | * | * | * | 1.6 | 1.5 | * |
| 1990 | 1.4 | * | * | * | * | * | * | * | 1.7 | * | * |
| 1989 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | 2.0 | * |
| 1987 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Respiratory tuberculosis (010-012) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | 0.2 | 0.1 |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1994 | 0.4 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1993 | 0.5 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 |
| 1992 | 0.5 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 |
| 1991 | 0.5 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.3 |
| 1990 | 0.6 | * | * | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.4 |
| 1989 | 0.6 | * | * | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.5 |
| 1988 | 0.6 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.4 |
| 1987 | 0.6 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.3 |
| 1986 | 0.6 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 |
| 1985 | 0.6 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.3 |
| 1984 | 0.6 | * | * | * | * | * | * | 0.1 | 0.1 | 0.3 | 0.4 |
| 1983 | 0.6 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1982 | 0.6 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 |
| 1981 | 0.7 | * | * | * | * | * | * | 0.1 | 0.1 | 0.3 | 0.5 |
| 1980 | 0.7 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1979 | 0.7 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| Respiratory tuberculosis (010-012) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1996 | 0.5 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1995 | 0.5 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1993 | 0.7 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 |
| 1992 | 0.7 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 |
| 1991 | 0.7 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.5 |
| 1990 | 0.7 | * | * | * | * | * | * | * | 0.4 | 0.5 | 0.6 |
| 1989 | 0.9 | * | * | * | * | * | * | * | 0.4 | 0.6 | 0.8 |
| 1988 | 0.8 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 |
| 1987 | 0.8 | * | * | * | * | * | * | * | 0.4 | 0.5 | 0.5 |
| 1986 | 0.8 | * | * | * | * | * | * | * | 0.3 | 0.6 | 0.8 |
| 1985 | 0.8 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.5 |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1983 | 0.9 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1982 | 0.9 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1980 | 1.0 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1979 | 1.1 | * | * | * | * | * | * | * | * | 0.4 | 1.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Respiratory tuberculosis (010-012) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | 0.3 | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | 0.2 | 0.2 | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | 0.2 | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Respiratory tuberculosis (010-012) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | 0.1 | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | 0.2 | 0.1 |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1987 | 0.4 | * | * | * | * | * | * | * | 0.1 | 0.1 | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.6 | * | * | * | * | * | * | * | * | * | 0.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Respiratory tuberculosis (010-012) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.9 | * | * | * | * | * | * | * | * | * | 0.5 |
| Respiratory tuberculosis (010-012) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Respiratory tuberculosis (010-012) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1997 | 0.7 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1996 | 0.8 | * | * | * | * | * | * | * | * | 0.6 | * |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | 0.7 | 1.0 |
| 1994 | 1.0 | * | * | * | * | * | * | * | * | 0.7 | 1.1 |
| 1993 | 1.2 | * | * | * | * | * | * | * | 0.6 | 1.0 | 1.4 |
| 1992 | 1.3 | * | * | * | * | * | * | * | 0.8 | 1.3 | 1.4 |
| 1991 | 1.3 | * | * | * | * | * | * | * | 1.0 | 1.5 | 1.5 |
| 1990 | 1.4 | * | * | * | * | * | * | 0.6 | 1.3 | 1.3 | 1.7 |
| 1989 | 1.6 | * | * | * | * | * | * | * | 1.2 | 1.3 | 2.1 |
| 1988 | 1.4 | * | * | * | * | * | * | * | 0.7 | 1.8 | 1.7 |
| 1987 | 1.3 | * | * | * | * | * | * | * | 0.8 | 1.2 | 1.6 |
| 1986 | 1.5 | * | * | * | * | * | * | * | 0.9 | 1.7 | 2.2 |
| 1985 | 1.4 | * | * | * | * | * | * | * | 0.8 | 1.5 | 1.2 |
| 1984 | 1.5 | * | * | * | * | * | * | 0.6 | * | 1.4 | 1.9 |
| 1983 | 1.4 | * | * | * | * | * | * | * | * | 1.1 | 1.8 |
| 1982 | 1.5 | * | * | * | * | * | * | * | 0.8 | 1.1 | 1.9 |
| 1981 | 1.7 | * | * | * | * | * | * | * | * | 1.5 | 2.9 |
| 1980 | 1.8 | * | * | * | * | * | * | * | * | 1.1 | 2.7 |
| 1979 | 1.8 | * | * | * | * | * | * | * | * | 1.7 | 2.7 |
| Respiratory tuberculosis (010-012) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.3 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1994 | 1.4 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1993 | 1.7 | * | * | * | * | * | * | * | * | 1.5 | 2.2 |
| 1992 | 1.8 | * | * | * | * | * | * | * | * | 1.6 | 2.2 |
| 1991 | 1.9 | * | * | * | * | * | * | * | 1.2 | 2.2 | 2.2 |
| 1990 | 2.0 | * | * | * | * | * | * | * | 1.9 | 2.1 | 3.0 |
| 1989 | 2.4 | * | * | * | * | * | * | * | 1.8 | 2.5 | 3.8 |
| 1988 | 2.0 | * | * | * | * | * | * | * | * | 2.5 | 2.8 |
| 1987 | 1.9 | * | * | * | * | * | * | * | 1.5 | 2.0 | 2.5 |
| 1986 | 2.2 | * | * | * | * | * | * | * | 1.4 | 3.2 | 3.9 |
| 1985 | 2.0 | * | * | * | * | * | * | * | * | 2.5 | * |
| 1984 | 2.1 | * | * | * | * | * | * | * | * | 2.5 | 2.7 |
| 1983 | 2.2 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1982 | 2.3 | * | * | * | * | * | * | * | * | * | 3.5 |
| 1981 | 2.7 | * | * | * | * | * | * | * | * | 2.3 | 4.6 |
| 1980 | 2.6 | * | * | * | * | * | * | * | * | * | 3.6 |
| 1979 | 2.7 | * | * | * | * | * | * | * | * | 2.7 | 4.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Respiratory tuberculosis (010-012) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.8 | * | * | * | * | * | * | * | * | 1.1 | * |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| Respiratory tuberculosis (010-012) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.8 | * | * | * | * | * | * | * | * | 0.8 | * |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | 0.9 | 1.2 |
| 1994 | 1.1 | * | * | * | * | * | * | * | * | 1.0 | 1.5 |
| 1993 | 1.3 | * | * | * | * | * | * | * | 0.8 | 1.2 | 1.8 |
| 1992 | 1.4 | * | * | * | * | * | * | * | 1.1 | 1.7 | 1.8 |
| 1991 | 1.5 | * | * | * | * | * | * | * | 1.3 | 1.9 | 1.9 |
| 1990 | 1.6 | * | * | * | * | * | * | 0.7 | 1.7 | 1.6 | 2.2 |
| 1989 | 1.8 | * | * | * | * | * | * | * | 1.6 | 1.7 | 2.7 |
| 1988 | 1.5 | * | * | * | * | * | * | * | 0.8 | 2.2 | 2.2 |
| 1987 | 1.5 | * | * | * | * | * | * | * | 1.0 | 1.6 | 2.1 |
| 1986 | 1.7 | * | * | * | * | * | * | * | 1.1 | 2.0 | 2.7 |
| 1985 | 1.5 | * | * | * | * | * | * | * | 1.0 | 1.8 | 1.4 |
| 1984 | 1.6 | * | * | * | * | * | * | 0.7 | * | 1.7 | 2.3 |
| 1983 | 1.5 | * | * | * | * | * | * | * | * | 1.2 | 2.2 |
| 1982 | 1.6 | * | * | * | * | * | * | * | 1.0 | * | 2.2 |
| 1981 | 1.9 | * | * | * | * | * | * | * | * | 1.7 | 3.5 |
| 1980 | 1.9 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1979 | 1.9 | * | * | * | * | * | * | * | * | 2.0 | 3.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Respiratory tuberculosis (010-012) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.4 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1994 | 1.6 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1993 | 1.9 | * | * | * | * | * | * | * | * | 1.9 | 2.8 |
| 1992 | 2.1 | * | * | * | * | * | * | * | * | 2.1 | 2.9 |
| 1991 | 2.2 | * | * | * | * | * | * | * | 1.6 | 3.0 | 2.8 |
| 1990 | 2.4 | * | * | * | * | * | * | * | 2.4 | 2.7 | 4.1 |
| 1989 | 2.7 | * | * | * | * | * | * | * | 2.2 | 3.3 | 5.0 |
| 1988 | 2.3 | * | * | * | * | * | * | * | * | 3.1 | 3.6 |
| 1987 | 2.2 | * | * | * | * | * | * | * | 1.9 | 2.7 | 3.4 |
| 1986 | 2.5 | * | * | * | * | * | * | * | * | 3.7 | 4.8 |
| 1985 | 2.3 | * | * | * | * | * | * | * | * | 3.0 | * |
| 1984 | 2.5 | * | * | * | * | * | * | * | * | 3.3 | 3.5 |
| 1983 | 2.5 | * | * | * | * | * | * | * | * | * | 4.1 |
| 1982 | 2.5 | * | * | * | * | * | * | * | * | * | 4.2 |
| 1981 | 2.9 | * | * | * | * | * | * | * | * | * | 5.8 |
| 1980 | 3.0 | * | * | * | * | * | * | * | * | * | 4.6 |
| 1979 | 2.9 | * | * | * | * | * | * | * | * | 3.1 | 5.5 |
| Respiratory tuberculosis (010-012) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other tuberculosis (013-018) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1994 | 0.1 | * | * | * | * | * | * | * | 0.1 | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | 0.1 | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.1 |
| 1991 | 0.2 | * | * | * | * | * | * | 0.1 | * | 0.1 | 0.2 |
| 1990 | 0.2 | * | * | * | * | * | * | * | 0.1 | 0.1 | 0.1 |
| 1989 | 0.2 | * | * | * | * | * | * | * | 0.1 | 0.1 | 0.2 |
| 1988 | 0.2 | * | * | * | * | * | * | 0.1 | 0.1 | 0.1 | 0.2 |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1986 | 0.2 | * | * | * | * | * | * | 0.1 | 0.1 | 0.2 | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1983 | 0.2 | * | * | * | * | * | * | * | 0.1 | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Other tuberculosis (013-018) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | 0.3 | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other tuberculosis (013-018) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Other tuberculosis (013-018) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other tuberculosis (013-018) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| Other tuberculosis (013-018) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other tuberculosis (013-018) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | 0.8 | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1990 | 0.5 | * | * | * | * | * | * | * | 0.6 | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | 0.6 | 0.8 | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | * | 0.7 | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| Other tuberculosis (013-018) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other tuberculosis (013-018) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| Other tuberculosis (013-018) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | 1.0 | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | 1.0 | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | * | 1.0 | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other tuberculosis (013-018) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| Other tuberculosis (013-018) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Whooping cough (033) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Whooping cough (033) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Whooping cough (033) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Whooping cough (033) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Whooping cough (033) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Whooping cough (033) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Whooping cough (033) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Whooping cough (033) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Whooping cough (033) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Whooping cough (033) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Whooping cough (033) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Whooping cough (033) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Scarlet fever and erysipelas (034.1-035) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Scarlet fever and erysipelas (034.1-035) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Scarlet fever and erysipelas (034.1-035) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Scarlet fever and erysipelas (034.1-035) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Scarlet fever and erysipelas (034.1-035) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Scarlet fever and erysipelas (034.1-035) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Scarlet fever and erysipelas (034.1-035) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Scarlet fever and erysipelas (034.1-035) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Scarlet fever and erysipelas (034.1-035) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Scarlet fever and erysipelas (034.1-035) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Scarlet fever and erysipelas (034.1-035) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Scarlet fever and erysipelas (034.1-035) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Meningococcal infection (036) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | 0.6 | 0.2 | * | * | 0.2 | * | * | * | * | * |
| 1997 | 0.1 | 1.2 | 0.3 | * | * | 0.2 | 0.1 | * | * | * | * |
| 1996 | 0.1 | 1.0 | 0.3 | * | 0.1 | 0.2 | * | * | * | * | * |
| 1995 | 0.1 | 1.0 | 0.3 | * | * | 0.2 | * | * | * | * | * |
| 1994 | 0.1 | 1.2 | 0.3 | * | * | 0.2 | 0.1 | * | * | * | * |
| 1993 | 0.1 | 1.2 | 0.2 | * | * | 0.2 | 0.1 | * | * | * | * |
| 1992 | 0.1 | 0.9 | 0.3 | * | * | 0.2 | * | * | * | * | * |
| 1991 | 0.1 | 1.1 | 0.3 | * | * | 0.1 | * | * | * | * | * |
| 1990 | 0.1 | 1.3 | 0.3 | * | * | 0.1 | * | * | * | * | * |
| 1989 | 0.1 | 1.5 | 0.3 | * | * | 0.2 | * | * | * | * | * |
| 1988 | 0.1 | 1.9 | 0.5 | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | 1.8 | 0.5 | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | 1.7 | 0.4 | * | * | 0.1 | * | * | * | * | * |
| 1985 | 0.1 | 1.9 | 0.4 | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | 1.8 | 0.5 | * | * | 0.1 | * | * | * | * | * |
| 1983 | 0.1 | 1.7 | 0.6 | 0.1 | * | * | * | * | * | * | * |
| 1982 | 0.2 | 2.6 | 0.6 | * | * | 0.2 | * | * | * | * | * |
| 1981 | 0.2 | 3.5 | 0.8 | * | * | 0.2 | * | * | * | * | * |
| 1980 | 0.2 | 2.2 | 0.9 | * | * | 0.1 | * | 0.1 | * | * | * |
| 1979 | 0.2 | 2.6 | 0.8 | * | * | 0.1 | * | * | * | * | * |
| Meningococcal infection (036) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | 0.2 | * | * | * | * | * |
| 1997 | 0.1 | 1.4 | 0.3 | * | * | 0.2 | * | * | * | * | * |
| 1996 | 0.1 | 1.3 | * | * | * | 0.3 | * | * | * | * | * |
| 1995 | 0.1 | 1.5 | * | * | * | 0.2 | * | * | * | * | * |
| 1994 | 0.1 | 1.1 | 0.3 | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | 0.3 | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | 1.3 | 0.3 | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | 1.4 | 0.3 | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | 2.1 | 0.5 | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | 2.2 | 0.5 | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | 2.0 | 0.5 | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | 2.4 | 0.5 | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | 2.0 | 0.5 | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | 2.0 | 0.7 | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 3.2 | 0.6 | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 3.8 | 0.8 | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | 2.4 | 1.1 | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 3.2 | 1.1 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Meningococcal infection (036) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | 1.1 | 0.3 | * | * | 0.2 | * | * | * | * | * |
| 1996 | 0.1 | * | 0.3 | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | 0.3 | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | 1.2 | 0.4 | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | 0.3 | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | 1.2 | 0.3 | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | 1.6 | 0.3 | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | 1.7 | 0.4 | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | 1.3 | 0.5 | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | 1.4 | 0.4 | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | 1.3 | 0.4 | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | 1.7 | 0.5 | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | 1.3 | 0.5 | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 2.0 | 0.5 | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 3.1 | 0.7 | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | 1.9 | 0.6 | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | 2.0 | 0.6 | * | * | * | * | * | * | * | * |
| Meningococcal infection (036) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | 0.2 | * | * | 0.1 | * | * | * | * | * |
| 1997 | 0.1 | 1.2 | 0.3 | * | * | 0.2 | * | * | * | * | * |
| 1996 | 0.1 | 1.0 | 0.3 | * | * | 0.2 | * | * | * | * | * |
| 1995 | 0.1 | 1.0 | 0.2 | * | * | 0.2 | * | * | * | * | * |
| 1994 | 0.1 | 1.3 | 0.4 | * | * | * | 0.1 | * | * | * | * |
| 1993 | 0.1 | 1.2 | 0.2 | * | * | 0.2 | * | * | * | * | * |
| 1992 | 0.1 | 0.9 | 0.3 | * | * | 0.2 | * | * | * | * | * |
| 1991 | 0.1 | 1.1 | 0.3 | * | * | 0.1 | * | * | * | * | * |
| 1990 | 0.1 | 1.2 | 0.2 | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | 1.4 | 0.3 | * | * | 0.1 | * | * | * | * | * |
| 1988 | 0.1 | 1.8 | 0.4 | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | 1.8 | 0.4 | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | 1.6 | 0.4 | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | 1.8 | 0.4 | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | 2.0 | 0.4 | * | * | 0.1 | * | * | * | * | * |
| 1983 | 0.1 | 1.7 | 0.6 | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | 2.8 | 0.6 | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 3.6 | 0.7 | * | * | 0.2 | * | * | * | * | * |
| 1980 | 0.2 | 2.1 | 0.8 | * | * | 0.1 | * | * | * | * | * |
| 1979 | 0.2 | 2.8 | 0.8 | * | * | 0.1 | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Meningococcal infection (036) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | 0.3 | * | * | * | * | * |
| 1995 | 0.1 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | 1.3 | 0.3 | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | 2.0 | 0.4 | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | 2.4 | 0.5 | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | 2.0 | 0.4 | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | 2.5 | 0.5 | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | 2.1 | 0.5 | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | 2.0 | 0.7 | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | 3.3 | 0.6 | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 3.9 | 0.8 | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | 2.4 | 1.0 | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 3.6 | 0.9 | * | * | * | * | * | * | * | * |
| Meningococcal infection (036) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | 0.4 | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | 1.4 | 0.4 | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | 1.6 | 0.4 | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | 0.4 | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | 0.4 | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | 1.9 | 0.4 | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | 0.4 | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | 2.1 | 0.5 | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 3.3 | 0.6 | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | 1.8 | 0.5 | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | 2.0 | 0.6 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Meningococcal infection (036) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | 0.8 | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | 0.9 | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | 0.8 | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | 0.8 | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | 0.8 | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | 0.9 | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | 1.2 | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | 1.2 | * | * | * | * | * | * | * | * |
| Meningococcal infection (036) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | 1.9 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Meningococcal infection (036) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Meningococcal infection (036) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | 1.2 | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | 0.9 | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | 1.0 | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | 1.2 | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | 1.3 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Meningococcal infection (036) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Meningococcal infection (036) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Septicemia (038) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 8.6 | 5.7 | 0.6 | 0.1 | 0.2 | 0.2 | 0.4 | 0.5 | 0.8 | 1.2 | 1.9 |
| 1997 | 8.2 | 5.2 | 0.5 | 0.2 | * | 0.2 | 0.3 | 0.4 | 0.7 | 1.2 | 1.7 |
| 1996 | 8.0 | 5.3 | 0.5 | 0.1 | * | 0.1 | 0.2 | 0.4 | 0.8 | 1.1 | 1.8 |
| 1995 | 7.9 | 5.8 | 0.5 | 0.2 | 0.1 | 0.2 | 0.3 | 0.5 | 0.8 | 1.2 | 1.8 |
| 1994 | 7.7 | 5.8 | 0.6 | 0.1 | 0.1 | 0.2 | 0.3 | 0.4 | 0.9 | 1.1 | 1.8 |
| 1993 | 7.9 | 6.0 | 0.6 | 0.2 | 0.1 | 0.1 | 0.2 | 0.5 | 0.8 | 1.3 | 1.7 |
| 1992 | 7.7 | 5.7 | 0.5 | 0.1 | 0.1 | 0.2 | 0.3 | 0.5 | 0.8 | 1.2 | 1.8 |
| 1991 | 7.8 | 6.6 | 0.6 | 0.1 | * | 0.2 | 0.3 | 0.6 | 0.8 | 1.2 | 1.9 |
| 1990 | 7.7 | 6.8 | 0.7 | 0.2 | * | 0.2 | 0.3 | 0.5 | 0.9 | 1.3 | 1.7 |
| 1989 | 7.8 | 7.5 | 0.6 | * | * | 0.2 | 0.3 | 0.6 | 0.9 | 1.4 | 1.9 |
| 1988 | 8.6 | 6.5 | 0.6 | 0.2 | 0.1 | 0.2 | 0.3 | 0.5 | 0.9 | 1.3 | 1.9 |
| 1987 | 8.2 | 6.9 | 0.6 | 0.2 | 0.1 | 0.2 | 0.3 | 0.5 | 0.8 | 1.2 | 1.8 |
| 1986 | 7.8 | 8.2 | 0.6 | 0.1 | 0.1 | 0.2 | 0.2 | 0.4 | 0.8 | 1.1 | 1.8 |
| 1985 | 7.2 | 8.2 | 0.6 | 0.1 | * | 0.2 | 0.2 | 0.4 | 0.7 | 1.0 | 1.5 |
| 1984 | 6.4 | 8.3 | 0.5 | 0.2 | * | 0.1 | 0.4 | 0.4 | 0.6 | 1.0 | 1.5 |
| 1983 | 5.7 | 8.3 | 0.6 | * | * | 0.2 | 0.2 | 0.4 | 0.4 | 0.7 | 1.2 |
| 1982 | 5.0 | 7.5 | 0.6 | * | * | 0.2 | 0.2 | 0.3 | 0.5 | 0.7 | 1.2 |
| 1981 | 4.6 | 8.3 | 0.7 | * | * | 0.2 | 0.2 | 0.4 | 0.6 | 0.8 | 1.1 |
| 1980 | 4.2 | 6.8 | 0.6 | 0.1 | * | 0.1 | 0.2 | 0.4 | 0.4 | 0.8 | 1.0 |
| 1979 | 3.6 | 7.6 | 0.5 | 0.1 | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.6 | 1.1 |
| Septicemia (038) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 7.6 | 5.8 | 0.7 | * | * | 0.2 | 0.4 | 0.4 | 0.7 | 1.3 | 2.1 |
| 1997 | 7.2 | 6.2 | 0.5 | * | * | 0.3 | 0.2 | 0.5 | 0.7 | 1.1 | 1.8 |
| 1996 | 7.0 | 5.9 | 0.6 | * | * | * | 0.2 | 0.4 | 1.0 | 1.2 | 2.3 |
| 1995 | 6.9 | 5.8 | 0.5 | * | * | * | * | 0.5 | 0.9 | 1.3 | 2.1 |
| 1994 | 6.9 | 5.9 | 0.6 | * | * | * | 0.2 | 0.4 | 1.0 | 1.3 | 2.3 |
| 1993 | 7.0 | 6.0 | 0.6 | * | * | * | 0.2 | 0.6 | 0.9 | 1.5 | 2.1 |
| 1992 | 6.8 | 6.1 | 0.4 | * | * | * | 0.3 | 0.6 | 0.9 | 1.4 | 2.2 |
| 1991 | 7.0 | 7.0 | 0.7 | * | * | * | 0.2 | 0.6 | 0.8 | 1.5 | 2.4 |
| 1990 | 7.0 | 7.4 | 0.8 | 0.2 | * | * | 0.3 | 0.6 | 1.2 | 1.7 | 2.2 |
| 1989 | 7.1 | 8.2 | 0.7 | * | * | * | 0.3 | 0.7 | 1.1 | 1.8 | 2.3 |
| 1988 | 7.7 | 7.0 | 0.6 | * | * | 0.2 | 0.2 | 0.5 | 1.0 | 1.6 | 2.2 |
| 1987 | 7.6 | 7.4 | 0.7 | * | * | 0.2 | 0.3 | 0.5 | 1.0 | 1.4 | 2.3 |
| 1986 | 7.5 | 9.5 | 0.7 | * | * | 0.2 | 0.2 | 0.5 | 0.9 | 1.3 | 1.9 |
| 1985 | 6.9 | 9.5 | 0.8 | * | * | * | 0.2 | 0.4 | 0.7 | 1.2 | 1.8 |
| 1984 | 6.2 | 9.4 | 0.5 | * | * | * | 0.3 | 0.5 | 0.8 | 1.1 | 1.6 |
| 1983 | 5.6 | 9.6 | 0.7 | * | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.9 | 1.5 |
| 1982 | 4.9 | 8.4 | 0.6 | * | * | * | * | 0.3 | 0.6 | 0.7 | 1.2 |
| 1981 | 4.5 | 8.6 | 0.7 | * | * | * | * | 0.4 | 0.7 | 0.9 | 1.3 |
| 1980 | 4.3 | 8.4 | 0.7 | * | * | * | 0.2 | 0.4 | 0.4 | 0.8 | 1.1 |
| 1979 | 3.6 | 7.9 | 0.5 | * | * | 0.2 | 0.2 | 0.3 | 0.5 | 0.6 | 1.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Septicemia (038) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 9.6 | 5.7 | 0.5 | * | * | * | 0.3 | 0.5 | 0.8 | 1.1 | 1.6 |
| 1997 | 9.2 | 4.2 | 0.5 | * | * | * | 0.3 | 0.4 | 0.7 | 1.2 | 1.6 |
| 1996 | 8.9 | 4.7 | 0.5 | * | * | * | * | 0.4 | 0.7 | 0.9 | 1.4 |
| 1995 | 8.8 | 5.9 | 0.5 | * | * | 0.2 | 0.3 | 0.4 | 0.7 | 1.1 | 1.6 |
| 1994 | 8.6 | 5.7 | 0.6 | * | * | * | 0.3 | 0.4 | 0.7 | 0.9 | 1.3 |
| 1993 | 8.8 | 6.0 | 0.6 | 0.3 | * | * | * | 0.5 | 0.6 | 1.2 | 1.3 |
| 1992 | 8.5 | 5.3 | 0.6 | * | * | * | 0.3 | 0.4 | 0.7 | 1.1 | 1.3 |
| 1991 | 8.6 | 6.2 | 0.5 | * | * | * | 0.3 | 0.5 | 0.7 | 1.0 | 1.3 |
| 1990 | 8.3 | 6.1 | 0.5 | * | * | * | 0.3 | 0.5 | 0.6 | 0.8 | 1.2 |
| 1989 | 8.6 | 6.8 | 0.6 | * | * | 0.2 | 0.3 | 0.5 | 0.8 | 1.0 | 1.5 |
| 1988 | 9.4 | 6.0 | 0.6 | * | * | 0.3 | 0.3 | 0.4 | 0.7 | 1.0 | 1.6 |
| 1987 | 8.8 | 6.3 | 0.6 | * | * | 0.3 | 0.3 | 0.5 | 0.7 | 1.0 | 1.3 |
| 1986 | 8.1 | 6.8 | 0.6 | * | * | * | 0.3 | 0.3 | 0.7 | 0.9 | 1.6 |
| 1985 | 7.5 | 7.0 | 0.5 | * | * | 0.3 | 0.3 | 0.4 | 0.7 | 0.7 | 1.2 |
| 1984 | 6.6 | 7.1 | 0.6 | * | * | * | 0.4 | 0.3 | 0.5 | 0.8 | 1.3 |
| 1983 | 5.8 | 7.0 | 0.5 | * | * | * | 0.2 | 0.4 | 0.4 | 0.6 | 0.8 |
| 1982 | 5.1 | 6.6 | 0.6 | * | * | * | 0.2 | 0.4 | 0.5 | 0.7 | 1.1 |
| 1981 | 4.6 | 8.1 | 0.7 | * | * | 0.2 | 0.2 | 0.4 | 0.5 | 0.8 | 1.0 |
| 1980 | 4.1 | 5.3 | 0.4 | * | * | * | 0.2 | 0.4 | 0.3 | 0.8 | 1.0 |
| 1979 | 3.5 | 7.4 | 0.5 | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 | 1.1 |
| Septicemia (038) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 8.3 | 4.1 | 0.5 | * | 0.2 | 0.1 | 0.3 | 0.4 | 0.6 | 0.9 | 1.5 |
| 1997 | 7.9 | 4.2 | 0.4 | 0.2 | * | 0.1 | 0.2 | 0.3 | 0.6 | 0.8 | 1.2 |
| 1996 | 7.7 | 3.9 | 0.4 | 0.1 | * | * | 0.2 | 0.3 | 0.6 | 0.7 | 1.3 |
| 1995 | 7.6 | 4.2 | 0.4 | * | * | 0.1 | 0.2 | 0.4 | 0.6 | 0.9 | 1.3 |
| 1994 | 7.5 | 4.6 | 0.5 | 0.1 | 0.1 | 0.2 | 0.2 | 0.3 | 0.6 | 0.8 | 1.3 |
| 1993 | 7.7 | 4.8 | 0.5 | 0.2 | 0.1 | * | 0.2 | 0.4 | 0.6 | 0.9 | 1.2 |
| 1992 | 7.4 | 4.0 | 0.4 | * | * | * | 0.2 | 0.4 | 0.6 | 0.9 | 1.1 |
| 1991 | 7.5 | 4.7 | 0.5 | * | * | 0.2 | 0.2 | 0.4 | 0.5 | 0.8 | 1.3 |
| 1990 | 7.4 | 5.0 | 0.6 | 0.2 | * | * | 0.2 | 0.4 | 0.6 | 0.9 | 1.2 |
| 1989 | 7.5 | 5.7 | 0.5 | * | * | 0.2 | 0.2 | 0.4 | 0.6 | 0.9 | 1.4 |
| 1988 | 8.2 | 5.2 | 0.5 | 0.2 | * | 0.2 | 0.2 | 0.4 | 0.7 | 0.9 | 1.3 |
| 1987 | 7.8 | 5.0 | 0.5 | 0.1 | * | 0.2 | 0.2 | 0.4 | 0.5 | 0.8 | 1.3 |
| 1986 | 7.5 | 6.3 | 0.6 | * | * | 0.2 | 0.2 | 0.3 | 0.6 | 0.8 | 1.2 |
| 1985 | 6.8 | 6.4 | 0.6 | * | * | 0.2 | 0.2 | 0.3 | 0.5 | 0.7 | 1.2 |
| 1984 | 6.0 | 6.3 | 0.4 | * | * | * | 0.3 | 0.3 | 0.4 | 0.7 | 1.0 |
| 1983 | 5.4 | 6.7 | 0.5 | * | * | 0.2 | 0.2 | 0.3 | 0.2 | 0.5 | 0.8 |
| 1982 | 4.6 | 5.7 | 0.6 | * | * | 0.1 | 0.1 | 0.2 | 0.4 | 0.5 | 0.8 |
| 1981 | 4.2 | 6.1 | 0.6 | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.6 | 0.7 |
| 1980 | 3.8 | 5.1 | 0.5 | * | * | 0.1 | 0.2 | 0.3 | 0.3 | 0.6 | 0.7 |
| 1979 | 3.3 | 5.6 | 0.4 | * | * | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 | 0.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|
| Septicemia (038) | | | | | | | | | | | | |
| White, male | | | | | | | | | | | | |
| 1998 | 7.3 | 3.7 | 0.6 | * | * | * | 0.4 | 0.3 | 0.6 | 1.0 | 1.7 | |
| 1997 | 6.9 | 4.9 | 0.5 | * | * | * | * | 0.4 | 0.6 | 0.9 | 1.3 | |
| 1996 | 6.6 | 4.1 | 0.5 | * | * | * | * | 0.3 | 0.7 | 0.8 | 1.6 | |
| 1995 | 6.5 | 4.3 | 0.4 | * | * | * | * | 0.4 | 0.6 | 1.0 | 1.4 | |
| 1994 | 6.5 | 4.9 | 0.4 | * | * | * | * | 0.3 | 0.8 | 0.9 | 1.6 | |
| 1993 | 6.7 | 4.8 | 0.5 | * | * | * | * | 0.5 | 0.8 | 1.1 | 1.4 | |
| 1992 | 6.4 | 4.4 | 0.3 | * | * | * | * | 0.5 | 0.7 | 1.0 | 1.4 | |
| 1991 | 6.6 | 5.0 | 0.6 | * | * | * | * | 0.4 | 0.5 | 1.1 | 1.7 | |
| 1990 | 6.6 | 5.5 | 0.7 | * | * | * | 0.2 | 0.4 | 0.8 | 1.2 | 1.5 | |
| 1989 | 6.6 | 6.4 | 0.6 | * | * | * | 0.2 | 0.5 | 0.8 | 1.2 | 1.6 | |
| 1988 | 7.2 | 5.9 | 0.5 | * | * | * | * | 0.4 | 0.7 | 1.1 | 1.5 | |
| 1987 | 7.1 | 5.0 | 0.6 | * | * | * | * | 0.5 | 0.6 | 0.9 | 1.5 | |
| 1986 | 7.0 | 6.7 | 0.6 | * | * | * | * | 0.3 | 0.7 | 1.0 | 1.2 | |
| 1985 | 6.4 | 7.4 | 0.7 | * | * | * | * | 0.3 | 0.5 | 0.9 | 1.3 | |
| 1984 | 5.7 | 7.2 | 0.4 | * | * | * | 0.3 | 0.4 | 0.5 | 0.9 | 1.0 | |
| 1983 | 5.3 | 7.9 | 0.6 | * | * | * | 0.3 | * | * | 0.7 | 1.1 | |
| 1982 | 4.5 | 6.1 | 0.5 | * | * | * | * | * | 0.4 | 0.4 | 1.0 | |
| 1981 | 4.2 | 6.9 | 0.5 | * | * | * | * | 0.3 | 0.5 | 0.6 | 0.8 | |
| 1980 | 3.9 | 6.9 | 0.6 | * | * | * | * | 0.3 | 0.3 | 0.6 | 0.7 | |
| 1979 | 3.3 | 5.8 | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.4 | 0.8 | |
| Septicemia (038) | | | | | | | | | | | | |
| White, female | | | | | | | | | | | | |
| 1998 | 9.3 | 4.5 | 0.4 | * | * | * | * | 0.4 | 0.5 | 0.8 | 1.2 | |
| 1997 | 8.9 | 3.5 | 0.3 | * | * | * | * | * | 0.6 | 0.8 | 1.2 | |
| 1996 | 8.7 | 3.7 | 0.3 | * | * | * | * | 0.3 | 0.5 | 0.7 | 0.9 | |
| 1995 | 8.7 | 4.2 | 0.5 | * | * | * | * | 0.3 | 0.5 | 0.7 | 1.3 | |
| 1994 | 8.5 | 4.3 | 0.5 | * | * | * | * | 0.3 | 0.5 | 0.7 | 1.0 | |
| 1993 | 8.7 | 4.8 | 0.5 | * | * | * | * | 0.3 | 0.4 | 0.8 | 1.0 | |
| 1992 | 8.3 | 3.6 | 0.5 | * | * | * | * | 0.3 | 0.4 | 0.8 | 0.9 | |
| 1991 | 8.4 | 4.3 | 0.5 | * | * | * | * | 0.4 | 0.5 | 0.6 | 0.9 | |
| 1990 | 8.1 | 4.4 | 0.5 | * | * | * | * | 0.4 | 0.4 | 0.5 | 0.8 | |
| 1989 | 8.3 | 4.8 | 0.4 | * | * | * | * | 0.3 | 0.5 | 0.7 | 1.2 | |
| 1988 | 9.2 | 4.4 | 0.5 | * | * | * | * | 0.3 | 0.6 | 0.6 | 1.1 | |
| 1987 | 8.4 | 5.0 | 0.5 | * | * | * | 0.2 | 0.4 | 0.4 | 0.7 | 1.1 | |
| 1986 | 7.9 | 5.9 | 0.6 | * | * | * | * | * | 0.4 | 0.7 | 1.2 | |
| 1985 | 7.2 | 5.4 | 0.4 | * | * | 0.3 | * | 0.3 | 0.5 | 0.5 | 1.0 | |
| 1984 | 6.2 | 5.3 | 0.5 | * | * | * | 0.3 | 0.2 | 0.3 | 0.6 | 0.9 | |
| 1983 | 5.5 | 5.5 | 0.4 | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.6 | |
| 1982 | 4.8 | 5.3 | 0.6 | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.7 | |
| 1981 | 4.3 | 5.1 | 0.6 | * | * | * | * | 0.3 | 0.3 | 0.7 | 0.6 | |
| 1980 | 3.8 | 3.2 | 0.4 | * | * | * | * | 0.3 | 0.3 | 0.6 | 0.7 | |
| 1979 | 3.3 | 5.5 | 0.5 | * | * | * | * | * | 0.3 | 0.4 | 0.7 | |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Septicemia (038) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 9.9 | 11.9 | 0.7 | * | * | * | 0.5 | 1.0 | 1.6 | 2.3 | 3.7 |
| 1997 | 9.5 | 9.0 | 0.7 | * | * | * | * | 0.9 | 1.3 | 2.7 | 4.0 |
| 1996 | 9.1 | 10.7 | 0.9 | * | * | * | * | 0.8 | 1.8 | 2.5 | 4.8 |
| 1995 | 9.1 | 11.9 | 0.7 | * | * | * | * | 1.0 | 1.7 | 2.8 | 4.5 |
| 1994 | 8.7 | 10.2 | 1.0 | * | * | * | * | 0.9 | 2.0 | 2.5 | 4.3 |
| 1993 | 9.0 | 10.5 | 0.9 | * | * | * | * | 1.0 | 1.6 | 3.2 | 4.2 |
| 1992 | 9.1 | 11.9 | 0.7 | * | * | * | 0.7 | 0.8 | 1.7 | 2.8 | 5.1 |
| 1991 | 9.2 | 14.1 | 0.9 | * | * | * | 0.6 | 1.2 | 2.1 | 3.4 | 5.1 |
| 1990 | 9.3 | 13.6 | 0.8 | * | * | * | 0.6 | 0.9 | 2.2 | 3.4 | 5.1 |
| 1989 | 9.6 | 14.7 | 1.1 | * | * | * | * | 1.4 | 2.4 | 3.8 | 4.9 |
| 1988 | 10.4 | 12.0 | 1.0 | * | * | * | * | 0.9 | 2.0 | 3.2 | 5.7 |
| 1987 | 10.6 | 14.7 | 1.0 | * | * | * | 0.7 | 1.0 | 2.7 | 3.4 | 4.9 |
| 1986 | 9.9 | 16.1 | 0.9 | * | * | * | * | 1.3 | 2.0 | 2.8 | 5.0 |
| 1985 | 9.6 | 16.3 | 1.0 | * | * | * | * | 1.2 | 1.9 | 2.8 | 3.7 |
| 1984 | 8.7 | 17.2 | 1.0 | * | * | * | * | 0.9 | 1.9 | 2.4 | 4.6 |
| 1983 | 7.8 | 15.5 | 0.9 | * | * | * | * | 1.1 | 1.5 | 1.9 | 3.2 |
| 1982 | 6.8 | 15.6 | * | * | * | * | * | 1.0 | 1.4 | 2.2 | 3.4 |
| 1981 | 6.5 | 18.7 | 1.4 | * | * | * | * | 1.0 | 1.7 | 2.2 | 3.9 |
| 1980 | 6.2 | 15.0 | * | * | * | * | * | * | 0.9 | 2.2 | 2.9 |
| 1979 | 5.3 | 17.1 | 1.0 | * | * | * | * | * | 1.3 | 1.7 | 2.9 |
| Septicemia (038) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 9.0 | 13.6 | * | * | * | * | * | * | 1.3 | 2.3 | 4.0 |
| 1997 | 8.8 | 11.3 | * | * | * | * | * | * | 1.3 | 2.5 | 4.5 |
| 1996 | 8.9 | 13.3 | * | * | * | * | * | * | 2.3 | 3.4 | 6.2 |
| 1995 | 8.9 | 11.5 | * | * | * | * | * | 1.3 | 1.9 | 3.2 | 5.7 |
| 1994 | 8.4 | 9.5 | * | * | * | * | * | * | 2.4 | 3.1 | 6.0 |
| 1993 | 8.8 | 10.7 | * | * | * | * | * | * | 1.8 | 3.6 | 5.8 |
| 1992 | 8.8 | 12.3 | * | * | * | * | * | * | 1.6 | 3.3 | 6.9 |
| 1991 | 9.1 | 14.5 | * | * | * | * | * | 1.5 | 2.6 | 3.9 | 6.9 |
| 1990 | 9.2 | 14.5 | * | * | * | * | * | 1.2 | 3.0 | 4.7 | 6.7 |
| 1989 | 9.4 | 14.9 | * | * | * | * | * | 1.6 | 2.7 | 5.0 | 6.7 |
| 1988 | 10.2 | 11.6 | * | * | * | * | * | * | 2.7 | 3.9 | 6.9 |
| 1987 | 10.5 | 17.8 | * | * | * | * | * | * | 3.1 | 4.3 | 7.3 |
| 1986 | 10.4 | 21.4 | * | * | * | * | * | 1.6 | 1.8 | 3.2 | 6.2 |
| 1985 | 9.9 | 18.7 | * | * | * | * | * | * | 2.1 | 3.6 | 4.8 |
| 1984 | 8.8 | 19.3 | * | * | * | * | * | * | 2.5 | 3.0 | 5.7 |
| 1983 | 7.9 | 17.4 | * | * | * | * | * | * | 1.9 | * | 4.4 |
| 1982 | 7.0 | 18.7 | * | * | * | * | * | * | * | 2.7 | 3.0 |
| 1981 | 6.7 | 16.1 | * | * | * | * | * | * | 2.1 | 2.9 | 4.6 |
| 1980 | 6.7 | 15.3 | * | * | * | * | * | * | * | 2.8 | 3.5 |
| 1979 | 5.8 | 18.2 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Septicemia (038) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 10.8 | 10.2 | * | * | * | * | * | 1.1 | 1.8 | 2.3 | 3.5 |
| 1997 | 10.1 | 6.7 | * | * | * | * | * | * | 1.3 | 2.9 | 3.6 |
| 1996 | 9.4 | 8.2 | * | * | * | * | * | * | 1.3 | 1.8 | 3.6 |
| 1995 | 9.3 | 12.3 | * | * | * | * | * | * | 1.5 | 2.4 | 3.4 |
| 1994 | 9.0 | 11.0 | * | * | * | * | * | * | 1.5 | 2.0 | 2.8 |
| 1993 | 9.2 | 10.3 | * | * | * | * | * | * | 1.4 | 2.8 | 2.7 |
| 1992 | 9.4 | 11.4 | * | * | * | * | * | * | 1.8 | 2.4 | 3.5 |
| 1991 | 9.3 | 13.6 | * | * | * | * | * | * | 1.7 | 3.0 | 3.6 |
| 1990 | 9.4 | 12.6 | * | * | * | * | * | * | 1.5 | 2.3 | 3.7 |
| 1989 | 9.8 | 14.5 | 1.4 | * | * | * | * | 1.1 | 2.2 | 2.8 | 3.4 |
| 1988 | 10.6 | 12.4 | * | * | * | * | * | 1.1 | 1.4 | 2.5 | 4.6 |
| 1987 | 10.7 | 11.5 | * | * | * | * | * | 1.1 | 2.4 | 2.7 | 2.8 |
| 1986 | 9.4 | 10.7 | * | * | * | * | * | * | 2.1 | 2.5 | 4.0 |
| 1985 | 9.3 | 13.9 | * | * | * | * | * | 1.3 | 1.8 | 2.1 | 2.7 |
| 1984 | 8.6 | 14.9 | * | * | * | * | * | * | 1.3 | 1.9 | 3.7 |
| 1983 | 7.8 | 13.5 | * | * | * | * | * | * | * | 2.1 | 2.3 |
| 1982 | 6.7 | 12.4 | * | * | * | * | * | 1.2 | 1.4 | 1.8 | 3.8 |
| 1981 | 6.3 | 21.4 | * | * | * | * | * | * | 1.4 | * | 3.2 |
| 1980 | 5.8 | 14.6 | * | * | * | * | * | * | * | * | 2.4 |
| 1979 | 4.9 | 16.2 | * | * | * | * | * | * | * | * | 3.1 |
| Septicemia (038) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 12.6 | 13.7 | 0.9 | * | * | * | * | 1.3 | 2.1 | 3.0 | 5.0 |
| 1997 | 12.1 | 11.7 | 0.9 | * | * | * | * | 1.2 | 1.7 | 3.7 | 5.3 |
| 1996 | 11.6 | 12.9 | 1.0 | * | * | * | * | 1.0 | 2.3 | 3.4 | 6.4 |
| 1995 | 11.4 | 14.0 | 0.8 | * | * | * | * | 1.3 | 2.2 | 3.6 | 5.9 |
| 1994 | 10.9 | 12.5 | 1.1 | * | * | * | * | 1.3 | 2.5 | 3.4 | 5.7 |
| 1993 | 11.1 | 13.0 | 1.0 | * | * | * | * | 1.3 | 2.0 | 4.0 | 5.4 |
| 1992 | 11.3 | 15.2 | 0.9 | * | * | * | 1.0 | 1.0 | 2.2 | 3.7 | 6.5 |
| 1991 | 11.3 | 16.6 | 1.0 | * | * | * | 0.7 | 1.5 | 2.7 | 4.4 | 6.8 |
| 1990 | 11.4 | 15.7 | 0.9 | * | * | * | * | 1.1 | 2.8 | 4.4 | 6.7 |
| 1989 | 11.8 | 17.6 | 1.2 | * | * | * | * | 1.6 | 3.2 | 5.1 | 6.4 |
| 1988 | 12.6 | 14.0 | 1.1 | * | * | * | * | 1.2 | 2.5 | 3.9 | 7.5 |
| 1987 | 12.8 | 17.4 | 1.1 | * | * | * | 0.8 | 1.2 | 3.5 | 4.3 | 6.3 |
| 1986 | 11.8 | 18.7 | 1.0 | * | * | * | * | 1.6 | 2.6 | 3.6 | 6.4 |
| 1985 | 11.4 | 20.0 | 1.1 | * | * | * | * | 1.5 | 2.4 | 3.5 | 4.7 |
| 1984 | 10.3 | 18.9 | 1.1 | * | * | * | * | 1.0 | 2.4 | 3.0 | 5.5 |
| 1983 | 9.2 | 17.7 | 1.0 | * | * | * | * | 1.3 | 1.9 | 2.4 | 3.9 |
| 1982 | 7.9 | 17.5 | * | * | * | * | * | 1.1 | 1.8 | 2.7 | 4.1 |
| 1981 | 7.5 | 20.7 | 1.6 | * | * | * | * | 1.2 | 2.2 | 2.7 | 4.7 |
| 1980 | 7.0 | 15.1 | * | * | * | * | * | * | 1.2 | 2.7 | 3.3 |
| 1979 | 5.9 | 18.6 | * | * | * | * | * | * | 1.4 | 2.0 | 3.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Septicemia (038) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 11.4 | 15.0 | * | * | * | * | * | * | 1.8 | 2.9 | 5.6 |
| 1997 | 11.3 | 14.9 | * | * | * | * | * | * | 1.8 | 3.5 | 5.8 |
| 1996 | 11.3 | 16.6 | * | * | * | * | * | * | 2.9 | 4.5 | 8.4 |
| 1995 | 11.1 | 13.0 | * | * | * | * | * | 1.9 | 2.7 | 4.3 | 7.3 |
| 1994 | 10.5 | 11.9 | * | * | * | * | * | * | 3.0 | 4.1 | 8.0 |
| 1993 | 10.8 | 13.4 | * | * | * | * | * | * | 2.3 | 4.6 | 7.6 |
| 1992 | 11.0 | 15.8 | * | * | * | * | * | * | 2.2 | 4.4 | 9.0 |
| 1991 | 11.2 | 18.0 | * | * | * | * | * | 2.0 | 3.3 | 5.2 | 9.0 |
| 1990 | 11.3 | 17.1 | * | * | * | * | * | * | 3.9 | 6.2 | 8.6 |
| 1989 | 11.5 | 17.1 | * | * | * | * | * | 2.0 | 3.6 | 6.6 | 8.6 |
| 1988 | 12.3 | 12.5 | * | * | * | * | * | * | 3.6 | 4.9 | 9.2 |
| 1987 | 12.7 | 22.0 | * | * | * | * | * | * | 4.0 | 5.4 | 9.8 |
| 1986 | 12.4 | 25.0 | * | * | * | * | * | 2.0 | 2.5 | 4.1 | 8.0 |
| 1985 | 11.8 | 22.8 | * | * | * | * | * | * | 2.6 | 4.7 | 6.4 |
| 1984 | 10.4 | 22.5 | * | * | * | * | * | * | 3.1 | 3.7 | 7.1 |
| 1983 | 9.3 | 20.5 | * | * | * | * | * | * | 2.3 | * | 5.7 |
| 1982 | 8.0 | 20.9 | * | * | * | * | * | * | * | 3.4 | 3.3 |
| 1981 | 7.7 | 17.8 | * | * | * | * | * | * | 2.7 | 3.7 | 5.6 |
| 1980 | 7.6 | 14.9 | * | * | * | * | * | * | * | 3.6 | 4.2 |
| 1979 | 6.4 | 19.6 | * | * | * | * | * | * | * | * | * |
| Septicemia (038) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 13.7 | 12.4 | * | * | * | * | * | 1.4 | 2.3 | 3.0 | 4.4 |
| 1997 | 12.9 | 8.3 | * | * | * | * | * | * | 1.7 | 3.9 | 4.9 |
| 1996 | 11.9 | 9.2 | * | * | * | * | * | * | 1.8 | 2.4 | 4.7 |
| 1995 | 11.6 | 15.0 | * | * | * | * | * | * | 1.8 | 3.0 | 4.7 |
| 1994 | 11.3 | 13.1 | * | * | * | * | * | * | 2.0 | 2.7 | 3.7 |
| 1993 | 11.4 | 12.5 | * | * | * | * | * | * | 1.8 | 3.4 | 3.6 |
| 1992 | 11.5 | 14.6 | * | * | * | * | * | * | 2.2 | 3.1 | 4.4 |
| 1991 | 11.4 | 15.2 | * | * | * | * | * | * | 2.1 | 3.6 | 4.9 |
| 1990 | 11.5 | 14.3 | * | * | * | * | * | * | 1.9 | 2.8 | 5.0 |
| 1989 | 12.0 | 18.1 | * | * | * | * | * | * | 2.8 | 3.7 | 4.6 |
| 1988 | 12.8 | 15.5 | * | * | * | * | * | 1.4 | 1.6 | 3.1 | 6.0 |
| 1987 | 12.9 | 12.8 | * | * | * | * | * | * | 3.0 | 3.4 | 3.4 |
| 1986 | 11.3 | 12.4 | * | * | * | * | * | * | 2.7 | 3.2 | 5.0 |
| 1985 | 11.0 | 17.0 | * | * | * | * | * | 1.6 | 2.2 | 2.5 | 3.3 |
| 1984 | 10.2 | 15.2 | * | * | * | * | * | * | 1.7 | 2.4 | 4.1 |
| 1983 | 9.0 | 14.9 | * | * | * | * | * | * | * | 2.6 | * |
| 1982 | 7.7 | 14.1 | * | * | * | * | * | * | 1.7 | * | 4.8 |
| 1981 | 7.3 | 23.7 | * | * | * | * | * | * | 1.8 | * | 3.9 |
| 1980 | 6.5 | 15.4 | * | * | * | * | * | * | * | * | * |
| 1979 | 5.5 | 17.6 | * | * | * | * | * | * | * | * | 3.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Syphilis (090-097) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | 0.6 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | 0.6 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| Syphilis (090-097) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Syphilis (090-097) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| Syphilis (090-097) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Syphilis (090-097) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| Syphilis (090-097) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Syphilis (090-097) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 2.7 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Syphilis (090-097) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Syphilis (090-097) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Syphilis (090-097) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | 3.1 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 3.4 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Syphilis (090-097) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Syphilis (090-097) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute poliomyelitis (045) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Acute poliomyelitis (045) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute poliomyelitis (045) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Acute poliomyelitis (045) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute poliomyelitis (045) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Acute poliomyelitis (045) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute poliomyelitis (045) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Acute poliomyelitis (045) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute poliomyelitis (045) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Acute poliomyelitis (045) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute poliomyelitis (045) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Acute poliomyelitis (045) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Arthropod-borne viral encephalitis (062-064) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Arthropod-borne viral encephalitis (062-064) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Arthropod-borne viral encephalitis (062-064) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Arthropod-borne viral encephalitis (062-064) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Arthropod-borne viral encephalitis (062-064) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Arthropod-borne viral encephalitis (062-064) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Arthropod-borne viral encephalitis (062-064) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Arthropod-borne viral encephalitis (062-064) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Arthropod-borne viral encephalitis (062-064) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Arthropod-borne viral encephalitis (062-064) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Arthropod-borne viral encephalitis (062-064) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Arthropod-borne viral encephalitis (062-064) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Measles (055) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | 0.2 | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Measles (055) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Measles (055) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Measles (055) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Measles (055) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Measles (055) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Measles (055) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Measles (055) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Measles (055) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Measles (055) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Measles (055) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Measles (055) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Viral hepatitis (070) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.7 | * | * | * | * | * | * | 0.2 | 0.4 | 1.2 | 2.8 |
| 1997 | 1.5 | * | * | * | * | * | * | 0.1 | 0.4 | 1.1 | 2.3 |
| 1996 | 1.4 | * | * | * | * | * | * | 0.2 | 0.4 | 1.1 | 2.2 |
| 1995 | 1.3 | * | * | * | * | * | * | 0.2 | 0.5 | 1.0 | 1.8 |
| 1994 | 1.2 | * | * | * | * | * | * | 0.3 | 0.6 | 1.0 | 1.8 |
| 1993 | 1.0 | * | * | * | * | * | 0.1 | 0.2 | 0.5 | 0.8 | 1.2 |
| 1992 | 0.8 | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 | 1.0 |
| 1991 | 0.7 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.7 | 0.8 |
| 1990 | 0.6 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.7 |
| 1989 | 0.6 | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.4 | 0.6 |
| 1988 | 0.5 | * | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.5 | 0.4 |
| 1987 | 0.5 | * | * | * | * | * | 0.3 | 0.2 | 0.4 | 0.5 | 0.5 |
| 1986 | 0.4 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.4 |
| 1985 | 0.4 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 |
| 1984 | 0.4 | * | * | * | * | * | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 1983 | 0.4 | 0.5 | * | * | * | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 |
| 1982 | 0.4 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 1981 | 0.4 | * | * | * | * | * | 0.3 | 0.3 | 0.2 | 0.3 | 0.4 |
| 1980 | 0.4 | * | * | * | * | * | 0.3 | 0.2 | 0.2 | 0.3 | 0.2 |
| 1979 | 0.3 | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.2 | 0.3 | 0.2 |
| Viral hepatitis (070) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | * | * | 0.6 | 1.7 | 4.4 |
| 1997 | 1.8 | * | * | * | * | * | * | * | 0.5 | 1.6 | 3.6 |
| 1996 | 1.7 | * | * | * | * | * | * | 0.2 | 0.6 | 1.5 | 3.5 |
| 1995 | 1.6 | * | * | * | * | * | * | 0.2 | 0.7 | 1.6 | 2.9 |
| 1994 | 1.5 | * | * | * | * | * | * | 0.3 | 0.8 | 1.5 | 2.9 |
| 1993 | 1.2 | * | * | * | * | * | * | 0.3 | 0.7 | 1.3 | 2.0 |
| 1992 | 1.0 | * | * | * | * | * | * | 0.3 | 0.5 | 1.1 | 1.5 |
| 1991 | 0.9 | * | * | * | * | * | * | 0.3 | 0.4 | 1.1 | 1.4 |
| 1990 | 0.8 | * | * | * | * | * | * | 0.3 | 0.5 | 0.8 | 1.1 |
| 1989 | 0.8 | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 0.6 | 0.9 |
| 1988 | 0.6 | * | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 0.5 |
| 1987 | 0.6 | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.7 | 0.7 |
| 1986 | 0.5 | * | * | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.6 |
| 1985 | 0.5 | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.5 |
| 1984 | 0.4 | * | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 |
| 1983 | 0.4 | * | * | * | * | * | 0.2 | 0.4 | 0.3 | 0.3 | 0.4 |
| 1982 | 0.4 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | * | * |
| 1981 | 0.4 | * | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.3 | 0.4 |
| 1980 | 0.4 | * | * | * | * | * | 0.2 | 0.2 | * | 0.4 | * |
| 1979 | 0.4 | * | * | * | * | * | 0.3 | 0.3 | 0.3 | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Viral hepatitis (070) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 1.3 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.3 |
| 1997 | 1.2 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.0 |
| 1996 | 1.1 | * | * | * | * | * | * | * | 0.3 | 0.7 | 0.9 |
| 1995 | 1.0 | * | * | * | * | * | * | * | 0.2 | 0.5 | 0.8 |
| 1994 | 0.9 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.6 |
| 1993 | 0.7 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1991 | 0.5 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1989 | 0.5 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 |
| 1988 | 0.4 | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 | * |
| 1987 | 0.4 | * | * | * | * | * | 0.2 | * | 0.3 | 0.2 | * |
| 1986 | 0.3 | * | * | * | * | * | 0.2 | 0.2 | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | 0.3 | 0.2 | * | 0.3 | * |
| 1984 | 0.3 | * | * | * | * | * | 0.3 | 0.3 | * | 0.3 | * |
| 1983 | 0.3 | * | * | * | * | * | 0.2 | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | 0.2 | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | 0.3 | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | 0.3 | * | 0.2 | 0.3 | * |
| 1979 | 0.3 | * | * | * | * | * | 0.2 | 0.3 | * | 0.3 | * |
| Viral hepatitis (070) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.7 | * | * | * | * | * | * | 0.1 | 0.4 | 1.2 | 2.7 |
| 1997 | 1.4 | * | * | * | * | * | * | * | 0.3 | 1.1 | 2.2 |
| 1996 | 1.4 | * | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 2.1 |
| 1995 | 1.3 | * | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.7 |
| 1994 | 1.1 | * | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 1.7 |
| 1993 | 0.9 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.1 |
| 1992 | 0.8 | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 0.9 |
| 1991 | 0.7 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.7 |
| 1990 | 0.6 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 |
| 1989 | 0.6 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.5 |
| 1988 | 0.5 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.3 |
| 1987 | 0.5 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.4 |
| 1986 | 0.4 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.4 | 0.4 |
| 1985 | 0.4 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 |
| 1984 | 0.3 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 1983 | 0.3 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 |
| 1982 | 0.3 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.2 | * |
| 1981 | 0.4 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 |
| 1980 | 0.3 | * | * | * | * | * | 0.2 | 0.1 | 0.2 | 0.3 | * |
| 1979 | 0.3 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Viral hepatitis (070) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 2.1 | * | * | * | * | * | * | * | 0.5 | 1.6 | 4.2 |
| 1997 | 1.8 | * | * | * | * | * | * | * | 0.4 | 1.6 | 3.5 |
| 1996 | 1.7 | * | * | * | * | * | * | * | 0.6 | 1.3 | 3.4 |
| 1995 | 1.6 | * | * | * | * | * | * | 0.2 | 0.7 | 1.4 | 2.7 |
| 1994 | 1.4 | * | * | * | * | * | * | 0.3 | 0.7 | 1.4 | 2.8 |
| 1993 | 1.2 | * | * | * | * | * | * | 0.2 | 0.7 | 1.2 | 1.9 |
| 1992 | 1.0 | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 | 1.4 |
| 1991 | 0.9 | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 | 1.2 |
| 1990 | 0.7 | * | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.1 |
| 1989 | 0.7 | * | * | * | * | * | * | 0.3 | 0.5 | 0.6 | 0.8 |
| 1988 | 0.6 | * | * | * | * | * | * | 0.3 | 0.3 | 0.6 | 0.4 |
| 1987 | 0.6 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.6 | 0.6 |
| 1986 | 0.5 | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.6 |
| 1985 | 0.5 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.4 |
| 1984 | 0.4 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.4 |
| 1983 | 0.4 | * | * | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.4 |
| 1982 | 0.4 | * | * | * | * | * | * | * | 0.3 | * | * |
| 1981 | 0.4 | * | * | * | * | * | 0.2 | 0.3 | 0.3 | * | 0.4 |
| 1980 | 0.4 | * | * | * | * | * | 0.3 | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | 0.3 | * | * | * |
| Viral hepatitis (070) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 1.3 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.2 |
| 1997 | 1.1 | * | * | * | * | * | * | * | * | 0.5 | 1.0 |
| 1996 | 1.1 | * | * | * | * | * | * | * | 0.3 | 0.6 | 0.9 |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1994 | 0.8 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 |
| 1993 | 0.7 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | 0.2 | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | 0.3 | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | 0.2 | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Viral hepatitis (070) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 2.0 | * | * | * | * | * | * | * | 0.6 | 1.5 | 3.4 |
| 1997 | 1.7 | * | * | * | * | * | * | * | 0.7 | 1.2 | 2.4 |
| 1996 | 1.5 | * | * | * | * | * | * | * | * | 1.4 | 2.7 |
| 1995 | 1.4 | * | * | * | * | * | * | * | * | 1.7 | 2.3 |
| 1994 | 1.4 | * | * | * | * | * | * | * | 1.0 | 1.4 | 2.1 |
| 1993 | 1.1 | * | * | * | * | * | * | * | 0.6 | 1.1 | 1.7 |
| 1992 | 0.9 | * | * | * | * | * | * | * | * | 1.3 | 1.5 |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | 1.3 | 1.5 |
| 1990 | 0.8 | * | * | * | * | * | * | * | 0.6 | 0.9 | 1.1 |
| 1989 | 0.7 | * | * | * | * | * | * | * | 0.7 | * | 1.0 |
| 1988 | 0.6 | * | * | * | * | * | * | * | 0.6 | * | * |
| 1987 | 0.7 | * | * | * | * | * | * | * | 0.8 | 0.8 | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | 0.7 | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | 0.8 | 0.7 | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | 0.8 | * | * | * | * |
| Viral hepatitis (070) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 2.5 | * | * | * | * | * | * | * | * | 2.2 | 5.3 |
| 1997 | 2.0 | * | * | * | * | * | * | * | * | 1.7 | 3.8 |
| 1996 | 1.8 | * | * | * | * | * | * | * | * | 2.1 | 4.5 |
| 1995 | 1.7 | * | * | * | * | * | * | * | * | 2.5 | 3.7 |
| 1994 | 1.5 | * | * | * | * | * | * | * | 1.2 | 2.0 | 3.5 |
| 1993 | 1.4 | * | * | * | * | * | * | * | * | 1.8 | 2.9 |
| 1992 | 1.2 | * | * | * | * | * | * | * | * | 2.1 | 2.2 |
| 1991 | 1.0 | * | * | * | * | * | * | * | * | 2.2 | 2.7 |
| 1990 | 0.9 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1989 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Viral hepatitis (070) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.4 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1997 | 1.4 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1996 | 1.3 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1995 | 1.1 | * | * | * | * | * | * | * | * | 1.1 | * |
| 1994 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Viral hepatitis (070) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 1.9 | * | * | * | * | * | * | * | * | 1.6 | 3.9 |
| 1997 | 1.5 | * | * | * | * | * | * | * | 0.8 | 1.2 | 2.6 |
| 1996 | 1.4 | * | * | * | * | * | * | * | * | 1.6 | 2.9 |
| 1995 | 1.3 | * | * | * | * | * | * | * | * | 2.0 | 2.7 |
| 1994 | 1.2 | * | * | * | * | * | * | * | 1.0 | 1.6 | 2.4 |
| 1993 | 0.9 | * | * | * | * | * | * | * | * | 1.3 | 1.8 |
| 1992 | 0.8 | * | * | * | * | * | * | * | * | 1.6 | 1.7 |
| 1991 | 0.7 | * | * | * | * | * | * | * | * | 1.5 | 1.4 |
| 1990 | 0.7 | * | * | * | * | * | * | * | 0.7 | 0.9 | 1.1 |
| 1989 | 0.7 | * | * | * | * | * | * | * | 0.8 | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | 0.9 | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | 1.0 | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | 0.9 | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Viral hepatitis (070) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 2.5 | * | * | * | * | * | * | * | * | 2.3 | 5.8 |
| 1997 | 1.9 | * | * | * | * | * | * | * | * | 1.8 | 4.1 |
| 1996 | 1.7 | * | * | * | * | * | * | * | * | 2.4 | 4.7 |
| 1995 | 1.5 | * | * | * | * | * | * | * | * | 2.8 | 4.4 |
| 1994 | 1.4 | * | * | * | * | * | * | * | * | 2.3 | 4.0 |
| 1993 | 1.2 | * | * | * | * | * | * | * | * | 2.1 | 3.1 |
| 1992 | 1.0 | * | * | * | * | * | * | * | * | 2.3 | 2.5 |
| 1991 | 0.8 | * | * | * | * | * | * | * | * | 2.5 | 2.4 |
| 1990 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| Viral hepatitis (070) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 1.4 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1997 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Human immunodeficiency virus (HIV) disease (*042-*044) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.9 | * | 0.2 | 0.1 | 0.1 | 0.1 | 0.9 | 4.2 | 9.9 | 12.7 | 13.0 |
| 1997 | 6.1 | * | 0.3 | 0.3 | 0.2 | 0.2 | 1.3 | 5.5 | 13.5 | 16.1 | 15.9 |
| 1996 | 11.6 | 1.1 | 0.9 | 0.5 | 0.4 | 0.3 | 2.0 | 10.8 | 26.9 | 31.8 | 30.8 |
| 1995 | 16.2 | 1.5 | 1.3 | 0.6 | 0.3 | 0.3 | 3.1 | 17.0 | 38.3 | 45.3 | 42.8 |
| 1994 | 16.0 | 2.5 | 1.2 | 0.6 | 0.4 | 0.4 | 3.0 | 17.4 | 38.4 | 45.0 | 42.6 |
| 1993 | 14.3 | 2.2 | 1.3 | 0.5 | 0.3 | 0.3 | 2.9 | 17.5 | 34.5 | 40.6 | 37.1 |
| 1992 | 13.1 | 2.5 | 1.0 | 0.4 | 0.2 | 0.3 | 2.8 | 16.6 | 31.3 | 37.4 | 33.5 |
| 1991 | 11.7 | 2.3 | 1.0 | 0.4 | 0.2 | 0.3 | 2.9 | 15.4 | 28.1 | 33.6 | 28.5 |
| 1990 | 10.1 | 2.7 | 0.8 | 0.4 | 0.1 | 0.3 | 2.6 | 14.0 | 25.2 | 29.9 | 24.6 |
| 1989 | 8.9 | 3.1 | 0.8 | 0.2 | 0.1 | 0.2 | 3.0 | 12.9 | 23.0 | 25.9 | 20.8 |
| 1988 | 6.8 | 2.2 | 0.8 | 0.2 | * | 0.2 | 2.6 | 10.1 | 17.9 | 19.3 | 15.5 |
| 1987 | 5.6 | 2.3 | 0.7 | 0.2 | * | 0.2 | 2.3 | 8.4 | 15.2 | 15.5 | 12.3 |
| 1986 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1983 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1982 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1981 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1980 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1979 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Human immunodeficiency virus (HIV) disease (*042-*044) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 7.6 | * | * | * | * | * | 0.9 | 5.5 | 14.4 | 19.5 | 20.6 |
| 1997 | 9.7 | * | 0.3 | 0.3 | 0.3 | * | 1.5 | 7.8 | 20.6 | 25.1 | 25.7 |
| 1996 | 19.2 | 1.1 | 0.9 | 0.5 | 0.4 | 0.3 | 2.4 | 15.8 | 43.2 | 51.8 | 51.6 |
| 1995 | 27.6 | 1.7 | 1.2 | 0.6 | 0.4 | 0.3 | 3.7 | 25.7 | 63.1 | 77.0 | 73.8 |
| 1994 | 27.7 | 2.1 | 1.2 | 0.5 | 0.5 | 0.5 | 4.0 | 27.6 | 64.4 | 76.9 | 74.7 |
| 1993 | 25.3 | 2.1 | 1.3 | 0.5 | 0.3 | 0.4 | 3.9 | 28.8 | 59.4 | 70.2 | 65.9 |
| 1992 | 23.4 | 2.3 | 1.1 | 0.5 | 0.2 | 0.4 | 3.9 | 27.6 | 54.4 | 65.8 | 60.5 |
| 1991 | 21.1 | 2.1 | 1.0 | 0.4 | 0.3 | 0.4 | 4.2 | 26.2 | 49.0 | 60.8 | 52.4 |
| 1990 | 18.5 | 2.4 | 0.8 | 0.3 | * | 0.3 | 3.9 | 24.1 | 44.7 | 53.9 | 45.9 |
| 1989 | 16.4 | 2.7 | 0.7 | 0.3 | * | 0.4 | 4.8 | 22.6 | 40.4 | 47.4 | 39.2 |
| 1988 | 12.4 | 2.5 | 0.8 | * | * | 0.2 | 4.3 | 17.7 | 31.5 | 35.5 | 29.2 |
| 1987 | 10.2 | 2.2 | 0.7 | 0.3 | * | 0.2 | 4.0 | 14.7 | 27.1 | 28.7 | 23.4 |
| 1986 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1983 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1982 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1981 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1980 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1979 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Human immunodeficiency virus (HIV) disease (*042-*044) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | 1.0 | 3.0 | 5.4 | 5.9 | 5.6 |
| 1997 | 2.6 | * | 0.4 | 0.3 | * | 0.3 | 1.2 | 3.2 | 6.4 | 7.0 | 6.4 |
| 1996 | 4.3 | * | 1.0 | 0.5 | 0.3 | 0.3 | 1.7 | 5.7 | 10.5 | 11.9 | 10.5 |
| 1995 | 5.3 | 1.2 | 1.5 | 0.6 | 0.3 | 0.3 | 2.5 | 8.1 | 13.3 | 13.9 | 12.6 |
| 1994 | 4.8 | 2.9 | 1.3 | 0.6 | 0.3 | 0.4 | 2.0 | 7.2 | 12.2 | 13.5 | 11.3 |
| 1993 | 3.9 | 2.4 | 1.3 | 0.6 | 0.3 | 0.3 | 1.8 | 6.1 | 9.4 | 11.2 | 9.0 |
| 1992 | 3.2 | 2.7 | 1.0 | 0.3 | * | * | 1.6 | 5.4 | 8.1 | 9.2 | 7.1 |
| 1991 | 2.7 | 2.4 | 1.1 | 0.4 | * | * | 1.5 | 4.5 | 7.2 | 6.8 | 5.2 |
| 1990 | 2.2 | 3.0 | 0.8 | 0.4 | * | * | 1.2 | 3.8 | 5.9 | 6.3 | 3.9 |
| 1989 | 1.8 | 3.5 | 0.8 | * | * | * | 1.1 | 3.1 | 5.6 | 4.8 | 3.0 |
| 1988 | 1.4 | 1.7 | 0.7 | * | * | * | 0.8 | 2.5 | 4.5 | 3.6 | 2.3 |
| 1987 | 1.1 | 2.5 | 0.7 | * | * | * | 0.6 | 2.0 | 3.5 | 2.6 | 1.5 |
| 1986 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1983 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1982 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1981 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1980 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1979 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Human immunodeficiency virus (HIV) disease (*042-*044) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 2.7 | * | * | * | * | * | 0.3 | 2.0 | 5.6 | 7.5 | 7.3 |
| 1997 | 3.5 | * | * | 0.1 | * | * | 0.6 | 3.0 | 8.4 | 9.7 | 9.1 |
| 1996 | 7.6 | * | 0.4 | 0.2 | 0.3 | 0.2 | 1.1 | 6.5 | 18.8 | 21.5 | 19.3 |
| 1995 | 11.6 | 0.7 | 0.7 | 0.3 | 0.2 | 0.2 | 1.7 | 11.4 | 28.7 | 33.3 | 29.6 |
| 1994 | 11.7 | 1.1 | 0.6 | 0.3 | 0.3 | 0.3 | 1.6 | 12.3 | 29.1 | 33.7 | 30.5 |
| 1993 | 10.9 | 0.7 | 0.6 | 0.3 | 0.2 | 0.3 | 1.7 | 12.8 | 27.2 | 31.0 | 27.3 |
| 1992 | 10.2 | 0.9 | 0.5 | 0.2 | 0.1 | 0.2 | 1.7 | 12.6 | 25.0 | 29.0 | 25.7 |
| 1991 | 9.4 | 0.7 | 0.5 | 0.3 | 0.2 | 0.2 | 1.9 | 12.0 | 22.9 | 26.8 | 22.8 |
| 1990 | 8.3 | 1.0 | 0.4 | 0.1 | * | 0.2 | 1.8 | 11.2 | 20.0 | 24.0 | 20.5 |
| 1989 | 7.3 | 1.7 | 0.4 | 0.2 | * | 0.2 | 2.2 | 10.2 | 18.3 | 20.6 | 16.9 |
| 1988 | 5.5 | 1.1 | 0.4 | * | * | * | 1.9 | 8.0 | 13.8 | 15.1 | 12.9 |
| 1987 | 4.6 | 1.1 | 0.4 | 0.2 | * | * | 1.7 | 6.7 | 12.0 | 12.3 | 10.4 |
| 1986 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1983 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1982 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1981 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1980 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1979 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Human immunodeficiency virus (HIV) disease (*042-*044) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 4.6 | * | * | * | * | * | 0.4 | 3.1 | 9.1 | 12.8 | 12.6 |
| 1997 | 6.1 | * | * | * | * | * | 0.8 | 4.6 | 13.8 | 16.5 | 15.8 |
| 1996 | 13.4 | * | 0.3 | * | 0.3 | * | 1.5 | 10.2 | 32.1 | 37.5 | 34.5 |
| 1995 | 20.9 | * | 0.6 | 0.3 | 0.3 | 0.3 | 2.4 | 18.7 | 50.1 | 59.1 | 53.7 |
| 1994 | 21.5 | * | 0.6 | 0.3 | 0.4 | 0.4 | 2.5 | 20.5 | 51.1 | 60.6 | 56.3 |
| 1993 | 20.2 | * | 0.6 | 0.3 | 0.3 | 0.4 | 2.4 | 22.4 | 49.1 | 56.3 | 50.4 |
| 1992 | 19.2 | * | 0.5 | 0.3 | * | 0.3 | 2.5 | 22.2 | 45.3 | 53.7 | 48.2 |
| 1991 | 17.7 | * | 0.4 | 0.3 | * | 0.4 | 3.0 | 21.5 | 41.9 | 50.2 | 43.2 |
| 1990 | 15.8 | * | * | * | * | 0.3 | 2.9 | 20.3 | 37.0 | 45.2 | 39.4 |
| 1989 | 13.9 | 1.7 | * | * | * | 0.3 | 3.6 | 18.6 | 33.7 | 39.1 | 32.8 |
| 1988 | 10.4 | 1.5 | 0.4 | * | * | * | 3.3 | 14.4 | 25.3 | 28.6 | 24.9 |
| 1987 | 8.7 | 1.3 | 0.4 | 0.3 | * | * | 3.1 | 12.1 | 22.3 | 23.3 | 20.1 |
| 1986 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1983 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1982 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1981 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1980 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1979 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Human immunodeficiency virus (HIV) disease (*042-*044) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.8 | * | * | * | * | * | * | 1.0 | 2.0 | 2.2 | 1.9 |
| 1997 | 1.0 | * | * | * | * | * | 0.4 | 1.3 | 2.8 | 2.8 | 2.3 |
| 1996 | 1.9 | * | 0.5 | * | * | * | 0.8 | 2.7 | 5.0 | 5.3 | 4.2 |
| 1995 | 2.5 | * | 0.8 | 0.3 | * | * | 1.0 | 3.8 | 6.8 | 7.1 | 5.6 |
| 1994 | 2.3 | * | 0.6 | 0.3 | * | * | 0.7 | 3.8 | 6.6 | 6.5 | 4.8 |
| 1993 | 1.9 | * | 0.6 | * | * | * | 0.8 | 3.0 | 4.8 | 5.5 | 4.3 |
| 1992 | 1.6 | * | 0.5 | * | * | * | 0.8 | 2.7 | 4.3 | 4.1 | 3.2 |
| 1991 | 1.4 | * | 0.5 | * | * | * | 0.8 | 2.3 | 3.7 | 3.2 | 2.6 |
| 1990 | 1.1 | * | 0.5 | * | * | * | 0.7 | 1.9 | 2.8 | 2.7 | 1.8 |
| 1989 | 0.9 | 1.7 | 0.5 | * | * | * | 0.6 | 1.6 | 2.8 | 2.0 | 1.2 |
| 1988 | 0.7 | * | 0.4 | * | * | * | 0.5 | 1.4 | 2.1 | 1.6 | 1.1 |
| 1987 | 0.6 | * | 0.4 | * | * | * | 0.3 | 1.1 | 1.6 | 1.2 | 0.8 |
| 1986 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1983 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1982 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1981 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1980 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1979 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Human immunodeficiency virus (HIV) disease (*042-*044) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 14.9 | * | 0.6 | 0.5 | * | * | 3.3 | 13.0 | 28.1 | 36.3 | 40.3 |
| 1997 | 18.0 | * | 1.1 | 0.9 | 0.6 | 0.6 | 4.1 | 15.8 | 35.8 | 45.7 | 49.4 |
| 1996 | 30.5 | 3.4 | 2.8 | 1.6 | 0.8 | 0.6 | 5.5 | 28.6 | 63.4 | 80.4 | 87.9 |
| 1995 | 38.4 | 4.3 | 3.6 | 1.9 | 0.8 | 0.8 | 8.7 | 40.4 | 82.0 | 103.1 | 109.8 |
| 1994 | 36.9 | 7.5 | 3.6 | 1.6 | 0.8 | 1.0 | 8.6 | 39.8 | 81.8 | 100.0 | 104.7 |
| 1993 | 31.3 | 8.0 | 3.8 | 1.6 | 0.5 | 0.6 | 7.9 | 37.9 | 69.1 | 87.7 | 88.2 |
| 1992 | 27.4 | 8.7 | 3.1 | 1.0 | * | 0.6 | 7.3 | 34.3 | 61.4 | 79.1 | 75.4 |
| 1991 | 23.5 | 8.4 | 3.1 | 0.8 | * | 0.7 | 7.4 | 31.2 | 53.4 | 68.3 | 60.5 |
| 1990 | 19.8 | 9.3 | 2.6 | 1.2 | * | * | 6.0 | 27.1 | 51.1 | 60.5 | 48.4 |
| 1989 | 17.8 | 8.5 | 2.3 | * | * | * | 6.6 | 26.2 | 46.4 | 53.8 | 43.7 |
| 1988 | 13.9 | 6.4 | 2.4 | 0.6 | * | * | 5.7 | 21.0 | 39.3 | 42.1 | 31.3 |
| 1987 | 11.0 | 7.5 | 2.0 | * | * | * | 5.0 | 17.1 | 32.2 | 33.3 | 24.3 |
| 1986 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1983 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1982 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1981 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1980 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1979 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Human immunodeficiency virus (HIV) disease (*042-*044) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 21.7 | * | * | * | * | * | 2.7 | 15.6 | 38.4 | 52.4 | 61.1 |
| 1997 | 27.0 | * | * | 0.9 | * | * | 4.0 | 21.4 | 52.2 | 68.0 | 77.2 |
| 1996 | 47.3 | * | 3.1 | 1.5 | * | * | 6.0 | 40.4 | 96.3 | 123.6 | 142.8 |
| 1995 | 60.5 | 5.0 | 3.4 | 1.8 | * | * | 9.0 | 57.1 | 126.8 | 168.4 | 182.9 |
| 1994 | 59.0 | 6.1 | 3.6 | 1.4 | * | * | 10.2 | 60.1 | 131.1 | 161.6 | 176.5 |
| 1993 | 50.9 | 7.1 | 4.0 | 1.3 | * | * | 10.2 | 58.4 | 111.8 | 143.5 | 153.3 |
| 1992 | 45.0 | 7.8 | 3.4 | 1.1 | * | * | 10.0 | 53.3 | 101.2 | 130.7 | 131.6 |
| 1991 | 38.9 | 7.6 | 3.0 | * | * | * | 10.0 | 49.3 | 86.6 | 118.6 | 108.3 |
| 1990 | 32.9 | 7.2 | 2.8 | 1.3 | * | * | 8.7 | 43.1 | 85.7 | 102.4 | 86.8 |
| 1989 | 30.1 | 6.7 | 2.7 | * | * | * | 10.2 | 43.1 | 76.7 | 94.5 | 80.0 |
| 1988 | 23.7 | 6.9 | 2.5 | * | * | * | 9.1 | 35.2 | 65.2 | 75.3 | 57.1 |
| 1987 | 18.9 | 5.8 | 2.0 | * | * | * | 8.0 | 28.9 | 54.0 | 60.6 | 45.5 |
| 1986 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1983 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1982 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1981 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1980 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1979 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Human immunodeficiency virus (HIV) disease (*042-*044) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 8.6 | * | * | * | * | * | 3.9 | 10.6 | 18.8 | 21.8 | 21.9 |
| 1997 | 9.8 | * | 1.4 | * | * | 1.0 | 4.1 | 10.6 | 20.9 | 25.6 | 24.9 |
| 1996 | 15.1 | * | 2.6 | 1.6 | * | * | 5.1 | 17.7 | 33.5 | 41.7 | 39.9 |
| 1995 | 18.1 | * | 3.9 | 1.9 | * | * | 8.4 | 25.0 | 41.4 | 44.7 | 46.2 |
| 1994 | 16.6 | 9.0 | 3.7 | 1.8 | * | 1.2 | 7.0 | 21.0 | 37.3 | 45.0 | 42.3 |
| 1993 | 13.3 | 8.8 | 3.7 | 1.9 | * | * | 5.7 | 18.9 | 30.4 | 38.0 | 31.8 |
| 1992 | 11.2 | 9.7 | 2.8 | * | * | * | 4.6 | 16.6 | 25.5 | 33.4 | 26.8 |
| 1991 | 9.4 | 9.3 | 3.2 | * | * | * | 4.9 | 14.5 | 23.5 | 24.0 | 19.2 |
| 1990 | 7.9 | 11.4 | 2.3 | 1.2 | * | * | 3.5 | 12.3 | 20.3 | 23.8 | 15.2 |
| 1989 | 6.5 | 10.4 | 2.0 | * | * | * | 3.1 | 10.5 | 19.4 | 18.4 | 12.5 |
| 1988 | 5.0 | 5.9 | 2.2 | * | * | * | 2.3 | 7.9 | 16.3 | 13.3 | 9.1 |
| 1987 | 3.8 | 9.3 | 1.9 | * | * | * | 2.0 | 6.4 | 12.8 | 9.8 | 6.0 |
| 1986 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1983 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1982 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1981 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1980 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1979 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Human immunodeficiency virus (HIV) disease (*042-*044) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 20.2 | * | 0.8 | 0.6 | * | * | 4.7 | 18.4 | 39.1 | 50.0 | 55.6 |
| 1997 | 24.4 | * | 1.5 | 1.1 | 0.8 | 0.7 | 5.7 | 22.4 | 49.3 | 62.4 | 68.0 |
| 1996 | 40.7 | 4.5 | 3.6 | 2.0 | 1.1 | 0.8 | 7.7 | 40.1 | 86.3 | 108.5 | 120.4 |
| 1995 | 50.6 | 5.6 | 4.7 | 2.4 | 1.0 | 1.0 | 12.0 | 55.5 | 109.9 | 138.7 | 148.9 |
| 1994 | 48.3 | 9.6 | 4.6 | 2.1 | 0.9 | 1.2 | 11.7 | 53.5 | 108.9 | 134.0 | 142.3 |
| 1993 | 40.8 | 10.0 | 4.9 | 2.0 | * | 0.9 | 10.8 | 50.7 | 92.3 | 117.1 | 118.9 |
| 1992 | 35.6 | 11.5 | 4.0 | 1.3 | * | 0.8 | 9.8 | 45.3 | 81.9 | 105.2 | 101.9 |
| 1991 | 30.2 | 11.0 | 3.9 | 1.1 | * | 0.8 | 9.8 | 40.6 | 70.1 | 90.6 | 81.0 |
| 1990 | 25.4 | 11.9 | 3.3 | 1.5 | * | * | 7.8 | 35.1 | 67.2 | 79.7 | 64.8 |
| 1989 | 22.5 | 10.9 | 3.0 | * | * | * | 8.4 | 33.5 | 60.5 | 71.0 | 57.9 |
| 1988 | 17.5 | 8.2 | 3.0 | 0.8 | * | * | 7.1 | 26.7 | 50.9 | 55.2 | 41.4 |
| 1987 | 13.8 | 9.5 | 2.4 | * | * | * | 6.2 | 21.6 | 42.0 | 43.7 | 31.4 |
| 1986 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1983 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1982 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1981 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1980 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1979 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Human immunodeficiency virus (HIV) disease (*042-*044) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 29.5 | * | * | * | * | * | 3.9 | 22.2 | 53.0 | 72.7 | 84.6 |
| 1997 | 36.6 | * | * | 1.2 | * | * | 5.7 | 30.4 | 72.1 | 93.1 | 106.6 |
| 1996 | 63.2 | * | 4.0 | 2.0 | * | * | 8.3 | 57.0 | 131.7 | 167.3 | 195.9 |
| 1995 | 80.2 | 6.7 | 4.4 | 2.4 | * | * | 12.5 | 78.5 | 170.6 | 227.4 | 248.1 |
| 1994 | 77.6 | 8.0 | 4.6 | 1.8 | * | * | 14.0 | 81.5 | 175.2 | 217.3 | 239.9 |
| 1993 | 66.7 | 9.0 | 5.2 | 1.6 | * | * | 13.8 | 78.4 | 150.5 | 192.4 | 207.0 |
| 1992 | 58.9 | 10.2 | 4.4 | 1.5 | * | * | 13.6 | 70.5 | 136.0 | 174.5 | 178.4 |
| 1991 | 50.2 | 9.9 | 3.7 | * | * | * | 13.4 | 64.3 | 114.5 | 158.2 | 144.8 |
| 1990 | 42.3 | 9.3 | 3.6 | 1.6 | * | * | 11.3 | 56.0 | 113.3 | 135.3 | 116.6 |
| 1989 | 38.4 | 8.6 | 3.5 | * | * | * | 13.1 | 55.7 | 100.4 | 125.2 | 106.2 |
| 1988 | 29.9 | 8.8 | 3.3 | * | * | * | 11.5 | 45.0 | 84.6 | 98.7 | 75.9 |
| 1987 | 23.8 | 7.3 | 2.4 | * | * | * | 10.2 | 36.7 | 70.9 | 79.8 | 59.2 |
| 1986 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1983 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1982 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1981 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1980 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1979 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Human immunodeficiency virus (HIV) disease (*042-*044) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 11.7 | * | * | * | * | * | 5.3 | 15.0 | 26.5 | 30.0 | 30.1 |
| 1997 | 13.3 | * | 1.8 | * | * | 1.3 | 5.7 | 15.2 | 29.0 | 35.3 | 34.4 |
| 1996 | 20.3 | * | 3.2 | 2.0 | * | * | 7.1 | 24.8 | 45.9 | 56.6 | 55.0 |
| 1995 | 24.0 | * | 5.0 | 2.5 | * | * | 11.4 | 34.7 | 56.0 | 60.5 | 63.3 |
| 1994 | 21.9 | 11.2 | 4.6 | 2.4 | * | 1.6 | 9.6 | 28.2 | 50.0 | 60.7 | 58.2 |
| 1993 | 17.5 | 10.9 | 4.7 | 2.3 | * | * | 7.8 | 25.5 | 40.9 | 50.9 | 43.2 |
| 1992 | 14.6 | 12.7 | 3.5 | * | * | * | 6.1 | 22.4 | 34.0 | 44.7 | 36.3 |
| 1991 | 12.1 | 12.1 | 4.1 | * | * | * | 6.3 | 19.1 | 31.1 | 31.9 | 26.2 |
| 1990 | 10.2 | 14.6 | 3.0 | 1.5 | * | * | 4.5 | 16.1 | 26.7 | 31.5 | 20.5 |
| 1989 | 8.3 | 13.3 | 2.5 | * | * | * | 3.9 | 13.4 | 25.6 | 24.3 | 16.7 |
| 1988 | 6.4 | 7.6 | 2.8 | * | * | * | 2.9 | 10.2 | 21.4 | 17.7 | 12.0 |
| 1987 | 4.8 | 11.7 | 2.5 | * | * | * | 2.4 | 8.1 | 16.6 | 12.8 | 7.9 |
| 1986 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1985 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1984 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1983 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1982 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1981 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1980 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1979 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malaria (084) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Malaria (084) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malaria (084) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Malaria (084) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malaria (084) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Malaria (084) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malaria (084) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Malaria (084) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malaria (084) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Malaria (084) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malaria (084) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Malaria (084) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 2.2 | 6.8 | 0.5 | 0.2 | 0.2 | 0.2 | 0.3 | 0.5 | 0.7 | 1.0 | 1.3 |
| 1997 | 2.2 | 6.5 | 0.6 | 0.2 | 0.2 | 0.3 | 0.3 | 0.6 | 0.8 | 1.1 | 1.4 |
| 1996 | 2.4 | 5.5 | 0.7 | 0.2 | 0.2 | 0.4 | 0.3 | 0.7 | 1.2 | 1.6 | 1.7 |
| 1995 | 2.4 | 6.3 | 0.7 | 0.4 | 0.3 | 0.3 | 0.4 | 0.8 | 1.5 | 1.8 | 1.8 |
| 1994 | 2.5 | 6.0 | 0.8 | 0.3 | 0.3 | 0.3 | 0.4 | 0.8 | 1.4 | 1.9 | 2.0 |
| 1993 | 2.5 | 6.3 | 0.8 | 0.3 | 0.3 | 0.4 | 0.5 | 1.0 | 1.5 | 1.9 | 1.8 |
| 1992 | 2.4 | 6.5 | 0.5 | 0.3 | 0.2 | 0.4 | 0.4 | 1.0 | 1.4 | 1.8 | 1.8 |
| 1991 | 2.5 | 7.5 | 0.6 | 0.3 | 0.2 | 0.2 | 0.4 | 0.9 | 1.6 | 1.8 | 1.9 |
| 1990 | 2.6 | 6.6 | 0.7 | 0.3 | 0.3 | 0.4 | 0.6 | 1.2 | 1.5 | 1.9 | 2.0 |
| 1989 | 2.7 | 7.0 | 0.7 | 0.3 | 0.2 | 0.3 | 0.6 | 1.1 | 1.7 | 1.9 | 2.1 |
| 1988 | 2.5 | 5.8 | 0.7 | 0.4 | 0.3 | 0.4 | 0.5 | 0.9 | 1.4 | 1.7 | 1.7 |
| 1987 | 2.3 | 6.0 | 0.7 | 0.3 | 0.3 | 0.3 | 0.5 | 0.8 | 1.3 | 1.5 | 1.5 |
| 1986 | 3.7 | 5.9 | 0.7 | 0.3 | 0.3 | 0.3 | 1.1 | 2.9 | 4.9 | 5.2 | 4.4 |
| 1985 | 2.9 | 6.0 | 0.6 | 0.3 | 0.2 | 0.4 | 0.7 | 1.9 | 3.0 | 3.7 | 3.1 |
| 1984 | 2.4 | 5.3 | 0.6 | 0.3 | 0.3 | 0.3 | 0.6 | 1.4 | 2.1 | 2.1 | 2.2 |
| 1983 | 1.9 | 5.5 | 0.6 | 0.3 | 0.3 | 0.4 | 0.4 | 0.8 | 1.1 | 1.2 | 1.2 |
| 1982 | 1.8 | 5.2 | 0.8 | 0.4 | 0.2 | 0.3 | 0.5 | 0.6 | 0.7 | 0.8 | 1.1 |
| 1981 | 1.7 | 4.9 | 0.7 | 0.4 | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 | 0.7 | 0.8 |
| 1980 | 1.6 | 6.3 | 0.7 | 0.3 | 0.2 | 0.4 | 0.4 | 0.4 | 0.5 | 0.6 | 0.8 |
| 1979 | 1.4 | 6.4 | 0.8 | 0.4 | 0.3 | 0.4 | 0.3 | 0.4 | 0.5 | 0.6 | 0.7 |
| Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 2.3 | 7.7 | 0.5 | 0.2 | * | 0.2 | 0.4 | 0.6 | 1.0 | 1.3 | 1.5 |
| 1997 | 2.4 | 7.1 | 0.7 | * | 0.3 | 0.3 | 0.3 | 0.6 | 0.9 | 1.5 | 1.8 |
| 1996 | 2.6 | 5.6 | 0.8 | 0.3 | 0.3 | 0.3 | 0.3 | 0.8 | 1.7 | 2.2 | 2.3 |
| 1995 | 2.7 | 7.2 | 0.7 | 0.3 | 0.3 | 0.3 | 0.5 | 1.0 | 2.1 | 2.7 | 2.6 |
| 1994 | 2.9 | 7.3 | 0.9 | 0.3 | 0.4 | 0.3 | 0.5 | 1.0 | 2.1 | 2.9 | 3.1 |
| 1993 | 2.9 | 6.8 | 0.8 | 0.3 | 0.3 | 0.4 | 0.6 | 1.2 | 2.2 | 2.9 | 2.7 |
| 1992 | 2.8 | 7.4 | 0.6 | 0.3 | * | 0.4 | 0.5 | 1.3 | 2.1 | 2.7 | 2.7 |
| 1991 | 3.0 | 8.3 | 0.7 | 0.2 | * | * | 0.5 | 1.2 | 2.2 | 2.9 | 3.0 |
| 1990 | 3.0 | 7.5 | 0.7 | 0.3 | 0.3 | 0.4 | 0.7 | 1.6 | 2.2 | 2.9 | 3.0 |
| 1989 | 3.1 | 7.6 | 0.8 | 0.3 | * | 0.3 | 0.7 | 1.5 | 2.4 | 2.9 | 3.0 |
| 1988 | 2.9 | 6.5 | 0.7 | 0.3 | 0.3 | 0.4 | 0.6 | 1.4 | 2.0 | 2.6 | 2.5 |
| 1987 | 2.6 | 6.9 | 0.8 | 0.3 | 0.3 | 0.4 | 0.7 | 1.0 | 1.9 | 2.2 | 2.1 |
| 1986 | 5.2 | 6.9 | 0.8 | 0.3 | 0.2 | 0.4 | 1.6 | 4.9 | 8.6 | 9.5 | 7.7 |
| 1985 | 3.9 | 6.3 | 0.7 | 0.4 | * | 0.3 | 1.2 | 3.0 | 5.3 | 6.5 | 5.4 |
| 1984 | 3.0 | 6.3 | 0.5 | 0.3 | 0.3 | 0.4 | 0.8 | 2.0 | 3.4 | 3.5 | 3.6 |
| 1983 | 2.2 | 6.5 | 0.6 | 0.3 | 0.3 | 0.4 | 0.5 | 1.2 | 1.5 | 1.8 | 1.8 |
| 1982 | 1.9 | 5.7 | 0.8 | 0.4 | * | 0.5 | 0.4 | 0.6 | 0.9 | 1.2 | 1.3 |
| 1981 | 1.8 | 5.3 | 0.8 | 0.4 | 0.3 | 0.3 | 0.4 | 0.6 | 0.5 | 0.8 | 0.9 |
| 1980 | 1.8 | 6.4 | 0.8 | 0.3 | 0.2 | 0.3 | 0.3 | 0.5 | 0.5 | 0.8 | 0.9 |
| 1979 | 1.6 | 6.4 | 0.9 | 0.4 | 0.4 | 0.4 | 0.3 | 0.5 | 0.5 | 0.7 | 0.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 2.1 | 5.9 | 0.5 | 0.2 | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.6 | 1.0 |
| 1997 | 2.1 | 5.7 | 0.5 | 0.2 | * | 0.4 | 0.4 | 0.5 | 0.7 | 0.8 | 1.0 |
| 1996 | 2.1 | 5.5 | 0.6 | * | * | 0.5 | 0.4 | 0.6 | 0.7 | 0.9 | 1.0 |
| 1995 | 2.1 | 5.2 | 0.6 | 0.5 | 0.3 | 0.3 | 0.4 | 0.6 | 0.9 | 1.0 | 1.0 |
| 1994 | 2.1 | 4.7 | 0.6 | 0.3 | 0.3 | 0.4 | 0.3 | 0.6 | 0.6 | 1.0 | 0.9 |
| 1993 | 2.1 | 5.7 | 0.8 | 0.4 | * | 0.4 | 0.5 | 0.7 | 0.8 | 0.8 | 1.0 |
| 1992 | 2.0 | 5.6 | 0.5 | 0.4 | 0.3 | 0.3 | 0.3 | 0.7 | 0.8 | 0.8 | 0.9 |
| 1991 | 2.0 | 6.7 | 0.6 | 0.3 | * | 0.3 | 0.3 | 0.6 | 0.9 | 0.8 | 0.9 |
| 1990 | 2.2 | 5.6 | 0.7 | 0.3 | 0.3 | 0.3 | 0.5 | 0.7 | 0.8 | 0.9 | 1.1 |
| 1989 | 2.2 | 6.4 | 0.6 | 0.2 | * | 0.4 | 0.4 | 0.7 | 1.0 | 0.9 | 1.2 |
| 1988 | 2.2 | 5.1 | 0.7 | 0.4 | * | 0.4 | 0.4 | 0.4 | 0.7 | 0.8 | 0.9 |
| 1987 | 2.0 | 5.1 | 0.7 | 0.3 | 0.3 | 0.3 | 0.3 | 0.6 | 0.7 | 0.9 | 1.0 |
| 1986 | 2.2 | 4.9 | 0.7 | 0.3 | 0.3 | 0.3 | 0.5 | 1.0 | 1.2 | 1.0 | 1.2 |
| 1985 | 2.0 | 5.7 | 0.6 | * | * | 0.4 | 0.3 | 0.8 | 0.8 | 1.0 | 0.9 |
| 1984 | 1.8 | 4.3 | 0.7 | 0.3 | 0.3 | 0.3 | 0.4 | 0.7 | 0.7 | 0.8 | 0.8 |
| 1983 | 1.6 | 4.4 | 0.5 | 0.4 | * | 0.3 | 0.4 | 0.4 | 0.7 | 0.6 | 0.7 |
| 1982 | 1.6 | 4.7 | 0.8 | 0.3 | 0.3 | 0.2 | 0.5 | 0.5 | 0.5 | 0.5 | 0.9 |
| 1981 | 1.5 | 4.6 | 0.6 | 0.3 | 0.2 | 0.4 | 0.4 | 0.5 | 0.4 | 0.7 | 0.6 |
| 1980 | 1.5 | 6.2 | 0.7 | 0.3 | * | 0.4 | 0.4 | 0.4 | 0.5 | 0.4 | 0.6 |
| 1979 | 1.3 | 6.3 | 0.7 | 0.4 | 0.3 | 0.3 | 0.4 | 0.3 | 0.5 | 0.5 | 0.6 |
| Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 2.2 | 5.7 | 0.5 | 0.2 | 0.2 | 0.2 | 0.3 | 0.4 | 0.6 | 0.7 | 1.0 |
| 1997 | 2.2 | 4.8 | 0.6 | 0.2 | 0.2 | 0.3 | 0.3 | 0.5 | 0.6 | 0.8 | 1.1 |
| 1996 | 2.3 | 4.3 | 0.6 | 0.2 | 0.2 | 0.4 | 0.2 | 0.6 | 1.0 | 1.3 | 1.3 |
| 1995 | 2.3 | 4.9 | 0.6 | 0.3 | 0.3 | 0.3 | 0.4 | 0.7 | 1.3 | 1.6 | 1.5 |
| 1994 | 2.4 | 5.0 | 0.7 | 0.3 | 0.3 | 0.3 | 0.3 | 0.6 | 1.1 | 1.6 | 1.7 |
| 1993 | 2.4 | 5.1 | 0.7 | 0.3 | 0.3 | 0.4 | 0.4 | 0.8 | 1.1 | 1.6 | 1.4 |
| 1992 | 2.3 | 4.5 | 0.5 | 0.4 | 0.2 | 0.4 | 0.3 | 0.8 | 1.2 | 1.5 | 1.5 |
| 1991 | 2.4 | 6.2 | 0.6 | 0.2 | 0.2 | 0.3 | 0.3 | 0.8 | 1.2 | 1.4 | 1.5 |
| 1990 | 2.5 | 5.4 | 0.6 | 0.3 | 0.3 | 0.4 | 0.5 | 1.0 | 1.2 | 1.5 | 1.7 |
| 1989 | 2.5 | 5.4 | 0.6 | 0.3 | * | 0.3 | 0.6 | 0.9 | 1.3 | 1.4 | 1.6 |
| 1988 | 2.4 | 4.9 | 0.7 | 0.3 | 0.3 | 0.4 | 0.4 | 0.8 | 1.1 | 1.4 | 1.4 |
| 1987 | 2.2 | 5.1 | 0.7 | 0.3 | 0.3 | 0.3 | 0.4 | 0.7 | 1.1 | 1.3 | 1.4 |
| 1986 | 3.5 | 4.6 | 0.7 | 0.3 | 0.3 | 0.3 | 0.9 | 2.5 | 4.2 | 4.5 | 3.9 |
| 1985 | 2.8 | 4.8 | 0.6 | 0.3 | 0.2 | 0.3 | 0.6 | 1.7 | 2.6 | 3.2 | 2.9 |
| 1984 | 2.3 | 4.3 | 0.5 | 0.3 | 0.3 | 0.3 | 0.5 | 1.2 | 1.7 | 1.8 | 1.8 |
| 1983 | 1.9 | 4.6 | 0.5 | 0.3 | 0.3 | 0.3 | 0.4 | 0.7 | 0.8 | 1.0 | 1.0 |
| 1982 | 1.7 | 4.2 | 0.8 | 0.3 | 0.2 | 0.3 | 0.4 | 0.5 | 0.6 | 0.7 | 0.9 |
| 1981 | 1.7 | 4.5 | 0.6 | 0.4 | 0.3 | 0.3 | 0.3 | 0.5 | 0.4 | 0.6 | 0.6 |
| 1980 | 1.6 | 5.6 | 0.7 | 0.3 | 0.2 | 0.4 | 0.3 | 0.4 | 0.5 | 0.5 | 0.6 |
| 1979 | 1.4 | 5.6 | 0.7 | 0.4 | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 | 0.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 2.3 | 6.4 | 0.5 | 0.3 | * | * | 0.3 | 0.4 | 0.7 | 1.1 | 1.2 |
| 1997 | 2.3 | 5.5 | 0.7 | * | * | * | * | 0.5 | 0.8 | 1.1 | 1.5 |
| 1996 | 2.4 | 4.6 | 0.7 | * | 0.3 | 0.3 | * | 0.7 | 1.4 | 1.8 | 1.8 |
| 1995 | 2.7 | 5.6 | 0.7 | 0.3 | 0.3 | * | 0.4 | 0.8 | 1.9 | 2.4 | 2.1 |
| 1994 | 2.7 | 6.1 | 0.8 | * | 0.4 | 0.3 | 0.4 | 0.7 | 1.8 | 2.6 | 2.7 |
| 1993 | 2.7 | 6.1 | 0.7 | 0.3 | 0.3 | 0.4 | 0.4 | 1.0 | 1.7 | 2.5 | 2.1 |
| 1992 | 2.6 | 5.4 | 0.6 | 0.3 | * | 0.4 | 0.3 | 1.1 | 1.9 | 2.3 | 2.2 |
| 1991 | 2.8 | 7.0 | 0.7 | * | * | * | 0.3 | 1.0 | 1.8 | 2.4 | 2.4 |
| 1990 | 2.9 | 6.4 | 0.6 | 0.3 | * | 0.4 | 0.6 | 1.3 | 1.8 | 2.4 | 2.6 |
| 1989 | 2.9 | 6.1 | 0.7 | 0.4 | * | 0.3 | 0.7 | 1.2 | 1.8 | 2.1 | 2.3 |
| 1988 | 2.7 | 5.7 | 0.8 | * | 0.4 | 0.4 | 0.5 | 1.2 | 1.7 | 2.1 | 2.0 |
| 1987 | 2.5 | 5.9 | 0.7 | * | * | 0.4 | 0.5 | 0.8 | 1.6 | 1.9 | 1.8 |
| 1986 | 4.9 | 5.4 | 0.7 | 0.4 | * | 0.4 | 1.5 | 4.3 | 7.6 | 8.4 | 6.9 |
| 1985 | 3.7 | 5.0 | 0.6 | 0.4 | * | 0.3 | 1.0 | 2.7 | 4.6 | 5.7 | 5.0 |
| 1984 | 2.8 | 5.2 | 0.5 | 0.3 | 0.3 | 0.4 | 0.7 | 1.7 | 2.9 | 3.1 | 3.1 |
| 1983 | 2.1 | 5.5 | 0.5 | 0.3 | 0.3 | 0.4 | 0.4 | 1.0 | 1.1 | 1.5 | 1.5 |
| 1982 | 1.9 | 4.6 | 0.7 | 0.4 | * | 0.4 | 0.4 | 0.4 | 0.7 | 1.0 | 1.0 |
| 1981 | 1.8 | 4.5 | 0.7 | 0.4 | 0.3 | 0.3 | 0.3 | 0.5 | 0.5 | 0.6 | 0.8 |
| 1980 | 1.7 | 5.4 | 0.8 | 0.4 | * | 0.4 | 0.3 | 0.4 | 0.5 | 0.7 | 0.8 |
| 1979 | 1.6 | 5.4 | 0.8 | 0.4 | 0.3 | 0.4 | 0.3 | 0.4 | 0.4 | 0.5 | 0.6 |
| Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 2.1 | 4.9 | 0.5 | * | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.8 |
| 1997 | 2.1 | 4.0 | 0.5 | 0.3 | * | 0.3 | 0.4 | 0.4 | 0.5 | 0.5 | 0.8 |
| 1996 | 2.1 | 4.0 | 0.5 | * | * | 0.5 | * | 0.5 | 0.6 | 0.7 | 0.9 |
| 1995 | 2.1 | 4.0 | 0.5 | 0.4 | 0.3 | 0.3 | 0.4 | 0.5 | 0.6 | 0.8 | 0.8 |
| 1994 | 2.1 | 3.7 | 0.6 | 0.3 | 0.3 | 0.4 | * | 0.5 | 0.4 | 0.6 | 0.7 |
| 1993 | 2.1 | 4.1 | 0.7 | 0.3 | * | 0.4 | 0.4 | 0.6 | 0.5 | 0.6 | 0.8 |
| 1992 | 2.0 | 3.6 | 0.4 | 0.4 | 0.3 | 0.4 | 0.3 | 0.6 | 0.6 | 0.6 | 0.8 |
| 1991 | 2.0 | 5.4 | 0.5 | * | * | 0.3 | 0.3 | 0.5 | 0.6 | 0.5 | 0.7 |
| 1990 | 2.1 | 4.5 | 0.5 | * | 0.3 | 0.3 | 0.4 | 0.7 | 0.6 | 0.6 | 0.9 |
| 1989 | 2.2 | 4.6 | 0.5 | * | * | 0.3 | 0.4 | 0.5 | 0.7 | 0.6 | 1.0 |
| 1988 | 2.2 | 4.1 | 0.6 | 0.4 | * | 0.4 | 0.3 | 0.3 | 0.6 | 0.7 | 0.7 |
| 1987 | 1.9 | 4.2 | 0.7 | 0.4 | 0.3 | 0.3 | 0.3 | 0.5 | 0.6 | 0.6 | 0.9 |
| 1986 | 2.1 | 3.8 | 0.6 | * | * | 0.3 | 0.4 | 0.7 | 0.8 | 0.7 | 0.9 |
| 1985 | 1.9 | 4.6 | 0.6 | * | * | 0.3 | 0.3 | 0.7 | 0.6 | 0.7 | 0.8 |
| 1984 | 1.8 | 3.4 | 0.6 | * | 0.3 | 0.3 | 0.3 | 0.6 | 0.5 | 0.6 | 0.7 |
| 1983 | 1.6 | 3.6 | 0.5 | 0.4 | * | * | 0.3 | 0.4 | 0.5 | 0.5 | 0.6 |
| 1982 | 1.6 | 3.8 | 0.9 | * | 0.3 | * | 0.5 | 0.5 | 0.4 | 0.5 | 0.9 |
| 1981 | 1.5 | 4.4 | 0.5 | 0.4 | * | 0.4 | 0.3 | 0.4 | 0.4 | 0.6 | 0.5 |
| 1980 | 1.5 | 5.7 | 0.5 | 0.3 | * | 0.3 | 0.3 | 0.4 | 0.4 | 0.3 | 0.5 |
| 1979 | 1.3 | 5.8 | 0.6 | 0.5 | 0.3 | 0.2 | 0.4 | 0.3 | 0.5 | 0.4 | 0.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 2.3 | 11.2 | * | * | * | * | * | 0.9 | 1.5 | 2.0 | 2.5 |
| 1997 | 2.5 | 12.7 | 0.6 | * | * | 0.6 | * | 1.0 | 1.5 | 2.7 | 2.7 |
| 1996 | 2.7 | 10.2 | 1.0 | * | * | * | 0.6 | 1.0 | 2.1 | 3.0 | 3.4 |
| 1995 | 2.6 | 11.5 | 0.8 | * | * | * | 0.8 | 1.4 | 2.7 | 3.1 | 3.4 |
| 1994 | 2.8 | 10.1 | 1.1 | * | * | * | 0.7 | 1.6 | 2.6 | 3.6 | 3.4 |
| 1993 | 2.9 | 10.5 | 1.0 | * | * | * | 0.9 | 1.6 | 3.2 | 3.2 | 3.6 |
| 1992 | 2.9 | 13.9 | 0.7 | * | * | * | 0.7 | 2.0 | 2.5 | 3.1 | 3.5 |
| 1991 | 3.0 | 12.5 | 0.8 | * | * | * | 0.8 | 1.6 | 3.2 | 3.8 | 4.1 |
| 1990 | 3.2 | 11.0 | 1.0 | * | * | * | 1.1 | 1.9 | 3.0 | 4.0 | 3.7 |
| 1989 | 3.3 | 13.2 | 1.1 | * | * | * | 0.7 | 2.0 | 3.7 | 4.7 | 4.9 |
| 1988 | 2.9 | 9.3 | 0.9 | * | * | * | 1.0 | 1.6 | 2.6 | 3.4 | 3.6 |
| 1987 | 2.7 | 10.0 | 0.9 | * | * | * | 0.8 | 1.3 | 2.4 | 3.0 | 2.7 |
| 1986 | 4.6 | 11.4 | 1.0 | * | * | * | 1.6 | 5.1 | 8.5 | 9.1 | 7.5 |
| 1985 | 3.6 | 11.4 | 0.9 | * | * | * | 1.3 | 3.2 | 5.5 | 6.7 | 4.4 |
| 1984 | 2.9 | 9.8 | 0.8 | * | * | * | 1.0 | 2.4 | 4.1 | 4.0 | 4.2 |
| 1983 | 2.2 | 9.5 | 0.9 | * | * | * | 0.6 | 1.3 | 2.4 | 2.1 | 2.6 |
| 1982 | 1.9 | 9.9 | 0.9 | * | * | * | * | 1.0 | 1.3 | 1.5 | 1.9 |
| 1981 | 1.7 | 7.1 | * | * | * | * | 0.6 | 1.0 | * | 1.4 | 1.7 |
| 1980 | 1.9 | 9.6 | 1.1 | * | * | * | * | 0.8 | * | * | 1.7 |
| 1979 | 1.6 | 9.8 | 1.2 | * | * | * | * | * | * | 1.5 | 1.7 |

Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)

| | | | | | | | | | | | |
|-----------------|-----|------|-----|---|---|---|-----|-----|------|------|------|
| All other, male | | | | | | | | | | | |
| 1998 | 2.5 | 12.6 | * | * | * | * | * | 1.2 | 2.0 | 2.4 | 2.9 |
| 1997 | 2.8 | 13.3 | * | * | * | * | * | 1.1 | 1.8 | 3.6 | 3.4 |
| 1996 | 3.3 | 9.4 | 1.3 | * | * | * | * | 1.2 | 3.0 | 4.4 | 5.4 |
| 1995 | 3.1 | 13.2 | * | * | * | * | * | 1.8 | 3.6 | 4.3 | 5.3 |
| 1994 | 3.5 | 11.9 | 1.4 | * | * | * | * | 2.2 | 3.7 | 4.7 | 5.2 |
| 1993 | 3.7 | 9.5 | * | * | * | * | 1.2 | 2.1 | 4.6 | 4.9 | 5.7 |
| 1992 | 3.6 | 14.9 | * | * | * | * | * | 2.7 | 3.1 | 5.0 | 5.6 |
| 1991 | 3.9 | 13.0 | * | * | * | * | * | 2.3 | 4.2 | 5.8 | 6.5 |
| 1990 | 4.0 | 12.1 | * | * | * | * | 1.3 | 2.9 | 4.5 | 5.8 | 5.1 |
| 1989 | 4.2 | 13.1 | * | * | * | * | * | 2.7 | 5.3 | 7.2 | 7.8 |
| 1988 | 3.6 | 9.8 | * | * | * | * | * | 2.5 | 3.8 | 5.4 | 6.0 |
| 1987 | 3.3 | 11.2 | * | * | * | * | 1.3 | 1.6 | 3.3 | 3.7 | 3.7 |
| 1986 | 7.0 | 13.2 | * | * | * | * | 2.4 | 8.4 | 14.4 | 16.4 | 13.0 |
| 1985 | 5.1 | 12.1 | * | * | * | * | 2.2 | 5.1 | 9.6 | 11.6 | 7.9 |
| 1984 | 4.0 | 11.3 | * | * | * | * | 1.3 | 3.7 | 6.7 | 6.7 | 7.0 |
| 1983 | 2.9 | 10.9 | * | * | * | * | * | 2.1 | 3.7 | 3.5 | 4.4 |
| 1982 | 2.5 | 11.0 | * | * | * | * | * | * | 1.7 | 2.7 | 3.0 |
| 1981 | 2.0 | 8.8 | * | * | * | * | * | * | * | * | * |
| 1980 | 2.1 | 10.6 | * | * | * | * | * | * | * | * | * |
| 1979 | 1.8 | 10.9 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

Cause of death, race, sex and year All ages Under 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)

All other, female

| | | | | | | | | | | | |
|------|-----|------|---|---|---|---|---|-----|-----|-----|-----|
| 1998 | 2.0 | 9.7 | * | * | * | * | * | * | 1.1 | 1.6 | 2.2 |
| 1997 | 2.2 | 12.2 | * | * | * | * | * | * | 1.2 | 1.9 | 2.1 |
| 1996 | 2.2 | 11.0 | * | * | * | * | * | * | 1.2 | 1.9 | 1.7 |
| 1995 | 2.2 | 9.7 | * | * | * | * | * | * | 2.0 | 1.9 | 1.8 |
| 1994 | 2.2 | 8.2 | * | * | * | * | * | 1.0 | 1.6 | 2.6 | 1.9 |
| 1993 | 2.3 | 11.5 | * | * | * | * | * | 1.0 | 2.0 | 1.8 | 1.9 |
| 1992 | 2.3 | 12.9 | * | * | * | * | * | 1.4 | 1.9 | 1.4 | 1.6 |
| 1991 | 2.2 | 11.9 | * | * | * | * | * | 1.0 | 2.3 | 2.1 | 2.0 |
| 1990 | 2.5 | 9.9 | * | * | * | * | * | * | 1.7 | 2.5 | 2.5 |
| 1989 | 2.5 | 13.2 | * | * | * | * | * | 1.4 | 2.3 | 2.5 | 2.4 |
| 1988 | 2.2 | 8.9 | * | * | * | * | * | * | 1.6 | 1.7 | * |
| 1987 | 2.2 | 8.7 | * | * | * | * | * | * | 1.6 | 2.4 | 1.8 |
| 1986 | 2.5 | 9.5 | * | * | * | * | * | 2.1 | 3.3 | 2.8 | 2.8 |
| 1985 | 2.2 | 10.6 | * | * | * | * | * | 1.6 | 1.9 | 2.5 | * |
| 1984 | 1.9 | 8.2 | * | * | * | * | * | 1.2 | 1.8 | 1.7 | * |
| 1983 | 1.6 | 8.1 | * | * | * | * | * | * | 1.3 | * | * |
| 1982 | 1.5 | 8.8 | * | * | * | * | * | * | * | * | * |
| 1981 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.6 | 8.6 | * | * | * | * | * | * | * | * | * |
| 1979 | 1.4 | 8.8 | * | * | * | * | * | * | * | * | * |

Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)

Black, both sexes

| | | | | | | | | | | | |
|------|-----|------|-----|---|---|---|-----|-----|------|------|-----|
| 1998 | 2.6 | 13.2 | * | * | * | * | * | 1.2 | 2.0 | 2.6 | 3.1 |
| 1997 | 2.9 | 15.3 | * | * | * | * | * | 1.3 | 2.0 | 3.3 | 3.3 |
| 1996 | 3.1 | 11.9 | 1.0 | * | * | * | * | 1.3 | 2.8 | 3.9 | 4.2 |
| 1995 | 3.1 | 14.0 | 0.9 | * | * | * | 1.0 | 1.9 | 3.5 | 3.6 | 4.3 |
| 1994 | 3.2 | 12.2 | 1.2 | * | * | * | 0.8 | 2.0 | 3.4 | 4.5 | 4.3 |
| 1993 | 3.4 | 12.3 | 1.2 | * | * | * | 1.0 | 1.9 | 3.8 | 4.1 | 4.9 |
| 1992 | 3.4 | 16.3 | * | * | * | * | 0.8 | 2.5 | 3.1 | 4.0 | 4.3 |
| 1991 | 3.5 | 14.9 | * | * | * | * | 1.0 | 2.0 | 4.1 | 4.9 | 5.4 |
| 1990 | 3.7 | 12.5 | 1.1 | * | * | * | 1.3 | 2.3 | 4.0 | 5.3 | 4.7 |
| 1989 | 3.8 | 14.1 | 1.2 | * | * | * | 0.9 | 2.4 | 4.8 | 6.0 | 6.1 |
| 1988 | 3.3 | 11.1 | 0.9 | * | * | * | 1.1 | 1.9 | 3.2 | 4.4 | 4.5 |
| 1987 | 3.1 | 11.6 | 1.0 | * | * | * | 1.0 | 1.5 | 3.0 | 3.7 | 3.3 |
| 1986 | 5.4 | 12.3 | 1.1 | * | * | * | 1.9 | 6.3 | 10.9 | 11.5 | 9.7 |
| 1985 | 4.0 | 13.0 | * | * | * | * | 1.6 | 4.0 | 6.9 | 8.3 | 5.5 |
| 1984 | 3.2 | 11.1 | * | * | * | * | 1.1 | 2.8 | 5.1 | 5.1 | 4.8 |
| 1983 | 2.4 | 10.0 | * | * | * | * | * | 1.6 | 3.1 | 2.6 | 3.2 |
| 1982 | 2.1 | 10.7 | * | * | * | * | * | 1.2 | 1.7 | 1.8 | 2.3 |
| 1981 | 1.8 | 7.1 | * | * | * | * | * | 1.1 | * | 1.6 | 1.9 |
| 1980 | 2.0 | 10.5 | 1.1 | * | * | * | * | * | * | * | 2.0 |
| 1979 | 1.6 | 10.1 | * | * | * | * | * | * | * | 1.7 | 1.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 3.0 | 14.3 | * | * | * | * | * | 1.5 | 2.6 | 3.2 | 3.6 |
| 1997 | 3.2 | 16.6 | * | * | * | * | * | * | 2.4 | 4.7 | 3.9 |
| 1996 | 3.8 | 11.1 | * | * | * | * | * | * | 4.1 | 5.7 | 6.8 |
| 1995 | 3.7 | 15.6 | * | * | * | * | * | 2.5 | 4.5 | 5.1 | 6.8 |
| 1994 | 4.1 | 15.1 | * | * | * | * | * | 2.8 | 4.9 | 6.1 | 6.7 |
| 1993 | 4.2 | 11.2 | * | * | * | * | * | 2.6 | 5.3 | 6.3 | 7.5 |
| 1992 | 4.2 | 17.1 | * | * | * | * | * | 3.4 | 3.8 | 6.5 | 7.2 |
| 1991 | 4.6 | 14.9 | * | * | * | * | * | 2.9 | 5.5 | 7.7 | 8.7 |
| 1990 | 4.6 | 13.6 | * | * | * | * | 1.6 | 3.8 | 6.1 | 7.7 | 6.7 |
| 1989 | 4.9 | 13.7 | * | * | * | * | * | 3.3 | 6.9 | 9.1 | 10.0 |
| 1988 | 4.2 | 11.8 | * | * | * | * | * | 3.2 | 4.7 | 7.1 | 7.8 |
| 1987 | 3.8 | 12.2 | * | * | * | * | 1.5 | 2.1 | 4.2 | 4.8 | 4.4 |
| 1986 | 8.2 | 14.3 | * | * | * | * | 2.9 | 10.4 | 18.7 | 21.0 | 16.9 |
| 1985 | 5.9 | 13.0 | * | * | * | * | 2.6 | 6.1 | 12.2 | 14.6 | 10.0 |
| 1984 | 4.4 | 13.1 | * | * | * | * | 1.4 | 4.1 | 8.6 | 8.6 | 8.1 |
| 1983 | 3.1 | 11.4 | * | * | * | * | * | 2.6 | 4.8 | 4.5 | 5.5 |
| 1982 | 2.6 | 12.5 | * | * | * | * | * | * | 2.1 | 3.2 | 3.6 |
| 1981 | 2.0 | 8.9 | * | * | * | * | * | * | * | * | * |
| 1980 | 2.2 | 11.5 | * | * | * | * | * | * | * | * | * |
| 1979 | 1.8 | 11.5 | * | * | * | * | * | * | * | * | * |

Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)

| | | | | | | | | | | | |
|---------------|-----|------|---|---|---|---|---|-----|-----|-----|-----|
| Black, female | | | | | | | | | | | |
| 1998 | 2.3 | 12.0 | * | * | * | * | * | * | 1.4 | 2.1 | 2.7 |
| 1997 | 2.5 | 13.9 | * | * | * | * | * | * | 1.7 | 2.1 | 2.8 |
| 1996 | 2.5 | 12.7 | * | * | * | * | * | * | 1.6 | 2.2 | 2.0 |
| 1995 | 2.5 | 12.2 | * | * | * | * | * | * | 2.6 | 2.3 | 2.1 |
| 1994 | 2.5 | 9.2 | * | * | * | * | * | * | 2.0 | 3.1 | 2.3 |
| 1993 | 2.6 | 13.5 | * | * | * | * | * | * | 2.4 | 2.1 | 2.6 |
| 1992 | 2.6 | 15.6 | * | * | * | * | * | 1.7 | 2.5 | 1.8 | 1.9 |
| 1991 | 2.5 | 14.9 | * | * | * | * | * | * | 2.9 | 2.6 | 2.6 |
| 1990 | 2.9 | 11.4 | * | * | * | * | * | * | 2.2 | 3.2 | 3.0 |
| 1989 | 2.9 | 14.6 | * | * | * | * | * | 1.6 | 2.9 | 3.3 | 2.7 |
| 1988 | 2.4 | 10.3 | * | * | * | * | * | * | 1.9 | 2.0 | * |
| 1987 | 2.4 | 11.0 | * | * | * | * | * | * | 2.0 | 2.8 | 2.3 |
| 1986 | 2.8 | 10.2 | * | * | * | * | * | 2.5 | 4.1 | 3.3 | 3.6 |
| 1985 | 2.4 | 12.9 | * | * | * | * | * | 2.0 | 2.3 | 2.9 | * |
| 1984 | 2.1 | 9.1 | * | * | * | * | * | 1.6 | 2.0 | 2.3 | * |
| 1983 | 1.8 | 8.6 | * | * | * | * | * | * | 1.7 | * | * |
| 1982 | 1.6 | 8.9 | * | * | * | * | * | * | * | * | * |
| 1981 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.7 | 9.4 | * | * | * | * | * | * | * | * | * |
| 1979 | 1.4 | 8.6 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms (140-208) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 196.3 | 2.1 | 2.4 | 2.4 | 2.7 | 3.6 | 5.4 | 7.5 | 13.9 | 26.0 | 50.7 |
| 1997 | 197.9 | 2.4 | 2.8 | 2.7 | 2.5 | 3.6 | 5.3 | 8.1 | 13.9 | 26.5 | 51.7 |
| 1996 | 200.3 | 2.3 | 2.7 | 2.6 | 2.6 | 3.6 | 5.3 | 8.1 | 14.7 | 27.0 | 52.5 |
| 1995 | 202.2 | 1.8 | 3.1 | 2.7 | 2.6 | 3.8 | 5.2 | 8.1 | 14.7 | 28.1 | 53.4 |
| 1994 | 203.1 | 1.5 | 3.2 | 2.9 | 2.7 | 4.1 | 5.4 | 8.5 | 15.0 | 28.1 | 54.0 |
| 1993 | 203.9 | 2.3 | 3.3 | 3.1 | 2.7 | 4.1 | 5.4 | 8.4 | 15.0 | 28.3 | 55.3 |
| 1992 | 202.9 | 2.4 | 3.1 | 3.0 | 3.0 | 4.3 | 5.6 | 8.7 | 15.7 | 29.7 | 56.4 |
| 1991 | 203.4 | 1.9 | 3.5 | 3.2 | 3.0 | 4.3 | 5.6 | 8.6 | 15.7 | 30.2 | 57.0 |
| 1990 | 203.2 | 2.3 | 3.5 | 3.2 | 3.1 | 4.2 | 5.5 | 8.9 | 16.2 | 30.3 | 58.1 |
| 1989 | 201.0 | 2.8 | 3.5 | 3.5 | 3.2 | 4.2 | 5.7 | 8.7 | 15.9 | 30.2 | 58.1 |
| 1988 | 198.4 | 2.4 | 3.8 | 3.3 | 3.1 | 4.4 | 5.5 | 8.4 | 15.8 | 31.3 | 59.6 |
| 1987 | 196.8 | 2.7 | 3.8 | 3.7 | 3.1 | 4.3 | 5.6 | 9.0 | 16.3 | 31.2 | 58.5 |
| 1986 | 195.5 | 2.6 | 4.0 | 3.6 | 3.3 | 4.5 | 6.1 | 9.7 | 17.0 | 31.6 | 63.2 |
| 1985 | 194.0 | 3.1 | 3.8 | 3.6 | 3.4 | 4.6 | 6.0 | 9.4 | 17.2 | 32.1 | 63.1 |
| 1984 | 192.3 | 3.2 | 4.0 | 3.6 | 3.5 | 4.8 | 6.0 | 9.4 | 17.1 | 32.6 | 64.2 |
| 1983 | 189.5 | 3.6 | 4.7 | 4.1 | 3.7 | 5.0 | 6.2 | 9.4 | 16.6 | 32.0 | 62.7 |
| 1982 | 187.3 | 3.7 | 4.6 | 4.6 | 3.7 | 5.2 | 6.5 | 9.4 | 17.3 | 32.5 | 63.6 |
| 1981 | 183.9 | 2.5 | 4.9 | 4.5 | 3.7 | 5.1 | 6.2 | 9.7 | 16.5 | 32.6 | 64.9 |
| 1980 | 183.9 | 3.2 | 4.5 | 4.7 | 3.9 | 5.4 | 7.2 | 10.5 | 17.3 | 33.5 | 66.7 |
| 1979 | 179.6 | 3.4 | 4.6 | 4.7 | 4.1 | 5.3 | 6.8 | 10.0 | 17.0 | 33.0 | 66.4 |
| Malignant neoplasms (140-208) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 208.7 | 2.2 | 2.4 | 2.7 | 3.0 | 4.3 | 6.3 | 7.8 | 12.5 | 22.2 | 46.8 |
| 1997 | 210.6 | 2.3 | 3.0 | 2.8 | 2.7 | 4.1 | 6.3 | 8.6 | 13.2 | 22.9 | 46.9 |
| 1996 | 213.9 | 2.2 | 3.1 | 3.0 | 2.8 | 4.1 | 6.1 | 8.1 | 13.6 | 24.2 | 48.2 |
| 1995 | 216.3 | 1.9 | 3.6 | 3.0 | 2.9 | 4.5 | 6.2 | 8.4 | 13.8 | 24.3 | 49.7 |
| 1994 | 218.1 | 1.4 | 3.5 | 3.1 | 3.1 | 4.7 | 6.6 | 9.0 | 14.3 | 24.8 | 49.8 |
| 1993 | 220.0 | 2.8 | 3.7 | 3.4 | 3.1 | 4.7 | 6.1 | 8.5 | 14.4 | 26.0 | 51.5 |
| 1992 | 219.4 | 2.6 | 3.1 | 3.4 | 3.4 | 5.2 | 6.4 | 8.5 | 15.0 | 26.1 | 51.5 |
| 1991 | 220.7 | 2.1 | 3.7 | 3.5 | 3.5 | 5.0 | 6.5 | 9.4 | 14.6 | 27.0 | 51.7 |
| 1990 | 221.3 | 2.4 | 3.7 | 3.5 | 3.4 | 4.8 | 6.5 | 9.6 | 15.5 | 26.7 | 51.9 |
| 1989 | 218.9 | 2.5 | 3.7 | 3.7 | 3.6 | 4.8 | 6.4 | 9.3 | 14.7 | 26.9 | 51.9 |
| 1988 | 216.7 | 2.4 | 3.8 | 3.9 | 3.5 | 5.1 | 6.3 | 9.0 | 14.8 | 26.9 | 55.0 |
| 1987 | 215.9 | 2.7 | 4.1 | 4.3 | 3.4 | 5.0 | 6.7 | 9.4 | 15.1 | 27.1 | 53.7 |
| 1986 | 214.4 | 2.8 | 4.4 | 4.1 | 3.6 | 5.4 | 7.5 | 10.7 | 16.6 | 28.0 | 57.6 |
| 1985 | 213.4 | 3.0 | 4.3 | 4.1 | 3.8 | 5.6 | 7.1 | 10.3 | 16.3 | 28.9 | 59.3 |
| 1984 | 211.7 | 3.3 | 4.3 | 4.2 | 3.9 | 5.8 | 7.3 | 9.9 | 16.3 | 28.1 | 58.6 |
| 1983 | 209.8 | 3.7 | 5.2 | 4.5 | 4.2 | 5.9 | 7.1 | 10.2 | 15.6 | 28.2 | 57.4 |
| 1982 | 207.7 | 3.6 | 5.0 | 5.5 | 4.1 | 6.2 | 7.4 | 10.0 | 16.2 | 29.0 | 58.3 |
| 1981 | 204.4 | 2.8 | 5.4 | 5.0 | 4.1 | 6.0 | 7.5 | 10.5 | 14.9 | 28.6 | 60.5 |
| 1980 | 205.3 | 3.7 | 5.2 | 5.5 | 4.4 | 6.3 | 9.2 | 11.3 | 15.8 | 29.3 | 61.6 |
| 1979 | 201.6 | 3.8 | 4.9 | 5.3 | 4.7 | 6.6 | 8.3 | 11.1 | 15.5 | 28.8 | 61.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms (140-208) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 184.4 | 1.9 | 2.3 | 2.1 | 2.3 | 2.9 | 4.4 | 7.2 | 15.2 | 29.8 | 54.5 |
| 1997 | 185.7 | 2.5 | 2.6 | 2.6 | 2.2 | 3.1 | 4.2 | 7.7 | 14.7 | 30.2 | 56.4 |
| 1996 | 187.3 | 2.4 | 2.3 | 2.3 | 2.4 | 3.1 | 4.4 | 8.1 | 15.9 | 29.8 | 56.7 |
| 1995 | 188.8 | 1.8 | 2.6 | 2.4 | 2.3 | 2.9 | 4.1 | 7.7 | 15.5 | 31.8 | 57.0 |
| 1994 | 188.7 | 1.7 | 3.0 | 2.6 | 2.3 | 3.4 | 4.2 | 7.9 | 15.7 | 31.2 | 58.1 |
| 1993 | 188.4 | 1.7 | 2.9 | 2.8 | 2.3 | 3.5 | 4.6 | 8.3 | 15.6 | 30.6 | 59.0 |
| 1992 | 187.2 | 2.2 | 3.0 | 2.7 | 2.6 | 3.3 | 4.7 | 8.8 | 16.3 | 33.2 | 61.2 |
| 1991 | 187.0 | 1.7 | 3.2 | 2.8 | 2.4 | 3.5 | 4.6 | 7.9 | 16.9 | 33.4 | 62.1 |
| 1990 | 186.0 | 2.2 | 3.2 | 2.8 | 2.7 | 3.7 | 4.5 | 8.2 | 16.8 | 33.8 | 64.1 |
| 1989 | 184.0 | 3.0 | 3.2 | 3.3 | 2.7 | 3.6 | 4.9 | 8.1 | 17.0 | 33.5 | 64.2 |
| 1988 | 181.0 | 2.3 | 3.7 | 2.7 | 2.7 | 3.6 | 4.7 | 7.8 | 16.8 | 35.5 | 64.0 |
| 1987 | 178.8 | 2.8 | 3.5 | 3.0 | 2.7 | 3.6 | 4.4 | 8.5 | 17.4 | 35.2 | 63.1 |
| 1986 | 177.5 | 2.4 | 3.5 | 3.2 | 3.0 | 3.6 | 4.7 | 8.7 | 17.3 | 35.2 | 68.7 |
| 1985 | 175.7 | 3.2 | 3.4 | 3.2 | 3.0 | 3.6 | 5.0 | 8.5 | 18.2 | 35.2 | 66.7 |
| 1984 | 173.9 | 3.1 | 3.7 | 3.0 | 3.1 | 3.8 | 4.6 | 8.9 | 17.9 | 36.9 | 69.5 |
| 1983 | 170.3 | 3.5 | 4.2 | 3.8 | 3.1 | 4.0 | 5.2 | 8.6 | 17.6 | 35.8 | 67.9 |
| 1982 | 167.9 | 3.8 | 4.3 | 3.7 | 3.3 | 4.3 | 5.6 | 8.7 | 18.4 | 35.9 | 68.7 |
| 1981 | 164.6 | 2.3 | 4.4 | 3.9 | 3.3 | 4.1 | 4.8 | 8.9 | 18.1 | 36.4 | 69.2 |
| 1980 | 163.6 | 2.7 | 3.7 | 3.8 | 3.4 | 4.5 | 5.2 | 9.6 | 18.8 | 37.6 | 71.6 |
| 1979 | 158.9 | 2.9 | 4.2 | 4.0 | 3.5 | 4.1 | 5.4 | 8.9 | 18.4 | 37.1 | 71.5 |
| Malignant neoplasms (140-208) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 207.4 | 2.3 | 2.4 | 2.4 | 2.7 | 3.8 | 5.4 | 7.2 | 13.4 | 24.4 | 47.9 |
| 1997 | 208.6 | 2.3 | 2.8 | 2.8 | 2.5 | 3.6 | 5.2 | 7.8 | 13.5 | 24.8 | 48.7 |
| 1996 | 211.0 | 2.6 | 2.8 | 2.7 | 2.6 | 3.6 | 5.1 | 8.1 | 14.2 | 25.4 | 49.5 |
| 1995 | 212.8 | 1.8 | 3.1 | 2.7 | 2.5 | 3.7 | 5.1 | 7.9 | 13.9 | 26.8 | 50.3 |
| 1994 | 213.4 | 1.6 | 3.3 | 2.9 | 2.7 | 4.1 | 5.6 | 8.3 | 14.3 | 26.8 | 50.5 |
| 1993 | 213.7 | 2.2 | 3.4 | 3.2 | 2.8 | 4.1 | 5.2 | 8.1 | 14.5 | 26.9 | 52.1 |
| 1992 | 212.5 | 2.6 | 3.2 | 3.1 | 3.1 | 4.4 | 5.6 | 8.4 | 15.1 | 28.0 | 52.7 |
| 1991 | 212.4 | 1.8 | 3.4 | 3.3 | 3.1 | 4.3 | 5.6 | 8.6 | 15.2 | 28.4 | 53.4 |
| 1990 | 211.6 | 2.2 | 3.5 | 3.2 | 3.2 | 4.2 | 5.5 | 8.7 | 15.4 | 28.5 | 54.8 |
| 1989 | 209.2 | 3.0 | 3.5 | 3.6 | 3.2 | 4.2 | 5.5 | 8.6 | 15.3 | 28.5 | 55.0 |
| 1988 | 206.2 | 2.3 | 3.8 | 3.3 | 3.1 | 4.4 | 5.4 | 8.2 | 15.2 | 29.3 | 56.5 |
| 1987 | 204.4 | 2.9 | 3.9 | 3.8 | 3.1 | 4.2 | 5.5 | 8.8 | 15.8 | 29.6 | 54.8 |
| 1986 | 202.7 | 2.7 | 4.1 | 3.7 | 3.3 | 4.6 | 6.2 | 9.5 | 16.6 | 29.8 | 59.5 |
| 1985 | 200.8 | 3.1 | 4.0 | 3.8 | 3.4 | 4.7 | 6.0 | 9.4 | 16.8 | 30.8 | 59.5 |
| 1984 | 198.6 | 2.9 | 4.1 | 3.7 | 3.5 | 4.9 | 6.0 | 9.2 | 16.6 | 31.1 | 60.0 |
| 1983 | 195.6 | 3.5 | 4.9 | 4.2 | 3.6 | 5.2 | 6.0 | 9.4 | 15.9 | 30.7 | 59.0 |
| 1982 | 193.2 | 3.4 | 4.8 | 4.8 | 3.7 | 5.2 | 6.5 | 9.2 | 16.9 | 31.2 | 60.3 |
| 1981 | 189.5 | 2.5 | 5.1 | 4.5 | 3.7 | 5.1 | 6.2 | 9.6 | 16.1 | 31.0 | 60.4 |
| 1980 | 189.0 | 3.1 | 4.5 | 5.0 | 4.0 | 5.4 | 7.1 | 10.4 | 17.0 | 32.3 | 62.5 |
| 1979 | 184.4 | 3.4 | 4.7 | 4.9 | 4.2 | 5.4 | 6.8 | 9.9 | 16.5 | 31.3 | 62.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms (140-208) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 218.7 | 2.4 | 2.4 | 2.7 | 3.0 | 4.5 | 6.5 | 7.6 | 12.3 | 21.1 | 44.5 |
| 1997 | 220.1 | 2.1 | 3.0 | 2.9 | 2.7 | 4.2 | 6.1 | 8.2 | 13.0 | 21.3 | 44.0 |
| 1996 | 223.1 | 2.3 | 3.3 | 3.1 | 2.9 | 4.1 | 6.0 | 8.2 | 13.3 | 23.0 | 45.1 |
| 1995 | 225.3 | 1.9 | 3.7 | 3.2 | 2.8 | 4.5 | 6.2 | 8.3 | 13.3 | 23.2 | 46.2 |
| 1994 | 226.7 | 1.5 | 3.7 | 3.1 | 3.1 | 4.8 | 6.8 | 9.0 | 13.6 | 24.0 | 46.0 |
| 1993 | 228.1 | 2.7 | 3.9 | 3.5 | 3.2 | 4.7 | 6.0 | 8.4 | 14.0 | 24.9 | 48.1 |
| 1992 | 227.4 | 2.7 | 3.3 | 3.4 | 3.6 | 5.2 | 6.5 | 8.5 | 14.7 | 24.8 | 47.5 |
| 1991 | 228.1 | 1.8 | 3.6 | 3.6 | 3.7 | 5.1 | 6.7 | 9.4 | 14.3 | 25.6 | 47.9 |
| 1990 | 227.7 | 2.2 | 3.7 | 3.5 | 3.5 | 4.9 | 6.4 | 9.5 | 15.1 | 24.7 | 48.2 |
| 1989 | 224.9 | 2.9 | 3.9 | 3.7 | 3.7 | 4.7 | 6.3 | 9.2 | 14.1 | 25.5 | 47.7 |
| 1988 | 222.8 | 2.4 | 4.0 | 3.9 | 3.6 | 5.2 | 6.3 | 8.9 | 14.6 | 25.1 | 51.2 |
| 1987 | 221.6 | 2.8 | 4.1 | 4.5 | 3.6 | 4.8 | 6.8 | 9.4 | 14.8 | 26.0 | 49.9 |
| 1986 | 219.8 | 3.1 | 4.7 | 4.2 | 3.6 | 5.4 | 7.7 | 10.8 | 16.7 | 26.3 | 52.9 |
| 1985 | 218.1 | 3.1 | 4.4 | 4.2 | 3.7 | 5.7 | 7.1 | 10.3 | 16.2 | 27.9 | 54.7 |
| 1984 | 215.8 | 2.7 | 4.4 | 4.3 | 4.0 | 5.9 | 7.4 | 9.8 | 15.8 | 26.4 | 54.0 |
| 1983 | 213.8 | 3.5 | 5.3 | 4.6 | 4.1 | 6.3 | 7.0 | 10.2 | 15.2 | 26.8 | 53.0 |
| 1982 | 211.7 | 3.5 | 5.2 | 5.8 | 4.2 | 6.1 | 7.4 | 10.1 | 15.9 | 28.0 | 53.9 |
| 1981 | 207.9 | 2.4 | 5.6 | 5.1 | 4.2 | 5.9 | 7.6 | 10.5 | 14.7 | 27.0 | 55.4 |
| 1980 | 208.7 | 3.5 | 5.4 | 5.9 | 4.6 | 6.3 | 9.3 | 11.6 | 15.7 | 28.1 | 56.8 |
| 1979 | 204.7 | 3.8 | 5.1 | 5.7 | 4.7 | 6.6 | 8.4 | 11.1 | 15.5 | 27.2 | 55.8 |
| Malignant neoplasms (140-208) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 196.5 | 2.1 | 2.4 | 2.2 | 2.3 | 3.0 | 4.3 | 6.8 | 14.6 | 27.7 | 51.3 |
| 1997 | 197.5 | 2.5 | 2.6 | 2.7 | 2.3 | 3.0 | 4.2 | 7.3 | 14.1 | 28.4 | 53.4 |
| 1996 | 199.4 | 2.8 | 2.3 | 2.3 | 2.3 | 3.0 | 4.2 | 7.9 | 15.2 | 27.9 | 53.9 |
| 1995 | 200.6 | 1.7 | 2.4 | 2.2 | 2.2 | 2.9 | 4.0 | 7.5 | 14.5 | 30.5 | 54.4 |
| 1994 | 200.5 | 1.6 | 2.9 | 2.7 | 2.2 | 3.3 | 4.3 | 7.6 | 14.9 | 29.7 | 54.9 |
| 1993 | 199.8 | 1.8 | 2.9 | 2.9 | 2.4 | 3.5 | 4.3 | 7.8 | 15.0 | 28.8 | 56.0 |
| 1992 | 198.1 | 2.4 | 3.0 | 2.8 | 2.6 | 3.4 | 4.6 | 8.2 | 15.6 | 31.2 | 57.9 |
| 1991 | 197.4 | 1.7 | 3.3 | 2.9 | 2.4 | 3.5 | 4.4 | 7.8 | 16.1 | 31.3 | 59.0 |
| 1990 | 196.1 | 2.2 | 3.2 | 2.9 | 2.8 | 3.5 | 4.6 | 7.8 | 15.8 | 32.4 | 61.4 |
| 1989 | 194.2 | 3.2 | 3.0 | 3.4 | 2.6 | 3.6 | 4.8 | 8.0 | 16.4 | 31.5 | 62.2 |
| 1988 | 190.5 | 2.3 | 3.7 | 2.7 | 2.6 | 3.6 | 4.6 | 7.6 | 15.8 | 33.5 | 61.6 |
| 1987 | 187.9 | 3.0 | 3.6 | 3.1 | 2.6 | 3.5 | 4.2 | 8.2 | 16.8 | 33.2 | 59.5 |
| 1986 | 186.4 | 2.4 | 3.4 | 3.3 | 3.0 | 3.7 | 4.6 | 8.2 | 16.4 | 33.3 | 66.0 |
| 1985 | 184.4 | 3.1 | 3.5 | 3.3 | 3.0 | 3.7 | 4.9 | 8.4 | 17.3 | 33.7 | 64.2 |
| 1984 | 182.2 | 3.0 | 3.8 | 3.1 | 3.0 | 3.9 | 4.6 | 8.6 | 17.4 | 35.7 | 65.8 |
| 1983 | 178.2 | 3.5 | 4.4 | 3.8 | 3.1 | 4.1 | 5.1 | 8.5 | 16.6 | 34.5 | 65.0 |
| 1982 | 175.6 | 3.4 | 4.3 | 3.9 | 3.2 | 4.3 | 5.5 | 8.4 | 17.9 | 34.4 | 66.5 |
| 1981 | 172.0 | 2.5 | 4.5 | 4.0 | 3.2 | 4.2 | 4.8 | 8.6 | 17.5 | 34.9 | 65.4 |
| 1980 | 170.3 | 2.7 | 3.6 | 3.9 | 3.5 | 4.4 | 5.0 | 9.2 | 18.3 | 36.5 | 68.1 |
| 1979 | 165.1 | 2.9 | 4.2 | 4.1 | 3.6 | 4.2 | 5.2 | 8.6 | 17.6 | 35.4 | 68.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms (140-208) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 145.1 | * | 2.3 | 2.2 | 2.6 | 3.1 | 5.2 | 8.7 | 15.6 | 33.3 | 64.1 |
| 1997 | 147.7 | 2.9 | 2.9 | 2.5 | 2.1 | 3.8 | 5.6 | 9.6 | 15.7 | 34.4 | 66.3 |
| 1996 | 149.3 | * | 2.3 | 2.4 | 2.5 | 3.7 | 6.0 | 8.3 | 17.1 | 34.4 | 67.5 |
| 1995 | 151.6 | * | 3.1 | 2.7 | 2.9 | 3.9 | 5.5 | 8.9 | 18.4 | 33.9 | 69.2 |
| 1994 | 152.9 | * | 3.1 | 2.8 | 2.8 | 4.0 | 4.8 | 9.0 | 18.4 | 33.9 | 72.2 |
| 1993 | 155.5 | * | 3.0 | 2.7 | 2.2 | 4.1 | 6.1 | 9.8 | 17.5 | 35.3 | 72.0 |
| 1992 | 155.2 | * | 2.8 | 2.7 | 2.7 | 4.0 | 5.5 | 10.0 | 18.4 | 38.0 | 76.1 |
| 1991 | 157.5 | 2.4 | 3.5 | 2.8 | 2.6 | 4.1 | 5.7 | 8.9 | 18.5 | 39.6 | 76.9 |
| 1990 | 159.3 | 2.6 | 3.4 | 3.0 | 2.7 | 4.3 | 5.6 | 10.1 | 19.9 | 39.4 | 76.7 |
| 1989 | 157.8 | * | 3.3 | 3.1 | 3.0 | 4.2 | 6.3 | 9.3 | 19.0 | 39.3 | 76.9 |
| 1988 | 156.1 | * | 3.4 | 3.2 | 3.0 | 4.0 | 6.0 | 9.4 | 18.9 | 41.8 | 78.5 |
| 1987 | 155.8 | * | 3.5 | 3.0 | 2.7 | 4.9 | 6.1 | 9.7 | 18.6 | 40.1 | 81.7 |
| 1986 | 155.4 | * | 3.5 | 3.3 | 3.1 | 4.0 | 5.9 | 10.6 | 19.2 | 42.2 | 86.5 |
| 1985 | 155.6 | 3.1 | 3.2 | 3.1 | 3.4 | 4.1 | 6.2 | 9.8 | 19.8 | 39.9 | 85.3 |
| 1984 | 156.2 | 4.7 | 3.4 | 3.2 | 3.5 | 4.4 | 5.6 | 10.2 | 19.8 | 41.7 | 90.8 |
| 1983 | 154.1 | 4.0 | 3.9 | 3.7 | 3.8 | 3.9 | 6.8 | 9.8 | 20.7 | 40.6 | 86.2 |
| 1982 | 152.1 | 4.9 | 3.9 | 3.7 | 3.7 | 5.4 | 6.7 | 10.2 | 19.8 | 40.8 | 84.7 |
| 1981 | 150.5 | * | 4.3 | 4.3 | 3.8 | 5.2 | 5.9 | 10.5 | 19.0 | 43.0 | 93.5 |
| 1980 | 152.3 | 3.6 | 4.1 | 3.3 | 3.5 | 5.4 | 7.7 | 10.8 | 19.3 | 41.5 | 94.3 |
| 1979 | 149.4 | 3.5 | 4.2 | 3.6 | 3.9 | 5.0 | 6.8 | 10.8 | 19.9 | 44.5 | 92.7 |
| Malignant neoplasms (140-208) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 161.3 | * | 2.4 | 2.6 | 2.9 | 3.8 | 5.6 | 8.8 | 13.4 | 27.5 | 58.6 |
| 1997 | 164.9 | * | 3.0 | 2.6 | 2.5 | 3.8 | 7.0 | 10.2 | 14.3 | 30.5 | 62.0 |
| 1996 | 169.0 | * | 2.4 | 2.5 | 2.4 | 3.9 | 6.7 | 7.8 | 15.2 | 30.0 | 64.7 |
| 1995 | 171.4 | * | 3.3 | 2.4 | 3.2 | 4.5 | 6.4 | 9.2 | 16.4 | 29.9 | 68.8 |
| 1994 | 174.9 | * | 3.0 | 3.3 | 3.1 | 4.2 | 5.9 | 9.1 | 17.5 | 29.1 | 70.8 |
| 1993 | 179.2 | * | 3.1 | 2.9 | 2.5 | 4.7 | 6.7 | 9.3 | 16.8 | 31.5 | 70.5 |
| 1992 | 178.6 | * | 2.5 | 3.2 | 2.8 | 4.9 | 5.9 | 8.7 | 17.0 | 33.0 | 74.3 |
| 1991 | 182.1 | * | 4.1 | 3.0 | 2.9 | 4.5 | 5.7 | 9.6 | 16.5 | 34.9 | 75.0 |
| 1990 | 186.8 | * | 3.6 | 3.5 | 3.1 | 4.3 | 7.0 | 10.0 | 17.8 | 37.6 | 74.9 |
| 1989 | 186.8 | * | 2.7 | 3.3 | 3.2 | 5.0 | 7.2 | 9.9 | 18.1 | 34.4 | 78.9 |
| 1988 | 183.5 | * | 3.2 | 3.6 | 3.0 | 4.4 | 6.8 | 9.7 | 15.9 | 37.3 | 79.9 |
| 1987 | 183.9 | * | 3.9 | 3.4 | 2.5 | 5.6 | 6.7 | 9.5 | 16.9 | 34.0 | 79.2 |
| 1986 | 184.0 | * | 3.2 | 3.6 | 3.3 | 5.1 | 6.3 | 10.2 | 16.2 | 38.7 | 88.4 |
| 1985 | 186.2 | * | 3.8 | 3.3 | 3.9 | 5.0 | 7.1 | 10.6 | 16.8 | 35.7 | 89.6 |
| 1984 | 188.0 | * | 4.0 | 3.5 | 3.7 | 5.5 | 6.7 | 10.3 | 19.3 | 39.6 | 90.1 |
| 1983 | 185.4 | * | 4.7 | 3.8 | 4.2 | 4.2 | 7.4 | 10.0 | 18.2 | 37.6 | 87.3 |
| 1982 | 183.7 | * | 3.9 | 4.5 | 3.9 | 6.5 | 7.3 | 9.7 | 18.0 | 36.0 | 88.3 |
| 1981 | 182.6 | * | 4.5 | 4.7 | 3.8 | 6.5 | 6.9 | 10.1 | 16.4 | 39.7 | 95.2 |
| 1980 | 184.1 | * | 4.4 | 3.3 | 3.7 | 6.3 | 9.1 | 9.3 | 16.3 | 38.0 | 95.2 |
| 1979 | 181.4 | * | 4.1 | 3.8 | 4.8 | 6.3 | 7.4 | 11.1 | 15.4 | 40.2 | 98.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms (140-208) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 130.2 | * | 2.2 | 1.8 | 2.3 | 2.4 | 4.9 | 8.6 | 17.5 | 38.6 | 69.0 |
| 1997 | 132.0 | * | 2.8 | 2.4 | 1.8 | 3.8 | 4.2 | 8.9 | 17.0 | 38.0 | 70.0 |
| 1996 | 131.2 | * | 2.3 | 2.2 | 2.6 | 3.5 | 5.2 | 8.7 | 18.7 | 38.4 | 69.9 |
| 1995 | 133.4 | * | 3.0 | 3.0 | 2.6 | 3.2 | 4.6 | 8.7 | 20.2 | 37.5 | 69.6 |
| 1994 | 132.7 | * | 3.3 | 2.1 | 2.4 | 3.8 | 3.8 | 9.0 | 19.1 | 38.2 | 73.4 |
| 1993 | 133.7 | * | 2.8 | 2.5 | 1.9 | 3.5 | 5.5 | 10.3 | 18.1 | 38.7 | 73.4 |
| 1992 | 133.7 | * | 3.1 | 2.2 | 2.6 | 3.0 | 5.2 | 11.2 | 19.7 | 42.5 | 77.6 |
| 1991 | 135.0 | * | 2.8 | 2.5 | 2.3 | 3.6 | 5.6 | 8.2 | 20.2 | 43.7 | 78.6 |
| 1990 | 134.2 | * | 3.1 | 2.5 | 2.3 | 4.3 | 4.3 | 10.1 | 21.8 | 41.0 | 78.3 |
| 1989 | 131.4 | * | 4.0 | 2.9 | 2.9 | 3.4 | 5.4 | 8.7 | 19.8 | 43.6 | 75.1 |
| 1988 | 131.2 | * | 3.7 | 2.9 | 2.9 | 3.5 | 5.3 | 9.1 | 21.7 | 45.7 | 77.4 |
| 1987 | 130.2 | * | 3.1 | 2.5 | 3.0 | 4.2 | 5.5 | 9.9 | 20.1 | 45.4 | 83.9 |
| 1986 | 129.3 | * | 3.9 | 3.0 | 3.0 | 2.9 | 5.4 | 10.9 | 21.9 | 45.2 | 84.7 |
| 1985 | 127.7 | * | 2.6 | 2.9 | 2.8 | 3.1 | 5.4 | 9.1 | 22.5 | 43.6 | 81.7 |
| 1984 | 127.4 | * | 2.8 | 2.8 | 3.4 | 3.3 | 4.6 | 10.2 | 20.3 | 43.6 | 91.6 |
| 1983 | 125.7 | * | 3.0 | 3.5 | 3.4 | 3.6 | 6.1 | 9.6 | 22.9 | 43.2 | 85.2 |
| 1982 | 123.4 | * | 4.0 | 2.9 | 3.6 | 4.2 | 6.0 | 10.6 | 21.4 | 44.9 | 81.7 |
| 1981 | 121.4 | * | 4.2 | 3.8 | 3.8 | 3.9 | 5.0 | 10.8 | 21.2 | 45.7 | 92.1 |
| 1980 | 123.6 | * | 3.8 | 3.2 | 3.2 | 4.6 | 6.4 | 12.1 | 21.9 | 44.4 | 93.5 |
| 1979 | 120.4 | * | 4.2 | 3.5 | 3.1 | 3.7 | 6.3 | 10.6 | 23.6 | 48.1 | 87.6 |
| Malignant neoplasms (140-208) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 171.9 | * | 2.4 | 2.4 | 2.6 | 3.1 | 5.7 | 10.0 | 17.6 | 39.1 | 76.4 |
| 1997 | 175.2 | * | 2.8 | 2.5 | 2.2 | 4.0 | 6.4 | 11.3 | 18.3 | 40.7 | 78.1 |
| 1996 | 176.6 | * | 2.3 | 2.6 | 2.7 | 4.1 | 6.6 | 9.6 | 19.8 | 40.0 | 80.3 |
| 1995 | 179.0 | * | 3.3 | 2.8 | 2.8 | 4.0 | 6.4 | 9.8 | 21.1 | 39.9 | 82.7 |
| 1994 | 180.2 | * | 3.2 | 2.7 | 2.9 | 4.3 | 5.2 | 9.9 | 20.9 | 39.9 | 85.9 |
| 1993 | 183.5 | * | 2.8 | 2.9 | 2.3 | 4.5 | 6.6 | 11.6 | 20.1 | 41.8 | 84.3 |
| 1992 | 182.6 | * | 2.5 | 2.8 | 2.8 | 4.0 | 6.2 | 11.4 | 21.2 | 44.7 | 91.8 |
| 1991 | 185.1 | * | 3.9 | 2.8 | 2.8 | 4.3 | 6.3 | 9.9 | 21.3 | 45.8 | 90.9 |
| 1990 | 187.2 | * | 3.5 | 3.0 | 2.7 | 4.5 | 6.4 | 11.5 | 23.1 | 45.2 | 91.9 |
| 1989 | 184.3 | * | 3.3 | 3.1 | 3.2 | 4.5 | 7.3 | 10.0 | 21.5 | 44.9 | 90.9 |
| 1988 | 181.6 | * | 3.6 | 3.1 | 3.0 | 4.3 | 6.8 | 10.5 | 22.1 | 48.5 | 94.7 |
| 1987 | 180.8 | * | 3.5 | 3.1 | 2.7 | 5.3 | 6.5 | 10.5 | 20.6 | 47.0 | 96.5 |
| 1986 | 179.6 | * | 3.8 | 3.5 | 3.4 | 4.4 | 6.6 | 11.6 | 21.6 | 48.3 | 101.6 |
| 1985 | 178.2 | * | 2.9 | 3.2 | 3.5 | 4.1 | 6.5 | 10.6 | 22.5 | 45.6 | 100.3 |
| 1984 | 178.2 | * | 3.4 | 3.3 | 3.8 | 4.5 | 6.2 | 11.3 | 22.3 | 48.4 | 105.3 |
| 1983 | 175.0 | 3.7 | 3.9 | 3.9 | 3.9 | 3.6 | 7.0 | 10.4 | 22.9 | 46.4 | 98.4 |
| 1982 | 172.0 | * | 4.2 | 4.0 | 3.9 | 5.4 | 7.1 | 11.3 | 22.6 | 46.8 | 97.8 |
| 1981 | 168.9 | * | 4.5 | 4.6 | 4.0 | 5.3 | 6.2 | 11.4 | 21.0 | 48.2 | 105.2 |
| 1980 | 169.1 | 3.7 | 4.5 | 3.4 | 3.6 | 5.4 | 8.4 | 11.9 | 21.9 | 45.5 | 106.5 |
| 1979 | 163.4 | * | 4.3 | 3.6 | 4.2 | 5.1 | 7.3 | 11.3 | 21.0 | 48.9 | 102.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms (140-208) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 192.4 | * | 2.5 | 3.0 | 2.8 | 3.5 | 6.2 | 10.3 | 14.6 | 30.9 | 70.0 |
| 1997 | 196.9 | * | 3.2 | 2.4 | 2.4 | 4.1 | 8.1 | 11.9 | 16.0 | 35.5 | 74.6 |
| 1996 | 201.9 | * | 2.2 | 2.8 | 2.6 | 4.4 | 7.6 | 9.1 | 18.0 | 34.8 | 77.8 |
| 1995 | 204.8 | * | 3.4 | 2.6 | 2.9 | 4.6 | 7.2 | 10.7 | 18.7 | 35.5 | 83.0 |
| 1994 | 208.4 | * | 3.1 | 3.3 | 3.1 | 4.6 | 6.2 | 9.9 | 20.2 | 33.4 | 85.5 |
| 1993 | 213.8 | * | 2.9 | 2.9 | 2.5 | 5.1 | 7.4 | 10.8 | 18.7 | 37.6 | 83.4 |
| 1992 | 212.2 | * | 2.1 | 3.1 | 2.7 | 5.0 | 6.4 | 9.8 | 20.1 | 38.2 | 91.2 |
| 1991 | 216.7 | * | 4.7 | 2.9 | 3.1 | 4.7 | 6.2 | 11.0 | 19.3 | 40.4 | 90.6 |
| 1990 | 221.9 | * | 3.6 | 3.5 | 3.2 | 4.3 | 7.9 | 11.1 | 20.4 | 43.2 | 90.8 |
| 1989 | 220.6 | * | 3.0 | 3.5 | 3.4 | 5.3 | 8.5 | 10.8 | 19.9 | 39.9 | 92.9 |
| 1988 | 215.7 | * | 3.4 | 3.4 | 3.0 | 5.0 | 7.4 | 10.6 | 18.2 | 42.6 | 96.9 |
| 1987 | 215.8 | * | 4.3 | 3.3 | 2.3 | 5.9 | 7.1 | 10.3 | 19.2 | 39.3 | 95.7 |
| 1986 | 214.5 | * | 3.2 | 4.1 | 3.7 | 5.5 | 7.1 | 11.3 | 18.0 | 44.2 | 105.1 |
| 1985 | 214.9 | * | 3.4 | 3.4 | 4.0 | 5.2 | 7.5 | 11.5 | 19.0 | 40.7 | 107.7 |
| 1984 | 216.4 | * | 3.6 | 3.6 | 3.8 | 5.6 | 7.2 | 11.1 | 21.8 | 46.0 | 107.5 |
| 1983 | 212.2 | * | 4.7 | 4.0 | 4.3 | 3.8 | 7.4 | 10.2 | 20.2 | 44.6 | 102.2 |
| 1982 | 209.4 | * | 4.1 | 4.7 | 4.2 | 6.4 | 7.7 | 10.6 | 20.0 | 41.9 | 104.7 |
| 1981 | 206.4 | * | 4.5 | 5.3 | 4.0 | 6.9 | 7.2 | 10.6 | 18.1 | 46.8 | 109.2 |
| 1980 | 205.5 | * | 5.1 | 3.5 | 3.8 | 6.4 | 10.0 | 10.4 | 18.8 | 42.5 | 110.5 |
| 1979 | 199.5 | * | 4.1 | 3.7 | 5.1 | 6.3 | 8.1 | 11.3 | 15.8 | 44.9 | 112.6 |
| Malignant neoplasms (140-208) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 153.4 | * | 2.3 | 1.9 | 2.3 | 2.7 | 5.3 | 9.7 | 20.3 | 46.4 | 81.9 |
| 1997 | 155.6 | * | 2.5 | 2.7 | 1.9 | 4.0 | 4.9 | 10.7 | 20.3 | 45.2 | 81.1 |
| 1996 | 153.7 | * | 2.3 | 2.4 | 2.7 | 3.8 | 5.6 | 10.1 | 21.4 | 44.5 | 82.4 |
| 1995 | 155.8 | * | 3.2 | 3.0 | 2.8 | 3.4 | 5.5 | 9.1 | 23.2 | 43.8 | 82.4 |
| 1994 | 154.8 | * | 3.2 | 2.2 | 2.7 | 4.0 | 4.3 | 9.8 | 21.6 | 45.6 | 86.2 |
| 1993 | 156.2 | * | 2.6 | 3.0 | 2.0 | 3.7 | 5.7 | 12.3 | 21.3 | 45.5 | 85.1 |
| 1992 | 156.0 | * | 2.8 | 2.6 | 2.9 | 3.0 | 6.1 | 12.8 | 22.2 | 50.4 | 92.3 |
| 1991 | 156.7 | * | 3.2 | 2.6 | 2.5 | 3.8 | 6.4 | 8.9 | 23.0 | 50.5 | 91.1 |
| 1990 | 156.1 | * | 3.4 | 2.5 | 2.2 | 4.7 | 4.9 | 11.9 | 25.4 | 46.9 | 92.9 |
| 1989 | 151.8 | * | 3.7 | 2.8 | 3.0 | 3.8 | 6.0 | 9.3 | 23.0 | 49.1 | 89.0 |
| 1988 | 150.9 | * | 3.8 | 2.8 | 3.0 | 3.6 | 6.2 | 10.4 | 25.6 | 53.4 | 92.8 |
| 1987 | 149.5 | * | 2.6 | 2.9 | 3.2 | 4.7 | 6.0 | 10.6 | 21.7 | 53.6 | 97.2 |
| 1986 | 148.3 | * | 4.4 | 2.9 | 3.0 | 3.3 | 6.0 | 11.9 | 24.8 | 51.9 | 98.6 |
| 1985 | 145.2 | * | 2.5 | 3.0 | 3.0 | 3.1 | 5.6 | 9.8 | 25.5 | 49.8 | 94.0 |
| 1984 | 143.9 | * | 3.2 | 3.1 | 3.7 | 3.4 | 5.3 | 11.4 | 22.7 | 50.4 | 103.2 |
| 1983 | 141.6 | * | 3.1 | 3.8 | 3.6 | 3.4 | 6.6 | 10.5 | 25.3 | 47.9 | 95.2 |
| 1982 | 138.5 | * | 4.3 | 3.2 | 3.6 | 4.3 | 6.5 | 11.9 | 24.9 | 50.9 | 92.0 |
| 1981 | 135.2 | * | 4.5 | 4.0 | 4.0 | 3.8 | 5.4 | 12.0 | 23.5 | 49.4 | 102.0 |
| 1980 | 136.5 | * | 3.9 | 3.4 | 3.4 | 4.5 | 6.9 | 13.2 | 24.5 | 48.0 | 103.2 |
| 1979 | 130.9 | * | 4.5 | 3.4 | 3.4 | 4.0 | 6.7 | 11.3 | 25.4 | 52.4 | 94.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of lip, oral cavity and pharynx (140-149) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 2.9 | * | * | * | * | * | * | * | 0.2 | 0.4 | 1.0 |
| 1997 | 2.9 | * | * | * | * | * | * | 0.1 | 0.2 | 0.5 | 1.0 |
| 1996 | 2.9 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 1.1 |
| 1995 | 3.0 | * | * | * | * | * | * | 0.1 | 0.1 | 0.5 | 1.0 |
| 1994 | 3.0 | * | * | * | * | * | * | * | 0.2 | 0.4 | 1.1 |
| 1993 | 3.2 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.2 |
| 1992 | 3.2 | * | * | * | * | * | * | * | 0.2 | 0.4 | 1.2 |
| 1991 | 3.3 | * | * | * | * | * | * | 0.1 | 0.2 | 0.5 | 1.1 |
| 1990 | 3.4 | * | * | * | * | * | * | 0.1 | 0.2 | 0.5 | 1.2 |
| 1989 | 3.3 | * | * | * | * | * | 0.1 | * | 0.2 | 0.5 | 1.2 |
| 1988 | 3.4 | * | * | * | * | * | * | 0.1 | 0.2 | 0.5 | 1.2 |
| 1987 | 3.3 | * | * | * | * | * | * | 0.1 | 0.2 | 0.5 | 1.2 |
| 1986 | 3.5 | * | * | * | * | * | * | 0.1 | 0.2 | 0.6 | 1.3 |
| 1985 | 3.5 | * | * | * | * | * | * | 0.1 | 0.2 | 0.6 | 1.5 |
| 1984 | 3.6 | * | * | * | * | * | * | 0.1 | 0.2 | 0.5 | 1.5 |
| 1983 | 3.6 | * | * | * | * | * | * | 0.1 | 0.2 | 0.6 | 1.5 |
| 1982 | 3.7 | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.5 | 1.5 |
| 1981 | 3.7 | * | * | * | * | * | * | 0.1 | 0.2 | 0.5 | 1.5 |
| 1980 | 3.8 | * | * | * | * | * | * | 0.1 | 0.2 | 0.6 | 1.8 |
| 1979 | 3.8 | * | * | * | * | * | * | 0.1 | 0.2 | 0.7 | 1.7 |
| Malignant neoplasms of lip, oral cavity and pharynx (140-149) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 3.9 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.5 |
| 1997 | 3.9 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.5 |
| 1996 | 4.0 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.6 |
| 1995 | 4.1 | * | * | * | * | * | * | * | * | 0.7 | 1.6 |
| 1994 | 4.1 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.7 |
| 1993 | 4.3 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.9 |
| 1992 | 4.3 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.8 |
| 1991 | 4.4 | * | * | * | * | * | * | * | 0.2 | 0.9 | 1.7 |
| 1990 | 4.6 | * | * | * | * | * | * | * | 0.3 | 0.8 | 1.9 |
| 1989 | 4.4 | * | * | * | * | * | * | * | * | 0.7 | 1.8 |
| 1988 | 4.6 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.8 |
| 1987 | 4.5 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.8 |
| 1986 | 4.7 | * | * | * | * | * | * | * | 0.3 | 0.8 | 2.1 |
| 1985 | 4.9 | * | * | * | * | * | * | * | 0.4 | 0.8 | 2.2 |
| 1984 | 5.0 | * | * | * | * | * | * | * | 0.3 | 0.8 | 2.2 |
| 1983 | 5.1 | * | * | * | * | * | * | 0.2 | 0.3 | 0.9 | 2.4 |
| 1982 | 5.2 | * | * | * | * | * | * | * | 0.3 | 0.8 | 2.4 |
| 1981 | 5.2 | * | * | * | * | * | * | * | 0.2 | 0.7 | 2.2 |
| 1980 | 5.4 | * | * | * | * | * | * | * | 0.2 | 0.9 | 2.9 |
| 1979 | 5.4 | * | * | * | * | * | * | 0.2 | 0.3 | 1.0 | 2.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of lip, oral cavity and pharynx (140-149) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 1.9 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1997 | 1.9 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1996 | 1.9 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1995 | 2.0 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1994 | 2.0 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1993 | 2.1 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1992 | 2.1 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1991 | 2.2 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1990 | 2.2 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1989 | 2.2 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1988 | 2.2 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1987 | 2.1 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1986 | 2.3 | * | * | * | * | * | * | * | * | 0.4 | 0.4 |
| 1985 | 2.2 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1984 | 2.2 | * | * | * | * | * | * | * | * | 0.2 | 0.9 |
| 1983 | 2.2 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 |
| 1982 | 2.2 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1981 | 2.3 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1980 | 2.3 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1979 | 2.3 | * | * | * | * | * | * | * | * | 0.3 | 1.1 |
| Malignant neoplasms of lip, oral cavity and pharynx (140-149) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 2.9 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.8 |
| 1997 | 2.9 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 |
| 1996 | 2.9 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.9 |
| 1995 | 3.0 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1994 | 3.0 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.8 |
| 1993 | 3.1 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.8 |
| 1992 | 3.1 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.8 |
| 1991 | 3.2 | * | * | * | * | * | * | 0.1 | 0.1 | 0.4 | 0.8 |
| 1990 | 3.3 | * | * | * | * | * | * | * | 0.1 | 0.4 | 0.8 |
| 1989 | 3.2 | * | * | * | * | * | * | * | 0.1 | 0.4 | 0.9 |
| 1988 | 3.3 | * | * | * | * | * | * | * | 0.1 | 0.4 | 0.8 |
| 1987 | 3.3 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.8 |
| 1986 | 3.4 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 |
| 1985 | 3.4 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 1.0 |
| 1984 | 3.5 | * | * | * | * | * | * | * | 0.2 | 0.4 | 1.0 |
| 1983 | 3.5 | * | * | * | * | * | * | * | 0.2 | 0.4 | 1.0 |
| 1982 | 3.6 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.9 |
| 1981 | 3.6 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.9 |
| 1980 | 3.7 | * | * | * | * | * | * | * | * | 0.5 | 1.2 |
| 1979 | 3.8 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 1.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of lip, oral cavity and pharynx (140-149) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 3.8 | * | * | * | * | * | * | * | * | 0.4 | 1.2 |
| 1997 | 3.8 | * | * | * | * | * | * | * | * | 0.6 | 1.3 |
| 1996 | 3.8 | * | * | * | * | * | * | * | * | 0.5 | 1.2 |
| 1995 | 3.9 | * | * | * | * | * | * | * | * | 0.6 | 1.1 |
| 1994 | 3.9 | * | * | * | * | * | * | * | * | 0.5 | 1.3 |
| 1993 | 4.1 | * | * | * | * | * | * | * | * | 0.5 | 1.2 |
| 1992 | 4.1 | * | * | * | * | * | * | * | * | 0.4 | 1.2 |
| 1991 | 4.2 | * | * | * | * | * | * | * | * | 0.6 | 1.1 |
| 1990 | 4.4 | * | * | * | * | * | * | * | * | 0.6 | 1.3 |
| 1989 | 4.2 | * | * | * | * | * | * | * | * | 0.4 | 1.3 |
| 1988 | 4.4 | * | * | * | * | * | * | * | * | 0.5 | 1.3 |
| 1987 | 4.3 | * | * | * | * | * | * | * | * | 0.4 | 1.2 |
| 1986 | 4.5 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.3 |
| 1985 | 4.7 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.3 |
| 1984 | 4.8 | * | * | * | * | * | * | * | * | 0.5 | 1.4 |
| 1983 | 4.9 | * | * | * | * | * | * | * | * | 0.6 | 1.6 |
| 1982 | 5.0 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.4 |
| 1981 | 5.0 | * | * | * | * | * | * | * | * | 0.4 | 1.4 |
| 1980 | 5.1 | * | * | * | * | * | * | * | * | 0.6 | 1.9 |
| 1979 | 5.2 | * | * | * | * | * | * | * | * | 0.6 | 1.3 |
| Malignant neoplasms of lip, oral cavity and pharynx (140-149) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 2.0 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1997 | 2.0 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1996 | 2.0 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1995 | 2.1 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1994 | 2.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1993 | 2.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1992 | 2.2 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1991 | 2.2 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1990 | 2.3 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1989 | 2.3 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1988 | 2.2 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1987 | 2.2 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1986 | 2.3 | * | * | * | * | * | * | * | * | 0.3 | * |
| 1985 | 2.3 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1984 | 2.3 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1983 | 2.3 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1982 | 2.3 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1981 | 2.3 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1980 | 2.4 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1979 | 2.4 | * | * | * | * | * | * | * | * | * | 0.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of lip, oral cavity and pharynx (140-149) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 2.7 | * | * | * | * | * | * | * | * | 0.8 | 2.0 |
| 1997 | 2.9 | * | * | * | * | * | * | * | * | 0.7 | 1.8 |
| 1996 | 3.0 | * | * | * | * | * | * | * | * | 0.8 | 2.2 |
| 1995 | 3.2 | * | * | * | * | * | * | * | * | 0.9 | 2.4 |
| 1994 | 3.2 | * | * | * | * | * | * | * | * | 0.9 | 2.4 |
| 1993 | 3.4 | * | * | * | * | * | * | * | * | 1.3 | 3.1 |
| 1992 | 3.4 | * | * | * | * | * | * | * | * | 1.2 | 3.2 |
| 1991 | 3.5 | * | * | * | * | * | * | * | * | 1.3 | 3.1 |
| 1990 | 3.7 | * | * | * | * | * | * | * | * | 1.4 | 3.1 |
| 1989 | 3.6 | * | * | * | * | * | * | * | * | 1.3 | 3.3 |
| 1988 | 3.6 | * | * | * | * | * | * | * | * | 1.2 | 3.3 |
| 1987 | 3.4 | * | * | * | * | * | * | * | * | 1.4 | 3.7 |
| 1986 | 3.8 | * | * | * | * | * | * | * | * | 1.6 | 4.2 |
| 1985 | 3.8 | * | * | * | * | * | * | * | * | 1.4 | 4.7 |
| 1984 | 3.9 | * | * | * | * | * | * | * | * | 1.6 | 4.6 |
| 1983 | 4.1 | * | * | * | * | * | * | * | 0.7 | 1.9 | 4.7 |
| 1982 | 4.1 | * | * | * | * | * | * | * | * | 1.8 | 5.4 |
| 1981 | 4.1 | * | * | * | * | * | * | * | * | 1.7 | 5.0 |
| 1980 | 4.3 | * | * | * | * | * | * | * | * | 1.9 | 5.7 |
| 1979 | 4.2 | * | * | * | * | * | * | * | * | 2.1 | 6.0 |
| Malignant neoplasms of lip, oral cavity and pharynx (140-149) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 4.2 | * | * | * | * | * | * | * | * | 1.3 | 2.8 |
| 1997 | 4.4 | * | * | * | * | * | * | * | * | 1.1 | 2.9 |
| 1996 | 4.6 | * | * | * | * | * | * | * | * | 1.3 | 3.8 |
| 1995 | 4.9 | * | * | * | * | * | * | * | * | 1.4 | 4.2 |
| 1994 | 4.9 | * | * | * | * | * | * | * | * | 1.3 | 3.9 |
| 1993 | 5.4 | * | * | * | * | * | * | * | * | 1.9 | 5.5 |
| 1992 | 5.3 | * | * | * | * | * | * | * | * | 2.0 | 5.4 |
| 1991 | 5.4 | * | * | * | * | * | * | * | * | 2.3 | 5.4 |
| 1990 | 5.9 | * | * | * | * | * | * | * | * | 2.4 | 5.6 |
| 1989 | 5.6 | * | * | * | * | * | * | * | * | 2.0 | 5.1 |
| 1988 | 5.7 | * | * | * | * | * | * | * | * | 1.7 | 5.5 |
| 1987 | 5.4 | * | * | * | * | * | * | * | * | 2.2 | 6.6 |
| 1986 | 5.9 | * | * | * | * | * | * | * | * | 2.5 | 7.7 |
| 1985 | 6.0 | * | * | * | * | * | * | * | * | * | 7.7 |
| 1984 | 6.4 | * | * | * | * | * | * | * | * | 2.8 | 7.6 |
| 1983 | 6.5 | * | * | * | * | * | * | * | * | 3.2 | 7.6 |
| 1982 | 6.4 | * | * | * | * | * | * | * | * | 3.0 | 9.3 |
| 1981 | 6.4 | * | * | * | * | * | * | * | * | 2.9 | 7.8 |
| 1980 | 7.1 | * | * | * | * | * | * | * | * | 2.7 | 10.2 |
| 1979 | 6.6 | * | * | * | * | * | * | * | * | 4.0 | 9.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of lip, oral cavity and pharynx (140-149) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.4 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1997 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.6 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1991 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.8 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1988 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.8 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1984 | 1.7 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1983 | 1.9 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1982 | 2.0 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1981 | 1.9 | * | * | * | * | * | * | * | * | * | 2.5 |
| 1980 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.0 | * | * | * | * | * | * | * | * | * | 2.7 |
| Malignant neoplasms of lip, oral cavity and pharynx (140-149) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 3.2 | * | * | * | * | * | * | * | * | 0.8 | 2.3 |
| 1997 | 3.3 | * | * | * | * | * | * | * | * | 0.8 | 2.0 |
| 1996 | 3.4 | * | * | * | * | * | * | * | * | 0.7 | 2.6 |
| 1995 | 3.8 | * | * | * | * | * | * | * | * | 1.1 | 2.7 |
| 1994 | 3.7 | * | * | * | * | * | * | * | * | 1.0 | 2.9 |
| 1993 | 3.9 | * | * | * | * | * | * | * | * | 1.4 | 3.6 |
| 1992 | 3.9 | * | * | * | * | * | * | * | * | 1.3 | 3.5 |
| 1991 | 4.1 | * | * | * | * | * | * | * | * | 1.5 | 3.7 |
| 1990 | 4.3 | * | * | * | * | * | * | * | * | 1.4 | 3.8 |
| 1989 | 4.2 | * | * | * | * | * | * | * | * | 1.4 | 3.7 |
| 1988 | 4.2 | * | * | * | * | * | * | * | * | 1.3 | 3.9 |
| 1987 | 4.0 | * | * | * | * | * | * | * | * | 1.5 | 4.4 |
| 1986 | 4.5 | * | * | * | * | * | * | * | * | 1.8 | 5.3 |
| 1985 | 4.4 | * | * | * | * | * | * | * | * | 1.6 | 5.7 |
| 1984 | 4.4 | * | * | * | * | * | * | * | * | 1.9 | 5.3 |
| 1983 | 4.6 | * | * | * | * | * | * | * | * | 2.1 | 5.1 |
| 1982 | 4.6 | * | * | * | * | * | * | * | * | 2.1 | 6.5 |
| 1981 | 4.5 | * | * | * | * | * | * | * | * | 1.9 | 5.5 |
| 1980 | 4.8 | * | * | * | * | * | * | * | * | 2.0 | 6.6 |
| 1979 | 4.6 | * | * | * | * | * | * | * | * | 2.5 | 6.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of lip, oral cavity and pharynx (140-149) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 5.0 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1997 | 5.1 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1996 | 5.5 | * | * | * | * | * | * | * | * | * | 4.2 |
| 1995 | 5.8 | * | * | * | * | * | * | * | * | 1.6 | 4.6 |
| 1994 | 5.8 | * | * | * | * | * | * | * | * | * | 4.6 |
| 1993 | 6.3 | * | * | * | * | * | * | * | * | 2.1 | 6.3 |
| 1992 | 6.3 | * | * | * | * | * | * | * | * | 2.3 | 5.8 |
| 1991 | 6.3 | * | * | * | * | * | * | * | * | 2.4 | 6.4 |
| 1990 | 6.9 | * | * | * | * | * | * | * | * | 2.6 | 6.9 |
| 1989 | 6.6 | * | * | * | * | * | * | * | * | 2.3 | 6.1 |
| 1988 | 6.7 | * | * | * | * | * | * | * | * | * | 6.6 |
| 1987 | 6.2 | * | * | * | * | * | * | * | * | 2.4 | 7.9 |
| 1986 | 7.0 | * | * | * | * | * | * | * | * | 3.0 | 10.2 |
| 1985 | 7.0 | * | * | * | * | * | * | * | * | * | 9.5 |
| 1984 | 7.4 | * | * | * | * | * | * | * | * | 3.5 | 9.4 |
| 1983 | 7.5 | * | * | * | * | * | * | * | * | 3.7 | 8.7 |
| 1982 | 7.3 | * | * | * | * | * | * | * | * | 3.4 | 11.1 |
| 1981 | 7.2 | * | * | * | * | * | * | * | * | 3.5 | 9.0 |
| 1980 | 8.0 | * | * | * | * | * | * | * | * | * | 11.9 |
| 1979 | 7.2 | * | * | * | * | * | * | * | * | 4.8 | 11.2 |
| Malignant neoplasms of lip, oral cavity and pharynx (140-149) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 1.6 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1997 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.2 | * | * | * | * | * | * | * | * | * | 2.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of esophagus (150) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.3 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.9 |
| 1997 | 4.1 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.8 |
| 1996 | 4.2 | * | * | * | * | * | * | * | * | 0.3 | 1.0 |
| 1995 | 4.1 | * | * | * | * | * | * | * | 0.1 | 0.3 | 1.1 |
| 1994 | 4.1 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.9 |
| 1993 | 4.0 | * | * | * | * | * | * | * | * | 0.3 | 1.0 |
| 1992 | 4.0 | * | * | * | * | * | * | * | * | 0.3 | 1.1 |
| 1991 | 3.9 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.9 |
| 1990 | 3.9 | * | * | * | * | * | * | * | * | 0.3 | 1.0 |
| 1989 | 3.9 | * | * | * | * | * | * | * | 0.1 | 0.4 | 1.1 |
| 1988 | 3.8 | * | * | * | * | * | * | * | * | 0.2 | 0.9 |
| 1987 | 3.8 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1986 | 3.7 | * | * | * | * | * | * | * | * | 0.3 | 1.0 |
| 1985 | 3.6 | * | * | * | * | * | * | * | 0.1 | 0.2 | 1.0 |
| 1984 | 3.7 | * | * | * | * | * | * | * | * | 0.2 | 1.0 |
| 1983 | 3.6 | * | * | * | * | * | * | * | * | 0.3 | 1.0 |
| 1982 | 3.6 | * | * | * | * | * | * | * | * | 0.2 | 1.0 |
| 1981 | 3.5 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1980 | 3.5 | * | * | * | * | * | * | * | * | 0.3 | 1.0 |
| 1979 | 3.4 | * | * | * | * | * | * | * | * | 0.4 | 1.0 |
| Malignant neoplasm of esophagus (150) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 6.6 | * | * | * | * | * | * | * | 0.2 | 0.3 | 1.6 |
| 1997 | 6.4 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.4 |
| 1996 | 6.4 | * | * | * | * | * | * | * | * | 0.4 | 1.7 |
| 1995 | 6.4 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.9 |
| 1994 | 6.4 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.5 |
| 1993 | 6.2 | * | * | * | * | * | * | * | * | 0.5 | 1.7 |
| 1992 | 6.1 | * | * | * | * | * | * | * | * | 0.5 | 1.8 |
| 1991 | 6.0 | * | * | * | * | * | * | * | * | 0.4 | 1.5 |
| 1990 | 5.9 | * | * | * | * | * | * | * | * | 0.5 | 1.7 |
| 1989 | 5.9 | * | * | * | * | * | * | * | * | 0.6 | 1.9 |
| 1988 | 5.8 | * | * | * | * | * | * | * | * | 0.4 | 1.7 |
| 1987 | 5.7 | * | * | * | * | * | * | * | * | 0.5 | 1.5 |
| 1986 | 5.6 | * | * | * | * | * | * | * | * | 0.5 | 1.7 |
| 1985 | 5.5 | * | * | * | * | * | * | * | * | 0.4 | 1.7 |
| 1984 | 5.5 | * | * | * | * | * | * | * | * | 0.5 | 1.8 |
| 1983 | 5.4 | * | * | * | * | * | * | * | * | 0.5 | 1.6 |
| 1982 | 5.3 | * | * | * | * | * | * | * | * | 0.4 | 1.7 |
| 1981 | 5.3 | * | * | * | * | * | * | * | * | 0.5 | 1.5 |
| 1980 | 5.3 | * | * | * | * | * | * | * | * | 0.5 | 1.7 |
| 1979 | 5.2 | * | * | * | * | * | * | * | * | 0.6 | 1.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of esophagus (150) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 2.1 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1997 | 2.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1996 | 2.1 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1995 | 1.9 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1994 | 2.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1993 | 2.0 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1992 | 2.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1991 | 2.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1990 | 2.0 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1989 | 2.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1988 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.9 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1986 | 1.9 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1985 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1982 | 1.9 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1981 | 1.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1980 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.8 | * | * | * | * | * | * | * | * | * | 0.5 |
| Malignant neoplasm of esophagus (150) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 4.3 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.8 |
| 1997 | 4.2 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.8 |
| 1996 | 4.2 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1995 | 4.1 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.9 |
| 1994 | 4.0 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.7 |
| 1993 | 3.8 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1992 | 3.8 | * | * | * | * | * | * | * | * | 0.2 | 0.9 |
| 1991 | 3.7 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1990 | 3.6 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1989 | 3.6 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1988 | 3.5 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1987 | 3.4 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1986 | 3.3 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1985 | 3.2 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1984 | 3.2 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1983 | 3.2 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1982 | 3.1 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1981 | 3.1 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1980 | 3.0 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1979 | 2.9 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of esophagus (150) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 6.7 | * | * | * | * | * | * | * | 0.2 | 0.3 | 1.5 |
| 1997 | 6.5 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.3 |
| 1996 | 6.4 | * | * | * | * | * | * | * | * | 0.5 | 1.6 |
| 1995 | 6.3 | * | * | * | * | * | * | * | * | 0.5 | 1.6 |
| 1994 | 6.2 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.2 |
| 1993 | 5.9 | * | * | * | * | * | * | * | * | 0.5 | 1.4 |
| 1992 | 5.9 | * | * | * | * | * | * | * | * | 0.4 | 1.7 |
| 1991 | 5.7 | * | * | * | * | * | * | * | * | 0.4 | 1.3 |
| 1990 | 5.5 | * | * | * | * | * | * | * | * | 0.4 | 1.4 |
| 1989 | 5.4 | * | * | * | * | * | * | * | * | 0.5 | 1.5 |
| 1988 | 5.2 | * | * | * | * | * | * | * | * | 0.3 | 1.1 |
| 1987 | 5.2 | * | * | * | * | * | * | * | * | 0.4 | 1.0 |
| 1986 | 5.0 | * | * | * | * | * | * | * | * | 0.4 | 1.1 |
| 1985 | 4.9 | * | * | * | * | * | * | * | * | 0.3 | 1.2 |
| 1984 | 4.8 | * | * | * | * | * | * | * | * | 0.3 | 1.0 |
| 1983 | 4.7 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1982 | 4.5 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1981 | 4.6 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1980 | 4.6 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1979 | 4.4 | * | * | * | * | * | * | * | * | 0.5 | 0.9 |
| Malignant neoplasm of esophagus (150) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.9 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1996 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of esophagus (150) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 4.0 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1997 | 4.0 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1996 | 4.2 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1995 | 4.4 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1994 | 4.7 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1993 | 4.9 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1992 | 4.8 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1991 | 5.1 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1990 | 5.3 | * | * | * | * | * | * | * | * | 0.7 | 2.3 |
| 1989 | 5.5 | * | * | * | * | * | * | * | * | 0.7 | 2.6 |
| 1988 | 5.6 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1987 | 5.5 | * | * | * | * | * | * | * | * | * | 3.1 |
| 1986 | 5.8 | * | * | * | * | * | * | * | * | * | 3.3 |
| 1985 | 5.8 | * | * | * | * | * | * | * | * | * | 3.1 |
| 1984 | 6.2 | * | * | * | * | * | * | * | * | * | 4.0 |
| 1983 | 6.0 | * | * | * | * | * | * | * | * | 1.1 | 3.8 |
| 1982 | 6.3 | * | * | * | * | * | * | * | * | * | 4.4 |
| 1981 | 6.3 | * | * | * | * | * | * | * | * | 1.1 | 3.6 |
| 1980 | 6.5 | * | * | * | * | * | * | * | * | * | 3.7 |
| 1979 | 6.3 | * | * | * | * | * | * | * | * | 1.3 | 4.1 |
| Malignant neoplasm of esophagus (150) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 5.9 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1997 | 6.1 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1996 | 6.4 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1995 | 6.9 | * | * | * | * | * | * | * | * | * | 3.7 |
| 1994 | 7.3 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1993 | 7.6 | * | * | * | * | * | * | * | * | * | 3.5 |
| 1992 | 7.3 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1991 | 7.9 | * | * | * | * | * | * | * | * | * | 3.3 |
| 1990 | 8.1 | * | * | * | * | * | * | * | * | 1.3 | 3.7 |
| 1989 | 8.7 | * | * | * | * | * | * | * | * | * | 4.5 |
| 1988 | 9.0 | * | * | * | * | * | * | * | * | * | 5.3 |
| 1987 | 8.6 | * | * | * | * | * | * | * | * | * | 5.1 |
| 1986 | 9.1 | * | * | * | * | * | * | * | * | * | 5.6 |
| 1985 | 9.2 | * | * | * | * | * | * | * | * | * | 5.4 |
| 1984 | 9.7 | * | * | * | * | * | * | * | * | * | 7.3 |
| 1983 | 9.5 | * | * | * | * | * | * | * | * | * | 6.1 |
| 1982 | 10.0 | * | * | * | * | * | * | * | * | * | 7.9 |
| 1981 | 10.1 | * | * | * | * | * | * | * | * | * | 6.4 |
| 1980 | 10.1 | * | * | * | * | * | * | * | * | * | 6.4 |
| 1979 | 10.3 | * | * | * | * | * | * | * | * | * | 6.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of esophagus (150) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasm of esophagus (150) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 4.9 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1997 | 5.0 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1996 | 5.3 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1995 | 5.5 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1994 | 5.9 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1993 | 6.2 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1992 | 5.9 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1991 | 6.4 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1990 | 6.5 | * | * | * | * | * | * | * | * | 0.9 | 3.0 |
| 1989 | 6.8 | * | * | * | * | * | * | * | * | * | 3.4 |
| 1988 | 6.9 | * | * | * | * | * | * | * | * | * | 3.6 |
| 1987 | 6.7 | * | * | * | * | * | * | * | * | * | 4.1 |
| 1986 | 7.1 | * | * | * | * | * | * | * | * | * | 4.4 |
| 1985 | 6.9 | * | * | * | * | * | * | * | * | * | 4.1 |
| 1984 | 7.4 | * | * | * | * | * | * | * | * | * | 5.2 |
| 1983 | 7.2 | * | * | * | * | * | * | * | * | 1.4 | 4.8 |
| 1982 | 7.3 | * | * | * | * | * | * | * | * | * | 5.4 |
| 1981 | 7.3 | * | * | * | * | * | * | * | * | 1.4 | 4.4 |
| 1980 | 7.4 | * | * | * | * | * | * | * | * | * | 4.5 |
| 1979 | 7.2 | * | * | * | * | * | * | * | * | 1.6 | 4.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of esophagus (150) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 7.4 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1997 | 7.6 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1996 | 8.1 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1995 | 8.7 | * | * | * | * | * | * | * | * | * | 4.7 |
| 1994 | 9.1 | * | * | * | * | * | * | * | * | * | 4.0 |
| 1993 | 9.6 | * | * | * | * | * | * | * | * | * | 4.6 |
| 1992 | 9.1 | * | * | * | * | * | * | * | * | * | 3.7 |
| 1991 | 9.9 | * | * | * | * | * | * | * | * | * | 4.4 |
| 1990 | 9.9 | * | * | * | * | * | * | * | * | * | 4.6 |
| 1989 | 10.7 | * | * | * | * | * | * | * | * | * | 5.8 |
| 1988 | 11.2 | * | * | * | * | * | * | * | * | * | 7.0 |
| 1987 | 10.5 | * | * | * | * | * | * | * | * | * | 6.9 |
| 1986 | 11.2 | * | * | * | * | * | * | * | * | * | 7.4 |
| 1985 | 11.1 | * | * | * | * | * | * | * | * | * | 7.2 |
| 1984 | 11.7 | * | * | * | * | * | * | * | * | * | 9.7 |
| 1983 | 11.3 | * | * | * | * | * | * | * | * | * | 7.7 |
| 1982 | 11.7 | * | * | * | * | * | * | * | * | * | 9.6 |
| 1981 | 11.8 | * | * | * | * | * | * | * | * | * | 7.8 |
| 1980 | 11.6 | * | * | * | * | * | * | * | * | * | 7.9 |
| 1979 | 11.8 | * | * | * | * | * | * | * | * | * | 7.4 |
| Malignant neoplasm of esophagus (150) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of stomach (151) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.7 | * | * | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.3 |
| 1997 | 4.8 | * | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.5 |
| 1996 | 5.0 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.4 |
| 1995 | 5.1 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.4 |
| 1994 | 5.2 | * | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.5 |
| 1993 | 5.3 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.5 |
| 1992 | 5.3 | * | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.4 |
| 1991 | 5.6 | * | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.6 |
| 1990 | 5.7 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.7 |
| 1989 | 5.7 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.4 |
| 1988 | 5.6 | * | * | * | * | * | * | 0.1 | 0.4 | 0.7 | 1.7 |
| 1987 | 5.7 | * | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.6 |
| 1986 | 5.8 | * | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 1.8 |
| 1985 | 5.9 | * | * | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.7 |
| 1984 | 6.0 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.7 |
| 1983 | 6.1 | * | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.6 |
| 1982 | 6.2 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.8 |
| 1981 | 6.3 | * | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.9 |
| 1980 | 6.3 | * | * | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.8 |
| 1979 | 6.5 | * | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 1.6 |
| Malignant neoplasm of stomach (151) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 5.6 | * | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 1.6 |
| 1997 | 5.8 | * | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.9 |
| 1996 | 6.0 | * | * | * | * | * | * | * | 0.4 | 1.0 | 1.7 |
| 1995 | 6.2 | * | * | * | * | * | * | * | 0.3 | 0.9 | 1.7 |
| 1994 | 6.3 | * | * | * | * | * | * | 0.3 | 0.5 | 0.8 | 2.1 |
| 1993 | 6.5 | * | * | * | * | * | * | * | 0.4 | 1.0 | 2.2 |
| 1992 | 6.4 | * | * | * | * | * | * | * | 0.4 | 1.1 | 1.8 |
| 1991 | 6.9 | * | * | * | * | * | * | * | 0.5 | 1.2 | 2.3 |
| 1990 | 6.9 | * | * | * | * | * | * | * | 0.3 | 1.0 | 2.3 |
| 1989 | 7.1 | * | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 1.8 |
| 1988 | 6.8 | * | * | * | * | * | * | * | 0.5 | 0.9 | 2.2 |
| 1987 | 7.0 | * | * | * | * | * | * | * | 0.4 | 1.2 | 2.4 |
| 1986 | 7.2 | * | * | * | * | * | * | 0.2 | 0.6 | 1.1 | 2.3 |
| 1985 | 7.2 | * | * | * | * | * | * | * | 0.6 | 1.0 | 2.3 |
| 1984 | 7.4 | * | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 2.0 |
| 1983 | 7.4 | * | * | * | * | * | * | 0.2 | 0.5 | 1.0 | 2.0 |
| 1982 | 7.6 | * | * | * | * | * | * | 0.3 | 0.4 | 0.9 | 2.0 |
| 1981 | 7.7 | * | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 2.6 |
| 1980 | 7.7 | * | * | * | * | * | * | * | 0.4 | 1.0 | 2.3 |
| 1979 | 7.9 | * | * | * | * | * | * | * | 0.6 | 0.9 | 2.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of stomach (151) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 3.8 | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 | 1.0 |
| 1997 | 3.8 | * | * | * | * | * | * | 0.3 | 0.3 | 0.8 | 1.2 |
| 1996 | 4.0 | * | * | * | * | * | * | * | 0.5 | 0.6 | 1.0 |
| 1995 | 4.1 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.0 |
| 1994 | 4.1 | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 1.0 |
| 1993 | 4.2 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 0.9 |
| 1992 | 4.3 | * | * | * | * | * | * | * | 0.4 | 0.7 | 1.1 |
| 1991 | 4.4 | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 | 0.9 |
| 1990 | 4.5 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 1.1 |
| 1989 | 4.5 | * | * | * | * | * | * | * | 0.5 | 0.7 | 1.0 |
| 1988 | 4.4 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.1 |
| 1987 | 4.4 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 0.9 |
| 1986 | 4.4 | * | * | * | * | * | * | * | 0.4 | 0.7 | 1.2 |
| 1985 | 4.6 | * | * | * | * | * | * | * | 0.4 | 0.6 | 1.2 |
| 1984 | 4.8 | * | * | * | * | * | * | * | 0.3 | 0.8 | 1.3 |
| 1983 | 4.8 | * | * | * | * | * | * | * | 0.4 | 0.7 | 1.3 |
| 1982 | 4.9 | * | * | * | * | * | * | * | 0.4 | 0.7 | 1.6 |
| 1981 | 4.9 | * | * | * | * | * | * | * | 0.3 | 0.8 | 1.3 |
| 1980 | 5.0 | * | * | * | * | * | * | * | 0.5 | 0.6 | 1.2 |
| 1979 | 5.1 | * | * | * | * | * | * | * | 0.4 | 0.8 | 1.2 |
| Malignant neoplasm of stomach (151) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 4.5 | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 1.1 |
| 1997 | 4.5 | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 1.3 |
| 1996 | 4.7 | * | * | * | * | * | * | 0.1 | 0.3 | 0.6 | 1.2 |
| 1995 | 4.9 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.2 |
| 1994 | 4.9 | * | * | * | * | * | * | 0.1 | 0.3 | 0.6 | 1.3 |
| 1993 | 5.1 | * | * | * | * | * | * | 0.1 | 0.3 | 0.6 | 1.3 |
| 1992 | 5.1 | * | * | * | * | * | * | 0.1 | 0.3 | 0.7 | 1.1 |
| 1991 | 5.4 | * | * | * | * | * | * | 0.2 | 0.3 | 0.8 | 1.4 |
| 1990 | 5.4 | * | * | * | * | * | * | 0.1 | 0.2 | 0.6 | 1.5 |
| 1989 | 5.5 | * | * | * | * | * | * | 0.1 | 0.3 | 0.6 | 1.1 |
| 1988 | 5.4 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.5 |
| 1987 | 5.5 | * | * | * | * | * | * | 0.1 | 0.3 | 0.8 | 1.4 |
| 1986 | 5.5 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.5 |
| 1985 | 5.7 | * | * | * | * | * | * | 0.1 | 0.4 | 0.7 | 1.5 |
| 1984 | 5.8 | * | * | * | * | * | * | 0.1 | 0.3 | 0.6 | 1.5 |
| 1983 | 5.8 | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.3 |
| 1982 | 6.0 | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.5 |
| 1981 | 6.1 | * | * | * | * | * | * | 0.1 | 0.3 | 0.7 | 1.7 |
| 1980 | 6.2 | * | * | * | * | * | * | 0.1 | 0.4 | 0.7 | 1.4 |
| 1979 | 6.2 | * | * | * | * | * | * | 0.1 | 0.4 | 0.7 | 1.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of stomach (151) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 5.3 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.3 |
| 1997 | 5.5 | * | * | * | * | * | * | * | 0.4 | 0.7 | 1.6 |
| 1996 | 5.7 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.5 |
| 1995 | 5.9 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.5 |
| 1994 | 6.0 | * | * | * | * | * | * | * | 0.4 | 0.7 | 1.8 |
| 1993 | 6.2 | * | * | * | * | * | * | * | 0.3 | 0.8 | 1.9 |
| 1992 | 6.1 | * | * | * | * | * | * | * | 0.3 | 0.8 | 1.5 |
| 1991 | 6.6 | * | * | * | * | * | * | * | 0.4 | 1.0 | 2.1 |
| 1990 | 6.5 | * | * | * | * | * | * | * | 0.2 | 0.8 | 2.1 |
| 1989 | 6.7 | * | * | * | * | * | * | * | 0.3 | 0.8 | 1.5 |
| 1988 | 6.4 | * | * | * | * | * | * | * | 0.4 | 0.8 | 2.1 |
| 1987 | 6.7 | * | * | * | * | * | * | * | 0.3 | 1.1 | 2.1 |
| 1986 | 6.9 | * | * | * | * | * | * | * | 0.4 | 1.0 | 1.9 |
| 1985 | 6.9 | * | * | * | * | * | * | * | 0.4 | 1.0 | 2.0 |
| 1984 | 7.1 | * | * | * | * | * | * | * | 0.4 | 0.7 | 2.0 |
| 1983 | 7.0 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.6 |
| 1982 | 7.2 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.6 |
| 1981 | 7.5 | * | * | * | * | * | * | * | 0.4 | 0.9 | 2.3 |
| 1980 | 7.4 | * | * | * | * | * | * | * | 0.4 | 0.8 | 1.9 |
| 1979 | 7.6 | * | * | * | * | * | * | * | 0.6 | 0.9 | 1.7 |
| Malignant neoplasm of stomach (151) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 3.6 | * | * | * | * | * | * | * | 0.4 | 0.5 | 0.8 |
| 1997 | 3.6 | * | * | * | * | * | * | * | * | 0.6 | 1.0 |
| 1996 | 3.8 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.8 |
| 1995 | 3.9 | * | * | * | * | * | * | * | 0.3 | 0.6 | 0.8 |
| 1994 | 3.9 | * | * | * | * | * | * | * | 0.2 | 0.5 | 0.7 |
| 1993 | 4.1 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 |
| 1992 | 4.1 | * | * | * | * | * | * | * | 0.3 | 0.6 | 0.7 |
| 1991 | 4.2 | * | * | * | * | * | * | * | * | 0.5 | 0.7 |
| 1990 | 4.3 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.9 |
| 1989 | 4.4 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.8 |
| 1988 | 4.4 | * | * | * | * | * | * | * | 0.2 | 0.4 | 1.0 |
| 1987 | 4.3 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 |
| 1986 | 4.3 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.0 |
| 1985 | 4.5 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 |
| 1984 | 4.6 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.1 |
| 1983 | 4.7 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.1 |
| 1982 | 4.8 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.3 |
| 1981 | 4.8 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.0 |
| 1980 | 5.0 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.8 |
| 1979 | 5.0 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of stomach (151) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 5.8 | * | * | * | * | * | * | * | 1.0 | 1.8 | 2.5 |
| 1997 | 6.0 | * | * | * | * | * | * | 0.6 | 0.6 | 2.0 | 2.7 |
| 1996 | 6.1 | * | * | * | * | * | * | * | 1.0 | 1.9 | 2.4 |
| 1995 | 6.4 | * | * | * | * | * | * | * | 0.8 | 1.6 | 2.4 |
| 1994 | 6.3 | * | * | * | * | * | * | 0.7 | 1.0 | 1.2 | 3.0 |
| 1993 | 6.4 | * | * | * | * | * | * | * | 0.8 | 1.5 | 2.6 |
| 1992 | 6.6 | * | * | * | * | * | * | * | 0.8 | 2.2 | 3.0 |
| 1991 | 6.8 | * | * | * | * | * | * | * | 0.9 | 1.9 | 2.8 |
| 1990 | 6.9 | * | * | * | * | * | * | * | 0.9 | 1.9 | 2.8 |
| 1989 | 7.0 | * | * | * | * | * | * | * | 0.9 | 2.0 | 3.0 |
| 1988 | 6.8 | * | * | * | * | * | * | * | 1.0 | 1.3 | 2.5 |
| 1987 | 6.8 | * | * | * | * | * | * | * | 1.0 | 1.7 | 2.9 |
| 1986 | 7.0 | * | * | * | * | * | * | * | 1.1 | 1.8 | 3.5 |
| 1985 | 6.9 | * | * | * | * | * | * | * | 1.1 | 1.4 | 3.4 |
| 1984 | 7.2 | * | * | * | * | * | * | * | 0.8 | 2.1 | 2.6 |
| 1983 | 7.4 | * | * | * | * | * | * | * | 0.8 | 1.8 | 3.3 |
| 1982 | 7.3 | * | * | * | * | * | * | * | * | 1.7 | 3.9 |
| 1981 | 7.5 | * | * | * | * | * | * | * | * | 2.0 | 3.8 |
| 1980 | 7.5 | * | * | * | * | * | * | * | 1.1 | 1.5 | 4.6 |
| 1979 | 7.9 | * | * | * | * | * | * | * | 1.1 | 2.1 | 3.3 |
| Malignant neoplasm of stomach (151) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 6.9 | * | * | * | * | * | * | * | 1.2 | 2.0 | 3.3 |
| 1997 | 7.4 | * | * | * | * | * | * | * | * | 2.0 | 3.3 |
| 1996 | 7.4 | * | * | * | * | * | * | * | * | 2.3 | 3.0 |
| 1995 | 7.6 | * | * | * | * | * | * | * | * | 1.6 | 2.6 |
| 1994 | 7.7 | * | * | * | * | * | * | * | 1.1 | 1.2 | 3.6 |
| 1993 | 8.0 | * | * | * | * | * | * | * | * | 2.1 | 3.6 |
| 1992 | 8.0 | * | * | * | * | * | * | * | * | 2.8 | 3.3 |
| 1991 | 8.6 | * | * | * | * | * | * | * | * | 2.2 | 4.0 |
| 1990 | 8.6 | * | * | * | * | * | * | * | * | 2.1 | 3.6 |
| 1989 | 9.0 | * | * | * | * | * | * | * | * | 2.2 | 3.6 |
| 1988 | 8.8 | * | * | * | * | * | * | * | * | 1.8 | 3.2 |
| 1987 | 8.5 | * | * | * | * | * | * | * | * | 1.9 | 4.1 |
| 1986 | 9.0 | * | * | * | * | * | * | * | * | 1.9 | 4.6 |
| 1985 | 8.8 | * | * | * | * | * | * | * | * | * | 4.5 |
| 1984 | 9.1 | * | * | * | * | * | * | * | * | 1.9 | 2.4 |
| 1983 | 9.5 | * | * | * | * | * | * | * | * | 2.2 | 4.2 |
| 1982 | 9.7 | * | * | * | * | * | * | * | * | * | 4.2 |
| 1981 | 9.5 | * | * | * | * | * | * | * | * | * | 4.5 |
| 1980 | 9.7 | * | * | * | * | * | * | * | * | * | 5.3 |
| 1979 | 10.2 | * | * | * | * | * | * | * | * | * | 4.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of stomach (151) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 4.7 | * | * | * | * | * | * | * | * | 1.6 | 1.9 |
| 1997 | 4.8 | * | * | * | * | * | * | * | * | 1.9 | 2.1 |
| 1996 | 4.9 | * | * | * | * | * | * | * | 1.1 | 1.5 | 1.9 |
| 1995 | 5.4 | * | * | * | * | * | * | * | 1.0 | 1.5 | 2.2 |
| 1994 | 5.0 | * | * | * | * | * | * | * | * | 1.1 | 2.4 |
| 1993 | 5.0 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1992 | 5.3 | * | * | * | * | * | * | * | 1.0 | 1.6 | 2.8 |
| 1991 | 5.2 | * | * | * | * | * | * | * | * | 1.6 | 1.8 |
| 1990 | 5.3 | * | * | * | * | * | * | * | * | 1.7 | 2.1 |
| 1989 | 5.1 | * | * | * | * | * | * | * | 1.1 | 1.8 | 2.4 |
| 1988 | 4.9 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1987 | 5.2 | * | * | * | * | * | * | * | * | 1.4 | 1.9 |
| 1986 | 5.3 | * | * | * | * | * | * | * | * | 1.7 | 2.5 |
| 1985 | 5.2 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1984 | 5.4 | * | * | * | * | * | * | * | * | 2.3 | 2.7 |
| 1983 | 5.5 | * | * | * | * | * | * | * | * | * | 2.5 |
| 1982 | 5.2 | * | * | * | * | * | * | * | * | * | 3.6 |
| 1981 | 5.7 | * | * | * | * | * | * | * | * | 2.2 | 3.2 |
| 1980 | 5.4 | * | * | * | * | * | * | * | * | * | 3.9 |
| 1979 | 5.8 | * | * | * | * | * | * | * | * | 2.9 | 2.6 |
| Malignant neoplasm of stomach (151) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 6.1 | * | * | * | * | * | * | * | 0.9 | 1.6 | 2.7 |
| 1997 | 6.3 | * | * | * | * | * | * | * | * | 1.9 | 2.7 |
| 1996 | 6.5 | * | * | * | * | * | * | * | 1.0 | 2.0 | 2.1 |
| 1995 | 6.7 | * | * | * | * | * | * | * | 0.9 | 1.6 | 2.5 |
| 1994 | 6.6 | * | * | * | * | * | * | * | 1.0 | 1.0 | 2.9 |
| 1993 | 6.9 | * | * | * | * | * | * | * | 0.8 | 1.6 | 2.7 |
| 1992 | 6.9 | * | * | * | * | * | * | * | 0.8 | 2.4 | 3.3 |
| 1991 | 7.5 | * | * | * | * | * | * | * | 0.9 | 2.0 | 3.1 |
| 1990 | 7.4 | * | * | * | * | * | * | * | 1.0 | 1.9 | 2.9 |
| 1989 | 7.5 | * | * | * | * | * | * | * | 0.9 | 1.8 | 3.0 |
| 1988 | 7.1 | * | * | * | * | * | * | * | 1.1 | 1.4 | 2.6 |
| 1987 | 7.3 | * | * | * | * | * | * | * | 1.1 | 1.6 | 2.9 |
| 1986 | 7.3 | * | * | * | * | * | * | * | 1.1 | 1.6 | 3.5 |
| 1985 | 7.3 | * | * | * | * | * | * | * | 1.0 | 1.3 | 3.3 |
| 1984 | 7.6 | * | * | * | * | * | * | * | 0.9 | 2.2 | 2.6 |
| 1983 | 7.8 | * | * | * | * | * | * | * | 0.9 | 1.7 | 3.0 |
| 1982 | 7.7 | * | * | * | * | * | * | * | * | 1.5 | 3.6 |
| 1981 | 7.8 | * | * | * | * | * | * | * | * | 2.0 | 3.4 |
| 1980 | 7.7 | * | * | * | * | * | * | * | 1.1 | * | 4.3 |
| 1979 | 8.1 | * | * | * | * | * | * | * | * | 2.0 | 3.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|-------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of stomach (151) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 7.5 | * | * | * | * | * | * | * | * | 2.0 | 3.8 |
| 1997 | 7.8 | * | * | * | * | * | * | * | * | 2.2 | 3.6 |
| 1996 | 8.0 | * | * | * | * | * | * | * | * | 2.6 | 3.1 |
| 1995 | 8.0 | * | * | * | * | * | * | * | * | 1.8 | 3.2 |
| 1994 | 8.2 | * | * | * | * | * | * | * | * | * | 3.6 |
| 1993 | 8.7 | * | * | * | * | * | * | * | * | 2.4 | 4.2 |
| 1992 | 8.4 | * | * | * | * | * | * | * | * | 3.1 | 4.2 |
| 1991 | 9.6 | * | * | * | * | * | * | * | * | 2.6 | 4.4 |
| 1990 | 9.3 | * | * | * | * | * | * | * | * | 2.6 | 4.0 |
| 1989 | 9.7 | * | * | * | * | * | * | * | * | 2.2 | 4.4 |
| 1988 | 9.4 | * | * | * | * | * | * | * | * | 2.0 | 3.5 |
| 1987 | 9.3 | * | * | * | * | * | * | * | * | * | 4.5 |
| 1986 | 9.5 | * | * | * | * | * | * | * | * | * | 4.8 |
| 1985 | 9.4 | * | * | * | * | * | * | * | * | * | 4.8 |
| 1984 | 9.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 10.2 | * | * | * | * | * | * | * | * | * | 4.3 |
| 1982 | 10.5 | * | * | * | * | * | * | * | * | * | 4.6 |
| 1981 | 10.0 | * | * | * | * | * | * | * | * | * | 4.4 |
| 1980 | 10.1 | * | * | * | * | * | * | * | * | * | 5.6 |
| 1979 | 10.5 | * | * | * | * | * | * | * | * | * | 4.1 |
| Malignant neoplasm of stomach (151) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 4.9 | * | * | * | * | * | * | * | * | 1.4 | 1.7 |
| 1997 | 4.9 | * | * | * | * | * | * | * | * | 1.7 | 2.0 |
| 1996 | 5.1 | * | * | * | * | * | * | * | * | 1.4 | * |
| 1995 | 5.5 | * | * | * | * | * | * | * | * | 1.4 | 2.0 |
| 1994 | 5.2 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1993 | 5.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 5.6 | * | * | * | * | * | * | * | * | 1.7 | 2.5 |
| 1991 | 5.6 | * | * | * | * | * | * | * | * | 1.5 | 2.0 |
| 1990 | 5.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 5.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 5.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 5.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 5.6 | * | * | * | * | * | * | * | * | 2.2 | 2.6 |
| 1983 | 5.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 5.2 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1981 | 5.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 5.5 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1979 | 5.9 | * | * | * | * | * | * | * | * | 2.8 | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of colon, rectum and anus (153-154) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 20.6 | * | * | * | * | * | 0.2 | 0.5 | 1.0 | 1.9 | 3.9 |
| 1997 | 20.7 | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 1.9 | 3.8 |
| 1996 | 21.0 | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 1.9 | 3.8 |
| 1995 | 21.5 | * | * | * | * | * | 0.2 | 0.5 | 1.0 | 1.8 | 4.2 |
| 1994 | 21.7 | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 1.9 | 4.2 |
| 1993 | 21.9 | * | * | * | * | * | 0.2 | 0.5 | 0.8 | 2.0 | 4.1 |
| 1992 | 22.0 | * | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.9 | 4.4 |
| 1991 | 22.2 | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 2.0 | 4.1 |
| 1990 | 22.7 | * | * | * | * | * | 0.1 | 0.5 | 0.9 | 2.1 | 4.0 |
| 1989 | 22.8 | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.9 | 3.9 |
| 1988 | 22.9 | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 2.3 | 4.5 |
| 1987 | 23.3 | * | * | * | * | * | 0.2 | 0.5 | 1.1 | 2.3 | 4.4 |
| 1986 | 23.2 | * | * | * | * | * | 0.2 | 0.5 | 1.0 | 2.1 | 4.2 |
| 1985 | 23.7 | * | * | * | * | * | 0.2 | 0.4 | 1.1 | 2.3 | 4.5 |
| 1984 | 23.9 | * | * | * | * | * | 0.1 | 0.5 | 1.1 | 2.2 | 4.7 |
| 1983 | 23.4 | * | * | * | * | * | 0.2 | 0.5 | 1.1 | 2.2 | 4.6 |
| 1982 | 23.3 | * | * | * | * | * | 0.2 | 0.6 | 1.0 | 2.3 | 4.9 |
| 1981 | 23.2 | * | * | * | * | * | 0.2 | 0.6 | 1.0 | 2.3 | 4.7 |
| 1980 | 23.5 | * | * | * | * | * | 0.3 | 0.5 | 1.1 | 2.4 | 5.2 |
| 1979 | 23.3 | * | * | * | * | * | 0.2 | 0.6 | 1.1 | 2.5 | 5.2 |
| Malignant neoplasms of colon, rectum and anus (153-154) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 20.7 | * | * | * | * | * | 0.2 | 0.5 | 1.1 | 2.1 | 4.1 |
| 1997 | 20.9 | * | * | * | * | * | 0.3 | 0.5 | 1.1 | 2.0 | 4.1 |
| 1996 | 21.1 | * | * | * | * | * | 0.2 | 0.5 | 1.1 | 1.9 | 4.1 |
| 1995 | 21.7 | * | * | * | * | * | 0.2 | 0.5 | 1.1 | 1.9 | 4.6 |
| 1994 | 22.0 | * | * | * | * | * | 0.3 | 0.5 | 1.2 | 2.1 | 4.4 |
| 1993 | 22.0 | * | * | * | * | * | 0.2 | 0.6 | 1.0 | 1.9 | 4.4 |
| 1992 | 22.4 | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 2.0 | 4.8 |
| 1991 | 22.5 | * | * | * | * | * | 0.3 | 0.5 | 1.1 | 2.2 | 4.3 |
| 1990 | 23.2 | * | * | * | * | * | * | 0.5 | 1.0 | 2.4 | 4.3 |
| 1989 | 23.1 | * | * | * | * | * | 0.2 | 0.6 | 1.0 | 2.1 | 4.2 |
| 1988 | 23.2 | * | * | * | * | * | 0.2 | 0.5 | 1.1 | 2.5 | 5.1 |
| 1987 | 23.6 | * | * | * | * | * | * | 0.5 | 1.3 | 2.5 | 4.8 |
| 1986 | 23.5 | * | * | * | * | * | 0.3 | 0.6 | 1.0 | 2.3 | 4.5 |
| 1985 | 23.9 | * | * | * | * | * | * | 0.5 | 1.0 | 2.4 | 5.0 |
| 1984 | 23.9 | * | * | * | * | * | * | 0.6 | 1.4 | 2.3 | 5.1 |
| 1983 | 23.7 | * | * | * | * | * | 0.2 | 0.6 | 1.2 | 2.3 | 5.0 |
| 1982 | 23.3 | * | * | * | * | * | 0.2 | 0.7 | 1.2 | 2.6 | 5.3 |
| 1981 | 23.2 | * | * | * | * | * | 0.2 | 0.7 | 1.2 | 2.6 | 4.8 |
| 1980 | 23.6 | * | * | * | * | * | 0.3 | 0.6 | 1.0 | 2.6 | 5.6 |
| 1979 | 23.3 | * | * | * | * | * | 0.2 | 0.7 | 1.3 | 2.7 | 5.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of colon, rectum and anus (153-154) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 20.5 | * | * | * | * | * | * | 0.4 | 0.9 | 1.7 | 3.7 |
| 1997 | 20.5 | * | * | * | * | * | * | 0.4 | 0.9 | 1.8 | 3.6 |
| 1996 | 20.8 | * | * | * | * | * | * | 0.4 | 0.8 | 1.9 | 3.6 |
| 1995 | 21.4 | * | * | * | * | * | * | 0.5 | 0.9 | 1.8 | 3.9 |
| 1994 | 21.4 | * | * | * | * | * | * | 0.3 | 0.9 | 1.6 | 3.9 |
| 1993 | 21.8 | * | * | * | * | * | * | 0.4 | 0.7 | 2.0 | 3.8 |
| 1992 | 21.7 | * | * | * | * | * | * | 0.4 | 0.8 | 1.8 | 4.0 |
| 1991 | 22.0 | * | * | * | * | * | * | 0.4 | 1.0 | 1.9 | 3.9 |
| 1990 | 22.2 | * | * | * | * | * | * | 0.5 | 0.9 | 1.8 | 3.8 |
| 1989 | 22.5 | * | * | * | * | * | 0.3 | 0.3 | 0.8 | 1.7 | 3.7 |
| 1988 | 22.6 | * | * | * | * | * | * | 0.3 | 0.9 | 2.1 | 4.0 |
| 1987 | 22.9 | * | * | * | * | * | * | 0.4 | 0.9 | 2.0 | 4.0 |
| 1986 | 23.0 | * | * | * | * | * | 0.2 | 0.5 | 1.0 | 1.9 | 3.9 |
| 1985 | 23.6 | * | * | * | * | * | 0.2 | 0.3 | 1.2 | 2.2 | 4.0 |
| 1984 | 23.8 | * | * | * | * | * | * | 0.3 | 0.8 | 2.1 | 4.4 |
| 1983 | 23.1 | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 2.0 | 4.3 |
| 1982 | 23.2 | * | * | * | * | * | 0.3 | 0.5 | 0.8 | 2.0 | 4.4 |
| 1981 | 23.2 | * | * | * | * | * | 0.2 | 0.5 | 0.8 | 2.0 | 4.6 |
| 1980 | 23.4 | * | * | * | * | * | 0.2 | 0.4 | 1.1 | 2.3 | 4.9 |
| 1979 | 23.3 | * | * | * | * | * | * | 0.5 | 1.0 | 2.3 | 4.8 |
| Malignant neoplasms of colon, rectum and anus (153-154) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 21.7 | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.6 | 3.6 |
| 1997 | 21.8 | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.6 | 3.5 |
| 1996 | 22.1 | * | * | * | * | * | 0.1 | 0.4 | 0.8 | 1.7 | 3.6 |
| 1995 | 22.7 | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 1.7 | 3.8 |
| 1994 | 22.9 | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.7 | 3.7 |
| 1993 | 23.1 | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.9 | 3.8 |
| 1992 | 23.2 | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.8 | 4.0 |
| 1991 | 23.4 | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 1.8 | 3.9 |
| 1990 | 23.9 | * | * | * | * | * | * | 0.4 | 0.8 | 1.9 | 3.8 |
| 1989 | 24.0 | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.8 | 3.7 |
| 1988 | 24.1 | * | * | * | * | * | 0.2 | 0.3 | 0.9 | 2.0 | 4.2 |
| 1987 | 24.5 | * | * | * | * | * | 0.1 | 0.4 | 1.0 | 2.1 | 4.2 |
| 1986 | 24.5 | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 1.9 | 4.0 |
| 1985 | 24.9 | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 2.2 | 4.2 |
| 1984 | 25.2 | * | * | * | * | * | 0.1 | 0.4 | 1.0 | 2.1 | 4.6 |
| 1983 | 24.7 | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 2.1 | 4.3 |
| 1982 | 24.5 | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 2.2 | 4.6 |
| 1981 | 24.4 | * | * | * | * | * | 0.2 | 0.5 | 1.0 | 2.1 | 4.5 |
| 1980 | 24.7 | * | * | * | * | * | 0.2 | 0.5 | 1.0 | 2.5 | 5.0 |
| 1979 | 24.4 | * | * | * | * | * | 0.2 | 0.6 | 1.0 | 2.2 | 5.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of colon, rectum and anus (153-154) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 21.8 | * | * | * | * | * | * | 0.4 | 0.9 | 1.8 | 3.8 |
| 1997 | 22.0 | * | * | * | * | * | 0.3 | 0.4 | 0.9 | 1.7 | 3.7 |
| 1996 | 22.3 | * | * | * | * | * | * | 0.5 | 0.9 | 1.7 | 3.7 |
| 1995 | 22.8 | * | * | * | * | * | * | 0.4 | 1.0 | 1.8 | 4.2 |
| 1994 | 23.2 | * | * | * | * | * | 0.3 | 0.4 | 1.0 | 2.0 | 3.9 |
| 1993 | 23.2 | * | * | * | * | * | * | 0.5 | 0.9 | 1.8 | 4.1 |
| 1992 | 23.6 | * | * | * | * | * | * | 0.4 | 0.9 | 1.9 | 4.3 |
| 1991 | 23.7 | * | * | * | * | * | 0.3 | 0.4 | 1.0 | 2.0 | 4.2 |
| 1990 | 24.4 | * | * | * | * | * | * | 0.4 | 0.8 | 2.1 | 4.1 |
| 1989 | 24.3 | * | * | * | * | * | * | 0.5 | 0.8 | 2.0 | 3.9 |
| 1988 | 24.4 | * | * | * | * | * | * | 0.3 | 1.0 | 2.2 | 4.9 |
| 1987 | 24.9 | * | * | * | * | * | * | 0.4 | 1.2 | 2.3 | 4.5 |
| 1986 | 24.7 | * | * | * | * | * | 0.3 | 0.5 | 0.9 | 2.0 | 4.3 |
| 1985 | 25.1 | * | * | * | * | * | * | 0.5 | 1.0 | 2.3 | 4.8 |
| 1984 | 25.2 | * | * | * | * | * | * | 0.5 | 1.3 | 2.2 | 5.0 |
| 1983 | 25.0 | * | * | * | * | * | * | 0.5 | 1.1 | 2.2 | 4.6 |
| 1982 | 24.5 | * | * | * | * | * | * | 0.6 | 1.1 | 2.4 | 5.1 |
| 1981 | 24.4 | * | * | * | * | * | 0.2 | 0.6 | 1.2 | 2.3 | 4.6 |
| 1980 | 24.8 | * | * | * | * | * | 0.3 | 0.6 | 1.0 | 2.6 | 5.4 |
| 1979 | 24.5 | * | * | * | * | * | * | 0.7 | 1.2 | 2.2 | 5.5 |
| Malignant neoplasms of colon, rectum and anus (153-154) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 21.6 | * | * | * | * | * | * | 0.5 | 0.8 | 1.5 | 3.5 |
| 1997 | 21.6 | * | * | * | * | * | * | 0.4 | 0.8 | 1.6 | 3.3 |
| 1996 | 21.9 | * | * | * | * | * | * | 0.3 | 0.7 | 1.7 | 3.4 |
| 1995 | 22.5 | * | * | * | * | * | * | 0.5 | 0.8 | 1.6 | 3.5 |
| 1994 | 22.6 | * | * | * | * | * | * | 0.4 | 0.8 | 1.4 | 3.5 |
| 1993 | 23.0 | * | * | * | * | * | * | 0.3 | 0.7 | 2.0 | 3.6 |
| 1992 | 22.9 | * | * | * | * | * | * | 0.4 | 0.7 | 1.6 | 3.6 |
| 1991 | 23.1 | * | * | * | * | * | * | 0.3 | 1.0 | 1.6 | 3.7 |
| 1990 | 23.4 | * | * | * | * | * | * | 0.5 | 0.8 | 1.7 | 3.5 |
| 1989 | 23.7 | * | * | * | * | * | * | 0.3 | 0.8 | 1.6 | 3.5 |
| 1988 | 23.8 | * | * | * | * | * | * | 0.2 | 0.7 | 1.8 | 3.5 |
| 1987 | 24.1 | * | * | * | * | * | * | 0.3 | 0.7 | 1.8 | 3.9 |
| 1986 | 24.3 | * | * | * | * | * | * | 0.4 | 0.9 | 1.8 | 3.7 |
| 1985 | 24.8 | * | * | * | * | * | * | 0.3 | 1.0 | 2.1 | 3.7 |
| 1984 | 25.2 | * | * | * | * | * | * | 0.3 | 0.7 | 2.1 | 4.2 |
| 1983 | 24.4 | * | * | * | * | * | * | 0.4 | 0.8 | 2.0 | 4.0 |
| 1982 | 24.5 | * | * | * | * | * | * | 0.4 | 0.8 | 1.9 | 4.1 |
| 1981 | 24.4 | * | * | * | * | * | * | 0.4 | 0.7 | 1.9 | 4.4 |
| 1980 | 24.7 | * | * | * | * | * | * | 0.5 | 1.1 | 2.3 | 4.5 |
| 1979 | 24.4 | * | * | * | * | * | * | 0.5 | 0.9 | 2.1 | 4.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of colon, rectum and anus (153-154) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 15.6 | * | * | * | * | * | * | 0.7 | 1.4 | 3.1 | 5.2 |
| 1997 | 15.7 | * | * | * | * | * | * | 0.5 | 1.7 | 3.1 | 5.3 |
| 1996 | 15.6 | * | * | * | * | * | * | 0.6 | 1.5 | 2.8 | 5.0 |
| 1995 | 16.0 | * | * | * | * | * | * | 0.6 | 1.5 | 2.5 | 6.3 |
| 1994 | 15.8 | * | * | * | * | * | * | 0.6 | 1.8 | 2.6 | 6.4 |
| 1993 | 16.1 | * | * | * | * | * | * | 0.9 | 0.9 | 2.2 | 5.3 |
| 1992 | 15.9 | * | * | * | * | * | * | 0.7 | 1.3 | 2.8 | 6.4 |
| 1991 | 16.2 | * | * | * | * | * | * | 0.7 | 1.2 | 3.0 | 5.1 |
| 1990 | 16.7 | * | * | * | * | * | * | 0.8 | 1.4 | 3.0 | 5.4 |
| 1989 | 16.4 | * | * | * | * | * | * | 0.6 | 1.3 | 2.4 | 5.1 |
| 1988 | 16.1 | * | * | * | * | * | * | 0.8 | 1.6 | 3.6 | 6.5 |
| 1987 | 16.6 | * | * | * | * | * | * | 0.8 | 1.8 | 3.4 | 5.5 |
| 1986 | 16.3 | * | * | * | * | * | * | 0.8 | 1.1 | 2.9 | 5.6 |
| 1985 | 16.9 | * | * | * | * | * | * | * | 1.7 | 3.0 | 6.1 |
| 1984 | 16.4 | * | * | * | * | * | * | 0.8 | 1.7 | 2.7 | 5.6 |
| 1983 | 15.9 | * | * | * | * | * | * | 0.8 | 1.9 | 2.7 | 6.9 |
| 1982 | 16.0 | * | * | * | * | * | 0.6 | 0.9 | 1.4 | 3.0 | 6.8 |
| 1981 | 15.9 | * | * | * | * | * | * | 1.1 | 1.5 | 3.7 | 6.2 |
| 1980 | 16.0 | * | * | * | * | * | 0.6 | * | 1.5 | 2.3 | 7.1 |
| 1979 | 15.9 | * | * | * | * | * | * | * | 1.8 | 4.9 | 6.4 |
| Malignant neoplasms of colon, rectum and anus (153-154) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 15.5 | * | * | * | * | * | * | * | 1.8 | 3.5 | 5.6 |
| 1997 | 15.9 | * | * | * | * | * | * | * | 2.0 | 3.4 | 5.8 |
| 1996 | 15.5 | * | * | * | * | * | * | * | 1.9 | 3.0 | 5.9 |
| 1995 | 16.1 | * | * | * | * | * | * | * | 1.6 | 2.6 | 6.9 |
| 1994 | 16.1 | * | * | * | * | * | * | * | 2.2 | 2.5 | 7.0 |
| 1993 | 15.9 | * | * | * | * | * | * | * | 1.3 | 2.3 | 6.0 |
| 1992 | 16.1 | * | * | * | * | * | * | * | 1.3 | 2.8 | 7.2 |
| 1991 | 16.0 | * | * | * | * | * | * | * | 1.3 | 3.0 | 5.1 |
| 1990 | 16.9 | * | * | * | * | * | * | * | 1.7 | 3.9 | 5.2 |
| 1989 | 16.7 | * | * | * | * | * | * | * | 1.6 | 2.8 | 5.8 |
| 1988 | 16.1 | * | * | * | * | * | * | * | 1.8 | 4.0 | 6.2 |
| 1987 | 16.7 | * | * | * | * | * | * | * | 2.1 | 3.6 | 6.7 |
| 1986 | 16.4 | * | * | * | * | * | * | * | * | 3.7 | 5.7 |
| 1985 | 16.6 | * | * | * | * | * | * | * | 1.5 | 3.3 | 6.4 |
| 1984 | 16.6 | * | * | * | * | * | * | * | 2.1 | 3.2 | 6.1 |
| 1983 | 16.0 | * | * | * | * | * | * | * | 1.8 | 2.9 | 7.8 |
| 1982 | 16.2 | * | * | * | * | * | * | * | 1.7 | 3.5 | 7.1 |
| 1981 | 15.8 | * | * | * | * | * | * | * | * | 4.8 | 6.2 |
| 1980 | 16.2 | * | * | * | * | * | * | * | * | * | 7.4 |
| 1979 | 15.7 | * | * | * | * | * | * | * | 2.0 | 6.6 | 6.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of colon, rectum and anus (153-154) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 15.6 | * | * | * | * | * | * | * | 1.0 | 2.7 | 4.8 |
| 1997 | 15.5 | * | * | * | * | * | * | * | 1.5 | 2.9 | 4.8 |
| 1996 | 15.6 | * | * | * | * | * | * | * | 1.0 | 2.7 | 4.2 |
| 1995 | 15.9 | * | * | * | * | * | * | * | 1.3 | 2.4 | 5.8 |
| 1994 | 15.6 | * | * | * | * | * | * | * | 1.4 | 2.8 | 5.9 |
| 1993 | 16.2 | * | * | * | * | * | * | * | * | 2.1 | 4.6 |
| 1992 | 15.8 | * | * | * | * | * | * | * | 1.3 | 2.8 | 5.7 |
| 1991 | 16.3 | * | * | * | * | * | * | * | 1.1 | 3.0 | 5.0 |
| 1990 | 16.4 | * | * | * | * | * | * | * | 1.1 | 2.3 | 5.7 |
| 1989 | 16.2 | * | * | * | * | * | * | * | 1.1 | 2.1 | 4.5 |
| 1988 | 16.2 | * | * | * | * | * | * | * | 1.5 | 3.3 | 6.7 |
| 1987 | 16.5 | * | * | * | * | * | * | * | 1.6 | 3.1 | 4.5 |
| 1986 | 16.1 | * | * | * | * | * | * | * | 1.2 | 2.3 | 5.5 |
| 1985 | 17.1 | * | * | * | * | * | * | * | 1.9 | 2.7 | 5.9 |
| 1984 | 16.2 | * | * | * | * | * | * | * | 1.4 | 2.2 | 5.2 |
| 1983 | 15.9 | * | * | * | * | * | * | * | 2.0 | 2.5 | 6.1 |
| 1982 | 15.9 | * | * | * | * | * | * | * | * | 2.5 | 6.5 |
| 1981 | 15.9 | * | * | * | * | * | * | * | 1.4 | 2.8 | 6.2 |
| 1980 | 15.8 | * | * | * | * | * | * | * | 1.6 | 2.4 | 6.9 |
| 1979 | 16.1 | * | * | * | * | * | * | * | * | 3.5 | 6.3 |
| Malignant neoplasms of colon, rectum and anus (153-154) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 18.5 | * | * | * | * | * | * | 0.7 | 1.5 | 3.7 | 6.0 |
| 1997 | 18.7 | * | * | * | * | * | * | * | 1.9 | 3.5 | 6.1 |
| 1996 | 18.5 | * | * | * | * | * | * | 0.7 | 1.7 | 3.6 | 6.0 |
| 1995 | 19.0 | * | * | * | * | * | * | * | 1.6 | 2.8 | 7.3 |
| 1994 | 18.7 | * | * | * | * | * | * | 0.8 | 2.1 | 3.2 | 7.7 |
| 1993 | 19.0 | * | * | * | * | * | * | 1.0 | 0.9 | 2.5 | 6.1 |
| 1992 | 18.7 | * | * | * | * | * | * | 0.8 | 1.5 | 3.3 | 7.6 |
| 1991 | 19.1 | * | * | * | * | * | * | 0.8 | 1.3 | 3.7 | 5.9 |
| 1990 | 19.7 | * | * | * | * | * | * | 1.0 | 1.6 | 3.6 | 6.4 |
| 1989 | 19.1 | * | * | * | * | * | * | * | 1.7 | 2.8 | 6.4 |
| 1988 | 18.8 | * | * | * | * | * | * | 0.9 | 2.0 | 4.3 | 8.0 |
| 1987 | 19.1 | * | * | * | * | * | * | 0.9 | 2.0 | 3.7 | 6.0 |
| 1986 | 18.8 | * | * | * | * | * | * | 0.9 | 1.3 | 3.6 | 6.7 |
| 1985 | 19.2 | * | * | * | * | * | * | * | 1.9 | 3.5 | 6.9 |
| 1984 | 18.6 | * | * | * | * | * | * | 0.9 | 1.9 | 3.2 | 6.4 |
| 1983 | 18.1 | * | * | * | * | * | * | 0.8 | 2.0 | 2.7 | 8.0 |
| 1982 | 18.1 | * | * | * | * | * | 0.7 | 0.9 | 1.7 | 3.6 | 7.9 |
| 1981 | 17.7 | * | * | * | * | * | * | 1.2 | 1.5 | 4.3 | 7.4 |
| 1980 | 17.7 | * | * | * | * | * | * | * | 1.7 | 2.3 | 8.2 |
| 1979 | 17.2 | * | * | * | * | * | * | * | 2.0 | 5.6 | 7.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of colon, rectum and anus (153-154) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 18.2 | * | * | * | * | * | * | * | 2.0 | 4.2 | 6.5 |
| 1997 | 18.7 | * | * | * | * | * | * | * | 2.2 | 3.6 | 6.8 |
| 1996 | 18.4 | * | * | * | * | * | * | * | 2.4 | 3.8 | 7.3 |
| 1995 | 19.0 | * | * | * | * | * | * | * | 2.0 | 2.9 | 7.9 |
| 1994 | 18.9 | * | * | * | * | * | * | * | 2.7 | 3.1 | 8.7 |
| 1993 | 18.8 | * | * | * | * | * | * | * | * | 2.8 | 7.1 |
| 1992 | 18.8 | * | * | * | * | * | * | * | 1.5 | 3.1 | 9.1 |
| 1991 | 18.7 | * | * | * | * | * | * | * | * | 3.7 | 6.0 |
| 1990 | 19.9 | * | * | * | * | * | * | * | 1.7 | 4.8 | 6.1 |
| 1989 | 19.1 | * | * | * | * | * | * | * | 1.9 | 3.2 | 7.1 |
| 1988 | 18.5 | * | * | * | * | * | * | * | 2.2 | 4.8 | 7.8 |
| 1987 | 19.0 | * | * | * | * | * | * | * | 2.4 | 3.9 | 7.7 |
| 1986 | 18.7 | * | * | * | * | * | * | * | * | 4.6 | 7.0 |
| 1985 | 18.5 | * | * | * | * | * | * | * | 1.8 | 3.9 | 7.2 |
| 1984 | 18.8 | * | * | * | * | * | * | * | 2.4 | 3.9 | 6.7 |
| 1983 | 17.9 | * | * | * | * | * | * | * | * | 3.4 | 9.0 |
| 1982 | 18.0 | * | * | * | * | * | * | * | 2.1 | 4.3 | 8.7 |
| 1981 | 17.5 | * | * | * | * | * | * | * | * | 5.7 | 7.6 |
| 1980 | 17.7 | * | * | * | * | * | * | * | * | * | 8.6 |
| 1979 | 16.7 | * | * | * | * | * | * | * | * | 7.7 | 7.6 |
| Malignant neoplasms of colon, rectum and anus (153-154) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 18.8 | * | * | * | * | * | * | * | * | 3.2 | 5.5 |
| 1997 | 18.7 | * | * | * | * | * | * | * | 1.5 | 3.4 | 5.6 |
| 1996 | 18.6 | * | * | * | * | * | * | * | * | 3.4 | 4.8 |
| 1995 | 19.0 | * | * | * | * | * | * | * | * | 2.7 | 6.8 |
| 1994 | 18.5 | * | * | * | * | * | * | * | 1.6 | 3.2 | 6.8 |
| 1993 | 19.3 | * | * | * | * | * | * | * | * | 2.3 | 5.3 |
| 1992 | 18.7 | * | * | * | * | * | * | * | 1.4 | 3.5 | 6.3 |
| 1991 | 19.4 | * | * | * | * | * | * | * | * | 3.8 | 5.9 |
| 1990 | 19.5 | * | * | * | * | * | * | * | 1.5 | 2.5 | 6.6 |
| 1989 | 19.1 | * | * | * | * | * | * | * | 1.5 | 2.4 | 5.8 |
| 1988 | 19.0 | * | * | * | * | * | * | * | 1.9 | 3.8 | 8.2 |
| 1987 | 19.2 | * | * | * | * | * | * | * | 1.5 | 3.6 | 4.5 |
| 1986 | 18.9 | * | * | * | * | * | * | * | * | 2.7 | 6.4 |
| 1985 | 19.8 | * | * | * | * | * | * | * | 2.0 | 3.2 | 6.6 |
| 1984 | 18.5 | * | * | * | * | * | * | * | * | 2.7 | 6.0 |
| 1983 | 18.2 | * | * | * | * | * | * | * | 2.2 | * | 7.1 |
| 1982 | 18.2 | * | * | * | * | * | * | * | * | 3.0 | 7.2 |
| 1981 | 17.9 | * | * | * | * | * | * | * | * | 3.0 | 7.2 |
| 1980 | 17.6 | * | * | * | * | * | * | * | * | 2.6 | 7.8 |
| 1979 | 17.7 | * | * | * | * | * | * | * | * | 3.9 | 7.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of liver and intrahepatic bile ducts (155) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.5 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 1.4 |
| 1997 | 4.4 | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 1.3 |
| 1996 | 4.3 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.6 | 1.5 |
| 1995 | 4.2 | * | 0.1 | * | * | * | * | 0.2 | 0.2 | 0.5 | 1.4 |
| 1994 | 4.0 | * | 0.2 | * | * | * | 0.1 | 0.2 | 0.3 | 0.6 | 1.3 |
| 1993 | 3.9 | * | * | * | * | * | * | 0.1 | 0.3 | 0.6 | 1.2 |
| 1992 | 3.7 | * | * | * | * | * | 0.1 | 0.1 | 0.3 | 0.6 | 1.2 |
| 1991 | 3.5 | * | 0.2 | * | * | * | * | 0.1 | 0.2 | 0.6 | 1.1 |
| 1990 | 3.4 | * | 0.2 | * | * | * | 0.1 | * | 0.3 | 0.5 | 1.1 |
| 1989 | 3.2 | * | * | * | * | * | * | 0.1 | 0.3 | 0.5 | 0.8 |
| 1988 | 3.1 | * | * | * | * | * | * | 0.2 | 0.2 | 0.6 | 0.9 |
| 1987 | 3.0 | * | 0.2 | * | * | 0.1 | 0.1 | 0.2 | 0.3 | 0.6 | 0.8 |
| 1986 | 2.9 | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.6 | 1.0 |
| 1985 | 2.9 | * | 0.2 | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.9 |
| 1984 | 2.8 | * | 0.2 | * | * | * | 0.1 | 0.2 | 0.3 | 0.6 | 0.9 |
| 1983 | 2.7 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.9 |
| 1982 | 2.7 | * | 0.2 | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.8 |
| 1981 | 2.6 | * | 0.2 | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 | 0.7 |
| 1980 | 2.5 | * | 0.2 | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.8 |
| 1979 | 2.5 | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.4 | 0.7 |
| Malignant neoplasms of liver and intrahepatic bile ducts (155) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 5.8 | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 2.1 |
| 1997 | 5.5 | * | * | * | * | * | * | 0.2 | 0.3 | 0.9 | 1.9 |
| 1996 | 5.4 | * | * | * | * | * | * | 0.2 | 0.3 | 0.8 | 2.4 |
| 1995 | 5.2 | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 2.2 |
| 1994 | 5.0 | * | 0.3 | * | * | * | * | * | 0.4 | 1.0 | 1.9 |
| 1993 | 4.8 | * | * | * | * | * | * | * | 0.3 | 1.0 | 1.8 |
| 1992 | 4.7 | * | * | * | * | * | * | * | 0.4 | 0.8 | 1.8 |
| 1991 | 4.3 | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.6 |
| 1990 | 4.3 | * | * | * | * | * | * | * | 0.4 | 0.7 | 1.5 |
| 1989 | 4.1 | * | * | * | * | * | * | * | 0.4 | 0.7 | 1.1 |
| 1988 | 3.9 | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 | 1.1 |
| 1987 | 3.7 | * | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 1.0 |
| 1986 | 3.6 | * | * | * | * | * | * | 0.2 | 0.3 | 0.8 | 1.3 |
| 1985 | 3.5 | * | * | * | * | * | * | * | 0.4 | 0.5 | 1.2 |
| 1984 | 3.4 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.2 |
| 1983 | 3.3 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.1 |
| 1982 | 3.3 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.0 |
| 1981 | 3.2 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.9 |
| 1980 | 3.0 | * | 0.3 | * | * | * | * | * | 0.4 | 0.4 | 1.1 |
| 1979 | 3.0 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of liver and intrahepatic bile ducts (155) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 3.3 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 |
| 1997 | 3.3 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.8 |
| 1996 | 3.2 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1995 | 3.2 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1994 | 3.0 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1993 | 3.0 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1992 | 2.8 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 |
| 1991 | 2.7 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1990 | 2.6 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1989 | 2.5 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.5 |
| 1988 | 2.4 | * | * | * | * | * | * | * | * | 0.5 | 0.7 |
| 1987 | 2.3 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1986 | 2.2 | * | * | * | * | * | * | * | * | 0.5 | 0.7 |
| 1985 | 2.3 | * | * | * | * | * | * | 0.2 | 0.2 | 0.5 | 0.5 |
| 1984 | 2.1 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 |
| 1983 | 2.0 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 |
| 1982 | 2.1 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1981 | 2.0 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1980 | 2.0 | * | * | * | * | * | * | * | * | 0.4 | 0.5 |
| 1979 | 2.0 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| Malignant neoplasms of liver and intrahepatic bile ducts (155) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 4.4 | * | * | * | * | * | * | * | 0.2 | 0.4 | 1.2 |
| 1997 | 4.3 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 1.0 |
| 1996 | 4.2 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 1.2 |
| 1995 | 4.1 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 1.0 |
| 1994 | 3.9 | * | 0.2 | * | * | * | * | * | 0.2 | 0.5 | 1.0 |
| 1993 | 3.8 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.9 |
| 1992 | 3.6 | * | * | * | * | * | 0.1 | * | 0.2 | 0.4 | 0.8 |
| 1991 | 3.4 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 |
| 1990 | 3.3 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.8 |
| 1989 | 3.1 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 |
| 1988 | 3.0 | * | * | * | * | * | * | * | 0.1 | 0.4 | 0.7 |
| 1987 | 2.9 | * | * | * | * | * | * | * | 0.2 | 0.5 | 0.6 |
| 1986 | 2.8 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.7 |
| 1985 | 2.8 | * | 0.2 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.7 |
| 1984 | 2.7 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.7 |
| 1983 | 2.5 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.7 |
| 1982 | 2.5 | * | 0.2 | * | * | * | * | * | 0.2 | 0.4 | 0.6 |
| 1981 | 2.5 | * | 0.2 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.6 |
| 1980 | 2.4 | * | 0.2 | * | * | * | 0.1 | 0.1 | 0.3 | 0.3 | 0.6 |
| 1979 | 2.4 | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.4 | 0.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of liver and intrahepatic bile ducts (155) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 5.5 | * | * | * | * | * | * | * | * | 0.4 | 1.6 |
| 1997 | 5.3 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.4 |
| 1996 | 5.2 | * | * | * | * | * | * | * | * | 0.5 | 1.9 |
| 1995 | 5.0 | * | * | * | * | * | * | * | * | 0.4 | 1.5 |
| 1994 | 4.8 | * | 0.3 | * | * | * | * | * | 0.2 | 0.7 | 1.2 |
| 1993 | 4.6 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.4 |
| 1992 | 4.5 | * | * | * | * | * | * | * | * | 0.5 | 1.2 |
| 1991 | 4.1 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.0 |
| 1990 | 4.0 | * | * | * | * | * | * | * | 0.3 | 0.4 | 1.1 |
| 1989 | 3.8 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1988 | 3.7 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1987 | 3.5 | * | * | * | * | * | * | * | 0.3 | 0.6 | 0.6 |
| 1986 | 3.4 | * | * | * | * | * | * | * | * | 0.5 | 0.8 |
| 1985 | 3.3 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 |
| 1984 | 3.2 | * | * | * | * | * | * | * | 0.2 | 0.5 | 0.9 |
| 1983 | 3.1 | * | * | * | * | * | * | * | * | 0.5 | 0.7 |
| 1982 | 3.1 | * | * | * | * | * | * | * | * | 0.5 | 0.7 |
| 1981 | 3.0 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1980 | 2.8 | * | * | * | * | * | * | * | 0.3 | * | 0.9 |
| 1979 | 2.9 | * | * | * | * | * | * | * | * | 0.4 | 0.5 |
| Malignant neoplasms of liver and intrahepatic bile ducts (155) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 3.3 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1997 | 3.3 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1996 | 3.3 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1995 | 3.2 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1994 | 3.0 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1993 | 3.0 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1992 | 2.8 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1991 | 2.7 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1990 | 2.6 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1989 | 2.5 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 |
| 1988 | 2.4 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1987 | 2.3 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1986 | 2.3 | * | * | * | * | * | * | * | * | 0.4 | 0.5 |
| 1985 | 2.3 | * | * | * | * | * | * | * | * | 0.4 | 0.5 |
| 1984 | 2.2 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1983 | 2.0 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1982 | 2.1 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1981 | 2.0 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1980 | 2.0 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1979 | 2.0 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasms of liver and intrahepatic bile ducts (155) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 4.9 | * | * | * | * | * | * | * | 0.7 | 1.1 | 2.6 |
| 1997 | 4.8 | * | * | * | * | * | * | * | 0.6 | 1.2 | 2.8 |
| 1996 | 4.6 | * | * | * | * | * | * | * | 0.5 | 1.5 | 2.9 |
| 1995 | 4.7 | * | * | * | * | * | * | * | 0.5 | 1.3 | 3.5 |
| 1994 | 4.4 | * | * | * | * | * | * | * | 0.7 | 1.3 | 3.2 |
| 1993 | 4.2 | * | * | * | * | * | * | * | 0.5 | 1.5 | 2.6 |
| 1992 | 4.2 | * | * | * | * | * | * | * | 0.9 | 1.4 | 3.3 |
| 1991 | 4.0 | * | * | * | * | * | * | * | * | 1.5 | 3.1 |
| 1990 | 4.0 | * | * | * | * | * | * | * | 0.6 | 1.5 | 2.7 |
| 1989 | 3.8 | * | * | * | * | * | * | * | 0.8 | 1.6 | 2.2 |
| 1988 | 3.6 | * | * | * | * | * | * | 0.6 | 0.7 | 1.7 | 2.2 |
| 1987 | 3.5 | * | * | * | * | * | * | 0.6 | 0.7 | 1.5 | 2.5 |
| 1986 | 3.4 | * | * | * | * | * | * | * | * | 1.9 | 2.8 |
| 1985 | 3.4 | * | * | * | * | * | * | * | 0.8 | 1.3 | 2.2 |
| 1984 | 3.4 | * | * | * | * | * | * | * | 0.8 | 1.8 | 2.0 |
| 1983 | 3.4 | * | * | * | * | * | * | * | 0.9 | 1.4 | 2.4 |
| 1982 | 3.3 | * | * | * | * | * | * | * | 0.8 | 1.1 | 2.0 |
| 1981 | 3.0 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1980 | 3.0 | * | * | * | * | * | * | * | * | 1.2 | 2.0 |
| 1979 | 3.0 | * | * | * | * | * | * | * | * | * | 2.0 |
| Malignant neoplasms of liver and intrahepatic bile ducts (155) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 6.9 | * | * | * | * | * | * | * | 1.1 | 1.5 | 4.4 |
| 1997 | 6.5 | * | * | * | * | * | * | * | * | 2.4 | 4.4 |
| 1996 | 6.3 | * | * | * | * | * | * | * | * | 2.1 | 5.2 |
| 1995 | 6.2 | * | * | * | * | * | * | * | * | 1.9 | 6.0 |
| 1994 | 6.0 | * | * | * | * | * | * | * | 1.1 | 2.5 | 5.5 |
| 1993 | 5.6 | * | * | * | * | * | * | * | * | 2.7 | 4.1 |
| 1992 | 5.7 | * | * | * | * | * | * | * | 1.3 | 2.0 | 5.5 |
| 1991 | 5.3 | * | * | * | * | * | * | * | * | 2.2 | 5.2 |
| 1990 | 5.4 | * | * | * | * | * | * | * | * | 2.5 | 3.8 |
| 1989 | 5.3 | * | * | * | * | * | * | * | 1.4 | 2.4 | 3.6 |
| 1988 | 5.0 | * | * | * | * | * | * | * | 1.2 | 2.2 | 3.9 |
| 1987 | 4.7 | * | * | * | * | * | * | * | * | 2.6 | 3.6 |
| 1986 | 4.8 | * | * | * | * | * | * | * | * | 2.9 | 4.5 |
| 1985 | 4.8 | * | * | * | * | * | * | * | * | * | 3.8 |
| 1984 | 5.0 | * | * | * | * | * | * | * | * | 3.0 | 3.1 |
| 1983 | 4.9 | * | * | * | * | * | * | * | * | 2.6 | 4.0 |
| 1982 | 4.4 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1981 | 4.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 4.3 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1979 | 4.2 | * | * | * | * | * | * | * | * | * | 2.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasms of liver and intrahepatic bile ducts (155) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 3.1 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1997 | 3.3 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1996 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.3 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1994 | 2.9 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1993 | 2.9 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1992 | 2.8 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1991 | 2.8 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1990 | 2.7 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1989 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.3 | * | * | * | * | * | * | * | * | 1.3 | * |
| 1987 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasms of liver and intrahepatic bile ducts (155) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 4.4 | * | * | * | * | * | * | * | * | 0.9 | 2.3 |
| 1997 | 4.1 | * | * | * | * | * | * | * | * | 1.0 | 2.5 |
| 1996 | 4.0 | * | * | * | * | * | * | * | * | 1.4 | 2.4 |
| 1995 | 4.2 | * | * | * | * | * | * | * | * | 1.2 | 3.1 |
| 1994 | 3.8 | * | * | * | * | * | * | * | * | 1.1 | 2.8 |
| 1993 | 3.7 | * | * | * | * | * | * | * | * | 1.4 | 2.0 |
| 1992 | 3.7 | * | * | * | * | * | * | * | 0.8 | 1.1 | 3.0 |
| 1991 | 3.5 | * | * | * | * | * | * | * | * | 1.2 | 2.7 |
| 1990 | 3.6 | * | * | * | * | * | * | * | * | 0.9 | 2.5 |
| 1989 | 3.5 | * | * | * | * | * | * | * | 0.8 | 1.3 | 1.2 |
| 1988 | 3.2 | * | * | * | * | * | * | * | * | 1.2 | 1.6 |
| 1987 | 3.2 | * | * | * | * | * | * | * | * | 1.2 | 2.5 |
| 1986 | 3.2 | * | * | * | * | * | * | * | * | 1.3 | 2.0 |
| 1985 | 3.1 | * | * | * | * | * | * | * | * | 1.1 | 2.0 |
| 1984 | 3.3 | * | * | * | * | * | * | * | * | 1.5 | 1.5 |
| 1983 | 3.2 | * | * | * | * | * | * | * | * | 1.3 | 1.9 |
| 1982 | 3.1 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1981 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.9 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasms of liver and intrahepatic bile ducts (155) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 6.1 | * | * | * | * | * | * | * | * | * | 3.7 |
| 1997 | 5.4 | * | * | * | * | * | * | * | * | 1.8 | 3.8 |
| 1996 | 5.4 | * | * | * | * | * | * | * | * | 1.8 | 4.2 |
| 1995 | 5.4 | * | * | * | * | * | * | * | * | 1.7 | 5.6 |
| 1994 | 5.1 | * | * | * | * | * | * | * | * | 2.1 | 4.8 |
| 1993 | 4.8 | * | * | * | * | * | * | * | * | 2.3 | 3.0 |
| 1992 | 5.0 | * | * | * | * | * | * | * | * | * | 5.4 |
| 1991 | 4.6 | * | * | * | * | * | * | * | * | * | 4.5 |
| 1990 | 4.5 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1989 | 4.7 | * | * | * | * | * | * | * | * | 2.1 | * |
| 1988 | 4.3 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1987 | 4.1 | * | * | * | * | * | * | * | * | 2.0 | 3.3 |
| 1986 | 4.4 | * | * | * | * | * | * | * | * | * | 3.4 |
| 1985 | 4.3 | * | * | * | * | * | * | * | * | * | 3.4 |
| 1984 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 4.4 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1982 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasms of liver and intrahepatic bile ducts (155) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.9 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of pancreas (157) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 10.3 | * | * | * | * | * | * | 0.1 | 0.2 | 0.7 | 1.8 |
| 1997 | 10.2 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.8 |
| 1996 | 10.1 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.8 |
| 1995 | 10.1 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.7 |
| 1994 | 10.2 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.8 |
| 1993 | 10.2 | * | * | * | * | * | * | * | 0.2 | 0.7 | 2.0 |
| 1992 | 10.2 | * | * | * | * | * | * | 0.1 | 0.2 | 0.7 | 1.8 |
| 1991 | 10.1 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.9 |
| 1990 | 10.1 | * | * | * | * | * | * | * | 0.2 | 0.8 | 1.7 |
| 1989 | 9.9 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.8 |
| 1988 | 9.8 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.8 |
| 1987 | 9.8 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.8 |
| 1986 | 9.8 | * | * | * | * | * | * | * | 0.2 | 0.7 | 2.0 |
| 1985 | 9.7 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.9 |
| 1984 | 9.8 | * | * | * | * | * | * | 0.1 | 0.2 | 0.8 | 1.9 |
| 1983 | 9.6 | * | * | * | * | * | * | 0.1 | 0.2 | 0.7 | 2.1 |
| 1982 | 9.5 | * | * | * | * | * | * | 0.1 | 0.3 | 0.7 | 1.9 |
| 1981 | 9.5 | * | * | * | * | * | * | * | 0.3 | 0.9 | 2.3 |
| 1980 | 9.4 | * | * | * | * | * | * | * | 0.3 | 0.6 | 2.1 |
| 1979 | 9.4 | * | * | * | * | * | * | * | 0.3 | 0.8 | 2.2 |
| Malignant neoplasm of pancreas (157) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 10.2 | * | * | * | * | * | * | * | 0.2 | 0.7 | 2.2 |
| 1997 | 10.1 | * | * | * | * | * | * | * | 0.3 | 0.9 | 2.2 |
| 1996 | 9.9 | * | * | * | * | * | * | * | 0.2 | 0.7 | 2.2 |
| 1995 | 9.8 | * | * | * | * | * | * | * | 0.2 | 0.8 | 2.4 |
| 1994 | 10.0 | * | * | * | * | * | * | * | 0.2 | 0.9 | 2.4 |
| 1993 | 10.0 | * | * | * | * | * | * | * | 0.2 | 0.8 | 2.6 |
| 1992 | 10.1 | * | * | * | * | * | * | * | 0.3 | 0.9 | 2.4 |
| 1991 | 10.0 | * | * | * | * | * | * | * | 0.3 | 0.9 | 2.5 |
| 1990 | 10.1 | * | * | * | * | * | * | * | 0.3 | 1.0 | 2.2 |
| 1989 | 9.9 | * | * | * | * | * | * | * | 0.3 | 0.7 | 2.4 |
| 1988 | 9.8 | * | * | * | * | * | * | * | 0.3 | 0.9 | 2.4 |
| 1987 | 9.8 | * | * | * | * | * | * | * | 0.2 | 0.8 | 2.2 |
| 1986 | 9.8 | * | * | * | * | * | * | * | 0.2 | 1.0 | 2.7 |
| 1985 | 10.0 | * | * | * | * | * | * | * | 0.3 | 1.0 | 2.3 |
| 1984 | 10.0 | * | * | * | * | * | * | * | 0.3 | 1.0 | 2.3 |
| 1983 | 9.9 | * | * | * | * | * | * | * | 0.3 | 0.8 | 2.5 |
| 1982 | 10.0 | * | * | * | * | * | * | * | 0.3 | 0.9 | 2.2 |
| 1981 | 10.0 | * | * | * | * | * | * | * | 0.3 | 1.1 | 3.1 |
| 1980 | 10.0 | * | * | * | * | * | * | * | 0.3 | 0.8 | 2.6 |
| 1979 | 10.1 | * | * | * | * | * | * | * | 0.3 | 1.1 | 2.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of pancreas (157) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 10.3 | * | * | * | * | * | * | * | * | 0.6 | 1.5 |
| 1997 | 10.2 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.5 |
| 1996 | 10.3 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.4 |
| 1995 | 10.2 | * | * | * | * | * | * | * | * | 0.5 | 1.1 |
| 1994 | 10.3 | * | * | * | * | * | * | * | * | 0.5 | 1.3 |
| 1993 | 10.4 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.3 |
| 1992 | 10.2 | * | * | * | * | * | * | * | 0.2 | 0.4 | 1.3 |
| 1991 | 10.2 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.4 |
| 1990 | 10.1 | * | * | * | * | * | * | * | * | 0.5 | 1.2 |
| 1989 | 9.9 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.3 |
| 1988 | 9.7 | * | * | * | * | * | * | * | * | 0.3 | 1.2 |
| 1987 | 9.8 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.4 |
| 1986 | 9.8 | * | * | * | * | * | * | * | * | 0.4 | 1.4 |
| 1985 | 9.5 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.5 |
| 1984 | 9.6 | * | * | * | * | * | * | * | * | 0.6 | 1.5 |
| 1983 | 9.4 | * | * | * | * | * | * | * | * | 0.5 | 1.7 |
| 1982 | 9.1 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.6 |
| 1981 | 9.0 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.6 |
| 1980 | 8.9 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.7 |
| 1979 | 8.7 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.5 |
| Malignant neoplasm of pancreas (157) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 10.8 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.8 |
| 1997 | 10.6 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.8 |
| 1996 | 10.6 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.7 |
| 1995 | 10.6 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.6 |
| 1994 | 10.6 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.6 |
| 1993 | 10.6 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.9 |
| 1992 | 10.5 | * | * | * | * | * | * | 0.1 | 0.2 | 0.7 | 1.7 |
| 1991 | 10.5 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.8 |
| 1990 | 10.4 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.6 |
| 1989 | 10.2 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.7 |
| 1988 | 10.0 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.7 |
| 1987 | 10.1 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.6 |
| 1986 | 10.1 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.9 |
| 1985 | 10.0 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.8 |
| 1984 | 10.0 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.8 |
| 1983 | 9.8 | * | * | * | * | * | * | 0.1 | 0.2 | 0.6 | 2.1 |
| 1982 | 9.7 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.8 |
| 1981 | 9.8 | * | * | * | * | * | * | * | 0.3 | 0.8 | 2.2 |
| 1980 | 9.6 | * | * | * | * | * | * | * | 0.3 | 0.6 | 2.1 |
| 1979 | 9.6 | * | * | * | * | * | * | * | 0.3 | 0.8 | 2.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of pancreas (157) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 10.7 | * | * | * | * | * | * | * | * | 0.7 | 2.2 |
| 1997 | 10.6 | * | * | * | * | * | * | * | * | 0.8 | 2.1 |
| 1996 | 10.3 | * | * | * | * | * | * | * | * | 0.7 | 2.0 |
| 1995 | 10.4 | * | * | * | * | * | * | * | 0.2 | 0.8 | 2.2 |
| 1994 | 10.4 | * | * | * | * | * | * | * | * | 0.8 | 2.1 |
| 1993 | 10.4 | * | * | * | * | * | * | * | 0.2 | 0.8 | 2.5 |
| 1992 | 10.5 | * | * | * | * | * | * | * | 0.3 | 0.9 | 2.1 |
| 1991 | 10.4 | * | * | * | * | * | * | * | 0.3 | 0.8 | 2.3 |
| 1990 | 10.4 | * | * | * | * | * | * | * | 0.3 | 0.8 | 2.1 |
| 1989 | 10.2 | * | * | * | * | * | * | * | 0.2 | 0.6 | 2.2 |
| 1988 | 10.1 | * | * | * | * | * | * | * | 0.4 | 0.8 | 2.2 |
| 1987 | 10.0 | * | * | * | * | * | * | * | * | 0.8 | 2.0 |
| 1986 | 10.0 | * | * | * | * | * | * | * | 0.3 | 1.0 | 2.6 |
| 1985 | 10.2 | * | * | * | * | * | * | * | 0.2 | 0.9 | 2.2 |
| 1984 | 10.2 | * | * | * | * | * | * | * | 0.3 | 0.8 | 2.2 |
| 1983 | 10.0 | * | * | * | * | * | * | * | 0.3 | 0.8 | 2.4 |
| 1982 | 10.2 | * | * | * | * | * | * | * | 0.3 | 0.8 | 2.0 |
| 1981 | 10.3 | * | * | * | * | * | * | * | 0.3 | 1.0 | 2.9 |
| 1980 | 10.2 | * | * | * | * | * | * | * | 0.3 | 0.7 | 2.5 |
| 1979 | 10.4 | * | * | * | * | * | * | * | 0.3 | 1.1 | 2.7 |
| Malignant neoplasm of pancreas (157) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 10.8 | * | * | * | * | * | * | * | * | 0.5 | 1.3 |
| 1997 | 10.7 | * | * | * | * | * | * | * | 0.2 | 0.4 | 1.5 |
| 1996 | 10.8 | * | * | * | * | * | * | * | * | 0.5 | 1.3 |
| 1995 | 10.8 | * | * | * | * | * | * | * | * | 0.5 | 1.0 |
| 1994 | 10.8 | * | * | * | * | * | * | * | * | 0.4 | 1.1 |
| 1993 | 10.8 | * | * | * | * | * | * | * | * | 0.5 | 1.3 |
| 1992 | 10.6 | * | * | * | * | * | * | * | * | 0.4 | 1.2 |
| 1991 | 10.6 | * | * | * | * | * | * | * | * | 0.5 | 1.4 |
| 1990 | 10.5 | * | * | * | * | * | * | * | * | 0.5 | 1.1 |
| 1989 | 10.2 | * | * | * | * | * | * | * | * | 0.5 | 1.2 |
| 1988 | 10.0 | * | * | * | * | * | * | * | * | 0.3 | 1.1 |
| 1987 | 10.1 | * | * | * | * | * | * | * | * | 0.6 | 1.2 |
| 1986 | 10.1 | * | * | * | * | * | * | * | * | 0.3 | 1.3 |
| 1985 | 9.8 | * | * | * | * | * | * | * | * | 0.5 | 1.4 |
| 1984 | 9.8 | * | * | * | * | * | * | * | * | 0.6 | 1.4 |
| 1983 | 9.7 | * | * | * | * | * | * | * | * | 0.5 | 1.7 |
| 1982 | 9.3 | * | * | * | * | * | * | * | * | 0.5 | 1.5 |
| 1981 | 9.4 | * | * | * | * | * | * | * | * | 0.7 | 1.4 |
| 1980 | 9.1 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.6 |
| 1979 | 8.9 | * | * | * | * | * | * | * | * | 0.6 | 1.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of pancreas (157) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 8.0 | * | * | * | * | * | * | * | * | 1.0 | 2.2 |
| 1997 | 7.9 | * | * | * | * | * | * | * | * | 1.0 | 2.1 |
| 1996 | 8.0 | * | * | * | * | * | * | * | * | 0.9 | 2.3 |
| 1995 | 7.6 | * | * | * | * | * | * | * | * | 0.8 | 2.3 |
| 1994 | 8.3 | * | * | * | * | * | * | * | * | 1.0 | 2.8 |
| 1993 | 8.2 | * | * | * | * | * | * | * | * | 0.9 | 2.5 |
| 1992 | 8.3 | * | * | * | * | * | * | * | * | 0.7 | 2.7 |
| 1991 | 8.0 | * | * | * | * | * | * | * | * | 0.8 | 2.6 |
| 1990 | 8.4 | * | * | * | * | * | * | * | * | 1.3 | 2.0 |
| 1989 | 8.4 | * | * | * | * | * | * | * | * | 1.1 | 2.2 |
| 1988 | 8.3 | * | * | * | * | * | * | * | * | 1.0 | 2.3 |
| 1987 | 8.2 | * | * | * | * | * | * | * | * | 1.1 | 3.0 |
| 1986 | 8.1 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1985 | 8.2 | * | * | * | * | * | * | * | * | 0.8 | 2.4 |
| 1984 | 8.5 | * | * | * | * | * | * | * | * | 1.3 | 2.5 |
| 1983 | 8.4 | * | * | * | * | * | * | * | * | * | 2.5 |
| 1982 | 8.1 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1981 | 7.7 | * | * | * | * | * | * | * | * | 1.0 | 3.1 |
| 1980 | 8.1 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1979 | 7.9 | * | * | * | * | * | * | * | * | * | 2.6 |
| Malignant neoplasm of pancreas (157) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 7.8 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1997 | 7.7 | * | * | * | * | * | * | * | * | 1.4 | 2.7 |
| 1996 | 7.7 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1995 | 7.4 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1994 | 8.3 | * | * | * | * | * | * | * | * | 1.2 | 3.8 |
| 1993 | 8.1 | * | * | * | * | * | * | * | * | * | 3.3 |
| 1992 | 8.3 | * | * | * | * | * | * | * | * | * | 3.8 |
| 1991 | 8.0 | * | * | * | * | * | * | * | * | * | 3.5 |
| 1990 | 8.5 | * | * | * | * | * | * | * | * | 2.1 | 2.7 |
| 1989 | 8.4 | * | * | * | * | * | * | * | * | * | 3.1 |
| 1988 | 8.4 | * | * | * | * | * | * | * | * | 1.6 | 3.1 |
| 1987 | 8.4 | * | * | * | * | * | * | * | * | * | 3.6 |
| 1986 | 8.2 | * | * | * | * | * | * | * | * | * | 3.5 |
| 1985 | 8.6 | * | * | * | * | * | * | * | * | * | 3.0 |
| 1984 | 8.9 | * | * | * | * | * | * | * | * | 2.3 | 2.9 |
| 1983 | 9.1 | * | * | * | * | * | * | * | * | * | 3.3 |
| 1982 | 8.7 | * | * | * | * | * | * | * | * | * | 3.5 |
| 1981 | 8.7 | * | * | * | * | * | * | * | * | * | 4.0 |
| 1980 | 8.7 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1979 | 8.4 | * | * | * | * | * | * | * | * | * | 3.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of pancreas (157) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 8.2 | * | * | * | * | * | * | * | * | 1.2 | 2.1 |
| 1997 | 8.1 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1996 | 8.2 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1995 | 7.9 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1994 | 8.4 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1993 | 8.3 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1992 | 8.4 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1991 | 8.1 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1990 | 8.3 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1989 | 8.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 8.1 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1987 | 8.0 | * | * | * | * | * | * | * | * | * | 2.5 |
| 1986 | 8.1 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1985 | 7.8 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1984 | 8.3 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1983 | 7.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 7.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 6.8 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1980 | 7.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 7.5 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasm of pancreas (157) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 9.5 | * | * | * | * | * | * | * | * | 1.2 | 2.7 |
| 1997 | 9.5 | * | * | * | * | * | * | * | * | 1.2 | 2.5 |
| 1996 | 9.4 | * | * | * | * | * | * | * | * | 1.0 | 2.7 |
| 1995 | 9.0 | * | * | * | * | * | * | * | * | 1.0 | 2.8 |
| 1994 | 9.8 | * | * | * | * | * | * | * | * | 0.9 | 3.6 |
| 1993 | 9.7 | * | * | * | * | * | * | * | * | 1.0 | 3.0 |
| 1992 | 9.9 | * | * | * | * | * | * | * | * | 0.9 | 3.2 |
| 1991 | 9.4 | * | * | * | * | * | * | * | * | 0.9 | 3.1 |
| 1990 | 9.9 | * | * | * | * | * | * | * | * | 1.7 | 2.5 |
| 1989 | 9.8 | * | * | * | * | * | * | * | * | 1.3 | 2.4 |
| 1988 | 9.5 | * | * | * | * | * | * | * | * | 1.0 | 2.8 |
| 1987 | 9.5 | * | * | * | * | * | * | * | * | 1.3 | 3.7 |
| 1986 | 9.5 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1985 | 9.4 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1984 | 9.8 | * | * | * | * | * | * | * | * | 1.6 | 3.1 |
| 1983 | 9.6 | * | * | * | * | * | * | * | * | * | 3.0 |
| 1982 | 9.1 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1981 | 8.7 | * | * | * | * | * | * | * | * | * | 3.3 |
| 1980 | 9.0 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1979 | 8.7 | * | * | * | * | * | * | * | * | * | 2.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of pancreas (157) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 9.1 | * | * | * | * | * | * | * | * | * | 3.0 |
| 1997 | 9.1 | * | * | * | * | * | * | * | * | 1.8 | 3.2 |
| 1996 | 9.0 | * | * | * | * | * | * | * | * | * | 3.4 |
| 1995 | 8.6 | * | * | * | * | * | * | * | * | * | 3.9 |
| 1994 | 9.7 | * | * | * | * | * | * | * | * | * | 5.0 |
| 1993 | 9.5 | * | * | * | * | * | * | * | * | * | 3.9 |
| 1992 | 9.9 | * | * | * | * | * | * | * | * | * | 4.4 |
| 1991 | 9.3 | * | * | * | * | * | * | * | * | * | 4.5 |
| 1990 | 10.0 | * | * | * | * | * | * | * | * | 2.7 | 3.1 |
| 1989 | 9.8 | * | * | * | * | * | * | * | * | * | 3.4 |
| 1988 | 9.6 | * | * | * | * | * | * | * | * | * | 3.8 |
| 1987 | 9.7 | * | * | * | * | * | * | * | * | * | 4.4 |
| 1986 | 9.5 | * | * | * | * | * | * | * | * | * | 4.1 |
| 1985 | 9.8 | * | * | * | * | * | * | * | * | * | 3.4 |
| 1984 | 10.1 | * | * | * | * | * | * | * | * | 2.8 | 3.5 |
| 1983 | 10.3 | * | * | * | * | * | * | * | * | * | 4.1 |
| 1982 | 9.9 | * | * | * | * | * | * | * | * | * | 3.9 |
| 1981 | 9.8 | * | * | * | * | * | * | * | * | * | 4.1 |
| 1980 | 9.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 9.2 | * | * | * | * | * | * | * | * | * | 4.3 |
| Malignant neoplasm of pancreas (157) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 9.9 | * | * | * | * | * | * | * | * | 1.4 | 2.4 |
| 1997 | 9.8 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1996 | 9.7 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1995 | 9.3 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1994 | 9.9 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1993 | 9.9 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1992 | 10.0 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1991 | 9.4 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1990 | 9.8 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1989 | 9.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 9.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 9.3 | * | * | * | * | * | * | * | * | * | 3.0 |
| 1986 | 9.5 | * | * | * | * | * | * | * | * | * | 2.5 |
| 1985 | 9.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 9.5 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1983 | 9.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 8.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 7.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 8.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 8.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of larynx (161) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.4 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1997 | 1.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1996 | 1.5 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1995 | 1.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1994 | 1.5 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1993 | 1.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1992 | 1.5 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1991 | 1.6 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1990 | 1.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1989 | 1.5 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1988 | 1.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1987 | 1.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1986 | 1.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1985 | 1.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1984 | 1.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1983 | 1.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1982 | 1.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1981 | 1.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1980 | 1.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1979 | 1.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| Malignant neoplasm of larynx (161) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1997 | 2.3 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1996 | 2.3 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1995 | 2.4 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1994 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1993 | 2.5 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1992 | 2.5 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1991 | 2.5 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1990 | 2.5 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1989 | 2.5 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1988 | 2.5 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1987 | 2.5 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1986 | 2.5 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1985 | 2.5 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1984 | 2.6 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1983 | 2.6 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1982 | 2.6 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1981 | 2.6 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1980 | 2.6 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1979 | 2.7 | * | * | * | * | * | * | * | * | * | 0.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of larynx (161) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasm of larynx (161) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.4 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1997 | 1.4 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1996 | 1.4 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1995 | 1.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1994 | 1.5 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1993 | 1.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1992 | 1.5 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1991 | 1.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1990 | 1.5 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1989 | 1.5 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1987 | 1.5 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1986 | 1.5 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1985 | 1.4 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1984 | 1.5 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1983 | 1.5 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1982 | 1.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1981 | 1.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1980 | 1.5 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1979 | 1.5 | * | * | * | * | * | * | * | * | * | 0.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of larynx (161) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 2.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1997 | 2.2 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1996 | 2.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1995 | 2.3 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1994 | 2.3 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1993 | 2.4 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1992 | 2.4 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1991 | 2.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1990 | 2.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1989 | 2.3 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1988 | 2.4 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1987 | 2.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1986 | 2.4 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1985 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1983 | 2.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1982 | 2.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1981 | 2.6 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1980 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.6 | * | * | * | * | * | * | * | * | * | 0.5 |
| Malignant neoplasm of larynx (161) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of larynx (161) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 1.5 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1997 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.7 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1995 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.7 | * | * | * | * | * | * | * | * | * | 0.9 |
| 1993 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.8 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1991 | 1.8 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1990 | 1.7 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1989 | 1.8 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1988 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.7 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1986 | 1.7 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1985 | 1.7 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1984 | 1.8 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1983 | 1.6 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1982 | 1.6 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1981 | 1.7 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1980 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasm of larynx (161) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.9 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1993 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.0 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1991 | 3.0 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1990 | 2.8 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1989 | 3.1 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1988 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.9 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1986 | 3.0 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1985 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.9 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of larynx (161) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasm of larynx (161) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.0 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1997 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.2 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1995 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.2 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1993 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.3 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1991 | 2.3 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1990 | 2.1 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1989 | 2.2 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1988 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.0 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1986 | 2.1 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1985 | 2.1 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1984 | 2.2 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1983 | 1.9 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1982 | 1.9 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1981 | 2.1 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1980 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.8 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of larynx (161) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.7 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1993 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.9 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1991 | 3.8 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1990 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 4.0 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1988 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.6 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1986 | 3.6 | * | * | * | * | * | * | * | * | * | 3.4 |
| 1985 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasm of larynx (161) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of trachea, bronchus and lung (162) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 56.0 | * | * | * | * | * | 0.1 | 0.2 | 0.9 | 3.0 | 9.4 |
| 1997 | 56.2 | * | * | * | * | * | * | 0.3 | 0.8 | 3.2 | 9.4 |
| 1996 | 56.4 | * | * | * | * | * | * | 0.2 | 1.0 | 3.4 | 9.2 |
| 1995 | 56.8 | * | * | * | * | * | * | 0.2 | 1.0 | 3.3 | 9.0 |
| 1994 | 56.8 | * | * | * | * | * | * | 0.2 | 1.0 | 3.3 | 9.1 |
| 1993 | 57.3 | * | * | * | * | * | * | 0.2 | 1.0 | 3.4 | 9.4 |
| 1992 | 56.9 | * | * | * | * | * | 0.1 | 0.2 | 0.9 | 3.6 | 10.0 |
| 1991 | 56.8 | * | * | * | * | * | * | 0.3 | 1.0 | 3.5 | 10.0 |
| 1990 | 56.8 | * | * | * | * | * | * | 0.3 | 1.1 | 3.6 | 10.5 |
| 1989 | 55.6 | * | * | * | * | * | * | 0.3 | 0.9 | 3.4 | 10.6 |
| 1988 | 54.5 | * | * | * | * | * | * | 0.2 | 1.1 | 3.6 | 11.5 |
| 1987 | 53.7 | * | * | * | * | * | * | 0.3 | 1.0 | 3.5 | 11.8 |
| 1986 | 52.3 | * | * | * | * | * | 0.1 | 0.3 | 1.0 | 3.3 | 12.7 |
| 1985 | 51.5 | * | * | * | * | * | * | 0.3 | 1.0 | 3.8 | 12.7 |
| 1984 | 50.3 | * | * | * | * | * | * | 0.3 | 0.9 | 3.9 | 12.5 |
| 1983 | 49.2 | * | * | * | * | * | 0.1 | 0.2 | 0.9 | 4.2 | 13.6 |
| 1982 | 48.1 | * | * | * | * | * | * | 0.3 | 1.0 | 4.3 | 13.3 |
| 1981 | 46.4 | * | * | * | * | * | * | 0.2 | 1.0 | 4.8 | 14.1 |
| 1980 | 45.8 | * | * | * | * | * | * | 0.3 | 1.0 | 4.5 | 14.7 |
| 1979 | 43.8 | * | * | * | * | * | 0.1 | 0.3 | 1.1 | 4.4 | 15.0 |
| Malignant neoplasms of trachea, bronchus and lung (162) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 67.7 | * | * | * | * | * | * | 0.2 | 0.8 | 3.1 | 10.9 |
| 1997 | 68.4 | * | * | * | * | * | * | 0.3 | 0.9 | 3.3 | 11.0 |
| 1996 | 69.5 | * | * | * | * | * | * | 0.2 | 1.1 | 3.9 | 11.0 |
| 1995 | 70.5 | * | * | * | * | * | * | 0.2 | 1.2 | 3.6 | 10.9 |
| 1994 | 71.5 | * | * | * | * | * | * | 0.3 | 1.1 | 3.9 | 11.4 |
| 1993 | 72.9 | * | * | * | * | * | * | 0.2 | 1.2 | 4.2 | 11.7 |
| 1992 | 73.0 | * | * | * | * | * | * | * | 1.0 | 4.1 | 12.3 |
| 1991 | 74.3 | * | * | * | * | * | * | 0.3 | 1.0 | 4.1 | 12.1 |
| 1990 | 75.1 | * | * | * | * | * | * | 0.4 | 1.4 | 4.3 | 13.3 |
| 1989 | 74.0 | * | * | * | * | * | * | 0.3 | 1.0 | 4.3 | 13.0 |
| 1988 | 73.9 | * | * | * | * | * | * | 0.2 | 1.3 | 4.3 | 14.5 |
| 1987 | 74.0 | * | * | * | * | * | * | 0.4 | 1.3 | 4.4 | 14.1 |
| 1986 | 72.8 | * | * | * | * | * | * | 0.3 | 1.2 | 3.8 | 16.2 |
| 1985 | 72.5 | * | * | * | * | * | * | 0.4 | 1.1 | 4.7 | 16.6 |
| 1984 | 71.9 | * | * | * | * | * | * | 0.4 | 1.0 | 4.7 | 16.2 |
| 1983 | 70.7 | * | * | * | * | * | * | 0.3 | 1.0 | 5.2 | 17.0 |
| 1982 | 70.4 | * | * | * | * | * | * | 0.3 | 1.3 | 5.3 | 16.8 |
| 1981 | 68.8 | * | * | * | * | * | * | 0.3 | 1.2 | 6.0 | 18.8 |
| 1980 | 68.6 | * | * | * | * | * | * | 0.4 | 1.2 | 5.8 | 19.3 |
| 1979 | 66.7 | * | * | * | * | * | * | 0.4 | 1.3 | 5.5 | 19.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--|
| Malignant neoplasms of trachea, bronchus and lung (162) | | | | | | | | | | | | |
| All races, female | | | | | | | | | | | | |
| 1998 | 44.8 | * | * | * | * | * | * | * | 0.9 | 2.9 | 7.9 | |
| 1997 | 44.5 | * | * | * | * | * | * | 0.3 | 0.7 | 3.1 | 7.9 | |
| 1996 | 43.9 | * | * | * | * | * | * | * | 0.9 | 2.9 | 7.4 | |
| 1995 | 43.6 | * | * | * | * | * | * | * | 0.9 | 3.1 | 7.1 | |
| 1994 | 42.8 | * | * | * | * | * | * | * | 0.9 | 2.8 | 6.8 | |
| 1993 | 42.3 | * | * | * | * | * | * | * | 0.9 | 2.6 | 7.2 | |
| 1992 | 41.5 | * | * | * | * | * | * | 0.2 | 0.8 | 3.1 | 7.8 | |
| 1991 | 40.2 | * | * | * | * | * | * | 0.2 | 0.9 | 2.9 | 7.8 | |
| 1990 | 39.4 | * | * | * | * | * | * | 0.3 | 0.8 | 3.0 | 7.8 | |
| 1989 | 38.0 | * | * | * | * | * | * | 0.3 | 0.8 | 2.6 | 8.3 | |
| 1988 | 36.1 | * | * | * | * | * | * | 0.2 | 0.8 | 2.8 | 8.6 | |
| 1987 | 34.4 | * | * | * | * | * | * | 0.2 | 0.7 | 2.6 | 9.5 | |
| 1986 | 32.8 | * | * | * | * | * | * | 0.2 | 0.8 | 2.9 | 9.4 | |
| 1985 | 31.7 | * | * | * | * | * | * | 0.2 | 0.9 | 2.9 | 9.0 | |
| 1984 | 29.9 | * | * | * | * | * | * | * | 0.8 | 3.2 | 8.9 | |
| 1983 | 28.9 | * | * | * | * | * | * | 0.2 | 0.8 | 3.3 | 10.3 | |
| 1982 | 27.0 | * | * | * | * | * | * | 0.2 | 0.8 | 3.3 | 10.0 | |
| 1981 | 25.3 | * | * | * | * | * | * | * | 0.8 | 3.8 | 9.6 | |
| 1980 | 24.3 | * | * | * | * | * | * | 0.2 | 0.8 | 3.3 | 10.4 | |
| 1979 | 22.2 | * | * | * | * | * | * | 0.2 | 0.9 | 3.4 | 10.3 | |
| Malignant neoplasms of trachea, bronchus and lung (162) | | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | | |
| 1998 | 60.0 | * | * | * | * | * | * | 0.2 | 0.9 | 2.8 | 8.7 | |
| 1997 | 60.1 | * | * | * | * | * | * | 0.3 | 0.8 | 3.0 | 8.7 | |
| 1996 | 60.3 | * | * | * | * | * | * | 0.2 | 1.0 | 3.2 | 8.4 | |
| 1995 | 60.5 | * | * | * | * | * | * | 0.2 | 1.0 | 3.2 | 8.2 | |
| 1994 | 60.4 | * | * | * | * | * | * | 0.2 | 0.9 | 3.1 | 8.4 | |
| 1993 | 60.8 | * | * | * | * | * | * | 0.2 | 0.9 | 3.2 | 8.6 | |
| 1992 | 60.2 | * | * | * | * | * | * | 0.2 | 0.8 | 3.2 | 9.2 | |
| 1991 | 60.0 | * | * | * | * | * | * | 0.3 | 0.9 | 3.2 | 9.2 | |
| 1990 | 59.7 | * | * | * | * | * | * | 0.3 | 1.0 | 3.3 | 9.6 | |
| 1989 | 58.3 | * | * | * | * | * | * | 0.2 | 0.9 | 3.1 | 9.8 | |
| 1988 | 57.2 | * | * | * | * | * | * | 0.2 | 1.0 | 3.2 | 10.8 | |
| 1987 | 56.1 | * | * | * | * | * | * | 0.3 | 1.0 | 3.2 | 11.0 | |
| 1986 | 54.6 | * | * | * | * | * | 0.1 | 0.3 | 1.0 | 3.0 | 11.8 | |
| 1985 | 53.7 | * | * | * | * | * | * | 0.3 | 0.9 | 3.6 | 11.8 | |
| 1984 | 52.3 | * | * | * | * | * | * | 0.3 | 0.9 | 3.7 | 11.5 | |
| 1983 | 51.1 | * | * | * | * | * | 0.1 | 0.2 | 0.9 | 4.1 | 12.7 | |
| 1982 | 49.9 | * | * | * | * | * | * | 0.3 | 1.0 | 4.1 | 12.6 | |
| 1981 | 48.0 | * | * | * | * | * | * | 0.2 | 1.0 | 4.6 | 13.0 | |
| 1980 | 47.3 | * | * | * | * | * | * | 0.3 | 0.9 | 4.2 | 13.9 | |
| 1979 | 45.2 | * | * | * | * | * | * | 0.3 | 1.0 | 4.1 | 13.8 | |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of trachea, bronchus and lung (162) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 71.4 | * | * | * | * | * | * | * | 0.9 | 2.9 | 10.0 |
| 1997 | 72.1 | * | * | * | * | * | * | 0.3 | 0.9 | 3.0 | 9.8 |
| 1996 | 73.0 | * | * | * | * | * | * | * | 1.2 | 3.4 | 9.8 |
| 1995 | 74.0 | * | * | * | * | * | * | * | 1.2 | 3.2 | 9.6 |
| 1994 | 74.7 | * | * | * | * | * | * | * | 1.0 | 3.5 | 10.1 |
| 1993 | 76.0 | * | * | * | * | * | * | * | 1.0 | 3.9 | 10.3 |
| 1992 | 76.0 | * | * | * | * | * | * | * | 0.9 | 3.5 | 10.9 |
| 1991 | 77.2 | * | * | * | * | * | * | 0.3 | 0.9 | 3.6 | 10.8 |
| 1990 | 77.8 | * | * | * | * | * | * | 0.3 | 1.1 | 3.8 | 11.6 |
| 1989 | 76.5 | * | * | * | * | * | * | 0.3 | 1.0 | 3.8 | 11.5 |
| 1988 | 76.5 | * | * | * | * | * | * | * | 1.2 | 3.7 | 13.0 |
| 1987 | 76.3 | * | * | * | * | * | * | 0.3 | 1.2 | 4.0 | 13.0 |
| 1986 | 75.0 | * | * | * | * | * | * | 0.3 | 1.2 | 3.3 | 14.3 |
| 1985 | 74.5 | * | * | * | * | * | * | 0.3 | 1.0 | 4.3 | 15.0 |
| 1984 | 73.7 | * | * | * | * | * | * | 0.4 | 0.9 | 4.2 | 14.3 |
| 1983 | 72.6 | * | * | * | * | * | * | 0.3 | 0.9 | 4.7 | 15.3 |
| 1982 | 72.2 | * | * | * | * | * | * | 0.3 | 1.2 | 4.9 | 15.7 |
| 1981 | 70.4 | * | * | * | * | * | * | 0.3 | 1.2 | 5.5 | 16.7 |
| 1980 | 70.2 | * | * | * | * | * | * | 0.3 | 1.1 | 5.2 | 17.3 |
| 1979 | 68.1 | * | * | * | * | * | * | 0.4 | 1.2 | 5.0 | 17.7 |
| Malignant neoplasms of trachea, bronchus and lung (162) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 49.0 | * | * | * | * | * | * | * | 1.0 | 2.8 | 7.5 |
| 1997 | 48.6 | * | * | * | * | * | * | 0.3 | 0.7 | 2.9 | 7.5 |
| 1996 | 48.0 | * | * | * | * | * | * | * | 0.9 | 2.9 | 7.1 |
| 1995 | 47.5 | * | * | * | * | * | * | * | 0.9 | 3.1 | 6.8 |
| 1994 | 46.6 | * | * | * | * | * | * | * | 0.9 | 2.7 | 6.7 |
| 1993 | 46.1 | * | * | * | * | * | * | * | 0.8 | 2.5 | 7.0 |
| 1992 | 44.9 | * | * | * | * | * | * | 0.3 | 0.8 | 2.9 | 7.5 |
| 1991 | 43.4 | * | * | * | * | * | * | 0.2 | 0.9 | 2.8 | 7.5 |
| 1990 | 42.4 | * | * | * | * | * | * | 0.2 | 0.8 | 2.8 | 7.5 |
| 1989 | 40.9 | * | * | * | * | * | * | * | 0.7 | 2.4 | 8.2 |
| 1988 | 38.7 | * | * | * | * | * | * | * | 0.8 | 2.7 | 8.6 |
| 1987 | 36.8 | * | * | * | * | * | * | 0.2 | 0.7 | 2.5 | 9.0 |
| 1986 | 35.1 | * | * | * | * | * | * | * | 0.7 | 2.8 | 9.3 |
| 1985 | 33.9 | * | * | * | * | * | * | 0.2 | 0.9 | 2.9 | 8.7 |
| 1984 | 31.9 | * | * | * | * | * | * | * | 0.8 | 3.2 | 8.7 |
| 1983 | 30.6 | * | * | * | * | * | * | * | 0.8 | 3.4 | 10.1 |
| 1982 | 28.7 | * | * | * | * | * | * | 0.2 | 0.8 | 3.3 | 9.5 |
| 1981 | 26.7 | * | * | * | * | * | * | * | 0.7 | 3.6 | 9.4 |
| 1980 | 25.6 | * | * | * | * | * | * | * | 0.8 | 3.3 | 10.4 |
| 1979 | 23.4 | * | * | * | * | * | * | * | 0.9 | 3.3 | 10.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of trachea, bronchus and lung (162) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 37.7 | * | * | * | * | * | * | * | 0.6 | 3.7 | 12.5 |
| 1997 | 37.9 | * | * | * | * | * | * | * | 0.9 | 4.3 | 13.3 |
| 1996 | 38.2 | * | * | * | * | * | * | * | 0.9 | 4.6 | 12.8 |
| 1995 | 38.9 | * | * | * | * | * | * | * | 1.1 | 4.1 | 13.1 |
| 1994 | 39.3 | * | * | * | * | * | * | * | 1.1 | 4.4 | 12.6 |
| 1993 | 40.1 | * | * | * | * | * | * | * | 1.6 | 4.3 | 13.7 |
| 1992 | 40.5 | * | * | * | * | * | * | * | 1.4 | 5.4 | 14.6 |
| 1991 | 40.8 | * | * | * | * | * | * | * | 1.2 | 5.2 | 14.4 |
| 1990 | 41.6 | * | * | * | * | * | * | * | 1.8 | 5.4 | 15.7 |
| 1989 | 41.1 | * | * | * | * | * | * | * | 1.1 | 5.3 | 15.3 |
| 1988 | 40.3 | * | * | * | * | * | * | * | 1.4 | 5.3 | 15.6 |
| 1987 | 40.3 | * | * | * | * | * | * | * | 1.2 | 5.0 | 16.7 |
| 1986 | 39.4 | * | * | * | * | * | * | * | 1.1 | 5.1 | 18.8 |
| 1985 | 39.1 | * | * | * | * | * | * | 0.6 | 1.5 | 5.0 | 18.2 |
| 1984 | 39.0 | * | * | * | * | * | * | * | 1.1 | 5.6 | 18.8 |
| 1983 | 38.3 | * | * | * | * | * | * | * | 1.4 | 5.4 | 19.5 |
| 1982 | 37.5 | * | * | * | * | * | * | * | 1.4 | 5.7 | 18.1 |
| 1981 | 36.9 | * | * | * | * | * | * | * | 1.1 | 6.6 | 21.2 |
| 1980 | 36.7 | * | * | * | * | * | * | * | 1.4 | 6.3 | 20.5 |
| 1979 | 35.4 | * | * | * | * | * | * | * | 1.7 | 6.5 | 22.8 |
| Malignant neoplasms of trachea, bronchus and lung (162) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 50.1 | * | * | * | * | * | * | * | * | 4.0 | 15.7 |
| 1997 | 51.0 | * | * | * | * | * | * | * | 1.1 | 5.0 | 17.4 |
| 1996 | 52.6 | * | * | * | * | * | * | * | 1.1 | 6.3 | 17.1 |
| 1995 | 53.6 | * | * | * | * | * | * | * | 1.3 | 5.3 | 18.3 |
| 1994 | 55.1 | * | * | * | * | * | * | * | 1.4 | 5.7 | 18.2 |
| 1993 | 57.1 | * | * | * | * | * | * | * | 2.2 | 5.8 | 20.0 |
| 1992 | 57.4 | * | * | * | * | * | * | * | 1.9 | 7.1 | 20.1 |
| 1991 | 59.0 | * | * | * | * | * | * | * | 1.5 | 7.0 | 20.0 |
| 1990 | 60.8 | * | * | * | * | * | * | * | 2.9 | 7.0 | 23.4 |
| 1989 | 60.8 | * | * | * | * | * | * | * | 1.4 | 7.1 | 22.9 |
| 1988 | 60.1 | * | * | * | * | * | * | * | 1.8 | 7.9 | 24.3 |
| 1987 | 60.7 | * | * | * | * | * | * | * | 1.8 | 7.2 | 21.6 |
| 1986 | 60.3 | * | * | * | * | * | * | * | 1.4 | 7.0 | 28.4 |
| 1985 | 60.5 | * | * | * | * | * | * | * | 2.0 | 7.8 | 27.0 |
| 1984 | 61.3 | * | * | * | * | * | * | * | 1.6 | 8.3 | 29.1 |
| 1983 | 59.6 | * | * | * | * | * | * | * | 1.9 | 8.2 | 28.5 |
| 1982 | 59.7 | * | * | * | * | * | * | * | 2.0 | 8.7 | 24.2 |
| 1981 | 59.2 | * | * | * | * | * | * | * | * | 9.0 | 32.9 |
| 1980 | 58.9 | * | * | * | * | * | * | * | 2.2 | 9.8 | 32.6 |
| 1979 | 57.8 | * | * | * | * | * | * | * | 2.5 | 9.2 | 35.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of trachea, bronchus and lung (162) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 26.2 | * | * | * | * | * | * | * | * | 3.4 | 9.7 |
| 1997 | 26.0 | * | * | * | * | * | * | * | * | 3.8 | 9.7 |
| 1996 | 25.1 | * | * | * | * | * | * | * | * | 3.0 | 9.0 |
| 1995 | 25.3 | * | * | * | * | * | * | * | * | 2.9 | 8.6 |
| 1994 | 24.8 | * | * | * | * | * | * | * | * | 3.3 | 7.7 |
| 1993 | 24.4 | * | * | * | * | * | * | * | 1.2 | 3.0 | 8.2 |
| 1992 | 25.0 | * | * | * | * | * | * | * | * | 4.0 | 9.7 |
| 1991 | 24.2 | * | * | * | * | * | * | * | 1.0 | 3.6 | 9.6 |
| 1990 | 24.1 | * | * | * | * | * | * | * | * | 3.9 | 9.0 |
| 1989 | 23.1 | * | * | * | * | * | * | * | * | 3.8 | 8.8 |
| 1988 | 22.2 | * | * | * | * | * | * | * | * | 3.0 | 8.2 |
| 1987 | 21.7 | * | * | * | * | * | * | * | * | 3.1 | 12.4 |
| 1986 | 20.5 | * | * | * | * | * | * | * | * | 3.4 | 10.5 |
| 1985 | 19.6 | * | * | * | * | * | * | * | * | 2.6 | 10.6 |
| 1984 | 18.8 | * | * | * | * | * | * | * | * | 3.2 | 9.9 |
| 1983 | 19.0 | * | * | * | * | * | * | * | * | 3.0 | 11.9 |
| 1982 | 17.4 | * | * | * | * | * | * | * | * | 3.2 | 12.8 |
| 1981 | 16.7 | * | * | * | * | * | * | * | * | 4.5 | 11.2 |
| 1980 | 16.7 | * | * | * | * | * | * | * | * | 3.3 | 10.2 |
| 1979 | 15.2 | * | * | * | * | * | * | * | * | 4.1 | 12.3 |
| Malignant neoplasms of trachea, bronchus and lung (162) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 45.2 | * | * | * | * | * | * | * | * | 4.6 | 15.5 |
| 1997 | 45.7 | * | * | * | * | * | * | * | 1.0 | 5.3 | 16.3 |
| 1996 | 46.0 | * | * | * | * | * | * | * | 1.1 | 5.8 | 16.5 |
| 1995 | 46.7 | * | * | * | * | * | * | * | 1.2 | 4.8 | 16.7 |
| 1994 | 47.1 | * | * | * | * | * | * | * | 1.4 | 5.6 | 16.1 |
| 1993 | 47.9 | * | * | * | * | * | * | * | 2.1 | 5.4 | 17.2 |
| 1992 | 48.4 | * | * | * | * | * | * | * | 1.8 | 6.7 | 18.3 |
| 1991 | 48.6 | * | * | * | * | * | * | * | 1.4 | 6.3 | 17.8 |
| 1990 | 49.7 | * | * | * | * | * | * | * | 2.1 | 6.7 | 20.0 |
| 1989 | 48.8 | * | * | * | * | * | * | * | 1.3 | 6.6 | 18.7 |
| 1988 | 47.5 | * | * | * | * | * | * | * | 1.4 | 6.4 | 19.4 |
| 1987 | 47.4 | * | * | * | * | * | * | * | 1.4 | 6.3 | 20.8 |
| 1986 | 46.1 | * | * | * | * | * | * | * | 1.1 | 5.9 | 23.4 |
| 1985 | 45.5 | * | * | * | * | * | * | 0.8 | 1.9 | 6.0 | 22.7 |
| 1984 | 45.0 | * | * | * | * | * | * | * | 1.1 | 6.9 | 22.4 |
| 1983 | 44.1 | * | * | * | * | * | * | * | 1.6 | 6.5 | 23.1 |
| 1982 | 43.1 | * | * | * | * | * | * | * | 1.8 | 6.9 | 21.9 |
| 1981 | 41.9 | * | * | * | * | * | * | * | 1.3 | 8.1 | 24.8 |
| 1980 | 41.1 | * | * | * | * | * | * | * | 1.6 | 7.5 | 24.1 |
| 1979 | 38.9 | * | * | * | * | * | * | * | 1.7 | 7.2 | 26.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of trachea, bronchus and lung (162) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 60.8 | * | * | * | * | * | * | * | * | 5.1 | 20.2 |
| 1997 | 62.2 | * | * | * | * | * | * | * | * | 6.3 | 21.9 |
| 1996 | 64.1 | * | * | * | * | * | * | * | * | 8.0 | 22.4 |
| 1995 | 65.6 | * | * | * | * | * | * | * | * | 6.5 | 24.0 |
| 1994 | 66.9 | * | * | * | * | * | * | * | 1.7 | 7.2 | 23.8 |
| 1993 | 69.4 | * | * | * | * | * | * | * | 2.8 | 7.7 | 25.3 |
| 1992 | 69.5 | * | * | * | * | * | * | * | 2.5 | 9.0 | 25.7 |
| 1991 | 71.2 | * | * | * | * | * | * | * | 1.7 | 8.9 | 25.4 |
| 1990 | 73.7 | * | * | * | * | * | * | * | 3.5 | 9.0 | 30.6 |
| 1989 | 73.3 | * | * | * | * | * | * | * | 1.6 | 9.0 | 28.0 |
| 1988 | 71.9 | * | * | * | * | * | * | * | 2.0 | 9.7 | 30.8 |
| 1987 | 72.6 | * | * | * | * | * | * | * | 2.4 | 9.4 | 27.4 |
| 1986 | 71.4 | * | * | * | * | * | * | * | * | 8.2 | 35.5 |
| 1985 | 71.2 | * | * | * | * | * | * | * | 2.5 | 9.5 | 34.4 |
| 1984 | 71.8 | * | * | * | * | * | * | * | 1.9 | 10.2 | 36.0 |
| 1983 | 69.2 | * | * | * | * | * | * | * | 2.2 | 9.9 | 34.6 |
| 1982 | 69.3 | * | * | * | * | * | * | * | 2.3 | 10.6 | 29.7 |
| 1981 | 67.8 | * | * | * | * | * | * | * | * | 11.4 | 39.0 |
| 1980 | 66.6 | * | * | * | * | * | * | * | 2.6 | 12.2 | 39.3 |
| 1979 | 64.2 | * | * | * | * | * | * | * | 2.6 | 10.5 | 42.0 |
| Malignant neoplasms of trachea, bronchus and lung (162) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 31.1 | * | * | * | * | * | * | * | * | 4.2 | 11.4 |
| 1997 | 30.9 | * | * | * | * | * | * | * | * | 4.4 | 11.5 |
| 1996 | 29.7 | * | * | * | * | * | * | * | * | 3.9 | 11.3 |
| 1995 | 29.5 | * | * | * | * | * | * | * | * | 3.3 | 10.5 |
| 1994 | 29.3 | * | * | * | * | * | * | * | * | 4.1 | 9.4 |
| 1993 | 28.6 | * | * | * | * | * | * | * | 1.5 | 3.4 | 10.2 |
| 1992 | 29.4 | * | * | * | * | * | * | * | * | 4.7 | 12.0 |
| 1991 | 28.3 | * | * | * | * | * | * | * | * | 4.2 | 11.2 |
| 1990 | 28.1 | * | * | * | * | * | * | * | * | 4.8 | 10.9 |
| 1989 | 26.7 | * | * | * | * | * | * | * | * | 4.6 | 10.8 |
| 1988 | 25.7 | * | * | * | * | * | * | * | * | 3.5 | 9.7 |
| 1987 | 24.7 | * | * | * | * | * | * | * | * | 3.7 | 15.2 |
| 1986 | 23.5 | * | * | * | * | * | * | * | * | 4.1 | 13.2 |
| 1985 | 22.5 | * | * | * | * | * | * | * | * | 3.0 | 12.8 |
| 1984 | 21.1 | * | * | * | * | * | * | * | * | 4.1 | 10.9 |
| 1983 | 21.5 | * | * | * | * | * | * | * | * | 3.6 | 13.5 |
| 1982 | 19.7 | * | * | * | * | * | * | * | * | 3.8 | 15.4 |
| 1981 | 18.7 | * | * | * | * | * | * | * | * | 5.4 | 13.1 |
| 1980 | 18.3 | * | * | * | * | * | * | * | * | 3.6 | 11.5 |
| 1979 | 16.3 | * | * | * | * | * | * | * | * | 4.5 | 13.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant melanoma of skin (172) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 2.7 | * | * | * | * | * | 0.2 | 0.3 | 0.8 | 1.2 | 1.8 |
| 1997 | 2.7 | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 1.3 | 1.9 |
| 1996 | 2.7 | * | * | * | * | * | 0.1 | 0.5 | 0.8 | 1.4 | 2.1 |
| 1995 | 2.6 | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.4 | 2.0 |
| 1994 | 2.5 | * | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.3 | 2.2 |
| 1993 | 2.6 | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.5 | 2.3 |
| 1992 | 2.6 | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 1.6 | 2.2 |
| 1991 | 2.5 | * | * | * | * | * | 0.2 | 0.5 | 1.0 | 1.6 | 2.2 |
| 1990 | 2.6 | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 1.6 | 2.4 |
| 1989 | 2.5 | * | * | * | * | 0.1 | 0.2 | 0.5 | 1.0 | 1.7 | 2.2 |
| 1988 | 2.4 | * | * | * | * | * | 0.2 | 0.5 | 1.0 | 1.7 | 2.3 |
| 1987 | 2.4 | * | * | * | * | * | 0.2 | 0.6 | 1.0 | 1.7 | 2.3 |
| 1986 | 2.4 | * | * | * | * | * | 0.2 | 0.7 | 1.2 | 1.7 | 2.4 |
| 1985 | 2.3 | * | * | * | * | * | 0.3 | 0.7 | 1.3 | 1.7 | 2.4 |
| 1984 | 2.3 | * | * | * | * | * | 0.2 | 0.6 | 1.3 | 1.7 | 2.7 |
| 1983 | 2.2 | * | * | * | * | * | 0.3 | 0.8 | 1.3 | 1.8 | 2.6 |
| 1982 | 2.2 | * | * | * | * | * | 0.3 | 0.7 | 1.3 | 1.8 | 2.4 |
| 1981 | 2.1 | * | * | * | * | * | 0.3 | 0.8 | 1.3 | 1.8 | 2.6 |
| 1980 | 2.1 | * | * | * | * | * | 0.3 | 0.6 | 1.4 | 1.9 | 2.3 |
| 1979 | 2.1 | * | * | * | * | * | 0.4 | 0.7 | 1.3 | 1.7 | 2.5 |
| Malignant melanoma of skin (172) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 3.5 | * | * | * | * | * | 0.3 | 0.4 | 1.0 | 1.5 | 2.4 |
| 1997 | 3.4 | * | * | * | * | * | * | 0.4 | 0.8 | 1.7 | 2.3 |
| 1996 | 3.4 | * | * | * | * | * | * | 0.5 | 0.9 | 1.7 | 2.5 |
| 1995 | 3.3 | * | * | * | * | * | * | 0.4 | 0.9 | 1.6 | 2.6 |
| 1994 | 3.2 | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.7 | 2.6 |
| 1993 | 3.3 | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 1.9 | 2.9 |
| 1992 | 3.2 | * | * | * | * | * | 0.2 | 0.4 | 1.1 | 2.1 | 2.8 |
| 1991 | 3.3 | * | * | * | * | * | 0.2 | 0.7 | 1.3 | 2.0 | 2.6 |
| 1990 | 3.2 | * | * | * | * | * | 0.3 | 0.5 | 1.2 | 2.1 | 3.1 |
| 1989 | 3.1 | * | * | * | * | * | * | 0.6 | 1.1 | 2.3 | 2.8 |
| 1988 | 3.0 | * | * | * | * | * | 0.2 | 0.6 | 1.2 | 1.9 | 2.9 |
| 1987 | 3.1 | * | * | * | * | * | 0.3 | 0.7 | 1.3 | 2.1 | 3.1 |
| 1986 | 2.9 | * | * | * | * | * | 0.2 | 0.8 | 1.5 | 2.1 | 3.0 |
| 1985 | 2.8 | * | * | * | * | * | 0.3 | 0.9 | 1.6 | 2.2 | 2.8 |
| 1984 | 2.8 | * | * | * | * | * | 0.3 | 0.8 | 1.6 | 2.0 | 3.4 |
| 1983 | 2.7 | * | * | * | * | * | 0.3 | 0.9 | 1.7 | 2.3 | 3.3 |
| 1982 | 2.7 | * | * | * | * | * | 0.3 | 0.9 | 1.7 | 2.3 | 3.0 |
| 1981 | 2.5 | * | * | * | * | * | 0.3 | 0.9 | 1.4 | 2.2 | 3.4 |
| 1980 | 2.5 | * | * | * | * | * | 0.4 | 0.7 | 1.7 | 2.6 | 2.8 |
| 1979 | 2.5 | * | * | * | * | * | 0.4 | 0.8 | 1.6 | 2.2 | 3.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant melanoma of skin (172) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 1.9 | * | * | * | * | * | * | 0.3 | 0.7 | 0.9 | 1.2 |
| 1997 | 2.0 | * | * | * | * | * | * | 0.4 | 0.5 | 0.9 | 1.4 |
| 1996 | 2.0 | * | * | * | * | * | * | 0.4 | 0.7 | 1.1 | 1.7 |
| 1995 | 1.9 | * | * | * | * | * | * | 0.3 | 0.7 | 1.1 | 1.5 |
| 1994 | 1.9 | * | * | * | * | * | * | 0.3 | 0.6 | 1.0 | 1.8 |
| 1993 | 1.9 | * | * | * | * | * | * | 0.5 | 0.7 | 1.0 | 1.6 |
| 1992 | 1.9 | * | * | * | * | * | * | 0.5 | 0.7 | 1.1 | 1.6 |
| 1991 | 1.9 | * | * | * | * | * | * | 0.4 | 0.7 | 1.1 | 1.8 |
| 1990 | 2.0 | * | * | * | * | * | * | 0.5 | 0.7 | 1.2 | 1.8 |
| 1989 | 1.9 | * | * | * | * | * | * | 0.5 | 0.9 | 1.1 | 1.6 |
| 1988 | 1.9 | * | * | * | * | * | * | 0.5 | 0.8 | 1.6 | 1.6 |
| 1987 | 1.8 | * | * | * | * | * | * | 0.4 | 0.7 | 1.4 | 1.6 |
| 1986 | 1.9 | * | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.4 | 1.9 |
| 1985 | 1.8 | * | * | * | * | * | * | 0.4 | 1.1 | 1.2 | 1.9 |
| 1984 | 1.8 | * | * | * | * | * | 0.2 | 0.5 | 1.1 | 1.3 | 2.1 |
| 1983 | 1.8 | * | * | * | * | * | 0.3 | 0.6 | 0.8 | 1.3 | 1.8 |
| 1982 | 1.7 | * | * | * | * | * | 0.3 | 0.5 | 0.9 | 1.3 | 1.8 |
| 1981 | 1.8 | * | * | * | * | * | 0.2 | 0.7 | 1.1 | 1.3 | 1.9 |
| 1980 | 1.7 | * | * | * | * | * | 0.2 | 0.5 | 1.1 | 1.3 | 1.8 |
| 1979 | 1.7 | * | * | * | * | * | 0.3 | 0.7 | 0.9 | 1.2 | 2.0 |
| Malignant melanoma of skin (172) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 3.2 | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 1.4 | 2.1 |
| 1997 | 3.1 | * | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.5 | 2.2 |
| 1996 | 3.2 | * | * | * | * | * | 0.2 | 0.6 | 1.0 | 1.6 | 2.5 |
| 1995 | 3.1 | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 1.6 | 2.4 |
| 1994 | 3.0 | * | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.6 | 2.5 |
| 1993 | 3.0 | * | * | * | * | * | 0.2 | 0.5 | 1.0 | 1.7 | 2.6 |
| 1992 | 3.0 | * | * | * | * | * | 0.2 | 0.6 | 1.1 | 1.8 | 2.6 |
| 1991 | 3.0 | * | * | * | * | * | 0.2 | 0.6 | 1.2 | 1.8 | 2.6 |
| 1990 | 3.0 | * | * | * | * | * | 0.2 | 0.6 | 1.1 | 1.9 | 2.8 |
| 1989 | 2.9 | * | * | * | * | * | 0.2 | 0.6 | 1.2 | 2.0 | 2.5 |
| 1988 | 2.9 | * | * | * | * | * | 0.2 | 0.6 | 1.2 | 2.0 | 2.6 |
| 1987 | 2.8 | * | * | * | * | * | 0.2 | 0.6 | 1.2 | 2.0 | 2.7 |
| 1986 | 2.7 | * | * | * | * | * | 0.3 | 0.8 | 1.4 | 2.0 | 2.8 |
| 1985 | 2.7 | * | * | * | * | * | 0.3 | 0.8 | 1.6 | 1.9 | 2.7 |
| 1984 | 2.6 | * | * | * | * | * | 0.3 | 0.7 | 1.6 | 1.9 | 3.1 |
| 1983 | 2.6 | * | * | * | * | * | 0.4 | 0.9 | 1.5 | 2.1 | 2.9 |
| 1982 | 2.5 | * | * | * | * | * | 0.4 | 0.8 | 1.5 | 2.1 | 2.7 |
| 1981 | 2.5 | * | * | * | * | * | 0.3 | 0.9 | 1.5 | 2.0 | 3.0 |
| 1980 | 2.3 | * | * | * | * | * | 0.4 | 0.7 | 1.5 | 2.2 | 2.6 |
| 1979 | 2.4 | * | * | * | * | * | 0.4 | 0.9 | 1.5 | 1.9 | 2.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant melanoma of skin (172) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 4.2 | * | * | * | * | * | 0.3 | 0.4 | 1.1 | 1.8 | 2.8 |
| 1997 | 4.0 | * | * | * | * | * | * | 0.4 | 0.9 | 2.0 | 2.7 |
| 1996 | 4.0 | * | * | * | * | * | * | 0.6 | 1.1 | 1.9 | 2.9 |
| 1995 | 3.9 | * | * | * | * | * | * | 0.5 | 1.0 | 1.9 | 3.1 |
| 1994 | 3.8 | * | * | * | * | * | 0.3 | 0.5 | 0.9 | 2.0 | 3.0 |
| 1993 | 3.8 | * | * | * | * | * | 0.3 | 0.5 | 1.1 | 2.2 | 3.4 |
| 1992 | 3.8 | * | * | * | * | * | 0.3 | 0.5 | 1.3 | 2.4 | 3.3 |
| 1991 | 3.8 | * | * | * | * | * | 0.2 | 0.8 | 1.6 | 2.3 | 3.0 |
| 1990 | 3.7 | * | * | * | * | * | 0.3 | 0.6 | 1.4 | 2.4 | 3.5 |
| 1989 | 3.6 | * | * | * | * | * | * | 0.7 | 1.3 | 2.7 | 3.2 |
| 1988 | 3.5 | * | * | * | * | * | 0.3 | 0.7 | 1.4 | 2.2 | 3.3 |
| 1987 | 3.6 | * | * | * | * | * | 0.3 | 0.8 | 1.5 | 2.4 | 3.5 |
| 1986 | 3.3 | * | * | * | * | * | 0.3 | 1.0 | 1.8 | 2.4 | 3.4 |
| 1985 | 3.3 | * | * | * | * | * | 0.4 | 1.0 | 1.8 | 2.5 | 3.2 |
| 1984 | 3.2 | * | * | * | * | * | 0.3 | 0.9 | 1.9 | 2.3 | 3.8 |
| 1983 | 3.1 | * | * | * | * | * | 0.3 | 1.1 | 2.0 | 2.6 | 3.8 |
| 1982 | 3.1 | * | * | * | * | * | 0.4 | 1.0 | 2.0 | 2.6 | 3.4 |
| 1981 | 2.9 | * | * | * | * | * | 0.4 | 1.1 | 1.6 | 2.5 | 3.9 |
| 1980 | 2.8 | * | * | * | * | * | 0.5 | 0.8 | 1.9 | 2.9 | 3.1 |
| 1979 | 2.9 | * | * | * | * | * | 0.4 | 0.9 | 1.8 | 2.6 | 3.4 |
| Malignant melanoma of skin (172) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 2.3 | * | * | * | * | * | * | 0.4 | 0.8 | 1.1 | 1.4 |
| 1997 | 2.3 | * | * | * | * | * | * | 0.5 | 0.6 | 1.1 | 1.7 |
| 1996 | 2.4 | * | * | * | * | * | * | 0.5 | 0.9 | 1.3 | 2.0 |
| 1995 | 2.3 | * | * | * | * | * | * | 0.4 | 0.9 | 1.4 | 1.7 |
| 1994 | 2.2 | * | * | * | * | * | * | 0.4 | 0.6 | 1.2 | 2.1 |
| 1993 | 2.3 | * | * | * | * | * | * | 0.5 | 0.9 | 1.2 | 1.9 |
| 1992 | 2.2 | * | * | * | * | * | * | 0.7 | 0.9 | 1.2 | 1.9 |
| 1991 | 2.2 | * | * | * | * | * | * | 0.5 | 0.9 | 1.4 | 2.1 |
| 1990 | 2.4 | * | * | * | * | * | * | 0.6 | 0.9 | 1.4 | 2.1 |
| 1989 | 2.2 | * | * | * | * | * | * | 0.6 | 1.1 | 1.3 | 1.9 |
| 1988 | 2.2 | * | * | * | * | * | * | 0.5 | 1.0 | 1.8 | 1.9 |
| 1987 | 2.1 | * | * | * | * | * | * | 0.5 | 0.9 | 1.7 | 1.8 |
| 1986 | 2.2 | * | * | * | * | * | 0.3 | 0.6 | 1.0 | 1.6 | 2.1 |
| 1985 | 2.1 | * | * | * | * | * | * | 0.5 | 1.3 | 1.4 | 2.2 |
| 1984 | 2.0 | * | * | * | * | * | 0.3 | 0.6 | 1.3 | 1.5 | 2.4 |
| 1983 | 2.1 | * | * | * | * | * | 0.4 | 0.7 | 1.0 | 1.6 | 2.1 |
| 1982 | 2.0 | * | * | * | * | * | 0.3 | 0.6 | 1.0 | 1.5 | 2.1 |
| 1981 | 2.0 | * | * | * | * | * | 0.2 | 0.8 | 1.3 | 1.5 | 2.2 |
| 1980 | 1.9 | * | * | * | * | * | 0.3 | 0.6 | 1.2 | 1.5 | 2.0 |
| 1979 | 2.0 | * | * | * | * | * | 0.4 | 0.8 | 1.1 | 1.4 | 2.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant melanoma of skin (172) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Malignant melanoma of skin (172) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant melanoma of skin (172) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Malignant melanoma of skin (172) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant melanoma of skin (172) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Malignant melanoma of skin (172) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of breast (174-175) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 15.3 | * | * | * | * | * | * | 0.4 | 2.0 | 4.8 | 8.8 |
| 1997 | 15.5 | * | * | * | * | * | * | 0.6 | 1.9 | 4.8 | 9.4 |
| 1996 | 16.1 | * | * | * | * | * | * | 0.5 | 2.0 | 4.9 | 9.7 |
| 1995 | 16.6 | * | * | * | * | * | * | 0.5 | 2.0 | 5.4 | 9.9 |
| 1994 | 16.7 | * | * | * | * | * | * | 0.4 | 2.1 | 5.4 | 10.2 |
| 1993 | 16.9 | * | * | * | * | * | * | 0.5 | 2.0 | 5.1 | 10.6 |
| 1992 | 16.9 | * | * | * | * | * | * | 0.6 | 2.2 | 5.6 | 10.9 |
| 1991 | 17.3 | * | * | * | * | * | * | 0.6 | 2.3 | 5.9 | 11.5 |
| 1990 | 17.6 | * | * | * | * | * | * | 0.6 | 2.3 | 6.0 | 12.4 |
| 1989 | 17.5 | * | * | * | * | * | * | 0.6 | 2.4 | 6.2 | 12.3 |
| 1988 | 17.4 | * | * | * | * | * | * | 0.6 | 2.5 | 6.6 | 11.6 |
| 1987 | 17.0 | * | * | * | * | * | * | 0.6 | 2.6 | 6.8 | 11.5 |
| 1986 | 17.0 | * | * | * | * | * | * | 0.6 | 2.5 | 6.8 | 12.6 |
| 1985 | 17.0 | * | * | * | * | * | 0.1 | 0.5 | 2.6 | 6.6 | 11.8 |
| 1984 | 16.8 | * | * | * | * | * | * | 0.7 | 2.8 | 7.1 | 12.3 |
| 1983 | 16.4 | * | * | * | * | * | 0.1 | 0.7 | 2.7 | 6.1 | 11.5 |
| 1982 | 16.3 | * | * | * | * | * | * | 0.6 | 2.9 | 6.4 | 11.8 |
| 1981 | 16.0 | * | * | * | * | * | * | 0.6 | 2.8 | 6.4 | 11.9 |
| 1980 | 15.8 | * | * | * | * | * | * | 0.7 | 2.7 | 6.6 | 12.2 |
| 1979 | 15.4 | * | * | * | * | * | * | 0.7 | 2.7 | 6.3 | 12.3 |
| Malignant neoplasm of breast (174-175) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of breast (174-175) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 29.7 | * | * | * | * | * | * | 0.9 | 4.0 | 9.5 | 17.4 |
| 1997 | 30.1 | * | * | * | * | * | * | 1.1 | 3.8 | 9.6 | 18.5 |
| 1996 | 31.3 | * | * | * | * | * | * | 1.0 | 4.0 | 9.6 | 19.0 |
| 1995 | 32.2 | * | * | * | * | * | * | 1.0 | 4.0 | 10.7 | 19.5 |
| 1994 | 32.4 | * | * | * | * | * | * | 0.9 | 4.1 | 10.7 | 20.1 |
| 1993 | 32.8 | * | * | * | * | * | * | 1.0 | 3.9 | 10.0 | 20.9 |
| 1992 | 32.8 | * | * | * | * | * | * | 1.2 | 4.3 | 11.2 | 21.5 |
| 1991 | 33.6 | * | * | * | * | * | * | 1.3 | 4.6 | 11.6 | 22.7 |
| 1990 | 34.0 | * | * | * | * | * | * | 1.1 | 4.6 | 12.0 | 24.4 |
| 1989 | 33.9 | * | * | * | * | * | * | 1.3 | 4.7 | 12.2 | 24.2 |
| 1988 | 33.6 | * | * | * | * | * | * | 1.2 | 5.0 | 13.1 | 22.9 |
| 1987 | 32.9 | * | * | * | * | * | * | 1.2 | 5.1 | 13.5 | 22.5 |
| 1986 | 32.9 | * | * | * | * | * | * | 1.2 | 5.0 | 13.3 | 24.7 |
| 1985 | 32.8 | * | * | * | * | * | * | 1.0 | 5.1 | 13.0 | 23.1 |
| 1984 | 32.6 | * | * | * | * | * | * | 1.4 | 5.4 | 14.0 | 24.1 |
| 1983 | 31.6 | * | * | * | * | * | 0.2 | 1.3 | 5.3 | 11.9 | 22.5 |
| 1982 | 31.4 | * | * | * | * | * | * | 1.3 | 5.7 | 12.6 | 23.2 |
| 1981 | 30.9 | * | * | * | * | * | * | 1.2 | 5.5 | 12.5 | 23.3 |
| 1980 | 30.6 | * | * | * | * | * | * | 1.5 | 5.3 | 13.0 | 23.8 |
| 1979 | 29.8 | * | * | * | * | * | * | 1.4 | 5.4 | 12.3 | 24.1 |
| Malignant neoplasm of breast (174-175) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 15.9 | * | * | * | * | * | * | 0.4 | 1.7 | 4.2 | 8.1 |
| 1997 | 16.1 | * | * | * | * | * | * | 0.4 | 1.7 | 4.3 | 8.7 |
| 1996 | 16.9 | * | * | * | * | * | * | 0.4 | 1.7 | 4.3 | 8.8 |
| 1995 | 17.3 | * | * | * | * | * | * | 0.4 | 1.7 | 5.0 | 9.2 |
| 1994 | 17.5 | * | * | * | * | * | * | 0.4 | 1.8 | 5.0 | 9.4 |
| 1993 | 17.7 | * | * | * | * | * | * | 0.4 | 1.7 | 4.5 | 9.9 |
| 1992 | 17.8 | * | * | * | * | * | * | 0.5 | 2.0 | 5.1 | 10.2 |
| 1991 | 18.2 | * | * | * | * | * | * | 0.5 | 2.1 | 5.3 | 10.7 |
| 1990 | 18.5 | * | * | * | * | * | * | 0.5 | 2.1 | 5.6 | 11.9 |
| 1989 | 18.4 | * | * | * | * | * | * | 0.5 | 2.2 | 5.6 | 11.9 |
| 1988 | 18.2 | * | * | * | * | * | * | 0.5 | 2.3 | 6.0 | 11.0 |
| 1987 | 17.9 | * | * | * | * | * | * | 0.6 | 2.4 | 6.3 | 10.7 |
| 1986 | 17.9 | * | * | * | * | * | * | 0.5 | 2.3 | 6.2 | 12.0 |
| 1985 | 17.9 | * | * | * | * | * | * | 0.5 | 2.4 | 6.2 | 11.4 |
| 1984 | 17.7 | * | * | * | * | * | * | 0.6 | 2.6 | 6.8 | 11.4 |
| 1983 | 17.2 | * | * | * | * | * | * | 0.6 | 2.5 | 5.7 | 11.0 |
| 1982 | 17.1 | * | * | * | * | * | * | 0.5 | 2.8 | 6.1 | 11.8 |
| 1981 | 16.8 | * | * | * | * | * | * | 0.5 | 2.6 | 6.1 | 11.4 |
| 1980 | 16.7 | * | * | * | * | * | * | 0.6 | 2.5 | 6.5 | 11.6 |
| 1979 | 16.2 | * | * | * | * | * | * | 0.6 | 2.5 | 6.0 | 12.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of breast (174-175) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasm of breast (174-175) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 31.1 | * | * | * | * | * | * | 0.8 | 3.5 | 8.5 | 16.0 |
| 1997 | 31.5 | * | * | * | * | * | * | 0.9 | 3.5 | 8.6 | 17.3 |
| 1996 | 32.9 | * | * | * | * | * | * | 0.8 | 3.5 | 8.6 | 17.4 |
| 1995 | 33.8 | * | * | * | * | * | * | 0.9 | 3.4 | 10.1 | 18.4 |
| 1994 | 34.2 | * | * | * | * | * | * | 0.8 | 3.6 | 9.9 | 18.8 |
| 1993 | 34.5 | * | * | * | * | * | * | 0.8 | 3.5 | 9.0 | 19.7 |
| 1992 | 34.7 | * | * | * | * | * | * | 1.0 | 3.9 | 10.3 | 20.4 |
| 1991 | 35.4 | * | * | * | * | * | * | 1.1 | 4.3 | 10.7 | 21.4 |
| 1990 | 35.9 | * | * | * | * | * | * | 1.0 | 4.3 | 11.2 | 23.7 |
| 1989 | 35.8 | * | * | * | * | * | * | 1.1 | 4.4 | 11.3 | 23.8 |
| 1988 | 35.4 | * | * | * | * | * | * | 1.0 | 4.5 | 12.0 | 21.9 |
| 1987 | 34.7 | * | * | * | * | * | * | 1.1 | 4.8 | 12.6 | 21.0 |
| 1986 | 34.8 | * | * | * | * | * | * | 1.0 | 4.6 | 12.4 | 23.8 |
| 1985 | 34.7 | * | * | * | * | * | * | 1.0 | 4.8 | 12.3 | 22.4 |
| 1984 | 34.3 | * | * | * | * | * | * | 1.2 | 5.2 | 13.5 | 22.5 |
| 1983 | 33.4 | * | * | * | * | * | * | 1.2 | 5.1 | 11.4 | 21.7 |
| 1982 | 33.1 | * | * | * | * | * | * | 1.1 | 5.5 | 12.1 | 23.2 |
| 1981 | 32.7 | * | * | * | * | * | * | 1.1 | 5.3 | 12.1 | 22.5 |
| 1980 | 32.3 | * | * | * | * | * | * | 1.2 | 5.0 | 12.8 | 22.8 |
| 1979 | 31.4 | * | * | * | * | * | * | 1.2 | 5.0 | 11.8 | 23.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of breast (174-175) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 12.2 | * | * | * | * | * | * | 0.6 | 3.2 | 7.3 | 12.5 |
| 1997 | 12.7 | * | * | * | * | * | * | 1.0 | 2.8 | 7.2 | 12.8 |
| 1996 | 12.6 | * | * | * | * | * | * | 0.9 | 3.3 | 7.6 | 14.1 |
| 1995 | 13.0 | * | * | * | * | * | * | 0.9 | 3.6 | 7.0 | 13.4 |
| 1994 | 12.8 | * | * | * | * | * | * | 0.7 | 3.4 | 7.5 | 14.3 |
| 1993 | 12.7 | * | * | * | * | * | * | 1.0 | 3.0 | 7.9 | 14.4 |
| 1992 | 12.5 | * | * | * | * | * | * | 1.0 | 3.3 | 8.1 | 14.7 |
| 1991 | 13.0 | * | * | * | * | * | * | 1.1 | 3.2 | 8.5 | 15.7 |
| 1990 | 12.9 | * | * | * | * | * | * | 1.0 | 3.3 | 8.4 | 15.1 |
| 1989 | 12.4 | * | * | * | * | * | * | 1.1 | 3.4 | 8.9 | 14.3 |
| 1988 | 12.8 | * | * | * | * | * | * | 1.0 | 3.9 | 10.1 | 15.4 |
| 1987 | 12.4 | * | * | * | * | * | * | 0.8 | 3.6 | 9.6 | 16.8 |
| 1986 | 12.0 | * | * | * | * | * | * | 1.2 | 3.8 | 10.1 | 15.9 |
| 1985 | 11.8 | * | * | * | * | * | * | * | 3.6 | 9.1 | 14.8 |
| 1984 | 12.1 | * | * | * | * | * | * | 1.2 | 3.4 | 9.1 | 18.2 |
| 1983 | 11.4 | * | * | * | * | * | * | 1.1 | 3.5 | 8.2 | 14.7 |
| 1982 | 11.4 | * | * | * | * | * | * | 1.2 | 3.7 | 8.8 | 12.3 |
| 1981 | 11.0 | * | * | * | * | * | * | 1.0 | 3.8 | 8.2 | 15.0 |
| 1980 | 10.9 | * | * | * | * | * | * | 1.5 | 3.7 | 7.9 | 16.1 |
| 1979 | 10.6 | * | * | * | * | * | * | 1.1 | 4.2 | 8.5 | 14.4 |
| Malignant neoplasm of breast (174-175) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of breast (174-175) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 23.3 | * | * | * | * | * | * | 1.2 | 6.0 | 13.8 | 23.5 |
| 1997 | 24.1 | * | * | * | * | * | * | 1.9 | 5.4 | 13.7 | 23.9 |
| 1996 | 24.0 | * | * | * | * | * | * | 1.8 | 6.3 | 14.4 | 26.3 |
| 1995 | 24.7 | * | * | * | * | * | * | 1.7 | 6.7 | 13.3 | 25.1 |
| 1994 | 24.3 | * | * | * | * | * | * | 1.3 | 6.5 | 14.3 | 26.6 |
| 1993 | 24.1 | * | * | * | * | * | * | 1.9 | 5.8 | 15.0 | 26.8 |
| 1992 | 23.7 | * | * | * | * | * | * | 2.0 | 6.2 | 15.3 | 27.3 |
| 1991 | 24.7 | * | * | * | * | * | * | 2.1 | 6.1 | 16.0 | 29.3 |
| 1990 | 24.4 | * | * | * | * | * | * | 1.9 | 6.3 | 15.8 | 28.1 |
| 1989 | 23.6 | * | * | * | * | * | * | 2.0 | 6.4 | 16.6 | 26.4 |
| 1988 | 24.1 | * | * | * | * | * | * | 1.9 | 7.2 | 18.7 | 28.5 |
| 1987 | 23.4 | * | * | * | * | * | * | 1.6 | 6.8 | 17.8 | 31.1 |
| 1986 | 22.7 | * | * | * | * | * | * | 2.3 | 7.2 | 18.7 | 29.6 |
| 1985 | 22.4 | * | * | * | * | * | * | * | 6.8 | 17.0 | 27.4 |
| 1984 | 22.9 | * | * | * | * | * | * | 2.4 | 6.5 | 16.9 | 33.7 |
| 1983 | 21.5 | * | * | * | * | * | * | 2.1 | 6.5 | 15.1 | 27.2 |
| 1982 | 21.6 | * | * | * | * | * | * | 2.3 | 6.8 | 16.1 | 22.9 |
| 1981 | 20.8 | * | * | * | * | * | * | 1.9 | 7.1 | 15.2 | 27.7 |
| 1980 | 20.5 | * | * | * | * | * | * | 2.8 | 6.9 | 14.5 | 29.8 |
| 1979 | 19.9 | * | * | * | * | * | * | 2.1 | 7.8 | 15.5 | 26.5 |
| Malignant neoplasm of breast (174-175) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 15.0 | * | * | * | * | * | * | 0.8 | 3.9 | 9.2 | 15.3 |
| 1997 | 15.7 | * | * | * | * | * | * | 1.4 | 3.7 | 9.3 | 15.5 |
| 1996 | 15.4 | * | * | * | * | * | * | 1.2 | 4.2 | 9.2 | 17.6 |
| 1995 | 15.7 | * | * | * | * | * | * | 1.0 | 4.4 | 8.6 | 16.6 |
| 1994 | 15.4 | * | * | * | * | * | * | 0.9 | 4.0 | 9.3 | 17.7 |
| 1993 | 15.5 | * | * | * | * | * | * | 1.3 | 3.8 | 9.7 | 17.4 |
| 1992 | 15.1 | * | * | * | * | * | * | 1.4 | 3.9 | 10.2 | 18.5 |
| 1991 | 15.5 | * | * | * | * | * | * | 1.2 | 4.0 | 10.2 | 19.3 |
| 1990 | 15.4 | * | * | * | * | * | * | 1.3 | 4.3 | 10.3 | 18.3 |
| 1989 | 14.7 | * | * | * | * | * | * | 1.3 | 4.2 | 10.6 | 17.5 |
| 1988 | 15.2 | * | * | * | * | * | * | 1.2 | 4.7 | 12.7 | 19.5 |
| 1987 | 14.6 | * | * | * | * | * | * | 0.9 | 4.3 | 12.3 | 19.9 |
| 1986 | 14.1 | * | * | * | * | * | * | 1.4 | 4.8 | 12.0 | 19.6 |
| 1985 | 13.7 | * | * | * | * | * | * | * | 4.3 | 11.1 | 18.1 |
| 1984 | 14.1 | * | * | * | * | * | * | 1.5 | 4.0 | 11.1 | 21.4 |
| 1983 | 13.1 | * | * | * | * | * | * | 1.1 | 4.0 | 9.6 | 17.3 |
| 1982 | 13.1 | * | * | * | * | * | * | 1.5 | 4.4 | 10.2 | 14.6 |
| 1981 | 12.5 | * | * | * | * | * | * | 1.2 | 4.5 | 9.2 | 17.4 |
| 1980 | 12.2 | * | * | * | * | * | * | 1.7 | 4.3 | 8.9 | 18.4 |
| 1979 | 11.7 | * | * | * | * | * | * | 1.2 | 4.6 | 9.5 | 15.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of breast (174-175) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasm of breast (174-175) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 28.3 | * | * | * | * | * | * | 1.5 | 7.3 | 17.3 | 28.7 |
| 1997 | 29.5 | * | * | * | * | * | * | 2.6 | 7.1 | 17.5 | 28.9 |
| 1996 | 29.1 | * | * | * | * | * | * | 2.2 | 8.0 | 17.3 | 32.6 |
| 1995 | 29.6 | * | * | * | * | * | * | 1.9 | 8.3 | 16.1 | 30.8 |
| 1994 | 29.1 | * | * | * | * | * | * | 1.6 | 7.6 | 17.5 | 32.7 |
| 1993 | 29.1 | * | * | * | * | * | * | 2.5 | 7.2 | 18.2 | 32.2 |
| 1992 | 28.4 | * | * | * | * | * | * | 2.6 | 7.3 | 19.0 | 34.4 |
| 1991 | 29.2 | * | * | * | * | * | * | 2.3 | 7.6 | 19.0 | 35.7 |
| 1990 | 29.0 | * | * | * | * | * | * | 2.5 | 8.1 | 19.3 | 33.8 |
| 1989 | 27.7 | * | * | * | * | * | * | 2.5 | 7.9 | 19.7 | 32.2 |
| 1988 | 28.5 | * | * | * | * | * | * | 2.3 | 8.7 | 23.4 | 35.8 |
| 1987 | 27.5 | * | * | * | * | * | * | 1.7 | 8.0 | 22.6 | 36.6 |
| 1986 | 26.5 | * | * | * | * | * | * | 2.7 | 9.0 | 22.3 | 36.0 |
| 1985 | 25.9 | * | * | * | * | * | * | * | 8.0 | 20.5 | 33.3 |
| 1984 | 26.5 | * | * | * | * | * | * | 2.9 | 7.5 | 20.5 | 39.1 |
| 1983 | 24.6 | * | * | * | * | * | * | 2.1 | 7.5 | 17.6 | 31.6 |
| 1982 | 24.6 | * | * | * | * | * | * | 2.8 | 8.2 | 18.6 | 26.8 |
| 1981 | 23.5 | * | * | * | * | * | * | 2.3 | 8.4 | 16.8 | 31.7 |
| 1980 | 22.9 | * | * | * | * | * | * | 3.1 | 7.9 | 16.1 | 33.4 |
| 1979 | 22.0 | * | * | * | * | * | * | 2.3 | 8.4 | 17.3 | 28.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of cervix uteri (180) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.6 | * | * | * | * | * | * | 0.4 | 0.9 | 1.5 | 2.0 |
| 1997 | 1.7 | * | * | * | * | * | 0.1 | 0.4 | 0.9 | 1.4 | 2.0 |
| 1996 | 1.7 | * | * | * | * | * | * | 0.5 | 0.9 | 1.6 | 2.2 |
| 1995 | 1.7 | * | * | * | * | * | * | 0.4 | 0.9 | 1.5 | 2.3 |
| 1994 | 1.7 | * | * | * | * | * | * | 0.4 | 1.0 | 1.6 | 2.0 |
| 1993 | 1.8 | * | * | * | * | * | * | 0.4 | 1.0 | 1.5 | 2.1 |
| 1992 | 1.8 | * | * | * | * | * | * | 0.5 | 1.0 | 1.7 | 2.3 |
| 1991 | 1.8 | * | * | * | * | * | * | 0.3 | 1.0 | 1.7 | 2.2 |
| 1990 | 1.9 | * | * | * | * | * | 0.1 | 0.4 | 1.0 | 1.8 | 2.4 |
| 1989 | 1.8 | * | * | * | * | * | 0.1 | 0.4 | 1.0 | 1.6 | 2.3 |
| 1988 | 1.8 | * | * | * | * | * | * | 0.4 | 0.9 | 1.4 | 2.3 |
| 1987 | 1.8 | * | * | * | * | * | * | 0.4 | 1.1 | 1.6 | 2.1 |
| 1986 | 1.9 | * | * | * | * | * | * | 0.5 | 1.0 | 1.6 | 2.2 |
| 1985 | 1.9 | * | * | * | * | * | 0.1 | 0.5 | 0.9 | 1.7 | 2.2 |
| 1984 | 1.9 | * | * | * | * | * | 0.1 | 0.4 | 1.0 | 1.6 | 2.6 |
| 1983 | 2.0 | * | * | * | * | * | 0.1 | 0.4 | 1.0 | 1.7 | 2.4 |
| 1982 | 2.0 | * | * | * | * | * | * | 0.4 | 1.0 | 1.5 | 2.4 |
| 1981 | 2.1 | * | * | * | * | * | 0.1 | 0.5 | 0.9 | 1.6 | 2.5 |
| 1980 | 2.2 | * | * | * | * | * | 0.1 | 0.5 | 0.9 | 1.8 | 2.5 |
| 1979 | 2.2 | * | * | * | * | * | * | 0.3 | 1.0 | 1.8 | 2.5 |
| Malignant neoplasm of cervix uteri (180) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 3.1 | * | * | * | * | * | * | 0.8 | 1.8 | 3.1 | 3.9 |
| 1997 | 3.2 | * | * | * | * | * | 0.3 | 0.8 | 1.9 | 2.8 | 4.1 |
| 1996 | 3.3 | * | * | * | * | * | * | 1.0 | 1.9 | 3.1 | 4.4 |
| 1995 | 3.3 | * | * | * | * | * | * | 0.8 | 1.9 | 2.9 | 4.4 |
| 1994 | 3.4 | * | * | * | * | * | * | 0.9 | 2.0 | 3.2 | 4.0 |
| 1993 | 3.4 | * | * | * | * | * | * | 0.8 | 2.0 | 3.1 | 4.2 |
| 1992 | 3.5 | * | * | * | * | * | * | 0.9 | 2.1 | 3.4 | 4.6 |
| 1991 | 3.5 | * | * | * | * | * | * | 0.5 | 2.1 | 3.4 | 4.3 |
| 1990 | 3.6 | * | * | * | * | * | 0.2 | 0.7 | 2.1 | 3.5 | 4.8 |
| 1989 | 3.5 | * | * | * | * | * | 0.3 | 0.7 | 2.0 | 3.1 | 4.5 |
| 1988 | 3.5 | * | * | * | * | * | * | 0.8 | 1.9 | 2.9 | 4.6 |
| 1987 | 3.6 | * | * | * | * | * | * | 0.9 | 2.2 | 3.1 | 4.1 |
| 1986 | 3.7 | * | * | * | * | * | * | 0.9 | 2.0 | 3.1 | 4.4 |
| 1985 | 3.7 | * | * | * | * | * | 0.2 | 1.0 | 1.8 | 3.3 | 4.4 |
| 1984 | 3.8 | * | * | * | * | * | 0.2 | 0.8 | 1.9 | 3.1 | 5.1 |
| 1983 | 3.9 | * | * | * | * | * | 0.2 | 0.8 | 2.0 | 3.4 | 4.7 |
| 1982 | 3.9 | * | * | * | * | * | * | 0.9 | 1.9 | 3.0 | 4.7 |
| 1981 | 4.1 | * | * | * | * | * | 0.2 | 1.0 | 1.9 | 3.1 | 4.9 |
| 1980 | 4.2 | * | * | * | * | * | 0.2 | 1.0 | 1.8 | 3.6 | 4.9 |
| 1979 | 4.3 | * | * | * | * | * | * | 0.7 | 2.0 | 3.5 | 4.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of cervix uteri (180) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.4 | * | * | * | * | * | * | 0.4 | 0.8 | 1.4 | 1.8 |
| 1997 | 1.5 | * | * | * | * | * | * | 0.4 | 0.8 | 1.3 | 1.7 |
| 1996 | 1.6 | * | * | * | * | * | * | 0.5 | 0.9 | 1.5 | 2.0 |
| 1995 | 1.5 | * | * | * | * | * | * | 0.3 | 0.9 | 1.2 | 2.0 |
| 1994 | 1.6 | * | * | * | * | * | * | 0.4 | 1.0 | 1.5 | 1.7 |
| 1993 | 1.6 | * | * | * | * | * | * | 0.4 | 0.9 | 1.4 | 1.9 |
| 1992 | 1.6 | * | * | * | * | * | * | 0.4 | 0.9 | 1.5 | 2.0 |
| 1991 | 1.6 | * | * | * | * | * | * | 0.3 | 0.9 | 1.5 | 1.9 |
| 1990 | 1.7 | * | * | * | * | * | * | 0.3 | 0.9 | 1.6 | 2.1 |
| 1989 | 1.6 | * | * | * | * | * | * | 0.3 | 0.9 | 1.4 | 2.0 |
| 1988 | 1.6 | * | * | * | * | * | * | 0.4 | 0.8 | 1.3 | 2.1 |
| 1987 | 1.6 | * | * | * | * | * | * | 0.4 | 1.0 | 1.4 | 1.8 |
| 1986 | 1.7 | * | * | * | * | * | * | 0.4 | 0.8 | 1.4 | 1.9 |
| 1985 | 1.7 | * | * | * | * | * | * | 0.4 | 0.8 | 1.4 | 2.0 |
| 1984 | 1.7 | * | * | * | * | * | * | 0.4 | 0.9 | 1.5 | 2.1 |
| 1983 | 1.8 | * | * | * | * | * | * | 0.4 | 0.9 | 1.5 | 2.0 |
| 1982 | 1.8 | * | * | * | * | * | * | 0.4 | 0.9 | 1.3 | 2.1 |
| 1981 | 1.9 | * | * | * | * | * | * | 0.5 | 0.8 | 1.3 | 2.0 |
| 1980 | 1.9 | * | * | * | * | * | * | 0.4 | 0.8 | 1.5 | 2.1 |
| 1979 | 2.0 | * | * | * | * | * | * | 0.3 | 0.9 | 1.4 | 2.1 |
| Malignant neoplasm of cervix uteri (180) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 2.8 | * | * | * | * | * | * | 0.8 | 1.7 | 2.9 | 3.6 |
| 1997 | 3.0 | * | * | * | * | * | * | 0.8 | 1.7 | 2.7 | 3.5 |
| 1996 | 3.1 | * | * | * | * | * | * | 1.0 | 1.9 | 2.9 | 4.0 |
| 1995 | 3.0 | * | * | * | * | * | * | 0.7 | 1.8 | 2.5 | 4.1 |
| 1994 | 3.2 | * | * | * | * | * | * | 0.8 | 1.9 | 2.9 | 3.5 |
| 1993 | 3.1 | * | * | * | * | * | * | 0.7 | 1.9 | 2.8 | 3.7 |
| 1992 | 3.1 | * | * | * | * | * | * | 0.8 | 1.8 | 3.0 | 4.0 |
| 1991 | 3.1 | * | * | * | * | * | * | 0.6 | 1.9 | 3.0 | 3.8 |
| 1990 | 3.3 | * | * | * | * | * | * | 0.7 | 1.8 | 3.3 | 4.2 |
| 1989 | 3.1 | * | * | * | * | * | * | 0.6 | 1.9 | 2.9 | 3.9 |
| 1988 | 3.2 | * | * | * | * | * | * | 0.8 | 1.7 | 2.5 | 4.1 |
| 1987 | 3.2 | * | * | * | * | * | * | 0.8 | 2.1 | 2.7 | 3.5 |
| 1986 | 3.3 | * | * | * | * | * | * | 0.8 | 1.6 | 2.8 | 3.7 |
| 1985 | 3.3 | * | * | * | * | * | * | 0.8 | 1.6 | 2.8 | 3.9 |
| 1984 | 3.4 | * | * | * | * | * | * | 0.8 | 1.7 | 2.9 | 4.1 |
| 1983 | 3.4 | * | * | * | * | * | * | 0.7 | 1.7 | 3.0 | 4.0 |
| 1982 | 3.5 | * | * | * | * | * | * | 0.8 | 1.8 | 2.6 | 4.1 |
| 1981 | 3.7 | * | * | * | * | * | * | 1.0 | 1.7 | 2.6 | 3.9 |
| 1980 | 3.7 | * | * | * | * | * | * | 0.9 | 1.6 | 3.0 | 4.1 |
| 1979 | 3.8 | * | * | * | * | * | * | 0.5 | 1.8 | 2.8 | 4.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of cervix uteri (180) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | * | * | 1.1 | 2.0 | 2.8 |
| 1997 | 2.3 | * | * | * | * | * | * | 0.5 | 1.3 | 1.9 | 3.5 |
| 1996 | 2.3 | * | * | * | * | * | * | * | 1.1 | 2.1 | 3.1 |
| 1995 | 2.5 | * | * | * | * | * | * | 0.7 | 1.2 | 2.5 | 3.3 |
| 1994 | 2.4 | * | * | * | * | * | * | 0.6 | 1.1 | 2.4 | 3.4 |
| 1993 | 2.7 | * | * | * | * | * | * | 0.6 | 1.2 | 2.3 | 3.6 |
| 1992 | 2.8 | * | * | * | * | * | * | 0.7 | 1.6 | 2.7 | 4.1 |
| 1991 | 2.7 | * | * | * | * | * | * | * | 1.5 | 2.7 | 4.0 |
| 1990 | 2.8 | * | * | * | * | * | * | * | 1.7 | 2.5 | 4.3 |
| 1989 | 3.0 | * | * | * | * | * | * | 0.6 | 1.3 | 2.4 | 4.4 |
| 1988 | 2.9 | * | * | * | * | * | * | * | 1.6 | 2.5 | 4.0 |
| 1987 | 2.9 | * | * | * | * | * | * | 0.7 | 1.7 | 2.7 | 4.0 |
| 1986 | 3.2 | * | * | * | * | * | * | 0.7 | 2.0 | 2.7 | 4.3 |
| 1985 | 3.1 | * | * | * | * | * | * | 0.9 | 1.6 | 3.1 | 3.9 |
| 1984 | 3.1 | * | * | * | * | * | * | * | 1.6 | 2.4 | 5.9 |
| 1983 | 3.4 | * | * | * | * | * | * | 0.6 | 1.7 | 3.0 | 4.8 |
| 1982 | 3.3 | * | * | * | * | * | * | 0.7 | 1.4 | 3.2 | 4.4 |
| 1981 | 3.4 | * | * | * | * | * | * | 0.7 | 1.5 | 3.2 | 5.9 |
| 1980 | 3.7 | * | * | * | * | * | * | 0.9 | 1.7 | 4.1 | 5.5 |
| 1979 | 3.7 | * | * | * | * | * | * | 0.8 | 2.0 | 4.1 | 5.1 |
| Malignant neoplasm of cervix uteri (180) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 4.2 | * | * | * | * | * | * | * | 2.1 | 3.8 | 5.4 |
| 1997 | 4.5 | * | * | * | * | * | * | 1.0 | 2.5 | 3.6 | 6.6 |
| 1996 | 4.3 | * | * | * | * | * | * | * | 2.0 | 4.0 | 5.9 |
| 1995 | 4.8 | * | * | * | * | * | * | 1.3 | 2.3 | 4.7 | 6.1 |
| 1994 | 4.6 | * | * | * | * | * | * | 1.1 | 2.1 | 4.6 | 6.3 |
| 1993 | 5.1 | * | * | * | * | * | * | 1.1 | 2.3 | 4.4 | 6.8 |
| 1992 | 5.4 | * | * | * | * | * | * | 1.4 | 3.1 | 5.0 | 7.6 |
| 1991 | 5.2 | * | * | * | * | * | * | * | 2.8 | 5.1 | 7.4 |
| 1990 | 5.3 | * | * | * | * | * | * | * | 3.2 | 4.7 | 8.1 |
| 1989 | 5.7 | * | * | * | * | * | * | 1.1 | 2.4 | 4.5 | 8.1 |
| 1988 | 5.5 | * | * | * | * | * | * | * | 2.9 | 4.7 | 7.5 |
| 1987 | 5.5 | * | * | * | * | * | * | 1.3 | 3.2 | 5.0 | 7.5 |
| 1986 | 6.1 | * | * | * | * | * | * | 1.4 | 3.7 | 5.0 | 8.1 |
| 1985 | 5.9 | * | * | * | * | * | * | 1.7 | 3.0 | 5.8 | 7.2 |
| 1984 | 6.0 | * | * | * | * | * | * | * | 2.9 | 4.4 | 10.9 |
| 1983 | 6.4 | * | * | * | * | * | * | 1.2 | 3.3 | 5.6 | 8.9 |
| 1982 | 6.3 | * | * | * | * | * | * | 1.3 | 2.6 | 5.9 | 8.1 |
| 1981 | 6.4 | * | * | * | * | * | * | 1.4 | 2.8 | 6.0 | 10.9 |
| 1980 | 7.1 | * | * | * | * | * | * | 1.6 | 3.2 | 7.6 | 10.1 |
| 1979 | 7.0 | * | * | * | * | * | * | 1.5 | 3.8 | 7.6 | 9.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of cervix uteri (180) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.5 | * | * | * | * | * | * | * | 1.4 | 2.5 | 3.4 |
| 1997 | 2.8 | * | * | * | * | * | * | * | 1.6 | 2.3 | 4.4 |
| 1996 | 2.6 | * | * | * | * | * | * | * | 1.4 | 2.4 | 3.8 |
| 1995 | 2.9 | * | * | * | * | * | * | 0.9 | 1.6 | 3.1 | 4.0 |
| 1994 | 2.8 | * | * | * | * | * | * | * | 1.4 | 3.0 | 3.8 |
| 1993 | 3.2 | * | * | * | * | * | * | 0.7 | 1.6 | 2.9 | 4.2 |
| 1992 | 3.3 | * | * | * | * | * | * | 0.9 | 1.9 | 3.1 | 4.8 |
| 1991 | 3.1 | * | * | * | * | * | * | * | 1.8 | 3.2 | 4.4 |
| 1990 | 3.2 | * | * | * | * | * | * | * | 2.0 | 3.0 | 5.2 |
| 1989 | 3.5 | * | * | * | * | * | * | * | 1.5 | 2.8 | 5.2 |
| 1988 | 3.3 | * | * | * | * | * | * | * | 1.9 | 2.9 | 4.9 |
| 1987 | 3.3 | * | * | * | * | * | * | 0.8 | 1.8 | 3.2 | 4.9 |
| 1986 | 3.7 | * | * | * | * | * | * | 0.8 | 2.2 | 3.2 | 5.5 |
| 1985 | 3.5 | * | * | * | * | * | * | 1.0 | 1.9 | 3.6 | 4.5 |
| 1984 | 3.6 | * | * | * | * | * | * | * | 1.9 | 2.6 | 6.9 |
| 1983 | 3.8 | * | * | * | * | * | * | * | 2.1 | 3.5 | 5.6 |
| 1982 | 3.7 | * | * | * | * | * | * | 0.8 | 1.7 | 3.7 | 4.9 |
| 1981 | 3.8 | * | * | * | * | * | * | 0.9 | 1.6 | 3.6 | 6.5 |
| 1980 | 4.1 | * | * | * | * | * | * | 0.9 | 2.0 | 4.6 | 6.0 |
| 1979 | 4.0 | * | * | * | * | * | * | 0.9 | 2.3 | 4.8 | 5.6 |
| Malignant neoplasm of cervix uteri (180) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 4.8 | * | * | * | * | * | * | * | 2.6 | 4.7 | 6.4 |
| 1997 | 5.3 | * | * | * | * | * | * | * | 3.0 | 4.4 | 8.3 |
| 1996 | 5.0 | * | * | * | * | * | * | * | 2.6 | 4.5 | 7.1 |
| 1995 | 5.6 | * | * | * | * | * | * | 1.6 | 3.0 | 5.9 | 7.5 |
| 1994 | 5.3 | * | * | * | * | * | * | * | 2.6 | 5.7 | 7.1 |
| 1993 | 6.0 | * | * | * | * | * | * | 1.4 | 3.0 | 5.5 | 7.8 |
| 1992 | 6.3 | * | * | * | * | * | * | 1.7 | 3.7 | 5.9 | 8.8 |
| 1991 | 6.0 | * | * | * | * | * | * | * | 3.4 | 5.9 | 8.2 |
| 1990 | 6.1 | * | * | * | * | * | * | * | 3.8 | 5.5 | 9.6 |
| 1989 | 6.6 | * | * | * | * | * | * | * | 2.8 | 5.2 | 9.5 |
| 1988 | 6.2 | * | * | * | * | * | * | * | 3.7 | 5.3 | 9.1 |
| 1987 | 6.3 | * | * | * | * | * | * | 1.5 | 3.3 | 5.9 | 9.0 |
| 1986 | 7.0 | * | * | * | * | * | * | 1.5 | 4.2 | 6.0 | 10.2 |
| 1985 | 6.7 | * | * | * | * | * | * | 1.8 | 3.5 | 6.7 | 8.3 |
| 1984 | 6.8 | * | * | * | * | * | * | * | 3.5 | 4.8 | 12.7 |
| 1983 | 7.2 | * | * | * | * | * | * | * | 3.9 | 6.5 | 10.3 |
| 1982 | 7.1 | * | * | * | * | * | * | 1.6 | 3.1 | 6.8 | 9.0 |
| 1981 | 7.1 | * | * | * | * | * | * | 1.6 | 3.0 | 6.6 | 12.0 |
| 1980 | 7.8 | * | * | * | * | * | * | 1.8 | 3.7 | 8.5 | 11.0 |
| 1979 | 7.7 | * | * | * | * | * | * | 1.7 | 4.3 | 8.7 | 10.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 2.3 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1997 | 2.3 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1996 | 2.3 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1995 | 2.3 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1994 | 2.3 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1993 | 2.3 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1992 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1991 | 2.3 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1990 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1989 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1988 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1987 | 2.4 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 |
| 1986 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1985 | 2.5 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1984 | 2.5 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1983 | 2.6 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1982 | 2.6 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1981 | 2.6 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.6 |
| 1980 | 2.7 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1979 | 2.6 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 4.6 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 |
| 1997 | 4.4 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 |
| 1996 | 4.6 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1995 | 4.6 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1994 | 4.6 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1993 | 4.6 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1992 | 4.6 | * | * | * | * | * | * | * | * | 0.4 | 1.0 |
| 1991 | 4.6 | * | * | * | * | * | * | * | * | 0.4 | 1.0 |
| 1990 | 4.7 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1989 | 4.6 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1988 | 4.7 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1987 | 4.7 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.8 |
| 1986 | 4.7 | * | * | * | * | * | * | * | * | 0.4 | 0.9 |
| 1985 | 4.9 | * | * | * | * | * | * | * | * | 0.3 | 1.0 |
| 1984 | 4.9 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1983 | 5.0 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1982 | 5.0 | * | * | * | * | * | * | * | * | 0.4 | 1.0 |
| 1981 | 5.0 | * | * | * | * | * | * | * | 0.3 | 0.4 | 1.2 |
| 1980 | 5.2 | * | * | * | * | * | * | * | * | 0.4 | 1.4 |
| 1979 | 5.0 | * | * | * | * | * | * | * | * | 0.5 | 1.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1997 | 2.3 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1996 | 2.3 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1995 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1994 | 2.4 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1993 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1992 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1991 | 2.3 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1990 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1989 | 2.4 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1988 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1987 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1986 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1985 | 2.5 | * | * | * | * | * | * | * | * | 0.1 | 0.5 |
| 1984 | 2.5 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1983 | 2.6 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1982 | 2.6 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1981 | 2.6 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1980 | 2.6 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1979 | 2.6 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 4.6 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1997 | 4.5 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.6 |
| 1996 | 4.6 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1995 | 4.7 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1994 | 4.6 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1993 | 4.6 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1992 | 4.7 | * | * | * | * | * | * | * | * | 0.4 | 0.9 |
| 1991 | 4.6 | * | * | * | * | * | * | * | * | 0.4 | 0.9 |
| 1990 | 4.8 | * | * | * | * | * | * | * | * | 0.4 | 0.9 |
| 1989 | 4.6 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1988 | 4.7 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1987 | 4.8 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1986 | 4.8 | * | * | * | * | * | * | * | * | 0.5 | 0.8 |
| 1985 | 4.9 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1984 | 4.9 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1983 | 5.1 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1982 | 5.0 | * | * | * | * | * | * | * | * | 0.4 | 1.0 |
| 1981 | 5.0 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1980 | 5.2 | * | * | * | * | * | * | * | * | 0.4 | 1.2 |
| 1979 | 5.0 | * | * | * | * | * | * | * | * | 0.5 | 1.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.4 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1990 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.8 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1979 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 4.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 4.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 4.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 4.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 4.5 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1990 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 4.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 4.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 4.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 5.3 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1979 | 5.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.2 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1979 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 5.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 5.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 5.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 4.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 5.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 5.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 5.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 5.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 5.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 5.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 5.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 5.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 5.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 6.0 | * | * | * | * | * | * | * | * | * | 3.3 |
| 1979 | 5.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of ovary (183.0) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.9 | * | * | * | * | * | * | 0.1 | 0.3 | 0.7 | 1.5 |
| 1997 | 5.0 | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.5 |
| 1996 | 4.9 | * | * | * | * | * | 0.1 | 0.1 | 0.4 | 0.6 | 1.5 |
| 1995 | 5.0 | * | * | * | * | * | * | 0.2 | 0.3 | 0.8 | 1.5 |
| 1994 | 5.1 | * | * | * | * | * | * | 0.1 | 0.3 | 0.8 | 1.6 |
| 1993 | 5.0 | * | * | * | * | * | * | 0.1 | 0.3 | 0.8 | 1.7 |
| 1992 | 5.1 | * | * | * | * | * | * | 0.1 | 0.3 | 0.8 | 1.8 |
| 1991 | 5.1 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.9 | 1.7 |
| 1990 | 5.1 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.8 | 1.7 |
| 1989 | 5.0 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.8 | 1.6 |
| 1988 | 5.0 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.8 | 1.7 |
| 1987 | 4.9 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.9 | 1.6 |
| 1986 | 4.9 | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 | 2.2 |
| 1985 | 4.8 | * | * | * | * | 0.1 | * | 0.2 | 0.3 | 0.8 | 1.9 |
| 1984 | 4.8 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 2.1 |
| 1983 | 4.8 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.9 | 1.7 |
| 1982 | 4.8 | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.4 | 0.8 | 1.9 |
| 1981 | 4.7 | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.4 | 0.9 | 2.2 |
| 1980 | 4.7 | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.4 | 0.9 | 2.3 |
| 1979 | 4.7 | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.4 | 1.0 | 2.5 |
| Malignant neoplasm of ovary (183.0) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 9.5 | * | * | * | * | * | * | 0.2 | 0.6 | 1.3 | 3.0 |
| 1997 | 9.7 | * | * | * | * | * | * | 0.4 | 0.7 | 1.3 | 3.1 |
| 1996 | 9.6 | * | * | * | * | * | 0.2 | 0.3 | 0.9 | 1.2 | 2.9 |
| 1995 | 9.8 | * | * | * | * | * | * | 0.4 | 0.7 | 1.5 | 3.0 |
| 1994 | 10.0 | * | * | * | * | * | * | 0.3 | 0.6 | 1.5 | 3.1 |
| 1993 | 9.7 | * | * | * | * | * | * | 0.2 | 0.5 | 1.5 | 3.3 |
| 1992 | 10.0 | * | * | * | * | * | * | 0.3 | 0.6 | 1.6 | 3.5 |
| 1991 | 10.1 | * | * | * | * | * | 0.2 | 0.3 | 0.7 | 1.7 | 3.3 |
| 1990 | 9.9 | * | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.5 | 3.4 |
| 1989 | 9.7 | * | * | * | * | * | 0.3 | 0.3 | 0.8 | 1.6 | 3.2 |
| 1988 | 9.7 | * | * | * | * | * | 0.2 | 0.5 | 0.7 | 1.6 | 3.4 |
| 1987 | 9.5 | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 1.8 | 3.2 |
| 1986 | 9.5 | * | * | * | * | * | * | 0.3 | 0.6 | 1.5 | 4.4 |
| 1985 | 9.3 | * | * | * | * | 0.2 | * | 0.3 | 0.6 | 1.5 | 3.8 |
| 1984 | 9.3 | * | * | * | * | * | * | 0.4 | 0.8 | 1.6 | 4.0 |
| 1983 | 9.3 | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.8 | 3.4 |
| 1982 | 9.3 | * | * | * | * | 0.2 | 0.2 | 0.5 | 0.9 | 1.7 | 3.6 |
| 1981 | 9.2 | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.7 | 1.8 | 4.2 |
| 1980 | 9.2 | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.7 | 1.8 | 4.5 |
| 1979 | 9.2 | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.7 | 1.9 | 4.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of ovary (183.0) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 5.3 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.5 |
| 1997 | 5.4 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 1.5 |
| 1996 | 5.4 | * | * | * | * | * | * | 0.1 | 0.4 | 0.6 | 1.5 |
| 1995 | 5.5 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.6 |
| 1994 | 5.6 | * | * | * | * | * | * | * | 0.3 | 0.8 | 1.6 |
| 1993 | 5.4 | * | * | * | * | * | * | * | 0.3 | 0.8 | 1.7 |
| 1992 | 5.6 | * | * | * | * | * | * | 0.1 | 0.3 | 0.8 | 1.9 |
| 1991 | 5.6 | * | * | * | * | * | * | 0.2 | 0.3 | 0.8 | 1.7 |
| 1990 | 5.5 | * | * | * | * | * | * | 0.2 | 0.3 | 0.8 | 1.8 |
| 1989 | 5.4 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.8 | 1.6 |
| 1988 | 5.4 | * | * | * | * | * | * | 0.2 | 0.3 | 0.8 | 1.8 |
| 1987 | 5.3 | * | * | * | * | * | * | 0.2 | 0.3 | 0.9 | 1.7 |
| 1986 | 5.3 | * | * | * | * | * | * | 0.2 | 0.3 | 0.8 | 2.3 |
| 1985 | 5.2 | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 | 2.0 |
| 1984 | 5.1 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 2.1 |
| 1983 | 5.2 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.9 | 1.7 |
| 1982 | 5.1 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.8 | 2.0 |
| 1981 | 5.1 | * | * | * | * | * | * | 0.1 | 0.3 | 0.9 | 2.2 |
| 1980 | 5.1 | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.9 | 2.4 |
| 1979 | 5.0 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 1.0 | 2.5 |
| Malignant neoplasm of ovary (183.0) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 10.5 | * | * | * | * | * | * | * | 0.6 | 1.3 | 3.1 |
| 1997 | 10.7 | * | * | * | * | * | * | 0.4 | 0.8 | 1.2 | 3.1 |
| 1996 | 10.5 | * | * | * | * | * | * | 0.3 | 0.9 | 1.2 | 2.9 |
| 1995 | 10.9 | * | * | * | * | * | * | 0.4 | 0.7 | 1.5 | 3.2 |
| 1994 | 11.0 | * | * | * | * | * | * | * | 0.6 | 1.5 | 3.3 |
| 1993 | 10.6 | * | * | * | * | * | * | * | 0.5 | 1.6 | 3.5 |
| 1992 | 11.0 | * | * | * | * | * | * | 0.3 | 0.7 | 1.6 | 3.7 |
| 1991 | 10.9 | * | * | * | * | * | * | 0.3 | 0.7 | 1.6 | 3.3 |
| 1990 | 10.8 | * | * | * | * | * | * | 0.4 | 0.7 | 1.6 | 3.6 |
| 1989 | 10.6 | * | * | * | * | * | 0.3 | 0.4 | 0.8 | 1.6 | 3.3 |
| 1988 | 10.6 | * | * | * | * | * | * | 0.4 | 0.7 | 1.6 | 3.6 |
| 1987 | 10.4 | * | * | * | * | * | * | 0.3 | 0.6 | 1.8 | 3.3 |
| 1986 | 10.3 | * | * | * | * | * | * | 0.4 | 0.6 | 1.5 | 4.6 |
| 1985 | 10.1 | * | * | * | * | * | * | 0.4 | 0.6 | 1.5 | 3.9 |
| 1984 | 10.0 | * | * | * | * | * | * | 0.4 | 0.8 | 1.7 | 4.2 |
| 1983 | 10.1 | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 1.8 | 3.4 |
| 1982 | 10.0 | * | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.6 | 3.9 |
| 1981 | 9.9 | * | * | * | * | * | * | 0.3 | 0.6 | 1.7 | 4.4 |
| 1980 | 9.9 | * | * | * | * | * | 0.3 | 0.3 | 0.7 | 1.8 | 4.7 |
| 1979 | 9.8 | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 2.0 | 4.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|-------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of ovary (183.0) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 2.6 | * | * | * | * | * | * | * | * | 0.7 | 1.5 |
| 1997 | 2.8 | * | * | * | * | * | * | * | * | 0.8 | 1.5 |
| 1996 | 2.7 | * | * | * | * | * | * | * | * | 0.6 | 1.6 |
| 1995 | 2.6 | * | * | * | * | * | * | * | * | 0.7 | 1.2 |
| 1994 | 2.8 | * | * | * | * | * | * | * | * | 0.7 | 1.4 |
| 1993 | 2.7 | * | * | * | * | * | * | * | * | 0.7 | 1.3 |
| 1992 | 2.9 | * | * | * | * | * | * | * | * | 0.8 | 1.3 |
| 1991 | 2.9 | * | * | * | * | * | * | * | * | 1.1 | 1.7 |
| 1990 | 2.7 | * | * | * | * | * | * | * | * | 0.6 | 1.4 |
| 1989 | 2.6 | * | * | * | * | * | * | * | * | 0.9 | 1.6 |
| 1988 | 2.8 | * | * | * | * | * | * | * | * | 0.8 | 1.3 |
| 1987 | 2.7 | * | * | * | * | * | * | * | * | 0.9 | 1.4 |
| 1986 | 2.7 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1985 | 2.6 | * | * | * | * | * | * | * | * | 0.9 | 1.6 |
| 1984 | 2.7 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1983 | 2.7 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1982 | 2.6 | * | * | * | * | * | * | * | * | 1.0 | * |
| 1981 | 2.6 | * | * | * | * | * | * | * | * | 1.0 | 1.7 |
| 1980 | 2.8 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1979 | 2.8 | * | * | * | * | * | * | * | * | * | 2.3 |
| Malignant neoplasm of ovary (183.0) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 5.0 | * | * | * | * | * | * | * | * | 1.3 | 2.9 |
| 1997 | 5.3 | * | * | * | * | * | * | * | * | 1.5 | 2.9 |
| 1996 | 5.1 | * | * | * | * | * | * | * | * | 1.0 | 2.9 |
| 1995 | 4.9 | * | * | * | * | * | * | * | * | 1.4 | 2.2 |
| 1994 | 5.3 | * | * | * | * | * | * | * | * | 1.4 | 2.6 |
| 1993 | 5.2 | * | * | * | * | * | * | * | * | 1.2 | 2.4 |
| 1992 | 5.6 | * | * | * | * | * | * | * | * | 1.4 | 2.4 |
| 1991 | 5.6 | * | * | * | * | * | * | * | * | 2.0 | 3.1 |
| 1990 | 5.2 | * | * | * | * | * | * | * | * | 1.2 | 2.6 |
| 1989 | 5.0 | * | * | * | * | * | * | * | * | 1.7 | 3.0 |
| 1988 | 5.4 | * | * | * | * | * | * | * | * | 1.5 | 2.4 |
| 1987 | 5.1 | * | * | * | * | * | * | * | * | 1.6 | 2.5 |
| 1986 | 5.1 | * | * | * | * | * | * | * | * | * | 3.0 |
| 1985 | 5.0 | * | * | * | * | * | * | * | * | 1.6 | 3.0 |
| 1984 | 5.1 | * | * | * | * | * | * | * | * | * | 3.1 |
| 1983 | 5.2 | * | * | * | * | * | * | * | * | * | 3.4 |
| 1982 | 5.0 | * | * | * | * | * | * | * | * | 1.8 | * |
| 1981 | 5.1 | * | * | * | * | * | * | * | * | 1.9 | 3.2 |
| 1980 | 5.3 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1979 | 5.2 | * | * | * | * | * | * | * | * | * | 4.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of ovary (183.0) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 3.0 | * | * | * | * | * | * | * | * | 0.8 | 1.8 |
| 1997 | 3.2 | * | * | * | * | * | * | * | * | 1.0 | 1.4 |
| 1996 | 2.9 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1995 | 2.9 | * | * | * | * | * | * | * | * | 0.9 | 1.2 |
| 1994 | 3.1 | * | * | * | * | * | * | * | * | 0.7 | 1.4 |
| 1993 | 3.1 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1992 | 3.3 | * | * | * | * | * | * | * | * | 0.9 | 1.4 |
| 1991 | 3.3 | * | * | * | * | * | * | * | * | 1.2 | 1.6 |
| 1990 | 3.1 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1989 | 3.0 | * | * | * | * | * | * | * | * | 0.9 | 1.8 |
| 1988 | 3.2 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1987 | 3.0 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1986 | 3.0 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1985 | 2.9 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1984 | 3.0 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1983 | 3.0 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1982 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.9 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1980 | 3.1 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1979 | 3.0 | * | * | * | * | * | * | * | * | * | 2.4 |
| Malignant neoplasm of ovary (183.0) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 5.7 | * | * | * | * | * | * | * | * | 1.5 | 3.4 |
| 1997 | 6.1 | * | * | * | * | * | * | * | * | 1.8 | 2.7 |
| 1996 | 5.6 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1995 | 5.6 | * | * | * | * | * | * | * | * | 1.7 | 2.3 |
| 1994 | 5.9 | * | * | * | * | * | * | * | * | 1.4 | 2.7 |
| 1993 | 5.8 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1992 | 6.2 | * | * | * | * | * | * | * | * | 1.7 | 2.6 |
| 1991 | 6.3 | * | * | * | * | * | * | * | * | 2.2 | 3.0 |
| 1990 | 6.0 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1989 | 5.6 | * | * | * | * | * | * | * | * | 1.6 | 3.3 |
| 1988 | 6.0 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1987 | 5.7 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1986 | 5.6 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1985 | 5.5 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1984 | 5.6 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1983 | 5.7 | * | * | * | * | * | * | * | * | * | 3.8 |
| 1982 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 5.4 | * | * | * | * | * | * | * | * | * | 3.5 |
| 1980 | 5.8 | * | * | * | * | * | * | * | * | * | 3.6 |
| 1979 | 5.6 | * | * | * | * | * | * | * | * | * | 4.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of prostate (185) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 11.7 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1997 | 12.1 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1996 | 12.7 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1995 | 12.9 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1994 | 13.3 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1993 | 13.4 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1992 | 13.3 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1991 | 13.3 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1990 | 13.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 12.4 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1988 | 11.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 11.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 11.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 10.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 10.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 10.7 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1982 | 10.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 10.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 10.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 9.9 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasm of prostate (185) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 23.8 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1997 | 24.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1996 | 25.9 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1995 | 26.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1994 | 27.1 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1993 | 27.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1992 | 27.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1991 | 27.2 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1990 | 26.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 25.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1988 | 24.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 23.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 23.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 22.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 22.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 22.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1982 | 21.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 21.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 20.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 20.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of prostate (185) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 11.7 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1997 | 12.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 12.6 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1995 | 12.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 13.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 13.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 13.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 13.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 12.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 12.3 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1988 | 11.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 11.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 11.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 10.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 10.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 10.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 10.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 9.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 9.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 9.6 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasm of prostate (185) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 23.7 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1997 | 24.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 25.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1995 | 26.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 27.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 27.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 27.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 27.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 26.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 25.1 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1988 | 24.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 23.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 22.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 21.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 21.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 21.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 20.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 20.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 20.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 19.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of prostate (185) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 11.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 12.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 13.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 13.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 13.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 13.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 13.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 13.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 13.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 12.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 12.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 12.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 12.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 12.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 12.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 12.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 11.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 12.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 11.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 11.6 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasm of prostate (185) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 24.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 25.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 27.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 27.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 28.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 28.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 28.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 28.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 28.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 26.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 26.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 26.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 26.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 26.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 25.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 25.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 24.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 25.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 25.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 24.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of prostate (185) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 15.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 15.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 16.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 16.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 17.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 17.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 17.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 16.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 17.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 15.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 15.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 15.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 15.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 15.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 14.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 14.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 13.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 14.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 13.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 13.2 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasm of prostate (185) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 32.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 32.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 35.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 34.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 35.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 36.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 36.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 35.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 35.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 33.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 32.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 32.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 31.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 31.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 31.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 30.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 29.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 29.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 29.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 27.9 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of kidney and renal pelvis (189.0,189.1) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.2 | * | 0.1 | 0.1 | * | * | * | 0.1 | 0.2 | 0.5 | 1.2 |
| 1997 | 4.1 | * | * | 0.1 | * | * | * | * | 0.2 | 0.4 | 1.2 |
| 1996 | 4.1 | * | * | 0.1 | * | * | * | 0.1 | 0.2 | 0.5 | 1.2 |
| 1995 | 4.2 | * | 0.1 | * | * | * | * | * | 0.2 | 0.5 | 1.2 |
| 1994 | 4.1 | * | * | 0.1 | * | * | * | * | 0.2 | 0.4 | 1.2 |
| 1993 | 4.0 | * | * | 0.1 | * | * | * | 0.1 | 0.2 | 0.5 | 1.1 |
| 1992 | 4.1 | * | * | 0.1 | * | * | * | * | 0.2 | 0.5 | 1.1 |
| 1991 | 4.1 | * | * | 0.2 | * | * | * | 0.1 | 0.2 | 0.5 | 1.3 |
| 1990 | 4.0 | * | 0.1 | 0.1 | * | * | * | 0.1 | 0.3 | 0.5 | 1.1 |
| 1989 | 3.9 | * | 0.1 | 0.1 | * | * | * | * | 0.2 | 0.6 | 1.2 |
| 1988 | 3.8 | * | 0.1 | 0.2 | * | * | 0.1 | 0.1 | 0.2 | 0.5 | 1.3 |
| 1987 | 3.9 | * | * | 0.2 | * | * | * | * | 0.2 | 0.4 | 1.3 |
| 1986 | 3.7 | * | * | 0.2 | * | * | * | 0.1 | 0.2 | 0.6 | 1.2 |
| 1985 | 3.6 | * | * | 0.2 | * | * | * | * | 0.2 | 0.6 | 1.4 |
| 1984 | 3.6 | * | * | * | * | * | * | 0.1 | 0.2 | 0.5 | 1.3 |
| 1983 | 3.5 | * | 0.3 | 0.2 | * | * | 0.1 | 0.1 | 0.2 | 0.5 | 1.1 |
| 1982 | 3.5 | * | 0.2 | 0.2 | * | * | 0.1 | 0.1 | 0.3 | 0.5 | 1.2 |
| 1981 | 3.4 | * | 0.2 | 0.2 | * | * | * | 0.1 | 0.3 | 0.6 | 1.2 |
| 1980 | 3.3 | * | 0.2 | 0.2 | * | * | 0.1 | 0.1 | 0.3 | 0.4 | 1.2 |
| 1979 | 3.2 | * | 0.2 | 0.2 | * | * | 0.1 | * | 0.2 | 0.5 | 1.2 |
| Malignant neoplasms of kidney and renal pelvis (189.0,189.1) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 5.3 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.7 |
| 1997 | 5.2 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.6 |
| 1996 | 5.2 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.7 |
| 1995 | 5.1 | * | * | * | * | * | * | * | * | 0.6 | 1.6 |
| 1994 | 5.1 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.5 |
| 1993 | 5.0 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.6 |
| 1992 | 5.1 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.5 |
| 1991 | 5.0 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.8 |
| 1990 | 5.0 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.6 |
| 1989 | 4.9 | * | * | * | * | * | * | * | 0.2 | 0.7 | 1.6 |
| 1988 | 4.7 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.8 |
| 1987 | 4.8 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.9 |
| 1986 | 4.6 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.7 |
| 1985 | 4.6 | * | * | * | * | * | * | * | 0.2 | 0.8 | 1.9 |
| 1984 | 4.5 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.9 |
| 1983 | 4.4 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.5 |
| 1982 | 4.5 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.7 |
| 1981 | 4.2 | * | 0.3 | * | * | * | * | * | 0.4 | 0.8 | 1.7 |
| 1980 | 4.3 | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 1.8 |
| 1979 | 4.2 | * | 0.3 | * | * | * | * | * | * | 0.6 | 1.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of kidney and renal pelvis (189.0,189.1) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 3.1 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1997 | 3.1 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1996 | 3.1 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1995 | 3.3 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 |
| 1994 | 3.1 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.9 |
| 1993 | 3.0 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1992 | 3.1 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1991 | 3.2 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1990 | 3.0 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 |
| 1989 | 3.0 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1988 | 2.9 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1987 | 2.9 | * | * | * | * | * | * | * | * | 0.2 | 0.8 |
| 1986 | 2.9 | * | * | 0.3 | * | * | * | * | * | 0.5 | 0.8 |
| 1985 | 2.8 | * | * | * | * | * | * | * | * | 0.5 | 0.9 |
| 1984 | 2.6 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1983 | 2.7 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1982 | 2.6 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1981 | 2.5 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.7 |
| 1980 | 2.4 | * | * | 0.3 | * | * | * | * | 0.2 | 0.3 | 0.7 |
| 1979 | 2.4 | * | * | 0.3 | * | * | * | * | * | 0.4 | 0.7 |
| Malignant neoplasms of kidney and renal pelvis (189.0,189.1) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 4.5 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.1 |
| 1997 | 4.5 | * | * | * | * | * | * | * | 0.1 | 0.3 | 1.2 |
| 1996 | 4.5 | * | * | * | * | * | * | * | 0.1 | 0.4 | 1.1 |
| 1995 | 4.5 | * | * | * | * | * | * | * | 0.2 | 0.4 | 1.1 |
| 1994 | 4.4 | * | * | * | * | * | * | * | 0.2 | 0.4 | 1.1 |
| 1993 | 4.3 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.1 |
| 1992 | 4.4 | * | * | 0.1 | * | * | * | * | 0.2 | 0.5 | 1.1 |
| 1991 | 4.4 | * | * | 0.2 | * | * | * | * | 0.1 | 0.4 | 1.2 |
| 1990 | 4.2 | * | * | 0.2 | * | * | * | * | 0.2 | 0.4 | 1.1 |
| 1989 | 4.2 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.1 |
| 1988 | 4.0 | * | * | 0.2 | * | * | * | * | 0.2 | 0.4 | 1.3 |
| 1987 | 4.2 | * | * | 0.1 | * | * | * | * | 0.2 | 0.4 | 1.3 |
| 1986 | 4.0 | * | * | 0.2 | * | * | * | * | 0.2 | 0.5 | 1.1 |
| 1985 | 3.9 | * | * | 0.2 | * | * | * | * | 0.2 | 0.6 | 1.4 |
| 1984 | 3.8 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 1.3 |
| 1983 | 3.8 | * | 0.3 | 0.2 | * | * | * | * | 0.2 | 0.5 | 1.1 |
| 1982 | 3.7 | * | * | 0.2 | * | * | * | * | 0.2 | 0.5 | 1.2 |
| 1981 | 3.6 | * | 0.2 | 0.2 | * | * | * | * | 0.3 | 0.5 | 1.3 |
| 1980 | 3.6 | * | * | 0.2 | * | * | * | 0.1 | 0.2 | 0.4 | 1.3 |
| 1979 | 3.5 | * | 0.2 | 0.2 | * | * | * | * | 0.2 | 0.5 | 1.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasms of kidney and renal pelvis (189.0,189.1) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 5.7 | * | * | * | * | * | * | * | * | 0.6 | 1.6 |
| 1997 | 5.6 | * | * | * | * | * | * | * | * | 0.4 | 1.5 |
| 1996 | 5.6 | * | * | * | * | * | * | * | * | 0.7 | 1.7 |
| 1995 | 5.5 | * | * | * | * | * | * | * | * | 0.5 | 1.6 |
| 1994 | 5.5 | * | * | * | * | * | * | * | * | 0.5 | 1.5 |
| 1993 | 5.4 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.6 |
| 1992 | 5.5 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.5 |
| 1991 | 5.4 | * | * | * | * | * | * | * | * | 0.5 | 1.6 |
| 1990 | 5.3 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.6 |
| 1989 | 5.2 | * | * | * | * | * | * | * | * | 0.7 | 1.6 |
| 1988 | 5.0 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.8 |
| 1987 | 5.2 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.9 |
| 1986 | 5.0 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.5 |
| 1985 | 4.8 | * | * | * | * | * | * | * | * | 0.7 | 1.9 |
| 1984 | 4.8 | * | * | * | * | * | * | * | * | 0.6 | 1.9 |
| 1983 | 4.7 | * | * | * | * | * | * | * | * | 0.6 | 1.5 |
| 1982 | 4.7 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.7 |
| 1981 | 4.5 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.8 |
| 1980 | 4.6 | * | * | * | * | * | * | * | * | 0.6 | 1.8 |
| 1979 | 4.4 | * | * | * | * | * | * | * | * | 0.6 | 1.6 |
| Malignant neoplasms of kidney and renal pelvis (189.0,189.1) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 3.4 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1997 | 3.4 | * | * | * | * | * | * | * | * | 0.2 | 0.9 |
| 1996 | 3.4 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1995 | 3.5 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1994 | 3.4 | * | * | * | * | * | * | * | * | 0.2 | 0.8 |
| 1993 | 3.2 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1992 | 3.4 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1991 | 3.4 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1990 | 3.2 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1989 | 3.2 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1988 | 3.1 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1987 | 3.2 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1986 | 3.1 | * | * | 0.3 | * | * | * | * | * | 0.4 | 0.8 |
| 1985 | 3.0 | * | * | * | * | * | * | * | * | 0.5 | 0.9 |
| 1984 | 2.8 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1983 | 2.9 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1982 | 2.7 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1981 | 2.7 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.8 |
| 1980 | 2.6 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1979 | 2.5 | * | * | 0.3 | * | * | * | * | * | 0.4 | 0.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasms of kidney and renal pelvis (189.0,189.1) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 2.4 | * | * | * | * | * | * | * | * | 0.7 | 1.3 |
| 1997 | 2.5 | * | * | * | * | * | * | * | * | 0.7 | 1.1 |
| 1996 | 2.4 | * | * | * | * | * | * | * | 0.5 | 0.6 | 1.2 |
| 1995 | 2.5 | * | * | * | * | * | * | * | * | 0.6 | 1.2 |
| 1994 | 2.5 | * | * | * | * | * | * | * | * | 0.6 | 1.4 |
| 1993 | 2.4 | * | * | * | * | * | * | * | * | 0.7 | 1.0 |
| 1992 | 2.3 | * | * | * | * | * | * | * | * | 0.7 | 1.3 |
| 1991 | 2.5 | * | * | * | * | * | * | * | * | 0.8 | 1.6 |
| 1990 | 2.5 | * | * | * | * | * | * | * | 0.7 | * | 1.4 |
| 1989 | 2.4 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1988 | 2.3 | * | * | * | * | * | * | * | 0.6 | 0.9 | 1.2 |
| 1987 | 2.2 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1986 | 2.2 | * | * | * | * | * | * | * | * | 1.0 | 1.7 |
| 1985 | 2.3 | * | * | * | * | * | * | * | * | 0.9 | 1.5 |
| 1984 | 2.1 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1983 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.1 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1981 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.9 | * | * | * | * | * | * | * | * | * | 1.7 |
| Malignant neoplasms of kidney and renal pelvis (189.0,189.1) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 3.2 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1997 | 3.3 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1996 | 3.1 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1995 | 3.0 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1994 | 3.2 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1993 | 3.0 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1992 | 3.0 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1991 | 3.2 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1990 | 3.2 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1989 | 3.0 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1988 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.8 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1985 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasms of kidney and renal pelvis (189.0,189.1) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.9 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1993 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasms of kidney and renal pelvis (189.0,189.1) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.8 | * | * | * | * | * | * | * | * | 0.9 | 1.6 |
| 1997 | 3.0 | * | * | * | * | * | * | * | * | 0.9 | 1.4 |
| 1996 | 2.8 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1995 | 3.0 | * | * | * | * | * | * | * | * | 0.8 | 1.6 |
| 1994 | 2.8 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1993 | 2.8 | * | * | * | * | * | * | * | * | 0.9 | 1.4 |
| 1992 | 2.7 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1991 | 2.9 | * | * | * | * | * | * | * | * | 1.0 | 1.8 |
| 1990 | 2.9 | * | * | * | * | * | * | * | 0.9 | * | 1.8 |
| 1989 | 2.7 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1988 | 2.6 | * | * | * | * | * | * | * | * | 1.0 | 1.6 |
| 1987 | 2.5 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1986 | 2.5 | * | * | * | * | * | * | * | * | 1.2 | 2.1 |
| 1985 | 2.6 | * | * | * | * | * | * | * | * | 1.1 | 1.9 |
| 1984 | 2.4 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1983 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.0 | * | * | * | * | * | * | * | * | * | 2.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasms of kidney and renal pelvis (189.0,189.1) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 3.7 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1997 | 3.8 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1996 | 3.5 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1995 | 3.5 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1994 | 3.6 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1993 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.7 | * | * | * | * | * | * | * | * | * | 3.5 |
| 1990 | 3.8 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1989 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 3.2 | * | * | * | * | * | * | * | * | * | 3.6 |
| 1985 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasms of kidney and renal pelvis (189.0,189.1) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|-------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of bladder (188) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.3 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1997 | 4.2 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1996 | 4.3 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1995 | 4.2 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1994 | 4.2 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1993 | 4.2 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1992 | 4.2 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1991 | 4.1 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1990 | 4.2 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1989 | 4.1 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1988 | 4.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1987 | 4.0 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1986 | 4.0 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1985 | 4.1 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1984 | 4.1 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1983 | 4.2 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1982 | 4.3 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1981 | 4.3 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1980 | 4.3 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1979 | 4.3 | * | * | * | * | * | * | * | * | * | 0.4 |
| Malignant neoplasm of bladder (188) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 5.9 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1997 | 5.7 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1996 | 5.8 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1995 | 5.8 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1994 | 5.8 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1993 | 5.9 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1992 | 5.7 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1991 | 5.7 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1990 | 5.7 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1989 | 5.7 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1988 | 5.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1987 | 5.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1986 | 5.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1985 | 5.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1984 | 5.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1983 | 5.9 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1982 | 6.0 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1981 | 6.0 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1980 | 6.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1979 | 6.1 | * | * | * | * | * | * | * | * | * | 0.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasm of bladder (188) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 2.7 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1997 | 2.8 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1996 | 2.7 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1995 | 2.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1994 | 2.8 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1993 | 2.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1992 | 2.7 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1991 | 2.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1990 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1987 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| Malignant neoplasm of bladder (188) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 4.7 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1997 | 4.7 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1996 | 4.7 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1995 | 4.6 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1994 | 4.7 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1993 | 4.6 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1992 | 4.6 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1991 | 4.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1990 | 4.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1989 | 4.4 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1988 | 4.3 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1987 | 4.3 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1986 | 4.3 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1985 | 4.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1984 | 4.4 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1983 | 4.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1982 | 4.5 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1981 | 4.6 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1980 | 4.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1979 | 4.6 | * | * | * | * | * | * | * | * | * | 0.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|-------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of bladder (188) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 6.6 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1997 | 6.5 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1996 | 6.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1995 | 6.5 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1994 | 6.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1993 | 6.5 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1992 | 6.3 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1991 | 6.3 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1990 | 6.3 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1989 | 6.2 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1988 | 6.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 6.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 6.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1985 | 6.3 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1984 | 6.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1983 | 6.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 6.5 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1981 | 6.5 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1980 | 6.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1979 | 6.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| Malignant neoplasm of bladder (188) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 2.9 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1997 | 3.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1996 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.9 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1991 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|-------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of bladder (188) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasm of bladder (188) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of bladder (188) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasm of bladder (188) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|-------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasm of bladder (188) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| Malignant neoplasm of bladder (188) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.6 | 0.6 | 0.6 | 0.8 | 0.7 | 0.6 | 0.6 | 0.9 | 1.3 | 2.1 | 2.8 |
| 1997 | 4.6 | 0.6 | 0.8 | 0.8 | 0.6 | 0.5 | 0.6 | 0.9 | 1.3 | 2.0 | 2.9 |
| 1996 | 4.6 | 0.7 | 0.8 | 0.9 | 0.7 | 0.6 | 0.6 | 0.9 | 1.3 | 1.9 | 2.9 |
| 1995 | 4.5 | * | 0.8 | 0.8 | 0.6 | 0.5 | 0.6 | 0.8 | 1.4 | 2.0 | 2.7 |
| 1994 | 4.7 | * | 0.8 | 1.0 | 0.7 | 0.6 | 0.6 | 1.0 | 1.5 | 2.1 | 2.9 |
| 1993 | 4.6 | * | 1.0 | 0.9 | 0.6 | 0.7 | 0.7 | 0.9 | 1.6 | 2.0 | 2.9 |
| 1992 | 4.7 | * | 0.8 | 0.9 | 0.7 | 0.6 | 0.6 | 0.9 | 1.5 | 2.1 | 3.2 |
| 1991 | 4.7 | * | 0.9 | 1.0 | 0.8 | 0.6 | 0.6 | 0.9 | 1.4 | 2.2 | 3.2 |
| 1990 | 4.7 | 0.5 | 0.8 | 1.1 | 0.8 | 0.6 | 0.6 | 0.9 | 1.5 | 2.1 | 3.0 |
| 1989 | 4.5 | 0.6 | 0.8 | 1.1 | 0.8 | 0.6 | 0.6 | 0.9 | 1.4 | 1.9 | 3.0 |
| 1988 | 4.5 | 0.6 | 0.8 | 0.9 | 0.9 | 0.7 | 0.6 | 1.0 | 1.4 | 2.1 | 3.1 |
| 1987 | 4.5 | * | 0.8 | 1.0 | 0.6 | 0.6 | 0.7 | 1.0 | 1.5 | 2.1 | 3.1 |
| 1986 | 4.3 | 0.7 | 0.8 | 1.0 | 0.8 | 0.7 | 0.7 | 1.0 | 1.5 | 2.1 | 3.1 |
| 1985 | 4.3 | * | 0.8 | 1.0 | 0.7 | 0.7 | 0.6 | 1.0 | 1.5 | 2.2 | 3.2 |
| 1984 | 4.3 | 0.6 | 0.8 | 1.0 | 0.7 | 0.7 | 0.6 | 0.9 | 1.3 | 2.1 | 3.2 |
| 1983 | 4.1 | 0.7 | 0.9 | 1.0 | 0.8 | 0.6 | 0.7 | 0.9 | 1.5 | 2.0 | 2.9 |
| 1982 | 4.2 | 0.9 | 1.0 | 1.1 | 0.8 | 0.7 | 0.7 | 0.9 | 1.4 | 2.0 | 3.0 |
| 1981 | 4.1 | * | 0.9 | 1.1 | 0.8 | 0.6 | 0.7 | 1.0 | 1.4 | 2.0 | 3.0 |
| 1980 | 4.1 | 0.6 | 0.9 | 1.1 | 0.8 | 0.6 | 0.8 | 1.1 | 1.6 | 1.9 | 2.9 |
| 1979 | 4.0 | 0.8 | 0.9 | 1.0 | 0.9 | 0.7 | 0.7 | 1.0 | 1.6 | 2.0 | 3.1 |
| Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 5.1 | * | 0.6 | 0.9 | 0.8 | 0.8 | 0.7 | 1.0 | 1.7 | 2.5 | 3.3 |
| 1997 | 5.0 | * | 0.9 | 0.7 | 0.7 | 0.6 | 0.8 | 1.1 | 1.6 | 2.4 | 3.7 |
| 1996 | 5.1 | * | 0.9 | 1.0 | 0.7 | 0.6 | 0.7 | 0.9 | 1.6 | 2.4 | 3.4 |
| 1995 | 5.0 | * | 0.9 | 0.8 | 0.7 | 0.6 | 0.8 | 1.0 | 1.7 | 2.4 | 3.2 |
| 1994 | 5.2 | * | 0.9 | 1.0 | 0.8 | 0.7 | 0.7 | 1.2 | 1.8 | 2.6 | 3.8 |
| 1993 | 5.2 | * | 1.1 | 1.0 | 0.6 | 0.7 | 0.8 | 0.9 | 2.0 | 2.4 | 3.6 |
| 1992 | 5.1 | * | 0.7 | 0.8 | 0.8 | 0.9 | 0.7 | 1.0 | 1.8 | 2.4 | 3.7 |
| 1991 | 5.2 | * | 0.8 | 1.0 | 0.9 | 0.8 | 0.6 | 1.0 | 1.6 | 2.8 | 4.1 |
| 1990 | 5.2 | * | 0.8 | 1.1 | 0.8 | 0.7 | 0.8 | 1.1 | 1.7 | 2.6 | 3.8 |
| 1989 | 5.0 | * | 0.9 | 1.0 | 0.7 | 0.7 | 0.6 | 1.1 | 1.6 | 2.3 | 3.9 |
| 1988 | 5.1 | * | 0.8 | 0.9 | 0.9 | 0.7 | 0.6 | 1.2 | 1.6 | 2.4 | 3.9 |
| 1987 | 4.9 | * | 0.8 | 1.1 | 0.6 | 0.6 | 0.8 | 1.1 | 1.7 | 2.7 | 3.9 |
| 1986 | 4.9 | * | 0.9 | 1.0 | 0.9 | 0.8 | 0.8 | 1.1 | 1.8 | 2.5 | 3.8 |
| 1985 | 4.8 | * | 0.8 | 1.0 | 0.8 | 0.9 | 0.5 | 1.3 | 1.7 | 2.7 | 4.2 |
| 1984 | 4.8 | * | 1.0 | 0.9 | 0.9 | 0.8 | 0.7 | 1.0 | 1.7 | 2.7 | 3.9 |
| 1983 | 4.6 | * | 0.9 | 0.9 | 1.1 | 0.8 | 0.7 | 1.2 | 1.8 | 2.5 | 3.6 |
| 1982 | 4.6 | * | 1.0 | 1.2 | 0.9 | 0.9 | 0.7 | 1.1 | 1.9 | 2.6 | 3.8 |
| 1981 | 4.6 | * | 1.0 | 1.1 | 0.8 | 0.6 | 0.8 | 1.1 | 1.6 | 2.4 | 3.9 |
| 1980 | 4.8 | * | 1.1 | 1.1 | 0.8 | 0.7 | 1.0 | 1.3 | 2.0 | 2.6 | 3.8 |
| 1979 | 4.6 | * | 0.8 | 1.0 | 1.0 | 0.8 | 0.8 | 1.4 | 1.9 | 2.5 | 3.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 4.1 | * | 0.6 | 0.7 | 0.7 | 0.4 | 0.5 | 0.7 | 1.0 | 1.6 | 2.2 |
| 1997 | 4.1 | * | 0.8 | 0.9 | 0.5 | 0.5 | 0.3 | 0.8 | 1.0 | 1.5 | 2.1 |
| 1996 | 4.1 | * | 0.7 | 0.8 | 0.7 | 0.5 | 0.4 | 0.8 | 1.1 | 1.5 | 2.4 |
| 1995 | 4.1 | * | 0.6 | 0.8 | 0.5 | 0.4 | 0.4 | 0.7 | 1.2 | 1.5 | 2.2 |
| 1994 | 4.2 | * | 0.7 | 0.9 | 0.5 | 0.5 | 0.5 | 0.8 | 1.2 | 1.7 | 2.1 |
| 1993 | 4.1 | * | 0.8 | 0.9 | 0.6 | 0.6 | 0.6 | 0.8 | 1.2 | 1.5 | 2.1 |
| 1992 | 4.2 | * | 0.8 | 1.0 | 0.7 | 0.4 | 0.5 | 0.8 | 1.2 | 1.7 | 2.6 |
| 1991 | 4.3 | * | 1.0 | 1.0 | 0.6 | 0.5 | 0.6 | 0.8 | 1.3 | 1.6 | 2.4 |
| 1990 | 4.2 | * | 0.7 | 1.0 | 0.7 | 0.5 | 0.5 | 0.7 | 1.2 | 1.6 | 2.3 |
| 1989 | 4.0 | * | 0.7 | 1.2 | 0.8 | 0.4 | 0.7 | 0.8 | 1.1 | 1.6 | 2.2 |
| 1988 | 3.9 | * | 0.8 | 0.8 | 0.8 | 0.7 | 0.5 | 0.7 | 1.2 | 1.8 | 2.3 |
| 1987 | 4.0 | * | 0.7 | 0.9 | 0.5 | 0.5 | 0.5 | 0.8 | 1.3 | 1.6 | 2.3 |
| 1986 | 3.8 | * | 0.7 | 0.9 | 0.7 | 0.5 | 0.6 | 0.9 | 1.2 | 1.6 | 2.3 |
| 1985 | 3.8 | * | 0.8 | 1.0 | 0.7 | 0.5 | 0.6 | 0.7 | 1.3 | 1.8 | 2.2 |
| 1984 | 3.8 | * | 0.7 | 1.0 | 0.6 | 0.6 | 0.5 | 0.9 | 0.9 | 1.5 | 2.6 |
| 1983 | 3.7 | * | 0.9 | 1.0 | 0.6 | 0.5 | 0.7 | 0.7 | 1.2 | 1.6 | 2.3 |
| 1982 | 3.7 | * | 1.0 | 1.1 | 0.8 | 0.6 | 0.6 | 0.7 | 1.0 | 1.5 | 2.2 |
| 1981 | 3.6 | * | 0.8 | 1.0 | 0.8 | 0.6 | 0.5 | 0.9 | 1.1 | 1.6 | 2.2 |
| 1980 | 3.5 | * | 0.6 | 1.0 | 0.7 | 0.5 | 0.6 | 0.8 | 1.2 | 1.3 | 2.1 |
| 1979 | 3.4 | * | 0.9 | 1.0 | 0.9 | 0.6 | 0.6 | 0.6 | 1.3 | 1.5 | 2.3 |
| Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 5.2 | * | 0.6 | 0.8 | 0.8 | 0.6 | 0.6 | 0.9 | 1.5 | 2.3 | 3.0 |
| 1997 | 5.1 | * | 0.9 | 0.8 | 0.7 | 0.5 | 0.6 | 1.0 | 1.4 | 2.1 | 3.1 |
| 1996 | 5.2 | 0.9 | 0.8 | 1.0 | 0.7 | 0.6 | 0.6 | 0.9 | 1.5 | 2.1 | 3.2 |
| 1995 | 5.1 | * | 0.8 | 0.8 | 0.7 | 0.5 | 0.7 | 0.9 | 1.5 | 2.1 | 3.0 |
| 1994 | 5.3 | * | 0.8 | 1.0 | 0.7 | 0.6 | 0.6 | 1.1 | 1.6 | 2.3 | 3.2 |
| 1993 | 5.1 | * | 1.0 | 1.0 | 0.7 | 0.7 | 0.7 | 0.9 | 1.8 | 2.1 | 3.1 |
| 1992 | 5.2 | * | 0.7 | 0.9 | 0.8 | 0.7 | 0.7 | 0.9 | 1.7 | 2.3 | 3.4 |
| 1991 | 5.3 | * | 0.9 | 1.0 | 0.8 | 0.7 | 0.6 | 1.0 | 1.5 | 2.5 | 3.5 |
| 1990 | 5.2 | * | 0.9 | 1.1 | 0.9 | 0.6 | 0.7 | 0.9 | 1.6 | 2.3 | 3.2 |
| 1989 | 5.0 | 0.7 | 0.8 | 1.1 | 0.8 | 0.6 | 0.7 | 1.0 | 1.4 | 2.0 | 3.3 |
| 1988 | 4.9 | 0.7 | 0.8 | 0.8 | 0.8 | 0.7 | 0.6 | 1.0 | 1.6 | 2.3 | 3.4 |
| 1987 | 4.9 | * | 0.7 | 1.0 | 0.6 | 0.6 | 0.7 | 1.1 | 1.6 | 2.3 | 3.2 |
| 1986 | 4.7 | 0.8 | 0.8 | 1.0 | 0.8 | 0.7 | 0.7 | 1.1 | 1.6 | 2.3 | 3.2 |
| 1985 | 4.8 | * | 0.9 | 1.1 | 0.8 | 0.8 | 0.6 | 1.1 | 1.6 | 2.4 | 3.4 |
| 1984 | 4.7 | 0.7 | 0.9 | 1.0 | 0.8 | 0.7 | 0.6 | 1.0 | 1.4 | 2.2 | 3.5 |
| 1983 | 4.5 | 0.7 | 1.0 | 1.0 | 0.8 | 0.7 | 0.7 | 1.0 | 1.6 | 2.2 | 3.2 |
| 1982 | 4.5 | 0.9 | 1.1 | 1.2 | 0.9 | 0.7 | 0.7 | 0.9 | 1.6 | 2.2 | 3.2 |
| 1981 | 4.5 | * | 1.0 | 1.0 | 0.7 | 0.6 | 0.7 | 1.0 | 1.4 | 2.2 | 3.2 |
| 1980 | 4.5 | * | 0.9 | 1.1 | 0.8 | 0.7 | 0.9 | 1.1 | 1.7 | 2.0 | 3.2 |
| 1979 | 4.3 | 0.8 | 0.9 | 1.0 | 0.9 | 0.7 | 0.7 | 1.1 | 1.7 | 2.1 | 3.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 5.7 | * | 0.6 | 0.8 | 0.9 | 0.8 | 0.7 | 1.1 | 1.9 | 2.7 | 3.5 |
| 1997 | 5.7 | * | 0.9 | 0.8 | 0.8 | 0.6 | 0.8 | 1.2 | 1.8 | 2.6 | 4.0 |
| 1996 | 5.7 | * | 1.0 | 1.1 | 0.8 | 0.7 | 0.7 | 0.9 | 1.7 | 2.7 | 3.7 |
| 1995 | 5.6 | * | 1.0 | 0.9 | 0.8 | 0.7 | 0.9 | 1.1 | 1.7 | 2.6 | 3.6 |
| 1994 | 5.8 | * | 0.9 | 0.9 | 0.8 | 0.7 | 0.8 | 1.3 | 1.9 | 2.8 | 4.1 |
| 1993 | 5.7 | * | 1.1 | 1.0 | 0.7 | 0.7 | 0.9 | 1.0 | 2.1 | 2.6 | 4.0 |
| 1992 | 5.7 | * | 0.7 | 0.8 | 0.9 | 0.9 | 0.8 | 1.1 | 2.0 | 2.6 | 4.0 |
| 1991 | 5.8 | * | 0.8 | 1.1 | 1.0 | 0.8 | 0.6 | 1.1 | 1.7 | 3.1 | 4.3 |
| 1990 | 5.8 | * | 0.9 | 1.1 | 0.9 | 0.6 | 0.8 | 1.1 | 1.8 | 2.7 | 4.0 |
| 1989 | 5.6 | * | 1.0 | 1.0 | 0.8 | 0.8 | 0.6 | 1.1 | 1.7 | 2.4 | 4.1 |
| 1988 | 5.6 | * | 0.8 | 0.9 | 0.9 | 0.7 | 0.6 | 1.3 | 1.8 | 2.6 | 4.2 |
| 1987 | 5.4 | * | 0.8 | 1.1 | 0.7 | 0.7 | 0.9 | 1.2 | 1.8 | 2.8 | 4.1 |
| 1986 | 5.3 | * | 1.0 | 1.1 | 0.9 | 0.8 | 0.8 | 1.2 | 1.9 | 2.7 | 4.1 |
| 1985 | 5.3 | * | 0.9 | 1.1 | 0.8 | 0.9 | 0.5 | 1.3 | 1.8 | 2.9 | 4.4 |
| 1984 | 5.3 | * | 1.0 | 0.9 | 0.9 | 0.8 | 0.7 | 1.0 | 1.8 | 2.8 | 4.1 |
| 1983 | 5.1 | * | 0.9 | 0.9 | 1.1 | 0.8 | 0.7 | 1.3 | 2.0 | 2.7 | 3.9 |
| 1982 | 5.1 | * | 1.1 | 1.2 | 0.9 | 0.9 | 0.8 | 1.1 | 2.0 | 2.8 | 4.0 |
| 1981 | 5.0 | * | 1.1 | 1.1 | 0.8 | 0.5 | 0.8 | 1.1 | 1.7 | 2.6 | 4.0 |
| 1980 | 5.2 | * | 1.2 | 1.2 | 0.8 | 0.7 | 1.1 | 1.5 | 2.2 | 2.6 | 4.2 |
| 1979 | 4.9 | * | 0.8 | 1.0 | 0.9 | 0.8 | 0.8 | 1.5 | 2.0 | 2.7 | 4.1 |
| Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 4.6 | * | 0.5 | 0.8 | 0.7 | 0.4 | 0.4 | 0.7 | 1.1 | 1.8 | 2.5 |
| 1997 | 4.6 | * | 0.8 | 0.9 | 0.5 | 0.5 | 0.4 | 0.9 | 1.1 | 1.7 | 2.2 |
| 1996 | 4.6 | * | 0.7 | 0.9 | 0.6 | 0.5 | 0.5 | 0.9 | 1.2 | 1.6 | 2.7 |
| 1995 | 4.5 | * | 0.6 | 0.7 | 0.5 | 0.4 | 0.4 | 0.7 | 1.3 | 1.7 | 2.4 |
| 1994 | 4.7 | * | 0.7 | 1.0 | 0.5 | 0.6 | 0.5 | 0.9 | 1.3 | 1.9 | 2.3 |
| 1993 | 4.6 | * | 0.8 | 1.0 | 0.6 | 0.6 | 0.6 | 0.9 | 1.4 | 1.7 | 2.3 |
| 1992 | 4.7 | * | 0.8 | 1.0 | 0.7 | 0.4 | 0.5 | 0.8 | 1.4 | 1.9 | 2.9 |
| 1991 | 4.8 | * | 0.9 | 1.0 | 0.7 | 0.5 | 0.6 | 0.9 | 1.3 | 1.8 | 2.7 |
| 1990 | 4.6 | * | 0.8 | 1.0 | 0.8 | 0.5 | 0.5 | 0.7 | 1.3 | 1.8 | 2.5 |
| 1989 | 4.5 | * | 0.6 | 1.2 | 0.8 | 0.4 | 0.8 | 0.8 | 1.1 | 1.7 | 2.5 |
| 1988 | 4.3 | * | 0.8 | 0.8 | 0.8 | 0.7 | 0.5 | 0.7 | 1.3 | 1.9 | 2.5 |
| 1987 | 4.5 | * | 0.7 | 1.0 | 0.4 | 0.5 | 0.5 | 0.9 | 1.4 | 1.8 | 2.3 |
| 1986 | 4.1 | * | 0.7 | 0.9 | 0.7 | 0.5 | 0.6 | 0.9 | 1.2 | 1.8 | 2.3 |
| 1985 | 4.3 | * | 0.8 | 1.0 | 0.7 | 0.6 | 0.6 | 0.8 | 1.4 | 1.9 | 2.4 |
| 1984 | 4.2 | * | 0.8 | 1.0 | 0.6 | 0.6 | 0.5 | 0.9 | 1.1 | 1.7 | 2.9 |
| 1983 | 4.1 | * | 1.0 | 1.1 | 0.6 | 0.5 | 0.7 | 0.7 | 1.3 | 1.7 | 2.5 |
| 1982 | 4.1 | * | 1.1 | 1.1 | 0.8 | 0.6 | 0.6 | 0.8 | 1.1 | 1.6 | 2.3 |
| 1981 | 4.0 | * | 0.9 | 1.0 | 0.7 | 0.6 | 0.6 | 1.0 | 1.2 | 1.8 | 2.4 |
| 1980 | 3.8 | * | 0.6 | 1.0 | 0.7 | 0.6 | 0.6 | 0.8 | 1.3 | 1.4 | 2.1 |
| 1979 | 3.7 | * | 1.0 | 0.9 | 0.9 | 0.6 | 0.6 | 0.6 | 1.4 | 1.6 | 2.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 1.9 | * | * | 0.9 | 0.5 | * | 0.7 | 0.8 | 0.7 | 1.1 | 1.6 |
| 1997 | 2.0 | * | 0.7 | 0.7 | 0.5 | 0.6 | * | 0.6 | 0.6 | 1.2 | 1.7 |
| 1996 | 1.8 | * | 0.8 | 0.6 | 0.7 | 0.5 | 0.6 | 0.6 | 0.6 | 0.9 | 1.4 |
| 1995 | 2.0 | * | 0.7 | 1.0 | * | * | * | 0.5 | 1.2 | 1.2 | 1.3 |
| 1994 | 1.9 | * | 0.7 | 1.0 | 0.7 | * | * | 0.6 | 0.8 | 1.2 | 1.6 |
| 1993 | 2.0 | * | 0.9 | 0.8 | * | 0.7 | * | 0.6 | 0.8 | 1.1 | 1.5 |
| 1992 | 1.9 | * | 0.9 | 0.8 | 0.5 | 0.6 | * | 0.7 | 0.8 | 1.0 | 1.6 |
| 1991 | 2.0 | * | 0.9 | 0.9 | 0.6 | * | 0.6 | 0.6 | 1.0 | 1.0 | 1.9 |
| 1990 | 2.0 | * | * | 1.0 | * | 0.7 | * | 0.7 | 1.0 | 1.2 | 1.9 |
| 1989 | 1.9 | * | * | 1.1 | * | * | * | 0.7 | 0.9 | 1.3 | 1.6 |
| 1988 | 2.0 | * | 0.7 | 1.0 | 0.9 | 0.7 | 0.6 | 0.7 | 0.7 | 1.2 | 1.4 |
| 1987 | 1.9 | * | 0.8 | 0.7 | * | * | * | 0.8 | 1.1 | 2.5 | |
| 1986 | 2.0 | * | 0.8 | 0.9 | 0.8 | * | * | 0.7 | 1.0 | 2.3 | |
| 1985 | 1.8 | * | * | 0.8 | * | * | 0.6 | * | 0.8 | 1.2 | 1.8 |
| 1984 | 1.8 | * | * | 0.9 | 0.6 | * | * | * | 0.7 | 1.4 | 1.4 |
| 1983 | 1.8 | * | * | 0.9 | 0.9 | * | * | * | 0.8 | * | 1.5 |
| 1982 | 1.9 | * | * | 1.0 | 0.6 | 0.7 | * | 0.7 | 0.8 | * | 1.7 |
| 1981 | 1.9 | * | * | 1.1 | 1.0 | * | * | * | 0.8 | * | 2.1 |
| 1980 | 1.8 | * | * | 1.1 | 0.9 | * | * | 0.7 | 1.0 | 1.4 | * |
| 1979 | 1.9 | * | * | 1.1 | 0.9 | * | 0.6 | 0.7 | * | * | 2.0 |
| Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 2.2 | * | * | 1.1 | * | * | * | * | * | 1.5 | 2.3 |
| 1997 | 2.1 | * | * | * | * | * | * | * | * | 1.4 | 1.9 |
| 1996 | 2.0 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1995 | 2.1 | * | * | * | * | * | * | * | 1.7 | 1.6 | * |
| 1994 | 2.1 | * | * | 1.1 | * | * | * | * | 1.3 | 1.5 | 2.0 |
| 1993 | 2.2 | * | * | * | * | * | * | * | 1.2 | 1.4 | 1.5 |
| 1992 | 2.1 | * | * | * | * | * | * | * | 1.1 | 1.2 | 2.3 |
| 1991 | 2.2 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1990 | 2.4 | * | * | * | * | * | * | * | * | 1.8 | 2.1 |
| 1989 | 2.2 | * | * | * | * | * | * | * | * | 1.5 | 2.8 |
| 1988 | 2.3 | * | * | * | * | * | * | * | * | 1.5 | * |
| 1987 | 2.2 | * | * | * | * | * | * | * | * | 1.7 | 2.9 |
| 1986 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.2 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1984 | 2.2 | * | * | * | * | * | * | * | * | 2.1 | * |
| 1983 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.3 | * | * | * | * | * | * | * | * | * | 3.3 |
| 1980 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.2 | * | * | * | * | * | * | * | * | * | 2.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.7 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1997 | 1.9 | * | * | 1.0 | * | * | * | * | * | 1.0 | 1.5 |
| 1996 | 1.7 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1995 | 1.8 | * | * | 1.3 | * | * | * | * | * | * | 1.5 |
| 1994 | 1.7 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1993 | 1.7 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1992 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.8 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1990 | 1.8 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1989 | 1.7 | * | * | 1.2 | * | * | * | * | * | * | * |
| 1988 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.7 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1986 | 1.7 | * | * | * | * | * | * | * | * | * | 2.5 |
| 1985 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.5 | * | * | * | 1.3 | * | * | * | * | * | * |
| 1980 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.6 | * | * | 1.4 | * | * | * | * | * | * | * |
| Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.1 | * | * | 1.0 | * | * | * | 0.7 | 0.7 | 1.0 | 1.7 |
| 1997 | 2.2 | * | * | 0.8 | * | 0.7 | * | 0.8 | * | 1.2 | 2.0 |
| 1996 | 2.0 | * | * | 0.7 | 0.9 | * | * | * | 0.8 | 0.9 | 1.6 |
| 1995 | 2.1 | * | 0.8 | 1.1 | * | * | * | * | 1.1 | 1.5 | 1.5 |
| 1994 | 2.1 | * | * | 1.0 | 0.8 | * | * | * | 1.0 | 1.4 | 1.6 |
| 1993 | 2.1 | * | 0.8 | 0.7 | * | * | * | 0.7 | 0.8 | 1.2 | 1.5 |
| 1992 | 2.1 | * | 0.9 | 0.7 | * | * | * | 0.8 | 1.0 | 1.1 | 1.7 |
| 1991 | 2.2 | * | 1.1 | 1.0 | * | * | * | * | 1.1 | 1.2 | 2.1 |
| 1990 | 2.3 | * | * | 1.1 | * | 0.7 | * | 0.9 | 1.0 | 1.3 | 2.2 |
| 1989 | 2.1 | * | * | 1.2 | * | * | * | 0.8 | 0.9 | 1.4 | 1.9 |
| 1988 | 2.3 | * | * | 1.1 | 1.0 | 0.8 | * | 0.8 | * | 1.5 | 1.7 |
| 1987 | 2.2 | * | 0.9 | * | * | * | * | * | 0.9 | 1.3 | 2.8 |
| 1986 | 2.1 | * | * | 0.9 | 1.0 | * | * | * | 1.1 | * | 2.6 |
| 1985 | 2.0 | * | * | 0.9 | * | * | * | * | 1.0 | 1.2 | 1.7 |
| 1984 | 2.0 | * | * | 1.0 | * | * | * | * | * | 1.5 | * |
| 1983 | 1.9 | * | * | 1.0 | 0.8 | * | * | * | 1.0 | * | 1.7 |
| 1982 | 2.0 | * | * | 1.1 | * | 0.7 | * | 0.8 | * | * | 2.1 |
| 1981 | 2.0 | * | * | 1.2 | 1.2 | * | * | * | * | * | 2.4 |
| 1980 | 2.0 | * | * | 1.1 | 1.0 | * | * | * | 1.2 | 1.5 | * |
| 1979 | 2.0 | * | * | 1.0 | 1.0 | * | * | * | * | * | 2.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 2.4 | * | * | 1.3 | * | * | * | * | * | * | 2.4 |
| 1997 | 2.3 | * | * | * | * | * | * | * | * | 1.5 | 2.2 |
| 1996 | 2.2 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1995 | 2.3 | * | * | * | * | * | * | * | 1.7 | 2.0 | * |
| 1994 | 2.3 | * | * | * | * | * | * | * | 1.6 | 1.7 | 1.9 |
| 1993 | 2.4 | * | * | * | * | * | * | * | * | 1.6 | * |
| 1992 | 2.3 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1991 | 2.4 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1990 | 2.6 | * | * | * | * | * | * | * | * | 1.9 | 2.4 |
| 1989 | 2.3 | * | * | * | * | * | * | * | * | 1.9 | 3.3 |
| 1988 | 2.5 | * | * | * | * | * | * | * | * | 2.0 | * |
| 1987 | 2.5 | * | * | * | * | * | * | * | * | 2.0 | 3.4 |
| 1986 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.3 | * | * | * | * | * | * | * | * | * | 3.0 |
| 1984 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.4 | * | * | * | * | * | * | * | * | * | 3.9 |
| 1980 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.3 | * | * | * | * | * | * | * | * | * | 3.5 |
| Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.1 | * | * | 1.2 | * | * | * | * | * | * | 1.9 |
| 1996 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.9 | * | * | 1.3 | * | * | * | * | * | * | 1.6 |
| 1994 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.0 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1989 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.9 | * | * | * | * | * | * | * | * | * | 3.0 |
| 1985 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.6 | * | * | * | 1.5 | * | * | * | * | * | * |
| 1980 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.8 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 20.1 | 0.6 | 0.9 | 0.8 | 1.1 | 1.5 | 2.2 | 2.4 | 3.0 | 4.1 | 5.9 |
| 1997 | 20.5 | 0.9 | 0.9 | 1.0 | 1.2 | 1.5 | 2.3 | 2.6 | 3.2 | 4.2 | 6.3 |
| 1996 | 20.4 | 0.9 | 1.0 | 0.9 | 1.2 | 1.5 | 2.2 | 2.6 | 3.5 | 4.2 | 6.4 |
| 1995 | 20.4 | 0.6 | 1.1 | 1.2 | 1.2 | 1.6 | 2.0 | 2.7 | 3.6 | 4.6 | 6.8 |
| 1994 | 20.2 | 0.6 | 1.2 | 1.1 | 1.2 | 1.8 | 2.3 | 2.9 | 3.6 | 4.3 | 6.5 |
| 1993 | 19.9 | 0.8 | 1.1 | 1.3 | 1.3 | 1.8 | 2.1 | 2.9 | 3.7 | 4.5 | 6.7 |
| 1992 | 19.6 | 0.9 | 1.2 | 1.3 | 1.4 | 1.9 | 2.4 | 3.1 | 4.0 | 5.1 | 6.3 |
| 1991 | 19.6 | 0.5 | 1.2 | 1.4 | 1.3 | 2.0 | 2.4 | 2.9 | 3.6 | 4.9 | 6.8 |
| 1990 | 19.2 | 0.6 | 1.2 | 1.2 | 1.4 | 2.1 | 2.4 | 3.1 | 3.9 | 4.8 | 6.5 |
| 1989 | 18.9 | 0.9 | 1.3 | 1.5 | 1.6 | 1.9 | 2.4 | 2.9 | 3.8 | 4.9 | 6.9 |
| 1988 | 18.3 | 0.6 | 1.5 | 1.5 | 1.4 | 2.0 | 2.3 | 2.8 | 3.5 | 5.1 | 6.9 |
| 1987 | 18.0 | 1.1 | 1.5 | 1.7 | 1.6 | 2.1 | 2.3 | 2.8 | 3.5 | 4.7 | 6.4 |
| 1986 | 18.1 | 0.8 | 1.6 | 1.7 | 1.7 | 2.1 | 2.6 | 3.1 | 3.9 | 5.0 | 7.1 |
| 1985 | 17.9 | 1.0 | 1.5 | 1.7 | 1.8 | 2.0 | 2.5 | 3.0 | 3.7 | 4.8 | 7.4 |
| 1984 | 17.5 | 1.0 | 1.4 | 1.6 | 1.7 | 2.3 | 2.6 | 2.8 | 3.7 | 5.1 | 7.3 |
| 1983 | 17.2 | 1.1 | 1.9 | 2.0 | 1.7 | 2.3 | 2.5 | 3.0 | 3.6 | 5.0 | 6.7 |
| 1982 | 17.0 | 1.0 | 1.7 | 2.3 | 1.8 | 2.4 | 2.7 | 2.9 | 3.8 | 5.3 | 6.9 |
| 1981 | 16.5 | 0.6 | 2.0 | 2.3 | 1.8 | 2.5 | 2.5 | 3.1 | 3.6 | 5.0 | 6.7 |
| 1980 | 16.8 | 0.9 | 1.7 | 2.5 | 2.1 | 2.6 | 2.8 | 3.5 | 3.8 | 5.5 | 7.0 |
| 1979 | 16.2 | 1.1 | 1.9 | 2.6 | 2.0 | 2.5 | 2.8 | 3.2 | 3.8 | 5.1 | 6.5 |
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 21.9 | * | 0.8 | 1.0 | 1.3 | 1.9 | 2.6 | 3.0 | 3.7 | 5.2 | 7.6 |
| 1997 | 22.3 | * | 1.0 | 1.1 | 1.4 | 1.7 | 2.9 | 3.5 | 4.1 | 5.1 | 7.8 |
| 1996 | 22.1 | * | 1.2 | 1.1 | 1.4 | 1.8 | 2.6 | 3.1 | 4.6 | 5.5 | 8.1 |
| 1995 | 22.2 | * | 1.3 | 1.4 | 1.4 | 2.0 | 2.4 | 3.5 | 4.8 | 6.0 | 8.7 |
| 1994 | 21.9 | * | 1.2 | 1.2 | 1.5 | 2.2 | 2.8 | 3.6 | 4.7 | 5.6 | 8.1 |
| 1993 | 21.4 | 1.0 | 1.3 | 1.5 | 1.7 | 2.1 | 2.5 | 3.4 | 4.9 | 5.9 | 8.7 |
| 1992 | 21.4 | 1.0 | 1.3 | 1.6 | 1.7 | 2.3 | 2.9 | 3.6 | 5.2 | 6.6 | 8.3 |
| 1991 | 21.0 | * | 1.3 | 1.6 | 1.7 | 2.5 | 2.9 | 3.8 | 4.6 | 6.3 | 8.7 |
| 1990 | 21.0 | * | 1.4 | 1.5 | 1.9 | 2.6 | 2.8 | 4.0 | 5.1 | 6.0 | 8.1 |
| 1989 | 20.6 | * | 1.4 | 1.7 | 2.0 | 2.3 | 3.1 | 3.7 | 5.0 | 6.4 | 8.7 |
| 1988 | 20.0 | * | 1.5 | 1.9 | 1.8 | 2.6 | 2.8 | 3.6 | 4.5 | 6.5 | 8.4 |
| 1987 | 19.4 | 1.1 | 1.5 | 2.2 | 1.8 | 2.4 | 2.9 | 3.4 | 4.4 | 6.1 | 8.0 |
| 1986 | 19.8 | * | 1.8 | 2.1 | 1.9 | 2.6 | 3.4 | 4.1 | 5.0 | 6.2 | 9.0 |
| 1985 | 19.5 | * | 1.7 | 2.0 | 2.1 | 2.6 | 3.0 | 3.7 | 4.6 | 6.3 | 9.3 |
| 1984 | 18.9 | * | 1.5 | 2.0 | 2.1 | 2.9 | 3.2 | 3.5 | 4.7 | 6.4 | 8.9 |
| 1983 | 18.9 | * | 2.3 | 2.4 | 2.0 | 2.9 | 3.0 | 3.7 | 4.6 | 5.9 | 8.3 |
| 1982 | 18.7 | * | 1.8 | 3.0 | 2.2 | 3.0 | 3.1 | 3.5 | 4.5 | 6.5 | 9.0 |
| 1981 | 18.0 | * | 2.0 | 2.9 | 2.2 | 2.9 | 3.1 | 3.9 | 4.4 | 6.0 | 8.1 |
| 1980 | 18.5 | 1.2 | 1.8 | 3.3 | 2.6 | 3.2 | 3.6 | 4.3 | 4.5 | 6.6 | 8.6 |
| 1979 | 18.2 | 1.2 | 2.1 | 3.2 | 2.5 | 3.2 | 3.6 | 4.0 | 4.5 | 6.1 | 7.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 18.5 | * | 0.9 | 0.6 | 1.0 | 1.0 | 1.8 | 1.8 | 2.3 | 2.9 | 4.3 |
| 1997 | 18.7 | 1.1 | 0.8 | 0.9 | 1.0 | 1.2 | 1.7 | 1.8 | 2.3 | 3.4 | 4.8 |
| 1996 | 18.7 | 1.1 | 0.9 | 0.7 | 1.0 | 1.2 | 1.9 | 2.1 | 2.5 | 3.0 | 4.7 |
| 1995 | 18.7 | * | 0.9 | 0.9 | 1.0 | 1.2 | 1.6 | 2.0 | 2.5 | 3.2 | 4.8 |
| 1994 | 18.5 | * | 1.1 | 0.9 | 1.0 | 1.4 | 1.7 | 2.2 | 2.5 | 3.1 | 5.0 |
| 1993 | 18.4 | * | 0.9 | 1.1 | 0.9 | 1.4 | 1.8 | 2.3 | 2.6 | 3.2 | 4.8 |
| 1992 | 18.0 | * | 1.1 | 0.9 | 1.1 | 1.4 | 1.9 | 2.5 | 2.8 | 3.6 | 4.4 |
| 1991 | 18.2 | * | 1.2 | 1.2 | 0.9 | 1.5 | 1.9 | 1.9 | 2.7 | 3.5 | 4.9 |
| 1990 | 17.4 | * | 1.1 | 0.9 | 1.0 | 1.6 | 1.9 | 2.2 | 2.7 | 3.7 | 4.8 |
| 1989 | 17.3 | 1.2 | 1.1 | 1.2 | 1.1 | 1.5 | 1.8 | 2.1 | 2.6 | 3.5 | 5.2 |
| 1988 | 16.7 | * | 1.5 | 1.1 | 1.0 | 1.4 | 1.8 | 1.9 | 2.6 | 3.8 | 5.4 |
| 1987 | 16.6 | * | 1.4 | 1.2 | 1.3 | 1.7 | 1.7 | 2.1 | 2.6 | 3.3 | 4.8 |
| 1986 | 16.5 | * | 1.3 | 1.2 | 1.5 | 1.6 | 1.9 | 2.2 | 2.9 | 3.8 | 5.2 |
| 1985 | 16.3 | 1.2 | 1.2 | 1.4 | 1.4 | 1.5 | 1.9 | 2.4 | 2.8 | 3.4 | 5.6 |
| 1984 | 16.1 | * | 1.3 | 1.2 | 1.4 | 1.7 | 2.0 | 2.1 | 2.8 | 3.9 | 5.7 |
| 1983 | 15.6 | 1.2 | 1.5 | 1.6 | 1.4 | 1.8 | 1.9 | 2.3 | 2.6 | 4.2 | 5.1 |
| 1982 | 15.5 | * | 1.5 | 1.7 | 1.4 | 1.9 | 2.3 | 2.3 | 3.2 | 4.0 | 4.9 |
| 1981 | 15.0 | * | 1.9 | 1.7 | 1.5 | 2.0 | 1.9 | 2.3 | 2.8 | 4.1 | 5.3 |
| 1980 | 15.1 | * | 1.5 | 1.6 | 1.6 | 2.1 | 2.1 | 2.7 | 3.2 | 4.5 | 5.5 |
| 1979 | 14.4 | * | 1.7 | 1.9 | 1.6 | 1.8 | 2.0 | 2.5 | 3.0 | 4.0 | 5.2 |
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 21.8 | 0.7 | 0.9 | 0.8 | 1.1 | 1.6 | 2.4 | 2.3 | 3.0 | 3.9 | 5.7 |
| 1997 | 22.2 | 1.0 | 0.9 | 1.0 | 1.2 | 1.5 | 2.3 | 2.5 | 3.2 | 3.9 | 6.0 |
| 1996 | 22.0 | 0.9 | 1.1 | 0.9 | 1.2 | 1.6 | 2.2 | 2.6 | 3.4 | 4.1 | 6.2 |
| 1995 | 22.0 | * | 1.0 | 1.2 | 1.1 | 1.5 | 2.0 | 2.7 | 3.4 | 4.5 | 6.8 |
| 1994 | 21.8 | * | 1.1 | 1.1 | 1.3 | 1.8 | 2.3 | 2.9 | 3.5 | 4.3 | 6.5 |
| 1993 | 21.3 | 0.8 | 1.1 | 1.3 | 1.4 | 1.9 | 2.0 | 2.9 | 3.6 | 4.5 | 6.6 |
| 1992 | 21.1 | 1.1 | 1.4 | 1.4 | 1.4 | 2.0 | 2.4 | 2.9 | 4.0 | 4.9 | 6.2 |
| 1991 | 20.9 | * | 1.3 | 1.5 | 1.4 | 2.0 | 2.4 | 2.9 | 3.5 | 4.8 | 6.6 |
| 1990 | 20.5 | * | 1.3 | 1.2 | 1.5 | 2.1 | 2.4 | 3.1 | 3.9 | 4.7 | 6.2 |
| 1989 | 20.2 | 1.1 | 1.2 | 1.5 | 1.6 | 1.8 | 2.4 | 3.0 | 3.7 | 4.9 | 6.8 |
| 1988 | 19.5 | 0.7 | 1.5 | 1.6 | 1.5 | 2.1 | 2.3 | 2.8 | 3.5 | 5.1 | 6.7 |
| 1987 | 19.1 | 1.1 | 1.5 | 1.8 | 1.7 | 2.0 | 2.4 | 2.8 | 3.5 | 4.5 | 6.4 |
| 1986 | 19.2 | 0.7 | 1.6 | 1.7 | 1.7 | 2.2 | 2.8 | 3.2 | 4.0 | 4.9 | 7.0 |
| 1985 | 18.9 | 0.9 | 1.5 | 1.8 | 1.7 | 2.2 | 2.5 | 3.0 | 3.8 | 4.8 | 7.4 |
| 1984 | 18.5 | 1.0 | 1.4 | 1.7 | 1.7 | 2.3 | 2.7 | 2.8 | 3.7 | 5.1 | 7.1 |
| 1983 | 18.2 | 1.2 | 2.0 | 2.1 | 1.7 | 2.5 | 2.5 | 3.0 | 3.5 | 5.0 | 6.6 |
| 1982 | 18.0 | 1.0 | 1.7 | 2.5 | 1.8 | 2.5 | 2.8 | 2.9 | 3.9 | 5.3 | 6.9 |
| 1981 | 17.3 | * | 2.0 | 2.4 | 1.9 | 2.5 | 2.6 | 3.2 | 3.6 | 4.9 | 6.4 |
| 1980 | 17.7 | 0.9 | 1.7 | 2.7 | 2.2 | 2.7 | 2.9 | 3.6 | 3.8 | 5.5 | 7.1 |
| 1979 | 17.1 | 1.1 | 1.9 | 2.8 | 2.1 | 2.6 | 2.9 | 3.2 | 3.8 | 5.0 | 6.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 23.6 | * | 0.8 | 1.0 | 1.3 | 2.0 | 2.8 | 2.8 | 3.7 | 4.9 | 7.4 |
| 1997 | 24.0 | * | 1.0 | 1.1 | 1.4 | 1.8 | 2.8 | 3.3 | 4.1 | 4.7 | 7.5 |
| 1996 | 23.8 | * | 1.3 | 1.1 | 1.4 | 1.9 | 2.6 | 3.1 | 4.4 | 5.3 | 7.9 |
| 1995 | 23.9 | * | 1.3 | 1.6 | 1.3 | 1.9 | 2.5 | 3.4 | 4.5 | 5.9 | 8.8 |
| 1994 | 23.5 | * | 1.2 | 1.3 | 1.5 | 2.2 | 2.9 | 3.6 | 4.6 | 5.5 | 7.9 |
| 1993 | 22.8 | * | 1.3 | 1.5 | 1.8 | 2.2 | 2.3 | 3.4 | 4.6 | 5.8 | 8.5 |
| 1992 | 22.9 | * | 1.5 | 1.7 | 1.7 | 2.4 | 2.9 | 3.5 | 5.2 | 6.3 | 8.1 |
| 1991 | 22.4 | * | 1.3 | 1.8 | 1.8 | 2.5 | 3.0 | 3.8 | 4.4 | 6.1 | 8.4 |
| 1990 | 22.3 | * | 1.5 | 1.5 | 2.0 | 2.7 | 2.8 | 4.0 | 5.2 | 5.8 | 7.8 |
| 1989 | 21.8 | * | 1.4 | 1.8 | 2.0 | 2.2 | 3.0 | 3.7 | 4.8 | 6.3 | 8.5 |
| 1988 | 21.2 | * | 1.6 | 2.0 | 1.9 | 2.7 | 2.9 | 3.7 | 4.5 | 6.4 | 8.2 |
| 1987 | 20.5 | * | 1.6 | 2.3 | 2.0 | 2.3 | 3.1 | 3.5 | 4.4 | 6.0 | 7.9 |
| 1986 | 20.9 | * | 1.9 | 2.2 | 1.9 | 2.7 | 3.5 | 4.2 | 5.0 | 6.1 | 8.8 |
| 1985 | 20.5 | * | 1.7 | 2.1 | 2.0 | 2.8 | 3.0 | 3.6 | 4.7 | 6.3 | 9.3 |
| 1984 | 19.9 | * | 1.4 | 2.1 | 2.1 | 2.9 | 3.2 | 3.4 | 4.7 | 6.3 | 8.8 |
| 1983 | 19.9 | * | 2.4 | 2.5 | 2.1 | 3.0 | 3.0 | 3.7 | 4.4 | 6.0 | 8.1 |
| 1982 | 19.6 | * | 1.9 | 3.2 | 2.2 | 3.0 | 3.2 | 3.6 | 4.5 | 6.6 | 9.1 |
| 1981 | 18.9 | * | 2.1 | 3.0 | 2.2 | 3.0 | 3.3 | 4.1 | 4.4 | 5.9 | 7.8 |
| 1980 | 19.4 | * | 1.9 | 3.7 | 2.7 | 3.2 | 3.6 | 4.4 | 4.5 | 6.6 | 8.8 |
| 1979 | 19.0 | * | 2.2 | 3.5 | 2.6 | 3.2 | 3.7 | 3.9 | 4.6 | 6.0 | 7.9 |
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 20.0 | * | 0.9 | 0.6 | 0.9 | 1.1 | 1.9 | 1.7 | 2.3 | 2.8 | 4.1 |
| 1997 | 20.4 | * | 0.8 | 0.9 | 1.0 | 1.2 | 1.8 | 1.7 | 2.2 | 3.2 | 4.5 |
| 1996 | 20.3 | * | 0.9 | 0.7 | 0.9 | 1.2 | 1.8 | 2.1 | 2.5 | 2.8 | 4.5 |
| 1995 | 20.3 | * | 0.7 | 0.8 | 0.8 | 1.1 | 1.6 | 1.9 | 2.3 | 3.1 | 4.8 |
| 1994 | 20.1 | * | 1.1 | 1.0 | 1.0 | 1.3 | 1.8 | 2.2 | 2.5 | 3.1 | 5.0 |
| 1993 | 19.8 | * | 0.9 | 1.1 | 1.0 | 1.5 | 1.7 | 2.3 | 2.6 | 3.2 | 4.8 |
| 1992 | 19.4 | * | 1.2 | 1.0 | 1.1 | 1.5 | 1.9 | 2.4 | 2.8 | 3.6 | 4.2 |
| 1991 | 19.6 | * | 1.3 | 1.2 | 0.9 | 1.5 | 1.9 | 1.9 | 2.6 | 3.4 | 4.7 |
| 1990 | 18.7 | * | 1.1 | 0.9 | 1.0 | 1.5 | 2.0 | 2.1 | 2.6 | 3.6 | 4.6 |
| 1989 | 18.6 | 1.5 | 1.0 | 1.2 | 1.2 | 1.5 | 1.8 | 2.3 | 2.6 | 3.4 | 5.1 |
| 1988 | 17.9 | * | 1.4 | 1.1 | 1.0 | 1.5 | 1.8 | 1.9 | 2.5 | 3.8 | 5.3 |
| 1987 | 17.8 | * | 1.4 | 1.3 | 1.3 | 1.6 | 1.6 | 2.1 | 2.7 | 3.0 | 4.9 |
| 1986 | 17.6 | * | 1.3 | 1.2 | 1.5 | 1.7 | 2.0 | 2.1 | 3.0 | 3.7 | 5.1 |
| 1985 | 17.4 | * | 1.3 | 1.4 | 1.5 | 1.5 | 2.0 | 2.4 | 2.8 | 3.3 | 5.6 |
| 1984 | 17.2 | * | 1.4 | 1.3 | 1.3 | 1.8 | 2.1 | 2.2 | 2.8 | 3.9 | 5.5 |
| 1983 | 16.6 | * | 1.6 | 1.6 | 1.4 | 1.9 | 2.0 | 2.3 | 2.5 | 4.0 | 5.2 |
| 1982 | 16.4 | * | 1.5 | 1.8 | 1.3 | 1.9 | 2.4 | 2.3 | 3.2 | 3.9 | 4.9 |
| 1981 | 15.9 | * | 1.9 | 1.8 | 1.5 | 2.0 | 2.0 | 2.2 | 2.9 | 4.0 | 5.0 |
| 1980 | 16.0 | * | 1.5 | 1.7 | 1.6 | 2.1 | 2.1 | 2.8 | 3.1 | 4.5 | 5.5 |
| 1979 | 15.2 | * | 1.7 | 2.0 | 1.6 | 1.9 | 2.0 | 2.5 | 3.1 | 4.0 | 5.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 12.5 | * | 0.8 | 0.7 | 1.1 | 1.1 | 1.6 | 3.0 | 3.1 | 4.9 | 6.8 |
| 1997 | 12.6 | * | 0.9 | 1.0 | 0.9 | 1.3 | 2.3 | 3.1 | 3.4 | 5.5 | 7.7 |
| 1996 | 12.8 | * | 0.8 | 0.9 | 1.2 | 1.4 | 2.3 | 2.5 | 4.1 | 4.8 | 7.2 |
| 1995 | 12.7 | * | 1.2 | 0.9 | 1.6 | 1.7 | 2.1 | 2.9 | 4.6 | 4.9 | 6.5 |
| 1994 | 12.4 | * | 1.3 | 0.9 | 1.1 | 1.9 | 2.0 | 3.0 | 3.8 | 4.5 | 6.7 |
| 1993 | 12.7 | * | 1.0 | 1.1 | 1.0 | 1.6 | 2.8 | 3.0 | 4.2 | 4.8 | 7.3 |
| 1992 | 12.4 | * | 0.8 | 0.9 | 1.3 | 1.5 | 2.6 | 3.7 | 4.1 | 5.7 | 7.1 |
| 1991 | 12.8 | * | 1.1 | 1.1 | 1.0 | 2.0 | 2.0 | 2.9 | 4.2 | 5.3 | 8.0 |
| 1990 | 12.5 | * | 1.0 | 1.2 | 1.2 | 1.9 | 2.2 | 3.3 | 3.9 | 5.4 | 7.9 |
| 1989 | 12.3 | * | 1.4 | 1.1 | 1.5 | 2.0 | 2.3 | 2.7 | 4.4 | 5.2 | 7.4 |
| 1988 | 11.9 | * | 1.4 | 1.3 | 1.2 | 1.5 | 2.3 | 2.5 | 3.6 | 5.2 | 7.8 |
| 1987 | 11.9 | * | 1.3 | 1.3 | 1.3 | 2.4 | 2.0 | 2.6 | 3.5 | 5.5 | 6.3 |
| 1986 | 12.1 | * | 1.2 | 1.6 | 1.4 | 1.8 | 2.1 | 2.9 | 3.6 | 5.5 | 7.6 |
| 1985 | 11.8 | * | 1.3 | 1.4 | 1.9 | 1.6 | 2.3 | 3.2 | 3.4 | 4.8 | 7.5 |
| 1984 | 11.5 | * | 1.3 | 1.2 | 1.7 | 2.2 | 2.4 | 2.7 | 3.9 | 5.3 | 8.2 |
| 1983 | 11.7 | * | 1.5 | 1.7 | 1.6 | 1.8 | 2.3 | 2.8 | 4.2 | 5.5 | 6.8 |
| 1982 | 11.4 | * | 1.7 | 1.7 | 1.8 | 2.3 | 2.4 | 2.8 | 3.4 | 5.3 | 6.8 |
| 1981 | 11.3 | * | 1.8 | 2.0 | 1.6 | 2.1 | 1.9 | 2.9 | 3.4 | 5.8 | 8.6 |
| 1980 | 11.3 | * | 1.5 | 1.2 | 1.8 | 2.5 | 2.8 | 2.9 | 4.0 | 5.7 | 6.6 |
| 1979 | 11.0 | * | 1.9 | 1.5 | 1.6 | 2.2 | 2.4 | 3.5 | 3.2 | 5.6 | 6.8 |
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 13.6 | * | * | * | 1.1 | 1.4 | 1.8 | 3.7 | 4.0 | 6.5 | 8.5 |
| 1997 | 14.0 | * | * | 1.1 | 1.2 | 1.4 | 3.2 | 4.2 | 4.0 | 7.2 | 9.6 |
| 1996 | 14.2 | * | * | 1.1 | 1.2 | 1.6 | 2.7 | 2.9 | 5.6 | 6.0 | 9.3 |
| 1995 | 13.8 | * | 1.2 | 0.9 | 1.8 | 2.2 | 2.3 | 3.7 | 5.9 | 6.2 | 8.2 |
| 1994 | 13.6 | * | 1.1 | 1.0 | 1.4 | 1.9 | 2.6 | 3.8 | 5.2 | 6.0 | 8.9 |
| 1993 | 14.0 | * | 1.2 | 1.2 | 1.3 | 1.9 | 3.2 | 3.6 | 6.1 | 6.3 | 9.9 |
| 1992 | 13.8 | * | * | 1.3 | 1.5 | 1.9 | 3.0 | 4.3 | 5.5 | 8.0 | 9.0 |
| 1991 | 14.2 | * | 1.4 | 1.2 | 1.3 | 2.3 | 2.3 | 4.0 | 5.6 | 6.9 | 10.4 |
| 1990 | 14.1 | * | * | 1.5 | 1.6 | 2.2 | 2.8 | 4.0 | 4.9 | 7.2 | 10.0 |
| 1989 | 14.2 | * | * | 1.3 | 1.9 | 2.7 | 3.2 | 4.0 | 6.2 | 6.7 | 9.4 |
| 1988 | 13.2 | * | * | 1.5 | 1.3 | 1.9 | 2.8 | 3.3 | 4.3 | 7.4 | 9.8 |
| 1987 | 13.3 | * | * | 1.7 | 1.3 | 3.0 | 2.1 | 3.0 | 4.7 | 6.6 | 8.6 |
| 1986 | 13.7 | * | * | 1.9 | 1.7 | 2.4 | 2.7 | 3.5 | 4.6 | 7.2 | 10.0 |
| 1985 | 13.3 | * | 1.9 | 1.6 | 2.4 | 1.8 | 3.2 | 4.1 | 4.1 | 5.9 | 9.6 |
| 1984 | 13.0 | * | 1.5 | 1.5 | 1.9 | 2.8 | 3.1 | 4.0 | 4.7 | 6.7 | 10.0 |
| 1983 | 13.3 | * | 1.7 | 1.7 | 1.8 | 2.2 | 3.0 | 3.5 | 5.5 | 5.3 | 9.2 |
| 1982 | 13.0 | * | 1.6 | 2.2 | 2.1 | 3.1 | 2.7 | 3.3 | 4.2 | 5.9 | 8.4 |
| 1981 | 12.6 | * | 1.7 | 2.5 | 1.9 | 2.7 | 2.5 | 3.1 | 4.5 | 7.0 | 10.2 |
| 1980 | 13.0 | * | * | 1.3 | 2.2 | 3.2 | 3.5 | 3.4 | 4.5 | 6.7 | 7.8 |
| 1979 | 12.5 | * | 1.9 | 1.8 | 1.8 | 3.1 | 2.8 | 4.5 | 4.0 | 6.9 | 8.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 11.6 | * | * | * | 1.0 | * | 1.5 | 2.3 | 2.3 | 3.5 | 5.3 |
| 1997 | 11.3 | * | * | * | * | 1.2 | 1.3 | 2.0 | 2.8 | 3.9 | 6.0 |
| 1996 | 11.6 | * | * | * | 1.3 | 1.1 | 1.9 | 2.1 | 2.8 | 3.7 | 5.3 |
| 1995 | 11.6 | * | 1.3 | * | 1.5 | 1.3 | 1.9 | 2.1 | 3.5 | 3.7 | 5.0 |
| 1994 | 11.2 | * | 1.4 | * | * | 1.8 | 1.4 | 2.2 | 2.4 | 3.3 | 4.8 |
| 1993 | 11.5 | * | * | 1.1 | * | 1.3 | 2.3 | 2.4 | 2.4 | 3.4 | 5.0 |
| 1992 | 11.1 | * | * | * | 1.2 | * | 2.2 | 3.1 | 2.7 | 3.6 | 5.5 |
| 1991 | 11.6 | * | * | * | * | 1.6 | 1.7 | 1.9 | 3.0 | 3.9 | 5.9 |
| 1990 | 11.0 | * | * | * | * | 1.6 | 1.6 | 2.6 | 3.0 | 3.8 | 6.1 |
| 1989 | 10.7 | * | 1.7 | * | * | 1.3 | 1.4 | 1.5 | 2.7 | 3.8 | 5.6 |
| 1988 | 10.7 | * | 1.6 | * | * | 1.2 | 1.9 | 1.7 | 3.0 | 3.3 | 6.1 |
| 1987 | 10.6 | * | 1.5 | * | * | 1.9 | 2.0 | 2.2 | 2.4 | 4.5 | 4.3 |
| 1986 | 10.6 | * | * | * | * | 1.2 | 1.4 | 2.4 | 2.7 | 4.0 | 5.5 |
| 1985 | 10.5 | * | * | * | 1.3 | 1.3 | 1.4 | 2.5 | 2.9 | 3.8 | 5.7 |
| 1984 | 10.1 | * | * | * | 1.4 | 1.6 | 1.8 | 1.6 | 3.2 | 4.0 | 6.6 |
| 1983 | 10.1 | * | * | 1.6 | 1.4 | 1.4 | 1.6 | 2.1 | 3.1 | 5.7 | 4.7 |
| 1982 | 10.0 | * | 1.8 | * | 1.4 | 1.5 | 2.2 | 2.3 | 2.8 | 4.7 | 5.4 |
| 1981 | 10.2 | * | 1.9 | 1.4 | 1.3 | 1.6 | 1.4 | 2.8 | 2.5 | 4.8 | 7.2 |
| 1980 | 9.8 | * | * | * | 1.4 | 1.8 | 2.1 | 2.6 | 3.6 | 4.8 | 5.6 |
| 1979 | 9.5 | * | 1.8 | * | 1.4 | 1.3 | 2.1 | 2.6 | 2.6 | 4.4 | 5.8 |
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 14.7 | * | 0.8 | 0.7 | 1.0 | 1.1 | 1.9 | 3.7 | 3.7 | 5.9 | 8.0 |
| 1997 | 14.6 | * | 0.9 | 0.9 | 0.9 | 1.4 | 2.7 | 3.4 | 4.2 | 6.6 | 9.1 |
| 1996 | 15.0 | * | * | 1.0 | 1.2 | 1.5 | 2.6 | 3.0 | 4.8 | 5.4 | 8.7 |
| 1995 | 14.6 | * | 1.3 | 0.9 | 1.5 | 2.0 | 2.2 | 3.3 | 5.3 | 5.8 | 7.7 |
| 1994 | 14.3 | * | 1.2 | 0.8 | 1.0 | 2.1 | 2.2 | 3.1 | 4.0 | 5.3 | 7.8 |
| 1993 | 14.7 | * | 0.8 | 1.2 | 1.0 | 1.7 | 3.0 | 3.4 | 4.7 | 5.9 | 8.3 |
| 1992 | 14.3 | * | * | 0.9 | 1.2 | 1.4 | 2.8 | 4.3 | 4.7 | 6.9 | 8.9 |
| 1991 | 14.8 | * | 1.2 | 1.0 | 1.1 | 2.0 | 2.4 | 3.3 | 5.0 | 6.1 | 9.4 |
| 1990 | 14.3 | * | 0.9 | 1.1 | 1.1 | 2.0 | 2.4 | 3.6 | 4.5 | 6.0 | 9.0 |
| 1989 | 14.0 | * | 1.2 | 1.0 | 1.6 | 2.3 | 2.7 | 3.0 | 4.7 | 5.8 | 8.8 |
| 1988 | 13.5 | * | 1.2 | 1.0 | 1.0 | 1.6 | 2.7 | 3.0 | 4.3 | 5.8 | 9.0 |
| 1987 | 13.5 | * | 1.1 | 1.3 | 1.1 | 2.5 | 2.2 | 2.8 | 4.0 | 6.3 | 7.2 |
| 1986 | 13.7 | * | 1.4 | 1.6 | 1.4 | 1.8 | 2.4 | 3.3 | 4.1 | 6.2 | 8.6 |
| 1985 | 13.2 | * | 1.0 | 1.3 | 1.9 | 1.5 | 2.3 | 3.5 | 3.7 | 5.5 | 8.8 |
| 1984 | 12.9 | * | 1.2 | 1.2 | 1.8 | 2.4 | 2.6 | 3.3 | 4.6 | 5.8 | 9.9 |
| 1983 | 13.0 | * | 1.3 | 1.7 | 1.7 | 1.6 | 2.3 | 3.1 | 4.8 | 6.3 | 7.4 |
| 1982 | 12.7 | * | 1.7 | 1.7 | 1.8 | 2.3 | 2.4 | 3.0 | 4.1 | 6.2 | 7.5 |
| 1981 | 12.5 | * | 2.0 | 2.1 | 1.6 | 2.2 | 2.1 | 3.2 | 3.9 | 6.3 | 9.2 |
| 1980 | 12.3 | * | 1.5 | 1.3 | 1.9 | 2.4 | 2.9 | 3.3 | 4.6 | 5.9 | 7.1 |
| 1979 | 11.8 | * | 1.8 | 1.5 | 1.6 | 2.3 | 2.6 | 3.5 | 3.4 | 5.7 | 7.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 15.8 | * | * | * | * | 1.4 | 2.2 | 5.1 | 4.9 | 7.7 | 10.0 |
| 1997 | 16.2 | * | * | * | * | 1.5 | 3.9 | 4.5 | 5.1 | 8.8 | 12.3 |
| 1996 | 16.5 | * | * | 1.2 | * | 1.5 | 3.2 | 3.4 | 7.2 | 7.1 | 11.4 |
| 1995 | 16.1 | * | * | * | 1.4 | 2.4 | 2.2 | 4.7 | 6.9 | 7.8 | 10.0 |
| 1994 | 15.7 | * | * | * | * | 2.3 | 2.9 | 4.2 | 5.8 | 6.7 | 10.3 |
| 1993 | 16.1 | * | * | * | * | 2.1 | 3.6 | 4.2 | 6.8 | 7.8 | 11.0 |
| 1992 | 15.8 | * | * | * | * | 1.7 | 3.2 | 5.0 | 6.7 | 9.9 | 11.4 |
| 1991 | 16.3 | * | 1.6 | * | * | 2.3 | 2.7 | 4.8 | 6.9 | 7.7 | 12.7 |
| 1990 | 16.3 | * | * | 1.5 | 1.5 | 2.3 | 2.9 | 4.2 | 6.0 | 8.1 | 11.2 |
| 1989 | 16.1 | * | * | * | 2.1 | 2.9 | 4.0 | 4.5 | 6.8 | 7.7 | 11.2 |
| 1988 | 15.1 | * | * | * | * | 2.3 | 3.2 | 4.1 | 5.1 | 8.3 | 11.4 |
| 1987 | 15.3 | * | * | 1.6 | * | 2.9 | 2.3 | 3.5 | 5.8 | 7.6 | 9.9 |
| 1986 | 15.5 | * | * | 2.1 | 1.9 | 2.4 | 3.3 | 3.9 | 5.4 | 8.4 | 10.9 |
| 1985 | 14.8 | * | * | 1.6 | 2.4 | 1.7 | 3.3 | 4.3 | 4.5 | 7.0 | 11.5 |
| 1984 | 14.6 | * | * | * | 2.1 | 3.0 | 3.2 | 4.8 | 5.7 | 7.7 | 12.3 |
| 1983 | 14.8 | * | * | 1.7 | 1.9 | 1.8 | 2.9 | 3.8 | 6.2 | 6.2 | 10.3 |
| 1982 | 14.3 | * | * | 2.3 | 2.4 | 3.1 | 2.9 | 3.6 | 4.8 | 6.8 | 9.6 |
| 1981 | 13.8 | * | * | 2.8 | 2.0 | 3.0 | 2.7 | 3.1 | 5.1 | 7.9 | 11.2 |
| 1980 | 14.1 | * | * | * | 2.2 | 3.1 | 3.8 | 3.9 | 5.4 | 6.9 | 9.0 |
| 1979 | 13.4 | * | * | 1.9 | 1.8 | 3.1 | 3.0 | 4.5 | 4.2 | 7.1 | 8.7 |
| Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 13.6 | * | * | * | * | * | 1.7 | 2.4 | 2.6 | 4.3 | 6.4 |
| 1997 | 13.2 | * | * | * | * | 1.3 | 1.6 | 2.4 | 3.4 | 4.6 | 6.3 |
| 1996 | 13.5 | * | * | * | * | 1.4 | 2.1 | 2.5 | 2.6 | 3.9 | 6.3 |
| 1995 | 13.3 | * | * | * | 1.6 | 1.6 | 2.1 | 2.1 | 3.9 | 4.0 | 5.7 |
| 1994 | 13.0 | * | * | * | * | 1.8 | 1.6 | 2.2 | 2.4 | 4.0 | 5.6 |
| 1993 | 13.4 | * | * | * | * | * | 2.4 | 2.7 | 2.8 | 4.1 | 5.9 |
| 1992 | 13.0 | * | * | * | * | * | 2.5 | 3.6 | 2.9 | 4.4 | 6.7 |
| 1991 | 13.5 | * | * | * | * | 1.7 | 2.0 | 2.0 | 3.2 | 4.7 | 6.5 |
| 1990 | 12.6 | * | * | * | * | 1.6 | 1.8 | 3.0 | 3.2 | 4.2 | 7.2 |
| 1989 | 12.2 | * | * | * | * | 1.6 | 1.5 | 1.6 | 2.9 | 4.1 | 6.7 |
| 1988 | 12.1 | * | * | * | * | * | 2.2 | 2.0 | 3.7 | 3.7 | 6.9 |
| 1987 | 11.9 | * | * | * | * | 2.1 | 2.1 | 2.3 | 2.4 | 5.2 | 4.9 |
| 1986 | 12.1 | * | * | * | * | * | 1.6 | 2.8 | 3.0 | 4.3 | 6.6 |
| 1985 | 11.8 | * | * | * | * | * | 1.4 | 2.7 | 2.9 | 4.2 | 6.6 |
| 1984 | 11.4 | * | * | * | * | 1.8 | 2.0 | 1.9 | 3.6 | 4.2 | 7.9 |
| 1983 | 11.4 | * | * | 1.7 | 1.5 | 1.5 | 1.7 | 2.4 | 3.5 | 6.4 | 5.0 |
| 1982 | 11.2 | * | * | * | * | 1.4 | 2.0 | 2.5 | 3.4 | 5.8 | 5.7 |
| 1981 | 11.3 | * | 2.1 | * | * | 1.5 | 1.6 | 3.2 | 2.8 | 4.9 | 7.5 |
| 1980 | 10.7 | * | * | * | 1.5 | 1.7 | 2.0 | 2.7 | 4.0 | 5.0 | 5.5 |
| 1979 | 10.4 | * | * | * | 1.5 | 1.5 | 2.3 | 2.6 | 2.8 | 4.5 | 6.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hodgkin's disease (201) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | 0.1 | 0.3 | 0.5 | 0.4 | 0.5 | 0.3 |
| 1997 | 0.5 | * | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.5 | 0.5 |
| 1996 | 0.5 | * | * | * | * | 0.1 | 0.4 | 0.5 | 0.5 | 0.4 | 0.5 |
| 1995 | 0.5 | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.5 | 0.5 | 0.5 |
| 1994 | 0.5 | * | * | * | * | 0.1 | 0.3 | 0.4 | 0.6 | 0.4 | 0.5 |
| 1993 | 0.6 | * | * | * | * | 0.1 | 0.4 | 0.5 | 0.6 | 0.5 | 0.5 |
| 1992 | 0.6 | * | * | * | * | 0.2 | 0.5 | 0.7 | 0.7 | 0.6 | 0.5 |
| 1991 | 0.6 | * | * | * | * | 0.2 | 0.5 | 0.6 | 0.6 | 0.6 | 0.6 |
| 1990 | 0.7 | * | * | * | * | 0.2 | 0.4 | 0.7 | 0.7 | 0.6 | 0.6 |
| 1989 | 0.7 | * | * | * | * | 0.2 | 0.5 | 0.6 | 0.7 | 0.8 | 0.7 |
| 1988 | 0.7 | * | * | * | * | 0.2 | 0.4 | 0.6 | 0.7 | 0.8 | 0.6 |
| 1987 | 0.7 | * | * | * | * | 0.3 | 0.5 | 0.7 | 0.8 | 0.6 | 0.6 |
| 1986 | 0.8 | * | * | * | * | 0.2 | 0.6 | 0.8 | 0.8 | 0.7 | 0.7 |
| 1985 | 0.7 | * | * | * | * | 0.2 | 0.6 | 0.7 | 0.8 | 0.8 | 0.7 |
| 1984 | 0.8 | * | * | * | * | 0.3 | 0.6 | 0.7 | 0.9 | 0.8 | 0.7 |
| 1983 | 0.8 | * | * | * | * | 0.3 | 0.6 | 0.8 | 0.8 | 0.9 | 0.7 |
| 1982 | 0.8 | * | * | * | * | 0.2 | 0.6 | 0.7 | 0.9 | 0.9 | 0.8 |
| 1981 | 0.9 | * | * | * | * | 0.4 | 0.6 | 0.8 | 0.7 | 0.9 | 0.8 |
| 1980 | 0.9 | * | * | * | * | 0.3 | 0.6 | 0.8 | 0.9 | 0.9 | 0.9 |
| 1979 | 0.9 | * | * | * | * | 0.3 | 0.6 | 1.0 | 0.9 | 0.9 | 0.7 |
| Hodgkin's disease (201) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | 0.4 | 0.6 | 0.5 | 0.6 | 0.5 |
| 1997 | 0.6 | * | * | * | * | * | 0.4 | 0.5 | 0.6 | 0.6 | 0.6 |
| 1996 | 0.6 | * | * | * | * | * | 0.5 | 0.5 | 0.6 | 0.5 | 0.7 |
| 1995 | 0.6 | * | * | * | * | * | 0.5 | 0.6 | 0.7 | 0.6 | 0.6 |
| 1994 | 0.6 | * | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.5 | 0.6 |
| 1993 | 0.7 | * | * | * | * | * | 0.4 | 0.6 | 0.8 | 0.7 | 0.7 |
| 1992 | 0.8 | * | * | * | * | * | 0.4 | 0.7 | 0.9 | 0.8 | 0.7 |
| 1991 | 0.8 | * | * | * | * | * | 0.4 | 0.8 | 0.8 | 0.8 | 0.7 |
| 1990 | 0.8 | * | * | * | * | 0.3 | 0.5 | 0.9 | 1.0 | 0.9 | 0.7 |
| 1989 | 0.8 | * | * | * | * | * | 0.6 | 0.8 | 0.9 | 1.1 | 0.9 |
| 1988 | 0.8 | * | * | * | * | 0.2 | 0.5 | 0.7 | 0.9 | 1.0 | 0.8 |
| 1987 | 0.9 | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.1 | 0.8 | 0.8 |
| 1986 | 0.9 | * | * | * | * | 0.2 | 0.6 | 1.0 | 1.0 | 1.0 | 1.1 |
| 1985 | 0.9 | * | * | * | * | 0.2 | 0.7 | 0.9 | 1.0 | 1.1 | 0.9 |
| 1984 | 1.0 | * | * | * | * | 0.4 | 0.8 | 0.9 | 1.1 | 1.0 | 1.0 |
| 1983 | 1.0 | * | * | * | * | 0.3 | 0.7 | 0.9 | 1.0 | 1.2 | 1.0 |
| 1982 | 1.0 | * | * | * | * | 0.2 | 0.7 | 0.9 | 1.1 | 1.1 | 1.1 |
| 1981 | 1.0 | * | * | * | * | 0.4 | 0.7 | 1.1 | 0.9 | 1.2 | 1.1 |
| 1980 | 1.1 | * | * | * | * | 0.4 | 0.7 | 0.9 | 1.1 | 1.1 | 1.2 |
| 1979 | 1.1 | * | * | * | * | 0.3 | 0.7 | 1.2 | 1.2 | 1.2 | 1.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hodgkin's disease (201) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | 0.2 | 0.4 | 0.3 | 0.3 | 0.2 |
| 1997 | 0.5 | * | * | * | * | * | 0.3 | 0.4 | 0.4 | 0.5 | 0.4 |
| 1996 | 0.5 | * | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 |
| 1995 | 0.5 | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.4 |
| 1994 | 0.5 | * | * | * | * | * | 0.3 | 0.5 | 0.5 | 0.4 | 0.4 |
| 1993 | 0.5 | * | * | * | * | * | 0.4 | 0.5 | 0.5 | 0.4 | 0.4 |
| 1992 | 0.5 | * | * | * | * | * | 0.5 | 0.6 | 0.5 | 0.4 | 0.4 |
| 1991 | 0.5 | * | * | * | * | * | 0.5 | 0.4 | 0.5 | 0.5 | 0.5 |
| 1990 | 0.5 | * | * | * | * | * | 0.4 | 0.6 | 0.4 | 0.4 | 0.5 |
| 1989 | 0.6 | * | * | * | * | * | 0.4 | 0.5 | 0.5 | 0.5 | 0.5 |
| 1988 | 0.5 | * | * | * | * | * | 0.4 | 0.4 | 0.5 | 0.5 | 0.5 |
| 1987 | 0.6 | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.5 | 0.4 | 0.4 |
| 1986 | 0.6 | * | * | * | * | * | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 |
| 1985 | 0.6 | * | * | * | * | 0.2 | 0.5 | 0.5 | 0.6 | 0.5 | 0.4 |
| 1984 | 0.6 | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.7 | 0.6 | 0.5 |
| 1983 | 0.7 | * | * | * | * | 0.2 | 0.5 | 0.7 | 0.7 | 0.6 | 0.4 |
| 1982 | 0.7 | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.6 | 0.6 | 0.5 |
| 1981 | 0.7 | * | * | * | * | 0.3 | 0.5 | 0.6 | 0.6 | 0.7 | 0.6 |
| 1980 | 0.8 | * | * | * | * | 0.3 | 0.5 | 0.7 | 0.6 | 0.7 | 0.6 |
| 1979 | 0.7 | * | * | * | * | 0.2 | 0.4 | 0.7 | 0.7 | 0.7 | 0.5 |
| Hodgkin's disease (201) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | * | 0.3 | 0.5 | 0.4 | 0.5 | 0.3 |
| 1997 | 0.6 | * | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.5 | 0.5 |
| 1996 | 0.6 | * | * | * | * | 0.1 | 0.4 | 0.5 | 0.5 | 0.4 | 0.5 |
| 1995 | 0.6 | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.5 | 0.5 | 0.5 |
| 1994 | 0.6 | * | * | * | * | * | 0.4 | 0.4 | 0.6 | 0.4 | 0.5 |
| 1993 | 0.6 | * | * | * | * | * | 0.4 | 0.6 | 0.7 | 0.6 | 0.6 |
| 1992 | 0.7 | * | * | * | * | 0.2 | 0.5 | 0.7 | 0.7 | 0.6 | 0.6 |
| 1991 | 0.7 | * | * | * | * | 0.2 | 0.5 | 0.6 | 0.6 | 0.6 | 0.6 |
| 1990 | 0.7 | * | * | * | * | 0.2 | 0.4 | 0.7 | 0.8 | 0.7 | 0.6 |
| 1989 | 0.7 | * | * | * | * | 0.2 | 0.5 | 0.7 | 0.7 | 0.9 | 0.8 |
| 1988 | 0.7 | * | * | * | * | 0.2 | 0.5 | 0.6 | 0.7 | 0.8 | 0.6 |
| 1987 | 0.8 | * | * | * | * | 0.2 | 0.5 | 0.8 | 0.8 | 0.6 | 0.6 |
| 1986 | 0.8 | * | * | * | * | 0.2 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 |
| 1985 | 0.8 | * | * | * | * | 0.2 | 0.6 | 0.8 | 0.8 | 0.8 | 0.7 |
| 1984 | 0.9 | * | * | * | * | 0.3 | 0.7 | 0.7 | 0.9 | 0.9 | 0.8 |
| 1983 | 0.9 | * | * | * | * | 0.3 | 0.6 | 0.8 | 0.9 | 0.9 | 0.7 |
| 1982 | 0.9 | * | * | * | * | 0.2 | 0.6 | 0.8 | 0.9 | 0.9 | 0.9 |
| 1981 | 0.9 | * | * | * | * | 0.4 | 0.7 | 0.9 | 0.7 | 1.0 | 0.9 |
| 1980 | 1.0 | * | * | * | * | 0.4 | 0.6 | 0.8 | 0.9 | 0.9 | 0.9 |
| 1979 | 1.0 | * | * | * | * | 0.3 | 0.6 | 1.0 | 1.0 | 1.0 | 0.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Hodgkin's disease (201) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | 0.4 | 0.6 | 0.5 | 0.7 | 0.5 |
| 1997 | 0.6 | * | * | * | * | * | 0.4 | 0.5 | 0.5 | 0.5 | 0.6 |
| 1996 | 0.6 | * | * | * | * | * | 0.5 | 0.6 | 0.6 | 0.5 | 0.7 |
| 1995 | 0.6 | * | * | * | * | * | 0.4 | 0.6 | 0.7 | 0.7 | 0.6 |
| 1994 | 0.6 | * | * | * | * | * | 0.4 | 0.4 | 0.6 | 0.4 | 0.5 |
| 1993 | 0.7 | * | * | * | * | * | 0.3 | 0.6 | 0.8 | 0.7 | 0.7 |
| 1992 | 0.8 | * | * | * | * | * | 0.5 | 0.8 | 0.9 | 0.7 | 0.7 |
| 1991 | 0.8 | * | * | * | * | * | 0.4 | 0.8 | 0.7 | 0.7 | 0.7 |
| 1990 | 0.8 | * | * | * | * | 0.3 | 0.5 | 0.9 | 1.1 | 0.9 | 0.7 |
| 1989 | 0.9 | * | * | * | * | * | 0.6 | 0.8 | 0.9 | 1.1 | 1.0 |
| 1988 | 0.8 | * | * | * | * | * | 0.5 | 0.8 | 0.9 | 1.0 | 0.9 |
| 1987 | 0.9 | * | * | * | * | * | 0.6 | 0.9 | 1.1 | 0.9 | 0.8 |
| 1986 | 1.0 | * | * | * | * | * | 0.7 | 1.1 | 1.0 | 1.0 | 1.1 |
| 1985 | 0.9 | * | * | * | * | * | 0.8 | 1.0 | 1.0 | 1.1 | 1.0 |
| 1984 | 1.1 | * | * | * | * | 0.3 | 0.9 | 0.9 | 1.1 | 1.1 | 1.1 |
| 1983 | 1.0 | * | * | * | * | 0.3 | 0.7 | 0.9 | 1.0 | 1.2 | 1.0 |
| 1982 | 1.0 | * | * | * | * | * | 0.8 | 1.0 | 1.2 | 1.2 | 1.2 |
| 1981 | 1.1 | * | * | * | * | 0.4 | 0.8 | 1.1 | 0.9 | 1.2 | 1.1 |
| 1980 | 1.1 | * | * | * | * | 0.4 | 0.7 | 1.0 | 1.1 | 1.1 | 1.2 |
| 1979 | 1.2 | * | * | * | * | 0.3 | 0.7 | 1.2 | 1.3 | 1.2 | 1.0 |
| Hodgkin's disease (201) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | 0.4 | 0.3 | 0.3 | 0.2 |
| 1997 | 0.5 | * | * | * | * | * | * | 0.3 | 0.5 | 0.5 | 0.4 |
| 1996 | 0.5 | * | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 |
| 1995 | 0.5 | * | * | * | * | * | * | 0.4 | 0.3 | 0.4 | 0.4 |
| 1994 | 0.5 | * | * | * | * | * | 0.4 | 0.5 | 0.5 | 0.4 | 0.5 |
| 1993 | 0.6 | * | * | * | * | * | 0.4 | 0.5 | 0.5 | 0.4 | 0.5 |
| 1992 | 0.6 | * | * | * | * | * | 0.5 | 0.7 | 0.5 | 0.4 | 0.4 |
| 1991 | 0.6 | * | * | * | * | * | 0.5 | 0.4 | 0.5 | 0.5 | 0.5 |
| 1990 | 0.6 | * | * | * | * | * | 0.4 | 0.6 | 0.5 | 0.4 | 0.5 |
| 1989 | 0.6 | * | * | * | * | * | 0.4 | 0.5 | 0.5 | 0.6 | 0.6 |
| 1988 | 0.6 | * | * | * | * | * | 0.4 | 0.5 | 0.5 | 0.5 | 0.4 |
| 1987 | 0.6 | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.5 | 0.4 | 0.4 |
| 1986 | 0.7 | * | * | * | * | * | 0.6 | 0.6 | 0.5 | 0.6 | 0.4 |
| 1985 | 0.6 | * | * | * | * | * | 0.5 | 0.5 | 0.6 | 0.5 | 0.5 |
| 1984 | 0.7 | * | * | * | * | 0.3 | 0.5 | 0.5 | 0.7 | 0.7 | 0.5 |
| 1983 | 0.7 | * | * | * | * | * | 0.5 | 0.7 | 0.7 | 0.6 | 0.5 |
| 1982 | 0.8 | * | * | * | * | 0.3 | 0.5 | 0.6 | 0.7 | 0.6 | 0.6 |
| 1981 | 0.8 | * | * | * | * | 0.3 | 0.5 | 0.6 | 0.6 | 0.8 | 0.6 |
| 1980 | 0.8 | * | * | * | * | 0.3 | 0.5 | 0.7 | 0.6 | 0.8 | 0.6 |
| 1979 | 0.8 | * | * | * | * | 0.3 | 0.4 | 0.7 | 0.7 | 0.7 | 0.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Hodgkin's disease (201) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | 0.5 | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | 0.5 | 0.6 | 0.6 |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | 0.5 | * |
| 1995 | 0.4 | * | * | * | * | * | 0.6 | * | 0.5 | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | 0.6 | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | 0.6 | 0.7 | 0.6 | * |
| 1991 | 0.5 | * | * | * | * | * | * | 0.6 | 0.7 | 0.6 | * |
| 1990 | 0.4 | * | * | * | * | * | * | 0.7 | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | 0.8 | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | 0.7 | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | 0.7 | * | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | 0.7 | * | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | 0.7 | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | 0.7 | 1.0 | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | 0.8 | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | 0.9 | * | * | * |
| Hodgkin's disease (201) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hodgkin's disease (201) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Hodgkin's disease (201) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | 0.7 | * | * | * |
| 1997 | 0.5 | * | * | * | * | * | * | * | 0.7 | 0.7 | 0.8 |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | * | * | * | * | * | * | * | 0.7 | * | * |
| 1994 | 0.5 | * | * | * | * | * | * | * | 0.7 | * | * |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | * | * | 0.8 | 0.9 | 0.8 | * |
| 1991 | 0.6 | * | * | * | * | * | * | 0.8 | 0.9 | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | 0.8 | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | 1.0 | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | 1.0 | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | 0.8 | * | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | 0.9 | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | 0.9 | * | * |
| 1984 | 0.7 | * | * | * | * | * | * | 0.9 | 1.3 | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | 0.9 | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.6 | * | * | * | * | * | * | 1.0 | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hodgkin's disease (201) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| Hodgkin's disease (201) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Non-Hodgkin's lymphoma (200,202) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 8.5 | * | * | 0.1 | 0.1 | 0.3 | 0.6 | 0.8 | 1.3 | 1.7 | 2.5 |
| 1997 | 8.7 | * | * | 0.2 | 0.2 | 0.3 | 0.7 | 0.9 | 1.4 | 1.9 | 3.0 |
| 1996 | 8.5 | * | * | * | 0.2 | 0.3 | 0.5 | 1.0 | 1.5 | 2.0 | 3.1 |
| 1995 | 8.5 | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.8 | 1.6 | 2.2 | 3.3 |
| 1994 | 8.3 | * | * | 0.1 | 0.2 | 0.3 | 0.6 | 1.0 | 1.5 | 2.1 | 3.0 |
| 1993 | 7.9 | * | * | 0.2 | 0.2 | 0.4 | 0.5 | 1.0 | 1.5 | 2.0 | 2.9 |
| 1992 | 7.9 | * | * | 0.1 | 0.2 | 0.4 | 0.6 | 1.0 | 1.5 | 2.3 | 2.9 |
| 1991 | 7.8 | * | * | 0.2 | 0.2 | 0.4 | 0.6 | 0.9 | 1.5 | 2.2 | 3.0 |
| 1990 | 7.5 | * | * | 0.2 | 0.3 | 0.3 | 0.6 | 0.9 | 1.4 | 1.9 | 2.8 |
| 1989 | 7.4 | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.6 | 0.9 | 1.3 | 1.9 | 2.9 |
| 1988 | 7.1 | * | 0.2 | 0.2 | 0.2 | 0.4 | 0.5 | 0.9 | 1.3 | 1.9 | 2.8 |
| 1987 | 6.8 | * | * | 0.2 | 0.2 | 0.4 | 0.6 | 0.7 | 1.1 | 1.7 | 2.4 |
| 1986 | 6.8 | * | 0.2 | 0.3 | 0.3 | 0.4 | 0.6 | 0.9 | 1.4 | 2.0 | 2.7 |
| 1985 | 6.5 | * | 0.2 | 0.2 | 0.2 | 0.4 | 0.6 | 0.9 | 1.2 | 1.7 | 2.9 |
| 1984 | 6.2 | * | * | 0.2 | 0.2 | 0.5 | 0.5 | 0.7 | 1.1 | 1.7 | 2.8 |
| 1983 | 6.1 | * | 0.2 | 0.3 | 0.3 | 0.5 | 0.5 | 0.7 | 0.9 | 1.6 | 2.4 |
| 1982 | 6.0 | * | 0.2 | 0.4 | 0.3 | 0.4 | 0.6 | 0.7 | 1.0 | 1.6 | 2.6 |
| 1981 | 5.6 | * | 0.2 | 0.3 | 0.4 | 0.5 | 0.5 | 0.7 | 1.0 | 1.5 | 2.4 |
| 1980 | 5.6 | * | 0.2 | 0.3 | 0.4 | 0.4 | 0.7 | 0.8 | 1.0 | 1.8 | 2.3 |
| 1979 | 5.4 | * | 0.2 | 0.4 | 0.3 | 0.5 | 0.5 | 0.8 | 0.8 | 1.4 | 2.2 |
| Non-Hodgkin's lymphoma (200,202) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 9.1 | * | * | * | * | 0.4 | 0.7 | 1.0 | 1.8 | 2.3 | 3.4 |
| 1997 | 9.3 | * | * | 0.2 | * | 0.4 | 0.8 | 1.3 | 2.0 | 2.6 | 4.1 |
| 1996 | 9.1 | * | * | * | 0.3 | 0.4 | 0.6 | 1.2 | 2.1 | 2.9 | 4.3 |
| 1995 | 9.0 | * | * | 0.2 | 0.2 | 0.5 | 0.6 | 1.2 | 2.4 | 3.2 | 4.5 |
| 1994 | 8.8 | * | * | * | 0.3 | 0.3 | 0.7 | 1.3 | 2.2 | 3.0 | 4.2 |
| 1993 | 8.3 | * | * | 0.3 | 0.3 | 0.5 | 0.6 | 1.3 | 2.2 | 2.9 | 4.2 |
| 1992 | 8.4 | * | * | * | 0.3 | 0.6 | 0.8 | 1.3 | 2.2 | 3.4 | 4.0 |
| 1991 | 8.2 | * | * | 0.3 | 0.3 | 0.5 | 0.9 | 1.2 | 2.1 | 3.4 | 4.3 |
| 1990 | 8.1 | * | * | 0.3 | 0.4 | 0.4 | 0.7 | 1.3 | 2.1 | 2.7 | 3.9 |
| 1989 | 7.8 | * | * | 0.3 | 0.5 | 0.5 | 0.8 | 1.3 | 1.9 | 2.8 | 3.8 |
| 1988 | 7.5 | * | * | 0.3 | 0.4 | 0.5 | 0.7 | 1.4 | 1.7 | 2.7 | 3.5 |
| 1987 | 7.1 | * | * | 0.3 | 0.3 | 0.6 | 0.8 | 1.0 | 1.4 | 2.5 | 3.2 |
| 1986 | 7.3 | * | 0.3 | 0.4 | 0.5 | 0.6 | 0.7 | 1.3 | 2.0 | 2.8 | 3.6 |
| 1985 | 7.0 | * | * | 0.3 | 0.3 | 0.6 | 0.8 | 1.1 | 1.7 | 2.4 | 3.8 |
| 1984 | 6.5 | * | * | 0.3 | 0.3 | 0.6 | 0.7 | 1.0 | 1.6 | 2.2 | 3.5 |
| 1983 | 6.5 | * | * | 0.5 | 0.5 | 0.6 | 0.8 | 1.0 | 1.4 | 2.0 | 3.1 |
| 1982 | 6.3 | * | * | 0.7 | 0.5 | 0.6 | 0.7 | 1.0 | 1.4 | 2.1 | 3.7 |
| 1981 | 5.9 | * | * | 0.5 | 0.4 | 0.6 | 0.7 | 0.9 | 1.4 | 1.9 | 3.1 |
| 1980 | 6.0 | * | * | 0.6 | 0.5 | 0.6 | 1.0 | 1.1 | 1.2 | 2.4 | 2.9 |
| 1979 | 5.9 | * | * | 0.7 | 0.5 | 0.7 | 0.7 | 1.0 | 1.0 | 2.0 | 3.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Non-Hodgkin's lymphoma (200,202) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 8.0 | * | * | * | * | * | 0.5 | 0.5 | 0.8 | 1.2 | 1.6 |
| 1997 | 8.1 | * | * | * | * | * | 0.5 | 0.5 | 0.8 | 1.3 | 1.9 |
| 1996 | 8.0 | * | * | * | * | 0.2 | 0.5 | 0.8 | 0.9 | 1.2 | 2.0 |
| 1995 | 8.0 | * | * | * | * | * | 0.3 | 0.5 | 0.9 | 1.3 | 2.1 |
| 1994 | 7.8 | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.9 | 1.2 | 1.9 |
| 1993 | 7.6 | * | * | * | * | 0.3 | 0.4 | 0.7 | 0.8 | 1.1 | 1.6 |
| 1992 | 7.3 | * | * | * | * | * | 0.4 | 0.7 | 0.8 | 1.3 | 1.8 |
| 1991 | 7.4 | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.8 | 1.1 | 1.8 |
| 1990 | 6.9 | * | * | * | * | 0.2 | 0.4 | 0.5 | 0.8 | 1.2 | 1.6 |
| 1989 | 6.9 | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.6 | 1.0 | 2.0 |
| 1988 | 6.7 | * | * | * | * | 0.2 | 0.4 | 0.5 | 0.9 | 1.2 | 2.1 |
| 1987 | 6.5 | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.7 | 1.0 | 1.6 |
| 1986 | 6.4 | * | * | * | * | 0.3 | 0.5 | 0.5 | 0.8 | 1.2 | 1.8 |
| 1985 | 6.1 | * | * | * | * | * | 0.4 | 0.6 | 0.8 | 1.0 | 2.0 |
| 1984 | 6.0 | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.7 | 1.2 | 2.2 |
| 1983 | 5.8 | * | * | * | * | 0.4 | 0.3 | 0.5 | 0.5 | 1.1 | 1.6 |
| 1982 | 5.6 | * | * | * | * | * | 0.5 | 0.4 | 0.7 | 1.1 | 1.6 |
| 1981 | 5.3 | * | * | * | 0.3 | 0.4 | 0.4 | 0.5 | 0.6 | 1.2 | 1.6 |
| 1980 | 5.3 | * | * | * | * | 0.2 | 0.3 | 0.6 | 0.7 | 1.2 | 1.6 |
| 1979 | 4.9 | * | * | * | * | 0.2 | 0.3 | 0.6 | 0.7 | 0.9 | 1.5 |
| Non-Hodgkin's lymphoma (200,202) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 9.5 | * | * | * | 0.1 | 0.3 | 0.6 | 0.7 | 1.3 | 1.7 | 2.4 |
| 1997 | 9.7 | * | * | 0.1 | 0.2 | 0.3 | 0.6 | 0.9 | 1.4 | 1.8 | 2.9 |
| 1996 | 9.5 | * | * | * | 0.2 | 0.3 | 0.5 | 0.9 | 1.4 | 2.0 | 3.1 |
| 1995 | 9.4 | * | * | 0.1 | 0.2 | 0.4 | 0.5 | 0.8 | 1.6 | 2.2 | 3.3 |
| 1994 | 9.3 | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 1.0 | 1.5 | 2.1 | 3.0 |
| 1993 | 8.8 | * | * | 0.2 | 0.2 | 0.4 | 0.4 | 1.0 | 1.4 | 2.0 | 2.9 |
| 1992 | 8.7 | * | * | * | 0.2 | 0.4 | 0.6 | 1.0 | 1.5 | 2.2 | 2.8 |
| 1991 | 8.6 | * | * | 0.2 | 0.2 | 0.4 | 0.7 | 0.9 | 1.4 | 2.3 | 3.0 |
| 1990 | 8.2 | * | * | 0.2 | 0.3 | 0.3 | 0.5 | 0.9 | 1.4 | 1.9 | 2.7 |
| 1989 | 8.1 | * | * | 0.2 | 0.3 | 0.4 | 0.6 | 0.9 | 1.2 | 1.9 | 2.9 |
| 1988 | 7.8 | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.5 | 1.0 | 1.3 | 2.0 | 2.8 |
| 1987 | 7.5 | * | * | 0.2 | 0.2 | 0.5 | 0.6 | 0.8 | 1.1 | 1.7 | 2.4 |
| 1986 | 7.5 | * | 0.2 | 0.3 | 0.3 | 0.4 | 0.6 | 0.9 | 1.4 | 2.0 | 2.8 |
| 1985 | 7.2 | * | 0.2 | 0.2 | 0.2 | 0.5 | 0.6 | 0.8 | 1.2 | 1.7 | 3.0 |
| 1984 | 6.8 | * | * | 0.2 | 0.3 | 0.5 | 0.5 | 0.7 | 1.1 | 1.7 | 2.8 |
| 1983 | 6.7 | * | 0.2 | 0.3 | 0.3 | 0.5 | 0.5 | 0.7 | 0.9 | 1.5 | 2.4 |
| 1982 | 6.5 | * | 0.2 | 0.5 | 0.3 | 0.4 | 0.6 | 0.7 | 1.0 | 1.6 | 2.8 |
| 1981 | 6.1 | * | 0.2 | 0.4 | 0.4 | 0.5 | 0.5 | 0.7 | 1.0 | 1.5 | 2.2 |
| 1980 | 6.1 | * | 0.2 | 0.4 | 0.3 | 0.4 | 0.6 | 0.8 | 1.0 | 1.8 | 2.4 |
| 1979 | 5.8 | * | 0.2 | 0.4 | 0.4 | 0.5 | 0.5 | 0.8 | 0.8 | 1.5 | 2.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Non-Hodgkin's lymphoma (200,202) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 10.1 | * | * | * | * | 0.4 | 0.7 | 0.9 | 1.8 | 2.2 | 3.3 |
| 1997 | 10.2 | * | * | * | * | 0.4 | 0.7 | 1.3 | 2.1 | 2.3 | 4.1 |
| 1996 | 10.0 | * | * | * | 0.3 | 0.5 | 0.5 | 1.1 | 1.9 | 2.9 | 4.2 |
| 1995 | 9.9 | * | * | * | * | 0.5 | 0.6 | 1.1 | 2.3 | 3.2 | 4.6 |
| 1994 | 9.8 | * | * | * | 0.3 | 0.4 | 0.6 | 1.3 | 2.1 | 3.1 | 4.1 |
| 1993 | 9.1 | * | * | 0.3 | 0.3 | 0.5 | 0.5 | 1.3 | 2.1 | 2.8 | 4.2 |
| 1992 | 9.2 | * | * | * | 0.3 | 0.6 | 0.8 | 1.3 | 2.2 | 3.2 | 4.0 |
| 1991 | 9.0 | * | * | 0.3 | 0.3 | 0.6 | 0.9 | 1.3 | 2.0 | 3.4 | 4.3 |
| 1990 | 8.8 | * | * | 0.3 | 0.4 | 0.4 | 0.7 | 1.4 | 2.0 | 2.7 | 3.9 |
| 1989 | 8.5 | * | * | 0.4 | 0.5 | 0.4 | 0.8 | 1.1 | 1.8 | 2.8 | 3.8 |
| 1988 | 8.1 | * | * | 0.3 | 0.4 | 0.6 | 0.7 | 1.4 | 1.7 | 2.7 | 3.4 |
| 1987 | 7.7 | * | * | 0.3 | 0.4 | 0.6 | 0.8 | 1.1 | 1.4 | 2.5 | 3.2 |
| 1986 | 7.8 | * | * | 0.5 | 0.5 | 0.5 | 0.7 | 1.4 | 2.0 | 2.8 | 3.6 |
| 1985 | 7.7 | * | * | 0.3 | 0.3 | 0.7 | 0.8 | 1.0 | 1.7 | 2.4 | 4.0 |
| 1984 | 7.1 | * | * | 0.4 | 0.3 | 0.6 | 0.7 | 1.0 | 1.6 | 2.2 | 3.4 |
| 1983 | 7.0 | * | * | 0.5 | 0.5 | 0.7 | 0.7 | 1.0 | 1.3 | 2.0 | 3.2 |
| 1982 | 6.9 | * | * | 0.7 | 0.5 | 0.6 | 0.7 | 1.0 | 1.3 | 2.1 | 3.8 |
| 1981 | 6.3 | * | * | 0.5 | 0.5 | 0.6 | 0.7 | 1.0 | 1.4 | 1.9 | 2.9 |
| 1980 | 6.4 | * | * | 0.7 | 0.5 | 0.7 | 1.0 | 1.1 | 1.3 | 2.4 | 3.1 |
| 1979 | 6.3 | * | * | 0.7 | 0.6 | 0.7 | 0.8 | 1.0 | 1.0 | 2.0 | 3.0 |
| Non-Hodgkin's lymphoma (200,202) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 9.0 | * | * | * | * | * | 0.5 | 0.4 | 0.7 | 1.1 | 1.5 |
| 1997 | 9.2 | * | * | * | * | * | 0.5 | 0.5 | 0.7 | 1.2 | 1.8 |
| 1996 | 9.0 | * | * | * | * | * | 0.5 | 0.7 | 0.9 | 1.1 | 1.9 |
| 1995 | 9.0 | * | * | * | * | * | 0.4 | 0.4 | 0.8 | 1.2 | 2.0 |
| 1994 | 8.8 | * | * | * | * | * | 0.5 | 0.7 | 0.9 | 1.2 | 1.9 |
| 1993 | 8.5 | * | * | * | * | * | 0.3 | 0.7 | 0.8 | 1.1 | 1.6 |
| 1992 | 8.2 | * | * | * | * | * | 0.4 | 0.6 | 0.8 | 1.3 | 1.7 |
| 1991 | 8.2 | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.7 | 1.1 | 1.7 |
| 1990 | 7.7 | * | * | * | * | * | 0.4 | 0.5 | 0.8 | 1.1 | 1.6 |
| 1989 | 7.7 | * | * | * | * | 0.3 | 0.3 | 0.6 | 0.6 | 1.0 | 2.0 |
| 1988 | 7.4 | * | * | * | * | * | 0.4 | 0.5 | 0.8 | 1.2 | 2.2 |
| 1987 | 7.2 | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.7 | 0.9 | 1.7 |
| 1986 | 7.1 | * | * | * | * | 0.3 | 0.5 | 0.5 | 0.7 | 1.2 | 1.9 |
| 1985 | 6.7 | * | * | * | * | * | 0.4 | 0.6 | 0.8 | 1.0 | 2.1 |
| 1984 | 6.6 | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.6 | 1.2 | 2.3 |
| 1983 | 6.4 | * | * | * | * | 0.4 | 0.3 | 0.5 | 0.5 | 1.0 | 1.7 |
| 1982 | 6.2 | * | * | * | * | * | 0.6 | 0.4 | 0.7 | 1.1 | 1.7 |
| 1981 | 5.9 | * | * | * | * | 0.4 | 0.4 | 0.4 | 0.6 | 1.1 | 1.6 |
| 1980 | 5.8 | * | * | * | * | 0.2 | 0.3 | 0.6 | 0.7 | 1.2 | 1.7 |
| 1979 | 5.3 | * | * | * | * | 0.3 | 0.3 | 0.6 | 0.7 | 0.9 | 1.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Non-Hodgkin's lymphoma (200,202) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 3.9 | * | * | * | * | * | * | 1.1 | 1.3 | 2.1 | 2.9 |
| 1997 | 4.2 | * | * | * | * | * | 0.8 | 0.9 | 1.4 | 2.6 | 3.4 |
| 1996 | 4.0 | * | * | * | * | * | 0.6 | 1.2 | 1.9 | 2.2 | 3.3 |
| 1995 | 3.8 | * | * | * | * | * | * | 1.0 | 1.9 | 2.5 | 3.2 |
| 1994 | 3.7 | * | * | * | * | * | 0.7 | 0.9 | 1.7 | 2.0 | 2.9 |
| 1993 | 3.7 | * | * | * | * | * | 0.7 | 1.0 | 1.7 | 2.2 | 2.9 |
| 1992 | 3.7 | * | * | * | * | * | 0.8 | 1.2 | 1.7 | 2.8 | 3.1 |
| 1991 | 3.7 | * | * | * | * | * | * | 0.9 | 2.0 | 2.2 | 3.3 |
| 1990 | 3.5 | * | * | * | * | * | 0.7 | 0.9 | 1.6 | 2.0 | 3.1 |
| 1989 | 3.5 | * | * | * | * | * | 0.6 | 1.1 | 1.5 | 2.0 | 2.9 |
| 1988 | 3.3 | * | * | * | * | * | 0.6 | 0.7 | 1.5 | 1.8 | 2.7 |
| 1987 | 3.0 | * | * | * | * | * | 0.6 | 0.6 | 1.1 | 2.0 | 2.1 |
| 1986 | 3.2 | * | * | * | * | * | 0.6 | 0.9 | 1.1 | 2.0 | 2.5 |
| 1985 | 3.0 | * | * | * | * | * | 0.6 | 1.3 | 1.2 | 1.9 | 2.5 |
| 1984 | 2.8 | * | * | * | * | * | * | 0.8 | 1.3 | 1.5 | 2.7 |
| 1983 | 2.8 | * | * | * | * | * | 0.6 | 0.8 | 1.0 | 1.7 | 1.8 |
| 1982 | 2.7 | * | * | * | * | * | * | 0.9 | 1.1 | 1.5 | 1.8 |
| 1981 | 2.6 | * | * | * | * | 0.6 | * | 0.7 | 0.9 | 1.8 | 3.1 |
| 1980 | 2.7 | * | * | * | * | * | 0.7 | 0.7 | 0.9 | 1.9 | 1.4 |
| 1979 | 2.5 | * | * | * | * | * | * | 0.8 | 0.9 | 1.2 | 1.8 |
| Non-Hodgkin's lymphoma (200,202) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 4.4 | * | * | * | * | * | * | 1.3 | 1.6 | 2.7 | 4.1 |
| 1997 | 4.9 | * | * | * | * | * | 1.2 | 1.5 | 1.7 | 3.8 | 4.4 |
| 1996 | 4.7 | * | * | * | * | * | * | 1.3 | 2.9 | 3.0 | 4.7 |
| 1995 | 4.4 | * | * | * | * | * | * | 1.6 | 2.6 | 3.4 | 4.3 |
| 1994 | 4.1 | * | * | * | * | * | 1.1 | 1.3 | 2.5 | 2.6 | 4.5 |
| 1993 | 4.3 | * | * | * | * | * | * | 1.4 | 2.7 | 3.2 | 4.1 |
| 1992 | 4.3 | * | * | * | * | * | 1.1 | 1.6 | 2.6 | 4.3 | 4.0 |
| 1991 | 4.2 | * | * | * | * | * | * | 1.2 | 2.7 | 3.1 | 4.4 |
| 1990 | 4.1 | * | * | * | * | * | * | 1.1 | 2.5 | 2.8 | 4.3 |
| 1989 | 4.1 | * | * | * | * | * | * | 1.9 | 2.5 | 3.1 | 3.9 |
| 1988 | 3.9 | * | * | * | * | * | * | 1.1 | 1.7 | 2.9 | 4.0 |
| 1987 | 3.6 | * | * | * | * | * | * | * | 1.6 | 2.7 | 3.3 |
| 1986 | 3.9 | * | * | * | * | * | * | 1.2 | 1.5 | 3.1 | 3.7 |
| 1985 | 3.4 | * | * | * | * | * | * | 1.8 | 1.6 | 2.7 | 3.1 |
| 1984 | 3.1 | * | * | * | * | * | * | 1.3 | 1.8 | 1.8 | 4.0 |
| 1983 | 3.4 | * | * | * | * | * | * | * | 1.8 | 2.0 | 2.7 |
| 1982 | 3.2 | * | * | * | * | * | * | * | 1.7 | * | 2.8 |
| 1981 | 2.9 | * | * | * | * | * | * | * | * | 2.3 | 4.1 |
| 1980 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.9 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Non-Hodgkin's lymphoma (200,202) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 3.6 | * | * | * | * | * | * | * | 1.0 | 1.7 | 1.9 |
| 1997 | 3.5 | * | * | * | * | * | * | * | 1.1 | 1.6 | 2.4 |
| 1996 | 3.3 | * | * | * | * | * | * | 1.0 | * | 1.4 | 2.0 |
| 1995 | 3.3 | * | * | * | * | * | * | * | 1.3 | 1.7 | 2.3 |
| 1994 | 3.3 | * | * | * | * | * | * | * | 1.1 | 1.4 | 1.6 |
| 1993 | 3.1 | * | * | * | * | * | * | * | * | 1.3 | 1.8 |
| 1992 | 3.2 | * | * | * | * | * | * | * | * | 1.4 | 2.3 |
| 1991 | 3.3 | * | * | * | * | * | * | * | 1.4 | 1.3 | 2.3 |
| 1990 | 3.0 | * | * | * | * | * | * | * | * | 1.3 | 2.1 |
| 1989 | 2.9 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1988 | 2.7 | * | * | * | * | * | * | * | 1.2 | * | 1.6 |
| 1987 | 2.6 | * | * | * | * | * | * | * | * | 1.4 | * |
| 1986 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.7 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1984 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| Non-Hodgkin's lymphoma (200,202) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 4.3 | * | * | * | * | * | * | 1.4 | 1.3 | 2.6 | 3.4 |
| 1997 | 4.5 | * | * | * | * | * | 0.9 | 1.0 | 1.7 | 3.2 | 4.2 |
| 1996 | 4.4 | * | * | * | * | * | 0.8 | 1.3 | 2.2 | 2.6 | 4.1 |
| 1995 | 4.1 | * | * | * | * | * | * | 1.3 | 2.2 | 3.1 | 4.0 |
| 1994 | 3.9 | * | * | * | * | * | 0.7 | 1.0 | 2.0 | 2.3 | 3.3 |
| 1993 | 4.0 | * | * | * | * | * | * | 1.3 | 2.0 | 2.7 | 3.3 |
| 1992 | 4.0 | * | * | * | * | * | 0.9 | 1.4 | 2.0 | 3.4 | 3.9 |
| 1991 | 4.0 | * | * | * | * | * | * | 1.0 | 2.4 | 2.6 | 3.8 |
| 1990 | 3.8 | * | * | * | * | * | 0.9 | 1.0 | 2.1 | 2.2 | 3.8 |
| 1989 | 3.8 | * | * | * | * | * | * | 1.2 | 1.7 | 2.4 | 3.6 |
| 1988 | 3.5 | * | * | * | * | * | 0.7 | 0.9 | 1.8 | 2.2 | 2.9 |
| 1987 | 3.3 | * | * | * | * | * | * | 0.8 | 1.3 | 2.3 | 2.6 |
| 1986 | 3.5 | * | * | * | * | * | 0.7 | 1.1 | 1.3 | 2.4 | 2.9 |
| 1985 | 3.2 | * | * | * | * | * | * | 1.4 | 1.2 | 2.2 | 3.1 |
| 1984 | 3.0 | * | * | * | * | * | * | 1.0 | 1.6 | 1.7 | 3.2 |
| 1983 | 3.0 | * | * | * | * | * | * | 0.8 | 1.2 | 2.0 | 2.0 |
| 1982 | 2.9 | * | * | * | * | * | * | 1.1 | 1.3 | 1.7 | 1.9 |
| 1981 | 2.8 | * | * | * | * | * | * | * | 1.1 | 1.9 | 3.4 |
| 1980 | 2.8 | * | * | * | * | * | * | 0.9 | * | 1.9 | * |
| 1979 | 2.6 | * | * | * | * | * | * | * | * | * | 1.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Non-Hodgkin's Lymphoma (200,202) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 4.7 | * | * | * | * | * | * | 1.8 | 1.7 | 3.2 | 4.6 |
| 1997 | 5.3 | * | * | * | * | * | * | 1.5 | 1.9 | 4.8 | 5.9 |
| 1996 | 5.2 | * | * | * | * | * | * | * | 3.8 | 3.6 | 6.1 |
| 1995 | 4.9 | * | * | * | * | * | * | 2.1 | 3.0 | 4.4 | 5.3 |
| 1994 | 4.4 | * | * | * | * | * | * | 1.6 | 3.0 | 3.1 | 5.0 |
| 1993 | 4.7 | * | * | * | * | * | * | 1.7 | 3.1 | 4.1 | 4.7 |
| 1992 | 4.6 | * | * | * | * | * | * | 2.0 | 3.2 | 5.3 | 5.4 |
| 1991 | 4.5 | * | * | * | * | * | * | * | 3.3 | 3.7 | 5.4 |
| 1990 | 4.5 | * | * | * | * | * | * | * | 3.1 | 2.9 | 5.2 |
| 1989 | 4.5 | * | * | * | * | * | * | 2.2 | 2.9 | 3.9 | 4.9 |
| 1988 | 4.3 | * | * | * | * | * | * | * | 2.0 | 3.4 | 4.6 |
| 1987 | 3.9 | * | * | * | * | * | * | * | 2.0 | 3.1 | 4.5 |
| 1986 | 4.2 | * | * | * | * | * | * | * | 1.8 | 3.7 | 4.1 |
| 1985 | 3.6 | * | * | * | * | * | * | 2.0 | 1.8 | 3.1 | 3.7 |
| 1984 | 3.4 | * | * | * | * | * | * | 1.6 | 2.4 | * | 4.4 |
| 1983 | 3.7 | * | * | * | * | * | * | * | 2.0 | * | * |
| 1982 | 3.4 | * | * | * | * | * | * | * | 2.1 | * | * |
| 1981 | 3.1 | * | * | * | * | * | * | * | * | * | 4.4 |
| 1980 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| Non-Hodgkin's Lymphoma (200,202) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 3.8 | * | * | * | * | * | * | * | * | 2.0 | 2.2 |
| 1997 | 3.8 | * | * | * | * | * | * | * | 1.5 | 1.9 | 2.8 |
| 1996 | 3.7 | * | * | * | * | * | * | * | * | 1.7 | 2.5 |
| 1995 | 3.5 | * | * | * | * | * | * | * | 1.4 | 1.9 | 2.8 |
| 1994 | 3.5 | * | * | * | * | * | * | * | * | 1.6 | 1.9 |
| 1993 | 3.4 | * | * | * | * | * | * | * | * | 1.5 | 2.1 |
| 1992 | 3.4 | * | * | * | * | * | * | * | * | 1.7 | 2.7 |
| 1991 | 3.6 | * | * | * | * | * | * | * | 1.6 | 1.6 | 2.4 |
| 1990 | 3.2 | * | * | * | * | * | * | * | * | 1.6 | 2.6 |
| 1989 | 3.1 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1988 | 2.9 | * | * | * | * | * | * | * | 1.6 | * | * |
| 1987 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.9 | * | * | * | * | * | * | * | * | * | 2.5 |
| 1984 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Leukemia (204-208) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 7.4 | * | 0.8 | 0.7 | 0.9 | 1.1 | 1.3 | 1.1 | 1.3 | 1.7 | 2.5 |
| 1997 | 7.5 | 0.9 | 0.9 | 0.9 | 1.0 | 1.1 | 1.3 | 1.3 | 1.2 | 1.6 | 2.2 |
| 1996 | 7.6 | 0.9 | 1.0 | 0.8 | 1.0 | 1.1 | 1.3 | 1.2 | 1.5 | 1.5 | 2.2 |
| 1995 | 7.6 | 0.6 | 1.0 | 1.0 | 1.0 | 1.1 | 1.2 | 1.3 | 1.4 | 1.7 | 2.4 |
| 1994 | 7.5 | * | 1.1 | 0.9 | 1.0 | 1.4 | 1.4 | 1.5 | 1.4 | 1.6 | 2.4 |
| 1993 | 7.5 | 0.8 | 1.0 | 1.1 | 1.1 | 1.3 | 1.3 | 1.3 | 1.5 | 1.8 | 2.7 |
| 1992 | 7.5 | 0.9 | 1.1 | 1.2 | 1.2 | 1.3 | 1.3 | 1.4 | 1.7 | 1.9 | 2.3 |
| 1991 | 7.5 | 0.5 | 1.2 | 1.2 | 1.1 | 1.4 | 1.3 | 1.3 | 1.5 | 1.8 | 2.6 |
| 1990 | 7.5 | 0.6 | 1.1 | 1.0 | 1.1 | 1.5 | 1.4 | 1.4 | 1.6 | 2.1 | 2.6 |
| 1989 | 7.4 | 0.8 | 1.1 | 1.3 | 1.2 | 1.3 | 1.4 | 1.4 | 1.8 | 2.0 | 2.7 |
| 1988 | 7.2 | 0.6 | 1.3 | 1.3 | 1.1 | 1.4 | 1.3 | 1.2 | 1.4 | 2.2 | 2.9 |
| 1987 | 7.1 | 0.8 | 1.3 | 1.5 | 1.3 | 1.4 | 1.3 | 1.3 | 1.6 | 2.1 | 2.8 |
| 1986 | 7.2 | 0.7 | 1.4 | 1.4 | 1.3 | 1.5 | 1.4 | 1.4 | 1.7 | 2.1 | 2.9 |
| 1985 | 7.3 | 0.8 | 1.3 | 1.5 | 1.5 | 1.4 | 1.2 | 1.4 | 1.7 | 2.0 | 3.1 |
| 1984 | 7.2 | 0.9 | 1.2 | 1.4 | 1.4 | 1.5 | 1.5 | 1.4 | 1.6 | 2.4 | 3.1 |
| 1983 | 7.2 | 1.0 | 1.7 | 1.7 | 1.3 | 1.5 | 1.3 | 1.5 | 1.8 | 2.4 | 3.0 |
| 1982 | 7.2 | 0.9 | 1.5 | 1.9 | 1.4 | 1.8 | 1.5 | 1.4 | 1.9 | 2.6 | 2.9 |
| 1981 | 7.1 | * | 1.8 | 2.0 | 1.4 | 1.6 | 1.4 | 1.6 | 1.9 | 2.4 | 2.9 |
| 1980 | 7.3 | 0.9 | 1.5 | 2.1 | 1.7 | 1.9 | 1.6 | 1.8 | 1.9 | 2.6 | 3.2 |
| 1979 | 7.1 | 1.0 | 1.7 | 2.1 | 1.6 | 1.8 | 1.7 | 1.5 | 1.9 | 2.5 | 2.9 |
| Leukemia (204-208) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 8.3 | * | 0.7 | 0.8 | 1.0 | 1.3 | 1.5 | 1.4 | 1.4 | 2.1 | 2.9 |
| 1997 | 8.4 | * | 0.9 | 0.9 | 1.2 | 1.2 | 1.7 | 1.5 | 1.4 | 1.7 | 2.5 |
| 1996 | 8.5 | * | 1.1 | 1.0 | 1.0 | 1.3 | 1.5 | 1.4 | 1.8 | 1.8 | 2.5 |
| 1995 | 8.6 | * | 1.1 | 1.2 | 1.2 | 1.3 | 1.4 | 1.6 | 1.7 | 1.9 | 2.9 |
| 1994 | 8.4 | * | 1.1 | 1.0 | 1.0 | 1.7 | 1.8 | 1.9 | 1.8 | 1.9 | 2.5 |
| 1993 | 8.5 | 1.0 | 1.1 | 1.2 | 1.4 | 1.5 | 1.5 | 1.5 | 1.9 | 2.0 | 3.1 |
| 1992 | 8.5 | 1.0 | 1.2 | 1.4 | 1.4 | 1.5 | 1.6 | 1.6 | 2.0 | 2.1 | 2.9 |
| 1991 | 8.3 | * | 1.2 | 1.3 | 1.3 | 1.8 | 1.5 | 1.7 | 1.6 | 1.8 | 2.9 |
| 1990 | 8.4 | * | 1.2 | 1.2 | 1.5 | 1.9 | 1.5 | 1.8 | 1.9 | 2.3 | 2.7 |
| 1989 | 8.3 | * | 1.1 | 1.4 | 1.5 | 1.6 | 1.7 | 1.6 | 2.1 | 2.3 | 3.2 |
| 1988 | 8.2 | * | 1.3 | 1.6 | 1.4 | 1.8 | 1.6 | 1.5 | 1.8 | 2.6 | 3.5 |
| 1987 | 8.0 | * | 1.3 | 1.9 | 1.5 | 1.6 | 1.6 | 1.6 | 1.9 | 2.5 | 3.1 |
| 1986 | 8.2 | * | 1.5 | 1.7 | 1.3 | 1.8 | 2.0 | 1.7 | 1.9 | 2.2 | 3.5 |
| 1985 | 8.2 | * | 1.5 | 1.7 | 1.7 | 1.7 | 1.5 | 1.6 | 1.9 | 2.4 | 3.7 |
| 1984 | 8.1 | * | 1.3 | 1.7 | 1.7 | 1.9 | 1.7 | 1.6 | 1.9 | 2.9 | 3.6 |
| 1983 | 8.2 | * | 2.0 | 1.9 | 1.5 | 2.0 | 1.6 | 1.8 | 2.2 | 2.5 | 3.4 |
| 1982 | 8.2 | * | 1.5 | 2.3 | 1.7 | 2.2 | 1.7 | 1.6 | 1.9 | 3.1 | 3.4 |
| 1981 | 8.1 | * | 1.8 | 2.3 | 1.7 | 1.9 | 1.7 | 1.9 | 2.1 | 2.7 | 3.2 |
| 1980 | 8.4 | * | 1.6 | 2.6 | 2.0 | 2.2 | 2.0 | 2.2 | 2.1 | 2.9 | 3.7 |
| 1979 | 8.1 | * | 1.8 | 2.6 | 1.8 | 2.2 | 2.1 | 1.8 | 2.2 | 2.6 | 3.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Leukemia (204-208) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 6.5 | * | 0.8 | 0.5 | 0.8 | 0.8 | 1.1 | 0.9 | 1.2 | 1.3 | 2.1 |
| 1997 | 6.5 | * | 0.8 | 0.8 | 0.7 | 0.9 | 1.0 | 1.0 | 1.0 | 1.5 | 2.0 |
| 1996 | 6.7 | * | 0.8 | 0.7 | 0.9 | 0.8 | 1.1 | 1.0 | 1.3 | 1.3 | 2.0 |
| 1995 | 6.6 | * | 0.8 | 0.8 | 0.9 | 0.8 | 1.1 | 1.1 | 1.2 | 1.4 | 1.9 |
| 1994 | 6.6 | * | 1.1 | 0.8 | 0.9 | 1.0 | 0.9 | 1.1 | 1.0 | 1.3 | 2.2 |
| 1993 | 6.6 | * | 0.8 | 1.0 | 0.8 | 1.1 | 1.0 | 1.2 | 1.2 | 1.6 | 2.4 |
| 1992 | 6.6 | * | 1.1 | 0.9 | 0.9 | 1.0 | 1.1 | 1.2 | 1.4 | 1.7 | 1.8 |
| 1991 | 6.8 | * | 1.1 | 1.1 | 0.8 | 1.0 | 1.0 | 1.0 | 1.3 | 1.7 | 2.3 |
| 1990 | 6.6 | * | 1.1 | 0.9 | 0.8 | 1.2 | 1.2 | 1.1 | 1.4 | 2.0 | 2.4 |
| 1989 | 6.5 | 1.1 | 1.1 | 1.1 | 0.9 | 1.0 | 1.1 | 1.1 | 1.5 | 1.8 | 2.2 |
| 1988 | 6.3 | * | 1.3 | 0.9 | 0.9 | 1.0 | 1.0 | 1.0 | 1.1 | 1.9 | 2.4 |
| 1987 | 6.4 | * | 1.3 | 1.1 | 1.1 | 1.1 | 1.0 | 1.1 | 1.4 | 1.7 | 2.4 |
| 1986 | 6.3 | * | 1.2 | 1.1 | 1.3 | 1.1 | 0.9 | 1.1 | 1.6 | 1.9 | 2.4 |
| 1985 | 6.4 | * | 1.0 | 1.2 | 1.3 | 1.0 | 1.0 | 1.3 | 1.5 | 1.6 | 2.6 |
| 1984 | 6.4 | * | 1.2 | 1.2 | 1.1 | 1.1 | 1.3 | 1.2 | 1.4 | 2.0 | 2.7 |
| 1983 | 6.2 | 1.2 | 1.4 | 1.5 | 1.2 | 1.1 | 1.1 | 1.2 | 1.4 | 2.4 | 2.6 |
| 1982 | 6.3 | * | 1.4 | 1.5 | 1.2 | 1.4 | 1.4 | 1.3 | 1.8 | 2.1 | 2.3 |
| 1981 | 6.1 | * | 1.7 | 1.6 | 1.2 | 1.2 | 1.0 | 1.2 | 1.6 | 2.1 | 2.7 |
| 1980 | 6.3 | * | 1.3 | 1.5 | 1.3 | 1.5 | 1.2 | 1.5 | 1.8 | 2.4 | 2.9 |
| 1979 | 6.1 | * | 1.5 | 1.7 | 1.4 | 1.3 | 1.3 | 1.1 | 1.6 | 2.3 | 2.7 |
| Leukemia (204-208) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 8.0 | * | 0.8 | 0.7 | 0.9 | 1.1 | 1.4 | 1.1 | 1.3 | 1.6 | 2.5 |
| 1997 | 8.1 | 0.9 | 0.9 | 0.9 | 1.0 | 1.2 | 1.4 | 1.2 | 1.2 | 1.5 | 2.2 |
| 1996 | 8.2 | 0.9 | 1.0 | 0.8 | 1.0 | 1.1 | 1.3 | 1.2 | 1.5 | 1.5 | 2.2 |
| 1995 | 8.2 | * | 0.9 | 1.1 | 0.9 | 1.0 | 1.3 | 1.4 | 1.3 | 1.7 | 2.5 |
| 1994 | 8.1 | * | 1.0 | 1.0 | 1.0 | 1.4 | 1.4 | 1.5 | 1.4 | 1.6 | 2.4 |
| 1993 | 8.1 | 0.8 | 1.0 | 1.2 | 1.2 | 1.3 | 1.2 | 1.3 | 1.5 | 1.8 | 2.7 |
| 1992 | 8.1 | 1.1 | 1.2 | 1.2 | 1.2 | 1.3 | 1.3 | 1.3 | 1.7 | 1.9 | 2.3 |
| 1991 | 8.1 | * | 1.2 | 1.3 | 1.1 | 1.4 | 1.3 | 1.3 | 1.5 | 1.7 | 2.5 |
| 1990 | 8.0 | * | 1.2 | 1.0 | 1.2 | 1.5 | 1.4 | 1.4 | 1.6 | 2.0 | 2.5 |
| 1989 | 7.9 | 1.0 | 1.1 | 1.3 | 1.2 | 1.3 | 1.4 | 1.4 | 1.8 | 2.0 | 2.7 |
| 1988 | 7.7 | * | 1.3 | 1.3 | 1.2 | 1.5 | 1.3 | 1.2 | 1.5 | 2.2 | 2.9 |
| 1987 | 7.6 | 0.9 | 1.4 | 1.6 | 1.4 | 1.3 | 1.3 | 1.3 | 1.6 | 2.0 | 2.8 |
| 1986 | 7.7 | * | 1.4 | 1.4 | 1.3 | 1.5 | 1.5 | 1.4 | 1.8 | 2.0 | 3.0 |
| 1985 | 7.8 | 0.9 | 1.3 | 1.6 | 1.4 | 1.5 | 1.3 | 1.4 | 1.7 | 2.0 | 3.2 |
| 1984 | 7.7 | 0.9 | 1.3 | 1.5 | 1.4 | 1.6 | 1.5 | 1.4 | 1.7 | 2.3 | 3.1 |
| 1983 | 7.6 | 1.1 | 1.8 | 1.8 | 1.4 | 1.6 | 1.3 | 1.5 | 1.7 | 2.4 | 3.0 |
| 1982 | 7.7 | 0.9 | 1.5 | 2.1 | 1.4 | 1.8 | 1.5 | 1.4 | 1.9 | 2.6 | 2.8 |
| 1981 | 7.5 | * | 1.8 | 2.0 | 1.5 | 1.6 | 1.4 | 1.5 | 1.8 | 2.3 | 2.8 |
| 1980 | 7.7 | 0.9 | 1.5 | 2.3 | 1.7 | 1.8 | 1.6 | 1.9 | 1.9 | 2.6 | 3.3 |
| 1979 | 7.5 | 1.0 | 1.7 | 2.3 | 1.7 | 1.8 | 1.7 | 1.4 | 2.0 | 2.3 | 2.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Leukemia (204-208) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 9.0 | * | 0.7 | 0.9 | 1.1 | 1.4 | 1.7 | 1.3 | 1.3 | 1.8 | 2.9 |
| 1997 | 9.2 | * | 0.9 | 0.9 | 1.3 | 1.3 | 1.7 | 1.4 | 1.4 | 1.7 | 2.3 |
| 1996 | 9.2 | * | 1.2 | 1.0 | 1.1 | 1.3 | 1.5 | 1.4 | 1.8 | 1.7 | 2.4 |
| 1995 | 9.4 | * | 1.1 | 1.3 | 1.1 | 1.3 | 1.5 | 1.6 | 1.5 | 1.9 | 3.0 |
| 1994 | 9.1 | * | 1.1 | 1.1 | 1.1 | 1.7 | 1.9 | 1.9 | 1.8 | 1.8 | 2.6 |
| 1993 | 9.1 | * | 1.2 | 1.2 | 1.5 | 1.5 | 1.4 | 1.4 | 1.7 | 2.0 | 3.0 |
| 1992 | 9.1 | * | 1.3 | 1.5 | 1.4 | 1.6 | 1.6 | 1.4 | 2.0 | 2.2 | 2.8 |
| 1991 | 8.8 | * | 1.1 | 1.4 | 1.4 | 1.8 | 1.6 | 1.7 | 1.6 | 1.7 | 2.7 |
| 1990 | 9.0 | * | 1.3 | 1.2 | 1.5 | 2.0 | 1.6 | 1.7 | 1.9 | 2.1 | 2.7 |
| 1989 | 8.9 | * | 1.2 | 1.5 | 1.5 | 1.5 | 1.7 | 1.7 | 2.1 | 2.2 | 3.1 |
| 1988 | 8.7 | * | 1.3 | 1.7 | 1.5 | 1.9 | 1.6 | 1.5 | 1.8 | 2.5 | 3.4 |
| 1987 | 8.5 | * | 1.4 | 1.9 | 1.6 | 1.4 | 1.7 | 1.5 | 1.8 | 2.5 | 3.1 |
| 1986 | 8.7 | * | 1.7 | 1.7 | 1.4 | 1.9 | 2.0 | 1.7 | 1.9 | 2.1 | 3.4 |
| 1985 | 8.7 | * | 1.5 | 1.8 | 1.6 | 1.9 | 1.5 | 1.5 | 2.0 | 2.5 | 3.6 |
| 1984 | 8.6 | * | 1.3 | 1.7 | 1.8 | 1.9 | 1.7 | 1.5 | 2.0 | 2.7 | 3.7 |
| 1983 | 8.7 | * | 2.1 | 2.0 | 1.5 | 2.1 | 1.6 | 1.8 | 2.1 | 2.5 | 3.3 |
| 1982 | 8.7 | * | 1.6 | 2.4 | 1.7 | 2.2 | 1.7 | 1.6 | 1.9 | 3.1 | 3.4 |
| 1981 | 8.6 | * | 1.8 | 2.4 | 1.7 | 2.0 | 1.8 | 1.9 | 2.0 | 2.6 | 3.1 |
| 1980 | 8.8 | * | 1.6 | 3.0 | 2.1 | 2.1 | 1.9 | 2.2 | 2.0 | 2.9 | 3.7 |
| 1979 | 8.6 | * | 1.9 | 2.8 | 1.9 | 2.2 | 2.2 | 1.7 | 2.3 | 2.5 | 3.1 |
| Leukemia (204-208) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 7.1 | * | 0.9 | 0.6 | 0.8 | 0.8 | 1.2 | 0.8 | 1.2 | 1.3 | 2.1 |
| 1997 | 7.1 | * | 0.8 | 0.8 | 0.8 | 1.0 | 1.0 | 0.9 | 1.0 | 1.4 | 2.0 |
| 1996 | 7.2 | * | 0.9 | 0.7 | 0.8 | 0.8 | 1.0 | 1.0 | 1.2 | 1.3 | 2.0 |
| 1995 | 7.1 | * | 0.7 | 0.8 | 0.8 | 0.8 | 1.0 | 1.1 | 1.1 | 1.4 | 2.0 |
| 1994 | 7.1 | * | 1.0 | 0.9 | 0.9 | 1.0 | 0.9 | 1.1 | 1.0 | 1.3 | 2.2 |
| 1993 | 7.1 | * | 0.8 | 1.1 | 0.8 | 1.2 | 0.9 | 1.1 | 1.2 | 1.6 | 2.3 |
| 1992 | 7.2 | * | 1.1 | 1.0 | 0.9 | 1.1 | 1.0 | 1.1 | 1.4 | 1.7 | 1.8 |
| 1991 | 7.3 | * | 1.2 | 1.1 | 0.8 | 1.0 | 1.0 | 1.0 | 1.4 | 1.7 | 2.2 |
| 1990 | 7.1 | * | 1.1 | 0.9 | 0.8 | 1.1 | 1.2 | 1.0 | 1.3 | 2.0 | 2.4 |
| 1989 | 7.0 | 1.3 | 0.9 | 1.1 | 1.0 | 1.0 | 1.1 | 1.1 | 1.5 | 1.8 | 2.2 |
| 1988 | 6.7 | * | 1.3 | 0.9 | 0.9 | 1.0 | 1.0 | 1.0 | 1.1 | 1.9 | 2.3 |
| 1987 | 6.8 | * | 1.3 | 1.2 | 1.2 | 1.1 | 0.9 | 1.0 | 1.4 | 1.6 | 2.4 |
| 1986 | 6.8 | * | 1.2 | 1.1 | 1.3 | 1.1 | 0.9 | 1.1 | 1.6 | 1.9 | 2.5 |
| 1985 | 6.9 | * | 1.1 | 1.3 | 1.3 | 1.1 | 1.0 | 1.3 | 1.5 | 1.6 | 2.7 |
| 1984 | 6.9 | * | 1.2 | 1.3 | 1.0 | 1.2 | 1.3 | 1.2 | 1.4 | 1.9 | 2.5 |
| 1983 | 6.6 | * | 1.4 | 1.5 | 1.3 | 1.2 | 1.1 | 1.2 | 1.3 | 2.3 | 2.6 |
| 1982 | 6.7 | * | 1.3 | 1.6 | 1.2 | 1.4 | 1.3 | 1.3 | 1.8 | 2.1 | 2.2 |
| 1981 | 6.5 | * | 1.7 | 1.6 | 1.2 | 1.3 | 1.0 | 1.1 | 1.7 | 2.0 | 2.6 |
| 1980 | 6.7 | * | 1.3 | 1.6 | 1.4 | 1.5 | 1.2 | 1.5 | 1.7 | 2.4 | 2.8 |
| 1979 | 6.5 | * | 1.5 | 1.8 | 1.5 | 1.4 | 1.2 | 1.1 | 1.7 | 2.2 | 2.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Leukemia (204-208) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 4.3 | * | 0.7 | 0.6 | 0.9 | 0.8 | 0.8 | 1.3 | 1.4 | 2.1 | 2.6 |
| 1997 | 4.2 | * | 0.9 | 0.8 | 0.7 | 0.8 | 1.2 | 1.7 | 1.3 | 1.9 | 2.6 |
| 1996 | 4.5 | * | 0.7 | 0.7 | 1.0 | 1.0 | 1.3 | 1.1 | 1.7 | 1.7 | 2.4 |
| 1995 | 4.4 | * | 1.2 | 0.8 | 1.5 | 1.2 | 1.1 | 1.3 | 2.1 | 1.6 | 1.9 |
| 1994 | 4.4 | * | 1.1 | 0.8 | 0.8 | 1.4 | 1.1 | 1.6 | 1.4 | 1.9 | 2.3 |
| 1993 | 4.6 | * | 0.9 | 1.0 | 0.8 | 1.2 | 1.7 | 1.6 | 2.0 | 1.9 | 3.0 |
| 1992 | 4.4 | * | 0.8 | 0.8 | 1.0 | 1.2 | 1.5 | 1.8 | 1.5 | 1.9 | 2.6 |
| 1991 | 4.5 | * | 1.1 | 1.0 | 0.9 | 1.3 | 1.1 | 1.4 | 1.3 | 2.0 | 3.0 |
| 1990 | 4.6 | * | 0.9 | 1.0 | 1.0 | 1.5 | 1.0 | 1.7 | 1.8 | 2.5 | 2.9 |
| 1989 | 4.6 | * | 1.2 | 1.0 | 1.2 | 1.4 | 1.3 | 1.1 | 1.9 | 2.3 | 3.0 |
| 1988 | 4.5 | * | 1.2 | 1.1 | 1.0 | 1.1 | 1.4 | 1.4 | 1.4 | 2.6 | 3.2 |
| 1987 | 4.6 | * | 1.3 | 1.1 | 1.0 | 1.8 | 1.2 | 1.6 | 1.6 | 2.5 | 2.6 |
| 1986 | 4.5 | * | 1.0 | 1.2 | 1.0 | 1.2 | 1.2 | 1.6 | 1.7 | 2.5 | 2.9 |
| 1985 | 4.5 | * | 1.2 | 1.2 | 1.6 | 1.0 | 1.2 | 1.5 | 1.4 | 1.9 | 3.1 |
| 1984 | 4.6 | * | 1.1 | 1.1 | 1.4 | 1.4 | 1.6 | 1.2 | 1.4 | 3.0 | 3.5 |
| 1983 | 4.6 | * | 1.4 | 1.3 | 1.1 | 1.0 | 1.2 | 1.4 | 2.2 | 2.7 | 3.4 |
| 1982 | 4.6 | * | 1.6 | 1.3 | 1.5 | 1.6 | 1.6 | 1.3 | 1.8 | 2.5 | 3.2 |
| 1981 | 4.5 | * | 1.7 | 1.7 | 1.3 | 1.3 | 1.0 | 1.7 | 1.9 | 3.0 | 3.6 |
| 1980 | 4.6 | * | 1.3 | 1.1 | 1.3 | 2.0 | 1.7 | 1.6 | 2.2 | 2.7 | 3.2 |
| 1979 | 4.5 | * | 1.6 | 1.1 | 1.3 | 1.6 | 1.5 | 1.7 | 1.5 | 3.3 | 3.0 |
| Leukemia (204-208) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 4.8 | * | * | * | 1.0 | 0.9 | * | 1.5 | 1.8 | 3.2 | 3.0 |
| 1997 | 4.8 | * | * | * | 1.0 | * | 1.7 | 2.2 | 1.4 | 2.0 | 3.1 |
| 1996 | 5.0 | * | * | 0.9 | * | 1.3 | 1.4 | 1.4 | 1.8 | 1.9 | 2.6 |
| 1995 | 5.0 | * | 1.1 | * | 1.5 | 1.5 | * | 1.3 | 2.5 | 1.8 | 2.1 |
| 1994 | 5.0 | * | * | * | * | 1.7 | 1.3 | 2.1 | 1.9 | 2.5 | 2.4 |
| 1993 | 5.2 | * | * | 1.0 | 1.1 | 1.6 | 1.8 | 1.7 | 2.9 | 2.1 | 3.8 |
| 1992 | 5.0 | * | * | 1.2 | 1.2 | 1.5 | 1.6 | 2.1 | 1.9 | 2.1 | 3.3 |
| 1991 | 5.2 | * | 1.4 | * | * | 1.8 | 1.3 | 1.8 | 1.7 | 2.3 | 3.7 |
| 1990 | 5.3 | * | * | 1.2 | 1.3 | 1.6 | * | 2.0 | 1.7 | 3.2 | 3.1 |
| 1989 | 5.5 | * | * | 1.1 | 1.6 | 1.8 | 1.6 | 1.3 | 2.4 | 2.6 | 4.0 |
| 1988 | 5.1 | * | * | 1.3 | * | 1.3 | 1.6 | 1.7 | 1.6 | 3.5 | 4.0 |
| 1987 | 5.1 | * | * | 1.5 | * | 2.1 | 1.2 | 1.6 | 2.1 | 2.8 | 3.1 |
| 1986 | 5.0 | * | * | 1.5 | * | 1.6 | 1.7 | 1.7 | 2.1 | 2.7 | 3.7 |
| 1985 | 5.2 | * | 1.8 | 1.4 | 2.0 | * | 1.4 | 1.8 | 1.4 | 1.7 | 4.0 |
| 1984 | 5.2 | * | * | 1.4 | 1.5 | 1.7 | 2.0 | 1.6 | 1.5 | 3.7 | 3.1 |
| 1983 | 5.2 | * | 1.6 | 1.3 | 1.3 | 1.4 | 1.7 | 1.7 | 2.6 | 2.2 | 4.2 |
| 1982 | 5.3 | * | * | 1.6 | 1.7 | 2.1 | 1.8 | 1.3 | 1.7 | 2.6 | 3.4 |
| 1981 | 5.1 | * | 1.6 | 2.0 | 1.8 | 1.6 | 1.2 | 1.8 | 2.4 | 3.6 | 3.8 |
| 1980 | 5.3 | * | * | * | 1.5 | 2.5 | 2.1 | 1.9 | 2.3 | 3.0 | 3.1 |
| 1979 | 5.2 | * | * | * | 1.5 | 2.1 | 1.5 | 2.3 | * | 3.9 | 3.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Leukemia (204-208) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 3.8 | * | * | * | * | * | * | 1.2 | 1.0 | 1.2 | 2.2 |
| 1997 | 3.7 | * | * | * | * | * | * | 1.1 | 1.2 | 1.8 | 2.2 |
| 1996 | 4.0 | * | * | * | 1.1 | * | 1.2 | * | 1.5 | 1.5 | 2.2 |
| 1995 | 4.0 | * | 1.2 | * | 1.4 | * | 1.2 | 1.3 | 1.7 | 1.5 | 1.8 |
| 1994 | 3.8 | * | 1.2 | * | * | 1.1 | * | 1.1 | * | 1.4 | 2.3 |
| 1993 | 4.1 | * | * | * | * | * | 1.5 | 1.4 | 1.1 | 1.6 | 2.4 |
| 1992 | 3.8 | * | * | * | * | * | 1.3 | 1.6 | 1.2 | 1.7 | 2.0 |
| 1991 | 3.9 | * | * | * | * | * | * | * | 1.0 | 1.8 | 2.3 |
| 1990 | 4.1 | * | * | * | * | 1.4 | * | 1.5 | 1.8 | 1.9 | 2.7 |
| 1989 | 3.8 | * | 1.6 | * | * | * | * | * | 1.4 | 2.0 | 2.1 |
| 1988 | 3.9 | * | 1.5 | * | * | * | 1.1 | 1.2 | 1.1 | 1.8 | 2.5 |
| 1987 | 4.1 | * | 1.5 | * | * | 1.5 | 1.2 | 1.5 | * | 2.3 | 2.2 |
| 1986 | 4.0 | * | * | * | * | * | * | 1.5 | 1.3 | 2.4 | 2.2 |
| 1985 | 3.8 | * | * | * | * | * | * | 1.3 | 1.4 | 2.1 | 2.3 |
| 1984 | 4.0 | * | * | * | 1.3 | * | 1.2 | * | 1.3 | 2.4 | 3.8 |
| 1983 | 4.1 | * | * | 1.4 | * | * | * | 1.2 | 1.9 | 3.0 | 2.6 |
| 1982 | 4.0 | * | 1.8 | * | * | 1.2 | 1.5 | 1.3 | 1.8 | 2.3 | 2.9 |
| 1981 | 4.0 | * | 1.8 | * | * | * | * | 1.6 | 1.5 | 2.4 | 3.4 |
| 1980 | 3.9 | * | * | * | * | 1.4 | 1.4 | 1.3 | 2.1 | 2.4 | 3.3 |
| 1979 | 3.9 | * | * | * | * | 1.2 | 1.5 | * | * | 2.9 | 2.5 |
| Leukemia (204-208) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 4.9 | * | * | 0.6 | 0.8 | 0.8 | 1.0 | 1.5 | 1.7 | 2.5 | 2.9 |
| 1997 | 4.8 | * | 0.9 | 0.7 | 0.7 | 0.9 | 1.4 | 1.8 | 1.5 | 2.2 | 2.6 |
| 1996 | 5.1 | * | * | 0.8 | 0.9 | 1.1 | 1.3 | 1.3 | 1.9 | 1.7 | 2.6 |
| 1995 | 5.0 | * | 1.2 | 0.7 | 1.3 | 1.3 | 1.1 | 1.2 | 2.3 | 1.8 | 2.0 |
| 1994 | 4.9 | * | 1.1 | 0.7 | 0.8 | 1.6 | 1.2 | 1.7 | 1.2 | 2.0 | 2.6 |
| 1993 | 5.2 | * | * | 1.0 | 0.8 | 1.3 | 1.8 | 1.7 | 2.0 | 2.2 | 3.2 |
| 1992 | 5.0 | * | * | 0.8 | 0.9 | 1.1 | 1.5 | 2.0 | 1.6 | 2.2 | 3.0 |
| 1991 | 5.1 | * | 1.1 | 0.9 | 1.0 | 1.3 | 1.1 | 1.5 | 1.4 | 2.1 | 3.3 |
| 1990 | 5.2 | * | * | 0.9 | 1.0 | 1.5 | 1.0 | 1.8 | 1.8 | 2.7 | 2.8 |
| 1989 | 5.1 | * | 1.0 | 0.8 | 1.2 | 1.6 | 1.5 | 1.1 | 1.8 | 2.2 | 3.4 |
| 1988 | 5.0 | * | 1.1 | 0.9 | 0.8 | 1.1 | 1.5 | 1.7 | 1.5 | 2.5 | 3.6 |
| 1987 | 5.0 | * | 1.0 | 1.2 | 0.9 | 1.8 | 1.2 | 1.5 | 1.7 | 2.8 | 2.5 |
| 1986 | 5.0 | * | 1.1 | 1.2 | 1.0 | 1.2 | 1.4 | 1.7 | 1.8 | 2.7 | 3.0 |
| 1985 | 4.9 | * | 0.9 | 1.2 | 1.6 | 0.8 | 1.2 | 1.5 | 1.3 | 2.1 | 3.7 |
| 1984 | 5.0 | * | 1.1 | 1.2 | 1.5 | 1.5 | 1.6 | 1.5 | 1.6 | 3.1 | 4.1 |
| 1983 | 5.0 | * | 1.3 | 1.4 | 1.1 | 0.9 | 1.3 | 1.6 | 2.4 | 2.9 | 3.4 |
| 1982 | 5.0 | * | 1.6 | 1.5 | 1.5 | 1.5 | 1.7 | 1.3 | 2.0 | 2.9 | 3.4 |
| 1981 | 4.9 | * | 1.8 | 1.8 | 1.3 | 1.3 | 1.0 | 1.8 | 2.1 | 3.1 | 3.6 |
| 1980 | 4.9 | * | 1.4 | 1.2 | 1.3 | 1.9 | 1.8 | 1.8 | 2.5 | 2.5 | 3.6 |
| 1979 | 4.8 | * | 1.5 | 1.1 | 1.3 | 1.6 | 1.7 | 1.6 | 1.4 | 3.2 | 3.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Leukemia (204-208) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 5.5 | * | * | * | * | * | * | 2.0 | 2.4 | 3.8 | 3.4 |
| 1997 | 5.4 | * | * | * | * | * | 2.0 | 2.3 | 1.9 | 2.5 | 3.6 |
| 1996 | 5.7 | * | * | * | * | * | * | 1.6 | 2.4 | 2.1 | 2.9 |
| 1995 | 5.7 | * | * | * | * | 1.5 | * | * | 2.8 | 2.2 | 2.3 |
| 1994 | 5.6 | * | * | * | * | 2.0 | 1.5 | 2.3 | 1.8 | 2.5 | 2.8 |
| 1993 | 5.9 | * | * | * | * | 1.7 | 2.2 | 1.9 | 2.9 | 2.5 | 3.9 |
| 1992 | 5.5 | * | * | * | * | * | 1.7 | 2.2 | 2.0 | 2.6 | 3.8 |
| 1991 | 5.9 | * | * | * | * | 1.7 | * | 2.2 | 1.9 | 2.2 | 4.3 |
| 1990 | 5.9 | * | * | * | * | 1.5 | * | 1.9 | 2.0 | 3.5 | 2.8 |
| 1989 | 6.1 | * | * | * | 1.8 | 1.9 | 2.0 | * | 2.2 | 2.5 | 4.4 |
| 1988 | 5.7 | * | * | * | * | 1.7 | 1.7 | 2.1 | 1.9 | 3.6 | 4.7 |
| 1987 | 5.6 | * | * | * | * | 2.0 | * | 1.7 | 2.5 | 3.2 | * |
| 1986 | 5.6 | * | * | 1.6 | * | 1.6 | 2.0 | 1.8 | 2.4 | 3.0 | 3.5 |
| 1985 | 5.7 | * | * | * | 1.9 | * | 1.5 | 1.7 | * | * | 5.1 |
| 1984 | 5.7 | * | * | * | 1.7 | 1.7 | 2.0 | 1.8 | * | 4.2 | 4.0 |
| 1983 | 5.6 | * | * | * | * | * | 1.8 | 1.9 | 2.9 | * | 4.4 |
| 1982 | 5.7 | * | * | 1.8 | 1.8 | 2.1 | 2.1 | * | * | 2.9 | 3.8 |
| 1981 | 5.5 | * | * | 2.2 | 1.8 | 1.7 | * | 1.9 | 2.6 | 3.9 | 4.1 |
| 1980 | 5.7 | * | * | * | 1.5 | 2.4 | 2.3 | 2.2 | 2.7 | * | 3.7 |
| 1979 | 5.4 | * | * | * | * | 2.0 | 1.7 | 2.2 | * | 3.9 | 3.9 |
| Leukemia (204-208) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 4.4 | * | * | * | * | * | * | * | * | 1.4 | 2.4 |
| 1997 | 4.2 | * | * | * | * | * | * | 1.4 | * | 2.0 | 1.7 |
| 1996 | 4.6 | * | * | * | * | * | * | * | 1.4 | 1.4 | 2.3 |
| 1995 | 4.4 | * | * | * | 1.4 | * | * | * | 1.8 | 1.5 | 1.7 |
| 1994 | 4.3 | * | * | * | * | * | * | * | * | 1.6 | 2.4 |
| 1993 | 4.5 | * | * | * | * | * | 1.4 | 1.5 | * | 1.9 | 2.7 |
| 1992 | 4.4 | * | * | * | * | * | * | 1.9 | * | 2.0 | 2.3 |
| 1991 | 4.5 | * | * | * | * | * | * | * | * | 2.0 | 2.3 |
| 1990 | 4.6 | * | * | * | * | 1.5 | * | 1.6 | 1.7 | 2.0 | 2.9 |
| 1989 | 4.2 | * | * | * | * | * | * | * | 1.4 | 1.9 | 2.5 |
| 1988 | 4.3 | * | * | * | * | * | * | 1.4 | * | * | 2.8 |
| 1987 | 4.5 | * | * | * | * | 1.5 | * | 1.4 | * | 2.4 | 2.3 |
| 1986 | 4.5 | * | * | * | * | * | * | 1.6 | * | 2.4 | 2.6 |
| 1985 | 4.2 | * | * | * | * | * | * | * | * | 2.1 | 2.5 |
| 1984 | 4.4 | * | * | * | * | * | * | * | * | 2.3 | 4.2 |
| 1983 | 4.4 | * | * | * | * | * | * | * | 2.0 | 3.3 | * |
| 1982 | 4.4 | * | * | * | * | * | * | * | 2.2 | 2.9 | 3.1 |
| 1981 | 4.4 | * | * | * | * | * | * | 1.8 | * | 2.4 | 3.2 |
| 1980 | 4.2 | * | * | * | * | 1.3 | * | * | 2.3 | * | 3.5 |
| 1979 | 4.2 | * | * | * | * | * | 1.6 | * | * | 2.7 | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Multiple myeloma and immunoproliferative neoplasms (203) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 3.8 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1997 | 3.8 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1996 | 3.8 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1995 | 3.9 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1994 | 3.8 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1993 | 3.8 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1992 | 3.6 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1991 | 3.7 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1990 | 3.6 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1989 | 3.5 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1988 | 3.4 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1987 | 3.4 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1986 | 3.3 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1985 | 3.3 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1984 | 3.2 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1983 | 3.1 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1982 | 3.0 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1981 | 2.9 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1980 | 2.9 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1979 | 2.9 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| Multiple myeloma and immunoproliferative neoplasms (203) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 3.9 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1997 | 4.0 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1996 | 4.0 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1995 | 4.0 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1994 | 4.0 | * | * | * | * | * | * | * | * | 0.2 | 0.8 |
| 1993 | 3.9 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1992 | 3.7 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1991 | 3.8 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1990 | 3.8 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1989 | 3.6 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1988 | 3.6 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1987 | 3.5 | * | * | * | * | * | * | * | * | 0.2 | 0.8 |
| 1986 | 3.5 | * | * | * | * | * | * | * | * | 0.2 | 0.8 |
| 1985 | 3.4 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1984 | 3.3 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1983 | 3.3 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1982 | 3.2 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1981 | 3.0 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1980 | 3.1 | * | * | * | * | * | * | * | * | * | 0.9 |
| 1979 | 3.1 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Multiple myeloma and immunoproliferative neoplasms (203) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 3.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1997 | 3.6 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1996 | 3.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1995 | 3.7 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1994 | 3.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1993 | 3.7 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1992 | 3.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1991 | 3.6 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1990 | 3.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1989 | 3.4 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1988 | 3.3 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1987 | 3.2 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1986 | 3.2 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1985 | 3.2 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1984 | 3.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1983 | 3.0 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1982 | 2.9 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1981 | 2.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1980 | 2.8 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1979 | 2.7 | * | * | * | * | * | * | * | * | * | 0.5 |
| Multiple myeloma and immunoproliferative neoplasms (203) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 3.7 | * | * | * | * | * | * | * | * | 0.1 | 0.5 |
| 1997 | 3.8 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1996 | 3.8 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1995 | 3.8 | * | * | * | * | * | * | * | * | 0.1 | 0.5 |
| 1994 | 3.8 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1993 | 3.8 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1992 | 3.6 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1991 | 3.6 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1990 | 3.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1989 | 3.4 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1988 | 3.3 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1987 | 3.3 | * | * | * | * | * | * | * | * | 0.1 | 0.6 |
| 1986 | 3.2 | * | * | * | * | * | * | * | * | 0.1 | 0.5 |
| 1985 | 3.2 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1984 | 3.1 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1983 | 3.0 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1982 | 2.9 | * | * | * | * | * | * | * | * | 0.1 | 0.5 |
| 1981 | 2.8 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1980 | 2.8 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1979 | 2.8 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Multiple myeloma and immunoproliferative neoplasms (203) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 3.9 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1997 | 4.0 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1996 | 4.0 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1995 | 4.0 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1994 | 4.0 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1993 | 3.9 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1992 | 3.7 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1991 | 3.7 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1990 | 3.7 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1989 | 3.5 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1988 | 3.5 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1987 | 3.5 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1986 | 3.3 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1985 | 3.3 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1984 | 3.1 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1983 | 3.1 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1982 | 3.0 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1981 | 2.9 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1980 | 3.0 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1979 | 3.0 | * | * | * | * | * | * | * | * | * | 0.7 |
| Multiple myeloma and immunoproliferative neoplasms (203) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 3.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1997 | 3.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1996 | 3.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1995 | 3.7 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1994 | 3.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1993 | 3.7 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1992 | 3.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1991 | 3.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1990 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.3 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1988 | 3.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1987 | 3.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1986 | 3.1 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1985 | 3.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1984 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.9 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1982 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.7 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1979 | 2.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Multiple myeloma and immunoproliferative neoplasms (203) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 4.0 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1997 | 3.9 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1996 | 4.0 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1995 | 4.1 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1994 | 3.9 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1993 | 4.0 | * | * | * | * | * | * | * | * | * | 0.9 |
| 1992 | 3.9 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1991 | 4.1 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1990 | 3.9 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1989 | 3.8 | * | * | * | * | * | * | * | * | * | 0.9 |
| 1988 | 3.7 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1987 | 3.8 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1986 | 3.9 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1985 | 3.8 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1984 | 3.6 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1983 | 3.8 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1982 | 3.6 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1981 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.5 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1979 | 3.4 | * | * | * | * | * | * | * | * | * | 1.5 |
| Multiple myeloma and immunoproliferative neoplasms (203) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 3.9 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1996 | 4.1 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1995 | 4.0 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1994 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 4.2 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1990 | 4.2 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1989 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Multiple myeloma and immunoproliferative neoplasms (203) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 4.0 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1997 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| Multiple myeloma and immunoproliferative neoplasms (203) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 5.1 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1997 | 4.9 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1996 | 5.0 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1995 | 5.1 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1994 | 5.0 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1993 | 5.0 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1992 | 4.8 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1991 | 5.0 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1990 | 4.8 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1989 | 4.6 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1988 | 4.5 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1987 | 4.6 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1986 | 4.7 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1985 | 4.5 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1984 | 4.3 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1983 | 4.4 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1982 | 4.3 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1981 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 4.0 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1979 | 3.8 | * | * | * | * | * | * | * | * | * | 1.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Multiple myeloma and immunoproliferative neoplasms (203) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 4.9 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1996 | 5.1 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1995 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 5.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 5.2 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1990 | 5.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 4.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 4.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 4.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 4.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 4.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| Multiple myeloma and immunoproliferative neoplasms (203) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 5.1 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1997 | 4.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 4.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 5.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 4.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 5.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 4.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 4.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 4.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 4.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 20.2 | 0.6 | 0.7 | 0.6 | 0.6 | 1.2 | 1.4 | 1.5 | 2.1 | 3.3 | 5.9 |
| 1997 | 20.6 | * | 0.8 | 0.7 | 0.5 | 1.2 | 1.5 | 1.6 | 2.2 | 3.3 | 5.7 |
| 1996 | 21.2 | * | 0.6 | 0.6 | 0.6 | 1.2 | 1.3 | 1.6 | 2.2 | 3.5 | 5.9 |
| 1995 | 21.5 | * | 0.9 | 0.5 | 0.6 | 1.2 | 1.5 | 1.7 | 2.2 | 3.7 | 6.1 |
| 1994 | 21.7 | * | 1.0 | 0.6 | 0.6 | 1.2 | 1.5 | 1.8 | 2.4 | 3.7 | 6.4 |
| 1993 | 22.0 | 0.7 | 1.0 | 0.7 | 0.6 | 1.2 | 1.5 | 1.8 | 2.2 | 3.8 | 6.3 |
| 1992 | 21.5 | 0.6 | 0.9 | 0.6 | 0.7 | 1.3 | 1.5 | 1.6 | 2.4 | 3.4 | 6.2 |
| 1991 | 21.4 | 0.6 | 1.1 | 0.5 | 0.7 | 1.3 | 1.5 | 1.8 | 2.4 | 3.7 | 6.2 |
| 1990 | 21.2 | 0.9 | 1.1 | 0.7 | 0.7 | 1.1 | 1.5 | 1.8 | 2.6 | 3.7 | 6.1 |
| 1989 | 22.1 | 0.8 | 1.1 | 0.7 | 0.6 | 1.3 | 1.4 | 1.8 | 2.4 | 3.9 | 6.6 |
| 1988 | 22.4 | 0.6 | 1.2 | 0.6 | 0.7 | 1.2 | 1.5 | 1.7 | 2.4 | 4.0 | 6.8 |
| 1987 | 22.6 | 0.9 | 1.3 | 0.8 | 0.7 | 1.2 | 1.6 | 2.0 | 2.6 | 3.7 | 6.7 |
| 1986 | 22.7 | 0.8 | 1.3 | 0.7 | 0.7 | 1.3 | 1.6 | 2.2 | 3.0 | 4.3 | 7.3 |
| 1985 | 22.5 | 1.0 | 1.2 | 0.7 | 0.7 | 1.3 | 1.8 | 2.1 | 3.1 | 4.4 | 7.3 |
| 1984 | 22.1 | 0.8 | 1.3 | 0.8 | 0.8 | 1.3 | 1.7 | 2.1 | 3.0 | 4.1 | 7.3 |
| 1983 | 22.0 | 1.2 | 1.4 | 0.7 | 0.9 | 1.5 | 1.7 | 1.9 | 2.5 | 4.1 | 7.2 |
| 1982 | 21.6 | 0.9 | 1.5 | 0.7 | 0.8 | 1.5 | 1.7 | 1.9 | 2.8 | 4.2 | 7.4 |
| 1981 | 21.2 | 0.8 | 1.5 | 0.8 | 0.9 | 1.5 | 1.7 | 2.0 | 2.5 | 3.9 | 7.0 |
| 1980 | 21.4 | 0.9 | 1.5 | 0.8 | 0.8 | 1.6 | 2.1 | 2.3 | 2.7 | 4.2 | 7.4 |
| 1979 | 20.7 | 0.9 | 1.4 | 0.7 | 0.9 | 1.6 | 1.9 | 2.1 | 2.3 | 4.0 | 7.0 |
| All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 20.4 | * | 0.7 | 0.7 | 0.7 | 1.3 | 1.8 | 1.9 | 2.4 | 3.8 | 6.4 |
| 1997 | 20.7 | * | 0.9 | 0.7 | 0.5 | 1.3 | 1.8 | 2.1 | 2.9 | 3.7 | 6.6 |
| 1996 | 21.5 | * | 0.7 | 0.7 | 0.6 | 1.4 | 1.8 | 2.0 | 2.7 | 4.2 | 6.8 |
| 1995 | 21.8 | * | 1.1 | 0.6 | 0.6 | 1.4 | 2.0 | 2.0 | 2.7 | 4.2 | 6.9 |
| 1994 | 21.9 | * | 1.1 | 0.7 | 0.6 | 1.5 | 2.0 | 2.3 | 2.9 | 4.3 | 7.4 |
| 1993 | 22.5 | * | 1.1 | 0.8 | 0.6 | 1.4 | 2.0 | 2.1 | 2.7 | 4.6 | 7.1 |
| 1992 | 21.9 | * | 0.9 | 0.7 | 0.7 | 1.6 | 1.9 | 2.1 | 3.2 | 3.9 | 7.1 |
| 1991 | 22.0 | * | 1.2 | 0.6 | 0.8 | 1.4 | 2.0 | 2.4 | 3.2 | 4.7 | 7.1 |
| 1990 | 21.6 | 1.0 | 1.2 | 0.7 | 0.6 | 1.2 | 2.0 | 2.4 | 3.2 | 4.3 | 6.9 |
| 1989 | 22.9 | * | 1.2 | 0.7 | 0.6 | 1.4 | 1.9 | 2.4 | 3.1 | 4.6 | 7.5 |
| 1988 | 23.3 | * | 1.2 | 0.7 | 0.6 | 1.4 | 1.9 | 2.2 | 3.1 | 4.7 | 8.1 |
| 1987 | 23.4 | * | 1.4 | 0.8 | 0.8 | 1.5 | 2.1 | 2.6 | 3.2 | 4.3 | 7.8 |
| 1986 | 23.5 | * | 1.3 | 0.7 | 0.7 | 1.6 | 2.2 | 3.0 | 4.3 | 5.9 | 8.1 |
| 1985 | 23.4 | 1.2 | 1.3 | 0.8 | 0.7 | 1.6 | 2.4 | 2.9 | 4.2 | 5.7 | 8.4 |
| 1984 | 22.7 | * | 1.5 | 0.9 | 0.8 | 1.7 | 2.5 | 2.8 | 3.9 | 5.0 | 8.4 |
| 1983 | 22.9 | 1.3 | 1.5 | 0.7 | 0.9 | 1.8 | 2.4 | 2.5 | 3.4 | 4.9 | 7.8 |
| 1982 | 22.0 | * | 1.8 | 0.8 | 0.8 | 1.9 | 2.4 | 2.6 | 3.6 | 5.0 | 8.0 |
| 1981 | 21.6 | * | 1.7 | 0.8 | 0.9 | 2.0 | 2.4 | 2.6 | 3.2 | 4.5 | 7.9 |
| 1980 | 21.9 | 1.2 | 1.7 | 0.9 | 0.8 | 2.1 | 3.2 | 3.1 | 3.4 | 4.8 | 7.9 |
| 1979 | 21.2 | * | 1.5 | 0.8 | 1.1 | 2.0 | 2.7 | 3.0 | 3.0 | 4.4 | 8.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 19.9 | * | 0.6 | 0.5 | 0.5 | 1.0 | 1.0 | 1.1 | 1.7 | 2.9 | 5.3 |
| 1997 | 20.6 | * | 0.7 | 0.6 | 0.6 | 1.0 | 1.1 | 1.1 | 1.5 | 3.0 | 4.8 |
| 1996 | 20.9 | * | 0.6 | 0.6 | 0.6 | 1.0 | 0.8 | 1.2 | 1.7 | 2.8 | 5.1 |
| 1995 | 21.2 | * | 0.7 | 0.5 | 0.6 | 0.9 | 0.9 | 1.3 | 1.6 | 3.2 | 5.3 |
| 1994 | 21.5 | * | 0.9 | 0.5 | 0.6 | 1.0 | 0.9 | 1.3 | 1.9 | 3.2 | 5.4 |
| 1993 | 21.5 | * | 0.9 | 0.5 | 0.6 | 1.0 | 1.1 | 1.5 | 1.7 | 2.9 | 5.6 |
| 1992 | 21.0 | * | 0.8 | 0.5 | 0.6 | 1.0 | 1.0 | 1.2 | 1.7 | 3.0 | 5.3 |
| 1991 | 20.9 | * | 0.9 | 0.4 | 0.7 | 1.1 | 0.9 | 1.2 | 1.7 | 2.8 | 5.3 |
| 1990 | 20.9 | * | 1.0 | 0.7 | 0.8 | 1.0 | 1.0 | 1.2 | 2.0 | 3.0 | 5.3 |
| 1989 | 21.3 | * | 1.0 | 0.7 | 0.6 | 1.2 | 0.9 | 1.2 | 1.7 | 3.1 | 5.7 |
| 1988 | 21.6 | * | 1.2 | 0.6 | 0.8 | 1.1 | 1.1 | 1.2 | 1.8 | 3.4 | 5.5 |
| 1987 | 21.8 | * | 1.1 | 0.7 | 0.7 | 1.0 | 1.0 | 1.3 | 1.9 | 3.1 | 5.6 |
| 1986 | 22.0 | * | 1.2 | 0.7 | 0.7 | 0.9 | 0.9 | 1.4 | 1.7 | 2.7 | 6.5 |
| 1985 | 21.6 | * | 1.1 | 0.6 | 0.6 | 0.9 | 1.1 | 1.4 | 2.0 | 3.1 | 6.3 |
| 1984 | 21.5 | * | 1.2 | 0.6 | 0.8 | 0.9 | 1.0 | 1.5 | 2.1 | 3.1 | 6.2 |
| 1983 | 21.2 | 1.1 | 1.2 | 0.7 | 0.8 | 1.2 | 1.0 | 1.2 | 1.7 | 3.3 | 6.5 |
| 1982 | 21.3 | * | 1.3 | 0.5 | 0.8 | 1.1 | 1.1 | 1.1 | 1.9 | 3.4 | 6.8 |
| 1981 | 20.9 | * | 1.3 | 0.7 | 0.8 | 1.0 | 1.1 | 1.3 | 1.9 | 3.2 | 6.2 |
| 1980 | 20.9 | * | 1.2 | 0.7 | 0.8 | 1.2 | 1.1 | 1.5 | 2.0 | 3.6 | 6.9 |
| 1979 | 20.3 | * | 1.3 | 0.6 | 0.7 | 1.2 | 1.1 | 1.3 | 1.7 | 3.6 | 5.9 |
| All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 21.3 | * | 0.7 | 0.6 | 0.6 | 1.2 | 1.4 | 1.5 | 2.0 | 3.2 | 5.5 |
| 1997 | 21.8 | * | 0.8 | 0.7 | 0.6 | 1.1 | 1.4 | 1.5 | 2.2 | 3.2 | 5.4 |
| 1996 | 22.4 | * | 0.7 | 0.6 | 0.6 | 1.2 | 1.3 | 1.6 | 2.2 | 3.3 | 5.4 |
| 1995 | 22.6 | * | 0.9 | 0.5 | 0.6 | 1.2 | 1.4 | 1.7 | 2.1 | 3.4 | 5.6 |
| 1994 | 22.8 | * | 1.0 | 0.6 | 0.6 | 1.3 | 1.5 | 1.8 | 2.2 | 3.6 | 5.9 |
| 1993 | 23.0 | 0.7 | 1.1 | 0.7 | 0.7 | 1.2 | 1.5 | 1.7 | 2.1 | 3.6 | 5.8 |
| 1992 | 22.5 | 0.6 | 0.9 | 0.6 | 0.7 | 1.4 | 1.5 | 1.6 | 2.4 | 3.3 | 5.8 |
| 1991 | 22.3 | 0.7 | 1.0 | 0.5 | 0.7 | 1.3 | 1.5 | 1.8 | 2.3 | 3.5 | 5.7 |
| 1990 | 22.0 | 0.9 | 1.0 | 0.7 | 0.7 | 1.1 | 1.4 | 1.8 | 2.4 | 3.4 | 5.7 |
| 1989 | 22.9 | 0.8 | 1.1 | 0.7 | 0.6 | 1.3 | 1.4 | 1.8 | 2.3 | 3.7 | 6.0 |
| 1988 | 23.3 | * | 1.2 | 0.7 | 0.7 | 1.3 | 1.5 | 1.7 | 2.4 | 3.7 | 6.2 |
| 1987 | 23.3 | 1.0 | 1.3 | 0.8 | 0.8 | 1.2 | 1.5 | 1.9 | 2.6 | 3.5 | 6.2 |
| 1986 | 23.5 | 0.8 | 1.3 | 0.7 | 0.7 | 1.3 | 1.6 | 2.1 | 2.9 | 4.0 | 7.0 |
| 1985 | 23.1 | 1.0 | 1.3 | 0.7 | 0.7 | 1.3 | 1.8 | 2.2 | 3.0 | 4.1 | 6.7 |
| 1984 | 22.7 | 0.7 | 1.4 | 0.8 | 0.8 | 1.4 | 1.8 | 2.2 | 2.8 | 3.8 | 6.7 |
| 1983 | 22.6 | 1.1 | 1.4 | 0.7 | 0.8 | 1.6 | 1.6 | 1.9 | 2.5 | 3.8 | 6.9 |
| 1982 | 22.3 | 0.8 | 1.6 | 0.7 | 0.8 | 1.5 | 1.7 | 1.9 | 2.5 | 4.1 | 6.8 |
| 1981 | 21.8 | 0.9 | 1.6 | 0.7 | 0.9 | 1.5 | 1.8 | 2.0 | 2.4 | 3.7 | 6.3 |
| 1980 | 21.8 | 0.8 | 1.5 | 0.8 | 0.9 | 1.7 | 2.1 | 2.3 | 2.7 | 4.1 | 6.5 |
| 1979 | 21.1 | 0.8 | 1.4 | 0.8 | 0.9 | 1.6 | 1.9 | 2.2 | 2.3 | 3.9 | 6.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 21.5 | * | 0.8 | 0.7 | 0.7 | 1.3 | 1.8 | 2.0 | 2.4 | 3.7 | 6.1 |
| 1997 | 21.8 | * | 0.9 | 0.7 | 0.5 | 1.4 | 1.8 | 2.0 | 2.9 | 3.4 | 6.1 |
| 1996 | 22.6 | * | 0.7 | 0.7 | 0.6 | 1.4 | 1.9 | 2.1 | 2.7 | 4.0 | 6.2 |
| 1995 | 22.8 | * | 1.1 | 0.6 | 0.6 | 1.4 | 2.0 | 2.0 | 2.7 | 3.8 | 6.2 |
| 1994 | 23.0 | * | 1.1 | 0.6 | 0.6 | 1.6 | 2.1 | 2.4 | 2.7 | 4.2 | 6.8 |
| 1993 | 23.4 | * | 1.2 | 0.8 | 0.7 | 1.4 | 2.0 | 2.1 | 2.7 | 4.5 | 6.7 |
| 1992 | 22.9 | * | 0.9 | 0.7 | 0.8 | 1.6 | 2.0 | 2.2 | 3.1 | 3.9 | 6.6 |
| 1991 | 22.8 | * | 1.2 | 0.6 | 0.8 | 1.5 | 2.1 | 2.4 | 3.1 | 4.4 | 6.6 |
| 1990 | 22.2 | * | 1.0 | 0.7 | 0.5 | 1.2 | 1.9 | 2.4 | 3.1 | 4.0 | 6.4 |
| 1989 | 23.5 | * | 1.2 | 0.7 | 0.6 | 1.5 | 1.9 | 2.4 | 3.0 | 4.5 | 6.6 |
| 1988 | 24.0 | * | 1.3 | 0.8 | 0.6 | 1.5 | 1.9 | 2.2 | 3.1 | 4.4 | 7.4 |
| 1987 | 24.0 | * | 1.4 | 0.9 | 0.8 | 1.5 | 2.0 | 2.6 | 3.3 | 4.2 | 7.3 |
| 1986 | 24.1 | * | 1.3 | 0.6 | 0.8 | 1.6 | 2.3 | 3.0 | 4.2 | 5.5 | 7.7 |
| 1985 | 23.8 | * | 1.4 | 0.8 | 0.7 | 1.6 | 2.5 | 3.0 | 4.3 | 5.3 | 7.6 |
| 1984 | 23.1 | * | 1.5 | 1.0 | 0.7 | 1.8 | 2.6 | 2.9 | 3.7 | 4.9 | 7.6 |
| 1983 | 23.3 | * | 1.4 | 0.8 | 0.9 | 2.0 | 2.4 | 2.6 | 3.4 | 4.5 | 7.6 |
| 1982 | 22.4 | * | 1.8 | 0.8 | 0.9 | 1.9 | 2.4 | 2.7 | 3.4 | 4.8 | 7.3 |
| 1981 | 22.0 | * | 1.8 | 0.7 | 0.9 | 2.0 | 2.5 | 2.7 | 3.1 | 4.3 | 7.2 |
| 1980 | 22.2 | * | 1.8 | 0.9 | 0.9 | 2.1 | 3.2 | 3.3 | 3.5 | 4.6 | 6.9 |
| 1979 | 21.4 | * | 1.6 | 0.9 | 1.0 | 2.1 | 2.7 | 3.0 | 2.9 | 4.3 | 7.3 |
| All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 21.1 | * | 0.6 | 0.5 | 0.5 | 1.1 | 1.0 | 1.1 | 1.6 | 2.6 | 4.8 |
| 1997 | 21.8 | * | 0.7 | 0.7 | 0.7 | 0.9 | 1.0 | 1.0 | 1.5 | 3.0 | 4.6 |
| 1996 | 22.2 | * | 0.6 | 0.5 | 0.6 | 1.0 | 0.7 | 1.1 | 1.6 | 2.7 | 4.6 |
| 1995 | 22.4 | * | 0.7 | 0.5 | 0.6 | 0.9 | 0.9 | 1.3 | 1.5 | 3.1 | 5.0 |
| 1994 | 22.6 | * | 0.9 | 0.5 | 0.5 | 1.0 | 0.9 | 1.3 | 1.7 | 2.9 | 4.9 |
| 1993 | 22.7 | * | 0.9 | 0.6 | 0.6 | 1.0 | 1.0 | 1.3 | 1.5 | 2.7 | 4.9 |
| 1992 | 22.0 | * | 0.9 | 0.5 | 0.6 | 1.1 | 1.0 | 1.1 | 1.7 | 2.8 | 4.9 |
| 1991 | 21.9 | * | 0.9 | 0.4 | 0.7 | 1.2 | 0.8 | 1.2 | 1.6 | 2.5 | 4.9 |
| 1990 | 21.8 | * | 1.0 | 0.7 | 0.8 | 1.0 | 0.9 | 1.2 | 1.7 | 2.8 | 5.0 |
| 1989 | 22.3 | * | 1.0 | 0.8 | 0.5 | 1.1 | 0.9 | 1.2 | 1.6 | 2.9 | 5.4 |
| 1988 | 22.6 | * | 1.2 | 0.5 | 0.7 | 1.0 | 1.1 | 1.2 | 1.7 | 3.1 | 5.0 |
| 1987 | 22.7 | * | 1.2 | 0.7 | 0.7 | 0.9 | 0.9 | 1.2 | 1.9 | 2.8 | 5.2 |
| 1986 | 22.9 | * | 1.2 | 0.7 | 0.7 | 1.0 | 0.9 | 1.3 | 1.6 | 2.5 | 6.2 |
| 1985 | 22.4 | * | 1.2 | 0.6 | 0.7 | 1.0 | 1.1 | 1.4 | 1.7 | 3.0 | 5.8 |
| 1984 | 22.2 | * | 1.2 | 0.6 | 0.8 | 1.0 | 0.9 | 1.4 | 2.0 | 2.8 | 5.8 |
| 1983 | 22.0 | * | 1.3 | 0.6 | 0.8 | 1.2 | 0.9 | 1.2 | 1.6 | 3.1 | 6.1 |
| 1982 | 22.2 | * | 1.4 | 0.5 | 0.8 | 1.1 | 1.1 | 1.2 | 1.7 | 3.3 | 6.3 |
| 1981 | 21.7 | * | 1.3 | 0.7 | 0.8 | 1.0 | 1.0 | 1.2 | 1.7 | 3.1 | 5.4 |
| 1980 | 21.5 | * | 1.3 | 0.8 | 0.8 | 1.2 | 1.0 | 1.4 | 2.0 | 3.6 | 6.2 |
| 1979 | 20.9 | * | 1.3 | 0.7 | 0.7 | 1.2 | 1.1 | 1.3 | 1.6 | 3.6 | 5.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 14.7 | * | 0.6 | 0.5 | 0.7 | 1.0 | 1.4 | 1.3 | 2.3 | 4.2 | 7.7 |
| 1997 | 15.2 | * | 0.9 | 0.5 | * | 1.3 | 1.6 | 1.8 | 2.1 | 4.0 | 7.2 |
| 1996 | 15.6 | * | 0.6 | 0.6 | 0.5 | 1.3 | 1.2 | 1.6 | 2.3 | 4.4 | 8.5 |
| 1995 | 16.2 | * | 0.9 | 0.6 | 0.7 | 1.2 | 1.6 | 1.6 | 2.5 | 4.8 | 8.5 |
| 1994 | 16.3 | * | 0.9 | 0.8 | 0.8 | 1.1 | 1.4 | 1.5 | 3.0 | 4.5 | 8.9 |
| 1993 | 16.8 | * | 0.8 | 0.5 | 0.5 | 1.1 | 1.5 | 2.2 | 2.7 | 4.7 | 9.1 |
| 1992 | 16.4 | * | 0.8 | 0.7 | 0.5 | 1.2 | 1.3 | 1.7 | 2.6 | 3.9 | 8.6 |
| 1991 | 16.9 | * | 1.1 | * | 0.7 | 1.1 | 1.4 | 1.7 | 3.0 | 4.9 | 8.7 |
| 1990 | 17.0 | * | 1.4 | 0.7 | 0.7 | 1.0 | 1.6 | 1.8 | 3.3 | 4.9 | 8.3 |
| 1989 | 17.7 | * | 1.0 | 0.6 | 0.8 | 1.2 | 1.5 | 1.8 | 3.0 | 4.9 | 10.1 |
| 1988 | 18.0 | * | 1.1 | * | 0.7 | 1.1 | 1.6 | 1.7 | 2.5 | 5.5 | 10.0 |
| 1987 | 18.5 | * | 1.1 | 0.7 | 0.7 | 1.4 | 1.9 | 2.2 | 2.5 | 4.6 | 9.7 |
| 1986 | 18.3 | * | 1.2 | 0.6 | 0.7 | 1.3 | 1.5 | 2.4 | 3.3 | 5.9 | 9.4 |
| 1985 | 18.8 | * | 1.0 | * | 0.6 | 1.1 | 1.7 | 1.8 | 3.4 | 5.9 | 11.5 |
| 1984 | 18.8 | * | 1.2 | * | 0.9 | 1.1 | 1.5 | 2.0 | 4.0 | 5.7 | 11.2 |
| 1983 | 18.7 | * | 1.4 | 0.7 | 1.0 | 1.0 | 1.9 | 1.8 | 2.9 | 6.0 | 9.2 |
| 1982 | 17.9 | * | 1.3 | 0.7 | 0.8 | 1.5 | 1.9 | 1.6 | 4.1 | 5.1 | 11.0 |
| 1981 | 17.7 | * | 1.3 | 1.0 | 0.8 | 1.5 | 1.6 | 2.0 | 3.2 | 4.9 | 11.6 |
| 1980 | 18.5 | * | 1.4 | 0.7 | * | 1.6 | 2.3 | 2.1 | 2.5 | 4.9 | 12.8 |
| 1979 | 18.1 | * | 1.2 | * | 1.1 | 1.4 | 1.6 | 1.8 | 3.0 | 4.6 | 10.7 |
| All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 15.0 | * | * | * | 0.9 | 1.2 | 1.7 | 1.5 | 2.5 | 4.6 | 7.6 |
| 1997 | 15.6 | * | * | * | * | 1.2 | 2.1 | 2.2 | 2.8 | 4.8 | 8.7 |
| 1996 | 16.2 | * | * | * | * | 1.5 | 1.5 | 1.7 | 2.8 | 5.3 | 9.6 |
| 1995 | 17.0 | * | * | * | * | 1.4 | 2.3 | 2.1 | 3.1 | 6.3 | 10.9 |
| 1994 | 16.7 | * | * | 1.0 | * | * | 1.8 | 1.8 | 3.6 | 5.0 | 10.3 |
| 1993 | 17.7 | * | * | * | * | 1.2 | 1.9 | 2.3 | 2.9 | 5.7 | 9.4 |
| 1992 | 16.9 | * | * | * | * | 1.4 | 1.5 | 1.7 | 3.7 | 3.9 | 10.1 |
| 1991 | 18.1 | * | 1.5 | * | * | 1.2 | 1.5 | 2.2 | 3.5 | 6.0 | 10.2 |
| 1990 | 18.4 | * | 1.7 | * | * | * | 2.1 | 2.3 | 3.5 | 5.8 | 10.4 |
| 1989 | 19.7 | * | * | * | * | 1.2 | 1.9 | 2.2 | 3.7 | 5.6 | 12.8 |
| 1988 | 19.4 | * | * | * | * | * | 2.0 | 2.3 | 2.7 | 6.2 | 12.3 |
| 1987 | 20.2 | * | 1.6 | * | * | 1.5 | 2.6 | 2.7 | 3.0 | 4.6 | 11.5 |
| 1986 | 19.7 | * | * | * | * | 1.8 | 1.8 | 3.0 | 4.4 | 8.4 | 10.3 |
| 1985 | 20.8 | * | * | * | * | 1.6 | 2.0 | 2.4 | 3.8 | 8.1 | 14.1 |
| 1984 | 20.4 | * | 1.5 | * | * | 1.5 | 1.7 | 2.3 | 5.6 | 6.3 | 13.7 |
| 1983 | 20.6 | * | 2.0 | * | * | * | 2.4 | 2.1 | 3.6 | 7.5 | 9.5 |
| 1982 | 19.6 | * | 1.6 | * | * | 1.8 | 2.5 | 2.4 | 5.1 | 6.2 | 12.9 |
| 1981 | 19.0 | * | * | * | * | 2.0 | 2.0 | 2.2 | 3.8 | 5.9 | 12.5 |
| 1980 | 19.9 | * | * | * | * | 1.9 | 3.0 | 2.3 | 3.1 | 6.0 | 14.7 |
| 1979 | 19.7 | * | * | * | 1.3 | 1.7 | 2.2 | 2.4 | 3.5 | 5.7 | 14.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 14.5 | * | * | * | * | * | 1.1 | 1.1 | 2.0 | 3.9 | 7.9 |
| 1997 | 14.9 | * | * | * | * | 1.4 | 1.2 | 1.4 | 1.5 | 3.3 | 5.9 |
| 1996 | 15.1 | * | * | * | * | 1.1 | * | 1.4 | 1.9 | 3.6 | 7.4 |
| 1995 | 15.4 | * | * | * | * | * | * | 1.1 | 2.0 | 3.5 | 6.4 |
| 1994 | 15.9 | * | * | * | * | 1.1 | * | 1.2 | 2.5 | 4.1 | 7.6 |
| 1993 | 16.0 | * | * | * | * | * | 1.1 | 2.1 | 2.5 | 3.8 | 8.9 |
| 1992 | 16.0 | * | * | * | * | * | * | 1.6 | 1.6 | 3.9 | 7.2 |
| 1991 | 15.7 | * | * | * | * | * | 1.3 | 1.2 | 2.5 | 4.0 | 7.3 |
| 1990 | 15.8 | * | * | * | * | * | * | 1.4 | 3.2 | 4.1 | 6.6 |
| 1989 | 16.0 | * | * | * | * | 1.3 | 1.1 | 1.5 | 2.3 | 4.3 | 7.7 |
| 1988 | 16.7 | * | * | * | * | 1.2 | 1.1 | 1.1 | 2.3 | 4.9 | 7.9 |
| 1987 | 17.0 | * | * | * | * | 1.4 | 1.3 | 1.7 | 2.1 | 4.7 | 8.1 |
| 1986 | 17.1 | * | * | * | * | * | 1.3 | 1.9 | 2.3 | 3.8 | 8.7 |
| 1985 | 17.0 | * | * | * | * | * | 1.3 | 1.3 | 3.1 | 4.1 | 9.3 |
| 1984 | 17.3 | * | * | * | * | * | 1.2 | 1.7 | 2.6 | 5.2 | 9.1 |
| 1983 | 16.9 | * | * | * | * | * | 1.5 | 1.5 | 2.2 | 4.8 | 8.9 |
| 1982 | 16.3 | * | * | * | * | 1.2 | 1.3 | * | 3.2 | 4.1 | 9.3 |
| 1981 | 16.6 | * | * | * | * | * | 1.3 | 1.8 | 2.7 | 4.1 | 10.9 |
| 1980 | 17.3 | * | * | * | * | 1.3 | 1.7 | 1.9 | 2.0 | 3.9 | 11.2 |
| 1979 | 16.6 | * | * | * | * | * | * | * | 2.5 | 3.6 | 7.9 |
| All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 17.1 | * | * | * | 0.8 | 1.1 | 1.4 | 1.4 | 2.6 | 4.7 | 9.4 |
| 1997 | 17.9 | * | 0.9 | * | * | 1.3 | 2.0 | 2.2 | 2.5 | 4.9 | 8.7 |
| 1996 | 18.1 | * | * | 0.7 | * | 1.4 | 1.4 | 1.8 | 2.5 | 5.0 | 9.9 |
| 1995 | 19.0 | * | 0.9 | 0.6 | 0.7 | 1.2 | 1.9 | 1.8 | 2.8 | 5.7 | 10.3 |
| 1994 | 19.1 | * | 1.0 | 0.7 | 1.0 | 1.1 | 1.7 | 1.8 | 3.7 | 5.4 | 10.9 |
| 1993 | 19.5 | * | 0.8 | * | * | 1.3 | 1.5 | 2.7 | 3.2 | 5.5 | 10.6 |
| 1992 | 19.2 | * | * | 0.8 | * | 1.3 | 1.5 | 1.9 | 3.1 | 4.3 | 10.7 |
| 1991 | 19.5 | * | 1.3 | * | 0.9 | 1.0 | 1.4 | 2.0 | 3.4 | 5.6 | 10.4 |
| 1990 | 19.8 | * | 1.7 | * | 0.8 | 1.0 | 1.9 | 2.1 | 4.0 | 5.4 | 10.3 |
| 1989 | 20.6 | * | 1.1 | * | 0.8 | 1.2 | 1.8 | 1.9 | 3.5 | 5.8 | 12.4 |
| 1988 | 20.7 | * | 1.3 | * | * | 1.3 | 1.7 | 1.9 | 3.1 | 6.5 | 11.9 |
| 1987 | 21.4 | * | 1.3 | 0.9 | * | 1.6 | 2.0 | 2.4 | 2.8 | 5.5 | 11.4 |
| 1986 | 21.0 | * | 1.2 | * | * | 1.4 | 1.7 | 2.6 | 3.7 | 7.1 | 10.1 |
| 1985 | 21.3 | * | 1.0 | * | * | 1.2 | 1.8 | 2.0 | 4.0 | 6.7 | 13.2 |
| 1984 | 21.2 | * | 1.3 | * | 1.0 | 1.0 | 1.7 | 2.2 | 4.8 | 6.8 | 12.5 |
| 1983 | 20.9 | * | 1.6 | 0.8 | 1.0 | 0.9 | 1.9 | 1.8 | 3.0 | 7.2 | 10.4 |
| 1982 | 20.0 | * | 1.6 | * | 0.9 | 1.5 | 2.1 | 1.8 | 4.6 | 5.9 | 12.6 |
| 1981 | 19.7 | * | 1.4 | 1.0 | 0.9 | 1.6 | 1.7 | 2.1 | 3.7 | 5.8 | 13.2 |
| 1980 | 20.4 | * | 1.6 | * | * | 1.7 | 2.5 | 2.4 | 2.8 | 5.5 | 14.6 |
| 1979 | 19.7 | * | 1.3 | * | 1.2 | 1.4 | 1.7 | 2.0 | 3.0 | 5.1 | 11.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 17.5 | * | * | * | * | 1.3 | 1.8 | 1.5 | 2.6 | 4.9 | 9.3 |
| 1997 | 18.7 | * | * | * | * | 1.3 | 2.6 | 2.8 | 3.3 | 6.0 | 10.7 |
| 1996 | 19.0 | * | * | * | * | 1.7 | 1.7 | 1.8 | 3.1 | 6.0 | 12.1 |
| 1995 | 19.9 | * | * | * | * | 1.4 | 2.9 | 2.4 | 3.8 | 7.6 | 13.2 |
| 1994 | 19.8 | * | * | * | * | * | 2.1 | 2.0 | 4.5 | 6.0 | 13.0 |
| 1993 | 20.7 | * | * | * | * | * | 2.0 | 2.7 | 3.5 | 6.6 | 11.7 |
| 1992 | 20.0 | * | * | * | * | 1.7 | 1.7 | 1.8 | 4.5 | 4.2 | 13.0 |
| 1991 | 21.4 | * | 1.6 | * | * | * | * | 2.6 | 4.1 | 6.8 | 12.6 |
| 1990 | 21.7 | * | 2.1 | * | * | * | 2.5 | 2.4 | 4.4 | 6.8 | 12.9 |
| 1989 | 23.0 | * | * | * | * | * | 2.4 | 2.3 | 4.5 | 6.8 | 15.8 |
| 1988 | 22.6 | * | * | * | * | * | 2.1 | 2.5 | 3.4 | 7.4 | 15.0 |
| 1987 | 23.6 | * | 1.9 | * | * | 1.7 | 2.7 | 3.0 | 3.2 | 5.6 | 13.9 |
| 1986 | 22.7 | * | * | * | * | 2.0 | 2.0 | 3.4 | 5.1 | 10.2 | 11.8 |
| 1985 | 23.8 | * | * | * | * | 1.7 | 2.2 | 2.6 | 4.5 | 9.4 | 16.7 |
| 1984 | 23.2 | * | * | * | * | * | 2.0 | 2.3 | 6.8 | 7.5 | 16.0 |
| 1983 | 23.3 | * | 2.2 | * | * | * | 2.4 | 2.0 | 3.9 | 9.2 | 11.4 |
| 1982 | 22.1 | * | * | * | * | 1.8 | 2.8 | 2.7 | 5.8 | 7.3 | 14.9 |
| 1981 | 21.4 | * | * | * | * | 2.2 | 1.9 | 2.4 | 4.4 | 7.0 | 14.6 |
| 1980 | 22.0 | * | * | * | * | 2.0 | 3.2 | 2.5 | 3.7 | 6.6 | 17.2 |
| 1979 | 21.6 | * | * | * | 1.5 | 1.6 | 2.4 | 2.5 | 3.4 | 6.3 | 15.6 |
| All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 16.8 | * | * | * | * | * | * | * | 2.7 | 4.6 | 9.5 |
| 1997 | 17.3 | * | * | * | * | 1.3 | * | 1.7 | 1.7 | 3.9 | 6.9 |
| 1996 | 17.3 | * | * | * | * | * | * | 1.8 | 2.0 | 4.1 | 8.0 |
| 1995 | 18.1 | * | * | * | * | * | * | * | 2.0 | 4.0 | 7.7 |
| 1994 | 18.5 | * | * | * | * | * | * | 1.5 | 3.0 | 5.0 | 9.1 |
| 1993 | 18.3 | * | * | * | * | * | * | 2.7 | 2.8 | 4.4 | 9.7 |
| 1992 | 18.4 | * | * | * | * | * | * | 1.9 | 1.9 | 4.4 | 8.8 |
| 1991 | 17.9 | * | * | * | * | * | 1.5 | 1.4 | 2.7 | 4.5 | 8.5 |
| 1990 | 18.1 | * | * | * | * | * | * | 1.7 | 3.6 | 4.3 | 8.1 |
| 1989 | 18.3 | * | * | * | * | * | * | 1.5 | 2.6 | 4.9 | 9.4 |
| 1988 | 19.0 | * | * | * | * | * | * | * | 2.9 | 5.6 | 9.3 |
| 1987 | 19.4 | * | * | * | * | 1.5 | 1.4 | 1.8 | 2.5 | 5.3 | 9.3 |
| 1986 | 19.5 | * | * | * | * | * | 1.5 | 2.0 | 2.4 | 4.4 | 8.6 |
| 1985 | 19.1 | * | * | * | * | * | 1.4 | 1.5 | 3.6 | 4.4 | 10.3 |
| 1984 | 19.3 | * | * | * | * | * | 1.5 | 2.0 | 3.1 | 6.3 | 9.7 |
| 1983 | 18.7 | * | * | * | * | * | 1.5 | 1.5 | 2.2 | 5.6 | 9.5 |
| 1982 | 18.2 | * | * | * | * | * | 1.4 | * | 3.6 | 4.7 | 10.6 |
| 1981 | 18.2 | * | * | * | * | * | 1.4 | 1.9 | 3.1 | 4.8 | 12.1 |
| 1980 | 19.0 | * | * | * | * | 1.3 | 1.8 | 2.3 | 2.1 | 4.5 | 12.5 |
| 1979 | 18.0 | * | * | * | * | * | * | * | 2.7 | 4.1 | 8.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 2.9 | 1.6 | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.5 | 0.5 | 1.0 |
| 1997 | 2.8 | 1.7 | 0.4 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.6 | 0.6 | 0.9 |
| 1996 | 2.8 | 1.6 | 0.4 | 0.2 | 0.2 | 0.3 | 0.2 | 0.3 | 0.5 | 0.6 | 1.0 |
| 1995 | 2.9 | 2.0 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.6 | 0.7 | 0.8 |
| 1994 | 2.9 | 1.7 | 0.5 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.5 | 0.8 | 1.1 |
| 1993 | 2.9 | 1.6 | 0.5 | 0.2 | 0.2 | 0.2 | 0.3 | 0.4 | 0.6 | 0.8 | 0.9 |
| 1992 | 2.8 | 1.6 | 0.4 | 0.3 | 0.2 | 0.2 | 0.3 | 0.4 | 0.5 | 0.6 | 1.0 |
| 1991 | 2.8 | 1.5 | 0.5 | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 | 0.7 | 0.7 |
| 1990 | 2.7 | 1.8 | 0.5 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.6 | 0.7 | 0.9 |
| 1989 | 2.7 | 1.5 | 0.5 | 0.3 | 0.2 | 0.2 | 0.2 | 0.3 | 0.5 | 0.6 | 1.0 |
| 1988 | 2.8 | 1.6 | 0.5 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.7 | 0.8 |
| 1987 | 2.7 | 1.6 | 0.4 | 0.3 | 0.2 | 0.3 | 0.3 | 0.4 | 0.4 | 0.6 | 0.9 |
| 1986 | 2.8 | 2.1 | 0.4 | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 | 0.6 | 0.7 | 0.9 |
| 1985 | 2.8 | 1.7 | 0.5 | 0.3 | 0.2 | 0.3 | 0.2 | 0.5 | 0.4 | 0.8 | 1.0 |
| 1984 | 2.7 | 2.2 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.4 | 0.5 | 0.7 | 1.0 |
| 1983 | 2.8 | 1.5 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.8 | 1.1 |
| 1982 | 2.8 | 1.6 | 0.4 | 0.4 | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 | 0.8 | 1.0 |
| 1981 | 2.7 | 1.5 | 0.4 | 0.3 | 0.2 | 0.2 | 0.3 | 0.4 | 0.5 | 0.8 | 1.2 |
| 1980 | 2.7 | 1.9 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.6 | 0.8 | 1.3 |
| 1979 | 2.6 | 1.4 | 0.4 | 0.3 | 0.2 | 0.3 | 0.4 | 0.5 | 0.6 | 0.7 | 1.3 |
| In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 2.6 | 1.5 | 0.4 | 0.3 | * | 0.3 | 0.4 | 0.4 | 0.6 | 0.6 | 1.0 |
| 1997 | 2.5 | 1.6 | 0.4 | * | 0.2 | 0.3 | 0.3 | 0.3 | 0.6 | 0.6 | 0.9 |
| 1996 | 2.6 | 1.4 | 0.5 | 0.2 | * | 0.3 | 0.3 | 0.4 | 0.6 | 0.7 | 1.1 |
| 1995 | 2.7 | 2.2 | 0.4 | 0.2 | 0.3 | 0.3 | 0.3 | 0.6 | 0.7 | 0.8 | 1.0 |
| 1994 | 2.6 | 1.7 | 0.5 | 0.3 | 0.2 | 0.3 | 0.3 | 0.4 | 0.7 | 1.0 | 1.2 |
| 1993 | 2.7 | 1.5 | 0.6 | * | * | 0.3 | 0.3 | 0.5 | 0.7 | 1.0 | 1.0 |
| 1992 | 2.6 | 1.7 | 0.4 | 0.3 | 0.3 | * | 0.4 | 0.5 | 0.6 | 0.7 | 1.1 |
| 1991 | 2.6 | 1.5 | 0.5 | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 | 0.7 | 0.8 | 0.9 |
| 1990 | 2.5 | 1.5 | 0.5 | 0.2 | 0.3 | 0.3 | 0.2 | 0.4 | 0.7 | 0.9 | 0.9 |
| 1989 | 2.5 | 1.5 | 0.5 | 0.3 | 0.2 | 0.3 | 0.2 | 0.4 | 0.5 | 0.7 | 0.9 |
| 1988 | 2.5 | 1.4 | 0.5 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.9 | 0.9 |
| 1987 | 2.6 | 1.4 | 0.4 | 0.3 | 0.2 | 0.2 | 0.3 | 0.5 | 0.5 | 0.6 | 0.8 |
| 1986 | 2.7 | 2.0 | 0.4 | * | 0.3 | 0.4 | 0.4 | 0.4 | 0.7 | 0.8 | 1.0 |
| 1985 | 2.6 | 1.2 | 0.6 | 0.3 | * | 0.3 | 0.3 | 0.5 | 0.4 | 0.8 | 1.2 |
| 1984 | 2.5 | 1.9 | 0.3 | * | * | 0.3 | 0.2 | 0.5 | 0.6 | 0.8 | 1.2 |
| 1983 | 2.6 | 1.6 | 0.4 | 0.3 | 0.3 | 0.4 | 0.3 | 0.4 | 0.6 | 0.9 | 1.2 |
| 1982 | 2.6 | 1.5 | 0.4 | 0.4 | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.8 | 1.0 |
| 1981 | 2.6 | 1.6 | 0.4 | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 0.6 | 0.8 | 1.3 |
| 1980 | 2.6 | 2.0 | 0.3 | 0.3 | 0.4 | 0.3 | 0.4 | 0.4 | 0.7 | 0.7 | 1.4 |
| 1979 | 2.5 | * | 0.4 | 0.3 | * | 0.3 | 0.4 | 0.5 | 0.7 | 0.7 | 1.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 3.1 | 1.7 | 0.3 | 0.2 | * | 0.3 | 0.2 | 0.2 | 0.5 | 0.5 | 0.9 |
| 1997 | 3.1 | 1.7 | 0.4 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.5 | 0.5 | 0.9 |
| 1996 | 3.1 | 1.9 | 0.4 | 0.2 | 0.2 | 0.2 | * | 0.2 | 0.4 | 0.6 | 0.9 |
| 1995 | 3.1 | 1.7 | * | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 0.4 | 0.6 | 0.7 |
| 1994 | 3.1 | 1.8 | 0.4 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.6 | 0.9 |
| 1993 | 3.0 | 1.6 | 0.4 | * | * | * | 0.3 | 0.4 | 0.5 | 0.6 | 0.8 |
| 1992 | 2.9 | 1.4 | 0.4 | 0.3 | * | 0.3 | 0.3 | 0.3 | 0.5 | 0.5 | 0.9 |
| 1991 | 2.9 | 1.5 | 0.5 | * | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.7 | 0.6 |
| 1990 | 2.9 | 2.1 | 0.6 | 0.3 | 0.3 | 0.2 | 0.3 | 0.4 | 0.5 | 0.5 | 0.9 |
| 1989 | 2.9 | 1.4 | 0.4 | 0.2 | * | 0.2 | * | 0.2 | 0.4 | 0.5 | 1.1 |
| 1988 | 3.0 | 1.9 | 0.5 | 0.3 | 0.3 | * | 0.2 | 0.4 | 0.5 | 0.6 | 0.7 |
| 1987 | 2.8 | 1.8 | 0.4 | * | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 1.0 |
| 1986 | 2.9 | 2.3 | 0.4 | 0.4 | * | 0.2 | 0.3 | 0.3 | 0.5 | 0.6 | 0.8 |
| 1985 | 3.0 | 2.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.4 | 0.5 | 0.7 | 0.9 |
| 1984 | 2.9 | 2.5 | 0.4 | 0.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.5 | 0.7 | 0.8 |
| 1983 | 2.9 | 1.3 | 0.4 | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 0.5 | 0.7 | 1.0 |
| 1982 | 2.9 | 1.8 | 0.4 | 0.3 | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 | 0.7 | 1.0 |
| 1981 | 2.8 | 1.4 | 0.3 | 0.3 | * | * | 0.3 | 0.4 | 0.5 | 0.8 | 1.2 |
| 1980 | 2.8 | 1.8 | * | 0.4 | * | 0.3 | 0.3 | 0.4 | 0.6 | 0.9 | 1.2 |
| 1979 | 2.8 | 1.9 | 0.4 | 0.3 | 0.2 | 0.2 | 0.4 | 0.4 | 0.6 | 0.7 | 1.4 |
| In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 3.1 | 1.5 | 0.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.5 | 0.5 | 0.9 |
| 1997 | 3.0 | 1.6 | 0.5 | 0.1 | 0.2 | 0.3 | 0.3 | 0.3 | 0.5 | 0.5 | 0.8 |
| 1996 | 3.0 | 1.7 | 0.4 | 0.2 | 0.2 | 0.3 | 0.2 | 0.3 | 0.4 | 0.6 | 0.9 |
| 1995 | 3.1 | 2.3 | 0.3 | 0.2 | 0.3 | 0.2 | 0.2 | 0.4 | 0.6 | 0.7 | 0.7 |
| 1994 | 3.0 | 1.7 | 0.5 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.5 | 0.8 | 1.0 |
| 1993 | 3.0 | 1.6 | 0.5 | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 | 0.7 | 0.8 |
| 1992 | 2.9 | 1.5 | 0.4 | 0.3 | 0.3 | 0.2 | 0.3 | 0.4 | 0.5 | 0.6 | 1.0 |
| 1991 | 2.9 | 1.5 | 0.5 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.5 | 0.7 | 0.7 |
| 1990 | 2.8 | 1.8 | 0.5 | 0.3 | 0.3 | 0.2 | 0.2 | 0.4 | 0.6 | 0.7 | 0.8 |
| 1989 | 2.8 | 1.3 | 0.4 | 0.3 | 0.2 | 0.2 | 0.2 | 0.3 | 0.4 | 0.5 | 1.0 |
| 1988 | 2.8 | 1.8 | 0.5 | 0.3 | 0.3 | 0.2 | 0.2 | 0.4 | 0.4 | 0.7 | 0.8 |
| 1987 | 2.8 | 1.8 | 0.4 | 0.3 | 0.2 | 0.3 | 0.2 | 0.4 | 0.4 | 0.5 | 0.8 |
| 1986 | 2.9 | 2.2 | 0.4 | 0.3 | 0.3 | 0.2 | 0.4 | 0.4 | 0.6 | 0.7 | 0.9 |
| 1985 | 2.9 | 1.7 | 0.5 | 0.3 | 0.2 | 0.2 | 0.2 | 0.5 | 0.4 | 0.8 | 0.9 |
| 1984 | 2.8 | 2.1 | 0.4 | 0.3 | 0.2 | 0.2 | 0.2 | 0.4 | 0.5 | 0.7 | 1.0 |
| 1983 | 2.9 | 1.4 | 0.4 | 0.3 | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 | 0.8 | 1.0 |
| 1982 | 2.9 | 1.4 | 0.4 | 0.3 | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 | 0.7 | 0.9 |
| 1981 | 2.8 | 1.5 | 0.3 | 0.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.5 | 0.7 | 1.3 |
| 1980 | 2.8 | 1.8 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.5 | 0.6 | 0.8 | 1.3 |
| 1979 | 2.7 | 1.5 | 0.3 | 0.3 | 0.2 | 0.2 | 0.3 | 0.5 | 0.6 | 0.6 | 1.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 2.8 | 1.3 | 0.4 | 0.2 | * | 0.3 | 0.4 | 0.4 | 0.6 | 0.6 | 0.9 |
| 1997 | 2.6 | 1.3 | 0.4 | * | * | 0.3 | 0.4 | 0.3 | 0.6 | 0.6 | 0.9 |
| 1996 | 2.7 | 1.6 | 0.5 | * | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.7 | 1.1 |
| 1995 | 2.8 | 2.5 | 0.4 | * | 0.3 | 0.3 | * | 0.6 | 0.7 | 0.8 | 0.8 |
| 1994 | 2.8 | 1.5 | 0.5 | 0.3 | * | 0.3 | 0.3 | 0.4 | 0.6 | 1.0 | 1.2 |
| 1993 | 2.8 | 1.5 | 0.6 | * | * | 0.3 | 0.3 | 0.5 | 0.6 | 0.9 | 0.9 |
| 1992 | 2.7 | 1.5 | 0.4 | * | 0.3 | * | 0.4 | 0.5 | 0.5 | 0.7 | 1.1 |
| 1991 | 2.7 | 1.4 | 0.5 | 0.3 | * | * | 0.3 | 0.4 | 0.6 | 0.8 | 0.9 |
| 1990 | 2.6 | 1.6 | 0.5 | 0.3 | * | 0.3 | * | 0.4 | 0.7 | 0.9 | 0.8 |
| 1989 | 2.6 | 1.5 | 0.3 | 0.3 | * | * | * | 0.4 | 0.5 | 0.7 | 0.9 |
| 1988 | 2.6 | 1.4 | 0.5 | 0.3 | * | 0.3 | 0.3 | 0.4 | 0.4 | 0.9 | 1.0 |
| 1987 | 2.7 | 1.6 | 0.3 | 0.4 | * | 0.3 | 0.2 | 0.5 | 0.5 | 0.5 | 0.7 |
| 1986 | 2.8 | 2.0 | 0.4 | * | 0.3 | 0.3 | 0.4 | 0.4 | 0.7 | 0.8 | 1.0 |
| 1985 | 2.7 | * | 0.6 | 0.3 | * | * | 0.2 | 0.5 | 0.4 | 0.9 | 1.0 |
| 1984 | 2.6 | 1.8 | 0.4 | * | * | * | 0.2 | 0.5 | 0.6 | 0.8 | 1.1 |
| 1983 | 2.7 | 1.7 | 0.3 | * | * | 0.4 | 0.3 | 0.4 | 0.6 | 0.8 | 1.2 |
| 1982 | 2.7 | * | 0.4 | 0.3 | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.8 | 0.9 |
| 1981 | 2.7 | 1.6 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.6 | 0.8 | 1.4 |
| 1980 | 2.6 | 2.0 | * | * | 0.3 | 0.3 | 0.4 | 0.4 | 0.6 | 0.8 | 1.4 |
| 1979 | 2.5 | * | 0.4 | * | * | 0.3 | 0.3 | 0.5 | 0.6 | 0.6 | 0.9 |
| In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 3.4 | 1.7 | * | * | * | 0.3 | * | 0.3 | 0.5 | 0.4 | 0.8 |
| 1997 | 3.3 | 1.9 | 0.5 | * | * | * | 0.3 | 0.3 | 0.4 | 0.4 | 0.8 |
| 1996 | 3.3 | 1.9 | * | * | * | * | * | * | 0.3 | 0.5 | 0.8 |
| 1995 | 3.3 | 2.0 | * | 0.3 | 0.3 | * | * | 0.3 | 0.4 | 0.6 | 0.6 |
| 1994 | 3.2 | 1.8 | 0.4 | * | 0.3 | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.8 |
| 1993 | 3.2 | 1.7 | 0.4 | * | * | * | 0.3 | 0.3 | 0.5 | 0.5 | 0.8 |
| 1992 | 3.1 | 1.5 | 0.4 | 0.3 | * | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.9 |
| 1991 | 3.1 | 1.6 | 0.5 | * | * | * | 0.3 | 0.3 | 0.3 | 0.6 | 0.5 |
| 1990 | 3.0 | 2.1 | 0.5 | 0.4 | 0.3 | * | 0.3 | 0.4 | 0.6 | 0.5 | 0.8 |
| 1989 | 3.0 | * | 0.4 | * | * | * | * | * | 0.4 | 0.4 | 1.0 |
| 1988 | 3.1 | 2.2 | 0.4 | 0.3 | * | * | * | 0.4 | 0.4 | 0.6 | 0.7 |
| 1987 | 3.0 | 2.0 | 0.4 | * | * | 0.3 | 0.2 | 0.3 | 0.4 | 0.5 | 1.0 |
| 1986 | 3.0 | 2.3 | 0.4 | 0.3 | * | * | 0.3 | 0.3 | 0.5 | 0.5 | 0.8 |
| 1985 | 3.1 | 2.3 | * | * | * | * | * | 0.4 | 0.5 | 0.7 | 0.8 |
| 1984 | 3.0 | 2.4 | 0.4 | 0.3 | * | * | 0.3 | 0.3 | 0.5 | 0.6 | 0.8 |
| 1983 | 3.0 | * | 0.4 | 0.3 | * | * | 0.3 | 0.3 | 0.4 | 0.7 | 0.9 |
| 1982 | 3.0 | 1.6 | 0.4 | 0.3 | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.6 | 0.9 |
| 1981 | 2.9 | * | * | 0.3 | * | * | 0.3 | 0.4 | 0.5 | 0.6 | 1.1 |
| 1980 | 2.9 | 1.6 | * | 0.3 | * | 0.3 | 0.3 | 0.5 | 0.5 | 0.8 | 1.2 |
| 1979 | 2.8 | 2.0 | * | * | * | * | 0.3 | 0.5 | 0.6 | 0.7 | 1.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 2.0 | * | * | * | * | * | * | * | 0.6 | 0.7 | 1.4 |
| 1997 | 2.0 | * | * | * | * | * | * | * | 0.7 | 0.8 | 1.2 |
| 1996 | 2.1 | * | 0.6 | * | * | * | * | * | 0.8 | 0.8 | 1.4 |
| 1995 | 2.2 | * | * | * | * | * | * | * | 0.7 | 0.9 | 1.5 |
| 1994 | 2.1 | * | * | * | * | * | * | * | 0.6 | 0.9 | 1.5 |
| 1993 | 2.1 | * | * | * | * | * | * | * | 0.9 | 1.0 | 1.2 |
| 1992 | 2.1 | * | * | * | * | * | * | * | 0.7 | 0.8 | 1.0 |
| 1991 | 2.1 | * | * | * | * | * | * | 0.6 | 0.8 | 0.7 | 1.0 |
| 1990 | 2.1 | * | * | * | * | * | * | * | * | 0.9 | 1.3 |
| 1989 | 2.1 | * | 0.7 | * | * | * | * | * | 0.6 | 0.9 | 1.3 |
| 1988 | 2.3 | * | * | * | * | * | * | * | 0.7 | 0.7 | * |
| 1987 | 2.0 | * | * | * | * | * | * | * | * | 0.7 | 1.3 |
| 1986 | 2.3 | * | * | * | * | * | * | * | * | 1.0 | 1.0 |
| 1985 | 2.4 | * | * | * | * | * | * | * | * | 0.9 | 1.9 |
| 1984 | 2.2 | * | * | * | * | * | * | * | * | 1.0 | 1.2 |
| 1983 | 2.2 | * | * | * | * | * | * | * | 0.8 | 1.0 | 1.3 |
| 1982 | 2.4 | * | * | * | * | * | * | * | * | 1.2 | 1.3 |
| 1981 | 2.2 | * | * | * | * | * | 0.6 | * | * | 1.1 | 1.2 |
| 1980 | 2.6 | * | * | * | * | * | * | * | 1.0 | * | 1.5 |
| 1979 | 2.3 | * | * | * | * | * | * | * | 0.9 | 1.2 | 2.4 |
| In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 1.9 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1997 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.0 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1994 | 1.9 | * | * | * | * | * | * | * | * | 1.1 | 1.4 |
| 1993 | 2.0 | * | * | * | * | * | * | * | 1.2 | 1.3 | 1.4 |
| 1992 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.0 | * | * | * | * | * | * | * | 1.1 | * | * |
| 1990 | 1.9 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1989 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.2 | * | * | * | * | * | * | * | * | * | 2.5 |
| 1984 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.0 | * | * | * | * | * | * | * | * | * | 3.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1997 | 2.1 | * | * | * | * | * | * | * | * | 1.0 | 1.2 |
| 1996 | 2.2 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1995 | 2.3 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1994 | 2.2 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1993 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.3 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1988 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.4 | * | * | * | * | * | * | * | 0.7 | 0.9 | 1.7 |
| 1997 | 2.5 | * | * | * | * | * | * | * | 0.9 | 1.0 | 1.4 |
| 1996 | 2.5 | * | 0.8 | * | * | * | * | * | 1.0 | 1.0 | 1.8 |
| 1995 | 2.6 | * | * | * | * | * | * | * | 0.8 | 1.1 | 1.7 |
| 1994 | 2.4 | * | * | * | * | * | * | * | 0.8 | 1.2 | 1.9 |
| 1993 | 2.4 | * | * | * | * | * | * | * | 1.1 | 1.3 | 1.6 |
| 1992 | 2.4 | * | * | * | * | * | * | * | 0.8 | 0.9 | 1.2 |
| 1991 | 2.5 | * | * | * | * | * | * | 0.8 | 1.0 | 0.9 | 1.3 |
| 1990 | 2.5 | * | * | * | * | * | * | * | * | 1.0 | 1.7 |
| 1989 | 2.5 | * | * | * | * | * | * | * | * | 1.0 | 1.4 |
| 1988 | 2.6 | * | * | * | * | * | * | * | 0.9 | * | * |
| 1987 | 2.3 | * | * | * | * | * | * | * | * | 0.9 | 1.5 |
| 1986 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.7 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1984 | 2.5 | * | * | * | * | * | * | * | * | 1.3 | 1.5 |
| 1983 | 2.5 | * | * | * | * | * | * | * | * | 1.3 | 1.7 |
| 1982 | 2.7 | * | * | * | * | * | * | * | * | 1.3 | 1.6 |
| 1981 | 2.5 | * | * | * | * | * | * | * | * | 1.5 | * |
| 1980 | 2.8 | * | * | * | * | * | * | * | 1.1 | * | 1.6 |
| 1979 | 2.5 | * | * | * | * | * | * | * | * | 1.4 | 2.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1997 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.5 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1994 | 2.2 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1993 | 2.4 | * | * | * | * | * | * | * | 1.6 | 1.8 | 1.9 |
| 1992 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.2 | * | * | * | * | * | * | * | * | * | 3.7 |
| In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 2.6 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1997 | 2.6 | * | * | * | * | * | * | * | * | 1.3 | * |
| 1996 | 2.7 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1995 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.6 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1993 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Anemias (280-285) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.6 | 0.6 | 0.2 | 0.1 | 0.1 | 0.2 | 0.3 | 0.4 | 0.4 | 0.5 | 0.5 |
| 1997 | 1.6 | 0.7 | 0.3 | 0.2 | 0.1 | 0.2 | 0.3 | 0.4 | 0.3 | 0.4 | 0.5 |
| 1996 | 1.6 | 0.8 | 0.3 | 0.1 | 0.1 | 0.2 | 0.3 | 0.4 | 0.4 | 0.4 | 0.5 |
| 1995 | 1.7 | 0.9 | 0.3 | 0.2 | 0.2 | 0.3 | 0.5 | 0.4 | 0.4 | 0.5 | 0.5 |
| 1994 | 1.7 | 0.7 | 0.3 | 0.2 | 0.1 | 0.2 | 0.3 | 0.5 | 0.6 | 0.5 | 0.6 |
| 1993 | 1.7 | 1.1 | 0.3 | 0.1 | 0.2 | 0.3 | 0.4 | 0.4 | 0.4 | 0.6 | 0.4 |
| 1992 | 1.7 | 1.2 | 0.4 | 0.2 | 0.2 | 0.2 | 0.4 | 0.4 | 0.5 | 0.5 | 0.6 |
| 1991 | 1.6 | 0.7 | 0.3 | 0.1 | 0.2 | 0.2 | 0.3 | 0.4 | 0.5 | 0.4 | 0.5 |
| 1990 | 1.6 | 0.7 | 0.3 | 0.2 | 0.1 | 0.3 | 0.4 | 0.4 | 0.5 | 0.6 | 0.5 |
| 1989 | 1.6 | 1.0 | 0.3 | 0.1 | 0.1 | 0.2 | 0.4 | 0.4 | 0.5 | 0.6 | 0.4 |
| 1988 | 1.6 | 0.7 | 0.3 | 0.2 | 0.2 | 0.2 | 0.4 | 0.3 | 0.4 | 0.4 | 0.4 |
| 1987 | 1.6 | * | 0.3 | 0.2 | 0.1 | 0.2 | 0.3 | 0.4 | 0.6 | 0.5 | 0.4 |
| 1986 | 1.5 | 0.6 | 0.4 | 0.2 | 0.1 | 0.2 | 0.4 | 0.3 | 0.5 | 0.4 | 0.3 |
| 1985 | 1.6 | * | 0.4 | 0.2 | 0.2 | 0.2 | 0.3 | 0.4 | 0.4 | 0.3 | 0.5 |
| 1984 | 1.5 | 0.9 | 0.5 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 |
| 1983 | 1.5 | 1.0 | 0.4 | 0.2 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.3 | 0.4 |
| 1982 | 1.4 | 1.0 | 0.5 | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 | 0.3 | 0.4 | 0.5 |
| 1981 | 1.4 | 0.7 | 0.4 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 |
| 1980 | 1.4 | 0.7 | 0.5 | 0.3 | 0.2 | 0.2 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 1979 | 1.4 | 1.0 | 0.6 | 0.2 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.6 |
| Anemias (280-285) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 1.4 | * | * | * | * | * | 0.4 | 0.4 | 0.5 | 0.4 | 0.5 |
| 1997 | 1.4 | * | 0.3 | * | * | * | 0.3 | 0.4 | 0.3 | 0.5 | 0.5 |
| 1996 | 1.4 | * | 0.3 | * | * | * | 0.3 | 0.4 | 0.4 | 0.4 | 0.5 |
| 1995 | 1.4 | * | 0.3 | * | * | * | 0.6 | 0.5 | 0.4 | 0.5 | 0.5 |
| 1994 | 1.5 | * | 0.3 | 0.2 | * | 0.3 | 0.3 | 0.6 | 0.6 | 0.7 | 0.6 |
| 1993 | 1.4 | 1.4 | 0.3 | * | * | 0.3 | 0.4 | 0.5 | 0.5 | 0.6 | 0.4 |
| 1992 | 1.5 | * | 0.5 | * | 0.2 | 0.2 | 0.5 | 0.5 | 0.5 | 0.6 | 0.6 |
| 1991 | 1.4 | * | 0.3 | * | * | 0.4 | 0.3 | 0.4 | 0.5 | 0.5 | 0.5 |
| 1990 | 1.5 | 1.0 | 0.4 | * | * | 0.3 | 0.5 | 0.5 | 0.5 | 0.5 | 0.6 |
| 1989 | 1.4 | 1.1 | 0.4 | * | * | 0.3 | 0.4 | 0.4 | 0.5 | 0.6 | 0.5 |
| 1988 | 1.4 | * | 0.3 | * | * | 0.2 | 0.4 | 0.3 | 0.5 | 0.4 | 0.5 |
| 1987 | 1.4 | * | 0.4 | * | * | 0.2 | 0.3 | 0.5 | 0.7 | 0.6 | 0.5 |
| 1986 | 1.4 | * | 0.4 | 0.2 | * | 0.3 | 0.4 | 0.4 | 0.5 | 0.4 | 0.4 |
| 1985 | 1.4 | * | 0.4 | * | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 | 0.3 | 0.5 |
| 1984 | 1.3 | * | 0.5 | * | * | 0.3 | 0.4 | 0.4 | 0.3 | 0.4 | * |
| 1983 | 1.4 | * | 0.4 | 0.2 | 0.3 | 0.2 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 |
| 1982 | 1.3 | 1.1 | 0.4 | * | * | 0.3 | 0.4 | 0.4 | 0.4 | 0.3 | 0.5 |
| 1981 | 1.4 | * | 0.4 | * | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.6 |
| 1980 | 1.3 | * | 0.5 | 0.3 | * | 0.3 | 0.5 | 0.4 | 0.5 | 0.3 | 0.4 |
| 1979 | 1.4 | 1.4 | 0.6 | * | 0.3 | 0.3 | 0.4 | 0.4 | 0.3 | 0.5 | 0.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Anemias (280-285) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 1.9 | * | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.5 | 0.6 |
| 1997 | 1.9 | * | * | * | * | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 |
| 1996 | 1.8 | * | * | * | * | * | 0.4 | 0.3 | 0.4 | 0.5 | 0.5 |
| 1995 | 2.0 | * | 0.3 | * | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.5 | 0.5 |
| 1994 | 1.8 | * | 0.3 | * | * | * | 0.4 | 0.4 | 0.6 | 0.4 | 0.6 |
| 1993 | 1.9 | * | 0.3 | * | * | 0.2 | 0.4 | 0.4 | 0.4 | 0.6 | 0.5 |
| 1992 | 1.8 | 1.5 | 0.3 | * | * | 0.3 | 0.4 | 0.4 | 0.5 | 0.4 | 0.5 |
| 1991 | 1.8 | * | 0.3 | * | * | * | 0.2 | 0.5 | 0.5 | 0.4 | 0.4 |
| 1990 | 1.8 | * | 0.3 | * | * | * | 0.3 | 0.3 | 0.4 | 0.6 | 0.4 |
| 1989 | 1.8 | * | 0.3 | * | * | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.4 |
| 1988 | 1.8 | * | * | * | * | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 |
| 1987 | 1.7 | * | * | 0.3 | * | 0.3 | 0.3 | 0.2 | 0.5 | 0.4 | 0.4 |
| 1986 | 1.7 | * | 0.4 | * | * | * | 0.3 | 0.2 | 0.5 | 0.4 | 0.3 |
| 1985 | 1.7 | * | 0.4 | * | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 |
| 1984 | 1.6 | * | 0.4 | 0.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 |
| 1983 | 1.6 | 1.1 | 0.4 | * | * | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 |
| 1982 | 1.5 | * | 0.6 | * | * | 0.2 | 0.3 | 0.3 | 0.3 | 0.5 | 0.5 |
| 1981 | 1.5 | * | 0.3 | * | * | 0.2 | 0.3 | 0.3 | 0.3 | 0.5 | 0.4 |
| 1980 | 1.6 | * | 0.5 | * | 0.2 | * | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 1979 | 1.5 | * | 0.5 | * | 0.2 | 0.2 | 0.4 | 0.3 | 0.4 | 0.3 | 0.5 |
| Anemias (280-285) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.5 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1997 | 1.5 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1996 | 1.5 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1995 | 1.6 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1994 | 1.5 | * | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 |
| 1993 | 1.5 | 0.7 | * | * | * | * | 0.1 | 0.1 | 0.1 | 0.2 | * |
| 1992 | 1.5 | 0.6 | 0.2 | * | * | * | 0.1 | * | 0.1 | 0.2 | 0.2 |
| 1991 | 1.5 | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.2 |
| 1990 | 1.5 | * | * | * | * | * | 0.1 | * | 0.1 | 0.2 | 0.2 |
| 1989 | 1.5 | * | 0.2 | * | * | * | * | 0.1 | 0.1 | 0.3 | 0.2 |
| 1988 | 1.5 | * | * | * | * | * | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 |
| 1987 | 1.5 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.2 |
| 1986 | 1.4 | * | 0.2 | * | * | * | 0.1 | * | 0.1 | 0.2 | * |
| 1985 | 1.5 | * | * | * | * | 0.1 | * | 0.1 | 0.2 | 0.1 | 0.2 |
| 1984 | 1.4 | * | 0.2 | 0.2 | 0.1 | * | 0.1 | 0.1 | * | 0.2 | 0.2 |
| 1983 | 1.4 | * | * | * | 0.2 | * | 0.1 | * | 0.2 | 0.2 | 0.2 |
| 1982 | 1.3 | * | 0.2 | * | * | 0.1 | 0.1 | 0.1 | * | 0.2 | 0.3 |
| 1981 | 1.4 | * | * | * | 0.2 | 0.2 | 0.1 | * | * | * | 0.3 |
| 1980 | 1.3 | * | 0.2 | 0.2 | * | 0.1 | 0.2 | 0.1 | 0.1 | * | * |
| 1979 | 1.3 | * | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Anemias (280-285) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.3 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1993 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | 0.3 | * |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.2 | * | * | * | * | 0.2 | * | * | * | * | * |
| 1980 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| Anemias (280-285) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.8 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1992 | 1.7 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1991 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1983 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.5 | * | * | * | * | * | 0.2 | * | * | * | * |
| 1979 | 1.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Anemias (280-285) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 2.1 | * | * | * | * | 0.5 | 1.3 | 1.8 | 1.8 | 2.0 | 2.1 |
| 1997 | 2.1 | * | 0.9 | 0.5 | * | 0.5 | 1.0 | 1.6 | 1.1 | 2.2 | 2.0 |
| 1996 | 2.1 | * | 0.8 | * | * | 0.7 | 1.1 | 1.6 | 1.8 | 2.0 | 2.1 |
| 1995 | 2.4 | * | 1.0 | * | 0.6 | 1.0 | 1.8 | 1.8 | 1.5 | 2.1 | 2.2 |
| 1994 | 2.3 | * | 0.9 | * | * | 0.7 | 1.3 | 1.9 | 2.5 | 2.3 | 2.5 |
| 1993 | 2.3 | 2.8 | 0.9 | * | * | 0.8 | 1.4 | 1.8 | 1.9 | 2.4 | 2.2 |
| 1992 | 2.4 | 3.4 | 1.2 | * | * | 0.7 | 1.8 | 1.9 | 2.2 | 2.3 | 2.4 |
| 1991 | 2.3 | * | 1.0 | * | * | 0.9 | 1.2 | 1.8 | 2.1 | 1.8 | 1.9 |
| 1990 | 2.4 | * | 1.1 | * | * | 1.0 | 1.5 | 1.8 | 2.3 | 2.6 | 1.9 |
| 1989 | 2.3 | 2.9 | 1.0 | * | * | 0.8 | 1.5 | 1.5 | 2.2 | 2.2 | 2.0 |
| 1988 | 2.0 | * | 1.2 | * | * | 0.7 | 1.3 | 1.2 | 1.6 | 2.0 | 1.5 |
| 1987 | 2.1 | * | 1.0 | 0.7 | * | 0.8 | 1.3 | 1.7 | 2.6 | 2.1 | 1.8 |
| 1986 | 2.1 | * | 1.4 | 0.6 | * | 0.7 | 1.4 | 1.8 | 2.4 | 1.7 | 1.4 |
| 1985 | 2.1 | * | 1.7 | * | 0.7 | 0.7 | 1.2 | 1.6 | 1.5 | 1.6 | 2.0 |
| 1984 | 1.9 | * | 1.6 | * | * | 0.9 | 1.3 | 1.4 | 1.5 | 1.7 | 1.2 |
| 1983 | 2.0 | 3.0 | 1.7 | 0.7 | 0.6 | 1.0 | 1.5 | 1.8 | 1.4 | 1.3 | 1.3 |
| 1982 | 2.0 | * | 1.8 | * | * | 0.9 | 1.4 | 1.6 | 1.6 | 1.8 | 1.6 |
| 1981 | 2.0 | * | 1.2 | * | * | 0.7 | 1.4 | 1.4 | 1.5 | 2.4 | 2.1 |
| 1980 | 2.2 | * | 1.6 | * | * | 0.6 | 1.6 | 2.1 | 2.3 | 1.9 | 1.9 |
| 1979 | 2.2 | * | 2.0 | * | 0.8 | 0.8 | 1.8 | 1.6 | 1.8 | 2.0 | 2.1 |
| Anemias (280-285) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 2.0 | * | * | * | * | * | 1.5 | 1.9 | 2.1 | 2.1 | 1.9 |
| 1997 | 2.0 | * | 1.3 | * | * | * | 1.1 | 1.8 | 1.3 | 2.6 | 2.0 |
| 1996 | 2.0 | * | * | * | * | * | * | 1.8 | 1.9 | 2.0 | 2.3 |
| 1995 | 2.2 | * | * | * | * | * | 2.1 | 2.2 | 1.9 | 2.2 | 2.4 |
| 1994 | 2.3 | * | * | * | * | * | 1.3 | 2.2 | 2.6 | 2.8 | 2.4 |
| 1993 | 2.2 | * | * | * | * | * | 1.5 | 2.2 | 2.1 | 2.6 | 2.1 |
| 1992 | 2.3 | * | 1.5 | * | * | * | 2.2 | 2.2 | 2.3 | 2.8 | 3.1 |
| 1991 | 2.3 | * | * | * | * | 1.4 | 1.3 | 1.9 | 2.4 | 2.2 | 2.2 |
| 1990 | 2.6 | * | 1.5 | * | * | 1.3 | 1.8 | 2.3 | 2.6 | 2.5 | 2.2 |
| 1989 | 2.2 | * | * | * | * | * | 1.6 | 1.9 | 2.7 | 2.4 | 2.2 |
| 1988 | 2.0 | * | * | * | * | * | 1.4 | 1.6 | 2.1 | 2.2 | * |
| 1987 | 2.2 | * | * | * | * | * | 1.5 | 2.6 | 3.3 | 2.7 | 2.2 |
| 1986 | 2.1 | * | 1.6 | * | * | * | 1.9 | 2.5 | 2.3 | 1.7 | * |
| 1985 | 2.2 | * | 1.6 | * | * | * | 1.5 | 1.8 | 1.9 | * | * |
| 1984 | 2.0 | * | 1.9 | * | * | * | 1.7 | 1.9 | 1.6 | 2.0 | * |
| 1983 | 2.2 | * | 1.8 | * | * | * | 2.0 | 1.9 | 1.9 | * | * |
| 1982 | 2.0 | * | 1.8 | * | * | 1.1 | 1.9 | 1.7 | 2.0 | * | * |
| 1981 | 2.1 | * | * | * | * | * | 1.7 | 1.8 | 2.1 | 2.4 | 2.7 |
| 1980 | 2.2 | * | * | * | * | * | 2.2 | 2.3 | 2.7 | * | * |
| 1979 | 2.1 | * | 2.4 | * | * | * | 2.2 | 1.8 | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Anemias (280-285) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | 1.1 | 1.6 | 1.5 | 2.0 | 2.3 |
| 1997 | 2.2 | * | * | * | * | * | * | 1.4 | 1.0 | 1.8 | 2.0 |
| 1996 | 2.2 | * | * | * | * | * | 1.2 | 1.4 | 1.7 | 1.9 | 2.0 |
| 1995 | 2.5 | * | * | * | * | 1.1 | 1.5 | 1.5 | 1.2 | 2.0 | 2.0 |
| 1994 | 2.4 | * | * | * | * | * | 1.4 | 1.6 | 2.4 | 1.8 | 2.6 |
| 1993 | 2.4 | * | * | * | * | * | 1.2 | 1.5 | 1.7 | 2.2 | 2.2 |
| 1992 | 2.4 | * | * | * | * | * | 1.3 | 1.5 | 2.2 | 1.9 | 1.8 |
| 1991 | 2.3 | * | * | * | * | * | 1.1 | 1.7 | 1.8 | 1.4 | 1.6 |
| 1990 | 2.2 | * | * | * | * | * | 1.2 | 1.5 | 2.0 | 2.6 | 1.7 |
| 1989 | 2.4 | * | * | * | * | * | 1.3 | 1.2 | 1.7 | 2.1 | 1.9 |
| 1988 | 2.1 | * | * | * | * | * | 1.1 | * | * | 1.9 | * |
| 1987 | 2.0 | * | * | * | * | * | * | * | 1.9 | 1.6 | * |
| 1986 | 2.1 | * | * | * | * | * | * | 1.1 | 2.6 | 1.7 | * |
| 1985 | 2.1 | * | 1.9 | * | * | * | * | 1.4 | 1.2 | 1.5 | 2.0 |
| 1984 | 1.9 | * | * | * | * | * | * | * | 1.5 | * | * |
| 1983 | 1.9 | * | 1.7 | * | * | 1.2 | * | 1.8 | * | * | * |
| 1982 | 2.0 | * | 1.7 | * | * | * | * | 1.4 | * | 2.1 | * |
| 1981 | 1.8 | * | * | * | * | * | 1.2 | * | * | 2.5 | * |
| 1980 | 2.1 | * | * | * | * | * | * | 2.0 | 1.9 | * | * |
| 1979 | 2.2 | * | * | * | * | * | 1.5 | 1.4 | 1.8 | * | * |
| Anemias (280-285) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.7 | * | * | * | * | 0.7 | 1.8 | 2.6 | 2.5 | 2.8 | 2.8 |
| 1997 | 2.6 | * | 1.1 | 0.7 | * | * | 1.4 | 2.2 | 1.6 | 2.9 | 2.8 |
| 1996 | 2.7 | * | 1.1 | * | * | 0.9 | 1.5 | 2.3 | 2.4 | 2.7 | 3.0 |
| 1995 | 3.0 | * | 1.2 | * | 0.8 | 1.3 | 2.5 | 2.6 | 2.0 | 2.9 | 3.0 |
| 1994 | 3.0 | * | 1.2 | * | * | 1.0 | 1.8 | 2.6 | 3.3 | 3.1 | 3.4 |
| 1993 | 2.9 | * | 1.1 | * | * | 1.0 | 1.8 | 2.5 | 2.6 | 3.3 | 3.0 |
| 1992 | 3.0 | 3.3 | 1.6 | * | * | 0.9 | 2.2 | 2.5 | 2.9 | 3.1 | 3.3 |
| 1991 | 2.8 | * | 1.3 | * | * | 1.0 | 1.5 | 2.3 | 2.8 | 2.3 | 2.5 |
| 1990 | 2.9 | * | 1.3 | * | * | 1.2 | 2.0 | 2.4 | 3.0 | 3.3 | 2.6 |
| 1989 | 2.8 | * | 1.3 | * | * | 1.0 | 1.9 | 2.0 | 2.8 | 3.0 | 2.7 |
| 1988 | 2.5 | * | 1.6 | * | * | 0.8 | 1.6 | 1.5 | 2.0 | 2.7 | 2.0 |
| 1987 | 2.5 | * | 1.3 | 0.9 | * | 0.9 | 1.5 | 2.1 | 3.4 | 2.8 | 2.5 |
| 1986 | 2.4 | * | 1.7 | * | * | 0.8 | 1.8 | 2.2 | 3.2 | 2.1 | 1.9 |
| 1985 | 2.5 | * | 2.1 | * | 0.8 | 0.9 | 1.5 | 1.9 | 2.0 | 2.1 | 2.5 |
| 1984 | 2.3 | * | 1.8 | * | * | 1.1 | 1.6 | 1.7 | 1.9 | 2.2 | 1.5 |
| 1983 | 2.4 | * | 2.1 | * | * | 1.2 | 1.8 | 2.3 | 1.8 | 1.7 | 1.7 |
| 1982 | 2.3 | * | 2.1 | * | * | 0.9 | 1.7 | 1.9 | 2.0 | 2.3 | 1.9 |
| 1981 | 2.3 | * | 1.5 | * | * | 0.8 | 1.6 | 1.8 | 2.0 | 3.1 | 2.3 |
| 1980 | 2.5 | * | 1.9 | * | * | 0.7 | 1.9 | 2.6 | 2.8 | 2.3 | 2.3 |
| 1979 | 2.4 | * | 2.4 | * | 0.8 | 0.9 | 2.1 | 1.8 | 2.1 | 2.4 | 2.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Anemias (280-285) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 2.5 | * | * | * | * | * | 2.1 | 2.9 | 2.9 | 2.8 | 2.6 |
| 1997 | 2.5 | * | 1.6 | * | * | * | 1.6 | 2.3 | 1.8 | 3.5 | 2.7 |
| 1996 | 2.6 | * | * | * | * | * | * | 2.7 | 2.6 | 2.8 | 3.2 |
| 1995 | 2.8 | * | * | * | * | * | 3.0 | 3.1 | 2.7 | 3.0 | 3.3 |
| 1994 | 2.9 | * | * | * | * | * | 1.8 | 3.1 | 3.5 | 3.8 | 3.4 |
| 1993 | 2.7 | * | * | * | * | * | 2.1 | 3.1 | 2.9 | 3.5 | 2.9 |
| 1992 | 3.0 | * | 2.0 | * | * | * | 2.9 | 3.1 | 3.1 | 3.7 | 4.2 |
| 1991 | 2.8 | * | * | * | * | 1.6 | 1.5 | 2.4 | 3.2 | 2.8 | 3.0 |
| 1990 | 3.2 | * | * | * | * | 1.6 | 2.4 | 2.9 | 3.5 | 3.4 | 3.0 |
| 1989 | 2.8 | * | * | * | * | * | 2.1 | 2.4 | 3.7 | 3.2 | 3.0 |
| 1988 | 2.4 | * | * | * | * | * | 1.8 | 2.0 | 2.8 | 2.9 | * |
| 1987 | 2.7 | * | * | * | * | * | 1.9 | 3.2 | 4.5 | 3.6 | 3.0 |
| 1986 | 2.4 | * | 2.0 | * | * | * | 2.3 | 3.1 | 3.1 | 2.1 | * |
| 1985 | 2.6 | * | 2.0 | * | * | * | 1.8 | 2.2 | 2.5 | * | * |
| 1984 | 2.4 | * | 2.1 | * | * | * | 2.0 | 2.3 | 1.9 | 2.7 | * |
| 1983 | 2.5 | * | 2.2 | * | * | * | 2.4 | 2.4 | 2.4 | * | * |
| 1982 | 2.3 | * | 2.2 | * | * | * | 2.2 | 2.1 | 2.6 | * | * |
| 1981 | 2.4 | * | * | * | * | * | 1.9 | 2.2 | 2.7 | 3.1 | * |
| 1980 | 2.6 | * | * | * | * | * | 2.6 | 2.8 | 3.3 | * | * |
| 1979 | 2.4 | * | 2.8 | * | * | * | 2.6 | 2.1 | * | * | * |
| Anemias (280-285) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 2.8 | * | * | * | * | * | 1.5 | 2.3 | 2.1 | 2.8 | 3.1 |
| 1997 | 2.7 | * | * | * | * | * | * | 2.0 | 1.4 | 2.4 | 2.8 |
| 1996 | 2.8 | * | * | * | * | * | 1.7 | 1.9 | 2.3 | 2.6 | 2.8 |
| 1995 | 3.2 | * | * | * | * | 1.4 | 2.0 | 2.1 | 1.5 | 2.8 | 2.7 |
| 1994 | 3.0 | * | * | * | * | * | 1.9 | 2.1 | 3.1 | 2.5 | 3.5 |
| 1993 | 3.0 | * | * | * | * | * | 1.6 | 2.0 | 2.2 | 3.0 | 3.0 |
| 1992 | 3.0 | * | * | * | * | * | 1.6 | 2.0 | 2.8 | 2.5 | 2.5 |
| 1991 | 2.8 | * | * | * | * | * | 1.5 | 2.2 | 2.4 | 1.9 | 2.1 |
| 1990 | 2.7 | * | * | * | * | * | 1.6 | 1.9 | 2.6 | 3.3 | 2.3 |
| 1989 | 2.8 | * | * | * | * | * | 1.7 | 1.6 | 2.1 | 2.8 | 2.5 |
| 1988 | 2.5 | * | * | * | * | * | 1.4 | * | * | 2.4 | * |
| 1987 | 2.3 | * | * | * | * | * | * | * | 2.4 | 2.2 | * |
| 1986 | 2.4 | * | * | * | * | * | * | 1.4 | 3.4 | 2.2 | * |
| 1985 | 2.5 | * | 2.3 | * | * | * | * | 1.7 | 1.6 | 1.9 | 2.5 |
| 1984 | 2.2 | * | * | * | * | * | * | * | 1.9 | * | * |
| 1983 | 2.3 | * | 2.0 | * | * | 1.5 | * | 2.2 | * | * | * |
| 1982 | 2.3 | * | 2.0 | * | * | * | * | 1.8 | * | 2.7 | * |
| 1981 | 2.1 | * | * | * | * | * | 1.4 | * | * | 3.0 | * |
| 1980 | 2.4 | * | * | * | * | * | * | 2.4 | 2.3 | * | * |
| 1979 | 2.4 | * | * | * | * | * | 1.7 | * | 2.2 | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diabetes mellitus (250) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 23.5 | * | * | * | * | 0.2 | 0.5 | 1.0 | 2.1 | 3.1 | 5.4 |
| 1997 | 23.0 | * | * | * | * | 0.2 | 0.5 | 1.1 | 1.9 | 3.3 | 5.2 |
| 1996 | 22.9 | * | * | * | 0.1 | 0.2 | 0.6 | 1.0 | 2.0 | 3.1 | 5.6 |
| 1995 | 22.3 | * | * | * | * | 0.3 | 0.5 | 1.1 | 1.8 | 3.4 | 5.4 |
| 1994 | 21.5 | * | * | * | * | 0.2 | 0.5 | 1.2 | 2.0 | 3.1 | 5.6 |
| 1993 | 20.7 | * | * | * | * | 0.2 | 0.5 | 1.0 | 1.8 | 3.3 | 5.1 |
| 1992 | 19.5 | * | * | * | * | 0.2 | 0.5 | 1.1 | 1.9 | 3.1 | 5.0 |
| 1991 | 19.3 | * | * | * | 0.1 | 0.2 | 0.5 | 1.0 | 2.0 | 3.2 | 4.8 |
| 1990 | 19.2 | * | * | * | * | 0.2 | 0.4 | 1.1 | 2.0 | 3.1 | 5.1 |
| 1989 | 19.0 | * | * | * | 0.1 | 0.2 | 0.5 | 1.2 | 2.0 | 3.0 | 4.9 |
| 1988 | 16.5 | * | * | * | * | 0.2 | 0.4 | 1.1 | 2.0 | 3.4 | 4.7 |
| 1987 | 15.9 | * | * | * | 0.1 | 0.2 | 0.4 | 1.0 | 1.9 | 3.0 | 4.1 |
| 1986 | 15.5 | * | * | * | * | 0.2 | 0.5 | 1.0 | 2.0 | 2.9 | 4.4 |
| 1985 | 15.5 | * | * | * | 0.1 | 0.2 | 0.4 | 1.0 | 1.6 | 3.1 | 4.4 |
| 1984 | 15.2 | * | * | * | * | 0.1 | 0.4 | 1.0 | 1.8 | 3.0 | 4.2 |
| 1983 | 15.5 | * | * | * | 0.2 | 0.2 | 0.4 | 1.1 | 1.9 | 3.1 | 4.3 |
| 1982 | 14.9 | * | * | * | 0.1 | 0.2 | 0.4 | 1.0 | 1.8 | 2.7 | 4.0 |
| 1981 | 15.1 | * | * | * | 0.1 | 0.2 | 0.5 | 1.0 | 1.9 | 2.7 | 4.4 |
| 1980 | 15.4 | * | * | * | 0.1 | 0.2 | 0.4 | 1.2 | 1.9 | 3.0 | 4.2 |
| 1979 | 14.8 | * | * | * | 0.2 | 0.2 | 0.6 | 1.1 | 1.7 | 2.9 | 4.4 |
| Diabetes mellitus (250) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 21.9 | * | * | * | * | 0.2 | 0.5 | 1.1 | 2.4 | 3.7 | 6.8 |
| 1997 | 21.1 | * | * | * | * | 0.2 | 0.5 | 1.1 | 2.0 | 4.2 | 6.5 |
| 1996 | 21.0 | * | * | * | * | * | 0.7 | 1.1 | 2.4 | 4.0 | 6.7 |
| 1995 | 20.1 | * | * | * | * | 0.3 | 0.6 | 1.2 | 2.0 | 3.8 | 6.5 |
| 1994 | 19.3 | * | * | * | * | * | 0.5 | 1.2 | 2.3 | 3.8 | 6.9 |
| 1993 | 18.5 | * | * | * | * | * | 0.5 | 1.0 | 1.9 | 4.0 | 6.2 |
| 1992 | 17.3 | * | * | * | * | * | 0.6 | 1.3 | 2.2 | 4.0 | 5.8 |
| 1991 | 17.1 | * | * | * | * | * | 0.6 | 1.0 | 2.3 | 3.7 | 5.8 |
| 1990 | 16.7 | * | * | * | * | * | 0.4 | 1.2 | 2.3 | 3.9 | 6.2 |
| 1989 | 16.4 | * | * | * | * | * | 0.6 | 1.3 | 2.5 | 3.9 | 6.2 |
| 1988 | 14.3 | * | * | * | * | * | 0.5 | 1.1 | 2.5 | 4.1 | 5.7 |
| 1987 | 13.8 | * | * | * | * | * | 0.4 | 1.1 | 2.4 | 3.8 | 5.0 |
| 1986 | 13.2 | * | * | * | * | * | 0.5 | 1.1 | 2.3 | 3.5 | 5.1 |
| 1985 | 13.2 | * | * | * | * | * | 0.4 | 1.0 | 2.1 | 3.8 | 5.4 |
| 1984 | 13.0 | * | * | * | * | * | 0.4 | 1.1 | 2.1 | 3.6 | 5.1 |
| 1983 | 12.9 | * | * | * | * | * | 0.4 | 1.0 | 2.1 | 3.7 | 5.0 |
| 1982 | 12.6 | * | * | * | * | * | 0.5 | 1.0 | 2.0 | 3.2 | 4.8 |
| 1981 | 12.7 | * | * | * | * | * | 0.5 | 1.1 | 2.3 | 3.1 | 5.0 |
| 1980 | 13.0 | * | * | * | * | * | 0.5 | 1.2 | 2.3 | 3.5 | 4.6 |
| 1979 | 12.6 | * | * | * | * | 0.2 | 0.6 | 1.3 | 1.9 | 3.2 | 5.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diabetes mellitus (250) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 25.0 | * | * | * | * | 0.2 | 0.6 | 0.9 | 1.8 | 2.5 | 4.0 |
| 1997 | 24.8 | * | * | * | * | * | 0.5 | 1.1 | 1.7 | 2.4 | 3.9 |
| 1996 | 24.8 | * | * | * | * | 0.2 | 0.5 | 1.0 | 1.6 | 2.3 | 4.6 |
| 1995 | 24.3 | * | * | * | * | * | 0.4 | 0.9 | 1.6 | 2.9 | 4.3 |
| 1994 | 23.7 | * | * | * | * | * | 0.5 | 1.1 | 1.7 | 2.4 | 4.2 |
| 1993 | 22.9 | * | * | * | * | * | 0.5 | 1.0 | 1.6 | 2.7 | 4.0 |
| 1992 | 21.6 | * | * | * | * | * | 0.4 | 1.0 | 1.6 | 2.3 | 4.1 |
| 1991 | 21.5 | * | * | * | * | * | 0.4 | 1.0 | 1.6 | 2.7 | 3.8 |
| 1990 | 21.5 | * | * | * | * | 0.2 | 0.5 | 1.1 | 1.7 | 2.4 | 4.0 |
| 1989 | 21.4 | * | * | * | * | * | 0.5 | 1.0 | 1.6 | 2.2 | 3.7 |
| 1988 | 18.7 | * | * | * | * | * | 0.4 | 1.1 | 1.4 | 2.7 | 3.6 |
| 1987 | 17.9 | * | * | * | * | * | 0.4 | 1.0 | 1.4 | 2.3 | 3.2 |
| 1986 | 17.7 | * | * | * | * | * | 0.5 | 1.0 | 1.7 | 2.4 | 3.7 |
| 1985 | 17.8 | * | * | * | * | 0.3 | 0.4 | 1.0 | 1.2 | 2.3 | 3.6 |
| 1984 | 17.3 | * | * | * | * | * | 0.4 | 1.0 | 1.5 | 2.4 | 3.4 |
| 1983 | 18.0 | * | * | * | * | 0.2 | 0.5 | 1.1 | 1.6 | 2.4 | 3.7 |
| 1982 | 17.1 | * | * | * | * | 0.2 | 0.4 | 1.0 | 1.5 | 2.3 | 3.2 |
| 1981 | 17.3 | * | * | * | * | 0.3 | 0.5 | 0.9 | 1.6 | 2.3 | 3.8 |
| 1980 | 17.6 | * | * | * | * | * | 0.4 | 1.3 | 1.4 | 2.4 | 3.7 |
| 1979 | 16.8 | * | * | * | * | 0.3 | 0.5 | 1.0 | 1.6 | 2.6 | 3.5 |
| Diabetes mellitus (250) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 22.8 | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.8 | 2.7 | 4.6 |
| 1997 | 22.2 | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.6 | 2.9 | 4.4 |
| 1996 | 22.3 | * | * | * | * | 0.2 | 0.5 | 0.9 | 1.8 | 2.8 | 4.8 |
| 1995 | 21.5 | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.6 | 2.9 | 4.8 |
| 1994 | 20.9 | * | * | * | * | 0.1 | 0.4 | 1.0 | 1.8 | 2.7 | 4.8 |
| 1993 | 20.1 | * | * | * | * | * | 0.4 | 0.9 | 1.6 | 2.9 | 4.3 |
| 1992 | 18.9 | * | * | * | * | 0.2 | 0.4 | 1.0 | 1.8 | 2.8 | 4.3 |
| 1991 | 18.7 | * | * | * | * | 0.1 | 0.4 | 0.9 | 1.8 | 2.9 | 4.0 |
| 1990 | 18.5 | * | * | * | * | 0.1 | 0.3 | 1.0 | 1.8 | 2.8 | 4.4 |
| 1989 | 18.3 | * | * | * | * | * | 0.5 | 1.0 | 1.9 | 2.7 | 4.4 |
| 1988 | 15.9 | * | * | * | * | 0.1 | 0.4 | 1.0 | 1.8 | 2.9 | 4.0 |
| 1987 | 15.3 | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.8 | 2.9 | 3.6 |
| 1986 | 14.9 | * | * | * | * | 0.1 | 0.5 | 1.0 | 2.0 | 2.5 | 3.7 |
| 1985 | 15.0 | * | * | * | * | 0.2 | 0.3 | 0.9 | 1.5 | 2.8 | 3.9 |
| 1984 | 14.7 | * | * | * | * | * | 0.4 | 1.0 | 1.6 | 2.7 | 3.5 |
| 1983 | 15.0 | * | * | * | * | 0.2 | 0.4 | 1.0 | 1.7 | 2.8 | 3.7 |
| 1982 | 14.6 | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.6 | 2.5 | 3.6 |
| 1981 | 14.6 | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.8 | 2.4 | 3.7 |
| 1980 | 14.8 | * | * | * | * | 0.1 | 0.4 | 1.1 | 1.8 | 2.5 | 3.5 |
| 1979 | 14.3 | * | * | * | 0.1 | 0.2 | 0.5 | 1.1 | 1.6 | 2.4 | 3.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diabetes mellitus (250) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 21.7 | * | * | * | * | * | 0.3 | 0.8 | 2.0 | 3.2 | 5.8 |
| 1997 | 20.8 | * | * | * | * | * | 0.4 | 0.7 | 1.6 | 3.8 | 5.6 |
| 1996 | 20.9 | * | * | * | * | * | 0.5 | 1.0 | 2.2 | 3.5 | 5.8 |
| 1995 | 19.8 | * | * | * | * | 0.3 | 0.4 | 0.9 | 1.8 | 3.4 | 5.8 |
| 1994 | 19.0 | * | * | * | * | * | 0.4 | 1.1 | 2.1 | 3.3 | 6.2 |
| 1993 | 18.2 | * | * | * | * | * | 0.4 | 0.9 | 1.7 | 3.4 | 5.5 |
| 1992 | 17.1 | * | * | * | * | * | 0.5 | 1.1 | 2.1 | 3.7 | 5.2 |
| 1991 | 16.9 | * | * | * | * | * | 0.5 | 0.9 | 2.1 | 3.3 | 4.9 |
| 1990 | 16.5 | * | * | * | * | * | 0.4 | 1.0 | 2.0 | 3.5 | 5.5 |
| 1989 | 16.0 | * | * | * | * | * | 0.4 | 1.1 | 2.3 | 3.5 | 5.6 |
| 1988 | 13.9 | * | * | * | * | * | 0.4 | 1.0 | 2.3 | 3.5 | 4.9 |
| 1987 | 13.5 | * | * | * | * | * | 0.4 | 0.9 | 2.3 | 3.6 | 4.4 |
| 1986 | 12.9 | * | * | * | * | * | 0.5 | 1.0 | 2.3 | 3.0 | 4.4 |
| 1985 | 12.9 | * | * | * | * | * | 0.3 | 1.0 | 1.9 | 3.6 | 4.6 |
| 1984 | 12.7 | * | * | * | * | * | 0.4 | 1.1 | 1.8 | 3.2 | 4.3 |
| 1983 | 12.7 | * | * | * | * | * | 0.4 | 0.9 | 1.9 | 3.3 | 4.3 |
| 1982 | 12.5 | * | * | * | * | * | 0.5 | 0.9 | 1.7 | 2.9 | 4.3 |
| 1981 | 12.6 | * | * | * | * | * | 0.4 | 1.0 | 2.0 | 2.9 | 4.2 |
| 1980 | 12.8 | * | * | * | * | * | 0.4 | 1.1 | 2.2 | 3.0 | 3.9 |
| 1979 | 12.4 | * | * | * | * | * | 0.6 | 1.2 | 1.7 | 2.9 | 4.5 |
| Diabetes mellitus (250) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 23.9 | * | * | * | * | * | 0.4 | 0.8 | 1.5 | 2.2 | 3.4 |
| 1997 | 23.6 | * | * | * | * | * | 0.4 | 0.9 | 1.6 | 2.1 | 3.2 |
| 1996 | 23.6 | * | * | * | * | * | 0.4 | 0.9 | 1.4 | 2.1 | 3.8 |
| 1995 | 23.3 | * | * | * | * | * | 0.3 | 0.8 | 1.4 | 2.5 | 3.8 |
| 1994 | 22.7 | * | * | * | * | * | 0.4 | 1.0 | 1.5 | 2.0 | 3.4 |
| 1993 | 21.9 | * | * | * | * | * | 0.4 | 0.8 | 1.5 | 2.5 | 3.2 |
| 1992 | 20.6 | * | * | * | * | * | 0.3 | 0.8 | 1.5 | 1.9 | 3.4 |
| 1991 | 20.5 | * | * | * | * | * | 0.3 | 1.0 | 1.5 | 2.4 | 3.1 |
| 1990 | 20.5 | * | * | * | * | * | 0.3 | 1.0 | 1.5 | 2.1 | 3.4 |
| 1989 | 20.5 | * | * | * | * | * | 0.5 | 0.9 | 1.5 | 1.9 | 3.3 |
| 1988 | 17.7 | * | * | * | * | * | 0.4 | 0.9 | 1.3 | 2.3 | 3.0 |
| 1987 | 17.0 | * | * | * | * | * | 0.4 | 0.9 | 1.2 | 2.1 | 2.8 |
| 1986 | 16.8 | * | * | * | * | * | 0.5 | 0.9 | 1.6 | 2.1 | 3.0 |
| 1985 | 17.0 | * | * | * | * | * | 0.3 | 0.9 | 1.1 | 2.1 | 3.1 |
| 1984 | 16.6 | * | * | * | * | * | 0.4 | 1.0 | 1.4 | 2.1 | 2.6 |
| 1983 | 17.3 | * | * | * | * | * | 0.4 | 1.1 | 1.4 | 2.2 | 3.0 |
| 1982 | 16.6 | * | * | * | * | * | 0.3 | 0.9 | 1.4 | 2.1 | 2.8 |
| 1981 | 16.6 | * | * | * | * | 0.3 | 0.4 | 0.8 | 1.5 | 2.0 | 3.2 |
| 1980 | 16.8 | * | * | * | * | * | 0.4 | 1.1 | 1.3 | 2.1 | 3.0 |
| 1979 | 16.1 | * | * | * | * | 0.3 | 0.5 | 0.9 | 1.5 | 2.0 | 2.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Diabetes mellitus (250) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 26.5 | * | * | * | * | * | 1.0 | 1.7 | 3.5 | 4.9 | 9.1 |
| 1997 | 26.6 | * | * | * | * | * | 0.9 | 2.2 | 3.0 | 5.0 | 9.1 |
| 1996 | 26.1 | * | * | * | * | * | 1.1 | 1.6 | 2.8 | 4.7 | 9.7 |
| 1995 | 25.7 | * | * | * | * | * | 1.0 | 2.0 | 2.9 | 5.3 | 8.5 |
| 1994 | 24.6 | * | * | * | * | * | 0.9 | 1.6 | 2.8 | 5.2 | 9.4 |
| 1993 | 23.9 | * | * | * | * | * | 0.9 | 1.7 | 2.5 | 5.3 | 9.1 |
| 1992 | 22.6 | * | * | * | * | * | 1.0 | 1.8 | 2.4 | 4.8 | 8.5 |
| 1991 | 22.6 | * | * | * | * | * | 0.9 | 1.5 | 2.9 | 4.7 | 9.1 |
| 1990 | 22.4 | * | * | * | * | * | 0.9 | 1.8 | 3.0 | 4.5 | 8.8 |
| 1989 | 22.4 | * | * | * | * | * | 1.0 | 1.9 | 2.6 | 5.0 | 7.9 |
| 1988 | 20.0 | * | * | * | * | * | 0.6 | 1.8 | 2.7 | 5.9 | 9.0 |
| 1987 | 19.0 | * | * | * | * | * | * | 1.6 | 2.6 | 4.1 | 7.1 |
| 1986 | 18.8 | * | * | * | * | * | 0.6 | 1.2 | 2.3 | 5.2 | 8.7 |
| 1985 | 18.6 | * | * | * | * | * | 0.8 | 1.3 | 2.2 | 4.5 | 8.2 |
| 1984 | 18.0 | * | * | * | * | * | * | 1.2 | 3.2 | 4.9 | 8.8 |
| 1983 | 18.2 | * | * | * | * | * | 0.8 | 1.3 | 3.0 | 4.8 | 8.6 |
| 1982 | 16.9 | * | * | * | * | * | 0.7 | 1.1 | 3.0 | 4.2 | 6.8 |
| 1981 | 17.9 | * | * | * | * | * | 1.0 | 1.5 | 2.8 | 4.6 | 9.1 |
| 1980 | 18.9 | * | * | * | * | * | 0.8 | 2.0 | 2.6 | 5.9 | 8.7 |
| 1979 | 18.1 | * | * | * | * | * | 0.9 | 1.6 | 2.9 | 6.0 | 10.1 |
| Diabetes mellitus (250) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 22.7 | * | * | * | * | * | * | 2.0 | 4.1 | 5.9 | 11.6 |
| 1997 | 22.7 | * | * | * | * | * | * | 2.6 | 3.9 | 6.1 | 11.2 |
| 1996 | 21.5 | * | * | * | * | * | 1.3 | 1.5 | 3.2 | 6.3 | 11.7 |
| 1995 | 21.5 | * | * | * | * | * | 1.3 | 2.4 | 3.3 | 6.3 | 10.2 |
| 1994 | 20.4 | * | * | * | * | * | * | 2.0 | 3.4 | 6.3 | 11.1 |
| 1993 | 19.7 | * | * | * | * | * | * | 1.7 | 3.1 | 7.1 | 10.5 |
| 1992 | 18.3 | * | * | * | * | * | * | 2.2 | 2.7 | 5.9 | 9.3 |
| 1991 | 18.3 | * | * | * | * | * | * | 1.6 | 3.4 | 5.6 | 11.5 |
| 1990 | 18.1 | * | * | * | * | * | * | 2.2 | 3.7 | 5.6 | 10.3 |
| 1989 | 18.4 | * | * | * | * | * | * | 2.4 | 3.6 | 6.2 | 10.2 |
| 1988 | 16.2 | * | * | * | * | * | * | 1.7 | 3.5 | 7.4 | 11.2 |
| 1987 | 15.0 | * | * | * | * | * | * | 1.9 | 2.7 | 4.8 | 8.9 |
| 1986 | 14.8 | * | * | * | * | * | * | 1.4 | 2.7 | 6.5 | 10.2 |
| 1985 | 14.7 | * | * | * | * | * | * | * | 3.0 | 5.5 | 10.6 |
| 1984 | 14.4 | * | * | * | * | * | * | * | 4.0 | 5.7 | 10.0 |
| 1983 | 14.3 | * | * | * | * | * | * | 1.6 | 3.7 | 6.4 | 9.6 |
| 1982 | 13.0 | * | * | * | * | * | * | * | 4.0 | 5.3 | 8.2 |
| 1981 | 13.7 | * | * | * | * | * | * | 1.6 | 3.7 | 5.0 | 10.9 |
| 1980 | 14.6 | * | * | * | * | * | * | 1.9 | 3.1 | 7.5 | 9.8 |
| 1979 | 14.4 | * | * | * | * | * | * | 1.9 | 3.3 | 5.6 | 12.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diabetes mellitus (250) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 30.0 | * | * | * | * | * | 1.1 | 1.5 | 3.0 | 4.0 | 6.9 |
| 1997 | 30.1 | * | * | * | * | * | * | 1.9 | 2.1 | 4.0 | 7.1 |
| 1996 | 30.3 | * | * | * | * | * | * | 1.6 | 2.4 | 3.2 | 8.0 |
| 1995 | 29.5 | * | * | * | * | * | * | 1.5 | 2.5 | 4.4 | 7.0 |
| 1994 | 28.5 | * | * | * | * | * | * | 1.3 | 2.3 | 4.3 | 7.9 |
| 1993 | 27.7 | * | * | * | * | * | * | 1.6 | 1.9 | 3.7 | 7.8 |
| 1992 | 26.6 | * | * | * | * | * | * | 1.4 | 2.1 | 3.9 | 7.8 |
| 1991 | 26.5 | * | * | * | * | * | * | 1.3 | 2.4 | 4.0 | 7.0 |
| 1990 | 26.4 | * | * | * | * | * | 1.3 | 1.5 | 2.3 | 3.6 | 7.5 |
| 1989 | 26.0 | * | * | * | * | * | * | 1.4 | 1.7 | 3.9 | 6.0 |
| 1988 | 23.5 | * | * | * | * | * | * | 1.8 | 1.9 | 4.5 | 7.0 |
| 1987 | 22.7 | * | * | * | * | * | * | 1.4 | 2.4 | 3.5 | 5.6 |
| 1986 | 22.5 | * | * | * | * | * | * | 1.1 | 1.9 | 4.1 | 7.4 |
| 1985 | 22.1 | * | * | * | * | * | * | 1.4 | 1.6 | 3.6 | 6.0 |
| 1984 | 21.3 | * | * | * | * | * | * | 1.2 | 2.5 | 4.2 | 7.8 |
| 1983 | 21.8 | * | * | * | * | * | * | 1.2 | 2.3 | 3.5 | 7.8 |
| 1982 | 20.4 | * | * | * | * | * | * | * | 2.1 | 3.2 | 5.6 |
| 1981 | 21.8 | * | * | * | * | * | * | 1.3 | 2.0 | 4.2 | 7.5 |
| 1980 | 22.7 | * | * | * | * | * | * | 2.2 | 2.2 | 4.5 | 7.9 |
| 1979 | 21.4 | * | * | * | * | * | * | * | 2.5 | 6.4 | 8.1 |
| Diabetes mellitus (250) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 32.0 | * | * | * | * | * | 1.4 | 2.5 | 4.4 | 6.5 | 11.8 |
| 1997 | 31.8 | * | * | * | * | * | 1.2 | 3.1 | 4.1 | 6.6 | 11.3 |
| 1996 | 31.4 | * | * | * | * | * | 1.5 | 2.0 | 3.4 | 5.9 | 12.0 |
| 1995 | 30.7 | * | * | * | * | * | 1.3 | 2.6 | 3.6 | 6.8 | 10.8 |
| 1994 | 29.6 | * | * | * | * | * | 1.3 | 2.1 | 3.8 | 6.8 | 12.1 |
| 1993 | 28.7 | * | * | * | * | * | 1.1 | 2.1 | 3.2 | 7.0 | 11.9 |
| 1992 | 27.1 | * | * | * | * | * | 1.3 | 2.5 | 3.0 | 6.3 | 10.8 |
| 1991 | 27.2 | * | * | * | * | * | 1.1 | 1.9 | 3.7 | 6.1 | 11.7 |
| 1990 | 26.6 | * | * | * | * | * | 1.1 | 2.4 | 3.9 | 5.7 | 11.0 |
| 1989 | 26.4 | * | * | * | * | * | 1.2 | 2.4 | 3.1 | 6.6 | 10.3 |
| 1988 | 23.5 | * | * | * | * | * | 0.7 | 2.2 | 3.4 | 7.4 | 11.7 |
| 1987 | 22.2 | * | * | * | * | * | * | 2.0 | 3.1 | 5.2 | 8.8 |
| 1986 | 21.8 | * | * | * | * | * | 0.7 | 1.4 | 2.9 | 6.6 | 10.7 |
| 1985 | 21.4 | * | * | * | * | * | 1.0 | 1.6 | 2.7 | 5.6 | 10.1 |
| 1984 | 20.6 | * | * | * | * | * | * | 1.5 | 4.0 | 6.3 | 11.0 |
| 1983 | 20.8 | * | * | * | * | * | 0.9 | 1.6 | 3.7 | 5.9 | 10.2 |
| 1982 | 19.0 | * | * | * | * | * | 0.8 | 1.4 | 3.6 | 5.2 | 8.1 |
| 1981 | 20.1 | * | * | * | * | * | 1.1 | 1.7 | 3.4 | 5.6 | 10.6 |
| 1980 | 20.8 | * | * | * | * | * | 0.9 | 2.2 | 3.2 | 7.2 | 9.6 |
| 1979 | 19.7 | * | * | * | * | * | 0.9 | 1.8 | 3.4 | 7.0 | 11.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diabetes mellitus (250) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 26.7 | * | * | * | * | * | * | 2.9 | 5.0 | 7.6 | 15.2 |
| 1997 | 26.7 | * | * | * | * | * | * | 3.8 | 5.4 | 8.1 | 14.0 |
| 1996 | 25.3 | * | * | * | * | * | 1.8 | 1.8 | 3.9 | 8.0 | 14.1 |
| 1995 | 25.6 | * | * | * | * | * | 1.8 | 3.3 | 4.3 | 8.2 | 12.8 |
| 1994 | 24.3 | * | * | * | * | * | * | 2.7 | 4.7 | 8.2 | 14.0 |
| 1993 | 23.6 | * | * | * | * | * | * | 2.2 | 4.0 | 9.7 | 13.8 |
| 1992 | 21.6 | * | * | * | * | * | * | 3.1 | 3.6 | 7.8 | 11.7 |
| 1991 | 22.1 | * | * | * | * | * | * | 2.1 | 4.5 | 7.4 | 14.5 |
| 1990 | 21.1 | * | * | * | * | * | * | 2.9 | 4.9 | 6.9 | 12.7 |
| 1989 | 21.5 | * | * | * | * | * | * | 3.1 | 4.2 | 8.4 | 13.1 |
| 1988 | 18.8 | * | * | * | * | * | * | 2.2 | 4.4 | 9.7 | 14.4 |
| 1987 | 17.2 | * | * | * | * | * | * | 2.4 | 3.3 | 6.1 | 10.9 |
| 1986 | 16.8 | * | * | * | * | * | * | 1.8 | 3.5 | 8.2 | 13.0 |
| 1985 | 16.5 | * | * | * | * | * | * | * | 3.7 | 6.8 | 13.0 |
| 1984 | 16.2 | * | * | * | * | * | * | * | 5.1 | 7.2 | 12.7 |
| 1983 | 16.1 | * | * | * | * | * | * | 1.8 | 4.6 | 7.6 | 11.4 |
| 1982 | 14.4 | * | * | * | * | * | * | * | 4.8 | 6.8 | 9.6 |
| 1981 | 15.0 | * | * | * | * | * | * | 1.8 | 4.4 | 6.3 | 12.5 |
| 1980 | 16.0 | * | * | * | * | * | * | 1.9 | 3.9 | 9.3 | 10.2 |
| 1979 | 15.4 | * | * | * | * | * | * | 2.2 | 4.1 | 6.2 | 13.7 |
| Diabetes mellitus (250) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 36.7 | * | * | * | * | * | 1.5 | 2.2 | 4.0 | 5.5 | 8.9 |
| 1997 | 36.4 | * | * | * | * | * | * | 2.5 | 2.9 | 5.2 | 8.9 |
| 1996 | 36.9 | * | * | * | * | * | * | 2.1 | 2.9 | 3.9 | 10.1 |
| 1995 | 35.4 | * | * | * | * | * | * | 1.9 | 3.1 | 5.5 | 9.1 |
| 1994 | 34.4 | * | * | * | * | * | * | 1.6 | 2.9 | 5.5 | 10.4 |
| 1993 | 33.4 | * | * | * | * | * | * | 2.0 | 2.6 | 4.6 | 10.2 |
| 1992 | 32.0 | * | * | * | * | * | * | 1.9 | 2.6 | 5.0 | 10.1 |
| 1991 | 31.9 | * | * | * | * | * | * | 1.8 | 3.1 | 4.9 | 9.3 |
| 1990 | 31.5 | * | * | * | * | * | 1.6 | 2.0 | 3.0 | 4.6 | 9.6 |
| 1989 | 30.7 | * | * | * | * | * | * | 1.8 | 2.0 | 5.1 | 7.9 |
| 1988 | 27.7 | * | * | * | * | * | * | 2.3 | 2.5 | 5.5 | 9.3 |
| 1987 | 26.6 | * | * | * | * | * | * | 1.6 | 2.9 | 4.4 | 7.0 |
| 1986 | 26.2 | * | * | * | * | * | * | * | 2.4 | 5.2 | 8.7 |
| 1985 | 25.7 | * | * | * | * | * | * | 1.8 | 1.8 | 4.6 | 7.6 |
| 1984 | 24.5 | * | * | * | * | * | * | 1.4 | 3.1 | 5.5 | 9.5 |
| 1983 | 25.0 | * | * | * | * | * | * | 1.4 | 3.0 | 4.4 | 9.2 |
| 1982 | 23.1 | * | * | * | * | * | * | * | 2.5 | 3.9 | 6.8 |
| 1981 | 24.7 | * | * | * | * | * | * | 1.5 | 2.5 | 5.0 | 9.0 |
| 1980 | 25.2 | * | * | * | * | * | * | 2.5 | 2.6 | 5.5 | 9.2 |
| 1979 | 23.5 | * | * | * | * | * | * | * | 2.9 | 7.7 | 9.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nutritional deficiencies (260-269) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.5 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1997 | 1.4 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1996 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.3 | 0.6 | * | * | * | * | * | * | * | 0.1 | * |
| 1992 | 1.2 | 0.6 | * | * | * | * | * | * | * | * | 0.1 |
| 1991 | 1.2 | 0.5 | * | * | * | * | * | * | * | * | * |
| 1990 | 1.2 | * | * | * | * | * | * | * | * | 0.1 | * |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1988 | 1.2 | 0.7 | * | * | * | * | * | * | * | * | 0.1 |
| 1987 | 1.2 | 0.7 | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | 0.6 | * | * | * | * | * | * | * | * | 0.2 |
| 1985 | 1.2 | 0.8 | * | * | * | * | * | * | * | * | * |
| 1984 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | 0.9 | * | * | * | * | * | * | * | * | * |
| 1982 | 1.0 | 0.9 | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | 0.8 | * | * | * | * | * | * | * | * | 0.2 |
| 1980 | 1.0 | 0.8 | * | * | * | * | * | * | * | * | * |
| 1979 | 1.0 | 1.3 | * | * | * | * | * | * | * | * | 0.2 |
| Nutritional deficiencies (260-269) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.8 | 1.9 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nutritional deficiencies (260-269) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| Nutritional deficiencies (260-269) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.5 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1996 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.2 | 0.7 | * | * | * | * | * | * | * | * | * |
| 1984 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.0 | 0.7 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nutritional deficiencies (260-269) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| Nutritional deficiencies (260-269) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Nutritional deficiencies (260-269) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.1 | 3.1 | * | * | * | * | * | * | * | * | * |
| 1979 | 1.1 | 4.0 | * | * | * | * | * | * | * | * | * |
| Nutritional deficiencies (260-269) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nutritional deficiencies (260-269) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| Nutritional deficiencies (260-269) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.3 | 3.7 | * | * | * | * | * | * | * | * | * |
| 1979 | 1.2 | 4.5 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Nutritional deficiencies (260-269) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| Nutritional deficiencies (260-269) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malnutrition (260-263) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.4 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1997 | 1.4 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1996 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.3 | 0.5 | * | * | * | * | * | * | * | 0.1 | * |
| 1992 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.2 | * | * | * | * | * | * | * | * | 0.1 | * |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1988 | 1.2 | 0.6 | * | * | * | * | * | * | * | * | 0.1 |
| 1987 | 1.1 | 0.6 | * | * | * | * | * | * | * | * | * |
| 1986 | 1.1 | 0.6 | * | * | * | * | * | * | * | * | 0.1 |
| 1985 | 1.1 | 0.6 | * | * | * | * | * | * | * | * | * |
| 1984 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | 0.8 | * | * | * | * | * | * | * | * | * |
| 1982 | 1.0 | 0.8 | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | 0.7 | * | * | * | * | * | * | * | * | * |
| 1980 | 1.0 | 0.7 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.9 | 1.3 | * | * | * | * | * | * | * | * | * |
| Malnutrition (260-263) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.8 | 1.8 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malnutrition (260-263) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| Malnutrition (260-263) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.9 | 0.7 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malnutrition (260-263) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| Malnutrition (260-263) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malnutrition (260-263) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.1 | 3.8 | * | * | * | * | * | * | * | * | * |
| Malnutrition (260-263) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Malnutrition (260-263) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| Malnutrition (260-263) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.2 | 4.3 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Malnutrition (260-263) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| Malnutrition (260-263) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other nutritional deficiencies (264-269) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| Other nutritional deficiencies (264-269) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other nutritional deficiencies (264-269) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| Other nutritional deficiencies (264-269) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other nutritional deficiencies (264-269) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| Other nutritional deficiencies (264-269) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other nutritional deficiencies (264-269) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Other nutritional deficiencies (264-269) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other nutritional deficiencies (264-269) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Other nutritional deficiencies (264-269) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other nutritional deficiencies (264-269) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Other nutritional deficiencies (264-269) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Meningitis (320-322) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | 2.8 | 0.3 | 0.1 | * | * | 0.1 | * | 0.1 | 0.2 | 0.2 |
| 1997 | 0.3 | 2.6 | 0.3 | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 |
| 1996 | 0.3 | 2.8 | 0.2 | 0.1 | * | * | * | * | 0.1 | 0.2 | 0.2 |
| 1995 | 0.3 | 3.2 | 0.2 | * | * | * | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 |
| 1994 | 0.3 | 2.8 | 0.3 | * | * | * | * | * | 0.1 | 0.1 | 0.2 |
| 1993 | 0.3 | 2.7 | 0.2 | * | * | * | * | 0.1 | 0.1 | 0.1 | 0.2 |
| 1992 | 0.3 | 3.2 | 0.2 | 0.1 | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 |
| 1991 | 0.4 | 3.2 | 0.3 | * | * | * | * | * | 0.2 | 0.2 | 0.2 |
| 1990 | 0.4 | 5.0 | 0.5 | 0.1 | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 |
| 1989 | 0.4 | 5.9 | 0.7 | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 |
| 1988 | 0.5 | 5.5 | 0.9 | 0.1 | 0.2 | * | * | 0.1 | 0.1 | 0.1 | 0.1 |
| 1987 | 0.5 | 5.8 | 1.0 | 0.1 | * | * | * | 0.2 | 0.2 | 0.3 | 0.2 |
| 1986 | 0.5 | 5.9 | 1.0 | * | * | * | * | 0.1 | 0.2 | 0.1 | 0.2 |
| 1985 | 0.5 | 7.0 | 1.1 | 0.1 | 0.1 | * | * | 0.1 | 0.2 | 0.1 | 0.2 |
| 1984 | 0.5 | 7.5 | 1.2 | 0.1 | 0.1 | * | 0.1 | * | 0.2 | 0.1 | 0.2 |
| 1983 | 0.6 | 8.7 | 1.4 | 0.1 | * | * | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 |
| 1982 | 0.6 | 9.1 | 1.4 | 0.2 | 0.1 | * | * | 0.1 | 0.1 | 0.2 | 0.2 |
| 1981 | 0.6 | 11.7 | 1.2 | 0.2 | * | 0.1 | * | 0.2 | 0.2 | 0.2 | 0.2 |
| 1980 | 0.6 | 12.5 | 1.7 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | * | 0.2 | 0.2 |
| 1979 | 0.6 | 12.9 | 1.4 | 0.2 | 0.1 | * | * | * | 0.2 | 0.2 | 0.3 |
| Meningitis (320-322) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.3 | 3.2 | 0.4 | * | * | * | * | * | * | 0.2 | 0.3 |
| 1997 | 0.3 | 2.1 | 0.3 | * | * | * | * | * | * | 0.2 | 0.3 |
| 1996 | 0.3 | 3.2 | 0.3 | * | * | * | * | * | * | 0.2 | 0.3 |
| 1995 | 0.3 | 3.2 | 0.3 | * | * | * | * | * | * | 0.2 | 0.2 |
| 1994 | 0.3 | 3.1 | 0.4 | * | * | * | * | * | * | 0.2 | 0.2 |
| 1993 | 0.3 | 3.1 | 0.2 | * | * | * | * | * | * | * | 0.3 |
| 1992 | 0.3 | 3.0 | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1991 | 0.4 | 3.3 | 0.3 | * | * | * | * | * | 0.2 | 0.3 | 0.3 |
| 1990 | 0.4 | 5.4 | 0.7 | * | * | * | * | * | 0.2 | 0.4 | 0.3 |
| 1989 | 0.5 | 6.4 | 0.9 | * | * | * | * | * | 0.3 | 0.3 | 0.4 |
| 1988 | 0.5 | 5.7 | 1.0 | * | * | * | * | 0.2 | 0.2 | * | * |
| 1987 | 0.5 | 6.3 | 1.1 | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.3 |
| 1986 | 0.5 | 6.5 | 1.4 | * | * | * | * | * | 0.2 | * | 0.3 |
| 1985 | 0.5 | 7.5 | 1.4 | * | * | * | * | 0.2 | 0.2 | * | * |
| 1984 | 0.6 | 8.5 | 1.5 | * | * | * | * | * | 0.3 | * | * |
| 1983 | 0.6 | 9.5 | 1.5 | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | 10.4 | 1.6 | * | * | * | * | * | * | 0.3 | * |
| 1981 | 0.7 | 13.7 | 1.4 | * | * | * | * | 0.2 | 0.2 | * | 0.4 |
| 1980 | 0.7 | 13.9 | 2.2 | * | * | * | 0.2 | * | * | * | * |
| 1979 | 0.7 | 14.4 | 1.7 | * | * | * | * | * | * | * | 0.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Meningitis (320-322) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.2 | 2.5 | * | * | * | * | * | * | * | * | 0.2 |
| 1997 | 0.3 | 3.1 | 0.3 | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | 2.3 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | 3.1 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | 3.3 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | 3.1 | * | * | * | * | * | * | * | 0.2 | * |
| 1990 | 0.4 | 4.6 | 0.4 | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | 5.5 | 0.4 | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | 5.2 | 0.8 | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | 5.2 | 0.9 | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | 5.4 | 0.6 | * | * | * | * | * | * | * | * |
| 1985 | 0.5 | 6.4 | 0.8 | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | 6.5 | 1.0 | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | 7.9 | 1.3 | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | 7.7 | 1.1 | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | 9.6 | 1.0 | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | 11.1 | 1.2 | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | 11.3 | 1.2 | * | * | * | * | * | * | * | * |
| Meningitis (320-322) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.2 | 2.2 | 0.3 | * | * | * | * | * | * | 0.1 | 0.2 |
| 1997 | 0.2 | 2.1 | 0.2 | * | * | * | * | * | * | 0.1 | 0.1 |
| 1996 | 0.2 | 1.9 | 0.2 | * | * | * | * | * | * | * | 0.2 |
| 1995 | 0.2 | 2.1 | 0.3 | * | * | * | * | * | * | 0.1 | 0.1 |
| 1994 | 0.2 | 1.9 | 0.2 | * | * | * | * | * | * | 0.1 | 0.1 |
| 1993 | 0.3 | 1.9 | 0.2 | * | * | * | * | 0.1 | * | * | 0.2 |
| 1992 | 0.3 | 2.5 | 0.2 | * | * | * | * | * | * | 0.1 | * |
| 1991 | 0.3 | 2.2 | 0.2 | * | * | * | * | * | 0.1 | 0.1 | 0.1 |
| 1990 | 0.3 | 3.5 | 0.5 | 0.1 | * | * | * | * | 0.1 | 0.2 | 0.2 |
| 1989 | 0.3 | 4.2 | 0.6 | * | * | * | * | * | 0.1 | 0.2 | 0.2 |
| 1988 | 0.4 | 4.5 | 0.8 | 0.1 | * | * | * | 0.1 | 0.1 | * | * |
| 1987 | 0.4 | 4.4 | 0.9 | 0.1 | * | * | * | 0.1 | 0.1 | 0.1 | * |
| 1986 | 0.4 | 4.5 | 0.9 | * | * | * | * | 0.1 | 0.1 | * | * |
| 1985 | 0.4 | 5.2 | 1.0 | * | * | * | * | * | 0.1 | * | * |
| 1984 | 0.4 | 5.9 | 1.1 | * | * | * | * | * | 0.2 | * | * |
| 1983 | 0.5 | 6.8 | 1.3 | 0.2 | * | * | * | * | * | * | 0.2 |
| 1982 | 0.5 | 7.0 | 1.3 | 0.2 | * | * | * | * | * | * | 0.2 |
| 1981 | 0.5 | 9.1 | 1.2 | * | * | * | * | 0.1 | 0.1 | * | * |
| 1980 | 0.5 | 10.1 | 1.6 | 0.2 | * | * | 0.1 | * | * | * | * |
| 1979 | 0.5 | 9.7 | 1.3 | 0.2 | * | * | * | * | 0.2 | 0.2 | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Meningitis (320-322) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.3 | 2.4 | 0.4 | * | * | * | * | * | * | * | 0.2 |
| 1997 | 0.2 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | 2.4 | * | * | * | * | * | * | * | * | 0.2 |
| 1995 | 0.3 | 2.3 | 0.3 | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | 2.2 | 0.3 | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | 2.0 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | 2.7 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | 4.1 | 0.6 | * | * | * | * | * | * | 0.3 | * |
| 1989 | 0.4 | 4.7 | 0.8 | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | 4.8 | 0.8 | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | 5.2 | 1.0 | * | * | * | * | * | 0.2 | * | * |
| 1986 | 0.4 | 5.0 | 1.3 | * | * | * | * | * | * | * | * |
| 1985 | 0.5 | 5.6 | 1.3 | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | 7.2 | 1.4 | * | * | * | * | * | 0.2 | * | * |
| 1983 | 0.5 | 7.6 | 1.4 | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | 8.2 | 1.6 | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | 11.0 | 1.5 | * | * | * | * | * | * | * | * |
| 1980 | 0.6 | 11.5 | 2.0 | * | * | * | * | * | * | * | * |
| 1979 | 0.6 | 10.8 | 1.5 | * | * | * | * | * | * | * | * |
| Meningitis (320-322) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.2 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | 2.8 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | 3.0 | 0.3 | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | 3.6 | 0.4 | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | 4.2 | 0.7 | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | 3.6 | 0.9 | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | 4.0 | 0.5 | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | 4.7 | 0.7 | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | 4.6 | 0.8 | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | 6.0 | 1.2 | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | 5.7 | 1.0 | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | 7.2 | 1.0 | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | 8.7 | 1.2 | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | 8.4 | 1.0 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Meningitis (320-322) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.5 | 5.1 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.5 | 4.5 | 0.6 | * | * | * | * | * | * | * | * |
| 1996 | 0.5 | 6.0 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | 7.5 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | 6.2 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | 6.0 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | 5.5 | * | * | * | * | * | * | * | * | 0.8 |
| 1991 | 0.7 | 6.8 | * | * | * | * | * | * | * | 0.7 | * |
| 1990 | 0.8 | 10.5 | 0.8 | * | * | * | * | * | * | * | * |
| 1989 | 0.9 | 12.7 | 1.0 | * | * | * | * | * | * | * | 0.9 |
| 1988 | 0.9 | 9.3 | 1.4 | * | * | * | * | * | * | * | * |
| 1987 | 0.9 | 11.4 | 1.2 | * | * | * | * | * | * | 0.9 | * |
| 1986 | 0.9 | 12.1 | 1.5 | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | 14.8 | 1.6 | * | * | * | * | * | * | * | * |
| 1984 | 1.0 | 14.5 | 1.9 | * | * | * | * | * | * | * | * |
| 1983 | 1.0 | 17.1 | 1.8 | * | * | * | * | * | * | * | * |
| 1982 | 1.1 | 18.6 | 1.6 | * | * | * | * | * | * | * | * |
| 1981 | 1.3 | 23.3 | 1.3 | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | 23.5 | 2.3 | * | * | * | * | * | * | * | * |
| 1979 | 1.4 | 28.0 | 2.4 | * | * | * | * | * | * | * | * |
| Meningitis (320-322) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.5 | 6.2 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.6 | 6.1 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | 7.0 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | 6.5 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | 7.4 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.7 | 6.9 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.9 | 10.4 | * | * | * | * | * | * | * | * | * |
| 1989 | 1.1 | 12.9 | 1.4 | * | * | * | * | * | * | * | * |
| 1988 | 1.1 | 9.5 | 1.9 | * | * | * | * | * | * | * | * |
| 1987 | 1.0 | 11.0 | 1.4 | * | * | * | * | * | * | * | * |
| 1986 | 1.0 | 13.0 | 1.7 | * | * | * | * | * | * | * | * |
| 1985 | 1.1 | 16.1 | 1.9 | * | * | * | * | * | * | * | * |
| 1984 | 1.1 | 14.3 | 1.9 | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | 17.9 | 1.9 | * | * | * | * | * | * | * | * |
| 1982 | 1.3 | 20.5 | 1.9 | * | * | * | * | * | * | * | * |
| 1981 | 1.5 | 26.1 | * | * | * | * | * | * | * | * | * |
| 1980 | 1.5 | 25.0 | 3.1 | * | * | * | * | * | * | * | * |
| 1979 | 1.7 | 31.4 | 2.5 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Meningitis (320-322) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | 5.8 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | 8.0 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | 5.7 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | 7.1 | * | * | * | 7.1 | * | * | * | * | * |
| 1991 | 0.6 | 6.8 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.7 | 10.6 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | 12.4 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.7 | 9.2 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.8 | 11.8 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.8 | 11.3 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.8 | 13.6 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.9 | 14.6 | 1.9 | * | * | * | * | * | * | * | * |
| 1983 | 0.9 | 16.2 | 1.6 | * | * | * | * | * | * | * | * |
| 1982 | 0.9 | 16.6 | * | * | * | * | * | * | * | * | * |
| 1981 | 1.1 | 20.4 | * | * | * | * | * | * | * | * | * |
| 1980 | 1.1 | 21.9 | * | * | * | * | * | * | * | * | * |
| 1979 | 1.2 | 24.6 | 2.2 | * | * | * | * | * | * | * | * |
| Meningitis (320-322) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.5 | 6.4 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | 4.6 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.6 | 7.7 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | 8.9 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | 7.8 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.7 | 7.7 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | 6.1 | * | * | * | 6.1 | * | * | * | * | 1.1 |
| 1991 | 0.8 | 7.7 | * | * | * | * | * | * | * | 0.9 | * |
| 1990 | 0.9 | 11.6 | 1.0 | * | * | * | * | * | * | * | * |
| 1989 | 1.1 | 13.9 | 1.1 | * | * | * | * | * | * | * | 1.2 |
| 1988 | 1.1 | 10.6 | 1.8 | * | * | * | * | * | * | * | * |
| 1987 | 1.1 | 12.1 | 1.4 | * | * | * | * | * | * | 1.2 | * |
| 1986 | 1.1 | 13.3 | 1.8 | * | * | * | * | * | * | * | * |
| 1985 | 1.1 | 15.9 | 1.8 | * | * | * | * | * | * | * | * |
| 1984 | 1.1 | 14.9 | 2.2 | * | * | * | * | * | * | * | * |
| 1983 | 1.2 | 19.6 | 2.1 | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | 20.1 | 1.8 | * | * | * | * | * | * | * | * |
| 1981 | 1.4 | 26.1 | 1.4 | * | * | * | * | * | * | * | * |
| 1980 | 1.4 | 25.8 | 2.6 | * | * | * | * | * | * | * | * |
| 1979 | 1.5 | 29.3 | 2.5 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Meningitis (320-322) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.7 | 8.0 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.7 | 8.3 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.7 | 8.7 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.8 | 8.3 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.8 | 9.4 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.8 | 8.4 | * | * | * | * | * | * | * | * | * |
| 1990 | 1.1 | 11.5 | * | * | * | * | * | * | * | * | * |
| 1989 | 1.3 | 14.0 | * | * | * | * | * | * | * | * | * |
| 1988 | 1.3 | 11.4 | 2.4 | * | * | * | * | * | * | * | * |
| 1987 | 1.2 | 11.8 | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | 14.3 | 2.0 | * | * | * | * | * | * | * | * |
| 1985 | 1.2 | 17.0 | 2.1 | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | 14.6 | 2.2 | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | 20.5 | 2.4 | * | * | * | * | * | * | * | * |
| 1982 | 1.5 | 23.1 | 2.1 | * | * | * | * | * | * | * | * |
| 1981 | 1.6 | 29.3 | * | * | * | * | * | * | * | * | * |
| 1980 | 1.6 | 27.9 | 3.3 | * | * | * | * | * | * | * | * |
| 1979 | 1.8 | 31.5 | 2.7 | * | * | * | * | * | * | * | * |
| Meningitis (320-322) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.5 | 7.1 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | 9.2 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | 7.2 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | 7.6 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.7 | 7.0 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | 11.7 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.9 | 13.9 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.9 | 9.6 | * | * | * | * | * | * | * | * | * |
| 1987 | 1.0 | 12.5 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | 12.4 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | 14.8 | * | * | * | * | * | * | * | * | * |
| 1984 | 1.0 | 15.2 | 2.1 | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | 18.7 | * | * | * | * | * | * | * | * | * |
| 1982 | 1.0 | 17.0 | * | * | * | * | * | * | * | * | * |
| 1981 | 1.2 | 22.9 | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | 23.7 | * | * | * | * | * | * | * | * | * |
| 1979 | 1.3 | 27.0 | 2.4 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parkinson's disease (332) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 4.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 4.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| Parkinson's disease (332) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 5.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 5.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 4.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.8 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parkinson's disease (332) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| Parkinson's disease (332) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 5.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 5.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 4.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parkinson's disease (332) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 6.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 6.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 6.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 5.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 4.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| Parkinson's disease (332) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 4.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parkinson's disease (332) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| Parkinson's disease (332) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parkinson's disease (332) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Parkinson's disease (332) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Parkinson's disease (332) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| Parkinson's disease (332) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Alzheimer's disease (331.0) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 8.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 8.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 7.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 7.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 7.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 6.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 5.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 5.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 5.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Alzheimer's disease (331.0) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 5.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 5.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 5.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 5.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Alzheimer's disease (331.0) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 11.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 11.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 10.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 10.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 9.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 8.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 7.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 7.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 6.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 6.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 6.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 5.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 4.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Alzheimer's disease (331.0) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 9.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 9.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 9.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 8.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 8.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 7.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 6.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 6.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 6.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 6.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 5.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 5.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 4.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Alzheimer's disease (331.0) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 6.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 6.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 6.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 6.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 5.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 5.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 4.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 4.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Alzheimer's disease (331.0) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 12.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 12.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 12.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 11.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 10.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 9.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 8.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 8.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 7.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 7.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 6.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 6.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 5.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 4.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Alzheimer's disease (331.0) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| Alzheimer's disease (331.0) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Alzheimer's disease (331.0) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Alzheimer's disease (331.0) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Alzheimer's disease (331.0) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Alzheimer's disease (331.0) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Major cardiovascular diseases (390-434,436-448) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 340.8 | 24.8 | 1.8 | 1.0 | 1.2 | 2.5 | 4.4 | 7.2 | 13.0 | 26.3 | 50.7 |
| 1997 | 346.1 | 24.1 | 1.8 | 0.8 | 1.3 | 2.7 | 4.8 | 6.9 | 13.3 | 26.0 | 51.0 |
| 1996 | 352.6 | 23.5 | 1.7 | 0.9 | 1.3 | 2.6 | 4.0 | 6.9 | 13.4 | 26.6 | 51.4 |
| 1995 | 357.2 | 23.8 | 2.0 | 0.8 | 1.2 | 2.6 | 4.4 | 6.9 | 13.9 | 28.1 | 54.0 |
| 1994 | 357.4 | 23.5 | 2.2 | 0.9 | 1.4 | 2.6 | 4.3 | 7.5 | 13.8 | 28.0 | 53.3 |
| 1993 | 364.6 | 22.9 | 2.2 | 0.9 | 1.2 | 2.7 | 4.2 | 7.4 | 13.9 | 27.5 | 54.4 |
| 1992 | 356.2 | 22.6 | 2.2 | 0.9 | 1.1 | 2.5 | 4.3 | 7.2 | 13.5 | 26.5 | 55.3 |
| 1991 | 362.1 | 22.0 | 2.6 | 0.9 | 1.2 | 2.7 | 4.3 | 7.4 | 13.3 | 27.0 | 53.4 |
| 1990 | 368.2 | 24.4 | 2.3 | 0.9 | 1.4 | 2.5 | 4.1 | 7.1 | 13.6 | 26.5 | 54.0 |
| 1989 | 377.4 | 24.0 | 2.3 | 0.9 | 1.4 | 2.4 | 4.2 | 7.2 | 14.2 | 27.6 | 55.5 |
| 1988 | 396.3 | 27.5 | 2.9 | 1.0 | 1.4 | 2.7 | 4.7 | 7.7 | 14.6 | 29.4 | 58.5 |
| 1987 | 397.6 | 29.5 | 2.7 | 1.1 | 1.4 | 2.6 | 4.5 | 7.9 | 15.0 | 29.9 | 61.6 |
| 1986 | 403.1 | 30.2 | 2.9 | 1.0 | 1.4 | 2.7 | 4.6 | 7.9 | 15.4 | 30.7 | 66.2 |
| 1985 | 410.8 | 29.5 | 2.6 | 1.1 | 1.5 | 2.9 | 4.5 | 7.7 | 14.5 | 31.1 | 66.6 |
| 1984 | 412.6 | 30.3 | 2.9 | 1.4 | 1.4 | 2.7 | 4.6 | 7.5 | 14.6 | 31.0 | 68.6 |
| 1983 | 419.5 | 30.7 | 2.9 | 1.3 | 1.3 | 2.9 | 4.3 | 7.7 | 14.7 | 31.6 | 68.7 |
| 1982 | 417.7 | 25.3 | 2.7 | 1.4 | 1.5 | 2.7 | 4.4 | 7.9 | 14.6 | 32.3 | 71.9 |
| 1981 | 423.9 | 25.4 | 3.0 | 1.2 | 1.3 | 2.6 | 4.6 | 8.1 | 15.3 | 35.1 | 75.5 |
| 1980 | 436.2 | 27.8 | 3.2 | 1.1 | 1.4 | 3.1 | 5.1 | 8.1 | 15.3 | 35.2 | 78.5 |
| 1979 | 426.6 | 25.5 | 2.5 | 1.0 | 1.3 | 2.6 | 4.9 | 8.2 | 15.6 | 36.2 | 79.7 |
| Major cardiovascular diseases (390-434,436-448) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 326.5 | 26.0 | 1.8 | 1.1 | 1.3 | 3.2 | 5.2 | 8.6 | 16.3 | 34.9 | 70.8 |
| 1997 | 333.8 | 26.3 | 2.0 | 0.8 | 1.4 | 3.2 | 5.6 | 8.2 | 16.9 | 34.8 | 71.6 |
| 1996 | 340.4 | 24.7 | 1.7 | 0.8 | 1.5 | 3.0 | 5.1 | 8.4 | 16.9 | 35.9 | 72.2 |
| 1995 | 345.9 | 24.8 | 2.2 | 1.0 | 1.3 | 3.2 | 5.3 | 8.5 | 18.1 | 38.0 | 77.4 |
| 1994 | 347.7 | 25.1 | 2.3 | 0.8 | 1.5 | 3.1 | 5.1 | 8.9 | 17.1 | 38.0 | 75.7 |
| 1993 | 356.2 | 24.9 | 2.4 | 0.9 | 1.4 | 3.3 | 4.9 | 9.5 | 17.5 | 37.1 | 78.1 |
| 1992 | 350.7 | 24.7 | 2.3 | 1.0 | 1.2 | 3.2 | 5.2 | 8.5 | 17.4 | 36.6 | 79.8 |
| 1991 | 357.8 | 24.1 | 2.7 | 1.0 | 1.3 | 3.3 | 5.1 | 9.2 | 16.8 | 37.7 | 77.2 |
| 1990 | 365.1 | 26.8 | 2.2 | 0.9 | 1.5 | 3.1 | 4.8 | 8.6 | 17.5 | 37.4 | 79.1 |
| 1989 | 374.9 | 25.8 | 2.5 | 0.9 | 1.4 | 2.8 | 5.0 | 8.9 | 18.8 | 39.3 | 80.7 |
| 1988 | 395.3 | 30.0 | 2.8 | 1.0 | 1.7 | 3.5 | 5.7 | 9.3 | 20.0 | 41.9 | 85.4 |
| 1987 | 398.4 | 33.2 | 2.8 | 1.3 | 1.4 | 3.1 | 5.4 | 9.4 | 19.8 | 42.8 | 90.9 |
| 1986 | 406.8 | 33.8 | 3.0 | 1.1 | 1.4 | 3.3 | 5.4 | 9.4 | 20.8 | 44.4 | 97.6 |
| 1985 | 419.0 | 33.5 | 2.6 | 0.9 | 1.4 | 3.6 | 5.2 | 9.7 | 19.4 | 44.9 | 97.0 |
| 1984 | 422.8 | 32.7 | 3.0 | 1.4 | 1.4 | 3.0 | 5.5 | 9.3 | 19.8 | 44.5 | 101.0 |
| 1983 | 433.1 | 34.0 | 3.2 | 1.3 | 1.4 | 3.5 | 5.0 | 9.7 | 20.1 | 45.7 | 100.6 |
| 1982 | 434.4 | 29.5 | 2.9 | 1.4 | 1.5 | 3.3 | 5.0 | 10.1 | 19.6 | 46.2 | 105.3 |
| 1981 | 443.1 | 27.6 | 3.0 | 1.3 | 1.4 | 3.0 | 5.5 | 10.0 | 19.9 | 49.9 | 110.7 |
| 1980 | 457.6 | 31.3 | 3.3 | 1.1 | 1.5 | 3.7 | 6.3 | 9.9 | 20.2 | 50.2 | 115.0 |
| 1979 | 452.8 | 29.0 | 2.6 | 1.0 | 1.4 | 3.1 | 5.8 | 10.2 | 20.6 | 51.0 | 116.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Major cardiovascular diseases (390-434,436-448) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 354.6 | 23.5 | 1.8 | 0.8 | 1.0 | 1.8 | 3.6 | 5.8 | 9.8 | 17.7 | 30.9 |
| 1997 | 357.9 | 21.7 | 1.5 | 0.8 | 1.1 | 2.1 | 3.9 | 5.7 | 9.8 | 17.2 | 30.9 |
| 1996 | 364.2 | 22.3 | 1.8 | 0.9 | 1.2 | 2.1 | 3.0 | 5.4 | 9.8 | 17.5 | 31.0 |
| 1995 | 367.9 | 22.6 | 1.8 | 0.7 | 1.0 | 2.0 | 3.5 | 5.3 | 9.6 | 18.2 | 31.2 |
| 1994 | 366.6 | 21.8 | 2.1 | 0.9 | 1.2 | 2.0 | 3.4 | 6.1 | 10.4 | 18.2 | 31.5 |
| 1993 | 372.7 | 20.9 | 2.0 | 1.0 | 1.1 | 2.0 | 3.6 | 5.3 | 10.2 | 17.9 | 31.3 |
| 1992 | 361.4 | 20.4 | 2.2 | 0.7 | 1.0 | 1.7 | 3.3 | 5.8 | 9.5 | 16.4 | 31.4 |
| 1991 | 366.2 | 19.8 | 2.5 | 0.9 | 1.2 | 2.0 | 3.4 | 5.6 | 9.8 | 16.5 | 30.3 |
| 1990 | 371.1 | 21.9 | 2.4 | 0.9 | 1.3 | 1.7 | 3.4 | 5.6 | 9.7 | 15.9 | 29.5 |
| 1989 | 379.8 | 22.0 | 2.0 | 0.9 | 1.4 | 2.0 | 3.4 | 5.6 | 9.7 | 16.2 | 30.9 |
| 1988 | 397.3 | 24.9 | 2.9 | 1.0 | 1.0 | 2.0 | 3.7 | 6.1 | 9.3 | 17.3 | 32.3 |
| 1987 | 396.8 | 25.7 | 2.6 | 0.9 | 1.3 | 2.1 | 3.6 | 6.4 | 10.1 | 17.3 | 33.2 |
| 1986 | 399.5 | 26.4 | 2.8 | 1.0 | 1.3 | 2.0 | 3.7 | 6.3 | 10.0 | 17.4 | 35.8 |
| 1985 | 403.1 | 25.3 | 2.5 | 1.2 | 1.5 | 2.2 | 3.8 | 5.7 | 9.6 | 17.7 | 37.2 |
| 1984 | 402.9 | 27.9 | 2.8 | 1.3 | 1.4 | 2.3 | 3.7 | 5.8 | 9.5 | 18.0 | 37.3 |
| 1983 | 406.6 | 27.2 | 2.7 | 1.3 | 1.2 | 2.3 | 3.6 | 5.7 | 9.3 | 18.0 | 38.1 |
| 1982 | 401.8 | 21.0 | 2.4 | 1.4 | 1.5 | 2.0 | 3.8 | 5.8 | 9.8 | 18.9 | 39.8 |
| 1981 | 405.7 | 23.0 | 2.9 | 1.1 | 1.2 | 2.2 | 3.7 | 6.3 | 10.7 | 20.8 | 41.8 |
| 1980 | 416.0 | 24.2 | 3.1 | 1.2 | 1.3 | 2.6 | 3.8 | 6.4 | 10.6 | 20.7 | 43.6 |
| 1979 | 401.9 | 21.8 | 2.4 | 1.0 | 1.3 | 2.1 | 4.1 | 6.1 | 10.8 | 21.9 | 44.1 |
| Major cardiovascular diseases (390-434,436-448) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 362.4 | 20.9 | 1.4 | 0.9 | 1.0 | 2.1 | 3.7 | 5.9 | 10.8 | 22.3 | 42.9 |
| 1997 | 368.3 | 21.3 | 1.5 | 0.7 | 1.2 | 2.5 | 3.8 | 5.6 | 11.4 | 21.8 | 43.1 |
| 1996 | 374.5 | 20.0 | 1.4 | 0.9 | 1.1 | 2.1 | 3.4 | 5.7 | 11.0 | 22.4 | 43.4 |
| 1995 | 378.4 | 20.7 | 1.5 | 0.8 | 1.0 | 2.2 | 3.4 | 5.6 | 11.6 | 23.6 | 45.7 |
| 1994 | 378.4 | 19.7 | 1.8 | 0.8 | 1.2 | 2.2 | 3.5 | 6.1 | 11.1 | 23.0 | 44.5 |
| 1993 | 385.2 | 19.6 | 1.8 | 0.8 | 1.1 | 2.4 | 3.4 | 5.9 | 11.4 | 22.5 | 45.6 |
| 1992 | 375.7 | 18.9 | 1.8 | 0.7 | 1.0 | 2.1 | 3.6 | 5.7 | 10.9 | 21.6 | 46.4 |
| 1991 | 380.9 | 18.1 | 2.1 | 0.8 | 1.1 | 2.4 | 3.5 | 6.0 | 10.7 | 21.7 | 45.2 |
| 1990 | 386.9 | 19.4 | 1.8 | 0.9 | 1.2 | 2.2 | 3.2 | 5.9 | 10.7 | 21.2 | 45.6 |
| 1989 | 395.4 | 20.2 | 1.8 | 0.8 | 1.2 | 2.0 | 3.5 | 5.9 | 11.4 | 22.2 | 46.9 |
| 1988 | 415.3 | 23.1 | 2.4 | 1.0 | 1.3 | 2.3 | 4.0 | 6.1 | 11.6 | 23.8 | 49.8 |
| 1987 | 416.6 | 26.0 | 2.2 | 1.0 | 1.2 | 2.3 | 3.7 | 6.4 | 11.9 | 24.3 | 53.2 |
| 1986 | 422.0 | 25.8 | 2.4 | 1.0 | 1.2 | 2.4 | 3.7 | 6.2 | 12.0 | 25.7 | 56.8 |
| 1985 | 430.0 | 25.1 | 2.0 | 1.0 | 1.3 | 2.5 | 3.8 | 6.2 | 11.4 | 26.0 | 57.5 |
| 1984 | 432.0 | 26.1 | 2.5 | 1.3 | 1.2 | 2.4 | 3.8 | 6.0 | 11.7 | 26.0 | 59.8 |
| 1983 | 438.6 | 25.6 | 2.6 | 1.1 | 1.1 | 2.6 | 3.6 | 6.3 | 11.8 | 26.8 | 59.9 |
| 1982 | 437.0 | 21.5 | 2.3 | 1.3 | 1.4 | 2.4 | 3.7 | 6.4 | 11.8 | 27.5 | 63.0 |
| 1981 | 442.5 | 21.9 | 2.6 | 1.2 | 1.1 | 2.3 | 3.8 | 6.3 | 12.4 | 29.8 | 65.8 |
| 1980 | 453.4 | 23.5 | 2.6 | 1.0 | 1.2 | 2.6 | 4.1 | 6.4 | 11.9 | 29.1 | 67.9 |
| 1979 | 443.2 | 20.3 | 2.1 | 1.0 | 1.2 | 2.3 | 4.1 | 6.3 | 12.7 | 30.3 | 69.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Major cardiovascular diseases (390-434,436-448) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 344.4 | 22.4 | 1.4 | 1.1 | 1.1 | 2.7 | 4.4 | 7.1 | 13.8 | 30.4 | 62.7 |
| 1997 | 352.6 | 23.7 | 1.6 | 0.8 | 1.3 | 3.0 | 4.3 | 6.7 | 14.8 | 30.4 | 63.0 |
| 1996 | 359.2 | 21.0 | 1.6 | 0.8 | 1.3 | 2.6 | 4.1 | 7.3 | 14.3 | 31.5 | 63.9 |
| 1995 | 363.6 | 21.7 | 1.7 | 0.9 | 1.1 | 2.7 | 4.0 | 7.0 | 15.3 | 33.1 | 67.9 |
| 1994 | 365.8 | 21.6 | 1.9 | 0.8 | 1.3 | 2.8 | 4.2 | 7.2 | 14.3 | 32.3 | 65.9 |
| 1993 | 374.0 | 21.9 | 2.1 | 0.7 | 1.3 | 3.0 | 3.8 | 7.7 | 14.7 | 31.8 | 67.8 |
| 1992 | 367.7 | 21.0 | 1.8 | 0.9 | 1.0 | 2.6 | 4.4 | 6.8 | 14.6 | 30.9 | 70.0 |
| 1991 | 374.0 | 20.0 | 2.1 | 0.8 | 1.1 | 3.0 | 4.1 | 7.5 | 13.9 | 30.9 | 67.6 |
| 1990 | 381.5 | 21.1 | 1.7 | 0.9 | 1.4 | 2.8 | 4.0 | 7.2 | 14.4 | 30.9 | 69.2 |
| 1989 | 390.6 | 22.7 | 2.0 | 0.8 | 1.3 | 2.5 | 4.2 | 7.7 | 15.5 | 32.5 | 70.7 |
| 1988 | 411.9 | 25.6 | 2.3 | 0.9 | 1.6 | 3.1 | 4.8 | 7.6 | 16.0 | 35.1 | 75.4 |
| 1987 | 415.0 | 29.5 | 2.3 | 1.3 | 1.2 | 2.8 | 4.5 | 7.7 | 16.2 | 35.3 | 80.6 |
| 1986 | 423.7 | 29.5 | 2.4 | 1.0 | 1.3 | 3.0 | 4.5 | 7.6 | 16.6 | 38.5 | 85.7 |
| 1985 | 436.6 | 28.8 | 2.1 | 0.9 | 1.3 | 3.0 | 4.5 | 7.9 | 15.6 | 38.2 | 86.8 |
| 1984 | 440.8 | 28.2 | 2.6 | 1.3 | 1.2 | 2.7 | 4.6 | 7.5 | 16.2 | 38.5 | 90.9 |
| 1983 | 451.2 | 28.5 | 2.8 | 1.1 | 1.2 | 3.1 | 4.3 | 8.1 | 16.5 | 40.3 | 90.2 |
| 1982 | 452.6 | 26.0 | 2.5 | 1.2 | 1.4 | 3.1 | 4.4 | 8.3 | 16.3 | 40.3 | 95.2 |
| 1981 | 460.9 | 23.6 | 2.6 | 1.2 | 1.3 | 2.6 | 4.5 | 7.9 | 16.3 | 43.3 | 99.5 |
| 1980 | 473.8 | 27.4 | 2.6 | 1.0 | 1.3 | 3.1 | 5.1 | 8.0 | 16.0 | 42.6 | 103.0 |
| 1979 | 468.6 | 23.6 | 2.2 | 1.1 | 1.3 | 2.8 | 5.0 | 8.3 | 17.2 | 43.8 | 104.7 |
| Major cardiovascular diseases (390-434,436-448) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 379.9 | 19.3 | 1.5 | 0.6 | 0.9 | 1.5 | 3.0 | 4.7 | 7.7 | 14.1 | 23.0 |
| 1997 | 383.6 | 18.8 | 1.5 | 0.6 | 1.0 | 1.9 | 3.2 | 4.6 | 8.0 | 13.1 | 23.2 |
| 1996 | 389.3 | 19.0 | 1.3 | 0.9 | 1.0 | 1.7 | 2.6 | 4.1 | 7.5 | 13.3 | 23.0 |
| 1995 | 392.7 | 19.7 | 1.4 | 0.7 | 0.8 | 1.5 | 2.8 | 4.2 | 7.8 | 13.9 | 23.6 |
| 1994 | 390.6 | 17.7 | 1.6 | 0.8 | 1.1 | 1.6 | 2.7 | 4.9 | 7.9 | 13.7 | 23.2 |
| 1993 | 395.9 | 17.2 | 1.6 | 0.9 | 1.0 | 1.7 | 3.0 | 4.0 | 8.1 | 13.1 | 23.5 |
| 1992 | 383.3 | 16.7 | 1.9 | 0.6 | 0.9 | 1.5 | 2.8 | 4.6 | 7.1 | 12.2 | 22.9 |
| 1991 | 387.5 | 16.2 | 2.1 | 0.8 | 1.0 | 1.8 | 2.7 | 4.4 | 7.5 | 12.4 | 22.8 |
| 1990 | 391.9 | 17.6 | 2.0 | 0.8 | 1.1 | 1.5 | 2.5 | 4.5 | 7.1 | 11.4 | 22.2 |
| 1989 | 399.9 | 17.6 | 1.7 | 0.8 | 1.0 | 1.5 | 2.7 | 4.1 | 7.3 | 11.9 | 23.3 |
| 1988 | 418.6 | 20.4 | 2.6 | 1.0 | 0.9 | 1.6 | 3.3 | 4.7 | 7.1 | 12.5 | 24.5 |
| 1987 | 418.2 | 22.2 | 2.1 | 0.7 | 1.3 | 1.8 | 2.9 | 5.1 | 7.5 | 13.3 | 26.2 |
| 1986 | 420.3 | 21.8 | 2.3 | 0.9 | 1.1 | 1.7 | 2.9 | 4.8 | 7.4 | 12.9 | 28.4 |
| 1985 | 423.8 | 21.3 | 1.9 | 1.1 | 1.3 | 1.8 | 3.0 | 4.4 | 7.3 | 13.9 | 28.8 |
| 1984 | 423.6 | 23.9 | 2.4 | 1.3 | 1.3 | 2.0 | 3.1 | 4.5 | 7.1 | 13.6 | 29.2 |
| 1983 | 426.7 | 22.5 | 2.4 | 1.1 | 1.1 | 2.0 | 2.9 | 4.4 | 7.1 | 13.5 | 30.1 |
| 1982 | 422.2 | 16.7 | 2.0 | 1.3 | 1.4 | 1.6 | 3.1 | 4.5 | 7.3 | 14.8 | 31.4 |
| 1981 | 424.9 | 20.1 | 2.6 | 1.2 | 1.0 | 1.9 | 3.1 | 4.6 | 8.6 | 16.4 | 32.8 |
| 1980 | 434.0 | 19.3 | 2.6 | 1.1 | 1.2 | 2.1 | 3.1 | 4.7 | 7.8 | 15.8 | 33.8 |
| 1979 | 419.0 | 16.9 | 2.0 | 1.0 | 1.1 | 1.8 | 3.3 | 4.3 | 8.1 | 16.9 | 34.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Major cardiovascular diseases (390-434,436-448) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 241.2 | 39.1 | 3.1 | 1.3 | 1.7 | 4.0 | 7.2 | 12.4 | 22.5 | 44.4 | 87.8 |
| 1997 | 242.6 | 34.5 | 2.8 | 1.2 | 1.7 | 3.5 | 8.5 | 12.3 | 21.5 | 45.2 | 89.6 |
| 1996 | 248.6 | 36.9 | 2.8 | 1.0 | 2.1 | 4.4 | 6.7 | 12.0 | 24.0 | 46.5 | 90.8 |
| 1995 | 255.0 | 35.3 | 3.6 | 1.1 | 1.9 | 4.5 | 8.5 | 12.4 | 24.5 | 49.5 | 96.0 |
| 1994 | 254.8 | 37.7 | 3.7 | 1.0 | 1.9 | 4.1 | 7.5 | 13.8 | 26.1 | 52.3 | 98.7 |
| 1993 | 263.0 | 35.3 | 3.6 | 1.5 | 1.7 | 3.9 | 7.7 | 14.0 | 25.5 | 51.8 | 100.5 |
| 1992 | 258.1 | 36.5 | 3.7 | 1.4 | 1.7 | 4.1 | 7.3 | 13.8 | 26.0 | 50.9 | 102.7 |
| 1991 | 265.9 | 36.8 | 4.6 | 1.4 | 1.8 | 3.8 | 7.7 | 13.9 | 26.1 | 54.3 | 99.8 |
| 1990 | 270.7 | 43.6 | 3.9 | 1.1 | 2.0 | 3.6 | 7.9 | 13.1 | 27.8 | 54.3 | 102.1 |
| 1989 | 282.6 | 38.3 | 4.1 | 1.4 | 2.3 | 4.0 | 7.5 | 13.6 | 28.4 | 56.3 | 106.3 |
| 1988 | 294.5 | 45.3 | 4.5 | 1.3 | 1.8 | 4.4 | 7.9 | 15.5 | 30.2 | 59.8 | 111.3 |
| 1987 | 293.5 | 44.4 | 4.7 | 1.5 | 2.0 | 4.1 | 8.2 | 15.3 | 31.2 | 61.0 | 114.3 |
| 1986 | 298.1 | 48.9 | 5.1 | 1.4 | 1.9 | 4.1 | 8.6 | 16.4 | 33.4 | 60.3 | 124.3 |
| 1985 | 302.8 | 48.3 | 4.8 | 1.4 | 2.2 | 5.0 | 8.2 | 15.8 | 31.0 | 61.8 | 123.1 |
| 1984 | 301.8 | 49.0 | 4.8 | 1.7 | 2.2 | 4.0 | 8.8 | 15.8 | 30.7 | 62.1 | 124.4 |
| 1983 | 308.4 | 53.0 | 4.4 | 1.8 | 2.0 | 4.7 | 8.3 | 15.7 | 30.6 | 62.1 | 125.2 |
| 1982 | 303.6 | 42.4 | 4.4 | 1.9 | 1.9 | 4.1 | 8.1 | 16.6 | 30.9 | 64.1 | 128.0 |
| 1981 | 312.7 | 41.3 | 4.6 | 1.3 | 2.1 | 4.3 | 9.1 | 18.7 | 32.4 | 69.4 | 137.4 |
| 1980 | 330.8 | 47.9 | 5.8 | 1.6 | 2.2 | 5.8 | 10.7 | 18.5 | 37.0 | 75.0 | 147.3 |
| 1979 | 322.5 | 49.6 | 4.6 | 1.1 | 1.9 | 4.2 | 9.6 | 19.3 | 35.1 | 76.7 | 149.0 |
| Major cardiovascular diseases (390-434,436-448) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 241.1 | 39.4 | 3.3 | 1.3 | 1.9 | 5.3 | 8.7 | 15.1 | 27.5 | 56.7 | 112.1 |
| 1997 | 243.7 | 36.1 | 3.8 | 1.0 | 1.8 | 3.9 | 10.3 | 14.8 | 26.7 | 56.7 | 116.3 |
| 1996 | 249.1 | 38.8 | 2.2 | * | 2.5 | 4.9 | 8.8 | 13.5 | 29.2 | 57.8 | 116.2 |
| 1995 | 258.2 | 36.7 | 4.1 | 1.2 | 2.1 | 5.1 | 10.7 | 15.3 | 32.2 | 63.0 | 128.6 |
| 1994 | 257.1 | 38.3 | 3.9 | * | 2.3 | 4.6 | 8.9 | 16.5 | 30.9 | 67.8 | 130.1 |
| 1993 | 265.8 | 36.2 | 3.6 | 1.6 | 1.8 | 4.8 | 9.4 | 17.8 | 32.0 | 64.9 | 136.1 |
| 1992 | 262.9 | 38.7 | 4.0 | 1.4 | 2.1 | 5.6 | 9.1 | 16.7 | 32.2 | 67.3 | 136.0 |
| 1991 | 272.7 | 39.8 | 5.3 | 1.5 | 1.9 | 4.5 | 9.4 | 17.1 | 31.9 | 74.4 | 135.0 |
| 1990 | 277.0 | 49.0 | 4.1 | * | 1.7 | 4.5 | 8.8 | 15.7 | 34.5 | 73.7 | 140.7 |
| 1989 | 289.6 | 38.1 | 4.6 | 1.5 | 1.8 | 4.1 | 8.7 | 15.2 | 36.8 | 77.7 | 144.8 |
| 1988 | 304.0 | 47.8 | 4.8 | 1.5 | 2.0 | 5.3 | 10.0 | 18.4 | 41.8 | 81.4 | 151.3 |
| 1987 | 305.6 | 48.5 | 4.7 | 1.2 | 2.4 | 4.7 | 9.7 | 18.2 | 40.2 | 87.9 | 160.5 |
| 1986 | 310.8 | 52.1 | 5.3 | 1.3 | 1.8 | 4.7 | 10.0 | 19.6 | 44.7 | 81.4 | 177.0 |
| 1985 | 317.4 | 54.2 | 4.7 | 1.3 | 1.9 | 6.0 | 9.1 | 19.8 | 42.1 | 88.1 | 165.6 |
| 1984 | 317.6 | 52.7 | 5.0 | 2.1 | 2.1 | 4.4 | 10.7 | 19.5 | 41.1 | 84.7 | 170.2 |
| 1983 | 325.4 | 58.5 | 5.0 | 1.7 | 2.3 | 5.6 | 9.1 | 19.5 | 41.6 | 82.6 | 171.3 |
| 1982 | 324.4 | 45.1 | 4.8 | 1.9 | 2.0 | 4.7 | 8.7 | 20.9 | 39.9 | 88.2 | 173.1 |
| 1981 | 333.9 | 46.2 | 4.7 | 1.4 | 1.9 | 4.7 | 11.3 | 22.6 | 44.0 | 95.4 | 186.6 |
| 1980 | 355.6 | 49.4 | 6.5 | * | 2.2 | 6.8 | 13.8 | 21.7 | 48.8 | 104.0 | 198.5 |
| 1979 | 350.7 | 54.8 | 4.9 | * | 1.7 | 4.8 | 10.7 | 22.9 | 44.7 | 104.5 | 205.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Major cardiovascular diseases (390-434,436-448) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 241.3 | 38.9 | 2.8 | 1.3 | 1.5 | 2.7 | 5.7 | 9.9 | 18.0 | 33.2 | 66.3 |
| 1997 | 241.5 | 32.9 | 1.7 | 1.4 | 1.5 | 3.2 | 6.6 | 9.9 | 16.8 | 34.9 | 66.1 |
| 1996 | 248.1 | 35.0 | 3.4 | 1.1 | 1.8 | 3.9 | 4.5 | 10.6 | 19.3 | 36.4 | 68.6 |
| 1995 | 252.0 | 33.9 | 3.1 | * | 1.7 | 3.9 | 6.3 | 9.8 | 17.5 | 37.4 | 67.5 |
| 1994 | 252.6 | 37.0 | 3.6 | 1.1 | 1.5 | 3.6 | 6.1 | 11.3 | 21.8 | 38.5 | 71.3 |
| 1993 | 260.5 | 34.4 | 3.6 | 1.4 | 1.6 | 2.9 | 6.0 | 10.4 | 19.5 | 40.0 | 69.6 |
| 1992 | 253.7 | 34.3 | 3.4 | 1.4 | 1.2 | 2.6 | 5.6 | 11.0 | 20.5 | 36.3 | 73.9 |
| 1991 | 259.7 | 33.6 | 3.9 | 1.2 | 1.6 | 3.1 | 6.1 | 10.9 | 20.8 | 36.5 | 69.4 |
| 1990 | 264.9 | 38.1 | 3.7 | 1.2 | 2.3 | 2.8 | 7.0 | 10.7 | 21.8 | 37.3 | 68.7 |
| 1989 | 276.2 | 38.3 | 3.5 | 1.3 | 2.8 | 3.9 | 6.3 | 12.1 | 20.9 | 37.6 | 73.0 |
| 1988 | 285.9 | 42.7 | 4.3 | * | 1.6 | 3.5 | 5.9 | 12.8 | 20.0 | 41.0 | 76.9 |
| 1987 | 282.4 | 40.0 | 4.6 | 1.7 | 1.7 | 3.4 | 6.8 | 12.7 | 23.2 | 37.8 | 74.6 |
| 1986 | 286.5 | 45.7 | 4.9 | 1.5 | 2.0 | 3.5 | 7.2 | 13.5 | 23.3 | 42.2 | 78.9 |
| 1985 | 289.6 | 42.5 | 4.9 | 1.5 | 2.5 | 3.9 | 7.3 | 12.1 | 21.2 | 39.2 | 86.7 |
| 1984 | 287.5 | 45.1 | 4.5 | * | 2.2 | 3.6 | 7.1 | 12.5 | 21.5 | 42.9 | 85.3 |
| 1983 | 292.9 | 47.4 | 3.9 | 1.8 | 1.7 | 3.8 | 7.5 | 12.4 | 21.0 | 44.6 | 85.8 |
| 1982 | 284.7 | 39.6 | 4.0 | 1.9 | 1.8 | 3.5 | 7.4 | 12.7 | 23.2 | 43.5 | 89.5 |
| 1981 | 293.5 | 36.2 | 4.4 | * | 2.3 | 3.9 | 7.1 | 15.3 | 22.4 | 47.3 | 95.2 |
| 1980 | 308.3 | 46.3 | 5.0 | 2.0 | 2.2 | 4.7 | 7.8 | 15.7 | 26.9 | 50.3 | 103.8 |
| 1979 | 296.9 | 44.4 | 4.3 | 1.4 | 2.1 | 3.6 | 8.6 | 16.2 | 27.0 | 53.3 | 101.8 |
| Major cardiovascular diseases (390-434,436-448) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 290.6 | 45.1 | 3.4 | 1.6 | 2.0 | 4.9 | 8.9 | 16.6 | 29.2 | 56.3 | 113.5 |
| 1997 | 291.2 | 40.3 | 3.4 | 1.4 | 2.0 | 4.2 | 10.5 | 15.9 | 27.0 | 57.0 | 114.3 |
| 1996 | 298.1 | 43.4 | 3.1 | 1.1 | 2.4 | 5.4 | 8.4 | 15.7 | 30.5 | 58.5 | 115.8 |
| 1995 | 305.8 | 41.4 | 4.2 | 1.1 | 2.2 | 5.4 | 10.5 | 15.7 | 31.1 | 62.4 | 123.4 |
| 1994 | 304.2 | 44.0 | 4.4 | 1.1 | 2.2 | 4.8 | 9.1 | 17.6 | 32.9 | 65.7 | 125.4 |
| 1993 | 314.7 | 38.6 | 3.8 | 1.6 | 2.0 | 4.5 | 9.8 | 17.5 | 32.0 | 65.4 | 127.3 |
| 1992 | 307.3 | 43.6 | 4.2 | 1.5 | 1.9 | 4.9 | 8.9 | 17.2 | 32.3 | 64.3 | 130.6 |
| 1991 | 316.5 | 43.3 | 5.3 | 1.6 | 2.0 | 4.4 | 9.3 | 17.2 | 32.9 | 68.3 | 127.4 |
| 1990 | 321.6 | 48.4 | 4.5 | 1.1 | 2.3 | 4.3 | 9.6 | 15.7 | 34.6 | 67.8 | 129.8 |
| 1989 | 334.7 | 43.3 | 4.5 | 1.5 | 2.5 | 4.7 | 9.1 | 16.5 | 35.9 | 71.0 | 134.7 |
| 1988 | 347.9 | 51.1 | 5.0 | 1.4 | 2.1 | 5.4 | 9.4 | 18.8 | 37.7 | 75.4 | 141.3 |
| 1987 | 344.1 | 48.8 | 5.3 | 1.5 | 2.3 | 4.8 | 9.4 | 17.9 | 38.6 | 75.6 | 143.0 |
| 1986 | 348.5 | 56.0 | 5.7 | 1.5 | 2.1 | 4.5 | 9.8 | 19.3 | 41.2 | 74.9 | 155.9 |
| 1985 | 351.0 | 53.8 | 5.5 | 1.4 | 2.4 | 5.6 | 9.3 | 19.1 | 38.0 | 75.5 | 151.7 |
| 1984 | 347.9 | 56.0 | 5.1 | 1.9 | 2.3 | 4.7 | 9.7 | 18.6 | 37.0 | 76.4 | 151.5 |
| 1983 | 353.5 | 59.7 | 4.7 | 1.8 | 2.0 | 5.2 | 9.3 | 18.2 | 37.4 | 75.2 | 149.2 |
| 1982 | 345.6 | 44.2 | 4.9 | 2.0 | 2.0 | 4.3 | 9.3 | 19.2 | 37.0 | 77.7 | 151.9 |
| 1981 | 354.8 | 44.4 | 4.7 | 1.4 | 2.4 | 4.6 | 10.2 | 21.7 | 38.7 | 83.6 | 162.8 |
| 1980 | 369.8 | 52.4 | 6.1 | 1.7 | 2.2 | 6.2 | 11.6 | 21.3 | 44.3 | 87.9 | 171.6 |
| 1979 | 354.8 | 52.0 | 4.8 | 1.2 | 2.0 | 4.5 | 10.2 | 21.8 | 40.0 | 87.2 | 170.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Major cardiovascular diseases (390-434,436-448) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 286.1 | 46.4 | 3.8 | 1.6 | 2.2 | 6.7 | 10.9 | 20.0 | 35.1 | 70.9 | 142.6 |
| 1997 | 288.4 | 42.3 | 4.8 | 1.3 | 2.3 | 4.8 | 13.0 | 19.2 | 33.0 | 71.1 | 148.0 |
| 1996 | 295.0 | 46.0 | 2.6 | * | 2.8 | 6.0 | 11.3 | 17.7 | 36.5 | 71.8 | 145.7 |
| 1995 | 306.2 | 44.3 | 5.0 | 1.2 | 2.5 | 6.2 | 13.0 | 19.3 | 40.9 | 78.5 | 164.6 |
| 1994 | 303.2 | 44.6 | 4.4 | * | 2.7 | 5.4 | 10.9 | 20.3 | 38.6 | 85.7 | 164.0 |
| 1993 | 314.4 | 37.8 | 3.7 | 1.6 | 2.2 | 5.6 | 12.0 | 22.2 | 40.0 | 81.4 | 171.1 |
| 1992 | 309.8 | 47.4 | 4.7 | 1.4 | 2.5 | 6.5 | 10.8 | 21.0 | 40.0 | 85.3 | 171.4 |
| 1991 | 321.7 | 45.9 | 6.1 | 1.8 | 2.2 | 5.1 | 11.4 | 21.6 | 40.2 | 93.5 | 172.0 |
| 1990 | 327.3 | 54.3 | 4.8 | * | 2.0 | 5.1 | 10.6 | 18.6 | 43.0 | 91.3 | 178.5 |
| 1989 | 340.2 | 42.2 | 5.1 | 1.8 | 2.0 | 4.9 | 10.8 | 18.8 | 46.6 | 98.8 | 182.6 |
| 1988 | 356.3 | 53.2 | 5.2 | 1.8 | 2.3 | 6.3 | 11.9 | 22.4 | 52.3 | 103.1 | 191.4 |
| 1987 | 354.7 | 52.3 | 5.6 | * | 2.8 | 5.6 | 11.2 | 20.7 | 49.6 | 108.3 | 201.5 |
| 1986 | 360.7 | 60.7 | 6.0 | * | 2.0 | 5.3 | 11.4 | 22.6 | 55.2 | 100.7 | 223.2 |
| 1985 | 365.5 | 59.8 | 5.3 | * | 2.1 | 7.0 | 10.3 | 23.8 | 51.7 | 108.5 | 205.8 |
| 1984 | 363.6 | 60.3 | 5.3 | 2.3 | 2.3 | 5.1 | 11.4 | 22.9 | 49.6 | 105.5 | 207.7 |
| 1983 | 370.5 | 64.8 | 5.3 | 1.9 | 2.4 | 6.1 | 10.5 | 21.9 | 50.5 | 99.7 | 204.1 |
| 1982 | 366.3 | 47.3 | 5.0 | 2.0 | 2.1 | 5.0 | 10.1 | 24.0 | 47.7 | 107.3 | 205.6 |
| 1981 | 376.6 | 49.6 | 5.0 | 1.7 | 2.2 | 5.2 | 12.6 | 26.1 | 52.9 | 115.5 | 224.6 |
| 1980 | 394.1 | 53.9 | 7.0 | * | 2.4 | 7.1 | 15.1 | 25.0 | 58.7 | 122.0 | 232.3 |
| 1979 | 382.8 | 56.5 | 5.2 | * | 1.9 | 5.4 | 11.2 | 26.1 | 50.3 | 118.7 | 236.0 |
| Major cardiovascular diseases (390-434,436-448) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 294.6 | 43.7 | 3.0 | 1.5 | 1.7 | 3.1 | 7.0 | 13.5 | 23.8 | 43.5 | 88.0 |
| 1997 | 293.8 | 38.3 | 1.9 | 1.6 | 1.7 | 3.6 | 8.1 | 12.8 | 21.7 | 44.5 | 84.9 |
| 1996 | 300.9 | 40.7 | 3.7 | 1.3 | 2.0 | 4.7 | 5.7 | 14.0 | 25.1 | 46.8 | 89.8 |
| 1995 | 305.4 | 38.4 | 3.4 | * | 1.9 | 4.6 | 8.1 | 12.4 | 22.4 | 48.2 | 88.0 |
| 1994 | 305.1 | 43.4 | 4.4 | * | 1.7 | 4.2 | 7.3 | 15.3 | 27.9 | 48.2 | 92.2 |
| 1993 | 315.0 | 39.4 | 3.9 | 1.5 | 1.8 | 3.4 | 7.6 | 13.3 | 25.0 | 51.4 | 89.7 |
| 1992 | 305.0 | 39.7 | 3.8 | 1.6 | * | 3.2 | 7.0 | 13.8 | 25.5 | 46.0 | 95.6 |
| 1991 | 311.8 | 40.6 | 4.6 | 1.5 | 1.9 | 3.6 | 7.3 | 13.3 | 26.4 | 46.5 | 89.1 |
| 1990 | 316.6 | 42.4 | 4.1 | * | 2.5 | 3.5 | 8.6 | 13.0 | 27.2 | 47.4 | 88.2 |
| 1989 | 329.7 | 44.3 | 3.8 | * | 3.0 | 4.4 | 7.6 | 14.4 | 26.5 | 47.0 | 93.8 |
| 1988 | 340.4 | 48.8 | 4.9 | * | 1.8 | 4.5 | 7.1 | 15.6 | 24.9 | 51.6 | 98.6 |
| 1987 | 334.5 | 45.2 | 5.0 | 1.8 | 1.8 | 4.1 | 7.7 | 15.5 | 28.9 | 47.7 | 93.6 |
| 1986 | 337.6 | 51.3 | 5.3 | 1.6 | 2.3 | 3.7 | 8.2 | 16.3 | 29.1 | 52.8 | 99.1 |
| 1985 | 337.9 | 47.6 | 5.7 | 1.6 | 2.6 | 4.2 | 8.4 | 15.0 | 26.2 | 47.5 | 106.1 |
| 1984 | 333.7 | 51.7 | 4.8 | * | 2.4 | 4.2 | 8.1 | 14.7 | 26.0 | 52.0 | 104.1 |
| 1983 | 338.1 | 54.5 | 4.1 | 1.7 | 1.6 | 4.3 | 8.2 | 14.9 | 26.2 | 54.6 | 103.3 |
| 1982 | 326.9 | 41.1 | 4.7 | 2.0 | 2.0 | 3.6 | 8.6 | 14.9 | 27.8 | 52.8 | 107.1 |
| 1981 | 335.2 | 39.1 | 4.4 | * | 2.6 | 4.1 | 7.9 | 17.9 | 26.6 | 57.1 | 111.4 |
| 1980 | 348.0 | 50.8 | 5.2 | 2.1 | 2.0 | 5.3 | 8.4 | 18.0 | 32.1 | 59.5 | 121.3 |
| 1979 | 329.6 | 47.3 | 4.5 | * | 2.1 | 3.7 | 9.2 | 18.0 | 31.1 | 61.1 | 116.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diseases of heart (390-398,402,404,410-429) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 262.8 | 16.2 | 1.4 | 0.8 | 0.9 | 2.1 | 3.5 | 5.5 | 10.1 | 20.5 | 40.8 |
| 1997 | 266.6 | 16.6 | 1.4 | 0.6 | 0.9 | 2.1 | 3.8 | 5.4 | 10.3 | 20.3 | 40.2 |
| 1996 | 272.2 | 16.7 | 1.4 | 0.6 | 1.1 | 2.2 | 3.1 | 5.4 | 10.4 | 20.8 | 40.8 |
| 1995 | 277.0 | 17.4 | 1.6 | 0.7 | 0.9 | 2.2 | 3.5 | 5.4 | 10.7 | 21.8 | 43.0 |
| 1994 | 278.3 | 17.9 | 1.8 | 0.7 | 1.0 | 2.1 | 3.3 | 5.9 | 10.5 | 22.2 | 42.3 |
| 1993 | 286.0 | 17.0 | 1.9 | 0.7 | 0.9 | 2.1 | 3.2 | 5.6 | 10.7 | 21.4 | 44.1 |
| 1992 | 279.8 | 18.0 | 1.8 | 0.7 | 0.8 | 1.9 | 3.3 | 5.5 | 10.2 | 20.5 | 44.4 |
| 1991 | 284.9 | 17.6 | 2.2 | 0.7 | 0.9 | 2.1 | 3.3 | 5.5 | 10.2 | 21.1 | 43.0 |
| 1990 | 289.5 | 20.1 | 1.9 | 0.7 | 1.1 | 1.9 | 3.0 | 5.1 | 10.1 | 20.5 | 43.7 |
| 1989 | 297.3 | 20.1 | 1.9 | 0.7 | 1.0 | 1.9 | 3.1 | 5.3 | 10.7 | 21.4 | 45.0 |
| 1988 | 312.9 | 23.2 | 2.4 | 0.8 | 1.1 | 2.1 | 3.5 | 5.7 | 11.0 | 23.1 | 47.5 |
| 1987 | 313.8 | 25.7 | 2.2 | 0.9 | 1.1 | 2.1 | 3.3 | 5.8 | 11.4 | 23.4 | 50.4 |
| 1986 | 318.8 | 26.5 | 2.6 | 0.9 | 1.0 | 2.1 | 3.4 | 5.8 | 11.8 | 24.3 | 54.8 |
| 1985 | 324.1 | 25.0 | 2.2 | 0.8 | 1.1 | 2.2 | 3.3 | 5.8 | 11.0 | 24.7 | 54.9 |
| 1984 | 324.4 | 26.7 | 2.4 | 1.0 | 1.0 | 2.0 | 3.4 | 5.4 | 11.1 | 24.6 | 56.2 |
| 1983 | 329.5 | 26.2 | 2.5 | 0.9 | 1.0 | 2.1 | 3.0 | 5.5 | 11.3 | 24.9 | 57.2 |
| 1982 | 326.2 | 21.1 | 2.3 | 1.0 | 1.1 | 2.0 | 3.3 | 5.8 | 10.8 | 25.7 | 59.8 |
| 1981 | 328.5 | 21.2 | 2.5 | 0.9 | 1.0 | 1.9 | 3.2 | 5.7 | 11.2 | 27.5 | 62.2 |
| 1980 | 336.0 | 22.8 | 2.6 | 0.9 | 1.0 | 2.3 | 3.5 | 5.6 | 11.3 | 27.7 | 64.8 |
| 1979 | 326.5 | 20.2 | 2.1 | 0.7 | 0.9 | 1.9 | 3.4 | 5.7 | 11.5 | 28.3 | 65.4 |
| Diseases of heart (390-398,402,404,410-429) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 261.9 | 16.2 | 1.4 | 0.9 | 0.9 | 2.7 | 4.3 | 6.9 | 13.1 | 28.7 | 59.7 |
| 1997 | 267.2 | 18.2 | 1.5 | 0.6 | 1.1 | 2.6 | 4.6 | 6.6 | 13.8 | 28.7 | 59.7 |
| 1996 | 273.2 | 17.5 | 1.4 | 0.6 | 1.2 | 2.6 | 4.0 | 6.9 | 13.9 | 29.7 | 60.1 |
| 1995 | 278.5 | 17.7 | 1.7 | 0.8 | 0.9 | 2.7 | 4.3 | 6.8 | 14.7 | 31.2 | 64.6 |
| 1994 | 280.9 | 18.8 | 1.8 | 0.7 | 1.1 | 2.7 | 4.1 | 7.2 | 13.7 | 31.8 | 63.0 |
| 1993 | 289.4 | 18.4 | 2.0 | 0.6 | 1.0 | 2.7 | 3.9 | 7.4 | 14.3 | 30.5 | 66.3 |
| 1992 | 285.5 | 18.9 | 1.9 | 0.8 | 0.9 | 2.6 | 4.0 | 6.7 | 14.1 | 30.2 | 67.6 |
| 1991 | 291.5 | 19.3 | 2.3 | 0.7 | 0.9 | 2.7 | 4.1 | 7.4 | 13.6 | 31.0 | 65.3 |
| 1990 | 297.6 | 21.9 | 1.9 | 0.7 | 1.2 | 2.5 | 3.6 | 6.6 | 13.9 | 30.6 | 67.9 |
| 1989 | 306.1 | 21.5 | 2.1 | 0.7 | 1.0 | 2.3 | 3.9 | 6.9 | 15.0 | 31.9 | 69.0 |
| 1988 | 323.6 | 25.3 | 2.4 | 0.9 | 1.4 | 2.8 | 4.4 | 7.2 | 15.8 | 34.7 | 72.9 |
| 1987 | 326.6 | 28.8 | 2.3 | 1.0 | 1.1 | 2.6 | 4.2 | 7.2 | 16.0 | 35.6 | 78.5 |
| 1986 | 334.5 | 29.7 | 2.6 | 0.9 | 1.1 | 2.7 | 4.2 | 7.4 | 16.8 | 37.2 | 85.2 |
| 1985 | 344.1 | 27.8 | 2.2 | 0.8 | 1.0 | 2.7 | 4.1 | 7.6 | 15.8 | 37.7 | 84.7 |
| 1984 | 346.3 | 28.7 | 2.5 | 1.1 | 1.0 | 2.3 | 4.2 | 7.0 | 16.2 | 37.5 | 87.4 |
| 1983 | 354.4 | 28.8 | 2.7 | 0.9 | 1.1 | 2.6 | 3.7 | 7.4 | 16.3 | 38.4 | 88.6 |
| 1982 | 354.0 | 24.3 | 2.5 | 1.0 | 1.0 | 2.5 | 3.9 | 7.7 | 15.5 | 39.0 | 92.6 |
| 1981 | 359.2 | 22.5 | 2.6 | 0.9 | 1.1 | 2.2 | 4.0 | 7.5 | 15.8 | 41.9 | 96.6 |
| 1980 | 368.6 | 25.5 | 2.8 | 0.8 | 1.1 | 2.8 | 4.5 | 7.3 | 15.8 | 42.6 | 100.1 |
| 1979 | 363.2 | 23.2 | 2.1 | 0.7 | 1.0 | 2.3 | 4.2 | 7.5 | 16.2 | 42.6 | 101.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diseases of heart (390-398,402,404,410-429) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 263.6 | 16.2 | 1.3 | 0.6 | 0.8 | 1.5 | 2.7 | 4.0 | 7.1 | 12.4 | 22.2 |
| 1997 | 266.1 | 14.9 | 1.2 | 0.6 | 0.8 | 1.7 | 3.0 | 4.2 | 6.8 | 12.1 | 21.1 |
| 1996 | 271.3 | 15.9 | 1.4 | 0.7 | 0.9 | 1.7 | 2.2 | 3.9 | 6.8 | 12.0 | 21.9 |
| 1995 | 275.5 | 17.0 | 1.5 | 0.6 | 0.8 | 1.6 | 2.6 | 4.1 | 6.7 | 12.5 | 21.9 |
| 1994 | 275.9 | 16.9 | 1.8 | 0.7 | 0.9 | 1.5 | 2.5 | 4.5 | 7.2 | 12.6 | 22.1 |
| 1993 | 282.8 | 15.6 | 1.7 | 0.8 | 0.9 | 1.4 | 2.5 | 3.8 | 7.1 | 12.5 | 22.5 |
| 1992 | 274.4 | 17.1 | 1.8 | 0.6 | 0.8 | 1.2 | 2.5 | 4.2 | 6.4 | 11.0 | 21.8 |
| 1991 | 278.7 | 15.7 | 2.1 | 0.7 | 0.8 | 1.4 | 2.4 | 3.7 | 6.8 | 11.3 | 21.2 |
| 1990 | 281.8 | 18.3 | 1.9 | 0.7 | 1.0 | 1.3 | 2.3 | 3.6 | 6.3 | 10.6 | 20.1 |
| 1989 | 289.0 | 18.6 | 1.7 | 0.6 | 1.1 | 1.5 | 2.3 | 3.7 | 6.4 | 11.0 | 21.6 |
| 1988 | 302.8 | 21.0 | 2.5 | 0.8 | 0.8 | 1.4 | 2.6 | 4.1 | 6.2 | 11.7 | 22.8 |
| 1987 | 301.7 | 22.4 | 2.2 | 0.8 | 1.0 | 1.6 | 2.5 | 4.4 | 6.8 | 11.5 | 23.1 |
| 1986 | 303.9 | 23.2 | 2.5 | 0.8 | 0.9 | 1.5 | 2.6 | 4.2 | 6.9 | 11.7 | 25.4 |
| 1985 | 305.2 | 22.0 | 2.2 | 0.9 | 1.1 | 1.6 | 2.5 | 3.9 | 6.3 | 12.0 | 26.2 |
| 1984 | 303.8 | 24.6 | 2.4 | 1.0 | 1.0 | 1.6 | 2.6 | 3.7 | 6.1 | 12.0 | 26.2 |
| 1983 | 306.1 | 23.4 | 2.3 | 0.9 | 0.8 | 1.6 | 2.4 | 3.7 | 6.5 | 11.9 | 27.0 |
| 1982 | 299.8 | 17.8 | 2.0 | 1.1 | 1.1 | 1.4 | 2.7 | 3.9 | 6.2 | 12.7 | 28.4 |
| 1981 | 299.5 | 19.8 | 2.5 | 0.9 | 0.8 | 1.5 | 2.4 | 3.9 | 6.8 | 13.6 | 29.1 |
| 1980 | 305.1 | 20.0 | 2.5 | 0.9 | 0.9 | 1.8 | 2.4 | 4.0 | 6.8 | 13.4 | 31.0 |
| 1979 | 291.8 | 17.2 | 2.1 | 0.7 | 0.9 | 1.4 | 2.6 | 3.9 | 6.9 | 14.5 | 30.8 |
| Diseases of heart (390-398,402,404,410-429) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 280.4 | 13.7 | 1.1 | 0.7 | 0.7 | 1.7 | 3.0 | 4.4 | 8.5 | 17.6 | 35.4 |
| 1997 | 284.7 | 14.9 | 1.2 | 0.5 | 0.9 | 1.9 | 3.0 | 4.3 | 8.9 | 17.5 | 35.2 |
| 1996 | 290.2 | 14.1 | 1.1 | 0.6 | 0.9 | 1.7 | 2.5 | 4.4 | 8.6 | 18.0 | 35.6 |
| 1995 | 294.5 | 15.0 | 1.2 | 0.6 | 0.7 | 1.7 | 2.6 | 4.4 | 8.9 | 18.6 | 37.7 |
| 1994 | 295.9 | 14.6 | 1.4 | 0.6 | 0.9 | 1.8 | 2.6 | 4.6 | 8.5 | 18.7 | 36.5 |
| 1993 | 303.1 | 14.1 | 1.5 | 0.6 | 0.9 | 1.8 | 2.5 | 4.4 | 8.8 | 17.9 | 38.0 |
| 1992 | 296.1 | 15.2 | 1.5 | 0.6 | 0.7 | 1.5 | 2.7 | 4.3 | 8.3 | 17.2 | 38.4 |
| 1991 | 300.9 | 14.6 | 1.7 | 0.6 | 0.7 | 1.8 | 2.6 | 4.5 | 8.3 | 17.3 | 37.4 |
| 1990 | 305.4 | 16.0 | 1.5 | 0.7 | 1.0 | 1.7 | 2.3 | 4.1 | 8.1 | 16.9 | 38.2 |
| 1989 | 312.6 | 16.9 | 1.5 | 0.6 | 0.8 | 1.6 | 2.5 | 4.3 | 8.7 | 17.7 | 39.2 |
| 1988 | 329.2 | 19.7 | 2.1 | 0.8 | 1.0 | 1.8 | 2.9 | 4.4 | 8.9 | 19.1 | 41.6 |
| 1987 | 330.0 | 22.7 | 1.8 | 0.8 | 0.9 | 1.8 | 2.7 | 4.7 | 9.1 | 19.5 | 44.6 |
| 1986 | 334.9 | 23.0 | 2.1 | 0.8 | 0.9 | 1.8 | 2.7 | 4.7 | 9.3 | 20.8 | 48.3 |
| 1985 | 340.6 | 21.5 | 1.7 | 0.8 | 0.9 | 1.8 | 2.7 | 4.5 | 8.8 | 21.1 | 48.8 |
| 1984 | 341.0 | 23.0 | 2.1 | 1.0 | 0.9 | 1.7 | 2.8 | 4.2 | 9.1 | 21.0 | 50.1 |
| 1983 | 345.9 | 21.8 | 2.2 | 0.8 | 0.9 | 1.8 | 2.5 | 4.4 | 9.3 | 21.8 | 51.0 |
| 1982 | 342.8 | 18.2 | 1.9 | 0.9 | 1.0 | 1.7 | 2.8 | 4.7 | 8.8 | 22.3 | 53.9 |
| 1981 | 344.5 | 18.5 | 2.2 | 0.9 | 0.8 | 1.6 | 2.6 | 4.4 | 9.3 | 23.9 | 55.7 |
| 1980 | 350.8 | 19.2 | 2.1 | 0.8 | 0.9 | 1.8 | 2.7 | 4.4 | 8.8 | 23.4 | 57.5 |
| 1979 | 340.7 | 16.2 | 1.7 | 0.7 | 0.8 | 1.6 | 2.8 | 4.4 | 9.5 | 24.4 | 58.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diseases of heart (390-398,402,404,410-429) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 277.7 | 14.1 | 1.1 | 0.9 | 0.8 | 2.2 | 3.5 | 5.6 | 11.2 | 25.3 | 54.0 |
| 1997 | 283.6 | 16.9 | 1.1 | 0.6 | 1.1 | 2.4 | 3.5 | 5.4 | 12.0 | 25.6 | 54.0 |
| 1996 | 289.8 | 14.6 | 1.2 | 0.6 | 0.9 | 2.1 | 3.1 | 5.8 | 11.9 | 26.8 | 54.5 |
| 1995 | 294.4 | 15.3 | 1.3 | 0.7 | 0.7 | 2.3 | 3.1 | 5.5 | 12.4 | 27.6 | 58.5 |
| 1994 | 297.2 | 15.6 | 1.4 | 0.6 | 1.0 | 2.3 | 3.3 | 5.7 | 11.5 | 27.6 | 56.6 |
| 1993 | 305.3 | 15.9 | 1.7 | 0.4 | 0.9 | 2.4 | 3.1 | 5.8 | 11.9 | 26.5 | 59.1 |
| 1992 | 300.7 | 16.4 | 1.4 | 0.7 | 0.7 | 2.0 | 3.2 | 5.3 | 11.8 | 26.2 | 60.8 |
| 1991 | 306.4 | 16.3 | 1.7 | 0.6 | 0.7 | 2.4 | 3.2 | 6.0 | 11.4 | 26.0 | 59.0 |
| 1990 | 312.7 | 17.5 | 1.5 | 0.7 | 1.1 | 2.2 | 2.9 | 5.4 | 11.5 | 26.0 | 61.2 |
| 1989 | 320.5 | 19.0 | 1.7 | 0.6 | 0.9 | 2.0 | 3.2 | 5.9 | 12.4 | 27.2 | 62.1 |
| 1988 | 338.9 | 22.0 | 2.0 | 0.8 | 1.3 | 2.4 | 3.6 | 5.7 | 13.0 | 29.9 | 66.0 |
| 1987 | 341.8 | 25.4 | 1.8 | 1.0 | 0.9 | 2.2 | 3.5 | 6.0 | 13.1 | 30.2 | 71.3 |
| 1986 | 350.2 | 26.5 | 2.1 | 0.8 | 1.0 | 2.5 | 3.4 | 6.0 | 13.5 | 33.0 | 76.7 |
| 1985 | 360.3 | 24.2 | 1.7 | 0.6 | 0.9 | 2.3 | 3.5 | 6.1 | 12.8 | 32.9 | 77.4 |
| 1984 | 362.9 | 25.1 | 2.2 | 1.0 | 0.9 | 2.0 | 3.4 | 5.5 | 13.4 | 33.2 | 80.3 |
| 1983 | 371.0 | 24.1 | 2.2 | 0.8 | 1.0 | 2.2 | 3.1 | 6.0 | 13.5 | 34.8 | 81.3 |
| 1982 | 371.0 | 21.8 | 2.1 | 0.9 | 0.9 | 2.2 | 3.4 | 6.4 | 12.9 | 35.0 | 85.7 |
| 1981 | 375.8 | 19.4 | 2.2 | 0.9 | 1.0 | 1.9 | 3.2 | 5.8 | 13.1 | 37.3 | 89.2 |
| 1980 | 384.0 | 22.5 | 2.1 | 0.7 | 1.0 | 2.2 | 3.5 | 5.8 | 12.8 | 36.9 | 91.9 |
| 1979 | 378.2 | 19.2 | 1.7 | 0.7 | 0.9 | 2.0 | 3.6 | 6.1 | 13.9 | 37.9 | 93.3 |
| Diseases of heart (390-398,402,404,410-429) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 283.0 | 13.2 | 1.1 | 0.4 | 0.7 | 1.2 | 2.4 | 3.3 | 5.6 | 9.7 | 16.8 |
| 1997 | 285.7 | 12.8 | 1.2 | 0.5 | 0.7 | 1.4 | 2.5 | 3.2 | 5.7 | 9.3 | 16.4 |
| 1996 | 290.6 | 13.6 | 1.0 | 0.7 | 0.8 | 1.3 | 1.8 | 2.9 | 5.1 | 9.0 | 16.6 |
| 1995 | 294.7 | 14.7 | 1.2 | 0.6 | 0.7 | 1.2 | 2.0 | 3.2 | 5.3 | 9.5 | 16.9 |
| 1994 | 294.7 | 13.5 | 1.4 | 0.6 | 0.9 | 1.1 | 1.9 | 3.5 | 5.4 | 9.7 | 16.5 |
| 1993 | 301.1 | 12.1 | 1.3 | 0.7 | 0.8 | 1.2 | 1.9 | 3.0 | 5.7 | 9.3 | 16.9 |
| 1992 | 291.6 | 14.0 | 1.5 | 0.5 | 0.7 | 1.0 | 2.1 | 3.3 | 4.8 | 8.1 | 15.9 |
| 1991 | 295.7 | 12.8 | 1.7 | 0.6 | 0.7 | 1.2 | 2.0 | 2.9 | 5.2 | 8.5 | 15.9 |
| 1990 | 298.4 | 14.5 | 1.6 | 0.6 | 0.8 | 1.1 | 1.7 | 2.8 | 4.6 | 7.8 | 15.4 |
| 1989 | 305.1 | 14.7 | 1.3 | 0.6 | 0.8 | 1.2 | 1.8 | 2.7 | 5.0 | 8.2 | 16.4 |
| 1988 | 319.9 | 17.4 | 2.2 | 0.7 | 0.7 | 1.1 | 2.2 | 3.1 | 4.8 | 8.4 | 17.5 |
| 1987 | 318.7 | 19.8 | 1.7 | 0.6 | 0.9 | 1.3 | 2.0 | 3.4 | 5.0 | 8.9 | 18.3 |
| 1986 | 320.4 | 19.5 | 2.1 | 0.7 | 0.7 | 1.2 | 2.0 | 3.3 | 5.0 | 8.8 | 20.3 |
| 1985 | 321.8 | 18.6 | 1.6 | 0.9 | 0.9 | 1.4 | 1.9 | 2.9 | 4.9 | 9.3 | 20.7 |
| 1984 | 320.2 | 20.7 | 2.0 | 0.9 | 0.9 | 1.4 | 2.1 | 2.9 | 4.7 | 9.0 | 20.5 |
| 1983 | 321.9 | 19.4 | 2.1 | 0.8 | 0.8 | 1.3 | 1.8 | 2.8 | 5.0 | 8.9 | 21.4 |
| 1982 | 315.9 | 14.5 | 1.7 | 0.9 | 1.0 | 1.2 | 2.1 | 3.0 | 4.6 | 9.8 | 22.8 |
| 1981 | 314.7 | 17.5 | 2.2 | 0.9 | 0.7 | 1.2 | 1.9 | 2.9 | 5.5 | 10.7 | 23.0 |
| 1980 | 319.2 | 15.7 | 2.1 | 0.8 | 0.8 | 1.4 | 1.9 | 2.9 | 4.9 | 10.1 | 23.9 |
| 1979 | 305.1 | 13.2 | 1.7 | 0.7 | 0.7 | 1.2 | 2.1 | 2.8 | 5.2 | 11.1 | 24.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diseases of heart (390-398,402,404,410-429) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 181.5 | 25.6 | 2.3 | 1.1 | 1.3 | 3.5 | 5.7 | 9.6 | 17.2 | 33.9 | 66.2 |
| 1997 | 182.5 | 22.9 | 2.1 | 0.9 | 1.2 | 3.1 | 6.9 | 9.9 | 16.4 | 33.7 | 64.2 |
| 1996 | 187.0 | 26.7 | 2.4 | 0.8 | 1.8 | 3.8 | 5.7 | 9.6 | 18.4 | 34.2 | 67.1 |
| 1995 | 192.8 | 26.3 | 2.8 | 0.9 | 1.5 | 3.9 | 7.0 | 9.8 | 18.8 | 36.9 | 70.2 |
| 1994 | 192.7 | 30.0 | 3.3 | 0.9 | 1.4 | 3.5 | 6.0 | 11.0 | 19.8 | 38.8 | 72.1 |
| 1993 | 201.4 | 27.9 | 3.1 | 1.1 | 1.2 | 3.3 | 6.2 | 10.8 | 19.5 | 38.7 | 76.2 |
| 1992 | 197.8 | 28.6 | 3.3 | 1.2 | 1.4 | 3.4 | 6.0 | 10.7 | 19.5 | 37.3 | 76.9 |
| 1991 | 203.2 | 28.9 | 3.9 | 1.1 | 1.4 | 3.1 | 6.2 | 10.3 | 19.3 | 40.4 | 74.2 |
| 1990 | 206.7 | 35.8 | 3.4 | 0.8 | 1.6 | 2.9 | 6.0 | 9.9 | 20.1 | 39.2 | 75.4 |
| 1989 | 216.4 | 32.5 | 3.5 | 1.1 | 1.8 | 3.1 | 5.6 | 10.0 | 20.9 | 40.7 | 79.5 |
| 1988 | 225.8 | 37.0 | 3.9 | 1.1 | 1.4 | 3.6 | 6.6 | 11.7 | 21.4 | 44.4 | 83.3 |
| 1987 | 225.5 | 38.1 | 4.2 | 1.2 | 1.7 | 3.4 | 6.1 | 11.3 | 23.4 | 45.0 | 86.6 |
| 1986 | 229.2 | 41.5 | 4.5 | 1.3 | 1.4 | 3.2 | 6.7 | 11.9 | 25.4 | 44.5 | 95.2 |
| 1985 | 231.3 | 40.5 | 4.2 | 1.2 | 1.9 | 3.9 | 6.3 | 12.2 | 22.8 | 46.3 | 93.2 |
| 1984 | 229.5 | 43.0 | 3.9 | 1.2 | 1.4 | 3.2 | 6.5 | 11.6 | 22.3 | 46.3 | 94.8 |
| 1983 | 234.7 | 45.3 | 4.1 | 1.3 | 1.4 | 3.7 | 6.0 | 11.8 | 22.9 | 44.9 | 96.4 |
| 1982 | 228.3 | 33.8 | 3.9 | 1.5 | 1.4 | 3.2 | 6.3 | 11.9 | 22.4 | 47.5 | 96.8 |
| 1981 | 232.8 | 33.3 | 4.1 | 1.0 | 1.7 | 3.3 | 6.6 | 13.4 | 22.9 | 50.9 | 103.4 |
| 1980 | 245.0 | 39.4 | 5.0 | 1.3 | 1.6 | 4.6 | 7.5 | 13.2 | 26.6 | 56.4 | 112.4 |
| 1979 | 237.0 | 38.9 | 3.9 | 0.7 | 1.4 | 3.0 | 6.9 | 13.4 | 24.8 | 55.2 | 112.5 |
| Diseases of heart (390-398,402,404,410-429) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 186.8 | 23.9 | 2.6 | 1.1 | 1.4 | 4.5 | 7.6 | 12.5 | 21.9 | 45.2 | 88.7 |
| 1997 | 188.3 | 23.0 | 2.8 | * | 1.3 | 3.3 | 8.7 | 12.2 | 21.8 | 44.1 | 89.3 |
| 1996 | 192.3 | 28.8 | 1.9 | * | 2.3 | 4.4 | 7.5 | 11.8 | 23.4 | 44.5 | 90.2 |
| 1995 | 200.4 | 27.0 | 3.1 | 1.1 | 1.6 | 4.4 | 9.2 | 12.4 | 26.0 | 49.1 | 98.0 |
| 1994 | 199.5 | 30.8 | 3.2 | * | 1.8 | 4.1 | 7.3 | 13.9 | 25.0 | 53.4 | 98.3 |
| 1993 | 209.0 | 27.6 | 3.2 | 1.1 | 1.1 | 4.2 | 7.6 | 14.5 | 26.1 | 51.7 | 106.8 |
| 1992 | 206.7 | 28.3 | 3.7 | 1.1 | 1.8 | 4.9 | 7.6 | 13.7 | 25.8 | 51.9 | 106.8 |
| 1991 | 213.4 | 31.1 | 4.4 | 1.2 | 1.6 | 3.9 | 8.2 | 13.8 | 25.2 | 58.3 | 103.3 |
| 1990 | 216.9 | 39.1 | 3.4 | * | 1.5 | 3.8 | 7.0 | 12.8 | 27.1 | 56.1 | 110.0 |
| 1989 | 228.4 | 31.4 | 4.0 | 1.1 | 1.4 | 3.4 | 7.1 | 11.8 | 29.3 | 58.8 | 113.1 |
| 1988 | 239.8 | 38.8 | 4.2 | 1.4 | 1.8 | 4.7 | 8.4 | 14.9 | 31.0 | 62.5 | 118.4 |
| 1987 | 241.2 | 43.0 | 4.2 | * | 2.1 | 4.1 | 7.5 | 14.0 | 32.2 | 68.0 | 127.6 |
| 1986 | 245.5 | 43.9 | 4.7 | 1.2 | 1.5 | 3.7 | 8.1 | 15.1 | 35.6 | 64.0 | 141.9 |
| 1985 | 250.6 | 44.1 | 3.9 | 1.3 | 1.8 | 5.0 | 7.4 | 16.2 | 33.7 | 68.7 | 133.9 |
| 1984 | 249.1 | 44.3 | 4.0 | 1.4 | 1.3 | 4.0 | 8.1 | 15.8 | 32.4 | 66.1 | 136.0 |
| 1983 | 255.4 | 49.7 | 4.8 | 1.4 | 1.6 | 4.8 | 6.8 | 15.5 | 32.9 | 63.0 | 138.2 |
| 1982 | 251.7 | 35.6 | 4.3 | 1.4 | 1.3 | 4.0 | 7.0 | 15.8 | 31.3 | 67.5 | 138.5 |
| 1981 | 257.2 | 36.8 | 4.2 | * | 1.7 | 3.7 | 8.6 | 17.8 | 33.0 | 73.9 | 147.2 |
| 1980 | 271.8 | 39.1 | 5.8 | * | 1.5 | 5.7 | 10.2 | 16.9 | 36.6 | 83.2 | 157.4 |
| 1979 | 266.2 | 42.2 | 4.0 | * | 1.4 | 3.7 | 8.1 | 16.8 | 32.8 | 77.9 | 160.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diseases of heart (390-398,402,404,410-429) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 176.7 | 27.4 | 2.1 | 1.0 | 1.2 | 2.5 | 3.9 | 7.0 | 12.9 | 23.8 | 46.3 |
| 1997 | 177.1 | 22.8 | 1.4 | 1.1 | 1.1 | 2.8 | 5.1 | 7.9 | 11.5 | 24.4 | 42.2 |
| 1996 | 182.1 | 24.5 | 2.9 | 0.9 | 1.3 | 3.2 | 4.0 | 7.7 | 13.9 | 25.0 | 46.8 |
| 1995 | 185.8 | 25.6 | 2.6 | * | 1.4 | 3.3 | 4.9 | 7.5 | 12.3 | 26.0 | 45.9 |
| 1994 | 186.4 | 29.2 | 3.3 | * | 1.0 | 2.8 | 4.8 | 8.4 | 15.1 | 25.8 | 49.2 |
| 1993 | 194.6 | 28.3 | 3.1 | 1.2 | 1.2 | 2.3 | 4.8 | 7.3 | 13.5 | 27.1 | 49.7 |
| 1992 | 189.7 | 28.9 | 2.8 | 1.3 | 1.1 | 1.9 | 4.4 | 8.0 | 13.8 | 24.4 | 51.1 |
| 1991 | 193.8 | 26.8 | 3.4 | * | 1.2 | 2.2 | 4.3 | 7.1 | 14.0 | 24.7 | 48.9 |
| 1990 | 197.4 | 32.4 | 3.3 | * | 1.7 | 2.0 | 5.1 | 7.3 | 13.9 | 24.4 | 45.5 |
| 1989 | 205.5 | 33.5 | 3.0 | * | 2.3 | 2.8 | 4.3 | 8.2 | 13.5 | 25.0 | 50.5 |
| 1988 | 213.0 | 35.1 | 3.7 | * | * | 2.4 | 4.7 | 8.8 | 12.9 | 28.7 | 53.1 |
| 1987 | 211.2 | 33.0 | 4.2 | 1.5 | 1.3 | 2.8 | 4.7 | 8.8 | 15.7 | 25.2 | 51.4 |
| 1986 | 214.4 | 39.0 | 4.3 | 1.4 | 1.4 | 2.7 | 5.3 | 9.0 | 16.4 | 27.7 | 54.9 |
| 1985 | 213.8 | 36.9 | 4.5 | * | 2.0 | 2.7 | 5.1 | 8.6 | 13.3 | 27.1 | 58.3 |
| 1984 | 211.7 | 41.5 | 3.9 | * | 1.5 | 2.4 | 4.9 | 7.8 | 13.4 | 29.4 | 59.7 |
| 1983 | 215.9 | 40.8 | 3.4 | * | * | 2.6 | 5.3 | 8.5 | 14.2 | 29.5 | 60.5 |
| 1982 | 207.0 | 32.0 | 3.5 | 1.6 | 1.5 | 2.3 | 5.6 | 8.5 | 14.7 | 30.4 | 61.1 |
| 1981 | 210.7 | 29.7 | 4.0 | * | 1.6 | 2.9 | 4.7 | 9.4 | 14.2 | 31.3 | 65.8 |
| 1980 | 220.7 | 39.6 | 4.2 | 1.8 | 1.7 | 3.6 | 5.1 | 9.8 | 17.9 | 33.6 | 74.0 |
| 1979 | 210.6 | 35.7 | 3.8 | * | 1.5 | 2.3 | 5.7 | 10.3 | 17.9 | 36.1 | 72.1 |
| Diseases of heart (390-398,402,404,410-429) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 220.0 | 28.1 | 2.6 | 1.2 | 1.5 | 4.4 | 7.2 | 12.8 | 22.7 | 43.1 | 85.6 |
| 1997 | 220.4 | 26.8 | 2.6 | 1.1 | 1.5 | 3.7 | 8.6 | 13.1 | 20.7 | 42.6 | 82.2 |
| 1996 | 225.6 | 31.3 | 2.6 | 0.9 | 2.1 | 4.6 | 7.3 | 12.9 | 23.5 | 43.1 | 85.7 |
| 1995 | 232.3 | 30.3 | 3.4 | 1.0 | 1.8 | 4.8 | 8.7 | 12.4 | 24.2 | 46.6 | 90.8 |
| 1994 | 231.1 | 34.7 | 4.0 | 0.9 | 1.6 | 4.1 | 7.2 | 14.2 | 24.8 | 48.9 | 91.9 |
| 1993 | 242.1 | 31.0 | 3.3 | 1.3 | 1.4 | 3.9 | 8.0 | 13.3 | 24.6 | 49.2 | 96.1 |
| 1992 | 236.4 | 33.7 | 3.8 | 1.3 | 1.6 | 4.1 | 7.2 | 13.5 | 24.1 | 47.2 | 97.6 |
| 1991 | 242.9 | 34.2 | 4.6 | 1.3 | 1.6 | 3.5 | 7.5 | 12.9 | 24.4 | 50.8 | 94.9 |
| 1990 | 246.4 | 39.8 | 3.9 | 0.9 | 1.7 | 3.5 | 7.3 | 12.0 | 25.4 | 48.9 | 95.8 |
| 1989 | 256.9 | 36.7 | 4.0 | 1.1 | 2.0 | 3.6 | 6.9 | 12.2 | 26.6 | 51.6 | 101.3 |
| 1988 | 267.4 | 41.9 | 4.4 | 1.3 | 1.6 | 4.3 | 7.9 | 14.3 | 26.7 | 56.0 | 106.2 |
| 1987 | 265.1 | 41.4 | 4.8 | 1.2 | 2.0 | 4.2 | 7.1 | 13.3 | 29.0 | 55.6 | 108.3 |
| 1986 | 268.6 | 47.7 | 5.1 | 1.3 | 1.6 | 3.5 | 7.7 | 14.0 | 31.3 | 55.4 | 119.2 |
| 1985 | 268.4 | 44.9 | 4.9 | 1.2 | 2.1 | 4.4 | 7.2 | 14.7 | 27.9 | 56.4 | 115.2 |
| 1984 | 264.8 | 48.9 | 4.3 | 1.4 | 1.6 | 3.7 | 7.2 | 13.6 | 26.8 | 57.4 | 115.2 |
| 1983 | 269.2 | 51.2 | 4.3 | 1.3 | 1.4 | 4.2 | 6.8 | 13.5 | 28.0 | 54.4 | 114.9 |
| 1982 | 259.8 | 35.2 | 4.3 | 1.7 | 1.5 | 3.2 | 7.2 | 13.7 | 26.6 | 57.7 | 114.3 |
| 1981 | 264.2 | 35.6 | 4.2 | 1.2 | 1.9 | 3.6 | 7.4 | 15.6 | 27.2 | 60.8 | 122.2 |
| 1980 | 274.0 | 43.2 | 5.4 | 1.4 | 1.6 | 4.9 | 8.1 | 14.9 | 31.8 | 65.9 | 130.3 |
| 1979 | 260.7 | 40.4 | 4.1 | 0.8 | 1.5 | 3.3 | 7.3 | 14.9 | 28.0 | 62.6 | 129.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diseases of heart (390-398,402,404,410-429) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 222.7 | 27.4 | 3.0 | 1.2 | 1.6 | 5.8 | 9.5 | 16.5 | 28.6 | 56.4 | 112.8 |
| 1997 | 223.9 | 27.1 | 3.5 | * | 1.7 | 4.1 | 11.0 | 15.9 | 26.9 | 55.3 | 114.1 |
| 1996 | 228.6 | 34.6 | 2.1 | * | 2.6 | 5.4 | 9.7 | 15.6 | 29.4 | 55.4 | 113.3 |
| 1995 | 239.1 | 31.9 | 3.8 | * | 2.0 | 5.5 | 11.3 | 15.6 | 33.6 | 61.5 | 126.5 |
| 1994 | 236.1 | 35.3 | 3.8 | * | 2.1 | 4.8 | 8.8 | 17.4 | 31.2 | 67.7 | 123.7 |
| 1993 | 247.9 | 28.4 | 3.2 | * | 1.4 | 4.9 | 9.8 | 17.8 | 32.7 | 65.4 | 132.8 |
| 1992 | 244.4 | 34.7 | 4.4 | * | 2.0 | 5.9 | 8.9 | 17.1 | 32.0 | 66.2 | 133.6 |
| 1991 | 252.9 | 35.7 | 5.1 | 1.4 | 1.8 | 4.5 | 10.1 | 17.5 | 31.6 | 73.2 | 131.7 |
| 1990 | 256.8 | 43.7 | 4.0 | * | 1.7 | 4.5 | 8.5 | 15.3 | 33.9 | 69.5 | 138.5 |
| 1989 | 268.8 | 34.3 | 4.7 | * | 1.5 | 4.0 | 8.7 | 14.8 | 37.5 | 74.8 | 142.8 |
| 1988 | 281.6 | 43.4 | 4.6 | 1.6 | 2.0 | 5.6 | 10.2 | 18.3 | 38.8 | 79.1 | 149.9 |
| 1987 | 280.7 | 46.0 | 5.2 | * | 2.5 | 4.9 | 8.9 | 16.0 | 39.9 | 83.3 | 159.8 |
| 1986 | 285.5 | 51.4 | 5.4 | * | 1.6 | 4.2 | 9.3 | 17.5 | 43.8 | 79.2 | 178.2 |
| 1985 | 288.6 | 48.6 | 4.5 | * | 2.0 | 5.9 | 8.4 | 19.3 | 41.4 | 84.3 | 166.0 |
| 1984 | 285.2 | 50.6 | 4.4 | 1.6 | 1.5 | 4.6 | 8.9 | 18.6 | 38.7 | 82.9 | 165.0 |
| 1983 | 290.9 | 55.7 | 5.1 | * | 1.6 | 5.2 | 8.0 | 17.3 | 39.9 | 76.0 | 164.0 |
| 1982 | 284.0 | 37.7 | 4.5 | * | 1.5 | 4.2 | 8.1 | 18.2 | 37.2 | 82.6 | 163.2 |
| 1981 | 290.0 | 39.3 | 4.5 | * | 1.9 | 4.2 | 9.6 | 20.7 | 39.4 | 88.3 | 176.4 |
| 1980 | 301.0 | 42.8 | 6.3 | * | 1.6 | 5.9 | 11.0 | 19.2 | 44.2 | 96.7 | 183.2 |
| 1979 | 290.2 | 42.7 | 4.3 | * | 1.5 | 4.1 | 8.5 | 19.0 | 36.6 | 87.8 | 183.9 |
| Diseases of heart (390-398,402,404,410-429) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 217.4 | 28.9 | 2.1 | * | 1.4 | 2.9 | 4.9 | 9.4 | 17.4 | 31.4 | 61.7 |
| 1997 | 217.3 | 26.4 | 1.6 | 1.2 | * | 3.4 | 6.3 | 10.5 | 15.1 | 31.4 | 54.4 |
| 1996 | 222.9 | 28.0 | 3.0 | * | 1.5 | 3.8 | 5.1 | 10.4 | 18.2 | 32.2 | 61.8 |
| 1995 | 226.3 | 28.6 | 2.9 | * | 1.6 | 4.1 | 6.3 | 9.5 | 15.9 | 33.6 | 60.1 |
| 1994 | 226.5 | 34.2 | 4.2 | * | * | 3.4 | 5.8 | 11.3 | 19.1 | 32.3 | 64.5 |
| 1993 | 236.9 | 33.7 | 3.5 | 1.4 | 1.4 | 2.8 | 6.1 | 9.3 | 17.4 | 35.1 | 64.5 |
| 1992 | 229.2 | 32.7 | 3.1 | 1.4 | * | 2.4 | 5.5 | 10.3 | 17.2 | 30.7 | 66.6 |
| 1991 | 234.0 | 32.7 | 4.0 | * | * | 2.6 | 5.1 | 8.7 | 18.0 | 31.4 | 63.4 |
| 1990 | 237.0 | 35.8 | 3.8 | * | 1.8 | 2.5 | 6.3 | 9.0 | 17.9 | 31.1 | 59.2 |
| 1989 | 246.2 | 39.2 | 3.2 | * | 2.4 | 3.2 | 5.2 | 9.8 | 17.0 | 31.5 | 65.9 |
| 1988 | 254.6 | 40.2 | 4.2 | * | * | 3.1 | 5.7 | 10.7 | 16.2 | 36.1 | 68.8 |
| 1987 | 251.1 | 36.7 | 4.4 | * | * | 3.4 | 5.4 | 10.8 | 19.5 | 32.0 | 64.9 |
| 1986 | 253.4 | 44.0 | 4.8 | * | 1.6 | 2.9 | 6.2 | 10.8 | 20.5 | 35.1 | 69.5 |
| 1985 | 250.3 | 41.0 | 5.3 | * | 2.3 | 3.0 | 6.0 | 10.5 | 16.3 | 32.8 | 72.4 |
| 1984 | 246.4 | 47.1 | 4.3 | * | 1.7 | 2.9 | 5.6 | 9.2 | 16.6 | 36.0 | 73.2 |
| 1983 | 249.7 | 46.6 | 3.6 | * | * | 3.1 | 5.8 | 10.1 | 17.8 | 36.3 | 73.8 |
| 1982 | 238.1 | 32.6 | 4.0 | 1.7 | 1.6 | 2.2 | 6.4 | 9.8 | 17.4 | 36.8 | 73.4 |
| 1981 | 241.2 | 32.0 | 4.0 | * | 1.9 | 3.0 | 5.4 | 11.1 | 16.7 | 37.8 | 77.2 |
| 1980 | 249.7 | 43.6 | 4.4 | 1.9 | 1.5 | 3.9 | 5.4 | 11.2 | 21.2 | 40.3 | 86.6 |
| 1979 | 234.1 | 37.9 | 4.0 | * | 1.5 | 2.5 | 6.3 | 11.3 | 20.6 | 41.7 | 83.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute rheumatic fever and chronic rheumatic heart diseases (390-398) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.7 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 | 0.5 |
| 1997 | 1.8 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.5 |
| 1996 | 1.9 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.6 |
| 1995 | 1.9 | * | * | * | * | * | * | 0.1 | 0.3 | 0.5 | 0.6 |
| 1994 | 2.1 | * | * | * | * | * | 0.1 | 0.1 | 0.3 | 0.4 | 0.6 |
| 1993 | 2.2 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.6 |
| 1992 | 2.2 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.7 |
| 1991 | 2.4 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.7 |
| 1990 | 2.4 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.8 |
| 1989 | 2.5 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 1.0 |
| 1988 | 2.6 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.6 | 0.7 |
| 1987 | 2.6 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 | 0.7 |
| 1986 | 2.7 | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.6 | 1.0 |
| 1985 | 2.8 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 | 1.1 |
| 1984 | 2.9 | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.5 | 0.6 | 1.3 |
| 1983 | 2.9 | * | * | * | * | 0.1 | 0.1 | 0.4 | 0.4 | 0.7 | 1.3 |
| 1982 | 3.0 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.6 | 1.3 |
| 1981 | 3.2 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.9 | 1.5 |
| 1980 | 3.5 | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.5 | 1.0 | 1.8 |
| 1979 | 3.5 | * | * | * | * | 0.1 | 0.3 | 0.4 | 0.5 | 1.0 | 1.9 |
| Acute rheumatic fever and chronic rheumatic heart diseases (390-398) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1997 | 1.2 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 |
| 1996 | 1.1 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1995 | 1.2 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.5 |
| 1994 | 1.3 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 |
| 1993 | 1.4 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.5 |
| 1992 | 1.4 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 |
| 1991 | 1.4 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 |
| 1990 | 1.5 | * | * | * | * | * | * | * | 0.3 | 0.6 | 0.7 |
| 1989 | 1.6 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.9 |
| 1988 | 1.6 | * | * | * | * | * | 0.2 | * | 0.3 | 0.4 | 0.6 |
| 1987 | 1.6 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 0.6 |
| 1986 | 1.8 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 1.0 |
| 1985 | 1.9 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.5 | 0.9 |
| 1984 | 2.0 | * | * | * | * | * | 0.2 | * | 0.5 | 0.6 | 1.1 |
| 1983 | 1.9 | * | * | * | * | * | * | 0.4 | 0.4 | 0.6 | 1.1 |
| 1982 | 2.1 | * | * | * | * | * | * | 0.3 | 0.4 | 0.6 | 1.1 |
| 1981 | 2.2 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.7 | 1.3 |
| 1980 | 2.4 | * | * | * | * | * | 0.3 | 0.2 | 0.5 | 0.8 | 1.6 |
| 1979 | 2.4 | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.9 | 1.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute rheumatic fever and chronic rheumatic heart diseases (390-398) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 2.4 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.7 |
| 1997 | 2.5 | * | * | * | * | * | * | * | 0.3 | 0.6 | 0.7 |
| 1996 | 2.6 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.6 |
| 1995 | 2.7 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 |
| 1994 | 2.8 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.7 |
| 1993 | 3.0 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 |
| 1992 | 3.0 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.8 |
| 1991 | 3.2 | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 | 0.7 |
| 1990 | 3.3 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.9 |
| 1989 | 3.3 | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 1.0 |
| 1988 | 3.6 | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 | 0.8 |
| 1987 | 3.6 | * | * | * | * | * | 0.2 | 0.4 | 0.5 | 0.6 | 0.8 |
| 1986 | 3.6 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 | 1.1 |
| 1985 | 3.6 | * | * | * | * | * | 0.2 | 0.4 | 0.4 | 0.7 | 1.2 |
| 1984 | 3.8 | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.6 | 1.5 |
| 1983 | 3.9 | * | * | * | * | * | * | 0.3 | 0.4 | 0.8 | 1.6 |
| 1982 | 4.0 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.7 | 1.5 |
| 1981 | 4.2 | * | * | * | * | * | * | 0.4 | 0.6 | 1.1 | 1.7 |
| 1980 | 4.4 | * | * | * | * | * | 0.2 | 0.4 | 0.5 | 1.1 | 1.9 |
| 1979 | 4.5 | * | * | * | * | * | 0.2 | 0.4 | 0.5 | 1.0 | 2.1 |
| Acute rheumatic fever and chronic rheumatic heart diseases (390-398) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.9 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 | 0.5 |
| 1997 | 2.0 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 |
| 1996 | 2.0 | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.5 |
| 1995 | 2.1 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 |
| 1994 | 2.3 | * | * | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.5 |
| 1993 | 2.4 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 |
| 1992 | 2.4 | * | * | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.6 |
| 1991 | 2.6 | * | * | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.6 |
| 1990 | 2.6 | * | * | * | * | * | * | 0.1 | 0.3 | 0.4 | 0.6 |
| 1989 | 2.7 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.8 |
| 1988 | 2.8 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.6 |
| 1987 | 2.9 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.6 |
| 1986 | 2.9 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.8 |
| 1985 | 3.0 | * | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.5 | 0.9 |
| 1984 | 3.2 | * | * | * | * | * | 0.2 | 0.1 | 0.4 | 0.5 | 1.1 |
| 1983 | 3.2 | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 1.1 |
| 1982 | 3.3 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.6 | 1.2 |
| 1981 | 3.5 | * | * | * | * | * | 0.1 | 0.3 | 0.4 | 0.8 | 1.4 |
| 1980 | 3.7 | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.9 | 1.6 |
| 1979 | 3.7 | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.8 | 1.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute rheumatic fever and chronic rheumatic heart diseases (390-398) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1997 | 1.3 | * | * | * | * | * | * | * | 0.3 | * | 0.3 |
| 1996 | 1.2 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1995 | 1.3 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1994 | 1.4 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1993 | 1.5 | * | * | * | * | * | * | * | * | 0.4 | 0.4 |
| 1992 | 1.5 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 |
| 1991 | 1.6 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1990 | 1.6 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.6 |
| 1989 | 1.6 | * | * | * | * | * | * | * | 0.2 | * | 0.7 |
| 1988 | 1.7 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1987 | 1.8 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.5 |
| 1986 | 1.9 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.8 |
| 1985 | 2.0 | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.8 |
| 1984 | 2.1 | * | * | * | * | * | * | * | 0.4 | 0.5 | 1.0 |
| 1983 | 2.1 | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 1.0 |
| 1982 | 2.2 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 1.0 |
| 1981 | 2.4 | * | * | * | * | * | * | * | 0.4 | 0.6 | 1.2 |
| 1980 | 2.6 | * | * | * | * | * | * | * | 0.5 | 0.8 | 1.4 |
| 1979 | 2.6 | * | * | * | * | * | * | * | 0.4 | 0.6 | 1.7 |
| Acute rheumatic fever and chronic rheumatic heart diseases (390-398) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 2.6 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1997 | 2.8 | * | * | * | * | * | * | * | 0.2 | 0.5 | 0.6 |
| 1996 | 2.8 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.6 |
| 1995 | 2.9 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1994 | 3.1 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.5 |
| 1993 | 3.3 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.6 |
| 1992 | 3.3 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.6 |
| 1991 | 3.5 | * | * | * | * | * | * | * | 0.4 | 0.3 | 0.6 |
| 1990 | 3.6 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 |
| 1989 | 3.6 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 |
| 1988 | 3.9 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 |
| 1987 | 3.9 | * | * | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.7 |
| 1986 | 3.9 | * | * | * | * | * | * | * | 0.4 | 0.4 | 0.8 |
| 1985 | 4.0 | * | * | * | * | * | * | 0.3 | 0.3 | 0.6 | 1.1 |
| 1984 | 4.2 | * | * | * | * | * | * | * | 0.4 | 0.5 | 1.3 |
| 1983 | 4.3 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.3 |
| 1982 | 4.3 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.4 |
| 1981 | 4.5 | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 | 1.6 |
| 1980 | 4.8 | * | * | * | * | * | * | 0.3 | 0.3 | 1.0 | 1.7 |
| 1979 | 4.8 | * | * | * | * | * | * | * | 0.5 | 1.0 | 2.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute rheumatic fever and chronic rheumatic heart diseases (390-398) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | 0.6 | 0.9 |
| 1997 | 1.0 | * | * | * | * | * | * | * | * | 0.8 | 1.1 |
| 1996 | 1.0 | * | * | * | * | * | * | * | * | 1.0 | 0.9 |
| 1995 | 1.1 | * | * | * | * | * | * | * | 0.6 | 0.8 | 1.0 |
| 1994 | 1.1 | * | * | * | * | * | * | * | 0.6 | 0.8 | 1.2 |
| 1993 | 1.2 | * | * | * | * | * | * | * | 0.7 | 0.9 | 1.2 |
| 1992 | 1.3 | * | * | * | * | * | * | * | * | 0.8 | 1.5 |
| 1991 | 1.3 | * | * | * | * | * | * | * | * | 0.9 | 1.3 |
| 1990 | 1.3 | * | * | * | * | * | * | * | * | 1.2 | 1.9 |
| 1989 | 1.4 | * | * | * | * | * | * | * | 0.7 | 1.1 | 2.0 |
| 1988 | 1.4 | * | * | * | * | * | * | * | 0.7 | 1.5 | 1.4 |
| 1987 | 1.4 | * | * | * | * | * | * | 0.6 | 0.9 | 1.3 | 1.4 |
| 1986 | 1.6 | * | * | * | * | * | 0.6 | 0.6 | 0.9 | 1.4 | 2.3 |
| 1985 | 1.6 | * | * | * | * | * | * | 0.7 | 0.9 | 1.4 | 2.0 |
| 1984 | 1.6 | * | * | * | * | * | * | 0.9 | 0.9 | 1.4 | 2.4 |
| 1983 | 1.6 | * | * | * | * | * | * | 0.9 | 0.8 | 1.1 | 2.7 |
| 1982 | 1.6 | * | * | * | * | * | * | 0.8 | 1.0 | 1.1 | 1.9 |
| 1981 | 1.8 | * | * | * | * | * | * | 0.9 | 1.0 | 1.5 | 2.5 |
| 1980 | 2.0 | * | * | * | * | * | 0.8 | 1.0 | 1.4 | 1.7 | 2.9 |
| 1979 | 1.9 | * | * | * | * | * | * | 1.2 | 1.0 | 1.8 | 2.9 |
| Acute rheumatic fever and chronic rheumatic heart diseases (390-398) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.1 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1988 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1985 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.6 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1979 | 1.6 | * | * | * | * | * | * | * | * | 2.5 | 2.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute rheumatic fever and chronic rheumatic heart diseases (390-398) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.3 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1997 | 1.2 | * | * | * | * | * | * | * | * | 1.0 | 1.2 |
| 1996 | 1.3 | * | * | * | * | * | * | * | * | 1.5 | * |
| 1995 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.4 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1993 | 1.5 | * | * | * | * | * | * | * | * | 1.2 | 1.3 |
| 1992 | 1.6 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1991 | 1.6 | * | * | * | * | * | * | * | * | 1.3 | 1.4 |
| 1990 | 1.7 | * | * | * | * | * | * | * | * | 1.2 | 2.2 |
| 1989 | 1.8 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1988 | 1.7 | * | * | * | * | * | * | * | * | 1.9 | * |
| 1987 | 1.8 | * | * | * | * | * | * | * | * | 1.3 | * |
| 1986 | 1.9 | * | * | * | * | * | * | * | * | 1.4 | 2.3 |
| 1985 | 1.9 | * | * | * | * | * | * | * | * | 1.6 | 2.2 |
| 1984 | 2.0 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1983 | 1.9 | * | * | * | * | * | * | * | * | * | 3.3 |
| 1982 | 2.0 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1981 | 2.1 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1980 | 2.4 | * | * | * | * | * | * | * | 1.8 | 2.0 | 3.0 |
| 1979 | 2.2 | * | * | * | * | * | * | 1.4 | * | * | 2.8 |
| Acute rheumatic fever and chronic rheumatic heart diseases (390-398) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 1.0 | * | * | * | * | * | * | * | * | 0.7 | 1.0 |
| 1997 | 1.0 | * | * | * | * | * | * | * | * | 0.9 | 1.2 |
| 1996 | 1.0 | * | * | * | * | * | * | * | * | 1.2 | 1.1 |
| 1995 | 1.1 | * | * | * | * | * | * | * | 0.7 | 1.0 | 1.0 |
| 1994 | 1.1 | * | * | * | * | * | * | * | * | 0.8 | 1.2 |
| 1993 | 1.3 | * | * | * | * | * | * | * | 0.9 | 0.9 | 1.5 |
| 1992 | 1.3 | * | * | * | * | * | * | * | * | 0.9 | 1.7 |
| 1991 | 1.3 | * | * | * | * | * | * | * | * | 1.1 | 1.4 |
| 1990 | 1.4 | * | * | * | * | * | * | * | * | 1.4 | 2.1 |
| 1989 | 1.5 | * | * | * | * | * | * | * | 0.7 | 1.2 | 2.4 |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | 1.7 | 1.6 |
| 1987 | 1.4 | * | * | * | * | * | * | 0.8 | 1.1 | 1.6 | 1.5 |
| 1986 | 1.6 | * | * | * | * | * | * | * | 0.9 | 1.6 | 2.8 |
| 1985 | 1.7 | * | * | * | * | * | * | 0.8 | 1.0 | 1.7 | 2.1 |
| 1984 | 1.6 | * | * | * | * | * | * | 1.0 | 1.1 | 1.5 | 2.4 |
| 1983 | 1.7 | * | * | * | * | * | * | 0.9 | 0.9 | * | 3.1 |
| 1982 | 1.7 | * | * | * | * | * | * | 0.8 | 1.0 | * | 1.9 |
| 1981 | 1.8 | * | * | * | * | * | * | 0.9 | 1.1 | 1.5 | 2.8 |
| 1980 | 2.1 | * | * | * | * | * | 0.8 | 1.0 | 1.4 | 1.8 | 2.9 |
| 1979 | 2.0 | * | * | * | * | * | * | 1.2 | * | 1.9 | 3.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute rheumatic fever and chronic rheumatic heart diseases (390-398) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1988 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.3 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1985 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| Acute rheumatic fever and chronic rheumatic heart diseases (390-398) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 1.4 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1997 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.4 | * | * | * | * | * | * | * | * | 1.8 | * |
| 1995 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.8 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1991 | 1.7 | * | * | * | * | * | * | * | * | 1.6 | * |
| 1990 | 1.8 | * | * | * | * | * | * | * | * | 1.6 | 2.6 |
| 1989 | 1.8 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1988 | 1.7 | * | * | * | * | * | * | * | * | 1.8 | * |
| 1987 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.9 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1985 | 2.0 | * | * | * | * | * | * | * | * | 1.9 | * |
| 1984 | 2.0 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1983 | 2.0 | * | * | * | * | * | * | * | * | * | 3.7 |
| 1982 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.1 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1980 | 2.5 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1979 | 2.3 | * | * | * | * | * | * | * | * | * | 3.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Hypertensive heart disease (402) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 10.0 | * | * | * | * | * | * | 0.3 | 0.7 | 1.5 | 3.0 |
| 1997 | 9.8 | * | * | * | * | * | 0.1 | 0.2 | 0.6 | 1.5 | 2.9 |
| 1996 | 9.7 | * | * | * | * | * | 0.1 | 0.3 | 0.6 | 1.3 | 2.8 |
| 1995 | 9.4 | * | * | * | * | * | * | 0.2 | 0.6 | 1.3 | 2.9 |
| 1994 | 9.1 | * | * | * | * | * | * | 0.3 | 0.7 | 1.4 | 2.6 |
| 1993 | 8.9 | * | * | * | * | * | * | 0.2 | 0.6 | 1.2 | 2.5 |
| 1992 | 8.5 | * | * | * | * | * | * | 0.2 | 0.5 | 1.1 | 2.5 |
| 1991 | 8.4 | * | * | * | * | * | * | 0.2 | 0.4 | 1.1 | 2.3 |
| 1990 | 8.5 | * | * | * | * | * | * | 0.2 | 0.5 | 1.0 | 2.3 |
| 1989 | 8.5 | * | * | * | * | * | * | 0.2 | 0.5 | 1.1 | 2.2 |
| 1988 | 8.5 | * | * | * | * | * | 0.1 | 0.2 | 0.5 | 1.0 | 2.1 |
| 1987 | 8.5 | * | * | * | * | * | * | 0.2 | 0.3 | 1.1 | 2.2 |
| 1986 | 8.5 | * | * | * | * | * | * | 0.1 | 0.4 | 1.0 | 2.4 |
| 1985 | 8.8 | * | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 2.3 |
| 1984 | 8.8 | * | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 2.5 |
| 1983 | 9.0 | * | * | * | * | * | * | 0.2 | 0.5 | 1.1 | 2.3 |
| 1982 | 9.0 | * | * | * | * | * | * | 0.2 | 0.5 | 1.0 | 2.4 |
| 1981 | 9.1 | * | * | * | * | * | * | 0.2 | 0.5 | 1.0 | 2.7 |
| 1980 | 9.3 | * | * | * | * | * | * | 0.2 | 0.5 | 1.2 | 2.7 |
| 1979 | 9.3 | * | * | * | * | * | * | 0.3 | 0.5 | 1.2 | 2.8 |
| Hypertensive heart disease (402) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 8.8 | * | * | * | * | * | * | 0.5 | 0.9 | 2.1 | 4.2 |
| 1997 | 8.5 | * | * | * | * | * | * | 0.2 | 0.8 | 2.3 | 4.0 |
| 1996 | 8.4 | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.8 | 3.8 |
| 1995 | 8.2 | * | * | * | * | * | * | 0.3 | 0.8 | 1.8 | 4.0 |
| 1994 | 7.8 | * | * | * | * | * | * | 0.4 | 0.9 | 2.0 | 3.6 |
| 1993 | 7.7 | * | * | * | * | * | * | 0.3 | 0.8 | 1.7 | 3.4 |
| 1992 | 7.4 | * | * | * | * | * | * | 0.3 | 0.7 | 1.6 | 3.7 |
| 1991 | 7.3 | * | * | * | * | * | * | 0.3 | 0.5 | 1.5 | 3.1 |
| 1990 | 7.3 | * | * | * | * | * | * | 0.3 | 0.7 | 1.4 | 3.2 |
| 1989 | 7.4 | * | * | * | * | * | * | 0.2 | 0.7 | 1.5 | 3.0 |
| 1988 | 7.4 | * | * | * | * | * | * | 0.2 | 0.7 | 1.4 | 2.7 |
| 1987 | 7.5 | * | * | * | * | * | * | 0.3 | 0.4 | 1.6 | 3.0 |
| 1986 | 7.4 | * | * | * | * | * | * | * | 0.7 | 1.3 | 3.1 |
| 1985 | 7.8 | * | * | * | * | * | * | 0.3 | 0.7 | 1.5 | 3.3 |
| 1984 | 7.8 | * | * | * | * | * | * | 0.2 | 0.6 | 1.4 | 3.4 |
| 1983 | 8.0 | * | * | * | * | * | * | 0.3 | 0.8 | 1.6 | 3.2 |
| 1982 | 7.9 | * | * | * | * | * | * | 0.3 | 0.6 | 1.3 | 3.1 |
| 1981 | 8.1 | * | * | * | * | * | * | 0.2 | 0.8 | 1.3 | 3.4 |
| 1980 | 8.1 | * | * | * | * | * | * | 0.2 | 0.6 | 1.6 | 3.4 |
| 1979 | 8.2 | * | * | * | * | * | * | 0.3 | 0.6 | 1.6 | 3.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hypertensive heart disease (402) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 11.2 | * | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 1.8 |
| 1997 | 10.9 | * | * | * | * | * | * | * | 0.5 | 0.7 | 1.7 |
| 1996 | 10.9 | * | * | * | * | * | * | * | 0.4 | 0.8 | 1.8 |
| 1995 | 10.6 | * | * | * | * | * | * | * | 0.4 | 0.8 | 1.7 |
| 1994 | 10.3 | * | * | * | * | * | * | * | 0.4 | 0.9 | 1.7 |
| 1993 | 10.0 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.7 |
| 1992 | 9.6 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.5 |
| 1991 | 9.5 | * | * | * | * | * | * | * | 0.3 | 0.8 | 1.5 |
| 1990 | 9.6 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.4 |
| 1989 | 9.5 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.5 |
| 1988 | 9.5 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.6 |
| 1987 | 9.5 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.3 |
| 1986 | 9.6 | * | * | * | * | * | * | * | * | 0.7 | 1.7 |
| 1985 | 9.7 | * | * | * | * | * | * | * | * | 0.6 | 1.4 |
| 1984 | 9.8 | * | * | * | * | * | * | * | * | 0.6 | 1.5 |
| 1983 | 9.9 | * | * | * | * | * | * | * | * | 0.7 | 1.5 |
| 1982 | 10.0 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.7 |
| 1981 | 10.0 | * | * | * | * | * | * | * | 0.2 | 0.8 | 2.1 |
| 1980 | 10.5 | * | * | * | * | * | * | * | 0.3 | 0.8 | 2.1 |
| 1979 | 10.5 | * | * | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.9 |
| Hypertensive heart disease (402) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 8.8 | * | * | * | * | * | * | 0.1 | 0.3 | 0.9 | 1.7 |
| 1997 | 8.6 | * | * | * | * | * | * | * | 0.4 | 1.0 | 1.6 |
| 1996 | 8.6 | * | * | * | * | * | * | 0.1 | 0.4 | 0.8 | 1.6 |
| 1995 | 8.2 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.7 |
| 1994 | 8.0 | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.5 |
| 1993 | 7.7 | * | * | * | * | * | * | 0.1 | 0.3 | 0.7 | 1.4 |
| 1992 | 7.3 | * | * | * | * | * | * | 0.1 | 0.2 | 0.6 | 1.3 |
| 1991 | 7.3 | * | * | * | * | * | * | 0.1 | 0.2 | 0.5 | 1.2 |
| 1990 | 7.3 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.3 |
| 1989 | 7.2 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.2 |
| 1988 | 7.2 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.1 |
| 1987 | 7.4 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.2 |
| 1986 | 7.4 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.2 |
| 1985 | 7.6 | * | * | * | * | * | * | 0.1 | 0.2 | 0.5 | 1.2 |
| 1984 | 7.6 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 1.1 |
| 1983 | 7.8 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.1 |
| 1982 | 7.8 | * | * | * | * | * | * | * | 0.2 | 0.4 | 1.2 |
| 1981 | 7.9 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.3 |
| 1980 | 8.0 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.3 |
| 1979 | 8.0 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hypertensive heart disease (402) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 7.4 | * | * | * | * | * | * | 0.3 | 0.5 | 1.4 | 2.7 |
| 1997 | 7.2 | * | * | * | * | * | * | * | 0.6 | 1.6 | 2.5 |
| 1996 | 7.1 | * | * | * | * | * | * | * | 0.6 | 1.2 | 2.3 |
| 1995 | 6.8 | * | * | * | * | * | * | * | 0.5 | 1.1 | 2.6 |
| 1994 | 6.5 | * | * | * | * | * | * | 0.2 | 0.6 | 1.2 | 2.3 |
| 1993 | 6.4 | * | * | * | * | * | * | * | 0.5 | 1.1 | 2.1 |
| 1992 | 6.0 | * | * | * | * | * | * | * | 0.4 | 1.0 | 2.1 |
| 1991 | 6.0 | * | * | * | * | * | * | * | 0.4 | 0.8 | 1.8 |
| 1990 | 5.9 | * | * | * | * | * | * | * | 0.4 | 0.7 | 2.0 |
| 1989 | 6.0 | * | * | * | * | * | * | * | 0.4 | 0.8 | 1.8 |
| 1988 | 6.1 | * | * | * | * | * | * | * | 0.4 | 0.7 | 1.7 |
| 1987 | 6.2 | * | * | * | * | * | * | * | 0.3 | 0.8 | 1.8 |
| 1986 | 6.1 | * | * | * | * | * | * | * | 0.4 | 0.7 | 1.9 |
| 1985 | 6.4 | * | * | * | * | * | * | * | 0.4 | 0.8 | 2.0 |
| 1984 | 6.4 | * | * | * | * | * | * | * | 0.4 | 0.7 | 1.7 |
| 1983 | 6.6 | * | * | * | * | * | * | * | 0.4 | 0.9 | 1.6 |
| 1982 | 6.6 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.6 |
| 1981 | 6.7 | * | * | * | * | * | * | * | 0.4 | 0.6 | 1.8 |
| 1980 | 6.7 | * | * | * | * | * | * | * | 0.3 | 0.7 | 1.8 |
| 1979 | 6.7 | * | * | * | * | * | * | * | 0.3 | 0.8 | 2.0 |
| Hypertensive heart disease (402) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 10.3 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1997 | 10.0 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1996 | 10.1 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1995 | 9.6 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1994 | 9.4 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1993 | 9.0 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1992 | 8.6 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1991 | 8.5 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1990 | 8.5 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1989 | 8.4 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1988 | 8.4 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1987 | 8.5 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1986 | 8.6 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1985 | 8.7 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1984 | 8.7 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1983 | 8.8 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1982 | 8.9 | * | * | * | * | * | * | * | * | * | 0.9 |
| 1981 | 8.9 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1980 | 9.3 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1979 | 9.3 | * | * | * | * | * | * | * | * | * | 0.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hypertensive heart disease (402) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 15.6 | * | * | * | * | * | * | 1.1 | 2.1 | 4.5 | 9.2 |
| 1997 | 15.0 | * | * | * | * | * | * | 0.6 | 1.7 | 4.0 | 8.8 |
| 1996 | 14.9 | * | * | * | * | * | * | 0.9 | 1.9 | 3.8 | 8.9 |
| 1995 | 14.9 | * | * | * | * | * | * | 0.6 | 2.0 | 4.1 | 9.0 |
| 1994 | 14.6 | * | * | * | * | * | * | 0.8 | 2.0 | 4.8 | 8.7 |
| 1993 | 14.7 | * | * | * | * | * | * | 0.6 | 1.7 | 3.9 | 8.5 |
| 1992 | 14.5 | * | * | * | * | * | * | 0.6 | 2.0 | 3.7 | 9.1 |
| 1991 | 14.4 | * | * | * | * | * | * | 0.7 | 1.4 | 4.2 | 8.5 |
| 1990 | 14.8 | * | * | * | * | * | * | 0.7 | 1.7 | 4.0 | 8.0 |
| 1989 | 15.2 | * | * | * | * | * | * | * | 1.6 | 4.3 | 8.4 |
| 1988 | 15.3 | * | * | * | * | * | * | 0.7 | 1.8 | 4.0 | 8.3 |
| 1987 | 14.8 | * | * | * | * | * | * | 0.7 | 1.2 | 4.4 | 8.4 |
| 1986 | 15.1 | * | * | * | * | * | * | 0.6 | 1.3 | 4.1 | 9.7 |
| 1985 | 15.5 | * | * | * | * | * | * | 0.7 | 1.4 | 4.3 | 9.4 |
| 1984 | 15.6 | * | * | * | * | * | * | * | 1.4 | 4.6 | 10.8 |
| 1983 | 16.1 | * | * | * | * | * | * | 0.7 | 2.0 | 4.6 | 10.2 |
| 1982 | 16.0 | * | * | * | * | * | * | 1.0 | 2.0 | 4.7 | 9.5 |
| 1981 | 16.2 | * | * | * | * | * | * | 0.8 | 1.9 | 4.7 | 11.7 |
| 1980 | 17.1 | * | * | * | * | * | * | 0.8 | 2.3 | 6.0 | 12.2 |
| 1979 | 17.8 | * | * | * | * | * | * | 1.3 | 2.7 | 5.8 | 12.5 |
| Hypertensive heart disease (402) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 15.8 | * | * | * | * | * | * | 1.4 | 3.0 | 5.6 | 12.3 |
| 1997 | 15.1 | * | * | * | * | * | * | * | 1.9 | 5.7 | 12.0 |
| 1996 | 15.1 | * | * | * | * | * | * | 1.1 | 2.5 | 5.0 | 11.5 |
| 1995 | 14.9 | * | * | * | * | * | * | * | 2.4 | 5.0 | 11.7 |
| 1994 | 14.3 | * | * | * | * | * | * | 1.3 | 2.3 | 6.2 | 10.7 |
| 1993 | 14.5 | * | * | * | * | * | * | * | 2.4 | 5.1 | 10.6 |
| 1992 | 14.2 | * | * | * | * | * | * | * | 2.6 | 5.1 | 12.7 |
| 1991 | 14.1 | * | * | * | * | * | * | * | 1.4 | 5.0 | 11.0 |
| 1990 | 14.4 | * | * | * | * | * | * | * | 2.3 | 5.2 | 10.6 |
| 1989 | 15.2 | * | * | * | * | * | * | * | 2.3 | 5.8 | 10.6 |
| 1988 | 15.0 | * | * | * | * | * | * | * | 2.4 | 5.7 | 9.1 |
| 1987 | 14.6 | * | * | * | * | * | * | * | 1.5 | 6.4 | 11.1 |
| 1986 | 14.7 | * | * | * | * | * | * | * | 2.1 | 5.4 | 11.3 |
| 1985 | 15.5 | * | * | * | * | * | * | * | 2.6 | 6.1 | 12.1 |
| 1984 | 15.5 | * | * | * | * | * | * | * | 2.0 | 6.3 | 14.9 |
| 1983 | 16.2 | * | * | * | * | * | * | * | 3.3 | 6.1 | 13.7 |
| 1982 | 16.0 | * | * | * | * | * | * | 1.3 | 2.8 | 6.3 | 13.3 |
| 1981 | 16.2 | * | * | * | * | * | * | * | 3.0 | 6.1 | 14.1 |
| 1980 | 16.5 | * | * | * | * | * | * | * | 3.1 | 8.2 | 14.8 |
| 1979 | 17.6 | * | * | * | * | * | * | * | 2.7 | 7.6 | 16.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hypertensive heart disease (402) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 15.4 | * | * | * | * | * | * | * | 1.3 | 3.6 | 6.5 |
| 1997 | 15.0 | * | * | * | * | * | * | * | 1.6 | 2.4 | 6.0 |
| 1996 | 14.7 | * | * | * | * | * | * | * | 1.3 | 2.7 | 6.6 |
| 1995 | 14.9 | * | * | * | * | * | * | * | 1.5 | 3.2 | 6.6 |
| 1994 | 14.9 | * | * | * | * | * | * | * | 1.8 | 3.5 | 6.9 |
| 1993 | 14.8 | * | * | * | * | * | * | * | 1.1 | 2.8 | 6.7 |
| 1992 | 14.7 | * | * | * | * | * | * | * | 1.4 | 2.4 | 5.9 |
| 1991 | 14.7 | * | * | * | * | * | * | * | 1.5 | 3.5 | 6.4 |
| 1990 | 15.1 | * | * | * | * | * | * | * | 1.1 | 3.0 | 5.8 |
| 1989 | 15.1 | * | * | * | * | * | * | * | 1.1 | 3.0 | 6.5 |
| 1988 | 15.6 | * | * | * | * | * | * | * | 1.3 | 2.6 | 7.5 |
| 1987 | 15.0 | * | * | * | * | * | * | * | * | 2.7 | 6.0 |
| 1986 | 15.4 | * | * | * | * | * | * | * | * | 2.9 | 8.4 |
| 1985 | 15.6 | * | * | * | * | * | * | * | * | 2.7 | 7.1 |
| 1984 | 15.7 | * | * | * | * | * | * | * | * | 3.1 | 7.3 |
| 1983 | 15.9 | * | * | * | * | * | * | * | * | 3.4 | 7.2 |
| 1982 | 16.1 | * | * | * | * | * | * | * | 1.4 | 3.2 | 6.2 |
| 1981 | 16.2 | * | * | * | * | * | * | * | * | 3.5 | 9.8 |
| 1980 | 17.6 | * | * | * | * | * | * | * | 1.6 | 4.2 | 9.9 |
| 1979 | 17.9 | * | * | * | * | * | * | * | 2.6 | 4.3 | 8.8 |
| Hypertensive heart disease (402) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 20.1 | * | * | * | * | * | * | 1.5 | 2.7 | 6.1 | 12.4 |
| 1997 | 19.2 | * | * | * | * | * | * | 0.9 | 2.4 | 5.3 | 11.9 |
| 1996 | 19.1 | * | * | * | * | * | * | 1.2 | 2.4 | 5.1 | 12.0 |
| 1995 | 18.9 | * | * | * | * | * | * | 0.9 | 2.6 | 5.4 | 12.2 |
| 1994 | 18.5 | * | * | * | * | * | * | 1.2 | 2.7 | 6.2 | 11.7 |
| 1993 | 18.6 | * | * | * | * | * | * | 0.8 | 2.2 | 5.3 | 11.4 |
| 1992 | 18.3 | * | * | * | * | * | * | 0.8 | 2.6 | 4.9 | 12.3 |
| 1991 | 18.0 | * | * | * | * | * | * | 0.9 | 1.9 | 5.6 | 11.6 |
| 1990 | 18.5 | * | * | * | * | * | * | 0.9 | 2.2 | 5.3 | 10.8 |
| 1989 | 18.8 | * | * | * | * | * | * | * | 2.1 | 5.8 | 11.3 |
| 1988 | 18.9 | * | * | * | * | * | * | 1.0 | 2.4 | 5.3 | 11.0 |
| 1987 | 18.0 | * | * | * | * | * | * | 0.9 | 1.5 | 5.7 | 11.0 |
| 1986 | 18.4 | * | * | * | * | * | * | * | 1.8 | 5.3 | 12.8 |
| 1985 | 18.7 | * | * | * | * | * | * | 0.9 | 1.8 | 5.5 | 12.3 |
| 1984 | 18.7 | * | * | * | * | * | * | * | 1.8 | 6.0 | 13.4 |
| 1983 | 19.2 | * | * | * | * | * | * | 0.8 | 2.6 | 5.8 | 12.7 |
| 1982 | 18.9 | * | * | * | * | * | * | 1.2 | 2.6 | 5.7 | 11.9 |
| 1981 | 19.0 | * | * | * | * | * | * | 1.0 | 2.3 | 5.9 | 14.5 |
| 1980 | 19.6 | * | * | * | * | * | * | 0.9 | 2.7 | 7.4 | 14.5 |
| 1979 | 20.2 | * | * | * | * | * | * | 1.5 | 3.2 | 6.9 | 15.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Hypertensive heart disease (402) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 20.5 | * | * | * | * | * | * | 1.8 | 3.7 | 7.4 | 16.4 |
| 1997 | 19.2 | * | * | * | * | * | * | * | 2.7 | 7.5 | 16.2 |
| 1996 | 19.4 | * | * | * | * | * | * | 1.6 | 3.2 | 6.8 | 15.4 |
| 1995 | 18.9 | * | * | * | * | * | * | * | 3.2 | 6.7 | 16.0 |
| 1994 | 18.1 | * | * | * | * | * | * | 1.9 | 3.1 | 8.1 | 14.4 |
| 1993 | 18.4 | * | * | * | * | * | * | * | 3.1 | 7.0 | 14.3 |
| 1992 | 18.0 | * | * | * | * | * | * | * | 3.3 | 6.8 | 17.3 |
| 1991 | 17.8 | * | * | * | * | * | * | * | 1.9 | 6.6 | 15.0 |
| 1990 | 18.1 | * | * | * | * | * | * | * | 3.0 | 6.9 | 14.2 |
| 1989 | 18.9 | * | * | * | * | * | * | * | 2.9 | 7.8 | 14.4 |
| 1988 | 18.5 | * | * | * | * | * | * | * | 3.2 | 7.5 | 12.0 |
| 1987 | 17.8 | * | * | * | * | * | * | * | 1.9 | 8.3 | 14.9 |
| 1986 | 18.0 | * | * | * | * | * | * | * | 2.8 | 6.9 | 14.9 |
| 1985 | 18.6 | * | * | * | * | * | * | * | 3.4 | 7.8 | 15.9 |
| 1984 | 18.6 | * | * | * | * | * | * | * | 2.5 | 8.3 | 19.0 |
| 1983 | 19.3 | * | * | * | * | * | * | * | 4.3 | 7.6 | 17.1 |
| 1982 | 18.8 | * | * | * | * | * | * | 1.7 | 3.6 | 7.9 | 16.8 |
| 1981 | 19.1 | * | * | * | * | * | * | * | 3.8 | 7.7 | 17.6 |
| 1980 | 19.0 | * | * | * | * | * | * | * | 3.9 | 10.1 | 17.6 |
| 1979 | 19.9 | * | * | * | * | * | * | * | 3.4 | 8.8 | 20.2 |
| Hypertensive heart disease (402) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 19.8 | * | * | * | * | * | * | * | 1.8 | 4.9 | 8.8 |
| 1997 | 19.1 | * | * | * | * | * | * | * | 2.1 | 3.3 | 8.2 |
| 1996 | 18.8 | * | * | * | * | * | * | * | 1.7 | 3.5 | 9.1 |
| 1995 | 18.9 | * | * | * | * | * | * | * | 2.0 | 4.2 | 8.9 |
| 1994 | 18.9 | * | * | * | * | * | * | * | 2.4 | 4.5 | 9.4 |
| 1993 | 18.7 | * | * | * | * | * | * | * | 1.4 | 3.8 | 8.9 |
| 1992 | 18.6 | * | * | * | * | * | * | * | 1.9 | 3.2 | 8.1 |
| 1991 | 18.2 | * | * | * | * | * | * | * | 1.9 | 4.7 | 8.7 |
| 1990 | 18.9 | * | * | * | * | * | * | * | 1.5 | 3.9 | 7.9 |
| 1989 | 18.8 | * | * | * | * | * | * | * | 1.4 | 4.1 | 8.6 |
| 1988 | 19.3 | * | * | * | * | * | * | * | 1.6 | 3.4 | 10.2 |
| 1987 | 18.2 | * | * | * | * | * | * | * | * | 3.6 | 7.8 |
| 1986 | 18.7 | * | * | * | * | * | * | * | * | 3.9 | 11.1 |
| 1985 | 18.8 | * | * | * | * | * | * | * | * | 3.5 | 9.3 |
| 1984 | 18.8 | * | * | * | * | * | * | * | * | 4.0 | 8.8 |
| 1983 | 19.0 | * | * | * | * | * | * | * | * | 4.3 | 9.0 |
| 1982 | 18.9 | * | * | * | * | * | * | * | 1.7 | 3.9 | 7.8 |
| 1981 | 19.0 | * | * | * | * | * | * | * | * | 4.3 | 11.8 |
| 1980 | 20.2 | * | * | * | * | * | * | * | * | 5.3 | 11.9 |
| 1979 | 20.4 | * | * | * | * | * | * | * | 3.1 | 5.3 | 10.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hypertensive heart and renal disease (404) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1997 | 0.9 | * | * | * | * | * | * | * | * | 0.1 | 0.1 |
| 1996 | 0.9 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | 0.1 | 0.1 |
| 1994 | 0.9 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1993 | 0.9 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1992 | 1.0 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1991 | 1.0 | * | * | * | * | * | * | * | * | 0.1 | 0.1 |
| 1990 | 1.0 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1989 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.0 | * | * | * | * | * | * | * | * | 0.1 | * |
| 1987 | 1.0 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1986 | 1.0 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1985 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.5 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1980 | 1.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1979 | 1.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| Hypertensive heart and renal disease (404) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1997 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.8 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1992 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.8 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.4 | * | * | * | * | * | * | * | * | * | 0.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hypertensive heart and renal disease (404) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| Hypertensive heart and renal disease (404) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hypertensive heart and renal disease (404) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| Hypertensive heart and renal disease (404) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hypertensive heart and renal disease (404) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 1.6 | * | * | * | * | * | * | * | * | * | 0.9 |
| 1997 | 1.5 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1996 | 1.6 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1995 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.6 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1992 | 1.8 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1991 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.8 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1989 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.8 | * | * | * | * | * | * | * | * | 0.7 | * |
| 1987 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.5 | * | * | * | * | * | * | * | * | * | 1.5 |
| Hypertensive heart and renal disease (404) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 1.4 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1997 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.4 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1992 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hypertensive heart and renal disease (404) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| Hypertensive heart and renal disease (404) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.0 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1997 | 1.9 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1996 | 2.0 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1995 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.1 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1992 | 2.2 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1991 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.3 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1989 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.2 | * | * | * | * | * | * | * | * | 1.0 | * |
| 1987 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.8 | * | * | * | * | * | * | * | * | * | 1.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hypertensive heart and renal disease (404) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| Hypertensive heart and renal disease (404) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Ischemic heart diseases (410-414,429.2) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 190.9 | 0.6 | * | * | * | 0.2 | 0.4 | 1.3 | 3.9 | 10.6 | 24.1 |
| 1997 | 195.5 | 0.6 | * | * | * | 0.2 | 0.5 | 1.4 | 4.1 | 10.3 | 24.2 |
| 1996 | 202.2 | 0.8 | * | * | * | 0.2 | 0.4 | 1.4 | 4.2 | 11.3 | 25.5 |
| 1995 | 207.5 | 0.6 | * | * | * | 0.2 | 0.5 | 1.5 | 4.2 | 11.4 | 26.7 |
| 1994 | 210.0 | 0.7 | * | * | * | 0.1 | 0.5 | 1.5 | 4.0 | 11.6 | 26.5 |
| 1993 | 216.5 | 0.8 | * | * | * | 0.2 | 0.5 | 1.5 | 4.2 | 11.2 | 28.1 |
| 1992 | 214.0 | 0.6 | * | * | * | 0.1 | 0.5 | 1.5 | 4.2 | 11.2 | 28.6 |
| 1991 | 219.3 | 0.7 | * | * | * | 0.2 | 0.5 | 1.5 | 4.1 | 11.5 | 28.2 |
| 1990 | 224.5 | 0.7 | * | * | * | 0.2 | 0.5 | 1.4 | 4.0 | 11.3 | 28.9 |
| 1989 | 230.5 | 0.9 | * | * | * | 0.2 | 0.5 | 1.4 | 4.5 | 11.5 | 30.2 |
| 1988 | 238.2 | 0.8 | * | * | * | 0.1 | 0.5 | 1.5 | 4.5 | 12.8 | 31.6 |
| 1987 | 241.3 | 0.8 | * | * | * | 0.2 | 0.5 | 1.5 | 4.9 | 13.4 | 34.8 |
| 1986 | 247.1 | 0.7 | * | * | * | 0.2 | 0.4 | 1.6 | 5.1 | 14.5 | 38.0 |
| 1985 | 255.7 | 0.7 | * | * | * | 0.2 | 0.5 | 1.7 | 5.0 | 14.8 | 38.6 |
| 1984 | 260.0 | 1.0 | * | 0.3 | * | 0.2 | 0.5 | 1.5 | 4.9 | 15.3 | 39.7 |
| 1983 | 267.3 | 1.1 | 0.2 | 0.2 | * | 0.2 | 0.4 | 1.6 | 5.2 | 15.6 | 41.2 |
| 1982 | 268.0 | 1.0 | 0.2 | 0.3 | * | 0.2 | 0.5 | 2.0 | 5.2 | 16.6 | 43.7 |
| 1981 | 272.0 | 0.8 | * | 0.2 | * | 0.2 | 0.5 | 1.7 | 5.2 | 17.9 | 45.5 |
| 1980 | 280.6 | 0.9 | * | * | * | 0.2 | 0.5 | 1.6 | 5.5 | 17.7 | 47.7 |
| 1979 | 275.0 | 0.8 | * | * | * | 0.2 | 0.5 | 1.8 | 6.1 | 18.9 | 48.3 |
| Ischemic heart diseases (410-414,429.2) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 197.7 | * | * | * | * | 0.3 | 0.6 | 2.0 | 5.6 | 16.4 | 37.7 |
| 1997 | 203.1 | * | * | * | * | 0.3 | 0.8 | 1.9 | 6.1 | 15.9 | 38.5 |
| 1996 | 209.8 | * | * | * | * | 0.4 | 0.6 | 2.0 | 6.4 | 17.5 | 40.1 |
| 1995 | 215.1 | * | * | * | * | 0.3 | 0.6 | 2.1 | 6.3 | 17.7 | 42.9 |
| 1994 | 218.5 | * | * | * | * | * | 0.7 | 2.1 | 5.9 | 18.3 | 42.4 |
| 1993 | 225.5 | * | * | * | * | 0.4 | 0.7 | 2.2 | 6.3 | 17.5 | 45.5 |
| 1992 | 224.3 | * | * | * | * | * | 0.7 | 2.1 | 6.5 | 18.0 | 46.0 |
| 1991 | 230.1 | * | * | * | * | 0.3 | 0.7 | 2.4 | 6.1 | 18.4 | 46.1 |
| 1990 | 236.4 | * | * | * | * | * | 0.7 | 2.2 | 6.3 | 18.3 | 48.1 |
| 1989 | 242.8 | * | * | * | * | * | 0.6 | 2.1 | 6.9 | 19.1 | 49.8 |
| 1988 | 251.8 | * | * | * | * | 0.2 | 0.8 | 2.1 | 7.1 | 21.1 | 51.8 |
| 1987 | 256.6 | * | * | * | * | 0.3 | 0.7 | 2.3 | 7.7 | 22.2 | 57.7 |
| 1986 | 264.6 | * | * | * | * | 0.3 | 0.6 | 2.5 | 7.9 | 24.2 | 62.8 |
| 1985 | 276.9 | * | * | * | * | 0.2 | 0.7 | 2.6 | 8.0 | 24.7 | 64.0 |
| 1984 | 282.4 | * | * | 0.3 | * | 0.2 | 0.7 | 2.4 | 8.1 | 25.5 | 65.9 |
| 1983 | 292.5 | 1.7 | * | * | * | 0.3 | 0.5 | 2.5 | 8.6 | 26.4 | 68.1 |
| 1982 | 296.3 | 1.2 | * | 0.3 | * | 0.2 | 0.7 | 3.2 | 8.6 | 27.8 | 72.3 |
| 1981 | 302.5 | 1.2 | * | 0.3 | * | * | 0.8 | 2.7 | 8.4 | 30.2 | 76.0 |
| 1980 | 313.1 | * | * | * | * | 0.3 | 0.9 | 2.5 | 9.1 | 29.8 | 79.1 |
| 1979 | 311.4 | * | * | * | * | 0.2 | 0.7 | 2.9 | 10.1 | 31.3 | 80.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Ischemic heart diseases (410-414,429.2) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 184.4 | * | * | * | * | * | 0.3 | 0.7 | 2.2 | 4.8 | 10.7 |
| 1997 | 188.3 | * | * | * | * | * | 0.3 | 0.8 | 2.1 | 4.8 | 10.2 |
| 1996 | 194.9 | 1.1 | * | * | * | * | 0.3 | 0.8 | 2.1 | 5.1 | 11.1 |
| 1995 | 200.2 | * | * | * | * | * | 0.3 | 0.9 | 2.1 | 5.3 | 10.8 |
| 1994 | 202.0 | * | * | * | * | * | 0.3 | 0.9 | 2.2 | 5.1 | 11.0 |
| 1993 | 207.8 | * | * | * | * | * | 0.4 | 0.7 | 2.2 | 5.0 | 11.1 |
| 1992 | 204.2 | * | * | * | * | * | 0.3 | 0.9 | 2.0 | 4.6 | 11.6 |
| 1991 | 209.0 | * | * | * | * | * | 0.3 | 0.7 | 2.1 | 4.7 | 10.6 |
| 1990 | 213.1 | * | * | * | * | * | 0.3 | 0.7 | 1.8 | 4.4 | 10.2 |
| 1989 | 218.8 | * | * | * | * | * | 0.3 | 0.7 | 2.1 | 4.1 | 11.2 |
| 1988 | 225.3 | * | * | * | * | * | 0.2 | 0.9 | 1.8 | 4.6 | 11.9 |
| 1987 | 226.7 | * | * | * | * | * | 0.3 | 0.8 | 2.1 | 4.8 | 12.6 |
| 1986 | 230.5 | * | * | * | * | * | 0.3 | 0.7 | 2.2 | 5.0 | 14.0 |
| 1985 | 235.7 | * | * | * | * | * | 0.3 | 0.9 | 2.0 | 5.1 | 14.2 |
| 1984 | 238.8 | * | * | * | * | * | 0.4 | 0.7 | 1.8 | 5.4 | 14.4 |
| 1983 | 243.5 | * | * | * | * | * | 0.3 | 0.8 | 1.9 | 5.1 | 15.3 |
| 1982 | 241.3 | * | * | * | * | * | 0.3 | 0.7 | 1.9 | 5.9 | 16.2 |
| 1981 | 243.2 | * | * | * | * | * | 0.3 | 0.7 | 2.1 | 6.1 | 16.3 |
| 1980 | 249.9 | * | * | * | * | * | 0.2 | 0.7 | 2.0 | 5.9 | 17.5 |
| 1979 | 240.5 | * | * | * | * | * | 0.4 | 0.7 | 2.3 | 6.9 | 17.5 |
| Ischemic heart diseases (410-414,429.2) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 206.7 | * | * | * | * | 0.2 | 0.4 | 1.2 | 3.8 | 10.0 | 22.7 |
| 1997 | 211.6 | * | * | * | * | 0.2 | 0.5 | 1.2 | 3.9 | 9.7 | 22.9 |
| 1996 | 218.7 | 0.7 | * | * | * | 0.2 | 0.4 | 1.3 | 4.0 | 10.8 | 24.1 |
| 1995 | 223.8 | * | * | * | * | 0.2 | 0.4 | 1.4 | 4.1 | 10.8 | 25.3 |
| 1994 | 226.6 | * | * | * | * | * | 0.4 | 1.3 | 3.8 | 10.9 | 24.7 |
| 1993 | 232.8 | 0.9 | * | * | * | 0.2 | 0.4 | 1.4 | 3.9 | 10.4 | 26.1 |
| 1992 | 230.1 | * | * | * | * | * | 0.5 | 1.4 | 3.9 | 10.5 | 26.9 |
| 1991 | 235.2 | * | * | * | * | 0.2 | 0.4 | 1.4 | 3.7 | 10.5 | 26.6 |
| 1990 | 240.7 | * | * | * | * | * | 0.4 | 1.3 | 3.7 | 10.5 | 27.5 |
| 1989 | 246.5 | * | * | * | * | 0.1 | 0.4 | 1.3 | 4.0 | 10.6 | 28.5 |
| 1988 | 255.0 | 0.7 | * | * | * | * | 0.4 | 1.3 | 4.1 | 11.8 | 29.9 |
| 1987 | 258.1 | 0.8 | * | * | * | 0.1 | 0.5 | 1.4 | 4.3 | 12.4 | 33.0 |
| 1986 | 264.2 | 0.7 | * | * | * | 0.1 | 0.4 | 1.5 | 4.5 | 13.8 | 35.9 |
| 1985 | 273.3 | * | * | * | * | 0.1 | 0.5 | 1.5 | 4.5 | 13.8 | 36.8 |
| 1984 | 277.7 | 0.7 | * | 0.3 | * | 0.2 | 0.5 | 1.4 | 4.4 | 14.4 | 37.7 |
| 1983 | 285.0 | 1.0 | 0.2 | 0.2 | * | 0.2 | 0.4 | 1.5 | 4.7 | 14.9 | 39.2 |
| 1982 | 285.8 | 0.8 | * | 0.2 | * | 0.1 | 0.4 | 1.7 | 4.7 | 15.6 | 41.8 |
| 1981 | 289.5 | 0.7 | * | 0.2 | * | 0.1 | 0.4 | 1.4 | 4.7 | 16.8 | 43.4 |
| 1980 | 297.4 | 1.0 | * | * | * | 0.2 | 0.5 | 1.4 | 4.8 | 16.5 | 44.9 |
| 1979 | 291.0 | 0.7 | * | * | * | 0.2 | 0.5 | 1.5 | 5.4 | 17.6 | 45.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Ischemic heart diseases (410-414,429.2) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 213.3 | * | * | * | * | 0.3 | 0.5 | 1.9 | 5.4 | 15.6 | 36.4 |
| 1997 | 219.0 | * | * | * | * | 0.3 | 0.7 | 1.7 | 5.8 | 15.4 | 37.3 |
| 1996 | 226.4 | * | * | * | * | 0.3 | 0.5 | 1.8 | 6.1 | 17.1 | 38.8 |
| 1995 | 231.2 | * | * | * | * | 0.3 | 0.5 | 1.9 | 6.1 | 17.1 | 41.5 |
| 1994 | 235.0 | * | * | * | * | * | 0.6 | 1.8 | 5.6 | 17.4 | 40.5 |
| 1993 | 241.9 | * | * | * | * | 0.3 | 0.5 | 2.0 | 5.8 | 16.6 | 43.0 |
| 1992 | 240.5 | * | * | * | * | * | 0.6 | 1.9 | 5.9 | 17.2 | 44.3 |
| 1991 | 246.0 | * | * | * | * | * | 0.5 | 2.1 | 5.6 | 17.0 | 44.5 |
| 1990 | 252.8 | * | * | * | * | * | 0.6 | 2.0 | 5.8 | 17.3 | 46.5 |
| 1989 | 258.9 | * | * | * | * | * | 0.5 | 2.0 | 6.4 | 18.0 | 47.9 |
| 1988 | 268.7 | * | * | * | * | * | 0.7 | 1.8 | 6.5 | 20.1 | 50.0 |
| 1987 | 273.5 | * | * | * | * | * | 0.6 | 2.0 | 7.0 | 20.8 | 55.3 |
| 1986 | 282.2 | * | * | * | * | * | 0.5 | 2.3 | 7.2 | 23.4 | 59.9 |
| 1985 | 295.1 | * | * | * | * | * | 0.6 | 2.3 | 7.3 | 23.3 | 61.8 |
| 1984 | 300.9 | * | * | 0.4 | * | * | 0.6 | 2.1 | 7.2 | 24.4 | 63.8 |
| 1983 | 311.3 | 1.4 | * | * | * | * | 0.5 | 2.3 | 7.9 | 25.9 | 66.1 |
| 1982 | 315.1 | * | * | * | * | * | 0.6 | 2.9 | 7.8 | 26.5 | 70.4 |
| 1981 | 321.2 | * | * | 0.3 | * | * | 0.6 | 2.3 | 7.6 | 28.6 | 73.7 |
| 1980 | 331.1 | * | * | * | * | * | 0.7 | 2.1 | 8.1 | 28.4 | 76.2 |
| 1979 | 328.9 | * | * | * | * | 0.3 | 0.6 | 2.5 | 9.2 | 29.6 | 77.5 |
| Ischemic heart diseases (410-414,429.2) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 200.3 | * | * | * | * | * | * | 0.5 | 2.1 | 4.3 | 9.1 |
| 1997 | 204.4 | * | * | * | * | * | * | 0.7 | 2.0 | 4.0 | 8.5 |
| 1996 | 211.2 | * | * | * | * | * | * | 0.7 | 1.9 | 4.5 | 9.4 |
| 1995 | 216.8 | * | * | * | * | * | 0.3 | 0.8 | 2.0 | 4.4 | 9.1 |
| 1994 | 218.5 | * | * | * | * | * | * | 0.7 | 1.9 | 4.3 | 8.9 |
| 1993 | 224.1 | * | * | * | * | * | 0.3 | 0.7 | 1.9 | 4.1 | 9.1 |
| 1992 | 220.0 | * | * | * | * | * | 0.3 | 0.8 | 1.8 | 3.8 | 9.6 |
| 1991 | 224.8 | * | * | * | * | * | 0.3 | 0.6 | 1.8 | 3.9 | 8.8 |
| 1990 | 229.1 | * | * | * | * | * | 0.3 | 0.6 | 1.6 | 3.6 | 8.7 |
| 1989 | 234.6 | * | * | * | * | * | * | 0.6 | 1.7 | 3.3 | 9.3 |
| 1988 | 241.8 | * | * | * | * | * | * | 0.8 | 1.6 | 3.6 | 10.1 |
| 1987 | 243.3 | * | * | * | * | * | 0.3 | 0.7 | 1.7 | 4.1 | 11.0 |
| 1986 | 247.0 | * | * | * | * | * | 0.3 | 0.7 | 1.7 | 4.2 | 12.2 |
| 1985 | 252.5 | * | * | * | * | * | 0.3 | 0.7 | 1.6 | 4.4 | 12.2 |
| 1984 | 255.6 | * | * | * | * | * | 0.3 | 0.6 | 1.5 | 4.5 | 12.1 |
| 1983 | 260.0 | * | * | * | * | * | 0.2 | 0.6 | 1.5 | 4.1 | 12.8 |
| 1982 | 257.9 | * | * | * | * | * | 0.2 | 0.6 | 1.5 | 4.9 | 13.8 |
| 1981 | 259.3 | * | * | * | * | * | 0.3 | 0.5 | 1.8 | 5.2 | 13.8 |
| 1980 | 265.2 | * | * | * | * | * | 0.2 | 0.6 | 1.5 | 4.7 | 14.4 |
| 1979 | 255.1 | * | * | * | * | * | 0.3 | 0.5 | 1.7 | 5.8 | 14.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Ischemic heart diseases (410-414,429.2) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 118.2 | * | * | * | * | * | 0.7 | 1.7 | 4.4 | 13.1 | 30.5 |
| 1997 | 120.4 | * | * | * | * | * | 0.7 | 2.2 | 4.8 | 13.2 | 30.4 |
| 1996 | 124.0 | * | * | * | * | * | 0.6 | 2.0 | 5.2 | 13.4 | 32.2 |
| 1995 | 128.9 | * | * | * | * | * | 0.9 | 2.0 | 5.0 | 14.3 | 33.6 |
| 1994 | 129.5 | * | * | * | * | * | 0.9 | 2.4 | 5.2 | 15.4 | 35.6 |
| 1993 | 135.7 | * | * | * | * | * | 1.0 | 1.9 | 6.0 | 15.3 | 38.7 |
| 1992 | 133.5 | * | * | * | * | * | 0.7 | 2.2 | 5.9 | 14.7 | 37.6 |
| 1991 | 138.1 | * | * | * | * | * | 0.9 | 2.3 | 6.1 | 16.7 | 36.9 |
| 1990 | 140.0 | * | * | * | * | * | 0.8 | 2.0 | 5.9 | 15.7 | 36.8 |
| 1989 | 146.1 | * | * | * | * | * | 0.9 | 1.9 | 6.8 | 16.3 | 40.4 |
| 1988 | 148.1 | * | * | * | * | * | 0.9 | 2.5 | 6.4 | 17.8 | 41.6 |
| 1987 | 149.6 | * | * | * | * | * | 0.8 | 2.4 | 7.7 | 18.9 | 46.0 |
| 1986 | 152.5 | * | * | * | * | * | 0.7 | 2.4 | 8.1 | 18.6 | 50.9 |
| 1985 | 156.7 | * | * | * | * | * | 1.0 | 3.0 | 7.7 | 20.6 | 50.2 |
| 1984 | 158.7 | * | * | * | * | * | 0.8 | 2.5 | 7.8 | 21.1 | 52.2 |
| 1983 | 164.6 | * | * | * | * | * | 0.6 | 2.6 | 7.9 | 19.7 | 54.3 |
| 1982 | 163.1 | * | * | * | * | * | 0.9 | 3.3 | 8.4 | 23.4 | 55.6 |
| 1981 | 167.7 | * | * | * | * | * | 1.1 | 3.5 | 8.5 | 25.1 | 58.9 |
| 1980 | 177.6 | * | * | * | * | * | 1.0 | 3.1 | 10.0 | 25.6 | 65.7 |
| 1979 | 173.8 | * | * | * | * | * | 1.0 | 3.5 | 10.8 | 27.5 | 66.4 |
| Ischemic heart diseases (410-414,429.2) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 123.8 | * | * | * | * | * | * | 2.3 | 6.5 | 19.9 | 44.4 |
| 1997 | 126.4 | * | * | * | * | * | 1.1 | 3.0 | 7.2 | 18.8 | 44.9 |
| 1996 | 128.9 | * | * | * | * | * | * | 3.0 | 7.8 | 19.6 | 47.1 |
| 1995 | 135.9 | * | * | * | * | * | 1.4 | 2.9 | 7.6 | 20.4 | 50.8 |
| 1994 | 135.9 | * | * | * | * | * | * | 3.3 | 7.4 | 22.9 | 52.3 |
| 1993 | 142.4 | * | * | * | * | * | 1.5 | 3.0 | 9.0 | 22.4 | 59.1 |
| 1992 | 141.0 | * | * | * | * | * | * | 3.2 | 9.2 | 22.0 | 55.5 |
| 1991 | 146.7 | * | * | * | * | * | 1.4 | 3.5 | 8.7 | 25.9 | 55.9 |
| 1990 | 148.7 | * | * | * | * | * | 1.3 | 3.0 | 9.1 | 23.8 | 57.7 |
| 1989 | 155.9 | * | * | * | * | * | 1.2 | 2.7 | 10.0 | 25.7 | 62.2 |
| 1988 | 158.3 | * | * | * | * | * | 1.6 | 3.7 | 10.3 | 27.1 | 63.6 |
| 1987 | 162.0 | * | * | * | * | * | * | 3.6 | 11.9 | 30.4 | 73.8 |
| 1986 | 164.8 | * | * | * | * | * | * | 3.9 | 12.0 | 29.5 | 82.0 |
| 1985 | 171.6 | * | * | * | * | * | 1.6 | 4.5 | 11.9 | 33.8 | 78.3 |
| 1984 | 174.1 | * | * | * | * | * | 1.2 | 4.3 | 12.8 | 33.1 | 80.1 |
| 1983 | 180.5 | * | * | * | * | * | * | 3.4 | 12.6 | 29.9 | 82.2 |
| 1982 | 182.3 | * | * | * | * | * | 1.5 | 5.4 | 13.7 | 37.0 | 84.8 |
| 1981 | 187.9 | * | * | * | * | * | 1.7 | 5.4 | 13.5 | 41.3 | 91.5 |
| 1980 | 199.7 | * | * | * | * | * | 1.7 | 5.1 | 15.9 | 40.0 | 99.4 |
| 1979 | 198.9 | * | * | * | * | * | * | 5.4 | 16.8 | 43.4 | 101.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Ischemic heart diseases (410-414,429.2) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 113.0 | * | * | * | * | * | * | 1.2 | 2.6 | 7.1 | 18.3 |
| 1997 | 114.9 | * | * | * | * | * | * | 1.4 | 2.5 | 8.2 | 17.7 |
| 1996 | 119.5 | * | * | * | * | * | * | 1.1 | 2.8 | 7.8 | 19.2 |
| 1995 | 122.6 | * | * | * | * | * | * | 1.1 | 2.5 | 8.9 | 18.6 |
| 1994 | 123.6 | * | * | * | * | * | * | 1.6 | 3.3 | 8.7 | 21.0 |
| 1993 | 129.6 | * | * | * | * | * | * | * | 3.4 | 9.0 | 21.0 |
| 1992 | 126.6 | * | * | * | * | * | * | 1.3 | 3.0 | 8.3 | 22.1 |
| 1991 | 130.3 | * | * | * | * | * | * | 1.1 | 3.7 | 8.6 | 20.4 |
| 1990 | 132.0 | * | * | * | * | * | * | 1.1 | 3.0 | 8.5 | 18.7 |
| 1989 | 137.2 | * | * | * | * | * | * | 1.3 | 3.9 | 8.0 | 21.5 |
| 1988 | 138.8 | * | * | * | * | * | * | 1.3 | 2.8 | 9.7 | 22.7 |
| 1987 | 138.4 | * | * | * | * | * | * | 1.3 | 3.9 | 8.8 | 22.2 |
| 1986 | 141.4 | * | * | * | * | * | * | * | 4.7 | 9.2 | 24.2 |
| 1985 | 143.2 | * | * | * | * | * | * | 1.7 | 4.0 | 9.3 | 26.0 |
| 1984 | 144.7 | * | * | * | * | * | * | * | 3.4 | 11.0 | 28.3 |
| 1983 | 150.1 | * | * | * | * | * | * | 1.9 | 3.9 | 10.9 | 30.5 |
| 1982 | 145.6 | * | * | * | * | * | * | 1.4 | 3.9 | 11.9 | 30.7 |
| 1981 | 149.3 | * | * | * | * | * | * | 1.8 | 4.1 | 11.3 | 31.0 |
| 1980 | 157.7 | * | * | * | * | * | * | 1.4 | 5.0 | 13.3 | 37.0 |
| 1979 | 151.1 | * | * | * | * | * | * | 1.8 | 5.6 | 14.2 | 37.2 |
| Ischemic heart diseases (410-414,429.2) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 140.8 | * | * | * | * | * | 0.9 | 2.4 | 5.8 | 16.1 | 38.6 |
| 1997 | 143.5 | * | * | * | * | * | 1.0 | 2.8 | 5.9 | 16.5 | 37.8 |
| 1996 | 147.5 | * | * | * | * | * | * | 2.6 | 6.4 | 16.2 | 40.1 |
| 1995 | 153.6 | * | * | * | * | * | 0.9 | 2.4 | 6.0 | 17.8 | 42.4 |
| 1994 | 153.4 | * | * | * | * | * | 1.0 | 3.0 | 6.3 | 19.0 | 44.3 |
| 1993 | 161.4 | * | * | * | * | * | 1.4 | 2.4 | 7.5 | 19.1 | 47.6 |
| 1992 | 157.2 | * | * | * | * | * | 0.8 | 2.8 | 7.1 | 18.4 | 45.9 |
| 1991 | 163.3 | * | * | * | * | * | 1.0 | 2.9 | 7.4 | 20.6 | 45.7 |
| 1990 | 165.3 | * | * | * | * | * | 1.0 | 2.5 | 7.2 | 19.2 | 45.5 |
| 1989 | 171.6 | * | * | * | * | * | 1.2 | 2.5 | 8.6 | 20.2 | 50.4 |
| 1988 | 173.3 | * | * | * | * | * | 1.1 | 2.8 | 7.8 | 22.4 | 52.5 |
| 1987 | 174.0 | * | * | * | * | * | 0.9 | 2.7 | 9.2 | 22.7 | 56.7 |
| 1986 | 177.0 | * | * | * | * | * | 0.8 | 2.6 | 9.8 | 23.1 | 62.6 |
| 1985 | 180.2 | * | * | * | * | * | 1.2 | 3.7 | 9.4 | 24.8 | 60.7 |
| 1984 | 181.4 | * | * | * | * | * | 1.0 | 2.9 | 9.2 | 26.2 | 63.0 |
| 1983 | 187.5 | * | * | * | * | * | 0.7 | 3.1 | 9.5 | 23.3 | 64.0 |
| 1982 | 184.3 | * | * | * | * | * | 1.1 | 3.7 | 9.6 | 28.3 | 64.9 |
| 1981 | 189.3 | * | * | * | * | * | 1.2 | 3.9 | 9.9 | 29.7 | 69.2 |
| 1980 | 197.7 | * | * | * | * | * | 1.0 | 3.7 | 11.9 | 29.4 | 75.6 |
| 1979 | 190.2 | * | * | * | * | * | 1.1 | 4.0 | 11.8 | 31.3 | 75.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Ischemic heart diseases (410-414,429.2) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 144.3 | * | * | * | * | * | * | 3.1 | 8.4 | 23.6 | 54.5 |
| 1997 | 147.4 | * | * | * | * | * | * | 3.6 | 8.6 | 23.5 | 55.6 |
| 1996 | 150.2 | * | * | * | * | * | * | 3.8 | 9.4 | 23.0 | 56.7 |
| 1995 | 159.1 | * | * | * | * | * | * | 3.4 | 9.2 | 24.6 | 63.3 |
| 1994 | 158.0 | * | * | * | * | * | * | 3.9 | 8.8 | 27.7 | 63.7 |
| 1993 | 166.4 | * | * | * | * | * | 2.0 | 3.6 | 11.0 | 27.5 | 71.2 |
| 1992 | 163.6 | * | * | * | * | * | * | 4.0 | 10.8 | 27.3 | 66.0 |
| 1991 | 170.9 | * | * | * | * | * | 1.6 | 4.5 | 10.5 | 31.8 | 68.7 |
| 1990 | 173.8 | * | * | * | * | * | 1.5 | 3.6 | 11.1 | 29.2 | 70.1 |
| 1989 | 180.8 | * | * | * | * | * | 1.5 | 3.4 | 12.7 | 31.8 | 76.4 |
| 1988 | 182.7 | * | * | * | * | * | 1.9 | 4.0 | 12.7 | 33.9 | 79.3 |
| 1987 | 185.6 | * | * | * | * | * | * | 3.9 | 14.2 | 36.5 | 90.5 |
| 1986 | 188.9 | * | * | * | * | * | * | 4.3 | 14.2 | 36.2 | 100.7 |
| 1985 | 195.0 | * | * | * | * | * | 1.9 | 5.4 | 14.4 | 40.7 | 94.8 |
| 1984 | 196.8 | * | * | * | * | * | 1.5 | 5.0 | 15.0 | 41.1 | 95.9 |
| 1983 | 203.7 | * | * | * | * | * | * | 4.0 | 14.9 | 35.3 | 95.9 |
| 1982 | 203.5 | * | * | * | * | * | 1.7 | 5.9 | 15.7 | 44.8 | 98.0 |
| 1981 | 210.1 | * | * | * | * | * | 1.9 | 6.1 | 15.5 | 48.7 | 108.3 |
| 1980 | 219.5 | * | * | * | * | * | 1.8 | 6.0 | 18.8 | 45.5 | 114.5 |
| 1979 | 215.1 | * | * | * | * | * | * | 6.2 | 18.2 | 49.5 | 114.7 |
| Ischemic heart diseases (410-414,429.2) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 137.6 | * | * | * | * | * | * | 1.7 | 3.4 | 9.5 | 24.8 |
| 1997 | 140.0 | * | * | * | * | * | * | 2.0 | 3.5 | 10.3 | 22.4 |
| 1996 | 145.0 | * | * | * | * | * | * | 1.6 | 3.7 | 10.2 | 25.7 |
| 1995 | 148.7 | * | * | * | * | * | * | 1.4 | 3.2 | 11.7 | 24.3 |
| 1994 | 149.2 | * | * | * | * | * | * | 2.1 | 4.1 | 11.3 | 27.6 |
| 1993 | 156.8 | * | * | * | * | * | * | * | 4.4 | 11.6 | 27.3 |
| 1992 | 151.5 | * | * | * | * | * | * | 1.7 | 3.8 | 10.7 | 28.7 |
| 1991 | 156.5 | * | * | * | * | * | * | 1.4 | 4.7 | 10.8 | 26.1 |
| 1990 | 157.6 | * | * | * | * | * | * | 1.5 | 3.7 | 10.5 | 24.6 |
| 1989 | 163.3 | * | * | * | * | * | * | 1.6 | 5.1 | 10.2 | 28.1 |
| 1988 | 164.9 | * | * | * | * | * | * | 1.6 | 3.6 | 12.6 | 29.6 |
| 1987 | 163.7 | * | * | * | * | * | * | 1.6 | 4.8 | 10.9 | 28.1 |
| 1986 | 166.3 | * | * | * | * | * | * | * | 6.0 | 11.8 | 30.4 |
| 1985 | 166.9 | * | * | * | * | * | * | 2.1 | 5.0 | 11.4 | 32.1 |
| 1984 | 167.6 | * | * | * | * | * | * | * | 4.3 | 13.6 | 35.3 |
| 1983 | 172.9 | * | * | * | * | * | * | 2.3 | 4.9 | 13.3 | 37.3 |
| 1982 | 167.0 | * | * | * | * | * | * | 1.6 | 4.3 | 14.5 | 37.2 |
| 1981 | 170.6 | * | * | * | * | * | * | 2.0 | 5.0 | 13.8 | 36.8 |
| 1980 | 178.2 | * | * | * | * | * | * | 1.7 | 6.0 | 16.0 | 43.4 |
| 1979 | 167.8 | * | * | * | * | * | * | 2.1 | 6.4 | 16.2 | 43.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute myocardial infarction (410) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 73.8 | * | * | * | * | 0.1 | 0.2 | 0.6 | 1.7 | 4.5 | 11.2 |
| 1997 | 75.6 | * | * | * | * | * | 0.3 | 0.7 | 1.8 | 4.7 | 11.0 |
| 1996 | 79.3 | * | * | * | * | 0.1 | 0.2 | 0.6 | 2.0 | 5.1 | 11.9 |
| 1995 | 82.0 | * | * | * | * | * | 0.3 | 0.7 | 1.9 | 5.3 | 12.8 |
| 1994 | 84.5 | * | * | * | * | * | 0.3 | 0.7 | 2.0 | 5.6 | 12.7 |
| 1993 | 87.5 | * | * | * | * | * | 0.2 | 0.7 | 2.0 | 5.4 | 13.6 |
| 1992 | 89.4 | * | * | * | * | * | 0.2 | 0.8 | 2.1 | 5.4 | 14.4 |
| 1991 | 93.0 | * | * | * | * | * | 0.3 | 0.7 | 2.1 | 5.6 | 14.4 |
| 1990 | 96.1 | * | * | * | * | * | 0.3 | 0.8 | 2.0 | 5.8 | 14.8 |
| 1989 | 100.1 | * | * | * | * | * | 0.3 | 0.7 | 2.3 | 5.8 | 15.8 |
| 1988 | 101.4 | * | * | * | * | * | 0.3 | 0.8 | 2.3 | 6.6 | 17.1 |
| 1987 | 104.6 | * | * | * | * | * | 0.3 | 0.9 | 2.5 | 7.2 | 18.4 |
| 1986 | 108.7 | * | * | * | * | * | 0.2 | 0.9 | 2.7 | 7.8 | 21.0 |
| 1985 | 115.2 | * | * | * | * | 0.1 | 0.3 | 1.0 | 2.8 | 8.5 | 22.1 |
| 1984 | 118.4 | 0.6 | * | * | * | * | 0.3 | 0.8 | 2.8 | 8.4 | 23.4 |
| 1983 | 122.5 | 0.7 | * | * | * | 0.1 | 0.2 | 1.0 | 3.0 | 9.2 | 24.3 |
| 1982 | 125.6 | 0.5 | * | * | * | 0.1 | 0.3 | 1.2 | 3.1 | 9.9 | 26.9 |
| 1981 | 127.5 | * | * | * | * | 0.1 | 0.4 | 1.0 | 3.3 | 11.0 | 28.4 |
| 1980 | 132.2 | 0.6 | * | * | * | 0.1 | 0.3 | 1.0 | 3.3 | 10.9 | 29.9 |
| 1979 | 133.8 | * | * | * | * | 0.1 | 0.4 | 1.2 | 3.9 | 12.5 | 31.3 |
| Acute myocardial infarction (410) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 79.2 | * | * | * | * | * | 0.3 | 1.0 | 2.3 | 7.0 | 17.7 |
| 1997 | 81.8 | * | * | * | * | * | 0.3 | 0.9 | 2.6 | 7.1 | 17.3 |
| 1996 | 85.5 | * | * | * | * | * | 0.2 | 0.8 | 2.9 | 7.7 | 18.9 |
| 1995 | 89.1 | * | * | * | * | * | 0.3 | 0.9 | 2.8 | 8.2 | 20.7 |
| 1994 | 92.0 | * | * | * | * | * | 0.3 | 1.0 | 2.9 | 8.7 | 20.2 |
| 1993 | 95.9 | * | * | * | * | * | 0.3 | 1.0 | 2.8 | 8.4 | 22.0 |
| 1992 | 98.3 | * | * | * | * | * | 0.3 | 1.1 | 3.1 | 8.6 | 23.1 |
| 1991 | 102.2 | * | * | * | * | * | 0.4 | 1.1 | 3.0 | 8.7 | 23.5 |
| 1990 | 106.8 | * | * | * | * | * | 0.3 | 1.1 | 3.1 | 9.0 | 24.6 |
| 1989 | 111.7 | * | * | * | * | * | 0.4 | 1.0 | 3.5 | 9.7 | 25.7 |
| 1988 | 114.1 | * | * | * | * | * | 0.5 | 1.0 | 3.6 | 10.9 | 27.8 |
| 1987 | 118.9 | * | * | * | * | * | 0.4 | 1.2 | 3.8 | 11.7 | 30.7 |
| 1986 | 124.8 | * | * | * | * | * | 0.3 | 1.3 | 4.3 | 13.1 | 34.6 |
| 1985 | 134.7 | * | * | * | * | * | 0.4 | 1.5 | 4.5 | 14.1 | 36.3 |
| 1984 | 139.5 | * | * | * | * | * | 0.4 | 1.3 | 4.5 | 14.1 | 38.9 |
| 1983 | 145.8 | * | * | * | * | * | 0.3 | 1.4 | 5.0 | 15.5 | 40.0 |
| 1982 | 151.3 | * | * | * | * | * | 0.5 | 1.9 | 5.0 | 16.5 | 44.6 |
| 1981 | 155.1 | * | * | * | * | * | 0.6 | 1.5 | 5.4 | 18.6 | 48.3 |
| 1980 | 162.2 | * | * | * | * | 0.2 | 0.6 | 1.5 | 5.4 | 18.7 | 50.3 |
| 1979 | 165.9 | * | * | * | * | * | 0.5 | 1.9 | 6.4 | 20.9 | 52.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute myocardial infarction (410) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 68.6 | * | * | * | * | * | * | 0.3 | 1.1 | 2.0 | 4.9 |
| 1997 | 69.7 | * | * | * | * | * | * | 0.5 | 1.0 | 2.3 | 4.8 |
| 1996 | 73.3 | * | * | * | * | * | * | 0.4 | 1.1 | 2.5 | 5.0 |
| 1995 | 75.1 | * | * | * | * | * | * | 0.5 | 1.1 | 2.4 | 5.1 |
| 1994 | 77.4 | * | * | * | * | * | 0.2 | 0.5 | 1.1 | 2.5 | 5.4 |
| 1993 | 79.5 | * | * | * | * | * | * | 0.4 | 1.2 | 2.5 | 5.4 |
| 1992 | 81.0 | * | * | * | * | * | * | 0.5 | 1.0 | 2.4 | 6.0 |
| 1991 | 84.2 | * | * | * | * | * | * | 0.3 | 1.2 | 2.4 | 5.5 |
| 1990 | 85.9 | * | * | * | * | * | 0.2 | 0.4 | 1.0 | 2.6 | 5.2 |
| 1989 | 89.0 | * | * | * | * | * | * | 0.3 | 1.1 | 2.0 | 6.1 |
| 1988 | 89.4 | * | * | * | * | * | * | 0.5 | 1.0 | 2.4 | 6.7 |
| 1987 | 91.1 | * | * | * | * | * | 0.2 | 0.5 | 1.2 | 2.7 | 6.5 |
| 1986 | 93.5 | * | * | * | * | * | * | 0.4 | 1.2 | 2.6 | 7.9 |
| 1985 | 96.8 | * | * | * | * | * | 0.2 | 0.5 | 1.1 | 3.0 | 8.3 |
| 1984 | 98.4 | * | * | * | * | * | 0.2 | 0.4 | 1.1 | 2.9 | 8.5 |
| 1983 | 100.4 | * | * | * | * | * | 0.2 | 0.5 | 1.1 | 3.0 | 9.2 |
| 1982 | 101.3 | * | * | * | * | * | 0.2 | 0.4 | 1.2 | 3.6 | 10.0 |
| 1981 | 101.4 | * | * | * | * | * | 0.2 | 0.5 | 1.3 | 3.6 | 9.3 |
| 1980 | 104.0 | * | * | * | * | * | * | 0.5 | 1.3 | 3.4 | 10.4 |
| 1979 | 103.4 | * | * | * | * | * | 0.2 | 0.4 | 1.4 | 4.5 | 11.0 |
| Acute myocardial infarction (410) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 80.0 | * | * | * | * | * | 0.2 | 0.6 | 1.6 | 4.3 | 10.9 |
| 1997 | 82.0 | * | * | * | * | * | 0.3 | 0.6 | 1.7 | 4.4 | 10.6 |
| 1996 | 86.0 | * | * | * | * | * | 0.2 | 0.5 | 1.9 | 5.0 | 11.6 |
| 1995 | 88.8 | * | * | * | * | * | 0.2 | 0.7 | 1.9 | 5.0 | 12.4 |
| 1994 | 91.5 | * | * | * | * | * | 0.2 | 0.6 | 1.9 | 5.4 | 12.2 |
| 1993 | 94.5 | * | * | * | * | * | 0.2 | 0.6 | 1.8 | 5.1 | 12.9 |
| 1992 | 96.6 | * | * | * | * | * | 0.2 | 0.7 | 1.9 | 5.1 | 14.1 |
| 1991 | 100.2 | * | * | * | * | * | 0.2 | 0.7 | 1.9 | 5.1 | 13.8 |
| 1990 | 103.6 | * | * | * | * | * | 0.3 | 0.7 | 1.9 | 5.4 | 14.4 |
| 1989 | 107.6 | * | * | * | * | * | 0.2 | 0.6 | 2.1 | 5.5 | 15.4 |
| 1988 | 109.3 | * | * | * | * | * | 0.3 | 0.7 | 2.1 | 6.2 | 16.7 |
| 1987 | 112.7 | * | * | * | * | * | 0.3 | 0.7 | 2.3 | 6.8 | 18.0 |
| 1986 | 117.1 | * | * | * | * | * | 0.2 | 0.8 | 2.5 | 7.6 | 20.5 |
| 1985 | 124.0 | * | * | * | * | * | 0.3 | 0.9 | 2.7 | 8.1 | 21.6 |
| 1984 | 127.3 | * | * | * | * | * | 0.3 | 0.7 | 2.5 | 8.2 | 22.8 |
| 1983 | 131.7 | * | * | * | * | * | 0.2 | 0.8 | 2.8 | 9.0 | 23.7 |
| 1982 | 135.3 | * | * | * | * | * | 0.3 | 1.0 | 2.8 | 9.5 | 26.6 |
| 1981 | 137.0 | * | * | * | * | * | 0.3 | 0.8 | 3.1 | 10.6 | 28.1 |
| 1980 | 141.7 | * | * | * | * | * | 0.3 | 0.9 | 3.0 | 10.5 | 29.1 |
| 1979 | 143.0 | * | * | * | * | * | 0.3 | 1.0 | 3.5 | 12.1 | 30.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute myocardial infarction (410) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 86.0 | * | * | * | * | * | * | 0.9 | 2.2 | 6.9 | 17.5 |
| 1997 | 88.9 | * | * | * | * | * | 0.3 | 0.7 | 2.4 | 6.9 | 17.1 |
| 1996 | 93.0 | * | * | * | * | * | * | 0.7 | 2.7 | 7.6 | 18.7 |
| 1995 | 96.7 | * | * | * | * | * | * | 0.9 | 2.7 | 8.0 | 20.4 |
| 1994 | 99.8 | * | * | * | * | * | 0.3 | 0.9 | 2.7 | 8.5 | 19.8 |
| 1993 | 103.8 | * | * | * | * | * | 0.3 | 0.9 | 2.6 | 8.0 | 21.3 |
| 1992 | 106.3 | * | * | * | * | * | 0.3 | 0.9 | 2.9 | 8.2 | 23.0 |
| 1991 | 110.4 | * | * | * | * | * | 0.3 | 1.0 | 2.8 | 8.1 | 23.1 |
| 1990 | 115.4 | * | * | * | * | * | 0.3 | 1.0 | 2.9 | 8.7 | 24.4 |
| 1989 | 120.4 | * | * | * | * | * | 0.3 | 0.9 | 3.4 | 9.2 | 25.5 |
| 1988 | 123.3 | * | * | * | * | * | 0.4 | 0.9 | 3.3 | 10.5 | 27.7 |
| 1987 | 128.3 | * | * | * | * | * | 0.4 | 1.1 | 3.5 | 11.2 | 30.4 |
| 1986 | 134.8 | * | * | * | * | * | 0.3 | 1.2 | 3.9 | 12.9 | 34.0 |
| 1985 | 145.3 | * | * | * | * | * | 0.3 | 1.4 | 4.3 | 13.7 | 36.2 |
| 1984 | 150.3 | * | * | * | * | * | 0.3 | 1.0 | 4.1 | 13.9 | 38.4 |
| 1983 | 157.2 | * | * | * | * | * | 0.3 | 1.3 | 4.7 | 15.5 | 39.8 |
| 1982 | 163.3 | * | * | * | * | * | 0.3 | 1.7 | 4.7 | 16.2 | 44.9 |
| 1981 | 167.0 | * | * | * | * | * | 0.4 | 1.3 | 5.0 | 18.1 | 48.4 |
| 1980 | 174.2 | * | * | * | * | * | 0.5 | 1.4 | 4.9 | 18.3 | 49.8 |
| 1979 | 177.7 | * | * | * | * | * | 0.4 | 1.7 | 5.8 | 20.5 | 52.1 |
| Acute myocardial infarction (410) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 74.2 | * | * | * | * | * | * | 0.3 | 1.0 | 1.7 | 4.3 |
| 1997 | 75.3 | * | * | * | * | * | * | 0.4 | 0.9 | 1.9 | 4.1 |
| 1996 | 79.2 | * | * | * | * | * | * | 0.3 | 1.0 | 2.3 | 4.5 |
| 1995 | 81.2 | * | * | * | * | * | * | 0.5 | 1.1 | 2.0 | 4.4 |
| 1994 | 83.6 | * | * | * | * | * | * | 0.4 | 1.0 | 2.2 | 4.5 |
| 1993 | 85.6 | * | * | * | * | * | * | 0.3 | 1.0 | 2.1 | 4.6 |
| 1992 | 87.2 | * | * | * | * | * | * | 0.4 | 0.9 | 2.0 | 5.2 |
| 1991 | 90.4 | * | * | * | * | * | * | 0.3 | 0.9 | 2.1 | 4.6 |
| 1990 | 92.3 | * | * | * | * | * | * | 0.4 | 0.8 | 2.2 | 4.5 |
| 1989 | 95.3 | * | * | * | * | * | * | 0.3 | 0.8 | 1.7 | 5.4 |
| 1988 | 95.9 | * | * | * | * | * | * | 0.5 | 0.9 | 1.9 | 5.8 |
| 1987 | 97.8 | * | * | * | * | * | * | 0.4 | 1.0 | 2.4 | 5.8 |
| 1986 | 100.2 | * | * | * | * | * | * | 0.4 | 1.0 | 2.4 | 7.3 |
| 1985 | 103.7 | * | * | * | * | * | * | 0.4 | 1.0 | 2.6 | 7.3 |
| 1984 | 105.3 | * | * | * | * | * | 0.2 | 0.4 | 0.9 | 2.5 | 7.5 |
| 1983 | 107.4 | * | * | * | * | * | * | 0.4 | 0.9 | 2.5 | 7.8 |
| 1982 | 108.6 | * | * | * | * | * | * | 0.3 | 1.0 | 2.9 | 8.7 |
| 1981 | 108.5 | * | * | * | * | * | * | 0.4 | 1.1 | 3.3 | 8.3 |
| 1980 | 110.7 | * | * | * | * | * | * | 0.4 | 1.0 | 2.7 | 9.0 |
| 1979 | 110.0 | * | * | * | * | * | * | 0.3 | 1.1 | 3.8 | 9.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute myocardial infarction (410) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 45.2 | * | * | * | * | * | * | 0.9 | 2.1 | 5.4 | 12.9 |
| 1997 | 45.9 | * | * | * | * | * | * | 1.0 | 2.2 | 6.0 | 12.9 |
| 1996 | 47.5 | * | * | * | * | * | * | 0.8 | 2.6 | 5.6 | 13.1 |
| 1995 | 49.0 | * | * | * | * | * | * | 0.7 | 2.1 | 6.4 | 14.9 |
| 1994 | 50.3 | * | * | * | * | * | * | 1.2 | 2.5 | 6.6 | 15.4 |
| 1993 | 52.8 | * | * | * | * | * | * | 0.9 | 2.9 | 7.2 | 17.0 |
| 1992 | 53.5 | * | * | * | * | * | * | 1.1 | 2.8 | 7.1 | 16.4 |
| 1991 | 56.1 | * | * | * | * | * | * | 1.0 | 3.1 | 7.8 | 17.5 |
| 1990 | 56.9 | * | * | * | * | * | * | 1.2 | 2.8 | 7.6 | 16.7 |
| 1989 | 60.4 | * | * | * | * | * | 0.6 | 0.9 | 3.1 | 7.8 | 17.9 |
| 1988 | 59.1 | * | * | * | * | * | * | 1.3 | 3.0 | 8.8 | 19.4 |
| 1987 | 60.6 | * | * | * | * | * | * | 1.4 | 3.3 | 9.0 | 20.7 |
| 1986 | 62.1 | * | * | * | * | * | * | 1.2 | 4.2 | 8.7 | 24.3 |
| 1985 | 66.0 | * | * | * | * | * | 0.6 | 1.9 | 3.6 | 10.6 | 24.8 |
| 1984 | 67.3 | * | * | * | * | * | 0.6 | 1.6 | 4.1 | 10.0 | 26.9 |
| 1983 | 69.1 | * | * | * | * | * | * | 1.7 | 4.3 | 10.4 | 28.4 |
| 1982 | 68.6 | * | * | * | * | * | 0.7 | 2.0 | 4.4 | 12.5 | 28.9 |
| 1981 | 70.4 | * | * | * | * | * | 0.8 | 1.7 | 4.5 | 13.0 | 30.5 |
| 1980 | 74.5 | * | * | * | * | * | 0.6 | 1.7 | 5.6 | 14.1 | 35.0 |
| 1979 | 75.9 | * | * | * | * | * | 0.8 | 2.2 | 6.7 | 15.7 | 36.4 |
| Acute myocardial infarction (410) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 47.1 | * | * | * | * | * | * | 1.2 | 2.6 | 7.7 | 18.9 |
| 1997 | 47.6 | * | * | * | * | * | * | 1.3 | 3.4 | 8.2 | 18.3 |
| 1996 | 49.2 | * | * | * | * | * | * | 1.1 | 3.7 | 8.2 | 19.7 |
| 1995 | 51.4 | * | * | * | * | * | * | * | 3.1 | 9.0 | 22.2 |
| 1994 | 53.0 | * | * | * | * | * | * | 1.6 | 3.6 | 9.5 | 22.0 |
| 1993 | 55.5 | * | * | * | * | * | * | 1.3 | 3.9 | 10.8 | 25.9 |
| 1992 | 57.0 | * | * | * | * | * | * | 1.7 | 4.3 | 10.6 | 24.2 |
| 1991 | 59.3 | * | * | * | * | * | * | 1.4 | 3.9 | 12.1 | 26.0 |
| 1990 | 60.9 | * | * | * | * | * | * | 1.8 | 4.2 | 10.9 | 25.9 |
| 1989 | 64.4 | * | * | * | * | * | * | 1.5 | 4.3 | 12.4 | 27.0 |
| 1988 | 63.4 | * | * | * | * | * | * | 1.8 | 4.8 | 13.3 | 28.8 |
| 1987 | 66.1 | * | * | * | * | * | * | 2.0 | 5.1 | 14.5 | 32.5 |
| 1986 | 67.7 | * | * | * | * | * | * | 2.0 | 6.4 | 14.3 | 39.1 |
| 1985 | 73.4 | * | * | * | * | * | * | 2.6 | 5.8 | 16.9 | 37.2 |
| 1984 | 75.8 | * | * | * | * | * | * | 2.9 | 6.7 | 15.3 | 42.0 |
| 1983 | 78.1 | * | * | * | * | * | * | 2.3 | 6.4 | 15.5 | 41.3 |
| 1982 | 78.9 | * | * | * | * | * | * | 3.2 | 7.0 | 18.6 | 42.3 |
| 1981 | 82.0 | * | * | * | * | * | 1.2 | 2.4 | 7.5 | 21.6 | 48.0 |
| 1980 | 86.3 | * | * | * | * | * | * | 2.5 | 8.5 | 21.5 | 54.1 |
| 1979 | 89.9 | * | * | * | * | * | * | 3.3 | 10.8 | 24.1 | 55.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute myocardial infarction (410) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 43.5 | * | * | * | * | * | * | * | 1.6 | 3.4 | 7.6 |
| 1997 | 44.4 | * | * | * | * | * | * | * | 1.1 | 4.0 | 8.2 |
| 1996 | 45.9 | * | * | * | * | * | * | * | 1.6 | 3.3 | 7.4 |
| 1995 | 46.9 | * | * | * | * | * | * | * | 1.1 | 4.1 | 8.5 |
| 1994 | 47.8 | * | * | * | * | * | * | * | 1.4 | 3.9 | 9.6 |
| 1993 | 50.2 | * | * | * | * | * | * | * | 2.0 | 4.1 | 9.2 |
| 1992 | 50.2 | * | * | * | * | * | * | * | 1.5 | 4.0 | 9.8 |
| 1991 | 53.1 | * | * | * | * | * | * | * | 2.3 | 4.0 | 10.1 |
| 1990 | 53.2 | * | * | * | * | * | * | * | 1.6 | 4.7 | 8.6 |
| 1989 | 56.7 | * | * | * | * | * | * | * | 2.1 | 3.7 | 10.1 |
| 1988 | 55.2 | * | * | * | * | * | * | * | 1.5 | 4.9 | 11.4 |
| 1987 | 55.6 | * | * | * | * | * | * | * | 1.8 | 4.3 | 10.6 |
| 1986 | 57.0 | * | * | * | * | * | * | * | 2.3 | 3.9 | 11.6 |
| 1985 | 59.2 | * | * | * | * | * | * | 1.2 | 1.6 | 5.2 | 14.1 |
| 1984 | 59.5 | * | * | * | * | * | * | * | 1.9 | 5.5 | 14.0 |
| 1983 | 60.9 | * | * | * | * | * | * | 1.2 | 2.4 | 6.1 | 17.3 |
| 1982 | 59.2 | * | * | * | * | * | * | * | 2.2 | 7.4 | 17.5 |
| 1981 | 59.9 | * | * | * | * | * | * | * | 2.0 | 5.7 | 15.4 |
| 1980 | 63.7 | * | * | * | * | * | * | * | 3.2 | 7.9 | 18.8 |
| 1979 | 63.2 | * | * | * | * | * | * | * | 3.2 | 8.7 | 20.6 |
| Acute myocardial infarction (410) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 53.9 | * | * | * | * | * | * | 1.2 | 2.8 | 6.9 | 16.1 |
| 1997 | 55.0 | * | * | * | * | * | * | 1.3 | 2.7 | 7.4 | 16.3 |
| 1996 | 56.6 | * | * | * | * | * | * | 1.2 | 3.2 | 6.8 | 16.1 |
| 1995 | 58.4 | * | * | * | * | * | * | 0.9 | 2.6 | 8.1 | 18.4 |
| 1994 | 59.6 | * | * | * | * | * | * | 1.6 | 3.0 | 8.1 | 19.0 |
| 1993 | 62.5 | * | * | * | * | * | * | 1.0 | 3.6 | 9.2 | 20.7 |
| 1992 | 62.9 | * | * | * | * | * | * | 1.4 | 3.5 | 9.0 | 20.2 |
| 1991 | 66.0 | * | * | * | * | * | * | 1.3 | 3.8 | 9.8 | 21.2 |
| 1990 | 67.0 | * | * | * | * | * | * | 1.5 | 3.6 | 9.2 | 20.4 |
| 1989 | 70.3 | * | * | * | * | * | 0.8 | 1.1 | 4.0 | 9.4 | 22.5 |
| 1988 | 68.6 | * | * | * | * | * | * | 1.4 | 3.7 | 11.1 | 24.3 |
| 1987 | 69.7 | * | * | * | * | * | * | 1.6 | 4.0 | 11.0 | 25.0 |
| 1986 | 71.5 | * | * | * | * | * | * | 1.3 | 5.3 | 10.9 | 29.7 |
| 1985 | 75.1 | * | * | * | * | * | 0.7 | 2.3 | 4.3 | 12.5 | 29.7 |
| 1984 | 76.2 | * | * | * | * | * | 0.7 | 1.9 | 4.8 | 12.3 | 31.4 |
| 1983 | 78.1 | * | * | * | * | * | * | 2.1 | 5.2 | 12.3 | 33.1 |
| 1982 | 76.7 | * | * | * | * | * | 0.8 | 2.2 | 4.9 | 15.3 | 33.8 |
| 1981 | 78.7 | * | * | * | * | * | 0.9 | 1.9 | 5.4 | 15.0 | 35.5 |
| 1980 | 82.2 | * | * | * | * | * | * | 2.1 | 6.7 | 16.4 | 39.9 |
| 1979 | 82.5 | * | * | * | * | * | 0.8 | 2.5 | 7.4 | 17.9 | 41.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Acute myocardial infarction (410) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 54.8 | * | * | * | * | * | * | 1.6 | 3.5 | 9.5 | 22.7 |
| 1997 | 55.4 | * | * | * | * | * | * | 1.5 | 4.1 | 10.5 | 23.3 |
| 1996 | 57.3 | * | * | * | * | * | * | 1.6 | 4.5 | 9.7 | 23.3 |
| 1995 | 59.8 | * | * | * | * | * | * | * | 4.0 | 11.0 | 26.8 |
| 1994 | 61.7 | * | * | * | * | * | * | 2.0 | 4.3 | 11.6 | 26.7 |
| 1993 | 64.2 | * | * | * | * | * | * | 1.5 | 4.7 | 13.5 | 30.9 |
| 1992 | 65.8 | * | * | * | * | * | * | 2.1 | 5.1 | 13.2 | 29.2 |
| 1991 | 68.6 | * | * | * | * | * | * | 2.0 | 4.8 | 15.2 | 30.7 |
| 1990 | 71.1 | * | * | * | * | * | * | 2.3 | 5.4 | 13.6 | 31.0 |
| 1989 | 74.0 | * | * | * | * | * | * | 2.0 | 5.3 | 14.8 | 33.2 |
| 1988 | 72.5 | * | * | * | * | * | * | 2.0 | 5.9 | 16.7 | 35.5 |
| 1987 | 74.6 | * | * | * | * | * | * | 2.2 | 6.1 | 17.7 | 38.8 |
| 1986 | 76.9 | * | * | * | * | * | * | 2.1 | 8.0 | 17.8 | 47.9 |
| 1985 | 82.2 | * | * | * | * | * | * | 3.2 | 7.0 | 19.6 | 45.0 |
| 1984 | 84.9 | * | * | * | * | * | * | 3.5 | 7.7 | 18.8 | 48.5 |
| 1983 | 87.5 | * | * | * | * | * | * | 2.7 | 7.8 | 18.3 | 47.7 |
| 1982 | 87.3 | * | * | * | * | * | * | 3.5 | 7.9 | 22.9 | 48.9 |
| 1981 | 90.7 | * | * | * | * | * | * | 2.7 | 8.9 | 24.9 | 56.3 |
| 1980 | 94.0 | * | * | * | * | * | * | 3.1 | 10.0 | 25.1 | 61.6 |
| 1979 | 96.5 | * | * | * | * | * | * | 3.9 | 12.0 | 27.8 | 62.1 |
| Acute myocardial infarction (410) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 53.1 | * | * | * | * | * | * | * | 2.2 | 4.6 | 10.2 |
| 1997 | 54.5 | * | * | * | * | * | * | * | 1.5 | 4.7 | 10.2 |
| 1996 | 56.0 | * | * | * | * | * | * | * | 2.0 | 4.3 | 9.8 |
| 1995 | 57.2 | * | * | * | * | * | * | * | 1.4 | 5.5 | 11.1 |
| 1994 | 57.6 | * | * | * | * | * | * | * | 1.8 | 5.0 | 12.4 |
| 1993 | 61.0 | * | * | * | * | * | * | * | 2.7 | 5.4 | 12.0 |
| 1992 | 60.2 | * | * | * | * | * | * | * | 2.1 | 5.2 | 12.5 |
| 1991 | 63.7 | * | * | * | * | * | * | * | 3.0 | 5.1 | 13.0 |
| 1990 | 63.4 | * | * | * | * | * | * | * | 2.0 | 5.5 | 11.3 |
| 1989 | 67.1 | * | * | * | * | * | * | * | 2.8 | 4.7 | 13.3 |
| 1988 | 65.1 | * | * | * | * | * | * | * | 1.8 | 6.3 | 14.8 |
| 1987 | 65.4 | * | * | * | * | * | * | * | 2.2 | 5.3 | 13.3 |
| 1986 | 66.6 | * | * | * | * | * | * | * | 2.9 | 5.1 | 14.4 |
| 1985 | 68.7 | * | * | * | * | * | * | 1.5 | 2.0 | 6.4 | 16.9 |
| 1984 | 68.4 | * | * | * | * | * | * | * | 2.4 | 6.8 | 17.1 |
| 1983 | 69.7 | * | * | * | * | * | * | 1.5 | 2.9 | 7.2 | 20.9 |
| 1982 | 67.2 | * | * | * | * | * | * | * | 2.4 | 9.0 | 21.3 |
| 1981 | 68.0 | * | * | * | * | * | * | * | 2.4 | 6.7 | 18.2 |
| 1980 | 71.6 | * | * | * | * | * | * | * | 3.8 | 9.3 | 21.9 |
| 1979 | 70.0 | * | * | * | * | * | * | * | 3.5 | 9.6 | 24.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other acute ischemic heart diseases (411) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1997 | 1.1 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1996 | 1.1 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1995 | 1.0 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1994 | 1.1 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1993 | 1.1 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1992 | 1.2 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1991 | 1.3 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 |
| 1990 | 1.3 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1989 | 1.4 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1987 | 1.5 | * | * | * | * | * | * | * | 0.1 | 0.1 | 0.5 |
| 1986 | 1.6 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.6 |
| 1985 | 1.7 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1984 | 1.7 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1983 | 1.7 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1982 | 1.8 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1981 | 2.0 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1980 | 2.1 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.8 |
| 1979 | 2.1 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.7 |
| Other acute ischemic heart diseases (411) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1997 | 1.3 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1996 | 1.2 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1995 | 1.2 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1994 | 1.2 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1993 | 1.3 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1992 | 1.4 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1991 | 1.6 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1990 | 1.6 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1989 | 1.6 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1988 | 1.6 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1987 | 1.8 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1986 | 2.0 | * | * | * | * | * | * | * | * | 0.5 | 1.0 |
| 1985 | 2.1 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1984 | 2.1 | * | * | * | * | * | * | * | * | 0.4 | 1.0 |
| 1983 | 2.2 | * | * | * | * | * | * | * | * | 0.3 | 1.0 |
| 1982 | 2.3 | * | * | * | * | * | * | * | * | 0.5 | 1.1 |
| 1981 | 2.5 | * | * | * | * | * | * | * | * | 0.7 | 1.0 |
| 1980 | 2.7 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.2 |
| 1979 | 2.7 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other acute ischemic heart diseases (411) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.0 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1980 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| Other acute ischemic heart diseases (411) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1997 | 1.2 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1996 | 1.1 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1995 | 1.1 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1994 | 1.1 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1993 | 1.2 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1992 | 1.3 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1991 | 1.3 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1990 | 1.3 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1989 | 1.4 | * | * | * | * | * | * | * | * | 0.1 | 0.4 |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1987 | 1.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1986 | 1.6 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1985 | 1.7 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1984 | 1.7 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1983 | 1.7 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1982 | 1.8 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1981 | 2.0 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1980 | 2.1 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1979 | 2.1 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other acute ischemic heart diseases (411) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1997 | 1.3 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1996 | 1.2 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1995 | 1.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1994 | 1.2 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1993 | 1.3 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1992 | 1.4 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1991 | 1.6 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1990 | 1.6 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1989 | 1.6 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1988 | 1.6 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1987 | 1.7 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1986 | 2.0 | * | * | * | * | * | * | * | * | 0.5 | 0.9 |
| 1985 | 2.1 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1984 | 2.1 | * | * | * | * | * | * | * | * | 0.3 | 1.0 |
| 1983 | 2.2 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1982 | 2.3 | * | * | * | * | * | * | * | * | 0.5 | 0.9 |
| 1981 | 2.5 | * | * | * | * | * | * | * | * | 0.6 | 0.8 |
| 1980 | 2.7 | * | * | * | * | * | * | * | * | 0.6 | 1.1 |
| 1979 | 2.7 | * | * | * | * | * | * | * | * | 0.4 | 1.2 |
| Other acute ischemic heart diseases (411) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other acute ischemic heart diseases (411) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.9 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1992 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.2 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1990 | 1.3 | * | * | * | * | * | * | * | * | * | 0.9 |
| 1989 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.6 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1984 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.9 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1982 | 1.9 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1981 | 2.2 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1980 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| Other acute ischemic heart diseases (411) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.5 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1990 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other acute ischemic heart diseases (411) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| Other acute ischemic heart diseases (411) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.2 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1992 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.4 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1990 | 1.6 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1989 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.2 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1981 | 2.5 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1980 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other acute ischemic heart diseases (411) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.7 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1990 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| Other acute ischemic heart diseases (411) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other forms of chronic ischemic heart disease (412-414,429.2) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 116.1 | * | * | * | * | 0.1 | 0.2 | 0.7 | 2.1 | 5.9 | 12.6 |
| 1997 | 118.8 | * | * | * | * | 0.1 | 0.3 | 0.7 | 2.2 | 5.5 | 12.9 |
| 1996 | 121.8 | * | * | * | * | 0.1 | 0.2 | 0.8 | 2.2 | 6.0 | 13.2 |
| 1995 | 124.5 | * | * | * | * | 0.1 | 0.2 | 0.8 | 2.2 | 6.0 | 13.6 |
| 1994 | 124.4 | * | * | * | * | * | 0.2 | 0.7 | 2.0 | 5.9 | 13.4 |
| 1993 | 127.8 | 0.5 | * | * | * | * | 0.3 | 0.8 | 2.2 | 5.6 | 14.1 |
| 1992 | 123.4 | * | * | * | * | * | 0.3 | 0.7 | 2.1 | 5.5 | 13.7 |
| 1991 | 125.0 | * | * | * | * | * | 0.2 | 0.8 | 1.9 | 5.7 | 13.3 |
| 1990 | 127.0 | * | * | * | * | * | 0.2 | 0.7 | 1.9 | 5.3 | 13.7 |
| 1989 | 129.1 | * | * | * | * | * | 0.1 | 0.7 | 2.1 | 5.6 | 14.1 |
| 1988 | 135.4 | * | * | * | * | * | 0.2 | 0.7 | 2.1 | 5.9 | 14.1 |
| 1987 | 135.2 | * | * | * | * | * | 0.2 | 0.6 | 2.3 | 6.1 | 15.9 |
| 1986 | 136.8 | * | * | * | * | * | 0.2 | 0.7 | 2.2 | 6.4 | 16.4 |
| 1985 | 138.8 | * | * | * | * | * | 0.2 | 0.7 | 2.1 | 6.1 | 16.0 |
| 1984 | 139.9 | * | * | 0.1 | * | * | 0.2 | 0.7 | 2.1 | 6.6 | 15.7 |
| 1983 | 143.1 | * | * | * | * | * | 0.2 | 0.6 | 2.1 | 6.2 | 16.3 |
| 1982 | 140.6 | * | * | 0.2 | * | * | 0.1 | 0.7 | 2.0 | 6.4 | 16.1 |
| 1981 | 142.6 | * | * | 0.1 | * | * | 0.2 | 0.7 | 1.8 | 6.5 | 16.4 |
| 1980 | 146.2 | * | * | * | * | * | 0.2 | 0.6 | 2.1 | 6.4 | 17.0 |
| 1979 | 139.0 | * | * | * | * | * | 0.2 | 0.6 | 2.1 | 6.0 | 16.3 |
| Other forms of chronic ischemic heart disease (412-414,429.2) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 117.4 | * | * | * | * | * | 0.3 | 1.0 | 3.2 | 9.1 | 19.5 |
| 1997 | 120.0 | * | * | * | * | * | 0.4 | 1.0 | 3.3 | 8.6 | 20.7 |
| 1996 | 123.1 | * | * | * | * | * | 0.3 | 1.2 | 3.4 | 9.5 | 20.6 |
| 1995 | 124.9 | * | * | * | * | * | 0.3 | 1.2 | 3.5 | 9.3 | 21.8 |
| 1994 | 125.3 | * | * | * | * | * | 0.4 | 1.0 | 3.0 | 9.3 | 21.7 |
| 1993 | 128.4 | * | * | * | * | * | 0.4 | 1.1 | 3.4 | 8.8 | 22.8 |
| 1992 | 124.6 | * | * | * | * | * | 0.4 | 1.1 | 3.3 | 9.0 | 22.1 |
| 1991 | 126.3 | * | * | * | * | * | 0.3 | 1.2 | 3.0 | 9.3 | 21.8 |
| 1990 | 128.0 | * | * | * | * | * | 0.3 | 1.0 | 3.1 | 9.1 | 22.7 |
| 1989 | 129.6 | * | * | * | * | * | * | 1.0 | 3.3 | 9.2 | 23.4 |
| 1988 | 136.0 | * | * | * | * | * | 0.3 | 1.1 | 3.4 | 9.8 | 23.3 |
| 1987 | 136.0 | * | * | * | * | * | 0.3 | 1.0 | 3.8 | 10.3 | 26.3 |
| 1986 | 137.9 | * | * | * | * | * | 0.2 | 1.1 | 3.5 | 10.7 | 27.2 |
| 1985 | 140.1 | * | * | * | * | * | 0.3 | 1.0 | 3.3 | 10.3 | 26.8 |
| 1984 | 140.8 | * | * | * | * | * | 0.3 | 1.1 | 3.5 | 11.0 | 26.0 |
| 1983 | 144.5 | * | * | * | * | * | 0.3 | 1.0 | 3.5 | 10.6 | 27.1 |
| 1982 | 142.6 | * | * | * | * | * | 0.2 | 1.2 | 3.5 | 10.7 | 26.6 |
| 1981 | 144.9 | * | * | * | * | * | 0.2 | 1.2 | 2.9 | 10.9 | 26.7 |
| 1980 | 148.2 | * | * | * | * | * | 0.3 | 1.0 | 3.5 | 10.5 | 27.6 |
| 1979 | 142.8 | * | * | * | * | * | 0.2 | 0.9 | 3.5 | 9.8 | 26.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other forms of chronic ischemic heart disease (412-414,429.2) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 114.8 | * | * | * | * | * | * | 0.3 | 1.1 | 2.7 | 5.7 |
| 1997 | 117.6 | * | * | * | * | * | * | 0.4 | 1.1 | 2.4 | 5.2 |
| 1996 | 120.7 | * | * | * | * | * | * | 0.4 | 0.9 | 2.6 | 5.9 |
| 1995 | 124.1 | * | * | * | * | * | * | 0.4 | 1.0 | 2.8 | 5.5 |
| 1994 | 123.6 | * | * | * | * | * | * | 0.4 | 1.1 | 2.5 | 5.4 |
| 1993 | 127.3 | * | * | * | * | * | * | 0.4 | 0.9 | 2.4 | 5.6 |
| 1992 | 122.2 | * | * | * | * | * | * | 0.4 | 0.9 | 2.1 | 5.5 |
| 1991 | 123.7 | * | * | * | * | * | * | 0.4 | 0.9 | 2.2 | 5.1 |
| 1990 | 126.2 | * | * | * | * | * | * | 0.3 | 0.8 | 1.7 | 4.9 |
| 1989 | 128.6 | * | * | * | * | * | * | 0.4 | 1.0 | 2.0 | 4.9 |
| 1988 | 134.8 | * | * | * | * | * | * | 0.3 | 0.8 | 2.1 | 5.1 |
| 1987 | 134.4 | * | * | * | * | * | * | 0.3 | 0.9 | 2.0 | 5.8 |
| 1986 | 135.8 | * | * | * | * | * | * | 0.3 | 1.0 | 2.2 | 5.9 |
| 1985 | 137.5 | * | * | * | * | * | * | 0.3 | 0.9 | 2.1 | 5.6 |
| 1984 | 139.1 | * | * | * | * | * | * | 0.3 | 0.7 | 2.4 | 5.8 |
| 1983 | 141.8 | * | * | * | * | * | * | 0.3 | 0.7 | 1.9 | 5.9 |
| 1982 | 138.7 | * | * | * | * | * | * | 0.3 | 0.6 | 2.2 | 6.0 |
| 1981 | 140.4 | * | * | * | * | * | * | 0.2 | 0.8 | 2.3 | 6.5 |
| 1980 | 144.4 | * | * | * | * | * | * | 0.2 | 0.7 | 2.4 | 6.9 |
| 1979 | 135.5 | * | * | * | * | * | * | 0.2 | 0.8 | 2.3 | 6.4 |
| Other forms of chronic ischemic heart disease (412-414,429.2) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 125.6 | * | * | * | * | * | 0.2 | 0.6 | 2.1 | 5.6 | 11.6 |
| 1997 | 128.4 | * | * | * | * | * | 0.2 | 0.6 | 2.2 | 5.2 | 12.0 |
| 1996 | 131.6 | * | * | * | * | * | 0.2 | 0.7 | 2.1 | 5.7 | 12.1 |
| 1995 | 134.0 | * | * | * | * | * | 0.2 | 0.7 | 2.1 | 5.7 | 12.7 |
| 1994 | 133.9 | * | * | * | * | * | 0.2 | 0.6 | 1.9 | 5.3 | 12.2 |
| 1993 | 137.1 | * | * | * | * | * | 0.2 | 0.7 | 2.0 | 5.1 | 12.8 |
| 1992 | 132.2 | * | * | * | * | * | 0.2 | 0.7 | 1.9 | 5.2 | 12.4 |
| 1991 | 133.6 | * | * | * | * | * | 0.2 | 0.7 | 1.8 | 5.2 | 12.4 |
| 1990 | 135.7 | * | * | * | * | * | 0.2 | 0.6 | 1.7 | 4.9 | 12.7 |
| 1989 | 137.5 | * | * | * | * | * | 0.1 | 0.6 | 1.9 | 5.0 | 12.7 |
| 1988 | 144.3 | * | * | * | * | * | 0.1 | 0.6 | 1.9 | 5.4 | 12.9 |
| 1987 | 143.9 | * | * | * | * | * | 0.2 | 0.6 | 2.0 | 5.5 | 14.5 |
| 1986 | 145.5 | * | * | * | * | * | 0.2 | 0.6 | 1.9 | 5.9 | 14.9 |
| 1985 | 147.6 | * | * | * | * | * | 0.2 | 0.6 | 1.8 | 5.6 | 14.7 |
| 1984 | 148.8 | * | * | 0.2 | * | * | 0.2 | 0.6 | 1.8 | 6.0 | 14.4 |
| 1983 | 151.6 | * | * | * | * | * | 0.1 | 0.6 | 1.9 | 5.7 | 14.9 |
| 1982 | 148.7 | * | * | * | * | * | 0.1 | 0.6 | 1.7 | 5.8 | 14.6 |
| 1981 | 150.5 | * | * | * | * | * | 0.1 | 0.5 | 1.5 | 5.8 | 14.7 |
| 1980 | 153.6 | * | * | * | * | * | 0.2 | 0.5 | 1.8 | 5.7 | 15.1 |
| 1979 | 146.0 | * | * | * | * | * | 0.2 | 0.5 | 1.9 | 5.3 | 14.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other forms of chronic ischemic heart disease (412-414,429.2) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 126.2 | * | * | * | * | * | 0.3 | 1.0 | 3.1 | 8.5 | 18.5 |
| 1997 | 128.8 | * | * | * | * | * | 0.3 | 0.9 | 3.3 | 8.3 | 19.7 |
| 1996 | 132.2 | * | * | * | * | * | 0.3 | 1.1 | 3.3 | 9.2 | 19.5 |
| 1995 | 133.2 | * | * | * | * | * | * | 1.0 | 3.3 | 8.9 | 20.7 |
| 1994 | 134.0 | * | * | * | * | * | 0.3 | 0.9 | 2.8 | 8.6 | 20.2 |
| 1993 | 136.8 | * | * | * | * | * | * | 1.0 | 3.1 | 8.3 | 21.2 |
| 1992 | 132.7 | * | * | * | * | * | 0.3 | 1.0 | 3.0 | 8.7 | 20.6 |
| 1991 | 134.0 | * | * | * | * | * | * | 1.1 | 2.7 | 8.6 | 20.7 |
| 1990 | 135.8 | * | * | * | * | * | 0.3 | 1.0 | 2.8 | 8.4 | 21.5 |
| 1989 | 136.9 | * | * | * | * | * | * | 1.0 | 2.9 | 8.5 | 21.7 |
| 1988 | 143.8 | * | * | * | * | * | * | 0.9 | 3.1 | 9.2 | 21.7 |
| 1987 | 143.5 | * | * | * | * | * | 0.3 | 0.9 | 3.3 | 9.4 | 24.2 |
| 1986 | 145.4 | * | * | * | * | * | * | 1.0 | 3.1 | 10.0 | 25.1 |
| 1985 | 147.7 | * | * | * | * | * | 0.2 | 0.9 | 2.9 | 9.4 | 24.9 |
| 1984 | 148.5 | * | * | * | * | * | 0.3 | 1.0 | 3.1 | 10.2 | 24.4 |
| 1983 | 151.9 | * | * | * | * | * | 0.2 | 1.0 | 3.1 | 10.0 | 25.3 |
| 1982 | 149.5 | * | * | * | * | * | * | 1.1 | 3.0 | 9.7 | 24.6 |
| 1981 | 151.7 | * | * | * | * | * | * | 0.9 | 2.4 | 9.8 | 24.5 |
| 1980 | 154.2 | * | * | * | * | * | 0.3 | 0.7 | 3.0 | 9.5 | 25.3 |
| 1979 | 148.5 | * | * | * | * | * | * | 0.8 | 3.2 | 8.7 | 24.2 |
| Other forms of chronic ischemic heart disease (412-414,429.2) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 125.1 | * | * | * | * | * | * | 0.3 | 1.1 | 2.5 | 4.7 |
| 1997 | 128.1 | * | * | * | * | * | * | 0.3 | 1.0 | 2.0 | 4.3 |
| 1996 | 131.0 | * | * | * | * | * | * | 0.4 | 0.8 | 2.1 | 4.7 |
| 1995 | 134.6 | * | * | * | * | * | * | 0.3 | 0.9 | 2.4 | 4.6 |
| 1994 | 133.9 | * | * | * | * | * | * | 0.4 | 0.9 | 2.0 | 4.3 |
| 1993 | 137.5 | * | * | * | * | * | * | 0.3 | 0.9 | 1.9 | 4.4 |
| 1992 | 131.7 | * | * | * | * | * | * | 0.4 | 0.9 | 1.7 | 4.2 |
| 1991 | 133.3 | * | * | * | * | * | * | 0.3 | 0.8 | 1.8 | 4.1 |
| 1990 | 135.7 | * | * | * | * | * | * | 0.2 | 0.7 | 1.3 | 4.0 |
| 1989 | 138.1 | * | * | * | * | * | * | 0.2 | 0.8 | 1.5 | 3.9 |
| 1988 | 144.8 | * | * | * | * | * | * | 0.3 | 0.7 | 1.6 | 4.1 |
| 1987 | 144.3 | * | * | * | * | * | * | 0.3 | 0.6 | 1.6 | 4.9 |
| 1986 | 145.5 | * | * | * | * | * | * | 0.2 | 0.7 | 1.7 | 4.8 |
| 1985 | 147.5 | * | * | * | * | * | * | 0.3 | 0.6 | 1.8 | 4.7 |
| 1984 | 149.0 | * | * | * | * | * | * | 0.3 | 0.5 | 1.9 | 4.5 |
| 1983 | 151.3 | * | * | * | * | * | * | * | 0.6 | 1.5 | 4.8 |
| 1982 | 148.0 | * | * | * | * | * | * | * | 0.5 | 1.9 | 4.8 |
| 1981 | 149.4 | * | * | * | * | * | * | * | 0.6 | 1.8 | 5.2 |
| 1980 | 153.1 | * | * | * | * | * | * | * | 0.5 | 1.9 | 5.1 |
| 1979 | 143.6 | * | * | * | * | * | * | * | 0.6 | 1.9 | 4.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other forms of chronic ischemic heart disease (412-414,429.2) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 72.0 | * | * | * | * | * | * | 0.8 | 2.3 | 7.4 | 17.3 |
| 1997 | 73.5 | * | * | * | * | * | * | 1.2 | 2.5 | 7.0 | 17.3 |
| 1996 | 75.6 | * | * | * | * | * | * | 1.2 | 2.5 | 7.6 | 18.5 |
| 1995 | 79.1 | * | * | * | * | * | * | 1.2 | 2.8 | 7.7 | 18.2 |
| 1994 | 78.2 | * | * | * | * | * | * | 1.1 | 2.7 | 8.8 | 19.6 |
| 1993 | 82.0 | * | * | * | * | * | 0.6 | 1.0 | 3.0 | 7.9 | 21.0 |
| 1992 | 78.9 | * | * | * | * | * | * | 1.1 | 2.9 | 7.3 | 20.6 |
| 1991 | 80.9 | * | * | * | * | * | * | 1.3 | 2.9 | 8.6 | 18.6 |
| 1990 | 81.8 | * | * | * | * | * | * | 0.8 | 2.9 | 7.8 | 19.3 |
| 1989 | 84.4 | * | * | * | * | * | * | 1.0 | 3.5 | 8.4 | 22.0 |
| 1988 | 87.7 | * | * | * | * | * | * | 1.1 | 3.1 | 8.7 | 21.5 |
| 1987 | 87.7 | * | * | * | * | * | * | 0.9 | 4.1 | 9.5 | 24.5 |
| 1986 | 88.9 | * | * | * | * | * | * | 1.1 | 3.7 | 9.4 | 25.7 |
| 1985 | 89.2 | * | * | * | * | * | * | 1.0 | 3.9 | 9.6 | 24.4 |
| 1984 | 89.5 | * | * | * | * | * | * | 0.9 | 3.5 | 10.4 | 24.2 |
| 1983 | 93.6 | * | * | * | * | * | * | 0.9 | 3.6 | 9.0 | 24.7 |
| 1982 | 92.6 | * | * | * | * | * | * | 1.3 | 3.7 | 10.5 | 25.5 |
| 1981 | 95.1 | * | * | * | * | * | * | 1.8 | 3.9 | 11.4 | 26.9 |
| 1980 | 100.9 | * | * | * | * | * | * | 1.3 | 3.9 | 11.0 | 29.4 |
| 1979 | 95.5 | * | * | * | * | * | * | 1.1 | 3.7 | 11.1 | 29.2 |
| Other forms of chronic ischemic heart disease (412-414,429.2) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 75.6 | * | * | * | * | * | * | 1.0 | 3.7 | 11.7 | 25.0 |
| 1997 | 77.8 | * | * | * | * | * | * | 1.7 | 3.8 | 10.2 | 26.3 |
| 1996 | 78.6 | * | * | * | * | * | * | 1.8 | 4.0 | 11.0 | 26.4 |
| 1995 | 83.5 | * | * | * | * | * | * | 1.9 | 4.4 | 11.1 | 27.8 |
| 1994 | 81.8 | * | * | * | * | * | * | 1.7 | 3.7 | 13.3 | 29.7 |
| 1993 | 85.7 | * | * | * | * | * | * | 1.6 | 4.9 | 11.4 | 32.2 |
| 1992 | 82.7 | * | * | * | * | * | * | 1.5 | 4.7 | 10.9 | 30.5 |
| 1991 | 85.9 | * | * | * | * | * | * | 2.0 | 4.6 | 13.3 | 28.3 |
| 1990 | 86.2 | * | * | * | * | * | * | 1.1 | 4.7 | 12.7 | 30.5 |
| 1989 | 89.9 | * | * | * | * | * | * | * | 5.5 | 13.1 | 34.8 |
| 1988 | 93.3 | * | * | * | * | * | * | 1.8 | 5.2 | 13.1 | 33.5 |
| 1987 | 94.1 | * | * | * | * | * | * | 1.5 | 6.5 | 15.5 | 40.1 |
| 1986 | 95.2 | * | * | * | * | * | * | 1.8 | 5.4 | 14.8 | 41.1 |
| 1985 | 96.3 | * | * | * | * | * | * | 1.6 | 5.8 | 16.3 | 39.7 |
| 1984 | 96.0 | * | * | * | * | * | * | 1.4 | 5.7 | 16.8 | 36.4 |
| 1983 | 100.1 | * | * | * | * | * | * | * | 6.0 | 14.0 | 39.0 |
| 1982 | 100.9 | * | * | * | * | * | * | 2.1 | 6.2 | 17.7 | 40.4 |
| 1981 | 103.3 | * | * | * | * | * | * | 3.0 | 5.9 | 18.7 | 41.6 |
| 1980 | 110.4 | * | * | * | * | * | * | 2.3 | 6.6 | 17.6 | 43.3 |
| 1979 | 105.9 | * | * | * | * | * | * | 1.8 | 5.5 | 18.1 | 44.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other forms of chronic ischemic heart disease (412-414,429.2) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 68.7 | * | * | * | * | * | * | * | 1.0 | 3.6 | 10.5 |
| 1997 | 69.6 | * | * | * | * | * | * | * | 1.4 | 4.1 | 9.4 |
| 1996 | 72.8 | * | * | * | * | * | * | * | 1.2 | 4.5 | 11.6 |
| 1995 | 74.9 | * | * | * | * | * | * | * | 1.3 | 4.7 | 9.9 |
| 1994 | 75.0 | * | * | * | * | * | * | * | 1.8 | 4.7 | 10.8 |
| 1993 | 78.5 | * | * | * | * | * | * | * | 1.2 | 4.8 | 11.3 |
| 1992 | 75.5 | * | * | * | * | * | * | * | 1.3 | 4.2 | 12.1 |
| 1991 | 76.2 | * | * | * | * | * | * | * | 1.4 | 4.4 | 10.1 |
| 1990 | 77.7 | * | * | * | * | * | * | * | 1.3 | 3.6 | 9.6 |
| 1989 | 79.3 | * | * | * | * | * | * | * | 1.8 | 4.2 | 10.9 |
| 1988 | 82.6 | * | * | * | * | * | * | * | 1.2 | 4.8 | 11.1 |
| 1987 | 81.8 | * | * | * | * | * | * | * | 2.0 | 4.4 | 11.0 |
| 1986 | 83.3 | * | * | * | * | * | * | * | 2.2 | 4.8 | 12.4 |
| 1985 | 82.7 | * | * | * | * | * | * | * | 2.3 | 3.8 | 11.2 |
| 1984 | 83.7 | * | * | * | * | * | * | * | 1.5 | 5.0 | 13.8 |
| 1983 | 87.7 | * | * | * | * | * | * | * | 1.5 | 4.7 | 12.5 |
| 1982 | 85.0 | * | * | * | * | * | * | * | 1.6 | 4.4 | 12.7 |
| 1981 | 87.7 | * | * | * | * | * | * | * | 2.1 | 5.2 | 14.3 |
| 1980 | 92.3 | * | * | * | * | * | * | * | 1.6 | 5.4 | 17.6 |
| 1979 | 86.2 | * | * | * | * | * | * | * | 2.3 | 5.3 | 16.2 |
| Other forms of chronic ischemic heart disease (412-414,429.2) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 85.7 | * | * | * | * | * | * | 1.1 | 3.0 | 8.8 | 22.1 |
| 1997 | 87.4 | * | * | * | * | * | * | 1.5 | 3.1 | 8.8 | 21.3 |
| 1996 | 89.7 | * | * | * | * | * | * | 1.4 | 3.1 | 9.1 | 23.3 |
| 1995 | 94.2 | * | * | * | * | * | * | 1.5 | 3.3 | 9.5 | 23.3 |
| 1994 | 92.7 | * | * | * | * | * | * | 1.3 | 3.3 | 10.7 | 24.5 |
| 1993 | 97.7 | * | * | * | * | * | 0.8 | 1.3 | 3.6 | 9.6 | 25.9 |
| 1992 | 93.0 | * | * | * | * | * | * | 1.4 | 3.4 | 9.2 | 25.1 |
| 1991 | 95.9 | * | * | * | * | * | * | 1.6 | 3.6 | 10.5 | 23.4 |
| 1990 | 96.7 | * | * | * | * | * | * | 0.9 | 3.4 | 9.7 | 24.1 |
| 1989 | 99.6 | * | * | * | * | * | * | 1.3 | 4.5 | 10.7 | 27.3 |
| 1988 | 103.2 | * | * | * | * | * | * | 1.2 | 3.9 | 10.9 | 27.3 |
| 1987 | 102.6 | * | * | * | * | * | * | 1.0 | 5.0 | 11.4 | 30.8 |
| 1986 | 103.7 | * | * | * | * | * | * | 1.3 | 4.3 | 11.6 | 31.7 |
| 1985 | 103.2 | * | * | * | * | * | * | 1.2 | 4.8 | 11.9 | 29.7 |
| 1984 | 103.0 | * | * | * | * | * | * | 1.0 | 4.2 | 13.0 | 30.3 |
| 1983 | 107.1 | * | * | * | * | * | * | 1.0 | 4.2 | 10.7 | 29.6 |
| 1982 | 105.4 | * | * | * | * | * | * | 1.4 | 4.3 | 12.6 | 29.6 |
| 1981 | 108.0 | * | * | * | * | * | * | 2.0 | 4.4 | 13.8 | 32.0 |
| 1980 | 112.9 | * | * | * | * | * | * | 1.5 | 4.6 | 12.6 | 34.3 |
| 1979 | 104.9 | * | * | * | * | * | * | 1.3 | 4.0 | 12.7 | 33.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other forms of chronic ischemic heart disease (412-414,429.2) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 88.1 | * | * | * | * | * | * | * | 4.8 | 13.5 | 31.0 |
| 1997 | 90.6 | * | * | * | * | * | * | 2.1 | 4.4 | 12.5 | 32.0 |
| 1996 | 91.5 | * | * | * | * | * | * | 2.2 | 4.8 | 12.8 | 32.2 |
| 1995 | 98.1 | * | * | * | * | * | * | 2.3 | 5.2 | 13.3 | 35.3 |
| 1994 | 95.0 | * | * | * | * | * | * | 1.8 | 4.4 | 16.0 | 36.1 |
| 1993 | 100.8 | * | * | * | * | * | * | 2.0 | 6.0 | 13.7 | 38.9 |
| 1992 | 96.3 | * | * | * | * | * | * | 2.0 | 5.5 | 13.5 | 35.9 |
| 1991 | 100.6 | * | * | * | * | * | * | 2.5 | 5.6 | 16.2 | 35.8 |
| 1990 | 100.7 | * | * | * | * | * | * | * | 5.4 | 15.4 | 37.4 |
| 1989 | 104.9 | * | * | * | * | * | * | * | 7.0 | 16.8 | 42.6 |
| 1988 | 108.2 | * | * | * | * | * | * | 2.0 | 6.5 | 16.4 | 42.4 |
| 1987 | 108.9 | * | * | * | * | * | * | 1.5 | 7.8 | 18.4 | 50.3 |
| 1986 | 109.8 | * | * | * | * | * | * | 2.1 | 6.0 | 17.9 | 50.7 |
| 1985 | 110.5 | * | * | * | * | * | * | 2.0 | 7.0 | 20.4 | 48.0 |
| 1984 | 109.2 | * | * | * | * | * | * | 1.6 | 6.9 | 21.1 | 45.4 |
| 1983 | 113.5 | * | * | * | * | * | * | * | 6.9 | 16.5 | 46.3 |
| 1982 | 113.5 | * | * | * | * | * | * | 2.3 | 7.3 | 21.1 | 46.7 |
| 1981 | 116.3 | * | * | * | * | * | * | 3.3 | 6.5 | 22.5 | 50.0 |
| 1980 | 122.1 | * | * | * | * | * | * | 2.7 | 7.8 | 19.5 | 50.6 |
| 1979 | 115.1 | * | * | * | * | * | * | 2.0 | 5.6 | 20.4 | 51.2 |
| Other forms of chronic ischemic heart disease (412-414,429.2) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 83.6 | * | * | * | * | * | * | * | * | 4.8 | 14.2 |
| 1997 | 84.5 | * | * | * | * | * | * | * | 1.9 | 5.5 | 12.0 |
| 1996 | 88.0 | * | * | * | * | * | * | * | 1.6 | 5.8 | 15.7 |
| 1995 | 90.6 | * | * | * | * | * | * | * | 1.6 | 6.1 | 12.9 |
| 1994 | 90.7 | * | * | * | * | * | * | * | 2.3 | 6.1 | 14.5 |
| 1993 | 94.9 | * | * | * | * | * | * | * | 1.5 | 6.0 | 14.7 |
| 1992 | 90.1 | * | * | * | * | * | * | * | 1.5 | 5.4 | 16.0 |
| 1991 | 91.6 | * | * | * | * | * | * | * | 1.8 | 5.6 | 12.8 |
| 1990 | 93.0 | * | * | * | * | * | * | * | 1.7 | 4.7 | 12.6 |
| 1989 | 94.8 | * | * | * | * | * | * | * | 2.3 | 5.4 | 14.2 |
| 1988 | 98.6 | * | * | * | * | * | * | * | 1.6 | 6.2 | 14.5 |
| 1987 | 97.0 | * | * | * | * | * | * | * | 2.5 | 5.4 | 14.3 |
| 1986 | 98.3 | * | * | * | * | * | * | * | 2.9 | 6.2 | 15.7 |
| 1985 | 96.6 | * | * | * | * | * | * | * | 2.9 | 4.7 | 14.3 |
| 1984 | 97.4 | * | * | * | * | * | * | * | 1.9 | 6.3 | 17.5 |
| 1983 | 101.3 | * | * | * | * | * | * | * | 1.9 | 5.8 | 15.6 |
| 1982 | 98.1 | * | * | * | * | * | * | * | 1.8 | 5.4 | 15.3 |
| 1981 | 100.6 | * | * | * | * | * | * | * | 2.6 | 6.6 | 17.0 |
| 1980 | 104.7 | * | * | * | * | * | * | * | 2.0 | 6.8 | 20.8 |
| 1979 | 95.9 | * | * | * | * | * | * | * | 2.7 | 6.3 | 18.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Atherosclerotic cardiovascular disease, so described (429.2) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 24.2 | * | * | * | * | * | * | 0.1 | 0.5 | 1.6 | 3.6 |
| 1997 | 24.6 | * | * | * | * | * | * | 0.1 | 0.6 | 1.4 | 3.6 |
| 1996 | 25.4 | * | * | * | * | * | * | 0.2 | 0.6 | 1.5 | 3.7 |
| 1995 | 26.7 | * | * | * | * | * | * | 0.2 | 0.6 | 1.5 | 3.6 |
| 1994 | 27.1 | * | * | * | * | * | * | 0.2 | 0.5 | 1.6 | 3.6 |
| 1993 | 27.9 | * | * | * | * | * | * | 0.2 | 0.4 | 1.5 | 3.8 |
| 1992 | 26.9 | * | * | * | * | * | * | 0.2 | 0.6 | 1.4 | 3.5 |
| 1991 | 27.4 | * | * | * | * | * | * | 0.2 | 0.5 | 1.3 | 3.5 |
| 1990 | 27.8 | * | * | * | * | * | * | 0.2 | 0.4 | 1.3 | 3.4 |
| 1989 | 28.7 | * | * | * | * | * | * | 0.1 | 0.5 | 1.2 | 3.4 |
| 1988 | 29.8 | * | * | * | * | * | * | * | 0.4 | 1.3 | 3.1 |
| 1987 | 29.9 | * | * | * | * | * | * | 0.1 | 0.6 | 1.3 | 3.6 |
| 1986 | 30.3 | * | * | * | * | * | * | 0.1 | 0.4 | 1.3 | 3.5 |
| 1985 | 30.1 | * | * | * | * | * | * | 0.1 | 0.4 | 1.0 | 3.2 |
| 1984 | 30.5 | * | * | * | * | * | * | 0.1 | 0.5 | 1.3 | 3.4 |
| 1983 | 31.0 | * | * | * | * | * | * | 0.1 | 0.4 | 1.2 | 3.3 |
| 1982 | 29.4 | * | * | * | * | * | * | 0.1 | 0.3 | 1.2 | 3.1 |
| 1981 | 30.1 | * | * | * | * | * | * | 0.1 | 0.3 | 1.3 | 3.3 |
| 1980 | 30.9 | * | * | * | * | * | * | 0.1 | 0.4 | 1.2 | 3.4 |
| 1979 | 29.4 | * | * | * | * | * | * | 0.1 | 0.4 | 1.1 | 3.5 |
| Atherosclerotic cardiovascular disease, so described (429.2) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 25.0 | * | * | * | * | * | * | 0.3 | 0.9 | 2.5 | 5.7 |
| 1997 | 25.3 | * | * | * | * | * | * | 0.2 | 0.9 | 2.3 | 5.9 |
| 1996 | 26.2 | * | * | * | * | * | * | 0.3 | 0.9 | 2.5 | 6.0 |
| 1995 | 27.1 | * | * | * | * | * | * | 0.3 | 0.9 | 2.4 | 5.9 |
| 1994 | 27.7 | * | * | * | * | * | * | 0.3 | 0.8 | 2.4 | 6.0 |
| 1993 | 28.4 | * | * | * | * | * | * | 0.2 | 0.7 | 2.3 | 6.3 |
| 1992 | 27.2 | * | * | * | * | * | * | 0.2 | 0.9 | 2.4 | 5.7 |
| 1991 | 27.8 | * | * | * | * | * | * | 0.2 | 0.8 | 2.1 | 5.9 |
| 1990 | 28.0 | * | * | * | * | * | * | 0.3 | 0.7 | 2.1 | 5.8 |
| 1989 | 28.7 | * | * | * | * | * | * | 0.2 | 0.8 | 2.2 | 5.8 |
| 1988 | 29.6 | * | * | * | * | * | * | * | 0.7 | 2.1 | 5.2 |
| 1987 | 29.6 | * | * | * | * | * | * | 0.2 | 0.9 | 2.3 | 6.0 |
| 1986 | 30.0 | * | * | * | * | * | * | 0.2 | 0.6 | 2.2 | 5.8 |
| 1985 | 29.6 | * | * | * | * | * | * | 0.2 | 0.6 | 1.7 | 5.3 |
| 1984 | 30.0 | * | * | * | * | * | * | 0.2 | 0.8 | 2.1 | 5.7 |
| 1983 | 30.7 | * | * | * | * | * | * | 0.2 | 0.6 | 2.0 | 5.5 |
| 1982 | 29.0 | * | * | * | * | * | * | 0.2 | 0.6 | 2.1 | 5.3 |
| 1981 | 29.9 | * | * | * | * | * | * | 0.2 | 0.4 | 2.1 | 5.5 |
| 1980 | 30.7 | * | * | * | * | * | * | * | 0.6 | 1.9 | 5.5 |
| 1979 | 29.8 | * | * | * | * | * | * | * | 0.6 | 1.9 | 5.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Atherosclerotic cardiovascular disease, so described (429.2) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 23.4 | * | * | * | * | * | * | * | * | 0.7 | 1.5 |
| 1997 | 23.9 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.4 |
| 1996 | 24.7 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.5 |
| 1995 | 26.4 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.4 |
| 1994 | 26.5 | * | * | * | * | * | * | * | 0.3 | 0.8 | 1.4 |
| 1993 | 27.5 | * | * | * | * | * | * | * | * | 0.6 | 1.3 |
| 1992 | 26.6 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.3 |
| 1991 | 27.1 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.2 |
| 1990 | 27.6 | * | * | * | * | * | * | * | * | 0.4 | 1.1 |
| 1989 | 28.7 | * | * | * | * | * | * | * | 0.2 | 0.3 | 1.1 |
| 1988 | 29.9 | * | * | * | * | * | * | * | * | 0.5 | 1.1 |
| 1987 | 30.2 | * | * | * | * | * | * | * | 0.3 | 0.4 | 1.2 |
| 1986 | 30.5 | * | * | * | * | * | * | * | 0.2 | 0.4 | 1.3 |
| 1985 | 30.6 | * | * | * | * | * | * | * | * | 0.3 | 1.2 |
| 1984 | 30.9 | * | * | * | * | * | * | * | * | 0.4 | 1.2 |
| 1983 | 31.3 | * | * | * | * | * | * | * | * | 0.4 | 1.2 |
| 1982 | 29.7 | * | * | * | * | * | * | * | * | 0.4 | 1.0 |
| 1981 | 30.3 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.2 |
| 1980 | 31.0 | * | * | * | * | * | * | * | * | 0.5 | 1.3 |
| 1979 | 29.0 | * | * | * | * | * | * | * | * | 0.4 | 1.2 |
| Atherosclerotic cardiovascular disease, so described (429.2) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 24.8 | * | * | * | * | * | * | 0.1 | 0.6 | 1.4 | 3.1 |
| 1997 | 25.2 | * | * | * | * | * | * | * | 0.5 | 1.3 | 3.3 |
| 1996 | 26.1 | * | * | * | * | * | * | 0.2 | 0.5 | 1.5 | 3.3 |
| 1995 | 27.2 | * | * | * | * | * | * | 0.1 | 0.5 | 1.3 | 3.3 |
| 1994 | 27.6 | * | * | * | * | * | * | 0.2 | 0.5 | 1.4 | 3.3 |
| 1993 | 28.2 | * | * | * | * | * | * | 0.1 | 0.4 | 1.3 | 3.3 |
| 1992 | 27.2 | * | * | * | * | * | * | 0.1 | 0.5 | 1.3 | 2.9 |
| 1991 | 27.7 | * | * | * | * | * | * | 0.1 | 0.4 | 1.1 | 3.1 |
| 1990 | 28.0 | * | * | * | * | * | * | 0.2 | 0.4 | 1.1 | 2.9 |
| 1989 | 28.8 | * | * | * | * | * | * | 0.1 | 0.4 | 1.1 | 2.9 |
| 1988 | 30.0 | * | * | * | * | * | * | * | 0.4 | 1.1 | 2.6 |
| 1987 | 30.2 | * | * | * | * | * | * | * | 0.4 | 1.1 | 3.0 |
| 1986 | 30.5 | * | * | * | * | * | * | 0.1 | 0.3 | 1.1 | 3.0 |
| 1985 | 30.5 | * | * | * | * | * | * | * | 0.3 | 0.9 | 2.8 |
| 1984 | 30.9 | * | * | * | * | * | * | * | 0.4 | 1.0 | 2.8 |
| 1983 | 31.3 | * | * | * | * | * | * | 0.1 | 0.3 | 1.0 | 2.9 |
| 1982 | 29.7 | * | * | * | * | * | * | * | 0.3 | 1.1 | 2.5 |
| 1981 | 30.4 | * | * | * | * | * | * | * | 0.2 | 1.1 | 2.8 |
| 1980 | 30.9 | * | * | * | * | * | * | * | 0.3 | 1.0 | 2.6 |
| 1979 | 29.4 | * | * | * | * | * | * | * | 0.3 | 0.9 | 2.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Atherosclerotic cardiovascular disease, so described (429.2) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 25.1 | * | * | * | * | * | * | 0.2 | 0.9 | 2.2 | 5.1 |
| 1997 | 25.4 | * | * | * | * | * | * | * | 0.8 | 2.2 | 5.4 |
| 1996 | 26.3 | * | * | * | * | * | * | 0.2 | 0.8 | 2.6 | 5.6 |
| 1995 | 27.0 | * | * | * | * | * | * | * | 0.9 | 2.2 | 5.4 |
| 1994 | 27.7 | * | * | * | * | * | * | 0.3 | 0.7 | 2.2 | 5.6 |
| 1993 | 28.1 | * | * | * | * | * | * | * | 0.6 | 2.2 | 5.5 |
| 1992 | 26.8 | * | * | * | * | * | * | * | 0.8 | 2.3 | 5.1 |
| 1991 | 27.3 | * | * | * | * | * | * | * | 0.7 | 1.7 | 5.5 |
| 1990 | 27.7 | * | * | * | * | * | * | 0.3 | 0.6 | 1.9 | 4.9 |
| 1989 | 28.1 | * | * | * | * | * | * | * | 0.6 | 1.9 | 5.0 |
| 1988 | 29.3 | * | * | * | * | * | * | * | 0.7 | 1.8 | 4.6 |
| 1987 | 29.3 | * | * | * | * | * | * | * | 0.7 | 1.8 | 5.2 |
| 1986 | 29.5 | * | * | * | * | * | * | * | 0.5 | 2.0 | 5.0 |
| 1985 | 29.3 | * | * | * | * | * | * | * | 0.4 | 1.5 | 4.7 |
| 1984 | 29.8 | * | * | * | * | * | * | * | 0.7 | 1.8 | 4.9 |
| 1983 | 30.4 | * | * | * | * | * | * | * | 0.5 | 1.8 | 4.9 |
| 1982 | 28.8 | * | * | * | * | * | * | * | 0.4 | 1.9 | 4.5 |
| 1981 | 29.6 | * | * | * | * | * | * | * | 0.4 | 1.8 | 4.8 |
| 1980 | 30.2 | * | * | * | * | * | * | * | 0.5 | 1.7 | 4.5 |
| 1979 | 29.2 | * | * | * | * | * | * | * | 0.5 | 1.6 | 4.8 |
| Atherosclerotic cardiovascular disease, so described (429.2) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 24.4 | * | * | * | * | * | * | * | * | 0.7 | 1.1 |
| 1997 | 25.0 | * | * | * | * | * | * | * | * | 0.5 | 1.1 |
| 1996 | 25.8 | * | * | * | * | * | * | * | * | 0.4 | 1.1 |
| 1995 | 27.4 | * | * | * | * | * | * | * | * | 0.5 | 1.1 |
| 1994 | 27.5 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.1 |
| 1993 | 28.3 | * | * | * | * | * | * | * | * | 0.4 | 1.0 |
| 1992 | 27.5 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 |
| 1991 | 27.9 | * | * | * | * | * | * | * | * | 0.5 | 0.8 |
| 1990 | 28.3 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1989 | 29.5 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1988 | 30.7 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1987 | 31.0 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1986 | 31.4 | * | * | * | * | * | * | * | * | 0.3 | 1.0 |
| 1985 | 31.6 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1984 | 31.9 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1983 | 32.1 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1982 | 30.6 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1981 | 31.2 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1980 | 31.6 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1979 | 29.6 | * | * | * | * | * | * | * | * | * | 0.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Atherosclerotic cardiovascular disease, so described (429.2) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 21.7 | * | * | * | * | * | * | * | * | 2.3 | 5.8 |
| 1997 | 21.5 | * | * | * | * | * | * | * | 0.8 | 1.8 | 5.4 |
| 1996 | 22.5 | * | * | * | * | * | * | * | 0.8 | 1.6 | 5.5 |
| 1995 | 24.4 | * | * | * | * | * | * | * | 0.6 | 2.2 | 5.6 |
| 1994 | 24.5 | * | * | * | * | * | * | * | 1.0 | 2.5 | 5.4 |
| 1993 | 26.6 | * | * | * | * | * | * | * | 0.8 | 2.1 | 6.6 |
| 1992 | 25.5 | * | * | * | * | * | * | * | 0.9 | 2.0 | 6.4 |
| 1991 | 26.2 | * | * | * | * | * | * | * | 0.8 | 2.6 | 5.6 |
| 1990 | 26.7 | * | * | * | * | * | * | * | 0.7 | 1.9 | 6.5 |
| 1989 | 28.5 | * | * | * | * | * | * | * | 1.0 | 2.2 | 6.4 |
| 1988 | 28.4 | * | * | * | * | * | * | * | 0.7 | 2.3 | 6.3 |
| 1987 | 28.5 | * | * | * | * | * | * | * | 1.3 | 2.7 | 7.0 |
| 1986 | 29.0 | * | * | * | * | * | * | * | 0.8 | 2.2 | 6.6 |
| 1985 | 27.7 | * | * | * | * | * | * | * | 0.9 | 1.7 | 5.8 |
| 1984 | 28.2 | * | * | * | * | * | * | * | 1.0 | 2.6 | 6.9 |
| 1983 | 29.1 | * | * | * | * | * | * | * | 0.7 | 2.2 | 6.0 |
| 1982 | 27.4 | * | * | * | * | * | * | * | 0.8 | 2.3 | 6.8 |
| 1981 | 28.2 | * | * | * | * | * | * | * | 0.8 | 2.8 | 6.8 |
| 1980 | 30.5 | * | * | * | * | * | * | * | * | 2.2 | 8.7 |
| 1979 | 29.7 | * | * | * | * | * | * | * | * | 2.8 | 8.9 |
| Atherosclerotic cardiovascular disease, so described (429.2) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 24.7 | * | * | * | * | * | * | * | * | 3.8 | 8.8 |
| 1997 | 24.6 | * | * | * | * | * | * | * | 1.2 | 2.7 | 8.2 |
| 1996 | 25.5 | * | * | * | * | * | * | * | 1.2 | 2.3 | 8.0 |
| 1995 | 27.6 | * | * | * | * | * | * | * | * | 3.1 | 9.1 |
| 1994 | 27.6 | * | * | * | * | * | * | * | 1.3 | 3.6 | 8.2 |
| 1993 | 29.7 | * | * | * | * | * | * | * | 1.3 | 3.0 | 10.8 |
| 1992 | 28.9 | * | * | * | * | * | * | * | 1.5 | 3.1 | 8.9 |
| 1991 | 30.0 | * | * | * | * | * | * | * | 1.3 | 3.7 | 8.2 |
| 1990 | 30.0 | * | * | * | * | * | * | * | * | 2.8 | 10.8 |
| 1989 | 32.3 | * | * | * | * | * | * | * | 1.7 | 3.5 | 10.6 |
| 1988 | 31.4 | * | * | * | * | * | * | * | * | 3.4 | 9.1 |
| 1987 | 31.7 | * | * | * | * | * | * | * | 1.9 | 4.7 | 11.5 |
| 1986 | 32.9 | * | * | * | * | * | * | * | * | 3.7 | 10.9 |
| 1985 | 31.0 | * | * | * | * | * | * | * | 1.5 | 3.1 | 8.9 |
| 1984 | 31.3 | * | * | * | * | * | * | * | 1.8 | 4.7 | 11.1 |
| 1983 | 32.1 | * | * | * | * | * | * | * | * | 3.4 | 9.9 |
| 1982 | 30.8 | * | * | * | * | * | * | * | 1.6 | 3.8 | 11.0 |
| 1981 | 32.1 | * | * | * | * | * | * | * | * | 4.2 | 10.5 |
| 1980 | 33.9 | * | * | * | * | * | * | * | * | 3.2 | 12.6 |
| 1979 | 34.2 | * | * | * | * | * | * | * | * | 4.2 | 14.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Atherosclerotic cardiovascular disease, so described (429.2) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 18.9 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1997 | 18.6 | * | * | * | * | * | * | * | * | 1.0 | 3.0 |
| 1996 | 19.8 | * | * | * | * | * | * | * | * | * | 3.3 |
| 1995 | 21.5 | * | * | * | * | * | * | * | * | 1.3 | 2.6 |
| 1994 | 21.7 | * | * | * | * | * | * | * | * | 1.5 | 2.9 |
| 1993 | 23.7 | * | * | * | * | * | * | * | * | 1.4 | 2.9 |
| 1992 | 22.4 | * | * | * | * | * | * | * | * | * | 4.2 |
| 1991 | 22.8 | * | * | * | * | * | * | * | * | 1.5 | 3.4 |
| 1990 | 23.7 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1989 | 24.9 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1988 | 25.7 | * | * | * | * | * | * | * | * | 1.4 | 3.9 |
| 1987 | 25.6 | * | * | * | * | * | * | * | * | * | 3.1 |
| 1986 | 25.6 | * | * | * | * | * | * | * | * | * | 3.0 |
| 1985 | 24.8 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1984 | 25.3 | * | * | * | * | * | * | * | * | * | 3.4 |
| 1983 | 26.4 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1982 | 24.3 | * | * | * | * | * | * | * | * | * | 3.3 |
| 1981 | 24.6 | * | * | * | * | * | * | * | * | * | 3.6 |
| 1980 | 27.4 | * | * | * | * | * | * | * | * | * | 5.4 |
| 1979 | 25.6 | * | * | * | * | * | * | * | * | * | 4.5 |
| Atherosclerotic cardiovascular disease, so described (429.2) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 26.7 | * | * | * | * | * | * | * | * | 2.6 | 7.4 |
| 1997 | 26.4 | * | * | * | * | * | * | * | 1.1 | 2.2 | 6.8 |
| 1996 | 27.5 | * | * | * | * | * | * | * | 0.9 | 1.8 | 6.8 |
| 1995 | 30.0 | * | * | * | * | * | * | * | 0.7 | 2.7 | 7.2 |
| 1994 | 29.8 | * | * | * | * | * | * | * | 1.3 | 3.2 | 6.7 |
| 1993 | 32.5 | * | * | * | * | * | * | * | 1.1 | 2.8 | 8.5 |
| 1992 | 30.9 | * | * | * | * | * | * | * | 1.1 | 2.5 | 7.5 |
| 1991 | 31.8 | * | * | * | * | * | * | * | 1.0 | 3.2 | 7.6 |
| 1990 | 32.2 | * | * | * | * | * | * | * | 0.8 | 2.4 | 7.7 |
| 1989 | 34.3 | * | * | * | * | * | * | * | 1.3 | 2.9 | 7.9 |
| 1988 | 34.0 | * | * | * | * | * | * | * | 0.8 | 2.9 | 8.2 |
| 1987 | 34.0 | * | * | * | * | * | * | * | 1.7 | 3.4 | 8.8 |
| 1986 | 34.6 | * | * | * | * | * | * | * | 1.0 | 2.8 | 8.2 |
| 1985 | 32.6 | * | * | * | * | * | * | * | 1.2 | 2.2 | 7.1 |
| 1984 | 33.0 | * | * | * | * | * | * | * | 1.2 | 3.3 | 8.8 |
| 1983 | 34.0 | * | * | * | * | * | * | * | 0.9 | 2.8 | 7.4 |
| 1982 | 31.9 | * | * | * | * | * | * | * | 1.0 | 2.8 | 7.9 |
| 1981 | 32.7 | * | * | * | * | * | * | * | * | 3.5 | 8.4 |
| 1980 | 34.9 | * | * | * | * | * | * | * | * | 2.7 | 10.3 |
| 1979 | 33.5 | * | * | * | * | * | * | * | * | 3.2 | 10.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Atherosclerotic cardiovascular disease, so described (429.2) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 30.1 | * | * | * | * | * | * | * | * | 4.3 | 10.9 |
| 1997 | 30.1 | * | * | * | * | * | * | * | 1.6 | 3.2 | 10.0 |
| 1996 | 30.9 | * | * | * | * | * | * | * | * | 2.5 | 9.6 |
| 1995 | 33.8 | * | * | * | * | * | * | * | * | 3.9 | 11.5 |
| 1994 | 33.3 | * | * | * | * | * | * | * | 1.7 | 4.7 | 9.9 |
| 1993 | 36.3 | * | * | * | * | * | * | * | 1.7 | 3.8 | 13.7 |
| 1992 | 34.9 | * | * | * | * | * | * | * | 2.0 | 3.9 | 9.8 |
| 1991 | 36.1 | * | * | * | * | * | * | * | 1.6 | 4.5 | 11.1 |
| 1990 | 36.1 | * | * | * | * | * | * | * | * | 3.5 | 12.7 |
| 1989 | 38.8 | * | * | * | * | * | * | * | 2.2 | 4.7 | 12.7 |
| 1988 | 37.3 | * | * | * | * | * | * | * | * | 4.2 | 11.7 |
| 1987 | 37.6 | * | * | * | * | * | * | * | 2.3 | 6.1 | 14.5 |
| 1986 | 39.1 | * | * | * | * | * | * | * | * | 4.9 | 13.6 |
| 1985 | 36.3 | * | * | * | * | * | * | * | 2.0 | 4.1 | 10.7 |
| 1984 | 36.5 | * | * | * | * | * | * | * | 2.1 | 6.0 | 14.3 |
| 1983 | 37.3 | * | * | * | * | * | * | * | * | 4.3 | 12.3 |
| 1982 | 35.8 | * | * | * | * | * | * | * | 2.0 | 4.6 | 12.7 |
| 1981 | 37.1 | * | * | * | * | * | * | * | * | 5.4 | 13.1 |
| 1980 | 38.7 | * | * | * | * | * | * | * | * | 3.9 | 14.9 |
| 1979 | 38.5 | * | * | * | * | * | * | * | * | 4.8 | 16.5 |
| Atherosclerotic cardiovascular disease, so described (429.2) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 23.7 | * | * | * | * | * | * | * | * | * | 4.3 |
| 1997 | 23.1 | * | * | * | * | * | * | * | * | 1.4 | 4.0 |
| 1996 | 24.4 | * | * | * | * | * | * | * | * | * | 4.4 |
| 1995 | 26.6 | * | * | * | * | * | * | * | * | 1.7 | 3.5 |
| 1994 | 26.8 | * | * | * | * | * | * | * | * | 1.9 | 3.9 |
| 1993 | 29.1 | * | * | * | * | * | * | * | * | 1.9 | 3.9 |
| 1992 | 27.3 | * | * | * | * | * | * | * | * | * | 5.5 |
| 1991 | 27.9 | * | * | * | * | * | * | * | * | 2.0 | 4.6 |
| 1990 | 28.7 | * | * | * | * | * | * | * | * | * | 3.5 |
| 1989 | 30.2 | * | * | * | * | * | * | * | * | * | 3.8 |
| 1988 | 31.0 | * | * | * | * | * | * | * | * | 1.8 | 5.2 |
| 1987 | 30.7 | * | * | * | * | * | * | * | * | * | 4.0 |
| 1986 | 30.5 | * | * | * | * | * | * | * | * | * | 3.7 |
| 1985 | 29.2 | * | * | * | * | * | * | * | * | * | 4.1 |
| 1984 | 29.8 | * | * | * | * | * | * | * | * | * | 4.2 |
| 1983 | 31.1 | * | * | * | * | * | * | * | * | * | 3.3 |
| 1982 | 28.4 | * | * | * | * | * | * | * | * | * | 3.8 |
| 1981 | 28.7 | * | * | * | * | * | * | * | * | * | 4.5 |
| 1980 | 31.5 | * | * | * | * | * | * | * | * | * | 6.4 |
| 1979 | 28.9 | * | * | * | * | * | * | * | * | * | 5.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other forms of chronic ischemic heart disease (412-414) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 91.9 | * | * | * | * | * | 0.2 | 0.5 | 1.6 | 4.3 | 9.0 |
| 1997 | 94.2 | * | * | * | * | * | 0.2 | 0.6 | 1.7 | 4.1 | 9.3 |
| 1996 | 96.4 | * | * | * | * | 0.1 | 0.2 | 0.6 | 1.6 | 4.6 | 9.5 |
| 1995 | 97.8 | * | * | * | * | * | 0.2 | 0.6 | 1.7 | 4.5 | 10.0 |
| 1994 | 97.4 | * | * | * | * | * | 0.2 | 0.5 | 1.5 | 4.3 | 9.8 |
| 1993 | 99.9 | * | * | * | * | * | 0.2 | 0.6 | 1.7 | 4.1 | 10.3 |
| 1992 | 96.5 | * | * | * | * | * | 0.2 | 0.6 | 1.5 | 4.1 | 10.2 |
| 1991 | 97.6 | * | * | * | * | * | 0.2 | 0.6 | 1.4 | 4.4 | 9.8 |
| 1990 | 99.2 | * | * | * | * | * | 0.2 | 0.5 | 1.5 | 4.1 | 10.3 |
| 1989 | 100.4 | * | * | * | * | * | 0.1 | 0.6 | 1.6 | 4.3 | 10.7 |
| 1988 | 105.6 | * | * | * | * | * | 0.1 | 0.6 | 1.7 | 4.7 | 10.9 |
| 1987 | 105.3 | * | * | * | * | * | 0.2 | 0.5 | 1.8 | 4.8 | 12.3 |
| 1986 | 106.6 | * | * | * | * | * | 0.2 | 0.6 | 1.8 | 5.1 | 12.8 |
| 1985 | 108.7 | * | * | * | * | * | 0.2 | 0.6 | 1.7 | 5.1 | 12.8 |
| 1984 | 109.5 | * | * | * | * | * | 0.2 | 0.6 | 1.6 | 5.4 | 12.3 |
| 1983 | 112.1 | * | * | * | * | * | 0.1 | 0.5 | 1.7 | 5.0 | 13.0 |
| 1982 | 111.2 | * | * | * | * | * | 0.1 | 0.6 | 1.7 | 5.2 | 13.0 |
| 1981 | 112.5 | * | * | * | * | * | 0.1 | 0.6 | 1.5 | 5.3 | 13.1 |
| 1980 | 115.4 | * | * | * | * | * | 0.2 | 0.5 | 1.7 | 5.2 | 13.6 |
| 1979 | 109.6 | * | * | * | * | * | 0.1 | 0.4 | 1.8 | 4.9 | 12.8 |
| All other forms of chronic ischemic heart disease (412-414) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 92.4 | * | * | * | * | * | 0.2 | 0.7 | 2.3 | 6.6 | 13.8 |
| 1997 | 94.8 | * | * | * | * | * | 0.3 | 0.8 | 2.5 | 6.3 | 14.8 |
| 1996 | 96.9 | * | * | * | * | * | 0.3 | 0.9 | 2.5 | 7.0 | 14.6 |
| 1995 | 97.8 | * | * | * | * | * | 0.3 | 0.9 | 2.6 | 6.9 | 15.9 |
| 1994 | 97.6 | * | * | * | * | * | 0.3 | 0.7 | 2.2 | 6.9 | 15.7 |
| 1993 | 100.0 | * | * | * | * | * | 0.3 | 0.9 | 2.7 | 6.5 | 16.5 |
| 1992 | 97.4 | * | * | * | * | * | 0.3 | 0.8 | 2.4 | 6.6 | 16.4 |
| 1991 | 98.6 | * | * | * | * | * | 0.2 | 1.0 | 2.2 | 7.2 | 15.9 |
| 1990 | 99.9 | * | * | * | * | * | 0.3 | 0.8 | 2.4 | 7.0 | 17.0 |
| 1989 | 100.9 | * | * | * | * | * | * | 0.8 | 2.5 | 7.1 | 17.7 |
| 1988 | 106.4 | * | * | * | * | * | 0.3 | 0.9 | 2.7 | 7.7 | 18.1 |
| 1987 | 106.3 | * | * | * | * | * | 0.3 | 0.8 | 2.9 | 8.1 | 20.2 |
| 1986 | 107.8 | * | * | * | * | * | 0.2 | 0.9 | 2.9 | 8.5 | 21.4 |
| 1985 | 110.6 | * | * | * | * | * | 0.2 | 0.8 | 2.7 | 8.6 | 21.5 |
| 1984 | 110.8 | * | * | * | * | * | 0.3 | 0.9 | 2.6 | 8.9 | 20.2 |
| 1983 | 113.8 | * | * | * | * | * | 0.2 | 0.8 | 3.0 | 8.6 | 21.6 |
| 1982 | 113.6 | * | * | * | * | * | * | 1.0 | 2.9 | 8.6 | 21.3 |
| 1981 | 115.0 | * | * | * | * | * | * | 1.0 | 2.5 | 8.8 | 21.2 |
| 1980 | 117.5 | * | * | * | * | * | 0.2 | 0.8 | 2.9 | 8.6 | 22.1 |
| 1979 | 112.9 | * | * | * | * | * | * | 0.7 | 2.8 | 7.9 | 20.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other forms of chronic ischemic heart disease (412-414) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 91.4 | * | * | * | * | * | * | 0.3 | 0.9 | 2.0 | 4.3 |
| 1997 | 93.7 | * | * | * | * | * | * | 0.3 | 0.9 | 1.8 | 3.8 |
| 1996 | 95.9 | * | * | * | * | * | * | 0.3 | 0.7 | 2.1 | 4.4 |
| 1995 | 97.8 | * | * | * | * | * | * | 0.3 | 0.7 | 2.2 | 4.1 |
| 1994 | 97.2 | * | * | * | * | * | * | 0.3 | 0.7 | 1.7 | 4.0 |
| 1993 | 99.8 | * | * | * | * | * | * | 0.3 | 0.8 | 1.8 | 4.2 |
| 1992 | 95.6 | * | * | * | * | * | * | 0.3 | 0.7 | 1.6 | 4.2 |
| 1991 | 96.7 | * | * | * | * | * | * | 0.3 | 0.7 | 1.6 | 3.9 |
| 1990 | 98.6 | * | * | * | * | * | * | 0.2 | 0.6 | 1.2 | 3.8 |
| 1989 | 99.9 | * | * | * | * | * | * | 0.3 | 0.8 | 1.6 | 3.8 |
| 1988 | 104.9 | * | * | * | * | * | * | 0.3 | 0.6 | 1.7 | 4.0 |
| 1987 | 104.3 | * | * | * | * | * | * | 0.3 | 0.6 | 1.6 | 4.6 |
| 1986 | 105.3 | * | * | * | * | * | * | 0.2 | 0.7 | 1.8 | 4.6 |
| 1985 | 107.0 | * | * | * | * | * | * | 0.3 | 0.7 | 1.8 | 4.5 |
| 1984 | 108.2 | * | * | * | * | * | * | 0.3 | 0.5 | 2.0 | 4.7 |
| 1983 | 110.5 | * | * | * | * | * | * | 0.2 | 0.6 | 1.5 | 4.7 |
| 1982 | 109.0 | * | * | * | * | * | * | 0.2 | 0.5 | 1.9 | 5.0 |
| 1981 | 110.1 | * | * | * | * | * | * | * | 0.6 | 1.8 | 5.3 |
| 1980 | 113.4 | * | * | * | * | * | * | * | 0.5 | 1.9 | 5.5 |
| 1979 | 106.5 | * | * | * | * | * | * | * | 0.7 | 1.9 | 5.2 |
| All other forms of chronic ischemic heart disease (412-414) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 100.9 | * | * | * | * | * | 0.2 | 0.5 | 1.5 | 4.1 | 8.5 |
| 1997 | 103.2 | * | * | * | * | * | 0.2 | 0.5 | 1.7 | 3.8 | 8.7 |
| 1996 | 105.6 | * | * | * | * | * | * | 0.5 | 1.6 | 4.3 | 8.8 |
| 1995 | 106.7 | * | * | * | * | * | 0.1 | 0.6 | 1.6 | 4.3 | 9.4 |
| 1994 | 106.3 | * | * | * | * | * | 0.2 | 0.5 | 1.4 | 3.9 | 8.9 |
| 1993 | 108.9 | * | * | * | * | * | 0.2 | 0.6 | 1.6 | 3.8 | 9.5 |
| 1992 | 105.1 | * | * | * | * | * | 0.2 | 0.5 | 1.4 | 3.8 | 9.5 |
| 1991 | 106.0 | * | * | * | * | * | 0.2 | 0.5 | 1.3 | 4.1 | 9.3 |
| 1990 | 107.7 | * | * | * | * | * | 0.1 | 0.5 | 1.4 | 3.7 | 9.8 |
| 1989 | 108.8 | * | * | * | * | * | * | 0.5 | 1.5 | 4.0 | 9.8 |
| 1988 | 114.2 | * | * | * | * | * | * | 0.5 | 1.5 | 4.4 | 10.3 |
| 1987 | 113.7 | * | * | * | * | * | 0.2 | 0.5 | 1.6 | 4.4 | 11.5 |
| 1986 | 115.0 | * | * | * | * | * | 0.2 | 0.5 | 1.6 | 4.7 | 11.8 |
| 1985 | 117.1 | * | * | * | * | * | 0.1 | 0.5 | 1.5 | 4.7 | 11.9 |
| 1984 | 117.9 | * | * | * | * | * | 0.2 | 0.5 | 1.4 | 5.0 | 11.5 |
| 1983 | 120.3 | * | * | * | * | * | 0.1 | 0.5 | 1.6 | 4.7 | 12.1 |
| 1982 | 119.0 | * | * | * | * | * | * | 0.6 | 1.5 | 4.7 | 12.1 |
| 1981 | 120.1 | * | * | * | * | * | 0.1 | 0.4 | 1.3 | 4.7 | 11.9 |
| 1980 | 122.7 | * | * | * | * | * | 0.1 | 0.4 | 1.4 | 4.7 | 12.5 |
| 1979 | 116.6 | * | * | * | * | * | 0.1 | 0.4 | 1.6 | 4.3 | 11.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other forms of chronic ischemic heart disease (412-414) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 101.1 | * | * | * | * | * | * | 0.7 | 2.1 | 6.3 | 13.3 |
| 1997 | 103.4 | * | * | * | * | * | 0.3 | 0.7 | 2.4 | 6.1 | 14.2 |
| 1996 | 105.9 | * | * | * | * | * | * | 0.8 | 2.5 | 6.7 | 13.9 |
| 1995 | 106.3 | * | * | * | * | * | * | 0.8 | 2.4 | 6.7 | 15.4 |
| 1994 | 106.2 | * | * | * | * | * | * | 0.7 | 2.2 | 6.4 | 14.6 |
| 1993 | 108.7 | * | * | * | * | * | * | 0.8 | 2.5 | 6.1 | 15.6 |
| 1992 | 105.9 | * | * | * | * | * | * | 0.8 | 2.2 | 6.4 | 15.5 |
| 1991 | 106.7 | * | * | * | * | * | * | 0.9 | 2.0 | 6.8 | 15.2 |
| 1990 | 108.1 | * | * | * | * | * | * | 0.7 | 2.2 | 6.5 | 16.5 |
| 1989 | 108.9 | * | * | * | * | * | * | 0.8 | 2.3 | 6.6 | 16.6 |
| 1988 | 114.4 | * | * | * | * | * | * | 0.8 | 2.4 | 7.4 | 17.1 |
| 1987 | 114.2 | * | * | * | * | * | 0.3 | 0.7 | 2.6 | 7.6 | 19.0 |
| 1986 | 115.9 | * | * | * | * | * | * | 0.8 | 2.6 | 8.1 | 20.0 |
| 1985 | 118.4 | * | * | * | * | * | * | 0.7 | 2.5 | 7.9 | 20.1 |
| 1984 | 118.7 | * | * | * | * | * | 0.3 | 0.8 | 2.4 | 8.4 | 19.5 |
| 1983 | 121.5 | * | * | * | * | * | * | 0.8 | 2.6 | 8.3 | 20.4 |
| 1982 | 120.7 | * | * | * | * | * | * | 0.9 | 2.6 | 7.8 | 20.1 |
| 1981 | 122.1 | * | * | * | * | * | * | 0.8 | 2.1 | 8.0 | 19.7 |
| 1980 | 124.0 | * | * | * | * | * | * | 0.6 | 2.5 | 7.8 | 20.8 |
| 1979 | 119.3 | * | * | * | * | * | * | 0.6 | 2.6 | 7.1 | 19.4 |
| All other forms of chronic ischemic heart disease (412-414) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 100.6 | * | * | * | * | * | * | 0.3 | 0.9 | 1.9 | 3.6 |
| 1997 | 103.1 | * | * | * | * | * | * | 0.3 | 0.9 | 1.5 | 3.2 |
| 1996 | 105.2 | * | * | * | * | * | * | * | 0.6 | 1.8 | 3.6 |
| 1995 | 107.2 | * | * | * | * | * | * | 0.3 | 0.7 | 1.9 | 3.5 |
| 1994 | 106.4 | * | * | * | * | * | * | 0.3 | 0.6 | 1.4 | 3.2 |
| 1993 | 109.1 | * | * | * | * | * | * | 0.3 | 0.8 | 1.5 | 3.4 |
| 1992 | 104.2 | * | * | * | * | * | * | 0.3 | 0.6 | 1.3 | 3.5 |
| 1991 | 105.3 | * | * | * | * | * | * | * | 0.6 | 1.3 | 3.3 |
| 1990 | 107.3 | * | * | * | * | * | * | * | 0.6 | 1.0 | 3.2 |
| 1989 | 108.7 | * | * | * | * | * | * | 0.2 | 0.7 | 1.3 | 3.1 |
| 1988 | 114.1 | * | * | * | * | * | * | 0.2 | 0.6 | 1.3 | 3.4 |
| 1987 | 113.3 | * | * | * | * | * | * | 0.3 | 0.5 | 1.3 | 4.0 |
| 1986 | 114.1 | * | * | * | * | * | * | * | 0.5 | 1.5 | 3.8 |
| 1985 | 115.9 | * | * | * | * | * | * | 0.3 | 0.5 | 1.5 | 3.9 |
| 1984 | 117.1 | * | * | * | * | * | * | 0.3 | 0.4 | 1.6 | 3.7 |
| 1983 | 119.2 | * | * | * | * | * | * | * | 0.5 | 1.2 | 3.8 |
| 1982 | 117.4 | * | * | * | * | * | * | * | 0.4 | 1.6 | 4.2 |
| 1981 | 118.1 | * | * | * | * | * | * | * | 0.5 | 1.5 | 4.4 |
| 1980 | 121.5 | * | * | * | * | * | * | * | 0.4 | 1.6 | 4.4 |
| 1979 | 113.9 | * | * | * | * | * | * | * | 0.5 | 1.6 | 4.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other forms of chronic ischemic heart disease (412-414) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 50.4 | * | * | * | * | * | * | 0.6 | 1.8 | 5.2 | 11.4 |
| 1997 | 52.0 | * | * | * | * | * | * | 0.9 | 1.7 | 5.2 | 11.8 |
| 1996 | 53.1 | * | * | * | * | * | * | 0.8 | 1.7 | 6.0 | 13.1 |
| 1995 | 54.6 | * | * | * | * | * | * | 1.0 | 2.2 | 5.6 | 12.6 |
| 1994 | 53.8 | * | * | * | * | * | * | 0.8 | 1.8 | 6.3 | 14.2 |
| 1993 | 55.4 | * | * | * | * | * | * | 0.7 | 2.1 | 5.8 | 14.4 |
| 1992 | 53.4 | * | * | * | * | * | * | 0.7 | 2.0 | 5.3 | 14.3 |
| 1991 | 54.6 | * | * | * | * | * | * | 1.0 | 2.1 | 6.0 | 13.0 |
| 1990 | 55.1 | * | * | * | * | * | * | 0.6 | 2.2 | 5.9 | 12.8 |
| 1989 | 55.9 | * | * | * | * | * | * | 0.8 | 2.5 | 6.2 | 15.5 |
| 1988 | 59.3 | * | * | * | * | * | * | 0.9 | 2.4 | 6.3 | 15.1 |
| 1987 | 59.1 | * | * | * | * | * | * | 0.7 | 2.8 | 6.9 | 17.5 |
| 1986 | 59.9 | * | * | * | * | * | * | 0.9 | 2.9 | 7.2 | 19.0 |
| 1985 | 61.4 | * | * | * | * | * | * | 0.8 | 3.0 | 7.9 | 18.5 |
| 1984 | 61.4 | * | * | * | * | * | * | 0.7 | 2.4 | 7.8 | 17.3 |
| 1983 | 64.5 | * | * | * | * | * | * | * | 2.9 | 6.8 | 18.7 |
| 1982 | 65.2 | * | * | * | * | * | * | 1.1 | 2.9 | 8.2 | 18.6 |
| 1981 | 66.9 | * | * | * | * | * | * | 1.3 | 3.1 | 8.6 | 20.1 |
| 1980 | 70.4 | * | * | * | * | * | * | 0.9 | 3.1 | 8.9 | 20.8 |
| 1979 | 65.8 | * | * | * | * | * | * | 0.8 | 3.1 | 8.4 | 20.3 |
| All other forms of chronic ischemic heart disease (412-414) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 50.9 | * | * | * | * | * | * | * | 2.8 | 8.0 | 16.2 |
| 1997 | 53.2 | * | * | * | * | * | * | 1.3 | 2.6 | 7.5 | 18.1 |
| 1996 | 53.2 | * | * | * | * | * | * | 1.2 | 2.8 | 8.7 | 18.4 |
| 1995 | 55.9 | * | * | * | * | * | * | 1.4 | 3.5 | 8.0 | 18.7 |
| 1994 | 54.3 | * | * | * | * | * | * | 1.2 | 2.4 | 9.8 | 21.4 |
| 1993 | 56.0 | * | * | * | * | * | * | 1.2 | 3.6 | 8.4 | 21.3 |
| 1992 | 53.8 | * | * | * | * | * | * | 1.2 | 3.2 | 7.8 | 21.6 |
| 1991 | 55.9 | * | * | * | * | * | * | 1.5 | 3.3 | 9.6 | 20.2 |
| 1990 | 56.2 | * | * | * | * | * | * | * | 3.6 | 9.9 | 19.7 |
| 1989 | 57.6 | * | * | * | * | * | * | * | 3.8 | 9.6 | 24.2 |
| 1988 | 61.9 | * | * | * | * | * | * | 1.5 | 4.2 | 9.7 | 24.4 |
| 1987 | 62.4 | * | * | * | * | * | * | * | 4.6 | 10.8 | 28.6 |
| 1986 | 62.3 | * | * | * | * | * | * | 1.4 | 4.2 | 11.0 | 30.2 |
| 1985 | 65.4 | * | * | * | * | * | * | 1.4 | 4.3 | 13.2 | 30.7 |
| 1984 | 64.6 | * | * | * | * | * | * | * | 3.9 | 12.1 | 25.4 |
| 1983 | 68.0 | * | * | * | * | * | * | * | 4.9 | 10.6 | 29.1 |
| 1982 | 70.1 | * | * | * | * | * | * | 1.8 | 4.5 | 13.8 | 29.4 |
| 1981 | 71.2 | * | * | * | * | * | * | 2.2 | 5.0 | 14.5 | 31.2 |
| 1980 | 76.5 | * | * | * | * | * | * | 1.6 | 5.5 | 14.4 | 30.8 |
| 1979 | 71.6 | * | * | * | * | * | * | * | 4.1 | 13.9 | 30.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other forms of chronic ischemic heart disease (412-414) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 49.9 | * | * | * | * | * | * | * | * | 2.7 | 7.3 |
| 1997 | 51.0 | * | * | * | * | * | * | * | 1.0 | 3.1 | 6.4 |
| 1996 | 53.0 | * | * | * | * | * | * | * | * | 3.6 | 8.4 |
| 1995 | 53.4 | * | * | * | * | * | * | * | 1.0 | 3.4 | 7.3 |
| 1994 | 53.3 | * | * | * | * | * | * | * | 1.2 | 3.2 | 7.9 |
| 1993 | 54.8 | * | * | * | * | * | * | * | * | 3.4 | 8.4 |
| 1992 | 53.1 | * | * | * | * | * | * | * | 1.0 | 3.2 | 8.0 |
| 1991 | 53.4 | * | * | * | * | * | * | * | 1.0 | 2.9 | 6.8 |
| 1990 | 54.1 | * | * | * | * | * | * | * | * | 2.5 | 6.9 |
| 1989 | 54.4 | * | * | * | * | * | * | * | 1.3 | 3.3 | 8.1 |
| 1988 | 56.9 | * | * | * | * | * | * | * | * | 3.4 | 7.2 |
| 1987 | 56.2 | * | * | * | * | * | * | * | 1.2 | 3.5 | 7.9 |
| 1986 | 57.7 | * | * | * | * | * | * | * | 1.7 | 4.0 | 9.4 |
| 1985 | 57.8 | * | * | * | * | * | * | * | 1.9 | 3.3 | 8.1 |
| 1984 | 58.4 | * | * | * | * | * | * | * | * | 4.2 | 10.4 |
| 1983 | 61.2 | * | * | * | * | * | * | * | * | 3.5 | 9.9 |
| 1982 | 60.7 | * | * | * | * | * | * | * | 1.5 | 3.4 | 9.4 |
| 1981 | 63.1 | * | * | * | * | * | * | * | 1.4 | 3.7 | 10.7 |
| 1980 | 64.9 | * | * | * | * | * | * | * | * | 4.1 | 12.3 |
| 1979 | 60.6 | * | * | * | * | * | * | * | 2.2 | 3.7 | 11.7 |
| All other forms of chronic ischemic heart disease (412-414) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 59.0 | * | * | * | * | * | * | 0.8 | 2.3 | 6.2 | 14.6 |
| 1997 | 61.0 | * | * | * | * | * | * | 1.1 | 2.0 | 6.5 | 14.5 |
| 1996 | 62.2 | * | * | * | * | * | * | 1.0 | 2.2 | 7.3 | 16.5 |
| 1995 | 64.2 | * | * | * | * | * | * | 1.2 | 2.5 | 6.7 | 16.1 |
| 1994 | 62.9 | * | * | * | * | * | * | 1.0 | 2.0 | 7.5 | 17.8 |
| 1993 | 65.2 | * | * | * | * | * | * | 0.9 | 2.6 | 6.8 | 17.4 |
| 1992 | 62.1 | * | * | * | * | * | * | 1.0 | 2.3 | 6.7 | 17.7 |
| 1991 | 64.1 | * | * | * | * | * | * | 1.3 | 2.6 | 7.4 | 15.8 |
| 1990 | 64.5 | * | * | * | * | * | * | * | 2.6 | 7.3 | 16.4 |
| 1989 | 65.3 | * | * | * | * | * | * | 1.0 | 3.2 | 7.8 | 19.4 |
| 1988 | 69.2 | * | * | * | * | * | * | 1.0 | 3.1 | 8.0 | 19.1 |
| 1987 | 68.7 | * | * | * | * | * | * | 0.8 | 3.3 | 7.9 | 22.0 |
| 1986 | 69.1 | * | * | * | * | * | * | 0.9 | 3.3 | 8.8 | 23.5 |
| 1985 | 70.6 | * | * | * | * | * | * | 1.0 | 3.6 | 9.7 | 22.5 |
| 1984 | 70.0 | * | * | * | * | * | * | 0.8 | 3.0 | 9.7 | 21.4 |
| 1983 | 73.0 | * | * | * | * | * | * | * | 3.3 | 7.9 | 22.2 |
| 1982 | 73.5 | * | * | * | * | * | * | 1.1 | 3.4 | 9.8 | 21.7 |
| 1981 | 75.4 | * | * | * | * | * | * | 1.4 | 3.5 | 10.3 | 23.6 |
| 1980 | 78.1 | * | * | * | * | * | * | 1.1 | 3.6 | 9.9 | 24.0 |
| 1979 | 71.5 | * | * | * | * | * | * | 0.9 | 3.2 | 9.5 | 22.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| All other forms of chronic ischemic heart disease (412-414) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 58.0 | * | * | * | * | * | * | * | 3.6 | 9.2 | 20.1 |
| 1997 | 60.6 | * | * | * | * | * | * | 1.6 | 2.8 | 9.3 | 22.0 |
| 1996 | 60.6 | * | * | * | * | * | * | * | 3.5 | 10.3 | 22.5 |
| 1995 | 64.4 | * | * | * | * | * | * | 1.7 | 4.1 | 9.5 | 23.8 |
| 1994 | 61.8 | * | * | * | * | * | * | * | 2.7 | 11.3 | 26.2 |
| 1993 | 64.5 | * | * | * | * | * | * | * | 4.3 | 9.9 | 25.2 |
| 1992 | 61.4 | * | * | * | * | * | * | 1.5 | 3.6 | 9.6 | 26.1 |
| 1991 | 64.5 | * | * | * | * | * | * | 1.9 | 4.0 | 11.7 | 24.6 |
| 1990 | 64.7 | * | * | * | * | * | * | * | 4.0 | 12.0 | 24.8 |
| 1989 | 66.1 | * | * | * | * | * | * | * | 4.9 | 12.1 | 29.9 |
| 1988 | 70.9 | * | * | * | * | * | * | 1.7 | 5.3 | 12.1 | 30.7 |
| 1987 | 71.3 | * | * | * | * | * | * | * | 5.6 | 12.2 | 35.8 |
| 1986 | 70.6 | * | * | * | * | * | * | * | 4.6 | 13.0 | 37.1 |
| 1985 | 74.2 | * | * | * | * | * | * | 1.7 | 5.0 | 16.3 | 37.3 |
| 1984 | 72.7 | * | * | * | * | * | * | * | 4.8 | 15.1 | 31.1 |
| 1983 | 76.2 | * | * | * | * | * | * | * | 5.6 | 12.2 | 34.0 |
| 1982 | 77.7 | * | * | * | * | * | * | 1.9 | 5.2 | 16.6 | 34.0 |
| 1981 | 79.2 | * | * | * | * | * | * | 2.4 | 5.5 | 17.1 | 36.9 |
| 1980 | 83.5 | * | * | * | * | * | * | 1.8 | 6.4 | 15.6 | 35.6 |
| 1979 | 76.5 | * | * | * | * | * | * | * | 4.0 | 15.6 | 34.8 |
| All other forms of chronic ischemic heart disease (412-414) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 59.9 | * | * | * | * | * | * | * | * | 3.6 | 9.9 |
| 1997 | 61.3 | * | * | * | * | * | * | * | 1.3 | 4.1 | 8.0 |
| 1996 | 63.6 | * | * | * | * | * | * | * | * | 4.6 | 11.3 |
| 1995 | 64.0 | * | * | * | * | * | * | * | * | 4.3 | 9.4 |
| 1994 | 63.9 | * | * | * | * | * | * | * | 1.4 | 4.2 | 10.5 |
| 1993 | 65.8 | * | * | * | * | * | * | * | * | 4.1 | 10.8 |
| 1992 | 62.8 | * | * | * | * | * | * | * | * | 4.1 | 10.5 |
| 1991 | 63.7 | * | * | * | * | * | * | * | 1.4 | 3.6 | 8.2 |
| 1990 | 64.3 | * | * | * | * | * | * | * | * | 3.3 | 9.2 |
| 1989 | 64.6 | * | * | * | * | * | * | * | 1.7 | 4.1 | 10.4 |
| 1988 | 67.7 | * | * | * | * | * | * | * | * | 4.4 | 9.3 |
| 1987 | 66.3 | * | * | * | * | * | * | * | * | 4.3 | 10.3 |
| 1986 | 67.7 | * | * | * | * | * | * | * | 2.2 | 5.1 | 12.1 |
| 1985 | 67.4 | * | * | * | * | * | * | * | 2.4 | 4.1 | 10.2 |
| 1984 | 67.5 | * | * | * | * | * | * | * | * | 5.3 | 13.3 |
| 1983 | 70.2 | * | * | * | * | * | * | * | * | 4.3 | 12.3 |
| 1982 | 69.7 | * | * | * | * | * | * | * | 1.7 | 4.2 | 11.4 |
| 1981 | 71.9 | * | * | * | * | * | * | * | * | 4.6 | 12.5 |
| 1980 | 73.2 | * | * | * | * | * | * | * | * | 5.1 | 14.4 |
| 1979 | 66.9 | * | * | * | * | * | * | * | 2.6 | 4.4 | 13.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other heart diseases (415-429.1,429.3-429.9) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 59.2 | 15.5 | 1.3 | 0.7 | 0.8 | 1.8 | 2.8 | 3.6 | 5.3 | 8.0 | 12.9 |
| 1997 | 58.6 | 15.8 | 1.3 | 0.6 | 0.8 | 1.8 | 3.0 | 3.6 | 5.2 | 8.0 | 12.5 |
| 1996 | 57.5 | 15.6 | 1.3 | 0.6 | 1.0 | 1.8 | 2.5 | 3.5 | 5.3 | 7.7 | 11.8 |
| 1995 | 57.3 | 16.6 | 1.5 | 0.6 | 0.8 | 1.9 | 2.8 | 3.5 | 5.6 | 8.5 | 12.8 |
| 1994 | 56.2 | 16.9 | 1.7 | 0.6 | 0.9 | 1.9 | 2.6 | 3.9 | 5.4 | 8.6 | 12.5 |
| 1993 | 57.5 | 16.0 | 1.7 | 0.7 | 0.8 | 1.8 | 2.5 | 3.7 | 5.5 | 8.5 | 12.7 |
| 1992 | 54.1 | 17.3 | 1.7 | 0.6 | 0.8 | 1.7 | 2.6 | 3.5 | 5.2 | 7.8 | 12.4 |
| 1991 | 53.9 | 16.7 | 2.1 | 0.6 | 0.8 | 1.8 | 2.6 | 3.5 | 5.3 | 7.9 | 11.7 |
| 1990 | 53.2 | 19.2 | 1.8 | 0.6 | 1.0 | 1.7 | 2.3 | 3.3 | 5.2 | 7.5 | 11.5 |
| 1989 | 54.9 | 19.1 | 1.8 | 0.6 | 0.9 | 1.6 | 2.4 | 3.5 | 5.3 | 8.2 | 11.5 |
| 1988 | 62.6 | 22.2 | 2.3 | 0.8 | 1.0 | 1.9 | 2.7 | 3.8 | 5.6 | 8.6 | 13.0 |
| 1987 | 60.3 | 24.7 | 2.1 | 0.8 | 1.0 | 1.9 | 2.6 | 3.8 | 5.7 | 8.1 | 12.6 |
| 1986 | 59.4 | 25.7 | 2.5 | 0.8 | 0.9 | 1.8 | 2.7 | 3.8 | 5.8 | 8.2 | 13.3 |
| 1985 | 55.7 | 24.1 | 2.0 | 0.8 | 1.0 | 1.9 | 2.5 | 3.5 | 5.2 | 8.2 | 12.8 |
| 1984 | 51.5 | 25.6 | 2.3 | 0.7 | 0.9 | 1.6 | 2.6 | 3.4 | 5.3 | 7.6 | 12.7 |
| 1983 | 49.0 | 24.8 | 2.3 | 0.7 | 0.9 | 1.8 | 2.4 | 3.3 | 5.2 | 7.4 | 12.2 |
| 1982 | 44.8 | 19.9 | 2.1 | 0.7 | 1.0 | 1.7 | 2.6 | 3.3 | 4.6 | 7.3 | 12.3 |
| 1981 | 42.8 | 20.2 | 2.4 | 0.6 | 0.8 | 1.6 | 2.4 | 3.4 | 4.9 | 7.6 | 12.2 |
| 1980 | 40.9 | 21.7 | 2.4 | 0.7 | 0.9 | 1.9 | 2.6 | 3.5 | 4.7 | 7.8 | 12.5 |
| 1979 | 37.1 | 19.3 | 2.0 | 0.6 | 0.8 | 1.5 | 2.6 | 3.3 | 4.3 | 7.2 | 12.1 |
| Other heart diseases (415-429.1,429.3-429.9) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 53.5 | 15.3 | 1.4 | 0.9 | 0.8 | 2.3 | 3.4 | 4.3 | 6.4 | 9.8 | 17.1 |
| 1997 | 53.6 | 17.6 | 1.4 | 0.6 | 1.0 | 2.1 | 3.5 | 4.3 | 6.5 | 10.0 | 16.6 |
| 1996 | 53.0 | 16.6 | 1.3 | 0.6 | 1.1 | 2.1 | 3.1 | 4.3 | 6.4 | 9.9 | 15.5 |
| 1995 | 53.3 | 16.9 | 1.6 | 0.7 | 0.9 | 2.3 | 3.5 | 4.2 | 7.3 | 11.2 | 17.1 |
| 1994 | 52.5 | 17.9 | 1.7 | 0.6 | 1.0 | 2.4 | 3.2 | 4.5 | 6.6 | 11.1 | 16.4 |
| 1993 | 54.0 | 17.4 | 1.9 | 0.5 | 0.9 | 2.3 | 3.0 | 4.6 | 6.8 | 10.8 | 16.7 |
| 1992 | 51.6 | 18.0 | 1.8 | 0.7 | 0.8 | 2.4 | 3.1 | 4.2 | 6.6 | 10.2 | 17.2 |
| 1991 | 51.9 | 18.5 | 2.1 | 0.7 | 0.8 | 2.3 | 3.2 | 4.5 | 6.6 | 10.7 | 15.2 |
| 1990 | 51.6 | 21.0 | 1.8 | 0.7 | 1.1 | 2.3 | 2.7 | 4.0 | 6.5 | 10.1 | 15.7 |
| 1989 | 53.5 | 20.5 | 2.0 | 0.7 | 0.9 | 2.0 | 3.0 | 4.3 | 7.0 | 10.8 | 15.2 |
| 1988 | 62.0 | 24.2 | 2.3 | 0.8 | 1.2 | 2.5 | 3.2 | 4.6 | 7.6 | 11.5 | 17.7 |
| 1987 | 60.0 | 27.9 | 2.1 | 0.9 | 1.0 | 2.3 | 3.2 | 4.4 | 7.4 | 10.9 | 17.1 |
| 1986 | 59.9 | 28.7 | 2.5 | 0.8 | 0.9 | 2.3 | 3.3 | 4.4 | 7.6 | 11.0 | 18.2 |
| 1985 | 56.6 | 27.0 | 1.9 | 0.7 | 0.9 | 2.4 | 3.0 | 4.3 | 6.7 | 10.9 | 16.4 |
| 1984 | 53.1 | 27.6 | 2.3 | 0.7 | 0.9 | 1.9 | 3.2 | 4.2 | 6.9 | 9.9 | 16.9 |
| 1983 | 50.9 | 26.9 | 2.4 | 0.7 | 1.0 | 2.2 | 2.9 | 4.2 | 6.4 | 9.7 | 16.0 |
| 1982 | 46.7 | 22.7 | 2.3 | 0.7 | 0.9 | 2.1 | 3.0 | 3.9 | 5.7 | 9.2 | 15.9 |
| 1981 | 45.2 | 21.2 | 2.4 | 0.6 | 0.9 | 2.0 | 3.0 | 4.2 | 6.1 | 9.7 | 15.6 |
| 1980 | 43.7 | 24.4 | 2.6 | 0.7 | 1.0 | 2.3 | 3.2 | 4.3 | 5.6 | 10.2 | 15.8 |
| 1979 | 39.8 | 22.0 | 2.0 | 0.6 | 0.8 | 1.9 | 3.1 | 3.9 | 5.0 | 8.8 | 15.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other heart diseases (415-429.1,429.3-429.9) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 64.6 | 15.7 | 1.3 | 0.6 | 0.7 | 1.3 | 2.2 | 2.9 | 4.1 | 6.2 | 8.9 |
| 1997 | 63.5 | 14.0 | 1.2 | 0.6 | 0.7 | 1.5 | 2.5 | 3.0 | 4.0 | 5.9 | 8.5 |
| 1996 | 61.9 | 14.7 | 1.3 | 0.7 | 0.8 | 1.5 | 1.9 | 2.7 | 4.1 | 5.6 | 8.2 |
| 1995 | 61.0 | 16.2 | 1.4 | 0.5 | 0.8 | 1.4 | 2.2 | 2.8 | 3.9 | 5.8 | 8.6 |
| 1994 | 59.7 | 16.0 | 1.6 | 0.6 | 0.8 | 1.2 | 2.0 | 3.2 | 4.1 | 6.3 | 8.6 |
| 1993 | 60.9 | 14.6 | 1.6 | 0.8 | 0.8 | 1.3 | 2.0 | 2.8 | 4.3 | 6.2 | 8.8 |
| 1992 | 56.4 | 16.6 | 1.7 | 0.6 | 0.7 | 1.0 | 2.0 | 2.8 | 3.7 | 5.3 | 7.7 |
| 1991 | 55.8 | 14.9 | 2.0 | 0.6 | 0.7 | 1.3 | 2.0 | 2.6 | 3.9 | 5.2 | 8.3 |
| 1990 | 54.7 | 17.3 | 1.8 | 0.6 | 0.9 | 1.0 | 1.9 | 2.5 | 3.8 | 5.0 | 7.4 |
| 1989 | 56.2 | 17.7 | 1.6 | 0.6 | 1.0 | 1.2 | 1.8 | 2.7 | 3.7 | 5.6 | 7.8 |
| 1988 | 63.2 | 20.0 | 2.3 | 0.7 | 0.7 | 1.2 | 2.2 | 3.0 | 3.6 | 5.7 | 8.4 |
| 1987 | 60.7 | 21.4 | 2.1 | 0.7 | 0.9 | 1.4 | 1.9 | 3.1 | 3.9 | 5.4 | 8.2 |
| 1986 | 59.0 | 22.5 | 2.4 | 0.8 | 0.8 | 1.2 | 2.1 | 3.1 | 4.0 | 5.5 | 8.5 |
| 1985 | 54.8 | 21.0 | 2.1 | 0.8 | 1.0 | 1.4 | 1.8 | 2.6 | 3.7 | 5.5 | 9.3 |
| 1984 | 50.0 | 23.5 | 2.2 | 0.7 | 1.0 | 1.3 | 2.0 | 2.6 | 3.7 | 5.3 | 8.6 |
| 1983 | 47.2 | 22.7 | 2.1 | 0.7 | 0.7 | 1.4 | 2.0 | 2.5 | 4.0 | 5.3 | 8.6 |
| 1982 | 43.1 | 16.9 | 1.8 | 0.7 | 1.0 | 1.2 | 2.2 | 2.7 | 3.6 | 5.5 | 8.9 |
| 1981 | 40.4 | 19.1 | 2.4 | 0.7 | 0.7 | 1.3 | 1.9 | 2.6 | 3.8 | 5.6 | 8.9 |
| 1980 | 38.4 | 19.0 | 2.3 | 0.7 | 0.8 | 1.5 | 1.9 | 2.7 | 3.8 | 5.5 | 9.3 |
| 1979 | 34.5 | 16.4 | 1.9 | 0.7 | 0.8 | 1.2 | 2.0 | 2.6 | 3.6 | 5.7 | 9.1 |
| Other heart diseases (415-429.1,429.3-429.9) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 62.2 | 13.2 | 1.1 | 0.6 | 0.7 | 1.5 | 2.4 | 2.9 | 4.1 | 6.4 | 10.5 |
| 1997 | 61.6 | 14.2 | 1.1 | 0.5 | 0.8 | 1.6 | 2.4 | 2.9 | 4.3 | 6.4 | 10.2 |
| 1996 | 60.1 | 13.1 | 1.0 | 0.6 | 0.8 | 1.4 | 2.0 | 2.8 | 4.0 | 6.0 | 9.3 |
| 1995 | 59.5 | 14.3 | 1.2 | 0.6 | 0.7 | 1.4 | 2.1 | 2.7 | 4.4 | 6.7 | 10.1 |
| 1994 | 58.3 | 13.8 | 1.3 | 0.6 | 0.8 | 1.6 | 2.0 | 3.0 | 4.0 | 6.8 | 9.8 |
| 1993 | 59.4 | 13.0 | 1.4 | 0.5 | 0.8 | 1.5 | 2.0 | 2.8 | 4.4 | 6.5 | 10.0 |
| 1992 | 55.5 | 14.6 | 1.4 | 0.5 | 0.6 | 1.4 | 2.0 | 2.6 | 4.0 | 5.7 | 9.5 |
| 1991 | 55.1 | 13.8 | 1.6 | 0.5 | 0.7 | 1.6 | 2.1 | 2.8 | 4.0 | 5.9 | 9.0 |
| 1990 | 54.0 | 15.2 | 1.5 | 0.6 | 0.8 | 1.5 | 1.8 | 2.5 | 3.8 | 5.5 | 8.7 |
| 1989 | 55.5 | 16.1 | 1.4 | 0.5 | 0.7 | 1.4 | 2.0 | 2.8 | 4.1 | 6.2 | 8.7 |
| 1988 | 63.3 | 18.8 | 2.0 | 0.7 | 0.9 | 1.6 | 2.2 | 2.9 | 4.3 | 6.4 | 10.0 |
| 1987 | 60.8 | 21.6 | 1.7 | 0.7 | 0.8 | 1.6 | 2.1 | 3.0 | 4.2 | 6.0 | 9.8 |
| 1986 | 59.6 | 22.2 | 2.0 | 0.7 | 0.8 | 1.6 | 2.2 | 2.9 | 4.1 | 6.2 | 10.4 |
| 1985 | 55.7 | 20.6 | 1.6 | 0.7 | 0.8 | 1.6 | 2.0 | 2.7 | 3.8 | 6.3 | 9.9 |
| 1984 | 51.5 | 22.1 | 1.9 | 0.7 | 0.8 | 1.4 | 2.1 | 2.6 | 4.1 | 5.7 | 10.1 |
| 1983 | 48.8 | 20.7 | 1.9 | 0.6 | 0.8 | 1.5 | 2.0 | 2.6 | 4.0 | 5.6 | 9.6 |
| 1982 | 44.7 | 17.2 | 1.7 | 0.6 | 0.9 | 1.5 | 2.2 | 2.7 | 3.6 | 5.7 | 9.7 |
| 1981 | 42.4 | 17.7 | 2.1 | 0.6 | 0.7 | 1.4 | 2.0 | 2.6 | 3.9 | 5.8 | 9.5 |
| 1980 | 40.2 | 18.0 | 2.0 | 0.7 | 0.8 | 1.6 | 2.0 | 2.7 | 3.4 | 5.5 | 9.7 |
| 1979 | 36.5 | 15.3 | 1.6 | 0.7 | 0.7 | 1.4 | 2.1 | 2.6 | 3.4 | 5.4 | 9.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other heart diseases (415-429.1,429.3-429.9) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 55.3 | 13.6 | 1.1 | 0.8 | 0.7 | 1.9 | 2.8 | 3.3 | 5.2 | 7.9 | 14.5 |
| 1997 | 55.5 | 16.2 | 1.0 | 0.6 | 1.0 | 2.0 | 2.7 | 3.4 | 5.2 | 8.4 | 13.9 |
| 1996 | 54.4 | 13.6 | 1.2 | 0.5 | 0.8 | 1.7 | 2.4 | 3.6 | 5.2 | 8.1 | 12.8 |
| 1995 | 54.5 | 14.7 | 1.2 | 0.6 | 0.7 | 1.9 | 2.6 | 3.3 | 5.7 | 9.0 | 14.0 |
| 1994 | 53.6 | 14.8 | 1.3 | 0.5 | 0.8 | 2.1 | 2.5 | 3.5 | 5.1 | 8.8 | 13.3 |
| 1993 | 54.8 | 14.9 | 1.6 | 0.4 | 0.9 | 2.0 | 2.5 | 3.4 | 5.4 | 8.4 | 13.5 |
| 1992 | 52.1 | 15.6 | 1.3 | 0.7 | 0.6 | 1.9 | 2.4 | 3.0 | 5.2 | 7.7 | 13.8 |
| 1991 | 52.2 | 15.4 | 1.6 | 0.5 | 0.7 | 2.1 | 2.5 | 3.6 | 5.1 | 7.8 | 12.0 |
| 1990 | 51.7 | 16.6 | 1.4 | 0.7 | 1.0 | 2.0 | 2.2 | 3.1 | 5.0 | 7.5 | 12.0 |
| 1989 | 53.3 | 18.2 | 1.6 | 0.6 | 0.8 | 1.8 | 2.5 | 3.6 | 5.3 | 8.2 | 11.7 |
| 1988 | 61.7 | 21.0 | 1.9 | 0.7 | 1.2 | 2.1 | 2.6 | 3.7 | 5.9 | 8.8 | 13.7 |
| 1987 | 59.6 | 24.4 | 1.6 | 0.9 | 0.8 | 2.0 | 2.7 | 3.6 | 5.6 | 7.9 | 13.6 |
| 1986 | 59.3 | 25.5 | 2.0 | 0.8 | 0.8 | 2.2 | 2.7 | 3.5 | 5.5 | 8.4 | 14.1 |
| 1985 | 55.9 | 23.3 | 1.5 | 0.6 | 0.8 | 2.0 | 2.6 | 3.4 | 4.8 | 8.4 | 12.8 |
| 1984 | 52.5 | 24.3 | 2.0 | 0.6 | 0.8 | 1.7 | 2.5 | 3.1 | 5.4 | 7.7 | 13.7 |
| 1983 | 50.1 | 22.6 | 1.9 | 0.6 | 0.9 | 1.8 | 2.5 | 3.2 | 4.9 | 7.4 | 12.6 |
| 1982 | 46.1 | 20.4 | 1.9 | 0.7 | 0.8 | 1.9 | 2.7 | 3.1 | 4.5 | 7.3 | 12.7 |
| 1981 | 44.5 | 18.2 | 2.1 | 0.5 | 0.8 | 1.8 | 2.4 | 3.2 | 4.7 | 7.4 | 12.3 |
| 1980 | 42.3 | 21.3 | 2.0 | 0.7 | 0.9 | 1.9 | 2.6 | 3.4 | 4.0 | 7.0 | 12.5 |
| 1979 | 38.9 | 18.1 | 1.7 | 0.7 | 0.8 | 1.7 | 2.7 | 3.2 | 4.0 | 6.8 | 12.0 |
| Other heart diseases (415-429.1,429.3-429.9) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 69.0 | 12.8 | 1.1 | 0.4 | 0.6 | 1.0 | 1.9 | 2.4 | 3.1 | 4.8 | 6.5 |
| 1997 | 67.6 | 12.0 | 1.2 | 0.4 | 0.6 | 1.2 | 2.0 | 2.3 | 3.3 | 4.4 | 6.6 |
| 1996 | 65.5 | 12.6 | 0.9 | 0.6 | 0.7 | 1.1 | 1.5 | 2.0 | 2.8 | 3.9 | 5.9 |
| 1995 | 64.4 | 13.8 | 1.1 | 0.5 | 0.6 | 1.0 | 1.6 | 2.1 | 3.0 | 4.3 | 6.3 |
| 1994 | 62.9 | 12.8 | 1.2 | 0.6 | 0.8 | 1.0 | 1.5 | 2.5 | 3.0 | 4.8 | 6.4 |
| 1993 | 63.8 | 11.1 | 1.2 | 0.7 | 0.7 | 1.1 | 1.6 | 2.1 | 3.4 | 4.5 | 6.5 |
| 1992 | 58.7 | 13.6 | 1.4 | 0.4 | 0.7 | 0.8 | 1.6 | 2.2 | 2.6 | 3.8 | 5.2 |
| 1991 | 57.9 | 12.2 | 1.7 | 0.5 | 0.6 | 1.1 | 1.6 | 2.0 | 2.9 | 4.0 | 6.0 |
| 1990 | 56.3 | 13.7 | 1.5 | 0.5 | 0.7 | 0.9 | 1.3 | 2.0 | 2.7 | 3.6 | 5.5 |
| 1989 | 57.5 | 13.9 | 1.3 | 0.5 | 0.7 | 0.9 | 1.5 | 1.9 | 2.8 | 4.2 | 5.6 |
| 1988 | 64.8 | 16.5 | 2.1 | 0.7 | 0.7 | 1.0 | 1.8 | 2.1 | 2.7 | 4.1 | 6.2 |
| 1987 | 61.9 | 18.8 | 1.7 | 0.5 | 0.8 | 1.2 | 1.5 | 2.4 | 2.8 | 4.1 | 6.0 |
| 1986 | 59.9 | 18.8 | 2.0 | 0.7 | 0.7 | 1.1 | 1.6 | 2.4 | 2.8 | 3.9 | 6.7 |
| 1985 | 55.5 | 17.7 | 1.6 | 0.8 | 0.8 | 1.2 | 1.4 | 2.0 | 2.8 | 4.1 | 7.0 |
| 1984 | 50.5 | 19.9 | 1.8 | 0.7 | 0.8 | 1.1 | 1.6 | 2.0 | 2.8 | 3.8 | 6.6 |
| 1983 | 47.5 | 18.6 | 1.9 | 0.6 | 0.7 | 1.1 | 1.5 | 2.0 | 3.0 | 3.9 | 6.8 |
| 1982 | 43.4 | 13.8 | 1.4 | 0.6 | 0.9 | 1.0 | 1.7 | 2.2 | 2.7 | 4.1 | 6.7 |
| 1981 | 40.4 | 17.1 | 2.2 | 0.7 | 0.5 | 1.1 | 1.5 | 2.0 | 3.1 | 4.2 | 6.8 |
| 1980 | 38.1 | 14.6 | 2.0 | 0.6 | 0.7 | 1.3 | 1.5 | 2.0 | 2.9 | 4.1 | 7.0 |
| 1979 | 34.2 | 12.4 | 1.6 | 0.6 | 0.7 | 1.1 | 1.6 | 2.0 | 2.8 | 4.1 | 7.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other heart diseases (415-429.1,429.3-429.9) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 45.3 | 24.0 | 2.2 | 1.0 | 1.2 | 3.1 | 4.6 | 6.5 | 10.1 | 15.5 | 24.7 |
| 1997 | 44.6 | 22.0 | 2.1 | 0.9 | 1.0 | 2.7 | 5.3 | 6.7 | 9.4 | 15.3 | 23.3 |
| 1996 | 45.6 | 25.4 | 2.3 | 0.8 | 1.7 | 3.2 | 4.6 | 6.3 | 10.9 | 15.7 | 24.3 |
| 1995 | 46.3 | 25.2 | 2.7 | 0.8 | 1.4 | 3.5 | 5.6 | 6.9 | 11.2 | 17.3 | 26.2 |
| 1994 | 45.8 | 28.5 | 3.2 | 0.8 | 1.3 | 3.0 | 4.8 | 7.5 | 11.6 | 17.6 | 26.0 |
| 1993 | 48.3 | 27.2 | 3.0 | 1.1 | 1.1 | 2.8 | 4.6 | 7.7 | 10.9 | 18.1 | 27.0 |
| 1992 | 46.8 | 27.5 | 3.1 | 1.0 | 1.3 | 3.1 | 4.8 | 7.5 | 11.0 | 17.9 | 27.8 |
| 1991 | 47.6 | 27.7 | 3.7 | 1.0 | 1.2 | 2.6 | 4.8 | 7.0 | 11.3 | 18.2 | 26.9 |
| 1990 | 48.8 | 34.6 | 3.3 | 0.7 | 1.4 | 2.5 | 4.6 | 6.7 | 11.8 | 17.8 | 27.7 |
| 1989 | 52.0 | 30.5 | 3.5 | 1.0 | 1.7 | 2.7 | 4.4 | 7.2 | 11.6 | 18.8 | 28.2 |
| 1988 | 59.1 | 35.8 | 3.7 | 1.0 | 1.2 | 3.0 | 4.8 | 8.2 | 12.4 | 20.3 | 31.4 |
| 1987 | 57.9 | 37.4 | 4.0 | 1.0 | 1.5 | 3.1 | 4.7 | 7.5 | 13.4 | 19.9 | 30.0 |
| 1986 | 58.2 | 40.5 | 4.4 | 1.3 | 1.3 | 2.5 | 5.2 | 8.2 | 14.7 | 20.0 | 31.3 |
| 1985 | 55.5 | 39.3 | 4.1 | 1.1 | 1.7 | 3.3 | 4.5 | 7.6 | 12.7 | 19.8 | 31.2 |
| 1984 | 51.7 | 40.6 | 3.8 | 1.0 | 1.3 | 2.6 | 5.1 | 7.7 | 12.0 | 19.0 | 28.8 |
| 1983 | 50.4 | 43.1 | 3.8 | 1.1 | 1.2 | 3.3 | 4.8 | 7.4 | 12.1 | 19.0 | 28.6 |
| 1982 | 45.5 | 31.7 | 3.7 | 1.1 | 1.3 | 2.5 | 4.7 | 6.6 | 10.6 | 18.0 | 29.1 |
| 1981 | 45.0 | 31.5 | 3.9 | 0.7 | 1.5 | 2.6 | 4.9 | 8.1 | 11.2 | 19.3 | 29.2 |
| 1980 | 45.7 | 38.6 | 4.7 | 1.1 | 1.2 | 3.7 | 5.4 | 8.2 | 12.7 | 22.9 | 30.7 |
| 1979 | 41.0 | 37.8 | 3.7 | * | 1.3 | 2.2 | 5.0 | 7.3 | 10.0 | 19.5 | 29.2 |
| Other heart diseases (415-429.1,429.3-429.9) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 45.2 | 21.7 | 2.5 | 0.9 | 1.3 | 3.9 | 6.1 | 8.5 | 12.2 | 19.1 | 30.2 |
| 1997 | 44.7 | 22.5 | 2.7 | * | 1.2 | 2.9 | 6.5 | 7.9 | 12.2 | 18.3 | 30.6 |
| 1996 | 46.2 | 28.3 | 1.9 | * | 2.2 | 3.6 | 5.9 | 7.3 | 12.5 | 18.9 | 30.0 |
| 1995 | 47.6 | 25.5 | 2.9 | 1.0 | 1.6 | 4.0 | 6.9 | 8.4 | 15.2 | 22.7 | 33.8 |
| 1994 | 47.0 | 29.3 | 3.2 | * | 1.7 | 3.8 | 6.0 | 9.1 | 14.2 | 22.9 | 33.6 |
| 1993 | 49.8 | 26.9 | 3.0 | 1.0 | * | 3.6 | 5.5 | 10.0 | 13.7 | 23.1 | 34.5 |
| 1992 | 49.0 | 27.1 | 3.6 | * | 1.6 | 4.7 | 5.9 | 9.5 | 13.5 | 23.9 | 36.3 |
| 1991 | 50.2 | 30.3 | 4.1 | 1.1 | 1.4 | 3.2 | 6.0 | 9.0 | 14.6 | 26.3 | 34.4 |
| 1990 | 51.3 | 37.9 | 3.4 | * | 1.3 | 3.4 | 5.1 | 8.8 | 15.0 | 25.0 | 38.9 |
| 1989 | 54.6 | 29.2 | 4.0 | * | 1.3 | 3.0 | 5.6 | 8.2 | 16.0 | 25.8 | 37.3 |
| 1988 | 63.8 | 37.5 | 4.0 | 1.2 | 1.5 | 3.9 | 5.7 | 9.6 | 17.4 | 27.5 | 43.6 |
| 1987 | 62.0 | 42.5 | 4.2 | * | 1.8 | 3.6 | 5.9 | 8.9 | 17.8 | 28.9 | 40.4 |
| 1986 | 63.2 | 42.8 | 4.5 | * | 1.4 | 2.9 | 6.3 | 9.6 | 19.9 | 26.9 | 45.2 |
| 1985 | 60.6 | 43.2 | 3.7 | * | 1.7 | 4.1 | 5.1 | 9.9 | 18.0 | 27.2 | 41.1 |
| 1984 | 56.6 | 42.3 | 3.9 | * | 1.2 | 3.1 | 6.6 | 10.3 | 16.3 | 24.9 | 38.3 |
| 1983 | 55.7 | 45.9 | 4.4 | * | 1.4 | 4.0 | 5.4 | 9.8 | 15.9 | 25.2 | 39.5 |
| 1982 | 50.5 | 33.2 | 4.0 | * | 1.2 | 3.0 | 4.8 | 8.2 | 13.2 | 22.8 | 38.0 |
| 1981 | 49.8 | 35.0 | 4.0 | * | 1.5 | 2.9 | 6.0 | 10.6 | 15.1 | 25.2 | 37.9 |
| 1980 | 52.0 | 38.5 | 5.4 | * | 1.3 | 4.4 | 7.0 | 10.0 | 16.5 | 33.3 | 39.1 |
| 1979 | 45.9 | 40.9 | 3.8 | * | * | 2.8 | 5.9 | 8.8 | 11.7 | 23.9 | 37.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other heart diseases (415-429.1,429.3-429.9) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 45.3 | 26.3 | 2.0 | 1.0 | 1.0 | 2.3 | 3.1 | 4.6 | 8.3 | 12.2 | 19.8 |
| 1997 | 44.5 | 21.5 | 1.4 | 1.1 | * | 2.5 | 4.1 | 5.7 | 6.7 | 12.6 | 16.9 |
| 1996 | 45.0 | 22.3 | 2.7 | * | 1.2 | 2.8 | 3.3 | 5.5 | 9.5 | 12.8 | 19.3 |
| 1995 | 45.2 | 24.9 | 2.5 | * | 1.2 | 2.9 | 4.4 | 5.6 | 7.6 | 12.6 | 19.5 |
| 1994 | 44.8 | 27.7 | 3.1 | * | * | 2.2 | 3.6 | 6.0 | 9.3 | 12.8 | 19.3 |
| 1993 | 46.8 | 27.5 | 3.0 | 1.1 | 1.2 | 2.1 | 3.8 | 5.6 | 8.3 | 13.7 | 20.4 |
| 1992 | 44.8 | 28.0 | 2.7 | 1.1 | * | 1.5 | 3.8 | 5.6 | 8.8 | 12.7 | 20.4 |
| 1991 | 45.2 | 25.1 | 3.3 | * | * | 2.0 | 3.6 | 5.1 | 8.3 | 11.1 | 20.5 |
| 1990 | 46.5 | 31.2 | 3.1 | * | 1.6 | 1.5 | 4.1 | 4.9 | 9.0 | 11.6 | 17.9 |
| 1989 | 49.5 | 31.7 | 2.9 | * | 2.1 | 2.4 | 3.2 | 6.4 | 7.7 | 12.8 | 20.3 |
| 1988 | 54.9 | 34.1 | 3.5 | * | * | 2.1 | 4.0 | 6.9 | 7.9 | 14.1 | 20.9 |
| 1987 | 54.1 | 32.1 | 3.9 | 1.4 | 1.3 | 2.6 | 3.6 | 6.3 | 9.4 | 12.1 | 21.0 |
| 1986 | 53.8 | 38.2 | 4.2 | 1.4 | * | 2.0 | 4.2 | 6.9 | 10.1 | 14.0 | 19.3 |
| 1985 | 50.8 | 35.4 | 4.5 | * | 1.8 | 2.5 | 3.9 | 5.6 | 8.0 | 13.3 | 22.6 |
| 1984 | 47.3 | 38.7 | 3.7 | * | 1.4 | 2.2 | 3.7 | 5.4 | 8.3 | 14.0 | 20.7 |
| 1983 | 45.7 | 40.2 | 3.2 | * | * | 2.5 | 4.3 | 5.2 | 8.8 | 13.7 | 19.2 |
| 1982 | 41.0 | 30.2 | 3.3 | * | 1.4 | 1.9 | 4.6 | 5.3 | 8.4 | 13.8 | 21.5 |
| 1981 | 40.7 | 27.9 | 3.8 | * | 1.5 | 2.4 | 3.9 | 5.9 | 7.8 | 14.3 | 21.7 |
| 1980 | 40.1 | 38.7 | 4.0 | * | * | 2.9 | 4.0 | 6.7 | 9.3 | 14.0 | 23.4 |
| 1979 | 36.7 | 34.7 | 3.6 | * | 1.4 | 1.6 | 4.2 | 6.0 | 8.5 | 15.9 | 22.2 |
| Other heart diseases (415-429.1,429.3-429.9) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 56.1 | 26.3 | 2.5 | 1.1 | 1.4 | 3.8 | 5.6 | 8.4 | 13.5 | 19.9 | 32.4 |
| 1997 | 54.9 | 25.6 | 2.5 | 1.1 | 1.2 | 3.3 | 6.6 | 8.8 | 11.7 | 19.5 | 30.4 |
| 1996 | 56.0 | 29.7 | 2.5 | 0.9 | 2.0 | 3.9 | 5.9 | 8.5 | 14.1 | 20.3 | 31.5 |
| 1995 | 56.7 | 28.8 | 3.2 | 0.9 | 1.7 | 4.3 | 7.2 | 8.8 | 14.6 | 22.0 | 34.5 |
| 1994 | 56.0 | 32.8 | 3.8 | 0.9 | 1.4 | 3.6 | 5.9 | 9.8 | 14.7 | 22.5 | 33.8 |
| 1993 | 58.8 | 30.2 | 3.2 | 1.2 | 1.3 | 3.3 | 5.9 | 9.5 | 13.7 | 23.4 | 34.5 |
| 1992 | 57.3 | 32.3 | 3.6 | 1.1 | 1.5 | 3.7 | 5.8 | 9.5 | 13.7 | 22.7 | 36.2 |
| 1991 | 58.1 | 32.8 | 4.3 | 1.1 | 1.5 | 3.0 | 5.9 | 8.7 | 14.3 | 23.0 | 35.5 |
| 1990 | 58.9 | 38.6 | 3.8 | 0.8 | 1.6 | 2.9 | 5.6 | 8.2 | 15.0 | 22.3 | 35.8 |
| 1989 | 62.8 | 34.5 | 3.9 | 1.1 | 1.8 | 3.1 | 5.4 | 8.8 | 14.8 | 24.0 | 36.7 |
| 1988 | 71.5 | 40.5 | 4.2 | 1.1 | 1.4 | 3.7 | 5.9 | 10.2 | 15.6 | 25.6 | 40.2 |
| 1987 | 69.4 | 40.5 | 4.6 | 1.0 | 1.8 | 3.7 | 5.7 | 8.8 | 16.8 | 24.7 | 38.1 |
| 1986 | 69.4 | 46.5 | 4.9 | 1.3 | 1.5 | 2.8 | 6.1 | 9.9 | 18.4 | 25.0 | 40.0 |
| 1985 | 65.5 | 43.4 | 4.7 | 1.1 | 1.9 | 3.8 | 5.2 | 9.2 | 15.5 | 24.2 | 39.3 |
| 1984 | 60.7 | 46.8 | 4.3 | 1.2 | 1.5 | 3.1 | 5.7 | 9.1 | 14.6 | 23.5 | 35.6 |
| 1983 | 58.4 | 49.2 | 4.2 | 1.0 | 1.2 | 3.7 | 5.4 | 8.4 | 14.9 | 23.6 | 34.5 |
| 1982 | 52.6 | 34.1 | 4.1 | 1.2 | 1.4 | 2.6 | 5.5 | 7.8 | 12.9 | 22.3 | 34.7 |
| 1981 | 51.7 | 34.3 | 4.1 | 0.8 | 1.7 | 2.9 | 5.7 | 9.6 | 13.4 | 23.3 | 34.6 |
| 1980 | 51.6 | 42.4 | 5.1 | 1.2 | 1.2 | 3.9 | 5.9 | 9.3 | 15.4 | 26.9 | 36.1 |
| 1979 | 45.4 | 39.2 | 3.9 | * | 1.3 | 2.5 | 5.4 | 8.0 | 11.5 | 22.0 | 33.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other heart diseases (415-429.1,429.3-429.9) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 55.6 | 24.4 | 2.9 | * | 1.5 | 4.9 | 7.4 | 11.1 | 16.1 | 24.6 | 39.7 |
| 1997 | 54.9 | 26.4 | 3.4 | * | 1.5 | 3.6 | 8.2 | 10.4 | 15.0 | 22.8 | 40.1 |
| 1996 | 56.6 | 33.9 | 2.1 | * | 2.5 | 4.5 | 7.8 | 9.6 | 16.0 | 24.4 | 39.3 |
| 1995 | 58.6 | 30.0 | 3.6 | * | 1.9 | 5.0 | 8.6 | 10.8 | 20.1 | 28.8 | 45.2 |
| 1994 | 57.3 | 33.3 | 3.8 | * | 1.9 | 4.5 | 7.2 | 11.5 | 18.0 | 30.1 | 43.7 |
| 1993 | 60.5 | 27.8 | 3.0 | * | * | 4.1 | 7.0 | 12.3 | 17.2 | 29.7 | 44.1 |
| 1992 | 60.0 | 33.2 | 4.2 | * | 1.8 | 5.6 | 6.9 | 11.8 | 17.1 | 30.7 | 47.5 |
| 1991 | 61.3 | 34.8 | 4.8 | * | 1.7 | 3.6 | 7.4 | 11.3 | 18.5 | 33.3 | 45.6 |
| 1990 | 61.9 | 42.5 | 4.0 | * | 1.6 | 3.9 | 6.1 | 10.5 | 19.0 | 30.9 | 50.8 |
| 1989 | 66.0 | 31.7 | 4.6 | * | * | 3.6 | 6.9 | 10.1 | 20.7 | 33.3 | 48.5 |
| 1988 | 77.3 | 42.1 | 4.4 | 1.5 | 1.8 | 4.7 | 7.1 | 12.3 | 22.2 | 34.8 | 56.2 |
| 1987 | 74.3 | 45.3 | 5.1 | * | 2.2 | 4.2 | 7.1 | 10.2 | 22.4 | 35.4 | 51.7 |
| 1986 | 75.3 | 50.0 | 5.1 | * | 1.6 | 3.5 | 7.2 | 11.5 | 25.0 | 33.8 | 58.4 |
| 1985 | 71.7 | 47.5 | 4.2 | * | 1.9 | 4.8 | 5.8 | 11.6 | 22.2 | 33.9 | 52.5 |
| 1984 | 66.6 | 49.1 | 4.4 | * | * | 3.6 | 7.1 | 12.1 | 19.5 | 31.2 | 47.2 |
| 1983 | 64.4 | 52.4 | 4.9 | * | * | 4.5 | 6.3 | 10.9 | 19.3 | 31.2 | 47.7 |
| 1982 | 58.4 | 36.3 | 4.3 | * | * | 3.4 | 5.7 | 9.5 | 16.0 | 28.6 | 45.8 |
| 1981 | 57.3 | 38.5 | 4.4 | * | 1.8 | 3.4 | 7.0 | 12.5 | 18.5 | 30.7 | 45.9 |
| 1980 | 58.4 | 42.4 | 5.9 | * | 1.5 | 4.5 | 7.6 | 11.2 | 20.2 | 38.9 | 46.9 |
| 1979 | 50.9 | 41.5 | 4.1 | * | * | 3.1 | 6.3 | 9.9 | 13.4 | 26.2 | 43.4 |
| Other heart diseases (415-429.1,429.3-429.9) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 56.5 | 28.2 | 2.0 | * | * | 2.8 | 4.0 | 6.1 | 11.1 | 15.8 | 25.9 |
| 1997 | 55.0 | 24.7 | 1.6 | 1.2 | * | 2.9 | 5.1 | 7.4 | 8.8 | 16.6 | 21.9 |
| 1996 | 55.5 | 25.5 | 2.8 | * | 1.4 | 3.4 | 4.1 | 7.5 | 12.4 | 16.6 | 24.7 |
| 1995 | 55.0 | 27.5 | 2.9 | * | 1.4 | 3.6 | 5.8 | 6.9 | 9.8 | 16.0 | 25.3 |
| 1994 | 54.8 | 32.2 | 3.9 | * | * | 2.6 | 4.6 | 8.2 | 11.9 | 15.8 | 25.4 |
| 1993 | 57.3 | 32.7 | 3.4 | * | 1.4 | 2.5 | 4.8 | 7.0 | 10.6 | 17.8 | 26.2 |
| 1992 | 54.8 | 31.5 | 3.0 | * | * | 1.7 | 4.7 | 7.3 | 10.7 | 15.6 | 26.5 |
| 1991 | 55.2 | 30.8 | 3.9 | * | * | 2.4 | 4.5 | 6.3 | 10.6 | 14.1 | 26.8 |
| 1990 | 56.2 | 34.5 | 3.5 | * | 1.6 | 1.9 | 5.1 | 6.0 | 11.6 | 14.9 | 23.0 |
| 1989 | 60.0 | 37.2 | 3.2 | * | 2.2 | 2.7 | 4.0 | 7.5 | 9.7 | 16.0 | 26.6 |
| 1988 | 66.2 | 38.8 | 4.0 | * | * | 2.7 | 4.7 | 8.3 | 9.8 | 17.7 | 26.6 |
| 1987 | 65.1 | 35.6 | 4.1 | * | * | 3.2 | 4.3 | 7.6 | 11.9 | 15.6 | 26.7 |
| 1986 | 64.2 | 42.9 | 4.7 | * | * | 2.2 | 5.1 | 8.4 | 12.7 | 17.5 | 24.5 |
| 1985 | 60.0 | 39.1 | 5.3 | * | 1.9 | 2.8 | 4.6 | 7.0 | 9.7 | 15.9 | 28.3 |
| 1984 | 55.5 | 44.5 | 4.1 | * | 1.6 | 2.6 | 4.3 | 6.4 | 10.3 | 17.0 | 25.9 |
| 1983 | 53.0 | 45.9 | 3.4 | * | * | 2.9 | 4.7 | 6.2 | 11.1 | 17.2 | 23.5 |
| 1982 | 47.4 | 31.9 | 3.8 | * | * | 1.9 | 5.3 | 6.2 | 10.2 | 17.0 | 25.5 |
| 1981 | 46.7 | 30.1 | 3.8 | * | 1.6 | 2.5 | 4.6 | 7.0 | 9.1 | 17.2 | 25.2 |
| 1980 | 45.5 | 42.5 | 4.2 | * | * | 3.3 | 4.3 | 7.6 | 11.3 | 16.9 | 27.2 |
| 1979 | 40.5 | 36.7 | 3.7 | * | * | 1.8 | 4.5 | 6.4 | 9.9 | 18.5 | 25.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute and subacute endocarditis (421) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1997 | 0.4 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1995 | 0.4 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 |
| 1994 | 0.3 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.3 |
| 1993 | 0.3 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1992 | 0.3 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 |
| 1991 | 0.3 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1990 | 0.4 | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 |
| 1989 | 0.4 | * | * | * | * | * | * | 0.1 | 0.3 | 0.4 | 0.3 |
| 1988 | 0.4 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 |
| 1987 | 0.4 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.3 |
| 1986 | 0.4 | * | * | * | * | * | * | 0.1 | 0.3 | 0.2 | 0.3 |
| 1985 | 0.4 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.3 |
| 1984 | 0.4 | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 |
| 1983 | 0.3 | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.2 |
| 1982 | 0.4 | * | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.3 |
| 1981 | 0.3 | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 |
| 1980 | 0.3 | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.2 |
| 1979 | 0.3 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 | 0.2 |
| Acute and subacute endocarditis (421) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1995 | 0.4 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1992 | 0.4 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1990 | 0.4 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1989 | 0.4 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.5 |
| 1988 | 0.5 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.6 |
| 1987 | 0.4 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.4 |
| 1986 | 0.5 | * | * | * | * | * | * | * | 0.4 | 0.3 | 0.5 |
| 1985 | 0.5 | * | * | * | * | * | * | * | 0.4 | 0.4 | 0.3 |
| 1984 | 0.4 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 |
| 1983 | 0.4 | * | * | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.3 |
| 1982 | 0.5 | * | * | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.4 |
| 1981 | 0.4 | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Acute and subacute endocarditis (421) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | 0.3 | 0.2 |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | 0.2 | 0.3 | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Acute and subacute endocarditis (421) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1995 | 0.4 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1993 | 0.3 | * | * | * | * | * | * | * | 0.1 | * | 0.2 |
| 1992 | 0.3 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1990 | 0.3 | * | * | * | * | * | * | 0.1 | 0.1 | * | 0.2 |
| 1989 | 0.3 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.2 |
| 1988 | 0.4 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1987 | 0.3 | * | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.1 |
| 1986 | 0.3 | * | * | * | * | * | * | * | 0.2 | 0.1 | 0.2 |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1984 | 0.4 | * | * | * | * | * | * | * | 0.1 | * | 0.2 |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | 0.1 | 0.2 | * | 0.2 |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1980 | 0.3 | * | * | * | * | * | * | * | 0.1 | * | * |
| 1979 | 0.3 | * | * | * | * | * | 0.1 | * | * | 0.2 | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Acute and subacute endocarditis (421) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1989 | 0.4 | * | * | * | * | * | * | * | 0.3 | 0.2 | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | 0.3 | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | 0.3 | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Acute and subacute endocarditis (421) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Acute and subacute endocarditis (421) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | 0.7 | 0.7 |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | 0.7 | 0.8 |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | 0.6 | 0.8 |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | 0.7 | 0.8 |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1989 | 0.6 | * | * | * | * | * | * | * | 0.7 | 1.4 | 1.2 |
| 1988 | 0.6 | * | * | * | * | * | * | * | 0.8 | 0.8 | 1.1 |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | 0.8 | 1.0 |
| 1986 | 0.5 | * | * | * | * | * | * | * | 0.8 | * | 1.0 |
| 1985 | 0.5 | * | * | * | * | * | * | * | 0.9 | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | 0.7 | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| Acute and subacute endocarditis (421) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | 1.8 | 1.9 |
| 1988 | 0.8 | * | * | * | * | * | * | * | 1.2 | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | 1.4 | * | * |
| 1985 | 0.7 | * | * | * | * | * | * | * | 1.5 | * | * |
| 1984 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Acute and subacute endocarditis (421) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Acute and subacute endocarditis (421) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1997 | 0.5 | * | * | * | * | * | * | * | * | * | 0.9 |
| 1996 | 0.5 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1995 | 0.5 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | 0.8 | 0.9 |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | 0.9 | 1.1 |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | 0.9 | 1.0 |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | 0.9 | 1.1 |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1989 | 0.7 | * | * | * | * | * | * | * | 0.9 | 1.8 | 1.6 |
| 1988 | 0.7 | * | * | * | * | * | * | * | 1.0 | 1.1 | 1.4 |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | 1.0 | 1.3 |
| 1986 | 0.6 | * | * | * | * | * | * | * | 1.0 | * | 1.3 |
| 1985 | 0.6 | * | * | * | * | * | * | * | 1.1 | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute and subacute endocarditis (421) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1996 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.7 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1994 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.7 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1989 | 0.9 | * | * | * | * | * | * | * | * | 2.5 | 2.6 |
| 1988 | 1.0 | * | * | * | * | * | * | * | 1.6 | * | * |
| 1987 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.8 | * | * | * | * | * | * | * | 1.9 | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| Acute and subacute endocarditis (421) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Diseases of pericardium and acute myocarditis (420,422-423) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | 0.9 | 0.2 | * | * | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 |
| 1997 | 0.3 | 0.9 | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.3 |
| 1996 | 0.3 | 0.6 | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 |
| 1995 | 0.3 | 0.9 | 0.2 | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 |
| 1994 | 0.3 | 1.2 | 0.2 | * | * | * | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 |
| 1993 | 0.3 | 0.7 | * | 0.1 | * | * | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 |
| 1992 | 0.3 | 1.0 | 0.2 | * | * | * | * | * | 0.2 | 0.3 | 0.2 |
| 1991 | 0.3 | 0.9 | 0.2 | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.2 |
| 1990 | 0.3 | 1.2 | 0.2 | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 |
| 1989 | 0.3 | 1.0 | 0.1 | * | * | 0.1 | * | 0.1 | 0.2 | 0.2 | 0.2 |
| 1988 | 0.3 | 1.0 | 0.2 | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.3 |
| 1987 | 0.4 | 1.3 | 0.2 | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.3 |
| 1986 | 0.4 | 1.2 | 0.2 | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 |
| 1985 | 0.4 | 1.0 | 0.2 | * | * | * | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 |
| 1984 | 0.4 | 1.1 | 0.2 | * | * | * | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 |
| 1983 | 0.3 | 0.8 | 0.2 | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 |
| 1982 | 0.3 | 0.9 | 0.2 | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 |
| 1981 | 0.4 | 1.4 | 0.2 | * | * | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 |
| 1980 | 0.4 | 1.1 | 0.2 | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.3 | 0.3 |
| 1979 | 0.3 | 1.0 | 0.2 | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.3 | 0.3 |
| Diseases of pericardium and acute myocarditis (420,422-423) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1995 | 0.3 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.2 |
| 1994 | 0.3 | 1.0 | * | * | * | * | * | * | 0.2 | 0.2 | * |
| 1993 | 0.3 | * | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 |
| 1992 | 0.4 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.3 |
| 1991 | 0.3 | 1.3 | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1990 | 0.4 | 1.2 | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 |
| 1989 | 0.4 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 |
| 1988 | 0.4 | * | * | * | * | * | * | * | 0.3 | 0.2 | 0.3 |
| 1987 | 0.4 | 1.4 | * | * | * | * | * | 0.2 | 0.2 | * | 0.3 |
| 1986 | 0.4 | * | * | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.3 |
| 1985 | 0.4 | 1.1 | * | * | * | * | 0.2 | * | 0.3 | 0.2 | * |
| 1984 | 0.4 | * | * | * | * | * | * | 0.3 | * | * | 0.4 |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | 0.3 | * |
| 1982 | 0.4 | * | * | * | * | * | * | 0.2 | 0.2 | * | 0.4 |
| 1981 | 0.4 | 1.4 | * | * | * | * | * | * | 0.2 | * | * |
| 1980 | 0.4 | * | * | * | * | * | 0.2 | 0.2 | * | * | 0.4 |
| 1979 | 0.4 | 1.4 | * | * | * | * | * | 0.2 | * | 0.3 | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Diseases of pericardium and acute myocarditis (420,422-423) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.3 | 1.1 | * | * | * | * | * | * | * | 0.2 | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | 1.3 | * | * | * | * | * | * | 0.2 | * | 0.3 |
| 1993 | 0.3 | * | * | * | * | * | * | * | 0.2 | * | 0.2 |
| 1992 | 0.3 | 1.0 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | 0.2 | * | * |
| 1990 | 0.3 | 1.1 | * | * | * | * | * | * | 0.2 | * | * |
| 1989 | 0.3 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | 1.2 | * | * | * | * | * | * | * | * | 0.3 |
| 1987 | 0.3 | 1.2 | * | * | * | * | * | * | * | * | 0.3 |
| 1986 | 0.4 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1984 | 0.4 | 1.4 | * | * | * | * | * | 0.2 | 0.3 | 0.2 | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 1.3 | * | * | * | * | * | * | * | 0.3 | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | 0.4 |
| Diseases of pericardium and acute myocarditis (420,422-423) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 |
| 1997 | 0.3 | * | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1995 | 0.3 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 |
| 1994 | 0.3 | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.1 |
| 1993 | 0.3 | * | * | * | * | * | * | 0.2 | 0.1 | 0.1 | 0.2 |
| 1992 | 0.3 | 0.7 | * | * | * | * | * | * | 0.2 | 0.2 | 0.2 |
| 1991 | 0.3 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.2 |
| 1990 | 0.3 | 0.7 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.2 |
| 1989 | 0.3 | 0.7 | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 |
| 1988 | 0.3 | 0.9 | 0.2 | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.2 |
| 1987 | 0.4 | 1.0 | * | * | * | 0.1 | * | 0.1 | 0.2 | * | 0.2 |
| 1986 | 0.4 | 0.7 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 |
| 1985 | 0.3 | * | * | * | * | * | 0.1 | * | 0.1 | 0.2 | 0.3 |
| 1984 | 0.4 | 0.8 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 |
| 1983 | 0.3 | * | * | * | * | * | * | 0.1 | * | * | 0.2 |
| 1982 | 0.3 | 0.7 | 0.2 | * | * | * | 0.1 | 0.1 | 0.2 | * | 0.2 |
| 1981 | 0.4 | 1.1 | 0.2 | * | * | * | * | * | 0.2 | 0.2 | * |
| 1980 | 0.3 | 0.8 | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 |
| 1979 | 0.3 | 0.8 | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diseases of pericardium and acute myocarditis (420,422-423) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | 0.3 | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | 0.3 | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Diseases of pericardium and acute myocarditis (420,422-423) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Diseases of pericardium and acute myocarditis (420,422-423) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | 3.2 | * | * | * | * | * | * | * | * | 0.7 |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | 0.6 | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | 2.8 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | 3.4 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | 0.7 | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| Diseases of pericardium and acute myocarditis (420,422-423) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Diseases of pericardium and acute myocarditis (420,422-423) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Diseases of pericardium and acute myocarditis (420,422-423) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | 3.9 | * | * | * | * | * | * | * | * | 0.9 |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.7 | 4.1 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.7 | * | * | * | * | * | * | 0.7 | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Diseases of pericardium and acute myocarditis (420,422-423) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| Diseases of pericardium and acute myocarditis (420,422-423) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Heart failure (428) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 18.2 | 0.6 | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 |
| 1997 | 17.9 | 0.9 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.8 |
| 1996 | 17.5 | 0.8 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 |
| 1995 | 17.5 | 0.7 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.7 |
| 1994 | 17.2 | 0.8 | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.7 |
| 1993 | 17.5 | 0.8 | 0.1 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.8 |
| 1992 | 15.6 | 0.7 | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.4 | 0.7 |
| 1991 | 15.5 | 1.1 | 0.2 | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.7 |
| 1990 | 15.2 | 1.0 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.7 |
| 1989 | 15.7 | 1.1 | 0.1 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.7 |
| 1988 | 17.6 | 1.1 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.9 |
| 1987 | 17.0 | 1.3 | 0.1 | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.8 |
| 1986 | 16.8 | 1.4 | * | * | * | * | * | 0.2 | 0.2 | 0.5 | 1.1 |
| 1985 | 15.9 | 1.7 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 1.0 |
| 1984 | 15.0 | 2.2 | * | * | * | * | * | 0.2 | 0.2 | 0.5 | 1.1 |
| 1983 | 14.2 | 1.7 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 1.0 |
| 1982 | 13.2 | 1.6 | 0.2 | * | * | * | 0.1 | 0.1 | 0.2 | 0.6 | 0.9 |
| 1981 | 12.6 | 1.6 | 0.2 | * | * | * | 0.1 | 0.2 | 0.3 | 0.7 | 1.0 |
| 1980 | 12.1 | 2.0 | 0.2 | * | * | * | 0.1 | 0.2 | 0.3 | 0.6 | 1.2 |
| 1979 | 11.2 | 1.8 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 1.2 |
| Heart failure (428) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 14.1 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.9 |
| 1997 | 14.0 | * | * | * | * | * | * | * | 0.3 | 0.4 | 1.2 |
| 1996 | 13.8 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.8 |
| 1995 | 13.6 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.8 |
| 1994 | 13.5 | 1.0 | * | * | * | * | * | 0.3 | 0.2 | 0.6 | 0.9 |
| 1993 | 13.9 | * | * | * | * | * | * | * | 0.2 | 0.5 | 0.9 |
| 1992 | 12.5 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.9 |
| 1991 | 12.4 | * | * | * | * | * | * | 0.2 | 0.2 | 0.5 | 0.9 |
| 1990 | 12.4 | 1.3 | * | * | * | * | * | * | 0.2 | 0.5 | 0.8 |
| 1989 | 12.9 | 1.1 | * | * | * | * | * | * | 0.2 | 0.5 | 0.8 |
| 1988 | 14.8 | 1.5 | * | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.1 |
| 1987 | 14.4 | 1.6 | * | * | * | * | * | * | 0.4 | 0.7 | 1.0 |
| 1986 | 14.5 | 1.5 | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 1.4 |
| 1985 | 13.7 | 1.8 | * | * | * | * | * | 0.3 | 0.4 | 0.6 | 1.1 |
| 1984 | 13.3 | 1.5 | * | * | * | * | * | 0.3 | 0.3 | 0.7 | 1.5 |
| 1983 | 12.8 | 1.8 | * | * | * | * | * | * | 0.3 | 0.7 | 1.2 |
| 1982 | 12.1 | 1.7 | * | * | * | * | * | * | 0.3 | 0.7 | 1.2 |
| 1981 | 11.7 | 1.6 | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.8 | 1.3 |
| 1980 | 11.4 | 2.4 | * | * | * | * | * | 0.3 | 0.4 | 0.8 | 1.5 |
| 1979 | 10.7 | 2.1 | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Heart failure (428) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 22.1 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1997 | 21.8 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1996 | 21.1 | * | * | * | * | * | * | * | 0.3 | 0.2 | 0.5 |
| 1995 | 21.1 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1994 | 20.7 | * | * | * | * | * | * | * | 0.3 | 0.2 | 0.5 |
| 1993 | 21.1 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1992 | 18.6 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1991 | 18.4 | 1.4 | * | * | * | * | * | * | 0.2 | 0.2 | 0.6 |
| 1990 | 17.9 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1989 | 18.4 | 1.1 | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1988 | 20.2 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1987 | 19.5 | * | * | * | * | * | * | 0.2 | * | 0.3 | 0.6 |
| 1986 | 19.0 | 1.4 | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1985 | 17.9 | 1.6 | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1984 | 16.6 | 2.9 | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1983 | 15.6 | 1.7 | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 |
| 1982 | 14.3 | 1.5 | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1981 | 13.5 | 1.6 | * | * | * | * | * | * | * | 0.5 | 0.8 |
| 1980 | 12.7 | 1.6 | * | * | * | * | * | * | 0.2 | 0.4 | 0.9 |
| 1979 | 11.6 | 1.4 | * | * | * | * | * | * | * | 0.4 | 0.9 |
| Heart failure (428) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 20.0 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.5 |
| 1997 | 19.7 | 0.9 | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 |
| 1996 | 19.1 | 0.7 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 |
| 1995 | 19.0 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.5 |
| 1994 | 18.7 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 |
| 1993 | 18.9 | 0.7 | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1992 | 16.8 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.5 |
| 1991 | 16.6 | 1.1 | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1990 | 16.2 | 0.7 | * | * | * | * | * | * | 0.1 | 0.3 | 0.6 |
| 1989 | 16.6 | 0.9 | * | * | * | * | * | * | 0.1 | 0.3 | 0.5 |
| 1988 | 18.6 | 1.1 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 |
| 1987 | 17.9 | 1.2 | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.7 |
| 1986 | 17.6 | 1.2 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.8 |
| 1985 | 16.5 | 1.6 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 |
| 1984 | 15.6 | 1.9 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.8 |
| 1983 | 14.8 | 1.4 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.8 |
| 1982 | 13.7 | 1.4 | 0.2 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.7 |
| 1981 | 13.0 | 1.6 | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.9 |
| 1980 | 12.3 | 1.7 | 0.2 | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.9 |
| 1979 | 11.3 | 1.6 | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 1.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Heart failure (428) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 15.3 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1997 | 15.1 | * | * | * | * | * | * | * | 0.2 | 0.3 | 1.0 |
| 1996 | 14.9 | * | * | * | * | * | * | * | * | 0.5 | 0.6 |
| 1995 | 14.7 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1994 | 14.4 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1993 | 14.8 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1992 | 13.3 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1991 | 13.1 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1990 | 13.0 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1989 | 13.5 | * | * | * | * | * | * | * | * | 0.4 | 0.5 |
| 1988 | 15.4 | 1.7 | * | * | * | * | * | * | 0.3 | 0.5 | 0.8 |
| 1987 | 14.9 | 1.4 | * | * | * | * | * | * | 0.3 | 0.6 | 0.9 |
| 1986 | 15.0 | * | * | * | * | * | * | * | 0.2 | 0.5 | 0.9 |
| 1985 | 14.1 | 1.8 | * | * | * | * | * | * | 0.3 | 0.6 | 0.7 |
| 1984 | 13.7 | 1.4 | * | * | * | * | * | 0.2 | * | 0.6 | 1.2 |
| 1983 | 13.1 | 1.4 | * | * | * | * | * | * | 0.2 | 0.5 | 1.0 |
| 1982 | 12.4 | 1.6 | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 |
| 1981 | 11.9 | 1.8 | * | * | * | * | * | 0.3 | 0.3 | 0.6 | 1.1 |
| 1980 | 11.5 | 2.1 | * | * | * | * | * | 0.3 | 0.3 | 0.6 | 1.1 |
| 1979 | 10.8 | 2.0 | * | * | * | * | * | * | 0.3 | 0.6 | 1.3 |
| Heart failure (428) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 24.5 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1997 | 24.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1996 | 23.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1995 | 23.2 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1994 | 22.7 | * | * | * | * | * | * | * | 0.3 | * | 0.4 |
| 1993 | 23.0 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1992 | 20.2 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1991 | 19.9 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1990 | 19.2 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1989 | 19.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1988 | 21.5 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1987 | 20.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1986 | 20.0 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1985 | 18.8 | 1.4 | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1984 | 17.4 | 2.4 | * | * | * | * | * | * | * | * | 0.4 |
| 1983 | 16.3 | 1.5 | * | * | * | * | * | * | * | * | 0.5 |
| 1982 | 15.0 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1981 | 14.0 | 1.4 | * | * | * | * | * | * | * | * | 0.7 |
| 1980 | 13.1 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1979 | 11.9 | * | * | * | * | * | * | * | * | * | 0.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Heart failure (428) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 10.1 | * | * | * | * | * | * | * | * | 0.7 | 1.5 |
| 1997 | 9.9 | * | * | * | * | * | * | * | * | 0.8 | 1.3 |
| 1996 | 9.9 | * | * | * | * | * | * | * | 0.6 | 0.5 | 1.5 |
| 1995 | 10.0 | * | * | * | * | * | * | * | * | 0.8 | 1.7 |
| 1994 | 9.9 | * | * | * | * | * | * | * | * | 1.0 | 1.7 |
| 1993 | 10.6 | * | * | * | * | * | * | * | * | 1.0 | 1.5 |
| 1992 | 9.7 | * | * | * | * | * | * | * | * | 0.9 | 1.8 |
| 1991 | 10.0 | * | * | * | * | * | * | * | * | 0.8 | 1.7 |
| 1990 | 10.3 | * | * | * | * | * | * | * | * | 0.8 | 1.1 |
| 1989 | 11.2 | * | * | * | * | * | * | * | * | 1.0 | 1.9 |
| 1988 | 12.3 | * | * | * | * | * | * | * | * | 1.3 | 2.2 |
| 1987 | 11.9 | * | * | * | * | * | * | * | 0.7 | 1.1 | 1.6 |
| 1986 | 12.6 | * | * | * | * | * | * | * | 0.7 | 1.1 | 2.9 |
| 1985 | 12.1 | * | * | * | * | * | * | * | 0.7 | * | 3.3 |
| 1984 | 11.5 | 3.5 | * | * | * | * | * | * | * | 1.1 | 3.0 |
| 1983 | 11.1 | 3.1 | * | * | * | * | * | * | * | 1.6 | 2.1 |
| 1982 | 10.4 | * | * | * | * | * | * | * | * | 1.5 | 2.3 |
| 1981 | 10.3 | * | * | * | * | * | * | * | * | 2.2 | 1.7 |
| 1980 | 10.7 | 3.6 | * | * | * | * | * | * | 0.9 | 1.9 | 3.3 |
| 1979 | 10.1 | * | * | * | * | * | * | * | * | 1.3 | 2.5 |
| Heart failure (428) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 8.7 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1997 | 8.3 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1996 | 8.5 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1995 | 8.6 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1994 | 8.6 | * | * | * | * | * | * | * | * | 1.5 | 2.2 |
| 1993 | 9.2 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1992 | 8.5 | * | * | * | * | * | * | * | * | * | 2.5 |
| 1991 | 8.7 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1990 | 9.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 10.0 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1988 | 11.2 | * | * | * | * | * | * | * | * | 1.9 | 2.7 |
| 1987 | 11.1 | * | * | * | * | * | * | * | * | 1.5 | * |
| 1986 | 11.6 | * | * | * | * | * | * | * | * | 1.7 | 4.4 |
| 1985 | 11.4 | * | * | * | * | * | * | * | * | * | 3.9 |
| 1984 | 11.0 | * | * | * | * | * | * | * | * | * | 3.7 |
| 1983 | 10.8 | * | * | * | * | * | * | * | * | 2.1 | 2.4 |
| 1982 | 10.1 | * | * | * | * | * | * | * | * | 2.3 | 3.3 |
| 1981 | 10.2 | * | * | * | * | * | * | * | * | 2.8 | * |
| 1980 | 10.8 | * | * | * | * | * | * | * | * | 2.6 | 3.6 |
| 1979 | 10.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Heart failure (428) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 11.4 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1997 | 11.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 11.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 11.3 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1994 | 11.1 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1993 | 11.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 10.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 11.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 11.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 12.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 13.3 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1987 | 12.6 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1986 | 13.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 12.8 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1984 | 12.0 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1983 | 11.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 10.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 10.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 10.6 | * | * | * | * | * | * | * | * | * | 3.0 |
| 1979 | 10.2 | * | * | * | * | * | * | * | * | * | 2.5 |
| Heart failure (428) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 12.6 | * | * | * | * | * | * | * | * | 1.0 | 2.1 |
| 1997 | 12.3 | * | * | * | * | * | * | * | * | 1.0 | 1.7 |
| 1996 | 12.3 | * | * | * | * | * | * | * | 0.9 | 0.7 | 1.9 |
| 1995 | 12.3 | * | * | * | * | * | * | * | * | 1.0 | 2.3 |
| 1994 | 12.1 | * | * | * | * | * | * | * | * | 1.3 | 2.4 |
| 1993 | 13.0 | * | * | * | * | * | * | * | * | 1.3 | 2.0 |
| 1992 | 11.8 | * | * | * | * | * | * | * | * | 1.1 | 2.4 |
| 1991 | 12.1 | * | * | * | * | * | * | * | * | 1.0 | 2.2 |
| 1990 | 12.5 | * | * | * | * | * | * | * | * | 0.9 | 1.4 |
| 1989 | 13.5 | * | * | * | * | * | * | * | * | 1.3 | 2.5 |
| 1988 | 14.7 | * | * | * | * | * | * | * | * | 1.7 | 2.9 |
| 1987 | 14.2 | * | * | * | * | * | * | * | 0.9 | 1.3 | 2.1 |
| 1986 | 14.9 | * | * | * | * | * | * | * | 0.9 | 1.3 | 3.9 |
| 1985 | 14.3 | * | * | * | * | * | * | * | 0.9 | * | 4.2 |
| 1984 | 13.5 | 4.2 | * | * | * | * | * | * | * | 1.3 | 3.6 |
| 1983 | 12.8 | * | * | * | * | * | * | * | * | 2.0 | 2.6 |
| 1982 | 11.9 | * | * | * | * | * | * | * | * | 1.9 | 2.7 |
| 1981 | 11.7 | * | * | * | * | * | * | * | * | 2.7 | 1.8 |
| 1980 | 12.1 | 4.3 | * | * | * | * | * | * | 1.1 | 2.1 | 4.1 |
| 1979 | 11.2 | * | * | * | * | * | * | * | * | 1.5 | 2.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Heart failure (428) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 10.7 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1997 | 10.2 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1996 | 10.5 | * | * | * | * | * | * | * | * | * | 2.5 |
| 1995 | 10.6 | * | * | * | * | * | * | * | * | * | 3.1 |
| 1994 | 10.5 | * | * | * | * | * | * | * | * | 2.0 | 3.0 |
| 1993 | 11.2 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1992 | 10.3 | * | * | * | * | * | * | * | * | * | 3.3 |
| 1991 | 10.6 | * | * | * | * | * | * | * | * | * | 3.0 |
| 1990 | 11.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 12.0 | * | * | * | * | * | * | * | * | * | 3.5 |
| 1988 | 13.4 | * | * | * | * | * | * | * | * | 2.5 | 3.5 |
| 1987 | 13.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 13.7 | * | * | * | * | * | * | * | * | 2.1 | 6.0 |
| 1985 | 13.5 | * | * | * | * | * | * | * | * | * | 4.9 |
| 1984 | 12.8 | * | * | * | * | * | * | * | * | * | 4.8 |
| 1983 | 12.5 | * | * | * | * | * | * | * | * | 2.6 | 3.2 |
| 1982 | 11.6 | * | * | * | * | * | * | * | * | 3.0 | 3.9 |
| 1981 | 11.7 | * | * | * | * | * | * | * | * | 3.4 | * |
| 1980 | 12.1 | * | * | * | * | * | * | * | * | * | 4.6 |
| 1979 | 11.2 | * | * | * | * | * | * | * | * | * | * |
| Heart failure (428) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 14.3 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1997 | 14.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 13.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 13.8 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1994 | 13.5 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1993 | 14.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 13.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 13.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 13.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 14.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 15.8 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1987 | 15.1 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1986 | 16.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 14.9 | * | * | * | * | * | * | * | * | * | 3.6 |
| 1984 | 14.1 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1983 | 13.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 12.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 11.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 12.1 | * | * | * | * | * | * | * | * | * | 3.6 |
| 1979 | 11.2 | * | * | * | * | * | * | * | * | * | 2.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 40.3 | 13.9 | 1.1 | 0.6 | 0.7 | 1.6 | 2.6 | 3.3 | 4.8 | 7.3 | 11.8 |
| 1997 | 40.0 | 13.9 | 1.1 | 0.5 | 0.7 | 1.6 | 2.8 | 3.3 | 4.7 | 7.2 | 11.1 |
| 1996 | 39.4 | 14.1 | 1.1 | 0.5 | 0.9 | 1.7 | 2.3 | 3.2 | 4.8 | 7.0 | 10.7 |
| 1995 | 39.1 | 14.8 | 1.3 | 0.5 | 0.7 | 1.7 | 2.6 | 3.3 | 5.1 | 7.8 | 11.5 |
| 1994 | 38.4 | 14.9 | 1.4 | 0.5 | 0.8 | 1.7 | 2.3 | 3.5 | 4.8 | 7.8 | 11.2 |
| 1993 | 39.3 | 14.4 | 1.5 | 0.5 | 0.7 | 1.6 | 2.3 | 3.3 | 5.0 | 7.7 | 11.4 |
| 1992 | 37.8 | 15.6 | 1.4 | 0.5 | 0.7 | 1.5 | 2.3 | 3.2 | 4.6 | 6.9 | 11.2 |
| 1991 | 37.7 | 14.6 | 1.7 | 0.6 | 0.7 | 1.6 | 2.4 | 3.2 | 4.7 | 7.1 | 10.4 |
| 1990 | 37.2 | 16.9 | 1.5 | 0.5 | 0.8 | 1.5 | 2.0 | 2.9 | 4.6 | 6.8 | 10.3 |
| 1989 | 38.5 | 16.8 | 1.5 | 0.6 | 0.8 | 1.4 | 2.2 | 3.2 | 4.7 | 7.2 | 10.3 |
| 1988 | 44.3 | 20.0 | 2.0 | 0.6 | 0.9 | 1.7 | 2.4 | 3.4 | 4.9 | 7.6 | 11.4 |
| 1987 | 42.6 | 22.0 | 1.8 | 0.7 | 0.9 | 1.6 | 2.3 | 3.3 | 5.0 | 7.2 | 11.2 |
| 1986 | 41.8 | 23.0 | 2.2 | 0.7 | 0.8 | 1.6 | 2.4 | 3.3 | 5.1 | 7.3 | 11.6 |
| 1985 | 39.1 | 21.4 | 1.8 | 0.7 | 0.9 | 1.7 | 2.2 | 3.0 | 4.5 | 7.3 | 11.3 |
| 1984 | 35.7 | 22.1 | 1.9 | 0.6 | 0.8 | 1.5 | 2.3 | 2.9 | 4.6 | 6.7 | 10.9 |
| 1983 | 34.1 | 22.2 | 1.9 | 0.6 | 0.7 | 1.6 | 2.1 | 2.9 | 4.6 | 6.5 | 10.8 |
| 1982 | 30.9 | 17.3 | 1.6 | 0.6 | 0.8 | 1.4 | 2.3 | 2.8 | 4.0 | 6.4 | 10.8 |
| 1981 | 29.4 | 17.2 | 2.1 | 0.5 | 0.7 | 1.4 | 2.1 | 3.0 | 4.3 | 6.6 | 10.7 |
| 1980 | 28.1 | 18.5 | 2.0 | 0.6 | 0.8 | 1.7 | 2.3 | 2.9 | 4.0 | 6.7 | 10.8 |
| 1979 | 25.3 | 16.4 | 1.6 | 0.6 | 0.7 | 1.3 | 2.2 | 2.7 | 3.6 | 6.1 | 10.3 |
| All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 38.7 | 13.8 | 1.1 | 0.8 | 0.8 | 2.1 | 3.2 | 3.9 | 5.9 | 9.0 | 15.5 |
| 1997 | 38.9 | 15.8 | 1.2 | 0.5 | 0.9 | 2.0 | 3.2 | 3.8 | 5.9 | 9.1 | 14.6 |
| 1996 | 38.6 | 14.9 | 1.1 | 0.5 | 1.0 | 2.0 | 2.9 | 4.0 | 5.9 | 9.0 | 14.0 |
| 1995 | 39.0 | 15.5 | 1.4 | 0.6 | 0.8 | 2.1 | 3.2 | 4.0 | 6.7 | 10.4 | 15.4 |
| 1994 | 38.4 | 15.7 | 1.5 | 0.5 | 0.9 | 2.3 | 2.9 | 4.0 | 6.1 | 9.9 | 14.9 |
| 1993 | 39.4 | 15.8 | 1.7 | 0.4 | 0.8 | 2.1 | 2.8 | 4.2 | 6.2 | 9.8 | 15.1 |
| 1992 | 38.4 | 16.4 | 1.4 | 0.6 | 0.8 | 2.2 | 2.8 | 3.9 | 5.9 | 9.2 | 15.6 |
| 1991 | 38.7 | 16.2 | 1.7 | 0.6 | 0.7 | 2.1 | 2.9 | 4.1 | 6.1 | 9.6 | 13.5 |
| 1990 | 38.4 | 18.3 | 1.5 | 0.6 | 0.9 | 2.0 | 2.5 | 3.6 | 5.9 | 9.2 | 14.0 |
| 1989 | 39.8 | 18.3 | 1.7 | 0.6 | 0.7 | 1.8 | 2.8 | 3.9 | 6.2 | 9.6 | 13.6 |
| 1988 | 46.3 | 21.9 | 1.9 | 0.7 | 1.1 | 2.2 | 2.8 | 4.1 | 6.7 | 10.2 | 15.8 |
| 1987 | 44.7 | 24.7 | 1.8 | 0.7 | 0.9 | 2.0 | 2.9 | 3.9 | 6.5 | 9.6 | 15.4 |
| 1986 | 44.5 | 26.3 | 2.3 | 0.7 | 0.8 | 2.1 | 3.0 | 3.9 | 6.7 | 9.7 | 16.0 |
| 1985 | 42.0 | 24.1 | 1.7 | 0.6 | 0.9 | 2.1 | 2.7 | 3.8 | 5.7 | 9.7 | 14.7 |
| 1984 | 39.0 | 25.1 | 2.0 | 0.6 | 0.8 | 1.8 | 2.9 | 3.5 | 6.2 | 8.7 | 14.5 |
| 1983 | 37.3 | 24.1 | 2.1 | 0.6 | 0.9 | 2.0 | 2.6 | 3.6 | 5.7 | 8.4 | 14.3 |
| 1982 | 33.8 | 20.0 | 1.9 | 0.6 | 0.7 | 1.9 | 2.6 | 3.2 | 4.9 | 8.0 | 13.9 |
| 1981 | 32.7 | 18.2 | 2.0 | 0.5 | 0.8 | 1.7 | 2.5 | 3.5 | 5.2 | 8.3 | 13.8 |
| 1980 | 31.4 | 20.9 | 2.1 | 0.6 | 0.8 | 2.0 | 2.9 | 3.6 | 4.8 | 8.9 | 13.6 |
| 1979 | 28.3 | 18.4 | 1.7 | 0.5 | 0.7 | 1.6 | 2.7 | 3.2 | 4.2 | 7.4 | 13.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 41.9 | 13.9 | 1.1 | 0.4 | 0.7 | 1.1 | 2.0 | 2.7 | 3.7 | 5.6 | 8.1 |
| 1997 | 41.1 | 12.0 | 1.1 | 0.5 | 0.6 | 1.3 | 2.3 | 2.7 | 3.6 | 5.2 | 7.7 |
| 1996 | 40.3 | 13.2 | 1.1 | 0.5 | 0.7 | 1.3 | 1.7 | 2.4 | 3.7 | 5.0 | 7.5 |
| 1995 | 39.3 | 14.2 | 1.2 | 0.4 | 0.6 | 1.3 | 1.9 | 2.6 | 3.5 | 5.3 | 7.8 |
| 1994 | 38.5 | 14.0 | 1.3 | 0.5 | 0.7 | 1.2 | 1.8 | 2.9 | 3.6 | 5.7 | 7.6 |
| 1993 | 39.2 | 12.9 | 1.3 | 0.6 | 0.6 | 1.1 | 1.7 | 2.4 | 3.8 | 5.5 | 7.8 |
| 1992 | 37.2 | 14.7 | 1.4 | 0.5 | 0.6 | 0.8 | 1.8 | 2.6 | 3.4 | 4.7 | 7.0 |
| 1991 | 36.8 | 13.0 | 1.6 | 0.5 | 0.6 | 1.1 | 1.8 | 2.3 | 3.4 | 4.7 | 7.4 |
| 1990 | 36.2 | 15.4 | 1.5 | 0.5 | 0.7 | 1.0 | 1.6 | 2.1 | 3.4 | 4.4 | 6.6 |
| 1989 | 37.2 | 15.2 | 1.3 | 0.5 | 0.8 | 1.0 | 1.6 | 2.4 | 3.2 | 4.9 | 7.0 |
| 1988 | 42.4 | 18.0 | 2.0 | 0.6 | 0.6 | 1.1 | 1.9 | 2.6 | 3.2 | 5.1 | 7.3 |
| 1987 | 40.6 | 19.2 | 1.8 | 0.6 | 0.9 | 1.3 | 1.7 | 2.6 | 3.5 | 4.9 | 7.2 |
| 1986 | 39.3 | 19.5 | 2.1 | 0.6 | 0.7 | 1.0 | 1.8 | 2.7 | 3.5 | 4.9 | 7.4 |
| 1985 | 36.3 | 18.5 | 1.9 | 0.7 | 0.9 | 1.3 | 1.6 | 2.2 | 3.3 | 4.9 | 7.9 |
| 1984 | 32.7 | 19.0 | 1.8 | 0.7 | 0.8 | 1.2 | 1.8 | 2.2 | 3.1 | 4.7 | 7.4 |
| 1983 | 31.1 | 20.2 | 1.8 | 0.6 | 0.6 | 1.2 | 1.7 | 2.2 | 3.5 | 4.7 | 7.5 |
| 1982 | 28.2 | 14.4 | 1.4 | 0.6 | 0.9 | 1.0 | 1.9 | 2.3 | 3.1 | 4.8 | 7.9 |
| 1981 | 26.3 | 16.1 | 2.1 | 0.5 | 0.6 | 1.1 | 1.6 | 2.4 | 3.3 | 4.9 | 7.8 |
| 1980 | 25.1 | 16.0 | 1.9 | 0.6 | 0.7 | 1.4 | 1.7 | 2.3 | 3.3 | 4.6 | 8.0 |
| 1979 | 22.4 | 14.3 | 1.5 | 0.6 | 0.7 | 1.0 | 1.7 | 2.3 | 3.1 | 4.9 | 7.7 |
| All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 41.6 | 11.9 | 0.9 | 0.5 | 0.6 | 1.3 | 2.2 | 2.7 | 3.7 | 5.8 | 9.6 |
| 1997 | 41.3 | 12.5 | 1.0 | 0.4 | 0.7 | 1.4 | 2.2 | 2.6 | 3.8 | 5.7 | 9.1 |
| 1996 | 40.4 | 11.8 | 0.8 | 0.5 | 0.7 | 1.3 | 1.7 | 2.5 | 3.6 | 5.4 | 8.5 |
| 1995 | 39.9 | 13.0 | 1.0 | 0.5 | 0.6 | 1.3 | 2.0 | 2.5 | 3.9 | 6.1 | 9.2 |
| 1994 | 39.1 | 12.6 | 1.0 | 0.5 | 0.7 | 1.4 | 1.8 | 2.7 | 3.6 | 6.2 | 8.9 |
| 1993 | 39.8 | 11.7 | 1.2 | 0.4 | 0.7 | 1.3 | 1.8 | 2.4 | 4.0 | 6.0 | 8.9 |
| 1992 | 38.1 | 13.3 | 1.1 | 0.4 | 0.6 | 1.2 | 1.9 | 2.4 | 3.5 | 5.1 | 8.7 |
| 1991 | 37.9 | 12.2 | 1.4 | 0.5 | 0.6 | 1.5 | 1.9 | 2.5 | 3.6 | 5.3 | 8.0 |
| 1990 | 37.2 | 13.6 | 1.2 | 0.5 | 0.7 | 1.4 | 1.6 | 2.2 | 3.4 | 5.0 | 7.7 |
| 1989 | 38.2 | 14.5 | 1.2 | 0.5 | 0.6 | 1.2 | 1.8 | 2.5 | 3.6 | 5.6 | 7.9 |
| 1988 | 44.0 | 16.8 | 1.7 | 0.6 | 0.8 | 1.4 | 2.0 | 2.6 | 3.8 | 5.7 | 8.8 |
| 1987 | 42.2 | 19.3 | 1.4 | 0.6 | 0.7 | 1.4 | 1.9 | 2.6 | 3.7 | 5.4 | 8.7 |
| 1986 | 41.3 | 20.3 | 1.8 | 0.6 | 0.7 | 1.4 | 2.0 | 2.6 | 3.7 | 5.5 | 9.1 |
| 1985 | 38.5 | 18.4 | 1.4 | 0.6 | 0.7 | 1.4 | 1.8 | 2.4 | 3.4 | 5.5 | 8.8 |
| 1984 | 35.1 | 19.4 | 1.6 | 0.6 | 0.7 | 1.3 | 1.9 | 2.2 | 3.6 | 5.1 | 8.8 |
| 1983 | 33.4 | 18.6 | 1.6 | 0.5 | 0.7 | 1.3 | 1.8 | 2.3 | 3.5 | 5.0 | 8.5 |
| 1982 | 30.3 | 15.0 | 1.3 | 0.5 | 0.8 | 1.3 | 1.9 | 2.3 | 3.0 | 5.0 | 8.5 |
| 1981 | 28.7 | 15.0 | 1.7 | 0.5 | 0.6 | 1.2 | 1.7 | 2.2 | 3.4 | 5.1 | 8.2 |
| 1980 | 27.2 | 15.5 | 1.6 | 0.6 | 0.7 | 1.4 | 1.8 | 2.2 | 2.9 | 4.7 | 8.4 |
| 1979 | 24.5 | 12.8 | 1.3 | 0.5 | 0.6 | 1.2 | 1.8 | 2.2 | 2.9 | 4.6 | 8.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 39.3 | 12.4 | 0.9 | 0.7 | 0.6 | 1.7 | 2.6 | 3.0 | 4.7 | 7.2 | 13.3 |
| 1997 | 39.6 | 14.9 | 0.9 | 0.5 | 0.9 | 1.8 | 2.5 | 3.1 | 4.7 | 7.6 | 12.2 |
| 1996 | 38.9 | 12.2 | 0.9 | 0.5 | 0.8 | 1.6 | 2.2 | 3.3 | 4.7 | 7.3 | 11.6 |
| 1995 | 39.2 | 13.4 | 1.1 | 0.5 | 0.6 | 1.7 | 2.5 | 3.1 | 5.2 | 8.3 | 12.7 |
| 1994 | 38.5 | 13.5 | 1.1 | 0.5 | 0.8 | 1.9 | 2.2 | 3.0 | 4.6 | 7.9 | 12.1 |
| 1993 | 39.4 | 13.5 | 1.4 | 0.3 | 0.8 | 1.8 | 2.2 | 3.1 | 5.0 | 7.8 | 12.3 |
| 1992 | 38.1 | 14.5 | 1.1 | 0.6 | 0.6 | 1.7 | 2.2 | 2.7 | 4.7 | 6.9 | 12.6 |
| 1991 | 38.4 | 13.8 | 1.3 | 0.5 | 0.6 | 1.9 | 2.3 | 3.3 | 4.7 | 7.1 | 10.7 |
| 1990 | 37.9 | 14.6 | 1.3 | 0.6 | 0.9 | 1.8 | 2.0 | 2.8 | 4.5 | 6.7 | 10.7 |
| 1989 | 39.1 | 16.4 | 1.4 | 0.5 | 0.7 | 1.6 | 2.2 | 3.2 | 4.7 | 7.4 | 10.8 |
| 1988 | 45.4 | 18.3 | 1.6 | 0.6 | 1.0 | 1.9 | 2.4 | 3.3 | 5.1 | 7.8 | 12.3 |
| 1987 | 43.8 | 21.6 | 1.5 | 0.7 | 0.7 | 1.7 | 2.5 | 3.2 | 4.8 | 7.0 | 12.2 |
| 1986 | 43.4 | 23.7 | 1.9 | 0.6 | 0.7 | 1.9 | 2.4 | 3.1 | 4.8 | 7.5 | 12.5 |
| 1985 | 41.0 | 20.8 | 1.4 | 0.5 | 0.7 | 1.8 | 2.3 | 3.0 | 4.2 | 7.3 | 11.6 |
| 1984 | 38.1 | 22.2 | 1.7 | 0.5 | 0.7 | 1.5 | 2.3 | 2.6 | 4.9 | 6.8 | 11.9 |
| 1983 | 36.2 | 20.5 | 1.7 | 0.6 | 0.8 | 1.6 | 2.2 | 2.8 | 4.4 | 6.5 | 11.1 |
| 1982 | 32.9 | 17.9 | 1.5 | 0.6 | 0.7 | 1.7 | 2.3 | 2.6 | 3.8 | 6.5 | 11.1 |
| 1981 | 31.7 | 15.3 | 1.7 | 0.5 | 0.7 | 1.6 | 2.1 | 2.6 | 4.0 | 6.4 | 10.7 |
| 1980 | 30.0 | 18.4 | 1.6 | 0.6 | 0.7 | 1.7 | 2.3 | 2.9 | 3.4 | 6.0 | 10.8 |
| 1979 | 27.4 | 14.8 | 1.4 | 0.6 | 0.7 | 1.4 | 2.3 | 2.7 | 3.3 | 5.7 | 10.4 |
| All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 43.8 | 11.4 | 0.9 | 0.3 | 0.6 | 0.9 | 1.7 | 2.3 | 2.7 | 4.3 | 5.9 |
| 1997 | 43.0 | 10.1 | 1.0 | 0.4 | 0.5 | 1.0 | 1.9 | 2.1 | 2.9 | 3.9 | 6.0 |
| 1996 | 41.8 | 11.3 | 0.7 | 0.5 | 0.6 | 1.0 | 1.3 | 1.8 | 2.5 | 3.5 | 5.3 |
| 1995 | 40.6 | 12.5 | 0.9 | 0.4 | 0.5 | 0.9 | 1.5 | 1.9 | 2.7 | 3.9 | 5.6 |
| 1994 | 39.7 | 11.7 | 1.0 | 0.5 | 0.7 | 0.9 | 1.4 | 2.3 | 2.5 | 4.4 | 5.7 |
| 1993 | 40.3 | 9.9 | 1.0 | 0.5 | 0.5 | 0.9 | 1.3 | 1.8 | 3.0 | 4.1 | 5.6 |
| 1992 | 38.0 | 12.1 | 1.2 | 0.3 | 0.6 | 0.7 | 1.5 | 2.0 | 2.3 | 3.3 | 4.7 |
| 1991 | 37.5 | 10.5 | 1.4 | 0.5 | 0.5 | 1.0 | 1.5 | 1.8 | 2.5 | 3.5 | 5.2 |
| 1990 | 36.5 | 12.6 | 1.2 | 0.5 | 0.5 | 0.9 | 1.2 | 1.7 | 2.4 | 3.2 | 4.8 |
| 1989 | 37.4 | 12.5 | 1.1 | 0.4 | 0.5 | 0.8 | 1.3 | 1.7 | 2.5 | 3.7 | 5.0 |
| 1988 | 42.7 | 15.1 | 1.7 | 0.5 | 0.6 | 0.9 | 1.5 | 1.9 | 2.4 | 3.6 | 5.4 |
| 1987 | 40.5 | 16.8 | 1.4 | 0.5 | 0.8 | 1.0 | 1.3 | 2.0 | 2.5 | 3.8 | 5.3 |
| 1986 | 39.3 | 16.7 | 1.7 | 0.5 | 0.6 | 0.9 | 1.5 | 2.1 | 2.5 | 3.5 | 5.8 |
| 1985 | 36.1 | 15.8 | 1.4 | 0.7 | 0.7 | 1.1 | 1.3 | 1.7 | 2.5 | 3.6 | 6.0 |
| 1984 | 32.4 | 16.4 | 1.5 | 0.6 | 0.7 | 1.0 | 1.5 | 1.7 | 2.4 | 3.4 | 5.8 |
| 1983 | 30.7 | 16.6 | 1.6 | 0.5 | 0.6 | 1.0 | 1.3 | 1.8 | 2.7 | 3.5 | 5.9 |
| 1982 | 27.9 | 11.9 | 1.1 | 0.5 | 0.9 | 0.9 | 1.5 | 1.9 | 2.3 | 3.5 | 6.0 |
| 1981 | 25.8 | 14.6 | 1.8 | 0.6 | 0.4 | 0.9 | 1.3 | 1.8 | 2.7 | 3.7 | 5.8 |
| 1980 | 24.5 | 12.4 | 1.6 | 0.5 | 0.7 | 1.1 | 1.3 | 1.6 | 2.5 | 3.5 | 6.1 |
| 1979 | 21.8 | 10.8 | 1.2 | 0.5 | 0.6 | 1.0 | 1.3 | 1.7 | 2.4 | 3.5 | 5.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 34.3 | 21.1 | 1.8 | 0.9 | 1.1 | 2.7 | 4.2 | 6.1 | 9.3 | 14.1 | 22.2 |
| 1997 | 33.9 | 19.2 | 1.7 | 0.7 | 1.0 | 2.4 | 4.8 | 6.0 | 8.7 | 13.8 | 20.9 |
| 1996 | 34.9 | 22.9 | 2.0 | 0.7 | 1.5 | 2.9 | 4.4 | 5.9 | 10.0 | 14.4 | 21.9 |
| 1995 | 35.6 | 22.0 | 2.3 | 0.6 | 1.3 | 3.2 | 5.1 | 6.4 | 10.3 | 15.9 | 23.4 |
| 1994 | 35.2 | 23.3 | 2.7 | 0.7 | 1.1 | 2.9 | 4.4 | 6.8 | 10.7 | 15.7 | 22.9 |
| 1993 | 36.8 | 24.3 | 2.5 | 0.9 | 1.0 | 2.6 | 4.2 | 7.2 | 9.7 | 16.0 | 24.3 |
| 1992 | 36.2 | 24.0 | 2.4 | 0.9 | 1.1 | 2.7 | 4.2 | 7.1 | 9.8 | 15.9 | 24.9 |
| 1991 | 36.7 | 23.9 | 3.0 | 0.9 | 1.0 | 2.3 | 4.5 | 6.2 | 10.4 | 16.3 | 24.1 |
| 1990 | 37.6 | 29.3 | 2.6 | 0.6 | 1.3 | 2.1 | 4.1 | 5.9 | 10.7 | 16.1 | 24.8 |
| 1989 | 39.7 | 25.8 | 2.7 | 0.9 | 1.4 | 2.3 | 4.1 | 6.5 | 10.1 | 16.2 | 24.5 |
| 1988 | 45.9 | 32.8 | 3.4 | 0.9 | 1.2 | 2.7 | 4.3 | 7.2 | 11.0 | 17.8 | 27.4 |
| 1987 | 45.0 | 33.5 | 3.3 | 0.9 | 1.4 | 2.8 | 4.1 | 6.6 | 11.8 | 17.6 | 26.9 |
| 1986 | 44.6 | 34.5 | 3.8 | 1.0 | 1.1 | 2.2 | 4.5 | 7.1 | 12.8 | 17.8 | 26.9 |
| 1985 | 42.3 | 34.4 | 3.4 | 0.9 | 1.5 | 3.0 | 3.9 | 6.3 | 10.5 | 18.0 | 26.8 |
| 1984 | 39.1 | 34.2 | 3.3 | 1.0 | 1.2 | 2.4 | 4.6 | 6.4 | 10.1 | 16.5 | 24.2 |
| 1983 | 38.4 | 38.0 | 3.3 | 0.9 | 1.0 | 2.9 | 4.1 | 6.3 | 10.5 | 16.4 | 25.6 |
| 1982 | 34.2 | 27.5 | 3.0 | 0.8 | 1.1 | 2.0 | 4.3 | 5.7 | 9.5 | 15.5 | 25.2 |
| 1981 | 33.8 | 27.2 | 3.5 | * | 1.3 | 2.2 | 4.1 | 7.2 | 9.8 | 16.3 | 26.5 |
| 1980 | 34.0 | 32.3 | 3.6 | 0.9 | 0.9 | 3.4 | 4.8 | 7.0 | 10.9 | 19.9 | 26.0 |
| 1979 | 29.9 | 33.1 | 2.9 | * | 1.2 | 1.8 | 4.4 | 6.0 | 8.6 | 16.9 | 25.0 |
| All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 35.6 | 19.2 | 1.9 | 0.9 | 1.3 | 3.5 | 5.5 | 7.8 | 11.2 | 17.6 | 27.0 |
| 1997 | 35.6 | 19.5 | 2.2 | * | 1.1 | 2.7 | 6.0 | 7.0 | 11.5 | 16.8 | 26.8 |
| 1996 | 37.0 | 25.5 | 1.7 | * | 1.9 | 3.3 | 5.8 | 6.8 | 11.7 | 17.4 | 26.8 |
| 1995 | 38.0 | 23.2 | 2.5 | * | 1.5 | 3.8 | 6.4 | 7.9 | 14.0 | 21.1 | 29.8 |
| 1994 | 37.6 | 24.0 | 2.9 | * | 1.5 | 3.6 | 5.5 | 8.2 | 13.2 | 20.5 | 30.1 |
| 1993 | 39.6 | 24.7 | 2.7 | * | * | 3.3 | 4.9 | 9.5 | 12.4 | 20.6 | 31.2 |
| 1992 | 39.5 | 23.6 | 2.7 | * | 1.4 | 4.2 | 5.3 | 9.2 | 11.9 | 21.3 | 32.4 |
| 1991 | 40.5 | 25.6 | 3.5 | * | 1.2 | 2.8 | 5.6 | 8.0 | 13.7 | 23.5 | 30.4 |
| 1990 | 41.0 | 32.6 | 2.4 | * | * | 3.0 | 4.7 | 8.0 | 13.7 | 22.7 | 34.7 |
| 1989 | 43.4 | 26.0 | 3.1 | * | * | 2.6 | 5.2 | 7.3 | 14.2 | 22.3 | 32.0 |
| 1988 | 51.3 | 36.1 | 3.5 | * | 1.5 | 3.3 | 5.2 | 8.4 | 15.3 | 23.7 | 38.7 |
| 1987 | 49.7 | 37.8 | 3.3 | * | 1.5 | 3.2 | 5.2 | 8.1 | 15.9 | 25.5 | 36.8 |
| 1986 | 50.4 | 37.5 | 4.2 | * | * | 2.7 | 5.7 | 8.4 | 17.4 | 23.5 | 39.0 |
| 1985 | 47.9 | 38.3 | 2.9 | * | 1.5 | 3.7 | 4.7 | 8.2 | 14.4 | 25.0 | 35.9 |
| 1984 | 44.3 | 37.8 | 3.4 | * | * | 2.9 | 6.1 | 8.2 | 14.0 | 21.5 | 32.1 |
| 1983 | 43.8 | 40.3 | 4.0 | * | 1.2 | 3.6 | 4.8 | 8.2 | 13.8 | 21.4 | 35.5 |
| 1982 | 39.2 | 29.4 | 3.5 | * | * | 2.6 | 4.5 | 6.8 | 11.6 | 19.0 | 32.6 |
| 1981 | 38.4 | 31.6 | 3.6 | * | 1.2 | 2.4 | 4.9 | 9.3 | 13.2 | 21.5 | 34.4 |
| 1980 | 39.8 | 32.2 | 4.2 | * | * | 4.0 | 6.0 | 8.5 | 14.6 | 29.4 | 33.6 |
| 1979 | 34.4 | 35.6 | 3.0 | * | * | 2.4 | 5.2 | 6.9 | 10.0 | 20.1 | 32.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 33.2 | 23.0 | 1.6 | 0.9 | * | 1.8 | 2.9 | 4.5 | 7.7 | 11.0 | 18.0 |
| 1997 | 32.4 | 18.9 | 1.3 | 1.0 | * | 2.1 | 3.7 | 5.1 | 6.2 | 11.2 | 15.6 |
| 1996 | 33.1 | 20.2 | 2.3 | * | 1.1 | 2.5 | 3.1 | 5.0 | 8.5 | 11.8 | 17.6 |
| 1995 | 33.3 | 20.8 | 2.0 | * | 1.0 | 2.6 | 3.8 | 5.0 | 6.9 | 11.4 | 17.7 |
| 1994 | 33.0 | 22.5 | 2.5 | * | * | 2.1 | 3.4 | 5.5 | 8.3 | 11.4 | 16.6 |
| 1993 | 34.2 | 23.8 | 2.2 | * | * | 1.8 | 3.5 | 5.0 | 7.2 | 11.9 | 18.3 |
| 1992 | 33.2 | 24.3 | 2.0 | * | * | 1.3 | 3.1 | 5.0 | 8.0 | 11.1 | 18.4 |
| 1991 | 33.2 | 22.2 | 2.5 | * | * | 1.8 | 3.4 | 4.5 | 7.5 | 10.0 | 18.6 |
| 1990 | 34.5 | 26.0 | 2.8 | * | 1.4 | 1.2 | 3.5 | 4.0 | 8.0 | 10.3 | 16.4 |
| 1989 | 36.3 | 25.6 | 2.3 | * | 1.9 | 2.0 | 3.0 | 5.7 | 6.4 | 10.8 | 18.1 |
| 1988 | 40.9 | 29.5 | 3.2 | * | * | 2.0 | 3.4 | 6.1 | 7.1 | 12.6 | 17.7 |
| 1987 | 40.7 | 29.0 | 3.2 | * | * | 2.3 | 3.1 | 5.3 | 8.2 | 10.7 | 18.3 |
| 1986 | 39.3 | 31.5 | 3.5 | * | * | 1.6 | 3.3 | 6.0 | 8.7 | 12.8 | 16.6 |
| 1985 | 37.2 | 30.4 | 4.0 | * | 1.4 | 2.3 | 3.2 | 4.6 | 7.1 | 12.0 | 19.0 |
| 1984 | 34.4 | 30.5 | 3.1 | * | 1.3 | 2.0 | 3.2 | 4.9 | 6.8 | 12.3 | 17.4 |
| 1983 | 33.6 | 35.7 | 2.7 | * | * | 2.3 | 3.4 | 4.6 | 7.6 | 12.1 | 17.0 |
| 1982 | 29.7 | 25.7 | 2.4 | * | * | 1.5 | 4.0 | 4.6 | 7.6 | 12.4 | 19.0 |
| 1981 | 29.6 | 22.6 | 3.4 | * | 1.4 | 2.0 | 3.3 | 5.3 | 6.9 | 11.9 | 19.8 |
| 1980 | 28.8 | 32.3 | 3.1 | * | * | 2.8 | 3.6 | 5.7 | 7.7 | 11.9 | 19.5 |
| 1979 | 25.9 | 30.6 | 2.8 | * | 1.3 | 1.2 | 3.7 | 5.2 | 7.5 | 14.2 | 18.5 |
| All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 42.4 | 23.2 | 1.9 | 1.0 | 1.2 | 3.3 | 5.2 | 7.9 | 12.4 | 18.1 | 29.1 |
| 1997 | 41.8 | 22.5 | 2.1 | 0.8 | 1.2 | 2.9 | 6.0 | 7.9 | 10.9 | 17.6 | 27.3 |
| 1996 | 43.0 | 26.9 | 2.1 | 0.7 | 1.7 | 3.7 | 5.7 | 7.9 | 12.8 | 18.6 | 28.4 |
| 1995 | 43.5 | 24.9 | 2.6 | 0.6 | 1.6 | 4.0 | 6.4 | 8.1 | 13.3 | 20.3 | 30.7 |
| 1994 | 43.1 | 26.5 | 3.2 | 0.7 | 1.3 | 3.4 | 5.5 | 8.9 | 13.6 | 20.0 | 29.6 |
| 1993 | 44.8 | 26.9 | 2.7 | 1.0 | 1.1 | 3.0 | 5.3 | 8.9 | 12.3 | 20.7 | 31.0 |
| 1992 | 44.4 | 28.1 | 2.8 | 0.9 | 1.2 | 3.2 | 4.9 | 8.9 | 12.2 | 20.1 | 32.4 |
| 1991 | 44.9 | 28.1 | 3.4 | 1.0 | 1.2 | 2.6 | 5.6 | 7.8 | 13.2 | 20.5 | 31.6 |
| 1990 | 45.3 | 32.9 | 3.0 | * | 1.4 | 2.6 | 4.9 | 7.2 | 13.7 | 20.2 | 32.1 |
| 1989 | 48.0 | 29.0 | 3.0 | 1.0 | 1.4 | 2.7 | 5.1 | 7.8 | 12.9 | 20.5 | 31.8 |
| 1988 | 55.5 | 37.3 | 3.8 | 1.0 | 1.3 | 3.2 | 5.2 | 9.0 | 13.8 | 22.4 | 35.0 |
| 1987 | 54.1 | 36.4 | 3.7 | 0.9 | 1.6 | 3.4 | 4.9 | 7.7 | 14.8 | 22.0 | 34.2 |
| 1986 | 53.2 | 39.1 | 4.3 | 1.0 | 1.2 | 2.5 | 5.3 | 8.6 | 16.0 | 22.3 | 34.3 |
| 1985 | 50.0 | 37.9 | 4.1 | 0.9 | 1.7 | 3.5 | 4.5 | 7.6 | 12.8 | 22.1 | 33.7 |
| 1984 | 46.0 | 39.4 | 3.7 | 1.1 | 1.4 | 2.9 | 5.0 | 7.6 | 12.2 | 20.4 | 30.1 |
| 1983 | 44.6 | 43.4 | 3.6 | 0.8 | 1.0 | 3.4 | 4.7 | 7.2 | 12.8 | 20.2 | 30.9 |
| 1982 | 39.6 | 29.7 | 3.2 | 0.9 | 1.2 | 2.1 | 4.9 | 6.6 | 11.5 | 19.0 | 30.2 |
| 1981 | 38.9 | 29.7 | 3.7 | * | 1.5 | 2.4 | 4.8 | 8.5 | 11.8 | 19.6 | 31.6 |
| 1980 | 38.5 | 35.2 | 4.0 | 1.0 | 0.9 | 3.6 | 5.2 | 7.9 | 13.3 | 23.5 | 30.4 |
| 1979 | 33.2 | 34.6 | 3.1 | * | 1.2 | 2.0 | 4.8 | 6.5 | 10.0 | 19.0 | 28.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 43.7 | 21.7 | 2.2 | * | 1.5 | 4.4 | 6.9 | 10.0 | 14.8 | 22.5 | 35.3 |
| 1997 | 43.7 | 22.7 | 2.8 | * | 1.4 | 3.4 | 7.5 | 9.2 | 14.2 | 21.0 | 35.3 |
| 1996 | 45.2 | 31.1 | 1.8 | * | 2.1 | 4.2 | 7.7 | 9.1 | 14.8 | 22.5 | 35.0 |
| 1995 | 46.9 | 27.6 | 3.1 | * | 1.9 | 4.8 | 8.1 | 10.2 | 18.4 | 26.7 | 39.8 |
| 1994 | 45.9 | 27.6 | 3.3 | * | 1.7 | 4.4 | 6.7 | 10.5 | 16.9 | 26.9 | 38.8 |
| 1993 | 48.2 | 25.3 | 2.8 | * | * | 3.8 | 6.4 | 11.7 | 15.6 | 26.6 | 39.7 |
| 1992 | 48.4 | 28.8 | 3.2 | * | 1.5 | 4.9 | 6.1 | 11.5 | 15.0 | 27.5 | 42.3 |
| 1991 | 49.5 | 29.2 | 3.9 | * | * | 3.1 | 6.9 | 10.4 | 17.4 | 29.6 | 40.2 |
| 1990 | 49.3 | 36.9 | 2.9 | * | * | 3.6 | 5.6 | 9.7 | 17.3 | 28.3 | 45.1 |
| 1989 | 52.4 | 28.3 | 3.5 | * | * | 3.1 | 6.4 | 9.0 | 18.4 | 28.6 | 41.4 |
| 1988 | 62.3 | 40.4 | 3.8 | * | 1.7 | 3.9 | 6.4 | 10.8 | 19.5 | 30.2 | 49.7 |
| 1987 | 59.6 | 41.1 | 4.0 | * | 1.9 | 3.8 | 6.3 | 9.1 | 19.8 | 31.5 | 46.8 |
| 1986 | 60.2 | 43.2 | 4.6 | * | * | 3.2 | 6.7 | 10.1 | 21.8 | 29.4 | 50.1 |
| 1985 | 56.7 | 42.4 | 3.4 | * | 1.8 | 4.5 | 5.3 | 9.8 | 17.8 | 31.2 | 45.8 |
| 1984 | 52.2 | 43.8 | 3.8 | * | * | 3.4 | 6.4 | 9.5 | 16.7 | 26.9 | 39.9 |
| 1983 | 50.6 | 46.2 | 4.5 | * | * | 4.1 | 5.5 | 9.2 | 16.7 | 26.3 | 42.8 |
| 1982 | 45.4 | 32.2 | 3.6 | * | * | 2.8 | 5.2 | 8.0 | 14.0 | 23.6 | 39.5 |
| 1981 | 44.3 | 35.2 | 3.9 | * | * | 2.8 | 5.8 | 10.9 | 16.1 | 26.2 | 41.9 |
| 1980 | 45.0 | 35.3 | 4.5 | * | * | 4.1 | 6.6 | 9.4 | 17.9 | 34.4 | 39.9 |
| 1979 | 38.3 | 35.8 | 3.4 | * | * | 2.7 | 5.5 | 7.7 | 11.5 | 21.9 | 38.1 |
| All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 41.3 | 24.8 | 1.6 | * | * | 2.1 | 3.6 | 5.9 | 10.2 | 14.2 | 23.6 |
| 1997 | 40.1 | 22.3 | * | * | * | 2.4 | 4.6 | 6.7 | 8.1 | 14.6 | 20.3 |
| 1996 | 40.9 | 22.7 | 2.4 | * | * | 3.1 | 3.9 | 6.8 | 11.0 | 15.2 | 22.7 |
| 1995 | 40.5 | 22.1 | 2.2 | * | * | 3.2 | 4.9 | 6.2 | 8.8 | 14.5 | 22.8 |
| 1994 | 40.5 | 25.3 | 3.2 | * | * | 2.5 | 4.3 | 7.6 | 10.7 | 14.0 | 21.7 |
| 1993 | 41.7 | 28.5 | 2.6 | * | * | 2.2 | 4.3 | 6.5 | 9.3 | 15.6 | 23.5 |
| 1992 | 40.7 | 27.3 | 2.4 | * | * | 1.5 | 3.8 | 6.6 | 9.7 | 13.7 | 23.9 |
| 1991 | 40.7 | 27.0 | 3.0 | * | * | 2.1 | 4.3 | 5.5 | 9.6 | 12.7 | 24.3 |
| 1990 | 41.7 | 28.8 | 3.2 | * | * | 1.6 | 4.3 | 5.0 | 10.4 | 13.1 | 21.0 |
| 1989 | 44.0 | 29.8 | 2.4 | * | 2.0 | 2.3 | 3.8 | 6.7 | 8.0 | 13.5 | 23.5 |
| 1988 | 49.4 | 34.0 | 3.8 | * | * | 2.6 | 4.1 | 7.4 | 8.9 | 15.7 | 22.4 |
| 1987 | 49.2 | 31.7 | 3.4 | * | * | 2.9 | 3.6 | 6.4 | 10.5 | 13.9 | 23.5 |
| 1986 | 47.0 | 34.9 | 4.0 | * | * | 1.8 | 4.1 | 7.2 | 11.0 | 16.2 | 21.0 |
| 1985 | 44.0 | 33.2 | 4.8 | * | 1.6 | 2.6 | 3.7 | 5.7 | 8.6 | 14.4 | 23.6 |
| 1984 | 40.4 | 35.0 | 3.5 | * | * | 2.4 | 3.7 | 5.9 | 8.3 | 14.9 | 21.9 |
| 1983 | 39.2 | 40.7 | 2.8 | * | * | 2.7 | 3.9 | 5.5 | 9.6 | 15.1 | 20.9 |
| 1982 | 34.3 | 27.0 | 2.9 | * | * | 1.4 | 4.6 | 5.4 | 9.3 | 15.1 | 22.5 |
| 1981 | 34.1 | 24.1 | 3.6 | * | 1.6 | 2.1 | 3.9 | 6.3 | 8.2 | 14.1 | 23.1 |
| 1980 | 32.7 | 35.0 | 3.4 | * | * | 3.1 | 3.8 | 6.6 | 9.4 | 14.5 | 22.5 |
| 1979 | 28.6 | 33.2 | 2.9 | * | * | * | 4.1 | 5.5 | 8.7 | 16.6 | 20.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Essential (primary) hypertension and hypertensive renal disease (401,403) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 5.2 | * | * | * | * | * | * | 0.1 | 0.1 | 0.4 | 0.7 |
| 1997 | 5.0 | * | * | * | * | * | * | 0.1 | 0.1 | 0.3 | 0.8 |
| 1996 | 4.8 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 |
| 1995 | 4.7 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.8 |
| 1994 | 4.5 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.7 |
| 1993 | 4.3 | * | * | * | * | * | * | 0.1 | 0.2 | 0.5 | 0.7 |
| 1992 | 4.0 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.6 |
| 1991 | 3.8 | * | * | * | * | * | * | 0.1 | 0.1 | 0.3 | 0.6 |
| 1990 | 3.7 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 |
| 1989 | 3.6 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 |
| 1988 | 3.5 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 |
| 1987 | 3.4 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.6 |
| 1986 | 3.3 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 |
| 1985 | 3.3 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.5 |
| 1984 | 3.3 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.6 |
| 1983 | 3.3 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.7 |
| 1982 | 3.3 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 |
| 1981 | 3.3 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.8 |
| 1980 | 3.5 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.8 |
| 1979 | 3.2 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.8 |
| Essential (primary) hypertension and hypertensive renal disease (401,403) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 4.1 | * | * | * | * | * | * | * | * | 0.6 | 0.8 |
| 1997 | 4.1 | * | * | * | * | * | * | * | * | 0.5 | 1.0 |
| 1996 | 3.9 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 |
| 1995 | 3.9 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.1 |
| 1994 | 3.7 | * | * | * | * | * | * | * | 0.2 | 0.5 | 1.0 |
| 1993 | 3.6 | * | * | * | * | * | * | * | 0.2 | 0.6 | 1.0 |
| 1992 | 3.4 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.8 |
| 1991 | 3.2 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 |
| 1990 | 3.2 | * | * | * | * | * | * | * | 0.2 | 0.5 | 0.8 |
| 1989 | 3.1 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.8 |
| 1988 | 3.0 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 |
| 1987 | 3.0 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1986 | 2.9 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.6 |
| 1985 | 2.9 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1984 | 3.0 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.7 |
| 1983 | 3.1 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 |
| 1982 | 3.0 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.6 |
| 1981 | 3.1 | * | * | * | * | * | * | * | * | 0.4 | 0.9 |
| 1980 | 3.3 | * | * | * | * | * | * | * | 0.3 | 0.5 | 1.0 |
| 1979 | 3.1 | * | * | * | * | * | * | * | * | 0.5 | 0.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Essential (primary) hypertension and hypertensive renal disease (401,403) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 6.2 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1997 | 5.8 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1996 | 5.7 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1995 | 5.5 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1994 | 5.2 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1993 | 5.1 | * | * | * | * | * | * | * | * | 0.4 | 0.5 |
| 1992 | 4.6 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1991 | 4.3 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1990 | 4.2 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1989 | 3.9 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1988 | 3.9 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1987 | 3.7 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1986 | 3.7 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1985 | 3.6 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1984 | 3.6 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1983 | 3.5 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1982 | 3.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1981 | 3.5 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1980 | 3.6 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1979 | 3.4 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| Essential (primary) hypertension and hypertensive renal disease (401,403) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 4.8 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1997 | 4.6 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1996 | 4.4 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1995 | 4.3 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1994 | 4.1 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1993 | 3.9 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1992 | 3.6 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1991 | 3.4 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1990 | 3.3 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1989 | 3.2 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1988 | 3.1 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1987 | 3.1 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1986 | 3.0 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1985 | 2.9 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1984 | 3.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1983 | 3.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1982 | 3.0 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1981 | 3.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1980 | 3.1 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1979 | 2.9 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Essential (primary) hypertension and hypertensive renal disease (401,403) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 3.7 | * | * | * | * | * | * | * | * | 0.4 | 0.5 |
| 1997 | 3.7 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1996 | 3.5 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1995 | 3.4 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1994 | 3.3 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1993 | 3.2 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1992 | 3.1 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1991 | 2.8 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1990 | 2.8 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1989 | 2.8 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1988 | 2.7 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1987 | 2.7 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1986 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.7 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1983 | 2.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1982 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1980 | 3.0 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1979 | 2.8 | * | * | * | * | * | * | * | * | * | 0.5 |
| Essential (primary) hypertension and hypertensive renal disease (401,403) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 5.8 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1997 | 5.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 5.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1995 | 5.1 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1994 | 4.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.9 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1990 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Essential (primary) hypertension and hypertensive renal disease (401,403) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 7.1 | * | * | * | * | * | * | * | * | 1.2 | 2.1 |
| 1997 | 6.6 | * | * | * | * | * | * | * | 0.5 | 1.1 | 2.7 |
| 1996 | 6.6 | * | * | * | * | * | * | * | 0.5 | 1.0 | 2.3 |
| 1995 | 6.6 | * | * | * | * | * | * | * | 0.6 | 1.2 | 2.9 |
| 1994 | 6.4 | * | * | * | * | * | * | * | 0.6 | 1.5 | 2.5 |
| 1993 | 6.4 | * | * | * | * | * | * | * | 0.7 | 1.6 | 2.6 |
| 1992 | 5.9 | * | * | * | * | * | * | * | 0.8 | 1.1 | 2.3 |
| 1991 | 5.7 | * | * | * | * | * | * | * | * | 1.4 | 2.5 |
| 1990 | 5.5 | * | * | * | * | * | * | * | 0.5 | 1.6 | 2.4 |
| 1989 | 5.4 | * | * | * | * | * | * | * | 0.6 | 1.4 | 2.5 |
| 1988 | 5.3 | * | * | * | * | * | * | * | 0.7 | 1.1 | 1.9 |
| 1987 | 5.0 | * | * | * | * | * | * | * | * | 1.2 | 2.4 |
| 1986 | 4.9 | * | * | * | * | * | * | * | * | 1.3 | 2.0 |
| 1985 | 5.1 | * | * | * | * | * | * | * | * | 1.6 | 2.4 |
| 1984 | 5.1 | * | * | * | * | * | * | * | 0.7 | 1.2 | 2.3 |
| 1983 | 4.8 | * | * | * | * | * | * | * | * | 1.1 | 2.7 |
| 1982 | 4.7 | * | * | * | * | * | * | * | 0.7 | 1.3 | 1.8 |
| 1981 | 5.2 | * | * | * | * | * | * | * | 0.8 | 1.5 | 3.5 |
| 1980 | 5.3 | * | * | * | * | * | * | * | * | 1.9 | 3.4 |
| 1979 | 5.1 | * | * | * | * | * | * | * | * | 1.9 | 3.3 |
| Essential (primary) hypertension and hypertensive renal disease (401,403) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 6.0 | * | * | * | * | * | * | * | * | 1.5 | 2.4 |
| 1997 | 6.0 | * | * | * | * | * | * | * | * | 1.7 | 3.4 |
| 1996 | 6.0 | * | * | * | * | * | * | * | * | 1.2 | 2.7 |
| 1995 | 6.1 | * | * | * | * | * | * | * | * | 1.6 | 3.8 |
| 1994 | 5.8 | * | * | * | * | * | * | * | * | 2.0 | 3.4 |
| 1993 | 5.5 | * | * | * | * | * | * | * | * | 1.6 | 3.6 |
| 1992 | 5.2 | * | * | * | * | * | * | * | 1.1 | * | 2.6 |
| 1991 | 5.2 | * | * | * | * | * | * | * | * | 1.8 | 3.6 |
| 1990 | 5.1 | * | * | * | * | * | * | * | * | 2.3 | 3.6 |
| 1989 | 5.1 | * | * | * | * | * | * | * | * | 1.6 | 3.4 |
| 1988 | 4.4 | * | * | * | * | * | * | * | * | 1.5 | 2.5 |
| 1987 | 4.7 | * | * | * | * | * | * | * | * | 1.6 | 3.2 |
| 1986 | 4.4 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1985 | 4.7 | * | * | * | * | * | * | * | * | 2.4 | 2.9 |
| 1984 | 4.7 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1983 | 4.6 | * | * | * | * | * | * | * | * | * | 3.6 |
| 1982 | 4.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 4.9 | * | * | * | * | * | * | * | * | * | 4.1 |
| 1980 | 5.1 | * | * | * | * | * | * | * | * | * | 4.6 |
| 1979 | 5.0 | * | * | * | * | * | * | * | * | * | 4.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Essential (primary) hypertension and hypertensive renal disease (401,403) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 8.1 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1997 | 7.1 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1996 | 7.1 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1995 | 7.1 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1994 | 6.9 | * | * | * | * | * | * | * | * | 1.0 | 1.6 |
| 1993 | 7.3 | * | * | * | * | * | * | * | * | 1.5 | 1.7 |
| 1992 | 6.6 | * | * | * | * | * | * | * | * | 1.1 | 2.1 |
| 1991 | 6.2 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1990 | 5.9 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1989 | 5.7 | * | * | * | * | * | * | * | * | 1.3 | 1.6 |
| 1988 | 6.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 5.4 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1986 | 5.5 | * | * | * | * | * | * | * | * | 1.4 | * |
| 1985 | 5.5 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1984 | 5.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 5.4 | * | * | * | * | * | * | * | * | * | 3.0 |
| 1980 | 5.6 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1979 | 5.1 | * | * | * | * | * | * | * | * | * | * |
| Essential (primary) hypertension and hypertensive renal disease (401,403) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 8.9 | * | * | * | * | * | * | * | * | 1.5 | 2.9 |
| 1997 | 8.3 | * | * | * | * | * | * | * | 0.7 | 1.5 | 3.5 |
| 1996 | 8.3 | * | * | * | * | * | * | * | * | 1.3 | 3.1 |
| 1995 | 8.3 | * | * | * | * | * | * | * | 0.8 | 1.5 | 3.9 |
| 1994 | 8.0 | * | * | * | * | * | * | * | 0.9 | 1.9 | 3.2 |
| 1993 | 8.0 | * | * | * | * | * | * | * | 0.9 | 2.1 | 3.6 |
| 1992 | 7.3 | * | * | * | * | * | * | * | 1.1 | 1.4 | 3.1 |
| 1991 | 7.1 | * | * | * | * | * | * | * | * | 1.9 | 3.2 |
| 1990 | 6.9 | * | * | * | * | * | * | * | * | 2.0 | 3.2 |
| 1989 | 6.6 | * | * | * | * | * | * | * | 0.8 | 1.9 | 3.3 |
| 1988 | 6.5 | * | * | * | * | * | * | * | 0.9 | 1.4 | 2.6 |
| 1987 | 6.2 | * | * | * | * | * | * | * | * | 1.6 | 3.1 |
| 1986 | 6.0 | * | * | * | * | * | * | * | * | 1.7 | 2.6 |
| 1985 | 6.2 | * | * | * | * | * | * | * | * | 2.1 | 3.0 |
| 1984 | 6.1 | * | * | * | * | * | * | * | 1.0 | 1.6 | 2.9 |
| 1983 | 5.7 | * | * | * | * | * | * | * | * | 1.3 | 3.5 |
| 1982 | 5.4 | * | * | * | * | * | * | * | * | 1.5 | 2.1 |
| 1981 | 6.0 | * | * | * | * | * | * | * | 1.1 | 1.9 | 4.3 |
| 1980 | 6.1 | * | * | * | * | * | * | * | * | 2.3 | 4.1 |
| 1979 | 5.7 | * | * | * | * | * | * | * | * | 2.2 | 3.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Essential (primary) hypertension and hypertensive renal disease (401,403) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 7.5 | * | * | * | * | * | * | * | * | 2.0 | 3.3 |
| 1997 | 7.6 | * | * | * | * | * | * | * | * | 2.3 | 4.4 |
| 1996 | 7.6 | * | * | * | * | * | * | * | * | * | 3.6 |
| 1995 | 7.6 | * | * | * | * | * | * | * | * | 2.1 | 5.2 |
| 1994 | 7.3 | * | * | * | * | * | * | * | * | 2.6 | 4.6 |
| 1993 | 6.9 | * | * | * | * | * | * | * | * | 2.1 | 5.1 |
| 1992 | 6.4 | * | * | * | * | * | * | * | 1.5 | * | 3.3 |
| 1991 | 6.4 | * | * | * | * | * | * | * | * | 2.5 | 4.5 |
| 1990 | 6.4 | * | * | * | * | * | * | * | * | 2.8 | 4.6 |
| 1989 | 6.3 | * | * | * | * | * | * | * | * | 2.2 | 4.6 |
| 1988 | 5.3 | * | * | * | * | * | * | * | * | 2.1 | 3.4 |
| 1987 | 5.7 | * | * | * | * | * | * | * | * | 2.0 | 4.1 |
| 1986 | 5.3 | * | * | * | * | * | * | * | * | * | 3.1 |
| 1985 | 5.7 | * | * | * | * | * | * | * | * | 3.1 | 3.6 |
| 1984 | 5.6 | * | * | * | * | * | * | * | * | * | 3.5 |
| 1983 | 5.5 | * | * | * | * | * | * | * | * | * | 4.7 |
| 1982 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 5.7 | * | * | * | * | * | * | * | * | * | 5.1 |
| 1980 | 5.8 | * | * | * | * | * | * | * | * | * | 5.6 |
| 1979 | 5.7 | * | * | * | * | * | * | * | * | * | 5.1 |
| Essential (primary) hypertension and hypertensive renal disease (401,403) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 10.2 | * | * | * | * | * | * | * | * | * | 2.5 |
| 1997 | 9.0 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1996 | 8.9 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1995 | 8.9 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1994 | 8.6 | * | * | * | * | * | * | * | * | 1.4 | 2.1 |
| 1993 | 9.1 | * | * | * | * | * | * | * | * | 2.1 | 2.3 |
| 1992 | 8.1 | * | * | * | * | * | * | * | * | 1.5 | 2.9 |
| 1991 | 7.8 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1990 | 7.4 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1989 | 7.0 | * | * | * | * | * | * | * | * | 1.6 | 2.2 |
| 1988 | 7.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 6.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 6.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 6.6 | * | * | * | * | * | * | * | * | * | 2.5 |
| 1984 | 6.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 5.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 5.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 6.3 | * | * | * | * | * | * | * | * | * | 3.7 |
| 1980 | 6.4 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1979 | 5.8 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Cerebrovascular diseases (430-434,436-438) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 57.3 | 7.9 | 0.4 | 0.2 | 0.2 | 0.3 | 0.6 | 1.2 | 2.1 | 4.3 | 7.7 |
| 1997 | 58.5 | 7.0 | 0.4 | 0.1 | 0.3 | 0.4 | 0.7 | 1.0 | 2.2 | 4.3 | 8.5 |
| 1996 | 59.2 | 6.2 | 0.3 | 0.2 | 0.2 | 0.3 | 0.6 | 1.1 | 2.3 | 4.5 | 8.1 |
| 1995 | 59.2 | 5.9 | 0.4 | 0.1 | 0.2 | 0.3 | 0.6 | 1.0 | 2.3 | 4.9 | 8.3 |
| 1994 | 58.1 | 5.1 | 0.3 | 0.1 | 0.2 | 0.4 | 0.6 | 1.2 | 2.5 | 4.6 | 8.6 |
| 1993 | 57.6 | 5.5 | 0.3 | 0.2 | 0.2 | 0.4 | 0.7 | 1.2 | 2.4 | 4.6 | 7.9 |
| 1992 | 55.9 | 4.2 | 0.3 | 0.1 | 0.2 | 0.4 | 0.7 | 1.2 | 2.4 | 4.7 | 8.5 |
| 1991 | 56.6 | 4.0 | 0.4 | 0.2 | 0.3 | 0.5 | 0.7 | 1.3 | 2.4 | 4.8 | 8.3 |
| 1990 | 57.8 | 3.8 | 0.3 | 0.2 | 0.2 | 0.4 | 0.8 | 1.6 | 2.8 | 4.8 | 8.3 |
| 1989 | 58.8 | 3.3 | 0.3 | 0.2 | 0.3 | 0.4 | 0.9 | 1.4 | 2.8 | 4.9 | 8.3 |
| 1988 | 61.4 | 4.0 | 0.4 | 0.2 | 0.2 | 0.4 | 1.0 | 1.6 | 2.9 | 5.1 | 9.0 |
| 1987 | 61.7 | 3.4 | 0.4 | 0.2 | 0.3 | 0.4 | 0.8 | 1.6 | 2.9 | 5.3 | 9.1 |
| 1986 | 62.2 | 2.9 | 0.3 | 0.1 | 0.3 | 0.4 | 0.9 | 1.7 | 2.9 | 5.3 | 9.5 |
| 1985 | 64.2 | 3.6 | 0.3 | 0.2 | 0.3 | 0.5 | 1.0 | 1.5 | 2.9 | 5.1 | 9.7 |
| 1984 | 65.3 | 3.1 | 0.4 | 0.3 | 0.3 | 0.6 | 1.0 | 1.7 | 2.9 | 5.3 | 10.2 |
| 1983 | 66.4 | 3.9 | 0.4 | 0.3 | 0.2 | 0.6 | 1.0 | 1.7 | 2.7 | 5.5 | 9.5 |
| 1982 | 67.9 | 3.6 | 0.3 | 0.3 | 0.4 | 0.5 | 0.9 | 1.7 | 3.1 | 5.6 | 10.3 |
| 1981 | 71.1 | 3.7 | 0.3 | 0.3 | 0.3 | 0.6 | 1.2 | 1.9 | 3.3 | 6.4 | 10.9 |
| 1980 | 75.0 | 4.4 | 0.5 | 0.3 | 0.3 | 0.7 | 1.3 | 2.0 | 3.3 | 6.2 | 11.4 |
| 1979 | 75.3 | 4.6 | 0.3 | 0.3 | 0.3 | 0.6 | 1.2 | 1.9 | 3.4 | 6.5 | 12.0 |
| Cerebrovascular diseases (430-434,436-438) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 45.1 | 9.0 | 0.3 | * | 0.3 | 0.4 | 0.7 | 1.1 | 2.1 | 4.2 | 8.2 |
| 1997 | 46.8 | 7.7 | 0.5 | * | 0.3 | 0.4 | 0.7 | 1.0 | 2.2 | 4.3 | 8.7 |
| 1996 | 47.3 | 6.5 | 0.3 | 0.3 | 0.2 | 0.3 | 0.7 | 1.1 | 2.2 | 4.5 | 9.0 |
| 1995 | 47.2 | 6.4 | 0.4 | * | 0.3 | 0.3 | 0.7 | 1.2 | 2.3 | 5.0 | 9.2 |
| 1994 | 46.7 | 5.9 | 0.4 | * | 0.3 | 0.3 | 0.7 | 1.1 | 2.4 | 4.7 | 9.8 |
| 1993 | 46.4 | 6.0 | 0.3 | 0.2 | 0.3 | 0.4 | 0.6 | 1.4 | 2.4 | 5.0 | 8.7 |
| 1992 | 45.1 | 5.4 | 0.3 | * | 0.2 | 0.4 | 0.8 | 1.3 | 2.4 | 4.9 | 9.1 |
| 1991 | 45.8 | 4.1 | 0.4 | * | 0.3 | 0.4 | 0.7 | 1.2 | 2.3 | 5.3 | 9.1 |
| 1990 | 46.7 | 4.4 | 0.3 | * | * | 0.5 | 0.9 | 1.4 | 2.8 | 5.1 | 8.7 |
| 1989 | 47.6 | 3.6 | * | * | 0.4 | 0.3 | 0.8 | 1.5 | 2.8 | 5.5 | 8.9 |
| 1988 | 50.1 | 4.3 | 0.4 | * | 0.2 | 0.5 | 1.0 | 1.6 | 3.3 | 5.6 | 9.9 |
| 1987 | 49.9 | 4.0 | 0.4 | 0.2 | 0.2 | 0.4 | 0.8 | 1.6 | 3.0 | 5.8 | 9.7 |
| 1986 | 50.5 | 3.4 | 0.3 | * | 0.3 | 0.4 | 0.9 | 1.6 | 3.1 | 5.8 | 10.3 |
| 1985 | 52.4 | 4.6 | 0.4 | * | 0.3 | 0.6 | 0.9 | 1.6 | 3.0 | 5.5 | 9.7 |
| 1984 | 53.7 | 3.6 | 0.4 | 0.3 | 0.3 | 0.6 | 1.1 | 1.7 | 2.9 | 5.6 | 10.6 |
| 1983 | 55.2 | 4.7 | 0.4 | 0.3 | * | 0.6 | 1.1 | 1.8 | 3.0 | 5.7 | 9.5 |
| 1982 | 56.6 | 4.4 | 0.3 | 0.2 | 0.4 | 0.6 | 0.8 | 1.9 | 3.1 | 5.7 | 10.4 |
| 1981 | 59.4 | 4.4 | 0.3 | 0.3 | 0.2 | 0.5 | 1.2 | 1.9 | 3.4 | 6.6 | 11.0 |
| 1980 | 63.4 | 5.0 | 0.4 | 0.3 | 0.3 | 0.7 | 1.5 | 1.9 | 3.4 | 6.1 | 11.8 |
| 1979 | 64.4 | 4.9 | 0.4 | 0.3 | 0.4 | 0.6 | 1.3 | 2.1 | 3.4 | 6.9 | 12.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Cerebrovascular diseases (430-434,436-438) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 69.0 | 6.7 | 0.4 | * | * | 0.2 | 0.6 | 1.3 | 2.1 | 4.3 | 7.1 |
| 1997 | 69.7 | 6.4 | 0.3 | * | 0.3 | 0.3 | 0.6 | 1.0 | 2.3 | 4.2 | 8.2 |
| 1996 | 70.6 | 5.9 | 0.3 | * | 0.2 | 0.3 | 0.5 | 1.1 | 2.3 | 4.5 | 7.3 |
| 1995 | 70.7 | 5.3 | 0.3 | * | * | 0.2 | 0.6 | 0.9 | 2.3 | 4.7 | 7.4 |
| 1994 | 69.0 | 4.4 | * | * | * | 0.4 | 0.6 | 1.3 | 2.7 | 4.5 | 7.5 |
| 1993 | 68.3 | 5.0 | 0.3 | * | * | 0.4 | 0.8 | 1.0 | 2.4 | 4.1 | 7.2 |
| 1992 | 66.2 | 2.9 | 0.4 | * | * | 0.4 | 0.5 | 1.2 | 2.4 | 4.4 | 7.9 |
| 1991 | 66.8 | 3.8 | 0.3 | * | 0.3 | 0.5 | 0.8 | 1.4 | 2.5 | 4.3 | 7.5 |
| 1990 | 68.4 | 3.1 | 0.3 | * | 0.3 | 0.3 | 0.8 | 1.7 | 2.8 | 4.5 | 7.9 |
| 1989 | 69.6 | 3.0 | 0.3 | * | * | 0.4 | 0.9 | 1.4 | 2.8 | 4.2 | 7.7 |
| 1988 | 72.2 | 3.8 | 0.4 | 0.2 | * | 0.4 | 0.9 | 1.5 | 2.6 | 4.6 | 8.2 |
| 1987 | 72.8 | 2.9 | 0.3 | * | 0.3 | 0.4 | 0.9 | 1.7 | 2.8 | 4.8 | 8.6 |
| 1986 | 73.2 | 2.5 | * | * | 0.3 | 0.4 | 0.8 | 1.7 | 2.8 | 4.8 | 8.7 |
| 1985 | 75.3 | 2.7 | 0.3 | * | 0.3 | 0.4 | 1.1 | 1.5 | 2.7 | 4.8 | 9.6 |
| 1984 | 76.2 | 2.6 | 0.4 | 0.3 | 0.3 | 0.6 | 0.9 | 1.6 | 2.9 | 5.1 | 9.7 |
| 1983 | 77.0 | 3.2 | * | 0.3 | 0.3 | 0.6 | 1.0 | 1.6 | 2.4 | 5.3 | 9.6 |
| 1982 | 78.7 | 2.9 | * | 0.3 | 0.3 | 0.4 | 0.9 | 1.6 | 3.1 | 5.4 | 10.3 |
| 1981 | 82.2 | 2.9 | 0.3 | * | 0.3 | 0.6 | 1.1 | 1.9 | 3.2 | 6.2 | 10.8 |
| 1980 | 85.9 | 3.8 | 0.5 | 0.3 | 0.3 | 0.6 | 1.1 | 2.0 | 3.2 | 6.2 | 10.9 |
| 1979 | 85.7 | 4.2 | * | * | 0.3 | 0.6 | 1.2 | 1.8 | 3.3 | 6.2 | 11.5 |
| Cerebrovascular diseases (430-434,436-438) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 60.2 | 6.7 | 0.3 | 0.2 | 0.2 | 0.3 | 0.6 | 1.0 | 1.7 | 3.5 | 5.7 |
| 1997 | 61.4 | 6.0 | 0.3 | * | 0.2 | 0.4 | 0.5 | 0.9 | 1.8 | 3.3 | 6.2 |
| 1996 | 62.0 | 5.4 | 0.3 | 0.2 | 0.2 | 0.3 | 0.6 | 1.0 | 1.9 | 3.5 | 6.1 |
| 1995 | 61.8 | 5.4 | 0.3 | 0.2 | 0.2 | 0.3 | 0.5 | 0.9 | 1.9 | 3.8 | 6.0 |
| 1994 | 60.5 | 4.6 | 0.3 | 0.2 | 0.2 | 0.3 | 0.6 | 1.0 | 2.0 | 3.3 | 6.2 |
| 1993 | 60.0 | 5.0 | 0.3 | 0.1 | 0.2 | 0.4 | 0.7 | 1.0 | 2.0 | 3.5 | 5.9 |
| 1992 | 58.0 | 3.3 | 0.3 | 0.1 | 0.2 | 0.4 | 0.6 | 1.0 | 1.9 | 3.4 | 6.2 |
| 1991 | 58.3 | 3.2 | 0.3 | 0.2 | 0.3 | 0.4 | 0.7 | 1.1 | 1.9 | 3.5 | 6.2 |
| 1990 | 59.5 | 2.8 | 0.3 | 0.2 | 0.2 | 0.4 | 0.7 | 1.4 | 2.1 | 3.5 | 6.0 |
| 1989 | 60.3 | 2.7 | 0.2 | 0.2 | 0.3 | 0.3 | 0.7 | 1.2 | 2.1 | 3.5 | 6.0 |
| 1988 | 62.9 | 3.1 | 0.3 | 0.2 | 0.2 | 0.4 | 0.9 | 1.3 | 2.1 | 3.7 | 6.7 |
| 1987 | 63.3 | 2.9 | 0.4 | 0.2 | 0.3 | 0.4 | 0.7 | 1.4 | 2.2 | 3.9 | 7.0 |
| 1986 | 63.7 | 2.2 | 0.2 | 0.1 | 0.3 | 0.4 | 0.8 | 1.3 | 2.2 | 4.0 | 7.1 |
| 1985 | 65.7 | 3.0 | 0.3 | 0.2 | 0.3 | 0.4 | 0.9 | 1.3 | 2.2 | 3.9 | 7.2 |
| 1984 | 66.8 | 2.6 | 0.3 | 0.3 | 0.3 | 0.6 | 0.8 | 1.4 | 2.1 | 4.1 | 7.9 |
| 1983 | 67.8 | 3.3 | 0.4 | 0.3 | 0.2 | 0.6 | 0.9 | 1.4 | 2.1 | 4.2 | 7.3 |
| 1982 | 69.4 | 2.8 | 0.3 | 0.3 | 0.4 | 0.5 | 0.8 | 1.4 | 2.4 | 4.3 | 7.6 |
| 1981 | 72.5 | 2.8 | 0.3 | 0.3 | 0.3 | 0.5 | 1.0 | 1.5 | 2.7 | 5.0 | 8.4 |
| 1980 | 76.2 | 3.6 | 0.4 | 0.3 | 0.2 | 0.6 | 1.1 | 1.6 | 2.4 | 4.8 | 8.7 |
| 1979 | 76.5 | 3.4 | 0.3 | 0.3 | 0.3 | 0.5 | 1.1 | 1.6 | 2.6 | 4.8 | 9.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Cerebrovascular diseases (430-434,436-438) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 46.3 | 7.7 | * | * | 0.3 | 0.4 | 0.7 | 1.0 | 1.8 | 3.5 | 6.4 |
| 1997 | 48.0 | 6.5 | 0.3 | * | * | 0.4 | 0.6 | 0.8 | 1.9 | 3.5 | 6.6 |
| 1996 | 48.4 | 5.8 | * | 0.3 | 0.3 | 0.4 | 0.7 | 1.1 | 1.8 | 3.5 | 7.0 |
| 1995 | 48.0 | 6.0 | 0.3 | * | 0.3 | 0.3 | 0.6 | 1.0 | 2.0 | 3.9 | 6.7 |
| 1994 | 47.5 | 5.5 | 0.4 | * | 0.3 | 0.3 | 0.7 | 1.0 | 2.0 | 3.5 | 7.0 |
| 1993 | 47.2 | 5.3 | 0.3 | * | * | 0.4 | 0.5 | 1.3 | 2.1 | 4.0 | 6.4 |
| 1992 | 45.7 | 4.2 | * | * | * | 0.4 | 0.8 | 1.1 | 2.0 | 3.5 | 6.6 |
| 1991 | 46.0 | 3.4 | * | * | 0.3 | 0.4 | 0.7 | 1.0 | 1.9 | 3.8 | 6.6 |
| 1990 | 46.9 | 3.1 | * | * | * | 0.5 | 0.8 | 1.3 | 2.2 | 3.7 | 6.3 |
| 1989 | 47.7 | 2.9 | * | * | 0.4 | 0.3 | 0.8 | 1.3 | 2.2 | 3.8 | 6.4 |
| 1988 | 50.2 | 3.2 | 0.3 | * | * | 0.5 | 1.0 | 1.4 | 2.3 | 3.9 | 7.4 |
| 1987 | 50.1 | 3.7 | 0.5 | * | * | 0.4 | 0.7 | 1.3 | 2.4 | 4.0 | 7.2 |
| 1986 | 50.5 | 2.5 | * | * | * | 0.4 | 0.8 | 1.3 | 2.4 | 4.4 | 7.3 |
| 1985 | 52.5 | 3.6 | * | * | 0.3 | 0.5 | 0.7 | 1.4 | 2.3 | 4.1 | 7.2 |
| 1984 | 53.8 | 2.7 | * | * | * | 0.6 | 0.9 | 1.5 | 2.2 | 4.2 | 8.1 |
| 1983 | 55.3 | 4.1 | 0.5 | * | * | 0.7 | 0.9 | 1.5 | 2.3 | 4.3 | 7.1 |
| 1982 | 56.5 | 3.5 | * | * | 0.4 | 0.6 | 0.7 | 1.5 | 2.5 | 4.2 | 7.5 |
| 1981 | 59.3 | 3.4 | * | 0.3 | * | 0.5 | 1.0 | 1.6 | 2.7 | 5.0 | 8.1 |
| 1980 | 63.1 | 3.8 | 0.4 | * | * | 0.7 | 1.2 | 1.6 | 2.5 | 4.5 | 8.9 |
| 1979 | 64.0 | 3.6 | * | 0.3 | 0.4 | 0.5 | 1.1 | 1.8 | 2.6 | 4.7 | 9.2 |
| Cerebrovascular diseases (430-434,436-438) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 73.7 | 5.6 | 0.4 | * | * | * | 0.4 | 1.1 | 1.6 | 3.6 | 5.1 |
| 1997 | 74.4 | 5.5 | * | * | * | 0.3 | 0.5 | 1.0 | 1.8 | 3.2 | 5.7 |
| 1996 | 75.2 | 4.9 | * | * | * | 0.3 | 0.5 | 0.9 | 1.9 | 3.5 | 5.1 |
| 1995 | 75.1 | 4.7 | * | * | * | * | 0.5 | 0.7 | 1.9 | 3.6 | 5.3 |
| 1994 | 73.1 | 3.7 | * | * | * | 0.3 | 0.5 | 1.0 | 2.0 | 3.2 | 5.4 |
| 1993 | 72.3 | 4.7 | * | * | * | 0.4 | 0.9 | 0.7 | 1.9 | 3.0 | 5.4 |
| 1992 | 69.8 | 2.4 | * | * | * | 0.3 | 0.5 | 0.9 | 1.8 | 3.3 | 5.8 |
| 1991 | 70.1 | 3.1 | * | * | * | 0.4 | 0.6 | 1.1 | 1.9 | 3.1 | 5.8 |
| 1990 | 71.6 | 2.6 | 0.3 | * | * | 0.3 | 0.7 | 1.5 | 1.9 | 3.2 | 5.7 |
| 1989 | 72.4 | 2.6 | * | * | * | 0.3 | 0.7 | 1.1 | 2.0 | 3.2 | 5.7 |
| 1988 | 75.1 | 2.9 | * | * | * | 0.3 | 0.9 | 1.3 | 1.9 | 3.4 | 6.0 |
| 1987 | 76.0 | 2.1 | * | * | * | 0.4 | 0.7 | 1.4 | 2.0 | 3.8 | 6.8 |
| 1986 | 76.3 | 1.8 | * | * | * | 0.4 | 0.7 | 1.3 | 2.1 | 3.6 | 6.8 |
| 1985 | 78.2 | 2.3 | * | * | 0.3 | 0.3 | 1.0 | 1.2 | 2.0 | 3.8 | 7.2 |
| 1984 | 79.2 | 2.6 | * | 0.3 | * | 0.5 | 0.7 | 1.2 | 2.1 | 4.0 | 7.7 |
| 1983 | 79.7 | 2.6 | * | * | * | 0.5 | 0.8 | 1.4 | 1.8 | 4.0 | 7.5 |
| 1982 | 81.6 | 2.1 | * | * | 0.3 | 0.3 | 0.8 | 1.2 | 2.3 | 4.4 | 7.7 |
| 1981 | 85.0 | 2.2 | * | * | 0.3 | 0.5 | 1.0 | 1.4 | 2.6 | 5.1 | 8.6 |
| 1980 | 88.6 | 3.3 | 0.4 | * | 0.3 | 0.5 | 0.9 | 1.6 | 2.4 | 5.1 | 8.6 |
| 1979 | 88.3 | 3.3 | * | * | 0.3 | 0.5 | 1.0 | 1.3 | 2.6 | 4.9 | 9.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Cerebrovascular diseases (430-434,436-438) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 43.8 | 12.3 | 0.7 | * | * | * | 0.8 | 1.8 | 3.8 | 7.6 | 16.9 |
| 1997 | 44.6 | 10.8 | 0.6 | * | * | * | 1.1 | 1.5 | 3.8 | 8.6 | 19.6 |
| 1996 | 46.0 | 9.5 | * | * | * | * | 0.6 | 1.5 | 4.1 | 9.3 | 18.5 |
| 1995 | 46.8 | 7.8 | 0.7 | * | * | * | 1.0 | 1.7 | 4.0 | 10.2 | 19.9 |
| 1994 | 46.4 | 7.0 | * | * | * | * | 0.9 | 2.0 | 4.9 | 10.7 | 21.1 |
| 1993 | 45.9 | 7.3 | * | * | * | * | 0.9 | 2.1 | 4.4 | 9.6 | 18.5 |
| 1992 | 45.5 | 7.4 | * | * | * | * | 0.9 | 2.2 | 4.8 | 11.0 | 20.8 |
| 1991 | 47.7 | 6.7 | 0.6 | * | * | * | 1.1 | 2.5 | 5.1 | 11.3 | 19.7 |
| 1990 | 48.8 | 7.2 | * | * | * | * | 1.3 | 2.4 | 6.3 | 11.9 | 21.5 |
| 1989 | 50.9 | 5.4 | * | * | * | 0.6 | 1.4 | 2.7 | 6.1 | 12.1 | 21.5 |
| 1988 | 53.2 | 7.9 | * | * | * | 0.6 | 1.1 | 2.8 | 7.3 | 12.8 | 23.0 |
| 1987 | 52.7 | 5.7 | * | * | * | * | 1.5 | 3.2 | 6.5 | 13.2 | 22.6 |
| 1986 | 53.5 | 6.1 | * | * | * | * | 1.5 | 3.6 | 6.5 | 12.8 | 24.5 |
| 1985 | 55.7 | 6.6 | * | * | * | 0.9 | 1.6 | 2.8 | 6.7 | 12.5 | 25.1 |
| 1984 | 56.7 | 5.1 | * | * | 0.6 | 0.7 | 2.0 | 3.4 | 7.0 | 13.1 | 24.6 |
| 1983 | 58.1 | 6.7 | * | * | * | 0.7 | 1.9 | 3.2 | 6.1 | 14.2 | 23.7 |
| 1982 | 59.6 | 7.3 | * | * | * | 0.8 | 1.4 | 3.8 | 7.1 | 13.7 | 27.4 |
| 1981 | 63.1 | 7.5 | * | * | * | 0.8 | 2.1 | 4.4 | 7.4 | 14.9 | 27.2 |
| 1980 | 67.6 | 8.2 | * | * | * | 0.9 | 2.6 | 4.3 | 8.5 | 15.1 | 28.4 |
| 1979 | 68.3 | 9.8 | * | * | * | 0.7 | 2.2 | 4.2 | 8.3 | 18.2 | 30.4 |
| Cerebrovascular diseases (430-434,436-438) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 39.8 | 14.0 | * | * | * | * | * | 1.5 | 3.6 | 7.8 | 17.9 |
| 1997 | 40.9 | 12.0 | * | * | * | * | 1.3 | 1.8 | 3.4 | 8.6 | 19.7 |
| 1996 | 42.1 | 9.2 | * | * | * | * | * | * | 4.2 | 9.9 | 19.8 |
| 1995 | 43.3 | 8.0 | * | * | * | * | 1.1 | 1.7 | 4.0 | 11.0 | 22.8 |
| 1994 | 43.0 | 7.0 | * | * | * | * | * | 1.7 | 4.2 | 10.7 | 25.3 |
| 1993 | 42.2 | 8.3 | * | * | * | * | * | 2.1 | 3.9 | 10.1 | 21.5 |
| 1992 | 42.1 | 9.9 | * | * | * | * | 1.1 | 1.9 | 4.4 | 12.6 | 23.4 |
| 1991 | 44.9 | 6.9 | * | * | * | * | * | 2.3 | 4.8 | 13.1 | 23.7 |
| 1990 | 45.3 | 9.4 | * | * | * | * | 1.3 | 2.1 | 5.7 | 13.0 | 23.7 |
| 1989 | 46.7 | 6.4 | * | * | * | * | 1.3 | 2.4 | 5.8 | 15.1 | 24.5 |
| 1988 | 49.5 | 8.7 | * | * | * | * | * | 2.8 | 8.7 | 15.5 | 26.1 |
| 1987 | 49.3 | * | * | * | * | * | 1.3 | 3.3 | 6.3 | 16.5 | 26.6 |
| 1986 | 50.3 | 7.0 | * | * | * | * | 1.5 | 3.4 | 7.0 | 14.5 | 29.9 |
| 1985 | 51.5 | 8.6 | * | * | * | * | 1.4 | 2.8 | 6.9 | 15.1 | 26.8 |
| 1984 | 53.0 | 7.4 | * | * | * | * | 2.2 | 2.9 | 7.0 | 15.2 | 27.7 |
| 1983 | 54.2 | 7.4 | * | * | * | * | 2.0 | 3.4 | 6.7 | 15.5 | 25.7 |
| 1982 | 57.0 | 8.3 | * | * | * | * | 1.3 | 4.0 | 6.7 | 16.7 | 29.7 |
| 1981 | 60.3 | 9.1 | * | * | * | * | 2.3 | 4.0 | 8.5 | 17.4 | 30.9 |
| 1980 | 65.5 | 10.3 | * | * | * | * | 3.1 | 4.0 | 9.6 | 17.4 | 32.4 |
| 1979 | 67.0 | 11.2 | * | * | * | * | 2.0 | 4.2 | 9.0 | 22.9 | 36.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Cerebrovascular diseases (430-434,436-438) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 47.5 | 10.5 | * | * | * | * | 1.1 | 2.1 | 4.0 | 7.4 | 16.1 |
| 1997 | 48.0 | 9.6 | * | * | * | * | * | 1.2 | 4.1 | 8.6 | 19.5 |
| 1996 | 49.6 | 9.7 | * | * | * | * | * | 2.1 | 4.1 | 8.8 | 17.4 |
| 1995 | 50.0 | 7.7 | * | * | * | * | * | 1.6 | 3.9 | 9.5 | 17.4 |
| 1994 | 49.5 | 7.0 | * | * | * | * | * | 2.2 | 5.6 | 10.6 | 17.3 |
| 1993 | 49.4 | 6.1 | * | * | * | * | * | 2.2 | 4.8 | 9.2 | 15.9 |
| 1992 | 48.6 | 4.9 | * | * | * | * | * | 2.4 | 5.2 | 9.6 | 18.5 |
| 1991 | 50.3 | 6.6 | * | * | * | * | 1.5 | 2.7 | 5.3 | 9.7 | 16.3 |
| 1990 | 52.0 | 4.9 | * | * | * | * | 1.4 | 2.6 | 6.8 | 11.0 | 19.6 |
| 1989 | 54.8 | * | * | * | * | * | 1.6 | 2.9 | 6.3 | 9.6 | 19.0 |
| 1988 | 56.6 | 7.0 | * | * | * | * | * | 2.9 | 6.0 | 10.4 | 20.4 |
| 1987 | 55.8 | 6.2 | * | * | * | * | 1.6 | 3.1 | 6.6 | 10.3 | 19.1 |
| 1986 | 56.4 | * | * | * | * | * | 1.5 | 3.8 | 6.1 | 11.4 | 19.9 |
| 1985 | 59.5 | * | * | * | * | * | 1.7 | 2.8 | 6.5 | 10.3 | 23.7 |
| 1984 | 60.0 | * | * | * | * | * | 1.8 | 3.8 | 6.9 | 11.3 | 21.9 |
| 1983 | 61.7 | 6.0 | * | * | * | * | 1.9 | 3.0 | 5.5 | 13.1 | 21.9 |
| 1982 | 62.0 | 6.3 | * | * | * | * | 1.5 | 3.5 | 7.4 | 11.2 | 25.5 |
| 1981 | 65.6 | * | * | * | * | * | 1.9 | 4.7 | 6.5 | 12.8 | 24.1 |
| 1980 | 69.6 | * | * | * | * | * | 2.2 | 4.6 | 7.6 | 13.1 | 25.0 |
| 1979 | 69.4 | 8.4 | * | * | * | * | 2.3 | 4.3 | 7.7 | 14.3 | 25.0 |
| Cerebrovascular diseases (430-434,436-438) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 51.1 | 15.2 | 0.8 | * | * | * | 1.0 | 2.5 | 4.6 | 9.6 | 21.7 |
| 1997 | 51.7 | 12.5 | * | * | * | * | 1.3 | 1.8 | 4.7 | 10.5 | 24.6 |
| 1996 | 53.6 | 11.0 | * | * | * | * | * | 1.8 | 5.2 | 11.7 | 23.4 |
| 1995 | 54.7 | 9.6 | 0.8 | * | * | * | 1.2 | 2.2 | 4.8 | 12.8 | 24.9 |
| 1994 | 54.1 | 8.6 | * | * | * | * | 1.0 | 2.4 | 6.2 | 13.3 | 26.5 |
| 1993 | 53.7 | 7.6 | * | * | * | * | 1.0 | 2.8 | 5.4 | 11.8 | 23.9 |
| 1992 | 53.2 | 9.3 | * | * | * | * | 1.1 | 2.6 | 6.0 | 13.8 | 26.7 |
| 1991 | 55.4 | 7.7 | * | * | * | * | 1.2 | 3.0 | 6.4 | 14.0 | 24.9 |
| 1990 | 57.0 | 8.1 | * | * | * | * | 1.6 | 2.7 | 7.6 | 15.0 | 27.4 |
| 1989 | 59.6 | 6.1 | * | * | * | 0.7 | 1.6 | 3.3 | 7.6 | 15.1 | 26.4 |
| 1988 | 62.1 | 8.9 | * | * | * | 0.8 | 1.2 | 3.4 | 9.0 | 16.0 | 28.6 |
| 1987 | 61.0 | 6.9 | * | * | * | * | 1.5 | 3.6 | 7.9 | 16.5 | 28.3 |
| 1986 | 62.0 | 6.8 | * | * | * | * | 1.6 | 4.2 | 8.3 | 15.8 | 30.8 |
| 1985 | 64.1 | 7.9 | * | * | * | 1.0 | 1.7 | 3.4 | 8.3 | 15.2 | 30.7 |
| 1984 | 65.0 | 6.0 | * | * | * | 0.8 | 2.1 | 3.9 | 8.3 | 15.7 | 30.1 |
| 1983 | 66.5 | 7.6 | * | * | * | 0.8 | 2.1 | 3.7 | 7.6 | 17.2 | 27.9 |
| 1982 | 67.9 | 7.7 | * | * | * | 0.9 | 1.7 | 4.5 | 8.7 | 16.6 | 33.1 |
| 1981 | 71.5 | 8.4 | * | * | * | 0.8 | 2.4 | 5.1 | 9.0 | 18.2 | 32.2 |
| 1980 | 75.5 | 8.8 | * | * | * | 1.0 | 3.0 | 5.1 | 10.1 | 17.9 | 33.4 |
| 1979 | 75.3 | 10.9 | * | * | * | 0.7 | 2.3 | 4.8 | 9.5 | 20.9 | 34.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Cerebrovascular diseases (430-434,436-438) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 45.8 | 17.0 | * | * | * | * | * | 2.0 | 4.1 | 9.7 | 22.6 |
| 1997 | 46.8 | 13.9 | * | * | * | * | * | 2.3 | 4.2 | 10.4 | 24.4 |
| 1996 | 48.8 | 10.4 | * | * | * | * | * | * | 5.2 | 12.1 | 24.6 |
| 1995 | 49.8 | 10.0 | * | * | * | * | * | 2.2 | 4.6 | 13.4 | 27.7 |
| 1994 | 49.6 | 9.0 | * | * | * | * | * | 1.9 | 5.2 | 13.3 | 32.0 |
| 1993 | 49.1 | 9.4 | * | * | * | * | * | 2.6 | 4.8 | 12.2 | 28.1 |
| 1992 | 48.9 | 12.1 | * | * | * | * | * | 2.5 | 5.4 | 15.4 | 30.4 |
| 1991 | 51.8 | 7.8 | * | * | * | * | * | 2.6 | 6.2 | 16.2 | 30.1 |
| 1990 | 53.0 | 10.2 | * | * | * | * | 1.5 | 2.3 | 7.0 | 16.3 | 30.8 |
| 1989 | 54.2 | 7.6 | * | * | * | * | 1.5 | 2.9 | 7.1 | 19.2 | 30.2 |
| 1988 | 57.6 | 9.4 | * | * | * | * | * | 3.2 | 10.8 | 19.5 | 32.5 |
| 1987 | 56.6 | * | * | * | * | * | * | 3.6 | 7.6 | 20.9 | 33.9 |
| 1986 | 58.0 | 8.2 | * | * | * | * | 1.6 | 3.8 | 8.9 | 17.9 | 38.5 |
| 1985 | 59.2 | 10.1 | * | * | * | * | 1.6 | 3.4 | 8.5 | 18.8 | 33.8 |
| 1984 | 60.6 | 8.6 | * | * | * | * | 2.0 | 3.4 | 8.7 | 18.5 | 34.7 |
| 1983 | 61.7 | 7.7 | * | * | * | * | 2.3 | 3.9 | 8.3 | 18.7 | 31.0 |
| 1982 | 64.7 | 8.4 | * | * | * | * | 1.6 | 4.7 | 8.3 | 20.1 | 36.8 |
| 1981 | 68.2 | 10.0 | * | * | * | * | 2.5 | 4.6 | 10.3 | 21.9 | 37.6 |
| 1980 | 73.0 | 11.2 | * | * | * | * | 3.4 | 4.8 | 11.3 | 21.2 | 38.6 |
| 1979 | 73.7 | 12.7 | * | * | * | * | 2.1 | 4.9 | 10.2 | 26.7 | 43.3 |
| Cerebrovascular diseases (430-434,436-438) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 55.9 | 13.4 | * | * | * | * | * | 2.9 | 5.1 | 9.5 | 20.9 |
| 1997 | 56.1 | 11.1 | * | * | * | * | * | * | 5.1 | 10.5 | 24.9 |
| 1996 | 58.0 | 11.7 | * | * | * | * | * | 2.5 | 5.3 | 11.2 | 22.4 |
| 1995 | 59.1 | 9.2 | * | * | * | * | * | 2.1 | 5.0 | 12.2 | 22.5 |
| 1994 | 58.2 | 8.2 | * | * | * | * | * | 2.9 | 7.1 | 13.2 | 21.7 |
| 1993 | 57.9 | * | * | * | * | * | * | 2.9 | 6.0 | 11.5 | 20.2 |
| 1992 | 57.1 | 6.4 | * | * | * | * | * | 2.7 | 6.5 | 12.3 | 23.6 |
| 1991 | 58.7 | 7.6 | * | * | * | * | 1.8 | 3.2 | 6.6 | 12.2 | 20.5 |
| 1990 | 60.7 | * | * | * | * | * | 1.6 | 3.0 | 8.1 | 13.8 | 24.5 |
| 1989 | 64.4 | * | * | * | * | * | 1.7 | 3.6 | 8.0 | 11.5 | 23.2 |
| 1988 | 66.2 | 8.2 | * | * | * | * | * | 3.5 | 7.4 | 13.0 | 25.3 |
| 1987 | 64.9 | 7.8 | * | * | * | * | 1.7 | 3.7 | 8.2 | 12.7 | 23.6 |
| 1986 | 65.6 | * | * | * | * | * | 1.5 | 4.6 | 7.8 | 14.0 | 24.2 |
| 1985 | 68.5 | * | * | * | * | * | 1.9 | 3.5 | 8.2 | 12.1 | 28.1 |
| 1984 | 69.0 | * | * | * | * | * | 2.2 | 4.4 | 8.0 | 13.3 | 26.3 |
| 1983 | 70.8 | 7.5 | * | * | * | * | 2.0 | 3.6 | 7.0 | 15.9 | 25.4 |
| 1982 | 70.8 | * | * | * | * | * | 1.8 | 4.3 | 9.1 | 13.6 | 30.1 |
| 1981 | 74.4 | * | * | * | * | * | 2.2 | 5.5 | 7.8 | 15.1 | 27.7 |
| 1980 | 77.8 | * | * | * | * | * | 2.5 | 5.3 | 9.1 | 15.1 | 29.1 |
| 1979 | 76.8 | 9.0 | * | * | * | * | 2.5 | 4.7 | 8.8 | 16.2 | 27.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Atherosclerosis (440) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 5.5 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1997 | 5.9 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1996 | 6.2 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1995 | 6.3 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1994 | 6.5 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1993 | 6.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1992 | 6.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1991 | 6.9 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1990 | 7.3 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1989 | 7.8 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1988 | 9.0 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1987 | 9.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1986 | 9.5 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1985 | 10.1 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1984 | 10.4 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1983 | 11.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1982 | 11.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1981 | 12.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1980 | 13.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1979 | 12.8 | * | * | * | * | * | * | * | * | * | 0.2 |
| Atherosclerosis (440) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 4.5 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1996 | 4.8 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1995 | 4.9 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1994 | 5.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1993 | 5.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1992 | 5.1 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1991 | 5.4 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1990 | 5.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 6.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1988 | 7.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1987 | 7.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 7.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 7.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1984 | 8.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1983 | 8.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 9.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 9.8 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1980 | 10.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1979 | 10.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Atherosclerosis (440) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 6.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 7.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 7.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 7.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 8.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 8.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 8.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 8.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 8.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 9.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 11.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 11.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 11.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 12.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 12.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 13.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 13.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 14.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 15.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 15.1 | * | * | * | * | * | * | * | * | * | * |
| Atherosclerosis (440) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 6.2 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1997 | 6.6 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1996 | 6.9 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1995 | 7.0 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1994 | 7.2 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1993 | 7.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 7.2 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1991 | 7.6 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1990 | 7.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 8.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1988 | 9.8 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1987 | 10.1 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1986 | 10.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1985 | 10.9 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1984 | 11.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1983 | 12.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 12.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 13.1 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1980 | 13.9 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1979 | 13.7 | * | * | * | * | * | * | * | * | * | 0.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Atherosclerosis (440) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 5.3 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1995 | 5.4 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1994 | 5.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 5.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 6.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 6.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 7.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1987 | 7.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 7.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 8.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1984 | 8.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1983 | 9.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 10.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 10.5 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1980 | 11.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 11.1 | * | * | * | * | * | * | * | * | * | * |
| Atherosclerosis (440) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 7.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 8.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 8.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 8.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 8.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 9.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 8.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 9.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 9.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 10.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 12.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 12.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 12.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 13.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 13.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 15.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 14.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 15.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 16.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 16.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Atherosclerosis (440) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 4.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 5.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 5.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 5.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 6.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 6.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 7.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 7.1 | * | * | * | * | * | * | * | * | * | * |
| Atherosclerosis (440) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 4.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 5.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 5.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 6.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 7.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 6.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Atherosclerosis (440) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 5.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 5.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 5.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 5.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 5.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 5.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 6.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 7.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 7.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 7.6 | * | * | * | * | * | * | * | * | * | * |
| Atherosclerosis (440) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 4.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 4.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 5.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 5.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 6.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 6.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 6.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 6.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 7.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 8.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 7.8 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Atherosclerosis (440) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 5.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 4.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 5.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 5.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 5.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 6.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 6.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 6.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 7.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 7.1 | * | * | * | * | * | * | * | * | * | * |
| Atherosclerosis (440) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 4.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 4.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 5.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 5.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 6.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 6.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 6.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 6.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 6.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 6.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 7.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 8.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 9.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 8.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other diseases of circulatory system (441-448) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 10.0 | * | * | * | * | * | 0.3 | 0.4 | 0.6 | 1.0 | 1.5 |
| 1997 | 10.2 | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.7 | 0.9 | 1.5 |
| 1996 | 10.1 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.9 | 1.5 |
| 1995 | 10.0 | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.7 | 0.9 | 1.7 |
| 1994 | 9.9 | * | * | * | * | * | 0.3 | 0.3 | 0.6 | 0.8 | 1.5 |
| 1993 | 10.0 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 | 0.9 | 1.5 |
| 1992 | 9.9 | * | * | * | * | 0.1 | 0.3 | 0.4 | 0.6 | 0.8 | 1.6 |
| 1991 | 9.9 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 | 0.8 | 1.4 |
| 1990 | 9.9 | * | * | * | * | * | 0.2 | 0.4 | 0.5 | 0.8 | 1.2 |
| 1989 | 9.8 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 | 1.0 | 1.4 |
| 1988 | 9.5 | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.5 | 0.8 | 1.2 |
| 1987 | 9.4 | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.8 | 1.3 |
| 1986 | 9.3 | 0.5 | * | * | * | 0.2 | 0.2 | 0.3 | 0.5 | 0.8 | 1.2 |
| 1985 | 9.2 | 0.7 | * | * | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.8 | 1.2 |
| 1984 | 9.2 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.4 | 0.8 | 1.3 |
| 1983 | 9.0 | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.5 | 0.8 | 1.2 |
| 1982 | 8.7 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.7 | 1.0 |
| 1981 | 8.7 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 | 0.8 | 1.3 |
| 1980 | 8.8 | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.5 | 0.8 | 1.3 |
| 1979 | 8.7 | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 | 0.8 | 1.3 |
| Other diseases of circulatory system (441-448) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 11.1 | * | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.3 | 1.9 |
| 1997 | 11.3 | * | * | * | * | * | 0.3 | 0.4 | 0.8 | 1.2 | 2.0 |
| 1996 | 11.3 | * | * | * | * | * | 0.2 | 0.4 | 0.5 | 1.1 | 1.9 |
| 1995 | 11.4 | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.2 | 2.2 |
| 1994 | 11.3 | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.0 | 1.7 |
| 1993 | 11.8 | * | * | * | * | * | 0.2 | 0.5 | 0.6 | 0.9 | 1.9 |
| 1992 | 11.6 | * | * | * | * | * | 0.3 | 0.3 | 0.6 | 1.0 | 2.0 |
| 1991 | 11.8 | * | * | * | * | * | 0.2 | 0.5 | 0.7 | 0.9 | 1.8 |
| 1990 | 12.0 | * | * | * | * | * | 0.3 | 0.4 | 0.6 | 1.1 | 1.5 |
| 1989 | 12.0 | * | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.2 | 1.8 |
| 1988 | 11.6 | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.0 | 1.7 |
| 1987 | 11.7 | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 0.9 | 1.6 |
| 1986 | 11.6 | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 1.0 | 1.3 |
| 1985 | 11.8 | * | * | * | * | * | 0.2 | 0.4 | 0.4 | 1.1 | 1.5 |
| 1984 | 11.8 | * | * | * | * | * | 0.2 | 0.4 | 0.5 | 1.0 | 1.9 |
| 1983 | 11.7 | * | * | * | * | 0.3 | 0.2 | 0.4 | 0.6 | 1.0 | 1.6 |
| 1982 | 11.3 | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 0.9 | 1.4 |
| 1981 | 11.5 | * | * | * | * | * | 0.2 | 0.4 | 0.5 | 0.9 | 1.6 |
| 1980 | 11.8 | * | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.9 | 1.6 |
| 1979 | 11.6 | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.8 | 0.9 | 1.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other diseases of circulatory system (441-448) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 9.0 | * | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.7 | 1.1 |
| 1997 | 9.1 | * | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.6 | 1.0 |
| 1996 | 9.0 | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 | 1.1 |
| 1995 | 8.7 | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 0.7 | 1.2 |
| 1994 | 8.6 | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.6 | 1.3 |
| 1993 | 8.3 | * | * | * | * | * | * | 0.3 | 0.4 | 0.9 | 1.1 |
| 1992 | 8.3 | * | * | * | * | * | 0.2 | 0.4 | 0.5 | 0.6 | 1.1 |
| 1991 | 8.1 | * | * | * | * | * | * | 0.4 | 0.5 | 0.6 | 1.0 |
| 1990 | 7.9 | * | * | * | * | * | * | 0.3 | 0.5 | 0.5 | 1.0 |
| 1989 | 7.8 | * | * | * | * | * | * | 0.4 | 0.3 | 0.7 | 1.0 |
| 1988 | 7.5 | * | * | * | * | * | * | 0.4 | 0.3 | 0.6 | 0.8 |
| 1987 | 7.2 | * | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 0.9 |
| 1986 | 7.2 | * | * | * | * | * | 0.3 | 0.3 | 0.3 | 0.6 | 1.1 |
| 1985 | 6.8 | * | * | * | * | * | * | 0.2 | 0.5 | 0.6 | 0.9 |
| 1984 | 6.8 | * | * | * | * | * | 0.2 | 0.4 | 0.4 | 0.7 | 0.8 |
| 1983 | 6.4 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 | 0.8 |
| 1982 | 6.2 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.5 | 0.7 |
| 1981 | 6.1 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.7 | 1.0 |
| 1980 | 6.0 | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.6 | 1.1 |
| 1979 | 5.9 | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.8 | 1.1 |
| Other diseases of circulatory system (441-448) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 10.8 | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 0.9 | 1.3 |
| 1997 | 11.0 | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.6 | 0.8 | 1.2 |
| 1996 | 10.9 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.7 | 1.3 |
| 1995 | 10.9 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.6 | 0.9 | 1.5 |
| 1994 | 10.7 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.7 | 1.3 |
| 1993 | 10.8 | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.4 | 0.7 | 1.2 |
| 1992 | 10.7 | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.7 | 1.4 |
| 1991 | 10.7 | * | * | * | * | * | 0.2 | 0.4 | 0.5 | 0.7 | 1.1 |
| 1990 | 10.7 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.7 | 1.0 |
| 1989 | 10.6 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.8 | 1.2 |
| 1988 | 10.2 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.7 | 1.0 |
| 1987 | 10.1 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.7 | 1.1 |
| 1986 | 10.0 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.7 | 1.0 |
| 1985 | 9.9 | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.8 | 1.1 |
| 1984 | 9.9 | * | * | * | * | * | 0.2 | 0.4 | 0.4 | 0.7 | 1.2 |
| 1983 | 9.6 | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.6 | 1.0 |
| 1982 | 9.3 | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.5 | 0.6 | 0.9 |
| 1981 | 9.3 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.6 | 1.1 |
| 1980 | 9.4 | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.5 | 0.7 | 1.2 |
| 1979 | 9.3 | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.5 | 0.8 | 1.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other diseases of circulatory system (441-448) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 12.1 | * | * | * | * | * | * | 0.4 | 0.7 | 1.2 | 1.7 |
| 1997 | 12.4 | * | * | * | * | * | * | 0.4 | 0.8 | 1.1 | 1.7 |
| 1996 | 12.3 | * | * | * | * | * | * | 0.4 | 0.5 | 1.0 | 1.7 |
| 1995 | 12.5 | * | * | * | * | * | * | 0.3 | 0.7 | 1.2 | 1.9 |
| 1994 | 12.3 | * | * | * | * | * | * | 0.4 | 0.7 | 0.8 | 1.5 |
| 1993 | 12.8 | * | * | * | * | * | * | 0.4 | 0.5 | 0.8 | 1.6 |
| 1992 | 12.6 | * | * | * | * | * | 0.3 | 0.3 | 0.6 | 0.9 | 1.9 |
| 1991 | 12.9 | * | * | * | * | * | * | 0.4 | 0.6 | 0.8 | 1.4 |
| 1990 | 13.1 | * | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.9 | 1.3 |
| 1989 | 13.1 | * | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.1 | 1.6 |
| 1988 | 12.6 | * | * | * | * | * | * | 0.4 | 0.6 | 0.9 | 1.3 |
| 1987 | 12.7 | * | * | * | * | * | 0.3 | 0.3 | 0.6 | 0.7 | 1.4 |
| 1986 | 12.6 | * | * | * | * | * | * | 0.2 | 0.6 | 0.9 | 1.1 |
| 1985 | 12.8 | * | * | * | * | * | 0.2 | 0.4 | 0.4 | 0.9 | 1.5 |
| 1984 | 12.8 | * | * | * | * | * | 0.2 | 0.4 | 0.4 | 0.9 | 1.7 |
| 1983 | 12.6 | * | * | * | * | 0.3 | 0.2 | 0.5 | 0.5 | 0.8 | 1.3 |
| 1982 | 12.2 | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 0.7 | 1.3 |
| 1981 | 12.4 | * | * | * | * | * | * | 0.4 | 0.4 | 0.7 | 1.3 |
| 1980 | 12.6 | * | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.9 | 1.4 |
| 1979 | 12.4 | * | * | * | * | * | * | 0.3 | 0.7 | 0.8 | 1.4 |
| Other diseases of circulatory system (441-448) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 9.6 | * | * | * | * | * | * | 0.4 | 0.4 | 0.6 | 0.8 |
| 1997 | 9.8 | * | * | * | * | * | * | 0.3 | 0.5 | 0.5 | 0.7 |
| 1996 | 9.6 | * | * | * | * | * | * | * | 0.4 | 0.5 | 0.8 |
| 1995 | 9.3 | * | * | * | * | * | * | 0.3 | 0.5 | 0.6 | 1.1 |
| 1994 | 9.1 | * | * | * | * | * | * | * | 0.4 | 0.5 | 1.0 |
| 1993 | 8.8 | * | * | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.9 |
| 1992 | 8.8 | * | * | * | * | * | * | 0.4 | 0.4 | 0.6 | 0.9 |
| 1991 | 8.6 | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.7 |
| 1990 | 8.4 | * | * | * | * | * | * | * | 0.5 | 0.4 | 0.8 |
| 1989 | 8.2 | * | * | * | * | * | * | 0.3 | 0.2 | 0.5 | 0.9 |
| 1988 | 7.9 | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.7 |
| 1987 | 7.6 | * | * | * | * | * | * | * | 0.4 | 0.6 | 0.7 |
| 1986 | 7.6 | * | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.5 | 0.9 |
| 1985 | 7.2 | * | * | * | * | * | * | * | 0.4 | 0.6 | 0.7 |
| 1984 | 7.1 | * | * | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.7 |
| 1983 | 6.7 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.7 |
| 1982 | 6.6 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 |
| 1981 | 6.4 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 |
| 1980 | 6.3 | * | * | * | * | * | 0.3 | * | 0.4 | 0.4 | 0.9 |
| 1979 | 6.3 | * | * | * | * | * | 0.2 | * | 0.3 | 0.7 | 0.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other diseases of circulatory system (441-448) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 6.3 | * | * | * | * | * | 0.5 | 0.5 | 1.0 | 1.5 | 2.5 |
| 1997 | 6.2 | * | * | * | * | * | * | * | 0.7 | 1.6 | 2.8 |
| 1996 | 6.1 | * | * | * | * | * | * | * | 0.9 | 1.8 | 2.7 |
| 1995 | 5.8 | * | * | * | * | * | * | 0.6 | 1.0 | 1.2 | 2.9 |
| 1994 | 6.1 | * | * | * | * | * | * | * | 0.8 | 1.3 | 2.7 |
| 1993 | 6.1 | * | * | * | * | * | * | 0.6 | 0.9 | 1.8 | 2.7 |
| 1992 | 5.7 | * | * | * | * | * | * | * | 0.8 | 1.4 | 2.4 |
| 1991 | 5.8 | * | * | * | * | * | * | 0.6 | 1.2 | 1.2 | 3.1 |
| 1990 | 5.9 | * | * | * | * | * | * | 0.5 | 0.8 | 1.5 | 2.6 |
| 1989 | 5.9 | * | * | * | * | * | * | * | 0.8 | 1.9 | 2.5 |
| 1988 | 5.5 | * | * | * | * | * | * | 0.6 | 0.8 | 1.4 | 2.8 |
| 1987 | 5.6 | * | * | * | * | * | * | 0.7 | 0.8 | 1.5 | 2.5 |
| 1986 | 5.4 | * | * | * | * | * | * | * | 0.8 | 1.6 | 2.4 |
| 1985 | 5.5 | * | * | * | * | * | * | * | 0.9 | 1.3 | 2.0 |
| 1984 | 5.4 | * | * | * | * | * | * | * | 0.7 | 1.5 | 2.3 |
| 1983 | 5.1 | * | * | * | * | * | * | * | 1.0 | 1.8 | 2.3 |
| 1982 | 5.0 | * | * | * | * | * | * | * | 0.7 | 1.4 | 1.6 |
| 1981 | 5.0 | * | * | * | * | * | * | * | 1.2 | 1.8 | 2.7 |
| 1980 | 5.4 | * | * | * | * | * | * | * | 1.1 | 1.4 | 2.5 |
| 1979 | 5.0 | * | * | * | * | * | * | 1.1 | 1.2 | 1.3 | 2.7 |
| Other diseases of circulatory system (441-448) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 6.4 | * | * | * | * | * | * | * | 1.3 | 1.9 | 3.0 |
| 1997 | 6.3 | * | * | * | * | * | * | * | * | 2.1 | 3.6 |
| 1996 | 6.3 | * | * | * | * | * | * | * | * | 2.1 | 3.2 |
| 1995 | 5.9 | * | * | * | * | * | * | * | 1.2 | 1.2 | 4.0 |
| 1994 | 6.2 | * | * | * | * | * | * | * | * | 1.6 | 2.6 |
| 1993 | 6.5 | * | * | * | * | * | * | * | 1.2 | 1.4 | 3.6 |
| 1992 | 6.1 | * | * | * | * | * | * | * | * | 1.8 | 3.0 |
| 1991 | 6.1 | * | * | * | * | * | * | * | 1.2 | * | 4.0 |
| 1990 | 6.4 | * | * | * | * | * | * | * | * | 2.1 | 3.2 |
| 1989 | 6.2 | * | * | * | * | * | * | * | * | 2.0 | 3.4 |
| 1988 | 5.9 | * | * | * | * | * | * | * | * | 1.6 | 4.1 |
| 1987 | 6.2 | * | * | * | * | * | * | * | * | 1.7 | 2.9 |
| 1986 | 5.9 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1985 | 6.0 | * | * | * | * | * | * | * | * | 1.8 | * |
| 1984 | 6.1 | * | * | * | * | * | * | * | * | 1.8 | 3.3 |
| 1983 | 5.8 | * | * | * | * | * | * | * | * | 2.4 | 3.4 |
| 1982 | 5.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 5.5 | * | * | * | * | * | * | * | * | * | 3.8 |
| 1980 | 6.2 | * | * | * | * | * | * | * | * | * | 3.1 |
| 1979 | 6.0 | * | * | * | * | * | * | * | * | * | 3.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other diseases of circulatory system (441-448) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 6.2 | * | * | * | * | * | * | * | * | 1.2 | 2.1 |
| 1997 | 6.2 | * | * | * | * | * | * | * | * | 1.2 | 2.2 |
| 1996 | 5.9 | * | * | * | * | * | * | * | * | 1.4 | 2.3 |
| 1995 | 5.8 | * | * | * | * | * | * | * | * | 1.2 | 2.0 |
| 1994 | 6.1 | * | * | * | * | * | * | * | * | 1.1 | 2.8 |
| 1993 | 5.7 | * | * | * | * | * | * | * | * | 2.1 | 2.0 |
| 1992 | 5.4 | * | * | * | * | * | * | * | * | 1.1 | 2.0 |
| 1991 | 5.6 | * | * | * | * | * | * | * | 1.2 | 1.2 | 2.4 |
| 1990 | 5.4 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1989 | 5.6 | * | * | * | * | * | * | * | * | 1.8 | 1.8 |
| 1988 | 5.1 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1987 | 5.0 | * | * | * | * | * | * | * | * | 1.3 | 2.2 |
| 1986 | 5.0 | * | * | * | * | * | * | * | * | 1.6 | 2.3 |
| 1985 | 5.0 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1984 | 4.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 4.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 4.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| Other diseases of circulatory system (441-448) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 7.5 | * | * | * | * | * | * | 0.7 | 1.2 | 2.0 | 3.2 |
| 1997 | 7.4 | * | * | * | * | * | * | * | 0.9 | 2.2 | 3.7 |
| 1996 | 7.1 | * | * | * | * | * | * | * | 1.0 | 2.2 | 3.3 |
| 1995 | 6.9 | * | * | * | * | * | * | 0.8 | 1.2 | 1.5 | 3.8 |
| 1994 | 7.1 | * | * | * | * | * | * | * | 0.9 | 1.7 | 3.4 |
| 1993 | 7.1 | * | * | * | * | * | * | * | 1.1 | 2.2 | 3.2 |
| 1992 | 6.6 | * | * | * | * | * | * | * | 1.0 | 1.8 | 2.9 |
| 1991 | 6.8 | * | * | * | * | * | * | 0.8 | 1.4 | 1.6 | 4.1 |
| 1990 | 6.8 | * | * | * | * | * | * | * | 0.9 | 1.8 | 3.3 |
| 1989 | 6.8 | * | * | * | * | * | * | * | 0.9 | 2.4 | 3.3 |
| 1988 | 6.3 | * | * | * | * | * | * | * | 1.0 | 1.8 | 3.6 |
| 1987 | 6.3 | * | * | * | * | * | * | 0.8 | 0.9 | 1.8 | 3.1 |
| 1986 | 6.1 | * | * | * | * | * | * | * | 0.8 | 1.9 | 3.1 |
| 1985 | 6.1 | * | * | * | * | * | * | * | 1.1 | 1.6 | 2.3 |
| 1984 | 6.0 | * | * | * | * | * | * | * | * | 1.7 | 2.8 |
| 1983 | 5.6 | * | * | * | * | * | * | * | 1.2 | 2.1 | 2.7 |
| 1982 | 5.5 | * | * | * | * | * | * | * | * | 1.7 | 1.9 |
| 1981 | 5.5 | * | * | * | * | * | * | * | 1.5 | 2.3 | 3.2 |
| 1980 | 5.8 | * | * | * | * | * | * | * | 1.4 | 1.6 | 3.0 |
| 1979 | 5.3 | * | * | * | * | * | * | 1.3 | 1.4 | 1.4 | 3.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other diseases of circulatory system (441-448) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 7.4 | * | * | * | * | * | * | * | 1.6 | 2.5 | 3.7 |
| 1997 | 7.4 | * | * | * | * | * | * | * | * | 2.9 | 4.8 |
| 1996 | 7.3 | * | * | * | * | * | * | * | * | 2.7 | 3.9 |
| 1995 | 6.7 | * | * | * | * | * | * | * | * | * | 5.1 |
| 1994 | 7.0 | * | * | * | * | * | * | * | * | 2.1 | 3.3 |
| 1993 | 7.4 | * | * | * | * | * | * | * | 1.5 | 1.7 | 4.2 |
| 1992 | 6.8 | * | * | * | * | * | * | * | * | 2.3 | 3.6 |
| 1991 | 6.9 | * | * | * | * | * | * | * | * | * | 5.2 |
| 1990 | 7.2 | * | * | * | * | * | * | * | * | 2.5 | 4.4 |
| 1989 | 7.1 | * | * | * | * | * | * | * | * | 2.5 | 4.4 |
| 1988 | 6.5 | * | * | * | * | * | * | * | * | 2.1 | 5.3 |
| 1987 | 6.8 | * | * | * | * | * | * | * | * | * | 3.6 |
| 1986 | 6.5 | * | * | * | * | * | * | * | * | * | 3.1 |
| 1985 | 6.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 6.7 | * | * | * | * | * | * | * | * | * | 4.0 |
| 1983 | 6.2 | * | * | * | * | * | * | * | * | 2.9 | 4.1 |
| 1982 | 6.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 5.9 | * | * | * | * | * | * | * | * | * | 4.7 |
| 1980 | 6.5 | * | * | * | * | * | * | * | * | * | 3.7 |
| 1979 | 6.1 | * | * | * | * | * | * | * | * | * | * |
| Other diseases of circulatory system (441-448) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 7.6 | * | * | * | * | * | * | * | * | 1.5 | 2.7 |
| 1997 | 7.4 | * | * | * | * | * | * | * | * | 1.6 | 2.7 |
| 1996 | 7.0 | * | * | * | * | * | * | * | * | 1.8 | 2.8 |
| 1995 | 7.1 | * | * | * | * | * | * | * | * | 1.5 | 2.6 |
| 1994 | 7.2 | * | * | * | * | * | * | * | * | * | 3.5 |
| 1993 | 6.7 | * | * | * | * | * | * | * | * | 2.7 | 2.3 |
| 1992 | 6.4 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1991 | 6.7 | * | * | * | * | * | * | * | 1.4 | 1.6 | 3.2 |
| 1990 | 6.4 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1989 | 6.6 | * | * | * | * | * | * | * | * | 2.4 | 2.4 |
| 1988 | 6.0 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1987 | 5.8 | * | * | * | * | * | * | * | * | 1.7 | 2.7 |
| 1986 | 5.7 | * | * | * | * | * | * | * | * | 1.9 | 3.1 |
| 1985 | 5.7 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1984 | 5.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 4.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 5.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 5.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 4.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Aortic aneurysm and dissection (441) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 5.9 | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 | 0.8 |
| 1997 | 6.1 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 | 0.9 |
| 1996 | 6.1 | * | * | * | * | * | * | 0.2 | 0.2 | 0.5 | 0.8 |
| 1995 | 6.2 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 1.0 |
| 1994 | 6.1 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.4 | 0.8 |
| 1993 | 6.3 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.7 |
| 1992 | 6.3 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.8 |
| 1991 | 6.6 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.7 |
| 1990 | 6.6 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.7 |
| 1989 | 6.6 | * | * | * | * | * | * | 0.1 | 0.3 | 0.5 | 0.8 |
| 1988 | 6.4 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.7 |
| 1987 | 6.5 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.7 |
| 1986 | 6.4 | * | * | * | * | * | 0.1 | 0.1 | 0.3 | 0.4 | 0.5 |
| 1985 | 6.4 | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.5 | 0.6 |
| 1984 | 6.4 | * | * | * | * | * | * | 0.2 | 0.2 | 0.5 | 0.7 |
| 1983 | 6.2 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.6 |
| 1982 | 6.1 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 |
| 1981 | 6.1 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 | 0.6 |
| 1980 | 6.3 | * | * | * | * | * | 0.1 | 0.1 | 0.3 | 0.4 | 0.7 |
| 1979 | 6.2 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.7 |
| Aortic aneurysm and dissection (441) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 7.4 | * | * | * | * | * | * | 0.3 | 0.5 | 0.8 | 1.3 |
| 1997 | 7.7 | * | * | * | * | * | * | 0.3 | 0.6 | 0.8 | 1.4 |
| 1996 | 7.7 | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 | 1.3 |
| 1995 | 7.9 | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 | 1.5 |
| 1994 | 7.9 | * | * | * | * | * | * | 0.3 | 0.5 | 0.6 | 1.1 |
| 1993 | 8.4 | * | * | * | * | * | * | 0.3 | 0.4 | 0.6 | 1.1 |
| 1992 | 8.3 | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.3 |
| 1991 | 8.7 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 1.2 |
| 1990 | 8.9 | * | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.0 |
| 1989 | 8.9 | * | * | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.3 |
| 1988 | 8.8 | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 | 1.1 |
| 1987 | 8.8 | * | * | * | * | * | 0.2 | 0.2 | 0.5 | 0.6 | 1.1 |
| 1986 | 8.7 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 0.7 |
| 1985 | 8.8 | * | * | * | * | * | * | 0.2 | 0.2 | 0.7 | 0.9 |
| 1984 | 9.0 | * | * | * | * | * | * | 0.3 | 0.3 | 0.7 | 1.2 |
| 1983 | 8.8 | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 0.9 |
| 1982 | 8.6 | * | * | * | * | * | * | * | 0.3 | 0.6 | 0.8 |
| 1981 | 8.8 | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.9 |
| 1980 | 9.1 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 1.0 |
| 1979 | 9.0 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 1.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Aortic aneurysm and dissection (441) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 4.4 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1997 | 4.6 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1996 | 4.6 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 |
| 1995 | 4.5 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 |
| 1994 | 4.4 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1993 | 4.4 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1992 | 4.4 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 |
| 1991 | 4.6 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 |
| 1990 | 4.4 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1989 | 4.4 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1988 | 4.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1987 | 4.2 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1986 | 4.1 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1985 | 4.0 | * | * | * | * | * | * | * | * | 0.3 | * |
| 1984 | 4.0 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1983 | 3.8 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1982 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1980 | 3.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1979 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| Aortic aneurysm and dissection (441) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 6.5 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.8 |
| 1997 | 6.8 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 | 0.7 |
| 1996 | 6.7 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.7 |
| 1995 | 6.8 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 0.8 |
| 1994 | 6.8 | * | * | * | * | * | * | 0.2 | 0.4 | 0.4 | 0.7 |
| 1993 | 7.0 | * | * | * | * | * | * | 0.2 | 0.2 | 0.5 | 0.7 |
| 1992 | 7.0 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.7 |
| 1991 | 7.3 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 |
| 1990 | 7.2 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.6 |
| 1989 | 7.2 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.7 |
| 1988 | 7.0 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.5 |
| 1987 | 7.1 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.6 |
| 1986 | 7.0 | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.4 | 0.4 |
| 1985 | 6.9 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 |
| 1984 | 7.0 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.7 |
| 1983 | 6.8 | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.5 |
| 1982 | 6.6 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 |
| 1981 | 6.7 | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.5 |
| 1980 | 6.8 | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.4 | 0.6 |
| 1979 | 6.8 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Aortic aneurysm and dissection (441) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 8.3 | * | * | * | * | * | * | 0.3 | 0.5 | 0.8 | 1.2 |
| 1997 | 8.6 | * | * | * | * | * | * | 0.3 | 0.6 | 0.7 | 1.1 |
| 1996 | 8.5 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.1 |
| 1995 | 8.8 | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 | 1.3 |
| 1994 | 8.8 | * | * | * | * | * | * | 0.3 | 0.6 | 0.5 | 1.1 |
| 1993 | 9.3 | * | * | * | * | * | * | 0.3 | 0.4 | 0.6 | 1.0 |
| 1992 | 9.2 | * | * | * | * | * | * | * | 0.4 | 0.6 | 1.1 |
| 1991 | 9.7 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 0.9 |
| 1990 | 9.9 | * | * | * | * | * | * | 0.3 | 0.3 | 0.6 | 0.8 |
| 1989 | 9.8 | * | * | * | * | * | * | 0.2 | 0.5 | 0.7 | 1.1 |
| 1988 | 9.7 | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 | 0.8 |
| 1987 | 9.7 | * | * | * | * | * | * | 0.2 | 0.5 | 0.5 | 1.0 |
| 1986 | 9.6 | * | * | * | * | * | * | * | 0.4 | 0.6 | 0.6 |
| 1985 | 9.7 | * | * | * | * | * | * | 0.2 | 0.2 | 0.6 | 0.9 |
| 1984 | 9.9 | * | * | * | * | * | * | 0.3 | 0.3 | 0.6 | 1.1 |
| 1983 | 9.7 | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.7 |
| 1982 | 9.4 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 |
| 1981 | 9.6 | * | * | * | * | * | * | 0.3 | * | 0.5 | 0.7 |
| 1980 | 9.9 | * | * | * | * | * | * | * | 0.4 | 0.5 | 0.8 |
| 1979 | 9.7 | * | * | * | * | * | * | * | 0.4 | 0.5 | 0.9 |
| Aortic aneurysm and dissection (441) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 4.8 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1997 | 5.1 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1996 | 5.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1995 | 4.9 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 |
| 1994 | 4.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1993 | 4.8 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1992 | 4.8 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1991 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 4.7 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1989 | 4.7 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1988 | 4.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 4.5 | * | * | * | * | * | * | * | * | 0.3 | * |
| 1986 | 4.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1985 | 4.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.9 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Aortic aneurysm and dissection (441) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 3.0 | * | * | * | * | * | * | * | * | 0.7 | 1.1 |
| 1997 | 3.0 | * | * | * | * | * | * | * | * | 0.8 | 1.8 |
| 1996 | 3.0 | * | * | * | * | * | * | * | * | 0.8 | 1.4 |
| 1995 | 3.0 | * | * | * | * | * | * | * | * | 0.5 | 1.8 |
| 1994 | 3.0 | * | * | * | * | * | * | * | * | 0.6 | 1.6 |
| 1993 | 3.1 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1992 | 3.0 | * | * | * | * | * | * | * | * | 0.7 | 1.3 |
| 1991 | 3.2 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1990 | 3.2 | * | * | * | * | * | * | * | * | 0.8 | 1.5 |
| 1989 | 3.2 | * | * | * | * | * | * | * | * | 0.8 | 1.6 |
| 1988 | 3.1 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1987 | 3.1 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1986 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.1 | * | * | * | * | * | * | * | * | 0.9 | * |
| 1984 | 3.1 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1983 | 2.9 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1982 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.0 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1980 | 3.2 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1979 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| Aortic aneurysm and dissection (441) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 3.4 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1997 | 3.4 | * | * | * | * | * | * | * | * | 1.4 | 2.8 |
| 1996 | 3.6 | * | * | * | * | * | * | * | * | 1.2 | 1.9 |
| 1995 | 3.5 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1994 | 3.4 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1993 | 3.7 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1992 | 3.6 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1991 | 3.8 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1990 | 3.9 | * | * | * | * | * | * | * | * | 1.5 | 2.4 |
| 1989 | 3.8 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1988 | 3.7 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1987 | 3.7 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1986 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.9 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Aortic aneurysm and dissection (441) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.5 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1993 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| Aortic aneurysm and dissection (441) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 3.3 | * | * | * | * | * | * | * | * | 0.8 | 1.4 |
| 1997 | 3.4 | * | * | * | * | * | * | * | * | 1.0 | 2.3 |
| 1996 | 3.3 | * | * | * | * | * | * | * | * | 1.0 | 1.7 |
| 1995 | 3.4 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1994 | 3.3 | * | * | * | * | * | * | * | * | 0.8 | 1.9 |
| 1993 | 3.4 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1992 | 3.2 | * | * | * | * | * | * | * | * | 0.9 | 1.4 |
| 1991 | 3.5 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1990 | 3.5 | * | * | * | * | * | * | * | * | 1.0 | 1.9 |
| 1989 | 3.6 | * | * | * | * | * | * | * | * | 1.0 | 2.0 |
| 1988 | 3.4 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1987 | 3.4 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1986 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.3 | * | * | * | * | * | * | * | * | 1.1 | * |
| 1984 | 3.4 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1983 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.2 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1980 | 3.3 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1979 | 3.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Aortic aneurysm and dissection (441) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 3.7 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1997 | 3.8 | * | * | * | * | * | * | * | * | 1.8 | 3.7 |
| 1996 | 3.8 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1995 | 3.8 | * | * | * | * | * | * | * | * | * | 3.7 |
| 1994 | 3.6 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1993 | 3.9 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1992 | 3.7 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1991 | 4.0 | * | * | * | * | * | * | * | * | * | 3.6 |
| 1990 | 4.1 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1989 | 4.2 | * | * | * | * | * | * | * | * | * | 3.0 |
| 1988 | 3.9 | * | * | * | * | * | * | * | * | * | 3.3 |
| 1987 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| Aortic aneurysm and dissection (441) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.0 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1993 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other diseases of arteries, arterioles and capillaries (442-448) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.1 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.5 | 0.7 |
| 1997 | 4.1 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.6 |
| 1996 | 4.0 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.7 |
| 1995 | 3.8 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.8 |
| 1994 | 3.8 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.4 | 0.6 |
| 1993 | 3.7 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.7 |
| 1992 | 3.6 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.8 |
| 1991 | 3.3 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.7 |
| 1990 | 3.3 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.3 | 0.5 |
| 1989 | 3.3 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.6 |
| 1988 | 3.1 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 | 0.6 |
| 1987 | 3.0 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.4 | 0.5 |
| 1986 | 3.0 | * | * | * | * | 0.1 | 0.1 | 0.1 | 0.2 | 0.4 | 0.7 |
| 1985 | 2.9 | 0.5 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 |
| 1984 | 2.8 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.4 | 0.6 |
| 1983 | 2.7 | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.3 | 0.4 | 0.6 |
| 1982 | 2.6 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.3 | 0.6 |
| 1981 | 2.6 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.7 |
| 1980 | 2.6 | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 | 0.4 | 0.6 |
| 1979 | 2.4 | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 | 0.4 | 0.7 |
| Other diseases of arteries, arterioles and capillaries (442-448) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 3.7 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.6 |
| 1997 | 3.6 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 |
| 1996 | 3.6 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.7 |
| 1995 | 3.4 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.7 |
| 1994 | 3.4 | * | * | * | * | * | * | * | * | 0.4 | 0.5 |
| 1993 | 3.4 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 |
| 1992 | 3.3 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.8 |
| 1991 | 3.1 | * | * | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.6 |
| 1990 | 3.1 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 |
| 1989 | 3.1 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.6 |
| 1988 | 2.8 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1987 | 2.9 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1986 | 2.9 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 |
| 1985 | 2.9 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1984 | 2.8 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1983 | 2.8 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.7 |
| 1982 | 2.7 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.6 |
| 1981 | 2.7 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 |
| 1980 | 2.7 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1979 | 2.6 | * | * | * | * | * | * | * | 0.4 | 0.3 | 0.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other diseases of arteries, arterioles and capillaries (442-448) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 4.6 | * | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.5 | 0.7 |
| 1997 | 4.5 | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 | 0.6 |
| 1996 | 4.4 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 |
| 1995 | 4.2 | * | * | * | * | * | 0.2 | * | 0.3 | 0.4 | 0.8 |
| 1994 | 4.2 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.8 |
| 1993 | 3.9 | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 0.7 |
| 1992 | 3.8 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.8 |
| 1991 | 3.5 | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.7 |
| 1990 | 3.5 | * | * | * | * | * | * | 0.2 | 0.4 | 0.3 | 0.6 |
| 1989 | 3.4 | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.6 |
| 1988 | 3.3 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.5 |
| 1987 | 3.0 | * | * | * | * | * | * | * | 0.2 | 0.5 | 0.6 |
| 1986 | 3.1 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.8 |
| 1985 | 2.8 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.7 |
| 1984 | 2.8 | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.6 |
| 1983 | 2.6 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.5 |
| 1982 | 2.5 | * | * | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.5 |
| 1981 | 2.5 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.7 |
| 1980 | 2.4 | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.4 | 0.7 |
| 1979 | 2.3 | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.8 |
| Other diseases of arteries, arterioles and capillaries (442-448) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 4.3 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.5 |
| 1997 | 4.2 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 |
| 1996 | 4.2 | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.5 |
| 1995 | 4.0 | * | * | * | * | * | 0.1 | * | 0.2 | 0.3 | 0.7 |
| 1994 | 3.9 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 | 0.5 |
| 1993 | 3.8 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.6 |
| 1992 | 3.7 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.3 | 0.7 |
| 1991 | 3.4 | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.5 |
| 1990 | 3.4 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 |
| 1989 | 3.4 | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.5 |
| 1988 | 3.2 | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.5 |
| 1987 | 3.1 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 |
| 1986 | 3.1 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1985 | 3.0 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 |
| 1984 | 2.9 | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.5 |
| 1983 | 2.8 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 | 0.5 |
| 1982 | 2.7 | * | * | * | * | * | 0.1 | 0.1 | 0.3 | 0.3 | 0.5 |
| 1981 | 2.7 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 |
| 1980 | 2.6 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.3 | 0.6 |
| 1979 | 2.5 | * | * | * | * | * | 0.1 | * | 0.3 | 0.4 | 0.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other diseases of arteries, arterioles and capillaries (442-448) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 3.8 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1997 | 3.7 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1996 | 3.8 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1995 | 3.7 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1994 | 3.5 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1993 | 3.5 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1992 | 3.4 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.7 |
| 1991 | 3.2 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.5 |
| 1990 | 3.2 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1989 | 3.2 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 |
| 1988 | 3.0 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1987 | 3.0 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1986 | 3.0 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1985 | 3.1 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1984 | 2.9 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1983 | 2.9 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1982 | 2.8 | * | * | * | * | * | * | * | 0.3 | * | 0.6 |
| 1981 | 2.8 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1980 | 2.7 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1979 | 2.7 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.5 |
| Other diseases of arteries, arterioles and capillaries (442-448) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 4.8 | * | * | * | * | * | * | * | * | 0.5 | 0.5 |
| 1997 | 4.7 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.4 |
| 1996 | 4.6 | * | * | * | * | * | * | * | * | 0.4 | 0.5 |
| 1995 | 4.4 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.7 |
| 1994 | 4.3 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.7 |
| 1993 | 4.1 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1992 | 4.0 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.7 |
| 1991 | 3.6 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1990 | 3.7 | * | * | * | * | * | * | * | 0.3 | 0.2 | 0.5 |
| 1989 | 3.5 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1988 | 3.4 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 |
| 1987 | 3.1 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 |
| 1986 | 3.2 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1985 | 2.9 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 |
| 1984 | 2.9 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 |
| 1983 | 2.7 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1982 | 2.6 | * | * | * | * | * | * | * | 0.3 | * | 0.5 |
| 1981 | 2.5 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1980 | 2.5 | * | * | * | * | * | 0.2 | * | 0.3 | * | 0.6 |
| 1979 | 2.3 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other diseases of arteries, arterioles and capillaries (442-448) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 3.3 | * | * | * | * | * | * | * | 0.6 | 0.9 | 1.4 |
| 1997 | 3.2 | * | * | * | * | * | * | * | * | 0.8 | 1.1 |
| 1996 | 3.1 | * | * | * | * | * | * | * | 0.6 | 0.9 | 1.4 |
| 1995 | 2.8 | * | * | * | * | * | * | * | 0.7 | 0.7 | 1.2 |
| 1994 | 3.1 | * | * | * | * | * | * | * | * | 0.8 | 1.2 |
| 1993 | 3.0 | * | * | * | * | * | * | * | 0.5 | 1.3 | 1.5 |
| 1992 | 2.8 | * | * | * | * | * | * | * | * | 0.7 | 1.2 |
| 1991 | 2.7 | * | * | * | * | * | * | 0.5 | 0.7 | 0.7 | 1.5 |
| 1990 | 2.7 | * | * | * | * | * | * | * | * | 0.7 | 1.1 |
| 1989 | 2.6 | * | * | * | * | * | * | * | 0.6 | 1.1 | 0.9 |
| 1988 | 2.4 | * | * | * | * | * | * | * | 0.6 | 0.9 | 1.3 |
| 1987 | 2.4 | * | * | * | * | * | * | * | * | 0.9 | 1.1 |
| 1986 | 2.5 | * | * | * | * | * | * | * | * | 0.9 | 1.5 |
| 1985 | 2.3 | * | * | * | * | * | * | * | 0.7 | * | 1.2 |
| 1984 | 2.3 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1983 | 2.2 | * | * | * | * | * | * | * | * | 1.0 | * |
| 1982 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.0 | * | * | * | * | * | * | * | 0.9 | 1.1 | * |
| 1980 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.9 | * | * | * | * | * | * | 0.8 | * | * | 1.4 |
| Other diseases of arteries, arterioles and capillaries (442-448) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 3.0 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1997 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.8 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1995 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.8 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1992 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other diseases of arteries, arterioles and capillaries (442-448) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 3.7 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1997 | 3.6 | * | * | * | * | * | * | * | * | 0.9 | 1.3 |
| 1996 | 3.3 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1995 | 3.3 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1994 | 3.5 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1993 | 3.2 | * | * | * | * | * | * | * | * | 1.8 | 1.5 |
| 1992 | 3.0 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1991 | 2.9 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1990 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.8 | * | * | * | * | * | * | * | * | 1.3 | * |
| 1988 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.5 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1985 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| Other diseases of arteries, arterioles and capillaries (442-448) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 4.2 | * | * | * | * | * | * | * | 0.7 | 1.2 | 1.8 |
| 1997 | 4.0 | * | * | * | * | * | * | * | * | 1.2 | 1.4 |
| 1996 | 3.8 | * | * | * | * | * | * | * | 0.7 | 1.2 | 1.6 |
| 1995 | 3.5 | * | * | * | * | * | * | * | 0.9 | 0.9 | 1.5 |
| 1994 | 3.8 | * | * | * | * | * | * | * | * | 0.9 | 1.5 |
| 1993 | 3.7 | * | * | * | * | * | * | * | * | 1.7 | 1.8 |
| 1992 | 3.4 | * | * | * | * | * | * | * | * | 0.9 | 1.5 |
| 1991 | 3.3 | * | * | * | * | * | * | * | 0.8 | 0.9 | 1.9 |
| 1990 | 3.3 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1989 | 3.2 | * | * | * | * | * | * | * | * | 1.4 | 1.3 |
| 1988 | 2.9 | * | * | * | * | * | * | * | * | 1.1 | 1.7 |
| 1987 | 2.9 | * | * | * | * | * | * | * | * | 1.1 | 1.5 |
| 1986 | 2.9 | * | * | * | * | * | * | * | * | 1.0 | 2.0 |
| 1985 | 2.7 | * | * | * | * | * | * | * | 0.9 | * | 1.4 |
| 1984 | 2.6 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1983 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.3 | * | * | * | * | * | * | * | 1.1 | 1.4 | * |
| 1980 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.1 | * | * | * | * | * | * | 1.0 | * | * | 1.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other diseases of arteries, arterioles and capillaries (442-448) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.5 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1992 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| Other diseases of arteries, arterioles and capillaries (442-448) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 4.5 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1997 | 4.4 | * | * | * | * | * | * | * | * | 1.3 | 1.7 |
| 1996 | 4.1 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1995 | 4.1 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1994 | 4.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.8 | * | * | * | * | * | * | * | * | 2.2 | * |
| 1992 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.7 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1990 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.5 | * | * | * | * | * | * | * | * | 1.6 | * |
| 1988 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 3.0 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1985 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other disorders of circulatory system (451-459) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.6 | 1.6 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.6 |
| 1997 | 1.6 | 1.5 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.7 |
| 1996 | 1.6 | 1.7 | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.7 |
| 1995 | 1.6 | 1.7 | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.5 | 0.7 |
| 1994 | 1.6 | 1.3 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.7 |
| 1993 | 1.6 | 1.3 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.7 |
| 1992 | 1.6 | 1.2 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.8 |
| 1991 | 1.6 | 1.4 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.7 |
| 1990 | 1.7 | 1.4 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.7 |
| 1989 | 1.7 | 1.1 | * | * | * | * | 0.1 | 0.1 | 0.3 | 0.4 | 0.8 |
| 1988 | 1.9 | 1.0 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.6 | 0.6 |
| 1987 | 2.0 | 1.2 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.6 | 0.8 |
| 1986 | 1.9 | 1.0 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.8 |
| 1985 | 2.0 | 1.8 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 1.0 |
| 1984 | 2.0 | 1.5 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 | 0.9 |
| 1983 | 2.2 | 1.0 | * | * | * | * | 0.1 | 0.3 | 0.4 | 0.6 | 0.9 |
| 1982 | 2.0 | 1.1 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 | 0.9 |
| 1981 | 2.0 | 1.3 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 | 1.0 |
| 1980 | 2.1 | 1.6 | * | * | * | 0.1 | 0.2 | 0.3 | 0.3 | 0.7 | 1.1 |
| 1979 | 2.1 | 1.4 | * | * | * | 0.1 | 0.2 | 0.3 | 0.3 | 0.6 | 1.2 |
| Other disorders of circulatory system (451-459) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 1.4 | 1.8 | * | * | * | * | * | * | 0.3 | 0.6 | 0.6 |
| 1997 | 1.5 | 1.5 | * | * | * | * | * | * | 0.4 | 0.5 | 0.8 |
| 1996 | 1.5 | 2.1 | * | * | * | * | * | * | 0.2 | 0.5 | 0.9 |
| 1995 | 1.5 | 2.0 | * | * | * | * | * | * | 0.2 | 0.5 | 0.8 |
| 1994 | 1.5 | 1.5 | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 |
| 1993 | 1.5 | 1.3 | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 0.9 |
| 1992 | 1.5 | 1.6 | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 1.0 |
| 1991 | 1.6 | 1.7 | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 |
| 1990 | 1.7 | 1.5 | * | * | * | * | * | 0.2 | 0.3 | 0.7 | 0.9 |
| 1989 | 1.7 | 1.5 | * | * | * | * | * | * | 0.3 | 0.6 | 1.0 |
| 1988 | 1.9 | * | * | * | * | * | * | * | 0.5 | 0.7 | 0.8 |
| 1987 | 2.0 | 1.4 | * | * | * | * | * | 0.2 | 0.3 | 0.7 | 1.1 |
| 1986 | 2.0 | 1.2 | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 1.1 |
| 1985 | 2.1 | 2.0 | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 1.4 |
| 1984 | 2.1 | 1.1 | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.1 |
| 1983 | 2.2 | 1.2 | * | * | * | * | * | 0.3 | 0.4 | 0.8 | 1.1 |
| 1982 | 2.1 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.3 |
| 1981 | 2.1 | 1.2 | * | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.3 |
| 1980 | 2.2 | 1.6 | * | * | * | * | * | * | 0.4 | 0.8 | 1.2 |
| 1979 | 2.2 | 1.5 | * | * | * | * | * | 0.3 | 0.4 | 0.8 | 1.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other disorders of circulatory system (451-459) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 1.7 | 1.5 | * | * | * | * | * | * | 0.3 | 0.4 | 0.6 |
| 1997 | 1.6 | 1.4 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.6 |
| 1996 | 1.7 | 1.3 | * | * | * | * | * | 0.3 | 0.2 | 0.4 | 0.6 |
| 1995 | 1.7 | 1.5 | * | * | * | * | * | * | 0.3 | 0.4 | 0.5 |
| 1994 | 1.6 | 1.1 | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1993 | 1.6 | 1.4 | * | * | * | * | * | * | 0.2 | 0.5 | 0.6 |
| 1992 | 1.6 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 |
| 1991 | 1.7 | 1.2 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.6 |
| 1990 | 1.7 | 1.3 | * | * | * | * | * | * | 0.3 | 0.2 | 0.5 |
| 1989 | 1.8 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 |
| 1988 | 1.8 | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.5 |
| 1987 | 2.0 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.6 |
| 1986 | 1.9 | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.6 |
| 1985 | 2.0 | 1.7 | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.5 |
| 1984 | 1.9 | 1.8 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.8 |
| 1983 | 2.1 | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.8 |
| 1982 | 1.9 | 1.1 | * | * | * | * | * | 0.3 | 0.3 | 0.3 | 0.6 |
| 1981 | 2.0 | 1.5 | * | * | * | * | * | * | 0.3 | 0.4 | 0.8 |
| 1980 | 2.1 | 1.6 | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.7 | 0.9 |
| 1979 | 2.0 | 1.2 | * | * | * | * | * | 0.3 | 0.2 | 0.5 | 1.1 |
| Other disorders of circulatory system (451-459) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.6 | 1.4 | * | * | * | * | * | * | 0.2 | 0.4 | 0.4 |
| 1997 | 1.6 | 1.3 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.7 |
| 1996 | 1.6 | 1.5 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.6 |
| 1995 | 1.6 | 1.6 | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 |
| 1994 | 1.5 | 1.1 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.6 |
| 1993 | 1.6 | 1.0 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 |
| 1992 | 1.5 | 1.2 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 |
| 1991 | 1.6 | 1.3 | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.6 |
| 1990 | 1.7 | 1.4 | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 |
| 1989 | 1.7 | 0.9 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 |
| 1988 | 1.8 | 0.8 | * | * | * | * | * | 0.1 | 0.3 | 0.4 | 0.5 |
| 1987 | 1.9 | 0.9 | * | * | * | * | * | 0.2 | 0.2 | 0.5 | 0.6 |
| 1986 | 1.9 | 0.7 | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.7 |
| 1985 | 2.0 | 1.6 | * | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.8 |
| 1984 | 2.0 | 1.3 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.7 |
| 1983 | 2.1 | 0.9 | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.5 | 0.8 |
| 1982 | 2.0 | 0.9 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.8 |
| 1981 | 2.0 | 1.0 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.9 |
| 1980 | 2.1 | 1.4 | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.6 | 0.8 |
| 1979 | 2.1 | 1.2 | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.5 | 1.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other disorders of circulatory system (451-459) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 1.4 | 1.6 | * | * | * | * | * | * | * | 0.5 | 0.5 |
| 1997 | 1.5 | 1.4 | * | * | * | * | * | * | 0.2 | 0.3 | 0.8 |
| 1996 | 1.4 | 1.8 | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1995 | 1.4 | 1.8 | * | * | * | * | * | * | * | 0.5 | 0.7 |
| 1994 | 1.4 | 1.3 | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1993 | 1.5 | * | * | * | * | * | * | * | 0.2 | 0.5 | 0.6 |
| 1992 | 1.5 | 1.6 | * | * | * | * | * | * | 0.3 | 0.5 | 0.8 |
| 1991 | 1.6 | 1.6 | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 |
| 1990 | 1.6 | 1.5 | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 |
| 1989 | 1.7 | 1.3 | * | * | * | * | * | * | 0.3 | 0.5 | 0.8 |
| 1988 | 1.8 | * | * | * | * | * | * | * | 0.4 | 0.5 | 0.7 |
| 1987 | 1.9 | * | * | * | * | * | * | * | * | 0.6 | 0.8 |
| 1986 | 2.0 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 |
| 1985 | 2.0 | 1.7 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 1.1 |
| 1984 | 2.1 | * | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 |
| 1983 | 2.1 | * | * | * | * | * | * | * | 0.3 | 0.6 | 0.9 |
| 1982 | 2.1 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.0 |
| 1981 | 2.1 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.1 |
| 1980 | 2.1 | * | * | * | * | * | * | * | 0.3 | 0.6 | 0.9 |
| 1979 | 2.2 | 1.4 | * | * | * | * | * | * | 0.3 | 0.6 | 1.2 |
| Other disorders of circulatory system (451-459) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 1.7 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1997 | 1.7 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1996 | 1.7 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1995 | 1.7 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1994 | 1.7 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1993 | 1.7 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1992 | 1.6 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1991 | 1.7 | * | * | * | * | * | * | * | * | 0.4 | 0.5 |
| 1990 | 1.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1989 | 1.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1988 | 1.8 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1987 | 2.0 | * | * | * | * | * | * | * | * | 0.4 | 0.4 |
| 1986 | 1.9 | * | * | * | * | * | * | 0.2 | * | 0.3 | 0.5 |
| 1985 | 2.0 | 1.4 | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1984 | 1.9 | 1.6 | * | * | * | * | * | * | 0.3 | * | 0.6 |
| 1983 | 2.1 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1982 | 1.9 | * | * | * | * | * | * | * | 0.3 | * | 0.5 |
| 1981 | 2.0 | * | * | * | * | * | * | * | 0.3 | * | 0.7 |
| 1980 | 2.1 | 1.7 | * | * | * | * | * | 0.2 | * | 0.6 | 0.7 |
| 1979 | 2.0 | * | * | * | * | * | * | * | * | 0.4 | 0.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other disorders of circulatory system (451-459) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 1.7 | * | * | * | * | * | * | * | 0.6 | 1.0 | 1.4 |
| 1997 | 1.6 | * | * | * | * | * | * | * | 0.7 | 0.9 | 1.0 |
| 1996 | 1.5 | 2.6 | * | * | * | * | * | * | * | 1.0 | 1.3 |
| 1995 | 1.6 | * | * | * | * | * | * | * | * | 0.8 | 1.3 |
| 1994 | 1.6 | * | * | * | * | * | * | * | 0.7 | 0.9 | 1.5 |
| 1993 | 1.5 | 2.4 | * | * | * | * | * | * | 0.8 | 1.0 | 1.3 |
| 1992 | 1.6 | * | * | * | * | * | * | 0.6 | 0.7 | 1.1 | 1.4 |
| 1991 | 1.7 | * | * | * | * | * | * | * | 0.5 | 1.1 | 1.3 |
| 1990 | 1.8 | * | * | * | * | * | * | * | 0.7 | 0.9 | 1.8 |
| 1989 | 1.9 | * | * | * | * | * | * | * | 0.6 | 0.8 | 1.7 |
| 1988 | 2.0 | * | * | * | * | * | * | * | 0.7 | 1.5 | 1.6 |
| 1987 | 2.2 | * | * | * | * | * | * | * | 0.7 | 1.4 | 2.4 |
| 1986 | 2.1 | * | * | * | * | * | * | * | 1.1 | 1.2 | 1.7 |
| 1985 | 2.3 | 3.1 | * | * | * | * | * | * | 0.8 | 1.3 | 2.3 |
| 1984 | 2.1 | * | * | * | * | * | * | * | 0.9 | 1.5 | 2.2 |
| 1983 | 2.3 | * | * | * | * | * | * | 0.6 | 1.2 | 1.6 | 1.5 |
| 1982 | 2.2 | * | * | * | * | * | * | 0.7 | 0.9 | 1.5 | 1.9 |
| 1981 | 2.1 | * | * | * | * | * | * | * | 0.9 | 1.5 | 2.1 |
| 1980 | 2.3 | * | * | * | * | * | * | * | 0.8 | 1.6 | 2.8 |
| 1979 | 2.3 | * | * | * | * | * | * | 0.8 | 0.9 | 1.3 | 2.4 |
| Other disorders of circulatory system (451-459) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 1.5 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1997 | 1.6 | * | * | * | * | * | * | * | * | 1.3 | * |
| 1996 | 1.5 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1995 | 1.7 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1994 | 1.7 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1993 | 1.7 | * | * | * | * | * | * | * | 1.2 | * | 2.2 |
| 1992 | 1.7 | * | * | * | * | * | * | * | * | 1.3 | 1.8 |
| 1991 | 1.7 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1990 | 2.0 | * | * | * | * | * | * | * | * | 1.5 | 2.3 |
| 1989 | 2.0 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1988 | 2.2 | * | * | * | * | * | * | * | * | 2.0 | 1.9 |
| 1987 | 2.4 | * | * | * | * | * | * | * | * | 1.6 | 3.2 |
| 1986 | 2.3 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1985 | 2.4 | * | * | * | * | * | * | * | * | * | 3.6 |
| 1984 | 2.3 | * | * | * | * | * | * | * | * | 2.0 | 2.4 |
| 1983 | 2.6 | * | * | * | * | * | * | * | * | 2.2 | * |
| 1982 | 2.5 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1981 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.6 | * | * | * | * | * | * | * | * | * | 3.4 |
| 1979 | 2.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other disorders of circulatory system (451-459) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.8 | * | * | * | * | * | * | * | * | 1.1 | 1.4 |
| 1997 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.5 | * | * | * | * | * | * | * | * | 1.0 | 1.1 |
| 1995 | 1.6 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1994 | 1.6 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1993 | 1.4 | * | * | * | * | * | * | * | * | 1.1 | * |
| 1992 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.7 | * | * | * | * | * | * | * | * | 1.2 | * |
| 1990 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.9 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1983 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.0 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1979 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| Other disorders of circulatory system (451-459) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.1 | * | * | * | * | * | * | * | 0.9 | 1.4 | 1.9 |
| 1997 | 2.0 | * | * | * | * | * | * | * | 1.0 | 1.2 | 1.3 |
| 1996 | 1.8 | * | * | * | * | * | * | * | * | 1.3 | 1.8 |
| 1995 | 2.0 | * | * | * | * | * | * | * | * | 1.1 | 1.6 |
| 1994 | 2.0 | * | * | * | * | * | * | * | 0.8 | 1.2 | 1.7 |
| 1993 | 1.9 | * | * | * | * | * | * | * | 1.1 | 1.2 | 1.5 |
| 1992 | 2.0 | * | * | * | * | * | * | 0.7 | 1.0 | 1.5 | 1.8 |
| 1991 | 2.1 | * | * | * | * | * | * | * | * | 1.5 | 1.6 |
| 1990 | 2.2 | * | * | * | * | * | * | * | 0.8 | 1.1 | 2.3 |
| 1989 | 2.3 | * | * | * | * | * | * | * | 0.7 | 1.1 | 2.2 |
| 1988 | 2.5 | * | * | * | * | * | * | * | 1.0 | 2.0 | 2.1 |
| 1987 | 2.7 | * | * | * | * | * | * | * | 0.9 | 1.7 | 3.0 |
| 1986 | 2.5 | * | * | * | * | * | * | * | 1.4 | 1.5 | 2.2 |
| 1985 | 2.6 | * | * | * | * | * | * | * | 1.0 | 1.6 | 3.1 |
| 1984 | 2.4 | * | * | * | * | * | * | * | 1.1 | 1.8 | 2.8 |
| 1983 | 2.7 | * | * | * | * | * | * | * | 1.5 | 2.0 | 1.9 |
| 1982 | 2.6 | * | * | * | * | * | * | * | 0.9 | 1.9 | 2.4 |
| 1981 | 2.5 | * | * | * | * | * | * | * | 1.1 | 1.8 | 2.4 |
| 1980 | 2.6 | * | * | * | * | * | * | * | 1.1 | 1.9 | 3.3 |
| 1979 | 2.6 | * | * | * | * | * | * | 1.0 | 1.1 | 1.6 | 2.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other disorders of circulatory system (451-459) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 1.9 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1997 | 2.0 | * | * | * | * | * | * | * | * | 1.8 | * |
| 1996 | 1.8 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1995 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.0 | * | * | * | * | * | * | * | 1.6 | * | 2.6 |
| 1992 | 2.0 | * | * | * | * | * | * | * | * | 1.7 | 2.1 |
| 1991 | 2.1 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1990 | 2.4 | * | * | * | * | * | * | * | * | 1.8 | 3.0 |
| 1989 | 2.4 | * | * | * | * | * | * | * | * | * | 2.9 |
| 1988 | 2.7 | * | * | * | * | * | * | * | * | 2.6 | * |
| 1987 | 2.9 | * | * | * | * | * | * | * | * | * | 4.4 |
| 1986 | 2.8 | * | * | * | * | * | * | * | * | * | 3.2 |
| 1985 | 2.9 | * | * | * | * | * | * | * | * | * | 4.8 |
| 1984 | 2.7 | * | * | * | * | * | * | * | * | 2.4 | 3.1 |
| 1983 | 3.0 | * | * | * | * | * | * | * | * | 2.9 | * |
| 1982 | 2.8 | * | * | * | * | * | * | * | * | * | 3.4 |
| 1981 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.9 | * | * | * | * | * | * | * | * | * | 4.2 |
| 1979 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| Other disorders of circulatory system (451-459) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 2.3 | * | * | * | * | * | * | * | * | 1.5 | 2.0 |
| 1997 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.8 | * | * | * | * | * | * | * | * | 1.4 | 1.6 |
| 1995 | 1.9 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1994 | 1.9 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1993 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.1 | * | * | * | * | * | * | * | * | 1.5 | * |
| 1990 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.2 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1983 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Influenza and pneumonia (480-487) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 33.3 | 11.7 | 0.9 | 0.3 | 0.3 | 0.4 | 0.8 | 0.9 | 1.7 | 2.3 | 4.0 |
| 1997 | 31.7 | 11.2 | 1.2 | 0.4 | 0.3 | 0.5 | 0.7 | 1.0 | 1.5 | 2.5 | 3.8 |
| 1996 | 31.1 | 13.2 | 1.1 | 0.4 | 0.3 | 0.5 | 0.6 | 1.0 | 1.7 | 2.6 | 4.2 |
| 1995 | 31.1 | 13.0 | 1.0 | 0.4 | 0.3 | 0.5 | 0.7 | 1.0 | 1.9 | 3.0 | 4.0 |
| 1994 | 31.0 | 14.6 | 1.1 | 0.3 | 0.2 | 0.5 | 0.7 | 1.0 | 2.0 | 3.1 | 4.2 |
| 1993 | 31.9 | 13.6 | 1.1 | 0.4 | 0.3 | 0.5 | 0.8 | 1.2 | 2.1 | 3.1 | 4.6 |
| 1992 | 29.5 | 15.1 | 1.2 | 0.3 | 0.3 | 0.5 | 0.8 | 1.1 | 1.9 | 2.9 | 4.0 |
| 1991 | 30.8 | 15.2 | 1.4 | 0.4 | 0.4 | 0.5 | 0.9 | 1.3 | 2.2 | 3.4 | 3.9 |
| 1990 | 32.0 | 16.1 | 1.2 | 0.4 | 0.3 | 0.5 | 0.8 | 1.3 | 2.2 | 3.5 | 4.1 |
| 1989 | 31.0 | 16.5 | 1.6 | 0.4 | 0.4 | 0.6 | 0.9 | 1.5 | 2.6 | 3.4 | 4.4 |
| 1988 | 31.8 | 17.1 | 1.3 | 0.4 | 0.4 | 0.5 | 0.9 | 1.4 | 2.6 | 3.5 | 4.3 |
| 1987 | 28.6 | 18.2 | 1.4 | 0.3 | 0.3 | 0.6 | 0.8 | 1.3 | 2.2 | 3.1 | 3.8 |
| 1986 | 29.1 | 17.9 | 1.4 | 0.4 | 0.4 | 0.6 | 0.8 | 1.2 | 2.3 | 3.1 | 4.3 |
| 1985 | 28.4 | 19.2 | 1.5 | 0.5 | 0.3 | 0.5 | 0.8 | 1.0 | 2.0 | 2.8 | 3.9 |
| 1984 | 25.0 | 19.2 | 1.5 | 0.6 | 0.4 | 0.5 | 0.7 | 1.2 | 2.0 | 2.5 | 3.7 |
| 1983 | 23.9 | 21.1 | 1.7 | 0.4 | 0.3 | 0.6 | 0.7 | 1.2 | 1.7 | 2.3 | 3.4 |
| 1982 | 21.1 | 20.7 | 1.7 | 0.4 | 0.4 | 0.6 | 0.8 | 1.1 | 1.7 | 2.2 | 3.5 |
| 1981 | 23.4 | 22.4 | 1.8 | 0.5 | 0.4 | 0.6 | 0.9 | 1.3 | 1.7 | 2.8 | 3.8 |
| 1980 | 24.1 | 28.6 | 2.1 | 0.6 | 0.5 | 0.6 | 1.0 | 1.3 | 1.7 | 2.9 | 4.3 |
| 1979 | 20.1 | 33.0 | 2.0 | 0.7 | 0.5 | 0.7 | 0.9 | 1.2 | 1.7 | 2.7 | 3.9 |
| Influenza and pneumonia (480-487) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 30.3 | 12.4 | 0.9 | 0.3 | 0.3 | 0.4 | 0.8 | 1.0 | 1.9 | 2.7 | 4.7 |
| 1997 | 29.4 | 13.4 | 1.1 | 0.4 | 0.3 | 0.6 | 0.7 | 1.1 | 1.8 | 3.1 | 4.7 |
| 1996 | 28.8 | 15.6 | 1.1 | 0.3 | 0.3 | 0.5 | 0.6 | 1.1 | 1.9 | 3.3 | 5.3 |
| 1995 | 29.0 | 14.4 | 0.9 | 0.3 | 0.2 | 0.6 | 0.7 | 1.2 | 2.3 | 3.7 | 5.1 |
| 1994 | 29.0 | 17.3 | 1.2 | 0.4 | 0.2 | 0.5 | 0.7 | 1.2 | 2.6 | 3.7 | 5.3 |
| 1993 | 29.9 | 15.5 | 1.1 | 0.4 | 0.3 | 0.5 | 0.8 | 1.4 | 2.5 | 4.1 | 6.0 |
| 1992 | 28.3 | 17.5 | 1.2 | 0.3 | 0.2 | 0.5 | 0.8 | 1.3 | 2.4 | 3.7 | 5.3 |
| 1991 | 29.3 | 16.0 | 1.6 | 0.4 | 0.3 | 0.6 | 1.0 | 1.7 | 2.8 | 4.6 | 5.2 |
| 1990 | 30.4 | 18.1 | 1.2 | 0.4 | 0.4 | 0.4 | 0.8 | 1.5 | 3.0 | 4.7 | 5.7 |
| 1989 | 29.7 | 19.4 | 1.6 | 0.4 | 0.3 | 0.6 | 0.9 | 1.7 | 3.1 | 4.6 | 5.9 |
| 1988 | 30.9 | 19.8 | 1.2 | 0.4 | 0.4 | 0.5 | 0.9 | 1.6 | 3.2 | 4.6 | 5.8 |
| 1987 | 28.5 | 20.1 | 1.5 | 0.3 | 0.3 | 0.6 | 0.9 | 1.7 | 3.0 | 4.4 | 5.1 |
| 1986 | 29.3 | 20.4 | 1.5 | 0.3 | 0.5 | 0.7 | 0.9 | 1.4 | 3.0 | 4.2 | 5.7 |
| 1985 | 28.7 | 21.9 | 1.5 | 0.4 | 0.3 | 0.6 | 0.9 | 1.3 | 2.6 | 3.8 | 5.0 |
| 1984 | 25.7 | 21.9 | 1.5 | 0.6 | 0.4 | 0.7 | 0.7 | 1.4 | 2.6 | 3.3 | 4.7 |
| 1983 | 24.6 | 23.7 | 1.7 | 0.4 | 0.4 | 0.5 | 0.9 | 1.4 | 2.3 | 3.0 | 4.5 |
| 1982 | 22.5 | 22.8 | 1.8 | 0.5 | 0.4 | 0.7 | 1.0 | 1.3 | 2.2 | 2.7 | 4.6 |
| 1981 | 24.3 | 25.4 | 2.0 | 0.5 | 0.4 | 0.8 | 1.0 | 1.5 | 2.0 | 3.6 | 5.0 |
| 1980 | 25.1 | 33.1 | 2.2 | 0.6 | 0.5 | 0.6 | 1.0 | 1.6 | 2.0 | 3.6 | 5.5 |
| 1979 | 21.7 | 35.8 | 2.1 | 0.7 | 0.5 | 0.8 | 1.0 | 1.4 | 2.2 | 3.6 | 4.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Influenza and pneumonia (480-487) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 36.2 | 11.0 | 1.0 | 0.4 | 0.2 | 0.4 | 0.8 | 0.8 | 1.4 | 2.0 | 3.3 |
| 1997 | 33.9 | 9.0 | 1.2 | 0.4 | 0.3 | 0.4 | 0.7 | 0.9 | 1.2 | 1.9 | 3.0 |
| 1996 | 33.2 | 10.8 | 1.0 | 0.4 | 0.3 | 0.5 | 0.6 | 0.9 | 1.5 | 1.9 | 3.1 |
| 1995 | 33.2 | 11.5 | 1.1 | 0.4 | 0.3 | 0.3 | 0.7 | 0.9 | 1.4 | 2.2 | 3.0 |
| 1994 | 32.8 | 11.8 | 1.0 | 0.2 | 0.3 | 0.5 | 0.7 | 0.8 | 1.4 | 2.4 | 3.1 |
| 1993 | 33.7 | 11.6 | 1.2 | 0.4 | 0.3 | 0.6 | 0.8 | 1.1 | 1.7 | 2.2 | 3.1 |
| 1992 | 30.7 | 12.6 | 1.2 | 0.2 | 0.3 | 0.5 | 0.7 | 0.8 | 1.4 | 2.1 | 2.6 |
| 1991 | 32.1 | 14.3 | 1.1 | 0.3 | 0.4 | 0.4 | 0.8 | 1.0 | 1.5 | 2.3 | 2.7 |
| 1990 | 33.4 | 14.0 | 1.1 | 0.4 | 0.3 | 0.5 | 0.7 | 1.1 | 1.4 | 2.3 | 2.7 |
| 1989 | 32.3 | 13.4 | 1.5 | 0.3 | 0.4 | 0.5 | 0.8 | 1.3 | 2.0 | 2.4 | 2.9 |
| 1988 | 32.6 | 14.2 | 1.3 | 0.3 | 0.3 | 0.5 | 0.8 | 1.1 | 1.9 | 2.3 | 2.8 |
| 1987 | 28.7 | 16.2 | 1.3 | 0.4 | * | 0.5 | 0.7 | 1.0 | 1.4 | 1.9 | 2.5 |
| 1986 | 28.9 | 15.3 | 1.3 | 0.6 | 0.4 | 0.5 | 0.6 | 1.1 | 1.6 | 2.0 | 3.1 |
| 1985 | 28.2 | 16.3 | 1.6 | 0.5 | 0.3 | 0.4 | 0.6 | 0.7 | 1.5 | 1.8 | 2.9 |
| 1984 | 24.3 | 16.3 | 1.5 | 0.6 | 0.5 | 0.4 | 0.6 | 1.0 | 1.4 | 1.7 | 2.6 |
| 1983 | 23.2 | 18.4 | 1.6 | 0.5 | 0.3 | 0.7 | 0.5 | 1.0 | 1.2 | 1.7 | 2.3 |
| 1982 | 19.8 | 18.6 | 1.5 | 0.3 | 0.4 | 0.6 | 0.7 | 0.9 | 1.2 | 1.7 | 2.4 |
| 1981 | 22.6 | 19.4 | 1.6 | 0.5 | 0.5 | 0.5 | 0.8 | 1.1 | 1.3 | 2.0 | 2.7 |
| 1980 | 23.2 | 24.0 | 2.0 | 0.6 | 0.5 | 0.7 | 0.9 | 1.1 | 1.4 | 2.2 | 3.1 |
| 1979 | 18.5 | 29.9 | 1.9 | 0.7 | 0.5 | 0.6 | 0.8 | 1.0 | 1.2 | 1.8 | 2.9 |
| Influenza and pneumonia (480-487) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 36.0 | 8.6 | 0.8 | 0.3 | 0.3 | 0.3 | 0.7 | 0.7 | 1.3 | 1.9 | 3.2 |
| 1997 | 34.2 | 8.9 | 1.0 | 0.3 | 0.3 | 0.4 | 0.6 | 0.8 | 1.2 | 2.1 | 3.2 |
| 1996 | 33.4 | 10.4 | 0.9 | 0.4 | 0.3 | 0.4 | 0.5 | 0.8 | 1.3 | 2.0 | 3.2 |
| 1995 | 33.4 | 10.1 | 0.7 | 0.3 | 0.3 | 0.5 | 0.6 | 0.8 | 1.5 | 2.4 | 3.2 |
| 1994 | 33.3 | 11.3 | 0.9 | 0.3 | 0.2 | 0.5 | 0.6 | 0.7 | 1.6 | 2.3 | 3.2 |
| 1993 | 34.1 | 10.5 | 0.9 | 0.4 | 0.3 | 0.5 | 0.6 | 1.0 | 1.6 | 2.4 | 3.6 |
| 1992 | 31.5 | 11.4 | 0.9 | 0.3 | 0.3 | 0.5 | 0.7 | 0.8 | 1.5 | 2.2 | 2.9 |
| 1991 | 32.7 | 10.9 | 1.1 | 0.4 | 0.4 | 0.5 | 0.8 | 1.1 | 1.6 | 2.5 | 2.9 |
| 1990 | 33.9 | 12.0 | 1.0 | 0.4 | 0.3 | 0.4 | 0.6 | 1.0 | 1.5 | 2.5 | 3.0 |
| 1989 | 32.7 | 12.9 | 1.2 | 0.4 | 0.3 | 0.5 | 0.7 | 1.2 | 1.8 | 2.3 | 3.1 |
| 1988 | 33.8 | 12.9 | 1.2 | 0.3 | 0.3 | 0.4 | 0.7 | 1.0 | 1.8 | 2.5 | 3.2 |
| 1987 | 30.2 | 13.8 | 1.2 | 0.3 | 0.2 | 0.5 | 0.7 | 1.1 | 1.5 | 2.2 | 2.7 |
| 1986 | 30.6 | 14.0 | 1.2 | 0.4 | 0.5 | 0.6 | 0.6 | 1.0 | 1.7 | 2.1 | 3.1 |
| 1985 | 29.9 | 14.8 | 1.3 | 0.4 | 0.3 | 0.4 | 0.7 | 0.8 | 1.4 | 1.9 | 2.9 |
| 1984 | 26.2 | 15.2 | 1.2 | 0.6 | 0.5 | 0.5 | 0.6 | 0.9 | 1.4 | 1.7 | 2.6 |
| 1983 | 25.1 | 15.6 | 1.4 | 0.4 | 0.3 | 0.6 | 0.7 | 0.9 | 1.2 | 1.7 | 2.5 |
| 1982 | 22.0 | 15.4 | 1.4 | 0.4 | 0.4 | 0.6 | 0.7 | 0.8 | 1.2 | 1.6 | 2.5 |
| 1981 | 24.4 | 17.2 | 1.5 | 0.6 | 0.4 | 0.7 | 0.8 | 1.0 | 1.3 | 1.8 | 2.6 |
| 1980 | 24.8 | 20.5 | 1.9 | 0.5 | 0.5 | 0.6 | 0.8 | 1.0 | 1.3 | 2.2 | 3.0 |
| 1979 | 20.5 | 24.9 | 1.6 | 0.7 | 0.5 | 0.7 | 0.7 | 1.0 | 1.2 | 1.8 | 2.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Influenza and pneumonia (480-487) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 32.1 | 9.1 | 0.8 | * | 0.3 | 0.3 | 0.7 | 0.8 | 1.5 | 2.1 | 3.6 |
| 1997 | 31.1 | 11.0 | 0.9 | 0.3 | 0.3 | 0.5 | 0.6 | 0.9 | 1.5 | 2.5 | 3.9 |
| 1996 | 30.1 | 12.5 | 0.9 | 0.3 | 0.3 | 0.4 | 0.5 | 0.9 | 1.4 | 2.4 | 4.1 |
| 1995 | 30.4 | 11.0 | 0.6 | 0.3 | * | 0.6 | 0.7 | 0.9 | 1.9 | 3.0 | 4.0 |
| 1994 | 30.5 | 13.1 | 1.0 | 0.3 | * | 0.4 | 0.7 | 0.9 | 2.2 | 2.8 | 4.1 |
| 1993 | 31.3 | 11.8 | 1.0 | 0.4 | 0.3 | 0.5 | 0.7 | 1.2 | 2.0 | 3.1 | 4.8 |
| 1992 | 29.5 | 13.6 | 0.9 | 0.3 | * | 0.5 | 0.7 | 1.0 | 1.8 | 2.7 | 3.8 |
| 1991 | 30.5 | 12.1 | 1.3 | 0.5 | 0.4 | 0.6 | 0.8 | 1.4 | 2.1 | 3.3 | 3.9 |
| 1990 | 31.4 | 13.3 | 1.0 | 0.4 | 0.3 | 0.4 | 0.6 | 1.2 | 2.0 | 3.3 | 4.0 |
| 1989 | 30.4 | 15.7 | 1.2 | 0.4 | 0.3 | 0.6 | 0.7 | 1.3 | 2.3 | 2.9 | 4.1 |
| 1988 | 32.0 | 15.5 | 1.1 | 0.4 | 0.4 | 0.5 | 0.8 | 1.2 | 2.3 | 3.2 | 4.3 |
| 1987 | 29.3 | 15.4 | 1.2 | * | * | 0.6 | 0.8 | 1.3 | 2.1 | 3.0 | 3.6 |
| 1986 | 30.1 | 16.3 | 1.3 | 0.3 | 0.5 | 0.7 | 0.7 | 1.1 | 2.3 | 2.7 | 3.9 |
| 1985 | 29.4 | 16.7 | 1.3 | 0.3 | 0.3 | 0.6 | 0.9 | 1.0 | 1.8 | 2.6 | 3.3 |
| 1984 | 26.2 | 17.0 | 1.2 | 0.6 | 0.4 | 0.6 | 0.7 | 1.1 | 1.9 | 2.2 | 3.3 |
| 1983 | 25.1 | 16.9 | 1.5 | 0.3 | 0.3 | 0.5 | 0.9 | 1.0 | 1.4 | 2.0 | 3.0 |
| 1982 | 22.9 | 17.2 | 1.5 | 0.5 | 0.4 | 0.6 | 0.9 | 1.0 | 1.6 | 1.7 | 3.1 |
| 1981 | 24.5 | 19.5 | 1.7 | 0.6 | 0.4 | 0.8 | 0.9 | 1.3 | 1.5 | 2.1 | 3.3 |
| 1980 | 25.1 | 23.5 | 2.0 | 0.5 | 0.5 | 0.5 | 0.8 | 1.2 | 1.4 | 2.6 | 3.7 |
| 1979 | 21.7 | 27.2 | 1.7 | 0.7 | 0.5 | 0.8 | 0.9 | 1.2 | 1.5 | 2.2 | 3.2 |
| Influenza and pneumonia (480-487) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 39.9 | 8.1 | 0.8 | 0.4 | * | 0.3 | 0.6 | 0.6 | 1.1 | 1.7 | 2.7 |
| 1997 | 37.2 | 6.6 | 1.1 | 0.3 | 0.3 | 0.4 | 0.6 | 0.7 | 0.9 | 1.6 | 2.5 |
| 1996 | 36.5 | 8.3 | 0.9 | 0.4 | 0.3 | 0.3 | 0.5 | 0.8 | 1.3 | 1.6 | 2.4 |
| 1995 | 36.3 | 9.0 | 0.8 | 0.3 | 0.3 | 0.3 | 0.5 | 0.8 | 1.2 | 1.7 | 2.5 |
| 1994 | 35.9 | 9.4 | 0.9 | * | * | 0.5 | 0.6 | 0.5 | 1.0 | 1.9 | 2.3 |
| 1993 | 36.8 | 9.2 | 0.9 | 0.4 | 0.4 | 0.5 | 0.6 | 0.9 | 1.2 | 1.7 | 2.4 |
| 1992 | 33.5 | 9.1 | 1.0 | * | 0.3 | 0.4 | 0.6 | 0.6 | 1.1 | 1.6 | 2.0 |
| 1991 | 34.9 | 9.7 | 0.9 | 0.4 | 0.4 | 0.4 | 0.7 | 0.8 | 1.1 | 1.6 | 1.9 |
| 1990 | 36.3 | 10.6 | 1.0 | 0.4 | 0.3 | 0.4 | 0.5 | 0.8 | 1.0 | 1.6 | 2.1 |
| 1989 | 34.9 | 10.1 | 1.2 | 0.3 | 0.3 | 0.4 | 0.7 | 1.0 | 1.3 | 1.6 | 2.2 |
| 1988 | 35.4 | 10.1 | 1.2 | * | * | 0.4 | 0.7 | 0.8 | 1.3 | 1.7 | 2.2 |
| 1987 | 31.1 | 12.2 | 1.1 | 0.4 | * | 0.5 | 0.5 | 0.8 | 0.9 | 1.4 | 1.8 |
| 1986 | 31.2 | 11.6 | 1.0 | 0.5 | 0.4 | 0.5 | 0.6 | 0.8 | 1.2 | 1.4 | 2.3 |
| 1985 | 30.4 | 12.8 | 1.3 | 0.4 | * | 0.3 | 0.6 | 0.6 | 1.1 | 1.3 | 2.4 |
| 1984 | 26.1 | 13.2 | 1.1 | 0.6 | 0.5 | 0.3 | 0.5 | 0.7 | 0.9 | 1.3 | 1.9 |
| 1983 | 25.0 | 14.3 | 1.3 | 0.5 | 0.3 | 0.7 | 0.4 | 0.7 | 0.9 | 1.4 | 1.9 |
| 1982 | 21.1 | 13.5 | 1.2 | * | 0.4 | 0.5 | 0.6 | 0.7 | 0.8 | 1.4 | 1.8 |
| 1981 | 24.2 | 14.7 | 1.4 | 0.5 | 0.5 | 0.5 | 0.7 | 0.8 | 1.1 | 1.5 | 1.9 |
| 1980 | 24.6 | 17.2 | 1.7 | 0.6 | 0.5 | 0.7 | 0.8 | 0.9 | 1.2 | 1.8 | 2.4 |
| 1979 | 19.4 | 22.5 | 1.6 | 0.6 | 0.5 | 0.6 | 0.6 | 0.7 | 0.8 | 1.4 | 2.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Influenza and pneumonia (480-487) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 20.8 | 23.3 | 1.4 | 0.5 | * | 0.7 | 1.2 | 1.6 | 3.1 | 4.4 | 7.7 |
| 1997 | 19.9 | 20.0 | 1.8 | 0.5 | * | 0.6 | 1.1 | 2.0 | 3.0 | 4.5 | 6.9 |
| 1996 | 20.3 | 24.1 | 1.7 | * | * | 0.8 | 1.1 | 1.8 | 3.1 | 5.4 | 8.8 |
| 1995 | 20.2 | 24.0 | 1.9 | 0.6 | * | * | 1.0 | 1.9 | 3.4 | 5.8 | 8.1 |
| 1994 | 19.8 | 26.7 | 1.8 | * | * | 0.7 | 1.0 | 2.1 | 3.9 | 6.6 | 9.4 |
| 1993 | 20.8 | 25.0 | 1.9 | * | * | 0.7 | 1.5 | 2.1 | 4.4 | 6.7 | 9.6 |
| 1992 | 19.4 | 29.1 | 2.2 | * | * | 0.6 | 1.2 | 2.3 | 4.2 | 6.4 | 9.6 |
| 1991 | 20.7 | 31.3 | 2.3 | * | * | 0.7 | 1.3 | 2.4 | 4.7 | 8.4 | 9.5 |
| 1990 | 21.8 | 31.6 | 1.8 | * | * | 0.6 | 1.6 | 2.9 | 5.8 | 8.6 | 10.7 |
| 1989 | 22.1 | 30.1 | 3.1 | * | * | 0.9 | 1.6 | 3.2 | 6.6 | 9.6 | 11.7 |
| 1988 | 21.1 | 33.9 | 1.9 | * | * | 0.8 | 1.5 | 2.9 | 6.6 | 8.8 | 10.6 |
| 1987 | 19.8 | 36.4 | 2.3 | * | * | 0.7 | 1.5 | 2.7 | 6.2 | 8.4 | 10.8 |
| 1986 | 20.4 | 34.5 | 2.4 | 0.6 | * | 0.7 | 1.4 | 2.6 | 5.3 | 9.1 | 12.0 |
| 1985 | 19.8 | 38.1 | 2.6 | 0.8 | * | 0.6 | 0.8 | 2.2 | 5.3 | 8.1 | 10.5 |
| 1984 | 18.2 | 36.8 | 2.9 | * | * | 0.9 | 1.1 | 3.0 | 5.4 | 7.2 | 10.3 |
| 1983 | 17.0 | 45.2 | 2.7 | * | * | 0.7 | 0.9 | 2.8 | 4.8 | 6.1 | 9.2 |
| 1982 | 16.0 | 44.6 | 3.2 | * | 0.6 | 1.0 | 1.5 | 2.9 | 4.6 | 6.2 | 9.8 |
| 1981 | 17.7 | 46.4 | 3.0 | * | * | 0.6 | 1.4 | 2.7 | 4.0 | 9.3 | 11.4 |
| 1980 | 19.7 | 66.0 | 3.2 | 0.9 | * | 0.9 | 2.1 | 3.1 | 4.3 | 7.3 | 12.4 |
| 1979 | 17.0 | 70.9 | 3.9 | 0.8 | * | 0.8 | 1.7 | 2.9 | 5.2 | 8.8 | 12.0 |
| Influenza and pneumonia (480-487) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 22.0 | 24.9 | 1.2 | * | * | * | * | 1.9 | 3.9 | 5.5 | 10.1 |
| 1997 | 21.3 | 22.3 | 1.9 | * | * | * | * | 2.1 | 3.5 | 6.1 | 8.9 |
| 1996 | 22.6 | 27.8 | 2.1 | * | * | * | 1.1 | 2.3 | 4.0 | 7.7 | 11.4 |
| 1995 | 22.1 | 27.5 | 1.6 | * | * | * | * | 2.5 | 4.6 | 7.3 | 10.9 |
| 1994 | 21.9 | 33.0 | 1.8 | * | * | * | * | 2.6 | 4.8 | 8.4 | 12.1 |
| 1993 | 23.2 | 29.5 | 1.9 | * | * | * | 1.5 | 2.2 | 5.1 | 9.1 | 13.3 |
| 1992 | 22.2 | 32.6 | 2.4 | * | * | * | 1.3 | 2.9 | 5.4 | 8.8 | 14.1 |
| 1991 | 23.4 | 31.3 | 2.9 | * | * | * | 1.5 | 3.2 | 6.4 | 11.4 | 12.8 |
| 1990 | 25.1 | 36.4 | 1.7 | * | * | * | 1.5 | 3.4 | 8.3 | 12.1 | 16.3 |
| 1989 | 25.7 | 33.9 | 3.3 | * | * | * | 1.9 | 3.7 | 7.7 | 13.9 | 17.0 |
| 1988 | 25.0 | 37.5 | 1.8 | * | * | * | 1.7 | 3.7 | 8.4 | 12.6 | 15.5 |
| 1987 | 23.9 | 40.0 | 2.6 | * | * | * | 1.6 | 3.5 | 8.5 | 13.0 | 15.5 |
| 1986 | 24.7 | 38.3 | 2.4 | * | * | * | 1.8 | 2.8 | 7.0 | 13.5 | 17.5 |
| 1985 | 24.2 | 45.0 | 2.7 | * | * | * | * | 3.0 | 7.1 | 11.6 | 16.2 |
| 1984 | 22.5 | 43.5 | 2.5 | * | * | * | * | 3.4 | 7.0 | 11.1 | 14.3 |
| 1983 | 21.7 | 54.1 | 2.8 | * | * | * | * | 3.6 | 7.3 | 9.3 | 14.8 |
| 1982 | 20.2 | 48.1 | 3.4 | * | * | * | 1.8 | 3.6 | 6.4 | 9.3 | 14.7 |
| 1981 | 22.6 | 52.3 | 3.6 | * | * | * | 1.6 | 3.1 | 5.4 | 14.3 | 16.3 |
| 1980 | 25.0 | 77.6 | 3.1 | * | * | * | 2.5 | 4.4 | 6.1 | 10.5 | 18.0 |
| 1979 | 21.7 | 77.2 | 4.0 | * | * | * | 1.7 | 2.8 | 7.2 | 14.3 | 17.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Influenza and pneumonia (480-487) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 19.6 | 21.7 | 1.6 | * | * | * | 1.6 | 1.4 | 2.4 | 3.3 | 5.7 |
| 1997 | 18.6 | 17.6 | 1.6 | * | * | * | 1.2 | 1.8 | 2.5 | 3.2 | 5.2 |
| 1996 | 18.2 | 20.2 | 1.3 | * | * | * | * | 1.4 | 2.2 | 3.3 | 6.6 |
| 1995 | 18.5 | 20.5 | 2.3 | * | * | * | 1.2 | 1.4 | 2.4 | 4.4 | 5.7 |
| 1994 | 17.9 | 20.2 | 1.7 | * | * | * | 1.1 | 1.7 | 3.1 | 5.0 | 7.1 |
| 1993 | 18.6 | 20.4 | 2.0 | * | * | * | 1.5 | 2.0 | 3.8 | 4.5 | 6.4 |
| 1992 | 16.9 | 25.5 | 2.0 | * | * | * | 1.1 | 1.6 | 3.0 | 4.2 | 5.8 |
| 1991 | 18.3 | 31.4 | 1.7 | * | * | * | 1.1 | 1.7 | 3.2 | 5.6 | 6.7 |
| 1990 | 18.7 | 26.7 | 1.8 | * | * | * | 1.7 | 2.5 | 3.5 | 5.5 | 5.9 |
| 1989 | 18.9 | 26.1 | 2.9 | * | * | * | 1.3 | 2.7 | 5.7 | 5.9 | 7.2 |
| 1988 | 17.5 | 30.3 | 1.9 | * | * | * | 1.4 | 2.2 | 5.0 | 5.4 | 6.5 |
| 1987 | 16.0 | 32.7 | 2.1 | * | * | * | 1.5 | 1.9 | 4.1 | 4.5 | 6.8 |
| 1986 | 16.5 | 30.6 | 2.5 | * | * | * | * | 2.5 | 3.7 | 5.3 | 7.3 |
| 1985 | 15.8 | 31.3 | 2.5 | * | * | * | * | 1.4 | 3.7 | 5.1 | 5.7 |
| 1984 | 14.2 | 29.9 | 3.3 | * | * | * | 1.1 | 2.6 | 4.0 | 3.9 | 6.9 |
| 1983 | 12.8 | 36.0 | 2.7 | * | * | * | * | 2.1 | 2.7 | 3.3 | 4.4 |
| 1982 | 12.2 | 41.1 | 3.0 | * | * | * | 1.3 | 2.3 | 3.0 | 3.6 | 5.6 |
| 1981 | 13.3 | 40.2 | 2.4 | * | * | * | 1.2 | 2.3 | 2.7 | 5.0 | 7.3 |
| 1980 | 14.9 | 54.2 | 3.2 | * | * | * | 1.8 | 1.9 | 2.8 | 4.5 | 7.6 |
| 1979 | 12.6 | 64.6 | 3.7 | * | * | * | 1.7 | 3.0 | 3.5 | 4.1 | 7.5 |
| Influenza and pneumonia (480-487) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 23.4 | 25.1 | 1.8 | * | * | 0.8 | 1.4 | 2.0 | 3.8 | 5.6 | 10.0 |
| 1997 | 22.6 | 24.2 | 2.0 | * | * | * | 1.4 | 2.5 | 3.9 | 5.9 | 9.0 |
| 1996 | 23.1 | 27.8 | 2.0 | * | * | 1.0 | 1.4 | 2.3 | 3.8 | 6.7 | 11.5 |
| 1995 | 23.1 | 27.9 | 2.2 | 0.7 | * | * | 1.3 | 2.7 | 4.2 | 7.5 | 10.2 |
| 1994 | 22.5 | 30.7 | 1.8 | * | * | 0.7 | 1.0 | 2.7 | 4.7 | 8.3 | 12.1 |
| 1993 | 23.7 | 27.8 | 2.1 | * | * | 0.8 | 2.0 | 2.4 | 5.9 | 8.6 | 12.1 |
| 1992 | 22.1 | 33.9 | 2.2 | * | * | 0.8 | 1.3 | 2.8 | 5.4 | 8.0 | 12.6 |
| 1991 | 23.6 | 36.7 | 2.8 | * | * | 0.9 | 1.6 | 3.1 | 5.9 | 10.9 | 12.0 |
| 1990 | 24.8 | 36.8 | 1.7 | * | * | * | 2.0 | 3.5 | 7.2 | 10.9 | 13.9 |
| 1989 | 25.2 | 33.7 | 3.3 | * | * | 1.0 | 1.9 | 4.0 | 8.6 | 12.3 | 15.3 |
| 1988 | 24.2 | 38.2 | 2.1 | * | * | 0.9 | 1.8 | 3.8 | 8.7 | 11.4 | 13.7 |
| 1987 | 22.4 | 40.0 | 2.4 | * | * | 0.7 | 1.8 | 3.2 | 8.0 | 10.9 | 13.7 |
| 1986 | 23.1 | 40.2 | 2.7 | * | * | 0.8 | 1.6 | 3.3 | 6.6 | 11.5 | 15.0 |
| 1985 | 22.2 | 43.4 | 3.0 | 0.9 | * | 0.7 | 1.0 | 2.6 | 6.5 | 10.0 | 13.1 |
| 1984 | 20.1 | 41.5 | 3.2 | * | * | 0.9 | 1.3 | 3.7 | 6.8 | 9.1 | 12.5 |
| 1983 | 18.8 | 51.6 | 3.0 | * | * | 0.8 | 1.0 | 3.2 | 6.0 | 7.4 | 10.8 |
| 1982 | 17.4 | 49.4 | 3.5 | * | * | 0.9 | 1.7 | 3.4 | 5.6 | 7.5 | 11.8 |
| 1981 | 19.4 | 51.1 | 3.1 | * | * | 0.7 | 1.5 | 3.2 | 4.8 | 11.4 | 13.8 |
| 1980 | 21.2 | 73.1 | 3.3 | 1.0 | * | 1.1 | 2.3 | 3.5 | 4.9 | 8.5 | 14.6 |
| 1979 | 18.0 | 76.7 | 4.4 | 0.9 | * | 0.8 | 1.7 | 3.1 | 6.0 | 9.9 | 13.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Influenza and pneumonia (480-487) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 24.7 | 27.7 | 1.6 | * | * | * | * | 2.2 | 4.6 | 7.2 | 13.2 |
| 1997 | 23.9 | 25.4 | 2.2 | * | * | * | * | 2.6 | 4.5 | 7.9 | 11.5 |
| 1996 | 25.5 | 30.8 | 2.6 | * | * | * | * | 2.7 | 5.1 | 9.8 | 15.2 |
| 1995 | 25.0 | 31.9 | 1.7 | * | * | * | * | 3.4 | 5.9 | 9.5 | 14.1 |
| 1994 | 24.7 | 38.2 | 2.0 | * | * | * | * | 3.4 | 5.8 | 10.3 | 15.4 |
| 1993 | 26.2 | 32.8 | 2.1 | * | * | * | 1.9 | 2.8 | 6.9 | 12.0 | 16.7 |
| 1992 | 25.2 | 38.4 | 2.4 | * | * | * | * | 3.7 | 7.0 | 11.1 | 18.3 |
| 1991 | 26.6 | 36.3 | 3.4 | * | * | * | 1.8 | 4.2 | 8.1 | 15.1 | 16.4 |
| 1990 | 28.9 | 42.2 | 1.7 | * | * | * | 1.9 | 4.2 | 10.6 | 15.6 | 21.4 |
| 1989 | 29.2 | 38.4 | 3.5 | * | * | * | 2.4 | 4.8 | 10.2 | 17.9 | 22.3 |
| 1988 | 28.8 | 41.4 | 2.1 | * | * | * | 2.2 | 4.8 | 11.2 | 16.7 | 20.3 |
| 1987 | 27.4 | 44.3 | 2.7 | * | * | * | 1.9 | 4.2 | 11.1 | 16.9 | 19.8 |
| 1986 | 28.0 | 43.9 | 2.9 | * | * | * | 2.1 | 3.4 | 8.6 | 16.9 | 22.3 |
| 1985 | 27.1 | 51.1 | 3.2 | * | * | * | * | 3.6 | 8.7 | 14.4 | 20.9 |
| 1984 | 25.0 | 49.1 | 2.9 | * | * | * | * | 4.3 | 8.8 | 14.2 | 17.2 |
| 1983 | 24.2 | 63.0 | 3.0 | * | * | * | * | 4.3 | 9.3 | 11.4 | 17.7 |
| 1982 | 22.2 | 54.2 | 3.6 | * | * | * | 1.8 | 4.1 | 7.9 | 12.0 | 18.1 |
| 1981 | 25.0 | 57.4 | 3.7 | * | * | * | 1.7 | 3.6 | 6.7 | 17.8 | 20.3 |
| 1980 | 26.9 | 85.9 | 3.5 | * | * | * | 2.6 | 4.9 | 6.8 | 12.2 | 21.4 |
| 1979 | 23.2 | 83.8 | 4.6 | * | * | * | 1.8 | 2.8 | 8.4 | 16.7 | 20.2 |
| Influenza and pneumonia (480-487) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 22.2 | 22.4 | 1.9 | * | * | * | 1.8 | 1.8 | 3.0 | 4.2 | 7.2 |
| 1997 | 21.4 | 23.0 | 1.8 | * | * | * | 1.6 | 2.3 | 3.3 | 4.0 | 6.9 |
| 1996 | 21.0 | 24.8 | * | * | * | * | * | 2.0 | 2.7 | 3.9 | 8.4 |
| 1995 | 21.3 | 23.8 | 2.8 | * | * | * | 1.5 | 2.0 | 2.7 | 5.7 | 6.8 |
| 1994 | 20.4 | 23.0 | 1.7 | * | * | * | * | 2.0 | 3.8 | 6.6 | 9.2 |
| 1993 | 21.4 | 22.8 | 2.1 | * | * | * | 2.0 | 2.1 | 4.9 | 5.7 | 8.1 |
| 1992 | 19.3 | 29.2 | 2.0 | * | * | * | * | 2.0 | 3.9 | 5.2 | 7.6 |
| 1991 | 20.8 | 37.1 | 2.2 | * | * | * | * | 2.1 | 4.0 | 7.3 | 8.3 |
| 1990 | 21.2 | 31.4 | 1.8 | * | * | * | 2.1 | 2.9 | 4.4 | 6.9 | 7.4 |
| 1989 | 21.5 | 28.8 | 3.2 | * | * | * | 1.5 | 3.4 | 7.3 | 7.6 | 9.3 |
| 1988 | 20.1 | 34.7 | 2.0 | * | * | * | 1.5 | 2.8 | 6.4 | 6.7 | 8.2 |
| 1987 | 17.9 | 35.6 | 2.2 | * | * | * | 1.7 | 2.3 | 5.3 | 5.7 | 8.5 |
| 1986 | 18.8 | 36.4 | 2.5 | * | * | * | * | 3.2 | 4.9 | 6.9 | 8.9 |
| 1985 | 17.8 | 35.4 | 2.8 | * | * | * | * | 1.6 | 4.6 | 6.2 | 6.5 |
| 1984 | 15.7 | 33.8 | 3.5 | * | * | * | * | 3.1 | 5.0 | 4.7 | 8.5 |
| 1983 | 13.9 | 39.9 | 2.9 | * | * | * | * | 2.3 | 3.2 | 4.1 | 5.0 |
| 1982 | 13.2 | 44.4 | 3.4 | * | * | * | 1.5 | 2.8 | 3.6 | 3.8 | 6.5 |
| 1981 | 14.5 | 44.7 | 2.5 | * | * | * | 1.4 | 2.9 | 3.1 | 6.0 | 8.5 |
| 1980 | 16.1 | 60.2 | 3.2 | * | * | * | 2.0 | 2.2 | 3.3 | 5.5 | 8.9 |
| 1979 | 13.4 | 69.1 | 4.2 | * | * | * | 1.6 | 3.2 | 4.0 | 4.4 | 8.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Influenza (487) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Influenza (487) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Influenza (487) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Influenza (487) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Influenza (487) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Influenza (487) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Influenza (487) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Influenza (487) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Influenza (487) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Influenza (487) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Influenza (487) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Influenza (487) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pneumonia (480-486) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 32.7 | 11.6 | 0.9 | 0.3 | 0.2 | 0.3 | 0.7 | 0.9 | 1.7 | 2.3 | 3.9 |
| 1997 | 31.4 | 10.9 | 1.1 | 0.3 | 0.3 | 0.5 | 0.7 | 1.0 | 1.5 | 2.5 | 3.8 |
| 1996 | 30.8 | 12.8 | 1.1 | 0.3 | 0.3 | 0.4 | 0.6 | 1.0 | 1.6 | 2.6 | 4.2 |
| 1995 | 30.9 | 12.8 | 0.9 | 0.3 | 0.3 | 0.4 | 0.7 | 1.0 | 1.9 | 2.9 | 4.0 |
| 1994 | 30.5 | 14.4 | 1.1 | 0.3 | 0.2 | 0.5 | 0.7 | 1.0 | 2.0 | 3.0 | 4.1 |
| 1993 | 31.5 | 13.4 | 1.1 | 0.4 | 0.3 | 0.5 | 0.8 | 1.2 | 2.1 | 3.1 | 4.5 |
| 1992 | 29.1 | 14.9 | 1.2 | 0.3 | 0.3 | 0.5 | 0.7 | 1.1 | 1.9 | 2.8 | 3.9 |
| 1991 | 30.3 | 14.8 | 1.3 | 0.4 | 0.3 | 0.5 | 0.8 | 1.3 | 2.1 | 3.4 | 3.9 |
| 1990 | 31.1 | 15.9 | 1.1 | 0.4 | 0.3 | 0.5 | 0.8 | 1.3 | 2.2 | 3.4 | 4.1 |
| 1989 | 30.4 | 16.2 | 1.5 | 0.3 | 0.3 | 0.5 | 0.8 | 1.5 | 2.5 | 3.4 | 4.3 |
| 1988 | 31.0 | 16.9 | 1.2 | 0.4 | 0.4 | 0.5 | 0.9 | 1.3 | 2.5 | 3.4 | 4.2 |
| 1987 | 28.3 | 18.0 | 1.3 | 0.3 | 0.3 | 0.5 | 0.8 | 1.3 | 2.2 | 3.1 | 3.8 |
| 1986 | 28.3 | 17.7 | 1.3 | 0.4 | 0.4 | 0.6 | 0.8 | 1.2 | 2.2 | 3.0 | 4.3 |
| 1985 | 27.6 | 19.0 | 1.5 | 0.4 | 0.3 | 0.5 | 0.7 | 1.0 | 2.0 | 2.8 | 3.8 |
| 1984 | 24.5 | 19.0 | 1.5 | 0.6 | 0.4 | 0.5 | 0.7 | 1.2 | 2.0 | 2.5 | 3.6 |
| 1983 | 23.3 | 20.9 | 1.6 | 0.4 | 0.3 | 0.6 | 0.7 | 1.1 | 1.7 | 2.3 | 3.3 |
| 1982 | 20.8 | 20.5 | 1.7 | 0.4 | 0.4 | 0.6 | 0.8 | 1.1 | 1.7 | 2.2 | 3.4 |
| 1981 | 22.1 | 22.1 | 1.7 | 0.5 | 0.4 | 0.6 | 0.9 | 1.2 | 1.6 | 2.7 | 3.7 |
| 1980 | 22.9 | 28.3 | 2.0 | 0.6 | 0.5 | 0.6 | 1.0 | 1.3 | 1.7 | 2.8 | 4.2 |
| 1979 | 19.8 | 32.7 | 2.0 | 0.7 | 0.5 | 0.7 | 0.9 | 1.2 | 1.7 | 2.7 | 3.9 |
| Pneumonia (480-486) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 29.9 | 12.3 | 0.9 | 0.2 | 0.2 | 0.4 | 0.7 | 1.0 | 1.9 | 2.7 | 4.6 |
| 1997 | 29.2 | 13.0 | 1.1 | 0.3 | 0.3 | 0.5 | 0.7 | 1.1 | 1.8 | 3.0 | 4.7 |
| 1996 | 28.6 | 15.1 | 1.1 | 0.3 | 0.3 | 0.5 | 0.6 | 1.1 | 1.9 | 3.3 | 5.3 |
| 1995 | 28.8 | 14.2 | 0.8 | 0.3 | 0.2 | 0.6 | 0.7 | 1.2 | 2.3 | 3.7 | 5.1 |
| 1994 | 28.7 | 17.0 | 1.2 | 0.4 | 0.2 | 0.5 | 0.7 | 1.2 | 2.6 | 3.7 | 5.3 |
| 1993 | 29.6 | 15.2 | 1.1 | 0.4 | 0.3 | 0.5 | 0.8 | 1.4 | 2.5 | 4.0 | 6.0 |
| 1992 | 28.0 | 17.2 | 1.2 | 0.3 | 0.2 | 0.5 | 0.8 | 1.3 | 2.4 | 3.6 | 5.3 |
| 1991 | 29.0 | 15.4 | 1.5 | 0.4 | 0.3 | 0.6 | 0.9 | 1.6 | 2.7 | 4.5 | 5.1 |
| 1990 | 29.8 | 17.8 | 1.1 | 0.4 | 0.3 | 0.4 | 0.8 | 1.5 | 3.0 | 4.6 | 5.7 |
| 1989 | 29.2 | 19.1 | 1.6 | 0.3 | 0.3 | 0.6 | 0.9 | 1.7 | 3.1 | 4.5 | 5.8 |
| 1988 | 30.4 | 19.7 | 1.1 | 0.4 | 0.4 | 0.5 | 0.9 | 1.6 | 3.2 | 4.6 | 5.7 |
| 1987 | 28.2 | 19.7 | 1.5 | 0.3 | 0.3 | 0.6 | 0.9 | 1.6 | 3.0 | 4.3 | 5.1 |
| 1986 | 28.7 | 20.2 | 1.4 | 0.3 | 0.4 | 0.7 | 0.9 | 1.3 | 2.9 | 4.2 | 5.6 |
| 1985 | 28.0 | 21.7 | 1.5 | 0.4 | 0.3 | 0.5 | 0.9 | 1.3 | 2.5 | 3.8 | 4.9 |
| 1984 | 25.3 | 21.8 | 1.4 | 0.6 | 0.3 | 0.6 | 0.7 | 1.4 | 2.6 | 3.3 | 4.7 |
| 1983 | 24.2 | 23.5 | 1.7 | 0.4 | 0.4 | 0.5 | 0.9 | 1.4 | 2.2 | 2.9 | 4.5 |
| 1982 | 22.2 | 22.6 | 1.8 | 0.5 | 0.4 | 0.7 | 1.0 | 1.3 | 2.2 | 2.7 | 4.5 |
| 1981 | 23.3 | 24.9 | 2.0 | 0.5 | 0.4 | 0.7 | 1.0 | 1.4 | 1.9 | 3.6 | 4.9 |
| 1980 | 24.2 | 32.7 | 2.1 | 0.6 | 0.4 | 0.5 | 1.0 | 1.6 | 2.0 | 3.5 | 5.4 |
| 1979 | 21.5 | 35.6 | 2.1 | 0.7 | 0.5 | 0.8 | 1.0 | 1.4 | 2.2 | 3.6 | 4.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pneumonia (480-486) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 35.4 | 10.8 | 1.0 | 0.4 | * | 0.3 | 0.8 | 0.8 | 1.4 | 2.0 | 3.2 |
| 1997 | 33.6 | 8.7 | 1.1 | 0.4 | 0.3 | 0.4 | 0.7 | 0.9 | 1.2 | 1.9 | 3.0 |
| 1996 | 32.9 | 10.5 | 1.0 | 0.4 | 0.3 | 0.4 | 0.6 | 0.9 | 1.4 | 1.9 | 3.1 |
| 1995 | 32.9 | 11.4 | 1.1 | 0.4 | 0.3 | 0.3 | 0.6 | 0.9 | 1.4 | 2.1 | 3.0 |
| 1994 | 32.2 | 11.6 | 1.0 | 0.2 | 0.2 | 0.5 | 0.7 | 0.7 | 1.4 | 2.4 | 3.0 |
| 1993 | 33.2 | 11.4 | 1.1 | 0.3 | 0.3 | 0.5 | 0.8 | 1.1 | 1.7 | 2.2 | 3.1 |
| 1992 | 30.2 | 12.5 | 1.2 | 0.2 | 0.3 | 0.5 | 0.6 | 0.8 | 1.4 | 2.0 | 2.6 |
| 1991 | 31.6 | 14.1 | 1.0 | 0.3 | 0.4 | 0.4 | 0.7 | 1.0 | 1.5 | 2.3 | 2.7 |
| 1990 | 32.4 | 13.9 | 1.0 | 0.4 | 0.3 | 0.5 | 0.7 | 1.1 | 1.4 | 2.2 | 2.6 |
| 1989 | 31.5 | 13.1 | 1.4 | 0.3 | 0.3 | 0.5 | 0.7 | 1.2 | 2.0 | 2.3 | 2.9 |
| 1988 | 31.5 | 14.0 | 1.3 | 0.3 | 0.3 | 0.4 | 0.8 | 1.1 | 1.9 | 2.2 | 2.8 |
| 1987 | 28.4 | 16.2 | 1.2 | 0.3 | * | 0.5 | 0.7 | 1.0 | 1.4 | 1.9 | 2.5 |
| 1986 | 27.9 | 15.2 | 1.2 | 0.5 | 0.3 | 0.5 | 0.6 | 1.1 | 1.5 | 1.9 | 2.9 |
| 1985 | 27.1 | 16.1 | 1.5 | 0.5 | 0.3 | 0.4 | 0.6 | 0.7 | 1.5 | 1.8 | 2.9 |
| 1984 | 23.7 | 16.1 | 1.5 | 0.5 | 0.5 | 0.4 | 0.6 | 1.0 | 1.4 | 1.7 | 2.6 |
| 1983 | 22.4 | 18.2 | 1.5 | 0.5 | 0.3 | 0.6 | 0.5 | 0.9 | 1.2 | 1.6 | 2.2 |
| 1982 | 19.4 | 18.3 | 1.5 | 0.3 | 0.4 | 0.5 | 0.7 | 0.9 | 1.1 | 1.7 | 2.3 |
| 1981 | 21.0 | 19.1 | 1.5 | 0.5 | 0.4 | 0.5 | 0.7 | 1.0 | 1.2 | 2.0 | 2.6 |
| 1980 | 21.7 | 23.7 | 1.9 | 0.6 | 0.5 | 0.7 | 0.9 | 1.0 | 1.4 | 2.1 | 3.0 |
| 1979 | 18.1 | 29.6 | 1.9 | 0.7 | 0.5 | 0.6 | 0.8 | 1.0 | 1.2 | 1.8 | 2.9 |
| Pneumonia (480-486) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 35.3 | 8.5 | 0.8 | 0.3 | 0.2 | 0.3 | 0.6 | 0.7 | 1.3 | 1.9 | 3.1 |
| 1997 | 33.9 | 8.6 | 0.9 | 0.3 | 0.3 | 0.4 | 0.6 | 0.8 | 1.2 | 2.0 | 3.2 |
| 1996 | 33.0 | 10.1 | 0.9 | 0.3 | 0.3 | 0.4 | 0.5 | 0.8 | 1.3 | 2.0 | 3.2 |
| 1995 | 33.2 | 10.0 | 0.7 | 0.3 | 0.3 | 0.4 | 0.6 | 0.8 | 1.5 | 2.3 | 3.2 |
| 1994 | 32.7 | 11.2 | 0.9 | 0.3 | 0.2 | 0.4 | 0.6 | 0.7 | 1.6 | 2.3 | 3.1 |
| 1993 | 33.6 | 10.3 | 0.8 | 0.4 | 0.3 | 0.5 | 0.6 | 1.0 | 1.6 | 2.3 | 3.5 |
| 1992 | 31.1 | 11.2 | 0.9 | 0.3 | 0.2 | 0.4 | 0.6 | 0.8 | 1.4 | 2.1 | 2.8 |
| 1991 | 32.2 | 10.5 | 1.0 | 0.4 | 0.3 | 0.4 | 0.7 | 1.1 | 1.6 | 2.4 | 2.9 |
| 1990 | 33.0 | 11.8 | 0.9 | 0.4 | 0.3 | 0.4 | 0.6 | 1.0 | 1.5 | 2.4 | 3.0 |
| 1989 | 32.0 | 12.6 | 1.1 | 0.3 | 0.3 | 0.5 | 0.6 | 1.1 | 1.7 | 2.2 | 3.1 |
| 1988 | 32.8 | 12.8 | 1.1 | 0.3 | 0.3 | 0.4 | 0.7 | 1.0 | 1.8 | 2.4 | 3.2 |
| 1987 | 29.9 | 13.6 | 1.1 | 0.3 | 0.2 | 0.5 | 0.6 | 1.0 | 1.5 | 2.1 | 2.7 |
| 1986 | 29.8 | 13.8 | 1.1 | 0.4 | 0.4 | 0.6 | 0.6 | 1.0 | 1.7 | 2.0 | 3.0 |
| 1985 | 29.0 | 14.7 | 1.3 | 0.4 | 0.3 | 0.4 | 0.7 | 0.8 | 1.4 | 1.9 | 2.8 |
| 1984 | 25.6 | 15.1 | 1.1 | 0.5 | 0.4 | 0.4 | 0.6 | 0.8 | 1.4 | 1.7 | 2.6 |
| 1983 | 24.4 | 15.5 | 1.4 | 0.4 | 0.3 | 0.6 | 0.7 | 0.9 | 1.2 | 1.7 | 2.4 |
| 1982 | 21.6 | 15.2 | 1.3 | 0.3 | 0.4 | 0.6 | 0.7 | 0.8 | 1.2 | 1.6 | 2.4 |
| 1981 | 22.9 | 16.8 | 1.5 | 0.5 | 0.4 | 0.6 | 0.8 | 1.0 | 1.2 | 1.8 | 2.5 |
| 1980 | 23.5 | 20.2 | 1.7 | 0.5 | 0.5 | 0.6 | 0.8 | 1.0 | 1.3 | 2.1 | 2.9 |
| 1979 | 20.3 | 24.7 | 1.6 | 0.6 | 0.5 | 0.7 | 0.7 | 0.9 | 1.2 | 1.8 | 2.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pneumonia (480-486) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 31.6 | 9.0 | 0.8 | * | * | 0.3 | 0.7 | 0.8 | 1.5 | 2.1 | 3.6 |
| 1997 | 30.9 | 10.7 | 0.9 | 0.3 | 0.3 | 0.5 | 0.6 | 0.9 | 1.4 | 2.4 | 3.9 |
| 1996 | 29.9 | 12.1 | 0.8 | 0.3 | 0.3 | 0.4 | 0.5 | 0.8 | 1.4 | 2.4 | 4.1 |
| 1995 | 30.2 | 10.9 | 0.6 | 0.3 | * | 0.6 | 0.7 | 0.9 | 1.9 | 3.0 | 4.0 |
| 1994 | 30.1 | 12.9 | 1.0 | 0.3 | * | 0.4 | 0.7 | 0.9 | 2.1 | 2.8 | 4.0 |
| 1993 | 30.9 | 11.6 | 0.9 | 0.4 | 0.3 | 0.5 | 0.6 | 1.2 | 2.0 | 3.0 | 4.7 |
| 1992 | 29.2 | 13.2 | 0.9 | 0.3 | * | 0.5 | 0.7 | 1.0 | 1.8 | 2.7 | 3.8 |
| 1991 | 30.1 | 11.5 | 1.1 | 0.5 | 0.3 | 0.6 | 0.8 | 1.3 | 2.1 | 3.3 | 3.9 |
| 1990 | 30.7 | 13.0 | 1.0 | 0.3 | 0.3 | 0.4 | 0.6 | 1.1 | 2.0 | 3.3 | 4.0 |
| 1989 | 29.9 | 15.4 | 1.1 | 0.3 | * | 0.5 | 0.7 | 1.3 | 2.3 | 2.8 | 4.0 |
| 1988 | 31.4 | 15.4 | 1.0 | 0.4 | 0.4 | 0.4 | 0.7 | 1.2 | 2.3 | 3.2 | 4.3 |
| 1987 | 29.0 | 15.1 | 1.2 | * | * | 0.5 | 0.8 | 1.3 | 2.1 | 2.8 | 3.6 |
| 1986 | 29.4 | 16.0 | 1.2 | 0.3 | 0.5 | 0.7 | 0.7 | 1.1 | 2.2 | 2.7 | 3.9 |
| 1985 | 28.7 | 16.6 | 1.2 | 0.3 | * | 0.5 | 0.9 | 1.0 | 1.7 | 2.6 | 3.2 |
| 1984 | 25.8 | 17.0 | 1.2 | 0.6 | 0.4 | 0.6 | 0.6 | 1.0 | 1.8 | 2.1 | 3.3 |
| 1983 | 24.6 | 16.8 | 1.4 | 0.3 | 0.3 | 0.5 | 0.9 | 1.0 | 1.4 | 2.0 | 3.0 |
| 1982 | 22.6 | 17.0 | 1.5 | 0.4 | 0.4 | 0.6 | 0.9 | 0.9 | 1.5 | 1.7 | 3.0 |
| 1981 | 23.5 | 19.1 | 1.6 | 0.5 | 0.4 | 0.7 | 0.9 | 1.2 | 1.4 | 2.1 | 3.3 |
| 1980 | 24.1 | 23.3 | 1.9 | 0.5 | 0.4 | 0.5 | 0.8 | 1.1 | 1.4 | 2.5 | 3.6 |
| 1979 | 21.5 | 27.0 | 1.6 | 0.7 | 0.5 | 0.8 | 0.8 | 1.2 | 1.5 | 2.2 | 3.2 |
| Pneumonia (480-486) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 38.9 | 7.9 | 0.8 | 0.3 | * | * | 0.5 | 0.6 | 1.1 | 1.7 | 2.7 |
| 1997 | 36.9 | 6.4 | 1.0 | 0.3 | 0.3 | 0.4 | 0.6 | 0.6 | 0.9 | 1.6 | 2.5 |
| 1996 | 36.1 | 8.0 | 0.9 | 0.4 | 0.3 | 0.3 | 0.5 | 0.8 | 1.2 | 1.5 | 2.3 |
| 1995 | 36.0 | 9.0 | 0.7 | 0.3 | 0.3 | * | 0.5 | 0.8 | 1.2 | 1.7 | 2.4 |
| 1994 | 35.3 | 9.4 | 0.8 | * | * | 0.5 | 0.5 | 0.5 | 1.0 | 1.9 | 2.2 |
| 1993 | 36.3 | 9.0 | 0.8 | 0.3 | 0.3 | 0.5 | 0.6 | 0.8 | 1.2 | 1.6 | 2.4 |
| 1992 | 32.9 | 9.0 | 1.0 | * | 0.3 | 0.4 | 0.5 | 0.6 | 1.0 | 1.6 | 1.9 |
| 1991 | 34.3 | 9.5 | 0.9 | 0.3 | 0.3 | 0.3 | 0.7 | 0.8 | 1.1 | 1.6 | 1.9 |
| 1990 | 35.2 | 10.4 | 0.9 | 0.4 | * | 0.4 | 0.5 | 0.8 | 1.0 | 1.6 | 2.0 |
| 1989 | 33.9 | 9.7 | 1.1 | 0.3 | * | 0.4 | 0.6 | 0.9 | 1.2 | 1.5 | 2.1 |
| 1988 | 34.3 | 10.0 | 1.2 | * | * | 0.4 | 0.7 | 0.8 | 1.3 | 1.6 | 2.1 |
| 1987 | 30.7 | 12.1 | 1.0 | 0.4 | * | 0.5 | 0.5 | 0.8 | 0.9 | 1.4 | 1.7 |
| 1986 | 30.1 | 11.6 | 1.0 | 0.5 | 0.3 | 0.4 | 0.6 | 0.8 | 1.1 | 1.3 | 2.2 |
| 1985 | 29.2 | 12.6 | 1.3 | 0.4 | * | 0.3 | 0.6 | 0.6 | 1.1 | 1.2 | 2.4 |
| 1984 | 25.5 | 13.1 | 1.1 | 0.5 | 0.5 | 0.3 | 0.5 | 0.6 | 0.9 | 1.3 | 1.9 |
| 1983 | 24.2 | 14.1 | 1.3 | 0.5 | 0.3 | 0.6 | 0.4 | 0.7 | 0.9 | 1.4 | 1.8 |
| 1982 | 20.7 | 13.3 | 1.2 | * | 0.3 | 0.5 | 0.5 | 0.7 | 0.8 | 1.4 | 1.8 |
| 1981 | 22.4 | 14.5 | 1.4 | 0.5 | 0.4 | 0.5 | 0.7 | 0.8 | 1.0 | 1.5 | 1.8 |
| 1980 | 23.0 | 17.0 | 1.6 | 0.6 | 0.5 | 0.7 | 0.8 | 0.9 | 1.2 | 1.7 | 2.3 |
| 1979 | 19.1 | 22.3 | 1.5 | 0.6 | 0.5 | 0.6 | 0.6 | 0.7 | 0.8 | 1.4 | 2.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pneumonia (480-486) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 20.6 | 23.1 | 1.4 | 0.5 | * | 0.7 | 1.2 | 1.6 | 3.1 | 4.3 | 7.7 |
| 1997 | 19.8 | 19.7 | 1.7 | 0.4 | * | 0.6 | 1.1 | 1.9 | 3.0 | 4.5 | 6.9 |
| 1996 | 20.2 | 23.4 | 1.7 | * | * | 0.7 | 1.1 | 1.8 | 3.0 | 5.4 | 8.8 |
| 1995 | 20.1 | 23.5 | 1.9 | 0.5 | * | * | 1.0 | 1.9 | 3.4 | 5.7 | 8.0 |
| 1994 | 19.7 | 26.3 | 1.8 | * | * | 0.6 | 1.0 | 2.1 | 3.9 | 6.6 | 9.4 |
| 1993 | 20.7 | 24.5 | 1.9 | * | * | 0.7 | 1.5 | 2.1 | 4.4 | 6.7 | 9.6 |
| 1992 | 19.3 | 29.0 | 2.2 | * | * | 0.6 | 1.2 | 2.3 | 4.1 | 6.2 | 9.6 |
| 1991 | 20.6 | 30.9 | 2.2 | * | * | 0.7 | 1.3 | 2.4 | 4.7 | 8.2 | 9.5 |
| 1990 | 21.5 | 31.6 | 1.7 | * | * | 0.6 | 1.6 | 2.9 | 5.8 | 8.5 | 10.7 |
| 1989 | 21.9 | 29.9 | 3.1 | * | * | 0.9 | 1.6 | 3.2 | 6.6 | 9.6 | 11.7 |
| 1988 | 20.9 | 33.5 | 1.7 | * | * | 0.8 | 1.5 | 2.8 | 6.5 | 8.7 | 10.6 |
| 1987 | 19.7 | 36.0 | 2.3 | * | * | 0.6 | 1.5 | 2.7 | 6.2 | 8.4 | 10.8 |
| 1986 | 20.2 | 34.4 | 2.3 | 0.6 | * | 0.6 | 1.3 | 2.6 | 5.2 | 9.0 | 11.9 |
| 1985 | 19.5 | 37.7 | 2.5 | 0.7 | * | 0.6 | 0.8 | 2.2 | 5.3 | 8.1 | 10.4 |
| 1984 | 18.0 | 36.3 | 2.8 | * | * | 0.9 | 1.1 | 3.0 | 5.4 | 7.2 | 10.2 |
| 1983 | 16.9 | 45.0 | 2.7 | * | * | 0.7 | 0.9 | 2.8 | 4.8 | 6.0 | 9.2 |
| 1982 | 15.9 | 44.2 | 3.2 | * | * | 1.0 | 1.5 | 2.9 | 4.6 | 6.2 | 9.8 |
| 1981 | 17.2 | 45.8 | 2.9 | * | * | 0.6 | 1.4 | 2.6 | 3.8 | 9.1 | 11.4 |
| 1980 | 19.4 | 65.2 | 3.1 | 0.8 | * | 0.9 | 2.0 | 3.1 | 4.3 | 7.2 | 12.3 |
| 1979 | 16.8 | 70.0 | 3.9 | 0.7 | * | 0.8 | 1.7 | 2.8 | 5.2 | 8.6 | 11.9 |
| Pneumonia (480-486) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 21.9 | 24.6 | 1.2 | * | * | * | * | 1.9 | 3.9 | 5.5 | 10.1 |
| 1997 | 21.2 | 22.0 | 1.8 | * | * | * | * | 2.1 | 3.5 | 6.0 | 8.8 |
| 1996 | 22.5 | 27.0 | 2.1 | * | * | * | 1.1 | 2.3 | 4.0 | 7.7 | 11.3 |
| 1995 | 22.0 | 26.7 | 1.6 | * | * | * | * | 2.5 | 4.6 | 7.3 | 10.9 |
| 1994 | 21.8 | 32.5 | 1.8 | * | * | * | * | 2.6 | 4.8 | 8.4 | 12.1 |
| 1993 | 23.1 | 29.0 | 1.8 | * | * | * | 1.5 | 2.2 | 5.1 | 9.0 | 13.3 |
| 1992 | 22.1 | 32.6 | 2.4 | * | * | * | 1.3 | 2.9 | 5.4 | 8.6 | 14.0 |
| 1991 | 23.3 | 30.6 | 2.8 | * | * | * | 1.5 | 3.2 | 6.3 | 11.4 | 12.6 |
| 1990 | 24.9 | 36.4 | 1.7 | * | * | * | 1.4 | 3.4 | 8.3 | 12.1 | 16.2 |
| 1989 | 25.5 | 33.7 | 3.3 | * | * | * | 1.9 | 3.6 | 7.7 | 13.9 | 16.9 |
| 1988 | 24.8 | 37.2 | 1.5 | * | * | * | 1.7 | 3.5 | 8.4 | 12.6 | 15.4 |
| 1987 | 23.8 | 39.2 | 2.6 | * | * | * | 1.6 | 3.5 | 8.5 | 13.0 | 15.5 |
| 1986 | 24.5 | 38.3 | 2.3 | * | * | * | 1.8 | 2.7 | 7.0 | 13.5 | 17.5 |
| 1985 | 23.8 | 44.4 | 2.7 | * | * | * | * | 3.0 | 7.1 | 11.6 | 16.0 |
| 1984 | 22.3 | 43.5 | 2.4 | * | * | * | * | 3.4 | 7.0 | 11.1 | 14.2 |
| 1983 | 21.5 | 53.8 | 2.8 | * | * | * | * | 3.5 | 7.3 | 9.3 | 14.8 |
| 1982 | 20.0 | 48.1 | 3.3 | * | * | * | 1.8 | 3.6 | 6.4 | 9.3 | 14.6 |
| 1981 | 22.1 | 51.4 | 3.5 | * | * | * | 1.5 | 3.0 | 5.2 | 14.0 | 16.3 |
| 1980 | 24.7 | 76.6 | 3.1 | * | * | * | 2.3 | 4.3 | 6.1 | 10.5 | 17.9 |
| 1979 | 21.5 | 76.6 | 4.0 | * | * | * | 1.7 | 2.7 | 7.2 | 14.0 | 17.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pneumonia (480-486) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 19.5 | 21.5 | 1.6 | * | * | * | 1.6 | 1.4 | 2.4 | 3.3 | 5.7 |
| 1997 | 18.6 | 17.3 | 1.6 | * | * | * | 1.2 | 1.8 | 2.5 | 3.2 | 5.1 |
| 1996 | 18.1 | 19.7 | 1.3 | * | * | * | * | 1.4 | 2.1 | 3.2 | 6.6 |
| 1995 | 18.4 | 20.3 | 2.3 | * | * | * | 1.2 | 1.4 | 2.4 | 4.3 | 5.5 |
| 1994 | 17.8 | 20.0 | 1.7 | * | * | * | 1.1 | 1.7 | 3.1 | 5.0 | 7.1 |
| 1993 | 18.5 | 19.9 | 1.9 | * | * | * | 1.5 | 2.0 | 3.8 | 4.5 | 6.4 |
| 1992 | 16.7 | 25.3 | 2.0 | * | * | * | 1.1 | 1.6 | 3.0 | 4.2 | 5.8 |
| 1991 | 18.1 | 31.2 | 1.6 | * | * | * | * | 1.7 | 3.2 | 5.5 | 6.7 |
| 1990 | 18.5 | 26.7 | 1.8 | * | * | * | 1.7 | 2.4 | 3.5 | 5.5 | 5.9 |
| 1989 | 18.7 | 25.9 | 2.9 | * | * | * | 1.3 | 2.7 | 5.5 | 5.8 | 7.1 |
| 1988 | 17.3 | 29.7 | 1.9 | * | * | * | 1.4 | 2.2 | 4.9 | 5.3 | 6.5 |
| 1987 | 15.9 | 32.7 | 2.1 | * | * | * | 1.5 | 1.9 | 4.1 | 4.5 | 6.8 |
| 1986 | 16.3 | 30.3 | 2.4 | * | * | * | * | 2.4 | 3.7 | 5.2 | 7.2 |
| 1985 | 15.6 | 31.0 | 2.4 | * | * | * | * | 1.4 | 3.7 | 5.1 | 5.6 |
| 1984 | 14.1 | 29.0 | 3.2 | * | * | * | 1.1 | 2.6 | 4.0 | 3.9 | 6.7 |
| 1983 | 12.7 | 36.0 | 2.6 | * | * | * | * | 2.1 | 2.6 | 3.1 | 4.4 |
| 1982 | 12.1 | 40.2 | 3.0 | * | * | * | 1.3 | 2.3 | 3.0 | 3.5 | 5.6 |
| 1981 | 12.7 | 39.9 | 2.3 | * | * | * | 1.2 | 2.3 | 2.6 | 4.9 | 7.2 |
| 1980 | 14.5 | 53.6 | 3.1 | * | * | * | 1.8 | 1.9 | 2.8 | 4.4 | 7.5 |
| 1979 | 12.5 | 63.6 | 3.7 | * | * | * | 1.7 | 3.0 | 3.5 | 4.0 | 7.4 |
| Pneumonia (480-486) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 23.3 | 24.9 | 1.7 | * | * | 0.7 | 1.4 | 2.0 | 3.8 | 5.6 | 10.0 |
| 1997 | 22.5 | 23.8 | 1.9 | * | * | * | 1.4 | 2.4 | 3.9 | 5.8 | 8.9 |
| 1996 | 23.0 | 27.3 | 2.0 | * | * | 0.9 | 1.4 | 2.3 | 3.8 | 6.7 | 11.5 |
| 1995 | 23.0 | 27.4 | 2.2 | 0.7 | * | * | 1.3 | 2.7 | 4.2 | 7.4 | 10.1 |
| 1994 | 22.3 | 30.2 | 1.8 | * | * | 0.7 | 1.0 | 2.7 | 4.7 | 8.3 | 12.1 |
| 1993 | 23.5 | 27.4 | 2.0 | * | * | 0.8 | 1.9 | 2.4 | 5.9 | 8.6 | 12.1 |
| 1992 | 22.0 | 33.9 | 2.2 | * | * | 0.8 | 1.3 | 2.8 | 5.3 | 7.8 | 12.5 |
| 1991 | 23.4 | 36.1 | 2.7 | * | * | 0.8 | 1.6 | 3.1 | 5.9 | 10.8 | 11.9 |
| 1990 | 24.5 | 36.8 | 1.7 | * | * | * | 2.0 | 3.5 | 7.2 | 10.9 | 13.8 |
| 1989 | 25.0 | 33.3 | 3.3 | * | * | 1.0 | 1.9 | 4.0 | 8.6 | 12.3 | 15.2 |
| 1988 | 24.0 | 37.8 | 1.9 | * | * | 0.9 | 1.8 | 3.7 | 8.5 | 11.3 | 13.7 |
| 1987 | 22.3 | 39.8 | 2.4 | * | * | * | 1.8 | 3.2 | 8.0 | 10.9 | 13.7 |
| 1986 | 22.9 | 40.0 | 2.6 | * | * | 0.7 | 1.6 | 3.1 | 6.6 | 11.5 | 14.9 |
| 1985 | 21.9 | 43.0 | 2.9 | 0.8 | * | 0.7 | 1.0 | 2.6 | 6.5 | 10.0 | 12.9 |
| 1984 | 19.9 | 41.1 | 3.1 | * | * | 0.9 | 1.3 | 3.7 | 6.8 | 9.1 | 12.3 |
| 1983 | 18.6 | 51.4 | 2.9 | * | * | 0.8 | 1.0 | 3.2 | 6.0 | 7.3 | 10.8 |
| 1982 | 17.3 | 49.0 | 3.5 | * | * | 0.9 | 1.7 | 3.4 | 5.6 | 7.5 | 11.7 |
| 1981 | 18.9 | 50.7 | 2.9 | * | * | * | 1.5 | 3.2 | 4.6 | 11.2 | 13.8 |
| 1980 | 20.9 | 72.2 | 3.3 | 0.9 | * | 1.0 | 2.1 | 3.4 | 4.9 | 8.5 | 14.4 |
| 1979 | 17.9 | 75.9 | 4.4 | 0.8 | * | 0.8 | 1.7 | 3.0 | 6.0 | 9.7 | 13.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pneumonia (480-486) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 24.6 | 27.4 | * | * | * | * | * | 2.2 | 4.6 | 7.1 | 13.2 |
| 1997 | 23.9 | 25.0 | 2.0 | * | * | * | * | 2.6 | 4.5 | 7.9 | 11.4 |
| 1996 | 25.4 | 30.4 | 2.6 | * | * | * | * | 2.7 | 5.1 | 9.8 | 15.1 |
| 1995 | 25.0 | 31.3 | 1.7 | * | * | * | * | 3.4 | 5.9 | 9.5 | 14.1 |
| 1994 | 24.6 | 37.5 | 2.0 | * | * | * | * | 3.4 | 5.8 | 10.2 | 15.4 |
| 1993 | 26.0 | 32.1 | 2.0 | * | * | * | 1.8 | 2.8 | 6.9 | 11.9 | 16.7 |
| 1992 | 25.1 | 38.4 | 2.4 | * | * | * | * | 3.7 | 7.0 | 10.9 | 18.2 |
| 1991 | 26.4 | 35.4 | 3.4 | * | * | * | 1.8 | 4.2 | 8.1 | 15.0 | 16.2 |
| 1990 | 28.5 | 42.2 | * | * | * | * | 1.8 | 4.2 | 10.6 | 15.6 | 21.3 |
| 1989 | 29.0 | 38.1 | 3.4 | * | * | * | 2.4 | 4.8 | 10.2 | 17.9 | 22.1 |
| 1988 | 28.6 | 41.4 | 1.8 | * | * | * | 2.2 | 4.6 | 11.1 | 16.7 | 20.2 |
| 1987 | 27.3 | 43.9 | 2.7 | * | * | * | 1.9 | 4.2 | 11.1 | 16.9 | 19.8 |
| 1986 | 27.9 | 43.9 | 2.7 | * | * | * | 2.1 | 3.3 | 8.6 | 16.9 | 22.3 |
| 1985 | 26.8 | 50.7 | 3.1 | * | * | * | * | 3.6 | 8.6 | 14.4 | 20.6 |
| 1984 | 24.9 | 49.1 | 2.8 | * | * | * | * | 4.3 | 8.8 | 14.2 | 17.0 |
| 1983 | 24.1 | 62.6 | 2.9 | * | * | * | * | 4.2 | 9.3 | 11.4 | 17.7 |
| 1982 | 22.1 | 54.2 | 3.6 | * | * | * | 1.8 | 4.1 | 7.9 | 12.0 | 18.0 |
| 1981 | 24.5 | 57.0 | 3.6 | * | * | * | 1.6 | 3.6 | 6.5 | 17.5 | 20.3 |
| 1980 | 26.6 | 84.8 | 3.5 | * | * | * | 2.3 | 4.9 | 6.8 | 12.2 | 21.2 |
| 1979 | 23.0 | 83.1 | 4.6 | * | * | * | 1.8 | 2.8 | 8.4 | 16.4 | 20.2 |
| Pneumonia (480-486) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 22.1 | 22.4 | 1.9 | * | * | * | 1.8 | 1.8 | 3.0 | 4.2 | 7.2 |
| 1997 | 21.4 | 22.6 | 1.8 | * | * | * | 1.6 | 2.2 | 3.3 | 4.0 | 6.8 |
| 1996 | 20.9 | 24.1 | * | * | * | * | * | 2.0 | 2.6 | 3.9 | 8.4 |
| 1995 | 21.2 | 23.5 | 2.8 | * | * | * | 1.5 | 2.0 | 2.7 | 5.7 | 6.7 |
| 1994 | 20.3 | 22.7 | 1.7 | * | * | * | * | 2.0 | 3.8 | 6.6 | 9.2 |
| 1993 | 21.3 | 22.4 | 2.0 | * | * | * | 2.0 | 2.0 | 4.9 | 5.7 | 8.1 |
| 1992 | 19.2 | 29.2 | 2.0 | * | * | * | * | 2.0 | 3.9 | 5.2 | 7.6 |
| 1991 | 20.7 | 36.8 | 2.1 | * | * | * | * | 2.1 | 4.0 | 7.3 | 8.3 |
| 1990 | 20.9 | 31.4 | * | * | * | * | 2.1 | 2.8 | 4.4 | 6.8 | 7.4 |
| 1989 | 21.3 | 28.5 | 3.2 | * | * | * | 1.5 | 3.4 | 7.1 | 7.5 | 9.2 |
| 1988 | 19.8 | 34.0 | 2.0 | * | * | * | 1.5 | 2.8 | 6.3 | 6.6 | 8.2 |
| 1987 | 17.8 | 35.6 | 2.2 | * | * | * | 1.7 | 2.3 | 5.3 | 5.7 | 8.5 |
| 1986 | 18.5 | 36.0 | 2.5 | * | * | * | * | 3.0 | 4.8 | 6.8 | 8.6 |
| 1985 | 17.5 | 35.1 | 2.7 | * | * | * | * | 1.6 | 4.6 | 6.2 | 6.4 |
| 1984 | 15.5 | 33.1 | 3.4 | * | * | * | * | 3.1 | 5.0 | 4.7 | 8.2 |
| 1983 | 13.8 | 39.9 | 2.8 | * | * | * | * | 2.3 | 3.1 | 3.8 | 5.0 |
| 1982 | 13.1 | 43.7 | 3.4 | * | * | * | 1.5 | 2.8 | 3.6 | 3.7 | 6.5 |
| 1981 | 13.9 | 44.4 | 2.3 | * | * | * | 1.4 | 2.8 | 3.0 | 5.9 | 8.3 |
| 1980 | 15.7 | 59.4 | 3.1 | * | * | * | 2.0 | 2.2 | 3.3 | 5.4 | 8.7 |
| 1979 | 13.2 | 68.4 | 4.2 | * | * | * | 1.6 | 3.2 | 4.0 | 4.2 | 8.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other acute lower respiratory infections (466) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.2 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | 1.8 | 0.1 | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | 1.7 | 0.2 | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | 1.9 | 0.2 | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 2.2 | 0.2 | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 2.3 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | 1.9 | 0.1 | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | 1.9 | 0.2 | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 1.7 | 0.1 | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 1.6 | 0.2 | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 2.0 | 0.2 | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 2.4 | 0.2 | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 2.5 | 0.3 | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 2.7 | 0.3 | * | * | * | * | * | * | * | * |
| Other acute lower respiratory infections (466) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.1 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 2.7 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | 2.3 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 3.0 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | 2.2 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 2.2 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | 2.0 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | 2.3 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 3.1 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 2.8 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 2.9 | 0.4 | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | 3.3 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other acute lower respiratory infections (466) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 2.0 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 2.2 | * | * | * | * | * | * | * | * | * |
| Other acute lower respiratory infections (466) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.2 | 0.9 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 2.2 | 0.2 | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 2.2 | 0.2 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other acute lower respiratory infections (466) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 2.0 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | 2.0 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | 2.2 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | 2.2 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | 2.8 | * | * | * | * | * | * | * | * | * |
| Other acute lower respiratory infections (466) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 1.7 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other acute lower respiratory infections (466) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | 2.7 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | 3.5 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | 3.4 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 4.4 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | 3.1 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 4.1 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 4.4 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | 4.5 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | 3.7 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 3.6 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 3.3 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 4.6 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 3.7 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 4.5 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | 3.6 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 5.2 | * | * | * | * | * | * | * | * | * |
| Other acute lower respiratory infections (466) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 5.3 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 5.2 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 5.5 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | 5.9 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other acute lower respiratory infections (466) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Other acute lower respiratory infections (466) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | 3.8 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | 4.2 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 5.2 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | 4.0 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 5.0 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 5.0 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | 4.8 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | 3.9 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 3.9 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 4.2 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 4.6 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 3.9 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 4.7 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | 3.9 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | 5.8 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other acute lower respiratory infections (466) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | 6.5 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 6.2 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Other acute lower respiratory infections (466) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Acute bronchitis and bronchiolitis (466) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.2 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | 1.8 | 0.1 | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | 1.7 | 0.2 | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | 1.9 | 0.2 | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 2.2 | 0.2 | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 2.3 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | 1.9 | 0.1 | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | 1.9 | 0.2 | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 1.7 | 0.1 | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 1.6 | 0.2 | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 2.0 | 0.2 | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 2.4 | 0.2 | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 2.5 | 0.3 | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 2.7 | 0.3 | * | * | * | * | * | * | * | * |
| Acute bronchitis and bronchiolitis (466) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.1 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 2.7 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | 2.3 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 3.0 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | 2.2 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 2.2 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | 2.0 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | 2.3 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 3.1 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 2.8 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 2.9 | 0.4 | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | 3.3 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute bronchitis and bronchiolitis (466) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 2.0 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 2.2 | * | * | * | * | * | * | * | * | * |
| Acute bronchitis and bronchiolitis (466) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.2 | 0.9 | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 2.2 | 0.2 | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 2.2 | 0.2 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute bronchitis and bronchiolitis (466) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 2.0 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | 2.0 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | 2.2 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | 2.2 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | 2.8 | * | * | * | * | * | * | * | * | * |
| Acute bronchitis and bronchiolitis (466) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 1.7 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Acute bronchitis and bronchiolitis (466) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | 2.7 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | 3.5 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | 3.4 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 4.4 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | 3.1 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 4.1 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 4.4 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | 4.5 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | 3.7 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 3.6 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 3.3 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 4.6 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 3.7 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 4.5 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | 3.6 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | 5.2 | * | * | * | * | * | * | * | * | * |
| Acute bronchitis and bronchiolitis (466) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 5.3 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 5.2 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 5.5 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | 5.9 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute bronchitis and bronchiolitis (466) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Acute bronchitis and bronchiolitis (466) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | 3.8 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | 4.2 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | 5.2 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | 4.0 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | 5.0 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 5.0 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | 4.8 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | 3.9 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | 3.9 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | 4.2 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | 4.6 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | 3.9 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | 4.7 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | 3.9 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | 5.8 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Acute bronchitis and bronchiolitis (466) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | 6.5 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | 6.2 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Acute bronchitis and bronchiolitis (466) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Chronic lower respiratory diseases (490-494,496) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 40.8 | 1.0 | 0.3 | 0.3 | 0.5 | 0.5 | 0.8 | 0.8 | 0.8 | 1.5 | 2.5 |
| 1997 | 40.0 | 1.3 | 0.3 | 0.2 | 0.4 | 0.5 | 0.6 | 0.8 | 0.9 | 1.4 | 2.7 |
| 1996 | 39.3 | 1.0 | 0.3 | 0.3 | 0.6 | 0.6 | 0.7 | 0.8 | 0.9 | 1.3 | 2.6 |
| 1995 | 38.6 | 1.1 | 0.2 | 0.2 | 0.5 | 0.7 | 0.6 | 0.7 | 1.0 | 1.4 | 2.6 |
| 1994 | 38.6 | 1.4 | 0.3 | 0.2 | 0.5 | 0.7 | 0.6 | 0.8 | 0.9 | 1.4 | 2.2 |
| 1993 | 38.9 | 1.4 | 0.3 | 0.2 | 0.5 | 0.5 | 0.6 | 0.6 | 0.8 | 1.3 | 2.3 |
| 1992 | 35.8 | 1.1 | 0.4 | 0.2 | 0.3 | 0.5 | 0.5 | 0.5 | 0.8 | 1.3 | 2.3 |
| 1991 | 35.8 | 1.5 | 0.3 | 0.2 | 0.4 | 0.6 | 0.5 | 0.7 | 0.9 | 1.2 | 2.3 |
| 1990 | 34.8 | 1.4 | 0.4 | 0.2 | 0.5 | 0.5 | 0.5 | 0.6 | 0.8 | 1.1 | 2.2 |
| 1989 | 34.2 | 1.2 | 0.4 | 0.2 | 0.4 | 0.5 | 0.5 | 0.6 | 0.9 | 1.2 | 2.3 |
| 1988 | 33.9 | 1.5 | 0.3 | 0.2 | 0.4 | 0.4 | 0.5 | 0.6 | 0.8 | 1.2 | 2.4 |
| 1987 | 32.3 | 1.4 | 0.3 | 0.2 | 0.5 | 0.6 | 0.5 | 0.5 | 0.7 | 1.3 | 2.5 |
| 1986 | 31.9 | 1.6 | 0.2 | 0.2 | 0.5 | 0.5 | 0.5 | 0.5 | 0.6 | 1.1 | 2.3 |
| 1985 | 31.4 | 1.4 | 0.3 | 0.2 | 0.5 | 0.4 | 0.5 | 0.5 | 0.7 | 1.1 | 2.1 |
| 1984 | 29.3 | 1.6 | 0.3 | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 | 0.6 | 1.1 | 2.3 |
| 1983 | 28.3 | 1.4 | 0.4 | 0.2 | 0.3 | 0.5 | 0.4 | 0.5 | 0.6 | 1.1 | 2.3 |
| 1982 | 25.8 | 1.7 | 0.4 | 0.2 | 0.3 | 0.5 | 0.5 | 0.5 | 0.7 | 1.1 | 2.2 |
| 1981 | 25.6 | 1.7 | 0.3 | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 | 0.6 | 1.2 | 2.3 |
| 1980 | 24.7 | 1.6 | 0.4 | 0.1 | 0.3 | 0.3 | 0.4 | 0.5 | 0.6 | 1.0 | 2.3 |
| 1979 | 22.2 | 1.9 | 0.5 | 0.1 | 0.2 | 0.3 | 0.3 | 0.5 | 0.5 | 1.1 | 2.4 |
| Chronic lower respiratory diseases (490-494,496) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 42.2 | 1.2 | 0.4 | 0.2 | 0.6 | 0.5 | 1.0 | 0.9 | 0.8 | 1.5 | 2.4 |
| 1997 | 41.9 | 1.7 | 0.3 | 0.3 | 0.4 | 0.7 | 0.7 | 0.8 | 1.0 | 1.3 | 2.5 |
| 1996 | 41.3 | 1.3 | 0.4 | 0.4 | 0.6 | 0.7 | 0.7 | 0.8 | 0.8 | 1.3 | 2.5 |
| 1995 | 41.4 | 1.4 | 0.2 | 0.3 | 0.7 | 0.7 | 0.7 | 0.7 | 1.0 | 1.4 | 2.1 |
| 1994 | 41.8 | 1.7 | 0.3 | 0.3 | 0.6 | 0.8 | 0.7 | 0.8 | 0.9 | 1.4 | 2.3 |
| 1993 | 42.8 | 1.6 | 0.4 | 0.2 | 0.6 | 0.6 | 0.7 | 0.6 | 0.7 | 1.2 | 2.4 |
| 1992 | 40.3 | 1.7 | 0.4 | 0.2 | 0.4 | 0.6 | 0.6 | 0.6 | 0.9 | 1.3 | 2.4 |
| 1991 | 40.9 | 1.6 | 0.4 | 0.2 | 0.6 | 0.7 | 0.6 | 0.7 | 0.9 | 1.2 | 2.5 |
| 1990 | 40.7 | 1.6 | 0.5 | 0.3 | 0.5 | 0.5 | 0.5 | 0.7 | 0.8 | 1.2 | 2.3 |
| 1989 | 40.0 | 1.8 | 0.4 | 0.3 | 0.5 | 0.5 | 0.5 | 0.6 | 0.9 | 1.3 | 2.5 |
| 1988 | 41.1 | 1.7 | 0.3 | 0.3 | 0.5 | 0.4 | 0.6 | 0.6 | 0.8 | 1.3 | 2.6 |
| 1987 | 39.9 | 1.8 | 0.3 | * | 0.7 | 0.6 | 0.6 | 0.5 | 0.8 | 1.4 | 2.7 |
| 1986 | 40.3 | 2.3 | * | * | 0.5 | 0.6 | 0.5 | 0.6 | 0.5 | 1.2 | 2.6 |
| 1985 | 40.3 | 2.0 | * | 0.3 | 0.4 | 0.4 | 0.5 | 0.5 | 0.7 | 1.2 | 2.2 |
| 1984 | 38.4 | 1.9 | * | * | 0.5 | 0.4 | 0.5 | 0.5 | 0.5 | 1.1 | 2.4 |
| 1983 | 37.9 | 1.8 | 0.6 | * | 0.4 | 0.5 | 0.4 | 0.5 | 0.6 | 1.2 | 2.2 |
| 1982 | 35.3 | 2.1 | 0.4 | * | 0.2 | 0.5 | 0.6 | 0.5 | 0.8 | 1.2 | 2.2 |
| 1981 | 35.7 | 2.1 | 0.5 | 0.3 | 0.4 | 0.4 | 0.4 | 0.6 | 0.6 | 1.0 | 2.5 |
| 1980 | 35.1 | 1.9 | 0.4 | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.7 | 1.0 | 2.5 |
| 1979 | 32.3 | 2.3 | 0.5 | * | 0.2 | 0.3 | 0.4 | 0.5 | 0.6 | 1.1 | 2.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Chronic lower respiratory diseases (490-494,496) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 39.5 | * | * | 0.3 | 0.4 | 0.4 | 0.5 | 0.7 | 0.8 | 1.5 | 2.6 |
| 1997 | 38.1 | * | * | 0.2 | 0.4 | 0.3 | 0.4 | 0.8 | 0.8 | 1.4 | 2.8 |
| 1996 | 37.5 | * | * | * | 0.5 | 0.5 | 0.7 | 0.9 | 1.0 | 1.4 | 2.8 |
| 1995 | 36.0 | * | * | * | 0.4 | 0.7 | 0.6 | 0.7 | 1.0 | 1.4 | 3.0 |
| 1994 | 35.6 | 1.1 | * | * | 0.3 | 0.5 | 0.5 | 0.8 | 0.9 | 1.4 | 2.1 |
| 1993 | 35.1 | 1.2 | * | 0.2 | 0.4 | 0.4 | 0.5 | 0.6 | 0.9 | 1.4 | 2.3 |
| 1992 | 31.6 | * | 0.4 | * | 0.3 | 0.5 | 0.5 | 0.4 | 0.7 | 1.3 | 2.2 |
| 1991 | 31.0 | 1.4 | * | 0.2 | 0.3 | 0.5 | 0.5 | 0.6 | 0.9 | 1.2 | 2.2 |
| 1990 | 29.2 | 1.2 | * | * | 0.4 | 0.4 | 0.5 | 0.6 | 0.7 | 1.0 | 2.1 |
| 1989 | 28.6 | * | 0.4 | * | 0.3 | 0.4 | 0.5 | 0.6 | 0.8 | 1.2 | 2.1 |
| 1988 | 27.0 | 1.2 | * | * | 0.4 | 0.4 | 0.5 | 0.6 | 0.7 | 1.2 | 2.3 |
| 1987 | 25.2 | * | 0.3 | * | 0.4 | 0.5 | 0.4 | 0.4 | 0.7 | 1.2 | 2.3 |
| 1986 | 23.9 | * | * | * | 0.4 | 0.4 | 0.4 | 0.5 | 0.7 | 1.0 | 2.1 |
| 1985 | 23.0 | * | * | * | 0.5 | 0.4 | 0.5 | 0.4 | 0.7 | 1.1 | 2.0 |
| 1984 | 20.7 | 1.2 | 0.4 | * | * | 0.3 | 0.4 | 0.5 | 0.7 | 1.0 | 2.2 |
| 1983 | 19.2 | * | * | * | 0.3 | 0.5 | 0.4 | 0.5 | 0.7 | 1.1 | 2.4 |
| 1982 | 16.9 | 1.2 | 0.5 | * | 0.3 | 0.4 | 0.4 | 0.4 | 0.6 | 1.0 | 2.3 |
| 1981 | 16.2 | 1.2 | * | * | 0.3 | 0.2 | 0.3 | 0.4 | 0.6 | 1.3 | 2.1 |
| 1980 | 15.0 | 1.3 | * | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.6 | 1.0 | 2.1 |
| 1979 | 12.7 | 1.6 | 0.5 | * | * | 0.3 | 0.3 | 0.5 | 0.5 | 1.1 | 2.1 |
| Chronic lower respiratory diseases (490-494,496) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 45.9 | 0.7 | 0.2 | 0.2 | 0.3 | 0.3 | 0.5 | 0.5 | 0.5 | 1.1 | 2.1 |
| 1997 | 44.9 | 1.0 | * | 0.1 | 0.3 | 0.4 | 0.5 | 0.5 | 0.7 | 1.0 | 2.3 |
| 1996 | 44.0 | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.5 | 0.6 | 0.6 | 1.1 | 2.1 |
| 1995 | 43.1 | 1.0 | 0.2 | * | 0.3 | 0.5 | 0.4 | 0.5 | 0.8 | 1.0 | 2.1 |
| 1994 | 43.1 | 1.2 | 0.2 | 0.1 | 0.3 | 0.4 | 0.5 | 0.5 | 0.7 | 1.0 | 1.7 |
| 1993 | 43.3 | 1.1 | 0.2 | 0.1 | 0.3 | 0.4 | 0.4 | 0.4 | 0.5 | 1.0 | 1.7 |
| 1992 | 39.8 | 0.7 | 0.3 | * | 0.2 | 0.4 | 0.3 | 0.4 | 0.6 | 0.9 | 1.9 |
| 1991 | 39.7 | 1.1 | 0.2 | 0.1 | 0.3 | 0.4 | 0.4 | 0.5 | 0.6 | 0.8 | 1.9 |
| 1990 | 38.4 | 1.2 | 0.3 | * | 0.3 | 0.4 | 0.4 | 0.5 | 0.5 | 0.8 | 1.8 |
| 1989 | 37.5 | 1.1 | 0.3 | 0.1 | 0.3 | 0.4 | 0.3 | 0.4 | 0.7 | 0.9 | 1.7 |
| 1988 | 37.2 | 1.2 | 0.2 | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 | 0.8 | 1.9 |
| 1987 | 35.5 | 1.3 | 0.3 | * | 0.3 | 0.4 | 0.3 | 0.4 | 0.5 | 1.0 | 2.2 |
| 1986 | 35.0 | 1.3 | 0.2 | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.8 | 2.0 |
| 1985 | 34.4 | 1.2 | 0.2 | * | 0.3 | 0.3 | 0.3 | 0.3 | 0.5 | 0.9 | 1.8 |
| 1984 | 32.0 | 1.1 | 0.3 | 0.2 | 0.2 | 0.2 | 0.4 | 0.3 | 0.4 | 0.8 | 1.8 |
| 1983 | 30.9 | 1.3 | 0.3 | * | 0.2 | 0.3 | 0.3 | 0.4 | 0.4 | 0.9 | 1.8 |
| 1982 | 28.2 | 1.3 | 0.3 | 0.2 | 0.2 | 0.4 | 0.4 | 0.3 | 0.5 | 0.8 | 1.8 |
| 1981 | 28.0 | 1.5 | 0.2 | 0.2 | 0.3 | 0.2 | 0.3 | 0.4 | 0.4 | 0.9 | 2.0 |
| 1980 | 26.9 | 1.2 | 0.2 | * | 0.2 | 0.2 | 0.2 | 0.3 | 0.4 | 0.7 | 1.9 |
| 1979 | 24.1 | 1.8 | 0.5 | * | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 | 0.8 | 2.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Chronic lower respiratory diseases (490-494,496) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 46.7 | * | * | * | 0.4 | 0.4 | 0.7 | 0.5 | 0.5 | 1.2 | 2.0 |
| 1997 | 46.3 | * | * | * | 0.3 | 0.5 | 0.6 | 0.5 | 0.7 | 0.9 | 2.2 |
| 1996 | 45.5 | * | * | * | 0.4 | 0.4 | 0.5 | 0.5 | 0.5 | 1.0 | 2.0 |
| 1995 | 45.5 | 1.3 | * | * | 0.4 | 0.5 | 0.4 | 0.5 | 0.7 | 1.0 | 1.7 |
| 1994 | 45.9 | 1.4 | * | * | 0.3 | 0.5 | 0.5 | 0.4 | 0.6 | 1.1 | 1.8 |
| 1993 | 47.0 | 1.3 | * | * | 0.3 | 0.4 | 0.5 | 0.4 | 0.5 | 0.9 | 1.7 |
| 1992 | 44.2 | * | 0.3 | * | * | 0.4 | 0.3 | 0.4 | 0.6 | 1.0 | 2.0 |
| 1991 | 44.7 | * | * | * | 0.4 | 0.5 | 0.3 | 0.5 | 0.6 | 0.8 | 2.0 |
| 1990 | 44.3 | 1.3 | 0.3 | * | 0.3 | 0.3 | 0.3 | 0.5 | 0.5 | 0.9 | 1.8 |
| 1989 | 43.4 | 1.6 | * | * | 0.4 | 0.4 | 0.3 | 0.3 | 0.7 | 0.9 | 1.7 |
| 1988 | 44.5 | 1.5 | * | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.9 | 2.0 |
| 1987 | 43.2 | 1.6 | * | * | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.9 | 2.3 |
| 1986 | 43.6 | 1.8 | * | * | 0.3 | 0.4 | 0.4 | 0.5 | 0.4 | 0.9 | 2.1 |
| 1985 | 43.7 | 2.0 | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.9 | 1.7 |
| 1984 | 41.6 | 1.3 | * | * | 0.3 | * | 0.4 | 0.4 | 0.4 | 0.8 | 2.0 |
| 1983 | 41.1 | 1.4 | 0.4 | * | * | 0.3 | 0.3 | 0.4 | 0.4 | 0.9 | 1.8 |
| 1982 | 38.3 | 1.8 | * | * | * | 0.4 | 0.4 | 0.4 | 0.6 | 0.9 | 1.6 |
| 1981 | 38.6 | 1.9 | * | * | 0.3 | * | 0.3 | 0.5 | 0.4 | 0.8 | 2.1 |
| 1980 | 37.9 | 1.3 | * | * | * | 0.2 | 0.3 | 0.4 | 0.5 | 0.6 | 2.0 |
| 1979 | 34.9 | 2.0 | 0.5 | * | * | 0.2 | 0.3 | 0.3 | 0.4 | 0.7 | 2.1 |
| Chronic lower respiratory diseases (490-494,496) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 45.1 | * | * | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 | 1.1 | 2.2 |
| 1997 | 43.5 | * | * | * | * | * | 0.4 | 0.6 | 0.6 | 1.1 | 2.3 |
| 1996 | 42.5 | * | * | * | * | 0.4 | 0.5 | 0.7 | 0.6 | 1.1 | 2.3 |
| 1995 | 40.8 | * | * | * | 0.3 | 0.6 | 0.4 | 0.6 | 0.9 | 1.0 | 2.4 |
| 1994 | 40.4 | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.8 | 1.0 | 1.6 |
| 1993 | 39.8 | * | * | * | 0.4 | 0.3 | 0.4 | 0.5 | 0.6 | 1.0 | 1.7 |
| 1992 | 35.6 | * | * | * | * | 0.4 | 0.4 | 0.4 | 0.5 | 0.9 | 1.9 |
| 1991 | 34.9 | * | * | * | * | 0.4 | 0.4 | 0.4 | 0.6 | 0.9 | 1.8 |
| 1990 | 32.8 | * | * | * | 0.3 | 0.4 | 0.4 | 0.4 | 0.5 | 0.7 | 1.7 |
| 1989 | 31.9 | * | * | * | * | 0.4 | 0.4 | 0.4 | 0.6 | 0.9 | 1.8 |
| 1988 | 30.2 | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.5 | 0.8 | 1.9 |
| 1987 | 28.1 | * | * | * | * | 0.4 | 0.3 | 0.4 | 0.5 | 1.0 | 2.0 |
| 1986 | 26.7 | * | * | * | 0.4 | * | 0.3 | 0.4 | 0.5 | 0.8 | 1.9 |
| 1985 | 25.5 | * | * | * | 0.4 | 0.3 | 0.4 | 0.4 | 0.5 | 0.9 | 1.8 |
| 1984 | 22.9 | * | 0.4 | * | * | * | 0.3 | 0.3 | 0.5 | 0.7 | 1.7 |
| 1983 | 21.3 | * | * | * | * | 0.4 | 0.3 | 0.4 | 0.4 | 0.9 | 1.9 |
| 1982 | 18.6 | * | * | * | * | 0.3 | 0.3 | 0.3 | 0.5 | 0.7 | 1.9 |
| 1981 | 17.9 | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 1.0 | 1.8 |
| 1980 | 16.4 | * | * | * | 0.3 | * | * | 0.3 | 0.4 | 0.8 | 1.8 |
| 1979 | 13.9 | 1.5 | 0.4 | * | * | * | 0.2 | 0.3 | 0.3 | 0.9 | 2.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Chronic lower respiratory diseases (490-494,496) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 17.3 | * | 0.8 | 0.5 | 1.2 | 1.2 | 1.6 | 1.8 | 2.2 | 3.2 | 4.7 |
| 1997 | 17.2 | 2.7 | 0.7 | 0.7 | 1.0 | 1.0 | 1.0 | 1.8 | 2.1 | 3.1 | 4.7 |
| 1996 | 17.3 | * | 0.8 | 0.7 | 1.5 | 1.4 | 1.6 | 1.7 | 2.2 | 2.7 | 5.3 |
| 1995 | 17.0 | * | * | 0.5 | 1.4 | 1.5 | 1.4 | 1.5 | 2.1 | 3.1 | 5.0 |
| 1994 | 16.9 | * | 0.7 | 0.5 | 1.1 | 1.6 | 1.1 | 2.2 | 1.9 | 3.0 | 4.7 |
| 1993 | 17.1 | * | 0.8 | 0.5 | 1.2 | 1.1 | 1.3 | 1.6 | 1.7 | 2.8 | 5.8 |
| 1992 | 15.8 | 2.8 | 0.9 | 0.6 | 0.8 | 1.0 | 1.3 | 1.1 | 1.8 | 2.9 | 4.2 |
| 1991 | 16.2 | 3.0 | 0.8 | 0.7 | 0.9 | 1.2 | 1.3 | 1.5 | 2.1 | 3.1 | 4.7 |
| 1990 | 16.2 | * | 0.8 | * | 1.2 | 0.9 | 1.1 | 1.4 | 2.0 | 2.7 | 4.7 |
| 1989 | 16.5 | * | * | 0.6 | 0.9 | 0.8 | 1.1 | 1.6 | 2.0 | 3.1 | 5.6 |
| 1988 | 16.1 | 2.7 | * | * | 1.1 | 0.9 | 1.3 | 1.4 | 2.1 | 3.4 | 5.4 |
| 1987 | 15.2 | * | * | * | 1.4 | 1.3 | 1.2 | 1.1 | 1.9 | 3.2 | 4.6 |
| 1986 | 14.8 | 3.1 | * | * | 1.0 | 1.4 | 1.0 | 1.1 | 1.6 | 2.6 | 4.6 |
| 1985 | 14.6 | * | * | * | 1.2 | 1.0 | 1.3 | 1.1 | 1.8 | 2.4 | 4.0 |
| 1984 | 13.7 | 3.8 | * | * | 0.8 | 0.9 | 0.8 | 1.3 | 1.5 | 2.8 | 5.2 |
| 1983 | 13.2 | * | 1.0 | * | 1.0 | 1.2 | 0.8 | 1.3 | 2.1 | 2.9 | 5.2 |
| 1982 | 11.8 | 3.3 | 1.0 | * | 0.7 | 1.0 | 1.3 | 1.0 | 1.7 | 2.9 | 5.0 |
| 1981 | 11.7 | * | * | * | 0.7 | 0.8 | 0.8 | 1.3 | 1.5 | 3.0 | 4.2 |
| 1980 | 11.6 | 3.3 | 0.9 | * | 0.8 | 0.7 | 1.0 | 1.3 | 2.0 | 3.0 | 4.8 |
| 1979 | 10.5 | * | * | * | * | 0.7 | 0.8 | 1.3 | 1.6 | 3.2 | 4.6 |
| Chronic lower respiratory diseases (490-494,496) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 20.6 | * | * | * | 1.5 | 1.2 | 2.4 | 2.3 | 2.4 | 3.1 | 4.6 |
| 1997 | 20.9 | * | * | * | * | 1.2 | 1.5 | 2.0 | 2.6 | 3.4 | 4.0 |
| 1996 | 20.8 | * | 1.2 | * | 1.5 | 1.8 | 1.8 | 1.8 | 2.1 | 2.7 | 5.4 |
| 1995 | 21.0 | * | * | * | 2.0 | 1.8 | 1.8 | 1.8 | 2.5 | 3.3 | 4.1 |
| 1994 | 21.0 | * | * | * | 1.5 | 1.9 | 1.7 | 2.7 | 2.5 | 2.8 | 5.0 |
| 1993 | 21.8 | * | * | * | 1.7 | 1.4 | 1.7 | 1.7 | 1.4 | 2.7 | 6.2 |
| 1992 | 20.2 | * | * | * | * | 1.2 | 1.6 | 1.6 | 2.0 | 2.7 | 4.7 |
| 1991 | 21.1 | * | * | * | 1.2 | 1.5 | 1.7 | 1.7 | 2.2 | 3.4 | 5.6 |
| 1990 | 21.9 | * | * | * | 1.6 | 1.2 | 1.2 | 1.6 | 2.0 | 2.8 | 5.6 |
| 1989 | 22.0 | * | * | * | * | * | 1.3 | 2.0 | 2.4 | 3.6 | 7.4 |
| 1988 | 22.5 | * | * | * | * | 1.2 | 1.7 | 1.8 | 2.6 | 3.8 | 6.5 |
| 1987 | 21.0 | * | * | * | 2.0 | 1.4 | 1.3 | 1.6 | 2.1 | 4.0 | 5.0 |
| 1986 | 21.3 | * | * | * | 1.4 | 1.6 | 1.2 | 1.3 | 1.5 | 2.9 | 5.8 |
| 1985 | 20.6 | * | * | * | 1.3 | * | 1.7 | 1.5 | 2.1 | 3.1 | 5.4 |
| 1984 | 19.7 | * | * | * | 1.2 | * | * | 1.4 | * | 3.0 | 5.5 |
| 1983 | 19.2 | * | 1.5 | * | 1.2 | 1.3 | * | 1.4 | 2.3 | 3.3 | 5.3 |
| 1982 | 17.1 | * | * | * | * | 1.2 | 1.6 | * | 2.3 | 3.4 | 5.7 |
| 1981 | 17.8 | * | * | * | * | 1.3 | * | 1.4 | 2.0 | 2.7 | 5.0 |
| 1980 | 17.6 | * | * | * | * | * | * | * | 2.0 | 3.9 | 6.3 |
| 1979 | 16.1 | * | * | * | * | * | * | * | * | 3.5 | 6.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Chronic lower respiratory diseases (490-494,496) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 14.3 | * | * | * | * | 1.1 | * | 1.4 | 2.0 | 3.2 | 4.7 |
| 1997 | 13.8 | * | * | * | 1.0 | * | * | 1.5 | 1.8 | 2.7 | 5.3 |
| 1996 | 14.2 | * | * | * | 1.5 | 1.0 | 1.4 | 1.6 | 2.2 | 2.7 | 5.1 |
| 1995 | 13.4 | * | * | * | * | 1.1 | 1.1 | 1.2 | 1.8 | 2.9 | 5.8 |
| 1994 | 13.0 | * | * | * | * | 1.2 | * | 1.8 | 1.4 | 3.3 | 4.5 |
| 1993 | 12.7 | * | * | * | * | * | * | 1.4 | 2.0 | 2.9 | 5.4 |
| 1992 | 11.7 | * | * | * | * | * | * | * | 1.6 | 3.1 | 3.9 |
| 1991 | 11.7 | * | * | * | * | * | * | 1.3 | 2.0 | 2.9 | 3.9 |
| 1990 | 11.1 | * | * | * | * | * | * | 1.3 | 1.9 | 2.5 | 3.9 |
| 1989 | 11.4 | * | * | * | * | * | * | 1.3 | 1.6 | 2.7 | 4.1 |
| 1988 | 10.3 | * | * | * | * | * | * | * | 1.7 | 3.0 | 4.6 |
| 1987 | 10.0 | * | * | * | * | 1.2 | * | * | 1.8 | 2.5 | 4.3 |
| 1986 | 9.0 | * | * | * | * | * | * | * | 1.7 | 2.4 | 3.5 |
| 1985 | 9.1 | * | * | * | * | * | * | * | 1.6 | 1.8 | 2.9 |
| 1984 | 8.4 | * | * | * | * | * | * | 1.2 | 1.9 | 2.8 | 4.9 |
| 1983 | 7.7 | * | * | * | * | * | * | 1.2 | 1.9 | 2.5 | 5.1 |
| 1982 | 7.1 | * | * | * | * | * | * | * | * | 2.5 | 4.3 |
| 1981 | 6.2 | * | * | * | * | * | * | * | * | 3.2 | 3.5 |
| 1980 | 6.2 | * | * | * | * | * | * | 1.3 | 1.9 | 2.2 | 3.6 |
| 1979 | 5.5 | * | * | * | * | * | * | * | * | 2.9 | 3.3 |
| Chronic lower respiratory diseases (490-494,496) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 20.2 | * | 1.0 | 0.7 | 1.3 | 1.5 | 2.2 | 2.5 | 2.7 | 4.3 | 6.0 |
| 1997 | 19.7 | * | 0.9 | 0.8 | 1.2 | 1.1 | 1.2 | 2.3 | 2.8 | 3.9 | 5.9 |
| 1996 | 20.1 | * | 1.0 | 0.8 | 1.8 | 1.8 | 2.0 | 2.2 | 2.7 | 3.6 | 6.8 |
| 1995 | 19.7 | * | * | 0.7 | 1.7 | 1.9 | 1.9 | 2.0 | 2.8 | 3.7 | 6.3 |
| 1994 | 19.6 | * | 0.8 | 0.6 | 1.4 | 1.9 | 1.4 | 2.8 | 2.5 | 4.1 | 6.0 |
| 1993 | 19.7 | * | 0.9 | 0.7 | 1.4 | 1.4 | 1.7 | 1.9 | 2.2 | 3.4 | 7.6 |
| 1992 | 18.3 | 3.3 | 1.1 | 0.7 | 0.9 | 1.3 | 1.7 | 1.3 | 2.2 | 3.6 | 5.6 |
| 1991 | 18.6 | 3.9 | 1.0 | 0.8 | 1.2 | 1.5 | 1.6 | 1.8 | 2.6 | 3.8 | 5.8 |
| 1990 | 18.5 | * | 1.0 | * | 1.4 | 1.0 | 1.4 | 1.8 | 2.5 | 3.4 | 5.9 |
| 1989 | 18.8 | * | * | * | 1.0 | 0.9 | 1.3 | 1.9 | 2.5 | 3.9 | 7.0 |
| 1988 | 18.4 | * | * | * | 1.2 | 1.1 | 1.5 | 1.6 | 2.7 | 4.4 | 6.9 |
| 1987 | 17.2 | * | * | * | 1.7 | 1.5 | 1.4 | 1.4 | 2.5 | 4.0 | 6.0 |
| 1986 | 16.8 | * | * | * | 1.3 | 1.4 | 1.3 | 1.4 | 1.9 | 3.1 | 5.7 |
| 1985 | 16.3 | * | * | * | 1.4 | 1.1 | 1.6 | 1.3 | 2.3 | 3.2 | 5.0 |
| 1984 | 15.2 | 4.3 | * | * | 1.0 | 1.1 | 0.9 | 1.4 | 1.9 | 3.4 | 6.3 |
| 1983 | 14.6 | * | 1.2 | * | 1.0 | 1.4 | 0.9 | 1.6 | 2.5 | 3.6 | 6.0 |
| 1982 | 13.2 | 3.9 | 1.2 | * | 0.9 | 1.1 | 1.4 | 1.3 | 2.1 | 3.6 | 6.1 |
| 1981 | 13.0 | * | * | * | 0.8 | 0.9 | 0.9 | 1.6 | 1.7 | 3.6 | 4.9 |
| 1980 | 12.7 | 3.7 | * | * | 0.9 | 0.7 | 1.2 | 1.5 | 2.3 | 3.5 | 5.6 |
| 1979 | 11.2 | * | * | * | * | 0.7 | 0.8 | 1.5 | 1.9 | 3.7 | 5.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Chronic lower respiratory diseases (490-494,496) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 23.9 | * | * | * | 1.7 | 1.7 | 3.3 | 3.1 | 3.0 | 4.1 | 5.8 |
| 1997 | 23.9 | * | * | * | * | * | 1.9 | 2.6 | 3.3 | 4.5 | 5.1 |
| 1996 | 24.1 | * | * | * | 1.7 | 2.3 | 2.2 | 2.2 | 2.7 | 3.5 | 7.1 |
| 1995 | 24.4 | * | * | * | 2.5 | 2.3 | 2.4 | 2.4 | 3.5 | 3.9 | 4.9 |
| 1994 | 24.5 | * | * | * | 1.9 | 2.2 | 2.0 | 3.5 | 3.4 | 3.8 | 6.3 |
| 1993 | 25.3 | * | * | * | 2.0 | 1.8 | 2.3 | 2.2 | 1.8 | 3.4 | 7.9 |
| 1992 | 23.5 | * | * | * | * | 1.6 | 2.2 | 2.1 | 2.6 | 3.3 | 6.4 |
| 1991 | 24.5 | * | * | * | 1.5 | 1.8 | 1.9 | 2.1 | 2.8 | 4.1 | 7.3 |
| 1990 | 25.2 | * | * | * | 2.0 | * | 1.5 | 2.0 | 2.7 | 3.8 | 7.1 |
| 1989 | 25.2 | * | * | * | * | * | 1.6 | 2.4 | 3.1 | 4.4 | 9.1 |
| 1988 | 25.9 | * | * | * | * | 1.4 | 1.8 | 2.0 | 3.3 | 5.1 | 8.5 |
| 1987 | 23.9 | * | * | * | 2.4 | 1.7 | 1.7 | 2.0 | 2.7 | 4.9 | 6.5 |
| 1986 | 24.1 | * | * | * | 1.7 | 1.7 | 1.5 | 1.6 | 1.8 | 3.5 | 7.3 |
| 1985 | 23.4 | * | * | * | 1.5 | * | 2.1 | 1.6 | 2.7 | 4.1 | 6.9 |
| 1984 | 21.9 | * | * | * | * | * | * | * | * | 3.8 | 6.4 |
| 1983 | 21.4 | * | * | * | * | 1.5 | * | 1.7 | 2.9 | 4.2 | 6.5 |
| 1982 | 19.1 | * | * | * | * | 1.4 | 2.0 | * | 2.8 | 4.3 | 7.2 |
| 1981 | 19.8 | * | * | * | * | 1.3 | * | 1.7 | 2.1 | 3.2 | 6.4 |
| 1980 | 19.3 | * | * | * | * | * | * | * | 2.5 | 4.5 | 7.4 |
| 1979 | 17.4 | * | * | * | * | * | * | * | * | 4.2 | 6.6 |
| Chronic lower respiratory diseases (490-494,496) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 16.9 | * | * | * | * | 1.4 | * | 2.0 | 2.4 | 4.4 | 6.1 |
| 1997 | 16.0 | * | * | * | 1.3 | * | * | 2.0 | 2.4 | 3.4 | 6.6 |
| 1996 | 16.6 | * | * | * | 1.8 | * | 1.8 | 2.2 | 2.7 | 3.6 | 6.5 |
| 1995 | 15.5 | * | * | * | * | 1.4 | 1.5 | 1.6 | 2.2 | 3.5 | 7.5 |
| 1994 | 15.2 | * | * | * | * | 1.5 | * | 2.2 | 1.7 | 4.4 | 5.8 |
| 1993 | 14.7 | * | * | * | * | * | * | 1.7 | 2.6 | 3.5 | 7.3 |
| 1992 | 13.6 | * | * | * | * | * | * | * | 1.9 | 3.8 | 4.9 |
| 1991 | 13.3 | * | * | * | * | * | * | 1.6 | 2.5 | 3.6 | 4.6 |
| 1990 | 12.6 | * | * | * | * | * | * | 1.5 | 2.3 | 3.0 | 4.8 |
| 1989 | 13.1 | * | * | * | * | * | * | 1.5 | 2.0 | 3.4 | 5.2 |
| 1988 | 11.7 | * | * | * | * | * | * | * | 2.1 | 3.8 | 5.6 |
| 1987 | 11.2 | * | * | * | * | * | * | * | 2.4 | 3.2 | 5.6 |
| 1986 | 10.2 | * | * | * | * | * | * | * | 2.0 | 2.8 | 4.3 |
| 1985 | 10.0 | * | * | * | * | * | * | * | 2.0 | 2.3 | 3.5 |
| 1984 | 9.2 | * | * | * | * | * | * | * | 2.4 | 3.0 | 6.2 |
| 1983 | 8.5 | * | * | * | * | * | * | 1.5 | 2.2 | 3.1 | 5.7 |
| 1982 | 7.9 | * | * | * | * | * | * | * | * | 3.0 | 5.2 |
| 1981 | 6.8 | * | * | * | * | * | * | * | * | 3.9 | 3.7 |
| 1980 | 6.8 | * | * | * | * | * | * | * | 2.2 | 2.8 | 4.2 |
| 1979 | 5.7 | * | * | * | * | * | * | * | * | 3.3 | 3.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Bronchitis, chronic and unspecified (490-491) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.1 | 0.7 | * | * | * | * | * | * | * | 0.1 | * |
| 1997 | 1.1 | 1.0 | * | * | * | * | * | * | * | * | 0.1 |
| 1996 | 1.2 | 0.7 | * | * | * | * | * | * | * | * | 0.2 |
| 1995 | 1.3 | 0.7 | * | * | * | * | * | * | * | * | 0.1 |
| 1994 | 1.4 | 1.1 | * | * | * | * | * | * | * | * | 0.1 |
| 1993 | 1.5 | 1.1 | * | * | * | * | * | * | * | * | 0.2 |
| 1992 | 1.4 | 0.8 | 0.1 | * | * | * | * | * | * | * | 0.1 |
| 1991 | 1.5 | 1.1 | * | * | * | * | * | * | * | * | 0.1 |
| 1990 | 1.4 | 1.0 | 0.2 | * | * | * | * | * | * | * | 0.1 |
| 1989 | 1.5 | 0.8 | 0.2 | * | * | * | * | * | * | * | * |
| 1988 | 1.5 | 1.1 | * | * | * | * | * | * | * | * | 0.1 |
| 1987 | 1.5 | 1.0 | 0.2 | * | * | * | * | * | * | * | * |
| 1986 | 1.6 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1985 | 1.5 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1984 | 1.5 | 1.1 | * | * | * | * | * | * | * | * | 0.2 |
| 1983 | 1.5 | 1.0 | 0.2 | * | * | * | * | * | * | * | * |
| 1982 | 1.5 | 1.1 | 0.2 | * | * | * | * | * | * | * | * |
| 1981 | 1.6 | 1.2 | 0.2 | * | * | * | * | * | * | * | * |
| 1980 | 1.6 | 1.2 | 0.2 | * | * | * | * | * | * | * | 0.2 |
| 1979 | 1.6 | 1.7 | 0.3 | * | * | * | * | * | * | * | * |
| Bronchitis, chronic and unspecified (490-491) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.1 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1996 | 1.2 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1995 | 1.3 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1994 | 1.4 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1993 | 1.5 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1992 | 1.5 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1991 | 1.6 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1990 | 1.5 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1989 | 1.6 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1988 | 1.7 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1987 | 1.6 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1986 | 1.8 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1985 | 1.8 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1984 | 1.8 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1983 | 1.9 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1982 | 1.9 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1981 | 2.1 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1980 | 2.2 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1979 | 2.2 | 1.9 | 0.3 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Bronchitis, chronic and unspecified (490-491) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.4 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1990 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.1 | 1.4 | * | * | * | * | * | * | * | * | * |
| Bronchitis, chronic and unspecified (490-491) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.2 | 0.8 | * | * | * | * | * | * | * | * | * |
| 1996 | 1.3 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1995 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.5 | 0.9 | * | * | * | * | * | * | * | * | * |
| 1993 | 1.6 | 0.8 | * | * | * | * | * | * | * | * | 0.1 |
| 1992 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.6 | 0.8 | * | * | * | * | * | * | * | * | * |
| 1990 | 1.6 | 0.9 | * | * | * | * | * | * | * | * | 0.1 |
| 1989 | 1.7 | 0.7 | 0.2 | * | * | * | * | * | * | * | * |
| 1988 | 1.7 | 1.0 | * | * | * | * | * | * | * | * | * |
| 1987 | 1.7 | 0.9 | * | * | * | * | * | * | * | * | * |
| 1986 | 1.7 | 0.9 | * | * | * | * | * | * | * | * | * |
| 1985 | 1.7 | 0.9 | * | * | * | * | * | * | * | * | * |
| 1984 | 1.7 | 0.7 | * | * | * | * | * | * | * | * | * |
| 1983 | 1.7 | 0.8 | * | * | * | * | * | * | * | * | * |
| 1982 | 1.7 | 0.9 | * | * | * | * | * | * | * | * | * |
| 1981 | 1.8 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1980 | 1.8 | 0.9 | * | * | * | * | * | * | * | * | * |
| 1979 | 1.8 | 1.5 | 0.3 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Bronchitis, chronic and unspecified (490-491) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.0 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1984 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.3 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1980 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.4 | 1.6 | * | * | * | * | * | * | * | * | * |
| Bronchitis, chronic and unspecified (490-491) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Bronchitis, chronic and unspecified (490-491) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| Bronchitis, chronic and unspecified (490-491) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.9 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Bronchitis, chronic and unspecified (490-491) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Bronchitis, chronic and unspecified (490-491) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Bronchitis, chronic and unspecified (490-491) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| Bronchitis, chronic and unspecified (490-491) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Emphysema (492) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 6.4 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1997 | 6.4 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1996 | 6.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1995 | 6.4 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1994 | 6.5 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1993 | 6.8 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1992 | 6.4 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1991 | 6.5 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1990 | 6.3 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1989 | 6.3 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1988 | 6.3 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1987 | 6.0 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1986 | 6.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1985 | 5.9 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1984 | 5.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1983 | 5.7 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1982 | 5.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1981 | 5.8 | * | * | * | * | * | * | * | * | 0.1 | 0.5 |
| 1980 | 6.1 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1979 | 6.0 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| Emphysema (492) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 6.9 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1997 | 7.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1996 | 7.1 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1995 | 7.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1994 | 7.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1993 | 7.8 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1992 | 7.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1991 | 7.7 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1990 | 7.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1989 | 7.7 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1988 | 8.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1987 | 7.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1986 | 8.0 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1985 | 8.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1984 | 7.8 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1983 | 8.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1982 | 8.0 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1981 | 8.6 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1980 | 9.2 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1979 | 9.3 | * | * | * | * | * | * | * | * | * | 0.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Emphysema (492) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 5.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 5.8 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1996 | 5.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 5.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1994 | 5.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1993 | 5.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 5.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 5.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 4.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 4.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 4.3 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1986 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.2 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1981 | 3.2 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1980 | 3.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1979 | 2.9 | * | * | * | * | * | * | * | * | * | 0.5 |
| Emphysema (492) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 7.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1997 | 7.4 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1996 | 7.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1995 | 7.2 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1994 | 7.4 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1993 | 7.6 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1992 | 7.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1991 | 7.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1990 | 7.1 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1989 | 7.0 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1988 | 7.1 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1987 | 6.7 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1986 | 6.7 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1985 | 6.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1984 | 6.3 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1983 | 6.3 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1982 | 6.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1981 | 6.5 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1980 | 6.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1979 | 6.7 | * | * | * | * | * | * | * | * | * | 0.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Emphysema (492) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 7.8 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1997 | 8.0 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1996 | 8.0 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1995 | 8.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 8.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1993 | 8.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 8.3 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1991 | 8.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1990 | 8.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1989 | 8.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1988 | 8.9 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1987 | 8.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1986 | 8.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1985 | 8.9 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1984 | 8.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1983 | 8.9 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1982 | 8.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1981 | 9.4 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1980 | 10.1 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1979 | 10.2 | * | * | * | * | * | * | * | * | * | 0.6 |
| Emphysema (492) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 6.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 6.7 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1996 | 6.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 6.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 6.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 6.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 6.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 6.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 5.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 5.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 5.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 4.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 4.7 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 4.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1981 | 3.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1980 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.3 | * | * | * | * | * | * | * | * | * | 0.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Emphysema (492) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.4 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1992 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| Emphysema (492) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 3.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Emphysema (492) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| Emphysema (492) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.7 | * | * | * | * | * | * | * | * | * | 1.0 |
| 1992 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Emphysema (492) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 4.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 4.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| Emphysema (492) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.9 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Asthma (493) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 2.0 | * | 0.2 | 0.2 | 0.4 | 0.5 | 0.7 | 0.7 | 0.7 | 0.9 | 1.3 |
| 1997 | 2.0 | * | 0.2 | 0.2 | 0.4 | 0.4 | 0.5 | 0.7 | 0.8 | 0.9 | 1.3 |
| 1996 | 2.1 | * | 0.2 | 0.2 | 0.5 | 0.5 | 0.6 | 0.7 | 0.7 | 0.9 | 1.4 |
| 1995 | 2.1 | * | 0.1 | 0.2 | 0.5 | 0.6 | 0.6 | 0.6 | 0.8 | 1.0 | 1.4 |
| 1994 | 2.1 | * | 0.2 | 0.2 | 0.4 | 0.6 | 0.6 | 0.7 | 0.7 | 0.9 | 1.1 |
| 1993 | 2.0 | * | 0.2 | 0.2 | 0.5 | 0.5 | 0.5 | 0.5 | 0.6 | 0.9 | 1.1 |
| 1992 | 1.9 | * | 0.2 | 0.2 | 0.3 | 0.5 | 0.5 | 0.4 | 0.6 | 0.8 | 1.1 |
| 1991 | 2.0 | * | 0.2 | 0.2 | 0.4 | 0.5 | 0.5 | 0.6 | 0.7 | 0.8 | 1.2 |
| 1990 | 1.9 | * | 0.2 | 0.2 | 0.4 | 0.4 | 0.4 | 0.5 | 0.6 | 0.8 | 1.0 |
| 1989 | 2.0 | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.4 | 0.5 | 0.7 | 0.8 | 1.1 |
| 1988 | 1.9 | * | * | 0.1 | 0.4 | 0.4 | 0.5 | 0.5 | 0.6 | 0.8 | 1.2 |
| 1987 | 1.8 | * | * | * | 0.5 | 0.5 | 0.4 | 0.4 | 0.5 | 0.8 | 1.2 |
| 1986 | 1.6 | * | * | 0.1 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 | 0.7 | 0.8 |
| 1985 | 1.6 | * | 0.1 | 0.2 | 0.4 | 0.3 | 0.5 | 0.3 | 0.5 | 0.7 | 0.8 |
| 1984 | 1.5 | * | * | 0.2 | 0.3 | 0.3 | 0.4 | 0.3 | 0.4 | 0.6 | 0.9 |
| 1983 | 1.5 | * | 0.2 | 0.1 | 0.3 | 0.4 | 0.3 | 0.4 | 0.5 | 0.6 | 1.0 |
| 1982 | 1.4 | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.4 | 0.4 | 0.5 | 0.5 | 0.8 |
| 1981 | 1.3 | * | * | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.6 | 0.7 |
| 1980 | 1.3 | * | 0.2 | * | 0.3 | 0.2 | 0.3 | 0.3 | 0.4 | 0.4 | 0.7 |
| 1979 | 1.2 | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 | 0.3 | 0.5 | 0.7 |
| Asthma (493) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 1.5 | * | 0.3 | 0.2 | 0.6 | 0.5 | 0.9 | 0.7 | 0.7 | 0.9 | 0.8 |
| 1997 | 1.5 | * | 0.3 | 0.3 | 0.4 | 0.6 | 0.6 | 0.7 | 0.8 | 0.8 | 0.9 |
| 1996 | 1.6 | * | 0.2 | 0.3 | 0.6 | 0.6 | 0.7 | 0.6 | 0.6 | 0.8 | 1.0 |
| 1995 | 1.6 | * | * | 0.3 | 0.7 | 0.6 | 0.6 | 0.6 | 0.8 | 0.9 | 0.9 |
| 1994 | 1.6 | * | * | 0.2 | 0.5 | 0.8 | 0.7 | 0.7 | 0.8 | 0.8 | 0.9 |
| 1993 | 1.5 | * | 0.2 | * | 0.5 | 0.5 | 0.7 | 0.5 | 0.5 | 0.7 | 0.9 |
| 1992 | 1.5 | * | * | * | 0.3 | 0.5 | 0.5 | 0.5 | 0.7 | 0.7 | 0.9 |
| 1991 | 1.6 | * | * | * | 0.5 | 0.6 | 0.5 | 0.6 | 0.7 | 0.7 | 1.2 |
| 1990 | 1.6 | * | * | 0.2 | 0.5 | 0.4 | 0.4 | 0.5 | 0.6 | 0.8 | 0.9 |
| 1989 | 1.5 | * | * | 0.2 | 0.4 | 0.5 | 0.4 | 0.5 | 0.7 | 0.7 | 0.9 |
| 1988 | 1.5 | * | * | * | 0.4 | 0.4 | 0.5 | 0.5 | 0.6 | 0.8 | 0.9 |
| 1987 | 1.5 | * | * | * | 0.6 | 0.6 | 0.5 | 0.4 | 0.5 | 0.8 | 1.0 |
| 1986 | 1.4 | * | * | * | 0.5 | 0.5 | 0.4 | 0.5 | 0.4 | 0.6 | 0.7 |
| 1985 | 1.3 | * | * | * | 0.4 | 0.3 | 0.4 | 0.3 | 0.5 | 0.7 | 0.5 |
| 1984 | 1.3 | * | * | * | 0.4 | 0.3 | 0.4 | 0.3 | 0.3 | 0.5 | 0.8 |
| 1983 | 1.3 | * | 0.3 | * | 0.4 | 0.4 | 0.3 | 0.4 | 0.5 | 0.6 | 0.7 |
| 1982 | 1.2 | * | * | * | 0.2 | 0.4 | 0.4 | 0.3 | 0.6 | 0.5 | 0.6 |
| 1981 | 1.2 | * | * | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.6 |
| 1980 | 1.2 | * | * | * | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.5 |
| 1979 | 1.0 | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 | 0.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Asthma (493) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 2.4 | * | * | 0.2 | 0.3 | 0.4 | 0.5 | 0.6 | 0.7 | 1.0 | 1.7 |
| 1997 | 2.5 | * | * | * | 0.4 | 0.2 | 0.4 | 0.7 | 0.7 | 1.0 | 1.7 |
| 1996 | 2.6 | * | * | * | 0.4 | 0.5 | 0.6 | 0.8 | 0.8 | 1.0 | 1.7 |
| 1995 | 2.6 | * | * | * | 0.3 | 0.7 | 0.5 | 0.6 | 0.8 | 1.1 | 1.8 |
| 1994 | 2.5 | * | * | * | 0.3 | 0.4 | 0.5 | 0.7 | 0.7 | 1.0 | 1.3 |
| 1993 | 2.4 | * | * | * | 0.4 | 0.4 | 0.4 | 0.6 | 0.7 | 1.0 | 1.3 |
| 1992 | 2.4 | * | * | * | 0.3 | 0.4 | 0.4 | 0.4 | 0.6 | 0.9 | 1.3 |
| 1991 | 2.5 | * | * | * | 0.3 | 0.5 | 0.4 | 0.5 | 0.8 | 0.9 | 1.2 |
| 1990 | 2.3 | * | * | * | 0.4 | 0.4 | 0.4 | 0.5 | 0.6 | 0.8 | 1.2 |
| 1989 | 2.4 | * | * | * | 0.3 | 0.4 | 0.3 | 0.5 | 0.7 | 0.9 | 1.3 |
| 1988 | 2.2 | * | * | * | 0.4 | 0.3 | 0.4 | 0.5 | 0.5 | 0.8 | 1.4 |
| 1987 | 2.1 | * | * | * | 0.4 | 0.5 | 0.4 | 0.4 | 0.6 | 0.9 | 1.4 |
| 1986 | 1.9 | * | * | * | 0.4 | 0.4 | 0.4 | 0.4 | 0.6 | 0.8 | 1.0 |
| 1985 | 1.9 | * | * | * | 0.4 | 0.3 | 0.5 | 0.4 | 0.5 | 0.7 | 1.0 |
| 1984 | 1.7 | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.6 | 0.7 | 1.1 |
| 1983 | 1.8 | * | * | * | 0.3 | 0.4 | 0.3 | 0.5 | 0.5 | 0.7 | 1.2 |
| 1982 | 1.5 | * | * | * | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.5 | 1.0 |
| 1981 | 1.5 | * | * | * | 0.2 | * | 0.3 | 0.4 | 0.5 | 0.8 | 0.8 |
| 1980 | 1.4 | * | * | * | 0.3 | 0.2 | 0.3 | 0.3 | 0.4 | 0.6 | 0.9 |
| 1979 | 1.3 | * | * | * | * | 0.3 | 0.2 | 0.3 | 0.3 | 0.7 | 0.8 |
| Asthma (493) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.7 | * | * | 0.1 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.6 | 0.9 |
| 1997 | 1.8 | * | * | * | 0.2 | 0.3 | 0.4 | 0.4 | 0.5 | 0.6 | 0.9 |
| 1996 | 1.8 | * | * | 0.1 | 0.3 | 0.3 | 0.4 | 0.5 | 0.4 | 0.6 | 1.0 |
| 1995 | 1.9 | * | * | * | 0.3 | 0.5 | 0.4 | 0.5 | 0.6 | 0.7 | 1.0 |
| 1994 | 1.9 | * | * | * | 0.2 | 0.4 | 0.4 | 0.4 | 0.5 | 0.7 | 0.7 |
| 1993 | 1.8 | * | * | * | 0.3 | 0.3 | 0.4 | 0.3 | 0.4 | 0.6 | 0.7 |
| 1992 | 1.8 | * | * | * | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.6 | 0.9 |
| 1991 | 1.9 | * | * | * | 0.3 | 0.4 | 0.3 | 0.4 | 0.5 | 0.5 | 0.9 |
| 1990 | 1.8 | * | * | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.5 | 0.7 |
| 1989 | 1.8 | * | * | * | 0.3 | 0.3 | 0.3 | 0.3 | 0.5 | 0.5 | 0.8 |
| 1988 | 1.7 | * | * | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 | 0.5 | 0.8 |
| 1987 | 1.6 | * | * | * | 0.3 | 0.4 | 0.3 | 0.3 | 0.4 | 0.6 | 0.9 |
| 1986 | 1.5 | * | * | * | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.6 |
| 1985 | 1.5 | * | * | * | 0.2 | 0.2 | 0.3 | 0.2 | 0.4 | 0.5 | 0.6 |
| 1984 | 1.4 | * | * | * | 0.2 | 0.2 | 0.3 | 0.2 | 0.3 | 0.4 | 0.6 |
| 1983 | 1.4 | * | * | * | 0.2 | 0.3 | 0.2 | 0.3 | 0.3 | 0.4 | 0.7 |
| 1982 | 1.2 | * | * | * | 0.1 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.5 |
| 1981 | 1.2 | * | * | * | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 |
| 1980 | 1.2 | * | * | * | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.5 |
| 1979 | 1.1 | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | 0.4 | 0.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Asthma (493) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | 0.3 | 0.3 | 0.5 | 0.4 | 0.4 | 0.6 | 0.6 |
| 1997 | 1.3 | * | * | * | 0.3 | 0.5 | 0.5 | 0.4 | 0.5 | 0.5 | 0.6 |
| 1996 | 1.3 | * | * | * | 0.4 | 0.3 | 0.4 | 0.4 | 0.3 | 0.5 | 0.6 |
| 1995 | 1.3 | * | * | * | 0.3 | 0.4 | 0.3 | 0.4 | 0.5 | 0.7 | 0.6 |
| 1994 | 1.4 | * | * | * | 0.3 | 0.5 | 0.4 | 0.3 | 0.5 | 0.6 | 0.6 |
| 1993 | 1.3 | * | * | * | 0.3 | 0.3 | 0.4 | 0.2 | 0.3 | 0.5 | 0.5 |
| 1992 | 1.3 | * | * | * | * | 0.4 | 0.3 | 0.3 | 0.4 | 0.6 | 0.7 |
| 1991 | 1.3 | * | * | * | 0.4 | 0.4 | 0.2 | 0.4 | 0.5 | 0.4 | 0.9 |
| 1990 | 1.3 | * | * | * | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.6 |
| 1989 | 1.3 | * | * | * | 0.4 | 0.3 | * | 0.3 | 0.5 | 0.4 | 0.6 |
| 1988 | 1.3 | * | * | * | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.5 | 0.6 |
| 1987 | 1.2 | * | * | * | 0.3 | 0.4 | 0.3 | 0.2 | 0.3 | 0.5 | 0.8 |
| 1986 | 1.2 | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.3 | 0.5 | 0.5 |
| 1985 | 1.2 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.3 |
| 1984 | 1.1 | * | * | * | 0.3 | * | 0.3 | * | 0.2 | 0.3 | 0.6 |
| 1983 | 1.1 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 |
| 1982 | 1.0 | * | * | * | * | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | * |
| 1981 | 1.0 | * | * | * | * | * | * | 0.3 | * | * | 0.4 |
| 1980 | 1.1 | * | * | * | * | * | 0.2 | 0.3 | * | * | * |
| 1979 | 1.0 | * | * | * | * | * | * | * | * | * | 0.5 |
| Asthma (493) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | 0.4 | 0.4 | 0.4 | 0.6 | 1.3 |
| 1997 | 2.3 | * | * | * | * | * | 0.4 | 0.5 | 0.5 | 0.8 | 1.2 |
| 1996 | 2.4 | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.5 | 0.8 | 1.3 |
| 1995 | 2.5 | * | * | * | 0.3 | 0.6 | 0.4 | 0.5 | 0.7 | 0.8 | 1.3 |
| 1994 | 2.4 | * | * | * | * | * | 0.4 | 0.5 | 0.6 | 0.7 | 0.9 |
| 1993 | 2.3 | * | * | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.7 | 0.9 |
| 1992 | 2.2 | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.6 | 1.0 |
| 1991 | 2.3 | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 | 0.9 |
| 1990 | 2.2 | * | * | * | 0.3 | 0.4 | 0.3 | 0.4 | 0.3 | 0.5 | 0.9 |
| 1989 | 2.3 | * | * | * | * | 0.4 | 0.3 | 0.4 | 0.5 | 0.6 | 1.0 |
| 1988 | 2.1 | * | * | * | * | * | 0.3 | 0.4 | 0.4 | 0.5 | 1.0 |
| 1987 | 2.0 | * | * | * | * | 0.4 | * | 0.3 | 0.4 | 0.7 | 1.0 |
| 1986 | 1.8 | * | * | * | 0.3 | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.8 |
| 1985 | 1.8 | * | * | * | 0.3 | * | 0.4 | 0.3 | 0.4 | 0.6 | 0.8 |
| 1984 | 1.6 | * | * | * | * | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.6 |
| 1983 | 1.6 | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.3 | 0.5 | 0.8 |
| 1982 | 1.4 | * | * | * | * | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.7 |
| 1981 | 1.4 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.6 | 0.6 |
| 1980 | 1.3 | * | * | * | * | * | * | * | * | 0.5 | 0.7 |
| 1979 | 1.2 | * | * | * | * | * | * | * | * | 0.5 | 0.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Asthma (493) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 3.0 | * | 0.6 | 0.5 | 1.1 | 1.1 | 1.6 | 1.7 | 1.9 | 2.4 | 2.8 |
| 1997 | 3.0 | * | 0.6 | 0.6 | 0.9 | 0.9 | 0.9 | 1.7 | 1.8 | 2.3 | 3.1 |
| 1996 | 3.3 | * | 0.7 | 0.6 | 1.4 | 1.4 | 1.5 | 1.5 | 1.8 | 2.1 | 3.5 |
| 1995 | 3.1 | * | * | 0.5 | 1.3 | 1.3 | 1.4 | 1.3 | 1.7 | 2.2 | 3.3 |
| 1994 | 3.0 | * | * | 0.5 | 1.1 | 1.5 | 1.1 | 2.0 | 1.7 | 2.2 | 3.0 |
| 1993 | 2.9 | * | 0.6 | * | 1.0 | 1.0 | 1.2 | 1.4 | 1.5 | 2.2 | 3.2 |
| 1992 | 2.8 | * | 0.7 | 0.6 | 0.7 | 1.0 | 1.2 | 1.0 | 1.7 | 1.9 | 2.2 |
| 1991 | 2.9 | * | * | 0.6 | 0.8 | 1.2 | 1.3 | 1.3 | 1.9 | 2.3 | 3.0 |
| 1990 | 2.8 | * | * | * | 1.0 | 0.8 | 1.1 | 1.2 | 1.8 | 2.1 | 2.8 |
| 1989 | 2.8 | * | * | 0.6 | 0.7 | 0.7 | 0.9 | 1.4 | 1.6 | 2.2 | 3.2 |
| 1988 | 2.9 | * | * | * | 1.0 | 0.9 | 1.2 | 1.2 | 1.6 | 2.3 | 3.4 |
| 1987 | 2.8 | * | * | * | 1.4 | 1.2 | 1.1 | 0.9 | 1.5 | 2.3 | 2.8 |
| 1986 | 2.5 | * | * | * | 0.9 | 1.3 | 1.0 | 1.0 | 1.3 | 1.9 | 2.2 |
| 1985 | 2.4 | * | * | * | 1.1 | 0.9 | 1.3 | 0.9 | 1.5 | 2.0 | 2.0 |
| 1984 | 2.2 | * | * | * | 0.8 | 0.9 | 0.7 | 0.9 | 1.3 | 2.0 | 2.8 |
| 1983 | 2.4 | * | * | * | 0.9 | 1.0 | 0.8 | 1.1 | 1.7 | 1.7 | 3.1 |
| 1982 | 2.1 | * | * | * | 0.7 | 0.8 | 1.2 | 1.0 | 1.6 | 1.7 | 2.6 |
| 1981 | 1.9 | * | * | * | 0.6 | 0.7 | 0.6 | 1.1 | 1.3 | 1.9 | 2.0 |
| 1980 | 1.9 | * | * | * | 0.7 | * | 0.9 | 0.9 | 1.5 | 1.2 | 2.1 |
| 1979 | 1.6 | * | * | * | * | 0.6 | 0.7 | 1.1 | 1.1 | 1.6 | 2.1 |
| Asthma (493) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 2.7 | * | * | * | 1.5 | 1.2 | 2.3 | 2.0 | 2.1 | 2.3 | 2.1 |
| 1997 | 2.6 | * | * | * | * | 1.1 | 1.4 | 2.0 | 2.3 | 2.5 | 2.1 |
| 1996 | 2.9 | * | * | * | 1.4 | 1.7 | 1.8 | 1.6 | 1.8 | 2.1 | 3.1 |
| 1995 | 2.8 | * | * | * | 2.0 | 1.7 | 1.8 | 1.4 | 2.1 | 2.1 | 2.6 |
| 1994 | 2.8 | * | * | * | 1.5 | 1.8 | 1.7 | 2.4 | 2.3 | 2.0 | 2.5 |
| 1993 | 2.6 | * | * | * | 1.5 | 1.3 | 1.6 | 1.5 | 1.1 | 2.1 | 2.9 |
| 1992 | 2.5 | * | * | * | * | 1.2 | 1.5 | 1.5 | 1.9 | 1.4 | 2.1 |
| 1991 | 2.7 | * | * | * | 1.1 | 1.4 | 1.6 | 1.4 | 1.9 | 2.2 | 3.2 |
| 1990 | 2.8 | * | * | * | 1.5 | * | 1.2 | 1.2 | 1.7 | 2.1 | 2.9 |
| 1989 | 2.6 | * | * | * | * | * | 1.2 | 1.8 | 1.8 | 2.3 | 3.1 |
| 1988 | 2.9 | * | * | * | * | 1.2 | 1.6 | 1.6 | 1.9 | 2.4 | 2.9 |
| 1987 | 2.7 | * | * | * | 1.9 | 1.4 | 1.3 | 1.3 | 1.5 | 2.5 | 2.3 |
| 1986 | 2.3 | * | * | * | 1.2 | 1.6 | 1.1 | 1.2 | * | 1.6 | * |
| 1985 | 2.4 | * | * | * | 1.2 | * | 1.7 | * | 1.9 | 2.6 | * |
| 1984 | 2.2 | * | * | * | * | * | * | * | * | 1.8 | * |
| 1983 | 2.3 | * | * | * | * | 1.2 | * | * | 1.8 | * | * |
| 1982 | 2.1 | * | * | * | * | * | 1.5 | * | 2.1 | * | * |
| 1981 | 2.0 | * | * | * | * | 1.2 | * | * | * | * | * |
| 1980 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Asthma (493) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 3.3 | * | * | * | * | 1.0 | * | 1.4 | 1.7 | 2.6 | 3.4 |
| 1997 | 3.3 | * | * | * | * | * | * | 1.4 | 1.4 | 2.1 | 4.1 |
| 1996 | 3.7 | * | * | * | 1.4 | * | 1.2 | 1.4 | 1.9 | 2.1 | 3.9 |
| 1995 | 3.4 | * | * | * | * | * | 1.1 | 1.1 | 1.4 | 2.2 | 3.8 |
| 1994 | 3.2 | * | * | * | * | 1.2 | * | 1.7 | 1.1 | 2.4 | 3.3 |
| 1993 | 3.1 | * | * | * | * | * | * | 1.3 | 1.8 | 2.4 | 3.5 |
| 1992 | 3.0 | * | * | * | * | * | * | * | 1.5 | 2.3 | 2.3 |
| 1991 | 3.0 | * | * | * | * | * | * | 1.2 | 1.9 | 2.5 | 2.8 |
| 1990 | 2.9 | * | * | * | * | * | * | 1.1 | 1.8 | 2.1 | 2.7 |
| 1989 | 3.0 | * | * | * | * | * | * | * | 1.5 | 2.1 | 3.3 |
| 1988 | 3.0 | * | * | * | * | * | * | * | 1.4 | 2.3 | 3.8 |
| 1987 | 2.8 | * | * | * | * | * | * | * | 1.6 | 2.1 | 3.2 |
| 1986 | 2.7 | * | * | * | * | * | * | * | 1.6 | 2.2 | 2.4 |
| 1985 | 2.4 | * | * | * | * | * | * | * | 1.3 | 1.5 | 1.9 |
| 1984 | 2.3 | * | * | * | * | * | * | * | 1.7 | 2.1 | 3.6 |
| 1983 | 2.4 | * | * | * | * | * | * | * | 1.6 | 1.7 | 4.0 |
| 1982 | 2.1 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1981 | 1.8 | * | * | * | * | * | * | * | * | 2.3 | * |
| 1980 | 1.9 | * | * | * | * | * | * | * | 1.9 | * | * |
| 1979 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| Asthma (493) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 3.6 | * | * | 0.6 | 1.2 | 1.5 | 2.1 | 2.3 | 2.3 | 3.3 | 3.6 |
| 1997 | 3.4 | * | * | 0.7 | 1.1 | 1.0 | 1.2 | 2.3 | 2.4 | 2.9 | 3.9 |
| 1996 | 3.9 | * | 0.8 | 0.7 | 1.7 | 1.7 | 1.8 | 2.0 | 2.3 | 2.8 | 4.4 |
| 1995 | 3.7 | * | * | 0.7 | 1.6 | 1.7 | 1.9 | 1.8 | 2.3 | 2.7 | 4.0 |
| 1994 | 3.6 | * | * | * | 1.4 | 1.9 | 1.4 | 2.6 | 2.3 | 3.0 | 3.7 |
| 1993 | 3.4 | * | * | * | 1.3 | 1.3 | 1.5 | 1.8 | 1.9 | 2.8 | 4.0 |
| 1992 | 3.2 | * | 0.9 | 0.7 | 0.9 | 1.3 | 1.5 | 1.2 | 2.1 | 2.3 | 2.9 |
| 1991 | 3.3 | * | * | 0.8 | 1.0 | 1.4 | 1.5 | 1.6 | 2.4 | 2.9 | 3.7 |
| 1990 | 3.2 | * | * | * | 1.3 | 1.0 | 1.3 | 1.4 | 2.2 | 2.6 | 3.7 |
| 1989 | 3.3 | * | * | * | 0.8 | 0.8 | 1.1 | 1.6 | 2.0 | 2.8 | 4.0 |
| 1988 | 3.4 | * | * | * | 1.2 | 1.0 | 1.4 | 1.4 | 2.1 | 3.0 | 4.2 |
| 1987 | 3.1 | * | * | * | 1.6 | 1.4 | 1.3 | 1.2 | 2.0 | 2.9 | 3.7 |
| 1986 | 2.9 | * | * | * | 1.2 | 1.4 | 1.2 | 1.2 | 1.6 | 2.3 | 2.8 |
| 1985 | 2.7 | * | * | * | 1.3 | 0.9 | 1.5 | 1.0 | 1.9 | 2.6 | 2.5 |
| 1984 | 2.5 | * | * | * | 0.9 | 1.0 | 0.9 | 1.0 | 1.6 | 2.3 | 3.4 |
| 1983 | 2.6 | * | * | * | 1.0 | 1.2 | 0.8 | 1.4 | 2.2 | 2.1 | 3.5 |
| 1982 | 2.4 | * | * | * | 0.9 | 0.9 | 1.3 | 1.3 | 1.9 | 2.1 | 3.2 |
| 1981 | 2.1 | * | * | * | * | 0.8 | 0.7 | 1.3 | 1.4 | 2.3 | 2.4 |
| 1980 | 2.1 | * | * | * | 0.8 | * | 1.1 | 1.1 | 1.7 | 1.4 | 2.4 |
| 1979 | 1.8 | * | * | * | * | 0.7 | * | 1.4 | 1.3 | 1.9 | 2.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Asthma (493) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 3.2 | * | * | * | 1.7 | 1.7 | 3.2 | 2.8 | 2.7 | 3.1 | 2.9 |
| 1997 | 3.0 | * | * | * | * | * | 1.8 | 2.6 | 2.9 | 3.3 | 2.6 |
| 1996 | 3.3 | * | * | * | 1.7 | 2.3 | 2.1 | 2.0 | 2.3 | 2.8 | 3.9 |
| 1995 | 3.4 | * | * | * | 2.5 | 2.1 | 2.4 | 2.0 | 2.9 | 2.7 | 2.9 |
| 1994 | 3.3 | * | * | * | 1.9 | 2.2 | 2.0 | 3.1 | 3.3 | 2.7 | 3.2 |
| 1993 | 3.0 | * | * | * | 1.8 | 1.7 | 2.2 | 2.0 | 1.5 | 2.6 | 3.4 |
| 1992 | 2.9 | * | * | * | * | 1.6 | 2.0 | 1.9 | 2.4 | 1.7 | 2.8 |
| 1991 | 3.2 | * | * | * | * | 1.7 | 1.8 | 1.8 | 2.5 | 2.6 | 4.0 |
| 1990 | 3.2 | * | * | * | 1.8 | * | 1.5 | 1.6 | 2.2 | 2.9 | 3.9 |
| 1989 | 3.0 | * | * | * | * | * | * | 2.2 | 2.3 | 2.9 | 3.6 |
| 1988 | 3.3 | * | * | * | * | 1.4 | 1.7 | 1.9 | 2.4 | 3.2 | 3.6 |
| 1987 | 3.1 | * | * | * | 2.2 | 1.6 | 1.6 | 1.7 | 1.9 | 3.1 | 3.0 |
| 1986 | 2.6 | * | * | * | 1.6 | 1.7 | 1.4 | 1.5 | * | * | * |
| 1985 | 2.7 | * | * | * | * | * | 2.0 | * | 2.4 | 3.4 | * |
| 1984 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.6 | * | * | * | * | 1.4 | * | * | 2.3 | * | * |
| 1982 | 2.3 | * | * | * | * | * | 1.8 | * | 2.5 | * | * |
| 1981 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| Asthma (493) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 4.0 | * | * | * | * | 1.3 | * | 1.9 | 2.0 | 3.5 | 4.2 |
| 1997 | 3.8 | * | * | * | * | * | * | 2.0 | 1.9 | 2.6 | 5.0 |
| 1996 | 4.3 | * | * | * | 1.7 | * | 1.6 | 2.0 | 2.2 | 2.8 | 4.8 |
| 1995 | 4.0 | * | * | * | * | * | 1.5 | 1.6 | 1.7 | 2.7 | 5.0 |
| 1994 | 3.8 | * | * | * | * | 1.5 | * | 2.1 | 1.4 | 3.2 | 4.2 |
| 1993 | 3.8 | * | * | * | * | * | * | 1.6 | 2.3 | 2.9 | 4.6 |
| 1992 | 3.6 | * | * | * | * | * | * | * | 1.9 | 2.8 | 2.9 |
| 1991 | 3.5 | * | * | * | * | * | * | 1.4 | 2.4 | 3.2 | 3.4 |
| 1990 | 3.3 | * | * | * | * | * | * | * | 2.3 | 2.4 | 3.5 |
| 1989 | 3.5 | * | * | * | * | * | * | * | 1.8 | 2.7 | 4.3 |
| 1988 | 3.5 | * | * | * | * | * | * | * | 1.9 | 2.9 | 4.6 |
| 1987 | 3.2 | * | * | * | * | * | * | * | 2.1 | 2.8 | 4.3 |
| 1986 | 3.1 | * | * | * | * | * | * | * | 1.9 | 2.6 | 3.0 |
| 1985 | 2.7 | * | * | * | * | * | * | * | 1.6 | * | * |
| 1984 | 2.6 | * | * | * | * | * | * | * | 2.1 | 2.4 | 4.5 |
| 1983 | 2.7 | * | * | * | * | * | * | * | 2.0 | * | 4.5 |
| 1982 | 2.4 | * | * | * | * | * | * | * | * | * | 3.5 |
| 1981 | 2.1 | * | * | * | * | * | * | * | * | 2.8 | * |
| 1980 | 2.1 | * | * | * | * | * | * | * | 2.1 | * | * |
| 1979 | 1.8 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other chronic lower respiratory diseases (494,496) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 31.4 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1997 | 30.4 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.9 |
| 1996 | 29.7 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1995 | 28.9 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.9 |
| 1994 | 28.6 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.7 |
| 1993 | 28.7 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.8 |
| 1992 | 26.1 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1991 | 25.8 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1990 | 25.1 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1989 | 24.4 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.8 |
| 1988 | 24.1 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.8 |
| 1987 | 23.1 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.9 |
| 1986 | 22.6 | * | * | * | * | * | * | * | * | 0.2 | 1.0 |
| 1985 | 22.3 | * | * | * | * | * | * | * | * | 0.2 | 0.9 |
| 1984 | 20.7 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1983 | 19.6 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1982 | 17.4 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1981 | 16.9 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.9 |
| 1980 | 15.7 | * | * | * | * | * | * | * | 0.1 | 0.4 | 0.9 |
| 1979 | 13.4 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| Other chronic lower respiratory diseases (494,496) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 32.7 | * | * | * | * | * | * | * | * | 0.4 | 1.1 |
| 1997 | 32.2 | * | * | * | * | * | * | * | * | 0.3 | 1.1 |
| 1996 | 31.4 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1995 | 31.4 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1994 | 31.3 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1993 | 32.0 | * | * | * | * | * | * | * | * | 0.3 | 1.0 |
| 1992 | 29.8 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1991 | 30.0 | * | * | * | * | * | * | * | * | 0.4 | 0.9 |
| 1990 | 29.9 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1989 | 29.2 | * | * | * | * | * | * | * | * | 0.4 | 1.0 |
| 1988 | 29.8 | * | * | * | * | * | * | * | * | 0.3 | 1.1 |
| 1987 | 29.0 | * | * | * | * | * | * | * | * | 0.3 | 1.1 |
| 1986 | 29.1 | * | * | * | * | * | * | * | * | 0.3 | 1.3 |
| 1985 | 29.0 | * | * | * | * | * | * | * | * | 0.3 | 1.2 |
| 1984 | 27.5 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1983 | 26.7 | * | * | * | * | * | * | * | * | 0.4 | 0.9 |
| 1982 | 24.2 | * | * | * | * | * | * | * | * | 0.4 | 1.0 |
| 1981 | 23.8 | * | * | * | * | * | * | * | * | 0.3 | 1.1 |
| 1980 | 22.5 | * | * | * | * | * | * | * | * | 0.4 | 1.1 |
| 1979 | 19.8 | * | * | * | * | * | * | * | * | 0.4 | 1.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other chronic lower respiratory diseases (494,496) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 30.1 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1997 | 28.7 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1996 | 28.0 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1995 | 26.6 | * | * | * | * | * | * | * | * | 0.2 | 0.9 |
| 1994 | 26.1 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1993 | 25.5 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1992 | 22.5 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1991 | 21.8 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1990 | 20.6 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1989 | 19.9 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1988 | 18.8 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1987 | 17.5 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1986 | 16.5 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1985 | 15.9 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1984 | 14.1 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1983 | 12.9 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1982 | 11.1 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1981 | 10.3 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1980 | 9.2 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1979 | 7.4 | * | * | * | * | * | * | * | * | * | 0.7 |
| Other chronic lower respiratory diseases (494,496) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 35.6 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1997 | 34.5 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1996 | 33.5 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1995 | 32.6 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.8 |
| 1994 | 32.2 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.6 |
| 1993 | 32.2 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1992 | 29.3 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1991 | 28.8 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1990 | 27.9 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1989 | 27.0 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.6 |
| 1988 | 26.7 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1987 | 25.5 | * | * | * | * | * | * | * | * | 0.2 | 0.8 |
| 1986 | 25.0 | * | * | * | * | * | * | * | * | 0.2 | 0.9 |
| 1985 | 24.6 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1984 | 22.7 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1983 | 21.6 | * | * | * | * | * | * | * | * | 0.2 | 0.8 |
| 1982 | 19.2 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1981 | 18.5 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1980 | 17.1 | * | * | * | * | * | * | * | * | 0.2 | 0.8 |
| 1979 | 14.6 | * | * | * | * | * | * | * | * | 0.2 | 0.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other chronic lower respiratory diseases (494,496) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 36.5 | * | * | * | * | * | * | * | * | 0.4 | 1.0 |
| 1997 | 35.9 | * | * | * | * | * | * | * | * | 0.3 | 1.0 |
| 1996 | 34.9 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1995 | 34.8 | * | * | * | * | * | * | * | * | 0.2 | 0.9 |
| 1994 | 34.7 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1993 | 35.3 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1992 | 32.9 | * | * | * | * | * | * | * | * | 0.2 | 0.8 |
| 1991 | 33.0 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1990 | 32.7 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1989 | 31.7 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1988 | 32.5 | * | * | * | * | * | * | * | * | * | 0.9 |
| 1987 | 31.7 | * | * | * | * | * | * | * | * | 0.3 | 1.0 |
| 1986 | 31.6 | * | * | * | * | * | * | * | * | 0.3 | 1.0 |
| 1985 | 31.7 | * | * | * | * | * | * | * | * | 0.3 | 0.9 |
| 1984 | 29.9 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1983 | 29.0 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1982 | 26.3 | * | * | * | * | * | * | * | * | 0.4 | 0.9 |
| 1981 | 25.8 | * | * | * | * | * | * | * | * | 0.4 | 0.9 |
| 1980 | 24.4 | * | * | * | * | * | * | * | * | * | 0.9 |
| 1979 | 21.3 | * | * | * | * | * | * | * | * | * | 0.9 |
| Other chronic lower respiratory diseases (494,496) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 34.8 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1997 | 33.1 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1996 | 32.2 | * | * | * | * | * | * | * | * | 0.2 | 0.7 |
| 1995 | 30.5 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1994 | 29.9 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1993 | 29.2 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1992 | 25.7 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1991 | 24.8 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1990 | 23.4 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1989 | 22.4 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1988 | 21.3 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1987 | 19.7 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1986 | 18.7 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1985 | 17.8 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1984 | 15.8 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1983 | 14.4 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1982 | 12.3 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1981 | 11.5 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1980 | 10.2 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1979 | 8.2 | * | * | * | * | * | * | * | * | * | 0.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other chronic lower respiratory diseases (494,496) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 11.7 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1997 | 11.6 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1996 | 11.3 | * | * | * | * | * | * | * | * | * | 0.9 |
| 1995 | 11.1 | * | * | * | * | * | * | * | * | 0.5 | 1.0 |
| 1994 | 11.1 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1993 | 11.2 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1992 | 10.2 | * | * | * | * | * | * | * | * | 0.6 | 1.5 |
| 1991 | 10.5 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1990 | 10.7 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1989 | 10.8 | * | * | * | * | * | * | * | * | 0.7 | 1.7 |
| 1988 | 10.2 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1987 | 9.7 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1986 | 9.6 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1985 | 9.4 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1984 | 8.9 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1983 | 8.2 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1982 | 7.3 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1981 | 7.1 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1980 | 6.9 | * | * | * | * | * | * | * | * | 1.3 | 1.5 |
| 1979 | 6.0 | * | * | * | * | * | * | * | * | * | 1.3 |
| Other chronic lower respiratory diseases (494,496) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 14.6 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1997 | 14.7 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1996 | 14.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 14.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 14.4 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1993 | 15.1 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1992 | 13.7 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1991 | 14.4 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1990 | 15.0 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1989 | 15.3 | * | * | * | * | * | * | * | * | * | 3.1 |
| 1988 | 14.8 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1987 | 14.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 14.6 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1985 | 14.0 | * | * | * | * | * | * | * | * | * | 2.7 |
| 1984 | 13.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 12.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 11.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 11.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 11.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 9.8 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other chronic lower respiratory diseases (494,496) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 9.1 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1997 | 8.7 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1996 | 8.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 8.2 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1994 | 8.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 7.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 6.9 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1991 | 6.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 6.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 6.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 5.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 5.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 5.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 5.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 4.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 4.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| Other chronic lower respiratory diseases (494,496) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 13.7 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1997 | 13.3 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1996 | 13.1 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1995 | 12.8 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1994 | 12.8 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1993 | 12.9 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1992 | 11.8 | * | * | * | * | * | * | * | * | 0.8 | 1.9 |
| 1991 | 12.1 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1990 | 12.2 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1989 | 12.3 | * | * | * | * | * | * | * | * | 0.9 | 2.1 |
| 1988 | 11.6 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1987 | 11.1 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1986 | 10.8 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1985 | 10.6 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1984 | 9.9 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1983 | 9.1 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1982 | 8.2 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1981 | 7.8 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1980 | 7.5 | * | * | * | * | * | * | * | * | 1.4 | 1.7 |
| 1979 | 6.4 | * | * | * | * | * | * | * | * | * | 1.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other chronic lower respiratory diseases (494,496) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 17.0 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1997 | 16.8 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1996 | 16.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 16.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 16.8 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1993 | 17.6 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1992 | 16.1 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1991 | 16.7 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1990 | 17.3 | * | * | * | * | * | * | * | * | * | 2.4 |
| 1989 | 17.5 | * | * | * | * | * | * | * | * | * | 4.0 |
| 1988 | 17.2 | * | * | * | * | * | * | * | * | * | 3.0 |
| 1987 | 16.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 16.6 | * | * | * | * | * | * | * | * | * | 3.4 |
| 1985 | 16.0 | * | * | * | * | * | * | * | * | * | 3.4 |
| 1984 | 15.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 14.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 12.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 12.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 12.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 10.7 | * | * | * | * | * | * | * | * | * | * |
| Other chronic lower respiratory diseases (494,496) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 10.7 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1997 | 10.2 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1996 | 9.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 9.4 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1994 | 9.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 8.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 8.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 7.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 7.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 7.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 6.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 6.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 5.7 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 5.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 5.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 4.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pneumoconioses and chemical effects (500-506) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| Pneumoconioses and chemical effects (500-506) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pneumoconioses and chemical effects (500-506) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| Pneumoconioses and chemical effects (500-506) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.8 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pneumoconioses and chemical effects (500-506) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| Pneumoconioses and chemical effects (500-506) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pneumoconioses and chemical effects (500-506) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Pneumoconioses and chemical effects (500-506) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pneumoconioses and chemical effects (500-506) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Pneumoconioses and chemical effects (500-506) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pneumoconioses and chemical effects (500-506) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| Pneumoconioses and chemical effects (500-506) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pneumonitis due to solids and liquids (507) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.6 | * | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.3 |
| 1997 | 4.2 | 0.6 | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 |
| 1996 | 3.8 | * | * | * | * | * | 0.1 | 0.1 | 0.1 | 0.2 | 0.3 |
| 1995 | 3.6 | * | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.3 |
| 1994 | 3.4 | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.3 |
| 1993 | 3.3 | 0.7 | 0.1 | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.3 |
| 1992 | 3.2 | * | * | * | * | * | * | 0.1 | 0.1 | 0.3 | 0.2 |
| 1991 | 3.2 | 0.8 | * | * | * | * | * | 0.1 | 0.2 | 0.1 | 0.2 |
| 1990 | 3.1 | 0.5 | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 |
| 1989 | 3.1 | 0.6 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1988 | 3.2 | 1.0 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 |
| 1987 | 3.0 | 0.8 | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 |
| 1986 | 2.8 | 1.0 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1985 | 2.6 | 1.1 | 0.1 | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.3 |
| 1984 | 2.3 | 1.2 | 0.2 | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1983 | 2.0 | 1.1 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 |
| 1982 | 1.7 | 1.1 | 0.2 | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1981 | 1.6 | 1.4 | 0.2 | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1980 | 1.5 | 1.6 | * | * | * | * | * | * | 0.1 | 0.3 | 0.3 |
| 1979 | 1.3 | 2.0 | * | * | * | * | 0.1 | 0.1 | 0.1 | 0.2 | 0.4 |
| Pneumonitis due to solids and liquids (507) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 4.6 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1997 | 4.2 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1996 | 3.8 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1995 | 3.7 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1994 | 3.5 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 |
| 1993 | 3.4 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 |
| 1992 | 3.2 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1991 | 3.3 | * | * | * | * | * | * | * | 0.2 | * | * |
| 1990 | 3.1 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1989 | 3.2 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1988 | 3.3 | 1.1 | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 |
| 1987 | 3.1 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1986 | 3.1 | 1.4 | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1985 | 2.8 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1984 | 2.6 | 1.6 | * | * | * | * | * | * | * | * | 0.4 |
| 1983 | 2.3 | * | * | * | * | * | * | * | * | 0.3 | * |
| 1982 | 2.0 | 1.2 | * | * | * | * | * | * | * | * | 0.5 |
| 1981 | 1.9 | 1.6 | * | * | * | * | * | * | * | * | 0.4 |
| 1980 | 1.7 | 1.4 | * | * | * | * | * | * | * | * | 0.4 |
| 1979 | 1.5 | 2.3 | * | * | * | * | * | * | * | * | 0.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pneumonitis due to solids and liquids (507) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 4.6 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1997 | 4.2 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1996 | 3.9 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1995 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.2 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1991 | 3.1 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1990 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.9 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1986 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.4 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1984 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.7 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1982 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.3 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | 1.8 | * | * | * | * | * | * | * | 0.3 | * |
| 1979 | 1.0 | 1.6 | * | * | * | * | * | * | * | * | * |
| Pneumonitis due to solids and liquids (507) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 4.9 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 |
| 1997 | 4.5 | * | * | * | * | * | * | * | 0.1 | 0.1 | 0.2 |
| 1996 | 4.1 | * | * | * | * | * | * | * | 0.1 | 0.1 | 0.2 |
| 1995 | 3.8 | * | * | * | * | * | * | 0.2 | * | 0.2 | 0.2 |
| 1994 | 3.6 | * | * | * | * | * | * | 0.1 | 0.1 | 0.1 | 0.3 |
| 1993 | 3.5 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1992 | 3.4 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1991 | 3.3 | * | * | * | * | * | * | * | 0.1 | 0.1 | 0.2 |
| 1990 | 3.2 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.2 |
| 1989 | 3.2 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1988 | 3.3 | 0.7 | * | * | * | * | * | * | 0.1 | 0.1 | 0.2 |
| 1987 | 3.1 | 0.8 | * | * | * | * | * | * | * | * | 0.2 |
| 1986 | 2.9 | 0.8 | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1985 | 2.7 | 1.1 | * | * | * | * | * | 0.1 | 0.1 | 0.1 | 0.2 |
| 1984 | 2.3 | 0.9 | 0.2 | * | * | * | * | * | * | 0.1 | 0.2 |
| 1983 | 2.0 | 1.0 | * | * | * | * | * | * | 0.1 | 0.2 | * |
| 1982 | 1.7 | 0.7 | * | * | * | * | * | * | 0.1 | * | 0.2 |
| 1981 | 1.6 | 1.2 | 0.2 | * | * | * | * | * | * | 0.2 | 0.2 |
| 1980 | 1.4 | 1.2 | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1979 | 1.2 | 1.3 | * | * | * | * | * | * | * | 0.2 | 0.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pneumonitis due to solids and liquids (507) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 4.9 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1997 | 4.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1996 | 4.0 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1995 | 3.9 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1994 | 3.7 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1993 | 3.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1992 | 3.3 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1991 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.5 | 1.6 | * | * | * | * | * | * | * | * | * |
| Pneumonitis due to solids and liquids (507) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 5.0 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1997 | 4.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 4.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Pneumonitis due to solids and liquids (507) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.8 | * | * | * | * | * | * | * | * | 0.5 | * |
| 1996 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.4 | * | * | * | * | * | * | * | * | 0.6 | * |
| 1991 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.8 | 3.1 | * | * | * | * | * | * | * | * | * |
| 1979 | 1.5 | 5.2 | * | * | * | * | * | * | * | * | * |
| Pneumonitis due to solids and liquids (507) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Pneumonitis due to solids and liquids (507) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| Pneumonitis due to solids and liquids (507) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.9 | * | * | * | * | * | * | * | * | 0.8 | * |
| 1991 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.9 | 3.7 | * | * | * | * | * | * | * | * | * |
| 1979 | 1.6 | 5.6 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Pneumonitis due to solids and liquids (507) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 3.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 3.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 3.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 3.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| Pneumonitis due to solids and liquids (507) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 3.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 3.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other diseases of respiratory system (034.0,460-465,470-478,495,508-519) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 7.4 | 7.5 | 0.6 | 0.2 | 0.2 | 0.2 | 0.3 | 0.4 | 0.5 | 0.9 | 1.5 |
| 1997 | 7.1 | 6.7 | 0.6 | 0.2 | 0.2 | 0.3 | 0.4 | 0.4 | 0.7 | 0.8 | 1.5 |
| 1996 | 7.0 | 6.8 | 0.6 | 0.2 | 0.2 | 0.3 | 0.3 | 0.5 | 0.6 | 0.9 | 1.4 |
| 1995 | 6.8 | 6.7 | 0.7 | 0.2 | 0.2 | 0.3 | 0.5 | 0.5 | 0.6 | 1.0 | 1.5 |
| 1994 | 6.8 | 7.1 | 0.6 | 0.2 | 0.2 | 0.3 | 0.3 | 0.5 | 0.8 | 1.0 | 1.5 |
| 1993 | 6.8 | 9.4 | 0.7 | 0.2 | 0.2 | 0.3 | 0.4 | 0.5 | 0.7 | 1.0 | 1.6 |
| 1992 | 6.5 | 9.0 | 0.7 | 0.2 | 0.3 | 0.4 | 0.4 | 0.6 | 0.7 | 1.1 | 1.5 |
| 1991 | 6.7 | 8.9 | 0.8 | 0.2 | 0.2 | 0.3 | 0.4 | 0.5 | 0.7 | 1.3 | 1.7 |
| 1990 | 6.6 | 9.9 | 0.9 | 0.2 | 0.3 | 0.2 | 0.4 | 0.6 | 0.9 | 1.1 | 1.8 |
| 1989 | 6.7 | 9.8 | 0.8 | 0.3 | 0.2 | 0.4 | 0.5 | 0.7 | 1.0 | 1.3 | 1.7 |
| 1988 | 6.9 | 11.0 | 0.9 | 0.2 | 0.3 | 0.4 | 0.5 | 0.7 | 1.0 | 1.3 | 1.7 |
| 1987 | 6.6 | 11.2 | 1.0 | 0.3 | 0.2 | 0.3 | 0.5 | 0.7 | 1.0 | 1.4 | 1.6 |
| 1986 | 6.6 | 12.9 | 1.0 | 0.2 | 0.2 | 0.4 | 0.4 | 0.7 | 1.1 | 1.4 | 1.7 |
| 1985 | 6.6 | 13.0 | 1.2 | 0.3 | 0.2 | 0.3 | 0.6 | 0.7 | 0.9 | 1.1 | 1.7 |
| 1984 | 6.1 | 13.4 | 1.0 | 0.3 | 0.3 | 0.4 | 0.5 | 0.6 | 1.0 | 1.1 | 1.7 |
| 1983 | 6.1 | 13.9 | 1.2 | 0.2 | 0.2 | 0.4 | 0.5 | 0.7 | 0.9 | 1.2 | 1.7 |
| 1982 | 5.6 | 12.6 | 1.1 | 0.3 | 0.2 | 0.4 | 0.5 | 0.6 | 0.9 | 1.0 | 1.5 |
| 1981 | 5.6 | 14.1 | 1.3 | 0.3 | 0.3 | 0.3 | 0.6 | 0.7 | 1.0 | 1.3 | 1.8 |
| 1980 | 5.5 | 14.5 | 1.2 | 0.3 | 0.3 | 0.5 | 0.6 | 0.8 | 1.0 | 1.2 | 2.0 |
| 1979 | 5.2 | 15.6 | 1.7 | 0.3 | 0.3 | 0.4 | 0.5 | 0.7 | 0.8 | 1.3 | 1.7 |
| Other diseases of respiratory system (034.0,460-465,470-478,495,508-519) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 7.5 | 8.8 | 0.6 | 0.2 | 0.2 | 0.2 | 0.4 | 0.5 | 0.6 | 1.0 | 1.7 |
| 1997 | 7.3 | 8.2 | 0.7 | * | * | 0.4 | 0.4 | 0.5 | 0.7 | 0.9 | 1.4 |
| 1996 | 7.1 | 7.8 | 0.6 | 0.2 | * | 0.3 | 0.3 | 0.5 | 0.7 | 1.0 | 1.6 |
| 1995 | 6.9 | 7.7 | 0.7 | * | * | 0.3 | 0.5 | 0.5 | 0.7 | 1.0 | 1.6 |
| 1994 | 7.0 | 8.8 | 0.7 | 0.3 | 0.2 | 0.3 | 0.3 | 0.4 | 0.8 | 1.0 | 1.7 |
| 1993 | 7.0 | 11.0 | 0.8 | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 | 0.8 | 1.2 | 1.9 |
| 1992 | 6.9 | 10.7 | 0.7 | 0.3 | 0.3 | 0.4 | 0.4 | 0.7 | 0.8 | 1.3 | 1.8 |
| 1991 | 7.1 | 10.4 | 0.8 | 0.3 | 0.3 | 0.2 | 0.4 | 0.5 | 0.9 | 1.5 | 1.9 |
| 1990 | 6.9 | 11.7 | 0.8 | 0.3 | * | 0.2 | 0.4 | 0.7 | 0.9 | 1.2 | 2.3 |
| 1989 | 7.1 | 11.6 | 0.9 | 0.3 | 0.3 | 0.4 | 0.6 | 0.6 | 1.1 | 1.7 | 2.0 |
| 1988 | 7.4 | 12.2 | 1.0 | 0.3 | 0.2 | 0.4 | 0.6 | 0.7 | 1.1 | 1.5 | 2.1 |
| 1987 | 7.2 | 12.5 | 1.1 | 0.4 | * | 0.2 | 0.4 | 0.7 | 1.3 | 1.6 | 2.0 |
| 1986 | 7.2 | 16.0 | 1.2 | 0.3 | 0.3 | 0.4 | 0.5 | 0.8 | 1.4 | 1.8 | 2.2 |
| 1985 | 7.3 | 14.1 | 1.3 | 0.3 | 0.2 | 0.4 | 0.7 | 0.8 | 1.1 | 1.3 | 2.1 |
| 1984 | 6.7 | 14.7 | 1.1 | 0.3 | 0.3 | 0.5 | 0.6 | 0.8 | 1.4 | 1.3 | 1.9 |
| 1983 | 6.7 | 15.5 | 1.4 | 0.3 | 0.2 | 0.5 | 0.6 | 0.8 | 1.1 | 1.3 | 1.9 |
| 1982 | 6.4 | 14.6 | 1.2 | 0.3 | 0.3 | 0.5 | 0.6 | 0.6 | 1.0 | 1.3 | 1.9 |
| 1981 | 6.5 | 16.6 | 1.5 | 0.4 | 0.2 | 0.4 | 0.6 | 0.9 | 1.0 | 1.6 | 2.2 |
| 1980 | 6.5 | 16.8 | 1.3 | 0.3 | 0.3 | 0.6 | 0.7 | 0.9 | 1.2 | 1.3 | 2.3 |
| 1979 | 6.2 | 17.0 | 1.9 | 0.4 | 0.3 | 0.4 | 0.7 | 0.9 | 1.0 | 1.4 | 2.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other diseases of respiratory system (034.0,460-465,470-478,495,508-519) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 7.2 | 6.2 | 0.5 | 0.2 | * | 0.2 | 0.3 | 0.3 | 0.5 | 0.8 | 1.4 |
| 1997 | 7.0 | 5.1 | 0.4 | * | * | * | 0.5 | 0.4 | 0.6 | 0.8 | 1.5 |
| 1996 | 6.8 | 5.8 | 0.7 | * | 0.2 | 0.2 | 0.3 | 0.4 | 0.5 | 0.8 | 1.2 |
| 1995 | 6.6 | 5.6 | 0.6 | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.6 | 0.9 | 1.4 |
| 1994 | 6.5 | 5.2 | 0.4 | * | * | 0.3 | 0.3 | 0.5 | 0.7 | 1.0 | 1.3 |
| 1993 | 6.5 | 7.8 | 0.6 | * | * | 0.3 | 0.5 | 0.5 | 0.6 | 0.8 | 1.4 |
| 1992 | 6.2 | 7.3 | 0.7 | * | 0.3 | 0.4 | 0.4 | 0.4 | 0.6 | 1.0 | 1.3 |
| 1991 | 6.4 | 7.4 | 0.8 | * | * | 0.3 | 0.4 | 0.5 | 0.6 | 1.0 | 1.5 |
| 1990 | 6.2 | 7.9 | 0.9 | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.9 | 0.9 | 1.4 |
| 1989 | 6.3 | 8.0 | 0.7 | * | * | 0.4 | 0.5 | 0.7 | 0.9 | 0.9 | 1.4 |
| 1988 | 6.4 | 9.8 | 0.8 | * | 0.3 | 0.3 | 0.4 | 0.7 | 0.8 | 1.0 | 1.4 |
| 1987 | 6.1 | 9.8 | 0.9 | * | * | 0.3 | 0.5 | 0.6 | 0.7 | 1.2 | 1.3 |
| 1986 | 6.1 | 9.7 | 0.8 | * | * | 0.4 | 0.4 | 0.5 | 0.8 | 1.1 | 1.3 |
| 1985 | 6.0 | 11.9 | 1.1 | 0.3 | * | 0.3 | 0.4 | 0.5 | 0.8 | 0.8 | 1.4 |
| 1984 | 5.5 | 11.9 | 0.9 | 0.3 | 0.4 | 0.3 | 0.3 | 0.5 | 0.7 | 0.9 | 1.4 |
| 1983 | 5.5 | 12.4 | 1.1 | * | 0.2 | 0.2 | 0.4 | 0.5 | 0.7 | 1.1 | 1.4 |
| 1982 | 4.9 | 10.4 | 1.0 | 0.3 | * | 0.3 | 0.4 | 0.6 | 0.9 | 0.8 | 1.2 |
| 1981 | 4.9 | 11.5 | 1.0 | 0.3 | 0.3 | 0.3 | 0.5 | 0.6 | 0.9 | 1.0 | 1.5 |
| 1980 | 4.6 | 12.2 | 1.0 | 0.3 | * | 0.5 | 0.4 | 0.6 | 0.8 | 1.0 | 1.7 |
| 1979 | 4.3 | 14.1 | 1.5 | 0.3 | 0.3 | 0.4 | 0.4 | 0.5 | 0.5 | 1.2 | 1.4 |
| Other diseases of respiratory system (034.0,460-465,470-478,495,508-519) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 7.9 | 6.5 | 0.5 | 0.2 | 0.1 | 0.2 | 0.3 | 0.3 | 0.5 | 0.8 | 1.3 |
| 1997 | 7.7 | 5.4 | 0.6 | 0.2 | 0.1 | 0.3 | 0.4 | 0.4 | 0.6 | 0.6 | 1.2 |
| 1996 | 7.4 | 5.5 | 0.6 | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 | 0.7 | 1.1 |
| 1995 | 7.2 | 5.7 | 0.5 | 0.2 | 0.2 | 0.3 | 0.4 | 0.4 | 0.5 | 0.8 | 1.2 |
| 1994 | 7.2 | 6.0 | 0.4 | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 | 0.7 | 0.8 | 1.2 |
| 1993 | 7.2 | 7.0 | 0.5 | 0.2 | 0.2 | 0.3 | 0.4 | 0.4 | 0.6 | 0.9 | 1.3 |
| 1992 | 6.8 | 7.3 | 0.6 | 0.2 | 0.3 | 0.3 | 0.3 | 0.5 | 0.6 | 0.8 | 1.2 |
| 1991 | 7.0 | 7.7 | 0.6 | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 | 0.6 | 0.9 | 1.4 |
| 1990 | 6.8 | 8.3 | 0.7 | 0.2 | 0.3 | 0.2 | 0.3 | 0.5 | 0.7 | 0.8 | 1.3 |
| 1989 | 6.9 | 7.6 | 0.7 | 0.2 | 0.2 | 0.4 | 0.4 | 0.6 | 0.8 | 1.0 | 1.3 |
| 1988 | 7.1 | 8.6 | 0.9 | 0.2 | 0.3 | 0.4 | 0.5 | 0.6 | 0.7 | 0.9 | 1.3 |
| 1987 | 6.8 | 8.8 | 0.9 | 0.3 | 0.2 | 0.2 | 0.4 | 0.6 | 0.8 | 1.0 | 1.3 |
| 1986 | 6.8 | 10.0 | 0.8 | 0.2 | 0.2 | 0.3 | 0.4 | 0.5 | 0.8 | 1.1 | 1.5 |
| 1985 | 6.7 | 9.8 | 1.1 | 0.3 | 0.2 | 0.3 | 0.5 | 0.5 | 0.7 | 0.8 | 1.3 |
| 1984 | 6.2 | 11.1 | 0.9 | 0.2 | 0.3 | 0.4 | 0.4 | 0.5 | 0.8 | 0.8 | 1.4 |
| 1983 | 6.2 | 11.7 | 1.1 | 0.3 | 0.2 | 0.3 | 0.5 | 0.6 | 0.8 | 0.9 | 1.2 |
| 1982 | 5.7 | 9.8 | 1.0 | 0.3 | 0.2 | 0.4 | 0.4 | 0.5 | 0.7 | 0.8 | 1.3 |
| 1981 | 5.6 | 10.9 | 1.2 | 0.3 | 0.2 | 0.3 | 0.5 | 0.6 | 0.7 | 1.0 | 1.4 |
| 1980 | 5.5 | 11.6 | 1.1 | 0.2 | 0.3 | 0.5 | 0.4 | 0.7 | 0.8 | 0.8 | 1.5 |
| 1979 | 5.1 | 12.2 | 1.5 | 0.4 | 0.3 | 0.4 | 0.5 | 0.6 | 0.6 | 0.9 | 1.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other diseases of respiratory system (034.0,460-465,470-478,495,508-519) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 8.1 | 7.2 | 0.6 | * | * | * | 0.4 | 0.4 | 0.6 | 0.8 | 1.4 |
| 1997 | 7.8 | 6.5 | 0.6 | * | * | 0.4 | 0.3 | 0.5 | 0.7 | 0.7 | 1.1 |
| 1996 | 7.6 | 6.3 | 0.5 | * | * | 0.3 | 0.3 | 0.4 | 0.6 | 0.9 | 1.2 |
| 1995 | 7.3 | 6.8 | 0.6 | * | * | * | 0.4 | 0.4 | 0.6 | 0.8 | 1.3 |
| 1994 | 7.4 | 7.8 | 0.5 | 0.3 | * | * | 0.3 | 0.3 | 0.8 | 0.8 | 1.4 |
| 1993 | 7.4 | 8.6 | 0.6 | * | 0.3 | 0.4 | 0.4 | 0.4 | 0.6 | 1.0 | 1.5 |
| 1992 | 7.2 | 8.7 | 0.7 | * | * | 0.4 | 0.3 | 0.7 | 0.6 | 1.0 | 1.3 |
| 1991 | 7.3 | 8.7 | 0.5 | * | 0.3 | * | 0.3 | 0.4 | 0.6 | 1.1 | 1.6 |
| 1990 | 7.1 | 10.0 | 0.7 | * | * | * | 0.3 | 0.5 | 0.7 | 0.9 | 1.8 |
| 1989 | 7.2 | 9.1 | 0.8 | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 | 0.9 | 1.2 | 1.6 |
| 1988 | 7.5 | 9.5 | 0.9 | 0.3 | * | 0.4 | 0.6 | 0.6 | 0.8 | 1.0 | 1.6 |
| 1987 | 7.3 | 10.0 | 0.9 | 0.4 | * | * | 0.4 | 0.7 | 1.0 | 1.1 | 1.6 |
| 1986 | 7.2 | 12.5 | 1.0 | * | * | 0.4 | 0.5 | 0.6 | 1.2 | 1.4 | 2.0 |
| 1985 | 7.3 | 10.6 | 1.1 | * | * | 0.4 | 0.6 | 0.7 | 0.8 | 1.0 | 1.5 |
| 1984 | 6.8 | 12.7 | 1.0 | * | 0.3 | 0.5 | 0.6 | 0.6 | 1.0 | 0.9 | 1.5 |
| 1983 | 6.8 | 13.2 | 1.3 | 0.3 | * | 0.4 | 0.6 | 0.8 | 0.9 | 1.0 | 1.4 |
| 1982 | 6.4 | 11.9 | 1.0 | * | * | 0.5 | 0.5 | 0.5 | 0.7 | 1.0 | 1.5 |
| 1981 | 6.4 | 13.0 | 1.5 | 0.3 | * | 0.3 | 0.6 | 0.6 | 0.8 | 1.2 | 1.5 |
| 1980 | 6.4 | 14.2 | 1.3 | * | 0.3 | 0.6 | 0.6 | 0.8 | 0.9 | 0.8 | 1.7 |
| 1979 | 6.0 | 14.2 | 1.7 | 0.3 | 0.3 | 0.3 | 0.6 | 0.7 | 0.7 | 0.9 | 1.4 |
| Other diseases of respiratory system (034.0,460-465,470-478,495,508-519) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 7.8 | 5.8 | 0.4 | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.1 |
| 1997 | 7.5 | 4.3 | 0.5 | * | * | * | 0.4 | 0.3 | 0.5 | 0.6 | 1.2 |
| 1996 | 7.3 | 4.6 | 0.7 | * | * | * | * | 0.3 | 0.4 | 0.6 | 1.0 |
| 1995 | 7.1 | 4.5 | 0.5 | * | * | 0.3 | * | 0.4 | 0.5 | 0.7 | 1.1 |
| 1994 | 7.0 | 4.1 | * | * | * | 0.3 | * | 0.4 | 0.5 | 0.7 | 0.9 |
| 1993 | 7.0 | 5.4 | 0.4 | * | * | 0.3 | 0.4 | 0.3 | 0.5 | 0.7 | 1.0 |
| 1992 | 6.5 | 5.9 | 0.6 | * | 0.3 | * | 0.3 | 0.4 | 0.5 | 0.7 | 1.0 |
| 1991 | 6.7 | 6.5 | 0.7 | * | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.7 | 1.2 |
| 1990 | 6.5 | 6.6 | 0.7 | * | 0.3 | * | 0.3 | 0.4 | 0.6 | 0.6 | 0.9 |
| 1989 | 6.5 | 6.2 | 0.6 | * | * | 0.3 | 0.4 | 0.7 | 0.6 | 0.8 | 1.0 |
| 1988 | 6.7 | 7.8 | 0.8 | * | * | 0.3 | 0.4 | 0.5 | 0.7 | 0.8 | 1.1 |
| 1987 | 6.4 | 7.6 | 0.9 | * | * | * | 0.4 | 0.5 | 0.5 | 0.9 | 1.0 |
| 1986 | 6.3 | 7.4 | 0.7 | * | * | * | 0.3 | 0.4 | 0.5 | 0.8 | 1.0 |
| 1985 | 6.1 | 9.1 | 1.1 | * | * | * | 0.3 | 0.4 | 0.5 | 0.6 | 1.0 |
| 1984 | 5.6 | 9.4 | 0.8 | * | 0.3 | * | 0.3 | 0.4 | 0.5 | 0.7 | 1.3 |
| 1983 | 5.6 | 10.2 | 1.0 | * | * | * | 0.3 | 0.4 | 0.6 | 0.9 | 1.0 |
| 1982 | 5.0 | 7.7 | 0.9 | 0.3 | * | 0.3 | 0.3 | 0.5 | 0.6 | 0.6 | 1.0 |
| 1981 | 4.9 | 8.8 | 0.9 | * | 0.3 | 0.3 | 0.4 | 0.5 | 0.6 | 0.8 | 1.2 |
| 1980 | 4.6 | 8.9 | 0.9 | * | * | 0.4 | 0.3 | 0.5 | 0.6 | 0.9 | 1.3 |
| 1979 | 4.3 | 10.2 | 1.4 | 0.4 | * | 0.4 | 0.4 | 0.4 | 0.5 | 0.9 | 1.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other diseases of respiratory system (034.0,460-465,470-478,495,508-519) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 4.7 | 11.3 | 1.0 | * | * | * | * | 0.7 | 0.8 | 1.5 | 2.7 |
| 1997 | 4.6 | 11.6 | 0.7 | * | * | * | 0.7 | 0.6 | 0.9 | 1.9 | 2.8 |
| 1996 | 4.6 | 11.9 | 0.8 | * | * | * | * | 0.9 | 1.2 | 1.8 | 2.7 |
| 1995 | 4.6 | 10.5 | 1.1 | * | * | * | 0.9 | 0.7 | 1.2 | 1.9 | 2.8 |
| 1994 | 4.8 | 11.1 | 1.3 | * | * | * | * | 0.8 | 1.2 | 2.1 | 3.1 |
| 1993 | 4.9 | 18.4 | 1.2 | * | * | * | 0.6 | 0.8 | 1.2 | 2.0 | 3.7 |
| 1992 | 5.0 | 15.5 | 1.0 | * | * | 0.7 | 0.6 | 0.7 | 1.2 | 2.5 | 3.3 |
| 1991 | 5.2 | 13.6 | 1.4 | * | * | * | 0.8 | 1.1 | 1.6 | 3.1 | 3.5 |
| 1990 | 5.5 | 15.6 | 1.6 | * | * | * | 0.9 | 1.2 | 2.2 | 2.4 | 4.5 |
| 1989 | 5.8 | 18.2 | 1.5 | * | * | 0.6 | 0.9 | 1.0 | 2.0 | 2.9 | 4.1 |
| 1988 | 5.9 | 20.6 | 1.2 | * | * | * | 0.8 | 1.3 | 2.1 | 3.1 | 4.0 |
| 1987 | 5.7 | 20.9 | 1.4 | * | * | * | 0.8 | 1.0 | 2.3 | 3.6 | 3.9 |
| 1986 | 5.8 | 25.4 | 1.5 | * | * | 0.7 | 0.7 | 1.3 | 2.4 | 3.4 | 3.4 |
| 1985 | 6.1 | 26.8 | 1.7 | * | * | * | 1.0 | 1.4 | 2.3 | 2.5 | 4.7 |
| 1984 | 5.5 | 23.2 | 1.4 | * | * | * | 0.7 | 1.2 | 2.4 | 3.0 | 3.3 |
| 1983 | 5.5 | 23.8 | 1.6 | * | * | 0.6 | 0.8 | 1.1 | 1.9 | 2.8 | 4.4 |
| 1982 | 5.5 | 24.9 | 1.6 | * | * | * | 1.2 | 1.3 | 2.6 | 2.6 | 3.1 |
| 1981 | 5.7 | 28.6 | 1.7 | * | * | * | 1.0 | 1.7 | 2.5 | 3.1 | 5.0 |
| 1980 | 5.8 | 27.9 | 1.3 | * | * | * | 1.2 | 1.4 | 2.7 | 3.2 | 5.0 |
| 1979 | 5.5 | 31.3 | 2.3 | * | * | 0.6 | 0.8 | 1.5 | 2.0 | 4.2 | 4.5 |
| Other diseases of respiratory system (034.0,460-465,470-478,495,508-519) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 4.9 | 15.0 | * | * | * | * | * | * | * | 1.7 | 2.9 |
| 1997 | 4.8 | 14.8 | * | * | * | * | * | * | * | 1.9 | 3.0 |
| 1996 | 4.9 | 13.5 | * | * | * | * | * | * | 1.5 | 1.7 | 3.3 |
| 1995 | 4.8 | 11.2 | * | * | * | * | * | * | 1.5 | 2.0 | 2.9 |
| 1994 | 5.2 | 12.6 | 1.4 | * | * | * | * | * | 1.2 | 2.0 | 3.1 |
| 1993 | 5.2 | 20.2 | 1.3 | * | * | * | * | * | 1.3 | 2.3 | 4.2 |
| 1992 | 5.5 | 18.4 | * | * | * | * | * | * | 1.5 | 2.8 | 4.4 |
| 1991 | 5.7 | 16.6 | 1.6 | * | * | * | * | * | 2.3 | 3.8 | 3.9 |
| 1990 | 5.9 | 18.3 | 1.5 | * | * | * | * | 1.5 | 2.2 | 2.7 | 5.0 |
| 1989 | 6.7 | 21.5 | 1.7 | * | * | * | * | 1.1 | 1.9 | 4.4 | 4.6 |
| 1988 | 6.7 | 23.5 | 1.6 | * | * | * | * | 1.4 | 2.6 | 4.2 | 4.8 |
| 1987 | 6.7 | 22.7 | 1.7 | * | * | * | * | * | 3.4 | 4.6 | 4.4 |
| 1986 | 7.0 | 31.3 | 2.0 | * | * | * | * | 1.7 | 2.9 | 4.4 | 3.6 |
| 1985 | 7.1 | 29.7 | 1.9 | * | * | * | 1.2 | 1.5 | 2.5 | 3.4 | 5.8 |
| 1984 | 6.4 | 23.5 | 1.6 | * | * | * | * | 1.5 | 3.5 | 3.9 | 4.8 |
| 1983 | 6.6 | 25.9 | 1.9 | * | * | * | * | * | 2.4 | 3.3 | 5.6 |
| 1982 | 6.8 | 27.0 | 1.8 | * | * | * | 1.3 | 1.3 | 2.9 | 3.6 | 4.2 |
| 1981 | 6.9 | 33.4 | * | * | * | * | * | 2.3 | 2.6 | 4.5 | 6.8 |
| 1980 | 7.4 | 29.1 | * | * | * | * | 1.6 | 1.6 | 3.3 | 4.7 | 6.3 |
| 1979 | 7.1 | 30.4 | 2.6 | * | * | * | * | 2.0 | 3.3 | 5.2 | 6.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other diseases of respiratory system (034.0,460-465,470-478,495,508-519) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 4.5 | 7.4 | * | * | * | * | * | * | * | 1.3 | 2.6 |
| 1997 | 4.4 | 8.3 | * | * | * | * | * | * | 1.0 | 1.9 | 2.6 |
| 1996 | 4.4 | 10.3 | * | * | * | * | * | * | * | 1.8 | 2.2 |
| 1995 | 4.3 | 9.7 | 1.2 | * | * | * | 1.1 | * | * | 1.8 | 2.6 |
| 1994 | 4.4 | 9.5 | * | * | * | * | * | * | 1.2 | 2.2 | 3.0 |
| 1993 | 4.6 | 16.5 | * | * | * | * | * | * | 1.0 | 1.7 | 3.2 |
| 1992 | 4.5 | 12.4 | * | * | * | * | * | * | 1.0 | 2.3 | 2.4 |
| 1991 | 4.6 | 10.5 | * | * | * | * | * | 1.2 | 1.1 | 2.4 | 3.1 |
| 1990 | 5.0 | 12.9 | 1.7 | * | * | * | * | 1.0 | 2.2 | 2.2 | 4.1 |
| 1989 | 5.0 | 14.7 | * | * | * | * | * | * | 2.1 | 1.6 | 3.7 |
| 1988 | 5.1 | 17.6 | * | * | * | * | * | 1.3 | 1.6 | 2.2 | 3.2 |
| 1987 | 4.8 | 18.9 | * | * | * | * | * | * | 1.4 | 2.7 | 3.5 |
| 1986 | 4.7 | 19.4 | * | * | * | * | * | * | 2.0 | 2.6 | 3.3 |
| 1985 | 5.1 | 23.9 | 1.5 | * | * | * | * | 1.3 | 2.2 | 1.6 | 3.7 |
| 1984 | 4.6 | 22.9 | * | * | * | * | * | * | 1.4 | 2.3 | 2.1 |
| 1983 | 4.4 | 21.6 | * | * | * | * | * | 1.2 | 1.6 | 2.4 | 3.4 |
| 1982 | 4.4 | 22.7 | * | * | * | * | 1.1 | 1.3 | 2.3 | 1.8 | 2.2 |
| 1981 | 4.6 | 23.5 | 1.8 | * | * | * | * | * | 2.4 | * | 3.4 |
| 1980 | 4.4 | 26.6 | * | * | * | * | * | * | 2.1 | * | 3.8 |
| 1979 | 4.1 | 32.3 | 1.9 | * | * | * | * | * | * | 3.4 | 3.1 |
| Other diseases of respiratory system (034.0,460-465,470-478,495,508-519) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 5.3 | 13.2 | 1.1 | * | * | * | * | 0.8 | 1.0 | 1.9 | 3.5 |
| 1997 | 5.2 | 13.6 | 0.8 | * | * | * | 0.9 | * | 1.2 | 2.5 | 3.6 |
| 1996 | 5.3 | 14.9 | 0.9 | * | * | * | * | 1.0 | 1.5 | 2.2 | 3.5 |
| 1995 | 5.1 | 11.8 | 1.3 | * | * | * | 1.1 | 0.9 | 1.4 | 2.4 | 3.6 |
| 1994 | 5.4 | 12.7 | 1.4 | * | * | * | * | 1.0 | 1.5 | 2.7 | 4.0 |
| 1993 | 5.5 | 21.8 | 1.5 | * | * | * | 0.9 | 1.1 | 1.5 | 2.4 | 4.6 |
| 1992 | 5.6 | 18.5 | 1.1 | * | * | 0.8 | * | 0.9 | 1.7 | 3.1 | 4.2 |
| 1991 | 5.9 | 16.8 | 1.6 | * | * | * | 0.9 | 1.4 | 2.0 | 3.8 | 4.4 |
| 1990 | 6.2 | 18.3 | 1.7 | * | * | * | 1.1 | 1.6 | 2.8 | 3.1 | 5.8 |
| 1989 | 6.7 | 20.8 | 1.8 | * | * | * | 1.1 | 1.3 | 2.4 | 3.7 | 5.5 |
| 1988 | 6.7 | 22.7 | 1.5 | * | * | * | 1.0 | 1.6 | 2.6 | 4.1 | 5.0 |
| 1987 | 6.4 | 23.8 | 1.5 | * | * | * | 1.0 | 1.1 | 2.9 | 4.6 | 4.9 |
| 1986 | 6.6 | 28.1 | 1.6 | * | * | 0.8 | 0.8 | 1.6 | 3.1 | 4.3 | 4.3 |
| 1985 | 6.8 | 31.1 | 1.9 | * | * | * | 1.2 | 1.6 | 2.9 | 3.2 | 5.7 |
| 1984 | 6.1 | 26.6 | 1.6 | * | * | * | 0.8 | 1.5 | 2.9 | 3.6 | 4.0 |
| 1983 | 6.1 | 27.0 | 1.8 | * | * | * | 0.8 | 1.3 | 2.5 | 3.3 | 5.5 |
| 1982 | 6.2 | 28.4 | 1.9 | * | * | * | 1.3 | 1.6 | 3.1 | 3.3 | 3.7 |
| 1981 | 6.2 | 31.9 | 1.7 | * | * | * | 1.1 | 2.0 | 3.0 | 3.9 | 5.8 |
| 1980 | 6.2 | 31.0 | 1.4 | * | * | * | 1.2 | 1.7 | 3.2 | 3.9 | 5.4 |
| 1979 | 5.9 | 34.4 | 2.3 | * | * | * | 0.9 | 1.7 | 2.2 | 4.8 | 5.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other diseases of respiratory system (034.0,460-465,470-478,495,508-519) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 5.6 | 18.0 | * | * | * | * | * | * | * | 2.3 | 3.7 |
| 1997 | 5.5 | 17.6 | * | * | * | * | * | * | * | 2.4 | 3.9 |
| 1996 | 5.6 | 17.3 | * | * | * | * | * | * | 1.8 | 2.1 | 4.2 |
| 1995 | 5.3 | 11.6 | * | * | * | * | * | * | 1.8 | 2.6 | 3.8 |
| 1994 | 5.7 | 14.4 | 1.5 | * | * | * | * | * | 1.5 | 2.6 | 3.9 |
| 1993 | 5.8 | 24.3 | 1.7 | * | * | * | * | * | 1.6 | 2.8 | 5.5 |
| 1992 | 6.2 | 21.4 | * | * | * | * | * | * | 2.0 | 3.2 | 5.8 |
| 1991 | 6.6 | 20.5 | 1.9 | * | * | * | * | * | 2.9 | 4.8 | 4.7 |
| 1990 | 6.8 | 21.4 | * | * | * | * | * | 2.0 | 2.9 | 3.4 | 6.1 |
| 1989 | 7.7 | 24.1 | 2.0 | * | * | * | * | * | 2.5 | 5.4 | 6.2 |
| 1988 | 7.8 | 26.3 | 1.9 | * | * | * | * | 1.7 | 3.4 | 5.5 | 5.9 |
| 1987 | 7.5 | 26.1 | * | * | * | * | * | * | 4.4 | 6.1 | 5.8 |
| 1986 | 8.0 | 35.4 | 2.1 | * | * | * | * | 2.0 | 3.6 | 5.5 | 4.7 |
| 1985 | 8.0 | 33.7 | 2.1 | * | * | * | * | 1.8 | 3.1 | 4.5 | 7.0 |
| 1984 | 7.2 | 26.6 | 1.9 | * | * | * | * | 1.9 | 4.4 | 4.7 | 5.7 |
| 1983 | 7.3 | 30.0 | 2.2 | * | * | * | * | * | 3.0 | 3.9 | 6.8 |
| 1982 | 7.5 | 31.1 | 2.0 | * | * | * | * | 1.7 | 3.4 | 4.6 | 5.1 |
| 1981 | 7.6 | 36.3 | * | * | * | * | * | 2.8 | 3.1 | 5.7 | 8.1 |
| 1980 | 7.9 | 32.0 | * | * | * | * | 1.7 | 1.9 | 3.9 | 5.9 | 7.2 |
| 1979 | 7.6 | 32.7 | 2.8 | * | * | * | * | 2.3 | 3.7 | 5.9 | 7.3 |
| Other diseases of respiratory system (034.0,460-465,470-478,495,508-519) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 5.1 | 8.3 | * | * | * | * | * | * | * | 1.6 | 3.4 |
| 1997 | 4.9 | 9.4 | * | * | * | * | * | * | * | 2.5 | 3.3 |
| 1996 | 5.0 | 12.4 | * | * | * | * | * | * | * | 2.3 | 2.9 |
| 1995 | 4.9 | 11.9 | * | * | * | * | * | * | * | 2.3 | 3.4 |
| 1994 | 5.1 | 10.8 | * | * | * | * | * | * | 1.5 | 2.8 | 4.0 |
| 1993 | 5.2 | 19.2 | * | * | * | * | * | * | 1.4 | 2.0 | 3.8 |
| 1992 | 5.1 | 15.6 | * | * | * | * | * | * | 1.4 | 3.1 | 2.9 |
| 1991 | 5.3 | 13.0 | * | * | * | * | * | 1.6 | * | 2.9 | 4.1 |
| 1990 | 5.8 | 15.2 | 1.8 | * | * | * | * | * | 2.7 | 2.8 | 5.6 |
| 1989 | 5.8 | 17.5 | * | * | * | * | * | * | 2.4 | 2.2 | 5.0 |
| 1988 | 5.8 | 18.9 | * | * | * | * | * | 1.5 | 1.9 | 2.9 | 4.2 |
| 1987 | 5.4 | 21.4 | * | * | * | * | * | * | 1.7 | 3.2 | 4.1 |
| 1986 | 5.3 | 20.7 | * | * | * | * | * | * | 2.6 | 3.3 | 4.1 |
| 1985 | 5.7 | 28.4 | * | * | * | * | * | 1.5 | 2.7 | 2.1 | 4.5 |
| 1984 | 5.2 | 26.6 | * | * | * | * | * | * | 1.6 | 2.8 | 2.6 |
| 1983 | 5.0 | 23.9 | * | * | * | * | * | * | 2.0 | 2.9 | 4.4 |
| 1982 | 4.9 | 25.6 | * | * | * | * | * | 1.5 | 2.9 | 2.3 | * |
| 1981 | 5.0 | 27.4 | * | * | * | * | * | * | 3.0 | * | 3.8 |
| 1980 | 4.7 | 30.1 | * | * | * | * | * | * | 2.5 | * | 3.9 |
| 1979 | 4.4 | 35.9 | * | * | * | * | * | * | * | 4.0 | 3.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Peptic ulcer (531-534) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.7 | * | * | * | * | * | * | * | 0.1 | 0.1 | 0.4 |
| 1997 | 1.9 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1996 | 1.9 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 |
| 1995 | 2.1 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 |
| 1994 | 2.3 | * | * | * | * | * | * | 0.1 | 0.1 | 0.3 | 0.5 |
| 1993 | 2.3 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.5 |
| 1992 | 2.4 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 |
| 1991 | 2.4 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.5 |
| 1990 | 2.5 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 |
| 1989 | 2.6 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.5 |
| 1988 | 2.7 | * | * | * | * | * | * | * | 0.1 | 0.4 | 0.5 |
| 1987 | 2.7 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.6 |
| 1986 | 2.7 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 |
| 1985 | 2.8 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.5 |
| 1984 | 2.8 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1983 | 2.8 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1982 | 2.9 | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.7 |
| 1981 | 2.9 | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 |
| 1980 | 2.7 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.7 |
| 1979 | 2.7 | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.4 | 0.9 |
| Peptic ulcer (531-534) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 1.7 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1997 | 1.8 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1996 | 1.8 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1995 | 2.0 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1994 | 2.3 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 |
| 1993 | 2.2 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1992 | 2.4 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.7 |
| 1991 | 2.4 | * | * | * | * | * | * | * | * | 0.4 | 0.7 |
| 1990 | 2.5 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 |
| 1989 | 2.6 | * | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1988 | 2.7 | * | * | * | * | * | * | * | 0.2 | 0.5 | 0.7 |
| 1987 | 2.7 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.8 |
| 1986 | 2.7 | * | * | * | * | * | * | * | 0.2 | 0.6 | 0.7 |
| 1985 | 2.9 | * | * | * | * | * | * | * | * | 0.5 | 0.7 |
| 1984 | 2.8 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.7 |
| 1983 | 2.9 | * | * | * | * | * | * | * | * | 0.4 | 0.9 |
| 1982 | 3.1 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.9 |
| 1981 | 3.1 | * | * | * | * | * | * | * | 0.3 | 0.7 | 0.8 |
| 1980 | 3.1 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.0 |
| 1979 | 3.0 | * | * | * | * | * | * | * | 0.3 | 0.6 | 1.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Peptic ulcer (531-534) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 1.8 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1997 | 2.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1996 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.1 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1994 | 2.4 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1993 | 2.4 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1992 | 2.5 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1991 | 2.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1990 | 2.5 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1989 | 2.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1988 | 2.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1987 | 2.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1986 | 2.8 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1985 | 2.7 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1984 | 2.8 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1983 | 2.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1982 | 2.8 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1981 | 2.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1980 | 2.4 | * | * | * | * | * | * | * | 0.2 | * | 0.5 |
| 1979 | 2.3 | * | * | * | * | * | * | * | * | * | 0.6 |
| Peptic ulcer (531-534) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.9 | * | * | * | * | * | * | * | * | 0.1 | 0.3 |
| 1997 | 2.0 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1996 | 2.0 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1995 | 2.2 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1994 | 2.5 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 |
| 1993 | 2.5 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1992 | 2.6 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 |
| 1991 | 2.6 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1990 | 2.7 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1989 | 2.8 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1988 | 2.8 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1987 | 2.8 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.4 |
| 1986 | 2.9 | * | * | * | * | * | * | * | 0.1 | 0.3 | 0.4 |
| 1985 | 3.0 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1984 | 3.0 | * | * | * | * | * | * | * | 0.1 | 0.2 | 0.5 |
| 1983 | 2.9 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1982 | 3.1 | * | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.6 |
| 1981 | 3.0 | * | * | * | * | * | * | * | 0.1 | 0.4 | 0.5 |
| 1980 | 2.9 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.6 |
| 1979 | 2.8 | * | * | * | * | * | * | * | 0.1 | 0.4 | 0.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Peptic ulcer (531-534) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 1.8 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1997 | 1.9 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1996 | 1.9 | * | * | * | * | * | * | * | * | 0.2 | 0.6 |
| 1995 | 2.1 | * | * | * | * | * | * | * | * | 0.2 | 0.4 |
| 1994 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1993 | 2.3 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1992 | 2.4 | * | * | * | * | * | * | * | * | 0.2 | 0.5 |
| 1991 | 2.5 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1990 | 2.6 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1989 | 2.7 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1988 | 2.8 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1987 | 2.9 | * | * | * | * | * | * | * | * | 0.3 | 0.6 |
| 1986 | 2.8 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1985 | 3.0 | * | * | * | * | * | * | * | * | 0.4 | 0.6 |
| 1984 | 3.0 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |
| 1983 | 3.0 | * | * | * | * | * | * | * | * | 0.3 | 0.7 |
| 1982 | 3.2 | * | * | * | * | * | * | * | * | 0.3 | 0.8 |
| 1981 | 3.2 | * | * | * | * | * | * | * | * | 0.5 | 0.6 |
| 1980 | 3.2 | * | * | * | * | * | * | * | * | 0.5 | 0.8 |
| 1979 | 3.1 | * | * | * | * | * | * | * | * | 0.4 | 1.1 |
| Peptic ulcer (531-534) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 2.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1996 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 2.6 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1993 | 2.6 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1992 | 2.7 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1991 | 2.7 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1990 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.8 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1986 | 3.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1985 | 3.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 3.0 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1983 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 3.0 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1981 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.5 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1979 | 2.5 | * | * | * | * | * | * | * | * | * | 0.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Peptic ulcer (531-534) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | * | 0.5 |
| 1997 | 1.3 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1996 | 1.4 | * | * | * | * | * | * | * | * | 0.6 | 0.7 |
| 1995 | 1.4 | * | * | * | * | * | * | * | * | 0.5 | 0.9 |
| 1994 | 1.6 | * | * | * | * | * | * | * | * | 0.7 | 0.8 |
| 1993 | 1.6 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1992 | 1.6 | * | * | * | * | * | * | * | * | 0.7 | 0.8 |
| 1991 | 1.6 | * | * | * | * | * | * | * | * | * | 0.9 |
| 1990 | 1.7 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1989 | 2.0 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1988 | 1.7 | * | * | * | * | * | * | * | * | 0.8 | 1.0 |
| 1987 | 1.7 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1986 | 1.9 | * | * | * | * | * | * | * | * | 0.8 | 1.0 |
| 1985 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.8 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1983 | 1.8 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1982 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.0 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1980 | 1.8 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1979 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| Peptic ulcer (531-534) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.7 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1994 | 1.9 | * | * | * | * | * | * | * | * | * | 1.3 |
| 1993 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.9 | * | * | * | * | * | * | * | * | * | 1.7 |
| 1991 | 1.9 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1990 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.4 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1988 | 2.1 | * | * | * | * | * | * | * | * | 1.6 | * |
| 1987 | 2.1 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1986 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.5 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1979 | 2.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Peptic ulcer (531-534) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| Peptic ulcer (531-534) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.4 | * | * | * | * | * | * | * | * | * | 0.9 |
| 1996 | 1.5 | * | * | * | * | * | * | * | * | 0.7 | 0.9 |
| 1995 | 1.5 | * | * | * | * | * | * | * | * | 0.7 | 1.1 |
| 1994 | 1.8 | * | * | * | * | * | * | * | * | 1.0 | 1.0 |
| 1993 | 1.7 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1992 | 1.8 | * | * | * | * | * | * | * | * | 1.0 | 1.0 |
| 1991 | 1.8 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1990 | 1.9 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1989 | 2.2 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1988 | 1.9 | * | * | * | * | * | * | * | * | 1.0 | 1.3 |
| 1987 | 1.9 | * | * | * | * | * | * | * | * | * | 1.6 |
| 1986 | 2.1 | * | * | * | * | * | * | * | * | 1.0 | 1.3 |
| 1985 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.0 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1983 | 2.0 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1982 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.9 | * | * | * | * | * | * | * | * | * | 2.0 |
| 1979 | 1.9 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Peptic ulcer (531-534) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.8 | * | * | * | * | * | * | * | * | * | 2.3 |
| 1994 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.1 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1991 | 2.1 | * | * | * | * | * | * | * | * | * | 2.2 |
| 1990 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.6 | * | * | * | * | * | * | * | * | * | 2.6 |
| 1988 | 2.3 | * | * | * | * | * | * | * | * | 2.0 | * |
| 1987 | 2.3 | * | * | * | * | * | * | * | * | * | 3.0 |
| 1986 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.6 | * | * | * | * | * | * | * | * | * | * |
| Peptic ulcer (531-534) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diseases of appendix (540-543) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Diseases of appendix (540-543) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diseases of appendix (540-543) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Diseases of appendix (540-543) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diseases of appendix (540-543) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Diseases of appendix (540-543) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Diseases of appendix (540-543) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| Diseases of appendix (540-543) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Diseases of appendix (540-543) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Diseases of appendix (540-543) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Diseases of appendix (540-543) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| Diseases of appendix (540-543) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hernia (550-553) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.5 | 0.7 | * | * | * | * | * | * | * | * | 0.1 |
| 1997 | 0.5 | 1.0 | * | * | * | * | * | * | * | * | 0.1 |
| 1996 | 0.5 | 0.9 | * | * | * | * | * | * | * | * | 0.1 |
| 1995 | 0.5 | 0.8 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | 0.7 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.5 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | 0.8 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | 0.9 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.7 | 2.5 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | 2.2 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | 3.3 | * | * | * | * | * | * | * | * | * |
| Hernia (550-553) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.5 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | 1.0 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.5 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | 2.2 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | 2.2 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | 2.8 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | 3.1 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | 2.7 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | 4.2 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hernia (550-553) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.7 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.7 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.7 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.8 | 2.5 | * | * | * | * | * | * | * | * | * |
| Hernia (550-553) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1997 | 0.6 | 0.9 | * | * | * | * | * | * | * | * | 0.1 |
| 1996 | 0.6 | 0.7 | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | 0.7 | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | 0.7 | * | * | * | * | * | * | * | * | * |
| 1993 | 0.5 | 1.1 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | 0.7 | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | 1.0 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | 0.8 | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | 1.0 | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | 0.9 | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | 0.9 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | 1.2 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | 1.3 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | 1.6 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | 1.9 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.7 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | 2.1 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.8 | 3.0 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hernia (550-553) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | 1.7 | * | * | * | * | * | * | * | * | * |
| 1985 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | 2.3 | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | 2.2 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.7 | 2.9 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | 2.4 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | 3.6 | * | * | * | * | * | * | * | * | * |
| Hernia (550-553) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.7 | 1.4 | * | * | * | * | * | * | * | * | * |
| 1984 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.7 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1982 | 0.7 | 1.5 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1980 | 0.8 | 1.8 | * | * | * | * | * | * | * | * | * |
| 1979 | 0.8 | 2.3 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Hernia (550-553) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | 2.9 | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | 3.3 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | 5.0 | * | * | * | * | * | * | * | * | * |
| Hernia (550-553) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.6 | 6.9 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hernia (550-553) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Hernia (550-553) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | 3.9 | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.6 | 4.5 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Hernia (550-553) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| Hernia (550-553) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Chronic liver disease and cirrhosis (571) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 9.1 | * | * | * | * | * | * | 0.5 | 2.0 | 4.8 | 10.4 |
| 1997 | 9.2 | * | * | * | * | * | * | 0.5 | 2.0 | 5.2 | 10.9 |
| 1996 | 9.3 | * | * | * | * | * | * | 0.6 | 2.0 | 5.7 | 11.3 |
| 1995 | 9.5 | 0.6 | * | * | * | * | 0.1 | 0.7 | 2.1 | 6.0 | 11.7 |
| 1994 | 9.7 | * | * | * | * | * | 0.1 | 0.7 | 2.6 | 6.3 | 11.7 |
| 1993 | 9.7 | * | * | * | * | * | 0.2 | 0.8 | 2.5 | 6.8 | 11.9 |
| 1992 | 9.8 | 0.6 | * | * | * | * | 0.1 | 0.8 | 2.7 | 6.8 | 11.5 |
| 1991 | 10.1 | * | * | * | * | * | 0.2 | 0.9 | 3.0 | 7.1 | 11.4 |
| 1990 | 10.4 | * | * | * | * | * | 0.2 | 0.9 | 3.2 | 7.9 | 11.6 |
| 1989 | 10.8 | * | * | * | * | * | 0.2 | 1.0 | 3.6 | 8.2 | 11.9 |
| 1988 | 10.8 | 0.6 | * | * | * | * | 0.2 | 1.2 | 3.7 | 8.2 | 12.4 |
| 1987 | 10.8 | * | * | * | * | * | 0.3 | 1.2 | 4.2 | 8.3 | 12.0 |
| 1986 | 10.9 | 0.5 | * | * | * | * | 0.3 | 1.3 | 4.4 | 7.7 | 12.2 |
| 1985 | 11.3 | * | * | * | * | * | 0.3 | 1.3 | 4.8 | 7.8 | 12.4 |
| 1984 | 11.6 | 0.6 | * | * | * | * | 0.2 | 1.4 | 4.4 | 7.7 | 13.1 |
| 1983 | 11.7 | 0.6 | * | * | * | * | 0.2 | 1.6 | 4.6 | 7.4 | 13.4 |
| 1982 | 12.0 | 0.9 | * | * | * | * | 0.3 | 1.8 | 4.4 | 8.3 | 13.8 |
| 1981 | 12.8 | 0.8 | * | * | * | * | 0.4 | 1.9 | 4.3 | 9.5 | 15.6 |
| 1980 | 13.5 | 0.9 | * | * | * | 0.1 | 0.4 | 2.1 | 5.1 | 10.2 | 17.7 |
| 1979 | 13.2 | 1.0 | * | * | * | 0.1 | 0.3 | 2.1 | 4.8 | 10.4 | 18.0 |
| Chronic liver disease and cirrhosis (571) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 12.1 | * | * | * | * | * | * | 0.7 | 2.5 | 6.2 | 15.0 |
| 1997 | 12.2 | * | * | * | * | * | * | 0.6 | 2.6 | 7.0 | 15.8 |
| 1996 | 12.4 | * | * | * | * | * | * | 0.8 | 2.5 | 7.9 | 16.9 |
| 1995 | 12.7 | * | * | * | * | * | 0.2 | 0.9 | 2.9 | 8.3 | 17.8 |
| 1994 | 12.8 | * | * | * | * | * | * | 0.9 | 3.5 | 8.8 | 17.6 |
| 1993 | 12.8 | * | * | * | * | * | * | 1.1 | 3.2 | 9.5 | 18.0 |
| 1992 | 13.2 | * | * | * | * | * | * | 0.9 | 3.6 | 9.9 | 17.9 |
| 1991 | 13.2 | * | * | * | * | * | * | 1.1 | 3.8 | 10.1 | 16.9 |
| 1990 | 13.7 | * | * | * | * | * | * | 1.2 | 4.0 | 11.5 | 17.4 |
| 1989 | 14.4 | * | * | * | * | * | 0.3 | 1.3 | 4.9 | 12.5 | 18.1 |
| 1988 | 14.4 | * | * | * | * | * | 0.2 | 1.3 | 5.3 | 12.1 | 18.3 |
| 1987 | 14.5 | * | * | * | * | * | 0.3 | 1.5 | 5.7 | 12.1 | 17.7 |
| 1986 | 14.4 | * | * | * | * | * | 0.3 | 1.6 | 6.1 | 11.6 | 17.2 |
| 1985 | 14.9 | * | * | * | * | * | 0.4 | 1.7 | 6.5 | 11.1 | 18.0 |
| 1984 | 15.3 | * | * | * | * | * | 0.3 | 1.8 | 6.2 | 11.3 | 18.4 |
| 1983 | 15.4 | * | * | * | * | * | 0.2 | 2.1 | 6.3 | 10.4 | 19.1 |
| 1982 | 15.9 | 1.1 | * | * | * | * | 0.4 | 2.3 | 6.3 | 12.0 | 19.2 |
| 1981 | 16.9 | * | * | * | * | * | 0.4 | 2.5 | 6.1 | 12.9 | 22.1 |
| 1980 | 18.0 | * | * | * | * | * | 0.5 | 2.7 | 7.0 | 14.0 | 24.0 |
| 1979 | 17.7 | * | * | * | * | * | 0.4 | 2.9 | 6.8 | 14.4 | 24.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Chronic liver disease and cirrhosis (571) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 6.3 | * | * | * | * | * | * | 0.3 | 1.4 | 3.4 | 5.8 |
| 1997 | 6.4 | * | * | * | * | * | * | 0.3 | 1.4 | 3.4 | 6.1 |
| 1996 | 6.3 | * | * | * | * | * | * | 0.4 | 1.6 | 3.5 | 5.8 |
| 1995 | 6.4 | * | * | * | * | * | * | 0.4 | 1.3 | 3.7 | 5.7 |
| 1994 | 6.6 | * | * | * | * | * | * | 0.5 | 1.8 | 3.8 | 6.0 |
| 1993 | 6.7 | * | * | * | * | * | * | 0.5 | 1.7 | 4.0 | 6.0 |
| 1992 | 6.7 | * | * | * | * | * | * | 0.6 | 1.8 | 3.8 | 5.2 |
| 1991 | 7.1 | * | * | * | * | * | * | 0.7 | 2.2 | 4.1 | 6.1 |
| 1990 | 7.2 | * | * | * | * | * | * | 0.7 | 2.4 | 4.4 | 5.9 |
| 1989 | 7.4 | * | * | * | * | * | 0.2 | 0.7 | 2.2 | 3.9 | 5.8 |
| 1988 | 7.3 | * | * | * | * | * | * | 1.1 | 2.2 | 4.4 | 6.6 |
| 1987 | 7.4 | * | * | * | * | * | 0.2 | 0.9 | 2.6 | 4.6 | 6.6 |
| 1986 | 7.6 | * | * | * | * | * | 0.2 | 0.9 | 2.8 | 3.9 | 7.4 |
| 1985 | 7.8 | * | * | * | * | * | * | 0.9 | 3.1 | 4.6 | 6.9 |
| 1984 | 8.1 | * | * | * | * | * | 0.2 | 1.1 | 2.6 | 4.1 | 7.9 |
| 1983 | 8.1 | * | * | * | * | * | 0.3 | 1.1 | 2.8 | 4.5 | 7.8 |
| 1982 | 8.2 | * | * | * | * | * | 0.3 | 1.3 | 2.6 | 4.7 | 8.6 |
| 1981 | 8.8 | * | * | * | * | * | 0.4 | 1.3 | 2.5 | 6.1 | 9.3 |
| 1980 | 9.3 | * | * | * | * | * | 0.4 | 1.5 | 3.2 | 6.5 | 11.7 |
| 1979 | 9.0 | * | * | * | * | * | 0.2 | 1.4 | 2.9 | 6.5 | 11.5 |
| Chronic liver disease and cirrhosis (571) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 9.6 | * | * | * | * | * | * | 0.5 | 1.9 | 4.7 | 10.2 |
| 1997 | 9.7 | * | * | * | * | * | * | 0.5 | 1.9 | 5.1 | 10.8 |
| 1996 | 9.6 | * | * | * | * | * | * | 0.6 | 2.0 | 5.3 | 10.8 |
| 1995 | 9.7 | * | * | * | * | * | * | 0.7 | 2.0 | 5.5 | 11.0 |
| 1994 | 9.8 | * | * | * | * | * | * | 0.6 | 2.4 | 5.9 | 10.9 |
| 1993 | 9.9 | * | * | * | * | * | 0.1 | 0.7 | 2.2 | 6.1 | 10.6 |
| 1992 | 9.9 | * | * | * | * | * | * | 0.7 | 2.4 | 6.2 | 10.3 |
| 1991 | 10.1 | * | * | * | * | * | * | 0.8 | 2.6 | 6.2 | 9.9 |
| 1990 | 10.3 | * | * | * | * | * | 0.1 | 0.7 | 2.6 | 6.6 | 9.9 |
| 1989 | 10.7 | * | * | * | * | * | 0.2 | 0.7 | 2.9 | 6.6 | 10.0 |
| 1988 | 10.6 | * | * | * | * | * | 0.1 | 0.9 | 3.0 | 6.6 | 10.4 |
| 1987 | 10.6 | * | * | * | * | * | 0.2 | 0.9 | 3.2 | 6.4 | 9.8 |
| 1986 | 10.8 | * | * | * | * | * | 0.2 | 0.9 | 3.3 | 6.1 | 10.0 |
| 1985 | 11.0 | * | * | * | * | * | 0.2 | 0.9 | 3.6 | 5.8 | 9.9 |
| 1984 | 11.4 | * | * | * | * | * | 0.2 | 1.0 | 3.2 | 5.9 | 10.8 |
| 1983 | 11.5 | * | * | * | * | * | 0.1 | 1.2 | 3.3 | 5.5 | 11.1 |
| 1982 | 11.8 | * | * | * | * | * | 0.2 | 1.2 | 3.2 | 6.3 | 11.6 |
| 1981 | 12.4 | * | * | * | * | * | 0.3 | 1.4 | 2.9 | 7.0 | 12.5 |
| 1980 | 13.0 | 0.8 | * | * | * | 0.1 | 0.3 | 1.3 | 3.3 | 7.4 | 13.9 |
| 1979 | 12.7 | 0.9 | * | * | * | * | 0.3 | 1.4 | 3.2 | 7.5 | 14.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Chronic liver disease and cirrhosis (571) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 12.6 | * | * | * | * | * | * | 0.7 | 2.5 | 6.2 | 15.0 |
| 1997 | 12.7 | * | * | * | * | * | * | 0.6 | 2.6 | 7.0 | 15.9 |
| 1996 | 12.8 | * | * | * | * | * | * | 0.7 | 2.5 | 7.5 | 16.5 |
| 1995 | 13.0 | * | * | * | * | * | * | 0.9 | 2.7 | 7.7 | 17.0 |
| 1994 | 13.1 | * | * | * | * | * | * | 0.9 | 3.4 | 8.6 | 16.6 |
| 1993 | 13.0 | * | * | * | * | * | * | 1.0 | 3.0 | 8.8 | 16.1 |
| 1992 | 13.3 | * | * | * | * | * | * | 0.8 | 3.2 | 9.2 | 16.3 |
| 1991 | 13.3 | * | * | * | * | * | * | 1.0 | 3.5 | 9.3 | 15.0 |
| 1990 | 13.6 | * | * | * | * | * | * | 1.0 | 3.4 | 9.9 | 15.2 |
| 1989 | 14.2 | * | * | * | * | * | * | 1.0 | 4.1 | 10.4 | 15.6 |
| 1988 | 14.3 | * | * | * | * | * | * | 1.1 | 4.4 | 10.0 | 15.7 |
| 1987 | 14.2 | * | * | * | * | * | 0.3 | 1.2 | 4.6 | 9.7 | 14.5 |
| 1986 | 14.2 | * | * | * | * | * | 0.3 | 1.2 | 4.7 | 9.5 | 14.2 |
| 1985 | 14.5 | * | * | * | * | * | 0.3 | 1.3 | 5.1 | 8.6 | 14.3 |
| 1984 | 15.1 | * | * | * | * | * | 0.3 | 1.3 | 4.9 | 8.9 | 15.5 |
| 1983 | 15.2 | * | * | * | * | * | * | 1.7 | 4.8 | 8.0 | 16.0 |
| 1982 | 15.8 | * | * | * | * | * | 0.3 | 1.8 | 4.8 | 9.5 | 16.4 |
| 1981 | 16.5 | * | * | * | * | * | 0.4 | 1.9 | 4.5 | 10.0 | 17.7 |
| 1980 | 17.3 | * | * | * | * | * | 0.4 | 1.9 | 4.8 | 10.3 | 19.0 |
| 1979 | 17.0 | * | * | * | * | * | 0.3 | 2.1 | 4.7 | 10.8 | 20.6 |
| Chronic liver disease and cirrhosis (571) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 6.7 | * | * | * | * | * | * | 0.3 | 1.3 | 3.3 | 5.4 |
| 1997 | 6.7 | * | * | * | * | * | * | 0.3 | 1.2 | 3.1 | 5.8 |
| 1996 | 6.6 | * | * | * | * | * | * | 0.4 | 1.5 | 3.0 | 5.1 |
| 1995 | 6.5 | * | * | * | * | * | * | 0.4 | 1.2 | 3.4 | 5.1 |
| 1994 | 6.7 | * | * | * | * | * | * | 0.3 | 1.5 | 3.2 | 5.2 |
| 1993 | 6.8 | * | * | * | * | * | * | 0.4 | 1.4 | 3.2 | 5.0 |
| 1992 | 6.8 | * | * | * | * | * | * | 0.4 | 1.5 | 3.2 | 4.4 |
| 1991 | 7.0 | * | * | * | * | * | * | 0.5 | 1.7 | 3.0 | 4.8 |
| 1990 | 7.1 | * | * | * | * | * | * | 0.5 | 1.7 | 3.3 | 4.6 |
| 1989 | 7.4 | * | * | * | * | * | * | 0.5 | 1.6 | 2.8 | 4.6 |
| 1988 | 7.2 | * | * | * | * | * | * | 0.7 | 1.6 | 3.1 | 5.2 |
| 1987 | 7.3 | * | * | * | * | * | * | 0.7 | 1.8 | 3.2 | 5.2 |
| 1986 | 7.5 | * | * | * | * | * | * | 0.6 | 1.8 | 2.8 | 5.9 |
| 1985 | 7.6 | * | * | * | * | * | * | 0.6 | 2.0 | 3.0 | 5.6 |
| 1984 | 7.9 | * | * | * | * | * | * | 0.6 | 1.6 | 2.9 | 6.2 |
| 1983 | 7.9 | * | * | * | * | * | * | 0.7 | 1.7 | 3.1 | 6.2 |
| 1982 | 8.0 | * | * | * | * | * | * | 0.7 | 1.7 | 3.2 | 6.9 |
| 1981 | 8.5 | * | * | * | * | * | 0.3 | 0.8 | 1.4 | 4.0 | 7.5 |
| 1980 | 8.8 | * | * | * | * | * | * | 0.7 | 1.9 | 4.6 | 8.9 |
| 1979 | 8.6 | * | * | * | * | * | * | 0.7 | 1.7 | 4.3 | 9.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Chronic liver disease and cirrhosis (571) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 7.0 | * | * | * | * | * | * | 0.5 | 2.1 | 5.3 | 11.0 |
| 1997 | 7.3 | * | * | * | * | * | * | * | 2.4 | 5.7 | 11.2 |
| 1996 | 7.7 | * | * | * | * | * | * | 0.8 | 2.2 | 7.6 | 13.7 |
| 1995 | 8.3 | * | * | * | * | * | * | 0.8 | 2.7 | 8.0 | 15.0 |
| 1994 | 8.8 | * | * | * | * | * | * | 1.1 | 3.6 | 8.2 | 16.2 |
| 1993 | 8.8 | * | * | * | * | * | * | 1.2 | 3.5 | 10.2 | 19.0 |
| 1992 | 9.3 | * | * | * | * | * | * | 1.3 | 4.4 | 10.1 | 17.7 |
| 1991 | 9.8 | * | * | * | * | * | * | 1.6 | 5.1 | 11.5 | 20.0 |
| 1990 | 10.8 | * | * | * | * | * | * | 1.7 | 6.1 | 14.8 | 21.6 |
| 1989 | 11.4 | * | * | * | * | * | * | 2.2 | 7.1 | 16.4 | 22.9 |
| 1988 | 11.7 | * | * | * | * | * | * | 2.5 | 7.6 | 17.1 | 24.3 |
| 1987 | 11.8 | * | * | * | * | * | * | 2.5 | 9.4 | 18.6 | 26.1 |
| 1986 | 11.6 | * | * | * | * | * | 0.6 | 3.1 | 10.6 | 16.9 | 25.8 |
| 1985 | 12.7 | * | * | * | * | * | * | 3.2 | 11.5 | 19.7 | 27.9 |
| 1984 | 12.6 | * | * | * | * | * | * | 3.9 | 11.0 | 18.7 | 27.5 |
| 1983 | 12.6 | * | * | * | * | * | 0.7 | 3.8 | 11.7 | 19.3 | 28.0 |
| 1982 | 12.7 | * | * | * | * | * | 0.9 | 4.9 | 11.5 | 21.0 | 27.5 |
| 1981 | 14.8 | * | * | * | * | * | 0.8 | 5.2 | 12.6 | 25.4 | 34.9 |
| 1980 | 16.8 | * | * | * | * | * | 1.2 | 6.5 | 16.0 | 28.6 | 42.6 |
| 1979 | 16.5 | * | * | * | * | * | 0.8 | 6.6 | 15.7 | 29.8 | 39.6 |
| Chronic liver disease and cirrhosis (571) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 9.5 | * | * | * | * | * | * | * | 2.7 | 6.6 | 15.0 |
| 1997 | 9.6 | * | * | * | * | * | * | * | 2.7 | 7.1 | 15.2 |
| 1996 | 10.3 | * | * | * | * | * | * | 1.1 | 2.7 | 9.9 | 19.2 |
| 1995 | 11.1 | * | * | * | * | * | * | * | 3.5 | 11.1 | 22.3 |
| 1994 | 11.7 | * | * | * | * | * | * | * | 4.1 | 10.1 | 23.7 |
| 1993 | 11.7 | * | * | * | * | * | * | 1.6 | 4.2 | 13.0 | 28.6 |
| 1992 | 12.7 | * | * | * | * | * | * | 1.4 | 5.5 | 13.8 | 27.2 |
| 1991 | 12.6 | * | * | * | * | * | * | 1.7 | 5.6 | 14.3 | 28.6 |
| 1990 | 14.3 | * | * | * | * | * | * | 2.2 | 6.9 | 20.5 | 31.1 |
| 1989 | 15.5 | * | * | * | * | * | * | 2.9 | 9.2 | 24.5 | 34.5 |
| 1988 | 15.4 | * | * | * | * | * | * | 2.3 | 10.7 | 24.4 | 35.2 |
| 1987 | 16.1 | * | * | * | * | * | * | 2.9 | 12.4 | 26.5 | 39.3 |
| 1986 | 15.4 | * | * | * | * | * | * | 3.6 | 14.1 | 24.8 | 37.5 |
| 1985 | 17.1 | * | * | * | * | * | * | 3.8 | 14.6 | 27.0 | 43.2 |
| 1984 | 16.6 | * | * | * | * | * | * | 4.5 | 14.5 | 27.3 | 38.3 |
| 1983 | 16.6 | * | * | * | * | * | * | 4.2 | 15.5 | 26.7 | 40.1 |
| 1982 | 16.7 | * | * | * | * | * | * | 5.5 | 15.6 | 29.6 | 37.9 |
| 1981 | 19.4 | * | * | * | * | * | * | 6.3 | 16.5 | 33.0 | 52.4 |
| 1980 | 22.3 | * | * | * | * | * | * | 7.6 | 22.1 | 40.6 | 58.9 |
| 1979 | 22.3 | * | * | * | * | * | * | 8.4 | 22.0 | 41.0 | 56.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Chronic liver disease and cirrhosis (571) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 4.6 | * | * | * | * | * | * | * | 1.6 | 4.2 | 7.5 |
| 1997 | 5.1 | * | * | * | * | * | * | * | 2.1 | 4.4 | 7.7 |
| 1996 | 5.3 | * | * | * | * | * | * | * | 1.8 | 5.6 | 8.9 |
| 1995 | 5.7 | * | * | * | * | * | * | * | 2.0 | 5.2 | 8.6 |
| 1994 | 6.1 | * | * | * | * | * | * | 1.1 | 3.2 | 6.5 | 9.7 |
| 1993 | 6.2 | * | * | * | * | * | * | * | 2.9 | 7.7 | 10.7 |
| 1992 | 6.3 | * | * | * | * | * | * | 1.2 | 3.4 | 6.9 | 9.5 |
| 1991 | 7.2 | * | * | * | * | * | * | 1.4 | 4.5 | 9.1 | 12.5 |
| 1990 | 7.6 | * | * | * | * | * | * | 1.3 | 5.5 | 9.7 | 13.4 |
| 1989 | 7.7 | * | * | * | * | * | * | 1.5 | 5.1 | 9.3 | 12.9 |
| 1988 | 8.3 | * | * | * | * | * | * | 2.6 | 4.9 | 10.8 | 15.0 |
| 1987 | 7.9 | * | * | * | * | * | * | 2.1 | 6.7 | 11.8 | 14.8 |
| 1986 | 8.0 | * | * | * | * | * | * | 2.5 | 7.5 | 10.1 | 15.8 |
| 1985 | 8.8 | * | * | * | * | * | * | 2.6 | 8.8 | 13.4 | 14.7 |
| 1984 | 8.9 | * | * | * | * | * | * | 3.3 | 7.9 | 11.3 | 18.2 |
| 1983 | 9.1 | * | * | * | * | * | * | 3.4 | 8.3 | 12.9 | 17.7 |
| 1982 | 9.1 | * | * | * | * | * | * | 4.4 | 7.9 | 13.7 | 18.7 |
| 1981 | 10.6 | * | * | * | * | * | * | 4.2 | 9.2 | 18.8 | 19.9 |
| 1980 | 11.9 | * | * | * | * | * | 1.4 | 5.5 | 10.7 | 18.3 | 28.7 |
| 1979 | 11.2 | * | * | * | * | * | * | 5.1 | 10.3 | 20.3 | 25.6 |
| Chronic liver disease and cirrhosis (571) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 7.6 | * | * | * | * | * | * | * | 1.7 | 5.4 | 12.2 |
| 1997 | 8.1 | * | * | * | * | * | * | * | 1.9 | 5.8 | 12.6 |
| 1996 | 8.6 | * | * | * | * | * | * | 0.7 | 1.9 | 8.4 | 15.8 |
| 1995 | 9.1 | * | * | * | * | * | * | * | 2.7 | 8.6 | 17.1 |
| 1994 | 9.8 | * | * | * | * | * | * | 1.0 | 3.6 | 8.8 | 19.4 |
| 1993 | 9.9 | * | * | * | * | * | * | 1.4 | 3.9 | 11.2 | 22.3 |
| 1992 | 10.4 | * | * | * | * | * | * | 1.1 | 4.6 | 11.5 | 21.9 |
| 1991 | 11.1 | * | * | * | * | * | * | 1.6 | 5.7 | 13.7 | 24.5 |
| 1990 | 12.3 | * | * | * | * | * | * | 1.8 | 6.8 | 17.8 | 26.5 |
| 1989 | 12.8 | * | * | * | * | * | * | 2.4 | 7.8 | 19.4 | 27.6 |
| 1988 | 13.1 | * | * | * | * | * | * | 2.5 | 9.0 | 20.5 | 30.2 |
| 1987 | 13.4 | * | * | * | * | * | * | 2.7 | 11.4 | 23.1 | 32.0 |
| 1986 | 12.9 | * | * | * | * | * | * | 3.5 | 12.4 | 20.2 | 31.6 |
| 1985 | 14.2 | * | * | * | * | * | * | 3.5 | 13.5 | 23.6 | 33.0 |
| 1984 | 13.8 | * | * | * | * | * | * | 4.4 | 12.6 | 21.8 | 31.4 |
| 1983 | 13.9 | * | * | * | * | * | 0.7 | 4.1 | 13.7 | 23.3 | 32.0 |
| 1982 | 14.0 | * | * | * | * | * | 1.0 | 5.4 | 13.2 | 24.9 | 31.6 |
| 1981 | 16.0 | * | * | * | * | * | 0.8 | 5.5 | 14.5 | 29.2 | 39.4 |
| 1980 | 18.0 | * | * | * | * | * | 1.4 | 7.2 | 17.5 | 31.3 | 47.1 |
| 1979 | 17.4 | * | * | * | * | * | 0.9 | 6.8 | 16.6 | 33.2 | 42.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Chronic liver disease and cirrhosis (571) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 10.7 | * | * | * | * | * | * | * | 2.1 | 6.8 | 17.3 |
| 1997 | 10.9 | * | * | * | * | * | * | * | 2.2 | 7.2 | 17.1 |
| 1996 | 11.8 | * | * | * | * | * | * | * | 2.0 | 11.4 | 22.6 |
| 1995 | 12.4 | * | * | * | * | * | * | * | 3.1 | 12.0 | 25.4 |
| 1994 | 13.3 | * | * | * | * | * | * | * | 4.1 | 11.3 | 28.9 |
| 1993 | 13.6 | * | * | * | * | * | * | 1.9 | 4.7 | 14.5 | 34.3 |
| 1992 | 14.4 | * | * | * | * | * | * | * | 6.1 | 16.0 | 33.7 |
| 1991 | 14.4 | * | * | * | * | * | * | 1.7 | 6.3 | 17.3 | 35.0 |
| 1990 | 16.6 | * | * | * | * | * | * | 2.6 | 8.1 | 24.9 | 38.0 |
| 1989 | 17.7 | * | * | * | * | * | * | 3.3 | 10.5 | 29.6 | 42.1 |
| 1988 | 17.6 | * | * | * | * | * | * | 2.5 | 13.1 | 29.8 | 43.7 |
| 1987 | 18.6 | * | * | * | * | * | * | 3.1 | 15.2 | 33.3 | 49.3 |
| 1986 | 17.6 | * | * | * | * | * | * | 4.1 | 17.1 | 30.2 | 46.6 |
| 1985 | 19.4 | * | * | * | * | * | * | 4.2 | 17.4 | 33.5 | 52.5 |
| 1984 | 18.4 | * | * | * | * | * | * | 4.9 | 16.9 | 32.4 | 45.4 |
| 1983 | 18.4 | * | * | * | * | * | * | 4.5 | 17.9 | 32.9 | 46.3 |
| 1982 | 18.5 | * | * | * | * | * | * | 6.1 | 17.8 | 35.7 | 44.4 |
| 1981 | 21.4 | * | * | * | * | * | * | 7.2 | 18.9 | 38.5 | 60.5 |
| 1980 | 24.0 | * | * | * | * | * | * | 8.3 | 25.0 | 45.4 | 66.7 |
| 1979 | 23.7 | * | * | * | * | * | * | 8.5 | 24.0 | 46.9 | 61.0 |
| Chronic liver disease and cirrhosis (571) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 4.8 | * | * | * | * | * | * | * | 1.4 | 4.2 | 7.8 |
| 1997 | 5.4 | * | * | * | * | * | * | * | 1.6 | 4.5 | 8.6 |
| 1996 | 5.7 | * | * | * | * | * | * | * | 1.8 | 5.8 | 9.9 |
| 1995 | 6.0 | * | * | * | * | * | * | * | 2.3 | 5.7 | 10.0 |
| 1994 | 6.6 | * | * | * | * | * | * | * | 3.1 | 6.6 | 11.3 |
| 1993 | 6.6 | * | * | * | * | * | * | * | 3.1 | 8.3 | 11.9 |
| 1992 | 6.7 | * | * | * | * | * | * | * | 3.3 | 7.5 | 11.7 |
| 1991 | 8.1 | * | * | * | * | * | * | 1.4 | 5.2 | 10.5 | 15.4 |
| 1990 | 8.5 | * | * | * | * | * | * | * | 5.7 | 11.7 | 16.7 |
| 1989 | 8.4 | * | * | * | * | * | * | 1.6 | 5.5 | 10.6 | 15.1 |
| 1988 | 9.1 | * | * | * | * | * | * | 2.5 | 5.5 | 12.4 | 18.7 |
| 1987 | 8.7 | * | * | * | * | * | * | 2.4 | 8.0 | 14.5 | 17.4 |
| 1986 | 8.8 | * | * | * | * | * | * | 3.0 | 8.3 | 11.6 | 18.9 |
| 1985 | 9.6 | * | * | * | * | * | * | 2.9 | 10.1 | 15.3 | 16.7 |
| 1984 | 9.7 | * | * | * | * | * | * | 4.0 | 8.9 | 12.8 | 19.7 |
| 1983 | 9.9 | * | * | * | * | * | * | 3.8 | 10.1 | 15.3 | 20.1 |
| 1982 | 9.9 | * | * | * | * | * | * | 4.7 | 9.2 | 15.8 | 20.8 |
| 1981 | 11.2 | * | * | * | * | * | * | 4.0 | 10.7 | 21.5 | 21.8 |
| 1980 | 12.6 | * | * | * | * | * | 1.5 | 6.2 | 11.1 | 19.6 | 30.8 |
| 1979 | 11.6 | * | * | * | * | * | * | 5.3 | 10.3 | 21.8 | 27.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Alcoholic liver disease (571.0-571.3) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.3 | * | * | * | * | * | * | 0.3 | 1.3 | 3.2 | 6.8 |
| 1997 | 4.4 | * | * | * | * | * | * | 0.3 | 1.4 | 3.5 | 7.2 |
| 1996 | 4.5 | * | * | * | * | * | * | 0.4 | 1.4 | 3.8 | 7.5 |
| 1995 | 4.6 | * | * | * | * | * | * | 0.5 | 1.5 | 3.9 | 7.9 |
| 1994 | 4.7 | * | * | * | * | * | * | 0.4 | 1.8 | 4.2 | 7.7 |
| 1993 | 4.5 | * | * | * | * | * | * | 0.5 | 1.6 | 4.5 | 7.6 |
| 1992 | 4.6 | * | * | * | * | * | * | 0.5 | 1.8 | 4.6 | 7.4 |
| 1991 | 4.6 | * | * | * | * | * | * | 0.6 | 1.9 | 4.8 | 7.4 |
| 1990 | 4.8 | * | * | * | * | * | * | 0.6 | 2.1 | 5.4 | 7.5 |
| 1989 | 5.0 | * | * | * | * | * | 0.1 | 0.6 | 2.4 | 5.4 | 7.4 |
| 1988 | 4.8 | * | * | * | * | * | * | 0.7 | 2.4 | 4.9 | 7.6 |
| 1987 | 4.6 | * | * | * | * | * | 0.1 | 0.7 | 2.5 | 5.0 | 7.0 |
| 1986 | 4.6 | * | * | * | * | * | 0.1 | 0.7 | 2.7 | 4.6 | 7.1 |
| 1985 | 4.7 | * | * | * | * | * | * | 0.8 | 2.8 | 4.7 | 7.1 |
| 1984 | 4.8 | * | * | * | * | * | * | 0.7 | 2.5 | 4.5 | 7.5 |
| 1983 | 4.7 | * | * | * | * | * | * | 0.9 | 2.5 | 4.1 | 7.4 |
| 1982 | 4.9 | * | * | * | * | * | 0.1 | 1.0 | 2.4 | 4.6 | 7.7 |
| 1981 | 5.3 | * | * | * | * | * | 0.1 | 1.0 | 2.3 | 5.3 | 8.4 |
| 1980 | 5.7 | * | * | * | * | * | 0.1 | 1.1 | 2.7 | 5.6 | 9.9 |
| 1979 | 5.6 | * | * | * | * | * | 0.1 | 1.1 | 2.6 | 5.7 | 9.5 |
| Alcoholic liver disease (571.0-571.3) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 6.4 | * | * | * | * | * | * | 0.4 | 1.7 | 4.1 | 9.7 |
| 1997 | 6.5 | * | * | * | * | * | * | 0.4 | 1.8 | 4.7 | 10.4 |
| 1996 | 6.7 | * | * | * | * | * | * | 0.6 | 1.7 | 5.2 | 11.3 |
| 1995 | 6.9 | * | * | * | * | * | * | 0.6 | 1.9 | 5.3 | 12.1 |
| 1994 | 7.0 | * | * | * | * | * | * | 0.5 | 2.6 | 5.8 | 11.7 |
| 1993 | 6.7 | * | * | * | * | * | * | 0.6 | 2.1 | 6.6 | 11.3 |
| 1992 | 7.0 | * | * | * | * | * | * | 0.6 | 2.5 | 6.7 | 11.8 |
| 1991 | 6.9 | * | * | * | * | * | * | 0.7 | 2.5 | 6.8 | 11.1 |
| 1990 | 7.2 | * | * | * | * | * | * | 0.7 | 2.7 | 7.8 | 11.3 |
| 1989 | 7.5 | * | * | * | * | * | * | 0.8 | 3.4 | 8.1 | 11.4 |
| 1988 | 7.2 | * | * | * | * | * | * | 0.8 | 3.3 | 7.2 | 11.2 |
| 1987 | 7.0 | * | * | * | * | * | * | 0.8 | 3.4 | 7.5 | 10.6 |
| 1986 | 6.8 | * | * | * | * | * | * | 0.9 | 3.7 | 6.9 | 10.2 |
| 1985 | 7.0 | * | * | * | * | * | * | 1.0 | 3.8 | 6.8 | 10.5 |
| 1984 | 7.1 | * | * | * | * | * | * | 0.9 | 3.6 | 6.8 | 11.1 |
| 1983 | 6.9 | * | * | * | * | * | * | 1.2 | 3.6 | 5.7 | 10.8 |
| 1982 | 7.1 | * | * | * | * | * | * | 1.2 | 3.3 | 6.7 | 11.2 |
| 1981 | 7.6 | * | * | * | * | * | * | 1.4 | 3.2 | 7.3 | 12.5 |
| 1980 | 8.3 | * | * | * | * | * | * | 1.4 | 3.8 | 8.1 | 13.9 |
| 1979 | 8.1 | * | * | * | * | * | * | 1.6 | 3.8 | 8.0 | 13.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Alcoholic liver disease (571.0-571.3) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | * | * | 0.9 | 2.3 | 3.9 |
| 1997 | 2.3 | * | * | * | * | * | * | 0.2 | 1.0 | 2.4 | 4.1 |
| 1996 | 2.3 | * | * | * | * | * | * | 0.3 | 1.1 | 2.4 | 3.9 |
| 1995 | 2.3 | * | * | * | * | * | * | 0.3 | 1.0 | 2.5 | 3.7 |
| 1994 | 2.4 | * | * | * | * | * | * | 0.3 | 1.1 | 2.6 | 3.9 |
| 1993 | 2.3 | * | * | * | * | * | * | 0.4 | 1.1 | 2.4 | 3.9 |
| 1992 | 2.4 | * | * | * | * | * | * | 0.4 | 1.2 | 2.7 | 3.2 |
| 1991 | 2.5 | * | * | * | * | * | * | 0.4 | 1.3 | 2.7 | 3.9 |
| 1990 | 2.6 | * | * | * | * | * | * | 0.4 | 1.6 | 3.0 | 3.8 |
| 1989 | 2.6 | * | * | * | * | * | * | 0.4 | 1.4 | 2.7 | 3.6 |
| 1988 | 2.6 | * | * | * | * | * | * | 0.6 | 1.5 | 2.7 | 4.0 |
| 1987 | 2.4 | * | * | * | * | * | * | 0.5 | 1.6 | 2.6 | 3.6 |
| 1986 | 2.5 | * | * | * | * | * | * | 0.5 | 1.7 | 2.3 | 4.0 |
| 1985 | 2.6 | * | * | * | * | * | * | 0.5 | 1.8 | 2.6 | 3.8 |
| 1984 | 2.7 | * | * | * | * | * | * | 0.4 | 1.5 | 2.3 | 4.1 |
| 1983 | 2.7 | * | * | * | * | * | * | 0.5 | 1.4 | 2.4 | 4.1 |
| 1982 | 2.8 | * | * | * | * | * | * | 0.8 | 1.4 | 2.5 | 4.4 |
| 1981 | 3.1 | * | * | * | * | * | * | 0.6 | 1.3 | 3.3 | 4.5 |
| 1980 | 3.3 | * | * | * | * | * | * | 0.8 | 1.6 | 3.3 | 6.0 |
| 1979 | 3.3 | * | * | * | * | * | * | 0.6 | 1.4 | 3.4 | 5.8 |
| Alcoholic liver disease (571.0-571.3) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 4.4 | * | * | * | * | * | * | 0.3 | 1.3 | 3.1 | 6.7 |
| 1997 | 4.5 | * | * | * | * | * | * | 0.3 | 1.3 | 3.5 | 7.1 |
| 1996 | 4.5 | * | * | * | * | * | * | 0.4 | 1.4 | 3.5 | 7.3 |
| 1995 | 4.6 | * | * | * | * | * | * | 0.4 | 1.4 | 3.7 | 7.5 |
| 1994 | 4.6 | * | * | * | * | * | * | 0.4 | 1.7 | 4.0 | 7.2 |
| 1993 | 4.4 | * | * | * | * | * | * | 0.5 | 1.4 | 4.0 | 6.7 |
| 1992 | 4.5 | * | * | * | * | * | * | 0.4 | 1.6 | 4.2 | 6.6 |
| 1991 | 4.4 | * | * | * | * | * | * | 0.5 | 1.7 | 4.1 | 6.4 |
| 1990 | 4.5 | * | * | * | * | * | * | 0.4 | 1.7 | 4.4 | 6.3 |
| 1989 | 4.7 | * | * | * | * | * | * | 0.4 | 1.9 | 4.2 | 6.0 |
| 1988 | 4.5 | * | * | * | * | * | * | 0.5 | 1.9 | 3.7 | 6.1 |
| 1987 | 4.3 | * | * | * | * | * | * | 0.5 | 1.8 | 3.8 | 5.6 |
| 1986 | 4.3 | * | * | * | * | * | * | 0.5 | 2.0 | 3.5 | 5.7 |
| 1985 | 4.4 | * | * | * | * | * | * | 0.5 | 1.9 | 3.3 | 5.5 |
| 1984 | 4.5 | * | * | * | * | * | * | 0.4 | 1.8 | 3.3 | 6.0 |
| 1983 | 4.5 | * | * | * | * | * | * | 0.6 | 1.7 | 2.9 | 6.0 |
| 1982 | 4.6 | * | * | * | * | * | * | 0.7 | 1.7 | 3.4 | 6.4 |
| 1981 | 4.9 | * | * | * | * | * | * | 0.7 | 1.5 | 3.9 | 6.6 |
| 1980 | 5.2 | * | * | * | * | * | * | 0.7 | 1.8 | 4.1 | 7.7 |
| 1979 | 5.1 | * | * | * | * | * | * | 0.6 | 1.7 | 4.1 | 7.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Alcoholic liver disease (571.0-571.3) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 6.6 | * | * | * | * | * | * | 0.4 | 1.7 | 4.1 | 9.8 |
| 1997 | 6.8 | * | * | * | * | * | * | 0.4 | 1.8 | 4.8 | 10.5 |
| 1996 | 6.8 | * | * | * | * | * | * | 0.5 | 1.7 | 4.8 | 11.2 |
| 1995 | 7.0 | * | * | * | * | * | * | 0.6 | 1.8 | 5.1 | 11.7 |
| 1994 | 7.0 | * | * | * | * | * | * | 0.6 | 2.4 | 5.8 | 11.0 |
| 1993 | 6.7 | * | * | * | * | * | * | 0.6 | 2.0 | 6.0 | 10.2 |
| 1992 | 6.9 | * | * | * | * | * | * | 0.6 | 2.2 | 6.1 | 10.6 |
| 1991 | 6.7 | * | * | * | * | * | * | 0.6 | 2.3 | 6.2 | 9.8 |
| 1990 | 6.9 | * | * | * | * | * | * | 0.6 | 2.3 | 6.7 | 9.8 |
| 1989 | 7.1 | * | * | * | * | * | * | 0.6 | 2.8 | 6.6 | 9.4 |
| 1988 | 6.8 | * | * | * | * | * | * | 0.7 | 2.7 | 5.7 | 9.3 |
| 1987 | 6.5 | * | * | * | * | * | * | 0.7 | 2.5 | 5.9 | 8.4 |
| 1986 | 6.4 | * | * | * | * | * | * | 0.7 | 2.8 | 5.5 | 8.3 |
| 1985 | 6.5 | * | * | * | * | * | * | 0.7 | 2.8 | 5.0 | 8.2 |
| 1984 | 6.7 | * | * | * | * | * | * | 0.6 | 2.8 | 5.1 | 9.1 |
| 1983 | 6.6 | * | * | * | * | * | * | 0.9 | 2.7 | 4.4 | 8.8 |
| 1982 | 6.8 | * | * | * | * | * | * | 1.0 | 2.6 | 5.3 | 9.4 |
| 1981 | 7.2 | * | * | * | * | * | * | 1.0 | 2.4 | 5.6 | 9.7 |
| 1980 | 7.7 | * | * | * | * | * | * | 1.0 | 2.6 | 5.8 | 10.8 |
| 1979 | 7.5 | * | * | * | * | * | * | 1.1 | 2.6 | 6.1 | 11.0 |
| Alcoholic liver disease (571.0-571.3) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | * | * | 0.9 | 2.2 | 3.7 |
| 1997 | 2.3 | * | * | * | * | * | * | * | 0.9 | 2.2 | 3.8 |
| 1996 | 2.3 | * | * | * | * | * | * | 0.3 | 1.1 | 2.1 | 3.4 |
| 1995 | 2.2 | * | * | * | * | * | * | 0.3 | 0.9 | 2.3 | 3.4 |
| 1994 | 2.3 | * | * | * | * | * | * | * | 0.9 | 2.2 | 3.4 |
| 1993 | 2.2 | * | * | * | * | * | * | 0.3 | 0.9 | 1.9 | 3.3 |
| 1992 | 2.2 | * | * | * | * | * | * | * | 1.0 | 2.2 | 2.6 |
| 1991 | 2.2 | * | * | * | * | * | * | 0.3 | 1.1 | 2.0 | 3.0 |
| 1990 | 2.3 | * | * | * | * | * | * | 0.3 | 1.1 | 2.1 | 2.9 |
| 1989 | 2.3 | * | * | * | * | * | * | 0.2 | 1.0 | 1.8 | 2.7 |
| 1988 | 2.3 | * | * | * | * | * | * | 0.4 | 1.1 | 1.8 | 3.0 |
| 1987 | 2.2 | * | * | * | * | * | * | 0.4 | 1.1 | 1.8 | 2.8 |
| 1986 | 2.3 | * | * | * | * | * | * | 0.3 | 1.1 | 1.5 | 3.2 |
| 1985 | 2.3 | * | * | * | * | * | * | 0.3 | 1.1 | 1.6 | 3.0 |
| 1984 | 2.4 | * | * | * | * | * | * | * | 0.7 | 1.6 | 3.0 |
| 1983 | 2.5 | * | * | * | * | * | * | 0.3 | 0.8 | 1.5 | 3.3 |
| 1982 | 2.5 | * | * | * | * | * | * | 0.4 | 0.9 | 1.6 | 3.4 |
| 1981 | 2.8 | * | * | * | * | * | * | 0.3 | 0.7 | 2.2 | 3.6 |
| 1980 | 2.9 | * | * | * | * | * | * | 0.4 | 0.9 | 2.4 | 4.6 |
| 1979 | 2.9 | * | * | * | * | * | * | * | 0.7 | 2.2 | 4.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Alcoholic liver disease (571.0-571.3) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 3.8 | * | * | * | * | * | * | * | 1.3 | 3.4 | 7.1 |
| 1997 | 3.9 | * | * | * | * | * | * | * | 1.7 | 3.6 | 7.5 |
| 1996 | 4.3 | * | * | * | * | * | * | 0.7 | 1.4 | 5.1 | 8.7 |
| 1995 | 4.7 | * | * | * | * | * | * | * | 2.0 | 5.0 | 9.7 |
| 1994 | 5.0 | * | * | * | * | * | * | 0.6 | 2.6 | 5.0 | 10.3 |
| 1993 | 4.8 | * | * | * | * | * | * | 0.6 | 2.2 | 6.9 | 11.9 |
| 1992 | 5.3 | * | * | * | * | * | * | 1.0 | 2.9 | 6.9 | 11.9 |
| 1991 | 5.5 | * | * | * | * | * | * | 1.0 | 3.0 | 8.3 | 13.4 |
| 1990 | 6.3 | * | * | * | * | * | * | 1.2 | 4.1 | 10.5 | 14.0 |
| 1989 | 6.7 | * | * | * | * | * | * | 1.5 | 4.7 | 11.3 | 15.6 |
| 1988 | 6.7 | * | * | * | * | * | * | 1.4 | 5.1 | 11.4 | 16.4 |
| 1987 | 6.4 | * | * | * | * | * | * | 1.5 | 5.8 | 11.8 | 16.1 |
| 1986 | 6.2 | * | * | * | * | * | * | 2.0 | 6.5 | 10.6 | 15.3 |
| 1985 | 6.9 | * | * | * | * | * | * | 1.9 | 7.6 | 12.9 | 16.6 |
| 1984 | 6.6 | * | * | * | * | * | * | 2.0 | 7.0 | 11.8 | 17.1 |
| 1983 | 6.2 | * | * | * | * | * | * | 2.1 | 6.7 | 11.2 | 16.1 |
| 1982 | 6.3 | * | * | * | * | * | * | 2.9 | 6.2 | 12.0 | 16.1 |
| 1981 | 7.4 | * | * | * | * | * | * | 2.9 | 6.8 | 14.2 | 20.1 |
| 1980 | 8.6 | * | * | * | * | * | * | 3.6 | 8.7 | 16.0 | 24.4 |
| 1979 | 8.4 | * | * | * | * | * | * | 3.9 | 8.8 | 16.2 | 22.0 |
| Alcoholic liver disease (571.0-571.3) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 5.5 | * | * | * | * | * | * | * | 1.6 | 4.2 | 9.5 |
| 1997 | 5.5 | * | * | * | * | * | * | * | 1.9 | 4.3 | 9.8 |
| 1996 | 6.1 | * | * | * | * | * | * | * | 1.8 | 6.8 | 11.9 |
| 1995 | 6.7 | * | * | * | * | * | * | * | 2.4 | 6.6 | 14.5 |
| 1994 | 7.1 | * | * | * | * | * | * | * | 3.2 | 5.9 | 15.1 |
| 1993 | 6.9 | * | * | * | * | * | * | * | 2.4 | 9.3 | 18.0 |
| 1992 | 7.7 | * | * | * | * | * | * | * | 3.7 | 9.4 | 18.6 |
| 1991 | 7.6 | * | * | * | * | * | * | * | 3.5 | 10.4 | 19.0 |
| 1990 | 8.8 | * | * | * | * | * | * | 1.5 | 4.7 | 14.2 | 20.2 |
| 1989 | 9.5 | * | * | * | * | * | * | 2.0 | 6.3 | 16.4 | 23.7 |
| 1988 | 9.4 | * | * | * | * | * | * | 1.5 | 6.7 | 16.0 | 23.7 |
| 1987 | 9.4 | * | * | * | * | * | * | 1.6 | 8.1 | 17.5 | 25.3 |
| 1986 | 8.9 | * | * | * | * | * | * | 2.4 | 8.9 | 15.3 | 23.0 |
| 1985 | 9.8 | * | * | * | * | * | * | 2.4 | 9.8 | 18.4 | 26.0 |
| 1984 | 9.1 | * | * | * | * | * | * | 2.4 | 8.9 | 17.9 | 24.6 |
| 1983 | 8.6 | * | * | * | * | * | * | 2.8 | 9.0 | 15.0 | 24.2 |
| 1982 | 8.8 | * | * | * | * | * | * | 3.0 | 8.3 | 16.8 | 23.1 |
| 1981 | 10.3 | * | * | * | * | * | * | 3.8 | 8.7 | 19.0 | 32.1 |
| 1980 | 12.0 | * | * | * | * | * | * | 4.4 | 12.1 | 24.5 | 35.8 |
| 1979 | 11.7 | * | * | * | * | * | * | 5.3 | 12.5 | 22.2 | 31.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Alcoholic liver disease (571.0-571.3) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | * | * | 1.0 | 2.7 | 5.0 |
| 1997 | 2.5 | * | * | * | * | * | * | * | 1.5 | 3.0 | 5.5 |
| 1996 | 2.7 | * | * | * | * | * | * | * | 1.0 | 3.5 | 6.0 |
| 1995 | 2.8 | * | * | * | * | * | * | * | 1.6 | 3.6 | 5.5 |
| 1994 | 3.1 | * | * | * | * | * | * | * | 2.2 | 4.2 | 6.1 |
| 1993 | 2.9 | * | * | * | * | * | * | * | 2.1 | 4.8 | 6.7 |
| 1992 | 3.2 | * | * | * | * | * | * | * | 2.3 | 4.7 | 6.2 |
| 1991 | 3.7 | * | * | * | * | * | * | * | 2.5 | 6.4 | 8.6 |
| 1990 | 4.0 | * | * | * | * | * | * | * | 3.7 | 7.2 | 8.6 |
| 1989 | 4.1 | * | * | * | * | * | * | 1.0 | 3.2 | 6.9 | 8.6 |
| 1988 | 4.1 | * | * | * | * | * | * | 1.3 | 3.6 | 7.3 | 10.1 |
| 1987 | 3.7 | * | * | * | * | * | * | 1.4 | 3.8 | 6.9 | 8.2 |
| 1986 | 3.8 | * | * | * | * | * | * | 1.6 | 4.4 | 6.5 | 8.7 |
| 1985 | 4.2 | * | * | * | * | * | * | 1.5 | 5.6 | 8.2 | 8.4 |
| 1984 | 4.2 | * | * | * | * | * | * | 1.7 | 5.3 | 6.6 | 10.7 |
| 1983 | 4.1 | * | * | * | * | * | * | 1.5 | 4.6 | 7.9 | 9.0 |
| 1982 | 4.1 | * | * | * | * | * | * | 2.9 | 4.3 | 7.9 | 10.1 |
| 1981 | 4.8 | * | * | * | * | * | * | 2.2 | 5.2 | 10.1 | 9.9 |
| 1980 | 5.5 | * | * | * | * | * | * | 2.9 | 5.8 | 8.8 | 14.6 |
| 1979 | 5.4 | * | * | * | * | * | * | 2.8 | 5.7 | 11.1 | 14.2 |
| Alcoholic liver disease (571.0-571.3) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 4.0 | * | * | * | * | * | * | * | 0.7 | 3.2 | 7.5 |
| 1997 | 4.3 | * | * | * | * | * | * | * | 1.0 | 3.7 | 8.3 |
| 1996 | 4.8 | * | * | * | * | * | * | * | 0.9 | 5.3 | 9.8 |
| 1995 | 5.1 | * | * | * | * | * | * | * | 1.8 | 5.1 | 10.9 |
| 1994 | 5.6 | * | * | * | * | * | * | * | 2.4 | 5.0 | 12.1 |
| 1993 | 5.4 | * | * | * | * | * | * | * | 2.3 | 7.4 | 13.8 |
| 1992 | 6.0 | * | * | * | * | * | * | 0.8 | 2.9 | 7.5 | 14.7 |
| 1991 | 6.3 | * | * | * | * | * | * | 1.0 | 3.2 | 9.7 | 16.1 |
| 1990 | 7.2 | * | * | * | * | * | * | 1.2 | 4.5 | 12.3 | 17.2 |
| 1989 | 7.5 | * | * | * | * | * | * | 1.7 | 4.9 | 13.2 | 18.4 |
| 1988 | 7.5 | * | * | * | * | * | * | 1.3 | 5.8 | 13.4 | 19.9 |
| 1987 | 7.4 | * | * | * | * | * | * | 1.7 | 6.9 | 14.5 | 19.9 |
| 1986 | 7.1 | * | * | * | * | * | * | 2.3 | 7.3 | 12.4 | 19.2 |
| 1985 | 7.8 | * | * | * | * | * | * | 2.0 | 8.8 | 15.3 | 19.6 |
| 1984 | 7.3 | * | * | * | * | * | * | 2.3 | 7.9 | 13.5 | 19.3 |
| 1983 | 6.8 | * | * | * | * | * | * | 2.3 | 7.5 | 13.2 | 18.2 |
| 1982 | 6.9 | * | * | * | * | * | * | 3.1 | 6.7 | 13.9 | 18.1 |
| 1981 | 8.0 | * | * | * | * | * | * | 3.0 | 7.7 | 15.8 | 22.2 |
| 1980 | 9.0 | * | * | * | * | * | * | 3.9 | 9.1 | 16.9 | 26.3 |
| 1979 | 8.7 | * | * | * | * | * | * | 3.8 | 8.8 | 17.6 | 23.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Alcoholic liver disease (571.0-571.3) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 5.9 | * | * | * | * | * | * | * | * | 4.2 | 10.5 |
| 1997 | 6.1 | * | * | * | * | * | * | * | * | 4.3 | 10.7 |
| 1996 | 6.9 | * | * | * | * | * | * | * | * | 7.3 | 13.4 |
| 1995 | 7.4 | * | * | * | * | * | * | * | 1.8 | 6.8 | 16.4 |
| 1994 | 8.2 | * | * | * | * | * | * | * | 3.1 | 6.3 | 18.1 |
| 1993 | 8.0 | * | * | * | * | * | * | * | 2.5 | 10.1 | 21.5 |
| 1992 | 8.8 | * | * | * | * | * | * | * | 3.9 | 10.6 | 22.9 |
| 1991 | 8.8 | * | * | * | * | * | * | * | 3.8 | 12.5 | 22.9 |
| 1990 | 10.4 | * | * | * | * | * | * | 1.8 | 5.4 | 16.6 | 24.9 |
| 1989 | 11.0 | * | * | * | * | * | * | 2.3 | 6.8 | 19.7 | 28.3 |
| 1988 | 10.9 | * | * | * | * | * | * | 1.5 | 8.3 | 19.5 | 29.0 |
| 1987 | 11.0 | * | * | * | * | * | * | 1.7 | 9.9 | 21.5 | 31.7 |
| 1986 | 10.3 | * | * | * | * | * | * | 2.7 | 10.4 | 18.3 | 29.1 |
| 1985 | 11.3 | * | * | * | * | * | * | 2.5 | 11.6 | 22.2 | 31.4 |
| 1984 | 10.2 | * | * | * | * | * | * | 2.6 | 10.3 | 21.2 | 29.0 |
| 1983 | 9.5 | * | * | * | * | * | * | 3.1 | 9.8 | 17.8 | 28.1 |
| 1982 | 9.7 | * | * | * | * | * | * | 3.3 | 8.9 | 19.9 | 26.5 |
| 1981 | 11.3 | * | * | * | * | * | * | 4.2 | 9.5 | 21.3 | 36.9 |
| 1980 | 12.7 | * | * | * | * | * | * | 4.6 | 13.1 | 26.4 | 39.9 |
| 1979 | 12.4 | * | * | * | * | * | * | 5.0 | 12.8 | 25.0 | 33.7 |
| Alcoholic liver disease (571.0-571.3) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 2.2 | * | * | * | * | * | * | * | * | 2.4 | 4.9 |
| 1997 | 2.7 | * | * | * | * | * | * | * | * | 3.1 | 6.2 |
| 1996 | 2.9 | * | * | * | * | * | * | * | * | 3.5 | 6.6 |
| 1995 | 3.1 | * | * | * | * | * | * | * | 1.7 | 3.7 | 6.2 |
| 1994 | 3.3 | * | * | * | * | * | * | * | 1.8 | 3.9 | 6.9 |
| 1993 | 3.1 | * | * | * | * | * | * | * | 2.2 | 5.1 | 7.1 |
| 1992 | 3.5 | * | * | * | * | * | * | * | 2.1 | 4.8 | 7.7 |
| 1991 | 4.1 | * | * | * | * | * | * | * | 2.6 | 7.3 | 10.3 |
| 1990 | 4.4 | * | * | * | * | * | * | * | 3.7 | 8.6 | 10.7 |
| 1989 | 4.3 | * | * | * | * | * | * | * | 3.2 | 7.6 | 10.0 |
| 1988 | 4.5 | * | * | * | * | * | * | * | 3.7 | 8.2 | 12.2 |
| 1987 | 4.2 | * | * | * | * | * | * | 1.6 | 4.3 | 8.4 | 9.9 |
| 1986 | 4.2 | * | * | * | * | * | * | 1.9 | 4.7 | 7.4 | 10.9 |
| 1985 | 4.7 | * | * | * | * | * | * | 1.5 | 6.4 | 9.3 | 9.6 |
| 1984 | 4.6 | * | * | * | * | * | * | 2.1 | 5.8 | 7.1 | 11.2 |
| 1983 | 4.4 | * | * | * | * | * | * | 1.6 | 5.5 | 9.3 | 9.9 |
| 1982 | 4.5 | * | * | * | * | * | * | 2.9 | 4.8 | 8.9 | 11.2 |
| 1981 | 5.0 | * | * | * | * | * | * | 1.9 | 6.2 | 11.1 | 9.9 |
| 1980 | 5.7 | * | * | * | * | * | * | 3.3 | 5.7 | 9.0 | 15.1 |
| 1979 | 5.4 | * | * | * | * | * | * | 2.7 | 5.3 | 11.4 | 14.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other chronic liver disease and cirrhosis (571.4-571.9) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.9 | * | * | * | * | * | * | 0.2 | 0.6 | 1.6 | 3.6 |
| 1997 | 4.9 | * | * | * | * | * | * | 0.2 | 0.6 | 1.6 | 3.7 |
| 1996 | 4.8 | * | * | * | * | * | * | 0.2 | 0.6 | 1.9 | 3.7 |
| 1995 | 4.9 | 0.6 | * | * | * | * | * | 0.2 | 0.6 | 2.0 | 3.8 |
| 1994 | 5.0 | * | * | * | * | * | * | 0.3 | 0.8 | 2.1 | 4.0 |
| 1993 | 5.2 | * | * | * | * | * | * | 0.3 | 0.9 | 2.3 | 4.3 |
| 1992 | 5.2 | 0.6 | * | * | * | * | * | 0.3 | 0.9 | 2.2 | 4.0 |
| 1991 | 5.4 | * | * | * | * | * | * | 0.3 | 1.1 | 2.3 | 4.0 |
| 1990 | 5.6 | * | * | * | * | * | * | 0.4 | 1.1 | 2.6 | 4.1 |
| 1989 | 5.8 | * | * | * | * | * | 0.1 | 0.4 | 1.2 | 2.8 | 4.5 |
| 1988 | 6.0 | 0.5 | * | * | * | * | 0.1 | 0.5 | 1.3 | 3.3 | 4.8 |
| 1987 | 6.2 | * | * | * | * | * | 0.1 | 0.5 | 1.7 | 3.3 | 5.0 |
| 1986 | 6.3 | * | * | * | * | * | 0.1 | 0.5 | 1.7 | 3.1 | 5.1 |
| 1985 | 6.5 | * | * | * | * | * | 0.2 | 0.5 | 2.0 | 3.1 | 5.3 |
| 1984 | 6.8 | 0.6 | * | * | * | * | 0.2 | 0.7 | 1.9 | 3.1 | 5.5 |
| 1983 | 6.9 | 0.6 | * | * | * | * | 0.2 | 0.7 | 2.1 | 3.3 | 6.0 |
| 1982 | 7.1 | 0.8 | * | * | * | * | 0.2 | 0.8 | 2.1 | 3.7 | 6.1 |
| 1981 | 7.5 | 0.7 | * | * | * | * | 0.3 | 0.9 | 2.0 | 4.2 | 7.1 |
| 1980 | 7.8 | 0.9 | * | * | * | 0.1 | 0.3 | 1.0 | 2.3 | 4.6 | 7.8 |
| 1979 | 7.6 | 1.0 | * | * | * | * | 0.2 | 1.0 | 2.2 | 4.7 | 8.5 |
| Other chronic liver disease and cirrhosis (571.4-571.9) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 5.7 | * | * | * | * | * | * | 0.3 | 0.8 | 2.1 | 5.3 |
| 1997 | 5.6 | * | * | * | * | * | * | 0.2 | 0.8 | 2.3 | 5.4 |
| 1996 | 5.7 | * | * | * | * | * | * | 0.2 | 0.8 | 2.7 | 5.6 |
| 1995 | 5.8 | * | * | * | * | * | * | 0.3 | 0.9 | 2.9 | 5.7 |
| 1994 | 5.9 | * | * | * | * | * | * | 0.4 | 0.9 | 3.0 | 6.0 |
| 1993 | 6.1 | * | * | * | * | * | * | 0.5 | 1.2 | 2.9 | 6.7 |
| 1992 | 6.2 | * | * | * | * | * | * | 0.3 | 1.1 | 3.2 | 6.1 |
| 1991 | 6.3 | * | * | * | * | * | * | 0.4 | 1.3 | 3.3 | 5.8 |
| 1990 | 6.6 | * | * | * | * | * | * | 0.4 | 1.3 | 3.7 | 6.2 |
| 1989 | 6.9 | * | * | * | * | * | * | 0.5 | 1.5 | 4.4 | 6.7 |
| 1988 | 7.3 | * | * | * | * | * | * | 0.5 | 2.0 | 4.9 | 7.1 |
| 1987 | 7.5 | * | * | * | * | * | 0.2 | 0.6 | 2.4 | 4.5 | 7.1 |
| 1986 | 7.6 | * | * | * | * | * | * | 0.6 | 2.4 | 4.7 | 7.0 |
| 1985 | 7.9 | * | * | * | * | * | 0.3 | 0.7 | 2.7 | 4.3 | 7.5 |
| 1984 | 8.2 | * | * | * | * | * | * | 0.9 | 2.6 | 4.5 | 7.3 |
| 1983 | 8.5 | * | * | * | * | * | * | 0.9 | 2.8 | 4.7 | 8.3 |
| 1982 | 8.8 | * | * | * | * | * | 0.2 | 1.1 | 2.9 | 5.3 | 8.0 |
| 1981 | 9.3 | * | * | * | * | * | 0.3 | 1.1 | 2.8 | 5.6 | 9.6 |
| 1980 | 9.7 | * | * | * | * | * | 0.3 | 1.2 | 3.2 | 5.9 | 10.1 |
| 1979 | 9.7 | * | * | * | * | * | 0.3 | 1.3 | 3.0 | 6.4 | 11.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other chronic liver disease and cirrhosis (571.4-571.9) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 4.1 | * | * | * | * | * | * | * | 0.5 | 1.2 | 1.9 |
| 1997 | 4.1 | * | * | * | * | * | * | * | 0.4 | 1.0 | 2.0 |
| 1996 | 4.0 | * | * | * | * | * | * | * | 0.5 | 1.1 | 1.9 |
| 1995 | 4.1 | * | * | * | * | * | * | * | 0.3 | 1.2 | 2.0 |
| 1994 | 4.2 | * | * | * | * | * | * | * | 0.7 | 1.2 | 2.1 |
| 1993 | 4.4 | * | * | * | * | * | * | * | 0.6 | 1.6 | 2.1 |
| 1992 | 4.3 | * | * | * | * | * | * | 0.2 | 0.6 | 1.2 | 2.0 |
| 1991 | 4.6 | * | * | * | * | * | * | 0.3 | 0.9 | 1.3 | 2.2 |
| 1990 | 4.6 | * | * | * | * | * | * | 0.3 | 0.8 | 1.4 | 2.2 |
| 1989 | 4.8 | * | * | * | * | * | * | 0.3 | 0.8 | 1.3 | 2.2 |
| 1988 | 4.7 | * | * | * | * | * | * | 0.5 | 0.7 | 1.7 | 2.6 |
| 1987 | 4.9 | * | * | * | * | * | * | 0.4 | 1.1 | 2.0 | 3.0 |
| 1986 | 5.1 | * | * | * | * | * | * | 0.4 | 1.1 | 1.6 | 3.3 |
| 1985 | 5.2 | * | * | * | * | * | * | 0.4 | 1.3 | 2.0 | 3.2 |
| 1984 | 5.3 | * | * | * | * | * | * | 0.6 | 1.1 | 1.8 | 3.8 |
| 1983 | 5.4 | * | * | * | * | * | 0.2 | 0.6 | 1.4 | 2.0 | 3.7 |
| 1982 | 5.4 | * | * | * | * | * | 0.2 | 0.5 | 1.2 | 2.2 | 4.2 |
| 1981 | 5.8 | * | * | * | * | * | 0.2 | 0.7 | 1.2 | 2.8 | 4.8 |
| 1980 | 6.0 | * | * | * | * | * | 0.3 | 0.7 | 1.6 | 3.3 | 5.7 |
| 1979 | 5.7 | * | * | * | * | * | 0.2 | 0.8 | 1.4 | 3.1 | 5.7 |
| Other chronic liver disease and cirrhosis (571.4-571.9) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 5.2 | * | * | * | * | * | * | 0.2 | 0.6 | 1.6 | 3.5 |
| 1997 | 5.2 | * | * | * | * | * | * | 0.2 | 0.5 | 1.5 | 3.7 |
| 1996 | 5.1 | * | * | * | * | * | * | 0.2 | 0.6 | 1.8 | 3.5 |
| 1995 | 5.2 | * | * | * | * | * | * | 0.2 | 0.6 | 1.9 | 3.5 |
| 1994 | 5.3 | * | * | * | * | * | * | 0.2 | 0.8 | 1.9 | 3.6 |
| 1993 | 5.5 | * | * | * | * | * | * | 0.3 | 0.8 | 2.1 | 3.8 |
| 1992 | 5.5 | * | * | * | * | * | * | 0.3 | 0.8 | 2.0 | 3.7 |
| 1991 | 5.7 | * | * | * | * | * | * | 0.3 | 0.9 | 2.1 | 3.5 |
| 1990 | 5.7 | * | * | * | * | * | * | 0.3 | 0.9 | 2.2 | 3.5 |
| 1989 | 6.0 | * | * | * | * | * | * | 0.3 | 0.9 | 2.4 | 4.0 |
| 1988 | 6.2 | * | * | * | * | * | * | 0.4 | 1.1 | 2.8 | 4.3 |
| 1987 | 6.3 | * | * | * | * | * | 0.1 | 0.4 | 1.4 | 2.6 | 4.2 |
| 1986 | 6.5 | * | * | * | * | * | * | 0.4 | 1.3 | 2.6 | 4.3 |
| 1985 | 6.6 | * | * | * | * | * | 0.2 | 0.4 | 1.6 | 2.5 | 4.4 |
| 1984 | 6.9 | * | * | * | * | * | 0.1 | 0.5 | 1.5 | 2.5 | 4.8 |
| 1983 | 7.0 | * | * | * | * | * | * | 0.6 | 1.6 | 2.6 | 5.1 |
| 1982 | 7.2 | * | * | * | * | * | 0.1 | 0.6 | 1.5 | 2.9 | 5.2 |
| 1981 | 7.5 | * | * | * | * | * | 0.2 | 0.7 | 1.4 | 3.1 | 5.9 |
| 1980 | 7.7 | 0.8 | * | * | * | * | 0.2 | 0.6 | 1.6 | 3.3 | 6.2 |
| 1979 | 7.6 | 0.9 | * | * | * | * | 0.2 | 0.8 | 1.5 | 3.4 | 7.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other chronic liver disease and cirrhosis (571.4-571.9) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 6.0 | * | * | * | * | * | * | 0.3 | 0.7 | 2.1 | 5.2 |
| 1997 | 5.9 | * | * | * | * | * | * | * | 0.8 | 2.2 | 5.4 |
| 1996 | 6.0 | * | * | * | * | * | * | 0.3 | 0.8 | 2.7 | 5.3 |
| 1995 | 6.0 | * | * | * | * | * | * | 0.3 | 0.9 | 2.6 | 5.3 |
| 1994 | 6.1 | * | * | * | * | * | * | 0.3 | 1.0 | 2.8 | 5.5 |
| 1993 | 6.3 | * | * | * | * | * | * | 0.4 | 1.0 | 2.8 | 6.0 |
| 1992 | 6.4 | * | * | * | * | * | * | 0.3 | 1.0 | 3.0 | 5.7 |
| 1991 | 6.6 | * | * | * | * | * | * | 0.4 | 1.2 | 3.1 | 5.2 |
| 1990 | 6.7 | * | * | * | * | * | * | 0.4 | 1.1 | 3.2 | 5.4 |
| 1989 | 7.1 | * | * | * | * | * | * | 0.4 | 1.3 | 3.7 | 6.1 |
| 1988 | 7.5 | * | * | * | * | * | * | 0.5 | 1.6 | 4.3 | 6.4 |
| 1987 | 7.6 | * | * | * | * | * | 0.2 | 0.5 | 2.0 | 3.8 | 6.1 |
| 1986 | 7.8 | * | * | * | * | * | * | 0.5 | 1.9 | 3.9 | 5.9 |
| 1985 | 8.0 | * | * | * | * | * | 0.2 | 0.5 | 2.3 | 3.6 | 6.1 |
| 1984 | 8.4 | * | * | * | * | * | * | 0.7 | 2.1 | 3.8 | 6.4 |
| 1983 | 8.6 | * | * | * | * | * | * | 0.8 | 2.2 | 3.7 | 7.2 |
| 1982 | 9.0 | * | * | * | * | * | * | 0.8 | 2.2 | 4.2 | 7.0 |
| 1981 | 9.4 | * | * | * | * | * | 0.2 | 0.9 | 2.1 | 4.4 | 8.0 |
| 1980 | 9.6 | * | * | * | * | * | 0.3 | 0.9 | 2.2 | 4.5 | 8.2 |
| 1979 | 9.6 | * | * | * | * | * | * | 1.0 | 2.1 | 4.8 | 9.6 |
| Other chronic liver disease and cirrhosis (571.4-571.9) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 4.5 | * | * | * | * | * | * | * | 0.4 | 1.1 | 1.7 |
| 1997 | 4.4 | * | * | * | * | * | * | * | 0.3 | 0.9 | 2.0 |
| 1996 | 4.3 | * | * | * | * | * | * | * | 0.5 | 0.9 | 1.7 |
| 1995 | 4.3 | * | * | * | * | * | * | * | 0.3 | 1.1 | 1.7 |
| 1994 | 4.4 | * | * | * | * | * | * | * | 0.6 | 1.0 | 1.8 |
| 1993 | 4.6 | * | * | * | * | * | * | * | 0.5 | 1.3 | 1.7 |
| 1992 | 4.6 | * | * | * | * | * | * | * | 0.5 | 0.9 | 1.7 |
| 1991 | 4.8 | * | * | * | * | * | * | * | 0.6 | 1.1 | 1.8 |
| 1990 | 4.8 | * | * | * | * | * | * | 0.2 | 0.6 | 1.2 | 1.7 |
| 1989 | 5.0 | * | * | * | * | * | * | 0.2 | 0.5 | 1.0 | 1.9 |
| 1988 | 4.9 | * | * | * | * | * | * | 0.3 | 0.5 | 1.3 | 2.2 |
| 1987 | 5.0 | * | * | * | * | * | * | 0.3 | 0.7 | 1.4 | 2.4 |
| 1986 | 5.2 | * | * | * | * | * | * | 0.3 | 0.7 | 1.2 | 2.7 |
| 1985 | 5.3 | * | * | * | * | * | * | 0.3 | 1.0 | 1.4 | 2.7 |
| 1984 | 5.5 | * | * | * | * | * | * | 0.4 | 0.8 | 1.3 | 3.1 |
| 1983 | 5.5 | * | * | * | * | * | * | 0.4 | 1.0 | 1.5 | 2.9 |
| 1982 | 5.5 | * | * | * | * | * | * | 0.3 | 0.8 | 1.6 | 3.5 |
| 1981 | 5.8 | * | * | * | * | * | * | 0.5 | 0.7 | 1.9 | 3.9 |
| 1980 | 5.9 | * | * | * | * | * | * | 0.3 | 1.0 | 2.2 | 4.3 |
| 1979 | 5.7 | * | * | * | * | * | * | 0.5 | 0.9 | 2.1 | 4.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other chronic liver disease and cirrhosis (571.4-571.9) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 3.2 | * | * | * | * | * | * | * | 0.9 | 1.9 | 3.9 |
| 1997 | 3.3 | * | * | * | * | * | * | * | 0.7 | 2.1 | 3.6 |
| 1996 | 3.4 | * | * | * | * | * | * | * | 0.8 | 2.6 | 5.0 |
| 1995 | 3.6 | * | * | * | * | * | * | * | 0.8 | 3.0 | 5.3 |
| 1994 | 3.7 | * | * | * | * | * | * | * | 1.0 | 3.2 | 5.9 |
| 1993 | 4.0 | * | * | * | * | * | * | 0.7 | 1.3 | 3.3 | 7.1 |
| 1992 | 4.0 | * | * | * | * | * | * | * | 1.5 | 3.2 | 5.8 |
| 1991 | 4.2 | * | * | * | * | * | * | 0.6 | 2.1 | 3.2 | 6.5 |
| 1990 | 4.6 | * | * | * | * | * | * | 0.6 | 2.0 | 4.3 | 7.6 |
| 1989 | 4.7 | * | * | * | * | * | * | 0.6 | 2.4 | 5.1 | 7.3 |
| 1988 | 5.0 | * | * | * | * | * | * | 1.1 | 2.6 | 5.7 | 7.9 |
| 1987 | 5.4 | * | * | * | * | * | * | 1.0 | 3.6 | 6.8 | 10.1 |
| 1986 | 5.3 | * | * | * | * | * | * | 1.0 | 4.1 | 6.3 | 10.5 |
| 1985 | 5.9 | * | * | * | * | * | * | 1.3 | 3.9 | 6.8 | 11.3 |
| 1984 | 6.0 | * | * | * | * | * | * | 1.8 | 4.0 | 6.8 | 10.4 |
| 1983 | 6.4 | * | * | * | * | * | * | 1.7 | 5.0 | 8.1 | 12.0 |
| 1982 | 6.4 | * | * | * | * | * | 0.7 | 2.0 | 5.3 | 9.0 | 11.5 |
| 1981 | 7.4 | * | * | * | * | * | * | 2.2 | 5.8 | 11.2 | 14.7 |
| 1980 | 8.3 | * | * | * | * | * | 0.7 | 2.9 | 7.3 | 12.6 | 18.2 |
| 1979 | 8.1 | * | * | * | * | * | * | 2.7 | 6.8 | 13.6 | 17.7 |
| Other chronic liver disease and cirrhosis (571.4-571.9) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 4.1 | * | * | * | * | * | * | * | 1.1 | 2.4 | 5.5 |
| 1997 | 4.2 | * | * | * | * | * | * | * | * | 2.8 | 5.4 |
| 1996 | 4.2 | * | * | * | * | * | * | * | * | 3.1 | 7.3 |
| 1995 | 4.4 | * | * | * | * | * | * | * | 1.1 | 4.5 | 7.8 |
| 1994 | 4.5 | * | * | * | * | * | * | * | * | 4.1 | 8.5 |
| 1993 | 4.9 | * | * | * | * | * | * | * | 1.8 | 3.7 | 10.6 |
| 1992 | 5.0 | * | * | * | * | * | * | * | 1.9 | 4.4 | 8.6 |
| 1991 | 4.9 | * | * | * | * | * | * | * | 2.1 | 3.9 | 9.5 |
| 1990 | 5.6 | * | * | * | * | * | * | * | 2.2 | 6.4 | 10.9 |
| 1989 | 5.9 | * | * | * | * | * | * | * | 3.0 | 8.1 | 10.8 |
| 1988 | 6.0 | * | * | * | * | * | * | * | 4.0 | 8.3 | 11.5 |
| 1987 | 6.7 | * | * | * | * | * | * | 1.2 | 4.3 | 9.0 | 14.1 |
| 1986 | 6.5 | * | * | * | * | * | * | 1.2 | 5.2 | 9.4 | 14.5 |
| 1985 | 7.3 | * | * | * | * | * | * | 1.5 | 4.8 | 8.6 | 17.2 |
| 1984 | 7.5 | * | * | * | * | * | * | 2.1 | 5.6 | 9.3 | 13.7 |
| 1983 | 7.9 | * | * | * | * | * | * | 1.4 | 6.4 | 11.7 | 15.9 |
| 1982 | 7.9 | * | * | * | * | * | * | 2.5 | 7.3 | 12.8 | 14.8 |
| 1981 | 9.1 | * | * | * | * | * | * | 2.5 | 7.8 | 14.0 | 20.3 |
| 1980 | 10.3 | * | * | * | * | * | * | 3.2 | 10.0 | 16.1 | 23.1 |
| 1979 | 10.6 | * | * | * | * | * | * | 3.1 | 9.5 | 18.8 | 25.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other chronic liver disease and cirrhosis (571.4-571.9) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 2.4 | * | * | * | * | * | * | * | * | 1.5 | 2.6 |
| 1997 | 2.6 | * | * | * | * | * | * | * | * | 1.4 | 2.1 |
| 1996 | 2.6 | * | * | * | * | * | * | * | * | 2.1 | 2.9 |
| 1995 | 2.9 | * | * | * | * | * | * | * | * | 1.6 | 3.1 |
| 1994 | 3.0 | * | * | * | * | * | * | * | 1.1 | 2.3 | 3.6 |
| 1993 | 3.3 | * | * | * | * | * | * | * | * | 2.9 | 4.0 |
| 1992 | 3.1 | * | * | * | * | * | * | * | 1.1 | 2.1 | 3.3 |
| 1991 | 3.6 | * | * | * | * | * | * | * | 2.1 | 2.6 | 4.0 |
| 1990 | 3.7 | * | * | * | * | * | * | * | 1.8 | 2.5 | 4.8 |
| 1989 | 3.7 | * | * | * | * | * | * | * | 1.9 | 2.4 | 4.3 |
| 1988 | 4.2 | * | * | * | * | * | * | 1.3 | 1.4 | 3.5 | 4.8 |
| 1987 | 4.2 | * | * | * | * | * | * | * | 2.9 | 4.9 | 6.6 |
| 1986 | 4.3 | * | * | * | * | * | * | * | 3.1 | 3.5 | 7.1 |
| 1985 | 4.6 | * | * | * | * | * | * | 1.1 | 3.1 | 5.2 | 6.2 |
| 1984 | 4.6 | * | * | * | * | * | * | 1.6 | 2.6 | 4.7 | 7.5 |
| 1983 | 5.0 | * | * | * | * | * | * | 1.9 | 3.7 | 5.0 | 8.6 |
| 1982 | 5.0 | * | * | * | * | * | * | 1.6 | 3.6 | 5.8 | 8.6 |
| 1981 | 5.8 | * | * | * | * | * | * | 2.0 | 4.0 | 8.8 | 10.0 |
| 1980 | 6.4 | * | * | * | * | * | * | 2.6 | 4.9 | 9.6 | 14.0 |
| 1979 | 5.9 | * | * | * | * | * | * | 2.4 | 4.6 | 9.2 | 11.4 |
| Other chronic liver disease and cirrhosis (571.4-571.9) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 3.6 | * | * | * | * | * | * | * | 1.0 | 2.2 | 4.7 |
| 1997 | 3.8 | * | * | * | * | * | * | * | 0.9 | 2.1 | 4.2 |
| 1996 | 3.8 | * | * | * | * | * | * | * | 1.0 | 3.1 | 6.0 |
| 1995 | 4.0 | * | * | * | * | * | * | * | 0.9 | 3.5 | 6.2 |
| 1994 | 4.1 | * | * | * | * | * | * | * | 1.1 | 3.8 | 7.3 |
| 1993 | 4.5 | * | * | * | * | * | * | 0.8 | 1.5 | 3.8 | 8.5 |
| 1992 | 4.4 | * | * | * | * | * | * | * | 1.7 | 4.0 | 7.1 |
| 1991 | 4.8 | * | * | * | * | * | * | * | 2.5 | 3.9 | 8.4 |
| 1990 | 5.1 | * | * | * | * | * | * | * | 2.4 | 5.5 | 9.3 |
| 1989 | 5.3 | * | * | * | * | * | * | 0.7 | 2.9 | 6.2 | 9.1 |
| 1988 | 5.6 | * | * | * | * | * | * | 1.2 | 3.2 | 7.0 | 10.3 |
| 1987 | 5.9 | * | * | * | * | * | * | 1.1 | 4.5 | 8.6 | 12.2 |
| 1986 | 5.8 | * | * | * | * | * | * | 1.3 | 5.1 | 7.7 | 12.3 |
| 1985 | 6.4 | * | * | * | * | * | * | 1.5 | 4.7 | 8.4 | 13.4 |
| 1984 | 6.6 | * | * | * | * | * | * | 2.1 | 4.8 | 8.2 | 12.1 |
| 1983 | 7.1 | * | * | * | * | * | * | 1.8 | 6.2 | 10.1 | 13.8 |
| 1982 | 7.0 | * | * | * | * | * | 0.7 | 2.3 | 6.5 | 11.0 | 13.4 |
| 1981 | 8.1 | * | * | * | * | * | * | 2.5 | 6.7 | 13.4 | 17.2 |
| 1980 | 9.0 | * | * | * | * | * | 0.8 | 3.3 | 8.4 | 14.4 | 20.8 |
| 1979 | 8.6 | * | * | * | * | * | * | 3.1 | 7.8 | 15.6 | 19.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other chronic liver disease and cirrhosis (571.4-571.9) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 4.7 | * | * | * | * | * | * | * | * | 2.6 | 6.8 |
| 1997 | 4.8 | * | * | * | * | * | * | * | * | 2.9 | 6.4 |
| 1996 | 4.9 | * | * | * | * | * | * | * | * | 4.1 | 9.2 |
| 1995 | 5.1 | * | * | * | * | * | * | * | * | 5.1 | 9.0 |
| 1994 | 5.1 | * | * | * | * | * | * | * | * | 5.0 | 10.8 |
| 1993 | 5.6 | * | * | * | * | * | * | * | 2.2 | 4.4 | 12.8 |
| 1992 | 5.6 | * | * | * | * | * | * | * | 2.2 | 5.5 | 10.8 |
| 1991 | 5.7 | * | * | * | * | * | * | * | 2.5 | 4.8 | 12.1 |
| 1990 | 6.2 | * | * | * | * | * | * | * | 2.8 | 8.2 | 13.1 |
| 1989 | 6.7 | * | * | * | * | * | * | * | 3.8 | 9.9 | 13.7 |
| 1988 | 6.8 | * | * | * | * | * | * | * | 4.8 | 10.3 | 14.7 |
| 1987 | 7.5 | * | * | * | * | * | * | * | 5.4 | 11.7 | 17.6 |
| 1986 | 7.2 | * | * | * | * | * | * | * | 6.7 | 11.9 | 17.5 |
| 1985 | 8.1 | * | * | * | * | * | * | 1.7 | 5.8 | 11.2 | 21.0 |
| 1984 | 8.2 | * | * | * | * | * | * | 2.3 | 6.6 | 11.3 | 16.4 |
| 1983 | 8.9 | * | * | * | * | * | * | * | 8.1 | 15.1 | 18.2 |
| 1982 | 8.9 | * | * | * | * | * | * | 2.8 | 8.9 | 15.9 | 18.0 |
| 1981 | 10.1 | * | * | * | * | * | * | 3.0 | 9.4 | 17.1 | 23.6 |
| 1980 | 11.3 | * | * | * | * | * | * | 3.8 | 11.9 | 18.9 | 26.9 |
| 1979 | 11.4 | * | * | * | * | * | * | 3.5 | 11.2 | 21.9 | 27.3 |
| Other chronic liver disease and cirrhosis (571.4-571.9) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 2.6 | * | * | * | * | * | * | * | * | 1.8 | 2.9 |
| 1997 | 2.8 | * | * | * | * | * | * | * | * | 1.5 | 2.4 |
| 1996 | 2.8 | * | * | * | * | * | * | * | * | 2.3 | 3.3 |
| 1995 | 3.0 | * | * | * | * | * | * | * | * | 2.0 | 3.8 |
| 1994 | 3.3 | * | * | * | * | * | * | * | * | 2.7 | 4.3 |
| 1993 | 3.5 | * | * | * | * | * | * | * | * | 3.2 | 4.8 |
| 1992 | 3.3 | * | * | * | * | * | * | * | * | 2.7 | 4.0 |
| 1991 | 3.9 | * | * | * | * | * | * | * | 2.6 | 3.2 | 5.1 |
| 1990 | 4.1 | * | * | * | * | * | * | * | 2.0 | 3.1 | 6.0 |
| 1989 | 4.1 | * | * | * | * | * | * | * | 2.2 | 3.0 | 5.2 |
| 1988 | 4.6 | * | * | * | * | * | * | 1.4 | 1.8 | 4.2 | 6.5 |
| 1987 | 4.5 | * | * | * | * | * | * | * | 3.7 | 6.0 | 7.6 |
| 1986 | 4.6 | * | * | * | * | * | * | * | 3.7 | 4.2 | 8.0 |
| 1985 | 4.9 | * | * | * | * | * | * | 1.4 | 3.8 | 5.9 | 7.0 |
| 1984 | 5.1 | * | * | * | * | * | * | 1.9 | 3.2 | 5.7 | 8.5 |
| 1983 | 5.5 | * | * | * | * | * | * | 2.2 | 4.6 | 5.9 | 10.2 |
| 1982 | 5.4 | * | * | * | * | * | * | 1.8 | 4.4 | 6.9 | 9.7 |
| 1981 | 6.3 | * | * | * | * | * | * | 2.1 | 4.5 | 10.4 | 12.0 |
| 1980 | 6.9 | * | * | * | * | * | * | 2.9 | 5.5 | 10.6 | 15.7 |
| 1979 | 6.2 | * | * | * | * | * | * | 2.7 | 4.9 | 10.4 | 12.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Cholelithiasis and other disorders of gallbladder (574-575) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.0 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1997 | 1.0 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1996 | 1.0 | * | * | * | * | * | * | * | * | 0.1 | 0.1 |
| 1995 | 1.0 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1994 | 1.1 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1993 | 1.1 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1992 | 1.1 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1991 | 1.1 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1990 | 1.2 | * | * | * | * | * | * | * | * | 0.1 | * |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1988 | 1.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1987 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1985 | 1.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1984 | 1.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1983 | 1.3 | * | * | * | * | * | * | * | 0.1 | * | 0.2 |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1981 | 1.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1980 | 1.5 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1979 | 1.4 | * | * | * | * | * | * | * | * | * | 0.2 |
| Cholelithiasis and other disorders of gallbladder (574-575) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.9 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1996 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Cholelithiasis and other disorders of gallbladder (574-575) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| Cholelithiasis and other disorders of gallbladder (574-575) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1997 | 1.1 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1996 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.1 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1994 | 1.2 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1993 | 1.1 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1992 | 1.2 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1991 | 1.2 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1990 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1987 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1984 | 1.4 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Cholelithiasis and other disorders of gallbladder (574-575) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.0 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| Cholelithiasis and other disorders of gallbladder (574-575) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Cholelithiasis and other disorders of gallbladder (574-575) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| Cholelithiasis and other disorders of gallbladder (574-575) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.8 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Cholelithiasis and other disorders of gallbladder (574-575) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| Cholelithiasis and other disorders of gallbladder (574-575) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.9 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Cholelithiasis and other disorders of gallbladder (574-575) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| Cholelithiasis and other disorders of gallbladder (574-575) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nephritis, nephrotic syndrome and nephrosis (580-589) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 9.5 | 3.7 | * | * | * | * | 0.1 | 0.3 | 0.5 | 0.8 | 1.2 |
| 1997 | 9.3 | 3.6 | * | * | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.8 | 1.2 |
| 1996 | 9.0 | 3.8 | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.8 | 1.4 |
| 1995 | 8.9 | 4.1 | * | * | * | * | 0.2 | 0.4 | 0.5 | 0.9 | 1.4 |
| 1994 | 8.7 | 4.6 | * | * | * | 0.1 | 0.1 | 0.3 | 0.5 | 0.9 | 1.2 |
| 1993 | 9.0 | 4.7 | 0.1 | * | * | * | 0.2 | 0.3 | 0.7 | 0.9 | 1.4 |
| 1992 | 8.6 | 4.8 | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.1 | 1.3 |
| 1991 | 8.4 | 4.7 | * | * | * | 0.2 | 0.2 | 0.4 | 0.6 | 1.2 | 1.4 |
| 1990 | 8.3 | 3.8 | 0.2 | * | * | * | 0.2 | 0.4 | 0.6 | 1.3 | 1.6 |
| 1989 | 8.6 | 5.1 | * | * | * | * | 0.3 | 0.4 | 0.8 | 1.2 | 1.4 |
| 1988 | 9.2 | 5.8 | 0.1 | * | * | 0.2 | 0.3 | 0.4 | 0.8 | 1.2 | 1.6 |
| 1987 | 9.1 | 5.9 | 0.1 | * | * | * | 0.3 | 0.4 | 0.8 | 1.1 | 1.2 |
| 1986 | 9.1 | 6.8 | 0.2 | * | 0.1 | * | 0.3 | 0.4 | 0.8 | 1.0 | 1.7 |
| 1985 | 9.0 | 7.5 | 0.2 | * | * | 0.1 | 0.2 | 0.5 | 0.7 | 1.2 | 1.6 |
| 1984 | 8.5 | 7.6 | 0.2 | 0.1 | * | 0.2 | 0.3 | 0.5 | 0.7 | 1.1 | 1.5 |
| 1983 | 8.1 | 6.4 | 0.1 | 0.1 | * | 0.2 | 0.2 | 0.5 | 0.7 | 1.0 | 1.4 |
| 1982 | 7.8 | 7.1 | 0.2 | * | * | 0.1 | 0.3 | 0.4 | 0.7 | 1.0 | 1.6 |
| 1981 | 7.5 | 7.2 | 0.2 | 0.1 | * | 0.2 | 0.3 | 0.5 | 0.7 | 1.2 | 1.5 |
| 1980 | 7.4 | 6.4 | 0.2 | * | * | 0.2 | 0.3 | 0.5 | 0.8 | 1.1 | 1.7 |
| 1979 | 7.0 | 6.4 | 0.2 | 0.1 | 0.2 | 0.3 | 0.4 | 0.6 | 0.9 | 1.1 | 2.0 |
| Nephritis, nephrotic syndrome and nephrosis (580-589) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 9.3 | 3.6 | * | * | * | * | * | 0.3 | 0.5 | 0.9 | 1.6 |
| 1997 | 9.1 | 4.2 | * | * | * | * | 0.2 | 0.4 | 0.5 | 0.9 | 1.6 |
| 1996 | 8.8 | 4.7 | * | * | * | * | 0.3 | 0.5 | 0.4 | 1.0 | 1.7 |
| 1995 | 8.7 | 4.6 | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.1 | 1.8 |
| 1994 | 8.4 | 5.3 | * | * | * | * | * | 0.3 | 0.7 | 1.1 | 1.6 |
| 1993 | 8.8 | 5.1 | * | * | * | * | * | 0.4 | 0.8 | 1.2 | 1.7 |
| 1992 | 8.6 | 4.6 | * | * | * | * | 0.2 | 0.5 | 0.9 | 1.5 | 1.8 |
| 1991 | 8.4 | 5.8 | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.6 | 1.9 |
| 1990 | 8.3 | 4.1 | * | * | * | * | 0.3 | 0.4 | 0.8 | 1.7 | 2.1 |
| 1989 | 8.6 | 6.0 | * | * | * | * | 0.2 | 0.5 | 1.0 | 1.7 | 1.8 |
| 1988 | 9.1 | 5.9 | * | * | * | 0.2 | 0.2 | 0.5 | 1.0 | 1.6 | 2.0 |
| 1987 | 9.2 | 5.9 | * | * | * | * | 0.3 | 0.5 | 1.0 | 1.5 | 1.5 |
| 1986 | 9.3 | 7.9 | * | * | * | * | 0.3 | 0.4 | 0.9 | 1.3 | 2.0 |
| 1985 | 9.1 | 8.3 | * | * | * | * | 0.3 | 0.6 | 0.9 | 1.6 | 2.1 |
| 1984 | 8.8 | 8.9 | * | * | * | * | 0.3 | 0.6 | 0.9 | 1.4 | 1.9 |
| 1983 | 8.2 | 6.5 | * | * | * | * | 0.3 | 0.6 | 0.8 | 1.1 | 1.5 |
| 1982 | 8.1 | 8.4 | * | * | * | * | 0.3 | 0.5 | 0.9 | 1.2 | 2.0 |
| 1981 | 7.8 | 7.8 | * | * | * | 0.2 | 0.4 | 0.7 | 0.8 | 1.5 | 1.7 |
| 1980 | 7.8 | 7.1 | * | * | * | * | 0.3 | 0.6 | 1.0 | 1.4 | 2.2 |
| 1979 | 7.6 | 7.0 | * | * | * | 0.3 | 0.4 | 0.8 | 1.0 | 1.3 | 2.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nephritis, nephrotic syndrome and nephrosis (580-589) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 9.7 | 3.8 | * | * | * | * | * | 0.2 | 0.4 | 0.7 | 0.8 |
| 1997 | 9.5 | 3.0 | * | * | * | * | * | 0.2 | 0.5 | 0.7 | 0.9 |
| 1996 | 9.2 | 2.9 | * | * | * | * | * | * | 0.4 | 0.7 | 1.1 |
| 1995 | 9.0 | 3.5 | * | * | * | * | * | 0.4 | 0.4 | 0.7 | 1.0 |
| 1994 | 9.0 | 3.8 | * | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.9 |
| 1993 | 9.1 | 4.3 | * | * | * | * | * | 0.3 | 0.5 | 0.7 | 1.1 |
| 1992 | 8.6 | 4.9 | * | * | * | * | * | 0.3 | 0.5 | 0.7 | 0.8 |
| 1991 | 8.4 | 3.6 | * | * | * | * | * | 0.4 | 0.4 | 0.7 | 0.9 |
| 1990 | 8.4 | 3.6 | * | * | * | * | * | 0.3 | 0.4 | 0.9 | 1.1 |
| 1989 | 8.5 | 4.2 | * | * | * | * | 0.3 | 0.3 | 0.6 | 0.6 | 1.0 |
| 1988 | 9.2 | 5.7 | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.7 | 1.2 |
| 1987 | 9.0 | 6.0 | * | * | * | * | 0.3 | 0.3 | 0.7 | 0.8 | 0.9 |
| 1986 | 8.8 | 5.6 | * | * | * | * | 0.3 | 0.3 | 0.7 | 0.8 | 1.4 |
| 1985 | 8.8 | 6.7 | * | * | * | * | * | 0.3 | 0.5 | 0.8 | 1.1 |
| 1984 | 8.3 | 6.3 | * | * | * | * | * | 0.5 | 0.5 | 0.9 | 1.2 |
| 1983 | 8.1 | 6.2 | * | * | * | 0.2 | 0.2 | 0.4 | 0.7 | 0.8 | 1.4 |
| 1982 | 7.5 | 5.8 | * | * | * | * | 0.2 | 0.4 | 0.6 | 0.9 | 1.3 |
| 1981 | 7.3 | 6.5 | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.9 | 1.4 |
| 1980 | 7.0 | 5.6 | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 | 0.8 | 1.3 |
| 1979 | 6.5 | 5.7 | * | * | * | 0.2 | 0.4 | 0.5 | 0.7 | 1.0 | 1.5 |
| Nephritis, nephrotic syndrome and nephrosis (580-589) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 9.4 | 3.0 | * | * | * | * | * | 0.2 | 0.4 | 0.5 | 0.8 |
| 1997 | 9.2 | 3.2 | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 | 0.9 |
| 1996 | 8.9 | 2.8 | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.5 | 1.0 |
| 1995 | 8.7 | 3.1 | * | * | * | * | 0.1 | 0.3 | 0.4 | 0.6 | 0.9 |
| 1994 | 8.5 | 3.3 | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 0.7 |
| 1993 | 8.7 | 3.7 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 | 0.9 |
| 1992 | 8.4 | 4.0 | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.7 | 0.8 |
| 1991 | 8.1 | 4.0 | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.0 |
| 1990 | 7.9 | 2.9 | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.8 | 1.0 |
| 1989 | 8.0 | 4.2 | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.7 | 0.8 |
| 1988 | 8.7 | 4.9 | * | * | * | * | 0.2 | 0.3 | 0.6 | 0.7 | 1.2 |
| 1987 | 8.7 | 4.2 | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.7 | 1.0 |
| 1986 | 8.6 | 5.5 | * | * | * | * | 0.2 | 0.2 | 0.6 | 0.7 | 1.1 |
| 1985 | 8.4 | 6.2 | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.7 | 1.2 |
| 1984 | 8.1 | 6.1 | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 | 0.8 | 1.1 |
| 1983 | 7.7 | 5.3 | * | * | * | 0.2 | 0.2 | 0.4 | 0.5 | 0.6 | 1.0 |
| 1982 | 7.3 | 5.8 | 0.2 | * | * | * | 0.2 | 0.3 | 0.6 | 0.8 | 1.2 |
| 1981 | 7.0 | 6.2 | 0.2 | 0.2 | * | 0.2 | 0.3 | 0.4 | 0.5 | 0.9 | 1.1 |
| 1980 | 6.7 | 5.3 | 0.2 | * | * | 0.2 | 0.2 | 0.3 | 0.6 | 0.8 | 1.2 |
| 1979 | 6.5 | 5.6 | 0.2 | * | 0.2 | 0.2 | 0.3 | 0.5 | 0.7 | 0.8 | 1.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nephritis, nephrotic syndrome and nephrosis (580-589) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 9.3 | 3.0 | * | * | * | * | * | * | 0.4 | 0.6 | 1.1 |
| 1997 | 9.1 | 3.4 | * | * | * | * | * | 0.3 | 0.4 | 0.6 | 1.1 |
| 1996 | 8.7 | 3.5 | * | * | * | * | * | 0.3 | 0.3 | 0.6 | 1.1 |
| 1995 | 8.6 | 3.4 | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.1 |
| 1994 | 8.3 | 3.6 | * | * | * | * | * | * | 0.3 | 0.7 | 0.8 |
| 1993 | 8.6 | 3.9 | * | * | * | * | * | * | 0.4 | 0.7 | 1.0 |
| 1992 | 8.4 | 4.2 | * | * | * | * | * | 0.4 | 0.6 | 0.9 | 1.0 |
| 1991 | 8.1 | 5.0 | * | * | * | * | * | 0.3 | 0.4 | 0.9 | 1.4 |
| 1990 | 7.9 | 3.1 | * | * | * | * | * | 0.3 | 0.6 | 1.2 | 1.3 |
| 1989 | 8.0 | 5.0 | * | * | * | * | * | 0.4 | 0.5 | 1.0 | 1.0 |
| 1988 | 8.7 | 5.3 | * | * | * | * | * | 0.4 | 0.7 | 0.9 | 1.5 |
| 1987 | 8.8 | 4.3 | * | * | * | * | * | 0.4 | 0.5 | 0.9 | 1.2 |
| 1986 | 8.8 | 6.6 | * | * | * | * | 0.3 | 0.3 | 0.6 | 0.7 | 1.3 |
| 1985 | 8.6 | 7.2 | * | * | * | * | 0.2 | 0.4 | 0.4 | 0.9 | 1.5 |
| 1984 | 8.3 | 7.2 | * | * | * | * | 0.3 | 0.5 | 0.6 | 1.0 | 1.3 |
| 1983 | 7.8 | 5.6 | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.7 | 1.0 |
| 1982 | 7.7 | 7.1 | * | * | * | * | 0.2 | 0.3 | 0.7 | 0.9 | 1.6 |
| 1981 | 7.3 | 6.7 | * | * | * | * | 0.3 | 0.5 | 0.6 | 1.2 | 1.1 |
| 1980 | 7.2 | 6.3 | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.0 | 1.4 |
| 1979 | 7.0 | 5.7 | * | * | * | * | 0.3 | 0.6 | 0.8 | 0.8 | 1.8 |
| Nephritis, nephrotic syndrome and nephrosis (580-589) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 9.5 | 3.0 | * | * | * | * | * | * | 0.3 | 0.5 | 0.6 |
| 1997 | 9.4 | 3.0 | * | * | * | * | * | * | 0.4 | 0.6 | 0.7 |
| 1996 | 9.0 | 2.1 | * | * | * | * | * | * | 0.2 | 0.4 | 0.9 |
| 1995 | 8.8 | 2.7 | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.6 |
| 1994 | 8.8 | 3.0 | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.6 |
| 1993 | 8.8 | 3.4 | * | * | * | * | * | * | 0.3 | 0.4 | 0.8 |
| 1992 | 8.4 | 3.9 | * | * | * | * | * | * | 0.3 | 0.6 | 0.6 |
| 1991 | 8.1 | 2.8 | * | * | * | * | * | 0.3 | 0.4 | 0.4 | 0.6 |
| 1990 | 8.0 | 2.6 | * | * | * | * | * | * | 0.3 | 0.4 | 0.8 |
| 1989 | 8.0 | 3.5 | * | * | * | * | * | * | 0.3 | 0.4 | 0.6 |
| 1988 | 8.7 | 4.5 | * | * | * | * | * | * | 0.4 | 0.4 | 0.8 |
| 1987 | 8.6 | 4.1 | * | * | * | * | * | 0.2 | 0.5 | 0.6 | 0.8 |
| 1986 | 8.4 | 4.3 | * | * | * | * | * | * | 0.5 | 0.6 | 0.9 |
| 1985 | 8.3 | 5.1 | * | * | * | * | * | * | 0.4 | 0.5 | 0.9 |
| 1984 | 7.8 | 5.0 | * | * | * | * | * | 0.4 | 0.3 | 0.6 | 0.8 |
| 1983 | 7.6 | 4.9 | * | * | * | * | * | 0.3 | 0.5 | 0.6 | 1.1 |
| 1982 | 6.9 | 4.6 | * | * | * | * | * | 0.3 | 0.5 | 0.6 | 0.8 |
| 1981 | 6.8 | 5.8 | * | * | * | * | 0.3 | 0.2 | 0.4 | 0.5 | 1.0 |
| 1980 | 6.3 | 4.4 | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.0 |
| 1979 | 5.9 | 5.5 | * | * | * | 0.2 | 0.2 | 0.3 | 0.6 | 0.8 | 1.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nephritis, nephrotic syndrome and nephrosis (580-589) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 9.8 | 6.1 | * | * | * | * | * | 0.6 | 0.9 | 1.9 | 2.8 |
| 1997 | 9.7 | 5.1 | * | * | * | * | * | 0.6 | 1.3 | 1.8 | 2.8 |
| 1996 | 9.8 | 7.9 | * | * | * | * | 0.5 | 0.7 | 1.0 | 2.2 | 3.4 |
| 1995 | 9.9 | 8.0 | * | * | * | * | * | 0.7 | 1.2 | 2.4 | 4.1 |
| 1994 | 9.7 | 9.2 | * | * | * | * | * | 0.7 | 1.7 | 2.3 | 3.8 |
| 1993 | 10.3 | 8.5 | * | * | * | * | * | 1.0 | 2.1 | 2.8 | 3.8 |
| 1992 | 10.0 | 7.4 | * | * | * | * | * | 1.1 | 1.9 | 3.0 | 3.9 |
| 1991 | 10.1 | 7.6 | * | * | * | * | 0.6 | 1.2 | 1.6 | 3.7 | 3.8 |
| 1990 | 10.5 | 7.5 | * | * | * | * | * | 1.0 | 1.6 | 3.7 | 4.8 |
| 1989 | 11.5 | 8.5 | * | * | * | * | 0.6 | 0.8 | 2.6 | 3.6 | 4.8 |
| 1988 | 11.7 | 9.3 | * | * | * | * | 0.7 | 1.2 | 2.2 | 3.7 | 4.3 |
| 1987 | 11.4 | 13.1 | * | * | * | * | 0.7 | 0.9 | 2.6 | 3.6 | 2.8 |
| 1986 | 11.8 | 12.4 | * | * | * | * | 0.6 | 1.0 | 2.1 | 3.3 | 5.0 |
| 1985 | 12.0 | 13.4 | * | * | * | * | 0.6 | 1.2 | 2.2 | 4.1 | 4.0 |
| 1984 | 11.2 | 14.3 | * | * | * | * | * | 1.0 | 1.7 | 3.2 | 4.2 |
| 1983 | 10.7 | 11.1 | * | * | * | * | * | 1.3 | 1.7 | 3.2 | 4.0 |
| 1982 | 10.9 | 12.9 | * | * | * | * | 0.6 | 1.0 | 1.8 | 2.8 | 4.3 |
| 1981 | 10.5 | 11.4 | * | * | * | * | 0.6 | 1.4 | 1.6 | 3.4 | 4.6 |
| 1980 | 11.4 | 11.0 | * | * | * | * | 1.0 | 1.7 | 2.3 | 3.0 | 5.0 |
| 1979 | 10.4 | 10.1 | * | * | * | * | 1.0 | 1.6 | 2.1 | 3.3 | 5.7 |
| Nephritis, nephrotic syndrome and nephrosis (580-589) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 9.2 | 5.9 | * | * | * | * | * | * | 1.1 | 2.4 | 4.3 |
| 1997 | 9.3 | 7.3 | * | * | * | * | * | * | 1.4 | 2.3 | 4.1 |
| 1996 | 9.3 | 9.7 | * | * | * | * | * | 1.1 | 1.2 | 2.9 | 4.9 |
| 1995 | 9.6 | 9.2 | * | * | * | * | * | * | 1.7 | 3.3 | 5.8 |
| 1994 | 9.2 | 11.6 | * | * | * | * | * | * | 2.2 | 3.2 | 5.8 |
| 1993 | 10.0 | 9.5 | * | * | * | * | * | 1.3 | 3.1 | 3.8 | 5.4 |
| 1992 | 10.0 | 6.1 | * | * | * | * | * | 1.3 | 2.6 | 4.7 | 6.1 |
| 1991 | 10.2 | 8.5 | * | * | * | * | * | 1.5 | 2.6 | 5.6 | 5.1 |
| 1990 | 10.4 | 7.7 | * | * | * | * | * | 1.2 | 2.4 | 4.4 | 6.8 |
| 1989 | 11.9 | 9.9 | * | * | * | * | * | * | 3.6 | 5.8 | 7.0 |
| 1988 | 11.4 | 8.2 | * | * | * | * | * | 1.4 | 3.0 | 5.6 | 5.5 |
| 1987 | 11.6 | 12.3 | * | * | * | * | * | 1.3 | 3.4 | 5.6 | 3.8 |
| 1986 | 12.1 | 13.8 | * | * | * | * | * | 1.4 | 2.6 | 5.1 | 6.4 |
| 1985 | 12.1 | 13.3 | * | * | * | * | * | 1.5 | 3.4 | 5.9 | 6.1 |
| 1984 | 11.2 | 16.7 | * | * | * | * | * | 1.4 | 2.2 | 4.0 | 5.5 |
| 1983 | 10.8 | 10.3 | * | * | * | * | * | 1.6 | 2.2 | 4.0 | 5.1 |
| 1982 | 11.0 | 14.5 | * | * | * | * | * | * | 2.2 | 3.4 | 4.7 |
| 1981 | 10.9 | 13.1 | * | * | * | * | * | 1.7 | 2.2 | 4.0 | 5.6 |
| 1980 | 11.9 | 10.9 | * | * | * | * | * | 2.2 | 3.1 | 4.3 | 7.4 |
| 1979 | 11.1 | 13.2 | * | * | * | * | * | 1.9 | 2.4 | 4.5 | 7.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nephritis, nephrotic syndrome and nephrosis (580-589) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 10.4 | 6.4 | * | * | * | * | * | * | * | 1.5 | 1.6 |
| 1997 | 10.0 | * | * | * | * | * | * | * | 1.1 | 1.4 | 1.7 |
| 1996 | 10.3 | 6.0 | * | * | * | * | * | * | * | 1.6 | 2.2 |
| 1995 | 10.3 | 6.7 | * | * | * | * | * | * | * | 1.6 | 2.7 |
| 1994 | 10.1 | 6.7 | * | * | * | * | * | * | 1.2 | 1.5 | 2.1 |
| 1993 | 10.6 | 7.4 | * | * | * | * | * | * | 1.2 | 1.9 | 2.4 |
| 1992 | 10.0 | 8.8 | * | * | * | * | * | * | 1.2 | 1.6 | 2.0 |
| 1991 | 10.1 | 6.6 | * | * | * | * | * | * | * | 2.1 | 2.7 |
| 1990 | 10.6 | 7.2 | * | * | * | * | * | * | * | 3.0 | 3.0 |
| 1989 | 11.1 | 7.1 | * | * | * | * | * | * | 1.7 | 1.7 | 2.9 |
| 1988 | 11.9 | 10.5 | * | * | * | * | * | * | 1.5 | 2.1 | 3.4 |
| 1987 | 11.3 | 13.8 | * | * | * | * | * | * | 2.0 | 1.8 | 1.8 |
| 1986 | 11.5 | 11.0 | * | * | * | * | * | * | 1.6 | 1.8 | 3.9 |
| 1985 | 11.9 | 13.6 | * | * | * | * | * | * | 1.2 | 2.5 | 2.1 |
| 1984 | 11.1 | 11.9 | * | * | * | * | * | * | 1.3 | 2.5 | 3.1 |
| 1983 | 10.5 | 12.0 | * | * | * | * | * | * | 1.3 | 2.5 | 3.1 |
| 1982 | 10.7 | 11.2 | * | * | * | * | * | * | 1.5 | 2.2 | 4.0 |
| 1981 | 10.1 | 9.6 | * | * | * | * | * | * | * | 2.9 | 3.7 |
| 1980 | 11.0 | 11.1 | * | * | * | * | * | * | 1.6 | 2.0 | 3.0 |
| 1979 | 9.7 | 7.1 | * | * | * | * | * | * | 1.8 | 2.3 | 4.3 |
| Nephritis, nephrotic syndrome and nephrosis (580-589) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 12.2 | 7.1 | * | * | * | * | * | 0.8 | 1.2 | 2.5 | 3.8 |
| 1997 | 12.1 | 6.0 | * | * | * | * | * | 0.8 | 1.6 | 2.4 | 3.7 |
| 1996 | 12.0 | 10.3 | * | * | * | * | * | 0.9 | 1.3 | 2.8 | 4.6 |
| 1995 | 12.3 | 9.9 | * | * | * | * | * | 0.9 | 1.7 | 3.2 | 5.5 |
| 1994 | 12.0 | 11.2 | * | * | * | * | * | 1.0 | 2.3 | 3.0 | 4.9 |
| 1993 | 12.6 | 10.6 | * | * | * | * | * | 1.2 | 2.7 | 3.6 | 4.9 |
| 1992 | 12.2 | 8.8 | * | * | * | * | * | 1.3 | 2.4 | 4.0 | 5.0 |
| 1991 | 12.4 | 9.6 | * | * | * | * | 0.7 | 1.5 | 2.1 | 4.9 | 5.1 |
| 1990 | 12.6 | 8.5 | * | * | * | * | * | 1.3 | 2.1 | 4.8 | 6.2 |
| 1989 | 13.8 | 10.4 | * | * | * | * | 0.7 | 1.0 | 3.3 | 4.7 | 6.2 |
| 1988 | 14.0 | 10.9 | * | * | * | * | 0.8 | 1.4 | 2.8 | 4.9 | 5.4 |
| 1987 | 13.6 | 15.0 | * | * | * | * | 0.8 | 1.0 | 3.2 | 4.5 | 3.3 |
| 1986 | 13.9 | 14.8 | * | * | * | * | * | 1.3 | 2.4 | 4.3 | 6.3 |
| 1985 | 14.2 | 15.0 | * | * | * | * | 0.7 | 1.6 | 2.9 | 5.3 | 5.2 |
| 1984 | 13.0 | 17.2 | * | * | * | * | * | 1.2 | 2.1 | 3.8 | 5.1 |
| 1983 | 12.3 | 13.1 | * | * | * | * | * | 1.6 | 2.0 | 3.8 | 4.5 |
| 1982 | 12.4 | 15.5 | * | * | * | * | * | 1.1 | 2.1 | 3.3 | 4.9 |
| 1981 | 12.0 | 12.9 | * | * | * | * | 0.7 | 1.6 | 1.9 | 4.3 | 5.3 |
| 1980 | 12.8 | 12.5 | * | * | * | * | 1.0 | 2.0 | 2.6 | 3.5 | 5.7 |
| 1979 | 11.5 | 11.3 | * | * | * | * | 1.0 | 1.8 | 2.5 | 4.0 | 6.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nephritis, nephrotic syndrome and nephrosis (580-589) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 11.4 | 7.7 | * | * | * | * | * | * | 1.5 | 3.1 | 5.7 |
| 1997 | 11.7 | 8.5 | * | * | * | * | * | * | 2.0 | 3.2 | 5.6 |
| 1996 | 11.5 | 13.1 | * | * | * | * | * | * | 1.6 | 3.7 | 6.6 |
| 1995 | 11.9 | 12.3 | * | * | * | * | * | * | 2.4 | 4.4 | 7.7 |
| 1994 | 11.4 | 14.1 | * | * | * | * | * | * | 3.1 | 4.3 | 7.6 |
| 1993 | 12.1 | 12.2 | * | * | * | * | * | 1.5 | 4.1 | 5.0 | 6.9 |
| 1992 | 12.2 | 7.1 | * | * | * | * | * | 1.7 | 3.6 | 6.3 | 7.9 |
| 1991 | 12.5 | 10.9 | * | * | * | * | * | 2.0 | 3.5 | 7.6 | 6.8 |
| 1990 | 12.5 | 8.7 | * | * | * | * | * | 1.5 | 3.1 | 5.8 | 8.9 |
| 1989 | 14.4 | 12.4 | * | * | * | * | * | * | 4.7 | 7.7 | 9.1 |
| 1988 | 13.6 | 9.8 | * | * | * | * | * | 1.8 | 3.8 | 7.3 | 7.2 |
| 1987 | 13.7 | 14.3 | * | * | * | * | * | 1.6 | 4.3 | 6.9 | 5.0 |
| 1986 | 14.3 | 16.4 | * | * | * | * | * | 1.7 | 3.1 | 6.6 | 8.5 |
| 1985 | 14.3 | 14.9 | * | * | * | * | * | 1.9 | 4.4 | 7.8 | 8.0 |
| 1984 | 13.0 | 20.2 | * | * | * | * | * | 1.7 | 2.9 | 5.0 | 6.9 |
| 1983 | 12.5 | 12.1 | * | * | * | * | * | 1.9 | 2.6 | 5.0 | 6.2 |
| 1982 | 12.7 | 17.2 | * | * | * | * | * | * | 2.5 | 4.1 | 5.4 |
| 1981 | 12.5 | 15.2 | * | * | * | * | * | 1.9 | 2.7 | 5.1 | 6.8 |
| 1980 | 13.5 | 12.6 | * | * | * | * | * | 2.6 | 3.5 | 5.4 | 8.4 |
| 1979 | 12.3 | 14.6 | * | * | * | * | * | 2.1 | 3.0 | 5.6 | 8.9 |
| Nephritis, nephrotic syndrome and nephrosis (580-589) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 12.8 | * | * | * | * | * | * | * | * | 2.0 | 2.1 |
| 1997 | 12.5 | * | * | * | * | * | * | * | * | 1.8 | 2.0 |
| 1996 | 12.6 | 7.4 | * | * | * | * | * | * | * | 2.0 | 2.9 |
| 1995 | 12.6 | 7.5 | * | * | * | * | * | * | * | 2.1 | 3.5 |
| 1994 | 12.5 | 8.2 | * | * | * | * | * | * | 1.6 | 1.9 | 2.6 |
| 1993 | 13.0 | 9.0 | * | * | * | * | * | * | 1.5 | 2.5 | 3.1 |
| 1992 | 12.1 | 10.5 | * | * | * | * | * | * | 1.3 | 2.0 | 2.5 |
| 1991 | 12.2 | 8.3 | * | * | * | * | * | * | * | 2.6 | 3.5 |
| 1990 | 12.8 | 8.2 | * | * | * | * | * | * | * | 3.9 | 3.8 |
| 1989 | 13.3 | 8.4 | * | * | * | * | * | * | 2.1 | 2.0 | 3.6 |
| 1988 | 14.4 | 12.0 | * | * | * | * | * | * | 1.9 | 2.9 | 4.0 |
| 1987 | 13.4 | 15.7 | * | * | * | * | * | * | 2.3 | 2.4 | * |
| 1986 | 13.5 | 13.1 | * | * | * | * | * | * | 1.9 | 2.3 | 4.6 |
| 1985 | 14.0 | 15.1 | * | * | * | * | * | * | 1.6 | 3.2 | 2.8 |
| 1984 | 13.0 | 14.1 | * | * | * | * | * | * | * | 2.8 | 3.6 |
| 1983 | 12.1 | 14.2 | * | * | * | * | * | * | * | 2.7 | 3.2 |
| 1982 | 12.2 | 13.7 | * | * | * | * | * | * | 1.7 | 2.7 | 4.5 |
| 1981 | 11.6 | 10.5 | * | * | * | * | * | * | * | 3.5 | 4.1 |
| 1980 | 12.3 | 12.4 | * | * | * | * | * | * | * | * | 3.5 |
| 1979 | 10.8 | 7.8 | * | * | * | * | * | * | 2.2 | 2.7 | 5.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute and rapidly progressive nephritic and nephrotic syndrome (580-581) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Acute and rapidly progressive nephritic and nephrotic syndrome (580-581) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute and rapidly progressive nephritic and nephrotic syndrome (580-581) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| Acute and rapidly progressive nephritic and nephrotic syndrome (580-581) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Acute and rapidly progressive nephritic and nephrotic syndrome (580-581) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Acute and rapidly progressive nephritic and nephrotic syndrome (580-581) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Acute and rapidly progressive nephritic and nephrotic syndrome (580-581) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Acute and rapidly progressive nephritic and nephrotic syndrome (580-581) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute and rapidly progressive nephritic and nephrotic syndrome (580-581) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| Acute and rapidly progressive nephritic and nephrotic syndrome (580-581) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Acute and rapidly progressive nephritic and nephrotic syndrome (580-581) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Acute and rapidly progressive nephritic and nephrotic syndrome (580-581) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1997 | 0.6 | * | * | * | * | * | * | * | 0.1 | 0.1 | 0.2 |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | 0.1 | 0.1 |
| 1993 | 0.6 | * | * | * | * | * | * | * | 0.1 | 0.1 | 0.1 |
| 1992 | 0.6 | * | * | * | * | * | * | * | 0.1 | 0.1 | 0.1 |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1989 | 0.6 | * | * | * | * | * | * | 0.1 | * | 0.1 | 0.2 |
| 1988 | 0.6 | * | * | * | * | * | * | 0.1 | 0.1 | 0.1 | 0.2 |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | 0.1 | 0.1 | 0.2 |
| 1985 | 0.7 | * | * | * | * | * | * | * | * | 0.1 | 0.2 |
| 1984 | 0.8 | * | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.3 |
| 1983 | 0.8 | * | * | * | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 |
| 1982 | 0.8 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.3 |
| 1981 | 0.9 | * | * | * | * | * | 0.1 | 0.1 | 0.1 | 0.2 | 0.3 |
| 1980 | 1.0 | * | * | * | * | * | * | 0.1 | * | 0.2 | 0.3 |
| 1979 | 1.1 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.2 | 0.4 |
| Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1988 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | 0.3 | * |
| 1986 | 0.7 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1985 | 0.7 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1984 | 0.8 | * | * | * | * | * | * | 0.2 | * | 0.3 | * |
| 1983 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.9 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1981 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.0 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1979 | 1.1 | * | * | * | * | * | * | 0.3 | * | * | 0.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.0 | * | * | * | * | * | * | * | 0.2 | * | * |
| Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | 0.1 | 0.1 |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1984 | 0.7 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1983 | 0.8 | * | * | * | * | * | * | * | * | 0.1 | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.9 | * | * | * | * | * | * | * | * | 0.2 | 0.2 |
| 1979 | 1.0 | * | * | * | * | * | * | * | 0.1 | * | 0.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.0 | * | * | * | * | * | * | * | * | * | 0.4 |
| Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.9 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.8 | * | * | * | * | * | * | * | * | 0.7 | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.9 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.5 | * | * | * | * | * | * | * | * | * | * |

Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)

| | | | | | | | | | | | |
|-------------------|-----|---|---|---|---|---|---|---|---|---|---|
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.8 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Renal failure (584-586) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 8.7 | 3.3 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.7 | 1.0 |
| 1997 | 8.5 | 3.3 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.7 | 1.1 |
| 1996 | 8.3 | 3.6 | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.7 | 1.2 |
| 1995 | 8.2 | 3.8 | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.8 | 1.2 |
| 1994 | 8.0 | 4.4 | * | * | * | * | * | 0.3 | 0.5 | 0.7 | 1.1 |
| 1993 | 8.2 | 4.4 | * | * | * | * | 0.1 | 0.3 | 0.6 | 0.7 | 1.2 |
| 1992 | 7.9 | 4.6 | * | * | * | * | 0.2 | 0.3 | 0.6 | 0.9 | 1.2 |
| 1991 | 7.7 | 4.4 | * | * | * | * | 0.1 | 0.4 | 0.5 | 1.0 | 1.2 |
| 1990 | 7.6 | 3.5 | * | * | * | * | 0.2 | 0.3 | 0.5 | 1.0 | 1.4 |
| 1989 | 7.8 | 4.8 | * | * | * | * | 0.2 | 0.3 | 0.7 | 1.0 | 1.2 |
| 1988 | 8.4 | 5.6 | * | * | * | 0.1 | 0.2 | 0.3 | 0.7 | 1.0 | 1.4 |
| 1987 | 8.3 | 5.6 | * | * | * | * | 0.2 | 0.4 | 0.7 | 0.9 | 1.1 |
| 1986 | 8.3 | 6.5 | 0.1 | * | * | * | 0.2 | 0.3 | 0.6 | 0.9 | 1.5 |
| 1985 | 8.1 | 7.2 | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 | 1.0 | 1.3 |
| 1984 | 7.6 | 7.4 | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 | 0.9 | 1.2 |
| 1983 | 7.1 | 5.9 | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 | 0.7 | 1.2 |
| 1982 | 6.8 | 6.7 | 0.2 | * | * | * | 0.2 | 0.3 | 0.6 | 0.8 | 1.3 |
| 1981 | 6.5 | 6.8 | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 | 0.9 | 1.2 |
| 1980 | 6.2 | 6.1 | * | * | * | 0.1 | 0.2 | 0.4 | 0.7 | 0.9 | 1.4 |
| 1979 | 5.8 | 6.0 | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.7 | 0.8 | 1.5 |
| Renal failure (584-586) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 8.6 | 3.4 | * | * | * | * | * | 0.3 | 0.4 | 0.8 | 1.4 |
| 1997 | 8.4 | 3.9 | * | * | * | * | * | 0.3 | 0.5 | 0.8 | 1.3 |
| 1996 | 8.1 | 4.5 | * | * | * | * | * | 0.4 | 0.4 | 0.9 | 1.5 |
| 1995 | 8.0 | 4.2 | * | * | * | * | * | 0.4 | 0.6 | 1.0 | 1.6 |
| 1994 | 7.8 | 5.0 | * | * | * | * | * | 0.3 | 0.6 | 0.9 | 1.4 |
| 1993 | 8.1 | 4.8 | * | * | * | * | * | 0.3 | 0.7 | 0.9 | 1.5 |
| 1992 | 7.9 | 4.3 | * | * | * | * | * | 0.4 | 0.7 | 1.3 | 1.6 |
| 1991 | 7.7 | 5.5 | * | * | * | * | * | 0.4 | 0.7 | 1.4 | 1.7 |
| 1990 | 7.5 | 3.8 | * | * | * | * | 0.2 | 0.3 | 0.7 | 1.3 | 1.8 |
| 1989 | 7.8 | 5.7 | * | * | * | * | * | 0.4 | 0.9 | 1.4 | 1.6 |
| 1988 | 8.3 | 5.7 | * | * | * | * | 0.2 | 0.4 | 0.8 | 1.3 | 1.8 |
| 1987 | 8.5 | 5.6 | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.2 | 1.4 |
| 1986 | 8.5 | 7.5 | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.1 | 1.7 |
| 1985 | 8.3 | 8.0 | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.4 | 1.7 |
| 1984 | 7.8 | 8.6 | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.1 | 1.6 |
| 1983 | 7.3 | 6.0 | * | * | * | * | 0.2 | 0.5 | 0.6 | 0.9 | 1.3 |
| 1982 | 7.1 | 7.9 | * | * | * | * | 0.2 | 0.3 | 0.7 | 1.0 | 1.5 |
| 1981 | 6.8 | 7.4 | * | * | * | * | 0.2 | 0.5 | 0.6 | 1.3 | 1.4 |
| 1980 | 6.6 | 6.8 | * | * | * | * | 0.2 | 0.5 | 0.8 | 1.2 | 1.8 |
| 1979 | 6.2 | 6.4 | * | * | * | * | 0.3 | 0.5 | 0.8 | 1.0 | 1.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Renal failure (584-586) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 8.9 | 3.3 | * | * | * | * | * | * | 0.3 | 0.6 | 0.6 |
| 1997 | 8.7 | 2.6 | * | * | * | * | * | * | 0.4 | 0.6 | 0.8 |
| 1996 | 8.5 | 2.6 | * | * | * | * | * | * | 0.3 | 0.6 | 1.0 |
| 1995 | 8.3 | 3.4 | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 0.8 |
| 1994 | 8.3 | 3.6 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.8 |
| 1993 | 8.4 | 3.9 | * | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.9 |
| 1992 | 7.9 | 4.8 | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 0.7 |
| 1991 | 7.7 | 3.3 | * | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.7 |
| 1990 | 7.7 | 3.2 | * | * | * | * | * | 0.2 | 0.4 | 0.7 | 1.0 |
| 1989 | 7.8 | 3.9 | * | * | * | * | 0.2 | 0.2 | 0.5 | 0.5 | 0.8 |
| 1988 | 8.5 | 5.6 | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.6 | 1.0 |
| 1987 | 8.2 | 5.6 | * | * | * | * | 0.2 | 0.2 | 0.6 | 0.7 | 0.8 |
| 1986 | 8.1 | 5.5 | * | * | * | * | 0.2 | 0.2 | 0.6 | 0.6 | 1.2 |
| 1985 | 8.0 | 6.3 | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 0.9 |
| 1984 | 7.4 | 6.1 | * | * | * | * | * | 0.4 | 0.4 | 0.7 | 0.8 |
| 1983 | 7.1 | 5.8 | * | * | * | * | * | 0.3 | 0.6 | 0.6 | 1.2 |
| 1982 | 6.5 | 5.3 | * | * | * | * | * | 0.3 | 0.5 | 0.7 | 1.1 |
| 1981 | 6.2 | 6.1 | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.6 | 1.1 |
| 1980 | 5.9 | 5.5 | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.6 | 1.0 |
| 1979 | 5.3 | 5.5 | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.7 | 1.2 |
| Renal failure (584-586) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 8.7 | 2.7 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.7 |
| 1997 | 8.5 | 2.9 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.8 |
| 1996 | 8.1 | 2.5 | * | * | * | * | * | 0.2 | 0.2 | 0.5 | 0.9 |
| 1995 | 8.0 | 2.9 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.7 |
| 1994 | 7.9 | 3.1 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.7 |
| 1993 | 8.0 | 3.4 | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.8 |
| 1992 | 7.7 | 3.9 | * | * | * | * | * | 0.2 | 0.3 | 0.6 | 0.7 |
| 1991 | 7.4 | 3.8 | * | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.8 |
| 1990 | 7.2 | 2.6 | * | * | * | * | * | 0.2 | 0.4 | 0.6 | 0.9 |
| 1989 | 7.3 | 3.9 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 | 0.7 |
| 1988 | 7.9 | 4.7 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 | 1.0 |
| 1987 | 8.0 | 4.0 | * | * | * | * | 0.1 | 0.3 | 0.4 | 0.6 | 0.9 |
| 1986 | 7.9 | 5.1 | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.6 | 1.0 |
| 1985 | 7.7 | 5.9 | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.6 | 1.0 |
| 1984 | 7.2 | 5.9 | * | * | * | 0.1 | 0.1 | 0.3 | 0.4 | 0.6 | 0.9 |
| 1983 | 6.8 | 4.9 | * | * | * | * | 0.1 | 0.3 | 0.5 | 0.4 | 0.9 |
| 1982 | 6.4 | 5.5 | * | * | * | * | 0.1 | 0.2 | 0.4 | 0.6 | 1.0 |
| 1981 | 6.0 | 5.8 | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.7 | 0.9 |
| 1980 | 5.7 | 5.1 | * | * | * | * | 0.1 | 0.2 | 0.5 | 0.6 | 1.0 |
| 1979 | 5.4 | 5.3 | * | * | * | 0.1 | 0.2 | 0.4 | 0.5 | 0.6 | 1.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Renal failure (584-586) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 8.6 | 2.8 | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 |
| 1997 | 8.3 | 3.2 | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 |
| 1996 | 8.0 | 3.3 | * | * | * | * | * | * | 0.3 | 0.5 | 1.0 |
| 1995 | 7.9 | 3.1 | * | * | * | * | * | 0.3 | 0.3 | 0.7 | 1.0 |
| 1994 | 7.7 | 3.5 | * | * | * | * | * | * | 0.3 | 0.5 | 0.7 |
| 1993 | 7.9 | 3.7 | * | * | * | * | * | * | 0.3 | 0.5 | 0.9 |
| 1992 | 7.7 | 3.9 | * | * | * | * | * | 0.3 | 0.4 | 0.8 | 0.9 |
| 1991 | 7.4 | 4.9 | * | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.3 |
| 1990 | 7.1 | 2.9 | * | * | * | * | * | 0.2 | 0.5 | 0.9 | 1.1 |
| 1989 | 7.3 | 4.6 | * | * | * | * | * | 0.3 | 0.5 | 0.8 | 0.9 |
| 1988 | 7.9 | 5.1 | * | * | * | * | * | 0.3 | 0.5 | 0.8 | 1.3 |
| 1987 | 8.1 | 4.2 | * | * | * | * | * | 0.3 | 0.5 | 0.7 | 1.1 |
| 1986 | 8.1 | 6.0 | * | * | * | * | * | 0.2 | 0.5 | 0.6 | 1.1 |
| 1985 | 7.8 | 7.0 | * | * | * | * | * | 0.3 | 0.3 | 0.8 | 1.2 |
| 1984 | 7.4 | 6.8 | * | * | * | * | 0.2 | 0.3 | 0.5 | 0.7 | 1.1 |
| 1983 | 6.9 | 5.3 | * | * | * | * | * | 0.4 | 0.5 | 0.5 | 0.9 |
| 1982 | 6.7 | 6.8 | * | * | * | * | * | * | 0.5 | 0.8 | 1.2 |
| 1981 | 6.4 | 6.1 | * | * | * | * | * | 0.4 | 0.5 | 1.0 | 0.9 |
| 1980 | 6.1 | 5.9 | * | * | * | * | * | 0.3 | 0.6 | 0.8 | 1.1 |
| 1979 | 5.8 | 5.3 | * | * | * | * | * | 0.4 | 0.6 | 0.6 | 1.3 |
| Renal failure (584-586) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 8.8 | 2.6 | * | * | * | * | * | * | 0.3 | 0.4 | 0.5 |
| 1997 | 8.6 | 2.6 | * | * | * | * | * | * | 0.2 | 0.5 | 0.6 |
| 1996 | 8.2 | 1.7 | * | * | * | * | * | * | * | 0.4 | 0.8 |
| 1995 | 8.1 | 2.6 | * | * | * | * | * | * | 0.3 | 0.4 | 0.5 |
| 1994 | 8.0 | 2.8 | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 |
| 1993 | 8.1 | 3.0 | * | * | * | * | * | * | 0.3 | 0.4 | 0.7 |
| 1992 | 7.7 | 3.9 | * | * | * | * | * | * | 0.2 | 0.5 | 0.5 |
| 1991 | 7.4 | 2.7 | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 |
| 1990 | 7.3 | 2.3 | * | * | * | * | * | * | 0.3 | 0.3 | 0.7 |
| 1989 | 7.3 | 3.2 | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 |
| 1988 | 8.0 | 4.3 | * | * | * | * | * | * | 0.4 | 0.4 | 0.6 |
| 1987 | 7.8 | 3.7 | * | * | * | * | * | * | 0.4 | 0.5 | 0.6 |
| 1986 | 7.7 | 4.2 | * | * | * | * | * | * | 0.4 | 0.5 | 0.8 |
| 1985 | 7.5 | 4.9 | * | * | * | * | * | * | 0.3 | 0.4 | 0.8 |
| 1984 | 7.0 | 4.9 | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.6 |
| 1983 | 6.6 | 4.6 | * | * | * | * | * | * | 0.5 | 0.4 | 0.9 |
| 1982 | 6.1 | 4.1 | * | * | * | * | * | 0.2 | 0.4 | 0.5 | 0.7 |
| 1981 | 5.7 | 5.4 | * | * | * | * | * | * | 0.3 | 0.4 | 0.8 |
| 1980 | 5.3 | 4.2 | * | * | * | * | * | * | 0.4 | 0.4 | 0.8 |
| 1979 | 4.9 | 5.2 | * | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Renal failure (584-586) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 9.0 | 5.9 | * | * | * | * | * | 0.5 | 0.8 | 1.7 | 2.6 |
| 1997 | 8.9 | 4.7 | * | * | * | * | * | * | 1.0 | 1.5 | 2.5 |
| 1996 | 9.0 | 7.6 | * | * | * | * | * | 0.6 | 0.9 | 2.0 | 3.0 |
| 1995 | 9.1 | 7.5 | * | * | * | * | * | 0.6 | 1.1 | 2.0 | 3.6 |
| 1994 | 8.8 | 8.9 | * | * | * | * | * | 0.6 | 1.4 | 2.0 | 3.5 |
| 1993 | 9.4 | 8.2 | * | * | * | * | * | 0.9 | 1.7 | 2.3 | 3.5 |
| 1992 | 9.1 | 7.2 | * | * | * | * | * | 0.9 | 1.6 | 2.5 | 3.5 |
| 1991 | 9.2 | 7.0 | * | * | * | * | * | 1.1 | 1.5 | 3.3 | 3.4 |
| 1990 | 9.5 | 7.1 | * | * | * | * | * | 0.9 | 1.3 | 3.2 | 4.1 |
| 1989 | 10.5 | 8.4 | * | * | * | * | * | 0.7 | 2.2 | 3.1 | 4.2 |
| 1988 | 10.8 | 9.3 | * | * | * | * | 0.6 | 1.0 | 1.9 | 3.1 | 4.1 |
| 1987 | 10.4 | 12.2 | * | * | * | * | * | 0.8 | 2.3 | 2.7 | 2.4 |
| 1986 | 10.7 | 12.4 | * | * | * | * | * | 0.8 | 1.8 | 2.6 | 4.6 |
| 1985 | 10.9 | 12.7 | * | * | * | * | * | 0.9 | 1.9 | 3.6 | 3.4 |
| 1984 | 10.0 | 14.0 | * | * | * | * | * | 0.6 | 1.4 | 2.6 | 3.2 |
| 1983 | 9.3 | 10.4 | * | * | * | * | * | 0.9 | 1.3 | 2.6 | 3.5 |
| 1982 | 9.5 | 11.8 | * | * | * | * | * | 0.7 | 1.2 | 2.2 | 3.5 |
| 1981 | 9.2 | 11.2 | * | * | * | * | * | 1.1 | 1.2 | 2.7 | 3.4 |
| 1980 | 9.5 | 11.0 | * | * | * | * | 0.8 | 1.1 | 1.6 | 2.5 | 4.2 |
| 1979 | 8.5 | 9.3 | * | * | * | * | 0.7 | 1.0 | 1.6 | 2.4 | 4.7 |
| Renal failure (584-586) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 8.4 | 5.7 | * | * | * | * | * | * | * | 2.1 | 3.9 |
| 1997 | 8.5 | 6.8 | * | * | * | * | * | * | 1.2 | 2.0 | 3.5 |
| 1996 | 8.5 | 9.2 | * | * | * | * | * | * | 1.2 | 2.6 | 4.2 |
| 1995 | 8.8 | 8.5 | * | * | * | * | * | * | 1.7 | 2.8 | 5.1 |
| 1994 | 8.3 | 10.9 | * | * | * | * | * | * | 2.0 | 2.7 | 5.2 |
| 1993 | 9.1 | 9.0 | * | * | * | * | * | * | 2.6 | 3.2 | 5.0 |
| 1992 | 9.0 | 5.9 | * | * | * | * | * | * | 2.2 | 4.2 | 5.5 |
| 1991 | 9.3 | 8.1 | * | * | * | * | * | 1.3 | 2.3 | 5.1 | 4.6 |
| 1990 | 9.3 | 7.5 | * | * | * | * | * | * | 1.8 | 3.8 | 5.7 |
| 1989 | 10.9 | 9.9 | * | * | * | * | * | * | 3.2 | 4.9 | 6.2 |
| 1988 | 10.4 | 8.2 | * | * | * | * | * | 1.3 | 2.6 | 4.6 | 5.0 |
| 1987 | 10.5 | 11.2 | * | * | * | * | * | 1.2 | 2.8 | 4.2 | 3.5 |
| 1986 | 10.9 | 13.8 | * | * | * | * | * | * | 2.0 | 3.9 | 5.7 |
| 1985 | 10.9 | 12.7 | * | * | * | * | * | * | 3.0 | 5.2 | 5.3 |
| 1984 | 10.1 | 16.4 | * | * | * | * | * | * | 1.7 | 3.2 | 4.9 |
| 1983 | 9.3 | 9.4 | * | * | * | * | * | * | 1.6 | 3.4 | 4.1 |
| 1982 | 9.6 | 13.1 | * | * | * | * | * | * | * | 2.4 | 3.5 |
| 1981 | 9.6 | 13.1 | * | * | * | * | * | * | 1.6 | 3.4 | 4.5 |
| 1980 | 9.9 | 10.9 | * | * | * | * | * | 1.6 | 2.3 | 3.7 | 6.2 |
| 1979 | 9.1 | 11.9 | * | * | * | * | * | * | 2.2 | 3.3 | 5.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Renal failure (584-586) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 9.5 | 6.1 | * | * | * | * | * | * | * | 1.2 | 1.4 |
| 1997 | 9.3 | * | * | * | * | * | * | * | * | 1.0 | 1.6 |
| 1996 | 9.4 | 6.0 | * | * | * | * | * | * | * | 1.4 | 1.9 |
| 1995 | 9.5 | 6.4 | * | * | * | * | * | * | * | 1.3 | 2.3 |
| 1994 | 9.2 | 6.7 | * | * | * | * | * | * | * | 1.3 | 1.9 |
| 1993 | 9.7 | 7.4 | * | * | * | * | * | * | * | 1.4 | 2.2 |
| 1992 | 9.2 | 8.5 | * | * | * | * | * | * | 1.0 | 1.1 | 1.8 |
| 1991 | 9.1 | 5.8 | * | * | * | * | * | * | * | 1.7 | 2.2 |
| 1990 | 9.7 | 6.7 | * | * | * | * | * | * | * | 2.7 | 2.7 |
| 1989 | 10.1 | 6.9 | * | * | * | * | * | * | 1.4 | 1.6 | 2.5 |
| 1988 | 11.1 | 10.5 | * | * | * | * | * | * | 1.3 | 1.8 | 3.3 |
| 1987 | 10.4 | 13.2 | * | * | * | * | * | * | 1.8 | 1.4 | * |
| 1986 | 10.6 | 11.0 | * | * | * | * | * | * | 1.5 | 1.5 | 3.6 |
| 1985 | 10.9 | 12.7 | * | * | * | * | * | * | * | 2.2 | * |
| 1984 | 9.9 | 11.6 | * | * | * | * | * | * | * | 2.0 | * |
| 1983 | 9.4 | 11.4 | * | * | * | * | * | * | * | 1.9 | 2.9 |
| 1982 | 9.4 | 10.6 | * | * | * | * | * | * | * | 2.1 | 3.5 |
| 1981 | 8.7 | 9.3 | * | * | * | * | * | * | * | 2.0 | 2.5 |
| 1980 | 9.2 | 11.1 | * | * | * | * | * | * | * | * | 2.5 |
| 1979 | 8.0 | 6.7 | * | * | * | * | * | * | * | * | 3.8 |
| Renal failure (584-586) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 11.2 | 6.9 | * | * | * | * | * | * | 1.1 | 2.2 | 3.5 |
| 1997 | 11.1 | 5.5 | * | * | * | * | * | * | 1.3 | 1.9 | 3.2 |
| 1996 | 11.0 | 10.0 | * | * | * | * | * | 0.8 | 1.1 | 2.5 | 4.0 |
| 1995 | 11.3 | 9.4 | * | * | * | * | * | 0.8 | 1.6 | 2.7 | 4.8 |
| 1994 | 10.9 | 10.9 | * | * | * | * | * | 0.9 | 1.9 | 2.6 | 4.5 |
| 1993 | 11.4 | 10.3 | * | * | * | * | * | 1.0 | 2.3 | 3.0 | 4.5 |
| 1992 | 11.1 | 8.5 | * | * | * | * | * | 1.2 | 2.0 | 3.3 | 4.4 |
| 1991 | 11.2 | 8.9 | * | * | * | * | * | 1.4 | 1.9 | 4.3 | 4.5 |
| 1990 | 11.5 | 8.1 | * | * | * | * | * | 1.1 | 1.6 | 4.2 | 5.2 |
| 1989 | 12.6 | 10.3 | * | * | * | * | * | 0.8 | 2.9 | 4.1 | 5.4 |
| 1988 | 12.9 | 10.9 | * | * | * | * | 0.7 | 1.3 | 2.4 | 4.1 | 5.1 |
| 1987 | 12.4 | 14.1 | * | * | * | * | * | 0.9 | 2.8 | 3.5 | 2.9 |
| 1986 | 12.6 | 14.8 | * | * | * | * | * | 1.0 | 2.1 | 3.4 | 5.7 |
| 1985 | 12.9 | 14.3 | * | * | * | * | * | 1.1 | 2.4 | 4.7 | 4.4 |
| 1984 | 11.6 | 16.8 | * | * | * | * | * | * | 1.7 | 3.0 | 4.1 |
| 1983 | 10.8 | 12.2 | * | * | * | * | * | 1.1 | 1.4 | 3.1 | 4.1 |
| 1982 | 10.9 | 14.2 | * | * | * | * | * | 0.9 | 1.4 | 2.6 | 4.0 |
| 1981 | 10.5 | 12.9 | * | * | * | * | * | 1.3 | 1.5 | 3.3 | 4.1 |
| 1980 | 10.7 | 12.5 | * | * | * | * | 0.8 | 1.3 | 1.8 | 2.9 | 4.9 |
| 1979 | 9.4 | 10.5 | * | * | * | * | 0.7 | 1.1 | 2.0 | 2.9 | 5.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Renal failure (584-586) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 10.4 | 7.3 | * | * | * | * | * | * | * | 2.8 | 5.3 |
| 1997 | 10.7 | 7.8 | * | * | * | * | * | * | 1.7 | 2.7 | 4.8 |
| 1996 | 10.4 | 12.5 | * | * | * | * | * | * | 1.5 | 3.4 | 5.6 |
| 1995 | 10.9 | 11.3 | * | * | * | * | * | * | 2.4 | 3.8 | 6.9 |
| 1994 | 10.3 | 13.5 | * | * | * | * | * | * | 2.8 | 3.6 | 6.9 |
| 1993 | 11.0 | 11.5 | * | * | * | * | * | * | 3.5 | 4.3 | 6.4 |
| 1992 | 11.0 | 6.8 | * | * | * | * | * | * | 2.9 | 5.6 | 7.0 |
| 1991 | 11.4 | 10.6 | * | * | * | * | * | 1.7 | 3.1 | 6.9 | 6.2 |
| 1990 | 11.2 | 8.4 | * | * | * | * | * | * | 2.3 | 5.0 | 7.4 |
| 1989 | 13.1 | 12.4 | * | * | * | * | * | * | 4.2 | 6.5 | 8.0 |
| 1988 | 12.4 | 9.8 | * | * | * | * | * | 1.6 | 3.3 | 6.0 | 6.5 |
| 1987 | 12.5 | 12.9 | * | * | * | * | * | 1.5 | 3.6 | 5.3 | 4.5 |
| 1986 | 12.9 | 16.4 | * | * | * | * | * | * | 2.5 | 5.0 | 7.6 |
| 1985 | 12.9 | 14.1 | * | * | * | * | * | * | 3.8 | 6.9 | 6.9 |
| 1984 | 11.6 | 19.9 | * | * | * | * | * | * | 2.3 | 4.0 | 6.1 |
| 1983 | 10.8 | 11.0 | * | * | * | * | * | * | * | 4.2 | 5.2 |
| 1982 | 11.1 | 15.4 | * | * | * | * | * | * | * | 2.9 | 4.1 |
| 1981 | 11.1 | 15.2 | * | * | * | * | * | * | 2.1 | 4.4 | 5.6 |
| 1980 | 11.3 | 12.6 | * | * | * | * | * | 1.8 | 2.5 | 4.7 | 7.2 |
| 1979 | 10.0 | 13.5 | * | * | * | * | * | * | 2.8 | 4.0 | 6.9 |
| Renal failure (584-586) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 11.9 | * | * | * | * | * | * | * | * | 1.7 | 1.9 |
| 1997 | 11.5 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1996 | 11.5 | 7.4 | * | * | * | * | * | * | * | 1.8 | 2.6 |
| 1995 | 11.7 | 7.5 | * | * | * | * | * | * | * | 1.7 | 3.0 |
| 1994 | 11.4 | 8.2 | * | * | * | * | * | * | * | 1.7 | 2.4 |
| 1993 | 11.8 | 9.0 | * | * | * | * | * | * | * | 1.9 | 2.8 |
| 1992 | 11.1 | 10.2 | * | * | * | * | * | * | * | * | 2.2 |
| 1991 | 11.1 | 7.3 | * | * | * | * | * | * | * | 2.1 | 3.0 |
| 1990 | 11.7 | 7.9 | * | * | * | * | * | * | * | 3.5 | 3.4 |
| 1989 | 12.1 | 8.1 | * | * | * | * | * | * | 1.8 | 1.9 | 3.2 |
| 1988 | 13.4 | 12.0 | * | * | * | * | * | * | 1.6 | 2.4 | 4.0 |
| 1987 | 12.3 | 15.3 | * | * | * | * | * | * | 2.1 | 1.9 | * |
| 1986 | 12.4 | 13.1 | * | * | * | * | * | * | 1.8 | 2.0 | 4.2 |
| 1985 | 12.9 | 14.4 | * | * | * | * | * | * | * | 2.9 | * |
| 1984 | 11.6 | 13.7 | * | * | * | * | * | * | * | 2.2 | * |
| 1983 | 10.8 | 13.4 | * | * | * | * | * | * | * | 2.2 | 3.2 |
| 1982 | 10.7 | 13.0 | * | * | * | * | * | * | * | 2.4 | 4.0 |
| 1981 | 10.0 | 10.5 | * | * | * | * | * | * | * | 2.4 | 2.8 |
| 1980 | 10.2 | 12.4 | * | * | * | * | * | * | * | * | 2.9 |
| 1979 | 8.9 | * | * | * | * | * | * | * | * | * | 4.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other disorders of kidney (588-589) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| Other disorders of kidney (588-589) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other disorders of kidney (588-589) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Other disorders of kidney (588-589) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|-------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other disorders of kidney (588-589) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Other disorders of kidney (588-589) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other disorders of kidney (588-589) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Other disorders of kidney (588-589) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other disorders of kidney (588-589) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Other disorders of kidney (588-589) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other disorders of kidney (588-589) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Other disorders of kidney (588-589) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Infections of kidney (590) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | 0.1 |
| 1988 | 0.7 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1987 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.9 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1983 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1979 | 1.3 | * | * | * | * | * | * | * | * | * | 0.2 |
| Infections of kidney (590) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.0 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Infections of kidney (590) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| Infections of kidney (590) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1979 | 1.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Infections of kidney (590) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| Infections of kidney (590) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Infections of kidney (590) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| Infections of kidney (590) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Infections of kidney (590) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| Infections of kidney (590) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Infections of kidney (590) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| Infections of kidney (590) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hyperplasia of prostate (600) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Hyperplasia of prostate (600) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hyperplasia of prostate (600) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Hyperplasia of prostate (600) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Hyperplasia of prostate (600) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| Hyperplasia of prostate (600) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Hyperplasia of prostate (600) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Hyperplasia of prostate (600) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.8 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Inflammatory diseases of female pelvic organs (614-616) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| Inflammatory diseases of female pelvic organs (614-616) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Inflammatory diseases of female pelvic organs (614-616) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| Inflammatory diseases of female pelvic organs (614-616) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Inflammatory diseases of female pelvic organs (614-616) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Inflammatory diseases of female pelvic organs (614-616) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Inflammatory diseases of female pelvic organs (614-616) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Inflammatory diseases of female pelvic organs (614-616) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.3 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pregnancy, childbirth and the puerperium (630-676) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | --- | --- | --- | * | * | 0.3 | 0.4 | 0.3 | 0.2 | 0.1 |
| 1997 | 0.1 | --- | --- | --- | * | 0.1 | 0.3 | 0.4 | 0.3 | 0.2 | 0.1 |
| 1996 | 0.1 | --- | --- | --- | * | * | 0.3 | 0.4 | 0.3 | 0.3 | 0.1 |
| 1995 | 0.1 | --- | --- | --- | * | * | 0.3 | 0.3 | 0.3 | 0.2 | 0.1 |
| 1994 | 0.1 | --- | --- | --- | * | 0.2 | 0.4 | 0.4 | 0.3 | 0.3 | 0.1 |
| 1993 | 0.1 | --- | --- | --- | * | 0.1 | 0.3 | 0.3 | 0.3 | 0.3 | * |
| 1992 | 0.1 | --- | --- | --- | * | 0.2 | 0.4 | 0.3 | 0.4 | 0.2 | * |
| 1991 | 0.1 | --- | --- | --- | * | 0.2 | 0.3 | 0.3 | 0.3 | 0.2 | * |
| 1990 | 0.1 | --- | --- | --- | * | 0.2 | 0.4 | 0.4 | 0.4 | 0.3 | 0.1 |
| 1989 | 0.1 | --- | --- | --- | * | 0.2 | 0.4 | 0.4 | 0.4 | 0.2 | * |
| 1988 | 0.1 | --- | --- | --- | * | 0.2 | 0.4 | 0.3 | 0.4 | 0.3 | * |
| 1987 | 0.1 | --- | --- | --- | * | 0.1 | 0.3 | 0.3 | 0.3 | 0.2 | * |
| 1986 | 0.1 | --- | --- | --- | * | 0.1 | 0.3 | 0.3 | 0.3 | 0.2 | * |
| 1985 | 0.1 | --- | --- | --- | * | 0.2 | 0.3 | 0.4 | 0.3 | 0.2 | * |
| 1984 | 0.1 | --- | --- | --- | * | 0.2 | 0.2 | 0.4 | 0.4 | 0.2 | * |
| 1983 | 0.1 | --- | --- | --- | * | 0.1 | 0.4 | 0.4 | 0.3 | 0.2 | * |
| 1982 | 0.1 | --- | --- | --- | * | 0.2 | 0.2 | 0.4 | 0.4 | 0.2 | * |
| 1981 | 0.1 | --- | --- | --- | * | 0.2 | 0.4 | 0.4 | 0.4 | 0.2 | * |
| 1980 | 0.1 | --- | --- | --- | * | 0.2 | 0.3 | 0.4 | 0.4 | 0.3 | * |
| 1979 | 0.1 | --- | --- | --- | * | 0.2 | 0.4 | 0.4 | 0.4 | 0.3 | * |
| Pregnancy, childbirth and the puerperium (630-676) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.2 | --- | --- | --- | * | * | 0.5 | 0.7 | 0.6 | 0.5 | 0.2 |
| 1997 | 0.2 | --- | --- | --- | * | 0.3 | 0.7 | 0.9 | 0.7 | 0.5 | 0.2 |
| 1996 | 0.2 | --- | --- | --- | * | * | 0.5 | 0.7 | 0.6 | 0.6 | 0.2 |
| 1995 | 0.2 | --- | --- | --- | * | * | 0.6 | 0.7 | 0.6 | 0.4 | 0.2 |
| 1994 | 0.2 | --- | --- | --- | * | 0.4 | 0.8 | 0.8 | 0.5 | 0.5 | 0.2 |
| 1993 | 0.2 | --- | --- | --- | * | 0.3 | 0.7 | 0.7 | 0.6 | 0.6 | * |
| 1992 | 0.2 | --- | --- | --- | * | 0.4 | 0.8 | 0.6 | 0.7 | 0.5 | * |
| 1991 | 0.2 | --- | --- | --- | * | 0.4 | 0.7 | 0.7 | 0.7 | 0.5 | * |
| 1990 | 0.3 | --- | --- | --- | * | 0.5 | 0.7 | 0.7 | 0.8 | 0.5 | 0.2 |
| 1989 | 0.3 | --- | --- | --- | * | 0.3 | 0.7 | 0.8 | 0.8 | 0.4 | * |
| 1988 | 0.3 | --- | --- | --- | * | 0.4 | 0.8 | 0.7 | 0.7 | 0.5 | * |
| 1987 | 0.2 | --- | --- | --- | * | 0.3 | 0.5 | 0.6 | 0.6 | 0.3 | * |
| 1986 | 0.2 | --- | --- | --- | * | 0.3 | 0.6 | 0.6 | 0.5 | 0.5 | * |
| 1985 | 0.2 | --- | --- | --- | * | 0.3 | 0.6 | 0.7 | 0.6 | 0.5 | * |
| 1984 | 0.2 | --- | --- | --- | * | 0.3 | 0.5 | 0.8 | 0.8 | 0.5 | * |
| 1983 | 0.2 | --- | --- | --- | * | 0.3 | 0.8 | 0.7 | 0.6 | 0.4 | * |
| 1982 | 0.2 | --- | --- | --- | * | 0.3 | 0.5 | 0.8 | 0.7 | 0.4 | * |
| 1981 | 0.3 | --- | --- | --- | * | 0.4 | 0.7 | 0.7 | 0.7 | 0.5 | * |
| 1980 | 0.3 | --- | --- | --- | * | 0.4 | 0.7 | 0.9 | 0.8 | 0.6 | * |
| 1979 | 0.3 | --- | --- | --- | * | 0.3 | 0.8 | 0.8 | 0.8 | 0.7 | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Pregnancy, childbirth and the puerperium (630-676) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.3 | 0.2 | 0.2 | * |
| 1997 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.3 | 0.2 | 0.2 | * |
| 1996 | 0.1 | --- | --- | --- | * | * | * | 0.2 | 0.2 | 0.2 | * |
| 1995 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.2 | 0.2 | 0.1 | * |
| 1994 | 0.1 | --- | --- | --- | * | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | * |
| 1993 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.2 | 0.2 | 0.2 | * |
| 1992 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.2 | 0.3 | 0.1 | * |
| 1991 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.2 | 0.3 | 0.2 | * |
| 1990 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.3 | 0.2 | 0.2 | * |
| 1989 | 0.1 | --- | --- | --- | * | * | 0.3 | 0.3 | 0.2 | 0.1 | * |
| 1988 | 0.1 | --- | --- | --- | * | * | 0.3 | 0.3 | 0.3 | 0.1 | * |
| 1987 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.2 | 0.2 | 0.1 | * |
| 1986 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.2 | 0.2 | 0.2 | * |
| 1985 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.3 | 0.2 | 0.2 | * |
| 1984 | 0.1 | --- | --- | --- | * | * | * | 0.3 | 0.3 | 0.2 | * |
| 1983 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.3 | 0.2 | 0.2 | * |
| 1982 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.3 | 0.3 | * | * |
| 1981 | 0.1 | --- | --- | --- | * | * | 0.3 | 0.3 | 0.3 | * | * |
| 1980 | 0.1 | --- | --- | --- | * | 0.1 | 0.2 | 0.3 | 0.3 | 0.2 | * |
| 1979 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.3 | 0.3 | 0.2 | * |
| Pregnancy, childbirth and the puerperium (630-676) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.1 | --- | --- | --- | * | * | 0.3 | 0.6 | 0.4 | 0.4 | * |
| 1997 | 0.2 | --- | --- | --- | * | * | 0.4 | 0.6 | 0.5 | 0.3 | * |
| 1996 | 0.1 | --- | --- | --- | * | * | * | 0.4 | 0.4 | 0.4 | * |
| 1995 | 0.1 | --- | --- | --- | * | * | 0.4 | 0.4 | 0.3 | 0.3 | * |
| 1994 | 0.2 | --- | --- | --- | * | 0.3 | 0.5 | 0.7 | 0.4 | 0.3 | * |
| 1993 | 0.1 | --- | --- | --- | * | * | 0.4 | 0.4 | 0.4 | 0.3 | * |
| 1992 | 0.1 | --- | --- | --- | * | * | 0.5 | 0.4 | 0.5 | 0.3 | * |
| 1991 | 0.2 | --- | --- | --- | * | * | 0.4 | 0.5 | 0.6 | 0.4 | * |
| 1990 | 0.2 | --- | --- | --- | * | * | 0.4 | 0.6 | 0.4 | 0.3 | * |
| 1989 | 0.2 | --- | --- | --- | * | * | 0.5 | 0.6 | 0.5 | 0.3 | * |
| 1988 | 0.2 | --- | --- | --- | * | * | 0.6 | 0.5 | 0.5 | 0.3 | * |
| 1987 | 0.1 | --- | --- | --- | * | * | 0.4 | 0.4 | 0.4 | 0.3 | * |
| 1986 | 0.1 | --- | --- | --- | * | * | 0.4 | 0.4 | 0.4 | 0.3 | * |
| 1985 | 0.2 | --- | --- | --- | * | * | 0.3 | 0.5 | 0.4 | 0.4 | * |
| 1984 | 0.2 | --- | --- | --- | * | * | * | 0.6 | 0.5 | 0.3 | * |
| 1983 | 0.2 | --- | --- | --- | * | * | 0.5 | 0.6 | 0.4 | 0.3 | * |
| 1982 | 0.2 | --- | --- | --- | * | * | 0.3 | 0.6 | 0.6 | * | * |
| 1981 | 0.2 | --- | --- | --- | * | * | 0.6 | 0.6 | 0.5 | * | * |
| 1980 | 0.2 | --- | --- | --- | * | 0.3 | 0.5 | 0.6 | 0.6 | 0.4 | * |
| 1979 | 0.2 | --- | --- | --- | * | * | 0.5 | 0.6 | 0.5 | 0.4 | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pregnancy, childbirth and the puerperium (630-676) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.2 | --- | --- | --- | * | * | 0.7 | 0.8 | 0.8 | 0.5 | * |
| 1997 | 0.3 | --- | --- | --- | * | * | 0.9 | 0.9 | 0.8 | 0.5 | * |
| 1996 | 0.3 | --- | --- | --- | * | * | 0.8 | 0.9 | 0.8 | 0.7 | * |
| 1995 | 0.3 | --- | --- | --- | * | * | 0.8 | 0.8 | 0.9 | 0.6 | * |
| 1994 | 0.3 | --- | --- | --- | * | * | 1.1 | 0.6 | 0.5 | 0.7 | * |
| 1993 | 0.3 | --- | --- | --- | * | * | 0.9 | 0.9 | 0.7 | 0.9 | * |
| 1992 | 0.4 | --- | --- | --- | * | 0.6 | 1.0 | 0.7 | 0.9 | 0.8 | * |
| 1991 | 0.3 | --- | --- | --- | * | 0.6 | 0.9 | 0.8 | 0.7 | * | * |
| 1990 | 0.4 | --- | --- | --- | * | 0.6 | 1.0 | 0.7 | 1.3 | 0.8 | * |
| 1989 | 0.4 | --- | --- | --- | * | * | 0.8 | 1.0 | 1.1 | * | * |
| 1988 | 0.4 | --- | --- | --- | * | 0.6 | 0.9 | 0.8 | 0.8 | 1.0 | * |
| 1987 | 0.3 | --- | --- | --- | * | * | 0.6 | 0.7 | 0.9 | * | * |
| 1986 | 0.3 | --- | --- | --- | * | * | 0.9 | 0.9 | 0.8 | * | * |
| 1985 | 0.4 | --- | --- | --- | * | * | 0.9 | 0.9 | 1.0 | * | * |
| 1984 | 0.4 | --- | --- | --- | * | * | 0.9 | 0.8 | 1.1 | * | * |
| 1983 | 0.3 | --- | --- | --- | * | * | 1.2 | 0.8 | 0.9 | * | * |
| 1982 | 0.4 | --- | --- | --- | * | * | 0.7 | 1.1 | 0.8 | * | * |
| 1981 | 0.4 | --- | --- | --- | * | 0.7 | 0.8 | 0.9 | 0.9 | * | * |
| 1980 | 0.4 | --- | --- | --- | * | 0.6 | 0.9 | 1.2 | 1.3 | 1.1 | * |
| 1979 | 0.5 | --- | --- | --- | * | 0.6 | 1.5 | 1.1 | 1.3 | * | * |
| Pregnancy, childbirth and the puerperium (630-676) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.5 | --- | --- | --- | * | * | 1.3 | 1.4 | 1.5 | 0.9 | * |
| 1997 | 0.6 | --- | --- | --- | * | * | 1.7 | 1.8 | 1.6 | 0.9 | * |
| 1996 | 0.6 | --- | --- | --- | * | * | 1.5 | 1.8 | 1.5 | 1.3 | * |
| 1995 | 0.6 | --- | --- | --- | * | * | 1.5 | 1.5 | 1.7 | 1.2 | * |
| 1994 | 0.6 | --- | --- | --- | * | * | 2.1 | 1.2 | 1.0 | 1.3 | * |
| 1993 | 0.7 | --- | --- | --- | * | * | 1.8 | 1.7 | 1.4 | 1.7 | * |
| 1992 | 0.7 | --- | --- | --- | * | 1.2 | 1.9 | 1.4 | 1.7 | 1.5 | * |
| 1991 | 0.6 | --- | --- | --- | * | 1.2 | 1.8 | 1.5 | 1.3 | * | * |
| 1990 | 0.8 | --- | --- | --- | * | 1.2 | 1.9 | 1.4 | 2.4 | 1.4 | * |
| 1989 | 0.7 | --- | --- | --- | * | * | 1.6 | 1.8 | 2.1 | * | * |
| 1988 | 0.7 | --- | --- | --- | * | 1.3 | 1.9 | 1.6 | 1.5 | 1.8 | * |
| 1987 | 0.5 | --- | --- | --- | * | * | 1.1 | 1.3 | 1.7 | * | * |
| 1986 | 0.7 | --- | --- | --- | * | * | 1.7 | 1.8 | 1.5 | * | * |
| 1985 | 0.7 | --- | --- | --- | * | * | 1.8 | 1.7 | 1.9 | * | * |
| 1984 | 0.7 | --- | --- | --- | * | * | 1.7 | 1.5 | 2.1 | * | * |
| 1983 | 0.7 | --- | --- | --- | * | * | 2.4 | 1.5 | 1.7 | * | * |
| 1982 | 0.7 | --- | --- | --- | * | * | 1.4 | 2.1 | 1.6 | * | * |
| 1981 | 0.7 | --- | --- | --- | * | 1.4 | 1.6 | 1.6 | 1.7 | * | * |
| 1980 | 0.8 | --- | --- | --- | * | 1.2 | 1.7 | 2.2 | 2.5 | 2.0 | * |
| 1979 | 1.0 | --- | --- | --- | * | 1.2 | 2.8 | 2.0 | 2.3 | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pregnancy, childbirth and the puerperium (630-676) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | --- | --- | --- | * | * | 0.9 | 0.9 | 0.9 | * | * |
| 1997 | 0.4 | --- | --- | --- | * | * | 1.1 | 1.2 | 1.1 | * | * |
| 1996 | 0.4 | --- | --- | --- | * | * | 1.0 | 1.3 | 0.9 | 0.8 | * |
| 1995 | 0.4 | --- | --- | --- | * | * | 1.0 | 1.1 | 1.0 | 0.8 | * |
| 1994 | 0.4 | --- | --- | --- | * | * | 1.3 | * | * | 0.9 | * |
| 1993 | 0.4 | --- | --- | --- | * | * | 1.1 | 1.2 | 0.9 | 1.0 | * |
| 1992 | 0.4 | --- | --- | --- | * | 0.8 | 1.2 | 0.9 | 1.1 | 0.9 | * |
| 1991 | 0.4 | --- | --- | --- | * | * | 1.1 | 1.0 | 0.8 | * | * |
| 1990 | 0.5 | --- | --- | --- | * | * | 1.2 | 0.9 | 1.6 | 0.8 | * |
| 1989 | 0.4 | --- | --- | --- | * | * | 1.1 | 1.1 | 1.2 | * | * |
| 1988 | 0.4 | --- | --- | --- | * | * | 1.2 | 0.9 | 1.0 | 1.2 | * |
| 1987 | 0.3 | --- | --- | --- | * | * | 0.7 | 0.8 | 1.1 | * | * |
| 1986 | 0.4 | --- | --- | --- | * | * | 1.0 | 1.1 | 1.0 | * | * |
| 1985 | 0.4 | --- | --- | --- | * | * | 1.0 | 1.0 | 1.2 | * | * |
| 1984 | 0.4 | --- | --- | --- | * | * | 1.1 | 0.9 | 1.2 | * | * |
| 1983 | 0.4 | --- | --- | --- | * | * | 1.4 | 0.9 | 1.0 | * | * |
| 1982 | 0.4 | --- | --- | --- | * | * | 0.8 | 1.3 | * | * | * |
| 1981 | 0.4 | --- | --- | --- | * | 0.8 | 1.0 | 1.0 | 1.1 | * | * |
| 1980 | 0.5 | --- | --- | --- | * | 0.7 | 1.0 | 1.2 | 1.4 | * | * |
| 1979 | 0.6 | --- | --- | --- | * | 0.7 | 1.7 | 1.2 | 1.4 | * | * |
| Pregnancy, childbirth and the puerperium (630-676) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.6 | --- | --- | --- | * | * | 1.8 | 1.7 | 1.8 | * | * |
| 1997 | 0.7 | --- | --- | --- | * | * | 2.1 | 2.3 | 2.1 | * | * |
| 1996 | 0.7 | --- | --- | --- | * | * | 2.0 | 2.4 | 1.8 | 1.4 | * |
| 1995 | 0.7 | --- | --- | --- | * | * | 2.0 | 2.0 | 2.0 | 1.5 | * |
| 1994 | 0.7 | --- | --- | --- | * | * | 2.6 | * | * | 1.6 | * |
| 1993 | 0.8 | --- | --- | --- | * | * | 2.2 | 2.2 | 1.7 | 1.8 | * |
| 1992 | 0.8 | --- | --- | --- | * | 1.5 | 2.4 | 1.7 | 2.1 | 1.6 | * |
| 1991 | 0.8 | --- | --- | --- | * | * | 2.1 | 1.9 | 1.6 | * | * |
| 1990 | 1.0 | --- | --- | --- | * | * | 2.4 | 1.7 | 3.0 | 1.6 | * |
| 1989 | 0.8 | --- | --- | --- | * | * | 2.1 | 2.1 | 2.2 | * | * |
| 1988 | 0.8 | --- | --- | --- | * | * | 2.3 | 1.6 | 1.8 | 2.2 | * |
| 1987 | 0.6 | --- | --- | --- | * | * | 1.4 | 1.6 | 2.0 | * | * |
| 1986 | 0.8 | --- | --- | --- | * | * | 2.0 | 2.1 | 1.8 | * | * |
| 1985 | 0.8 | --- | --- | --- | * | * | 2.0 | 1.9 | 2.2 | * | * |
| 1984 | 0.8 | --- | --- | --- | * | * | 2.1 | 1.6 | 2.3 | * | * |
| 1983 | 0.7 | --- | --- | --- | * | * | 2.8 | 1.7 | 1.8 | * | * |
| 1982 | 0.7 | --- | --- | --- | * | * | 1.6 | 2.4 | * | * | * |
| 1981 | 0.8 | --- | --- | --- | * | 1.6 | 1.8 | 1.9 | 2.1 | * | * |
| 1980 | 0.9 | --- | --- | --- | * | 1.3 | 2.0 | 2.3 | 2.6 | * | * |
| 1979 | 1.0 | --- | --- | --- | * | 1.4 | 3.3 | 2.2 | 2.7 | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pregnancy with abortive outcome (630-639) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1997 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1996 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1995 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1994 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1993 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1992 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1991 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1990 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1989 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1988 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1987 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1986 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1985 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1984 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1983 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1982 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1981 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1980 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1979 | 0.0 | --- | --- | --- | * | * | 0.1 | * | * | * | * |
| Pregnancy with abortive outcome (630-639) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1997 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1996 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1995 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1994 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1993 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1992 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1991 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1990 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1989 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1988 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1987 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1986 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1985 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1984 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1983 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1982 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1981 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1980 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1979 | 0.1 | --- | --- | --- | * | * | 0.2 | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pregnancy with abortive outcome (630-639) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1997 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1996 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1995 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1994 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1993 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1992 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1991 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1990 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1989 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1988 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1987 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1986 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1985 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1984 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1983 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1982 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1981 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1980 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1979 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| Pregnancy with abortive outcome (630-639) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1997 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1996 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1995 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1994 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1993 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1992 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1991 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1990 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1989 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1988 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1987 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1986 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1985 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1984 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1983 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1982 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1981 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1980 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1979 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pregnancy with abortive outcome (630-639) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1997 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1996 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1995 | 0.0 | --- | --- | --- | * | * | * | * | * | * | * |
| 1994 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1993 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1992 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1991 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1990 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1989 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1988 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1987 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1986 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1985 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1984 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1983 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1982 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1981 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1980 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1979 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| Pregnancy with abortive outcome (630-639) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1997 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1996 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1995 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1994 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1993 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1992 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1991 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1990 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1989 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1988 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1987 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1986 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1985 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1984 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1983 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1982 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1981 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1980 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1979 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Pregnancy with abortive outcome (630-639) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1997 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1996 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1995 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1994 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1993 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1992 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1991 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1990 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1989 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1988 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1987 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1986 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1985 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1984 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1983 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1982 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1981 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1980 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1979 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| Pregnancy with abortive outcome (630-639) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1997 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1996 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1995 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1994 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1993 | 0.1 | --- | --- | --- | * | * | * | * | * | * | * |
| 1992 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1991 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1990 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1989 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1988 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1987 | * | --- | --- | --- | * | * | * | * | * | * | * |
| 1986 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1985 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1984 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1983 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1982 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1981 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1980 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1979 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other complications of pregnancy, childbirth and the puerperium (640-676) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.3 | 0.3 | 0.2 | * |
| 1997 | 0.1 | --- | --- | --- | * | 0.1 | 0.3 | 0.4 | 0.3 | 0.2 | 0.1 |
| 1996 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.3 | 0.3 | 0.3 | * |
| 1995 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.3 | 0.3 | 0.2 | 0.1 |
| 1994 | 0.1 | --- | --- | --- | * | 0.2 | 0.4 | 0.3 | 0.2 | 0.2 | 0.1 |
| 1993 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.3 | 0.2 | 0.3 | * |
| 1992 | 0.1 | --- | --- | --- | * | 0.2 | 0.3 | 0.2 | 0.3 | 0.2 | * |
| 1991 | 0.1 | --- | --- | --- | * | 0.2 | 0.3 | 0.3 | 0.3 | 0.2 | * |
| 1990 | 0.1 | --- | --- | --- | * | 0.2 | 0.3 | 0.3 | 0.3 | 0.2 | * |
| 1989 | 0.1 | --- | --- | --- | * | 0.1 | 0.3 | 0.3 | 0.3 | 0.2 | * |
| 1988 | 0.1 | --- | --- | --- | * | 0.1 | 0.3 | 0.3 | 0.3 | 0.2 | * |
| 1987 | 0.1 | --- | --- | --- | * | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | * |
| 1986 | 0.1 | --- | --- | --- | * | 0.1 | 0.2 | 0.3 | 0.2 | 0.2 | * |
| 1985 | 0.1 | --- | --- | --- | * | 0.1 | 0.2 | 0.3 | 0.3 | 0.2 | * |
| 1984 | 0.1 | --- | --- | --- | * | 0.1 | 0.2 | 0.3 | 0.3 | 0.2 | * |
| 1983 | 0.1 | --- | --- | --- | * | 0.1 | 0.3 | 0.3 | 0.2 | 0.2 | * |
| 1982 | 0.1 | --- | --- | --- | * | 0.1 | 0.2 | 0.4 | 0.3 | 0.2 | * |
| 1981 | 0.1 | --- | --- | --- | * | 0.2 | 0.3 | 0.3 | 0.3 | 0.2 | * |
| 1980 | 0.1 | --- | --- | --- | * | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | * |
| 1979 | 0.1 | --- | --- | --- | * | 0.1 | 0.3 | 0.3 | 0.3 | 0.3 | * |
| Other complications of pregnancy, childbirth and the puerperium (640-676) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.2 | --- | --- | --- | * | * | 0.5 | 0.7 | 0.6 | 0.4 | * |
| 1997 | 0.2 | --- | --- | --- | * | 0.2 | 0.6 | 0.8 | 0.6 | 0.4 | 0.2 |
| 1996 | 0.2 | --- | --- | --- | * | * | 0.4 | 0.6 | 0.6 | 0.5 | * |
| 1995 | 0.2 | --- | --- | --- | * | * | 0.5 | 0.6 | 0.6 | 0.4 | 0.2 |
| 1994 | 0.2 | --- | --- | --- | * | 0.4 | 0.7 | 0.7 | 0.4 | 0.5 | 0.2 |
| 1993 | 0.2 | --- | --- | --- | * | * | 0.5 | 0.6 | 0.5 | 0.5 | * |
| 1992 | 0.2 | --- | --- | --- | * | 0.4 | 0.7 | 0.4 | 0.6 | 0.4 | * |
| 1991 | 0.2 | --- | --- | --- | * | 0.3 | 0.5 | 0.6 | 0.7 | 0.4 | * |
| 1990 | 0.2 | --- | --- | --- | * | 0.4 | 0.6 | 0.6 | 0.6 | 0.4 | * |
| 1989 | 0.2 | --- | --- | --- | * | 0.3 | 0.6 | 0.7 | 0.7 | 0.4 | * |
| 1988 | 0.2 | --- | --- | --- | * | 0.3 | 0.6 | 0.6 | 0.6 | 0.4 | * |
| 1987 | 0.2 | --- | --- | --- | * | 0.2 | 0.4 | 0.5 | 0.5 | 0.3 | * |
| 1986 | 0.2 | --- | --- | --- | * | 0.2 | 0.5 | 0.5 | 0.5 | 0.4 | * |
| 1985 | 0.2 | --- | --- | --- | * | 0.3 | 0.5 | 0.6 | 0.5 | 0.4 | * |
| 1984 | 0.2 | --- | --- | --- | * | 0.2 | 0.3 | 0.6 | 0.7 | 0.4 | * |
| 1983 | 0.2 | --- | --- | --- | * | 0.2 | 0.7 | 0.6 | 0.5 | 0.4 | * |
| 1982 | 0.2 | --- | --- | --- | * | 0.3 | 0.4 | 0.7 | 0.6 | 0.3 | * |
| 1981 | 0.2 | --- | --- | --- | * | 0.3 | 0.6 | 0.6 | 0.6 | 0.4 | * |
| 1980 | 0.2 | --- | --- | --- | * | 0.4 | 0.5 | 0.7 | 0.7 | 0.5 | * |
| 1979 | 0.2 | --- | --- | --- | * | 0.3 | 0.6 | 0.7 | 0.6 | 0.5 | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other complications of pregnancy, childbirth and the puerperium (640-676) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | --- | --- | --- | * | * | 0.1 | 0.3 | 0.2 | 0.2 | * |
| 1997 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.3 | 0.2 | 0.2 | * |
| 1996 | 0.1 | --- | --- | --- | * | * | * | 0.2 | 0.2 | 0.2 | * |
| 1995 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.2 | 0.2 | 0.1 | * |
| 1994 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.3 | 0.2 | 0.1 | * |
| 1993 | 0.1 | --- | --- | --- | * | * | 0.1 | 0.2 | 0.2 | 0.2 | * |
| 1992 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.1 | 0.2 | * | * |
| 1991 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.2 | 0.3 | 0.2 | * |
| 1990 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.3 | 0.2 | 0.1 | * |
| 1989 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.2 | 0.2 | 0.1 | * |
| 1988 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.2 | 0.2 | 0.1 | * |
| 1987 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.2 | 0.2 | * | * |
| 1986 | 0.1 | --- | --- | --- | * | * | 0.1 | 0.2 | 0.2 | 0.1 | * |
| 1985 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.2 | 0.1 | 0.2 | * |
| 1984 | 0.1 | --- | --- | --- | * | * | * | 0.3 | 0.2 | 0.1 | * |
| 1983 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.2 | 0.2 | 0.2 | * |
| 1982 | 0.1 | --- | --- | --- | * | * | 0.1 | 0.3 | 0.3 | * | * |
| 1981 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.2 | 0.2 | * | * |
| 1980 | 0.1 | --- | --- | --- | * | 0.1 | 0.2 | 0.2 | 0.3 | 0.2 | * |
| 1979 | 0.1 | --- | --- | --- | * | * | 0.2 | 0.3 | 0.2 | 0.2 | * |
| Other complications of pregnancy, childbirth and the puerperium (640-676) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.1 | --- | --- | --- | * | * | 0.3 | 0.5 | 0.4 | 0.3 | * |
| 1997 | 0.1 | --- | --- | --- | * | * | 0.4 | 0.5 | 0.4 | 0.3 | * |
| 1996 | 0.1 | --- | --- | --- | * | * | * | 0.4 | 0.4 | 0.4 | * |
| 1995 | 0.1 | --- | --- | --- | * | * | 0.4 | 0.4 | 0.3 | 0.2 | * |
| 1994 | 0.2 | --- | --- | --- | * | * | 0.5 | 0.6 | 0.3 | 0.3 | * |
| 1993 | 0.1 | --- | --- | --- | * | * | 0.3 | 0.4 | 0.4 | 0.3 | * |
| 1992 | 0.1 | --- | --- | --- | * | * | 0.4 | 0.3 | 0.4 | * | * |
| 1991 | 0.2 | --- | --- | --- | * | * | 0.3 | 0.4 | 0.5 | 0.3 | * |
| 1990 | 0.1 | --- | --- | --- | * | * | 0.4 | 0.5 | 0.3 | 0.3 | * |
| 1989 | 0.1 | --- | --- | --- | * | * | 0.5 | 0.5 | 0.4 | 0.3 | * |
| 1988 | 0.1 | --- | --- | --- | * | * | 0.5 | 0.5 | 0.5 | 0.3 | * |
| 1987 | 0.1 | --- | --- | --- | * | * | 0.3 | 0.4 | 0.3 | * | * |
| 1986 | 0.1 | --- | --- | --- | * | * | 0.3 | 0.3 | 0.3 | 0.3 | * |
| 1985 | 0.1 | --- | --- | --- | * | * | 0.3 | 0.5 | 0.3 | 0.3 | * |
| 1984 | 0.1 | --- | --- | --- | * | * | * | 0.5 | 0.5 | 0.3 | * |
| 1983 | 0.1 | --- | --- | --- | * | * | 0.4 | 0.5 | 0.3 | 0.3 | * |
| 1982 | 0.1 | --- | --- | --- | * | * | 0.3 | 0.5 | 0.5 | * | * |
| 1981 | 0.2 | --- | --- | --- | * | * | 0.5 | 0.5 | 0.5 | * | * |
| 1980 | 0.2 | --- | --- | --- | * | 0.3 | 0.4 | 0.5 | 0.5 | 0.3 | * |
| 1979 | 0.2 | --- | --- | --- | * | * | 0.4 | 0.5 | 0.4 | 0.4 | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other complications of pregnancy, childbirth and the puerperium (640-676) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.2 | --- | --- | --- | * | * | 0.6 | 0.6 | 0.7 | * | * |
| 1997 | 0.3 | --- | --- | --- | * | * | 0.7 | 0.8 | 0.7 | * | * |
| 1996 | 0.3 | --- | --- | --- | * | * | 0.6 | 0.8 | 0.7 | 0.6 | * |
| 1995 | 0.3 | --- | --- | --- | * | * | * | 0.7 | 0.8 | 0.6 | * |
| 1994 | 0.3 | --- | --- | --- | * | * | 0.9 | * | * | 0.6 | * |
| 1993 | 0.3 | --- | --- | --- | * | * | 0.7 | 0.7 | 0.6 | 0.8 | * |
| 1992 | 0.3 | --- | --- | --- | * | * | 0.9 | * | 0.8 | 0.7 | * |
| 1991 | 0.3 | --- | --- | --- | * | * | 0.7 | 0.6 | 0.6 | * | * |
| 1990 | 0.3 | --- | --- | --- | * | * | 0.8 | 0.6 | 1.0 | 0.6 | * |
| 1989 | 0.3 | --- | --- | --- | * | * | 0.6 | 0.7 | 1.0 | * | * |
| 1988 | 0.3 | --- | --- | --- | * | * | 0.7 | 0.6 | 0.6 | 0.7 | * |
| 1987 | 0.2 | --- | --- | --- | * | * | * | * | 0.7 | * | * |
| 1986 | 0.3 | --- | --- | --- | * | * | 0.8 | 0.8 | * | * | * |
| 1985 | 0.3 | --- | --- | --- | * | * | 0.6 | 0.7 | 0.9 | * | * |
| 1984 | 0.3 | --- | --- | --- | * | * | 0.6 | 0.6 | 1.0 | * | * |
| 1983 | 0.3 | --- | --- | --- | * | * | 1.0 | 0.6 | * | * | * |
| 1982 | 0.3 | --- | --- | --- | * | * | * | 0.9 | * | * | * |
| 1981 | 0.3 | --- | --- | --- | * | * | 0.7 | 0.7 | * | * | * |
| 1980 | 0.3 | --- | --- | --- | * | * | 0.6 | 0.9 | 0.9 | * | * |
| 1979 | 0.4 | --- | --- | --- | * | * | 1.1 | 0.8 | 0.9 | * | * |
| Other complications of pregnancy, childbirth and the puerperium (640-676) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.4 | --- | --- | --- | * | * | 1.1 | 1.2 | 1.4 | * | * |
| 1997 | 0.5 | --- | --- | --- | * | * | 1.4 | 1.6 | 1.4 | * | * |
| 1996 | 0.5 | --- | --- | --- | * | * | 1.3 | 1.5 | 1.3 | 1.2 | * |
| 1995 | 0.5 | --- | --- | --- | * | * | * | 1.3 | 1.6 | 1.2 | * |
| 1994 | 0.5 | --- | --- | --- | * | * | 1.7 | * | * | 1.2 | * |
| 1993 | 0.5 | --- | --- | --- | * | * | 1.4 | 1.4 | 1.1 | 1.5 | * |
| 1992 | 0.6 | --- | --- | --- | * | * | 1.7 | * | 1.5 | 1.2 | * |
| 1991 | 0.5 | --- | --- | --- | * | * | 1.4 | 1.1 | 1.2 | * | * |
| 1990 | 0.6 | --- | --- | --- | * | * | 1.5 | 1.1 | 1.8 | 1.2 | * |
| 1989 | 0.5 | --- | --- | --- | * | * | 1.2 | 1.4 | 1.8 | * | * |
| 1988 | 0.6 | --- | --- | --- | * | * | 1.5 | 1.2 | 1.1 | 1.4 | * |
| 1987 | 0.4 | --- | --- | --- | * | * | * | * | 1.2 | * | * |
| 1986 | 0.5 | --- | --- | --- | * | * | 1.5 | 1.5 | * | * | * |
| 1985 | 0.6 | --- | --- | --- | * | * | 1.2 | 1.3 | 1.7 | * | * |
| 1984 | 0.5 | --- | --- | --- | * | * | 1.2 | 1.1 | 1.8 | * | * |
| 1983 | 0.5 | --- | --- | --- | * | * | 2.0 | 1.2 | * | * | * |
| 1982 | 0.5 | --- | --- | --- | * | * | * | 1.7 | * | * | * |
| 1981 | 0.6 | --- | --- | --- | * | * | 1.4 | 1.4 | * | * | * |
| 1980 | 0.6 | --- | --- | --- | * | * | 1.2 | 1.6 | 1.7 | * | * |
| 1979 | 0.8 | --- | --- | --- | * | * | 2.2 | 1.5 | 1.8 | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other complications of pregnancy, childbirth and the puerperium (640-676) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | --- | --- | --- | * | * | 0.8 | 0.8 | 0.9 | * | * |
| 1997 | 0.3 | --- | --- | --- | * | * | 0.8 | 1.1 | 0.9 | * | * |
| 1996 | 0.3 | --- | --- | --- | * | * | 0.9 | 1.1 | 0.8 | 0.7 | * |
| 1995 | 0.3 | --- | --- | --- | * | * | * | 0.9 | 0.9 | 0.8 | * |
| 1994 | 0.3 | --- | --- | --- | * | * | 1.1 | * | * | 0.8 | * |
| 1993 | 0.3 | --- | --- | --- | * | * | 0.8 | 1.0 | 0.7 | 0.8 | * |
| 1992 | 0.4 | --- | --- | --- | * | * | 1.1 | * | 0.9 | * | * |
| 1991 | 0.3 | --- | --- | --- | * | * | 0.8 | 0.7 | 0.8 | * | * |
| 1990 | 0.4 | --- | --- | --- | * | * | 0.9 | 0.8 | 1.2 | * | * |
| 1989 | 0.3 | --- | --- | --- | * | * | 0.8 | 0.9 | 1.1 | * | * |
| 1988 | 0.3 | --- | --- | --- | * | * | 0.9 | * | * | * | * |
| 1987 | 0.2 | --- | --- | --- | * | * | * | * | * | * | * |
| 1986 | 0.3 | --- | --- | --- | * | * | 0.9 | 0.9 | * | * | * |
| 1985 | 0.3 | --- | --- | --- | * | * | * | 0.8 | 1.0 | * | * |
| 1984 | 0.3 | --- | --- | --- | * | * | 0.8 | * | 1.1 | * | * |
| 1983 | 0.3 | --- | --- | --- | * | * | 1.2 | * | * | * | * |
| 1982 | 0.3 | --- | --- | --- | * | * | * | 1.0 | * | * | * |
| 1981 | 0.4 | --- | --- | --- | * | * | 0.8 | 0.9 | * | * | * |
| 1980 | 0.4 | --- | --- | --- | * | * | 0.8 | 0.9 | * | * | * |
| 1979 | 0.4 | --- | --- | --- | * | * | 1.3 | 0.9 | 1.1 | * | * |
| Other complications of pregnancy, childbirth and the puerperium (640-676) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.5 | --- | --- | --- | * | * | 1.5 | 1.5 | 1.6 | * | * |
| 1997 | 0.6 | --- | --- | --- | * | * | 1.6 | 2.0 | 1.8 | * | * |
| 1996 | 0.6 | --- | --- | --- | * | * | 1.7 | 2.1 | 1.6 | 1.3 | * |
| 1995 | 0.6 | --- | --- | --- | * | * | * | 1.7 | 1.8 | 1.5 | * |
| 1994 | 0.6 | --- | --- | --- | * | * | 2.1 | * | * | 1.5 | * |
| 1993 | 0.6 | --- | --- | --- | * | * | 1.7 | 1.8 | 1.3 | 1.5 | * |
| 1992 | 0.7 | --- | --- | --- | * | * | 2.1 | * | 1.7 | * | * |
| 1991 | 0.6 | --- | --- | --- | * | * | 1.6 | 1.4 | 1.4 | * | * |
| 1990 | 0.7 | --- | --- | --- | * | * | 1.8 | 1.5 | 2.2 | * | * |
| 1989 | 0.6 | --- | --- | --- | * | * | 1.5 | 1.6 | 2.0 | * | * |
| 1988 | 0.6 | --- | --- | --- | * | * | 1.8 | * | * | * | * |
| 1987 | 0.5 | --- | --- | --- | * | * | * | * | * | * | * |
| 1986 | 0.6 | --- | --- | --- | * | * | 1.7 | 1.7 | * | * | * |
| 1985 | 0.6 | --- | --- | --- | * | * | * | 1.5 | 1.9 | * | * |
| 1984 | 0.6 | --- | --- | --- | * | * | 1.5 | * | 2.0 | * | * |
| 1983 | 0.6 | --- | --- | --- | * | * | 2.3 | * | * | * | * |
| 1982 | 0.6 | --- | --- | --- | * | * | * | 1.9 | * | * | * |
| 1981 | 0.7 | --- | --- | --- | * | * | 1.6 | 1.6 | * | * | * |
| 1980 | 0.7 | --- | --- | --- | * | * | 1.5 | 1.7 | * | * | * |
| 1979 | 0.8 | --- | --- | --- | * | * | 2.6 | 1.7 | 2.1 | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Certain conditions originating in the perinatal period (760-771.2,771.4-779) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.9 | 353.3 | 0.5 | * | * | * | * | * | * | * | * |
| 1997 | 4.8 | 344.8 | 0.5 | 0.1 | * | * | * | * | * | * | * |
| 1996 | 4.9 | 345.9 | 0.4 | * | * | * | * | * | * | * | * |
| 1995 | 5.1 | 351.5 | 0.5 | 0.1 | * | * | * | * | * | * | * |
| 1994 | 5.5 | 373.1 | 0.7 | 0.1 | * | * | * | * | * | * | * |
| 1993 | 5.8 | 383.8 | 0.6 | * | * | * | * | * | * | * | * |
| 1992 | 6.1 | 391.7 | 0.7 | * | * | * | * | * | * | * | * |
| 1991 | 6.6 | 414.4 | 0.9 | * | * | * | * | * | * | * | * |
| 1990 | 7.1 | 443.0 | 0.9 | 0.1 | * | * | * | * | * | * | * |
| 1989 | 7.6 | 481.2 | 0.9 | * | * | * | * | * | * | * | * |
| 1988 | 7.5 | 480.1 | 0.9 | * | * | * | * | * | * | * | * |
| 1987 | 7.5 | 488.0 | 0.8 | * | * | * | * | * | * | * | * |
| 1986 | 7.7 | 492.6 | 0.9 | * | * | * | * | * | * | * | * |
| 1985 | 8.1 | 518.3 | 1.0 | * | * | * | * | * | * | * | * |
| 1984 | 8.0 | 523.0 | 1.0 | 0.1 | * | * | * | * | * | * | * |
| 1983 | 8.3 | 525.0 | 0.8 | * | * | * | * | * | * | * | * |
| 1982 | 9.0 | 567.6 | 0.6 | * | * | * | * | * | * | * | * |
| 1981 | 9.4 | 596.3 | 0.6 | * | * | * | * | * | * | * | * |
| 1980 | 10.1 | 643.7 | 0.7 | * | * | * | * | * | * | * | * |
| 1979 | 10.4 | 680.7 | 0.6 | * | * | * | * | * | * | * | * |
| Certain conditions originating in the perinatal period (760-771.2,771.4-779) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 5.5 | 385.2 | 0.5 | * | * | * | * | * | * | * | * |
| 1997 | 5.5 | 380.6 | 0.6 | * | * | * | * | * | * | * | * |
| 1996 | 5.5 | 377.0 | 0.5 | * | * | * | * | * | * | * | * |
| 1995 | 5.8 | 387.2 | 0.6 | * | * | * | * | * | * | * | * |
| 1994 | 6.3 | 410.1 | 0.8 | * | * | * | * | * | * | * | * |
| 1993 | 6.7 | 419.7 | 0.8 | * | * | * | * | * | * | * | * |
| 1992 | 7.0 | 429.8 | 0.8 | * | * | * | * | * | * | * | * |
| 1991 | 7.7 | 461.5 | 1.1 | * | * | * | * | * | * | * | * |
| 1990 | 8.3 | 492.3 | 1.2 | * | * | * | * | * | * | * | * |
| 1989 | 8.7 | 526.5 | 1.2 | * | * | * | * | * | * | * | * |
| 1988 | 8.7 | 534.9 | 1.1 | * | * | * | * | * | * | * | * |
| 1987 | 8.9 | 546.1 | 1.0 | * | * | * | * | * | * | * | * |
| 1986 | 9.0 | 552.8 | 1.1 | * | * | * | * | * | * | * | * |
| 1985 | 9.6 | 583.4 | 1.3 | * | * | * | * | * | * | * | * |
| 1984 | 9.3 | 576.9 | 1.2 | * | * | * | * | * | * | * | * |
| 1983 | 9.7 | 586.1 | 1.0 | * | * | * | * | * | * | * | * |
| 1982 | 10.5 | 633.6 | 0.7 | * | * | * | * | * | * | * | * |
| 1981 | 11.0 | 662.4 | 0.7 | * | * | * | * | * | * | * | * |
| 1980 | 11.9 | 718.8 | 0.7 | * | * | * | * | * | * | * | * |
| 1979 | 12.2 | 757.4 | 0.7 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Certain conditions originating in the perinatal period (760-771.2,771.4-779) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 4.2 | 319.7 | 0.5 | * | * | * | * | * | * | * | * |
| 1997 | 4.1 | 307.3 | 0.4 | * | * | * | * | * | * | * | * |
| 1996 | 4.2 | 313.3 | * | * | * | * | * | * | * | * | * |
| 1995 | 4.3 | 314.1 | 0.5 | * | * | * | * | * | * | * | * |
| 1994 | 4.7 | 334.3 | 0.6 | * | * | * | * | * | * | * | * |
| 1993 | 5.0 | 346.1 | 0.4 | * | * | * | * | * | * | * | * |
| 1992 | 5.3 | 351.9 | 0.7 | * | * | * | * | * | * | * | * |
| 1991 | 5.6 | 365.1 | 0.8 | * | * | * | * | * | * | * | * |
| 1990 | 6.0 | 391.5 | 0.6 | * | * | * | * | * | * | * | * |
| 1989 | 6.5 | 433.6 | 0.6 | * | * | * | * | * | * | * | * |
| 1988 | 6.2 | 422.7 | 0.7 | * | * | * | * | * | * | * | * |
| 1987 | 6.3 | 427.1 | 0.7 | * | * | * | * | * | * | * | * |
| 1986 | 6.4 | 429.7 | 0.7 | * | * | * | * | * | * | * | * |
| 1985 | 6.7 | 450.4 | 0.6 | * | * | * | * | * | * | * | * |
| 1984 | 6.8 | 466.5 | 0.9 | * | * | * | * | * | * | * | * |
| 1983 | 6.9 | 460.9 | 0.6 | * | * | * | * | * | * | * | * |
| 1982 | 7.5 | 498.5 | 0.5 | * | * | * | * | * | * | * | * |
| 1981 | 7.9 | 526.8 | 0.4 | * | * | * | * | * | * | * | * |
| 1980 | 8.4 | 565.1 | 0.6 | * | * | * | * | * | * | * | * |
| 1979 | 8.7 | 600.4 | 0.5 | * | * | * | * | * | * | * | * |
| Certain conditions originating in the perinatal period (760-771.2,771.4-779) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 3.6 | 271.2 | 0.4 | * | * | * | * | * | * | * | * |
| 1997 | 3.6 | 265.6 | 0.3 | * | * | * | * | * | * | * | * |
| 1996 | 3.6 | 265.4 | 0.3 | * | * | * | * | * | * | * | * |
| 1995 | 3.7 | 268.8 | 0.4 | * | * | * | * | * | * | * | * |
| 1994 | 3.9 | 279.7 | 0.5 | * | * | * | * | * | * | * | * |
| 1993 | 4.1 | 284.7 | 0.5 | * | * | * | * | * | * | * | * |
| 1992 | 4.3 | 288.7 | 0.5 | * | * | * | * | * | * | * | * |
| 1991 | 4.7 | 308.1 | 0.7 | * | * | * | * | * | * | * | * |
| 1990 | 5.0 | 331.9 | 0.7 | * | * | * | * | * | * | * | * |
| 1989 | 5.4 | 365.3 | 0.7 | * | * | * | * | * | * | * | * |
| 1988 | 5.4 | 367.7 | 0.7 | * | * | * | * | * | * | * | * |
| 1987 | 5.6 | 378.7 | 0.7 | * | * | * | * | * | * | * | * |
| 1986 | 5.8 | 389.8 | 0.8 | * | * | * | * | * | * | * | * |
| 1985 | 6.3 | 418.4 | 0.7 | * | * | * | * | * | * | * | * |
| 1984 | 6.2 | 423.9 | 0.8 | * | * | * | * | * | * | * | * |
| 1983 | 6.4 | 427.3 | 0.6 | * | * | * | * | * | * | * | * |
| 1982 | 7.0 | 465.3 | 0.5 | * | * | * | * | * | * | * | * |
| 1981 | 7.4 | 489.6 | 0.5 | * | * | * | * | * | * | * | * |
| 1980 | 7.9 | 530.2 | 0.6 | * | * | * | * | * | * | * | * |
| 1979 | 8.3 | 564.0 | 0.6 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Certain conditions originating in the perinatal period (760-771.2,771.4-779) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 4.1 | 294.3 | 0.4 | * | * | * | * | * | * | * | * |
| 1997 | 4.1 | 294.5 | 0.4 | * | * | * | * | * | * | * | * |
| 1996 | 4.1 | 288.5 | 0.4 | * | * | * | * | * | * | * | * |
| 1995 | 4.3 | 300.1 | 0.4 | * | * | * | * | * | * | * | * |
| 1994 | 4.5 | 307.2 | 0.6 | * | * | * | * | * | * | * | * |
| 1993 | 4.7 | 310.5 | 0.6 | * | * | * | * | * | * | * | * |
| 1992 | 4.9 | 315.4 | 0.6 | * | * | * | * | * | * | * | * |
| 1991 | 5.5 | 343.6 | 0.8 | * | * | * | * | * | * | * | * |
| 1990 | 5.9 | 372.6 | 0.9 | * | * | * | * | * | * | * | * |
| 1989 | 6.3 | 404.0 | 1.0 | * | * | * | * | * | * | * | * |
| 1988 | 6.4 | 415.2 | 0.8 | * | * | * | * | * | * | * | * |
| 1987 | 6.6 | 424.2 | 0.8 | * | * | * | * | * | * | * | * |
| 1986 | 6.9 | 438.4 | 1.0 | * | * | * | * | * | * | * | * |
| 1985 | 7.5 | 477.5 | 1.0 | * | * | * | * | * | * | * | * |
| 1984 | 7.3 | 472.8 | 0.9 | * | * | * | * | * | * | * | * |
| 1983 | 7.6 | 481.5 | 0.8 | * | * | * | * | * | * | * | * |
| 1982 | 8.3 | 521.2 | 0.5 | * | * | * | * | * | * | * | * |
| 1981 | 8.7 | 548.8 | 0.6 | * | * | * | * | * | * | * | * |
| 1980 | 9.4 | 598.3 | 0.6 | * | * | * | * | * | * | * | * |
| 1979 | 9.8 | 634.6 | 0.7 | * | * | * | * | * | * | * | * |
| Certain conditions originating in the perinatal period (760-771.2,771.4-779) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 3.1 | 246.8 | 0.4 | * | * | * | * | * | * | * | * |
| 1997 | 3.0 | 235.2 | * | * | * | * | * | * | * | * | * |
| 1996 | 3.1 | 241.1 | * | * | * | * | * | * | * | * | * |
| 1995 | 3.1 | 235.6 | 0.4 | * | * | * | * | * | * | * | * |
| 1994 | 3.4 | 250.7 | 0.4 | * | * | * | * | * | * | * | * |
| 1993 | 3.5 | 257.4 | * | * | * | * | * | * | * | * | * |
| 1992 | 3.7 | 260.6 | 0.5 | * | * | * | * | * | * | * | * |
| 1991 | 3.9 | 270.8 | 0.6 | * | * | * | * | * | * | * | * |
| 1990 | 4.2 | 289.0 | 0.5 | * | * | * | * | * | * | * | * |
| 1989 | 4.6 | 324.5 | 0.4 | * | * | * | * | * | * | * | * |
| 1988 | 4.5 | 317.6 | 0.7 | * | * | * | * | * | * | * | * |
| 1987 | 4.6 | 331.0 | 0.6 | * | * | * | * | * | * | * | * |
| 1986 | 4.8 | 338.9 | 0.6 | * | * | * | * | * | * | * | * |
| 1985 | 5.1 | 356.3 | 0.4 | * | * | * | * | * | * | * | * |
| 1984 | 5.2 | 372.6 | 0.7 | * | * | * | * | * | * | * | * |
| 1983 | 5.3 | 370.0 | 0.5 | * | * | * | * | * | * | * | * |
| 1982 | 5.8 | 406.4 | 0.5 | * | * | * | * | * | * | * | * |
| 1981 | 6.1 | 427.1 | * | * | * | * | * | * | * | * | * |
| 1980 | 6.5 | 458.4 | 0.6 | * | * | * | * | * | * | * | * |
| 1979 | 6.8 | 489.1 | 0.4 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Certain conditions originating in the perinatal period (760-771.2,771.4-779) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 10.8 | 658.9 | 0.8 | * | * | * | * | * | * | * | * |
| 1997 | 10.6 | 644.0 | 1.0 | * | * | * | * | * | * | * | * |
| 1996 | 10.9 | 655.8 | 0.8 | * | * | * | * | * | * | * | * |
| 1995 | 11.6 | 665.7 | 1.2 | * | * | * | * | * | * | * | * |
| 1994 | 13.2 | 720.6 | 1.5 | * | * | * | * | * | * | * | * |
| 1993 | 14.3 | 751.2 | 1.2 | * | * | * | * | * | * | * | * |
| 1992 | 15.4 | 779.0 | 1.5 | * | * | * | * | * | * | * | * |
| 1991 | 16.7 | 819.2 | 1.7 | * | * | * | * | * | * | * | * |
| 1990 | 17.9 | 867.7 | 1.8 | * | * | * | * | * | * | * | * |
| 1989 | 19.0 | 926.3 | 1.7 | * | * | * | * | * | * | * | * |
| 1988 | 18.3 | 931.4 | 1.5 | * | * | * | * | * | * | * | * |
| 1987 | 18.2 | 941.6 | 1.3 | * | * | * | * | * | * | * | * |
| 1986 | 17.9 | 932.2 | 1.4 | * | * | * | * | * | * | * | * |
| 1985 | 18.4 | 953.1 | 2.0 | * | * | * | * | * | * | * | * |
| 1984 | 18.3 | 957.9 | 1.9 | * | * | * | * | * | * | * | * |
| 1983 | 18.9 | 957.2 | 1.5 | * | * | * | * | * | * | * | * |
| 1982 | 20.4 | 1,023.5 | 0.8 | * | * | * | * | * | * | * | * |
| 1981 | 21.5 | 1,081.1 | 1.2 | * | * | * | * | * | * | * | * |
| 1980 | 23.3 | 1,161.6 | 1.1 | * | * | * | * | * | * | * | * |
| 1979 | 24.0 | 1,229.5 | * | * | * | * | * | * | * | * | * |
| Certain conditions originating in the perinatal period (760-771.2,771.4-779) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 12.6 | 726.5 | * | * | * | * | * | * | * | * | * |
| 1997 | 12.4 | 708.7 | 1.4 | * | * | * | * | * | * | * | * |
| 1996 | 12.7 | 721.7 | 1.2 | * | * | * | * | * | * | * | * |
| 1995 | 13.3 | 721.8 | 1.3 | * | * | * | * | * | * | * | * |
| 1994 | 15.5 | 796.9 | 1.7 | * | * | * | * | * | * | * | * |
| 1993 | 16.8 | 828.8 | 1.7 | * | * | * | * | * | * | * | * |
| 1992 | 18.1 | 863.8 | 1.6 | * | * | * | * | * | * | * | * |
| 1991 | 19.8 | 915.9 | 2.1 | * | * | * | * | * | * | * | * |
| 1990 | 21.0 | 955.3 | 2.4 | * | * | * | * | * | * | * | * |
| 1989 | 21.8 | 1,002.0 | 2.0 | * | * | * | * | * | * | * | * |
| 1988 | 21.4 | 1,021.9 | 2.2 | * | * | * | * | * | * | * | * |
| 1987 | 21.7 | 1,056.7 | 1.6 | * | * | * | * | * | * | * | * |
| 1986 | 21.4 | 1,048.5 | 1.7 | * | * | * | * | * | * | * | * |
| 1985 | 21.6 | 1,051.9 | 2.5 | * | * | * | * | * | * | * | * |
| 1984 | 21.1 | 1,039.3 | 2.2 | * | * | * | * | * | * | * | * |
| 1983 | 22.1 | 1,055.9 | 1.9 | * | * | * | * | * | * | * | * |
| 1982 | 24.2 | 1,143.0 | * | * | * | * | * | * | * | * | * |
| 1981 | 25.1 | 1,186.0 | * | * | * | * | * | * | * | * | * |
| 1980 | 27.2 | 1,278.9 | * | * | * | * | * | * | * | * | * |
| 1979 | 27.9 | 1,344.9 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Certain conditions originating in the perinatal period (760-771.2,771.4-779) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 9.1 | 588.7 | * | * | * | * | * | * | * | * | * |
| 1997 | 9.0 | 577.1 | * | * | * | * | * | * | * | * | * |
| 1996 | 9.2 | 587.9 | * | * | * | * | * | * | * | * | * |
| 1995 | 10.0 | 608.1 | * | * | * | * | * | * | * | * | * |
| 1994 | 11.1 | 641.8 | 1.4 | * | * | * | * | * | * | * | * |
| 1993 | 12.0 | 671.0 | * | * | * | * | * | * | * | * | * |
| 1992 | 12.9 | 691.7 | 1.4 | * | * | * | * | * | * | * | * |
| 1991 | 13.8 | 719.8 | * | * | * | * | * | * | * | * | * |
| 1990 | 15.1 | 777.8 | * | * | * | * | * | * | * | * | * |
| 1989 | 16.4 | 846.4 | 1.4 | * | * | * | * | * | * | * | * |
| 1988 | 15.5 | 838.6 | * | * | * | * | * | * | * | * | * |
| 1987 | 14.9 | 820.6 | * | * | * | * | * | * | * | * | * |
| 1986 | 14.7 | 813.0 | * | * | * | * | * | * | * | * | * |
| 1985 | 15.5 | 854.9 | 1.5 | * | * | * | * | * | * | * | * |
| 1984 | 15.7 | 871.6 | 1.6 | * | * | * | * | * | * | * | * |
| 1983 | 16.0 | 856.5 | * | * | * | * | * | * | * | * | * |
| 1982 | 17.0 | 901.8 | * | * | * | * | * | * | * | * | * |
| 1981 | 18.3 | 970.9 | * | * | * | * | * | * | * | * | * |
| 1980 | 19.8 | 1,042.8 | * | * | * | * | * | * | * | * | * |
| 1979 | 20.6 | 1,115.8 | * | * | * | * | * | * | * | * | * |
| Certain conditions originating in the perinatal period (760-771.2,771.4-779) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 13.6 | 812.3 | 1.0 | * | * | * | * | * | * | * | * |
| 1997 | 13.5 | 800.0 | 1.3 | * | * | * | * | * | * | * | * |
| 1996 | 13.7 | 818.7 | 0.8 | * | * | * | * | * | * | * | * |
| 1995 | 14.6 | 825.1 | 1.3 | * | * | * | * | * | * | * | * |
| 1994 | 16.6 | 885.3 | 1.8 | * | * | * | * | * | * | * | * |
| 1993 | 18.1 | 924.1 | 1.5 | * | * | * | * | * | * | * | * |
| 1992 | 19.3 | 961.2 | 1.7 | * | * | * | * | * | * | * | * |
| 1991 | 20.8 | 1,011.6 | 2.1 | * | * | * | * | * | * | * | * |
| 1990 | 22.1 | 1,048.1 | 2.1 | * | * | * | * | * | * | * | * |
| 1989 | 23.1 | 1,106.9 | 2.1 | * | * | * | * | * | * | * | * |
| 1988 | 22.3 | 1,118.6 | 1.8 | * | * | * | * | * | * | * | * |
| 1987 | 21.7 | 1,115.5 | 1.6 | * | * | * | * | * | * | * | * |
| 1986 | 21.2 | 1,100.7 | 1.6 | * | * | * | * | * | * | * | * |
| 1985 | 21.7 | 1,124.5 | 2.2 | * | * | * | * | * | * | * | * |
| 1984 | 21.3 | 1,122.6 | 2.1 | * | * | * | * | * | * | * | * |
| 1983 | 21.9 | 1,118.5 | 1.8 | * | * | * | * | * | * | * | * |
| 1982 | 23.5 | 1,186.6 | * | * | * | * | * | * | * | * | * |
| 1981 | 24.5 | 1,235.6 | 1.3 | * | * | * | * | * | * | * | * |
| 1980 | 26.1 | 1,296.4 | 1.2 | * | * | * | * | * | * | * | * |
| 1979 | 26.7 | 1,359.6 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Certain conditions originating in the perinatal period (760-771.2,771.4-779) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 16.2 | 903.9 | * | * | * | * | * | * | * | * | * |
| 1997 | 15.8 | 878.3 | 1.8 | * | * | * | * | * | * | * | * |
| 1996 | 16.1 | 902.8 | * | * | * | * | * | * | * | * | * |
| 1995 | 17.0 | 899.6 | * | * | * | * | * | * | * | * | * |
| 1994 | 19.6 | 979.4 | 1.8 | * | * | * | * | * | * | * | * |
| 1993 | 21.4 | 1,022.7 | 2.1 | * | * | * | * | * | * | * | * |
| 1992 | 22.9 | 1,067.7 | 1.6 | * | * | * | * | * | * | * | * |
| 1991 | 25.1 | 1,139.5 | 2.6 | * | * | * | * | * | * | * | * |
| 1990 | 26.1 | 1,156.5 | 2.7 | * | * | * | * | * | * | * | * |
| 1989 | 26.7 | 1,199.4 | 2.5 | * | * | * | * | * | * | * | * |
| 1988 | 26.3 | 1,232.3 | 2.6 | * | * | * | * | * | * | * | * |
| 1987 | 26.0 | 1,248.8 | 2.0 | * | * | * | * | * | * | * | * |
| 1986 | 25.6 | 1,241.8 | 2.0 | * | * | * | * | * | * | * | * |
| 1985 | 25.6 | 1,240.2 | 2.7 | * | * | * | * | * | * | * | * |
| 1984 | 24.7 | 1,222.1 | 2.2 | * | * | * | * | * | * | * | * |
| 1983 | 25.8 | 1,235.5 | 2.3 | * | * | * | * | * | * | * | * |
| 1982 | 27.9 | 1,324.2 | * | * | * | * | * | * | * | * | * |
| 1981 | 28.8 | 1,359.3 | * | * | * | * | * | * | * | * | * |
| 1980 | 30.7 | 1,432.4 | * | * | * | * | * | * | * | * | * |
| 1979 | 31.1 | 1,484.2 | * | * | * | * | * | * | * | * | * |
| Certain conditions originating in the perinatal period (760-771.2,771.4-779) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 11.3 | 717.9 | * | * | * | * | * | * | * | * | * |
| 1997 | 11.4 | 719.5 | * | * | * | * | * | * | * | * | * |
| 1996 | 11.5 | 732.7 | * | * | * | * | * | * | * | * | * |
| 1995 | 12.5 | 748.9 | * | * | * | * | * | * | * | * | * |
| 1994 | 13.9 | 788.7 | 1.7 | * | * | * | * | * | * | * | * |
| 1993 | 15.0 | 822.7 | * | * | * | * | * | * | * | * | * |
| 1992 | 16.1 | 852.0 | 1.8 | * | * | * | * | * | * | * | * |
| 1991 | 17.0 | 880.8 | * | * | * | * | * | * | * | * | * |
| 1990 | 18.6 | 937.3 | * | * | * | * | * | * | * | * | * |
| 1989 | 19.8 | 1,012.6 | * | * | * | * | * | * | * | * | * |
| 1988 | 18.6 | 998.6 | * | * | * | * | * | * | * | * | * |
| 1987 | 17.9 | 979.4 | * | * | * | * | * | * | * | * | * |
| 1986 | 17.4 | 957.1 | * | * | * | * | * | * | * | * | * |
| 1985 | 18.2 | 1,002.6 | * | * | * | * | * | * | * | * | * |
| 1984 | 18.2 | 1,021.7 | 1.9 | * | * | * | * | * | * | * | * |
| 1983 | 18.4 | 999.3 | * | * | * | * | * | * | * | * | * |
| 1982 | 19.5 | 1,047.4 | * | * | * | * | * | * | * | * | * |
| 1981 | 20.8 | 1,110.2 | * | * | * | * | * | * | * | * | * |
| 1980 | 22.0 | 1,158.7 | * | * | * | * | * | * | * | * | * |
| 1979 | 22.7 | 1,227.7 | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Congenital malformations, deformations and chromosomal abnormalities (740-759) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.3 | 165.1 | 3.7 | 1.0 | 0.9 | 1.1 | 1.3 | 1.1 | 1.1 | 1.2 | 1.2 |
| 1997 | 4.4 | 164.7 | 3.8 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.3 |
| 1996 | 4.4 | 170.4 | 4.1 | 1.2 | 1.1 | 1.0 | 1.1 | 1.0 | 0.9 | 1.1 | 1.3 |
| 1995 | 4.5 | 172.9 | 4.4 | 1.2 | 1.1 | 1.4 | 1.1 | 1.2 | 1.1 | 1.1 | 1.4 |
| 1994 | 4.6 | 178.6 | 4.5 | 1.3 | 1.0 | 1.2 | 1.3 | 1.1 | 1.1 | 1.1 | 1.3 |
| 1993 | 4.8 | 183.1 | 5.1 | 1.5 | 1.1 | 1.3 | 1.3 | 1.2 | 1.0 | 1.1 | 1.2 |
| 1992 | 4.9 | 187.5 | 5.5 | 1.3 | 1.1 | 1.3 | 1.2 | 1.1 | 1.0 | 1.2 | 1.1 |
| 1991 | 5.0 | 191.9 | 5.7 | 1.5 | 1.2 | 1.3 | 1.1 | 1.1 | 1.1 | 1.1 | 1.2 |
| 1990 | 5.3 | 208.8 | 6.0 | 1.6 | 1.1 | 1.3 | 1.4 | 1.1 | 1.1 | 1.2 | 1.2 |
| 1989 | 5.2 | 210.5 | 6.3 | 1.5 | 1.3 | 1.3 | 1.2 | 1.2 | 1.0 | 1.2 | 1.0 |
| 1988 | 5.2 | 216.7 | 6.3 | 1.6 | 1.3 | 1.3 | 1.2 | 1.1 | 1.0 | 1.2 | 1.2 |
| 1987 | 5.1 | 212.9 | 6.4 | 1.5 | 1.1 | 1.3 | 1.3 | 1.0 | 1.1 | 1.2 | 1.1 |
| 1986 | 5.3 | 222.8 | 6.2 | 1.5 | 1.2 | 1.4 | 1.2 | 0.9 | 1.0 | 1.1 | 1.3 |
| 1985 | 5.4 | 232.7 | 5.9 | 1.6 | 1.2 | 1.2 | 1.1 | 1.0 | 1.0 | 1.0 | 1.3 |
| 1984 | 5.5 | 239.3 | 6.7 | 1.5 | 1.4 | 1.3 | 1.3 | 1.1 | 1.1 | 1.1 | 1.2 |
| 1983 | 5.6 | 239.3 | 6.6 | 1.5 | 1.3 | 1.4 | 1.3 | 1.2 | 1.0 | 1.2 | 1.3 |
| 1982 | 5.9 | 247.6 | 7.6 | 1.8 | 1.5 | 1.4 | 1.3 | 1.2 | 1.1 | 1.2 | 1.2 |
| 1981 | 5.9 | 247.1 | 7.7 | 1.8 | 1.4 | 1.5 | 1.4 | 1.4 | 1.1 | 1.3 | 1.2 |
| 1980 | 6.2 | 260.9 | 8.0 | 1.8 | 1.4 | 1.4 | 1.5 | 1.3 | 1.3 | 1.3 | 1.3 |
| 1979 | 6.0 | 260.4 | 8.1 | 1.7 | 1.6 | 1.4 | 1.3 | 1.3 | 1.0 | 1.4 | 1.4 |
| Congenital malformations, deformations and chromosomal abnormalities (740-759) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 4.6 | 170.2 | 3.6 | 1.0 | 0.9 | 1.2 | 1.4 | 1.3 | 1.2 | 1.3 | 1.2 |
| 1997 | 4.7 | 170.1 | 4.0 | 1.1 | 1.1 | 1.3 | 1.2 | 1.3 | 1.2 | 1.3 | 1.3 |
| 1996 | 4.7 | 180.0 | 4.1 | 1.4 | 1.3 | 1.2 | 1.2 | 1.1 | 1.0 | 1.2 | 1.4 |
| 1995 | 4.8 | 184.7 | 4.6 | 1.3 | 1.1 | 1.5 | 1.2 | 1.2 | 1.1 | 1.2 | 1.4 |
| 1994 | 4.8 | 182.7 | 4.3 | 1.2 | 1.2 | 1.4 | 1.5 | 1.1 | 1.2 | 1.1 | 1.4 |
| 1993 | 5.2 | 194.7 | 4.8 | 1.5 | 1.3 | 1.5 | 1.5 | 1.3 | 1.2 | 1.2 | 1.4 |
| 1992 | 5.3 | 198.7 | 5.8 | 1.3 | 1.2 | 1.6 | 1.4 | 1.3 | 1.1 | 1.4 | 1.3 |
| 1991 | 5.5 | 205.2 | 6.0 | 1.6 | 1.3 | 1.5 | 1.3 | 1.2 | 1.1 | 1.3 | 1.4 |
| 1990 | 5.8 | 223.9 | 6.2 | 1.7 | 1.0 | 1.6 | 1.6 | 1.3 | 1.2 | 1.5 | 1.4 |
| 1989 | 5.7 | 222.4 | 5.8 | 1.6 | 1.3 | 1.5 | 1.4 | 1.5 | 1.1 | 1.3 | 1.0 |
| 1988 | 5.7 | 228.1 | 6.9 | 1.8 | 1.5 | 1.4 | 1.3 | 1.2 | 1.1 | 1.4 | 1.3 |
| 1987 | 5.6 | 223.3 | 6.7 | 1.8 | 1.3 | 1.6 | 1.5 | 1.2 | 1.2 | 1.3 | 1.2 |
| 1986 | 5.8 | 235.6 | 6.4 | 1.7 | 1.3 | 1.7 | 1.3 | 0.9 | 1.3 | 1.3 | 1.4 |
| 1985 | 6.0 | 250.2 | 6.2 | 1.7 | 1.2 | 1.4 | 1.4 | 1.1 | 1.1 | 1.2 | 1.3 |
| 1984 | 6.0 | 250.3 | 6.8 | 1.6 | 1.4 | 1.5 | 1.6 | 1.3 | 1.3 | 1.2 | 1.4 |
| 1983 | 6.2 | 252.2 | 6.9 | 1.7 | 1.3 | 1.6 | 1.4 | 1.4 | 1.2 | 1.3 | 1.4 |
| 1982 | 6.4 | 257.8 | 7.5 | 1.9 | 1.4 | 1.6 | 1.5 | 1.3 | 1.3 | 1.2 | 1.3 |
| 1981 | 6.4 | 258.3 | 7.8 | 1.7 | 1.5 | 1.8 | 1.6 | 1.6 | 1.3 | 1.4 | 1.2 |
| 1980 | 6.8 | 275.0 | 8.5 | 1.9 | 1.4 | 1.5 | 1.7 | 1.5 | 1.6 | 1.4 | 1.5 |
| 1979 | 6.7 | 279.7 | 8.5 | 1.8 | 1.6 | 1.8 | 1.7 | 1.4 | 1.2 | 1.5 | 1.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Congenital malformations, deformations and chromosomal abnormalities (740-759) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 4.1 | 159.7 | 3.7 | 0.9 | 0.9 | 1.0 | 1.1 | 1.0 | 1.0 | 1.1 | 1.2 |
| 1997 | 4.1 | 159.0 | 3.6 | 1.1 | 1.2 | 0.9 | 1.1 | 1.0 | 0.9 | 0.9 | 1.3 |
| 1996 | 4.1 | 160.3 | 4.1 | 1.0 | 0.9 | 0.8 | 0.9 | 0.9 | 0.8 | 1.1 | 1.3 |
| 1995 | 4.2 | 160.5 | 4.2 | 1.2 | 1.1 | 1.2 | 1.0 | 1.1 | 1.0 | 1.1 | 1.3 |
| 1994 | 4.3 | 174.3 | 4.6 | 1.3 | 0.9 | 1.0 | 1.1 | 1.1 | 0.9 | 1.1 | 1.3 |
| 1993 | 4.4 | 170.8 | 5.4 | 1.5 | 0.9 | 1.1 | 1.1 | 1.2 | 0.8 | 1.0 | 1.1 |
| 1992 | 4.5 | 175.8 | 5.2 | 1.3 | 1.0 | 0.9 | 1.0 | 1.0 | 1.0 | 1.1 | 1.0 |
| 1991 | 4.5 | 178.1 | 5.4 | 1.5 | 1.1 | 1.2 | 1.0 | 0.9 | 1.1 | 0.8 | 1.1 |
| 1990 | 4.7 | 192.9 | 5.8 | 1.5 | 1.1 | 0.9 | 1.2 | 1.0 | 0.9 | 0.9 | 1.1 |
| 1989 | 4.8 | 197.9 | 6.9 | 1.4 | 1.2 | 1.1 | 1.0 | 1.0 | 0.9 | 1.1 | 1.0 |
| 1988 | 4.8 | 204.7 | 5.7 | 1.4 | 1.1 | 1.1 | 1.1 | 1.1 | 0.9 | 0.9 | 1.1 |
| 1987 | 4.6 | 202.0 | 6.2 | 1.2 | 1.0 | 1.0 | 1.1 | 0.8 | 0.9 | 1.0 | 1.0 |
| 1986 | 4.8 | 209.6 | 6.0 | 1.4 | 1.1 | 1.1 | 1.1 | 0.8 | 0.7 | 0.9 | 1.1 |
| 1985 | 4.8 | 214.5 | 5.6 | 1.6 | 1.1 | 1.0 | 0.8 | 0.9 | 0.9 | 0.9 | 1.2 |
| 1984 | 5.0 | 227.8 | 6.6 | 1.4 | 1.4 | 1.1 | 1.0 | 0.9 | 0.9 | 0.9 | 1.1 |
| 1983 | 5.1 | 225.8 | 6.3 | 1.4 | 1.2 | 1.2 | 1.2 | 1.1 | 0.8 | 1.1 | 1.1 |
| 1982 | 5.4 | 237.0 | 7.6 | 1.7 | 1.5 | 1.2 | 1.1 | 1.1 | 0.9 | 1.2 | 1.0 |
| 1981 | 5.4 | 235.2 | 7.6 | 1.8 | 1.4 | 1.2 | 1.1 | 1.2 | 1.0 | 1.2 | 1.1 |
| 1980 | 5.5 | 246.2 | 7.5 | 1.7 | 1.4 | 1.2 | 1.2 | 1.0 | 1.1 | 1.2 | 1.2 |
| 1979 | 5.4 | 240.3 | 7.6 | 1.7 | 1.5 | 1.0 | 0.9 | 1.1 | 0.9 | 1.4 | 1.4 |
| Congenital malformations, deformations and chromosomal abnormalities (740-759) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 4.3 | 161.6 | 3.4 | 0.9 | 0.9 | 1.0 | 1.2 | 1.1 | 1.1 | 1.2 | 1.2 |
| 1997 | 4.3 | 162.0 | 3.6 | 1.0 | 1.1 | 1.0 | 1.1 | 1.2 | 1.1 | 1.1 | 1.3 |
| 1996 | 4.3 | 166.6 | 3.7 | 1.2 | 1.0 | 1.0 | 1.1 | 0.9 | 0.9 | 1.1 | 1.3 |
| 1995 | 4.4 | 169.8 | 4.1 | 1.2 | 1.0 | 1.3 | 1.1 | 1.2 | 1.1 | 1.1 | 1.4 |
| 1994 | 4.4 | 175.4 | 4.1 | 1.2 | 1.0 | 1.2 | 1.3 | 1.1 | 1.0 | 1.1 | 1.3 |
| 1993 | 4.6 | 177.7 | 4.8 | 1.5 | 1.1 | 1.3 | 1.3 | 1.3 | 1.0 | 1.0 | 1.3 |
| 1992 | 4.6 | 180.6 | 5.0 | 1.3 | 1.1 | 1.3 | 1.2 | 1.1 | 1.0 | 1.2 | 1.2 |
| 1991 | 4.7 | 184.9 | 5.4 | 1.4 | 1.2 | 1.4 | 1.1 | 1.1 | 1.1 | 1.0 | 1.2 |
| 1990 | 5.0 | 205.2 | 5.8 | 1.6 | 1.1 | 1.2 | 1.3 | 1.1 | 1.1 | 1.2 | 1.2 |
| 1989 | 5.0 | 206.2 | 6.0 | 1.5 | 1.2 | 1.2 | 1.2 | 1.3 | 0.9 | 1.2 | 1.0 |
| 1988 | 5.0 | 214.2 | 6.2 | 1.5 | 1.4 | 1.2 | 1.3 | 1.1 | 1.0 | 1.1 | 1.2 |
| 1987 | 4.8 | 206.8 | 6.2 | 1.4 | 1.0 | 1.3 | 1.2 | 1.0 | 1.1 | 1.2 | 1.1 |
| 1986 | 5.0 | 217.4 | 5.9 | 1.5 | 1.2 | 1.3 | 1.2 | 0.8 | 0.9 | 1.0 | 1.2 |
| 1985 | 5.2 | 230.5 | 5.8 | 1.5 | 1.2 | 1.2 | 1.1 | 1.0 | 0.9 | 1.0 | 1.2 |
| 1984 | 5.3 | 236.3 | 6.7 | 1.4 | 1.4 | 1.2 | 1.3 | 1.0 | 1.0 | 1.1 | 1.3 |
| 1983 | 5.4 | 236.1 | 6.4 | 1.5 | 1.2 | 1.4 | 1.3 | 1.2 | 1.0 | 1.2 | 1.2 |
| 1982 | 5.6 | 244.7 | 7.3 | 1.7 | 1.5 | 1.4 | 1.3 | 1.2 | 1.0 | 1.1 | 1.1 |
| 1981 | 5.7 | 244.4 | 7.3 | 1.8 | 1.4 | 1.5 | 1.4 | 1.4 | 1.1 | 1.3 | 1.2 |
| 1980 | 5.9 | 256.7 | 7.8 | 1.8 | 1.4 | 1.4 | 1.4 | 1.2 | 1.3 | 1.3 | 1.3 |
| 1979 | 5.8 | 258.0 | 7.9 | 1.6 | 1.6 | 1.4 | 1.3 | 1.2 | 1.0 | 1.4 | 1.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Congenital malformations, deformations and chromosomal abnormalities (740-759) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 4.5 | 167.3 | 3.3 | 0.9 | 0.8 | 1.1 | 1.2 | 1.3 | 1.2 | 1.2 | 1.2 |
| 1997 | 4.6 | 168.8 | 3.8 | 1.1 | 1.1 | 1.2 | 1.1 | 1.3 | 1.2 | 1.3 | 1.3 |
| 1996 | 4.6 | 177.4 | 3.9 | 1.4 | 1.2 | 1.2 | 1.2 | 1.0 | 1.0 | 1.1 | 1.4 |
| 1995 | 4.7 | 182.3 | 4.3 | 1.2 | 1.0 | 1.4 | 1.3 | 1.3 | 1.1 | 1.2 | 1.4 |
| 1994 | 4.7 | 179.9 | 4.0 | 1.2 | 1.2 | 1.4 | 1.5 | 1.1 | 1.1 | 1.1 | 1.3 |
| 1993 | 5.0 | 189.6 | 4.6 | 1.4 | 1.3 | 1.4 | 1.5 | 1.3 | 1.2 | 1.1 | 1.4 |
| 1992 | 5.0 | 191.9 | 5.4 | 1.2 | 1.2 | 1.6 | 1.4 | 1.3 | 1.0 | 1.4 | 1.3 |
| 1991 | 5.2 | 198.0 | 5.5 | 1.5 | 1.2 | 1.5 | 1.2 | 1.2 | 1.1 | 1.3 | 1.3 |
| 1990 | 5.5 | 221.0 | 5.8 | 1.6 | 1.1 | 1.5 | 1.4 | 1.3 | 1.3 | 1.6 | 1.4 |
| 1989 | 5.4 | 219.1 | 5.5 | 1.5 | 1.3 | 1.3 | 1.4 | 1.4 | 1.1 | 1.3 | 0.9 |
| 1988 | 5.4 | 225.1 | 7.0 | 1.6 | 1.6 | 1.3 | 1.3 | 1.2 | 1.1 | 1.3 | 1.2 |
| 1987 | 5.4 | 220.3 | 6.6 | 1.7 | 1.2 | 1.6 | 1.4 | 1.2 | 1.2 | 1.3 | 1.1 |
| 1986 | 5.5 | 231.5 | 6.0 | 1.6 | 1.3 | 1.6 | 1.2 | 0.8 | 1.2 | 1.2 | 1.4 |
| 1985 | 5.8 | 249.9 | 6.1 | 1.4 | 1.2 | 1.4 | 1.4 | 1.1 | 1.0 | 1.1 | 1.4 |
| 1984 | 5.8 | 249.8 | 6.8 | 1.5 | 1.5 | 1.4 | 1.5 | 1.2 | 1.1 | 1.1 | 1.4 |
| 1983 | 5.9 | 248.9 | 6.6 | 1.6 | 1.2 | 1.6 | 1.5 | 1.3 | 1.1 | 1.2 | 1.3 |
| 1982 | 6.1 | 255.5 | 7.5 | 1.9 | 1.6 | 1.6 | 1.4 | 1.3 | 1.2 | 1.1 | 1.2 |
| 1981 | 6.2 | 257.2 | 7.5 | 1.8 | 1.6 | 1.7 | 1.6 | 1.6 | 1.2 | 1.4 | 1.2 |
| 1980 | 6.5 | 271.4 | 8.2 | 2.0 | 1.4 | 1.5 | 1.6 | 1.5 | 1.5 | 1.4 | 1.5 |
| 1979 | 6.5 | 277.6 | 8.6 | 1.7 | 1.7 | 1.8 | 1.7 | 1.5 | 1.2 | 1.5 | 1.4 |
| Congenital malformations, deformations and chromosomal abnormalities (740-759) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 4.0 | 155.7 | 3.4 | 0.9 | 0.9 | 0.9 | 1.1 | 0.9 | 0.9 | 1.1 | 1.3 |
| 1997 | 4.0 | 154.8 | 3.4 | 0.9 | 1.1 | 0.8 | 1.0 | 1.2 | 0.9 | 1.0 | 1.3 |
| 1996 | 4.0 | 155.1 | 3.6 | 0.9 | 0.9 | 0.8 | 0.9 | 0.9 | 0.8 | 1.0 | 1.2 |
| 1995 | 4.1 | 156.6 | 3.8 | 1.3 | 1.1 | 1.2 | 0.9 | 1.1 | 1.1 | 1.1 | 1.3 |
| 1994 | 4.2 | 170.6 | 4.3 | 1.3 | 0.8 | 0.9 | 1.2 | 1.2 | 0.9 | 1.1 | 1.3 |
| 1993 | 4.2 | 165.0 | 5.0 | 1.6 | 1.0 | 1.1 | 1.1 | 1.2 | 0.7 | 0.9 | 1.1 |
| 1992 | 4.3 | 168.6 | 4.6 | 1.4 | 0.9 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.1 |
| 1991 | 4.3 | 171.1 | 5.2 | 1.4 | 1.1 | 1.2 | 1.0 | 1.0 | 1.1 | 0.7 | 1.1 |
| 1990 | 4.5 | 188.6 | 5.8 | 1.5 | 1.1 | 0.9 | 1.2 | 1.0 | 0.9 | 0.9 | 1.0 |
| 1989 | 4.6 | 192.7 | 6.5 | 1.5 | 1.2 | 1.2 | 1.0 | 1.1 | 0.8 | 1.0 | 1.0 |
| 1988 | 4.6 | 202.6 | 5.5 | 1.4 | 1.1 | 1.2 | 1.2 | 1.0 | 0.9 | 0.8 | 1.1 |
| 1987 | 4.3 | 192.8 | 5.8 | 1.1 | 0.9 | 1.1 | 1.0 | 0.8 | 0.9 | 1.0 | 1.1 |
| 1986 | 4.6 | 202.6 | 5.9 | 1.3 | 1.0 | 1.1 | 1.1 | 0.8 | 0.7 | 0.9 | 1.0 |
| 1985 | 4.6 | 210.2 | 5.5 | 1.5 | 1.1 | 1.0 | 0.9 | 0.9 | 0.8 | 0.9 | 1.1 |
| 1984 | 4.8 | 222.3 | 6.6 | 1.3 | 1.3 | 1.1 | 1.0 | 0.8 | 0.9 | 1.0 | 1.2 |
| 1983 | 4.9 | 222.6 | 6.3 | 1.3 | 1.2 | 1.2 | 1.1 | 1.0 | 0.8 | 1.1 | 1.0 |
| 1982 | 5.2 | 233.2 | 7.1 | 1.6 | 1.5 | 1.2 | 1.1 | 1.0 | 0.9 | 1.2 | 0.9 |
| 1981 | 5.2 | 230.9 | 7.1 | 1.9 | 1.3 | 1.2 | 1.2 | 1.1 | 1.0 | 1.2 | 1.1 |
| 1980 | 5.3 | 241.4 | 7.4 | 1.7 | 1.4 | 1.2 | 1.2 | 1.0 | 1.0 | 1.2 | 1.1 |
| 1979 | 5.2 | 237.1 | 7.2 | 1.5 | 1.5 | 1.0 | 0.9 | 1.0 | 0.9 | 1.3 | 1.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Congenital malformations, deformations and chromosomal abnormalities (740-759) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 4.6 | 177.9 | 4.7 | 1.2 | 0.9 | 1.4 | 1.8 | 1.2 | 1.2 | 1.4 | 1.3 |
| 1997 | 4.6 | 175.1 | 4.4 | 1.4 | 1.2 | 1.5 | 1.5 | 0.8 | 1.0 | 1.1 | 1.2 |
| 1996 | 4.9 | 185.2 | 5.3 | 1.4 | 1.4 | 1.0 | 1.1 | 1.1 | 0.7 | 1.3 | 1.6 |
| 1995 | 5.0 | 184.5 | 5.6 | 1.3 | 1.2 | 1.5 | 1.1 | 1.3 | 1.1 | 1.1 | 1.3 |
| 1994 | 5.3 | 190.7 | 5.8 | 1.4 | 1.0 | 1.5 | 1.3 | 0.9 | 1.2 | 1.0 | 1.4 |
| 1993 | 5.7 | 203.1 | 6.1 | 1.3 | 1.1 | 1.5 | 1.0 | 1.2 | 1.2 | 1.3 | 1.0 |
| 1992 | 6.1 | 213.6 | 7.4 | 1.5 | 1.4 | 1.2 | 1.1 | 1.0 | 1.3 | 1.4 | 0.9 |
| 1991 | 6.3 | 218.7 | 7.0 | 1.9 | 1.2 | 1.2 | 1.2 | 1.0 | 1.1 | 1.5 | 1.3 |
| 1990 | 6.5 | 222.4 | 7.0 | 1.7 | 1.1 | 1.4 | 1.7 | 1.1 | 1.1 | 1.0 | 1.4 |
| 1989 | 6.6 | 226.9 | 7.8 | 1.4 | 1.5 | 1.6 | 1.1 | 1.2 | 1.3 | 1.4 | 1.1 |
| 1988 | 6.3 | 226.8 | 6.6 | 2.0 | 1.2 | 1.4 | 0.9 | 1.1 | 1.2 | 1.6 | 1.4 |
| 1987 | 6.5 | 238.1 | 7.5 | 1.9 | 1.5 | 1.1 | 1.5 | 1.2 | 1.0 | 1.2 | 1.1 |
| 1986 | 6.7 | 246.1 | 7.2 | 1.7 | 1.2 | 1.6 | 1.5 | 1.1 | 1.4 | 1.4 | 1.4 |
| 1985 | 6.5 | 242.1 | 6.6 | 2.2 | 1.2 | 1.4 | 1.0 | 0.8 | 1.5 | 1.2 | 1.5 |
| 1984 | 6.8 | 252.3 | 6.6 | 1.8 | 1.1 | 1.4 | 1.4 | 1.7 | 1.5 | 1.0 | 1.1 |
| 1983 | 7.1 | 253.5 | 7.2 | 1.8 | 1.4 | 1.5 | 1.3 | 1.6 | 1.2 | 1.4 | 1.8 |
| 1982 | 7.4 | 260.9 | 8.7 | 2.1 | 1.2 | 1.4 | 1.5 | 1.4 | 1.5 | 1.7 | 1.8 |
| 1981 | 7.3 | 259.6 | 9.1 | 1.4 | 1.3 | 1.5 | 1.2 | 1.6 | 1.4 | 1.0 | 1.3 |
| 1980 | 7.8 | 279.9 | 9.1 | 1.7 | 1.5 | 1.4 | 1.8 | 1.4 | 1.9 | 1.3 | 1.4 |
| 1979 | 7.5 | 272.0 | 8.9 | 2.1 | 1.4 | 1.4 | 1.5 | 1.4 | 1.2 | 1.6 | 1.5 |
| Congenital malformations, deformations and chromosomal abnormalities (740-759) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 5.1 | 181.1 | 4.8 | 1.5 | 1.0 | 1.7 | 2.2 | 1.1 | 1.2 | 1.6 | 1.4 |
| 1997 | 4.9 | 175.1 | 4.7 | 1.3 | 1.2 | 1.8 | 1.6 | 1.2 | 1.4 | 1.5 | 1.3 |
| 1996 | 5.2 | 190.3 | 4.7 | 1.7 | 1.7 | 1.2 | 1.1 | 1.4 | * | 1.4 | 1.6 |
| 1995 | 5.5 | 193.7 | 5.8 | 1.5 | 1.2 | 1.8 | 1.1 | 1.1 | 1.3 | 1.1 | 1.4 |
| 1994 | 5.7 | 193.2 | 5.7 | 1.4 | 1.1 | 1.5 | 1.7 | 1.2 | 1.4 | * | 1.7 |
| 1993 | 6.4 | 213.9 | 5.5 | 1.5 | 1.4 | 1.8 | 1.2 | 1.4 | 1.6 | 1.3 | * |
| 1992 | 6.7 | 224.3 | 7.3 | 1.8 | 1.3 | 1.7 | 1.1 | 1.2 | 1.6 | 1.5 | * |
| 1991 | 7.2 | 232.8 | 7.9 | 2.0 | 1.4 | 1.5 | 1.3 | 1.1 | 1.1 | 1.6 | 1.9 |
| 1990 | 7.2 | 235.1 | 7.9 | 1.9 | * | 1.8 | 2.4 | 1.2 | * | * | * |
| 1989 | 7.3 | 235.1 | 7.0 | 1.7 | 1.4 | 2.4 | 1.3 | 1.6 | 1.5 | 1.7 | * |
| 1988 | 7.0 | 240.1 | 6.6 | 2.5 | * | 2.0 | 1.2 | * | 1.3 | 2.0 | * |
| 1987 | 6.9 | 236.2 | 7.2 | 2.3 | 1.7 | 1.6 | 1.7 | 1.3 | 1.3 | * | * |
| 1986 | 7.4 | 253.0 | 8.1 | 1.8 | * | 2.1 | 1.8 | 1.5 | 1.9 | * | * |
| 1985 | 7.1 | 251.6 | 6.8 | 2.6 | 1.3 | 1.8 | 1.4 | * | 1.4 | * | * |
| 1984 | 7.3 | 252.7 | 6.4 | 1.7 | * | 1.9 | 2.0 | 2.1 | 1.9 | * | * |
| 1983 | 7.9 | 267.1 | 8.1 | 1.9 | 1.6 | 1.8 | * | 1.9 | * | * | * |
| 1982 | 8.0 | 268.2 | 7.9 | 2.2 | * | 1.8 | 1.9 | 1.4 | 2.0 | * | * |
| 1981 | 7.8 | 263.5 | 8.8 | * | * | 1.8 | 1.5 | 1.8 | 1.8 | * | * |
| 1980 | 8.7 | 292.1 | 9.9 | 1.7 | 1.5 | 1.7 | 2.1 | * | 2.4 | * | * |
| 1979 | 8.2 | 289.8 | 8.2 | 1.9 | 1.3 | 1.9 | 2.0 | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Congenital malformations, deformations and chromosomal abnormalities (740-759) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 4.2 | 174.6 | 4.6 | 0.9 | * | 1.1 | 1.4 | 1.2 | 1.1 | 1.2 | 1.2 |
| 1997 | 4.2 | 175.0 | 4.2 | 1.5 | 1.3 | 1.1 | 1.3 | * | * | * | 1.1 |
| 1996 | 4.5 | 179.8 | 5.9 | 1.2 | 1.2 | * | * | * | * | 1.2 | 1.6 |
| 1995 | 4.5 | 175.2 | 5.3 | 1.1 | 1.2 | 1.1 | 1.1 | 1.4 | 1.0 | 1.0 | 1.3 |
| 1994 | 4.9 | 188.2 | 5.9 | 1.4 | * | 1.4 | * | * | 1.0 | 1.0 | * |
| 1993 | 5.2 | 191.9 | 6.7 | * | * | 1.3 | * | * | * | 1.2 | * |
| 1992 | 5.5 | 202.5 | 7.6 | 1.1 | 1.4 | * | * | * | 1.0 | 1.3 | * |
| 1991 | 5.5 | 204.2 | 6.1 | 1.8 | * | * | * | * | 1.1 | 1.3 | * |
| 1990 | 5.7 | 209.4 | 6.1 | 1.5 | 1.2 | * | 1.1 | * | 1.2 | * | * |
| 1989 | 6.0 | 217.8 | 8.5 | 1.2 | 1.5 | * | * | * | 1.1 | * | * |
| 1988 | 5.7 | 213.2 | 6.6 | 1.5 | 1.3 | * | * | 1.3 | 1.2 | 1.3 | * |
| 1987 | 6.0 | 239.4 | 7.7 | 1.6 | * | * | 1.3 | * | * | * | * |
| 1986 | 6.0 | 239.0 | 6.3 | 1.6 | 1.3 | * | 1.2 | * | * | * | * |
| 1985 | 6.0 | 233.0 | 6.3 | 1.9 | * | * | * | * | 1.6 | * | 2.0 |
| 1984 | 6.3 | 251.2 | 6.8 | 1.9 | 1.5 | * | * | 1.3 | * | * | * |
| 1983 | 6.3 | 239.6 | 6.3 | 1.7 | 1.2 | 1.2 | 1.5 | 1.3 | * | * | * |
| 1982 | 6.8 | 253.5 | 9.5 | 1.9 | 1.6 | * | 1.2 | 1.4 | * | * | * |
| 1981 | 6.7 | 254.8 | 9.4 | 1.7 | 1.5 | 1.2 | * | 1.3 | * | * | * |
| 1980 | 7.0 | 267.6 | 8.2 | 1.8 | 1.5 | * | 1.5 | 1.4 | * | * | * |
| 1979 | 6.8 | 254.9 | 9.6 | 2.3 | 1.5 | * | * | 1.6 | * | * | * |
| Congenital malformations, deformations and chromosomal abnormalities (740-759) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 5.3 | 196.6 | 5.0 | 1.4 | 1.0 | 1.7 | 2.1 | 1.3 | 1.5 | 1.5 | 1.8 |
| 1997 | 5.1 | 193.0 | 4.4 | 1.6 | 1.3 | 1.8 | 1.6 | 0.9 | 1.2 | 1.1 | 1.5 |
| 1996 | 5.5 | 208.1 | 5.9 | 1.5 | 1.7 | 1.1 | 1.2 | 1.3 | 0.8 | 1.6 | 2.0 |
| 1995 | 5.6 | 202.5 | 6.4 | 1.2 | 1.3 | 1.7 | 1.2 | 1.4 | 1.2 | 1.3 | 1.5 |
| 1994 | 5.9 | 205.5 | 6.6 | 1.7 | 1.0 | 1.7 | 1.6 | 1.1 | 1.4 | 1.2 | 1.7 |
| 1993 | 6.4 | 221.8 | 6.7 | 1.4 | 1.1 | 1.8 | 1.0 | 1.5 | 1.4 | 1.6 | 1.1 |
| 1992 | 6.8 | 231.8 | 8.2 | 1.6 | 1.6 | 1.4 | 1.2 | 1.2 | 1.5 | 1.4 | 1.1 |
| 1991 | 7.0 | 239.1 | 7.4 | 2.0 | 1.2 | 1.4 | 1.2 | 1.1 | 1.3 | 1.7 | 1.7 |
| 1990 | 7.1 | 239.8 | 7.6 | 1.8 | 1.2 | 1.6 | 2.1 | 1.3 | 1.2 | 1.1 | 1.6 |
| 1989 | 7.2 | 240.1 | 8.5 | 1.6 | 1.4 | 1.8 | 1.2 | 1.4 | 1.6 | 1.7 | 1.3 |
| 1988 | 6.8 | 240.2 | 6.8 | 2.0 | 1.3 | 1.6 | 1.0 | 1.4 | 1.4 | 1.9 | 1.7 |
| 1987 | 7.1 | 255.8 | 8.1 | 2.1 | 1.7 | 1.3 | 1.8 | 1.4 | 1.2 | 1.3 | 1.3 |
| 1986 | 7.1 | 259.8 | 7.8 | 1.7 | 1.4 | 1.8 | 1.6 | 1.3 | 1.7 | 1.5 | 1.4 |
| 1985 | 7.0 | 259.9 | 6.8 | 2.4 | 1.3 | 1.6 | 1.1 | 0.9 | 1.9 | 1.4 | 1.6 |
| 1984 | 7.0 | 262.1 | 6.6 | 1.8 | 1.2 | 1.5 | 1.4 | 1.8 | 1.7 | 1.1 | * |
| 1983 | 7.5 | 266.7 | 7.6 | 2.0 | 1.6 | 1.6 | 1.4 | 1.8 | 1.4 | 1.7 | 2.1 |
| 1982 | 7.8 | 274.0 | 9.3 | 2.2 | 1.4 | 1.5 | 1.6 | 1.5 | 1.8 | 1.9 | 2.2 |
| 1981 | 7.6 | 269.2 | 9.6 | 1.6 | 1.3 | 1.6 | 1.2 | 1.8 | 1.6 | * | 1.6 |
| 1980 | 8.1 | 288.7 | 9.6 | 1.9 | 1.6 | 1.5 | 1.8 | 1.4 | 2.3 | 1.6 | 1.6 |
| 1979 | 7.8 | 278.4 | 9.5 | 2.3 | 1.5 | 1.4 | 1.4 | 1.4 | 1.4 | 1.8 | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Congenital malformations, deformations and chromosomal abnormalities (740-759) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 5.9 | 201.5 | 5.4 | 1.7 | * | 2.1 | 2.7 | * | 1.5 | 1.5 | 1.9 |
| 1997 | 5.5 | 191.9 | 4.6 | 1.5 | * | 2.1 | 1.8 | * | 1.6 | 1.5 | * |
| 1996 | 5.9 | 212.7 | 5.4 | 1.8 | 2.0 | * | * | * | * | 1.6 | 1.9 |
| 1995 | 6.2 | 214.0 | 6.5 | 1.6 | * | 2.1 | * | * | 1.6 | * | * |
| 1994 | 6.4 | 209.7 | 6.8 | 1.8 | * | 1.8 | 2.0 | * | 1.7 | * | 2.2 |
| 1993 | 7.2 | 231.8 | 6.4 | 1.6 | 1.4 | 2.1 | * | 1.7 | 1.8 | 1.8 | * |
| 1992 | 7.6 | 246.8 | 8.0 | 1.9 | 1.6 | 2.0 | * | * | 2.0 | 1.7 | * |
| 1991 | 8.1 | 258.5 | 8.2 | 2.1 | 1.5 | 1.7 | 1.5 | * | * | 1.8 | 2.4 |
| 1990 | 8.1 | 255.2 | 8.5 | 2.0 | * | 2.1 | 3.0 | * | * | * | * |
| 1989 | 8.0 | 250.5 | 7.3 | 2.0 | * | 2.5 | 1.5 | 1.9 | 1.9 | 2.2 | * |
| 1988 | 7.6 | 251.5 | 7.2 | 2.6 | * | 2.3 | * | * | * | 2.4 | * |
| 1987 | 7.8 | 261.7 | 7.6 | 2.7 | 2.0 | 1.9 | 2.1 | 1.5 | * | * | * |
| 1986 | 8.0 | 268.9 | 8.6 | 1.7 | * | 2.3 | 2.0 | 1.8 | 2.3 | * | * |
| 1985 | 7.7 | 269.9 | 7.0 | 3.0 | * | 2.0 | 1.7 | * | 1.8 | * | * |
| 1984 | 7.7 | 264.0 | 6.6 | 1.6 | * | 2.1 | 2.3 | 2.2 | 2.2 | * | * |
| 1983 | 8.4 | 282.1 | 8.2 | 2.1 | 1.9 | 2.0 | * | 2.2 | * | * | * |
| 1982 | 8.4 | 279.9 | 8.4 | 2.3 | * | 1.9 | 2.1 | * | 2.3 | * | * |
| 1981 | 8.3 | 277.0 | 9.3 | * | * | 1.9 | 1.6 | 2.0 | * | * | * |
| 1980 | 9.2 | 303.7 | 10.6 | 1.8 | 1.6 | 2.0 | 2.0 | * | 3.1 | * | * |
| 1979 | 8.6 | 296.2 | 8.7 | 2.1 | 1.5 | 2.0 | 2.0 | * | * | * | * |
| Congenital malformations, deformations and chromosomal abnormalities (740-759) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 4.8 | 191.6 | 4.5 | 1.2 | * | * | 1.5 | * | 1.5 | 1.4 | 1.6 |
| 1997 | 4.8 | 194.0 | 4.2 | 1.7 | 1.5 | 1.5 | * | * | * | * | 1.4 |
| 1996 | 5.2 | 203.3 | 6.3 | 1.2 | * | * | * | * | * | 1.5 | 2.0 |
| 1995 | 5.0 | 190.8 | 6.3 | * | 1.4 | * | * | 1.5 | * | 1.3 | * |
| 1994 | 5.4 | 201.1 | 6.5 | 1.5 | * | 1.5 | * | * | * | * | * |
| 1993 | 5.8 | 211.6 | 7.0 | * | * | 1.5 | * | * | * | 1.5 | * |
| 1992 | 6.0 | 216.4 | 8.5 | * | 1.7 | * | * | * | * | * | * |
| 1991 | 6.0 | 219.3 | 6.6 | 1.8 | * | * | * | * | * | 1.7 | * |
| 1990 | 6.2 | 223.9 | 6.8 | 1.5 | * | * | * | * | * | * | * |
| 1989 | 6.5 | 229.4 | 9.7 | * | * | * | * | * | * | * | * |
| 1988 | 6.1 | 227.8 | 6.4 | * | * | * | * | 1.6 | 1.4 | * | * |
| 1987 | 6.4 | 249.8 | 8.5 | 1.5 | * | * | 1.5 | * | * | * | * |
| 1986 | 6.3 | 250.5 | 6.9 | 1.7 | * | * | * | * | * | * | * |
| 1985 | 6.4 | 248.7 | 6.6 | 1.7 | * | * | * | * | 2.0 | * | * |
| 1984 | 6.5 | 260.1 | 6.7 | 2.0 | 1.6 | * | * | * | * | * | * |
| 1983 | 6.7 | 251.1 | 7.0 | 1.9 | * | * | 1.6 | 1.5 | * | * | * |
| 1982 | 7.2 | 268.1 | 10.2 | 2.2 | 1.8 | * | * | 1.6 | * | * | * |
| 1981 | 7.0 | 261.3 | 10.0 | 1.8 | 1.7 | * | * | 1.6 | * | * | * |
| 1980 | 7.2 | 273.5 | 8.5 | 2.0 | 1.5 | * | 1.6 | * | * | * | * |
| 1979 | 7.0 | 259.4 | 10.4 | 2.4 | 1.6 | * | * | 1.7 | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 9.4 | 97.2 | 1.4 | 0.4 | 0.4 | 1.2 | 1.8 | 2.1 | 3.0 | 4.0 | 4.8 |
| 1997 | 9.4 | 100.6 | 1.6 | 0.4 | 0.5 | 1.4 | 2.1 | 2.5 | 3.1 | 4.2 | 5.2 |
| 1996 | 9.7 | 103.7 | 1.8 | 0.4 | 0.5 | 1.4 | 2.4 | 2.6 | 3.4 | 4.5 | 5.4 |
| 1995 | 10.2 | 115.6 | 2.0 | 0.5 | 0.5 | 1.6 | 2.5 | 3.3 | 4.3 | 5.4 | 6.6 |
| 1994 | 9.6 | 128.8 | 1.7 | 0.4 | 0.4 | 1.3 | 2.2 | 2.6 | 3.5 | 4.7 | 5.1 |
| 1993 | 10.2 | 145.3 | 1.9 | 0.5 | 0.5 | 1.2 | 2.1 | 2.8 | 4.1 | 5.1 | 5.5 |
| 1992 | 9.1 | 147.0 | 1.7 | 0.3 | 0.4 | 1.2 | 2.2 | 2.8 | 3.8 | 4.4 | 4.5 |
| 1991 | 9.6 | 156.6 | 2.2 | 0.4 | 0.4 | 1.3 | 2.3 | 3.4 | 4.1 | 5.0 | 5.0 |
| 1990 | 9.7 | 162.4 | 1.8 | 0.3 | 0.4 | 1.3 | 2.5 | 3.5 | 4.4 | 5.5 | 5.3 |
| 1989 | 10.9 | 171.8 | 1.9 | 0.5 | 0.5 | 1.3 | 2.6 | 4.0 | 5.1 | 6.2 | 6.0 |
| 1988 | 12.7 | 172.6 | 2.1 | 0.5 | 0.5 | 1.6 | 2.9 | 4.3 | 5.5 | 6.5 | 5.9 |
| 1987 | 12.9 | 165.7 | 2.1 | 0.5 | 0.4 | 1.4 | 3.1 | 4.5 | 6.0 | 6.6 | 6.0 |
| 1986 | 13.1 | 163.2 | 2.2 | 0.3 | 0.5 | 1.5 | 2.8 | 3.6 | 5.1 | 5.2 | 5.5 |
| 1985 | 13.0 | 161.6 | 2.0 | 0.3 | 0.4 | 1.4 | 2.3 | 3.6 | 4.4 | 4.6 | 4.9 |
| 1984 | 12.6 | 164.4 | 1.8 | 0.3 | 0.3 | 1.3 | 2.2 | 3.0 | 4.1 | 3.9 | 4.7 |
| 1983 | 12.7 | 162.4 | 2.1 | 0.4 | 0.4 | 1.3 | 2.4 | 3.4 | 3.7 | 4.0 | 4.7 |
| 1982 | 12.9 | 162.8 | 2.0 | 0.4 | 0.4 | 1.7 | 2.9 | 4.0 | 4.4 | 4.4 | 5.7 |
| 1981 | 12.8 | 165.1 | 2.1 | 0.5 | 0.5 | 1.5 | 2.8 | 3.8 | 3.9 | 4.4 | 5.2 |
| 1980 | 12.7 | 172.3 | 2.2 | 0.4 | 0.4 | 1.4 | 2.7 | 3.4 | 3.5 | 3.8 | 5.2 |
| 1979 | 12.3 | 172.2 | 2.0 | 0.3 | 0.4 | 1.5 | 2.7 | 3.2 | 3.6 | 3.9 | 5.3 |
| Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 9.4 | 113.7 | 1.5 | 0.3 | 0.4 | 1.5 | 2.6 | 2.9 | 4.0 | 5.3 | 6.4 |
| 1997 | 9.8 | 118.1 | 1.8 | 0.4 | 0.4 | 2.0 | 2.8 | 3.5 | 4.1 | 5.7 | 7.1 |
| 1996 | 10.1 | 120.4 | 2.0 | 0.4 | 0.6 | 1.8 | 3.3 | 3.4 | 4.6 | 6.0 | 7.5 |
| 1995 | 10.9 | 132.8 | 2.1 | 0.6 | 0.7 | 2.2 | 3.6 | 4.5 | 5.8 | 7.3 | 9.2 |
| 1994 | 10.3 | 151.3 | 1.9 | 0.5 | 0.5 | 1.7 | 2.9 | 3.5 | 4.9 | 6.5 | 7.1 |
| 1993 | 11.2 | 173.5 | 2.0 | 0.4 | 0.7 | 1.4 | 2.9 | 4.0 | 5.7 | 7.2 | 8.0 |
| 1992 | 10.0 | 172.7 | 1.8 | 0.3 | 0.5 | 1.5 | 3.1 | 3.9 | 5.4 | 6.1 | 6.3 |
| 1991 | 10.9 | 186.7 | 2.5 | 0.4 | 0.4 | 1.7 | 3.2 | 4.4 | 5.9 | 7.4 | 7.0 |
| 1990 | 11.2 | 193.7 | 1.9 | 0.3 | 0.6 | 1.8 | 3.3 | 4.8 | 6.1 | 7.9 | 7.7 |
| 1989 | 12.6 | 204.0 | 2.1 | 0.6 | 0.6 | 1.6 | 3.5 | 5.4 | 7.5 | 9.3 | 8.6 |
| 1988 | 14.2 | 200.9 | 2.3 | 0.5 | 0.6 | 2.0 | 3.8 | 6.0 | 8.0 | 9.1 | 7.9 |
| 1987 | 14.8 | 194.5 | 2.2 | 0.6 | 0.5 | 1.8 | 4.2 | 6.2 | 8.4 | 9.3 | 8.4 |
| 1986 | 15.0 | 192.9 | 2.4 | 0.5 | 0.6 | 1.8 | 3.7 | 5.0 | 7.6 | 7.4 | 7.7 |
| 1985 | 15.1 | 193.6 | 2.3 | 0.4 | 0.3 | 1.6 | 3.0 | 5.0 | 6.0 | 6.8 | 6.6 |
| 1984 | 14.6 | 194.4 | 1.9 | 0.3 | 0.4 | 1.6 | 2.9 | 4.2 | 5.6 | 5.5 | 6.4 |
| 1983 | 14.7 | 186.5 | 2.3 | 0.5 | 0.4 | 1.7 | 3.2 | 4.5 | 5.0 | 5.5 | 6.2 |
| 1982 | 15.2 | 190.0 | 2.2 | 0.5 | 0.6 | 2.1 | 3.8 | 5.4 | 6.4 | 6.0 | 7.4 |
| 1981 | 15.4 | 192.5 | 2.5 | 0.6 | 0.5 | 1.8 | 3.5 | 5.2 | 5.3 | 5.8 | 6.9 |
| 1980 | 15.0 | 198.1 | 2.6 | 0.4 | 0.5 | 1.8 | 3.6 | 4.7 | 4.7 | 4.9 | 6.6 |
| 1979 | 14.7 | 200.6 | 2.0 | 0.3 | 0.4 | 1.9 | 3.7 | 4.6 | 4.6 | 5.0 | 6.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 9.4 | 79.9 | 1.3 | 0.4 | 0.4 | 0.8 | 1.0 | 1.4 | 2.0 | 2.7 | 3.3 |
| 1997 | 9.1 | 82.2 | 1.3 | 0.3 | 0.5 | 0.9 | 1.3 | 1.4 | 2.1 | 2.7 | 3.2 |
| 1996 | 9.3 | 86.2 | 1.6 | 0.4 | 0.5 | 1.0 | 1.4 | 1.8 | 2.3 | 3.0 | 3.4 |
| 1995 | 9.6 | 97.5 | 1.9 | 0.4 | 0.4 | 1.0 | 1.5 | 2.0 | 2.7 | 3.5 | 4.0 |
| 1994 | 9.0 | 105.2 | 1.4 | 0.3 | 0.4 | 0.8 | 1.5 | 1.7 | 2.2 | 2.9 | 3.1 |
| 1993 | 9.3 | 115.7 | 1.7 | 0.6 | 0.4 | 1.0 | 1.3 | 1.6 | 2.5 | 3.0 | 3.1 |
| 1992 | 8.3 | 120.0 | 1.5 | 0.3 | 0.3 | 0.9 | 1.3 | 1.7 | 2.2 | 2.7 | 2.7 |
| 1991 | 8.4 | 125.0 | 1.9 | 0.3 | 0.4 | 0.9 | 1.3 | 2.3 | 2.3 | 2.8 | 3.0 |
| 1990 | 8.3 | 129.6 | 1.7 | 0.2 | 0.3 | 0.9 | 1.6 | 2.1 | 2.7 | 3.1 | 2.9 |
| 1989 | 9.3 | 138.0 | 1.8 | 0.4 | 0.5 | 1.1 | 1.6 | 2.6 | 2.8 | 3.3 | 3.5 |
| 1988 | 11.1 | 143.1 | 1.8 | 0.4 | 0.4 | 1.1 | 1.9 | 2.7 | 3.0 | 4.0 | 3.9 |
| 1987 | 11.1 | 135.6 | 2.1 | 0.4 | 0.4 | 1.0 | 1.8 | 2.7 | 3.6 | 3.9 | 3.7 |
| 1986 | 11.2 | 132.1 | 2.0 | * | 0.4 | 1.2 | 1.9 | 2.3 | 2.7 | 3.1 | 3.3 |
| 1985 | 11.0 | 128.2 | 1.6 | 0.3 | 0.4 | 1.2 | 1.6 | 2.2 | 2.8 | 2.4 | 3.2 |
| 1984 | 10.7 | 133.0 | 1.8 | 0.3 | * | 1.0 | 1.5 | 1.7 | 2.7 | 2.4 | 3.0 |
| 1983 | 10.8 | 137.2 | 1.9 | 0.3 | 0.3 | 1.0 | 1.5 | 2.3 | 2.4 | 2.6 | 3.2 |
| 1982 | 10.7 | 134.4 | 1.7 | 0.3 | 0.3 | 1.3 | 1.9 | 2.5 | 2.4 | 2.8 | 4.1 |
| 1981 | 10.5 | 136.3 | 1.7 | 0.3 | 0.4 | 1.2 | 2.0 | 2.4 | 2.6 | 3.0 | 3.6 |
| 1980 | 10.6 | 145.3 | 1.9 | 0.5 | 0.4 | 1.0 | 1.8 | 2.0 | 2.3 | 2.7 | 3.9 |
| 1979 | 10.0 | 142.4 | 2.1 | 0.3 | 0.3 | 1.2 | 1.7 | 1.7 | 2.6 | 2.9 | 3.8 |
| Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 9.3 | 78.1 | 1.2 | 0.3 | 0.3 | 1.1 | 1.6 | 1.9 | 2.8 | 3.6 | 4.4 |
| 1997 | 9.3 | 81.9 | 1.3 | 0.3 | 0.5 | 1.4 | 1.9 | 2.1 | 2.8 | 3.7 | 4.6 |
| 1996 | 9.5 | 83.0 | 1.6 | 0.3 | 0.5 | 1.2 | 2.1 | 2.4 | 3.1 | 4.0 | 4.6 |
| 1995 | 9.9 | 95.3 | 1.7 | 0.5 | 0.5 | 1.4 | 2.3 | 3.0 | 3.9 | 4.9 | 5.8 |
| 1994 | 9.1 | 104.8 | 1.3 | 0.3 | 0.3 | 1.0 | 1.8 | 2.3 | 3.0 | 4.0 | 4.1 |
| 1993 | 9.5 | 119.1 | 1.5 | 0.4 | 0.5 | 1.0 | 1.8 | 2.4 | 3.4 | 4.2 | 4.3 |
| 1992 | 8.4 | 120.4 | 1.4 | 0.2 | 0.3 | 1.0 | 1.8 | 2.2 | 3.2 | 3.6 | 3.6 |
| 1991 | 8.7 | 128.5 | 1.9 | 0.3 | 0.4 | 1.1 | 1.8 | 2.7 | 3.3 | 4.0 | 3.9 |
| 1990 | 8.7 | 133.1 | 1.4 | 0.2 | 0.3 | 1.2 | 2.1 | 2.7 | 3.5 | 4.1 | 4.2 |
| 1989 | 9.9 | 141.2 | 1.5 | 0.4 | 0.5 | 1.2 | 2.2 | 3.3 | 4.1 | 4.9 | 4.9 |
| 1988 | 11.7 | 144.3 | 1.8 | 0.3 | 0.4 | 1.4 | 2.5 | 3.7 | 4.3 | 4.8 | 4.7 |
| 1987 | 11.8 | 139.7 | 1.7 | 0.4 | 0.4 | 1.3 | 2.5 | 3.7 | 4.6 | 5.0 | 5.1 |
| 1986 | 11.9 | 138.0 | 1.8 | 0.3 | 0.4 | 1.4 | 2.6 | 3.1 | 4.2 | 4.1 | 4.2 |
| 1985 | 11.8 | 137.6 | 1.6 | 0.3 | 0.3 | 1.3 | 2.1 | 2.9 | 3.5 | 3.6 | 3.9 |
| 1984 | 11.4 | 139.3 | 1.5 | 0.2 | 0.3 | 1.2 | 1.9 | 2.5 | 3.4 | 3.0 | 3.7 |
| 1983 | 11.2 | 133.8 | 1.6 | 0.4 | 0.3 | 1.3 | 2.1 | 3.1 | 3.0 | 3.2 | 3.6 |
| 1982 | 11.3 | 135.3 | 1.6 | 0.3 | 0.4 | 1.6 | 2.5 | 3.4 | 3.5 | 3.4 | 4.4 |
| 1981 | 11.2 | 138.3 | 1.5 | 0.4 | 0.4 | 1.4 | 2.5 | 3.2 | 2.9 | 3.4 | 4.0 |
| 1980 | 10.7 | 140.4 | 2.0 | 0.3 | 0.4 | 1.4 | 2.3 | 2.7 | 2.8 | 2.7 | 3.7 |
| 1979 | 10.3 | 135.8 | 1.7 | 0.3 | 0.3 | 1.4 | 2.2 | 2.5 | 2.7 | 2.9 | 3.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 9.0 | 92.5 | 1.2 | 0.3 | 0.4 | 1.4 | 2.3 | 2.6 | 3.7 | 4.9 | 5.8 |
| 1997 | 9.3 | 98.6 | 1.6 | 0.3 | 0.5 | 1.8 | 2.6 | 3.0 | 3.6 | 5.1 | 6.3 |
| 1996 | 9.6 | 97.7 | 1.8 | 0.3 | 0.5 | 1.6 | 3.0 | 3.2 | 4.0 | 5.4 | 6.4 |
| 1995 | 10.3 | 111.1 | 1.6 | 0.5 | 0.6 | 1.9 | 3.2 | 4.2 | 5.3 | 6.7 | 8.1 |
| 1994 | 9.4 | 124.5 | 1.6 | 0.5 | 0.4 | 1.3 | 2.4 | 3.1 | 4.2 | 5.7 | 5.6 |
| 1993 | 10.0 | 143.5 | 1.6 | 0.4 | 0.6 | 1.1 | 2.6 | 3.5 | 4.8 | 6.0 | 6.1 |
| 1992 | 9.0 | 145.3 | 1.5 | * | 0.4 | 1.2 | 2.6 | 3.1 | 4.6 | 5.0 | 5.1 |
| 1991 | 9.7 | 161.3 | 2.1 | 0.3 | 0.4 | 1.4 | 2.5 | 3.5 | 4.8 | 5.9 | 5.4 |
| 1990 | 9.7 | 163.4 | 1.6 | * | 0.4 | 1.6 | 2.8 | 3.9 | 5.0 | 6.0 | 5.8 |
| 1989 | 11.2 | 171.1 | 1.6 | 0.3 | 0.5 | 1.5 | 3.1 | 4.5 | 6.0 | 7.1 | 6.9 |
| 1988 | 12.8 | 173.7 | 2.0 | 0.3 | 0.5 | 1.9 | 3.5 | 5.1 | 6.4 | 6.8 | 6.2 |
| 1987 | 13.3 | 167.3 | 1.7 | 0.6 | 0.4 | 1.6 | 3.6 | 5.2 | 6.7 | 7.1 | 6.9 |
| 1986 | 13.5 | 166.8 | 2.0 | 0.4 | 0.5 | 1.7 | 3.6 | 4.3 | 6.3 | 5.7 | 5.7 |
| 1985 | 13.5 | 169.9 | 1.8 | 0.3 | 0.3 | 1.5 | 2.7 | 4.2 | 4.8 | 5.4 | 5.0 |
| 1984 | 12.9 | 170.3 | 1.5 | * | 0.4 | 1.4 | 2.6 | 3.5 | 4.7 | 4.1 | 5.1 |
| 1983 | 12.9 | 156.6 | 1.7 | 0.5 | 0.3 | 1.6 | 2.8 | 4.1 | 4.0 | 4.2 | 4.8 |
| 1982 | 13.2 | 161.2 | 2.0 | 0.4 | 0.5 | 2.0 | 3.4 | 4.7 | 5.0 | 4.4 | 5.6 |
| 1981 | 13.3 | 165.9 | 1.7 | 0.4 | 0.5 | 1.8 | 3.1 | 4.5 | 4.0 | 4.4 | 5.2 |
| 1980 | 12.6 | 166.0 | 2.3 | * | 0.4 | 1.7 | 3.2 | 3.9 | 3.7 | 3.5 | 4.4 |
| 1979 | 12.3 | 163.0 | 1.8 | 0.3 | 0.4 | 1.7 | 3.1 | 3.6 | 3.4 | 3.5 | 5.0 |
| Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 9.6 | 62.8 | 1.2 | 0.3 | 0.3 | 0.7 | 0.9 | 1.1 | 1.8 | 2.4 | 2.9 |
| 1997 | 9.2 | 64.2 | 1.0 | 0.3 | 0.5 | 0.9 | 1.1 | 1.2 | 1.9 | 2.4 | 3.0 |
| 1996 | 9.4 | 67.5 | 1.4 | 0.3 | 0.4 | 0.8 | 1.1 | 1.6 | 2.1 | 2.5 | 2.9 |
| 1995 | 9.6 | 78.6 | 1.8 | 0.4 | 0.4 | 0.8 | 1.3 | 1.7 | 2.4 | 3.1 | 3.5 |
| 1994 | 8.8 | 84.1 | 1.1 | * | 0.3 | 0.7 | 1.2 | 1.5 | 1.8 | 2.4 | 2.6 |
| 1993 | 9.0 | 93.3 | 1.4 | 0.5 | 0.3 | 0.9 | 1.0 | 1.3 | 1.9 | 2.3 | 2.5 |
| 1992 | 7.8 | 94.2 | 1.2 | * | * | 0.7 | 1.1 | 1.3 | 1.7 | 2.1 | 2.2 |
| 1991 | 7.8 | 94.0 | 1.6 | 0.3 | 0.3 | 0.9 | 0.9 | 1.9 | 1.8 | 2.2 | 2.3 |
| 1990 | 7.6 | 101.1 | 1.2 | * | * | 0.8 | 1.4 | 1.6 | 2.0 | 2.1 | 2.6 |
| 1989 | 8.7 | 109.8 | 1.3 | 0.4 | 0.4 | 0.8 | 1.3 | 2.0 | 2.2 | 2.6 | 2.8 |
| 1988 | 10.5 | 113.4 | 1.6 | 0.4 | 0.3 | 0.9 | 1.4 | 2.2 | 2.2 | 2.8 | 3.2 |
| 1987 | 10.4 | 110.7 | 1.6 | * | * | 0.9 | 1.4 | 2.2 | 2.6 | 2.9 | 3.3 |
| 1986 | 10.4 | 107.7 | 1.6 | * | 0.3 | 1.0 | 1.6 | 1.8 | 2.1 | 2.4 | 2.6 |
| 1985 | 10.2 | 103.6 | 1.3 | * | * | 1.1 | 1.4 | 1.5 | 2.2 | 1.8 | 2.7 |
| 1984 | 9.8 | 106.8 | 1.5 | * | * | 0.9 | 1.3 | 1.4 | 2.1 | 1.8 | 2.4 |
| 1983 | 9.7 | 109.7 | 1.4 | 0.3 | * | 0.8 | 1.4 | 2.1 | 2.0 | 2.2 | 2.5 |
| 1982 | 9.5 | 107.9 | 1.3 | * | * | 1.1 | 1.6 | 2.1 | 1.9 | 2.3 | 3.2 |
| 1981 | 9.2 | 109.3 | 1.3 | * | 0.3 | 1.1 | 1.8 | 1.9 | 1.9 | 2.3 | 2.9 |
| 1980 | 8.9 | 113.5 | 1.6 | 0.3 | 0.3 | 1.0 | 1.5 | 1.6 | 2.0 | 1.9 | 2.9 |
| 1979 | 8.4 | 106.9 | 1.6 | * | * | 1.1 | 1.3 | 1.4 | 2.1 | 2.3 | 2.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 10.1 | 168.5 | 2.3 | 0.5 | 0.7 | 1.6 | 2.4 | 3.1 | 4.2 | 5.6 | 7.0 |
| 1997 | 10.3 | 171.2 | 2.4 | 0.7 | 0.5 | 1.7 | 2.8 | 3.7 | 4.4 | 6.2 | 7.6 |
| 1996 | 10.8 | 183.5 | 2.6 | 0.5 | 0.7 | 2.0 | 3.4 | 3.2 | 5.2 | 6.8 | 9.3 |
| 1995 | 11.9 | 192.5 | 3.0 | 0.7 | 0.7 | 2.5 | 3.4 | 4.6 | 6.2 | 7.8 | 10.5 |
| 1994 | 12.1 | 218.0 | 2.9 | 0.6 | 0.7 | 2.4 | 3.7 | 4.1 | 5.8 | 8.0 | 10.3 |
| 1993 | 13.7 | 242.6 | 3.3 | 0.7 | 0.8 | 2.0 | 3.5 | 4.6 | 7.4 | 9.6 | 12.0 |
| 1992 | 12.9 | 246.7 | 2.8 | 0.5 | 0.7 | 2.2 | 3.8 | 5.4 | 7.0 | 8.5 | 8.8 |
| 1991 | 14.1 | 263.4 | 3.5 | 0.6 | 0.7 | 1.9 | 4.4 | 6.5 | 7.8 | 10.3 | 11.2 |
| 1990 | 15.2 | 274.6 | 3.4 | * | 0.9 | 1.8 | 4.1 | 6.8 | 8.8 | 13.0 | 11.6 |
| 1989 | 16.3 | 289.1 | 3.9 | 1.1 | 0.8 | 2.1 | 4.1 | 7.4 | 10.3 | 13.4 | 12.7 |
| 1988 | 18.0 | 286.2 | 3.2 | 1.0 | 0.8 | 2.3 | 4.6 | 7.7 | 11.6 | 16.0 | 13.3 |
| 1987 | 18.9 | 273.9 | 4.0 | 0.8 | 0.8 | 2.1 | 5.4 | 8.4 | 12.9 | 15.4 | 12.1 |
| 1986 | 19.3 | 271.0 | 4.0 | * | 0.9 | 2.2 | 3.9 | 6.6 | 10.2 | 12.0 | 13.6 |
| 1985 | 19.8 | 265.9 | 3.7 | * | * | 2.1 | 3.4 | 7.2 | 9.4 | 10.2 | 11.2 |
| 1984 | 19.7 | 274.7 | 3.3 | * | * | 1.8 | 3.6 | 5.5 | 8.1 | 10.1 | 10.8 |
| 1983 | 21.1 | 289.2 | 4.4 | * | 0.8 | 1.7 | 3.9 | 5.3 | 7.4 | 9.3 | 11.5 |
| 1982 | 22.1 | 285.5 | 3.5 | 1.0 | 0.8 | 2.4 | 5.0 | 6.9 | 9.8 | 11.0 | 14.3 |
| 1981 | 22.6 | 286.5 | 4.7 | 1.0 | 0.8 | 1.9 | 4.6 | 6.8 | 10.0 | 11.0 | 12.8 |
| 1980 | 24.9 | 317.7 | 3.6 | 1.0 | 0.8 | 1.8 | 4.8 | 7.1 | 7.4 | 11.0 | 15.3 |
| 1979 | 24.9 | 343.4 | 3.8 | * | * | 2.2 | 5.2 | 7.3 | 9.2 | 10.9 | 14.5 |
| Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 11.6 | 193.2 | 2.7 | * | * | 2.1 | 3.4 | 4.1 | 5.3 | 7.5 | 9.3 |
| 1997 | 12.3 | 192.4 | 2.6 | * | * | 2.5 | 3.8 | 5.3 | 6.1 | 8.8 | 11.4 |
| 1996 | 12.6 | 208.7 | 2.6 | * | * | 2.4 | 4.4 | 4.1 | 7.2 | 8.8 | 13.2 |
| 1995 | 14.2 | 216.4 | 3.7 | 0.9 | * | 3.6 | 4.9 | 5.9 | 8.3 | 10.2 | 15.1 |
| 1994 | 14.8 | 252.3 | 3.3 | * | * | 3.6 | 4.8 | 5.6 | 8.0 | 10.7 | 15.9 |
| 1993 | 17.0 | 286.3 | 3.5 | * | * | 2.5 | 4.6 | 6.2 | 10.2 | 13.6 | 18.5 |
| 1992 | 15.5 | 276.7 | 3.0 | * | * | 2.9 | 5.3 | 7.4 | 9.7 | 11.8 | 13.0 |
| 1991 | 16.9 | 284.5 | 4.1 | * | * | 2.8 | 6.0 | 9.1 | 11.6 | 15.5 | 16.6 |
| 1990 | 18.8 | 311.1 | 3.2 | * | 1.2 | 2.3 | 5.9 | 9.6 | 12.2 | 18.6 | 19.4 |
| 1989 | 20.5 | 331.7 | 4.0 | 1.5 | * | 2.1 | 5.4 | 9.7 | 15.6 | 21.7 | 19.3 |
| 1988 | 22.0 | 311.6 | 3.5 | 1.3 | * | 2.6 | 5.4 | 10.7 | 16.9 | 22.8 | 19.4 |
| 1987 | 23.0 | 308.5 | 4.2 | * | * | 2.6 | 7.3 | 11.8 | 18.0 | 22.7 | 18.7 |
| 1986 | 23.6 | 305.9 | 4.2 | * | * | 2.0 | 4.7 | 9.0 | 15.0 | 18.2 | 21.3 |
| 1985 | 24.2 | 298.3 | 4.2 | * | * | 2.3 | 4.1 | 9.2 | 13.2 | 15.4 | 16.8 |
| 1984 | 24.1 | 301.5 | 3.7 | * | * | 2.2 | 4.4 | 8.0 | 11.0 | 15.2 | 15.7 |
| 1983 | 25.3 | 320.6 | 4.8 | * | * | 1.9 | 5.3 | 7.4 | 11.0 | 14.3 | 16.0 |
| 1982 | 26.9 | 320.2 | 3.2 | * | * | 2.4 | 6.2 | 9.5 | 15.4 | 17.0 | 19.6 |
| 1981 | 27.8 | 315.2 | 6.0 | 1.3 | * | 1.9 | 6.0 | 9.3 | 14.2 | 15.6 | 18.7 |
| 1980 | 29.7 | 347.5 | 3.8 | * | * | 2.3 | 6.4 | 10.1 | 11.5 | 14.6 | 21.3 |
| 1979 | 30.1 | 380.5 | 3.3 | * | * | 2.7 | 7.1 | 11.4 | 13.0 | 15.9 | 19.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 8.7 | 142.9 | 1.9 | * | * | 1.1 | 1.4 | 2.1 | 3.2 | 3.8 | 5.0 |
| 1997 | 8.5 | 149.4 | 2.2 | * | * | * | 1.8 | 2.3 | 2.8 | 3.8 | 4.3 |
| 1996 | 9.1 | 157.5 | 2.6 | * | * | 1.7 | 2.5 | 2.4 | 3.3 | 4.9 | 6.0 |
| 1995 | 9.7 | 168.0 | 2.4 | * | * | 1.4 | 1.9 | 3.3 | 4.3 | 5.6 | 6.5 |
| 1994 | 9.6 | 182.7 | 2.5 | * | * | 1.2 | 2.5 | 2.8 | 3.8 | 5.5 | 5.5 |
| 1993 | 10.8 | 197.5 | 3.1 | * | * | 1.5 | 2.4 | 3.0 | 4.8 | 6.0 | 6.4 |
| 1992 | 10.4 | 215.9 | 2.5 | * | * | 1.5 | 2.2 | 3.5 | 4.5 | 5.5 | 5.2 |
| 1991 | 11.6 | 241.7 | 2.9 | * | * | * | 2.8 | 4.1 | 4.4 | 5.7 | 6.6 |
| 1990 | 11.9 | 237.1 | 3.7 | * | * | 1.3 | 2.3 | 4.2 | 5.8 | 8.2 | 4.8 |
| 1989 | 12.4 | 244.7 | 3.7 | * | * | 2.1 | 2.8 | 5.4 | 5.5 | 6.3 | 7.0 |
| 1988 | 14.3 | 260.3 | 3.0 | * | * | 2.0 | 3.7 | 5.0 | 6.8 | 10.2 | 7.9 |
| 1987 | 15.1 | 237.5 | 3.8 | * | * | 1.6 | 3.6 | 5.4 | 8.4 | 9.2 | 6.3 |
| 1986 | 15.4 | 235.3 | 3.8 | * | * | 2.3 | 3.2 | 4.4 | 6.0 | 6.8 | 7.0 |
| 1985 | 15.9 | 233.6 | 3.1 | * | * | 1.8 | 2.7 | 5.4 | 6.2 | 5.8 | 6.3 |
| 1984 | 15.7 | 246.3 | 2.8 | * | * | 1.4 | 2.9 | 3.3 | 5.6 | 5.7 | 6.5 |
| 1983 | 17.2 | 257.1 | 4.0 | * | * | 1.5 | 2.5 | 3.4 | 4.4 | 5.0 | 7.6 |
| 1982 | 17.8 | 250.2 | 3.7 | * | * | 2.3 | 3.8 | 4.6 | 5.0 | 5.8 | 9.7 |
| 1981 | 18.0 | 256.3 | 3.5 | * | * | 1.8 | 3.3 | 4.6 | 6.3 | 7.1 | 7.7 |
| 1980 | 20.6 | 287.6 | 3.4 | * | * | 1.3 | 3.3 | 4.4 | 3.9 | 8.0 | 10.2 |
| 1979 | 20.2 | 306.7 | 4.4 | * | * | 1.6 | 3.4 | 3.7 | 5.9 | 6.7 | 10.2 |
| Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 12.6 | 202.9 | 2.6 | * | 0.9 | 2.0 | 3.0 | 4.0 | 5.2 | 7.0 | 9.1 |
| 1997 | 12.9 | 206.9 | 3.0 | 0.8 | 0.7 | 2.2 | 3.4 | 4.9 | 5.4 | 7.9 | 9.9 |
| 1996 | 13.4 | 221.7 | 3.1 | 0.6 | 0.9 | 2.3 | 4.1 | 4.1 | 6.6 | 8.7 | 12.3 |
| 1995 | 14.6 | 231.6 | 3.5 | 0.8 | 0.8 | 2.9 | 4.1 | 5.9 | 7.8 | 9.7 | 13.6 |
| 1994 | 14.7 | 252.8 | 3.4 | 0.6 | 0.8 | 2.9 | 4.6 | 5.1 | 7.1 | 10.1 | 13.3 |
| 1993 | 16.9 | 284.9 | 4.0 | 0.8 | 1.0 | 2.4 | 4.3 | 5.6 | 9.3 | 12.0 | 15.5 |
| 1992 | 15.6 | 288.3 | 3.0 | * | 0.9 | 2.6 | 4.6 | 6.5 | 8.9 | 10.8 | 11.5 |
| 1991 | 17.0 | 308.0 | 4.1 | * | 0.8 | 2.2 | 5.1 | 7.8 | 9.9 | 13.3 | 14.1 |
| 1990 | 18.1 | 315.6 | 4.0 | * | 1.1 | 2.1 | 4.6 | 8.0 | 10.5 | 16.4 | 14.5 |
| 1989 | 19.4 | 323.2 | 4.4 | 1.2 | 1.0 | 2.2 | 4.8 | 8.9 | 12.7 | 16.8 | 16.8 |
| 1988 | 21.4 | 326.7 | 3.7 | 1.2 | 0.9 | 2.5 | 5.3 | 9.2 | 13.8 | 20.7 | 16.7 |
| 1987 | 22.4 | 310.2 | 4.6 | 0.8 | * | 2.3 | 6.1 | 9.7 | 16.2 | 19.4 | 15.6 |
| 1986 | 22.9 | 308.3 | 4.6 | * | 1.0 | 2.5 | 4.5 | 7.8 | 12.8 | 15.1 | 17.3 |
| 1985 | 23.2 | 294.1 | 4.0 | * | * | 2.3 | 4.0 | 8.5 | 11.8 | 12.5 | 13.9 |
| 1984 | 23.1 | 312.6 | 3.5 | * | * | 1.9 | 4.2 | 6.1 | 9.9 | 12.5 | 13.2 |
| 1983 | 24.4 | 323.1 | 4.8 | * | 0.8 | 1.7 | 4.3 | 6.5 | 8.9 | 11.3 | 14.0 |
| 1982 | 25.2 | 315.5 | 4.1 | 0.9 | 0.8 | 2.4 | 5.6 | 7.6 | 11.8 | 13.3 | 17.0 |
| 1981 | 25.4 | 314.6 | 5.3 | * | 0.8 | 1.6 | 4.7 | 7.5 | 11.1 | 13.0 | 15.1 |
| 1980 | 28.0 | 346.3 | 4.0 | 1.0 | 0.7 | 2.0 | 5.1 | 8.0 | 8.8 | 13.0 | 18.2 |
| 1979 | 27.5 | 364.9 | 4.1 | * | * | 2.1 | 5.7 | 7.9 | 10.7 | 12.3 | 16.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 14.5 | 232.6 | 3.1 | * | * | 2.8 | 4.3 | 5.2 | 6.3 | 9.6 | 12.0 |
| 1997 | 15.4 | 234.9 | 3.3 | * | * | 3.1 | 5.0 | 7.0 | 7.5 | 11.2 | 15.2 |
| 1996 | 15.7 | 249.7 | 3.3 | * | * | 2.8 | 5.3 | 5.0 | 9.2 | 11.4 | 17.3 |
| 1995 | 17.7 | 262.2 | 4.4 | * | * | 4.4 | 6.1 | 7.4 | 10.3 | 12.9 | 19.8 |
| 1994 | 18.0 | 294.6 | 3.8 | * | * | 4.4 | 6.1 | 6.8 | 9.8 | 13.7 | 20.5 |
| 1993 | 20.9 | 337.3 | 4.3 | * | * | 3.2 | 5.6 | 7.5 | 12.7 | 17.3 | 24.0 |
| 1992 | 18.8 | 322.4 | 3.4 | * | * | 3.3 | 6.3 | 8.9 | 12.3 | 15.1 | 17.0 |
| 1991 | 20.4 | 331.1 | 4.8 | * | * | 3.4 | 7.2 | 10.7 | 14.7 | 19.8 | 21.0 |
| 1990 | 22.3 | 353.6 | 3.9 | * | * | 2.6 | 6.8 | 10.7 | 14.7 | 23.4 | 24.7 |
| 1989 | 24.5 | 368.3 | 4.6 | 1.6 | * | 2.5 | 6.5 | 11.6 | 19.2 | 27.6 | 25.5 |
| 1988 | 26.3 | 353.5 | 4.3 | 1.6 | * | 3.0 | 6.2 | 12.8 | 20.3 | 29.7 | 24.8 |
| 1987 | 27.5 | 349.8 | 4.9 | * | * | 2.9 | 8.2 | 13.5 | 22.7 | 29.1 | 24.5 |
| 1986 | 28.2 | 347.9 | 5.0 | * | * | 2.3 | 5.4 | 10.7 | 18.9 | 22.9 | 27.4 |
| 1985 | 28.4 | 330.8 | 4.5 | * | * | 2.5 | 4.7 | 10.6 | 16.6 | 19.2 | 20.9 |
| 1984 | 28.4 | 346.4 | 3.8 | * | * | 2.3 | 5.2 | 8.8 | 13.3 | 19.5 | 19.5 |
| 1983 | 29.5 | 361.9 | 5.2 | * | * | 1.9 | 5.8 | 9.0 | 13.2 | 17.7 | 19.9 |
| 1982 | 30.9 | 354.2 | 4.0 | * | * | 2.3 | 7.0 | 10.5 | 18.5 | 20.7 | 23.9 |
| 1981 | 31.0 | 344.1 | 6.6 | * | * | 1.4 | 5.7 | 10.3 | 15.5 | 18.7 | 22.0 |
| 1980 | 33.5 | 379.2 | 4.1 | * | * | 2.5 | 6.8 | 11.3 | 13.7 | 17.7 | 25.8 |
| 1979 | 33.4 | 407.3 | 3.4 | * | * | 2.7 | 7.9 | 12.3 | 15.0 | 17.7 | 22.7 |
| Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 10.9 | 172.3 | 2.2 | * | * | 1.3 | 1.7 | 2.9 | 4.2 | 4.7 | 6.5 |
| 1997 | 10.6 | 178.1 | 2.7 | * | * | * | 2.0 | 2.9 | 3.6 | 5.1 | 5.3 |
| 1996 | 11.3 | 193.0 | 2.9 | * | * | 1.9 | 3.0 | 3.2 | 4.3 | 6.4 | 8.0 |
| 1995 | 11.9 | 200.3 | 2.5 | * | * | * | 2.2 | 4.6 | 5.6 | 6.9 | 8.2 |
| 1994 | 11.8 | 210.0 | 3.1 | * | * | * | 3.1 | 3.6 | 4.8 | 7.0 | 7.2 |
| 1993 | 13.2 | 231.2 | 3.8 | * | * | 1.7 | 3.1 | 3.8 | 6.3 | 7.4 | 8.2 |
| 1992 | 12.6 | 253.3 | 2.6 | * | * | 1.8 | 3.0 | 4.3 | 5.9 | 7.0 | 6.9 |
| 1991 | 13.9 | 284.4 | 3.4 | * | * | * | 3.2 | 5.2 | 5.7 | 7.6 | 8.1 |
| 1990 | 14.3 | 276.8 | 4.0 | * | * | 1.6 | 2.6 | 5.4 | 6.7 | 10.4 | 5.8 |
| 1989 | 14.7 | 277.3 | 4.1 | * | * | 1.9 | 3.3 | 6.4 | 7.0 | 7.5 | 9.2 |
| 1988 | 17.0 | 298.3 | 3.1 | * | * | 2.0 | 4.4 | 5.9 | 8.2 | 13.0 | 9.8 |
| 1987 | 17.8 | 269.8 | 4.3 | * | * | 1.7 | 4.1 | 6.3 | 10.5 | 11.1 | 8.0 |
| 1986 | 18.2 | 268.0 | 4.2 | * | * | 2.6 | 3.6 | 5.3 | 7.5 | 8.5 | 8.7 |
| 1985 | 18.6 | 255.7 | 3.4 | * | * | 2.1 | 3.3 | 6.6 | 7.6 | 6.9 | 8.0 |
| 1984 | 18.3 | 278.3 | 3.1 | * | * | 1.6 | 3.3 | 3.7 | 6.9 | 6.7 | 8.0 |
| 1983 | 19.8 | 283.6 | 4.3 | * | * | 1.5 | 2.8 | 4.2 | 5.2 | 5.9 | 9.0 |
| 1982 | 20.2 | 276.3 | 4.1 | * | * | 2.5 | 4.4 | 5.0 | 6.1 | 7.2 | 11.3 |
| 1981 | 20.3 | 284.6 | 3.9 | * | * | 1.8 | 3.7 | 5.1 | 7.3 | 8.2 | 9.3 |
| 1980 | 23.1 | 313.0 | 3.8 | * | * | 1.5 | 3.6 | 5.1 | 4.6 | 9.1 | 11.9 |
| 1979 | 22.2 | 320.3 | 4.8 | * | * | 1.5 | 3.7 | 4.1 | 7.1 | 7.8 | 11.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other diseases (Residual) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 65.1 | 27.0 | 4.1 | 1.9 | 2.3 | 3.7 | 4.8 | 5.8 | 8.9 | 13.5 | 20.4 |
| 1997 | 62.5 | 27.6 | 4.1 | 2.0 | 2.3 | 3.6 | 5.1 | 6.0 | 8.9 | 13.7 | 20.6 |
| 1996 | 60.1 | 27.8 | 4.5 | 2.2 | 2.3 | 3.6 | 4.9 | 6.3 | 9.1 | 14.1 | 20.6 |
| 1995 | 58.4 | 26.8 | 4.6 | 2.2 | 2.7 | 3.8 | 4.9 | 6.1 | 9.4 | 14.7 | 21.5 |
| 1994 | 56.7 | 27.2 | 4.5 | 2.3 | 2.6 | 3.8 | 4.7 | 6.4 | 9.5 | 14.3 | 20.7 |
| 1993 | 55.2 | 27.6 | 5.1 | 2.4 | 2.8 | 3.8 | 4.6 | 6.5 | 9.4 | 14.7 | 20.9 |
| 1992 | 52.3 | 28.6 | 5.1 | 2.4 | 2.6 | 3.7 | 4.7 | 6.6 | 9.4 | 15.0 | 20.6 |
| 1991 | 51.9 | 32.9 | 4.9 | 2.6 | 2.7 | 3.8 | 4.8 | 6.4 | 9.3 | 14.6 | 19.6 |
| 1990 | 51.2 | 31.5 | 4.9 | 2.6 | 2.7 | 3.9 | 4.6 | 6.5 | 9.7 | 14.6 | 18.8 |
| 1989 | 51.2 | 31.7 | 5.2 | 2.6 | 3.0 | 4.0 | 5.1 | 6.8 | 10.6 | 14.9 | 19.6 |
| 1988 | 50.6 | 32.2 | 5.1 | 2.5 | 2.5 | 3.6 | 4.8 | 6.9 | 10.6 | 16.1 | 19.3 |
| 1987 | 48.8 | 32.4 | 5.0 | 2.4 | 2.3 | 3.9 | 5.0 | 6.8 | 10.9 | 15.5 | 18.6 |
| 1986 | 49.6 | 32.0 | 5.4 | 2.4 | 2.9 | 4.1 | 6.0 | 10.5 | 17.9 | 22.0 | 25.2 |
| 1985 | 47.3 | 34.2 | 5.6 | 2.7 | 2.8 | 3.9 | 5.2 | 9.0 | 14.8 | 18.6 | 21.2 |
| 1984 | 44.5 | 35.6 | 5.5 | 2.8 | 2.9 | 4.1 | 5.4 | 7.6 | 11.4 | 15.0 | 20.0 |
| 1983 | 42.8 | 36.6 | 5.9 | 3.1 | 2.7 | 4.5 | 5.1 | 7.4 | 10.4 | 13.3 | 18.7 |
| 1982 | 40.7 | 36.4 | 6.0 | 3.1 | 2.8 | 4.3 | 5.3 | 7.0 | 9.6 | 12.7 | 18.0 |
| 1981 | 40.7 | 38.2 | 6.6 | 3.1 | 3.1 | 4.5 | 5.5 | 7.5 | 9.8 | 13.6 | 19.8 |
| 1980 | 40.7 | 43.0 | 6.4 | 3.6 | 3.2 | 4.5 | 6.0 | 7.6 | 10.4 | 14.3 | 19.8 |
| 1979 | 38.4 | 46.0 | 6.6 | 3.3 | 3.1 | 4.6 | 6.0 | 8.0 | 10.3 | 13.7 | 20.0 |
| All other diseases (Residual) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 53.9 | 28.2 | 4.1 | 2.1 | 2.5 | 4.1 | 5.6 | 6.5 | 10.3 | 16.1 | 24.9 |
| 1997 | 52.5 | 30.7 | 4.4 | 2.0 | 2.7 | 4.2 | 5.8 | 6.7 | 10.1 | 16.3 | 25.5 |
| 1996 | 51.2 | 31.7 | 4.8 | 2.6 | 2.4 | 4.4 | 5.6 | 7.5 | 11.0 | 17.1 | 26.6 |
| 1995 | 50.4 | 28.9 | 5.0 | 2.4 | 2.8 | 4.7 | 5.9 | 7.0 | 11.7 | 18.4 | 27.1 |
| 1994 | 49.5 | 30.2 | 4.7 | 2.6 | 2.8 | 4.6 | 5.4 | 7.5 | 11.6 | 18.2 | 26.6 |
| 1993 | 48.7 | 29.9 | 5.4 | 2.7 | 3.0 | 4.5 | 5.6 | 7.7 | 11.3 | 18.2 | 27.0 |
| 1992 | 47.0 | 32.1 | 5.2 | 2.6 | 2.7 | 4.6 | 5.3 | 8.0 | 11.5 | 19.4 | 26.4 |
| 1991 | 46.8 | 37.0 | 5.1 | 2.6 | 2.9 | 4.5 | 5.6 | 8.0 | 11.4 | 18.4 | 25.4 |
| 1990 | 46.3 | 35.2 | 5.6 | 3.0 | 2.8 | 4.7 | 5.3 | 7.6 | 12.1 | 18.9 | 24.2 |
| 1989 | 46.8 | 34.7 | 5.8 | 2.5 | 3.3 | 4.9 | 5.9 | 7.9 | 13.8 | 19.7 | 25.0 |
| 1988 | 46.8 | 35.3 | 5.5 | 2.4 | 2.6 | 4.4 | 5.8 | 8.1 | 13.8 | 21.9 | 25.6 |
| 1987 | 45.3 | 35.8 | 5.5 | 2.5 | 2.4 | 4.9 | 5.8 | 8.0 | 14.1 | 20.3 | 23.0 |
| 1986 | 48.9 | 34.2 | 5.8 | 2.5 | 3.3 | 4.9 | 7.8 | 14.6 | 26.7 | 32.9 | 35.8 |
| 1985 | 46.1 | 37.2 | 5.9 | 2.8 | 3.2 | 4.6 | 6.4 | 12.0 | 20.8 | 26.2 | 29.7 |
| 1984 | 42.7 | 40.7 | 5.8 | 3.0 | 3.1 | 4.7 | 6.6 | 9.3 | 15.3 | 19.7 | 25.9 |
| 1983 | 41.7 | 38.9 | 6.4 | 3.2 | 2.7 | 5.2 | 6.2 | 9.0 | 13.5 | 16.9 | 23.2 |
| 1982 | 39.2 | 40.8 | 6.1 | 3.1 | 3.0 | 5.2 | 6.2 | 9.0 | 12.0 | 15.7 | 21.5 |
| 1981 | 39.7 | 42.3 | 7.1 | 3.3 | 3.1 | 5.2 | 6.5 | 8.8 | 11.8 | 16.8 | 24.0 |
| 1980 | 40.3 | 47.7 | 6.8 | 3.5 | 3.4 | 5.3 | 7.1 | 9.4 | 12.4 | 17.3 | 23.4 |
| 1979 | 38.6 | 51.9 | 7.0 | 3.2 | 3.1 | 5.7 | 7.1 | 9.2 | 12.2 | 16.1 | 24.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other diseases (Residual) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 75.8 | 25.7 | 4.0 | 1.7 | 2.0 | 3.2 | 3.9 | 5.1 | 7.6 | 10.9 | 16.1 |
| 1997 | 72.0 | 24.5 | 3.8 | 2.0 | 1.9 | 3.0 | 4.3 | 5.2 | 7.7 | 11.0 | 15.9 |
| 1996 | 68.6 | 23.8 | 4.1 | 1.8 | 2.1 | 2.7 | 4.3 | 5.0 | 7.2 | 11.1 | 14.7 |
| 1995 | 66.0 | 24.6 | 4.1 | 1.9 | 2.7 | 2.9 | 4.0 | 5.2 | 7.0 | 11.0 | 16.0 |
| 1994 | 63.5 | 24.1 | 4.3 | 1.9 | 2.4 | 3.1 | 4.0 | 5.3 | 7.5 | 10.5 | 15.0 |
| 1993 | 61.4 | 25.2 | 4.8 | 2.2 | 2.5 | 3.0 | 3.7 | 5.2 | 7.6 | 11.2 | 15.0 |
| 1992 | 57.3 | 25.0 | 5.0 | 2.1 | 2.4 | 2.7 | 4.1 | 5.2 | 7.4 | 10.6 | 14.8 |
| 1991 | 56.8 | 28.6 | 4.8 | 2.6 | 2.5 | 3.1 | 3.9 | 4.8 | 7.2 | 10.9 | 13.9 |
| 1990 | 55.9 | 27.5 | 4.1 | 2.2 | 2.6 | 3.0 | 3.8 | 5.3 | 7.3 | 10.3 | 13.5 |
| 1989 | 55.4 | 28.5 | 4.7 | 2.6 | 2.8 | 3.0 | 4.3 | 5.6 | 7.4 | 10.2 | 14.4 |
| 1988 | 54.2 | 28.9 | 4.8 | 2.7 | 2.3 | 2.8 | 3.8 | 5.8 | 7.5 | 10.5 | 13.2 |
| 1987 | 52.2 | 28.8 | 4.5 | 2.4 | 2.2 | 2.9 | 4.1 | 5.5 | 7.7 | 10.8 | 14.2 |
| 1986 | 50.3 | 29.8 | 5.1 | 2.3 | 2.6 | 3.3 | 4.2 | 6.3 | 9.2 | 11.3 | 15.0 |
| 1985 | 48.5 | 31.0 | 5.2 | 2.7 | 2.3 | 3.2 | 4.1 | 6.0 | 8.8 | 11.1 | 12.9 |
| 1984 | 46.2 | 30.2 | 5.2 | 2.7 | 2.6 | 3.5 | 4.3 | 5.9 | 7.5 | 10.5 | 14.4 |
| 1983 | 43.9 | 34.1 | 5.4 | 2.9 | 2.8 | 3.7 | 4.0 | 5.8 | 7.4 | 9.9 | 14.4 |
| 1982 | 42.0 | 31.7 | 5.9 | 3.0 | 2.6 | 3.4 | 4.5 | 5.1 | 7.2 | 9.8 | 14.5 |
| 1981 | 41.6 | 34.0 | 6.2 | 2.9 | 3.1 | 3.8 | 4.6 | 6.1 | 7.8 | 10.5 | 15.9 |
| 1980 | 41.0 | 38.1 | 5.9 | 3.7 | 3.1 | 3.6 | 4.9 | 5.7 | 8.4 | 11.4 | 16.3 |
| 1979 | 38.3 | 39.9 | 6.1 | 3.4 | 3.0 | 3.4 | 4.9 | 6.7 | 8.5 | 11.4 | 16.2 |
| All other diseases (Residual) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 68.5 | 24.3 | 3.8 | 1.9 | 2.2 | 3.6 | 4.5 | 5.1 | 7.5 | 11.7 | 17.5 |
| 1997 | 65.5 | 25.0 | 3.9 | 1.9 | 2.2 | 3.5 | 4.7 | 5.1 | 7.5 | 11.5 | 17.8 |
| 1996 | 62.6 | 25.1 | 4.0 | 2.1 | 2.2 | 3.7 | 4.4 | 5.6 | 7.7 | 11.6 | 17.1 |
| 1995 | 60.5 | 23.9 | 4.3 | 2.0 | 2.7 | 3.9 | 4.5 | 5.3 | 7.9 | 12.0 | 17.6 |
| 1994 | 58.5 | 24.4 | 4.2 | 2.1 | 2.4 | 3.7 | 4.3 | 5.5 | 7.9 | 12.0 | 17.0 |
| 1993 | 56.6 | 24.5 | 4.6 | 2.3 | 2.7 | 3.6 | 4.2 | 5.6 | 7.9 | 11.8 | 17.0 |
| 1992 | 53.3 | 25.1 | 4.8 | 2.2 | 2.5 | 3.6 | 4.3 | 5.7 | 7.8 | 12.3 | 16.6 |
| 1991 | 52.6 | 28.4 | 4.5 | 2.5 | 2.7 | 3.5 | 4.3 | 5.4 | 7.3 | 11.8 | 15.7 |
| 1990 | 51.6 | 27.6 | 4.6 | 2.6 | 2.6 | 3.9 | 4.3 | 5.3 | 7.5 | 11.3 | 14.5 |
| 1989 | 51.2 | 27.3 | 5.0 | 2.5 | 2.9 | 3.8 | 4.7 | 5.8 | 7.9 | 11.2 | 15.3 |
| 1988 | 50.4 | 27.6 | 4.9 | 2.4 | 2.3 | 3.5 | 4.2 | 5.7 | 8.2 | 11.7 | 15.0 |
| 1987 | 48.6 | 28.1 | 4.7 | 2.4 | 2.3 | 3.9 | 4.3 | 5.8 | 8.1 | 11.4 | 14.2 |
| 1986 | 48.8 | 27.7 | 4.9 | 2.4 | 2.9 | 3.9 | 5.2 | 8.6 | 13.4 | 16.9 | 19.9 |
| 1985 | 46.7 | 29.1 | 5.0 | 2.7 | 2.8 | 3.8 | 4.5 | 7.2 | 10.8 | 14.3 | 16.3 |
| 1984 | 44.0 | 30.3 | 5.0 | 2.7 | 2.9 | 4.1 | 4.8 | 6.0 | 8.2 | 11.2 | 15.7 |
| 1983 | 42.3 | 32.4 | 5.6 | 3.1 | 2.7 | 4.4 | 4.6 | 5.8 | 7.7 | 10.0 | 14.7 |
| 1982 | 40.2 | 31.8 | 5.9 | 3.1 | 2.8 | 4.2 | 4.8 | 5.5 | 7.1 | 9.4 | 14.1 |
| 1981 | 39.9 | 32.7 | 6.1 | 3.2 | 3.0 | 4.4 | 5.0 | 5.8 | 7.0 | 9.7 | 15.6 |
| 1980 | 39.7 | 36.6 | 5.9 | 3.6 | 3.2 | 4.5 | 5.2 | 5.8 | 7.8 | 10.2 | 15.1 |
| 1979 | 37.5 | 39.4 | 5.9 | 3.3 | 3.1 | 4.6 | 5.4 | 6.3 | 7.8 | 10.1 | 15.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other diseases (Residual) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 55.4 | 25.2 | 3.8 | 2.0 | 2.4 | 4.2 | 5.5 | 5.8 | 9.1 | 14.6 | 21.8 |
| 1997 | 53.8 | 27.5 | 4.3 | 2.1 | 2.6 | 4.1 | 5.4 | 5.9 | 8.9 | 14.4 | 22.6 |
| 1996 | 52.0 | 29.0 | 4.6 | 2.5 | 2.4 | 4.6 | 5.3 | 6.9 | 9.7 | 14.5 | 22.3 |
| 1995 | 50.8 | 26.3 | 4.8 | 2.3 | 2.8 | 4.8 | 5.5 | 6.4 | 10.1 | 15.5 | 22.9 |
| 1994 | 49.8 | 26.8 | 4.4 | 2.5 | 2.6 | 4.7 | 5.2 | 6.7 | 10.2 | 15.7 | 21.7 |
| 1993 | 48.7 | 26.9 | 4.9 | 2.6 | 2.9 | 4.3 | 5.2 | 7.0 | 9.9 | 15.0 | 22.3 |
| 1992 | 46.7 | 28.4 | 4.8 | 2.4 | 2.7 | 4.7 | 4.9 | 7.1 | 9.9 | 16.6 | 21.9 |
| 1991 | 46.3 | 31.5 | 4.8 | 2.5 | 2.9 | 4.3 | 5.4 | 6.9 | 9.5 | 15.2 | 20.4 |
| 1990 | 45.3 | 31.6 | 5.3 | 3.0 | 2.8 | 4.8 | 5.0 | 6.3 | 9.6 | 15.0 | 18.5 |
| 1989 | 45.6 | 31.0 | 5.4 | 2.6 | 3.3 | 4.8 | 5.7 | 7.1 | 10.8 | 14.9 | 19.7 |
| 1988 | 45.2 | 30.6 | 5.2 | 2.3 | 2.5 | 4.4 | 5.2 | 7.0 | 10.8 | 16.1 | 19.3 |
| 1987 | 43.9 | 29.9 | 5.3 | 2.4 | 2.4 | 4.8 | 5.4 | 7.1 | 10.7 | 15.2 | 17.7 |
| 1986 | 46.6 | 29.3 | 5.3 | 2.5 | 3.2 | 4.8 | 7.0 | 12.2 | 20.5 | 25.8 | 28.6 |
| 1985 | 44.2 | 31.9 | 5.2 | 2.7 | 3.2 | 4.5 | 5.6 | 10.0 | 15.4 | 20.3 | 22.7 |
| 1984 | 41.1 | 35.1 | 5.3 | 2.8 | 3.1 | 4.8 | 6.1 | 7.7 | 11.4 | 14.6 | 20.1 |
| 1983 | 40.3 | 34.8 | 6.0 | 3.2 | 2.7 | 5.3 | 5.7 | 7.1 | 10.1 | 12.7 | 18.0 |
| 1982 | 37.8 | 35.2 | 5.8 | 3.2 | 3.0 | 5.2 | 5.8 | 7.1 | 9.0 | 11.2 | 16.4 |
| 1981 | 38.1 | 36.7 | 6.4 | 3.4 | 3.1 | 5.2 | 6.1 | 6.9 | 8.3 | 11.8 | 18.7 |
| 1980 | 38.4 | 40.6 | 6.1 | 3.3 | 3.4 | 5.4 | 6.2 | 7.6 | 9.2 | 12.1 | 17.9 |
| 1979 | 36.8 | 44.9 | 6.5 | 3.2 | 3.2 | 5.7 | 6.5 | 7.4 | 8.8 | 11.7 | 17.6 |
| All other diseases (Residual) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 81.1 | 23.3 | 3.9 | 1.7 | 2.0 | 2.9 | 3.5 | 4.3 | 5.9 | 8.9 | 13.2 |
| 1997 | 76.9 | 22.4 | 3.6 | 1.8 | 1.9 | 2.8 | 3.9 | 4.3 | 6.0 | 8.6 | 13.1 |
| 1996 | 72.8 | 20.9 | 3.5 | 1.7 | 2.1 | 2.7 | 3.5 | 4.2 | 5.7 | 8.7 | 11.9 |
| 1995 | 69.8 | 21.3 | 3.7 | 1.8 | 2.6 | 2.9 | 3.4 | 4.1 | 5.7 | 8.4 | 12.4 |
| 1994 | 66.9 | 21.9 | 4.0 | 1.8 | 2.2 | 2.8 | 3.4 | 4.1 | 5.6 | 8.3 | 12.3 |
| 1993 | 64.2 | 21.9 | 4.3 | 2.0 | 2.4 | 2.8 | 3.1 | 4.1 | 5.9 | 8.5 | 11.7 |
| 1992 | 59.6 | 21.6 | 4.7 | 2.0 | 2.3 | 2.5 | 3.7 | 4.2 | 5.6 | 7.8 | 11.3 |
| 1991 | 58.8 | 25.2 | 4.2 | 2.5 | 2.5 | 2.8 | 3.2 | 4.0 | 5.2 | 8.3 | 10.9 |
| 1990 | 57.6 | 23.4 | 3.9 | 2.1 | 2.4 | 2.9 | 3.4 | 4.2 | 5.4 | 7.5 | 10.6 |
| 1989 | 56.5 | 23.4 | 4.7 | 2.4 | 2.6 | 2.7 | 3.7 | 4.4 | 5.0 | 7.4 | 10.9 |
| 1988 | 55.4 | 24.4 | 4.5 | 2.6 | 2.1 | 2.5 | 3.1 | 4.4 | 5.6 | 7.3 | 10.7 |
| 1987 | 53.1 | 26.2 | 4.2 | 2.4 | 2.2 | 2.9 | 3.3 | 4.4 | 5.5 | 7.6 | 10.7 |
| 1986 | 50.8 | 26.2 | 4.5 | 2.3 | 2.5 | 3.1 | 3.3 | 4.8 | 6.2 | 8.0 | 11.4 |
| 1985 | 49.0 | 26.2 | 4.7 | 2.6 | 2.3 | 3.1 | 3.3 | 4.3 | 6.1 | 8.3 | 10.1 |
| 1984 | 46.7 | 25.1 | 4.8 | 2.6 | 2.5 | 3.2 | 3.5 | 4.3 | 5.1 | 7.9 | 11.3 |
| 1983 | 44.2 | 29.8 | 5.2 | 2.9 | 2.6 | 3.4 | 3.4 | 4.4 | 5.4 | 7.4 | 11.5 |
| 1982 | 42.5 | 28.2 | 5.9 | 3.1 | 2.7 | 3.2 | 3.8 | 3.9 | 5.1 | 7.5 | 11.8 |
| 1981 | 41.7 | 28.5 | 5.9 | 3.0 | 3.0 | 3.6 | 3.9 | 4.7 | 5.7 | 7.7 | 12.6 |
| 1980 | 41.0 | 32.4 | 5.5 | 3.9 | 3.0 | 3.5 | 4.1 | 4.0 | 6.5 | 8.2 | 12.4 |
| 1979 | 38.2 | 33.6 | 5.4 | 3.4 | 2.9 | 3.3 | 4.3 | 5.2 | 6.7 | 8.5 | 12.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other diseases (Residual) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 49.4 | 37.1 | 4.9 | 2.0 | 2.7 | 3.9 | 5.8 | 8.7 | 15.0 | 21.4 | 34.6 |
| 1997 | 48.2 | 37.6 | 4.7 | 2.4 | 2.6 | 4.1 | 6.4 | 9.6 | 15.1 | 23.7 | 34.3 |
| 1996 | 48.2 | 38.2 | 5.9 | 2.4 | 2.4 | 3.5 | 6.9 | 9.2 | 15.3 | 25.5 | 37.7 |
| 1995 | 48.4 | 37.9 | 5.8 | 2.6 | 2.9 | 3.6 | 6.6 | 9.7 | 15.9 | 27.6 | 40.8 |
| 1994 | 47.7 | 37.8 | 5.6 | 2.7 | 3.3 | 4.2 | 6.1 | 10.2 | 17.1 | 25.7 | 39.8 |
| 1993 | 48.3 | 39.2 | 6.9 | 2.8 | 3.0 | 4.3 | 6.7 | 10.4 | 16.8 | 28.9 | 41.1 |
| 1992 | 47.3 | 41.8 | 6.2 | 3.1 | 2.8 | 3.9 | 6.4 | 10.7 | 17.3 | 28.6 | 41.9 |
| 1991 | 48.2 | 50.0 | 6.6 | 2.9 | 2.8 | 4.7 | 6.6 | 10.7 | 19.1 | 29.4 | 41.7 |
| 1990 | 49.5 | 46.2 | 6.1 | 2.7 | 3.0 | 3.9 | 6.1 | 12.1 | 20.7 | 31.9 | 43.3 |
| 1989 | 51.3 | 48.6 | 6.1 | 2.9 | 3.4 | 4.9 | 6.8 | 11.5 | 24.1 | 34.7 | 45.5 |
| 1988 | 51.5 | 50.6 | 6.3 | 2.9 | 3.2 | 4.4 | 7.9 | 13.0 | 23.1 | 39.8 | 45.8 |
| 1987 | 50.0 | 50.3 | 6.2 | 2.6 | 2.3 | 4.1 | 8.0 | 12.0 | 25.6 | 38.2 | 46.0 |
| 1986 | 54.3 | 50.4 | 7.6 | 2.5 | 3.1 | 4.7 | 9.8 | 20.5 | 42.1 | 51.9 | 57.9 |
| 1985 | 51.1 | 56.0 | 8.1 | 3.1 | 2.7 | 4.5 | 9.2 | 18.6 | 36.6 | 44.0 | 51.5 |
| 1984 | 47.5 | 58.8 | 7.5 | 3.3 | 3.0 | 4.4 | 8.6 | 15.8 | 28.8 | 38.5 | 47.7 |
| 1983 | 45.7 | 55.3 | 7.5 | 3.0 | 3.0 | 4.9 | 7.8 | 16.3 | 25.5 | 34.2 | 43.8 |
| 1982 | 43.4 | 56.9 | 6.9 | 2.6 | 2.7 | 4.8 | 8.2 | 15.5 | 24.2 | 35.0 | 42.4 |
| 1981 | 45.1 | 63.4 | 8.7 | 2.8 | 3.4 | 5.0 | 8.4 | 17.1 | 26.7 | 38.5 | 46.7 |
| 1980 | 46.5 | 72.3 | 8.7 | 3.6 | 3.4 | 4.5 | 10.6 | 17.7 | 26.6 | 41.4 | 50.0 |
| 1979 | 43.9 | 77.0 | 9.5 | 3.2 | 3.1 | 4.6 | 9.5 | 18.1 | 27.3 | 38.2 | 52.8 |
| All other diseases (Residual) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 46.7 | 39.4 | 5.1 | 2.1 | 3.1 | 3.8 | 6.1 | 9.2 | 15.7 | 23.5 | 40.8 |
| 1997 | 46.3 | 42.6 | 4.8 | 1.9 | 3.0 | 4.3 | 7.1 | 10.2 | 15.8 | 25.7 | 40.7 |
| 1996 | 47.3 | 41.8 | 5.8 | 2.7 | 2.5 | 4.0 | 6.7 | 10.1 | 17.2 | 30.0 | 49.2 |
| 1995 | 48.6 | 38.9 | 6.0 | 2.8 | 2.6 | 4.1 | 7.4 | 10.0 | 19.2 | 33.2 | 49.8 |
| 1994 | 47.8 | 43.1 | 5.6 | 2.8 | 3.4 | 4.3 | 6.1 | 10.7 | 18.7 | 31.4 | 53.6 |
| 1993 | 48.8 | 41.2 | 7.1 | 2.7 | 3.2 | 5.1 | 7.3 | 11.1 | 18.5 | 34.7 | 53.1 |
| 1992 | 48.4 | 46.0 | 6.4 | 3.4 | 2.9 | 4.2 | 6.9 | 11.9 | 19.6 | 33.9 | 52.6 |
| 1991 | 49.4 | 58.3 | 6.3 | 2.7 | 3.2 | 5.2 | 6.4 | 13.3 | 21.6 | 36.1 | 55.6 |
| 1990 | 51.7 | 49.2 | 7.2 | 3.0 | 2.8 | 4.2 | 6.6 | 13.7 | 25.4 | 41.0 | 59.6 |
| 1989 | 53.2 | 49.3 | 7.4 | 2.3 | 3.4 | 5.4 | 6.9 | 11.7 | 29.9 | 46.9 | 58.5 |
| 1988 | 55.3 | 54.4 | 6.7 | 2.8 | 3.1 | 4.5 | 8.7 | 13.7 | 30.3 | 55.2 | 66.8 |
| 1987 | 53.1 | 60.8 | 6.3 | 2.9 | 2.7 | 5.2 | 8.0 | 12.8 | 33.3 | 51.0 | 58.8 |
| 1986 | 61.7 | 55.5 | 7.9 | 2.6 | 3.4 | 5.4 | 11.6 | 27.8 | 62.0 | 77.9 | 83.3 |
| 1985 | 57.2 | 60.5 | 8.7 | 3.3 | 3.0 | 4.9 | 10.9 | 23.0 | 52.5 | 64.5 | 76.9 |
| 1984 | 51.8 | 65.5 | 7.9 | 3.6 | 3.0 | 4.0 | 9.0 | 18.2 | 39.0 | 53.6 | 65.1 |
| 1983 | 49.9 | 57.6 | 8.6 | 3.0 | 2.5 | 4.7 | 9.0 | 20.0 | 34.2 | 45.4 | 58.2 |
| 1982 | 47.6 | 66.5 | 7.5 | 2.6 | 3.0 | 5.3 | 8.4 | 20.3 | 31.1 | 47.7 | 56.4 |
| 1981 | 49.5 | 68.1 | 9.9 | 3.0 | 3.0 | 5.1 | 8.5 | 20.6 | 34.8 | 51.8 | 60.1 |
| 1980 | 52.1 | 80.7 | 9.9 | 4.3 | 3.4 | 4.8 | 12.1 | 21.2 | 34.6 | 53.9 | 61.9 |
| 1979 | 49.8 | 85.1 | 9.8 | 3.0 | 2.6 | 5.5 | 10.9 | 21.4 | 36.5 | 48.5 | 71.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other diseases (Residual) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 51.8 | 34.8 | 4.7 | 2.0 | 2.2 | 4.1 | 5.5 | 8.2 | 14.4 | 19.5 | 29.2 |
| 1997 | 49.9 | 32.4 | 4.7 | 2.9 | 2.2 | 3.8 | 5.8 | 8.9 | 14.6 | 21.9 | 28.7 |
| 1996 | 49.1 | 34.4 | 6.1 | 2.1 | 2.3 | 2.9 | 7.1 | 8.2 | 13.5 | 21.5 | 27.7 |
| 1995 | 48.3 | 36.9 | 5.6 | 2.3 | 3.1 | 3.1 | 5.9 | 9.4 | 12.9 | 22.6 | 33.0 |
| 1994 | 47.7 | 32.2 | 5.6 | 2.6 | 3.1 | 4.2 | 6.0 | 9.8 | 15.7 | 20.6 | 27.9 |
| 1993 | 47.9 | 37.1 | 6.7 | 2.9 | 2.9 | 3.6 | 6.1 | 9.8 | 15.3 | 23.7 | 30.8 |
| 1992 | 46.3 | 37.4 | 5.9 | 2.8 | 2.8 | 3.7 | 5.9 | 9.6 | 15.3 | 23.9 | 32.6 |
| 1991 | 47.0 | 41.4 | 6.9 | 3.1 | 2.4 | 4.3 | 6.8 | 8.3 | 16.8 | 23.4 | 29.6 |
| 1990 | 47.5 | 43.1 | 5.0 | 2.5 | 3.2 | 3.7 | 5.5 | 10.5 | 16.5 | 24.0 | 29.2 |
| 1989 | 49.6 | 47.7 | 4.7 | 3.5 | 3.5 | 4.4 | 6.7 | 11.3 | 19.0 | 24.0 | 34.2 |
| 1988 | 48.0 | 46.8 | 5.9 | 3.1 | 3.3 | 4.2 | 7.1 | 12.3 | 16.7 | 26.5 | 27.8 |
| 1987 | 47.1 | 39.4 | 6.0 | 2.3 | 1.8 | 3.0 | 7.9 | 11.2 | 18.7 | 27.1 | 34.9 |
| 1986 | 47.5 | 45.1 | 7.4 | 2.5 | 2.9 | 4.1 | 8.0 | 14.0 | 24.6 | 29.5 | 36.1 |
| 1985 | 45.5 | 51.6 | 7.6 | 2.9 | 2.4 | 4.1 | 7.5 | 14.6 | 22.7 | 26.5 | 29.7 |
| 1984 | 43.6 | 51.8 | 7.0 | 3.0 | 2.9 | 4.8 | 8.1 | 13.6 | 19.8 | 25.7 | 32.9 |
| 1983 | 41.9 | 52.9 | 6.3 | 3.1 | 3.5 | 5.0 | 6.7 | 13.0 | 17.9 | 24.6 | 31.5 |
| 1982 | 39.5 | 47.1 | 6.2 | 2.7 | 2.4 | 4.4 | 8.1 | 11.3 | 18.3 | 24.1 | 30.5 |
| 1981 | 41.1 | 58.5 | 7.5 | 2.5 | 3.8 | 4.8 | 8.2 | 14.1 | 19.6 | 27.2 | 35.2 |
| 1980 | 41.4 | 63.7 | 7.5 | 2.9 | 3.3 | 4.1 | 9.2 | 14.6 | 19.8 | 30.8 | 39.9 |
| 1979 | 38.7 | 69.0 | 9.1 | 3.4 | 3.6 | 3.7 | 8.3 | 15.2 | 19.4 | 29.6 | 37.4 |
| All other diseases (Residual) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 60.5 | 45.1 | 5.6 | 2.3 | 2.9 | 4.5 | 7.1 | 11.3 | 19.0 | 26.7 | 44.3 |
| 1997 | 58.7 | 42.7 | 5.1 | 2.6 | 2.8 | 4.6 | 7.7 | 12.3 | 18.7 | 29.6 | 44.3 |
| 1996 | 58.7 | 44.4 | 6.1 | 2.6 | 2.8 | 4.0 | 8.4 | 11.4 | 19.0 | 32.2 | 48.2 |
| 1995 | 59.1 | 42.9 | 6.3 | 3.0 | 3.2 | 4.0 | 8.0 | 12.7 | 20.1 | 34.9 | 51.9 |
| 1994 | 57.9 | 42.7 | 6.2 | 3.0 | 3.5 | 5.1 | 7.6 | 12.4 | 21.1 | 32.5 | 51.0 |
| 1993 | 58.5 | 46.6 | 7.6 | 3.2 | 3.4 | 4.6 | 7.5 | 12.8 | 21.1 | 36.5 | 52.1 |
| 1992 | 57.0 | 47.4 | 7.1 | 3.5 | 3.0 | 4.3 | 7.5 | 13.6 | 20.8 | 36.4 | 53.0 |
| 1991 | 58.3 | 59.6 | 7.2 | 3.3 | 2.9 | 5.3 | 8.2 | 13.0 | 24.0 | 36.9 | 52.9 |
| 1990 | 59.5 | 52.7 | 6.9 | 3.0 | 3.3 | 4.6 | 6.8 | 14.6 | 25.8 | 40.6 | 55.1 |
| 1989 | 61.4 | 54.6 | 6.3 | 3.1 | 4.2 | 5.5 | 8.1 | 14.0 | 29.7 | 43.5 | 58.7 |
| 1988 | 61.2 | 56.7 | 6.9 | 3.3 | 3.6 | 5.0 | 9.1 | 15.7 | 29.1 | 50.6 | 58.3 |
| 1987 | 59.2 | 55.3 | 6.6 | 2.7 | 2.5 | 4.6 | 9.2 | 14.2 | 31.9 | 48.7 | 58.8 |
| 1986 | 64.2 | 56.6 | 8.7 | 2.6 | 3.3 | 5.1 | 11.5 | 24.9 | 53.7 | 66.0 | 73.2 |
| 1985 | 59.8 | 61.4 | 8.9 | 3.3 | 3.2 | 4.7 | 10.4 | 22.2 | 45.5 | 55.8 | 63.9 |
| 1984 | 54.9 | 62.1 | 8.2 | 3.7 | 3.1 | 4.7 | 9.8 | 18.3 | 35.5 | 47.4 | 58.1 |
| 1983 | 52.1 | 59.3 | 7.8 | 3.3 | 3.2 | 5.0 | 8.9 | 19.0 | 31.1 | 41.8 | 53.0 |
| 1982 | 49.3 | 62.1 | 7.4 | 2.8 | 3.1 | 5.2 | 8.9 | 18.0 | 29.4 | 41.9 | 50.6 |
| 1981 | 50.8 | 69.0 | 9.2 | 3.0 | 3.7 | 5.0 | 9.1 | 19.8 | 32.0 | 45.8 | 54.3 |
| 1980 | 51.5 | 78.3 | 9.2 | 3.8 | 3.6 | 4.7 | 11.3 | 20.4 | 30.8 | 49.5 | 56.9 |
| 1979 | 47.8 | 79.2 | 9.9 | 3.2 | 3.3 | 4.8 | 10.2 | 20.0 | 31.0 | 43.3 | 59.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| All other diseases (Residual) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 57.1 | 48.4 | 6.0 | 2.4 | 3.3 | 4.3 | 7.7 | 11.9 | 19.5 | 29.2 | 52.3 |
| 1997 | 56.2 | 48.4 | 5.1 | 2.3 | 3.1 | 4.9 | 8.4 | 13.0 | 19.8 | 31.2 | 52.6 |
| 1996 | 57.6 | 48.1 | 5.9 | 3.0 | 2.8 | 4.4 | 8.6 | 13.0 | 21.2 | 37.8 | 62.8 |
| 1995 | 59.1 | 44.6 | 6.6 | 3.3 | 3.1 | 4.5 | 8.9 | 13.6 | 24.3 | 42.0 | 62.9 |
| 1994 | 58.3 | 49.1 | 6.0 | 3.4 | 3.8 | 5.0 | 7.5 | 12.9 | 23.6 | 40.1 | 69.3 |
| 1993 | 59.3 | 49.0 | 8.0 | 3.0 | 3.8 | 5.2 | 8.5 | 13.1 | 23.2 | 43.8 | 68.4 |
| 1992 | 58.6 | 49.9 | 7.4 | 4.1 | 2.9 | 4.5 | 8.6 | 15.2 | 23.8 | 42.9 | 67.0 |
| 1991 | 59.9 | 69.8 | 7.1 | 3.2 | 3.2 | 5.8 | 7.7 | 15.6 | 27.4 | 45.6 | 71.0 |
| 1990 | 62.2 | 55.5 | 7.7 | 3.5 | 3.1 | 4.7 | 7.5 | 16.6 | 32.4 | 52.4 | 76.3 |
| 1989 | 63.8 | 54.9 | 7.6 | 2.5 | 4.1 | 5.8 | 8.0 | 14.3 | 37.0 | 58.7 | 76.3 |
| 1988 | 65.9 | 60.6 | 7.7 | 3.1 | 3.7 | 5.2 | 10.3 | 16.5 | 39.2 | 70.3 | 86.1 |
| 1987 | 63.4 | 66.9 | 7.0 | 2.8 | 3.1 | 5.8 | 9.1 | 15.3 | 41.3 | 65.4 | 76.4 |
| 1986 | 73.4 | 61.4 | 8.9 | 2.7 | 3.8 | 5.6 | 13.8 | 33.9 | 79.9 | 100.2 | 107.6 |
| 1985 | 67.5 | 65.6 | 9.6 | 3.3 | 3.4 | 5.0 | 12.3 | 27.9 | 66.7 | 82.5 | 96.7 |
| 1984 | 60.1 | 70.8 | 9.0 | 3.9 | 3.3 | 4.3 | 10.2 | 21.5 | 48.6 | 67.4 | 80.7 |
| 1983 | 57.1 | 62.6 | 9.0 | 3.3 | 2.5 | 4.8 | 10.2 | 23.4 | 42.0 | 56.5 | 72.5 |
| 1982 | 54.1 | 74.0 | 8.1 | 2.7 | 3.3 | 5.6 | 8.6 | 23.3 | 37.8 | 57.7 | 68.6 |
| 1981 | 55.7 | 74.8 | 10.6 | 3.3 | 3.1 | 5.0 | 8.9 | 24.1 | 42.0 | 62.6 | 71.5 |
| 1980 | 57.8 | 89.2 | 10.5 | 4.6 | 3.6 | 4.7 | 13.0 | 24.8 | 40.2 | 65.3 | 72.3 |
| 1979 | 53.9 | 88.5 | 10.4 | 3.0 | 2.7 | 5.6 | 11.7 | 23.7 | 42.4 | 54.9 | 80.9 |
| All other diseases (Residual) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 63.6 | 41.6 | 5.1 | 2.2 | 2.5 | 4.6 | 6.5 | 10.8 | 18.6 | 24.6 | 37.4 |
| 1997 | 61.0 | 36.9 | 5.1 | 3.0 | 2.5 | 4.4 | 7.0 | 11.6 | 17.8 | 28.1 | 37.2 |
| 1996 | 59.7 | 40.7 | 6.4 | 2.1 | 2.8 | 3.6 | 8.1 | 10.1 | 17.1 | 27.3 | 35.6 |
| 1995 | 59.0 | 41.2 | 6.0 | 2.7 | 3.4 | 3.5 | 7.1 | 12.0 | 16.4 | 28.8 | 42.4 |
| 1994 | 57.6 | 36.2 | 6.3 | 2.6 | 3.3 | 5.2 | 7.6 | 12.0 | 18.9 | 25.8 | 35.2 |
| 1993 | 57.8 | 44.2 | 7.2 | 3.4 | 3.0 | 4.0 | 6.6 | 12.5 | 19.3 | 30.1 | 38.0 |
| 1992 | 55.7 | 44.8 | 6.7 | 2.9 | 3.1 | 4.1 | 6.5 | 12.2 | 18.2 | 30.7 | 40.9 |
| 1991 | 56.8 | 49.2 | 7.4 | 3.5 | 2.7 | 4.8 | 8.8 | 10.6 | 21.1 | 29.4 | 37.4 |
| 1990 | 57.0 | 49.7 | 6.1 | 2.5 | 3.5 | 4.5 | 6.1 | 12.8 | 20.1 | 30.4 | 36.9 |
| 1989 | 59.3 | 54.4 | 5.0 | 3.7 | 4.2 | 5.2 | 8.2 | 13.6 | 23.4 | 30.5 | 43.7 |
| 1988 | 57.0 | 52.6 | 6.0 | 3.4 | 3.6 | 4.7 | 7.9 | 14.9 | 20.3 | 33.7 | 34.6 |
| 1987 | 55.5 | 43.4 | 6.2 | 2.5 | 1.8 | 3.3 | 9.2 | 13.2 | 23.8 | 34.5 | 44.0 |
| 1986 | 55.9 | 51.6 | 8.5 | 2.6 | 2.9 | 4.6 | 9.3 | 16.8 | 31.0 | 36.9 | 44.2 |
| 1985 | 52.9 | 56.8 | 8.3 | 3.3 | 2.9 | 4.4 | 8.7 | 17.2 | 27.3 | 33.1 | 36.2 |
| 1984 | 50.1 | 53.2 | 7.4 | 3.6 | 2.8 | 5.1 | 9.3 | 15.5 | 24.2 | 30.6 | 39.1 |
| 1983 | 47.6 | 56.0 | 6.7 | 3.3 | 4.0 | 5.3 | 7.7 | 15.1 | 21.6 | 29.4 | 36.7 |
| 1982 | 45.0 | 50.0 | 6.6 | 2.8 | 2.8 | 4.7 | 9.3 | 13.2 | 22.1 | 28.7 | 35.6 |
| 1981 | 46.3 | 63.2 | 7.8 | 2.7 | 4.3 | 5.0 | 9.2 | 16.0 | 23.3 | 31.8 | 40.0 |
| 1980 | 45.9 | 67.3 | 7.8 | 3.1 | 3.7 | 4.7 | 9.8 | 16.5 | 22.8 | 36.4 | 44.0 |
| 1979 | 42.3 | 69.5 | 9.4 | 3.3 | 3.9 | 4.0 | 8.9 | 16.7 | 21.4 | 33.8 | 41.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidents (unintentional injuries) (E800-E869,E880-E929) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 34.2 | 19.1 | 12.4 | 7.5 | 8.5 | 33.1 | 37.1 | 29.1 | 29.5 | 32.5 | 34.3 |
| 1997 | 33.9 | 19.6 | 12.7 | 7.5 | 9.3 | 33.9 | 37.6 | 30.7 | 29.9 | 31.6 | 33.3 |
| 1996 | 34.1 | 20.7 | 13.5 | 7.9 | 9.4 | 35.6 | 39.3 | 31.1 | 29.9 | 31.9 | 32.7 |
| 1995 | 34.0 | 20.1 | 14.2 | 8.2 | 10.0 | 35.9 | 39.3 | 32.2 | 31.3 | 33.0 | 32.8 |
| 1994 | 33.7 | 22.4 | 15.6 | 8.3 | 10.0 | 36.6 | 39.2 | 31.5 | 31.7 | 32.0 | 32.1 |
| 1993 | 33.7 | 22.2 | 16.2 | 8.5 | 9.9 | 36.7 | 39.5 | 32.2 | 33.0 | 32.7 | 31.3 |
| 1992 | 32.7 | 19.6 | 15.7 | 8.7 | 9.5 | 36.0 | 38.6 | 32.6 | 31.2 | 31.0 | 28.2 |
| 1991 | 34.3 | 22.9 | 17.4 | 9.4 | 10.7 | 40.1 | 43.2 | 34.9 | 33.2 | 30.6 | 28.5 |
| 1990 | 35.8 | 23.0 | 17.1 | 9.7 | 10.9 | 42.2 | 45.3 | 38.6 | 35.0 | 32.9 | 28.8 |
| 1989 | 37.3 | 24.5 | 18.8 | 11.4 | 12.0 | 43.4 | 45.8 | 40.0 | 36.3 | 33.3 | 30.8 |
| 1988 | 38.5 | 24.0 | 19.6 | 11.8 | 12.7 | 45.9 | 50.8 | 40.4 | 36.7 | 33.5 | 31.2 |
| 1987 | 38.0 | 24.8 | 20.1 | 11.8 | 13.0 | 45.5 | 50.2 | 41.2 | 35.8 | 33.2 | 29.3 |
| 1986 | 38.4 | 23.6 | 20.4 | 11.5 | 13.5 | 47.7 | 52.8 | 42.6 | 36.7 | 31.9 | 29.4 |
| 1985 | 38.1 | 23.1 | 20.0 | 11.8 | 13.1 | 43.7 | 51.4 | 40.6 | 34.9 | 31.5 | 31.0 |
| 1984 | 38.3 | 22.3 | 19.7 | 11.7 | 13.0 | 44.6 | 52.5 | 41.2 | 36.1 | 31.4 | 30.2 |
| 1983 | 38.4 | 25.2 | 21.7 | 12.3 | 13.0 | 44.1 | 51.5 | 41.6 | 35.6 | 32.1 | 30.7 |
| 1982 | 39.5 | 27.1 | 22.5 | 13.1 | 13.2 | 46.8 | 55.0 | 43.4 | 36.7 | 33.2 | 31.6 |
| 1981 | 42.8 | 26.4 | 23.5 | 13.9 | 14.3 | 51.2 | 60.1 | 49.1 | 39.9 | 35.9 | 34.5 |
| 1980 | 45.6 | 32.0 | 25.7 | 14.5 | 15.2 | 57.8 | 65.3 | 50.8 | 40.8 | 36.5 | 37.4 |
| 1979 | 45.7 | 30.6 | 26.3 | 15.9 | 16.1 | 59.3 | 65.6 | 50.4 | 39.9 | 38.4 | 37.4 |
| Accidents (unintentional injuries) (E800-E869,E880-E929) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 45.4 | 21.5 | 14.5 | 9.1 | 11.0 | 44.7 | 57.2 | 44.6 | 44.3 | 47.9 | 51.1 |
| 1997 | 45.3 | 21.7 | 14.8 | 8.9 | 11.6 | 45.8 | 56.9 | 46.7 | 45.2 | 47.3 | 50.6 |
| 1996 | 45.6 | 22.5 | 15.9 | 9.3 | 12.1 | 48.8 | 60.4 | 46.9 | 44.8 | 47.6 | 49.7 |
| 1995 | 46.1 | 20.9 | 16.5 | 10.1 | 12.9 | 49.0 | 60.8 | 49.7 | 47.7 | 50.5 | 50.4 |
| 1994 | 46.1 | 24.7 | 18.4 | 10.3 | 13.2 | 51.3 | 59.9 | 48.4 | 49.0 | 48.9 | 50.2 |
| 1993 | 46.3 | 24.1 | 18.9 | 10.2 | 13.1 | 51.8 | 61.4 | 49.7 | 51.4 | 50.9 | 48.7 |
| 1992 | 45.2 | 21.9 | 18.8 | 11.1 | 13.0 | 50.1 | 59.3 | 50.7 | 48.7 | 48.1 | 44.3 |
| 1991 | 47.5 | 25.9 | 20.0 | 11.9 | 15.0 | 56.2 | 66.7 | 54.6 | 52.1 | 47.2 | 44.4 |
| 1990 | 50.0 | 24.6 | 20.5 | 12.1 | 14.7 | 60.5 | 70.9 | 60.2 | 55.3 | 51.7 | 44.4 |
| 1989 | 51.9 | 26.0 | 22.1 | 14.3 | 16.2 | 60.8 | 71.2 | 62.3 | 56.3 | 52.1 | 47.1 |
| 1988 | 54.1 | 26.4 | 23.1 | 14.7 | 17.1 | 65.7 | 79.8 | 63.4 | 57.7 | 52.9 | 48.1 |
| 1987 | 53.7 | 26.7 | 24.2 | 15.0 | 18.7 | 65.4 | 78.6 | 64.6 | 57.0 | 52.5 | 45.0 |
| 1986 | 54.9 | 25.1 | 23.7 | 14.8 | 19.0 | 69.5 | 83.7 | 68.3 | 58.7 | 50.6 | 45.5 |
| 1985 | 54.2 | 24.5 | 24.1 | 14.9 | 18.4 | 63.2 | 81.4 | 65.3 | 56.5 | 49.7 | 47.8 |
| 1984 | 54.7 | 23.4 | 23.7 | 15.1 | 17.9 | 65.4 | 83.0 | 66.4 | 57.5 | 49.6 | 46.7 |
| 1983 | 55.1 | 28.1 | 25.8 | 15.8 | 17.9 | 65.5 | 81.7 | 67.1 | 57.1 | 51.4 | 47.7 |
| 1982 | 57.2 | 31.1 | 26.4 | 16.4 | 18.3 | 70.9 | 88.6 | 70.3 | 59.8 | 52.8 | 49.3 |
| 1981 | 62.4 | 28.5 | 28.1 | 17.9 | 20.3 | 76.7 | 97.1 | 80.2 | 64.8 | 57.1 | 54.0 |
| 1980 | 66.3 | 35.4 | 30.2 | 18.4 | 21.0 | 87.0 | 106.2 | 83.2 | 66.3 | 58.5 | 58.1 |
| 1979 | 66.9 | 33.9 | 30.7 | 20.6 | 22.6 | 89.5 | 106.8 | 82.3 | 65.2 | 61.4 | 58.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidents (unintentional injuries) (E800-E869,E880-E929) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 23.4 | 16.7 | 10.2 | 5.8 | 5.9 | 20.9 | 16.0 | 13.4 | 14.7 | 17.3 | 17.9 |
| 1997 | 23.0 | 17.5 | 10.6 | 6.0 | 6.9 | 21.4 | 17.6 | 14.4 | 14.5 | 16.1 | 16.3 |
| 1996 | 23.0 | 18.9 | 11.0 | 6.3 | 6.5 | 21.7 | 17.4 | 15.1 | 14.9 | 16.3 | 16.1 |
| 1995 | 22.3 | 19.2 | 11.8 | 6.3 | 6.9 | 22.1 | 17.1 | 14.5 | 14.8 | 15.6 | 15.7 |
| 1994 | 21.9 | 20.0 | 12.7 | 6.3 | 6.6 | 21.1 | 17.7 | 14.4 | 14.2 | 15.3 | 14.5 |
| 1993 | 21.7 | 20.2 | 13.3 | 6.6 | 6.5 | 20.8 | 16.9 | 14.5 | 14.6 | 14.8 | 14.3 |
| 1992 | 20.9 | 17.2 | 12.4 | 6.2 | 5.9 | 21.2 | 17.1 | 14.3 | 13.7 | 14.1 | 12.6 |
| 1991 | 21.7 | 19.7 | 14.6 | 6.8 | 6.3 | 23.0 | 18.9 | 15.0 | 14.4 | 14.2 | 12.9 |
| 1990 | 22.4 | 21.3 | 13.6 | 7.2 | 7.0 | 22.9 | 18.7 | 16.9 | 14.9 | 14.3 | 13.5 |
| 1989 | 23.4 | 23.0 | 15.3 | 8.4 | 7.6 | 25.2 | 19.5 | 17.6 | 16.4 | 14.8 | 15.1 |
| 1988 | 23.7 | 21.4 | 15.9 | 8.7 | 8.2 | 25.1 | 21.0 | 17.3 | 15.9 | 14.4 | 14.9 |
| 1987 | 23.0 | 22.8 | 15.9 | 8.4 | 7.0 | 24.8 | 21.1 | 17.7 | 14.8 | 14.3 | 14.1 |
| 1986 | 22.8 | 22.1 | 16.9 | 8.0 | 7.8 | 25.0 | 21.3 | 16.6 | 14.9 | 13.7 | 13.8 |
| 1985 | 22.8 | 21.7 | 15.8 | 8.6 | 7.7 | 23.4 | 20.9 | 15.9 | 13.6 | 13.8 | 14.9 |
| 1984 | 22.7 | 21.1 | 15.5 | 8.0 | 7.9 | 23.1 | 21.6 | 16.0 | 15.0 | 13.7 | 14.4 |
| 1983 | 22.7 | 22.1 | 17.3 | 8.7 | 7.8 | 21.9 | 21.0 | 16.3 | 14.4 | 13.5 | 14.4 |
| 1982 | 22.7 | 22.9 | 18.4 | 9.6 | 7.9 | 21.9 | 21.1 | 16.6 | 14.1 | 14.1 | 14.6 |
| 1981 | 24.2 | 24.3 | 18.8 | 9.6 | 8.1 | 24.9 | 22.9 | 18.3 | 15.5 | 15.4 | 15.8 |
| 1980 | 26.0 | 28.5 | 20.9 | 10.4 | 9.0 | 27.6 | 24.3 | 18.8 | 15.8 | 15.1 | 17.5 |
| 1979 | 25.7 | 27.2 | 21.7 | 10.9 | 9.3 | 28.1 | 24.4 | 18.8 | 15.3 | 16.3 | 17.2 |
| Accidents (unintentional injuries) (E800-E869,E880-E929) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 35.0 | 16.5 | 11.4 | 6.5 | 8.2 | 35.5 | 38.7 | 29.3 | 29.7 | 32.4 | 33.5 |
| 1997 | 34.4 | 16.6 | 11.7 | 6.5 | 9.0 | 36.1 | 39.3 | 30.5 | 30.0 | 31.2 | 31.7 |
| 1996 | 34.5 | 17.8 | 12.2 | 7.0 | 9.1 | 37.6 | 40.3 | 31.4 | 29.6 | 31.4 | 31.8 |
| 1995 | 34.2 | 16.9 | 13.1 | 7.6 | 9.6 | 37.9 | 40.9 | 32.2 | 31.1 | 32.1 | 30.9 |
| 1994 | 33.7 | 18.6 | 13.8 | 7.3 | 9.6 | 38.8 | 40.2 | 31.9 | 31.1 | 31.0 | 30.4 |
| 1993 | 33.7 | 18.8 | 14.5 | 7.4 | 9.5 | 38.8 | 40.1 | 32.6 | 32.5 | 31.5 | 29.2 |
| 1992 | 32.8 | 16.1 | 14.4 | 7.8 | 9.1 | 38.0 | 39.9 | 33.0 | 30.7 | 29.6 | 26.8 |
| 1991 | 34.1 | 19.0 | 16.0 | 8.6 | 10.3 | 42.5 | 44.9 | 34.5 | 32.3 | 28.6 | 26.3 |
| 1990 | 35.7 | 18.9 | 15.6 | 8.8 | 10.6 | 45.0 | 47.0 | 38.6 | 34.0 | 31.5 | 27.0 |
| 1989 | 36.9 | 19.1 | 17.1 | 10.4 | 11.6 | 47.1 | 46.8 | 40.0 | 35.4 | 31.2 | 28.9 |
| 1988 | 38.1 | 20.2 | 17.7 | 10.6 | 12.3 | 49.5 | 52.3 | 40.2 | 35.5 | 31.5 | 29.1 |
| 1987 | 37.7 | 21.1 | 18.5 | 10.8 | 12.7 | 49.2 | 51.9 | 41.0 | 34.7 | 31.5 | 27.0 |
| 1986 | 38.2 | 19.2 | 18.8 | 10.1 | 13.2 | 51.9 | 55.0 | 42.3 | 35.4 | 30.1 | 27.8 |
| 1985 | 37.9 | 20.0 | 18.5 | 10.6 | 13.0 | 47.3 | 53.5 | 40.6 | 33.9 | 30.0 | 29.2 |
| 1984 | 38.4 | 19.1 | 17.8 | 10.6 | 12.9 | 48.6 | 54.8 | 41.8 | 35.3 | 30.0 | 28.6 |
| 1983 | 38.3 | 21.6 | 20.1 | 11.2 | 12.9 | 48.3 | 53.6 | 41.9 | 34.6 | 30.8 | 29.2 |
| 1982 | 39.5 | 23.0 | 20.8 | 11.8 | 13.2 | 50.8 | 57.6 | 43.8 | 35.6 | 31.6 | 30.2 |
| 1981 | 42.9 | 22.7 | 21.5 | 12.7 | 14.1 | 55.9 | 63.0 | 49.8 | 39.1 | 34.6 | 32.6 |
| 1980 | 45.2 | 27.4 | 23.5 | 13.0 | 14.9 | 62.5 | 68.0 | 50.8 | 39.4 | 34.7 | 35.2 |
| 1979 | 45.5 | 25.6 | 23.7 | 14.1 | 15.9 | 64.2 | 68.3 | 50.2 | 38.2 | 36.4 | 35.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidents (unintentional injuries) (E800-E869,E880-E929) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 45.7 | 19.1 | 13.3 | 7.8 | 10.2 | 46.8 | 59.8 | 44.4 | 44.0 | 47.5 | 49.8 |
| 1997 | 45.3 | 18.0 | 13.7 | 7.9 | 11.3 | 47.9 | 59.2 | 46.0 | 45.2 | 46.6 | 48.0 |
| 1996 | 45.6 | 19.0 | 14.5 | 8.2 | 11.5 | 50.9 | 61.7 | 46.8 | 44.2 | 47.0 | 48.2 |
| 1995 | 45.8 | 18.2 | 15.2 | 9.3 | 12.4 | 50.9 | 63.0 | 49.4 | 47.3 | 49.0 | 47.2 |
| 1994 | 45.5 | 20.9 | 16.4 | 9.0 | 12.5 | 53.4 | 61.2 | 48.7 | 48.3 | 47.4 | 47.3 |
| 1993 | 45.6 | 20.4 | 17.1 | 9.2 | 12.5 | 53.7 | 62.2 | 50.1 | 50.7 | 48.7 | 44.9 |
| 1992 | 44.6 | 19.2 | 17.8 | 10.0 | 12.1 | 52.0 | 61.0 | 50.9 | 47.9 | 45.8 | 41.8 |
| 1991 | 46.5 | 21.2 | 18.5 | 10.8 | 14.1 | 58.6 | 68.9 | 53.6 | 50.4 | 43.9 | 40.6 |
| 1990 | 49.2 | 20.1 | 18.7 | 11.0 | 14.0 | 63.9 | 73.0 | 59.9 | 53.4 | 48.8 | 41.2 |
| 1989 | 50.7 | 20.2 | 20.1 | 13.0 | 15.5 | 64.9 | 72.2 | 62.0 | 54.5 | 48.6 | 43.6 |
| 1988 | 52.8 | 22.0 | 20.8 | 13.3 | 16.6 | 70.2 | 81.8 | 62.7 | 55.7 | 49.5 | 44.3 |
| 1987 | 52.7 | 22.4 | 22.2 | 13.7 | 18.1 | 69.7 | 80.6 | 64.0 | 55.1 | 49.3 | 40.7 |
| 1986 | 54.0 | 20.3 | 22.0 | 13.2 | 18.3 | 74.9 | 86.5 | 67.5 | 56.5 | 47.0 | 42.7 |
| 1985 | 53.4 | 21.4 | 22.3 | 13.4 | 18.0 | 67.9 | 84.2 | 65.0 | 54.7 | 46.6 | 44.3 |
| 1984 | 54.3 | 19.6 | 21.6 | 13.6 | 17.5 | 70.6 | 86.2 | 66.8 | 55.8 | 46.7 | 43.5 |
| 1983 | 54.5 | 23.6 | 24.2 | 14.6 | 17.7 | 71.4 | 84.6 | 67.2 | 55.2 | 48.7 | 44.6 |
| 1982 | 56.8 | 26.5 | 24.6 | 15.0 | 18.2 | 76.7 | 92.4 | 70.8 | 57.2 | 50.1 | 46.4 |
| 1981 | 62.0 | 24.4 | 25.7 | 16.5 | 19.9 | 83.1 | 101.1 | 80.8 | 63.1 | 54.2 | 50.3 |
| 1980 | 65.2 | 30.1 | 27.9 | 16.3 | 20.8 | 93.5 | 109.7 | 82.9 | 63.6 | 55.0 | 54.1 |
| 1979 | 66.0 | 29.2 | 27.7 | 18.2 | 22.2 | 96.7 | 110.5 | 81.3 | 61.9 | 57.3 | 53.7 |
| Accidents (unintentional injuries) (E800-E869,E880-E929) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 24.6 | 13.6 | 9.3 | 5.0 | 6.2 | 23.4 | 16.3 | 13.6 | 14.9 | 17.0 | 17.2 |
| 1997 | 23.8 | 15.0 | 9.5 | 5.0 | 6.5 | 23.5 | 18.3 | 14.4 | 14.4 | 15.6 | 15.5 |
| 1996 | 23.8 | 16.6 | 9.8 | 5.8 | 6.6 | 23.5 | 17.8 | 15.4 | 14.5 | 15.6 | 15.4 |
| 1995 | 23.0 | 15.5 | 10.9 | 5.8 | 6.8 | 24.2 | 17.7 | 14.5 | 14.5 | 14.9 | 14.8 |
| 1994 | 22.3 | 16.1 | 11.1 | 5.5 | 6.4 | 23.2 | 18.2 | 14.5 | 13.3 | 14.4 | 13.7 |
| 1993 | 22.2 | 17.2 | 11.7 | 5.4 | 6.3 | 23.0 | 16.9 | 14.6 | 13.9 | 14.1 | 13.4 |
| 1992 | 21.3 | 12.9 | 10.9 | 5.5 | 5.8 | 23.2 | 17.8 | 14.5 | 13.0 | 13.4 | 11.7 |
| 1991 | 22.2 | 16.8 | 13.4 | 6.2 | 6.3 | 25.4 | 19.8 | 14.9 | 13.9 | 13.2 | 12.0 |
| 1990 | 22.8 | 17.7 | 12.3 | 6.4 | 6.9 | 25.0 | 19.6 | 16.7 | 14.3 | 14.0 | 12.9 |
| 1989 | 23.7 | 17.9 | 13.9 | 7.6 | 7.5 | 28.3 | 20.2 | 17.4 | 15.9 | 13.8 | 14.3 |
| 1988 | 24.1 | 18.2 | 14.4 | 7.7 | 7.8 | 27.6 | 21.7 | 17.2 | 15.0 | 13.5 | 14.0 |
| 1987 | 23.5 | 19.8 | 14.7 | 7.8 | 7.0 | 27.6 | 22.2 | 17.5 | 14.2 | 13.8 | 13.4 |
| 1986 | 23.1 | 18.0 | 15.4 | 6.8 | 7.8 | 27.8 | 22.5 | 16.5 | 14.1 | 13.3 | 13.1 |
| 1985 | 23.2 | 18.6 | 14.5 | 7.6 | 7.7 | 25.9 | 22.0 | 15.7 | 12.8 | 13.4 | 14.4 |
| 1984 | 23.2 | 18.5 | 13.8 | 7.5 | 8.0 | 25.6 | 22.6 | 16.2 | 14.6 | 13.4 | 14.0 |
| 1983 | 22.9 | 19.5 | 15.7 | 7.6 | 7.8 | 24.2 | 21.8 | 16.0 | 14.0 | 13.2 | 14.1 |
| 1982 | 23.1 | 19.3 | 16.7 | 8.5 | 7.9 | 23.9 | 22.1 | 16.4 | 13.8 | 13.4 | 14.3 |
| 1981 | 24.7 | 20.8 | 17.1 | 8.7 | 8.0 | 27.7 | 24.1 | 18.3 | 15.1 | 15.1 | 15.4 |
| 1980 | 26.2 | 24.6 | 19.0 | 9.6 | 8.7 | 30.3 | 25.6 | 18.6 | 15.3 | 14.7 | 16.8 |
| 1979 | 26.0 | 21.7 | 19.5 | 9.8 | 9.4 | 30.5 | 25.4 | 18.8 | 14.6 | 15.9 | 16.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidents (unintentional injuries) (E800-E869,E880-E929) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 30.6 | 29.1 | 16.0 | 11.0 | 9.7 | 24.1 | 30.8 | 28.4 | 28.7 | 33.3 | 38.1 |
| 1997 | 31.5 | 31.2 | 16.4 | 10.8 | 10.5 | 25.8 | 31.0 | 31.5 | 29.4 | 33.6 | 40.7 |
| 1996 | 31.8 | 32.0 | 18.3 | 10.9 | 10.4 | 27.8 | 35.4 | 30.0 | 31.2 | 34.1 | 37.3 |
| 1995 | 32.8 | 32.1 | 18.0 | 10.6 | 11.3 | 28.1 | 33.2 | 32.2 | 31.9 | 37.5 | 42.2 |
| 1994 | 33.6 | 36.5 | 22.2 | 12.3 | 11.6 | 28.3 | 35.1 | 29.9 | 34.4 | 36.8 | 40.7 |
| 1993 | 33.8 | 34.6 | 22.4 | 12.7 | 11.5 | 28.5 | 37.0 | 30.4 | 35.4 | 38.8 | 42.3 |
| 1992 | 32.6 | 32.8 | 20.4 | 12.4 | 11.4 | 28.1 | 33.0 | 30.9 | 33.9 | 37.7 | 36.1 |
| 1991 | 35.0 | 37.5 | 22.7 | 12.8 | 12.4 | 30.3 | 36.0 | 36.5 | 37.7 | 40.5 | 40.8 |
| 1990 | 36.5 | 38.4 | 23.3 | 13.6 | 12.3 | 30.8 | 37.7 | 38.7 | 40.2 | 40.3 | 39.1 |
| 1989 | 39.1 | 45.5 | 25.5 | 15.7 | 13.4 | 28.1 | 41.4 | 40.2 | 41.1 | 44.2 | 42.4 |
| 1988 | 40.4 | 39.1 | 27.4 | 16.6 | 14.4 | 30.5 | 43.8 | 41.3 | 43.0 | 44.0 | 44.4 |
| 1987 | 39.2 | 40.1 | 26.7 | 15.7 | 14.3 | 29.5 | 42.1 | 42.2 | 41.2 | 42.4 | 43.7 |
| 1986 | 39.4 | 42.7 | 27.1 | 17.6 | 14.9 | 28.9 | 42.3 | 44.1 | 43.2 | 42.3 | 39.4 |
| 1985 | 38.9 | 36.7 | 26.7 | 17.1 | 13.8 | 27.3 | 40.8 | 40.6 | 40.9 | 40.9 | 42.5 |
| 1984 | 37.7 | 36.2 | 28.0 | 16.2 | 13.5 | 26.7 | 40.8 | 38.5 | 40.8 | 39.9 | 40.2 |
| 1983 | 39.1 | 41.0 | 28.6 | 17.3 | 13.5 | 24.9 | 40.8 | 40.5 | 40.7 | 40.4 | 40.7 |
| 1982 | 39.4 | 45.4 | 30.1 | 18.5 | 13.3 | 28.0 | 40.7 | 41.1 | 43.4 | 43.3 | 40.3 |
| 1981 | 42.2 | 43.6 | 32.7 | 19.0 | 15.3 | 28.2 | 44.3 | 45.7 | 45.1 | 44.7 | 46.4 |
| 1980 | 47.9 | 52.9 | 35.4 | 21.5 | 16.4 | 33.7 | 50.3 | 50.5 | 49.2 | 47.9 | 51.4 |
| 1979 | 47.2 | 54.6 | 38.9 | 24.1 | 16.7 | 33.8 | 50.2 | 51.5 | 51.2 | 52.2 | 53.5 |
| Accidents (unintentional injuries) (E800-E869,E880-E929) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 44.1 | 30.3 | 18.5 | 13.3 | 14.2 | 36.4 | 47.0 | 45.7 | 45.5 | 49.9 | 57.7 |
| 1997 | 44.8 | 35.6 | 18.6 | 12.4 | 12.8 | 37.7 | 47.6 | 50.0 | 45.4 | 50.6 | 64.1 |
| 1996 | 45.7 | 36.2 | 21.1 | 13.5 | 14.5 | 40.4 | 55.2 | 47.5 | 47.3 | 50.4 | 57.8 |
| 1995 | 47.9 | 31.4 | 21.1 | 13.0 | 14.9 | 41.5 | 51.9 | 51.2 | 49.5 | 58.5 | 67.7 |
| 1994 | 48.9 | 38.8 | 26.1 | 15.2 | 16.0 | 43.0 | 54.6 | 46.9 | 52.5 | 56.8 | 66.1 |
| 1993 | 49.7 | 37.8 | 25.7 | 14.1 | 15.5 | 44.2 | 57.7 | 47.9 | 54.8 | 62.4 | 70.1 |
| 1992 | 47.9 | 32.1 | 22.4 | 15.5 | 16.3 | 42.4 | 51.7 | 49.5 | 52.7 | 60.4 | 58.5 |
| 1991 | 52.3 | 44.1 | 26.0 | 16.5 | 18.5 | 46.5 | 57.1 | 59.4 | 61.1 | 65.3 | 67.1 |
| 1990 | 54.3 | 41.7 | 28.0 | 16.8 | 17.3 | 46.5 | 60.9 | 61.3 | 65.6 | 68.0 | 64.8 |
| 1989 | 58.5 | 48.5 | 30.4 | 19.5 | 19.1 | 43.5 | 66.6 | 63.6 | 66.1 | 72.4 | 69.5 |
| 1988 | 60.9 | 44.3 | 32.6 | 20.5 | 18.9 | 46.3 | 70.4 | 67.2 | 68.3 | 72.7 | 72.6 |
| 1987 | 59.5 | 44.9 | 32.5 | 20.3 | 21.1 | 46.3 | 69.2 | 68.1 | 67.5 | 71.9 | 73.8 |
| 1986 | 59.8 | 45.9 | 31.1 | 21.8 | 21.8 | 45.0 | 69.6 | 73.3 | 70.8 | 72.9 | 64.3 |
| 1985 | 58.9 | 38.6 | 31.8 | 21.4 | 19.7 | 42.0 | 66.7 | 67.2 | 67.3 | 69.9 | 71.1 |
| 1984 | 57.6 | 39.9 | 33.1 | 22.1 | 19.4 | 41.4 | 66.3 | 64.4 | 67.5 | 69.0 | 67.9 |
| 1983 | 58.8 | 48.2 | 33.0 | 20.8 | 19.1 | 38.0 | 65.7 | 66.2 | 68.8 | 70.3 | 69.3 |
| 1982 | 60.2 | 51.9 | 34.6 | 22.6 | 18.7 | 43.1 | 67.2 | 67.6 | 75.5 | 72.2 | 68.6 |
| 1981 | 65.2 | 47.4 | 38.8 | 24.4 | 21.8 | 45.1 | 74.0 | 76.3 | 76.4 | 77.1 | 79.2 |
| 1980 | 73.1 | 59.7 | 41.3 | 28.4 | 22.4 | 53.6 | 85.8 | 85.3 | 84.8 | 83.5 | 85.6 |
| 1979 | 73.2 | 56.4 | 45.5 | 32.2 | 24.9 | 51.5 | 84.2 | 88.9 | 88.7 | 91.8 | 93.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidents (unintentional injuries) (E800-E869,E880-E929) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 18.2 | 27.9 | 13.4 | 8.6 | 5.0 | 11.6 | 15.1 | 12.5 | 13.6 | 18.3 | 20.8 |
| 1997 | 19.3 | 26.7 | 14.2 | 9.3 | 8.1 | 13.5 | 14.8 | 14.4 | 15.0 | 18.3 | 20.1 |
| 1996 | 19.1 | 27.6 | 15.4 | 8.1 | 6.1 | 14.9 | 15.9 | 13.9 | 16.7 | 19.5 | 19.4 |
| 1995 | 19.1 | 32.8 | 14.9 | 8.1 | 7.5 | 14.2 | 14.9 | 14.7 | 16.1 | 18.7 | 20.0 |
| 1994 | 19.5 | 34.2 | 18.3 | 9.4 | 7.1 | 13.2 | 15.9 | 14.1 | 18.0 | 19.0 | 18.6 |
| 1993 | 19.3 | 31.2 | 19.1 | 11.3 | 7.4 | 12.4 | 16.7 | 14.3 | 17.8 | 17.7 | 18.3 |
| 1992 | 18.6 | 33.6 | 18.3 | 9.1 | 6.4 | 13.4 | 14.5 | 13.6 | 16.9 | 17.5 | 16.7 |
| 1991 | 19.2 | 30.7 | 19.2 | 9.1 | 6.1 | 13.6 | 15.2 | 15.3 | 16.7 | 18.7 | 18.0 |
| 1990 | 20.2 | 34.9 | 18.6 | 10.3 | 7.2 | 14.6 | 14.9 | 17.8 | 17.4 | 16.0 | 16.9 |
| 1989 | 21.4 | 42.4 | 20.6 | 11.8 | 7.6 | 12.2 | 16.6 | 18.6 | 18.9 | 19.7 | 19.1 |
| 1988 | 21.7 | 33.8 | 22.1 | 12.7 | 9.6 | 14.3 | 17.9 | 17.5 | 20.5 | 19.0 | 20.1 |
| 1987 | 20.6 | 34.9 | 20.8 | 11.0 | 7.3 | 12.4 | 15.8 | 18.6 | 18.0 | 16.9 | 17.7 |
| 1986 | 20.8 | 39.3 | 22.9 | 13.3 | 7.8 | 12.4 | 15.8 | 17.5 | 18.8 | 16.0 | 18.0 |
| 1985 | 20.8 | 34.8 | 21.5 | 12.8 | 7.8 | 12.3 | 15.8 | 16.5 | 17.7 | 16.1 | 17.9 |
| 1984 | 19.7 | 32.3 | 22.7 | 10.1 | 7.4 | 11.8 | 16.4 | 15.1 | 17.4 | 15.1 | 16.5 |
| 1983 | 21.2 | 33.6 | 24.1 | 13.7 | 7.7 | 11.5 | 17.3 | 17.4 | 16.3 | 15.0 | 16.2 |
| 1982 | 20.5 | 38.7 | 25.6 | 14.3 | 7.8 | 12.8 | 15.9 | 17.5 | 15.6 | 18.7 | 16.1 |
| 1981 | 21.3 | 39.6 | 26.4 | 13.5 | 8.6 | 11.1 | 16.6 | 18.5 | 18.0 | 17.1 | 18.4 |
| 1980 | 25.2 | 46.0 | 29.5 | 14.4 | 10.4 | 13.7 | 17.5 | 19.9 | 18.6 | 17.6 | 22.4 |
| 1979 | 23.7 | 52.9 | 32.0 | 15.9 | 8.5 | 16.1 | 18.8 | 18.6 | 19.1 | 19.0 | 20.1 |
| Accidents (unintentional injuries) (E800-E869,E880-E929) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 34.4 | 35.9 | 18.4 | 12.3 | 10.4 | 25.0 | 32.9 | 32.9 | 31.8 | 39.0 | 45.4 |
| 1997 | 34.7 | 37.2 | 17.5 | 11.8 | 11.2 | 26.4 | 33.3 | 34.5 | 32.8 | 38.8 | 47.4 |
| 1996 | 35.2 | 37.6 | 20.2 | 12.0 | 10.8 | 28.4 | 37.7 | 33.1 | 35.0 | 38.9 | 44.9 |
| 1995 | 36.3 | 38.5 | 19.3 | 11.3 | 12.3 | 28.8 | 34.0 | 35.3 | 35.7 | 43.5 | 50.1 |
| 1994 | 37.0 | 42.5 | 24.8 | 13.4 | 13.1 | 29.4 | 36.8 | 32.8 | 38.2 | 42.0 | 49.5 |
| 1993 | 37.5 | 39.7 | 25.0 | 13.8 | 12.4 | 28.7 | 39.8 | 32.8 | 40.0 | 45.7 | 51.8 |
| 1992 | 35.5 | 37.5 | 22.4 | 13.6 | 12.1 | 27.8 | 34.2 | 32.6 | 37.3 | 43.3 | 43.1 |
| 1991 | 38.6 | 41.6 | 25.9 | 14.5 | 13.7 | 31.3 | 38.2 | 39.7 | 42.1 | 46.7 | 47.7 |
| 1990 | 39.4 | 44.3 | 25.3 | 14.6 | 13.1 | 29.5 | 38.4 | 41.2 | 45.2 | 45.6 | 44.5 |
| 1989 | 42.8 | 51.3 | 27.0 | 17.7 | 14.2 | 27.2 | 42.1 | 43.1 | 46.8 | 50.8 | 49.4 |
| 1988 | 43.8 | 47.2 | 30.2 | 18.4 | 15.2 | 29.5 | 43.3 | 43.7 | 49.2 | 51.0 | 51.2 |
| 1987 | 41.9 | 46.0 | 29.7 | 17.1 | 15.0 | 28.9 | 41.9 | 44.6 | 45.5 | 48.2 | 49.7 |
| 1986 | 41.9 | 47.0 | 29.1 | 18.8 | 15.4 | 28.1 | 41.1 | 45.9 | 48.3 | 47.3 | 44.1 |
| 1985 | 41.2 | 39.7 | 28.0 | 17.8 | 14.7 | 25.8 | 39.6 | 41.9 | 44.9 | 46.2 | 47.1 |
| 1984 | 40.0 | 40.0 | 29.1 | 17.7 | 14.9 | 24.5 | 40.2 | 40.6 | 45.9 | 44.7 | 43.9 |
| 1983 | 41.2 | 47.1 | 31.5 | 18.1 | 14.4 | 23.6 | 38.7 | 42.1 | 44.7 | 44.6 | 44.2 |
| 1982 | 41.0 | 49.4 | 32.2 | 20.2 | 14.0 | 25.5 | 39.6 | 42.7 | 47.2 | 47.7 | 44.2 |
| 1981 | 43.9 | 46.8 | 35.0 | 20.0 | 15.6 | 26.2 | 43.2 | 47.0 | 47.6 | 49.3 | 49.3 |
| 1980 | 49.3 | 56.7 | 37.0 | 22.4 | 16.4 | 30.3 | 48.7 | 50.7 | 52.9 | 50.6 | 53.8 |
| 1979 | 47.8 | 58.6 | 39.6 | 25.4 | 17.0 | 30.9 | 46.8 | 51.3 | 54.4 | 53.9 | 56.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidents (unintentional injuries) (E800-E869,E880-E929) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 50.5 | 37.7 | 21.4 | 15.2 | 15.6 | 38.9 | 52.0 | 54.9 | 51.6 | 58.7 | 69.1 |
| 1997 | 50.3 | 42.6 | 20.5 | 13.4 | 14.2 | 39.7 | 52.6 | 55.7 | 51.2 | 59.4 | 76.3 |
| 1996 | 51.5 | 41.2 | 23.6 | 14.7 | 15.3 | 41.5 | 59.7 | 52.5 | 54.0 | 58.0 | 71.2 |
| 1995 | 53.8 | 37.9 | 22.6 | 14.1 | 16.7 | 44.2 | 54.8 | 57.0 | 55.4 | 68.4 | 81.4 |
| 1994 | 54.7 | 44.6 | 29.1 | 16.5 | 18.0 | 45.8 | 58.3 | 51.9 | 59.7 | 65.5 | 81.9 |
| 1993 | 56.3 | 44.3 | 28.9 | 15.3 | 17.0 | 45.9 | 63.7 | 53.2 | 63.0 | 74.4 | 87.2 |
| 1992 | 52.9 | 35.0 | 24.5 | 17.0 | 17.4 | 43.4 | 55.2 | 52.2 | 59.2 | 70.3 | 70.8 |
| 1991 | 58.5 | 49.7 | 29.7 | 18.4 | 20.9 | 50.1 | 62.7 | 64.9 | 69.0 | 76.5 | 80.1 |
| 1990 | 59.4 | 48.1 | 29.7 | 17.8 | 18.7 | 45.5 | 63.7 | 66.1 | 75.1 | 78.0 | 75.1 |
| 1989 | 65.0 | 53.7 | 32.9 | 22.1 | 20.8 | 43.3 | 69.0 | 68.2 | 76.5 | 85.4 | 82.6 |
| 1988 | 66.7 | 53.2 | 36.1 | 23.0 | 20.5 | 46.3 | 70.8 | 71.0 | 79.1 | 85.6 | 85.6 |
| 1987 | 64.4 | 50.9 | 36.2 | 22.2 | 22.1 | 45.8 | 69.8 | 72.7 | 75.0 | 83.5 | 85.4 |
| 1986 | 64.4 | 50.4 | 32.5 | 23.0 | 22.8 | 44.5 | 68.9 | 77.5 | 80.6 | 84.2 | 74.0 |
| 1985 | 63.2 | 41.7 | 32.9 | 22.1 | 21.6 | 40.7 | 65.4 | 70.9 | 75.4 | 81.4 | 81.5 |
| 1984 | 61.6 | 44.6 | 34.6 | 24.0 | 21.8 | 38.4 | 66.4 | 68.5 | 77.3 | 78.2 | 75.2 |
| 1983 | 62.2 | 56.0 | 36.2 | 22.0 | 20.4 | 36.5 | 62.7 | 68.9 | 77.3 | 79.2 | 76.8 |
| 1982 | 63.3 | 55.7 | 37.7 | 24.5 | 19.7 | 39.5 | 67.2 | 71.0 | 83.2 | 81.5 | 77.9 |
| 1981 | 68.8 | 51.1 | 41.1 | 25.7 | 22.4 | 43.2 | 73.8 | 80.5 | 82.8 | 87.6 | 86.4 |
| 1980 | 75.6 | 63.2 | 43.1 | 30.1 | 23.2 | 48.8 | 83.8 | 86.9 | 92.8 | 90.4 | 92.2 |
| 1979 | 74.6 | 61.2 | 46.0 | 34.2 | 25.4 | 48.0 | 78.9 | 88.7 | 94.7 | 97.4 | 99.5 |
| Accidents (unintentional injuries) (E800-E869,E880-E929) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 19.8 | 34.1 | 15.2 | 9.2 | 5.1 | 10.7 | 14.8 | 13.0 | 14.1 | 21.7 | 24.5 |
| 1997 | 20.7 | 31.6 | 14.5 | 10.1 | 8.2 | 12.9 | 15.0 | 15.3 | 16.4 | 20.6 | 22.1 |
| 1996 | 20.6 | 34.0 | 16.7 | 9.2 | 6.1 | 15.1 | 16.7 | 15.6 | 18.0 | 22.1 | 22.1 |
| 1995 | 20.6 | 39.1 | 15.9 | 8.4 | 7.8 | 13.0 | 14.1 | 15.5 | 18.2 | 21.6 | 23.2 |
| 1994 | 21.1 | 40.4 | 20.4 | 10.2 | 8.0 | 12.7 | 16.1 | 15.4 | 19.1 | 21.3 | 21.7 |
| 1993 | 20.6 | 34.9 | 21.0 | 12.2 | 7.8 | 11.0 | 16.9 | 14.3 | 19.6 | 20.4 | 21.5 |
| 1992 | 19.8 | 40.0 | 20.3 | 10.2 | 6.7 | 11.8 | 14.0 | 14.7 | 18.0 | 19.7 | 19.2 |
| 1991 | 20.7 | 33.3 | 22.1 | 10.4 | 6.4 | 12.2 | 14.7 | 16.8 | 18.4 | 20.9 | 19.9 |
| 1990 | 21.4 | 40.5 | 20.7 | 11.3 | 7.3 | 13.2 | 14.2 | 18.7 | 19.0 | 17.6 | 18.3 |
| 1989 | 22.9 | 48.9 | 21.1 | 13.3 | 7.4 | 10.8 | 16.4 | 20.3 | 20.8 | 21.0 | 21.0 |
| 1988 | 23.1 | 40.9 | 24.2 | 13.6 | 9.8 | 12.5 | 17.3 | 19.0 | 23.0 | 21.3 | 21.9 |
| 1987 | 21.7 | 40.9 | 23.1 | 11.9 | 7.6 | 11.8 | 15.3 | 19.2 | 19.7 | 18.1 | 19.7 |
| 1986 | 21.7 | 43.6 | 25.6 | 14.6 | 7.8 | 11.6 | 14.7 | 17.4 | 20.2 | 15.9 | 18.9 |
| 1985 | 21.5 | 37.6 | 23.1 | 13.3 | 7.7 | 10.7 | 15.3 | 15.9 | 18.5 | 16.4 | 18.2 |
| 1984 | 20.6 | 35.4 | 23.5 | 11.3 | 7.8 | 10.6 | 15.7 | 15.7 | 18.7 | 16.6 | 17.6 |
| 1983 | 22.3 | 38.1 | 26.8 | 14.0 | 8.3 | 10.7 | 16.4 | 18.2 | 16.7 | 15.6 | 16.9 |
| 1982 | 20.9 | 43.0 | 26.6 | 15.7 | 8.1 | 11.5 | 14.0 | 17.4 | 16.1 | 19.4 | 16.1 |
| 1981 | 21.7 | 42.5 | 28.7 | 14.3 | 8.8 | 9.2 | 15.1 | 17.3 | 17.4 | 17.3 | 18.5 |
| 1980 | 25.7 | 50.0 | 30.8 | 14.7 | 9.5 | 12.0 | 16.5 | 18.9 | 18.8 | 17.5 | 22.1 |
| 1979 | 23.8 | 55.9 | 33.1 | 16.6 | 8.5 | 13.8 | 17.3 | 18.5 | 19.9 | 17.8 | 20.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Transport accidents (E800-E848,E929.0,E929.1) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 16.7 | 4.4 | 5.0 | 4.2 | 5.5 | 26.7 | 27.8 | 19.8 | 17.3 | 17.3 | 16.3 |
| 1997 | 17.0 | 4.5 | 5.1 | 4.4 | 6.0 | 27.6 | 28.9 | 21.1 | 17.9 | 16.8 | 16.2 |
| 1996 | 17.3 | 5.8 | 5.4 | 4.7 | 6.1 | 29.0 | 30.6 | 21.8 | 18.1 | 17.6 | 16.5 |
| 1995 | 17.4 | 4.7 | 5.4 | 4.9 | 6.4 | 29.0 | 30.9 | 22.4 | 19.0 | 17.5 | 16.2 |
| 1994 | 17.3 | 5.0 | 6.1 | 4.9 | 6.4 | 29.8 | 30.6 | 21.5 | 18.7 | 17.1 | 15.9 |
| 1993 | 17.2 | 5.0 | 5.8 | 5.0 | 6.2 | 29.2 | 30.6 | 22.0 | 19.7 | 17.1 | 15.6 |
| 1992 | 17.2 | 4.2 | 5.8 | 5.2 | 5.9 | 28.9 | 30.0 | 22.7 | 19.4 | 17.1 | 15.6 |
| 1991 | 18.4 | 4.3 | 6.1 | 5.4 | 6.6 | 32.1 | 34.4 | 24.6 | 20.8 | 17.8 | 15.9 |
| 1990 | 20.1 | 5.0 | 6.4 | 5.6 | 6.8 | 34.1 | 36.5 | 28.0 | 22.6 | 19.9 | 17.2 |
| 1989 | 20.6 | 5.7 | 7.0 | 6.6 | 7.3 | 35.4 | 36.2 | 28.2 | 22.7 | 19.4 | 18.6 |
| 1988 | 21.3 | 5.8 | 7.2 | 6.9 | 8.0 | 37.7 | 40.4 | 28.7 | 23.2 | 19.8 | 18.6 |
| 1987 | 21.3 | 5.6 | 7.1 | 6.8 | 8.2 | 37.6 | 39.6 | 29.6 | 22.9 | 20.5 | 18.1 |
| 1986 | 21.3 | 5.0 | 7.2 | 6.6 | 8.3 | 38.3 | 41.4 | 29.4 | 23.0 | 19.5 | 17.5 |
| 1985 | 20.8 | 5.0 | 7.5 | 6.7 | 8.0 | 34.8 | 39.6 | 28.0 | 22.0 | 19.6 | 19.0 |
| 1984 | 21.0 | 4.5 | 7.2 | 6.5 | 7.7 | 35.3 | 40.5 | 28.6 | 23.0 | 19.5 | 18.6 |
| 1983 | 20.6 | 5.3 | 7.7 | 6.8 | 7.4 | 34.3 | 38.5 | 28.6 | 22.6 | 19.9 | 18.3 |
| 1982 | 21.5 | 5.9 | 8.4 | 7.0 | 7.6 | 36.2 | 41.0 | 29.4 | 23.6 | 21.4 | 19.0 |
| 1981 | 24.1 | 6.2 | 8.0 | 7.8 | 8.3 | 40.1 | 45.8 | 34.9 | 27.0 | 23.6 | 21.2 |
| 1980 | 25.2 | 7.1 | 9.5 | 8.0 | 8.8 | 44.7 | 49.2 | 35.6 | 27.9 | 23.7 | 23.1 |
| 1979 | 25.7 | 6.6 | 10.1 | 9.2 | 9.0 | 46.3 | 49.2 | 35.7 | 27.3 | 24.9 | 22.8 |
| Transport accidents (E800-E848,E929.0,E929.1) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 23.0 | 4.6 | 5.4 | 4.9 | 6.8 | 34.5 | 41.7 | 29.4 | 25.0 | 24.3 | 23.0 |
| 1997 | 23.3 | 4.5 | 5.4 | 5.0 | 7.0 | 35.5 | 42.6 | 31.1 | 25.9 | 24.0 | 23.3 |
| 1996 | 23.9 | 5.7 | 5.9 | 5.2 | 7.4 | 37.9 | 45.9 | 31.8 | 25.9 | 25.0 | 23.8 |
| 1995 | 24.2 | 4.9 | 5.8 | 5.8 | 7.7 | 37.3 | 47.0 | 33.5 | 27.7 | 25.4 | 23.3 |
| 1994 | 24.3 | 4.9 | 6.7 | 6.0 | 7.9 | 39.7 | 45.6 | 32.1 | 27.8 | 25.0 | 23.3 |
| 1993 | 24.3 | 5.0 | 6.2 | 5.7 | 7.6 | 39.6 | 46.3 | 32.7 | 29.7 | 25.3 | 22.8 |
| 1992 | 24.5 | 4.6 | 6.5 | 6.4 | 7.6 | 38.3 | 45.3 | 34.1 | 29.6 | 25.1 | 22.9 |
| 1991 | 26.4 | 4.5 | 6.6 | 6.6 | 8.6 | 42.8 | 51.9 | 37.5 | 31.6 | 26.4 | 23.5 |
| 1990 | 28.9 | 5.0 | 7.0 | 6.8 | 8.3 | 47.0 | 56.0 | 42.7 | 34.7 | 30.0 | 25.3 |
| 1989 | 29.4 | 5.9 | 7.5 | 7.9 | 9.3 | 47.5 | 55.2 | 42.8 | 34.2 | 28.8 | 27.0 |
| 1988 | 31.0 | 6.2 | 7.6 | 8.4 | 10.2 | 51.9 | 62.3 | 44.3 | 35.2 | 30.3 | 27.6 |
| 1987 | 31.1 | 5.3 | 8.0 | 8.4 | 11.1 | 52.1 | 61.0 | 45.3 | 35.5 | 31.1 | 26.9 |
| 1986 | 31.6 | 5.0 | 8.1 | 8.3 | 10.8 | 54.0 | 64.6 | 46.3 | 35.9 | 30.1 | 26.3 |
| 1985 | 30.6 | 5.2 | 8.6 | 8.3 | 10.3 | 48.5 | 61.6 | 44.3 | 34.7 | 29.7 | 27.8 |
| 1984 | 31.2 | 4.4 | 8.4 | 8.1 | 9.7 | 50.0 | 63.0 | 45.2 | 35.8 | 29.5 | 28.0 |
| 1983 | 30.8 | 5.5 | 8.9 | 8.6 | 9.6 | 49.1 | 60.2 | 45.5 | 35.5 | 31.1 | 27.3 |
| 1982 | 32.4 | 6.2 | 9.3 | 8.4 | 9.8 | 52.9 | 65.0 | 46.8 | 37.4 | 33.5 | 29.4 |
| 1981 | 36.6 | 6.3 | 8.7 | 9.9 | 11.1 | 57.9 | 72.5 | 56.1 | 43.1 | 37.2 | 32.8 |
| 1980 | 38.3 | 7.5 | 10.6 | 9.9 | 11.5 | 65.2 | 78.7 | 57.1 | 44.8 | 37.2 | 35.3 |
| 1979 | 39.3 | 7.0 | 10.7 | 11.5 | 11.8 | 67.8 | 79.0 | 57.5 | 44.1 | 39.2 | 34.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Transport accidents (E800-E848,E929.0,E929.1) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 10.6 | 4.1 | 4.6 | 3.6 | 4.2 | 18.5 | 13.3 | 10.1 | 9.6 | 10.3 | 9.8 |
| 1997 | 10.9 | 4.4 | 4.7 | 3.7 | 5.1 | 19.4 | 14.7 | 10.9 | 9.8 | 9.7 | 9.3 |
| 1996 | 11.0 | 5.9 | 4.9 | 4.1 | 4.7 | 19.5 | 14.8 | 11.6 | 10.2 | 10.3 | 9.4 |
| 1995 | 10.8 | 4.5 | 4.9 | 3.9 | 5.1 | 20.1 | 14.3 | 11.1 | 10.1 | 9.7 | 9.2 |
| 1994 | 10.7 | 5.1 | 5.6 | 3.8 | 5.0 | 19.3 | 15.1 | 10.9 | 9.6 | 9.3 | 8.7 |
| 1993 | 10.4 | 5.0 | 5.4 | 4.2 | 4.8 | 18.3 | 14.3 | 11.2 | 9.8 | 8.9 | 8.6 |
| 1992 | 10.3 | 3.7 | 5.1 | 3.9 | 4.1 | 19.0 | 14.2 | 11.1 | 9.2 | 9.2 | 8.4 |
| 1991 | 10.9 | 4.2 | 5.7 | 4.1 | 4.5 | 20.9 | 16.3 | 11.7 | 10.1 | 9.3 | 8.5 |
| 1990 | 11.7 | 5.0 | 5.8 | 4.4 | 5.3 | 20.5 | 16.3 | 13.2 | 10.7 | 10.0 | 9.3 |
| 1989 | 12.2 | 5.5 | 6.6 | 5.2 | 5.3 | 22.8 | 16.7 | 13.5 | 11.4 | 10.2 | 10.4 |
| 1988 | 12.2 | 5.3 | 6.7 | 5.3 | 5.8 | 22.7 | 17.9 | 13.1 | 11.2 | 9.6 | 10.0 |
| 1987 | 12.0 | 5.9 | 6.3 | 5.1 | 5.2 | 22.4 | 17.8 | 13.8 | 10.5 | 10.2 | 9.5 |
| 1986 | 11.6 | 4.9 | 6.4 | 4.8 | 5.7 | 22.1 | 17.8 | 12.4 | 10.2 | 9.3 | 9.0 |
| 1985 | 11.5 | 4.7 | 6.2 | 5.1 | 5.6 | 20.6 | 17.3 | 11.7 | 9.5 | 9.7 | 10.4 |
| 1984 | 11.4 | 4.7 | 5.9 | 4.8 | 5.6 | 19.9 | 17.6 | 11.9 | 10.5 | 9.8 | 9.4 |
| 1983 | 10.9 | 5.2 | 6.4 | 4.8 | 5.0 | 18.9 | 16.7 | 11.7 | 9.9 | 9.0 | 9.6 |
| 1982 | 11.1 | 5.6 | 7.5 | 5.5 | 5.3 | 19.0 | 16.8 | 12.0 | 10.0 | 9.6 | 9.1 |
| 1981 | 12.2 | 6.1 | 7.3 | 5.5 | 5.4 | 21.7 | 19.0 | 13.8 | 11.2 | 10.5 | 10.1 |
| 1980 | 12.8 | 6.8 | 8.4 | 6.1 | 6.1 | 23.5 | 19.8 | 14.4 | 11.4 | 10.6 | 11.5 |
| 1979 | 12.9 | 6.2 | 9.4 | 6.7 | 6.0 | 24.0 | 19.3 | 14.2 | 10.9 | 11.1 | 11.4 |
| Transport accidents (E800-E848,E929.0,E929.1) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 17.0 | 4.0 | 4.5 | 3.8 | 5.6 | 29.2 | 29.1 | 19.6 | 17.3 | 17.3 | 16.1 |
| 1997 | 17.1 | 4.1 | 4.6 | 4.1 | 6.1 | 29.7 | 30.5 | 20.7 | 17.8 | 16.7 | 15.9 |
| 1996 | 17.6 | 5.6 | 5.0 | 4.4 | 6.4 | 31.2 | 31.5 | 21.9 | 17.8 | 17.6 | 16.6 |
| 1995 | 17.6 | 4.4 | 5.0 | 4.7 | 6.5 | 31.2 | 32.3 | 22.4 | 19.0 | 17.3 | 15.9 |
| 1994 | 17.6 | 4.2 | 5.6 | 4.6 | 6.6 | 32.3 | 31.7 | 22.0 | 18.7 | 17.0 | 16.0 |
| 1993 | 17.4 | 4.6 | 5.3 | 4.7 | 6.2 | 31.9 | 31.5 | 22.6 | 20.0 | 17.0 | 15.2 |
| 1992 | 17.4 | 3.7 | 5.4 | 4.8 | 6.0 | 31.4 | 31.5 | 23.3 | 19.4 | 16.8 | 15.2 |
| 1991 | 18.7 | 3.8 | 5.9 | 5.1 | 6.6 | 35.0 | 36.4 | 24.9 | 20.8 | 17.5 | 15.4 |
| 1990 | 20.3 | 4.8 | 5.8 | 5.3 | 7.0 | 37.2 | 38.4 | 28.4 | 22.6 | 19.6 | 16.7 |
| 1989 | 20.8 | 5.1 | 6.7 | 6.3 | 7.6 | 39.3 | 37.7 | 28.8 | 22.7 | 18.9 | 18.1 |
| 1988 | 21.6 | 5.8 | 6.8 | 6.6 | 8.2 | 41.5 | 42.3 | 29.3 | 23.1 | 19.5 | 18.1 |
| 1987 | 21.7 | 5.4 | 6.9 | 6.6 | 8.6 | 41.6 | 41.7 | 30.0 | 23.1 | 20.4 | 17.4 |
| 1986 | 21.7 | 4.5 | 6.8 | 6.0 | 8.7 | 42.7 | 43.9 | 29.8 | 22.8 | 19.0 | 17.2 |
| 1985 | 21.2 | 4.3 | 7.1 | 6.4 | 8.4 | 38.7 | 41.8 | 28.5 | 21.8 | 19.3 | 18.7 |
| 1984 | 21.6 | 4.3 | 6.8 | 6.3 | 8.2 | 39.3 | 43.0 | 29.4 | 23.3 | 19.4 | 18.2 |
| 1983 | 21.1 | 5.4 | 7.4 | 6.4 | 7.8 | 38.4 | 40.8 | 29.6 | 22.8 | 19.8 | 18.0 |
| 1982 | 22.0 | 5.7 | 8.1 | 6.6 | 8.0 | 40.2 | 43.7 | 30.3 | 23.7 | 21.3 | 18.8 |
| 1981 | 24.8 | 6.3 | 7.8 | 7.4 | 8.8 | 44.9 | 48.9 | 36.3 | 27.4 | 23.7 | 20.8 |
| 1980 | 25.9 | 7.1 | 9.0 | 7.6 | 9.1 | 49.5 | 52.4 | 36.5 | 27.9 | 23.5 | 22.7 |
| 1979 | 26.4 | 6.9 | 9.6 | 8.7 | 9.5 | 51.2 | 52.3 | 36.7 | 27.2 | 24.5 | 22.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Transport accidents (E800-E848,E929.0,E929.1) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 23.1 | 4.7 | 4.8 | 4.3 | 6.6 | 36.9 | 43.8 | 28.5 | 24.6 | 24.0 | 22.5 |
| 1997 | 23.4 | 3.9 | 4.8 | 4.8 | 7.0 | 37.4 | 44.6 | 30.3 | 25.5 | 23.6 | 22.7 |
| 1996 | 24.0 | 5.3 | 5.4 | 4.8 | 7.6 | 40.3 | 47.0 | 31.5 | 25.3 | 24.9 | 23.7 |
| 1995 | 24.3 | 4.3 | 5.3 | 5.6 | 7.8 | 39.7 | 48.8 | 33.1 | 27.6 | 24.8 | 22.6 |
| 1994 | 24.4 | 4.4 | 6.1 | 5.6 | 8.0 | 42.5 | 47.0 | 32.6 | 27.9 | 24.8 | 23.0 |
| 1993 | 24.4 | 4.5 | 5.6 | 5.5 | 7.6 | 42.6 | 47.6 | 33.3 | 30.0 | 25.0 | 21.9 |
| 1992 | 24.6 | 4.4 | 6.4 | 5.9 | 7.5 | 40.9 | 47.1 | 34.7 | 29.5 | 24.5 | 22.3 |
| 1991 | 26.5 | 4.0 | 6.1 | 6.3 | 8.5 | 46.0 | 54.6 | 37.4 | 31.3 | 25.6 | 22.4 |
| 1990 | 29.0 | 4.9 | 6.2 | 6.3 | 8.4 | 50.9 | 58.4 | 43.0 | 34.2 | 29.2 | 24.2 |
| 1989 | 29.4 | 5.2 | 7.1 | 7.5 | 9.5 | 51.8 | 56.8 | 43.4 | 33.9 | 27.6 | 25.9 |
| 1988 | 31.1 | 6.1 | 7.3 | 8.1 | 10.4 | 56.8 | 64.8 | 44.6 | 35.0 | 29.3 | 26.6 |
| 1987 | 31.4 | 4.7 | 7.6 | 8.1 | 11.5 | 57.1 | 63.5 | 45.4 | 35.6 | 30.5 | 25.4 |
| 1986 | 31.8 | 4.2 | 7.3 | 7.6 | 11.1 | 59.6 | 67.9 | 46.6 | 35.2 | 28.9 | 25.6 |
| 1985 | 30.9 | 4.7 | 8.0 | 7.9 | 10.7 | 53.5 | 64.6 | 44.7 | 34.2 | 28.8 | 27.1 |
| 1984 | 31.8 | 4.1 | 8.0 | 7.7 | 10.3 | 55.4 | 66.3 | 46.1 | 35.7 | 28.8 | 26.8 |
| 1983 | 31.4 | 5.9 | 8.6 | 8.2 | 10.0 | 54.9 | 63.4 | 46.5 | 35.3 | 30.5 | 26.4 |
| 1982 | 33.2 | 6.0 | 8.8 | 8.0 | 10.3 | 58.7 | 68.9 | 48.1 | 37.2 | 33.1 | 28.6 |
| 1981 | 37.6 | 6.0 | 8.4 | 9.5 | 11.8 | 64.6 | 76.9 | 57.9 | 43.3 | 36.8 | 31.6 |
| 1980 | 39.0 | 7.2 | 9.9 | 9.2 | 11.9 | 71.8 | 83.0 | 58.3 | 44.5 | 36.3 | 34.2 |
| 1979 | 40.0 | 7.5 | 10.0 | 10.7 | 12.3 | 74.9 | 83.4 | 58.4 | 43.4 | 37.8 | 33.3 |
| Transport accidents (E800-E848,E929.0,E929.1) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 11.0 | 3.4 | 4.2 | 3.3 | 4.5 | 20.9 | 13.5 | 10.3 | 9.8 | 10.5 | 9.6 |
| 1997 | 11.1 | 4.4 | 4.3 | 3.3 | 5.1 | 21.5 | 15.4 | 10.7 | 9.9 | 9.6 | 9.1 |
| 1996 | 11.3 | 5.9 | 4.5 | 4.1 | 5.2 | 21.5 | 15.1 | 12.0 | 10.0 | 10.2 | 9.5 |
| 1995 | 11.1 | 4.6 | 4.7 | 3.7 | 5.3 | 22.2 | 14.9 | 11.3 | 10.1 | 9.6 | 9.2 |
| 1994 | 10.9 | 4.1 | 5.1 | 3.5 | 5.1 | 21.4 | 15.6 | 11.1 | 9.3 | 9.1 | 8.9 |
| 1993 | 10.7 | 4.6 | 5.0 | 3.7 | 4.8 | 20.5 | 14.6 | 11.5 | 9.7 | 8.9 | 8.5 |
| 1992 | 10.5 | 2.9 | 4.4 | 3.6 | 4.4 | 21.3 | 15.1 | 11.5 | 9.1 | 9.1 | 8.2 |
| 1991 | 11.2 | 3.6 | 5.7 | 3.9 | 4.7 | 23.4 | 17.4 | 11.9 | 10.1 | 9.3 | 8.3 |
| 1990 | 12.0 | 4.7 | 5.3 | 4.3 | 5.6 | 22.8 | 17.5 | 13.4 | 10.8 | 10.0 | 9.2 |
| 1989 | 12.6 | 5.0 | 6.3 | 5.0 | 5.7 | 26.0 | 17.6 | 13.8 | 11.4 | 10.1 | 10.3 |
| 1988 | 12.6 | 5.5 | 6.4 | 5.0 | 5.9 | 25.3 | 19.0 | 13.6 | 11.1 | 9.6 | 9.8 |
| 1987 | 12.5 | 6.1 | 6.1 | 5.0 | 5.5 | 25.4 | 19.0 | 14.2 | 10.5 | 10.3 | 9.5 |
| 1986 | 12.0 | 4.7 | 6.3 | 4.3 | 6.2 | 25.0 | 19.0 | 12.5 | 10.2 | 9.2 | 8.9 |
| 1985 | 11.9 | 4.0 | 6.1 | 4.9 | 6.0 | 23.2 | 18.5 | 12.0 | 9.3 | 9.8 | 10.4 |
| 1984 | 11.9 | 4.5 | 5.6 | 4.9 | 6.0 | 22.5 | 19.0 | 12.4 | 10.7 | 10.0 | 9.7 |
| 1983 | 11.3 | 5.0 | 6.2 | 4.5 | 5.4 | 21.3 | 17.7 | 12.3 | 10.3 | 9.2 | 9.7 |
| 1982 | 11.5 | 5.5 | 7.3 | 5.1 | 5.6 | 21.0 | 18.0 | 12.3 | 10.2 | 9.7 | 9.1 |
| 1981 | 12.7 | 6.5 | 7.1 | 5.2 | 5.6 | 24.5 | 20.4 | 14.4 | 11.5 | 10.9 | 10.2 |
| 1980 | 13.4 | 7.1 | 8.1 | 6.0 | 6.2 | 26.4 | 21.4 | 14.6 | 11.4 | 10.9 | 11.5 |
| 1979 | 13.4 | 6.3 | 9.2 | 6.5 | 6.5 | 26.5 | 20.7 | 14.8 | 11.1 | 11.3 | 11.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Transport accidents (E800-E848,E929.0,E929.1) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 15.6 | 5.5 | 6.7 | 5.7 | 5.4 | 17.5 | 22.8 | 20.6 | 17.5 | 17.1 | 17.4 |
| 1997 | 16.2 | 5.7 | 6.8 | 5.4 | 5.8 | 19.8 | 23.2 | 22.7 | 18.3 | 17.2 | 17.9 |
| 1996 | 16.1 | 6.5 | 7.0 | 5.5 | 4.9 | 20.6 | 27.3 | 21.0 | 19.4 | 17.7 | 16.4 |
| 1995 | 16.3 | 5.9 | 6.5 | 5.7 | 6.0 | 20.3 | 25.6 | 22.5 | 18.8 | 18.7 | 17.6 |
| 1994 | 16.3 | 7.9 | 8.1 | 6.3 | 5.8 | 20.0 | 26.4 | 19.4 | 18.5 | 17.6 | 15.8 |
| 1993 | 16.2 | 6.5 | 7.8 | 6.2 | 6.2 | 18.8 | 26.7 | 19.6 | 18.6 | 17.6 | 17.8 |
| 1992 | 16.2 | 5.9 | 7.2 | 6.8 | 5.7 | 19.2 | 23.9 | 19.8 | 19.5 | 18.6 | 17.3 |
| 1991 | 17.1 | 6.5 | 7.1 | 6.5 | 6.5 | 20.5 | 25.7 | 23.6 | 21.0 | 19.5 | 19.2 |
| 1990 | 18.9 | 5.9 | 8.8 | 6.9 | 6.1 | 21.3 | 28.0 | 26.1 | 23.0 | 21.7 | 20.1 |
| 1989 | 19.0 | 8.0 | 8.4 | 7.8 | 6.0 | 19.5 | 29.8 | 25.7 | 22.8 | 22.5 | 21.5 |
| 1988 | 19.6 | 5.7 | 8.6 | 8.1 | 7.2 | 21.5 | 31.4 | 26.1 | 23.3 | 21.6 | 21.9 |
| 1987 | 19.1 | 6.7 | 8.4 | 8.0 | 6.7 | 20.0 | 30.0 | 27.4 | 22.2 | 21.1 | 22.3 |
| 1986 | 19.3 | 7.1 | 9.2 | 8.9 | 6.6 | 18.8 | 29.5 | 27.5 | 24.2 | 22.7 | 19.4 |
| 1985 | 18.4 | 7.7 | 9.2 | 7.9 | 6.4 | 17.4 | 28.7 | 25.3 | 22.9 | 21.5 | 20.9 |
| 1984 | 17.8 | 5.6 | 9.0 | 7.4 | 5.6 | 16.8 | 27.7 | 24.0 | 21.8 | 20.6 | 21.1 |
| 1983 | 17.4 | 4.9 | 9.1 | 8.4 | 5.5 | 15.0 | 26.8 | 23.2 | 21.5 | 20.3 | 20.2 |
| 1982 | 17.9 | 6.4 | 9.8 | 8.8 | 5.8 | 17.2 | 26.2 | 24.2 | 22.7 | 21.7 | 20.6 |
| 1981 | 19.3 | 6.0 | 9.3 | 9.3 | 6.1 | 16.6 | 28.8 | 26.7 | 24.7 | 23.1 | 23.8 |
| 1980 | 21.4 | 7.1 | 11.9 | 10.0 | 7.4 | 20.0 | 31.4 | 30.4 | 27.8 | 24.4 | 25.8 |
| 1979 | 21.7 | 5.0 | 12.2 | 11.5 | 6.5 | 20.8 | 31.6 | 29.9 | 27.8 | 27.8 | 26.1 |
| Transport accidents (E800-E848,E929.0,E929.1) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 22.5 | * | 7.4 | 6.9 | 7.6 | 25.3 | 33.5 | 32.9 | 26.8 | 25.3 | 25.3 |
| 1997 | 22.9 | 6.8 | 7.4 | 5.6 | 6.7 | 27.8 | 34.5 | 34.7 | 27.9 | 25.6 | 26.7 |
| 1996 | 23.2 | 7.1 | 7.6 | 6.6 | 6.7 | 28.6 | 41.6 | 33.0 | 28.7 | 25.8 | 24.5 |
| 1995 | 24.0 | 7.5 | 7.4 | 6.8 | 7.4 | 28.1 | 39.8 | 35.4 | 28.2 | 28.7 | 27.1 |
| 1994 | 23.6 | 7.0 | 9.0 | 7.6 | 7.2 | 28.8 | 39.9 | 29.7 | 27.0 | 26.0 | 24.9 |
| 1993 | 23.8 | 6.9 | 8.8 | 6.6 | 7.7 | 27.4 | 40.4 | 29.9 | 28.3 | 27.2 | 28.2 |
| 1992 | 24.1 | 5.4 | 6.6 | 8.4 | 8.1 | 27.8 | 37.4 | 30.9 | 30.1 | 28.9 | 26.4 |
| 1991 | 25.8 | 6.4 | 8.5 | 8.0 | 9.2 | 29.6 | 40.0 | 37.6 | 33.3 | 30.7 | 30.3 |
| 1990 | 28.6 | 5.5 | 10.1 | 8.9 | 7.9 | 30.9 | 44.8 | 41.3 | 37.6 | 34.9 | 32.0 |
| 1989 | 29.0 | 8.4 | 9.1 | 9.7 | 8.4 | 29.1 | 47.3 | 40.1 | 35.3 | 36.1 | 34.1 |
| 1988 | 30.0 | 6.9 | 9.2 | 9.7 | 9.2 | 30.9 | 50.2 | 42.5 | 36.0 | 35.9 | 34.1 |
| 1987 | 29.6 | 7.9 | 9.7 | 10.0 | 9.5 | 30.3 | 48.4 | 44.5 | 35.0 | 34.5 | 36.9 |
| 1986 | 30.1 | 8.5 | 11.2 | 11.0 | 9.5 | 28.3 | 47.8 | 45.0 | 39.7 | 37.8 | 31.0 |
| 1985 | 28.6 | 7.5 | 11.4 | 9.8 | 8.9 | 25.9 | 46.3 | 41.8 | 37.5 | 35.9 | 32.6 |
| 1984 | 28.1 | * | 10.5 | 10.0 | 7.1 | 25.1 | 45.5 | 40.1 | 36.1 | 34.3 | 36.4 |
| 1983 | 27.3 | * | 10.7 | 10.6 | 7.8 | 21.7 | 42.8 | 39.4 | 36.8 | 34.9 | 33.7 |
| 1982 | 28.2 | 7.1 | 11.2 | 10.5 | 7.6 | 25.0 | 43.0 | 39.2 | 38.4 | 36.3 | 34.3 |
| 1981 | 30.8 | 7.6 | 10.1 | 11.7 | 7.8 | 25.1 | 47.4 | 45.0 | 41.8 | 40.0 | 40.7 |
| 1980 | 34.2 | 8.8 | 14.0 | 13.3 | 9.4 | 31.1 | 53.1 | 49.7 | 47.0 | 43.0 | 42.8 |
| 1979 | 34.8 | * | 14.2 | 14.9 | 9.3 | 30.2 | 52.9 | 52.1 | 48.7 | 49.0 | 44.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Transport accidents (E800-E848,E929.0,E929.1) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 9.2 | 6.6 | 6.0 | 4.5 | 3.1 | 9.5 | 12.5 | 9.3 | 9.0 | 9.7 | 10.4 |
| 1997 | 10.0 | * | 6.2 | 5.1 | 5.0 | 11.6 | 12.1 | 11.7 | 9.5 | 9.8 | 10.0 |
| 1996 | 9.6 | 5.8 | 6.3 | 4.4 | 3.0 | 12.4 | 13.5 | 10.0 | 11.0 | 10.4 | 9.3 |
| 1995 | 9.3 | * | 5.7 | 4.5 | 4.6 | 12.2 | 11.7 | 10.6 | 10.2 | 9.7 | 9.4 |
| 1994 | 9.7 | 8.7 | 7.2 | 4.9 | 4.4 | 11.0 | 13.2 | 9.9 | 10.9 | 10.1 | 7.9 |
| 1993 | 9.2 | 6.1 | 6.8 | 5.9 | 4.7 | 9.9 | 13.3 | 10.1 | 9.9 | 9.0 | 8.8 |
| 1992 | 9.1 | 6.3 | 7.9 | 5.1 | 3.2 | 10.3 | 10.6 | 9.4 | 10.0 | 9.5 | 9.5 |
| 1991 | 9.2 | 6.6 | 5.7 | 4.9 | 3.6 | 11.1 | 11.7 | 10.5 | 10.0 | 9.6 | 9.6 |
| 1990 | 10.0 | 6.2 | 7.5 | 4.8 | 4.3 | 11.3 | 11.5 | 12.0 | 10.0 | 10.1 | 9.8 |
| 1989 | 9.9 | 7.6 | 7.7 | 5.9 | 3.6 | 9.6 | 12.8 | 12.4 | 11.7 | 10.6 | 10.6 |
| 1988 | 10.0 | * | 7.9 | 6.5 | 5.2 | 11.7 | 13.0 | 10.9 | 11.9 | 9.2 | 11.4 |
| 1987 | 9.5 | * | 7.0 | 5.9 | 3.8 | 9.5 | 12.1 | 11.7 | 10.9 | 9.5 | 9.7 |
| 1986 | 9.4 | 5.8 | 7.0 | 6.7 | 3.6 | 9.1 | 11.8 | 11.6 | 10.6 | 9.8 | 9.4 |
| 1985 | 9.1 | 8.0 | 7.0 | 6.0 | 3.9 | 8.8 | 11.7 | 10.4 | 10.1 | 9.2 | 10.7 |
| 1984 | 8.4 | * | 7.4 | 4.6 | 4.1 | 8.4 | 10.6 | 9.6 | 9.3 | 8.9 | 8.0 |
| 1983 | 8.4 | 6.0 | 7.5 | 6.2 | 3.2 | 8.2 | 11.6 | 8.6 | 8.2 | 7.8 | 8.6 |
| 1982 | 8.6 | * | 8.3 | 6.9 | 3.9 | 9.2 | 10.4 | 10.8 | 9.1 | 9.4 | 8.8 |
| 1981 | 8.9 | * | 8.5 | 6.9 | 4.3 | 8.0 | 11.5 | 10.5 | 9.9 | 8.7 | 9.3 |
| 1980 | 9.7 | * | 9.9 | 6.7 | 5.3 | 8.9 | 11.3 | 13.4 | 11.3 | 8.7 | 11.4 |
| 1979 | 9.9 | * | 10.2 | 8.0 | 3.6 | 11.2 | 11.9 | 10.5 | 10.0 | 10.1 | 10.7 |
| Transport accidents (E800-E848,E929.0,E929.1) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 16.7 | 6.9 | 7.5 | 6.4 | 5.5 | 17.9 | 23.9 | 23.5 | 18.7 | 19.6 | 19.0 |
| 1997 | 17.0 | 6.3 | 7.2 | 5.9 | 6.2 | 19.9 | 24.7 | 24.6 | 19.7 | 19.0 | 19.6 |
| 1996 | 16.9 | 7.3 | 7.2 | 6.0 | 5.0 | 20.8 | 29.1 | 22.7 | 20.8 | 18.8 | 18.2 |
| 1995 | 16.9 | 6.7 | 7.0 | 6.1 | 6.1 | 20.1 | 25.6 | 23.8 | 20.2 | 20.5 | 19.9 |
| 1994 | 17.0 | 9.1 | 8.6 | 6.9 | 6.4 | 20.4 | 27.1 | 20.8 | 19.6 | 18.7 | 17.6 |
| 1993 | 16.9 | 6.8 | 8.2 | 6.7 | 6.6 | 18.1 | 27.9 | 20.6 | 20.2 | 19.3 | 20.2 |
| 1992 | 16.7 | 6.6 | 7.7 | 7.2 | 6.2 | 18.0 | 24.7 | 20.1 | 20.6 | 20.2 | 19.2 |
| 1991 | 17.6 | 6.6 | 7.7 | 7.2 | 6.8 | 20.1 | 26.6 | 24.3 | 22.0 | 20.7 | 21.3 |
| 1990 | 19.2 | 6.3 | 9.0 | 7.0 | 6.2 | 19.8 | 27.7 | 26.7 | 24.8 | 23.7 | 21.1 |
| 1989 | 19.6 | 7.9 | 7.8 | 8.7 | 6.0 | 18.0 | 30.2 | 26.6 | 24.6 | 23.8 | 23.8 |
| 1988 | 20.0 | 6.6 | 8.6 | 8.9 | 7.4 | 20.2 | 30.0 | 26.4 | 25.1 | 23.7 | 23.9 |
| 1987 | 19.2 | 7.0 | 9.0 | 8.6 | 6.4 | 18.6 | 28.7 | 28.4 | 23.1 | 22.1 | 23.8 |
| 1986 | 19.3 | 6.8 | 9.0 | 9.0 | 6.3 | 17.7 | 28.1 | 27.7 | 25.9 | 23.9 | 20.4 |
| 1985 | 18.3 | 7.1 | 9.0 | 7.8 | 6.6 | 15.7 | 27.4 | 24.5 | 23.9 | 23.1 | 21.6 |
| 1984 | 17.9 | 5.7 | 8.7 | 7.9 | 6.0 | 14.7 | 27.1 | 24.4 | 23.5 | 21.9 | 22.4 |
| 1983 | 17.2 | 4.4 | 9.6 | 8.4 | 5.4 | 13.5 | 24.7 | 22.7 | 22.1 | 21.3 | 21.3 |
| 1982 | 17.7 | 5.3 | 9.9 | 9.7 | 5.8 | 15.2 | 24.6 | 24.3 | 24.2 | 22.8 | 21.2 |
| 1981 | 18.9 | 5.2 | 9.4 | 9.6 | 6.0 | 14.0 | 27.3 | 26.2 | 25.1 | 23.9 | 23.5 |
| 1980 | 20.5 | 6.7 | 11.7 | 10.3 | 6.8 | 16.7 | 29.0 | 29.2 | 28.5 | 24.6 | 25.8 |
| 1979 | 20.8 | 4.9 | 11.5 | 11.9 | 6.2 | 17.8 | 28.2 | 28.6 | 28.6 | 26.6 | 25.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Transport accidents (E800-E848,E929.0,E929.1) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 24.9 | * | 8.6 | 8.0 | 7.9 | 26.9 | 36.4 | 39.5 | 30.1 | 29.2 | 27.8 |
| 1997 | 24.9 | 7.4 | 8.5 | 6.2 | 7.5 | 29.1 | 38.0 | 38.2 | 30.4 | 28.6 | 30.9 |
| 1996 | 25.2 | 7.3 | 8.1 | 7.2 | 7.0 | 29.0 | 44.9 | 35.7 | 32.0 | 28.2 | 28.7 |
| 1995 | 25.6 | 8.7 | 7.8 | 7.4 | 8.0 | 29.2 | 41.2 | 38.6 | 30.6 | 32.3 | 31.7 |
| 1994 | 25.2 | 8.0 | 9.8 | 8.4 | 7.9 | 30.2 | 41.9 | 32.1 | 29.6 | 28.3 | 28.8 |
| 1993 | 25.9 | 7.5 | 9.3 | 7.2 | 8.4 | 27.6 | 43.4 | 33.1 | 32.0 | 30.6 | 33.3 |
| 1992 | 25.4 | * | 6.8 | 8.8 | 8.8 | 26.7 | 40.0 | 31.8 | 32.6 | 32.2 | 29.7 |
| 1991 | 27.2 | * | 9.0 | 8.6 | 9.9 | 30.5 | 42.7 | 39.1 | 35.4 | 33.9 | 34.7 |
| 1990 | 29.9 | * | 10.1 | 9.1 | 8.3 | 29.6 | 45.9 | 42.8 | 41.2 | 39.2 | 34.5 |
| 1989 | 30.8 | 7.6 | 9.2 | 10.7 | 8.9 | 27.8 | 48.7 | 41.9 | 39.3 | 40.2 | 38.6 |
| 1988 | 31.4 | 7.7 | 9.6 | 11.0 | 9.9 | 30.2 | 49.0 | 43.1 | 39.7 | 40.3 | 38.9 |
| 1987 | 30.4 | 8.4 | 10.3 | 11.0 | 9.1 | 28.6 | 47.3 | 47.1 | 36.5 | 37.2 | 39.9 |
| 1986 | 31.0 | 8.2 | 11.1 | 11.3 | 9.3 | 27.0 | 46.7 | 46.3 | 43.6 | 41.8 | 33.7 |
| 1985 | 29.1 | * | 11.2 | 9.7 | 9.7 | 23.7 | 44.8 | 41.6 | 40.1 | 39.9 | 35.0 |
| 1984 | 29.0 | * | 10.3 | 10.5 | 8.0 | 22.2 | 45.5 | 41.1 | 39.9 | 37.1 | 39.4 |
| 1983 | 27.5 | * | 11.2 | 10.4 | 7.7 | 19.8 | 40.1 | 39.1 | 39.3 | 38.0 | 37.0 |
| 1982 | 28.6 | * | 11.8 | 11.5 | 7.5 | 22.5 | 42.3 | 40.0 | 42.2 | 39.6 | 37.9 |
| 1981 | 31.0 | * | 10.1 | 12.3 | 7.8 | 21.9 | 46.3 | 46.0 | 44.8 | 43.6 | 41.5 |
| 1980 | 33.8 | 7.8 | 14.0 | 13.9 | 9.2 | 26.4 | 50.0 | 49.2 | 49.4 | 44.8 | 45.5 |
| 1979 | 33.9 | * | 13.2 | 15.6 | 9.0 | 26.6 | 47.8 | 50.1 | 51.0 | 49.1 | 44.5 |
| Transport accidents (E800-E848,E929.0,E929.1) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 9.2 | 8.9 | 6.4 | 4.7 | 3.0 | 8.6 | 12.1 | 9.0 | 8.6 | 11.1 | 11.3 |
| 1997 | 9.8 | * | 5.9 | 5.5 | 4.8 | 10.6 | 12.0 | 12.3 | 10.1 | 10.6 | 9.8 |
| 1996 | 9.5 | 7.4 | 6.3 | 4.8 | 3.0 | 12.5 | 14.1 | 11.0 | 10.8 | 10.4 | 9.2 |
| 1995 | 9.0 | * | 6.1 | 4.7 | 4.2 | 10.8 | 10.6 | 10.4 | 10.9 | 10.2 | 9.6 |
| 1994 | 9.7 | 10.2 | 7.3 | 5.4 | 4.8 | 10.4 | 13.0 | 10.6 | 10.7 | 10.2 | 8.0 |
| 1993 | 8.7 | * | 7.1 | 6.2 | 4.8 | 8.5 | 13.0 | 9.2 | 9.8 | 9.4 | 8.9 |
| 1992 | 8.9 | 8.3 | 8.6 | 5.6 | 3.5 | 9.2 | 10.0 | 9.5 | 9.9 | 9.7 | 10.2 |
| 1991 | 9.0 | 7.6 | 6.3 | 5.7 | 3.7 | 9.4 | 11.2 | 10.9 | 10.3 | 9.3 | 9.8 |
| 1990 | 9.6 | 7.0 | 7.8 | 4.9 | 4.0 | 9.8 | 10.3 | 12.1 | 10.4 | 10.3 | 9.7 |
| 1989 | 9.5 | 8.1 | 6.4 | 6.6 | 3.0 | 8.0 | 12.5 | 12.9 | 11.7 | 9.6 | 11.2 |
| 1988 | 9.7 | * | 7.5 | 6.8 | 5.0 | 10.1 | 11.9 | 11.2 | 12.3 | 9.4 | 11.2 |
| 1987 | 9.1 | * | 7.6 | 6.2 | 3.7 | 8.4 | 11.1 | 11.4 | 11.3 | 9.2 | 10.1 |
| 1986 | 8.8 | * | 6.9 | 6.6 | 3.3 | 8.3 | 10.5 | 11.0 | 10.5 | 8.7 | 9.1 |
| 1985 | 8.6 | 8.1 | 6.9 | 5.9 | 3.4 | 7.6 | 11.1 | 9.1 | 9.8 | 8.8 | 10.3 |
| 1984 | 8.0 | * | 7.1 | 5.2 | 4.1 | 7.1 | 9.9 | 9.5 | 9.3 | 9.2 | 8.1 |
| 1983 | 7.9 | * | 8.0 | 6.3 | 3.0 | 7.2 | 10.4 | 8.0 | 7.3 | 7.2 | 8.2 |
| 1982 | 7.9 | * | 8.0 | 7.7 | 4.1 | 7.9 | 8.3 | 10.3 | 8.7 | 8.7 | 7.4 |
| 1981 | 8.0 | * | 8.8 | 6.9 | 4.1 | 6.1 | 9.8 | 8.6 | 8.1 | 7.4 | 8.5 |
| 1980 | 8.7 | * | 9.5 | 6.6 | 4.3 | 7.0 | 9.9 | 11.6 | 10.6 | 7.8 | 9.4 |
| 1979 | 9.0 | * | 9.7 | 8.1 | 3.3 | 8.9 | 10.3 | 9.8 | 9.4 | 8.0 | 9.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Motor vehicle accidents (E810-E825) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 15.8 | 4.3 | 4.9 | 4.1 | 5.2 | 26.0 | 26.8 | 18.8 | 16.3 | 16.1 | 15.0 |
| 1997 | 15.9 | 4.4 | 5.0 | 4.2 | 5.7 | 26.9 | 27.9 | 19.8 | 16.6 | 15.4 | 14.7 |
| 1996 | 16.2 | 5.7 | 5.2 | 4.4 | 5.7 | 28.2 | 29.4 | 20.5 | 16.7 | 16.0 | 14.9 |
| 1995 | 16.3 | 4.7 | 5.2 | 4.7 | 6.0 | 28.1 | 29.7 | 21.1 | 17.5 | 15.9 | 14.6 |
| 1994 | 16.2 | 4.9 | 6.0 | 4.7 | 6.0 | 28.9 | 29.5 | 19.9 | 17.0 | 15.4 | 14.1 |
| 1993 | 16.1 | 4.9 | 5.6 | 4.7 | 5.8 | 28.3 | 29.3 | 20.6 | 18.1 | 15.6 | 13.9 |
| 1992 | 16.0 | 4.0 | 5.5 | 4.9 | 5.5 | 27.9 | 28.6 | 20.9 | 17.6 | 15.5 | 13.7 |
| 1991 | 17.2 | 4.3 | 5.9 | 5.1 | 6.1 | 31.1 | 32.7 | 23.1 | 19.1 | 16.1 | 14.2 |
| 1990 | 18.8 | 4.9 | 6.3 | 5.4 | 6.4 | 33.1 | 35.0 | 26.3 | 20.9 | 18.2 | 15.4 |
| 1989 | 19.3 | 5.6 | 6.9 | 6.3 | 6.8 | 34.4 | 34.8 | 26.6 | 20.9 | 17.8 | 16.7 |
| 1988 | 20.1 | 5.7 | 7.0 | 6.6 | 7.6 | 36.7 | 38.8 | 27.0 | 21.3 | 18.1 | 16.7 |
| 1987 | 19.9 | 5.4 | 6.9 | 6.5 | 7.7 | 36.4 | 37.8 | 27.6 | 21.1 | 18.5 | 16.0 |
| 1986 | 19.9 | 4.9 | 7.0 | 6.3 | 7.8 | 37.2 | 39.7 | 27.5 | 21.1 | 17.4 | 15.6 |
| 1985 | 19.3 | 4.9 | 7.2 | 6.4 | 7.4 | 33.5 | 37.6 | 25.9 | 19.9 | 17.6 | 16.7 |
| 1984 | 19.6 | 4.5 | 6.9 | 6.2 | 7.1 | 34.3 | 38.3 | 26.5 | 21.1 | 17.6 | 16.5 |
| 1983 | 19.0 | 5.2 | 7.5 | 6.4 | 6.8 | 33.0 | 36.5 | 26.1 | 20.3 | 17.5 | 16.0 |
| 1982 | 19.8 | 5.8 | 8.0 | 6.5 | 7.0 | 34.8 | 38.7 | 26.8 | 21.0 | 18.7 | 16.6 |
| 1981 | 22.4 | 6.1 | 7.8 | 7.4 | 7.6 | 38.7 | 43.5 | 32.3 | 24.5 | 21.1 | 19.1 |
| 1980 | 23.5 | 7.0 | 9.2 | 7.6 | 8.1 | 43.0 | 46.6 | 32.8 | 25.0 | 21.2 | 20.5 |
| 1979 | 23.8 | 6.5 | 9.8 | 8.5 | 8.2 | 44.6 | 46.7 | 32.7 | 24.4 | 21.8 | 20.1 |
| Motor vehicle accidents (E810-E825) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 21.5 | 4.6 | 5.3 | 4.7 | 6.4 | 33.3 | 40.0 | 27.7 | 23.2 | 22.2 | 20.9 |
| 1997 | 21.6 | 4.4 | 5.3 | 4.8 | 6.6 | 34.3 | 41.0 | 29.0 | 23.7 | 21.6 | 20.6 |
| 1996 | 22.1 | 5.7 | 5.7 | 4.9 | 6.9 | 36.8 | 43.8 | 29.7 | 23.5 | 22.4 | 21.0 |
| 1995 | 22.4 | 4.9 | 5.6 | 5.6 | 7.1 | 36.1 | 45.0 | 31.4 | 25.3 | 22.7 | 20.7 |
| 1994 | 22.3 | 4.9 | 6.5 | 5.7 | 7.2 | 38.3 | 43.7 | 29.3 | 24.9 | 22.1 | 20.3 |
| 1993 | 22.5 | 4.9 | 6.0 | 5.4 | 7.2 | 38.1 | 44.1 | 30.3 | 26.8 | 22.8 | 19.9 |
| 1992 | 22.3 | 4.4 | 6.1 | 6.1 | 7.0 | 36.7 | 42.8 | 30.9 | 26.4 | 22.3 | 19.6 |
| 1991 | 24.3 | 4.5 | 6.3 | 6.3 | 7.8 | 41.3 | 49.2 | 34.8 | 28.6 | 23.6 | 20.5 |
| 1990 | 26.7 | 5.0 | 6.9 | 6.4 | 7.6 | 45.5 | 53.3 | 39.7 | 31.7 | 27.0 | 22.1 |
| 1989 | 27.2 | 5.8 | 7.3 | 7.4 | 8.6 | 45.9 | 52.8 | 39.9 | 31.0 | 26.2 | 23.8 |
| 1988 | 28.8 | 6.1 | 7.3 | 8.1 | 9.5 | 50.4 | 59.4 | 41.3 | 32.0 | 27.3 | 24.1 |
| 1987 | 28.7 | 5.1 | 7.6 | 8.0 | 10.4 | 50.2 | 57.9 | 42.0 | 32.3 | 27.5 | 23.3 |
| 1986 | 29.2 | 5.0 | 7.8 | 7.9 | 10.1 | 52.1 | 61.6 | 43.1 | 32.8 | 26.3 | 23.0 |
| 1985 | 28.0 | 5.0 | 8.3 | 7.7 | 9.5 | 46.5 | 58.2 | 40.6 | 30.9 | 26.3 | 23.8 |
| 1984 | 28.7 | 4.3 | 8.0 | 7.7 | 9.0 | 48.6 | 59.2 | 41.7 | 32.4 | 25.9 | 24.5 |
| 1983 | 28.1 | 5.4 | 8.7 | 8.1 | 8.8 | 47.0 | 56.8 | 41.2 | 31.4 | 26.8 | 23.3 |
| 1982 | 29.5 | 6.0 | 8.8 | 7.8 | 9.0 | 50.5 | 61.0 | 42.3 | 33.1 | 28.7 | 24.9 |
| 1981 | 33.7 | 6.3 | 8.4 | 9.4 | 10.0 | 55.5 | 68.5 | 51.6 | 38.7 | 32.6 | 29.2 |
| 1980 | 35.3 | 7.3 | 10.2 | 9.4 | 10.5 | 62.6 | 74.3 | 52.2 | 39.7 | 32.7 | 30.5 |
| 1979 | 36.0 | 6.8 | 10.4 | 10.7 | 10.7 | 65.2 | 74.6 | 52.4 | 39.0 | 33.7 | 30.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Motor vehicle accidents (E810-E825) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 10.3 | 4.0 | 4.6 | 3.4 | 3.9 | 18.3 | 13.0 | 9.8 | 9.2 | 10.0 | 9.3 |
| 1997 | 10.6 | 4.4 | 4.6 | 3.6 | 4.8 | 19.0 | 14.2 | 10.5 | 9.5 | 9.3 | 8.9 |
| 1996 | 10.6 | 5.8 | 4.8 | 3.9 | 4.4 | 19.0 | 14.3 | 11.1 | 9.8 | 9.7 | 9.0 |
| 1995 | 10.4 | 4.5 | 4.8 | 3.7 | 4.8 | 19.7 | 13.8 | 10.7 | 9.8 | 9.2 | 8.8 |
| 1994 | 10.3 | 4.9 | 5.4 | 3.6 | 4.7 | 18.9 | 14.8 | 10.4 | 9.1 | 8.8 | 8.1 |
| 1993 | 10.1 | 4.9 | 5.2 | 4.0 | 4.4 | 17.8 | 13.9 | 10.7 | 9.4 | 8.5 | 8.1 |
| 1992 | 9.9 | 3.6 | 4.9 | 3.7 | 3.8 | 18.7 | 13.8 | 10.6 | 8.7 | 8.7 | 7.9 |
| 1991 | 10.5 | 4.2 | 5.5 | 3.9 | 4.2 | 20.4 | 15.7 | 11.3 | 9.7 | 8.8 | 8.1 |
| 1990 | 11.3 | 4.9 | 5.6 | 4.3 | 5.1 | 20.0 | 16.0 | 12.7 | 10.2 | 9.6 | 8.9 |
| 1989 | 11.8 | 5.4 | 6.4 | 5.0 | 4.9 | 22.4 | 16.2 | 13.2 | 11.0 | 9.6 | 9.8 |
| 1988 | 11.8 | 5.3 | 6.6 | 5.1 | 5.5 | 22.4 | 17.5 | 12.6 | 10.8 | 9.1 | 9.5 |
| 1987 | 11.6 | 5.8 | 6.1 | 5.0 | 4.8 | 22.0 | 17.3 | 13.1 | 10.1 | 9.6 | 9.0 |
| 1986 | 11.2 | 4.9 | 6.2 | 4.6 | 5.3 | 21.6 | 17.3 | 12.0 | 9.6 | 8.8 | 8.4 |
| 1985 | 11.0 | 4.7 | 6.0 | 5.0 | 5.2 | 20.1 | 16.7 | 11.1 | 9.0 | 9.1 | 9.8 |
| 1984 | 11.0 | 4.7 | 5.8 | 4.7 | 5.2 | 19.5 | 17.0 | 11.4 | 10.0 | 9.5 | 8.9 |
| 1983 | 10.4 | 5.1 | 6.2 | 4.6 | 4.7 | 18.5 | 16.0 | 11.1 | 9.4 | 8.5 | 9.0 |
| 1982 | 10.6 | 5.5 | 7.3 | 5.1 | 4.9 | 18.5 | 16.2 | 11.4 | 9.2 | 9.0 | 8.6 |
| 1981 | 11.7 | 5.9 | 7.2 | 5.3 | 5.1 | 21.3 | 18.3 | 13.2 | 10.6 | 9.9 | 9.5 |
| 1980 | 12.3 | 6.7 | 8.1 | 5.8 | 5.6 | 22.8 | 18.9 | 13.6 | 10.6 | 10.0 | 10.9 |
| 1979 | 12.3 | 6.1 | 9.1 | 6.3 | 5.6 | 23.3 | 18.7 | 13.3 | 10.1 | 10.3 | 10.6 |
| Motor vehicle accidents (E810-E825) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 16.0 | 4.0 | 4.4 | 3.6 | 5.2 | 28.4 | 28.0 | 18.5 | 16.1 | 16.0 | 14.8 |
| 1997 | 16.1 | 4.0 | 4.5 | 3.9 | 5.8 | 28.9 | 29.3 | 19.4 | 16.5 | 15.3 | 14.4 |
| 1996 | 16.4 | 5.6 | 4.8 | 4.2 | 5.9 | 30.3 | 30.1 | 20.5 | 16.4 | 15.9 | 14.8 |
| 1995 | 16.5 | 4.4 | 4.9 | 4.4 | 6.1 | 30.3 | 31.0 | 21.0 | 17.6 | 15.7 | 14.3 |
| 1994 | 16.3 | 4.1 | 5.4 | 4.3 | 6.1 | 31.3 | 30.4 | 20.4 | 17.0 | 15.3 | 14.1 |
| 1993 | 16.3 | 4.5 | 5.1 | 4.4 | 5.7 | 30.9 | 30.1 | 21.0 | 18.2 | 15.5 | 13.5 |
| 1992 | 16.1 | 3.6 | 5.1 | 4.5 | 5.5 | 30.3 | 29.9 | 21.4 | 17.4 | 15.1 | 13.3 |
| 1991 | 17.4 | 3.8 | 5.7 | 4.8 | 6.1 | 33.9 | 34.6 | 23.3 | 19.0 | 15.8 | 13.7 |
| 1990 | 19.0 | 4.7 | 5.6 | 5.1 | 6.5 | 36.1 | 36.7 | 26.6 | 20.8 | 17.9 | 14.9 |
| 1989 | 19.5 | 5.0 | 6.5 | 6.0 | 7.2 | 38.3 | 36.2 | 27.0 | 20.8 | 17.2 | 16.1 |
| 1988 | 20.4 | 5.7 | 6.6 | 6.3 | 7.8 | 40.4 | 40.7 | 27.5 | 21.3 | 17.8 | 16.1 |
| 1987 | 20.3 | 5.2 | 6.6 | 6.3 | 8.1 | 40.3 | 39.8 | 28.0 | 21.2 | 18.3 | 15.3 |
| 1986 | 20.2 | 4.4 | 6.6 | 5.7 | 8.2 | 41.5 | 42.0 | 27.9 | 20.8 | 16.9 | 15.2 |
| 1985 | 19.6 | 4.2 | 6.8 | 6.1 | 7.8 | 37.3 | 39.7 | 26.4 | 19.6 | 17.2 | 16.3 |
| 1984 | 20.1 | 4.3 | 6.5 | 6.0 | 7.6 | 38.2 | 40.7 | 27.3 | 21.3 | 17.5 | 16.1 |
| 1983 | 19.5 | 5.3 | 7.2 | 6.0 | 7.2 | 37.0 | 38.6 | 27.0 | 20.4 | 17.4 | 15.6 |
| 1982 | 20.3 | 5.6 | 7.7 | 6.1 | 7.4 | 38.7 | 41.3 | 27.7 | 21.1 | 18.6 | 16.3 |
| 1981 | 23.1 | 6.2 | 7.5 | 7.0 | 8.0 | 43.4 | 46.5 | 33.6 | 24.8 | 20.9 | 18.6 |
| 1980 | 24.1 | 7.0 | 8.6 | 7.2 | 8.4 | 47.8 | 49.7 | 33.5 | 25.0 | 21.0 | 20.0 |
| 1979 | 24.4 | 6.8 | 9.3 | 8.1 | 8.7 | 49.4 | 49.5 | 33.5 | 24.2 | 21.3 | 19.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Motor vehicle accidents (E810-E825) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 21.5 | 4.6 | 4.7 | 4.1 | 6.2 | 35.7 | 41.9 | 26.7 | 22.7 | 21.9 | 20.4 |
| 1997 | 21.6 | 3.7 | 4.8 | 4.5 | 6.6 | 36.2 | 42.9 | 28.0 | 23.3 | 21.2 | 20.1 |
| 1996 | 22.1 | 5.3 | 5.2 | 4.5 | 7.1 | 39.2 | 44.8 | 29.3 | 23.0 | 22.1 | 20.7 |
| 1995 | 22.4 | 4.3 | 5.2 | 5.3 | 7.1 | 38.2 | 46.7 | 31.0 | 25.2 | 22.1 | 20.0 |
| 1994 | 22.3 | 4.3 | 5.9 | 5.3 | 7.4 | 41.0 | 44.8 | 29.8 | 25.0 | 21.9 | 20.0 |
| 1993 | 22.5 | 4.4 | 5.4 | 5.2 | 7.1 | 41.1 | 45.4 | 30.7 | 26.9 | 22.5 | 19.1 |
| 1992 | 22.3 | 4.2 | 6.0 | 5.6 | 7.0 | 39.3 | 44.4 | 31.4 | 26.2 | 21.5 | 19.0 |
| 1991 | 24.3 | 4.0 | 5.8 | 5.9 | 7.7 | 44.4 | 51.7 | 34.7 | 28.3 | 22.8 | 19.4 |
| 1990 | 26.7 | 4.8 | 6.1 | 5.9 | 7.7 | 49.3 | 55.5 | 39.9 | 31.1 | 26.2 | 21.0 |
| 1989 | 27.2 | 5.1 | 6.9 | 7.0 | 8.9 | 50.3 | 54.5 | 40.2 | 30.5 | 25.0 | 22.6 |
| 1988 | 28.9 | 6.0 | 7.0 | 7.8 | 9.8 | 55.1 | 61.8 | 41.6 | 31.8 | 26.3 | 23.1 |
| 1987 | 29.0 | 4.4 | 7.2 | 7.7 | 10.8 | 55.0 | 60.4 | 42.2 | 32.4 | 27.0 | 21.9 |
| 1986 | 29.3 | 4.2 | 7.1 | 7.2 | 10.4 | 57.6 | 64.8 | 43.2 | 32.0 | 25.1 | 22.3 |
| 1985 | 28.3 | 4.6 | 7.7 | 7.3 | 9.8 | 51.3 | 61.0 | 41.0 | 30.2 | 25.3 | 23.0 |
| 1984 | 29.2 | 4.0 | 7.5 | 7.2 | 9.5 | 53.8 | 62.4 | 42.5 | 32.3 | 25.4 | 23.3 |
| 1983 | 28.6 | 5.7 | 8.3 | 7.7 | 9.2 | 52.5 | 59.7 | 42.1 | 31.2 | 26.2 | 22.4 |
| 1982 | 30.1 | 5.8 | 8.3 | 7.3 | 9.5 | 56.2 | 64.8 | 43.5 | 32.7 | 28.2 | 24.1 |
| 1981 | 34.5 | 6.0 | 8.1 | 9.0 | 10.6 | 62.0 | 72.8 | 53.2 | 38.9 | 31.9 | 27.8 |
| 1980 | 35.9 | 7.0 | 9.5 | 8.7 | 10.9 | 69.1 | 78.5 | 53.1 | 39.5 | 31.8 | 29.3 |
| 1979 | 36.6 | 7.4 | 9.7 | 10.0 | 11.1 | 72.1 | 78.6 | 53.0 | 38.2 | 32.4 | 28.7 |
| Motor vehicle accidents (E810-E825) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 10.6 | 3.3 | 4.2 | 3.2 | 4.2 | 20.7 | 13.2 | 10.0 | 9.3 | 10.0 | 9.1 |
| 1997 | 10.7 | 4.4 | 4.2 | 3.3 | 4.8 | 21.1 | 14.9 | 10.3 | 9.6 | 9.2 | 8.7 |
| 1996 | 10.8 | 5.8 | 4.4 | 3.8 | 4.7 | 20.9 | 14.6 | 11.4 | 9.6 | 9.6 | 9.0 |
| 1995 | 10.7 | 4.5 | 4.6 | 3.5 | 4.9 | 21.8 | 14.4 | 10.8 | 9.7 | 9.2 | 8.7 |
| 1994 | 10.5 | 3.9 | 5.0 | 3.3 | 4.7 | 21.0 | 15.2 | 10.6 | 8.8 | 8.5 | 8.2 |
| 1993 | 10.3 | 4.6 | 4.8 | 3.5 | 4.3 | 20.0 | 14.1 | 11.0 | 9.3 | 8.4 | 8.0 |
| 1992 | 10.1 | 2.9 | 4.1 | 3.4 | 4.0 | 20.9 | 14.6 | 11.0 | 8.5 | 8.6 | 7.5 |
| 1991 | 10.8 | 3.6 | 5.5 | 3.7 | 4.4 | 22.9 | 16.7 | 11.5 | 9.6 | 8.8 | 7.9 |
| 1990 | 11.6 | 4.7 | 5.2 | 4.2 | 5.3 | 22.2 | 17.0 | 12.9 | 10.3 | 9.6 | 8.8 |
| 1989 | 12.1 | 4.9 | 6.1 | 4.9 | 5.3 | 25.6 | 17.0 | 13.4 | 10.9 | 9.5 | 9.7 |
| 1988 | 12.2 | 5.5 | 6.2 | 4.8 | 5.7 | 24.9 | 18.6 | 13.0 | 10.7 | 9.2 | 9.2 |
| 1987 | 12.0 | 5.9 | 5.9 | 4.8 | 5.1 | 24.9 | 18.5 | 13.4 | 10.0 | 9.7 | 8.9 |
| 1986 | 11.6 | 4.7 | 6.1 | 4.1 | 5.8 | 24.6 | 18.5 | 12.1 | 9.6 | 8.7 | 8.3 |
| 1985 | 11.4 | 3.9 | 5.8 | 4.8 | 5.6 | 22.6 | 17.8 | 11.3 | 8.8 | 9.2 | 9.7 |
| 1984 | 11.5 | 4.5 | 5.4 | 4.7 | 5.5 | 22.0 | 18.4 | 11.8 | 10.2 | 9.6 | 9.1 |
| 1983 | 10.9 | 4.8 | 6.0 | 4.3 | 5.1 | 20.8 | 16.9 | 11.6 | 9.7 | 8.6 | 9.1 |
| 1982 | 11.0 | 5.5 | 7.0 | 4.8 | 5.2 | 20.5 | 17.4 | 11.7 | 9.4 | 9.0 | 8.6 |
| 1981 | 12.3 | 6.3 | 6.9 | 4.9 | 5.3 | 24.0 | 19.7 | 13.8 | 10.8 | 10.1 | 9.6 |
| 1980 | 12.8 | 7.1 | 7.7 | 5.7 | 5.7 | 25.6 | 20.5 | 13.7 | 10.6 | 10.3 | 10.8 |
| 1979 | 12.8 | 6.2 | 8.9 | 6.0 | 6.1 | 25.7 | 20.0 | 13.8 | 10.2 | 10.4 | 10.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Motor vehicle accidents (E810-E825) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 14.9 | 5.5 | 6.7 | 5.5 | 5.1 | 16.9 | 22.2 | 19.8 | 16.8 | 16.2 | 16.4 |
| 1997 | 15.3 | 5.7 | 6.6 | 5.2 | 5.5 | 19.2 | 22.6 | 21.7 | 16.9 | 16.0 | 16.4 |
| 1996 | 15.3 | 6.5 | 6.8 | 5.4 | 4.7 | 19.9 | 26.5 | 20.1 | 18.1 | 16.7 | 15.4 |
| 1995 | 15.5 | 5.9 | 6.4 | 5.6 | 5.7 | 19.8 | 24.7 | 21.4 | 17.4 | 17.2 | 16.3 |
| 1994 | 15.4 | 7.6 | 7.9 | 6.1 | 5.5 | 19.2 | 26.0 | 18.1 | 17.0 | 15.9 | 14.3 |
| 1993 | 15.3 | 6.4 | 7.6 | 5.9 | 6.0 | 17.9 | 25.8 | 18.7 | 17.6 | 16.3 | 16.1 |
| 1992 | 15.4 | 5.7 | 7.1 | 6.5 | 5.2 | 18.5 | 23.1 | 18.6 | 18.2 | 17.3 | 15.8 |
| 1991 | 16.2 | 6.5 | 6.9 | 6.2 | 5.9 | 19.8 | 24.6 | 22.2 | 19.6 | 18.1 | 17.3 |
| 1990 | 17.9 | 5.7 | 8.7 | 6.6 | 5.8 | 20.7 | 27.0 | 24.9 | 21.6 | 19.7 | 18.4 |
| 1989 | 18.0 | 7.9 | 8.3 | 7.6 | 5.4 | 18.4 | 28.6 | 24.5 | 21.8 | 21.0 | 20.1 |
| 1988 | 18.5 | 5.7 | 8.4 | 7.9 | 6.6 | 20.9 | 30.0 | 24.7 | 21.6 | 20.1 | 20.4 |
| 1987 | 17.9 | 6.5 | 8.2 | 7.7 | 6.0 | 19.3 | 28.6 | 25.6 | 20.6 | 19.1 | 20.3 |
| 1986 | 18.2 | 7.1 | 9.0 | 8.7 | 6.1 | 18.1 | 28.2 | 25.9 | 22.7 | 20.7 | 17.7 |
| 1985 | 17.3 | 7.6 | 9.0 | 7.6 | 5.8 | 16.6 | 27.0 | 23.5 | 21.5 | 19.9 | 19.2 |
| 1984 | 16.6 | 5.6 | 8.7 | 7.3 | 5.2 | 16.4 | 26.0 | 22.4 | 20.2 | 18.3 | 19.0 |
| 1983 | 16.3 | 4.9 | 8.9 | 8.1 | 5.2 | 14.4 | 25.5 | 21.6 | 19.4 | 18.5 | 18.3 |
| 1982 | 16.6 | 6.4 | 9.5 | 8.2 | 5.1 | 16.1 | 24.6 | 22.0 | 20.7 | 19.7 | 18.5 |
| 1981 | 18.2 | 5.8 | 9.1 | 8.9 | 5.5 | 15.8 | 27.0 | 25.0 | 22.8 | 21.9 | 22.4 |
| 1980 | 19.9 | 6.8 | 11.8 | 9.7 | 6.6 | 18.7 | 29.4 | 28.6 | 24.9 | 22.5 | 23.7 |
| 1979 | 20.4 | 5.0 | 12.1 | 10.8 | 5.8 | 19.6 | 30.4 | 28.0 | 25.6 | 25.3 | 23.6 |
| Motor vehicle accidents (E810-E825) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 21.3 | * | 7.3 | 6.7 | 7.2 | 24.2 | 32.4 | 31.6 | 25.6 | 23.4 | 23.5 |
| 1997 | 21.5 | 6.8 | 7.2 | 5.5 | 6.3 | 26.9 | 33.7 | 33.0 | 25.5 | 23.4 | 23.7 |
| 1996 | 21.9 | 7.1 | 7.4 | 6.5 | 6.3 | 27.7 | 39.9 | 31.4 | 26.4 | 24.0 | 22.8 |
| 1995 | 22.5 | 7.5 | 7.2 | 6.6 | 7.0 | 27.5 | 38.0 | 33.3 | 25.8 | 26.0 | 24.4 |
| 1994 | 22.0 | 7.0 | 8.8 | 7.4 | 6.6 | 27.4 | 39.2 | 27.4 | 24.3 | 22.9 | 22.2 |
| 1993 | 22.3 | 6.7 | 8.5 | 6.2 | 7.5 | 26.3 | 38.7 | 28.5 | 26.3 | 24.6 | 24.9 |
| 1992 | 22.4 | 5.2 | 6.5 | 8.0 | 7.2 | 26.5 | 35.9 | 28.8 | 27.6 | 26.4 | 23.3 |
| 1991 | 24.1 | 6.4 | 8.2 | 7.7 | 8.3 | 28.6 | 38.1 | 35.1 | 30.6 | 28.1 | 26.7 |
| 1990 | 26.8 | 5.5 | 10.1 | 8.6 | 7.3 | 29.8 | 42.9 | 39.2 | 34.7 | 31.3 | 28.9 |
| 1989 | 27.1 | 8.4 | 8.9 | 9.3 | 7.2 | 27.2 | 44.9 | 37.9 | 33.6 | 33.1 | 31.2 |
| 1988 | 28.0 | 6.9 | 8.9 | 9.5 | 8.2 | 29.9 | 47.9 | 39.9 | 33.2 | 32.8 | 30.9 |
| 1987 | 27.3 | 7.9 | 9.4 | 9.6 | 8.6 | 29.0 | 45.8 | 41.1 | 31.8 | 30.7 | 33.1 |
| 1986 | 28.2 | 8.5 | 11.1 | 10.8 | 8.6 | 27.2 | 45.5 | 42.1 | 37.3 | 33.7 | 27.8 |
| 1985 | 26.6 | 7.2 | 11.1 | 9.3 | 8.1 | 24.4 | 43.4 | 38.3 | 34.6 | 32.9 | 29.3 |
| 1984 | 25.9 | * | 10.0 | 9.9 | 6.5 | 24.4 | 42.3 | 36.9 | 33.1 | 29.7 | 32.2 |
| 1983 | 25.2 | * | 10.5 | 10.1 | 7.4 | 20.8 | 40.6 | 36.4 | 32.6 | 31.4 | 29.8 |
| 1982 | 25.7 | 7.1 | 10.8 | 9.9 | 6.5 | 23.1 | 40.0 | 35.1 | 35.1 | 32.3 | 30.0 |
| 1981 | 28.6 | 7.6 | 9.7 | 11.2 | 6.9 | 23.6 | 44.0 | 41.9 | 38.0 | 37.7 | 38.1 |
| 1980 | 31.5 | 8.8 | 13.6 | 12.7 | 8.2 | 28.9 | 49.7 | 46.6 | 41.1 | 39.2 | 38.3 |
| 1979 | 32.3 | * | 14.1 | 14.0 | 8.3 | 28.1 | 50.7 | 48.1 | 44.7 | 43.7 | 39.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Motor vehicle accidents (E810-E825) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 9.0 | 6.6 | 6.0 | 4.3 | 3.0 | 9.3 | 12.3 | 9.0 | 8.9 | 9.6 | 10.1 |
| 1997 | 9.7 | * | 6.0 | 4.9 | 4.6 | 11.2 | 11.8 | 11.3 | 9.1 | 9.5 | 9.9 |
| 1996 | 9.3 | 5.8 | 6.2 | 4.3 | 3.0 | 11.9 | 13.3 | 9.8 | 10.6 | 10.1 | 8.9 |
| 1995 | 9.1 | * | 5.6 | 4.5 | 4.3 | 11.9 | 11.6 | 10.4 | 9.9 | 9.3 | 9.2 |
| 1994 | 9.4 | 8.2 | 7.0 | 4.6 | 4.3 | 10.7 | 13.0 | 9.6 | 10.4 | 9.8 | 7.4 |
| 1993 | 8.9 | 6.1 | 6.7 | 5.7 | 4.5 | 9.4 | 13.0 | 9.7 | 9.7 | 8.9 | 8.5 |
| 1992 | 8.9 | 6.3 | 7.8 | 5.0 | 3.1 | 10.2 | 10.5 | 9.1 | 9.8 | 9.3 | 9.4 |
| 1991 | 8.9 | 6.6 | 5.6 | 4.7 | 3.4 | 10.6 | 11.3 | 10.3 | 9.7 | 9.2 | 9.2 |
| 1990 | 9.8 | 5.9 | 7.4 | 4.6 | 4.2 | 11.3 | 11.4 | 11.7 | 9.9 | 9.6 | 9.3 |
| 1989 | 9.7 | 7.4 | 7.6 | 5.8 | 3.4 | 9.4 | 12.6 | 12.1 | 11.4 | 10.5 | 10.5 |
| 1988 | 9.8 | * | 7.9 | 6.3 | 5.0 | 11.7 | 12.6 | 10.8 | 11.2 | 9.1 | 11.4 |
| 1987 | 9.3 | * | 6.9 | 5.9 | 3.4 | 9.3 | 11.8 | 11.5 | 10.7 | 9.1 | 9.3 |
| 1986 | 9.1 | 5.8 | 6.8 | 6.6 | 3.6 | 8.8 | 11.4 | 11.2 | 9.9 | 9.5 | 9.0 |
| 1985 | 8.8 | 8.0 | 6.9 | 5.9 | 3.4 | 8.6 | 11.1 | 10.1 | 10.0 | 8.8 | 10.5 |
| 1984 | 8.1 | * | 7.3 | 4.6 | 3.9 | 8.2 | 10.4 | 9.3 | 8.9 | 8.7 | 7.7 |
| 1983 | 8.1 | 6.0 | 7.3 | 6.0 | 2.9 | 7.9 | 11.3 | 8.4 | 7.9 | 7.5 | 8.4 |
| 1982 | 8.3 | * | 8.2 | 6.6 | 3.8 | 9.1 | 10.1 | 10.3 | 8.3 | 8.9 | 8.6 |
| 1981 | 8.7 | * | 8.4 | 6.6 | 4.2 | 7.8 | 11.2 | 10.0 | 9.6 | 8.6 | 9.1 |
| 1980 | 9.3 | * | 9.9 | 6.6 | 4.9 | 8.4 | 10.7 | 12.7 | 10.9 | 8.4 | 11.2 |
| 1979 | 9.6 | * | 10.0 | 7.5 | 3.2 | 11.0 | 11.7 | 10.4 | 9.3 | 9.9 | 10.2 |
| Motor vehicle accidents (E810-E825) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 16.0 | 6.9 | 7.4 | 6.2 | 5.2 | 17.1 | 23.4 | 22.7 | 18.1 | 18.7 | 18.0 |
| 1997 | 16.2 | 6.3 | 7.1 | 5.8 | 5.9 | 19.4 | 24.3 | 23.8 | 18.2 | 17.9 | 17.8 |
| 1996 | 16.1 | 7.3 | 7.1 | 5.9 | 4.8 | 20.1 | 28.2 | 21.7 | 19.4 | 17.8 | 17.1 |
| 1995 | 16.0 | 6.7 | 6.9 | 6.0 | 5.9 | 19.7 | 24.7 | 22.6 | 18.8 | 18.9 | 18.2 |
| 1994 | 16.1 | 8.8 | 8.3 | 6.7 | 6.1 | 19.5 | 26.6 | 19.7 | 18.2 | 16.8 | 16.0 |
| 1993 | 16.0 | 6.6 | 8.1 | 6.5 | 6.5 | 17.4 | 27.0 | 19.5 | 19.1 | 17.9 | 18.3 |
| 1992 | 15.9 | 6.6 | 7.6 | 6.9 | 5.6 | 17.6 | 23.9 | 19.2 | 19.3 | 18.8 | 17.5 |
| 1991 | 16.6 | 6.6 | 7.6 | 6.8 | 6.0 | 19.3 | 25.4 | 23.1 | 20.5 | 19.2 | 19.1 |
| 1990 | 18.2 | 6.3 | 8.9 | 6.9 | 5.9 | 19.3 | 26.6 | 25.5 | 23.4 | 21.6 | 19.3 |
| 1989 | 18.6 | 7.7 | 7.7 | 8.4 | 5.3 | 17.3 | 29.1 | 25.6 | 23.6 | 22.3 | 22.5 |
| 1988 | 18.9 | 6.6 | 8.4 | 8.7 | 6.8 | 19.7 | 28.7 | 25.1 | 23.7 | 22.0 | 22.1 |
| 1987 | 18.0 | 6.9 | 8.8 | 8.4 | 5.8 | 17.9 | 27.4 | 26.5 | 21.8 | 20.0 | 21.7 |
| 1986 | 18.3 | 6.8 | 8.9 | 8.9 | 5.9 | 16.9 | 27.0 | 26.3 | 24.5 | 21.8 | 18.5 |
| 1985 | 17.2 | 7.1 | 8.9 | 7.6 | 6.0 | 14.8 | 25.8 | 22.8 | 22.4 | 21.6 | 19.9 |
| 1984 | 16.7 | 5.7 | 8.5 | 7.8 | 5.7 | 14.2 | 25.7 | 22.8 | 21.6 | 19.6 | 20.2 |
| 1983 | 16.0 | 4.4 | 9.5 | 8.1 | 5.0 | 13.0 | 23.6 | 21.3 | 20.1 | 19.4 | 19.1 |
| 1982 | 16.3 | 5.3 | 9.7 | 9.1 | 5.2 | 14.3 | 23.0 | 22.0 | 21.8 | 20.6 | 18.7 |
| 1981 | 17.7 | 5.0 | 9.2 | 9.2 | 5.4 | 13.2 | 25.5 | 24.6 | 23.2 | 22.6 | 22.1 |
| 1980 | 19.1 | 6.5 | 11.6 | 9.9 | 6.0 | 15.6 | 27.2 | 27.5 | 25.4 | 23.0 | 23.5 |
| 1979 | 19.5 | 4.9 | 11.3 | 11.2 | 5.4 | 16.6 | 27.3 | 26.9 | 26.6 | 24.1 | 23.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Motor vehicle accidents (E810-E825) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 23.6 | * | 8.5 | 7.7 | 7.4 | 25.7 | 35.5 | 37.9 | 28.8 | 27.3 | 26.1 |
| 1997 | 23.4 | 7.4 | 8.3 | 6.1 | 7.2 | 28.4 | 37.3 | 36.8 | 27.7 | 26.4 | 27.2 |
| 1996 | 23.6 | 7.3 | 7.8 | 7.1 | 6.6 | 27.9 | 43.1 | 33.9 | 29.5 | 26.3 | 26.6 |
| 1995 | 24.1 | 8.7 | 7.7 | 7.3 | 7.5 | 28.7 | 39.6 | 36.3 | 28.3 | 29.0 | 28.4 |
| 1994 | 23.5 | 8.0 | 9.5 | 8.2 | 7.4 | 28.7 | 41.1 | 29.9 | 27.4 | 24.7 | 25.8 |
| 1993 | 24.3 | 7.2 | 9.2 | 7.0 | 8.1 | 26.5 | 41.7 | 31.1 | 29.8 | 27.7 | 29.5 |
| 1992 | 23.8 | * | 6.6 | 8.4 | 7.7 | 26.0 | 38.5 | 30.0 | 30.1 | 29.6 | 26.0 |
| 1991 | 25.5 | * | 8.8 | 8.1 | 8.7 | 29.4 | 40.6 | 36.9 | 32.4 | 31.1 | 30.3 |
| 1990 | 28.1 | * | 10.1 | 8.9 | 7.9 | 28.7 | 43.9 | 40.5 | 38.4 | 35.4 | 31.2 |
| 1989 | 28.9 | 7.6 | 9.0 | 10.3 | 7.7 | 26.5 | 46.7 | 39.8 | 37.4 | 37.0 | 35.6 |
| 1988 | 29.4 | 7.7 | 9.3 | 10.7 | 8.8 | 29.3 | 46.8 | 40.6 | 37.4 | 36.9 | 35.1 |
| 1987 | 28.2 | 8.4 | 10.0 | 10.7 | 8.2 | 27.4 | 44.9 | 43.4 | 33.8 | 33.0 | 36.1 |
| 1986 | 29.0 | 8.2 | 10.9 | 11.1 | 8.6 | 25.8 | 44.7 | 43.4 | 41.1 | 37.4 | 30.1 |
| 1985 | 27.1 | * | 10.9 | 9.4 | 8.9 | 22.1 | 42.0 | 38.2 | 37.1 | 37.2 | 31.6 |
| 1984 | 26.7 | * | 9.9 | 10.4 | 7.4 | 21.3 | 42.6 | 37.9 | 36.3 | 32.1 | 34.8 |
| 1983 | 25.4 | * | 11.0 | 10.1 | 7.3 | 19.0 | 38.0 | 36.4 | 35.4 | 34.4 | 32.5 |
| 1982 | 26.1 | * | 11.4 | 10.8 | 6.4 | 20.9 | 39.3 | 35.8 | 38.2 | 35.2 | 32.5 |
| 1981 | 28.9 | * | 9.7 | 11.8 | 6.9 | 20.4 | 42.8 | 42.9 | 41.1 | 40.9 | 38.8 |
| 1980 | 31.1 | 7.8 | 13.7 | 13.3 | 7.9 | 24.4 | 46.9 | 46.3 | 43.3 | 41.6 | 40.7 |
| 1979 | 31.6 | * | 13.1 | 14.6 | 7.9 | 24.5 | 46.1 | 46.3 | 47.3 | 43.7 | 40.2 |
| Motor vehicle accidents (E810-E825) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 9.0 | 8.9 | 6.3 | 4.5 | 2.9 | 8.4 | 12.0 | 8.8 | 8.5 | 11.1 | 10.9 |
| 1997 | 9.6 | * | 5.9 | 5.4 | 4.6 | 10.2 | 11.9 | 11.9 | 9.7 | 10.4 | 9.7 |
| 1996 | 9.2 | 7.4 | 6.3 | 4.6 | 2.9 | 12.1 | 14.0 | 10.8 | 10.4 | 10.2 | 8.8 |
| 1995 | 8.8 | * | 6.0 | 4.6 | 4.1 | 10.5 | 10.4 | 10.2 | 10.4 | 9.9 | 9.5 |
| 1994 | 9.4 | 9.5 | 7.1 | 5.1 | 4.7 | 10.2 | 12.8 | 10.4 | 10.1 | 9.9 | 7.6 |
| 1993 | 8.5 | * | 7.0 | 6.1 | 4.8 | 8.1 | 12.8 | 9.0 | 9.6 | 9.3 | 8.8 |
| 1992 | 8.7 | 8.3 | 8.5 | 5.4 | 3.5 | 9.0 | 9.8 | 9.3 | 9.7 | 9.4 | 10.2 |
| 1991 | 8.7 | 7.6 | 6.3 | 5.4 | 3.3 | 9.0 | 10.8 | 10.7 | 9.9 | 8.9 | 9.5 |
| 1990 | 9.4 | 7.0 | 7.7 | 4.8 | 3.8 | 9.7 | 10.1 | 11.9 | 10.3 | 9.7 | 9.1 |
| 1989 | 9.4 | 7.8 | 6.3 | 6.4 | 2.9 | 8.0 | 12.3 | 12.7 | 11.6 | 9.5 | 11.2 |
| 1988 | 9.5 | * | 7.5 | 6.7 | 4.7 | 10.0 | 11.5 | 11.1 | 11.6 | 9.2 | 11.0 |
| 1987 | 8.9 | * | 7.5 | 6.2 | 3.4 | 8.2 | 10.8 | 11.2 | 11.3 | 8.9 | 9.5 |
| 1986 | 8.6 | * | 6.9 | 6.6 | 3.2 | 8.0 | 10.2 | 10.8 | 10.1 | 8.6 | 8.7 |
| 1985 | 8.3 | 8.1 | 6.8 | 5.8 | 3.0 | 7.5 | 10.7 | 9.0 | 9.7 | 8.4 | 10.0 |
| 1984 | 7.8 | * | 7.0 | 5.1 | 3.9 | 7.0 | 9.8 | 9.2 | 8.9 | 9.1 | 8.0 |
| 1983 | 7.6 | * | 8.0 | 6.1 | 2.7 | 7.1 | 10.2 | 7.8 | 6.9 | 6.8 | 7.9 |
| 1982 | 7.6 | * | 8.0 | 7.4 | 3.9 | 7.7 | 8.0 | 9.7 | 7.7 | 8.3 | 7.2 |
| 1981 | 7.7 | * | 8.8 | 6.6 | 4.0 | 5.9 | 9.6 | 8.4 | 7.8 | 7.3 | 8.2 |
| 1980 | 8.3 | * | 9.5 | 6.4 | 4.0 | 6.7 | 9.3 | 11.1 | 10.1 | 7.5 | 9.3 |
| 1979 | 8.7 | * | 9.5 | 7.8 | 2.8 | 8.7 | 10.1 | 9.8 | 8.8 | 7.8 | 8.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other land transport accidents (E800-E807,E826-E829) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | 0.2 | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 |
| 1997 | 0.3 | * | * | * | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 |
| 1996 | 0.3 | * | * | * | 0.2 | 0.3 | 0.4 | 0.3 | 0.4 | 0.5 | 0.4 |
| 1995 | 0.3 | * | * | * | 0.2 | 0.4 | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 |
| 1994 | 0.3 | * | * | * | 0.3 | 0.4 | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 |
| 1993 | 0.3 | * | * | * | 0.2 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 | 0.5 |
| 1992 | 0.3 | * | * | 0.1 | 0.2 | 0.4 | 0.5 | 0.4 | 0.6 | 0.4 | 0.5 |
| 1991 | 0.3 | * | * | 0.1 | 0.2 | 0.4 | 0.6 | 0.4 | 0.5 | 0.5 | 0.4 |
| 1990 | 0.4 | * | * | 0.1 | 0.2 | 0.4 | 0.6 | 0.6 | 0.4 | 0.5 | 0.5 |
| 1989 | 0.3 | * | * | 0.1 | 0.2 | 0.4 | 0.5 | 0.5 | 0.4 | 0.5 | 0.4 |
| 1988 | 0.3 | * | * | * | 0.2 | 0.4 | 0.4 | 0.4 | 0.5 | 0.4 | 0.4 |
| 1987 | 0.4 | * | * | * | 0.2 | 0.4 | 0.5 | 0.5 | 0.4 | 0.5 | 0.4 |
| 1986 | 0.3 | * | * | * | 0.2 | 0.5 | 0.5 | 0.4 | 0.4 | 0.5 | 0.3 |
| 1985 | 0.3 | * | * | * | 0.3 | 0.5 | 0.5 | 0.5 | 0.4 | 0.3 | 0.4 |
| 1984 | 0.3 | * | * | 0.1 | 0.3 | 0.3 | 0.6 | 0.4 | 0.4 | 0.4 | 0.3 |
| 1983 | 0.3 | * | * | 0.2 | 0.2 | 0.4 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 |
| 1982 | 0.3 | * | * | 0.2 | 0.2 | 0.4 | 0.5 | 0.4 | 0.3 | 0.4 | 0.4 |
| 1981 | 0.3 | * | * | * | 0.3 | 0.4 | 0.5 | 0.4 | 0.3 | 0.4 | 0.2 |
| 1980 | 0.4 | * | * | * | 0.3 | 0.5 | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 |
| 1979 | 0.4 | * | * | 0.2 | 0.3 | 0.4 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 |
| Other land transport accidents (E800-E807,E826-E829) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | 0.5 | 0.7 | 0.6 | 0.6 | 0.6 | 0.5 |
| 1997 | 0.5 | * | * | * | 0.2 | 0.5 | 0.5 | 0.5 | 0.7 | 0.7 | 0.7 |
| 1996 | 0.5 | * | * | * | 0.3 | 0.6 | 0.6 | 0.5 | 0.7 | 0.8 | 0.7 |
| 1995 | 0.5 | * | * | * | 0.2 | 0.6 | 0.6 | 0.6 | 0.7 | 0.9 | 0.8 |
| 1994 | 0.5 | * | * | * | 0.3 | 0.7 | 0.6 | 0.6 | 0.8 | 0.9 | 0.8 |
| 1993 | 0.5 | * | * | * | * | 0.7 | 0.8 | 0.7 | 0.8 | 0.7 | 0.9 |
| 1992 | 0.6 | * | * | * | 0.3 | 0.7 | 0.8 | 0.8 | 1.1 | 0.7 | 0.8 |
| 1991 | 0.6 | * | * | * | 0.4 | 0.6 | 0.9 | 0.7 | 0.9 | 0.8 | 0.6 |
| 1990 | 0.6 | * | * | * | 0.3 | 0.6 | 1.0 | 1.0 | 0.8 | 0.7 | 0.9 |
| 1989 | 0.6 | * | * | * | 0.3 | 0.6 | 0.8 | 0.9 | 0.7 | 0.8 | 0.7 |
| 1988 | 0.5 | * | * | * | 0.2 | 0.7 | 0.8 | 0.7 | 0.8 | 0.7 | 0.6 |
| 1987 | 0.6 | * | * | * | 0.2 | 0.8 | 0.9 | 0.9 | 0.8 | 0.9 | 0.6 |
| 1986 | 0.6 | * | * | * | * | 0.7 | 0.9 | 0.7 | 0.7 | 0.9 | 0.6 |
| 1985 | 0.6 | * | * | * | 0.3 | 0.8 | 0.8 | 0.8 | 0.6 | 0.5 | 0.7 |
| 1984 | 0.6 | * | * | * | 0.3 | 0.4 | 1.1 | 0.7 | 0.8 | 0.7 | 0.6 |
| 1983 | 0.5 | * | * | * | 0.2 | 0.6 | 0.8 | 0.7 | 0.8 | 0.7 | 0.6 |
| 1982 | 0.5 | * | * | * | 0.3 | 0.7 | 0.8 | 0.7 | 0.5 | 0.6 | 0.6 |
| 1981 | 0.6 | * | * | * | 0.5 | 0.7 | 0.8 | 0.7 | 0.6 | 0.7 | 0.4 |
| 1980 | 0.6 | * | * | * | 0.4 | 0.7 | 0.8 | 0.9 | 0.9 | 0.7 | 0.8 |
| 1979 | 0.6 | * | * | 0.2 | 0.4 | 0.6 | 0.8 | 0.7 | 0.7 | 0.6 | 0.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other land transport accidents (E800-E807,E826-E829) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | 0.2 |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | 0.2 | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | 0.2 | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | 0.2 | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | 0.2 | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | 0.2 | 0.3 | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | 0.3 | 0.2 | * | * | * | * | * |
| Other land transport accidents (E800-E807,E826-E829) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | 0.2 | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 |
| 1997 | 0.3 | * | * | * | 0.2 | 0.3 | 0.4 | 0.3 | 0.3 | 0.4 | 0.3 |
| 1996 | 0.3 | * | * | * | 0.2 | 0.3 | 0.4 | 0.3 | 0.4 | 0.5 | 0.4 |
| 1995 | 0.3 | * | * | * | 0.2 | 0.4 | 0.3 | 0.2 | 0.4 | 0.4 | 0.4 |
| 1994 | 0.3 | * | * | * | 0.3 | 0.5 | 0.4 | 0.3 | 0.4 | 0.5 | 0.4 |
| 1993 | 0.3 | * | * | * | 0.2 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 1992 | 0.3 | * | * | * | 0.2 | 0.4 | 0.5 | 0.5 | 0.6 | 0.4 | 0.5 |
| 1991 | 0.3 | * | * | * | 0.2 | 0.4 | 0.6 | 0.4 | 0.5 | 0.4 | 0.3 |
| 1990 | 0.3 | * | * | * | 0.2 | 0.4 | 0.6 | 0.6 | 0.4 | 0.3 | 0.4 |
| 1989 | 0.3 | * | * | * | 0.2 | 0.4 | 0.5 | 0.5 | 0.4 | 0.4 | 0.4 |
| 1988 | 0.3 | * | * | * | 0.2 | 0.5 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 |
| 1987 | 0.3 | * | * | * | 0.2 | 0.5 | 0.6 | 0.5 | 0.4 | 0.4 | 0.3 |
| 1986 | 0.3 | * | * | * | 0.2 | 0.5 | 0.5 | 0.4 | 0.4 | 0.4 | 0.3 |
| 1985 | 0.3 | * | * | * | 0.3 | 0.5 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 |
| 1984 | 0.3 | * | * | 0.2 | 0.3 | 0.3 | 0.6 | 0.4 | 0.4 | 0.3 | 0.3 |
| 1983 | 0.3 | * | * | 0.2 | 0.2 | 0.4 | 0.5 | 0.4 | 0.4 | 0.4 | 0.3 |
| 1982 | 0.3 | * | * | 0.2 | 0.2 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 |
| 1981 | 0.3 | * | * | * | 0.4 | 0.5 | 0.4 | 0.4 | 0.3 | 0.4 | 0.2 |
| 1980 | 0.4 | * | * | * | 0.3 | 0.5 | 0.5 | 0.5 | 0.5 | 0.3 | 0.4 |
| 1979 | 0.4 | * | * | 0.2 | 0.3 | 0.4 | 0.5 | 0.5 | 0.4 | 0.3 | 0.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other land transport accidents (E800-E807,E826-E829) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | 0.5 | 0.7 | 0.6 | 0.6 | 0.6 | 0.5 |
| 1997 | 0.4 | * | * | * | * | 0.5 | 0.6 | 0.5 | 0.6 | 0.7 | 0.6 |
| 1996 | 0.5 | * | * | * | * | 0.5 | 0.6 | 0.5 | 0.7 | 0.8 | 0.8 |
| 1995 | 0.5 | * | * | * | 0.3 | 0.6 | 0.5 | 0.4 | 0.6 | 0.8 | 0.7 |
| 1994 | 0.5 | * | * | * | 0.3 | 0.7 | 0.6 | 0.6 | 0.8 | 0.7 | 0.7 |
| 1993 | 0.5 | * | * | * | * | 0.8 | 0.8 | 0.7 | 0.7 | 0.6 | 0.7 |
| 1992 | 0.6 | * | * | * | * | 0.7 | 0.8 | 0.8 | 1.0 | 0.6 | 0.7 |
| 1991 | 0.6 | * | * | * | 0.3 | 0.7 | 0.9 | 0.6 | 0.8 | 0.7 | 0.5 |
| 1990 | 0.6 | * | * | * | 0.3 | 0.6 | 1.1 | 1.0 | 0.7 | 0.5 | 0.8 |
| 1989 | 0.6 | * | * | * | * | 0.6 | 0.8 | 0.9 | 0.7 | 0.6 | 0.7 |
| 1988 | 0.5 | * | * | * | * | 0.7 | 0.8 | 0.7 | 0.7 | 0.6 | 0.5 |
| 1987 | 0.6 | * | * | * | * | 0.8 | 0.9 | 0.8 | 0.7 | 0.7 | 0.5 |
| 1986 | 0.5 | * | * | * | * | 0.8 | 0.8 | 0.6 | 0.7 | 0.8 | 0.4 |
| 1985 | 0.5 | * | * | * | 0.4 | 0.8 | 0.7 | 0.7 | 0.6 | 0.5 | 0.5 |
| 1984 | 0.5 | * | * | * | 0.3 | 0.4 | 1.1 | 0.6 | 0.7 | 0.5 | 0.5 |
| 1983 | 0.5 | * | * | * | 0.3 | 0.7 | 0.8 | 0.6 | 0.6 | 0.6 | 0.5 |
| 1982 | 0.5 | * | * | * | * | 0.7 | 0.8 | 0.6 | 0.5 | 0.5 | 0.5 |
| 1981 | 0.6 | * | * | * | 0.5 | 0.7 | 0.7 | 0.7 | 0.4 | 0.6 | 0.4 |
| 1980 | 0.6 | * | * | * | 0.4 | 0.7 | 0.8 | 0.8 | 0.8 | 0.5 | 0.7 |
| 1979 | 0.6 | * | * | * | 0.4 | 0.6 | 0.8 | 0.7 | 0.7 | 0.5 | 0.5 |
| Other land transport accidents (E800-E807,E826-E829) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | 0.2 | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | 0.2 | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | 0.3 | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | 0.3 | 0.3 | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | 0.3 | 0.3 | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other land transport accidents (E800-E807,E826-E829) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | 0.6 | * | 0.7 |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | 0.6 | 0.7 | 0.7 | 0.7 |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | 0.8 | 0.7 |
| 1993 | 0.4 | * | * | * | * | * | * | * | 0.5 | 0.6 | 0.9 |
| 1992 | 0.4 | * | * | * | * | * | * | * | 0.7 | 0.6 | 0.7 |
| 1991 | 0.4 | * | * | * | * | * | * | 0.6 | 0.7 | 0.7 | * |
| 1990 | 0.5 | * | * | * | * | * | * | 0.6 | 0.6 | 1.1 | 1.0 |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | 0.8 | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | 0.8 | 0.7 | * |
| 1987 | 0.5 | * | * | * | * | * | * | 0.7 | 0.6 | 0.9 | * |
| 1986 | 0.4 | * | * | * | * | * | 0.6 | 0.7 | * | 0.8 | * |
| 1985 | 0.4 | * | * | * | * | * | 0.7 | 0.7 | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | 0.6 | 0.7 | * | 1.0 | * |
| 1983 | 0.4 | * | * | * | * | * | * | 0.8 | 0.8 | * | * |
| 1982 | 0.4 | * | * | * | * | * | 0.6 | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | 0.7 | * | 0.8 | * | * |
| 1980 | 0.5 | * | * | * | * | * | 0.6 | * | 1.0 | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| Other land transport accidents (E800-E807,E826-E829) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | 1.1 | * | 1.4 |
| 1996 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.7 | * | * | * | * | * | * | 1.2 | 1.2 | 1.4 | 1.5 |
| 1994 | 0.7 | * | * | * | * | * | * | * | * | 1.7 | * |
| 1993 | 0.7 | * | * | * | * | * | * | * | * | 1.2 | 1.7 |
| 1992 | 0.7 | * | * | * | * | * | * | * | 1.3 | * | 1.5 |
| 1991 | 0.7 | * | * | * | * | * | * | * | 1.2 | * | * |
| 1990 | 0.8 | * | * | * | * | * | * | * | 1.2 | 1.9 | 1.9 |
| 1989 | 0.7 | * | * | * | * | * | * | * | * | 1.7 | * |
| 1988 | 0.8 | * | * | * | * | * | * | * | 1.3 | 1.5 | * |
| 1987 | 0.9 | * | * | * | * | * | * | 1.5 | 1.3 | 2.0 | * |
| 1986 | 0.8 | * | * | * | * | * | * | 1.2 | * | 1.7 | * |
| 1985 | 0.8 | * | * | * | * | * | 1.3 | 1.5 | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | 1.2 | 1.4 | * | 1.8 | * |
| 1983 | 0.8 | * | * | * | * | * | * | 1.4 | 1.6 | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | 1.5 | * | 1.7 | * | * |
| 1980 | 0.9 | * | * | * | * | * | * | * | 2.1 | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other land transport accidents (E800-E807,E826-E829) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| Other land transport accidents (E800-E807,E826-E829) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1996 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | 0.8 | 0.9 | 0.9 |
| 1994 | 0.4 | * | * | * | * | * | * | * | * | 0.9 | 0.9 |
| 1993 | 0.4 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1992 | 0.4 | * | * | * | * | * | * | * | 0.7 | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | 0.9 | 0.8 | * |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | 1.2 | 1.2 |
| 1989 | 0.4 | * | * | * | * | * | * | * | * | 0.9 | * |
| 1988 | 0.4 | * | * | * | * | * | * | * | 0.8 | * | * |
| 1987 | 0.5 | * | * | * | * | * | * | 0.9 | * | 1.1 | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | 0.7 | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | 0.7 | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | 0.7 | * | * | * | * |
| 1980 | 0.5 | * | * | * | * | * | * | * | 1.2 | * | * |
| 1979 | 0.4 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Other land transport accidents (E800-E807,E826-E829) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.7 | * | * | * | * | * | * | * | * | * | 1.8 |
| 1996 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | 1.7 | 1.8 |
| 1994 | 0.7 | * | * | * | * | * | * | * | * | 1.9 | * |
| 1993 | 0.8 | * | * | * | * | * | * | * | * | * | 2.1 |
| 1992 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.9 | * | * | * | * | * | * | * | 1.6 | * | * |
| 1990 | 0.9 | * | * | * | * | * | * | * | * | 2.1 | * |
| 1989 | 0.8 | * | * | * | * | * | * | * | * | 2.0 | * |
| 1988 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.9 | * | * | * | * | * | * | 1.8 | * | 2.3 | * |
| 1986 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.8 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | 1.6 | * | * | * | * |
| 1980 | 1.0 | * | * | * | * | * | * | * | 2.5 | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| Other land transport accidents (E800-E807,E826-E829) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.7 | * | * | 0.1 | 0.2 | 0.4 | 0.7 | 0.6 | 0.7 | 0.8 | 0.9 |
| 1997 | 0.8 | * | * | 0.1 | 0.1 | 0.5 | 0.7 | 1.0 | 0.9 | 1.0 | 1.1 |
| 1996 | 0.8 | * | * | 0.2 | 0.2 | 0.5 | 0.9 | 1.0 | 1.0 | 1.1 | 1.2 |
| 1995 | 0.8 | * | * | 0.1 | 0.3 | 0.5 | 0.9 | 1.0 | 1.0 | 1.1 | 1.1 |
| 1994 | 0.9 | * | * | 0.2 | 0.2 | 0.5 | 0.8 | 1.3 | 1.2 | 1.2 | 1.3 |
| 1993 | 0.8 | * | 0.1 | 0.2 | 0.3 | 0.5 | 0.8 | 1.1 | 1.2 | 1.0 | 1.2 |
| 1992 | 0.9 | * | 0.2 | 0.1 | 0.3 | 0.6 | 1.0 | 1.4 | 1.2 | 1.3 | 1.4 |
| 1991 | 0.9 | * | * | 0.2 | 0.3 | 0.6 | 1.1 | 1.2 | 1.2 | 1.2 | 1.4 |
| 1990 | 0.9 | * | * | 0.1 | 0.2 | 0.5 | 1.0 | 1.1 | 1.3 | 1.3 | 1.3 |
| 1989 | 0.9 | * | * | 0.2 | 0.3 | 0.6 | 1.0 | 1.2 | 1.4 | 1.2 | 1.5 |
| 1988 | 0.9 | * | * | 0.2 | 0.3 | 0.5 | 1.2 | 1.3 | 1.4 | 1.3 | 1.6 |
| 1987 | 1.0 | * | 0.2 | 0.2 | 0.3 | 0.7 | 1.3 | 1.5 | 1.4 | 1.6 | 1.7 |
| 1986 | 1.0 | * | 0.2 | 0.2 | 0.3 | 0.7 | 1.2 | 1.4 | 1.4 | 1.6 | 1.6 |
| 1985 | 1.2 | * | 0.2 | 0.2 | 0.4 | 0.8 | 1.6 | 1.6 | 1.7 | 1.7 | 1.9 |
| 1984 | 1.1 | * | 0.2 | 0.2 | 0.3 | 0.7 | 1.6 | 1.6 | 1.5 | 1.6 | 1.7 |
| 1983 | 1.2 | * | 0.2 | 0.2 | 0.4 | 0.9 | 1.6 | 2.0 | 1.9 | 2.0 | 1.9 |
| 1982 | 1.4 | * | 0.3 | 0.4 | 0.4 | 1.0 | 1.8 | 2.2 | 2.2 | 2.3 | 2.1 |
| 1981 | 1.3 | * | 0.2 | 0.3 | 0.4 | 1.0 | 1.9 | 2.1 | 2.1 | 2.2 | 1.8 |
| 1980 | 1.4 | * | 0.2 | 0.3 | 0.5 | 1.2 | 2.1 | 2.3 | 2.4 | 2.0 | 2.3 |
| 1979 | 1.5 | * | 0.2 | 0.4 | 0.5 | 1.2 | 2.0 | 2.6 | 2.5 | 2.7 | 2.3 |
| Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 1.1 | * | * | * | * | 0.6 | 1.1 | 1.1 | 1.2 | 1.4 | 1.6 |
| 1997 | 1.3 | * | * | * | * | 0.7 | 1.1 | 1.7 | 1.6 | 1.6 | 2.0 |
| 1996 | 1.3 | * | * | 0.2 | 0.2 | 0.5 | 1.4 | 1.6 | 1.7 | 1.8 | 2.1 |
| 1995 | 1.3 | * | * | * | 0.4 | 0.7 | 1.4 | 1.6 | 1.8 | 1.8 | 1.9 |
| 1994 | 1.5 | * | * | * | 0.3 | 0.8 | 1.4 | 2.2 | 2.1 | 2.0 | 2.2 |
| 1993 | 1.3 | * | * | 0.2 | 0.3 | 0.7 | 1.3 | 1.7 | 2.1 | 1.8 | 2.0 |
| 1992 | 1.6 | * | * | * | 0.3 | 0.9 | 1.6 | 2.4 | 2.1 | 2.2 | 2.5 |
| 1991 | 1.5 | * | * | 0.2 | 0.4 | 0.9 | 1.8 | 2.0 | 2.1 | 2.0 | 2.5 |
| 1990 | 1.6 | * | * | * | 0.4 | 0.9 | 1.7 | 2.0 | 2.3 | 2.3 | 2.3 |
| 1989 | 1.6 | * | * | 0.3 | 0.4 | 1.0 | 1.5 | 2.1 | 2.4 | 1.9 | 2.5 |
| 1988 | 1.7 | * | * | 0.2 | 0.4 | 0.9 | 2.1 | 2.2 | 2.4 | 2.3 | 2.8 |
| 1987 | 1.8 | * | * | 0.3 | 0.5 | 1.2 | 2.1 | 2.4 | 2.4 | 2.7 | 3.0 |
| 1986 | 1.8 | * | * | 0.3 | 0.5 | 1.1 | 2.1 | 2.6 | 2.4 | 2.9 | 2.8 |
| 1985 | 2.0 | * | 0.3 | 0.4 | 0.5 | 1.2 | 2.6 | 2.8 | 3.2 | 2.9 | 3.4 |
| 1984 | 2.0 | * | 0.3 | * | 0.5 | 1.1 | 2.6 | 2.7 | 2.5 | 2.9 | 3.0 |
| 1983 | 2.2 | * | * | 0.3 | 0.5 | 1.5 | 2.6 | 3.5 | 3.4 | 3.6 | 3.4 |
| 1982 | 2.4 | * | 0.4 | 0.5 | 0.6 | 1.7 | 3.1 | 3.8 | 3.8 | 4.2 | 3.8 |
| 1981 | 2.3 | * | * | 0.4 | 0.6 | 1.7 | 3.2 | 3.8 | 3.8 | 3.9 | 3.2 |
| 1980 | 2.4 | * | * | 0.4 | 0.7 | 1.9 | 3.5 | 4.0 | 4.2 | 3.7 | 4.1 |
| 1979 | 2.7 | * | * | 0.6 | 0.8 | 2.0 | 3.5 | 4.5 | 4.4 | 4.8 | 4.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | 0.2 | * | 0.2 | 0.2 | 0.3 |
| 1997 | 0.3 | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 |
| 1996 | 0.4 | * | * | * | 0.3 | 0.4 | 0.3 | 0.5 | 0.3 | 0.4 | 0.4 |
| 1995 | 0.3 | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.2 | 0.3 | 0.3 |
| 1994 | 0.3 | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.4 | 0.5 |
| 1993 | 0.3 | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.4 |
| 1992 | 0.3 | * | * | * | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 |
| 1991 | 0.3 | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 |
| 1990 | 0.2 | * | * | * | * | * | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 |
| 1989 | 0.3 | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.4 | 0.4 | 0.5 |
| 1988 | 0.2 | * | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.3 | 0.4 |
| 1987 | 0.3 | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.4 | 0.5 | 0.4 |
| 1986 | 0.3 | * | * | * | * | 0.2 | 0.4 | 0.3 | 0.4 | 0.4 | 0.5 |
| 1985 | 0.4 | * | * | * | * | 0.3 | 0.5 | 0.5 | 0.3 | 0.5 | 0.5 |
| 1984 | 0.3 | * | * | * | * | 0.3 | 0.5 | 0.5 | 0.4 | 0.3 | 0.4 |
| 1983 | 0.3 | * | * | * | * | 0.3 | 0.5 | 0.4 | 0.5 | 0.4 | 0.5 |
| 1982 | 0.4 | * | * | 0.3 | * | 0.3 | 0.5 | 0.5 | 0.6 | 0.5 | 0.4 |
| 1981 | 0.3 | * | * | * | * | 0.3 | 0.5 | 0.4 | 0.5 | 0.5 | 0.5 |
| 1980 | 0.4 | * | * | * | 0.3 | 0.4 | 0.7 | 0.7 | 0.6 | 0.4 | 0.6 |
| 1979 | 0.4 | * | * | 0.3 | * | 0.5 | 0.5 | 0.7 | 0.6 | 0.7 | 0.7 |
| Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | 0.2 | 0.4 | 0.7 | 0.7 | 0.8 | 0.9 | 1.0 |
| 1997 | 0.8 | * | * | * | 0.1 | 0.5 | 0.8 | 1.0 | 1.0 | 1.0 | 1.2 |
| 1996 | 0.9 | * | * | 0.2 | 0.3 | 0.5 | 1.0 | 1.1 | 1.0 | 1.2 | 1.3 |
| 1995 | 0.8 | * | * | 0.2 | 0.3 | 0.6 | 1.0 | 1.1 | 1.1 | 1.2 | 1.2 |
| 1994 | 0.9 | * | * | 0.2 | 0.3 | 0.5 | 1.0 | 1.3 | 1.3 | 1.3 | 1.4 |
| 1993 | 0.9 | * | * | 0.2 | 0.3 | 0.5 | 0.9 | 1.2 | 1.3 | 1.1 | 1.3 |
| 1992 | 1.0 | * | 0.2 | 0.1 | 0.3 | 0.7 | 1.1 | 1.5 | 1.4 | 1.4 | 1.5 |
| 1991 | 1.0 | * | * | 0.2 | 0.3 | 0.7 | 1.2 | 1.2 | 1.3 | 1.3 | 1.4 |
| 1990 | 1.0 | * | * | * | 0.3 | 0.6 | 1.1 | 1.2 | 1.4 | 1.4 | 1.4 |
| 1989 | 1.0 | * | * | 0.2 | 0.3 | 0.6 | 1.0 | 1.3 | 1.6 | 1.2 | 1.6 |
| 1988 | 1.0 | * | * | 0.2 | 0.2 | 0.6 | 1.3 | 1.4 | 1.4 | 1.4 | 1.7 |
| 1987 | 1.1 | * | 0.2 | 0.2 | 0.3 | 0.8 | 1.3 | 1.6 | 1.4 | 1.7 | 1.7 |
| 1986 | 1.1 | * | * | 0.2 | 0.3 | 0.7 | 1.4 | 1.5 | 1.5 | 1.7 | 1.7 |
| 1985 | 1.2 | * | 0.3 | 0.2 | 0.3 | 0.9 | 1.7 | 1.7 | 1.9 | 1.7 | 2.1 |
| 1984 | 1.2 | * | 0.2 | 0.2 | 0.3 | 0.8 | 1.7 | 1.7 | 1.6 | 1.6 | 1.7 |
| 1983 | 1.3 | * | 0.2 | 0.2 | 0.4 | 1.0 | 1.7 | 2.2 | 2.0 | 2.1 | 2.0 |
| 1982 | 1.5 | * | 0.4 | 0.4 | 0.4 | 1.1 | 2.0 | 2.3 | 2.3 | 2.5 | 2.2 |
| 1981 | 1.4 | * | * | 0.3 | 0.4 | 1.1 | 2.0 | 2.3 | 2.3 | 2.4 | 1.9 |
| 1980 | 1.4 | * | 0.3 | 0.3 | 0.5 | 1.2 | 2.2 | 2.5 | 2.5 | 2.2 | 2.4 |
| 1979 | 1.6 | * | 0.2 | 0.4 | 0.5 | 1.4 | 2.2 | 2.7 | 2.6 | 2.9 | 2.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | 0.7 | 1.2 | 1.2 | 1.3 | 1.5 | 1.7 |
| 1997 | 1.4 | * | * | * | * | 0.7 | 1.2 | 1.8 | 1.6 | 1.7 | 2.0 |
| 1996 | 1.4 | * | * | 0.3 | 0.3 | 0.6 | 1.5 | 1.6 | 1.7 | 2.0 | 2.3 |
| 1995 | 1.4 | * | * | * | 0.4 | 0.8 | 1.5 | 1.7 | 1.9 | 2.0 | 2.0 |
| 1994 | 1.6 | * | * | * | 0.4 | 0.7 | 1.6 | 2.3 | 2.1 | 2.1 | 2.3 |
| 1993 | 1.4 | * | * | * | 0.4 | 0.7 | 1.5 | 1.9 | 2.4 | 1.9 | 2.1 |
| 1992 | 1.7 | * | * | * | 0.3 | 1.0 | 1.8 | 2.5 | 2.3 | 2.4 | 2.6 |
| 1991 | 1.6 | * | * | * | 0.5 | 0.9 | 2.0 | 2.1 | 2.2 | 2.1 | 2.5 |
| 1990 | 1.7 | * | * | * | 0.4 | 1.0 | 1.8 | 2.2 | 2.4 | 2.5 | 2.5 |
| 1989 | 1.7 | * | * | 0.3 | 0.4 | 1.0 | 1.5 | 2.3 | 2.7 | 2.0 | 2.6 |
| 1988 | 1.7 | * | * | * | 0.4 | 1.0 | 2.2 | 2.3 | 2.6 | 2.4 | 3.0 |
| 1987 | 1.8 | * | * | 0.3 | 0.4 | 1.3 | 2.2 | 2.5 | 2.5 | 2.8 | 3.1 |
| 1986 | 1.9 | * | * | 0.3 | 0.5 | 1.2 | 2.3 | 2.7 | 2.6 | 3.0 | 3.0 |
| 1985 | 2.1 | * | * | 0.4 | 0.5 | 1.3 | 2.8 | 3.0 | 3.4 | 3.0 | 3.6 |
| 1984 | 2.0 | * | * | * | 0.5 | 1.3 | 2.7 | 2.9 | 2.6 | 3.0 | 3.0 |
| 1983 | 2.3 | * | * | 0.3 | 0.6 | 1.7 | 2.8 | 3.8 | 3.5 | 3.7 | 3.5 |
| 1982 | 2.5 | * | 0.5 | 0.4 | 0.6 | 1.8 | 3.3 | 4.0 | 4.0 | 4.4 | 4.0 |
| 1981 | 2.5 | * | * | 0.4 | 0.6 | 1.8 | 3.4 | 4.1 | 4.1 | 4.2 | 3.4 |
| 1980 | 2.5 | * | * | 0.4 | 0.6 | 2.0 | 3.7 | 4.3 | 4.3 | 4.0 | 4.2 |
| 1979 | 2.8 | * | * | 0.5 | 0.8 | 2.1 | 3.9 | 4.6 | 4.6 | 5.0 | 4.0 |
| Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | 0.3 | 0.2 | 0.3 |
| 1997 | 0.3 | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 |
| 1996 | 0.4 | * | * | * | 0.3 | 0.5 | 0.4 | 0.5 | 0.4 | 0.4 | 0.4 |
| 1995 | 0.3 | * | * | * | * | 0.3 | 0.4 | 0.4 | 0.3 | 0.4 | 0.4 |
| 1994 | 0.3 | * | * | * | * | * | 0.3 | 0.4 | 0.4 | 0.4 | 0.5 |
| 1993 | 0.3 | * | * | * | * | * | 0.4 | 0.4 | 0.3 | 0.3 | 0.5 |
| 1992 | 0.3 | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 |
| 1991 | 0.3 | * | * | * | * | 0.4 | 0.5 | 0.3 | 0.3 | 0.4 | 0.3 |
| 1990 | 0.3 | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 |
| 1989 | 0.3 | * | * | * | * | 0.3 | 0.5 | 0.3 | 0.4 | 0.5 | 0.5 |
| 1988 | 0.3 | * | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.4 | 0.4 |
| 1987 | 0.4 | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.4 | 0.5 | 0.4 |
| 1986 | 0.3 | * | * | * | * | * | 0.4 | 0.3 | 0.4 | 0.4 | 0.5 |
| 1985 | 0.4 | * | * | * | * | 0.4 | 0.6 | 0.5 | 0.4 | 0.5 | 0.6 |
| 1984 | 0.3 | * | * | * | * | 0.3 | 0.5 | 0.5 | 0.5 | 0.3 | 0.5 |
| 1983 | 0.3 | * | * | * | * | 0.3 | 0.6 | 0.5 | 0.5 | 0.5 | 0.5 |
| 1982 | 0.4 | * | * | * | * | 0.4 | 0.6 | 0.5 | 0.7 | 0.5 | 0.5 |
| 1981 | 0.4 | * | * | * | * | 0.3 | 0.6 | 0.5 | 0.5 | 0.6 | 0.5 |
| 1980 | 0.4 | * | * | * | * | 0.5 | 0.8 | 0.7 | 0.6 | 0.5 | 0.6 |
| 1979 | 0.5 | * | * | 0.3 | * | 0.5 | 0.6 | 0.8 | 0.7 | 0.8 | 0.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | 0.6 | 0.6 |
| 1997 | 0.5 | * | * | * | * | * | * | 0.9 | 0.8 | 0.7 | 0.8 |
| 1996 | 0.5 | * | * | * | * | * | 0.6 | 0.7 | 0.8 | 0.6 | 0.7 |
| 1995 | 0.4 | * | * | * | * | * | 0.6 | 0.5 | 0.7 | 0.8 | 0.6 |
| 1994 | 0.6 | * | * | * | * | * | * | 0.9 | 1.0 | 0.9 | 0.8 |
| 1993 | 0.5 | * | * | * | * | * | * | 0.6 | 0.5 | 0.7 | 0.7 |
| 1992 | 0.5 | * | * | * | * | * | * | 0.8 | 0.7 | 0.7 | 0.8 |
| 1991 | 0.5 | * | * | * | * | * | 0.6 | 0.7 | 0.7 | 0.7 | 1.2 |
| 1990 | 0.5 | * | * | * | * | * | 0.7 | 0.6 | 0.8 | 0.9 | * |
| 1989 | 0.6 | * | * | * | * | 0.6 | 0.8 | 0.8 | * | 0.6 | 0.9 |
| 1988 | 0.7 | * | * | * | * | * | 1.0 | 0.9 | 0.9 | 0.8 | * |
| 1987 | 0.7 | * | * | * | * | * | 1.0 | 1.0 | 1.0 | 1.0 | 1.3 |
| 1986 | 0.7 | * | * | * | * | * | 0.7 | 0.9 | 0.9 | 1.2 | * |
| 1985 | 0.7 | * | * | * | * | * | 1.0 | 1.1 | 0.9 | 1.2 | * |
| 1984 | 0.7 | * | * | * | * | * | 1.1 | 1.0 | 1.1 | 1.3 | 1.3 |
| 1983 | 0.7 | * | * | * | * | * | 0.9 | 0.8 | 1.3 | 1.4 | * |
| 1982 | 0.9 | * | * | * | * | 0.7 | 1.0 | 1.8 | 1.4 | 1.3 | 1.3 |
| 1981 | 0.7 | * | * | * | * | 0.7 | 1.0 | 1.1 | 1.1 | * | * |
| 1980 | 1.0 | * | * | * | * | 0.9 | 1.4 | 1.3 | 1.9 | * | 1.5 |
| 1979 | 1.0 | * | * | * | * | 0.7 | 0.7 | 1.6 | 1.8 | 1.6 | 2.0 |
| Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | * | * | 1.2 | * |
| 1997 | 0.9 | * | * | * | * | * | * | 1.4 | 1.3 | 1.4 | 1.6 |
| 1996 | 0.9 | * | * | * | * | * | 1.1 | 1.2 | 1.5 | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | 1.2 | 1.3 | 1.3 |
| 1994 | 1.0 | * | * | * | * | * | * | 1.6 | 1.7 | 1.5 | 1.4 |
| 1993 | 0.9 | * | * | * | * | * | * | * | * | 1.4 | 1.5 |
| 1992 | 0.9 | * | * | * | * | * | * | 1.4 | 1.3 | 1.4 | 1.7 |
| 1991 | 1.0 | * | * | * | * | * | * | 1.5 | 1.5 | 1.4 | 2.4 |
| 1990 | 1.0 | * | * | * | * | * | 1.3 | * | 1.6 | 1.7 | * |
| 1989 | 1.2 | * | * | * | * | * | 1.6 | 1.4 | * | * | 1.9 |
| 1988 | 1.2 | * | * | * | * | * | 1.7 | 1.8 | 1.5 | 1.7 | * |
| 1987 | 1.4 | * | * | * | * | * | 1.8 | 1.9 | 2.0 | 1.8 | 2.4 |
| 1986 | 1.2 | * | * | * | * | * | 1.3 | 1.7 | 1.6 | 2.4 | * |
| 1985 | 1.2 | * | * | * | * | * | 1.6 | 2.0 | 1.9 | 2.3 | * |
| 1984 | 1.4 | * | * | * | * | * | 2.0 | 1.8 | 2.0 | 2.8 | 2.7 |
| 1983 | 1.4 | * | * | * | * | * | 1.6 | 1.6 | 2.5 | 2.7 | * |
| 1982 | 1.7 | * | * | * | * | 1.4 | 1.9 | 3.2 | 2.5 | 2.5 | 2.7 |
| 1981 | 1.3 | * | * | * | * | 1.2 | 1.8 | 2.1 | 2.0 | * | * |
| 1980 | 1.8 | * | * | * | * | 1.5 | 2.3 | 2.0 | 3.8 | * | 2.9 |
| 1979 | 1.8 | * | * | * | * | 1.3 | 1.5 | 3.3 | 3.1 | 3.4 | 3.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.5 | * | * | * | * | * | * | * | 0.8 | * | 0.9 |
| 1996 | 0.6 | * | * | * | * | * | * | 0.7 | 1.0 | * | * |
| 1995 | 0.4 | * | * | * | * | * | * | * | * | 0.8 | * |
| 1994 | 0.6 | * | * | * | * | * | * | 0.9 | 0.8 | 1.0 | * |
| 1993 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | * | * | * | * | 1.5 |
| 1990 | 0.5 | * | * | * | * | * | * | * | * | 0.8 | * |
| 1989 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.6 | * | * | * | * | * | 1.0 | 0.9 | * | * | * |
| 1987 | 0.7 | * | * | * | * | * | 0.9 | 1.0 | * | 1.0 | 1.3 |
| 1986 | 0.6 | * | * | * | * | * | * | 0.8 | * | 1.3 | * |
| 1985 | 0.6 | * | * | * | * | * | 0.9 | 1.0 | 0.9 | 1.1 | * |
| 1984 | 0.8 | * | * | * | * | * | 0.9 | 0.9 | 1.2 | 1.5 | 1.4 |
| 1983 | 0.7 | * | * | * | * | * | 0.8 | 0.8 | 1.3 | 1.4 | * |
| 1982 | 0.9 | * | * | * | * | * | 0.9 | 1.8 | 1.7 | 1.3 | 1.6 |
| 1981 | 0.7 | * | * | * | * | 0.7 | 1.0 | 1.0 | 1.1 | * | * |
| 1980 | 0.9 | * | * | * | * | 0.8 | 1.2 | 1.1 | 1.9 | * | 1.6 |
| 1979 | 0.9 | * | * | * | * | 0.7 | * | 1.4 | 1.6 | 1.6 | 1.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.8 | * | * | * | * | * | * | * | * | * | 1.9 |
| 1996 | 1.0 | * | * | * | * | * | * | * | 1.8 | * | * |
| 1995 | 0.8 | * | * | * | * | * | * | * | * | 1.6 | * |
| 1994 | 0.9 | * | * | * | * | * | * | 1.7 | * | 1.7 | * |
| 1993 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | * | 2.8 |
| 1990 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.2 | * | * | * | * | * | 1.6 | 1.8 | * | * | * |
| 1987 | 1.3 | * | * | * | * | * | 1.6 | 1.9 | * | * | * |
| 1986 | 1.2 | * | * | * | * | * | * | 1.7 | * | 2.8 | * |
| 1985 | 1.2 | * | * | * | * | * | 1.5 | 1.9 | 1.8 | * | * |
| 1984 | 1.5 | * | * | * | * | * | 1.7 | 1.7 | 2.4 | 3.2 | 3.1 |
| 1983 | 1.3 | * | * | * | * | * | 1.5 | * | 2.3 | 2.6 | * |
| 1982 | 1.7 | * | * | * | * | * | 1.7 | 3.2 | 2.8 | 2.8 | 3.4 |
| 1981 | 1.3 | * | * | * | * | * | 1.9 | 2.1 | * | * | * |
| 1980 | 1.7 | * | * | * | * | 1.3 | 2.1 | 1.8 | 3.7 | * | * |
| 1979 | 1.7 | * | * | * | * | * | * | 2.9 | 3.0 | 3.4 | 3.5 |
| Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 17.5 | 14.8 | 7.4 | 3.2 | 3.0 | 6.4 | 9.3 | 9.3 | 12.2 | 15.3 | 18.0 |
| 1997 | 16.9 | 15.2 | 7.6 | 3.1 | 3.3 | 6.3 | 8.7 | 9.6 | 12.0 | 14.9 | 17.0 |
| 1996 | 16.7 | 15.0 | 8.1 | 3.2 | 3.3 | 6.6 | 8.7 | 9.3 | 11.8 | 14.3 | 16.2 |
| 1995 | 16.6 | 15.3 | 8.8 | 3.3 | 3.5 | 6.9 | 8.4 | 9.8 | 12.3 | 15.5 | 16.6 |
| 1994 | 16.3 | 17.4 | 9.5 | 3.4 | 3.5 | 6.9 | 8.5 | 10.0 | 13.0 | 14.9 | 16.2 |
| 1993 | 16.5 | 17.2 | 10.4 | 3.5 | 3.6 | 7.5 | 8.9 | 10.2 | 13.3 | 15.7 | 15.7 |
| 1992 | 15.5 | 15.5 | 9.9 | 3.5 | 3.6 | 7.1 | 8.6 | 10.0 | 11.8 | 13.8 | 12.7 |
| 1991 | 15.8 | 18.5 | 11.2 | 4.0 | 4.1 | 7.9 | 8.8 | 10.3 | 12.4 | 12.8 | 12.5 |
| 1990 | 15.8 | 17.9 | 10.7 | 4.1 | 4.1 | 8.1 | 8.7 | 10.6 | 12.4 | 12.9 | 11.6 |
| 1989 | 16.7 | 18.8 | 11.7 | 4.8 | 4.7 | 8.0 | 9.5 | 11.8 | 13.6 | 13.9 | 12.3 |
| 1988 | 17.2 | 18.2 | 12.4 | 4.9 | 4.7 | 8.2 | 10.4 | 11.7 | 13.5 | 13.7 | 12.6 |
| 1987 | 16.7 | 19.2 | 13.0 | 5.0 | 4.8 | 8.0 | 10.6 | 11.6 | 12.8 | 12.7 | 11.2 |
| 1986 | 17.1 | 18.6 | 13.1 | 5.0 | 5.3 | 9.4 | 11.4 | 13.2 | 13.7 | 12.3 | 11.9 |
| 1985 | 17.3 | 18.2 | 12.6 | 5.1 | 5.1 | 8.9 | 11.8 | 12.6 | 13.0 | 12.0 | 12.1 |
| 1984 | 17.2 | 17.7 | 12.5 | 5.1 | 5.3 | 9.4 | 12.1 | 12.7 | 13.1 | 11.8 | 11.7 |
| 1983 | 17.9 | 19.8 | 13.9 | 5.6 | 5.6 | 9.9 | 13.0 | 13.1 | 13.0 | 12.3 | 12.5 |
| 1982 | 18.0 | 21.2 | 14.1 | 6.1 | 5.6 | 10.6 | 14.0 | 14.0 | 13.2 | 11.8 | 12.6 |
| 1981 | 18.7 | 20.2 | 15.5 | 6.1 | 6.0 | 11.1 | 14.3 | 14.3 | 12.9 | 12.3 | 13.3 |
| 1980 | 20.4 | 24.9 | 16.1 | 6.4 | 6.3 | 13.1 | 16.0 | 15.2 | 12.9 | 12.8 | 14.2 |
| 1979 | 20.0 | 24.1 | 16.2 | 6.7 | 7.1 | 13.0 | 16.4 | 14.7 | 12.6 | 13.5 | 14.6 |
| Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 22.4 | 16.9 | 9.1 | 4.2 | 4.2 | 10.2 | 15.5 | 15.2 | 19.3 | 23.6 | 28.2 |
| 1997 | 22.0 | 17.2 | 9.4 | 3.9 | 4.7 | 10.3 | 14.3 | 15.6 | 19.3 | 23.3 | 27.3 |
| 1996 | 21.7 | 16.8 | 10.1 | 4.2 | 4.7 | 10.8 | 14.5 | 15.1 | 18.9 | 22.6 | 25.9 |
| 1995 | 21.9 | 16.0 | 10.7 | 4.3 | 5.2 | 11.6 | 13.8 | 16.2 | 19.9 | 25.1 | 27.1 |
| 1994 | 21.8 | 19.7 | 11.7 | 4.3 | 5.4 | 11.6 | 14.3 | 16.3 | 21.3 | 23.9 | 26.8 |
| 1993 | 21.9 | 19.1 | 12.7 | 4.4 | 5.5 | 12.3 | 15.1 | 16.9 | 21.7 | 25.6 | 25.9 |
| 1992 | 20.7 | 17.2 | 12.3 | 4.7 | 5.3 | 11.8 | 14.0 | 16.6 | 19.1 | 22.9 | 21.4 |
| 1991 | 21.1 | 21.4 | 13.4 | 5.3 | 6.4 | 13.5 | 14.8 | 17.1 | 20.5 | 20.8 | 20.8 |
| 1990 | 21.1 | 19.6 | 13.5 | 5.3 | 6.4 | 13.6 | 14.9 | 17.4 | 20.6 | 21.7 | 19.1 |
| 1989 | 22.6 | 20.1 | 14.6 | 6.4 | 6.9 | 13.3 | 16.1 | 19.4 | 22.2 | 23.3 | 20.1 |
| 1988 | 23.1 | 20.2 | 15.5 | 6.2 | 6.9 | 13.8 | 17.5 | 19.2 | 22.5 | 22.6 | 20.5 |
| 1987 | 22.6 | 21.4 | 16.2 | 6.6 | 7.5 | 13.3 | 17.7 | 19.3 | 21.5 | 21.4 | 18.0 |
| 1986 | 23.3 | 20.1 | 15.6 | 6.6 | 8.2 | 15.6 | 19.1 | 22.0 | 22.8 | 20.5 | 19.2 |
| 1985 | 23.6 | 19.3 | 15.4 | 6.6 | 8.0 | 14.7 | 19.8 | 21.1 | 21.9 | 20.0 | 20.0 |
| 1984 | 23.5 | 19.0 | 15.3 | 7.0 | 8.2 | 15.4 | 20.1 | 21.3 | 21.7 | 20.1 | 18.6 |
| 1983 | 24.3 | 22.5 | 16.9 | 7.1 | 8.3 | 16.5 | 21.5 | 21.6 | 21.6 | 20.3 | 20.4 |
| 1982 | 24.8 | 24.9 | 17.2 | 7.9 | 8.4 | 18.0 | 23.6 | 23.5 | 22.4 | 19.3 | 19.9 |
| 1981 | 25.8 | 22.2 | 19.4 | 8.0 | 9.2 | 18.7 | 24.6 | 24.1 | 21.7 | 19.9 | 21.2 |
| 1980 | 27.9 | 27.9 | 19.6 | 8.5 | 9.6 | 21.8 | 27.6 | 26.1 | 21.5 | 21.4 | 22.8 |
| 1979 | 27.7 | 27.0 | 20.0 | 9.2 | 10.8 | 21.7 | 27.8 | 24.8 | 21.1 | 22.2 | 23.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 12.8 | 12.6 | 5.6 | 2.2 | 1.7 | 2.4 | 2.8 | 3.3 | 5.1 | 7.0 | 8.1 |
| 1997 | 12.0 | 13.1 | 5.8 | 2.2 | 1.8 | 2.0 | 2.8 | 3.5 | 4.7 | 6.5 | 7.0 |
| 1996 | 12.0 | 13.0 | 6.1 | 2.2 | 1.8 | 2.1 | 2.6 | 3.5 | 4.7 | 6.0 | 6.7 |
| 1995 | 11.5 | 14.6 | 6.9 | 2.4 | 1.8 | 2.0 | 2.8 | 3.4 | 4.6 | 6.0 | 6.4 |
| 1994 | 11.1 | 14.9 | 7.1 | 2.5 | 1.6 | 1.9 | 2.6 | 3.6 | 4.6 | 6.0 | 5.8 |
| 1993 | 11.2 | 15.2 | 8.0 | 2.5 | 1.8 | 2.4 | 2.6 | 3.3 | 4.9 | 5.9 | 5.7 |
| 1992 | 10.6 | 13.6 | 7.3 | 2.3 | 1.8 | 2.2 | 2.9 | 3.2 | 4.5 | 4.9 | 4.2 |
| 1991 | 10.8 | 15.5 | 9.0 | 2.7 | 1.8 | 2.1 | 2.6 | 3.4 | 4.3 | 4.9 | 4.4 |
| 1990 | 10.7 | 16.2 | 7.8 | 2.8 | 1.7 | 2.4 | 2.4 | 3.8 | 4.2 | 4.3 | 4.2 |
| 1989 | 11.2 | 17.5 | 8.7 | 3.2 | 2.3 | 2.4 | 2.8 | 4.1 | 5.0 | 4.6 | 4.7 |
| 1988 | 11.5 | 16.0 | 9.2 | 3.4 | 2.4 | 2.4 | 3.1 | 4.2 | 4.7 | 4.9 | 4.9 |
| 1987 | 11.0 | 16.9 | 9.6 | 3.3 | 1.9 | 2.4 | 3.3 | 3.9 | 4.3 | 4.1 | 4.5 |
| 1986 | 11.2 | 17.2 | 10.5 | 3.3 | 2.2 | 2.9 | 3.5 | 4.3 | 4.7 | 4.4 | 4.8 |
| 1985 | 11.3 | 16.9 | 9.6 | 3.5 | 2.1 | 2.8 | 3.6 | 4.1 | 4.2 | 4.1 | 4.4 |
| 1984 | 11.3 | 16.4 | 9.6 | 3.2 | 2.3 | 3.1 | 4.0 | 4.1 | 4.5 | 3.9 | 5.0 |
| 1983 | 11.8 | 17.0 | 10.9 | 3.9 | 2.8 | 3.0 | 4.3 | 4.6 | 4.4 | 4.5 | 4.8 |
| 1982 | 11.7 | 17.4 | 10.9 | 4.1 | 2.6 | 3.0 | 4.3 | 4.5 | 4.1 | 4.5 | 5.5 |
| 1981 | 12.0 | 18.2 | 11.5 | 4.1 | 2.7 | 3.2 | 3.9 | 4.5 | 4.3 | 4.9 | 5.8 |
| 1980 | 13.2 | 21.7 | 12.5 | 4.3 | 3.0 | 4.1 | 4.5 | 4.4 | 4.4 | 4.5 | 6.0 |
| 1979 | 12.8 | 21.0 | 12.3 | 4.2 | 3.2 | 4.1 | 5.1 | 4.7 | 4.3 | 5.1 | 5.8 |
| Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 18.0 | 12.4 | 6.9 | 2.6 | 2.7 | 6.3 | 9.6 | 9.7 | 12.4 | 15.1 | 17.5 |
| 1997 | 17.2 | 12.4 | 7.1 | 2.4 | 2.9 | 6.4 | 8.9 | 9.8 | 12.2 | 14.5 | 15.8 |
| 1996 | 17.0 | 12.2 | 7.2 | 2.6 | 2.7 | 6.5 | 8.8 | 9.4 | 11.8 | 13.8 | 15.2 |
| 1995 | 16.6 | 12.5 | 8.1 | 2.9 | 3.1 | 6.7 | 8.6 | 9.9 | 12.1 | 14.8 | 15.1 |
| 1994 | 16.2 | 14.3 | 8.2 | 2.7 | 3.0 | 6.5 | 8.5 | 9.9 | 12.3 | 14.0 | 14.5 |
| 1993 | 16.2 | 14.3 | 9.2 | 2.7 | 3.2 | 6.9 | 8.6 | 10.0 | 12.6 | 14.6 | 14.0 |
| 1992 | 15.3 | 12.4 | 9.0 | 3.0 | 3.1 | 6.6 | 8.5 | 9.7 | 11.2 | 12.8 | 11.5 |
| 1991 | 15.4 | 15.3 | 10.1 | 3.4 | 3.7 | 7.5 | 8.5 | 9.7 | 11.5 | 11.1 | 10.9 |
| 1990 | 15.4 | 14.1 | 9.8 | 3.4 | 3.6 | 7.8 | 8.5 | 10.2 | 11.4 | 11.9 | 10.3 |
| 1989 | 16.1 | 14.0 | 10.4 | 4.1 | 4.0 | 7.8 | 9.1 | 11.2 | 12.6 | 12.4 | 10.8 |
| 1988 | 16.5 | 14.4 | 10.8 | 4.0 | 4.1 | 8.0 | 10.0 | 11.0 | 12.3 | 12.1 | 11.0 |
| 1987 | 16.0 | 15.8 | 11.7 | 4.3 | 4.1 | 7.6 | 10.2 | 11.0 | 11.6 | 11.1 | 9.6 |
| 1986 | 16.6 | 14.7 | 12.0 | 4.1 | 4.5 | 9.2 | 11.1 | 12.5 | 12.7 | 11.1 | 10.6 |
| 1985 | 16.7 | 15.7 | 11.4 | 4.1 | 4.6 | 8.7 | 11.7 | 12.1 | 12.0 | 10.7 | 10.6 |
| 1984 | 16.8 | 14.8 | 11.0 | 4.3 | 4.7 | 9.2 | 11.9 | 12.4 | 12.0 | 10.6 | 10.5 |
| 1983 | 17.2 | 16.1 | 12.7 | 4.8 | 5.1 | 9.9 | 12.8 | 12.3 | 11.9 | 11.0 | 11.2 |
| 1982 | 17.5 | 17.2 | 12.7 | 5.2 | 5.2 | 10.6 | 13.9 | 13.5 | 11.8 | 10.3 | 11.4 |
| 1981 | 18.0 | 16.4 | 13.8 | 5.3 | 5.3 | 11.0 | 14.1 | 13.4 | 11.7 | 10.8 | 11.9 |
| 1980 | 19.3 | 20.3 | 14.5 | 5.4 | 5.8 | 13.0 | 15.5 | 14.3 | 11.5 | 11.2 | 12.5 |
| 1979 | 19.1 | 18.7 | 14.0 | 5.5 | 6.5 | 13.0 | 16.0 | 13.5 | 11.0 | 11.9 | 12.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 22.6 | 14.4 | 8.5 | 3.5 | 3.6 | 10.0 | 16.0 | 15.8 | 19.4 | 23.5 | 27.3 |
| 1997 | 22.0 | 14.1 | 8.9 | 3.1 | 4.3 | 10.5 | 14.6 | 15.7 | 19.7 | 22.9 | 25.4 |
| 1996 | 21.5 | 13.7 | 9.1 | 3.4 | 3.9 | 10.6 | 14.7 | 15.3 | 18.9 | 22.2 | 24.5 |
| 1995 | 21.5 | 13.9 | 9.9 | 3.7 | 4.6 | 11.2 | 14.2 | 16.3 | 19.7 | 24.2 | 24.6 |
| 1994 | 21.1 | 16.6 | 10.3 | 3.4 | 4.5 | 10.9 | 14.1 | 16.1 | 20.4 | 22.6 | 24.2 |
| 1993 | 21.2 | 15.9 | 11.5 | 3.7 | 4.9 | 11.1 | 14.6 | 16.7 | 20.8 | 23.7 | 23.0 |
| 1992 | 20.1 | 14.7 | 11.4 | 4.1 | 4.6 | 11.0 | 13.9 | 16.2 | 18.4 | 21.3 | 19.5 |
| 1991 | 20.1 | 17.2 | 12.4 | 4.5 | 5.6 | 12.6 | 14.3 | 16.1 | 19.1 | 18.3 | 18.2 |
| 1990 | 20.2 | 15.3 | 12.5 | 4.7 | 5.6 | 13.1 | 14.6 | 16.9 | 19.1 | 19.7 | 16.9 |
| 1989 | 21.3 | 15.0 | 13.0 | 5.6 | 6.0 | 13.0 | 15.4 | 18.7 | 20.6 | 21.0 | 17.7 |
| 1988 | 21.7 | 15.9 | 13.6 | 5.2 | 6.2 | 13.4 | 17.0 | 18.1 | 20.7 | 20.2 | 17.8 |
| 1987 | 21.3 | 17.6 | 14.6 | 5.7 | 6.6 | 12.7 | 17.1 | 18.5 | 19.5 | 18.7 | 15.2 |
| 1986 | 22.2 | 16.1 | 14.7 | 5.6 | 7.3 | 15.3 | 18.6 | 20.9 | 21.3 | 18.1 | 17.1 |
| 1985 | 22.5 | 16.7 | 14.3 | 5.5 | 7.4 | 14.4 | 19.7 | 20.3 | 20.5 | 17.8 | 17.2 |
| 1984 | 22.5 | 15.5 | 13.6 | 5.9 | 7.2 | 15.2 | 19.9 | 20.7 | 20.1 | 17.9 | 16.7 |
| 1983 | 23.1 | 17.7 | 15.7 | 6.4 | 7.7 | 16.5 | 21.3 | 20.7 | 19.9 | 18.1 | 18.2 |
| 1982 | 23.6 | 20.5 | 15.8 | 7.0 | 7.9 | 18.0 | 23.6 | 22.7 | 20.0 | 17.0 | 17.8 |
| 1981 | 24.4 | 18.4 | 17.3 | 7.0 | 8.2 | 18.5 | 24.2 | 22.9 | 19.7 | 17.5 | 18.7 |
| 1980 | 26.2 | 22.9 | 18.0 | 7.1 | 8.9 | 21.7 | 26.7 | 24.6 | 19.1 | 18.7 | 19.9 |
| 1979 | 26.0 | 21.7 | 17.6 | 7.5 | 9.8 | 21.8 | 27.2 | 22.9 | 18.5 | 19.4 | 20.4 |
| Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 13.6 | 10.3 | 5.1 | 1.7 | 1.6 | 2.4 | 2.8 | 3.3 | 5.2 | 6.6 | 7.6 |
| 1997 | 12.6 | 10.7 | 5.3 | 1.7 | 1.4 | 2.0 | 2.9 | 3.7 | 4.5 | 6.0 | 6.3 |
| 1996 | 12.5 | 10.7 | 5.2 | 1.8 | 1.5 | 2.0 | 2.7 | 3.4 | 4.5 | 5.3 | 5.9 |
| 1995 | 11.9 | 11.0 | 6.2 | 2.1 | 1.5 | 2.0 | 2.7 | 3.2 | 4.4 | 5.3 | 5.6 |
| 1994 | 11.4 | 12.0 | 6.0 | 1.9 | 1.3 | 1.8 | 2.6 | 3.4 | 4.1 | 5.4 | 4.8 |
| 1993 | 11.5 | 12.5 | 6.8 | 1.7 | 1.5 | 2.4 | 2.3 | 3.1 | 4.2 | 5.3 | 4.9 |
| 1992 | 10.8 | 9.9 | 6.5 | 1.9 | 1.4 | 1.9 | 2.7 | 3.0 | 3.9 | 4.3 | 3.6 |
| 1991 | 11.0 | 13.2 | 7.7 | 2.3 | 1.6 | 2.0 | 2.4 | 3.0 | 3.8 | 4.0 | 3.6 |
| 1990 | 10.8 | 12.9 | 6.9 | 2.1 | 1.4 | 2.3 | 2.1 | 3.3 | 3.5 | 4.0 | 3.7 |
| 1989 | 11.1 | 12.9 | 7.7 | 2.6 | 1.9 | 2.3 | 2.5 | 3.6 | 4.6 | 3.7 | 4.0 |
| 1988 | 11.5 | 12.7 | 8.0 | 2.7 | 1.9 | 2.3 | 2.7 | 3.6 | 3.9 | 3.9 | 4.2 |
| 1987 | 11.0 | 13.8 | 8.6 | 2.8 | 1.5 | 2.3 | 3.2 | 3.3 | 3.7 | 3.5 | 4.0 |
| 1986 | 11.2 | 13.3 | 9.2 | 2.5 | 1.7 | 2.8 | 3.4 | 3.9 | 3.9 | 4.1 | 4.1 |
| 1985 | 11.2 | 14.6 | 8.4 | 2.7 | 1.7 | 2.7 | 3.5 | 3.8 | 3.5 | 3.7 | 4.0 |
| 1984 | 11.3 | 14.0 | 8.2 | 2.6 | 2.1 | 3.1 | 3.6 | 3.8 | 3.8 | 3.5 | 4.4 |
| 1983 | 11.6 | 14.5 | 9.5 | 3.1 | 2.4 | 2.9 | 4.1 | 3.8 | 3.7 | 4.0 | 4.3 |
| 1982 | 11.6 | 13.8 | 9.4 | 3.4 | 2.4 | 2.9 | 4.1 | 4.1 | 3.7 | 3.7 | 5.2 |
| 1981 | 11.9 | 14.3 | 10.0 | 3.5 | 2.4 | 3.2 | 3.7 | 3.9 | 3.6 | 4.3 | 5.2 |
| 1980 | 12.8 | 17.5 | 10.9 | 3.6 | 2.5 | 4.0 | 4.2 | 4.0 | 3.9 | 3.8 | 5.2 |
| 1979 | 12.6 | 15.4 | 10.3 | 3.4 | 2.9 | 4.0 | 4.7 | 4.0 | 3.6 | 4.5 | 5.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 15.0 | 23.6 | 9.2 | 5.3 | 4.3 | 6.6 | 8.0 | 7.8 | 11.3 | 16.2 | 20.7 |
| 1997 | 15.4 | 25.5 | 9.6 | 5.5 | 4.6 | 6.0 | 7.8 | 8.7 | 11.1 | 16.4 | 22.9 |
| 1996 | 15.7 | 25.5 | 11.3 | 5.4 | 5.5 | 7.2 | 8.0 | 8.9 | 11.9 | 16.5 | 20.9 |
| 1995 | 16.5 | 26.2 | 11.5 | 4.9 | 5.2 | 7.8 | 7.6 | 9.7 | 13.2 | 18.8 | 24.6 |
| 1994 | 17.2 | 28.7 | 14.2 | 6.0 | 5.8 | 8.3 | 8.6 | 10.5 | 15.9 | 19.2 | 24.9 |
| 1993 | 17.6 | 28.0 | 14.6 | 6.5 | 5.3 | 9.7 | 10.3 | 10.8 | 16.8 | 21.2 | 24.6 |
| 1992 | 16.4 | 27.0 | 13.1 | 5.6 | 5.7 | 8.9 | 9.0 | 11.1 | 14.4 | 19.1 | 18.8 |
| 1991 | 17.9 | 31.0 | 15.6 | 6.4 | 5.9 | 9.8 | 10.3 | 13.0 | 16.7 | 21.1 | 21.6 |
| 1990 | 17.6 | 32.5 | 14.5 | 6.7 | 6.2 | 9.5 | 9.7 | 12.6 | 17.2 | 18.6 | 19.0 |
| 1989 | 20.1 | 37.5 | 17.1 | 7.9 | 7.4 | 8.6 | 11.5 | 14.5 | 18.3 | 21.8 | 21.0 |
| 1988 | 20.8 | 33.4 | 18.9 | 8.5 | 7.1 | 9.1 | 12.5 | 15.3 | 19.8 | 22.4 | 22.5 |
| 1987 | 20.1 | 33.4 | 18.4 | 7.8 | 7.6 | 9.5 | 12.1 | 14.8 | 19.0 | 21.3 | 21.4 |
| 1986 | 20.1 | 35.5 | 17.9 | 8.7 | 8.3 | 10.0 | 12.8 | 16.6 | 19.0 | 19.6 | 20.0 |
| 1985 | 20.5 | 29.0 | 17.5 | 9.2 | 7.4 | 9.8 | 12.1 | 15.3 | 18.0 | 19.4 | 21.6 |
| 1984 | 20.0 | 30.6 | 19.0 | 8.8 | 7.8 | 9.9 | 13.1 | 14.5 | 19.0 | 19.4 | 19.1 |
| 1983 | 21.7 | 36.1 | 19.5 | 8.9 | 8.0 | 9.9 | 14.1 | 17.3 | 19.2 | 20.2 | 20.5 |
| 1982 | 21.5 | 38.9 | 20.3 | 9.7 | 7.5 | 10.9 | 14.5 | 16.9 | 20.7 | 21.6 | 19.7 |
| 1981 | 22.9 | 37.6 | 23.4 | 9.7 | 9.2 | 11.6 | 15.5 | 19.0 | 20.4 | 21.6 | 22.6 |
| 1980 | 26.6 | 45.8 | 23.5 | 11.4 | 9.0 | 13.7 | 18.9 | 20.1 | 21.4 | 23.5 | 25.6 |
| 1979 | 25.5 | 49.6 | 26.6 | 12.6 | 10.2 | 13.1 | 18.6 | 21.5 | 23.3 | 24.4 | 27.4 |
| Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 21.6 | 25.9 | 11.1 | 6.4 | 6.6 | 11.1 | 13.5 | 12.7 | 18.7 | 24.6 | 32.4 |
| 1997 | 21.9 | 28.8 | 11.2 | 6.7 | 6.1 | 9.9 | 13.1 | 15.3 | 17.5 | 25.0 | 37.4 |
| 1996 | 22.5 | 29.1 | 13.5 | 7.0 | 7.8 | 11.8 | 13.7 | 14.5 | 18.6 | 24.6 | 33.3 |
| 1995 | 24.0 | 24.0 | 13.7 | 6.2 | 7.4 | 13.3 | 12.2 | 15.8 | 21.3 | 29.8 | 40.6 |
| 1994 | 25.3 | 31.8 | 17.1 | 7.5 | 8.8 | 14.2 | 14.7 | 17.2 | 25.5 | 30.8 | 41.3 |
| 1993 | 25.8 | 30.9 | 16.9 | 7.5 | 7.8 | 16.8 | 17.4 | 18.0 | 26.5 | 35.2 | 41.9 |
| 1992 | 23.8 | 26.7 | 15.7 | 7.2 | 8.2 | 14.7 | 14.3 | 18.6 | 22.6 | 31.5 | 32.1 |
| 1991 | 26.6 | 37.7 | 17.6 | 8.5 | 9.2 | 16.9 | 17.1 | 21.8 | 27.9 | 34.6 | 36.8 |
| 1990 | 25.7 | 36.2 | 17.8 | 7.8 | 9.4 | 15.5 | 16.1 | 20.0 | 28.1 | 33.1 | 32.8 |
| 1989 | 29.5 | 40.1 | 21.2 | 9.8 | 10.7 | 14.4 | 19.3 | 23.5 | 30.8 | 36.4 | 35.4 |
| 1988 | 30.9 | 37.5 | 23.5 | 10.7 | 9.7 | 15.4 | 20.2 | 24.7 | 32.3 | 36.8 | 38.5 |
| 1987 | 29.9 | 37.0 | 22.8 | 10.4 | 11.6 | 15.9 | 20.7 | 23.6 | 32.5 | 37.4 | 36.9 |
| 1986 | 29.6 | 37.5 | 19.9 | 10.8 | 12.3 | 16.7 | 21.8 | 28.3 | 31.1 | 35.2 | 33.3 |
| 1985 | 30.2 | 31.1 | 20.4 | 11.6 | 10.9 | 16.1 | 20.4 | 25.4 | 29.8 | 34.1 | 38.4 |
| 1984 | 29.4 | 34.2 | 22.6 | 12.0 | 12.3 | 16.3 | 20.8 | 24.4 | 31.4 | 34.8 | 31.4 |
| 1983 | 31.4 | 44.4 | 22.3 | 10.2 | 11.3 | 16.3 | 22.9 | 26.8 | 32.1 | 35.4 | 35.6 |
| 1982 | 32.0 | 44.8 | 23.4 | 12.1 | 11.0 | 18.1 | 24.1 | 28.4 | 37.1 | 35.9 | 34.2 |
| 1981 | 34.4 | 39.8 | 28.7 | 12.6 | 14.0 | 19.9 | 26.6 | 31.4 | 34.6 | 37.1 | 38.5 |
| 1980 | 38.8 | 51.0 | 27.3 | 15.1 | 13.0 | 22.5 | 32.7 | 35.6 | 37.9 | 40.5 | 42.8 |
| 1979 | 38.4 | 52.1 | 31.4 | 17.2 | 15.6 | 21.2 | 31.3 | 36.8 | 40.0 | 42.8 | 48.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 8.9 | 21.2 | 7.3 | 4.1 | 1.9 | 2.0 | 2.7 | 3.2 | 4.6 | 8.6 | 10.4 |
| 1997 | 9.4 | 22.0 | 7.9 | 4.2 | 3.1 | 1.9 | 2.7 | 2.7 | 5.4 | 8.6 | 10.1 |
| 1996 | 9.5 | 21.8 | 9.1 | 3.8 | 3.1 | 2.5 | 2.5 | 3.8 | 5.7 | 9.2 | 10.1 |
| 1995 | 9.8 | 28.5 | 9.2 | 3.5 | 3.0 | 2.0 | 3.2 | 4.0 | 5.8 | 8.9 | 10.6 |
| 1994 | 9.8 | 25.5 | 11.1 | 4.5 | 2.7 | 2.2 | 2.6 | 4.3 | 7.1 | 8.9 | 10.7 |
| 1993 | 10.1 | 25.1 | 12.3 | 5.4 | 2.8 | 2.5 | 3.4 | 4.2 | 8.0 | 8.6 | 9.5 |
| 1992 | 9.5 | 27.2 | 10.4 | 4.0 | 3.2 | 3.0 | 3.8 | 4.2 | 7.0 | 8.0 | 7.3 |
| 1991 | 10.0 | 24.1 | 13.6 | 4.2 | 2.5 | 2.5 | 3.5 | 4.8 | 6.7 | 9.1 | 8.4 |
| 1990 | 10.2 | 28.7 | 11.1 | 5.5 | 2.9 | 3.2 | 3.4 | 5.8 | 7.5 | 5.9 | 7.1 |
| 1989 | 11.5 | 34.8 | 12.9 | 5.9 | 4.0 | 2.6 | 3.9 | 6.2 | 7.2 | 9.1 | 8.5 |
| 1988 | 11.6 | 29.2 | 14.2 | 6.2 | 4.4 | 2.6 | 5.0 | 6.7 | 8.6 | 9.8 | 8.7 |
| 1987 | 11.1 | 29.6 | 13.8 | 5.1 | 3.5 | 2.9 | 3.7 | 6.9 | 7.1 | 7.4 | 8.0 |
| 1986 | 11.4 | 33.5 | 15.9 | 6.5 | 4.1 | 3.2 | 4.0 | 5.9 | 8.3 | 6.2 | 8.6 |
| 1985 | 11.7 | 26.8 | 14.5 | 6.8 | 3.8 | 3.4 | 4.2 | 6.1 | 7.5 | 6.9 | 7.2 |
| 1984 | 11.4 | 26.8 | 15.3 | 5.5 | 3.3 | 3.4 | 5.7 | 5.5 | 8.1 | 6.2 | 8.5 |
| 1983 | 12.9 | 27.6 | 16.6 | 7.5 | 4.5 | 3.4 | 5.7 | 8.8 | 8.1 | 7.2 | 7.6 |
| 1982 | 11.9 | 32.9 | 17.3 | 7.3 | 3.9 | 3.5 | 5.5 | 6.7 | 6.6 | 9.4 | 7.3 |
| 1981 | 12.4 | 35.3 | 17.9 | 6.7 | 4.3 | 3.1 | 5.1 | 8.1 | 8.2 | 8.5 | 9.1 |
| 1980 | 15.4 | 40.6 | 19.6 | 7.7 | 5.1 | 4.8 | 6.2 | 6.5 | 7.3 | 9.0 | 10.9 |
| 1979 | 13.8 | 47.1 | 21.8 | 7.9 | 4.8 | 4.8 | 6.9 | 8.1 | 9.1 | 8.9 | 9.4 |
| Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 17.7 | 29.0 | 10.9 | 5.9 | 4.9 | 7.1 | 9.0 | 9.4 | 13.1 | 19.5 | 26.3 |
| 1997 | 17.7 | 30.9 | 10.3 | 5.9 | 5.1 | 6.5 | 8.6 | 9.9 | 13.1 | 19.8 | 27.7 |
| 1996 | 18.3 | 30.3 | 13.0 | 6.0 | 5.8 | 7.6 | 8.6 | 10.4 | 14.1 | 20.1 | 26.7 |
| 1995 | 19.4 | 31.8 | 12.3 | 5.2 | 6.2 | 8.7 | 8.5 | 11.5 | 15.5 | 22.9 | 30.3 |
| 1994 | 20.0 | 33.4 | 16.2 | 6.5 | 6.7 | 9.1 | 9.6 | 12.0 | 18.6 | 23.3 | 31.9 |
| 1993 | 20.6 | 32.9 | 16.8 | 7.1 | 5.8 | 10.5 | 11.9 | 12.3 | 19.7 | 26.3 | 31.6 |
| 1992 | 18.8 | 30.9 | 14.7 | 6.4 | 5.9 | 9.7 | 9.5 | 12.4 | 16.8 | 23.1 | 23.8 |
| 1991 | 20.9 | 35.0 | 18.3 | 7.3 | 6.9 | 11.3 | 11.6 | 15.4 | 20.1 | 26.0 | 26.4 |
| 1990 | 20.1 | 38.1 | 16.3 | 7.6 | 6.9 | 9.7 | 10.7 | 14.5 | 20.5 | 21.9 | 23.4 |
| 1989 | 23.2 | 43.4 | 19.3 | 9.1 | 8.2 | 9.2 | 11.9 | 16.4 | 22.2 | 27.0 | 25.5 |
| 1988 | 23.8 | 40.5 | 21.6 | 9.5 | 7.8 | 9.3 | 13.4 | 17.3 | 24.1 | 27.3 | 27.3 |
| 1987 | 22.7 | 38.9 | 20.7 | 8.5 | 8.5 | 10.3 | 13.1 | 16.2 | 22.4 | 26.1 | 26.0 |
| 1986 | 22.5 | 40.2 | 20.1 | 9.9 | 9.0 | 10.4 | 13.0 | 18.1 | 22.4 | 23.4 | 23.8 |
| 1985 | 22.9 | 32.6 | 19.0 | 9.9 | 8.2 | 10.1 | 12.2 | 17.4 | 21.0 | 23.1 | 25.5 |
| 1984 | 22.1 | 34.3 | 20.4 | 9.8 | 8.9 | 9.9 | 13.1 | 16.2 | 22.4 | 22.8 | 21.5 |
| 1983 | 24.0 | 42.7 | 21.9 | 9.7 | 9.0 | 10.1 | 14.0 | 19.4 | 22.6 | 23.3 | 22.9 |
| 1982 | 23.3 | 44.0 | 22.3 | 10.5 | 8.1 | 10.3 | 14.9 | 18.4 | 23.0 | 25.0 | 23.0 |
| 1981 | 25.1 | 41.6 | 25.5 | 10.4 | 9.7 | 12.2 | 16.0 | 20.8 | 22.6 | 25.4 | 25.8 |
| 1980 | 28.7 | 49.9 | 25.3 | 12.1 | 9.6 | 13.7 | 19.6 | 21.5 | 24.4 | 26.1 | 28.1 |
| 1979 | 27.0 | 53.8 | 28.1 | 13.5 | 10.8 | 13.1 | 18.6 | 22.7 | 25.8 | 27.3 | 30.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 25.7 | 32.7 | 12.8 | 7.2 | 7.7 | 12.0 | 15.5 | 15.4 | 21.5 | 29.5 | 41.2 |
| 1997 | 25.4 | 35.2 | 12.0 | 7.3 | 6.7 | 10.6 | 14.6 | 17.5 | 20.8 | 30.8 | 45.4 |
| 1996 | 26.3 | 33.9 | 15.6 | 7.5 | 8.4 | 12.5 | 14.9 | 16.8 | 22.0 | 29.8 | 42.6 |
| 1995 | 28.2 | 29.3 | 14.7 | 6.8 | 8.7 | 15.1 | 13.6 | 18.4 | 24.8 | 36.1 | 49.7 |
| 1994 | 29.6 | 36.5 | 19.3 | 8.1 | 10.0 | 15.7 | 16.5 | 19.8 | 30.1 | 37.2 | 53.1 |
| 1993 | 30.4 | 36.8 | 19.5 | 8.2 | 8.6 | 18.3 | 20.3 | 20.2 | 31.0 | 43.8 | 53.9 |
| 1992 | 27.5 | 30.1 | 17.7 | 8.2 | 8.6 | 16.7 | 15.2 | 20.4 | 26.5 | 38.1 | 41.1 |
| 1991 | 31.2 | 44.1 | 20.7 | 9.8 | 11.0 | 19.7 | 20.0 | 25.9 | 33.6 | 42.5 | 45.4 |
| 1990 | 29.5 | 42.5 | 19.7 | 8.7 | 10.5 | 16.0 | 17.8 | 23.3 | 33.9 | 38.7 | 40.7 |
| 1989 | 34.2 | 46.0 | 23.7 | 11.3 | 11.9 | 15.5 | 20.3 | 26.3 | 37.2 | 45.1 | 44.0 |
| 1988 | 35.3 | 45.5 | 26.5 | 12.0 | 10.6 | 16.1 | 21.8 | 27.9 | 39.5 | 45.3 | 46.7 |
| 1987 | 34.0 | 42.5 | 25.9 | 11.3 | 13.0 | 17.2 | 22.5 | 25.5 | 38.5 | 46.2 | 45.5 |
| 1986 | 33.3 | 42.1 | 21.5 | 11.7 | 13.5 | 17.5 | 22.2 | 31.2 | 37.0 | 42.4 | 40.3 |
| 1985 | 34.1 | 35.5 | 21.7 | 12.4 | 11.9 | 16.9 | 20.6 | 29.3 | 35.2 | 41.5 | 46.5 |
| 1984 | 32.6 | 38.6 | 24.3 | 13.5 | 13.9 | 16.2 | 20.9 | 27.4 | 37.4 | 41.1 | 35.7 |
| 1983 | 34.7 | 52.4 | 25.0 | 11.6 | 12.6 | 16.7 | 22.6 | 29.7 | 38.0 | 41.2 | 39.8 |
| 1982 | 34.7 | 50.2 | 25.9 | 13.0 | 12.2 | 17.0 | 24.9 | 31.0 | 41.1 | 41.9 | 40.0 |
| 1981 | 37.7 | 44.4 | 31.1 | 13.4 | 14.6 | 21.3 | 27.5 | 34.5 | 38.0 | 44.0 | 44.9 |
| 1980 | 41.8 | 55.4 | 29.2 | 16.2 | 14.1 | 22.4 | 33.8 | 37.7 | 43.4 | 45.7 | 46.7 |
| 1979 | 40.7 | 57.3 | 32.7 | 18.5 | 16.4 | 21.4 | 31.2 | 38.6 | 43.7 | 48.3 | 55.0 |
| Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 10.5 | 25.1 | 8.8 | 4.5 | 2.1 | 2.1 | 2.7 | 4.1 | 5.6 | 10.5 | 13.3 |
| 1997 | 10.8 | 26.4 | 8.5 | 4.6 | 3.4 | 2.3 | 3.0 | 3.0 | 6.3 | 10.1 | 12.4 |
| 1996 | 11.1 | 26.6 | 10.4 | 4.4 | 3.2 | 2.6 | 2.6 | 4.6 | 7.2 | 11.6 | 12.9 |
| 1995 | 11.6 | 34.4 | 9.8 | 3.7 | 3.6 | 2.2 | 3.6 | 5.2 | 7.3 | 11.3 | 13.5 |
| 1994 | 11.4 | 30.2 | 13.0 | 4.8 | 3.2 | 2.3 | 3.1 | 4.8 | 8.5 | 11.0 | 13.7 |
| 1993 | 11.9 | 28.9 | 14.0 | 6.1 | 2.9 | 2.5 | 3.9 | 5.1 | 9.8 | 11.0 | 12.5 |
| 1992 | 10.9 | 31.8 | 11.7 | 4.5 | 3.2 | 2.6 | 4.0 | 5.1 | 8.1 | 10.0 | 9.0 |
| 1991 | 11.7 | 25.7 | 15.8 | 4.7 | 2.7 | 2.7 | 3.6 | 5.8 | 8.2 | 11.6 | 10.0 |
| 1990 | 11.8 | 33.6 | 12.9 | 6.4 | 3.3 | 3.3 | 3.9 | 6.6 | 8.6 | 7.4 | 8.7 |
| 1989 | 13.4 | 40.8 | 14.7 | 6.7 | 4.5 | 2.8 | 3.9 | 7.5 | 9.0 | 11.4 | 9.8 |
| 1988 | 13.4 | 35.4 | 16.7 | 6.8 | 4.8 | 2.4 | 5.3 | 7.8 | 10.7 | 11.8 | 10.7 |
| 1987 | 12.6 | 35.2 | 15.5 | 5.7 | 3.9 | 3.3 | 4.2 | 7.8 | 8.3 | 8.9 | 9.5 |
| 1986 | 12.9 | 38.2 | 18.7 | 8.0 | 4.5 | 3.3 | 4.2 | 6.4 | 9.7 | 7.2 | 9.8 |
| 1985 | 13.0 | 29.5 | 16.2 | 7.5 | 4.3 | 3.1 | 4.3 | 6.7 | 8.7 | 7.6 | 7.9 |
| 1984 | 12.6 | 30.0 | 16.4 | 6.1 | 3.8 | 3.5 | 5.8 | 6.2 | 9.4 | 7.4 | 9.5 |
| 1983 | 14.4 | 32.8 | 18.8 | 7.7 | 5.3 | 3.5 | 6.0 | 10.2 | 9.4 | 8.3 | 8.7 |
| 1982 | 13.0 | 37.8 | 18.6 | 8.0 | 4.0 | 3.6 | 5.7 | 7.1 | 7.5 | 10.7 | 8.7 |
| 1981 | 13.7 | 38.7 | 19.9 | 7.4 | 4.6 | 3.1 | 5.3 | 8.7 | 9.3 | 9.9 | 10.0 |
| 1980 | 17.0 | 44.4 | 21.4 | 8.1 | 5.2 | 5.0 | 6.6 | 7.3 | 8.2 | 9.8 | 12.6 |
| 1979 | 14.8 | 50.0 | 23.4 | 8.4 | 5.2 | 4.9 | 7.0 | 8.7 | 10.5 | 9.9 | 10.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Falls (E880-E888) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 5.9 | 0.5 | 0.3 | 0.1 | 0.1 | 0.5 | 0.8 | 0.8 | 0.9 | 1.3 | 1.8 |
| 1997 | 5.7 | * | 0.3 | 0.1 | 0.1 | 0.5 | 0.9 | 0.8 | 1.0 | 1.2 | 1.8 |
| 1996 | 5.6 | * | 0.3 | 0.2 | 0.1 | 0.5 | 0.8 | 0.8 | 1.1 | 1.2 | 1.7 |
| 1995 | 5.3 | 0.6 | 0.3 | 0.1 | 0.2 | 0.6 | 0.8 | 0.9 | 1.0 | 1.5 | 1.7 |
| 1994 | 5.1 | * | 0.4 | 0.1 | 0.2 | 0.6 | 0.7 | 0.9 | 0.9 | 1.3 | 1.9 |
| 1993 | 5.1 | * | 0.4 | 0.1 | 0.1 | 0.6 | 0.8 | 0.8 | 1.1 | 1.4 | 1.6 |
| 1992 | 4.9 | 0.7 | 0.4 | 0.1 | 0.2 | 0.5 | 0.8 | 0.8 | 1.0 | 1.2 | 1.4 |
| 1991 | 5.0 | 0.7 | 0.5 | 0.1 | 0.3 | 0.5 | 0.8 | 1.0 | 1.1 | 1.5 | 1.7 |
| 1990 | 5.0 | 0.6 | 0.6 | * | 0.1 | 0.7 | 0.9 | 1.1 | 1.4 | 1.3 | 1.7 |
| 1989 | 4.9 | 0.6 | 0.4 | 0.1 | 0.2 | 0.5 | 0.7 | 1.0 | 1.3 | 1.5 | 1.7 |
| 1988 | 4.9 | 1.0 | 0.5 | 0.2 | 0.2 | 0.6 | 1.1 | 1.0 | 1.3 | 1.6 | 1.7 |
| 1987 | 4.8 | 0.9 | 0.5 | 0.1 | 0.2 | 0.5 | 1.1 | 1.2 | 1.4 | 1.5 | 1.9 |
| 1986 | 4.8 | 0.9 | 0.6 | 0.1 | 0.2 | 0.8 | 1.2 | 1.1 | 1.3 | 1.5 | 1.7 |
| 1985 | 5.0 | 1.2 | 0.6 | 0.2 | 0.3 | 0.7 | 1.2 | 1.2 | 1.3 | 1.5 | 1.9 |
| 1984 | 5.1 | 0.8 | 0.6 | 0.2 | 0.2 | 0.8 | 1.2 | 1.2 | 1.3 | 1.3 | 1.7 |
| 1983 | 5.1 | 1.4 | 0.8 | 0.2 | 0.2 | 0.7 | 1.2 | 1.2 | 1.4 | 1.5 | 1.8 |
| 1982 | 5.2 | 1.5 | 0.6 | 0.3 | 0.3 | 0.9 | 1.3 | 1.2 | 1.5 | 1.5 | 1.7 |
| 1981 | 5.5 | 1.6 | 0.8 | 0.2 | 0.2 | 0.8 | 1.4 | 1.3 | 1.4 | 1.6 | 2.1 |
| 1980 | 5.9 | 1.2 | 0.9 | 0.3 | 0.2 | 1.0 | 1.4 | 1.5 | 1.3 | 1.8 | 2.5 |
| 1979 | 5.9 | 1.7 | 0.8 | 0.3 | 0.4 | 1.0 | 1.3 | 1.3 | 1.3 | 1.8 | 2.3 |
| Falls (E880-E888) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 5.9 | * | 0.4 | * | 0.2 | 0.7 | 1.3 | 1.4 | 1.5 | 2.2 | 3.0 |
| 1997 | 5.8 | * | 0.4 | * | 0.2 | 0.9 | 1.6 | 1.4 | 1.7 | 2.0 | 2.8 |
| 1996 | 5.6 | * | 0.3 | 0.3 | * | 0.8 | 1.3 | 1.4 | 1.7 | 2.0 | 2.9 |
| 1995 | 5.4 | * | 0.3 | 0.2 | 0.3 | 0.9 | 1.4 | 1.5 | 1.8 | 2.5 | 2.8 |
| 1994 | 5.4 | * | 0.5 | 0.2 | 0.2 | 0.9 | 1.3 | 1.5 | 1.6 | 2.1 | 3.2 |
| 1993 | 5.2 | * | 0.5 | * | 0.2 | 1.0 | 1.4 | 1.4 | 2.0 | 2.4 | 2.9 |
| 1992 | 5.0 | 1.0 | 0.5 | * | 0.2 | 0.8 | 1.3 | 1.4 | 1.7 | 2.0 | 2.3 |
| 1991 | 5.2 | * | 0.6 | * | 0.4 | 0.8 | 1.4 | 1.7 | 2.0 | 2.4 | 3.1 |
| 1990 | 5.2 | * | 0.7 | * | * | 1.1 | 1.6 | 2.0 | 2.3 | 2.2 | 2.9 |
| 1989 | 5.2 | * | 0.6 | * | 0.3 | 0.9 | 1.3 | 1.8 | 2.2 | 2.6 | 2.7 |
| 1988 | 5.3 | 1.2 | 0.5 | 0.2 | 0.3 | 0.9 | 2.0 | 1.7 | 2.2 | 2.7 | 2.8 |
| 1987 | 5.3 | * | 0.6 | 0.2 | 0.3 | 0.9 | 1.9 | 2.0 | 2.5 | 2.6 | 3.1 |
| 1986 | 5.2 | 1.3 | 0.7 | * | 0.3 | 1.4 | 2.0 | 1.9 | 2.3 | 2.4 | 2.7 |
| 1985 | 5.5 | 1.5 | 0.8 | 0.2 | 0.4 | 1.2 | 2.2 | 2.2 | 2.2 | 2.7 | 3.2 |
| 1984 | 5.4 | * | 0.8 | 0.3 | 0.4 | 1.3 | 2.1 | 2.1 | 2.3 | 2.4 | 2.8 |
| 1983 | 5.5 | 1.7 | 0.8 | * | 0.4 | 1.3 | 2.1 | 2.1 | 2.5 | 2.5 | 3.0 |
| 1982 | 5.6 | 1.8 | 0.6 | 0.4 | 0.4 | 1.5 | 2.2 | 2.0 | 2.7 | 2.5 | 2.9 |
| 1981 | 5.9 | 1.7 | 1.1 | 0.3 | 0.3 | 1.3 | 2.5 | 2.3 | 2.5 | 2.7 | 3.5 |
| 1980 | 6.4 | 1.5 | 1.0 | 0.3 | 0.4 | 1.7 | 2.6 | 2.8 | 2.4 | 2.9 | 4.0 |
| 1979 | 6.3 | 1.9 | 1.0 | 0.4 | 0.6 | 1.7 | 2.4 | 2.4 | 2.3 | 3.0 | 3.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Falls (E880-E888) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 5.9 | * | * | * | * | 0.2 | 0.3 | * | 0.4 | 0.4 | 0.7 |
| 1997 | 5.6 | * | * | * | * | * | 0.2 | * | 0.3 | 0.4 | 0.7 |
| 1996 | 5.5 | * | 0.3 | * | * | * | * | 0.2 | 0.4 | 0.4 | 0.6 |
| 1995 | 5.1 | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.6 |
| 1994 | 4.9 | * | 0.3 | * | * | * | * | 0.3 | 0.2 | 0.4 | 0.7 |
| 1993 | 4.9 | * | 0.4 | * | * | 0.2 | * | * | 0.3 | 0.4 | 0.5 |
| 1992 | 4.8 | * | 0.3 | * | * | * | 0.2 | 0.3 | 0.4 | 0.5 | 0.5 |
| 1991 | 4.9 | * | 0.5 | * | * | * | * | 0.3 | 0.3 | 0.6 | 0.5 |
| 1990 | 4.7 | * | 0.4 | * | * | * | * | 0.2 | 0.5 | 0.4 | 0.4 |
| 1989 | 4.6 | * | 0.3 | * | * | * | * | 0.3 | 0.4 | 0.4 | 0.6 |
| 1988 | 4.6 | * | 0.4 | * | * | * | 0.2 | 0.3 | 0.4 | 0.5 | 0.6 |
| 1987 | 4.4 | * | 0.4 | * | * | * | 0.2 | 0.4 | 0.3 | 0.5 | 0.7 |
| 1986 | 4.4 | * | 0.4 | * | * | 0.2 | 0.4 | 0.3 | 0.4 | 0.5 | 0.7 |
| 1985 | 4.6 | * | 0.3 | * | * | * | 0.2 | 0.3 | 0.4 | 0.4 | 0.6 |
| 1984 | 4.7 | * | 0.4 | * | * | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.7 |
| 1983 | 4.8 | 1.2 | 0.8 | * | * | * | 0.3 | 0.3 | 0.4 | 0.6 | 0.7 |
| 1982 | 4.8 | 1.1 | 0.6 | * | * | 0.2 | 0.3 | 0.4 | 0.4 | 0.5 | 0.6 |
| 1981 | 5.1 | 1.4 | 0.5 | * | * | 0.2 | 0.2 | 0.2 | 0.3 | 0.5 | 0.8 |
| 1980 | 5.4 | * | 0.8 | 0.3 | * | 0.2 | 0.3 | 0.3 | 0.3 | 0.7 | 1.0 |
| 1979 | 5.4 | 1.4 | 0.6 | * | * | 0.2 | 0.2 | 0.2 | 0.3 | 0.7 | 1.0 |
| Falls (E880-E888) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 6.6 | * | 0.3 | 0.1 | 0.1 | 0.5 | 0.9 | 0.9 | 1.0 | 1.3 | 1.8 |
| 1997 | 6.4 | * | 0.3 | * | 0.1 | 0.6 | 1.0 | 0.8 | 1.0 | 1.3 | 1.7 |
| 1996 | 6.2 | * | 0.3 | 0.2 | 0.1 | 0.6 | 0.9 | 0.9 | 1.1 | 1.2 | 1.7 |
| 1995 | 5.8 | * | 0.3 | * | 0.2 | 0.6 | 0.9 | 1.0 | 1.1 | 1.4 | 1.6 |
| 1994 | 5.7 | * | 0.3 | * | 0.2 | 0.6 | 0.8 | 0.9 | 0.9 | 1.2 | 1.8 |
| 1993 | 5.6 | * | 0.4 | * | 0.2 | 0.7 | 0.8 | 0.7 | 1.1 | 1.3 | 1.5 |
| 1992 | 5.4 | 0.7 | 0.4 | * | 0.2 | 0.6 | 0.8 | 0.9 | 1.0 | 1.1 | 1.3 |
| 1991 | 5.5 | * | 0.5 | * | 0.3 | 0.6 | 0.8 | 1.1 | 1.1 | 1.3 | 1.5 |
| 1990 | 5.3 | * | 0.5 | * | 0.1 | 0.8 | 1.0 | 1.1 | 1.3 | 1.2 | 1.5 |
| 1989 | 5.3 | * | 0.4 | * | 0.2 | 0.6 | 0.8 | 1.1 | 1.1 | 1.3 | 1.5 |
| 1988 | 5.3 | 0.9 | 0.4 | 0.2 | 0.2 | 0.5 | 1.1 | 1.0 | 1.1 | 1.5 | 1.4 |
| 1987 | 5.1 | 0.7 | 0.4 | 0.1 | 0.2 | 0.6 | 1.1 | 1.2 | 1.2 | 1.4 | 1.6 |
| 1986 | 5.1 | * | 0.6 | * | 0.2 | 0.8 | 1.3 | 1.1 | 1.3 | 1.3 | 1.4 |
| 1985 | 5.3 | 0.9 | 0.4 | * | 0.3 | 0.8 | 1.3 | 1.2 | 1.2 | 1.3 | 1.6 |
| 1984 | 5.4 | 0.8 | 0.5 | 0.2 | 0.3 | 0.9 | 1.2 | 1.2 | 1.2 | 1.2 | 1.4 |
| 1983 | 5.5 | 1.1 | 0.6 | 0.2 | 0.2 | 0.9 | 1.3 | 1.2 | 1.3 | 1.3 | 1.7 |
| 1982 | 5.5 | 1.0 | 0.5 | 0.3 | 0.3 | 1.0 | 1.4 | 1.1 | 1.3 | 1.2 | 1.6 |
| 1981 | 5.8 | 1.2 | 0.6 | 0.2 | 0.2 | 0.8 | 1.4 | 1.3 | 1.3 | 1.4 | 1.8 |
| 1980 | 6.2 | 1.0 | 0.7 | 0.3 | 0.2 | 1.1 | 1.5 | 1.5 | 1.1 | 1.5 | 2.1 |
| 1979 | 6.2 | 1.4 | 0.6 | 0.3 | 0.4 | 1.1 | 1.4 | 1.3 | 1.0 | 1.5 | 1.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Falls (E880-E888) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 6.5 | * | 0.4 | * | 0.2 | 0.8 | 1.5 | 1.6 | 1.5 | 2.2 | 2.9 |
| 1997 | 6.3 | * | 0.4 | * | * | 1.0 | 1.7 | 1.5 | 1.7 | 2.1 | 2.5 |
| 1996 | 6.1 | * | * | 0.3 | * | 0.9 | 1.4 | 1.5 | 1.7 | 2.0 | 2.8 |
| 1995 | 5.8 | * | 0.4 | * | * | 1.0 | 1.5 | 1.6 | 1.8 | 2.4 | 2.5 |
| 1994 | 5.7 | * | 0.4 | * | * | 1.1 | 1.4 | 1.5 | 1.6 | 2.0 | 2.9 |
| 1993 | 5.5 | * | 0.4 | * | * | 1.1 | 1.5 | 1.3 | 1.9 | 2.2 | 2.6 |
| 1992 | 5.4 | * | 0.4 | * | * | 0.9 | 1.3 | 1.5 | 1.7 | 1.8 | 2.2 |
| 1991 | 5.5 | * | 0.6 | * | 0.4 | 0.9 | 1.5 | 1.9 | 1.9 | 2.1 | 2.6 |
| 1990 | 5.4 | * | 0.6 | * | * | 1.4 | 1.7 | 1.9 | 2.2 | 2.0 | 2.6 |
| 1989 | 5.4 | * | 0.5 | * | 0.3 | 1.0 | 1.4 | 1.8 | 1.9 | 2.3 | 2.4 |
| 1988 | 5.5 | * | 0.5 | * | 0.3 | 0.8 | 2.0 | 1.8 | 1.9 | 2.6 | 2.4 |
| 1987 | 5.4 | * | 0.5 | * | 0.4 | 1.0 | 2.0 | 2.0 | 2.1 | 2.3 | 2.6 |
| 1986 | 5.4 | * | 0.7 | * | 0.3 | 1.5 | 2.1 | 1.9 | 2.2 | 2.0 | 2.2 |
| 1985 | 5.7 | * | 0.6 | * | 0.4 | 1.4 | 2.3 | 2.1 | 1.9 | 2.3 | 2.7 |
| 1984 | 5.6 | * | 0.6 | * | 0.4 | 1.4 | 2.1 | 2.1 | 2.1 | 2.2 | 2.3 |
| 1983 | 5.7 | * | 0.6 | * | 0.3 | 1.5 | 2.2 | 2.1 | 2.2 | 2.1 | 2.7 |
| 1982 | 5.8 | * | 0.5 | 0.4 | 0.5 | 1.7 | 2.4 | 2.0 | 2.3 | 2.1 | 2.7 |
| 1981 | 6.0 | 1.4 | 0.8 | * | 0.3 | 1.4 | 2.6 | 2.3 | 2.3 | 2.4 | 2.9 |
| 1980 | 6.5 | * | 0.7 | 0.3 | 0.4 | 1.9 | 2.6 | 2.8 | 2.0 | 2.4 | 3.3 |
| 1979 | 6.5 | 1.5 | 0.8 | 0.3 | 0.7 | 1.9 | 2.5 | 2.4 | 1.8 | 2.6 | 3.0 |
| Falls (E880-E888) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 6.8 | * | * | * | * | * | * | * | 0.4 | 0.3 | 0.7 |
| 1997 | 6.4 | * | * | * | * | * | * | * | 0.4 | 0.4 | 0.8 |
| 1996 | 6.3 | * | * | * | * | * | * | * | 0.5 | 0.4 | 0.6 |
| 1995 | 5.8 | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.6 |
| 1994 | 5.6 | * | * | * | * | * | * | 0.3 | 0.2 | 0.4 | 0.6 |
| 1993 | 5.6 | * | * | * | * | 0.3 | * | * | * | 0.4 | 0.4 |
| 1992 | 5.4 | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.5 |
| 1991 | 5.5 | * | 0.4 | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.4 |
| 1990 | 5.2 | * | 0.4 | * | * | * | * | * | 0.4 | 0.4 | 0.4 |
| 1989 | 5.1 | * | * | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.5 |
| 1988 | 5.1 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.4 |
| 1987 | 4.9 | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.6 |
| 1986 | 4.9 | * | 0.4 | * | * | * | 0.3 | 0.3 | 0.3 | 0.5 | 0.6 |
| 1985 | 5.0 | * | * | * | * | * | * | 0.3 | 0.4 | 0.4 | 0.5 |
| 1984 | 5.2 | * | 0.4 | * | * | 0.3 | 0.3 | 0.3 | 0.3 | * | 0.5 |
| 1983 | 5.2 | * | 0.7 | * | * | * | 0.3 | 0.2 | 0.3 | 0.5 | 0.7 |
| 1982 | 5.3 | * | 0.5 | * | * | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.5 |
| 1981 | 5.6 | * | 0.4 | * | * | 0.3 | 0.3 | * | * | 0.5 | 0.8 |
| 1980 | 5.9 | * | 0.7 | * | * | 0.2 | 0.3 | 0.3 | * | 0.6 | 0.9 |
| 1979 | 5.9 | * | 0.4 | * | * | 0.2 | 0.2 | * | * | 0.5 | 0.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Falls (E880-E888) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 2.5 | * | * | * | * | * | * | * | 0.8 | 1.3 | 1.9 |
| 1997 | 2.4 | * | * | * | * | * | * | 0.5 | 0.8 | 1.1 | 2.2 |
| 1996 | 2.4 | * | * | * | * | * | * | 0.5 | 1.1 | 1.1 | 2.0 |
| 1995 | 2.5 | * | * | * | * | * | * | 0.6 | 1.0 | 1.6 | 2.3 |
| 1994 | 2.5 | * | 0.8 | * | * | * | * | 0.8 | 1.0 | 1.7 | 2.6 |
| 1993 | 2.6 | * | 0.7 | * | * | * | * | 1.0 | 1.3 | 1.9 | 2.3 |
| 1992 | 2.6 | * | 0.6 | * | * | * | 0.7 | 0.6 | 0.9 | 2.1 | 1.7 |
| 1991 | 2.7 | * | 0.8 | * | * | * | * | 0.7 | 1.4 | 2.3 | 3.0 |
| 1990 | 3.0 | * | 0.9 | * | * | * | 0.6 | 1.2 | 2.0 | 1.9 | 2.6 |
| 1989 | 3.0 | * | * | * | * | * | * | 1.0 | 2.0 | 2.6 | 2.9 |
| 1988 | 3.2 | * | 0.7 | * | * | 0.6 | 1.1 | 1.1 | 2.2 | 2.3 | 3.0 |
| 1987 | 3.2 | * | 0.8 | * | * | * | 0.9 | 1.5 | 2.3 | 2.3 | 3.6 |
| 1986 | 2.9 | * | * | * | * | 0.6 | 1.0 | 1.1 | 1.7 | 2.6 | 3.6 |
| 1985 | 3.4 | * | 1.2 | * | * | * | 1.0 | 1.3 | 1.9 | 2.7 | 3.8 |
| 1984 | 3.2 | * | 1.2 | * | * | * | 1.0 | 1.1 | 2.0 | 2.3 | 3.5 |
| 1983 | 3.3 | * | 1.4 | * | * | * | 0.9 | 1.4 | 2.3 | 2.7 | 2.8 |
| 1982 | 3.4 | 3.7 | 1.1 | * | * | * | 0.7 | 1.5 | 2.8 | 3.0 | 2.5 |
| 1981 | 3.7 | 3.4 | 1.9 | * | * | * | 1.1 | 1.5 | 2.2 | 2.7 | 3.9 |
| 1980 | 4.0 | * | 1.6 | * | * | * | 1.3 | 1.6 | 2.4 | 3.6 | 5.3 |
| 1979 | 3.9 | * | 1.7 | * | * | * | 1.0 | 1.6 | 3.0 | 3.7 | 5.5 |
| Falls (E880-E888) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 3.3 | * | * | * | * | * | * | * | 1.3 | 2.2 | 3.4 |
| 1997 | 3.2 | * | * | * | * | * | * | * | 1.6 | 1.7 | 4.2 |
| 1996 | 3.2 | * | * | * | * | * | * | * | 1.9 | 1.8 | 3.6 |
| 1995 | 3.3 | * | * | * | * | * | * | 1.2 | 1.7 | 2.8 | 4.2 |
| 1994 | 3.5 | * | * | * | * | * | * | 1.5 | 1.7 | 2.9 | 4.7 |
| 1993 | 3.5 | * | * | * | * | * | * | 1.7 | 2.3 | 3.5 | 4.3 |
| 1992 | 3.3 | * | * | * | * | * | 1.1 | * | 1.4 | 3.4 | 2.8 |
| 1991 | 3.6 | * | * | * | * | * | * | 1.2 | 2.5 | 3.9 | 5.6 |
| 1990 | 3.9 | * | 1.4 | * | * | * | * | 2.1 | 3.3 | 3.5 | 4.9 |
| 1989 | 4.2 | * | * | * | * | * | * | 1.8 | 4.0 | 4.6 | 5.0 |
| 1988 | 4.4 | * | * | * | * | * | 1.9 | 1.7 | 3.8 | 3.7 | 5.1 |
| 1987 | 4.5 | * | * | * | * | * | 1.6 | 2.2 | 4.4 | 4.5 | 6.7 |
| 1986 | 4.2 | * | * | * | * | * | 1.5 | 2.0 | 2.9 | 4.8 | 6.3 |
| 1985 | 4.8 | * | * | * | * | * | 1.7 | 2.4 | 3.6 | 5.2 | 6.4 |
| 1984 | 4.3 | * | 1.8 | * | * | * | 1.9 | 1.9 | 3.8 | 4.0 | 5.5 |
| 1983 | 4.6 | * | 1.5 | * | * | * | 1.5 | 2.0 | 4.1 | 4.9 | 5.2 |
| 1982 | 4.8 | * | * | * | * | * | * | 2.1 | 5.2 | 5.2 | 4.6 |
| 1981 | 5.4 | * | 2.7 | * | * | * | 2.0 | 2.7 | 4.0 | 4.9 | 7.4 |
| 1980 | 5.9 | * | 2.2 | * | * | * | 2.4 | 3.0 | 4.8 | 6.4 | 9.1 |
| 1979 | 5.6 | * | 2.0 | * | * | * | 2.0 | 2.9 | 5.5 | 6.2 | 9.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Falls (E880-E888) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| Falls (E880-E888) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.6 | * | * | * | * | * | * | * | 0.9 | 1.5 | 2.3 |
| 1997 | 2.5 | * | * | * | * | * | * | * | 0.9 | 1.2 | 2.6 |
| 1996 | 2.6 | * | * | * | * | * | * | * | 1.1 | 1.4 | 2.5 |
| 1995 | 2.6 | * | * | * | * | * | * | * | 1.0 | 1.9 | 2.8 |
| 1994 | 2.6 | * | 1.0 | * | * | * | * | 0.9 | 1.0 | 1.9 | 3.2 |
| 1993 | 2.8 | * | * | * | * | * | * | 1.1 | 1.5 | 2.4 | 2.7 |
| 1992 | 2.7 | * | * | * | * | * | * | * | 0.9 | 2.6 | 2.2 |
| 1991 | 3.0 | * | 0.8 | * | * | * | * | 0.7 | 1.5 | 2.9 | 3.4 |
| 1990 | 3.3 | * | 1.0 | * | * | * | * | 1.5 | 2.4 | 2.2 | 3.1 |
| 1989 | 3.3 | * | * | * | * | * | * | 1.0 | 2.3 | 3.1 | 3.6 |
| 1988 | 3.4 | * | * | * | * | * | 1.0 | 1.3 | 2.6 | 2.9 | 3.8 |
| 1987 | 3.5 | * | * | * | * | * | 0.8 | 1.8 | 2.9 | 2.9 | 4.4 |
| 1986 | 3.2 | * | * | * | * | * | 0.9 | 1.3 | 2.1 | 3.0 | 4.4 |
| 1985 | 3.7 | * | 1.2 | * | * | * | 0.9 | 1.5 | 2.4 | 3.2 | 4.8 |
| 1984 | 3.5 | * | 1.2 | * | * | * | 1.1 | 1.2 | 2.4 | 2.7 | 3.9 |
| 1983 | 3.7 | * | 1.5 | * | * | * | 0.9 | 1.6 | 2.7 | 3.3 | 3.1 |
| 1982 | 3.7 | 4.2 | 1.1 | * | * | * | 0.8 | 1.6 | 3.3 | 3.6 | 3.0 |
| 1981 | 4.0 | * | 2.1 | * | * | * | 1.1 | 1.6 | 2.3 | 3.3 | 4.2 |
| 1980 | 4.2 | * | 1.7 | * | * | * | 1.3 | 1.7 | 2.8 | 4.0 | 5.6 |
| 1979 | 4.2 | * | 1.7 | * | * | * | 1.0 | 1.6 | 3.2 | 4.3 | 6.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Falls (E880-E888) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 3.4 | * | * | * | * | * | * | * | * | 2.5 | 4.1 |
| 1997 | 3.3 | * | * | * | * | * | * | * | 1.9 | 1.8 | 4.9 |
| 1996 | 3.5 | * | * | * | * | * | * | * | 2.1 | 2.2 | 4.3 |
| 1995 | 3.4 | * | * | * | * | * | * | * | 1.6 | 3.3 | 5.0 |
| 1994 | 3.6 | * | * | * | * | * | * | * | 1.6 | 3.3 | 5.4 |
| 1993 | 3.8 | * | * | * | * | * | * | 2.1 | 2.5 | 4.6 | 5.1 |
| 1992 | 3.5 | * | * | * | * | * | * | * | * | 4.2 | 3.6 |
| 1991 | 4.0 | * | * | * | * | * | * | * | 3.0 | 5.0 | 6.5 |
| 1990 | 4.4 | * | * | * | * | * | * | 2.6 | 4.0 | 4.1 | 6.1 |
| 1989 | 4.6 | * | * | * | * | * | * | 1.8 | 4.6 | 5.5 | 6.4 |
| 1988 | 4.8 | * | * | * | * | * | 1.8 | 2.0 | 4.5 | 4.8 | 6.8 |
| 1987 | 5.1 | * | * | * | * | * | 1.5 | 2.7 | 5.6 | 5.5 | 8.5 |
| 1986 | 4.6 | * | * | * | * | * | * | 2.4 | 3.8 | 5.8 | 7.7 |
| 1985 | 5.3 | * | * | * | * | * | 1.5 | 2.7 | 4.6 | 6.2 | 8.3 |
| 1984 | 4.8 | * | 2.1 | * | * | * | 1.9 | 2.1 | 4.7 | 4.7 | 5.8 |
| 1983 | 5.0 | * | * | * | * | * | 1.6 | 2.1 | 4.9 | 6.2 | 5.7 |
| 1982 | 5.2 | * | * | * | * | * | * | 2.2 | 6.2 | 6.3 | 5.6 |
| 1981 | 5.8 | * | 2.9 | * | * | * | 2.2 | 3.1 | 4.3 | 5.8 | 8.6 |
| 1980 | 6.2 | * | 2.1 | * | * | * | 2.4 | 3.1 | 5.6 | 7.2 | 9.8 |
| 1979 | 5.9 | * | * | * | * | * | 2.1 | 3.0 | 5.6 | 7.3 | 10.6 |
| Falls (E880-E888) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.8 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 2.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 2.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.9 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 2.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 2.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 2.3 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 2.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 2.7 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental discharge of firearms (E922) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | 0.2 | 0.3 | 0.7 | 0.7 | 0.3 | 0.3 | 0.4 | 0.3 |
| 1997 | 0.4 | * | 0.1 | 0.1 | 0.5 | 0.8 | 0.8 | 0.4 | 0.4 | 0.3 | 0.3 |
| 1996 | 0.4 | * | * | 0.1 | 0.5 | 1.3 | 0.9 | 0.5 | 0.4 | 0.3 | 0.4 |
| 1995 | 0.5 | * | 0.1 | 0.2 | 0.7 | 1.4 | 0.9 | 0.6 | 0.5 | 0.4 | 0.3 |
| 1994 | 0.5 | * | 0.2 | 0.1 | 0.7 | 1.8 | 1.1 | 0.6 | 0.5 | 0.4 | 0.4 |
| 1993 | 0.6 | * | 0.2 | 0.2 | 0.7 | 1.8 | 1.4 | 0.7 | 0.5 | 0.6 | 0.4 |
| 1992 | 0.5 | * | 0.2 | 0.3 | 0.7 | 1.7 | 1.2 | 0.6 | 0.6 | 0.4 | 0.4 |
| 1991 | 0.6 | * | 0.1 | 0.2 | 0.9 | 1.9 | 1.1 | 0.6 | 0.5 | 0.4 | 0.3 |
| 1990 | 0.6 | * | 0.2 | 0.3 | 0.9 | 1.7 | 1.0 | 0.7 | 0.6 | 0.4 | 0.4 |
| 1989 | 0.6 | * | 0.3 | 0.3 | 1.0 | 1.6 | 1.2 | 0.7 | 0.6 | 0.5 | 0.3 |
| 1988 | 0.6 | * | 0.3 | 0.3 | 1.1 | 1.4 | 1.0 | 0.7 | 0.6 | 0.6 | 0.6 |
| 1987 | 0.6 | * | 0.3 | 0.4 | 0.9 | 1.2 | 1.1 | 0.7 | 0.6 | 0.5 | 0.4 |
| 1986 | 0.6 | * | 0.2 | 0.3 | 0.9 | 1.3 | 1.0 | 0.8 | 0.7 | 0.5 | 0.6 |
| 1985 | 0.7 | * | 0.3 | 0.3 | 1.0 | 1.3 | 1.1 | 0.8 | 0.8 | 0.7 | 0.7 |
| 1984 | 0.7 | * | 0.2 | 0.4 | 1.1 | 1.4 | 1.2 | 0.9 | 0.7 | 0.7 | 0.5 |
| 1983 | 0.7 | * | 0.3 | 0.3 | 0.9 | 1.3 | 1.3 | 0.9 | 0.8 | 0.7 | 0.7 |
| 1982 | 0.8 | * | 0.3 | 0.5 | 0.8 | 1.4 | 1.3 | 1.1 | 0.9 | 0.7 | 0.8 |
| 1981 | 0.8 | * | 0.4 | 0.4 | 1.0 | 1.5 | 1.5 | 1.1 | 0.9 | 0.7 | 0.7 |
| 1980 | 0.9 | * | 0.3 | 0.5 | 1.1 | 1.8 | 1.5 | 1.2 | 1.0 | 0.8 | 0.7 |
| 1979 | 0.9 | * | 0.4 | 0.5 | 1.2 | 1.7 | 1.5 | 1.1 | 0.9 | 0.8 | 0.8 |
| Accidental discharge of firearms (E922) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.6 | * | * | 0.2 | 0.6 | 1.3 | 1.2 | 0.6 | 0.6 | 0.6 | 0.5 |
| 1997 | 0.6 | * | * | 0.2 | 0.9 | 1.6 | 1.3 | 0.7 | 0.6 | 0.5 | 0.5 |
| 1996 | 0.8 | * | * | 0.2 | 0.9 | 2.3 | 1.7 | 0.9 | 0.6 | 0.6 | 0.6 |
| 1995 | 0.8 | * | * | 0.2 | 1.2 | 2.6 | 1.6 | 1.1 | 0.7 | 0.7 | 0.5 |
| 1994 | 0.9 | * | 0.3 | * | 1.2 | 3.4 | 2.1 | 1.0 | 0.9 | 0.6 | 0.6 |
| 1993 | 1.0 | * | 0.3 | 0.3 | 1.3 | 3.2 | 2.6 | 1.1 | 0.9 | 0.9 | 0.6 |
| 1992 | 1.0 | * | 0.3 | 0.4 | 1.2 | 3.0 | 2.2 | 1.1 | 1.0 | 0.7 | 0.7 |
| 1991 | 1.1 | * | * | 0.3 | 1.7 | 3.4 | 2.1 | 1.2 | 0.9 | 0.7 | 0.6 |
| 1990 | 1.0 | * | 0.3 | 0.5 | 1.6 | 3.1 | 1.8 | 1.2 | 1.0 | 0.8 | 0.8 |
| 1989 | 1.1 | * | 0.3 | 0.5 | 1.8 | 2.9 | 2.1 | 1.2 | 1.1 | 0.8 | 0.6 |
| 1988 | 1.1 | * | 0.4 | 0.5 | 1.8 | 2.6 | 1.9 | 1.1 | 1.0 | 1.0 | 1.0 |
| 1987 | 1.1 | * | 0.4 | 0.5 | 1.5 | 2.1 | 1.9 | 1.2 | 1.1 | 1.0 | 0.8 |
| 1986 | 1.1 | * | 0.3 | 0.5 | 1.5 | 2.2 | 1.7 | 1.3 | 1.1 | 0.9 | 0.8 |
| 1985 | 1.2 | * | 0.4 | 0.5 | 1.9 | 2.3 | 2.0 | 1.5 | 1.3 | 1.1 | 1.2 |
| 1984 | 1.3 | * | 0.3 | 0.6 | 1.9 | 2.5 | 2.0 | 1.5 | 1.2 | 1.2 | 0.9 |
| 1983 | 1.3 | * | 0.3 | 0.4 | 1.5 | 2.5 | 2.3 | 1.6 | 1.3 | 1.3 | 1.3 |
| 1982 | 1.4 | * | 0.5 | 0.8 | 1.4 | 2.5 | 2.2 | 1.8 | 1.6 | 1.1 | 1.4 |
| 1981 | 1.4 | * | 0.5 | 0.6 | 1.7 | 2.6 | 2.5 | 1.9 | 1.4 | 1.0 | 1.4 |
| 1980 | 1.5 | * | 0.4 | 0.7 | 1.8 | 3.0 | 2.7 | 2.2 | 1.7 | 1.3 | 1.2 |
| 1979 | 1.6 | * | 0.6 | 0.7 | 2.2 | 3.0 | 2.5 | 1.9 | 1.5 | 1.3 | 1.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental discharge of firearms (E922) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | 0.2 | 0.2 | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | 0.4 | 0.3 | 0.2 | * | 0.2 | * |
| 1992 | 0.1 | * | * | * | * | 0.2 | 0.2 | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | 0.2 | 0.2 | 0.2 | * | * | * |
| 1989 | 0.1 | * | * | * | * | 0.3 | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | 0.4 | * | * | 0.2 | * | 0.2 | * |
| 1987 | 0.2 | * | * | * | * | * | 0.2 | 0.3 | * | * | * |
| 1986 | 0.2 | * | * | * | * | 0.3 | 0.2 | * | * | * | 0.3 |
| 1985 | 0.2 | * | * | * | * | 0.3 | 0.2 | 0.2 | 0.3 | 0.2 | * |
| 1984 | 0.2 | * | * | * | 0.2 | 0.2 | 0.3 | * | 0.3 | * | * |
| 1983 | 0.2 | * | * | * | 0.2 | * | 0.3 | 0.3 | 0.3 | * | * |
| 1982 | 0.2 | * | * | * | 0.3 | 0.2 | 0.4 | 0.3 | * | * | * |
| 1981 | 0.2 | * | * | * | 0.2 | 0.3 | 0.4 | 0.3 | 0.4 | 0.4 | * |
| 1980 | 0.2 | * | * | * | 0.3 | 0.4 | 0.4 | 0.3 | 0.3 | * | * |
| 1979 | 0.3 | * | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | * | * |
| Accidental discharge of firearms (E922) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | 0.3 | 0.7 | 0.6 | 0.3 | 0.3 | 0.4 | 0.3 |
| 1997 | 0.3 | * | * | * | 0.5 | 0.8 | 0.7 | 0.4 | 0.4 | 0.3 | 0.3 |
| 1996 | 0.4 | * | * | * | 0.5 | 1.0 | 0.8 | 0.5 | 0.3 | 0.3 | 0.4 |
| 1995 | 0.4 | * | * | 0.1 | 0.7 | 1.2 | 0.8 | 0.6 | 0.5 | 0.5 | 0.3 |
| 1994 | 0.5 | * | * | * | 0.6 | 1.5 | 0.9 | 0.6 | 0.5 | 0.4 | 0.4 |
| 1993 | 0.5 | * | * | 0.2 | 0.7 | 1.4 | 1.3 | 0.6 | 0.5 | 0.5 | 0.4 |
| 1992 | 0.5 | * | 0.2 | 0.2 | 0.7 | 1.3 | 1.1 | 0.6 | 0.6 | 0.4 | 0.3 |
| 1991 | 0.5 | * | * | 0.2 | 0.9 | 1.6 | 0.9 | 0.6 | 0.5 | 0.4 | 0.3 |
| 1990 | 0.5 | * | 0.2 | 0.3 | 0.8 | 1.6 | 0.9 | 0.7 | 0.5 | 0.4 | 0.4 |
| 1989 | 0.6 | * | 0.2 | 0.3 | 1.0 | 1.5 | 0.9 | 0.6 | 0.6 | 0.4 | 0.3 |
| 1988 | 0.6 | * | 0.2 | 0.3 | 1.1 | 1.4 | 1.0 | 0.6 | 0.5 | 0.5 | 0.6 |
| 1987 | 0.6 | * | 0.2 | 0.4 | 0.9 | 1.1 | 1.0 | 0.7 | 0.6 | 0.5 | 0.4 |
| 1986 | 0.6 | * | 0.2 | 0.3 | 1.0 | 1.3 | 1.0 | 0.7 | 0.6 | 0.5 | 0.5 |
| 1985 | 0.7 | * | 0.2 | 0.3 | 1.1 | 1.2 | 1.1 | 0.8 | 0.7 | 0.6 | 0.7 |
| 1984 | 0.7 | * | 0.2 | 0.4 | 1.2 | 1.4 | 1.1 | 0.8 | 0.7 | 0.7 | 0.5 |
| 1983 | 0.7 | * | 0.3 | 0.3 | 1.0 | 1.4 | 1.2 | 0.8 | 0.7 | 0.7 | 0.7 |
| 1982 | 0.7 | * | 0.3 | 0.5 | 1.0 | 1.3 | 1.2 | 1.0 | 0.8 | 0.6 | 0.7 |
| 1981 | 0.8 | * | 0.3 | 0.4 | 1.0 | 1.5 | 1.5 | 1.0 | 0.8 | 0.6 | 0.7 |
| 1980 | 0.8 | * | 0.3 | 0.4 | 1.1 | 1.8 | 1.5 | 1.1 | 0.8 | 0.7 | 0.7 |
| 1979 | 0.8 | * | 0.3 | 0.5 | 1.3 | 1.6 | 1.4 | 1.0 | 0.7 | 0.7 | 0.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Accidental discharge of firearms (E922) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | 0.6 | 1.2 | 1.1 | 0.5 | 0.6 | 0.6 | 0.5 |
| 1997 | 0.6 | * | * | * | 0.8 | 1.4 | 1.2 | 0.8 | 0.7 | 0.5 | 0.5 |
| 1996 | 0.7 | * | * | * | 0.8 | 1.8 | 1.4 | 0.9 | 0.6 | 0.6 | 0.6 |
| 1995 | 0.7 | * | * | * | 1.1 | 2.2 | 1.3 | 0.9 | 0.7 | 0.7 | 0.5 |
| 1994 | 0.8 | * | * | * | 1.1 | 2.7 | 1.7 | 0.9 | 0.8 | 0.6 | 0.6 |
| 1993 | 0.9 | * | * | 0.3 | 1.2 | 2.4 | 2.2 | 1.1 | 0.9 | 0.9 | 0.6 |
| 1992 | 0.9 | * | * | 0.3 | 1.2 | 2.4 | 2.0 | 1.0 | 1.0 | 0.8 | 0.6 |
| 1991 | 1.0 | * | * | * | 1.6 | 2.9 | 1.6 | 1.0 | 0.8 | 0.7 | 0.6 |
| 1990 | 1.0 | * | * | 0.5 | 1.5 | 2.9 | 1.6 | 1.2 | 1.0 | 0.8 | 0.8 |
| 1989 | 1.0 | * | * | 0.5 | 1.8 | 2.6 | 1.7 | 1.1 | 1.0 | 0.7 | 0.5 |
| 1988 | 1.0 | * | 0.3 | 0.4 | 1.8 | 2.5 | 1.8 | 0.9 | 1.0 | 0.9 | 1.0 |
| 1987 | 1.0 | * | * | 0.5 | 1.6 | 2.1 | 1.7 | 1.2 | 1.0 | 0.9 | 0.8 |
| 1986 | 1.1 | * | * | 0.4 | 1.7 | 2.2 | 1.7 | 1.2 | 1.1 | 0.8 | 0.7 |
| 1985 | 1.2 | * | * | 0.5 | 2.0 | 2.1 | 1.9 | 1.4 | 1.2 | 1.0 | 1.0 |
| 1984 | 1.3 | * | * | 0.7 | 2.1 | 2.5 | 1.8 | 1.5 | 1.1 | 1.1 | 0.9 |
| 1983 | 1.2 | * | * | 0.4 | 1.7 | 2.6 | 2.2 | 1.3 | 1.2 | 1.3 | 1.3 |
| 1982 | 1.3 | * | 0.4 | 0.8 | 1.6 | 2.4 | 2.1 | 1.7 | 1.4 | 1.1 | 1.3 |
| 1981 | 1.4 | * | 0.4 | 0.5 | 1.7 | 2.6 | 2.6 | 1.8 | 1.2 | 1.0 | 1.3 |
| 1980 | 1.4 | * | * | 0.6 | 1.9 | 3.1 | 2.6 | 1.9 | 1.5 | 1.1 | 1.2 |
| 1979 | 1.5 | * | 0.4 | 0.7 | 2.3 | 3.0 | 2.4 | 1.7 | 1.2 | 1.2 | 1.2 |
| Accidental discharge of firearms (E922) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | 0.3 | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.1 | * | * | * | * | 0.3 | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | 0.3 | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | 0.2 | * | * | * |
| 1986 | 0.2 | * | * | * | * | 0.3 | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | 0.2 | * | 0.2 | * | * |
| 1984 | 0.2 | * | * | * | * | 0.3 | 0.3 | * | 0.3 | * | * |
| 1983 | 0.2 | * | * | * | * | * | 0.3 | * | 0.3 | * | * |
| 1982 | 0.2 | * | * | * | 0.3 | * | 0.3 | 0.3 | * | * | * |
| 1981 | 0.2 | * | * | * | * | 0.3 | 0.4 | * | 0.3 | 0.3 | * |
| 1980 | 0.2 | * | * | * | 0.3 | 0.4 | 0.3 | 0.3 | * | * | * |
| 1979 | 0.2 | * | * | * | * | 0.3 | 0.4 | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Accidental discharge of firearms (E922) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | 0.9 | 1.0 | * | * | * | * |
| 1997 | 0.4 | * | * | * | 0.5 | 1.2 | 1.0 | * | * | * | * |
| 1996 | 0.6 | * | * | * | 0.6 | 2.2 | 1.3 | 0.5 | * | * | * |
| 1995 | 0.6 | * | * | * | 0.6 | 2.2 | 1.3 | 0.9 | * | * | * |
| 1994 | 0.8 | * | 0.6 | * | 0.8 | 3.2 | 1.9 | 0.9 | 0.7 | * | * |
| 1993 | 0.9 | * | * | * | 0.9 | 3.7 | 2.2 | 0.9 | 0.5 | 0.7 | * |
| 1992 | 0.8 | * | * | 0.6 | 0.8 | 3.0 | 1.6 | 0.8 | 0.6 | * | * |
| 1991 | 0.8 | * | * | * | 1.1 | 2.9 | 2.0 | 0.9 | 0.6 | 0.6 | * |
| 1990 | 0.8 | * | * | * | 0.9 | 2.2 | 1.5 | 0.9 | 0.7 | * | * |
| 1989 | 0.9 | * | * | * | 0.9 | 2.2 | 2.1 | 0.8 | 0.8 | 0.6 | * |
| 1988 | 0.8 | * | * | * | 1.2 | 1.7 | 1.3 | 1.0 | 0.7 | 0.9 | * |
| 1987 | 0.8 | * | * | * | 0.7 | 1.4 | 1.4 | 0.8 | 1.0 | 0.7 | * |
| 1986 | 0.7 | * | * | * | * | 1.1 | 1.1 | 1.0 | 0.7 | 0.7 | * |
| 1985 | 0.8 | * | * | * | 0.6 | 1.7 | 1.2 | 1.0 | 1.1 | 0.9 | 1.0 |
| 1984 | 0.8 | * | * | * | 0.6 | 1.4 | 1.6 | 1.1 | 1.0 | * | * |
| 1983 | 0.9 | * | * | * | * | 1.1 | 1.6 | 1.7 | 1.3 | * | * |
| 1982 | 0.9 | * | * | * | * | 1.6 | 1.3 | 1.4 | 1.3 | 1.0 | * |
| 1981 | 1.1 | * | 0.8 | * | 1.2 | 1.5 | 1.6 | 1.4 | 1.3 | * | * |
| 1980 | 1.2 | * | * | 0.7 | 0.8 | 1.7 | 2.0 | 2.0 | 1.9 | 1.5 | * |
| 1979 | 1.3 | * | 1.0 | 0.7 | 1.0 | 1.7 | 2.0 | 1.8 | 2.0 | * | * |
| Accidental discharge of firearms (E922) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | 1.8 | 1.9 | * | * | * | * |
| 1997 | 0.8 | * | * | * | * | 2.2 | 1.9 | * | * | * | * |
| 1996 | 1.1 | * | * | * | 1.1 | 3.8 | 2.5 | * | * | * | * |
| 1995 | 1.2 | * | * | * | 1.2 | 4.3 | 2.5 | 1.7 | * | * | * |
| 1994 | 1.5 | * | * | * | 1.5 | 5.9 | 3.6 | 1.6 | 1.2 | * | * |
| 1993 | 1.7 | * | * | * | 1.6 | 6.7 | 4.1 | 1.5 | * | 1.2 | * |
| 1992 | 1.5 | * | * | * | 1.4 | 5.5 | 3.0 | 1.4 | 1.3 | * | * |
| 1991 | 1.6 | * | * | * | 1.9 | 5.5 | 3.9 | 1.8 | 1.1 | * | * |
| 1990 | 1.4 | * | * | * | 1.6 | 4.1 | 2.5 | 1.4 | 1.2 | * | * |
| 1989 | 1.6 | * | * | * | 1.6 | 4.1 | 4.1 | 1.5 | 1.6 | * | * |
| 1988 | 1.4 | * | * | * | 2.0 | 3.1 | 2.4 | 1.9 | * | 1.5 | * |
| 1987 | 1.4 | * | * | * | * | 2.5 | 2.5 | 1.2 | 1.7 | * | * |
| 1986 | 1.1 | * | * | * | * | 2.0 | 2.0 | 2.0 | * | * | * |
| 1985 | 1.5 | * | * | * | * | 3.0 | 2.2 | 1.8 | 1.6 | * | * |
| 1984 | 1.4 | * | * | * | * | 2.5 | 2.7 | 1.9 | 2.0 | * | * |
| 1983 | 1.6 | * | * | * | * | 2.1 | 3.0 | 3.0 | 2.1 | * | * |
| 1982 | 1.6 | * | * | * | * | 2.7 | 2.4 | 2.5 | 2.5 | * | * |
| 1981 | 1.8 | * | * | * | 1.9 | 2.6 | 2.4 | 2.2 | 2.3 | * | * |
| 1980 | 2.1 | * | * | * | 1.3 | 2.8 | 3.5 | 3.7 | 3.4 | 3.0 | * |
| 1979 | 2.2 | * | * | * | 1.6 | 3.0 | 3.4 | 3.2 | 3.7 | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental discharge of firearms (E922) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| Accidental discharge of firearms (E922) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.5 | * | * | * | * | 1.2 | 1.3 | * | * | * | * |
| 1997 | 0.5 | * | * | * | * | 1.4 | 1.3 | * | * | * | * |
| 1996 | 0.7 | * | * | * | 0.8 | 2.6 | 1.6 | * | * | * | * |
| 1995 | 0.7 | * | * | * | 0.7 | 2.6 | 1.7 | 1.1 | * | * | * |
| 1994 | 0.9 | * | * | * | 0.9 | 3.6 | 2.2 | 1.0 | 0.9 | * | * |
| 1993 | 1.1 | * | * | * | 1.1 | 4.5 | 2.8 | 1.1 | * | 0.7 | * |
| 1992 | 0.9 | * | * | 0.7 | 0.9 | 3.6 | 1.9 | 0.9 | * | * | * |
| 1991 | 0.9 | * | * | * | 1.1 | 3.3 | 2.3 | 1.1 | * | * | * |
| 1990 | 0.8 | * | * | * | 1.1 | 2.7 | 1.6 | 0.9 | 0.8 | * | * |
| 1989 | 0.9 | * | * | * | 1.0 | 2.5 | 2.2 | 0.8 | 0.9 | * | * |
| 1988 | 0.9 | * | * | * | 1.4 | 1.9 | 1.4 | 1.0 | 0.8 | 1.1 | * |
| 1987 | 0.8 | * | * | * | * | 1.7 | 1.5 | 0.7 | 1.1 | * | * |
| 1986 | 0.7 | * | * | * | * | 1.2 | 1.1 | 1.0 | 0.9 | * | * |
| 1985 | 0.9 | * | * | * | * | 1.8 | 1.0 | 1.0 | 1.2 | * | * |
| 1984 | 0.8 | * | * | * | * | 1.2 | 1.4 | 1.2 | 1.3 | * | * |
| 1983 | 0.9 | * | * | * | * | 1.0 | 1.4 | 2.0 | 1.4 | * | * |
| 1982 | 0.9 | * | * | * | * | 1.5 | 1.2 | 1.4 | 1.4 | 1.3 | * |
| 1981 | 1.1 | * | * | * | 1.3 | 1.5 | 1.5 | 1.6 | 1.3 | * | * |
| 1980 | 1.3 | * | * | * | 0.8 | 1.8 | 2.1 | 2.1 | 2.2 | 1.7 | * |
| 1979 | 1.3 | * | 1.1 | * | 1.0 | 1.7 | 1.9 | 2.0 | 2.2 | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Accidental discharge of firearms (E922) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | 2.3 | 2.5 | * | * | * | * |
| 1997 | 0.9 | * | * | * | * | 2.6 | 2.5 | * | * | * | * |
| 1996 | 1.3 | * | * | * | 1.4 | 4.7 | 3.2 | * | * | * | * |
| 1995 | 1.4 | * | * | * | 1.4 | 5.1 | 3.4 | 2.2 | * | * | * |
| 1994 | 1.7 | * | * | * | 1.8 | 6.8 | 4.1 | 1.9 | 1.6 | * | * |
| 1993 | 2.0 | * | * | * | 1.9 | 8.2 | 5.3 | 1.8 | * | * | * |
| 1992 | 1.8 | * | * | * | 1.5 | 6.7 | 3.5 | 1.6 | * | * | * |
| 1991 | 1.8 | * | * | * | 2.0 | 6.3 | 4.7 | 2.2 | * | * | * |
| 1990 | 1.5 | * | * | * | 2.0 | 4.9 | 2.7 | * | * | * | * |
| 1989 | 1.7 | * | * | * | 1.8 | 4.6 | 4.2 | 1.5 | 1.8 | * | * |
| 1988 | 1.6 | * | * | * | 2.2 | 3.5 | 2.4 | 2.0 | * | 2.0 | * |
| 1987 | 1.5 | * | * | * | * | 2.9 | 2.7 | * | 1.9 | * | * |
| 1986 | 1.3 | * | * | * | * | 2.2 | 2.0 | 2.0 | * | * | * |
| 1985 | 1.6 | * | * | * | * | 3.3 | 1.9 | 1.8 | 1.9 | * | * |
| 1984 | 1.5 | * | * | * | * | 2.4 | 2.6 | 2.1 | 2.6 | * | * |
| 1983 | 1.6 | * | * | * | * | 2.0 | 2.6 | 3.5 | 2.3 | * | * |
| 1982 | 1.6 | * | * | * | * | 2.3 | 2.1 | 2.5 | 2.7 | * | * |
| 1981 | 1.9 | * | * | * | 2.2 | 2.6 | 2.2 | 2.5 | 2.4 | * | * |
| 1980 | 2.2 | * | * | * | * | 2.9 | 3.6 | 3.9 | 3.9 | 3.5 | * |
| 1979 | 2.3 | * | * | * | 1.6 | 2.9 | 3.2 | 3.4 | 4.1 | * | * |
| Accidental discharge of firearms (E922) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental drowning and submersion (E910) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.4 | 1.6 | 3.2 | 1.2 | 1.0 | 2.1 | 1.8 | 1.3 | 1.4 | 1.3 | 1.3 |
| 1997 | 1.3 | 1.6 | 2.9 | 1.1 | 1.1 | 1.6 | 1.5 | 1.3 | 1.3 | 1.1 | 1.1 |
| 1996 | 1.3 | 1.7 | 3.0 | 1.1 | 1.1 | 1.9 | 1.6 | 1.2 | 1.1 | 1.1 | 1.1 |
| 1995 | 1.4 | 1.6 | 3.3 | 1.1 | 1.2 | 2.2 | 1.6 | 1.2 | 1.4 | 1.3 | 1.3 |
| 1994 | 1.3 | 1.9 | 2.9 | 0.9 | 1.1 | 1.8 | 1.4 | 1.2 | 1.3 | 1.2 | 1.1 |
| 1993 | 1.5 | 2.0 | 3.4 | 0.9 | 1.2 | 2.2 | 1.8 | 1.5 | 1.5 | 1.3 | 1.2 |
| 1992 | 1.4 | 2.2 | 3.3 | 1.0 | 1.1 | 2.0 | 1.6 | 1.4 | 1.1 | 1.1 | 1.1 |
| 1991 | 1.6 | 2.6 | 3.8 | 1.2 | 1.2 | 2.4 | 2.0 | 1.7 | 1.7 | 1.2 | 1.1 |
| 1990 | 1.6 | 1.9 | 3.8 | 1.3 | 1.4 | 2.4 | 1.9 | 1.6 | 1.5 | 1.4 | 1.2 |
| 1989 | 1.6 | 2.4 | 4.0 | 1.4 | 1.3 | 2.2 | 2.0 | 1.6 | 1.6 | 1.4 | 1.1 |
| 1988 | 1.7 | 2.3 | 4.2 | 1.5 | 1.3 | 2.4 | 2.2 | 1.8 | 1.5 | 1.5 | 1.3 |
| 1987 | 1.8 | 2.8 | 4.5 | 1.7 | 1.6 | 2.6 | 2.3 | 2.0 | 1.7 | 1.3 | 1.1 |
| 1986 | 2.0 | 2.5 | 4.5 | 1.8 | 1.8 | 3.1 | 2.8 | 2.3 | 1.8 | 1.4 | 1.1 |
| 1985 | 1.9 | 2.4 | 4.1 | 1.5 | 1.6 | 3.0 | 2.7 | 2.0 | 1.7 | 1.3 | 1.2 |
| 1984 | 1.9 | 2.0 | 3.9 | 1.4 | 1.5 | 2.9 | 2.7 | 2.1 | 1.9 | 1.3 | 1.0 |
| 1983 | 2.2 | 2.3 | 4.7 | 2.0 | 2.0 | 3.5 | 3.4 | 2.6 | 2.1 | 1.7 | 1.4 |
| 1982 | 2.3 | 2.6 | 4.7 | 2.0 | 1.9 | 3.7 | 3.4 | 2.5 | 2.0 | 1.6 | 1.4 |
| 1981 | 2.3 | 2.0 | 5.1 | 2.0 | 2.0 | 3.8 | 3.4 | 2.6 | 2.0 | 1.6 | 1.4 |
| 1980 | 2.7 | 2.6 | 5.4 | 2.4 | 2.2 | 4.8 | 4.3 | 3.1 | 2.2 | 1.7 | 1.6 |
| 1979 | 2.5 | 2.2 | 5.4 | 2.3 | 2.4 | 4.4 | 3.7 | 2.7 | 1.7 | 1.9 | 1.8 |
| Accidental drowning and submersion (E910) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 2.3 | 1.9 | 4.1 | 1.6 | 1.5 | 3.6 | 3.2 | 2.3 | 2.4 | 2.3 | 2.2 |
| 1997 | 2.1 | 1.8 | 3.9 | 1.6 | 1.5 | 2.9 | 2.7 | 2.2 | 2.3 | 1.7 | 1.9 |
| 1996 | 2.1 | 1.8 | 3.9 | 1.6 | 1.6 | 3.3 | 2.8 | 2.1 | 2.0 | 1.9 | 1.8 |
| 1995 | 2.3 | 1.2 | 4.2 | 1.6 | 1.7 | 3.8 | 2.9 | 2.2 | 2.4 | 2.3 | 2.2 |
| 1994 | 2.1 | 1.9 | 3.7 | 1.4 | 1.8 | 3.1 | 2.6 | 2.2 | 2.3 | 2.0 | 1.8 |
| 1993 | 2.4 | 2.2 | 4.5 | 1.3 | 1.9 | 3.9 | 3.2 | 2.7 | 2.5 | 2.1 | 2.1 |
| 1992 | 2.2 | 2.5 | 4.1 | 1.5 | 1.6 | 3.6 | 2.9 | 2.5 | 2.0 | 2.0 | 1.8 |
| 1991 | 2.6 | 3.0 | 4.9 | 1.8 | 1.8 | 4.2 | 3.5 | 3.1 | 3.0 | 2.2 | 1.9 |
| 1990 | 2.6 | 2.2 | 5.0 | 1.8 | 2.2 | 4.4 | 3.4 | 2.9 | 2.7 | 2.5 | 2.0 |
| 1989 | 2.7 | 3.2 | 5.3 | 2.1 | 2.2 | 4.0 | 3.6 | 2.8 | 2.7 | 2.4 | 1.9 |
| 1988 | 2.8 | 2.7 | 5.6 | 2.1 | 2.0 | 4.3 | 3.9 | 3.3 | 2.6 | 2.7 | 2.1 |
| 1987 | 3.0 | 3.2 | 6.0 | 2.5 | 2.7 | 4.6 | 4.1 | 3.5 | 2.9 | 2.3 | 1.8 |
| 1986 | 3.3 | 2.5 | 5.9 | 2.6 | 2.9 | 5.7 | 5.0 | 4.0 | 3.1 | 2.5 | 2.0 |
| 1985 | 3.1 | 2.6 | 5.3 | 2.3 | 2.5 | 5.2 | 5.0 | 3.6 | 2.9 | 2.2 | 2.3 |
| 1984 | 3.1 | 1.7 | 5.1 | 2.1 | 2.4 | 5.1 | 4.7 | 3.6 | 3.2 | 2.3 | 1.7 |
| 1983 | 3.8 | 2.5 | 6.3 | 2.9 | 3.1 | 6.3 | 6.2 | 4.6 | 3.8 | 3.0 | 2.6 |
| 1982 | 3.8 | 3.1 | 6.2 | 3.0 | 3.1 | 6.6 | 6.1 | 4.5 | 3.4 | 2.7 | 2.4 |
| 1981 | 3.9 | 2.5 | 6.8 | 3.2 | 3.2 | 6.8 | 6.3 | 4.8 | 3.5 | 2.8 | 2.3 |
| 1980 | 4.6 | 3.5 | 7.0 | 3.7 | 3.5 | 8.5 | 7.9 | 5.6 | 3.7 | 3.0 | 2.6 |
| 1979 | 4.3 | 2.2 | 7.2 | 3.6 | 3.7 | 7.7 | 6.7 | 4.7 | 3.0 | 3.3 | 3.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental drowning and submersion (E910) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.6 | 1.4 | 2.3 | 0.7 | 0.4 | 0.5 | 0.4 | 0.3 | 0.4 | 0.4 | 0.5 |
| 1997 | 0.5 | 1.4 | 2.0 | 0.6 | 0.6 | 0.3 | 0.4 | 0.3 | 0.3 | 0.4 | 0.4 |
| 1996 | 0.5 | 1.6 | 2.0 | 0.6 | 0.6 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | 0.4 |
| 1995 | 0.6 | 1.9 | 2.4 | 0.5 | 0.6 | 0.4 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 |
| 1994 | 0.5 | 1.8 | 2.2 | 0.5 | 0.4 | 0.4 | * | 0.2 | 0.3 | 0.3 | 0.4 |
| 1993 | 0.6 | 1.7 | 2.3 | 0.5 | 0.5 | 0.4 | 0.4 | 0.3 | 0.4 | 0.5 | 0.3 |
| 1992 | 0.6 | 1.8 | 2.6 | 0.5 | 0.6 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 1991 | 0.6 | 2.2 | 2.6 | 0.6 | 0.5 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 |
| 1990 | 0.6 | 1.7 | 2.5 | 0.8 | 0.6 | 0.4 | 0.3 | 0.3 | 0.4 | 0.3 | 0.4 |
| 1989 | 0.6 | 1.5 | 2.6 | 0.8 | 0.4 | 0.4 | 0.3 | 0.4 | 0.4 | 0.3 | 0.4 |
| 1988 | 0.7 | 2.0 | 2.8 | 0.9 | 0.7 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 1987 | 0.7 | 2.4 | 3.0 | 0.9 | 0.5 | 0.5 | 0.5 | 0.4 | 0.5 | 0.4 | 0.4 |
| 1986 | 0.7 | 2.6 | 3.1 | 1.0 | 0.7 | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 | * |
| 1985 | 0.7 | 2.2 | 2.9 | 0.7 | 0.6 | 0.6 | 0.4 | 0.5 | 0.4 | 0.4 | * |
| 1984 | 0.7 | 2.2 | 2.7 | 0.7 | 0.6 | 0.6 | 0.7 | 0.5 | 0.6 | 0.3 | 0.4 |
| 1983 | 0.8 | 2.2 | 3.2 | 1.0 | 0.8 | 0.7 | 0.6 | 0.6 | 0.5 | 0.4 | * |
| 1982 | 0.8 | 2.0 | 3.2 | 1.0 | 0.6 | 0.7 | 0.7 | 0.6 | 0.5 | 0.5 | 0.5 |
| 1981 | 0.7 | 1.5 | 3.2 | 0.9 | 0.7 | 0.6 | 0.5 | 0.5 | 0.5 | 0.4 | 0.5 |
| 1980 | 0.9 | 1.6 | 3.8 | 0.9 | 0.9 | 1.0 | 0.7 | 0.6 | 0.6 | 0.5 | 0.5 |
| 1979 | 0.9 | 2.3 | 3.5 | 0.8 | 1.0 | 0.9 | 0.7 | 0.7 | 0.5 | 0.5 | 0.5 |
| Accidental drowning and submersion (E910) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.3 | 1.6 | 3.4 | 0.9 | 0.6 | 1.8 | 1.7 | 1.2 | 1.4 | 1.3 | 1.2 |
| 1997 | 1.2 | 1.5 | 3.2 | 0.8 | 0.8 | 1.5 | 1.4 | 1.1 | 1.2 | 1.0 | 1.1 |
| 1996 | 1.2 | 1.4 | 3.1 | 0.8 | 0.7 | 1.7 | 1.6 | 1.2 | 1.1 | 1.0 | 1.0 |
| 1995 | 1.3 | 1.3 | 3.5 | 0.9 | 0.8 | 2.0 | 1.6 | 1.2 | 1.2 | 1.3 | 1.2 |
| 1994 | 1.2 | 1.7 | 3.1 | 0.7 | 0.6 | 1.5 | 1.3 | 1.1 | 1.1 | 1.1 | 1.0 |
| 1993 | 1.3 | 1.7 | 3.6 | 0.7 | 0.8 | 1.9 | 1.6 | 1.4 | 1.3 | 1.2 | 1.0 |
| 1992 | 1.3 | 1.9 | 3.5 | 0.9 | 0.6 | 1.8 | 1.4 | 1.3 | 1.1 | 1.1 | 1.0 |
| 1991 | 1.4 | 2.4 | 4.1 | 0.9 | 0.8 | 2.0 | 1.8 | 1.4 | 1.5 | 1.0 | 0.9 |
| 1990 | 1.4 | 1.6 | 4.1 | 1.1 | 1.0 | 2.2 | 1.7 | 1.5 | 1.3 | 1.3 | 1.1 |
| 1989 | 1.5 | 2.2 | 4.2 | 1.1 | 0.8 | 2.0 | 1.8 | 1.5 | 1.4 | 1.2 | 1.0 |
| 1988 | 1.5 | 1.9 | 4.5 | 1.2 | 0.9 | 2.2 | 1.9 | 1.6 | 1.4 | 1.3 | 1.1 |
| 1987 | 1.6 | 2.7 | 4.9 | 1.4 | 1.1 | 2.1 | 2.0 | 1.8 | 1.4 | 1.1 | 1.0 |
| 1986 | 1.8 | 2.2 | 4.9 | 1.4 | 1.2 | 2.7 | 2.5 | 1.9 | 1.5 | 1.3 | 1.0 |
| 1985 | 1.6 | 2.3 | 4.5 | 1.2 | 1.1 | 2.7 | 2.4 | 1.8 | 1.5 | 1.0 | 1.1 |
| 1984 | 1.7 | 1.8 | 4.2 | 1.1 | 1.0 | 2.6 | 2.4 | 1.9 | 1.6 | 1.1 | 0.8 |
| 1983 | 2.0 | 2.4 | 5.2 | 1.7 | 1.4 | 3.1 | 3.1 | 2.3 | 1.8 | 1.5 | 1.2 |
| 1982 | 2.0 | 2.4 | 5.1 | 1.7 | 1.4 | 3.3 | 3.1 | 2.2 | 1.5 | 1.3 | 1.3 |
| 1981 | 2.0 | 1.7 | 5.4 | 1.8 | 1.5 | 3.3 | 3.0 | 2.2 | 1.7 | 1.3 | 1.2 |
| 1980 | 2.4 | 2.5 | 5.9 | 1.9 | 1.6 | 4.4 | 3.8 | 2.7 | 1.7 | 1.4 | 1.4 |
| 1979 | 2.2 | 1.9 | 5.6 | 1.8 | 1.8 | 4.0 | 3.3 | 2.3 | 1.4 | 1.7 | 1.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental drowning and submersion (E910) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 2.1 | 1.9 | 4.3 | 1.3 | 0.9 | 3.0 | 3.0 | 2.1 | 2.3 | 2.2 | 2.0 |
| 1997 | 1.9 | 1.6 | 4.1 | 1.1 | 1.1 | 2.7 | 2.3 | 1.9 | 2.1 | 1.7 | 1.8 |
| 1996 | 1.9 | 1.3 | 4.2 | 1.2 | 0.9 | 2.9 | 2.7 | 2.0 | 1.9 | 1.7 | 1.6 |
| 1995 | 2.1 | * | 4.5 | 1.3 | 1.1 | 3.5 | 2.8 | 2.0 | 2.0 | 2.1 | 2.0 |
| 1994 | 1.8 | 1.8 | 3.8 | 1.0 | 1.0 | 2.6 | 2.4 | 2.0 | 2.0 | 1.8 | 1.6 |
| 1993 | 2.1 | 1.8 | 4.7 | 1.1 | 1.3 | 3.4 | 2.8 | 2.4 | 2.2 | 1.9 | 1.7 |
| 1992 | 2.0 | 2.4 | 4.4 | 1.3 | 0.9 | 3.3 | 2.5 | 2.2 | 1.9 | 1.8 | 1.6 |
| 1991 | 2.3 | 3.0 | 5.3 | 1.4 | 1.2 | 3.5 | 3.1 | 2.6 | 2.6 | 1.7 | 1.6 |
| 1990 | 2.3 | 1.7 | 5.2 | 1.5 | 1.5 | 3.9 | 3.0 | 2.6 | 2.3 | 2.2 | 1.8 |
| 1989 | 2.4 | 2.8 | 5.5 | 1.7 | 1.3 | 3.5 | 3.4 | 2.5 | 2.4 | 2.1 | 1.8 |
| 1988 | 2.5 | 1.9 | 6.0 | 1.7 | 1.4 | 3.8 | 3.4 | 2.8 | 2.3 | 2.4 | 1.8 |
| 1987 | 2.6 | 3.0 | 6.5 | 2.0 | 1.8 | 3.7 | 3.4 | 3.1 | 2.4 | 2.0 | 1.6 |
| 1986 | 2.9 | 2.0 | 6.4 | 2.1 | 1.9 | 4.9 | 4.4 | 3.3 | 2.6 | 2.2 | 1.7 |
| 1985 | 2.7 | 2.3 | 5.8 | 1.8 | 1.7 | 4.6 | 4.4 | 3.1 | 2.6 | 1.8 | 1.9 |
| 1984 | 2.7 | * | 5.4 | 1.5 | 1.5 | 4.4 | 4.2 | 3.2 | 2.7 | 2.0 | 1.4 |
| 1983 | 3.4 | 2.4 | 6.8 | 2.5 | 2.2 | 5.5 | 5.7 | 4.0 | 3.2 | 2.6 | 2.2 |
| 1982 | 3.3 | 2.9 | 6.7 | 2.5 | 2.2 | 6.0 | 5.5 | 3.9 | 2.6 | 2.2 | 2.1 |
| 1981 | 3.4 | 2.3 | 7.2 | 2.7 | 2.3 | 5.8 | 5.6 | 4.0 | 2.9 | 2.2 | 1.9 |
| 1980 | 4.0 | 3.2 | 7.5 | 3.0 | 2.5 | 7.8 | 7.0 | 4.9 | 2.9 | 2.5 | 2.3 |
| 1979 | 3.7 | 1.9 | 7.5 | 2.9 | 2.8 | 7.1 | 5.8 | 4.0 | 2.4 | 2.8 | 2.3 |
| Accidental drowning and submersion (E910) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.6 | * | 2.4 | 0.5 | 0.3 | 0.5 | 0.4 | 0.3 | 0.4 | 0.4 | 0.4 |
| 1997 | 0.5 | 1.4 | 2.1 | 0.4 | 0.5 | 0.3 | 0.4 | 0.3 | * | 0.4 | 0.4 |
| 1996 | 0.5 | 1.6 | 2.0 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 | 0.2 | 0.3 | 0.4 |
| 1995 | 0.5 | 1.6 | 2.5 | 0.5 | 0.5 | 0.4 | * | 0.3 | 0.3 | 0.4 | 0.4 |
| 1994 | 0.5 | 1.5 | 2.3 | 0.3 | 0.3 | 0.4 | * | * | 0.3 | 0.4 | 0.4 |
| 1993 | 0.5 | 1.5 | 2.4 | 0.4 | 0.4 | 0.3 | 0.4 | 0.3 | 0.4 | 0.5 | 0.3 |
| 1992 | 0.5 | 1.5 | 2.6 | 0.5 | 0.3 | * | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 |
| 1991 | 0.5 | 1.8 | 2.7 | 0.5 | 0.4 | 0.4 | 0.5 | 0.3 | 0.3 | 0.3 | 0.3 |
| 1990 | 0.6 | 1.4 | 2.9 | 0.7 | 0.4 | 0.4 | 0.3 | 0.3 | 0.4 | 0.3 | 0.4 |
| 1989 | 0.6 | 1.5 | 2.8 | 0.5 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.3 | 0.3 |
| 1988 | 0.6 | 2.0 | 3.0 | 0.7 | 0.4 | 0.5 | 0.4 | 0.4 | 0.4 | 0.3 | 0.4 |
| 1987 | 0.6 | 2.3 | 3.1 | 0.7 | 0.3 | 0.5 | 0.5 | 0.4 | 0.4 | 0.3 | 0.4 |
| 1986 | 0.7 | 2.5 | 3.2 | 0.7 | 0.4 | 0.4 | 0.5 | 0.5 | 0.3 | 0.4 | * |
| 1985 | 0.6 | 2.3 | 3.1 | 0.6 | 0.4 | 0.6 | 0.4 | 0.4 | 0.4 | 0.3 | * |
| 1984 | 0.7 | 2.3 | 2.9 | 0.5 | 0.4 | 0.6 | 0.6 | 0.6 | 0.6 | * | * |
| 1983 | 0.7 | 2.5 | 3.5 | 0.8 | 0.6 | 0.7 | 0.5 | 0.5 | 0.5 | 0.4 | * |
| 1982 | 0.8 | 1.8 | 3.5 | 0.8 | 0.5 | 0.6 | 0.7 | 0.5 | 0.5 | 0.4 | 0.5 |
| 1981 | 0.7 | * | 3.5 | 0.9 | 0.6 | 0.6 | 0.4 | 0.3 | 0.5 | 0.4 | 0.4 |
| 1980 | 0.8 | 1.8 | 4.1 | 0.8 | 0.6 | 0.9 | 0.6 | 0.6 | 0.6 | 0.4 | 0.5 |
| 1979 | 0.8 | 1.9 | 3.5 | 0.7 | 0.9 | 0.8 | 0.7 | 0.6 | 0.4 | 0.5 | 0.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental drowning and submersion (E910) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 1.9 | * | 2.6 | 2.2 | 2.3 | 3.3 | 2.3 | 1.8 | 1.5 | 1.4 | 1.9 |
| 1997 | 1.7 | * | 2.1 | 2.2 | 2.1 | 2.1 | 2.2 | 1.8 | 1.8 | 1.4 | 1.4 |
| 1996 | 1.9 | 2.7 | 2.4 | 2.2 | 2.8 | 2.7 | 1.7 | 1.4 | 1.3 | 1.4 | 1.5 |
| 1995 | 1.9 | 2.5 | 2.6 | 1.8 | 2.5 | 2.9 | 1.7 | 1.4 | 2.2 | 1.6 | 1.7 |
| 1994 | 2.0 | 2.6 | 2.4 | 2.0 | 3.0 | 2.8 | 1.8 | 1.5 | 2.2 | 1.5 | 1.7 |
| 1993 | 2.1 | 3.0 | 2.9 | 1.7 | 2.6 | 3.4 | 2.5 | 2.1 | 2.1 | 1.7 | 2.1 |
| 1992 | 2.0 | 3.0 | 2.5 | 1.6 | 2.9 | 3.0 | 2.4 | 2.1 | 1.3 | 1.4 | 1.5 |
| 1991 | 2.5 | 3.5 | 2.6 | 2.3 | 2.5 | 3.8 | 2.7 | 2.8 | 2.7 | 2.2 | 1.9 |
| 1990 | 2.4 | 3.3 | 2.7 | 2.3 | 3.2 | 3.5 | 2.8 | 2.5 | 2.5 | 2.1 | 1.7 |
| 1989 | 2.5 | 3.3 | 3.0 | 2.9 | 3.3 | 3.2 | 2.6 | 2.5 | 2.5 | 2.0 | 1.6 |
| 1988 | 2.6 | 4.0 | 3.0 | 3.0 | 3.1 | 3.4 | 3.4 | 3.1 | 2.5 | 2.4 | 2.2 |
| 1987 | 3.0 | 3.3 | 3.1 | 3.0 | 3.9 | 4.6 | 4.0 | 3.0 | 3.0 | 2.4 | 1.8 |
| 1986 | 3.3 | 3.9 | 3.1 | 3.6 | 4.5 | 5.2 | 4.1 | 4.0 | 3.3 | 2.1 | 2.1 |
| 1985 | 3.0 | * | 2.7 | 2.9 | 4.0 | 4.3 | 4.4 | 3.3 | 2.5 | 2.7 | 2.4 |
| 1984 | 3.1 | * | 3.0 | 2.9 | 3.9 | 4.5 | 4.3 | 3.2 | 3.2 | 2.5 | 2.1 |
| 1983 | 3.5 | * | 3.0 | 3.2 | 4.4 | 5.2 | 5.0 | 4.3 | 3.7 | 2.9 | 2.6 |
| 1982 | 3.7 | 3.4 | 3.0 | 3.3 | 4.2 | 5.4 | 5.2 | 4.3 | 4.3 | 3.5 | 2.4 |
| 1981 | 3.9 | 3.4 | 3.6 | 3.1 | 4.6 | 6.1 | 5.4 | 5.1 | 3.8 | 3.5 | 2.9 |
| 1980 | 4.5 | * | 3.3 | 4.6 | 5.1 | 6.7 | 7.1 | 5.1 | 5.0 | 3.6 | 2.8 |
| 1979 | 4.5 | 3.7 | 4.6 | 4.4 | 5.1 | 6.4 | 6.5 | 5.1 | 3.9 | 3.6 | 4.4 |
| Accidental drowning and submersion (E910) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 3.4 | * | 3.6 | 2.9 | 3.8 | 6.0 | 4.3 | 3.5 | 2.8 | 2.6 | 3.2 |
| 1997 | 2.9 | * | 2.9 | 3.1 | 3.0 | 3.8 | 4.0 | 3.4 | 3.4 | 2.2 | 2.7 |
| 1996 | 3.2 | * | 3.1 | 3.2 | 4.4 | 4.9 | 3.2 | 2.6 | 2.4 | 2.6 | 2.7 |
| 1995 | 3.3 | * | 3.1 | 2.8 | 3.9 | 5.1 | 3.0 | 2.8 | 4.3 | 2.9 | 3.2 |
| 1994 | 3.4 | * | 3.2 | 3.0 | 4.9 | 5.2 | 3.5 | 3.0 | 4.1 | 2.9 | 2.9 |
| 1993 | 3.7 | * | 3.8 | 2.3 | 4.2 | 6.0 | 4.7 | 4.1 | 3.8 | 3.2 | 4.2 |
| 1992 | 3.3 | * | 2.7 | 2.3 | 4.0 | 5.1 | 4.3 | 4.0 | 2.4 | 2.8 | 3.1 |
| 1991 | 4.5 | * | 3.2 | 3.5 | 4.1 | 7.2 | 5.2 | 5.5 | 5.3 | 4.4 | 3.7 |
| 1990 | 4.3 | * | 4.0 | 3.1 | 5.1 | 6.4 | 5.3 | 4.7 | 4.8 | 4.4 | 3.4 |
| 1989 | 4.3 | 5.0 | 4.6 | 3.7 | 5.7 | 5.9 | 4.9 | 4.6 | 4.7 | 4.0 | 2.7 |
| 1988 | 4.6 | 5.8 | 4.2 | 4.0 | 4.4 | 6.3 | 6.2 | 5.9 | 4.5 | 4.4 | 4.3 |
| 1987 | 5.3 | * | 4.0 | 4.4 | 6.4 | 8.6 | 7.6 | 5.7 | 5.4 | 4.5 | 3.3 |
| 1986 | 5.8 | * | 3.8 | 4.9 | 7.2 | 9.6 | 7.8 | 7.4 | 6.1 | 4.2 | 4.2 |
| 1985 | 5.3 | * | 3.3 | 4.6 | 6.2 | 7.9 | 8.2 | 6.3 | 4.9 | 5.3 | 4.8 |
| 1984 | 5.4 | * | 4.0 | 4.5 | 6.5 | 8.4 | 7.8 | 6.3 | 6.2 | 4.9 | 3.5 |
| 1983 | 6.4 | * | 4.1 | 4.7 | 7.1 | 9.7 | 9.1 | 7.8 | 7.4 | 5.5 | 5.2 |
| 1982 | 6.6 | * | 4.0 | 5.0 | 7.1 | 9.5 | 9.7 | 8.3 | 8.4 | 6.2 | 4.4 |
| 1981 | 7.2 | * | 5.2 | 5.2 | 7.9 | 11.6 | 10.5 | 9.7 | 7.4 | 7.1 | 5.2 |
| 1980 | 8.2 | * | 4.5 | 7.5 | 8.0 | 12.2 | 13.5 | 10.1 | 9.6 | 6.5 | 5.3 |
| 1979 | 8.0 | * | 5.9 | 7.1 | 8.7 | 11.3 | 12.4 | 9.5 | 7.4 | 6.9 | 9.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental drowning and submersion (E910) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.6 | * | 1.6 | 1.4 | * | * | * | * | * | * | * |
| 1997 | 0.7 | * | 1.3 | 1.3 | 1.2 | * | * | * | * | * | * |
| 1996 | 0.6 | * | 1.8 | 1.2 | 1.2 | * | * | * | * | * | * |
| 1995 | 0.7 | * | 2.1 | * | 1.1 | * | * | * | * | * | * |
| 1994 | 0.7 | * | 1.7 | * | * | * | * | * | * | * | * |
| 1993 | 0.7 | * | 2.0 | 1.1 | * | * | * | * | * | * | * |
| 1992 | 0.8 | * | 2.4 | * | 1.7 | * | * | * | * | * | * |
| 1991 | 0.7 | * | 2.1 | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | * | * | 1.5 | 1.4 | * | * | * | * | * | * |
| 1989 | 0.7 | * | 1.4 | 2.0 | * | * | * | * | * | * | * |
| 1988 | 0.9 | * | 1.7 | 1.9 | 1.8 | * | * | * | * | * | * |
| 1987 | 0.9 | * | 2.3 | 1.5 | 1.4 | * | * | * | * | * | * |
| 1986 | 1.1 | * | 2.5 | 2.2 | 1.7 | * | * | * | * | * | * |
| 1985 | 0.9 | * | 2.1 | 1.3 | 1.7 | * | * | * | * | * | * |
| 1984 | 0.9 | * | 2.0 | * | 1.3 | * | * | * | * | * | * |
| 1983 | 0.9 | * | 1.9 | 1.6 | 1.6 | * | * | * | * | * | * |
| 1982 | 1.1 | * | 2.0 | 1.6 | * | 1.2 | * | * | * | * | * |
| 1981 | 0.9 | * | 1.9 | * | 1.3 | * | * | * | * | * | * |
| 1980 | 1.2 | * | 2.0 | 1.6 | 2.2 | 1.2 | * | * | * | * | * |
| 1979 | 1.3 | * | 3.2 | 1.7 | 1.5 | 1.5 | * | * | * | * | * |
| Accidental drowning and submersion (E910) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.1 | * | 2.7 | 2.3 | 2.6 | 3.5 | 2.6 | 2.3 | 1.6 | 1.4 | 1.9 |
| 1997 | 1.8 | * | 1.9 | 2.3 | 2.4 | 2.2 | 2.1 | 1.7 | 1.9 | 1.5 | 1.5 |
| 1996 | 1.9 | * | 2.4 | 2.3 | 2.8 | 2.7 | 1.6 | 1.4 | 1.5 | 1.6 | 1.5 |
| 1995 | 2.1 | 3.4 | 2.4 | 1.7 | 3.0 | 3.3 | 1.6 | 1.5 | 2.4 | 1.8 | 1.6 |
| 1994 | 2.1 | * | 2.5 | 1.9 | 3.4 | 3.0 | 1.8 | 1.5 | 2.3 | 1.6 | 1.9 |
| 1993 | 2.2 | 3.3 | 2.9 | 1.6 | 2.9 | 3.2 | 2.7 | 2.0 | 2.1 | 1.7 | 2.4 |
| 1992 | 2.0 | 3.6 | 2.4 | 1.7 | 2.9 | 3.3 | 2.5 | 2.1 | 1.5 | 1.4 | 1.7 |
| 1991 | 2.8 | 3.8 | 2.9 | 2.7 | 3.1 | 4.6 | 3.0 | 3.3 | 2.9 | 2.5 | 1.9 |
| 1990 | 2.5 | 3.9 | 2.5 | 2.4 | 3.6 | 3.4 | 3.0 | 2.7 | 2.8 | 1.9 | 2.1 |
| 1989 | 2.6 | 3.8 | 2.9 | 3.3 | 3.6 | 3.4 | 2.6 | 2.6 | 3.1 | 2.1 | 1.7 |
| 1988 | 2.8 | 5.1 | 2.9 | 3.0 | 3.2 | 3.6 | 3.5 | 3.3 | 2.8 | 2.3 | 2.6 |
| 1987 | 3.2 | 4.0 | 3.2 | 3.2 | 4.4 | 5.1 | 4.4 | 3.2 | 3.3 | 2.8 | 1.9 |
| 1986 | 3.5 | 3.8 | 2.7 | 4.0 | 5.1 | 5.6 | 4.1 | 4.0 | 3.7 | 2.1 | 2.5 |
| 1985 | 3.2 | * | 2.0 | 2.9 | 4.5 | 4.8 | 4.6 | 3.8 | 2.8 | 3.2 | 2.6 |
| 1984 | 3.2 | * | 2.6 | 3.3 | 4.6 | 4.8 | 4.3 | 3.3 | 3.6 | 2.6 | 2.1 |
| 1983 | 3.7 | * | 3.1 | 3.2 | 5.2 | 5.5 | 5.1 | 4.4 | 4.1 | 3.0 | 2.9 |
| 1982 | 3.9 | * | 2.9 | 3.3 | 4.6 | 5.7 | 5.4 | 4.8 | 4.6 | 3.8 | 2.6 |
| 1981 | 4.1 | 3.9 | 3.1 | 3.2 | 4.9 | 6.6 | 5.7 | 5.5 | 4.0 | 4.0 | 2.9 |
| 1980 | 4.7 | * | 2.9 | 4.9 | 5.6 | 6.7 | 7.3 | 5.3 | 5.6 | 3.8 | 2.9 |
| 1979 | 4.6 | 3.9 | 4.2 | 4.7 | 5.5 | 6.6 | 6.5 | 5.3 | 4.2 | 3.9 | 5.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental drowning and submersion (E910) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 3.9 | * | 3.8 | 3.2 | 4.5 | 6.6 | 5.2 | 4.5 | 3.2 | 2.7 | 3.4 |
| 1997 | 3.1 | * | 2.8 | 3.2 | 3.5 | 3.9 | 3.9 | 3.5 | 3.8 | 2.4 | 2.7 |
| 1996 | 3.4 | * | 3.1 | 3.2 | 4.7 | 5.0 | 3.1 | 2.7 | 2.7 | 3.0 | 3.1 |
| 1995 | 3.6 | * | 2.8 | 2.8 | 4.7 | 5.8 | 2.8 | 3.1 | 4.6 | 3.6 | 3.0 |
| 1994 | 3.5 | * | 3.2 | 2.8 | 5.6 | 5.6 | 3.5 | 3.1 | 4.4 | 3.1 | 3.4 |
| 1993 | 3.8 | * | 4.0 | 2.2 | 4.8 | 5.7 | 5.2 | 3.9 | 3.7 | 3.1 | 4.9 |
| 1992 | 3.5 | * | 2.7 | 2.6 | 4.1 | 5.9 | 4.7 | 4.0 | 2.8 | 3.0 | 3.5 |
| 1991 | 5.1 | * | 3.8 | 4.2 | 5.2 | 8.6 | 5.8 | 6.7 | 5.8 | 5.0 | 3.7 |
| 1990 | 4.5 | * | 4.0 | 3.2 | 5.4 | 6.1 | 5.9 | 5.4 | 5.5 | 4.1 | 4.4 |
| 1989 | 4.7 | * | 4.4 | 4.3 | 6.1 | 6.3 | 4.9 | 4.7 | 5.8 | 4.1 | 2.9 |
| 1988 | 4.9 | 7.4 | 4.2 | 4.2 | 4.8 | 6.9 | 6.6 | 6.1 | 5.0 | 4.3 | 4.9 |
| 1987 | 5.8 | * | 4.1 | 4.9 | 7.3 | 9.5 | 8.5 | 6.1 | 6.0 | 5.3 | 3.4 |
| 1986 | 6.1 | * | 2.9 | 5.2 | 8.3 | 10.4 | 8.0 | 7.7 | 6.9 | 4.3 | 4.8 |
| 1985 | 5.7 | * | 2.6 | 4.5 | 7.1 | 8.8 | 8.7 | 7.4 | 5.5 | 6.2 | 5.2 |
| 1984 | 5.8 | * | 3.7 | 5.2 | 7.7 | 9.0 | 7.8 | 6.5 | 7.2 | 5.4 | 3.7 |
| 1983 | 6.8 | * | 4.3 | 5.0 | 8.4 | 10.2 | 9.3 | 8.2 | 8.4 | 6.2 | 6.0 |
| 1982 | 7.0 | * | 4.1 | 5.2 | 8.1 | 10.1 | 10.3 | 9.3 | 8.8 | 6.6 | 4.9 |
| 1981 | 7.6 | * | 4.5 | 5.3 | 8.2 | 12.6 | 11.1 | 10.4 | 7.8 | 8.2 | 5.4 |
| 1980 | 8.6 | * | 4.1 | 8.1 | 9.0 | 12.4 | 14.1 | 10.4 | 11.0 | 6.8 | 5.6 |
| 1979 | 8.3 | * | 5.6 | 7.6 | 9.4 | 11.8 | 12.7 | 9.8 | 7.9 | 7.7 | 10.6 |
| Accidental drowning and submersion (E910) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.6 | * | 1.6 | 1.3 | * | * | * | * | * | * | * |
| 1997 | 0.6 | * | * | 1.4 | * | * | * | * | * | * | * |
| 1996 | 0.5 | * | 1.6 | 1.3 | * | * | * | * | * | * | * |
| 1995 | 0.7 | * | 2.1 | * | * | * | * | * | * | * | * |
| 1994 | 0.7 | * | 1.9 | * | * | * | * | * | * | * | * |
| 1993 | 0.7 | * | 1.7 | * | * | * | * | * | * | * | * |
| 1992 | 0.7 | * | 2.1 | * | 1.6 | * | * | * | * | * | * |
| 1991 | 0.7 | * | 2.0 | * | * | * | * | * | * | * | * |
| 1990 | 0.8 | * | * | 1.6 | 1.7 | * | * | * | * | * | * |
| 1989 | 0.8 | * | * | 2.2 | * | * | * | * | * | * | * |
| 1988 | 0.9 | * | * | 1.7 | 1.7 | * | * | * | * | * | * |
| 1987 | 0.9 | * | 2.2 | 1.5 | * | * | * | * | * | * | * |
| 1986 | 1.1 | * | 2.6 | 2.7 | 1.8 | * | * | * | * | * | * |
| 1985 | 0.9 | * | * | * | 1.8 | * | * | * | * | * | * |
| 1984 | 0.9 | * | * | * | 1.5 | * | * | * | * | * | * |
| 1983 | 0.9 | * | * | * | 1.9 | * | * | * | * | * | * |
| 1982 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.9 | * | * | * | 1.5 | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | 1.6 | 2.2 | * | * | * | * | * | * |
| 1979 | 1.2 | * | 2.8 | 1.7 | 1.6 | 1.4 | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental exposure to smoke, fire and flames (E890-E899) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.2 | 1.1 | 1.7 | 1.0 | 0.5 | 0.4 | 0.6 | 0.6 | 0.7 | 0.8 | 1.1 |
| 1997 | 1.3 | 1.4 | 2.2 | 0.9 | 0.5 | 0.4 | 0.6 | 0.6 | 0.8 | 0.8 | 1.0 |
| 1996 | 1.4 | 1.5 | 2.6 | 1.0 | 0.5 | 0.4 | 0.8 | 0.6 | 0.8 | 0.9 | 1.2 |
| 1995 | 1.4 | 1.7 | 2.8 | 1.2 | 0.5 | 0.4 | 0.7 | 0.8 | 0.8 | 1.0 | 1.1 |
| 1994 | 1.5 | 2.4 | 3.8 | 1.3 | 0.5 | 0.5 | 0.9 | 0.9 | 0.9 | 0.9 | 1.1 |
| 1993 | 1.5 | 3.0 | 3.7 | 1.2 | 0.5 | 0.5 | 0.7 | 0.8 | 1.0 | 1.0 | 1.0 |
| 1992 | 1.5 | 2.5 | 3.7 | 1.1 | 0.6 | 0.6 | 0.7 | 0.9 | 1.0 | 1.1 | 0.9 |
| 1991 | 1.6 | 2.8 | 4.0 | 1.4 | 0.7 | 0.6 | 0.8 | 0.9 | 1.2 | 1.1 | 1.1 |
| 1990 | 1.7 | 2.8 | 3.7 | 1.2 | 0.5 | 0.6 | 0.9 | 1.0 | 1.2 | 1.2 | 1.1 |
| 1989 | 1.9 | 2.8 | 4.2 | 1.7 | 1.0 | 0.7 | 1.0 | 1.2 | 1.3 | 1.2 | 1.3 |
| 1988 | 2.0 | 3.2 | 4.5 | 1.6 | 0.8 | 0.7 | 1.2 | 1.2 | 1.3 | 1.4 | 1.3 |
| 1987 | 1.9 | 3.1 | 4.9 | 1.6 | 0.7 | 0.6 | 1.1 | 1.0 | 1.2 | 1.2 | 1.3 |
| 1986 | 2.0 | 3.2 | 4.5 | 1.7 | 0.9 | 0.8 | 1.2 | 1.4 | 1.4 | 1.3 | 1.3 |
| 1985 | 2.1 | 3.0 | 4.3 | 1.8 | 0.9 | 0.7 | 1.2 | 1.2 | 1.3 | 1.2 | 1.3 |
| 1984 | 2.1 | 3.8 | 4.3 | 1.9 | 0.9 | 0.9 | 1.3 | 1.3 | 1.3 | 1.4 | 1.5 |
| 1983 | 2.2 | 3.1 | 4.6 | 1.6 | 0.9 | 0.7 | 1.2 | 1.4 | 1.4 | 1.5 | 1.3 |
| 1982 | 2.2 | 3.9 | 4.7 | 2.0 | 0.9 | 0.8 | 1.4 | 1.5 | 1.3 | 1.3 | 1.5 |
| 1981 | 2.5 | 3.7 | 5.5 | 1.9 | 0.9 | 0.9 | 1.5 | 1.6 | 1.4 | 1.5 | 1.8 |
| 1980 | 2.6 | 4.6 | 5.3 | 1.8 | 1.0 | 1.0 | 1.7 | 1.5 | 1.5 | 1.6 | 2.0 |
| 1979 | 2.7 | 3.9 | 5.5 | 2.1 | 1.1 | 1.0 | 1.8 | 1.5 | 1.5 | 1.7 | 1.9 |
| Accidental exposure to smoke, fire and flames (E890-E899) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 1.4 | 1.2 | 1.9 | 1.0 | 0.6 | 0.5 | 0.8 | 0.8 | 0.9 | 1.1 | 1.5 |
| 1997 | 1.6 | 1.5 | 2.5 | 0.9 | 0.5 | 0.6 | 0.8 | 0.8 | 1.0 | 1.1 | 1.6 |
| 1996 | 1.7 | 1.5 | 3.0 | 1.1 | 0.4 | 0.4 | 1.0 | 0.7 | 1.2 | 1.2 | 1.7 |
| 1995 | 1.7 | 1.4 | 3.3 | 1.2 | 0.6 | 0.5 | 0.7 | 1.0 | 1.1 | 1.3 | 1.5 |
| 1994 | 1.9 | 2.3 | 4.7 | 1.4 | 0.6 | 0.6 | 1.1 | 1.2 | 1.4 | 1.2 | 1.8 |
| 1993 | 1.8 | 3.1 | 4.4 | 1.3 | 0.5 | 0.6 | 0.9 | 1.1 | 1.5 | 1.5 | 1.4 |
| 1992 | 2.0 | 2.5 | 4.7 | 1.2 | 0.6 | 0.7 | 0.9 | 1.2 | 1.4 | 1.6 | 1.4 |
| 1991 | 2.0 | 2.9 | 4.6 | 1.6 | 0.7 | 0.8 | 1.0 | 1.2 | 1.6 | 1.5 | 1.6 |
| 1990 | 2.1 | 2.9 | 4.4 | 1.3 | 0.6 | 0.7 | 1.4 | 1.4 | 1.7 | 1.7 | 1.5 |
| 1989 | 2.3 | 2.3 | 4.7 | 1.9 | 1.0 | 0.9 | 1.3 | 1.6 | 1.7 | 1.8 | 1.9 |
| 1988 | 2.6 | 3.2 | 5.3 | 1.7 | 0.9 | 0.9 | 1.6 | 1.6 | 1.8 | 2.0 | 1.9 |
| 1987 | 2.4 | 3.1 | 5.8 | 1.8 | 0.8 | 0.8 | 1.5 | 1.4 | 1.6 | 1.8 | 1.9 |
| 1986 | 2.6 | 2.9 | 5.1 | 1.9 | 1.0 | 0.9 | 1.5 | 2.0 | 1.9 | 1.8 | 1.9 |
| 1985 | 2.6 | 3.2 | 4.9 | 1.9 | 0.9 | 0.9 | 1.5 | 1.7 | 2.0 | 1.6 | 1.9 |
| 1984 | 2.7 | 4.1 | 4.8 | 2.3 | 0.9 | 1.1 | 1.8 | 2.1 | 1.9 | 2.1 | 2.2 |
| 1983 | 2.7 | 3.4 | 5.1 | 1.6 | 0.9 | 0.9 | 1.5 | 2.1 | 2.1 | 2.2 | 1.9 |
| 1982 | 2.8 | 4.2 | 5.4 | 2.1 | 0.9 | 1.1 | 1.9 | 2.2 | 2.0 | 1.9 | 2.0 |
| 1981 | 3.1 | 3.6 | 6.2 | 2.0 | 1.0 | 1.1 | 2.1 | 2.1 | 2.0 | 2.0 | 2.4 |
| 1980 | 3.2 | 4.0 | 6.2 | 1.8 | 0.9 | 1.1 | 2.3 | 2.3 | 2.1 | 2.3 | 2.9 |
| 1979 | 3.4 | 4.1 | 6.3 | 2.3 | 1.1 | 1.2 | 2.3 | 2.4 | 2.2 | 2.6 | 2.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental exposure to smoke, fire and flames (E890-E899) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.9 | * | 1.5 | 0.9 | 0.5 | 0.4 | 0.3 | 0.4 | 0.4 | 0.5 | 0.6 |
| 1997 | 1.0 | 1.3 | 2.0 | 0.8 | 0.5 | 0.3 | 0.4 | 0.4 | 0.5 | 0.6 | 0.5 |
| 1996 | 1.1 | 1.5 | 2.2 | 0.9 | 0.6 | 0.4 | 0.5 | 0.5 | 0.5 | 0.6 | 0.7 |
| 1995 | 1.1 | 1.9 | 2.3 | 1.1 | 0.5 | 0.3 | 0.7 | 0.5 | 0.6 | 0.6 | 0.7 |
| 1994 | 1.1 | 2.5 | 2.8 | 1.2 | 0.5 | 0.4 | 0.7 | 0.6 | 0.5 | 0.6 | 0.4 |
| 1993 | 1.2 | 2.9 | 3.0 | 1.1 | 0.5 | 0.4 | 0.6 | 0.5 | 0.6 | 0.5 | 0.6 |
| 1992 | 1.1 | 2.5 | 2.6 | 1.0 | 0.6 | 0.4 | 0.5 | 0.5 | 0.6 | 0.6 | 0.4 |
| 1991 | 1.2 | 2.8 | 3.4 | 1.3 | 0.6 | 0.4 | 0.5 | 0.7 | 0.8 | 0.6 | 0.7 |
| 1990 | 1.3 | 2.7 | 2.9 | 1.2 | 0.5 | 0.6 | 0.5 | 0.5 | 0.7 | 0.6 | 0.7 |
| 1989 | 1.5 | 3.3 | 3.5 | 1.5 | 1.1 | 0.5 | 0.6 | 0.8 | 0.9 | 0.7 | 0.7 |
| 1988 | 1.5 | 3.2 | 3.6 | 1.6 | 0.7 | 0.4 | 0.8 | 0.8 | 0.7 | 0.8 | 0.7 |
| 1987 | 1.5 | 3.2 | 4.0 | 1.4 | 0.6 | 0.5 | 0.6 | 0.6 | 0.7 | 0.6 | 0.8 |
| 1986 | 1.5 | 3.7 | 4.0 | 1.5 | 0.7 | 0.7 | 0.8 | 0.8 | 0.9 | 0.7 | 0.7 |
| 1985 | 1.6 | 2.8 | 3.8 | 1.7 | 0.9 | 0.5 | 0.8 | 0.8 | 0.7 | 0.8 | 0.8 |
| 1984 | 1.5 | 3.5 | 3.7 | 1.5 | 0.8 | 0.6 | 0.8 | 0.6 | 0.7 | 0.8 | 0.8 |
| 1983 | 1.6 | 2.9 | 4.1 | 1.6 | 0.9 | 0.6 | 1.0 | 0.8 | 0.8 | 0.8 | 0.8 |
| 1982 | 1.7 | 3.5 | 4.0 | 1.8 | 0.9 | 0.5 | 0.9 | 0.8 | 0.6 | 0.7 | 1.0 |
| 1981 | 1.9 | 3.9 | 4.7 | 1.9 | 0.9 | 0.6 | 1.0 | 1.1 | 0.8 | 1.0 | 1.1 |
| 1980 | 1.9 | 5.2 | 4.5 | 1.8 | 1.0 | 0.9 | 1.0 | 0.8 | 0.9 | 0.8 | 1.1 |
| 1979 | 2.0 | 3.8 | 4.6 | 1.8 | 1.1 | 0.8 | 1.3 | 0.7 | 0.8 | 0.9 | 1.1 |
| Accidental exposure to smoke, fire and flames (E890-E899) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.0 | 0.7 | 1.1 | 0.7 | 0.5 | 0.4 | 0.6 | 0.6 | 0.6 | 0.7 | 1.0 |
| 1997 | 1.1 | 1.1 | 1.7 | 0.6 | 0.4 | 0.4 | 0.6 | 0.6 | 0.7 | 0.7 | 0.9 |
| 1996 | 1.2 | 1.1 | 1.8 | 0.7 | 0.4 | 0.4 | 0.8 | 0.6 | 0.7 | 0.8 | 1.0 |
| 1995 | 1.1 | 1.2 | 2.0 | 0.9 | 0.4 | 0.3 | 0.6 | 0.6 | 0.8 | 0.9 | 0.9 |
| 1994 | 1.2 | 2.0 | 2.8 | 0.9 | 0.4 | 0.4 | 0.9 | 0.9 | 0.9 | 0.7 | 1.0 |
| 1993 | 1.2 | 2.3 | 2.6 | 0.7 | 0.4 | 0.5 | 0.7 | 0.7 | 0.8 | 0.9 | 0.9 |
| 1992 | 1.3 | 2.1 | 2.9 | 0.8 | 0.5 | 0.5 | 0.7 | 0.8 | 0.8 | 0.9 | 0.8 |
| 1991 | 1.3 | 2.1 | 3.0 | 1.1 | 0.5 | 0.5 | 0.8 | 0.8 | 1.0 | 0.8 | 0.9 |
| 1990 | 1.4 | 2.0 | 2.7 | 0.9 | 0.4 | 0.6 | 0.9 | 0.9 | 1.0 | 0.9 | 0.9 |
| 1989 | 1.5 | 1.6 | 3.0 | 1.3 | 0.8 | 0.7 | 0.9 | 1.0 | 1.0 | 1.0 | 1.0 |
| 1988 | 1.6 | 2.4 | 3.1 | 1.1 | 0.5 | 0.6 | 1.0 | 1.1 | 1.0 | 1.2 | 1.1 |
| 1987 | 1.5 | 2.0 | 3.6 | 1.2 | 0.5 | 0.5 | 1.0 | 0.9 | 1.0 | 1.0 | 1.0 |
| 1986 | 1.6 | 2.0 | 3.3 | 1.3 | 0.7 | 0.7 | 1.0 | 1.1 | 1.1 | 1.0 | 1.1 |
| 1985 | 1.7 | 2.1 | 3.2 | 1.2 | 0.7 | 0.6 | 1.1 | 1.1 | 1.1 | 1.1 | 1.0 |
| 1984 | 1.7 | 2.7 | 3.0 | 1.4 | 0.7 | 0.8 | 1.2 | 1.2 | 1.1 | 1.2 | 1.2 |
| 1983 | 1.7 | 2.0 | 3.2 | 1.1 | 0.7 | 0.6 | 1.2 | 1.2 | 1.1 | 1.2 | 1.1 |
| 1982 | 1.8 | 2.5 | 3.2 | 1.5 | 0.7 | 0.8 | 1.3 | 1.4 | 1.1 | 1.0 | 1.3 |
| 1981 | 2.0 | 2.9 | 3.9 | 1.4 | 0.7 | 0.9 | 1.4 | 1.4 | 1.1 | 1.2 | 1.4 |
| 1980 | 2.1 | 3.2 | 3.8 | 1.2 | 0.8 | 1.0 | 1.6 | 1.4 | 1.3 | 1.3 | 1.6 |
| 1979 | 2.2 | 2.2 | 3.7 | 1.4 | 0.9 | 1.0 | 1.7 | 1.4 | 1.2 | 1.4 | 1.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental exposure to smoke, fire and flames (E890-E899) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 1.2 | * | 1.3 | 0.7 | 0.5 | 0.5 | 0.8 | 0.8 | 0.9 | 1.0 | 1.4 |
| 1997 | 1.3 | * | 2.0 | 0.6 | 0.4 | 0.5 | 0.8 | 0.7 | 1.0 | 1.0 | 1.3 |
| 1996 | 1.4 | * | 2.2 | 0.9 | 0.3 | 0.4 | 1.0 | 0.7 | 1.0 | 1.1 | 1.5 |
| 1995 | 1.4 | * | 2.4 | 1.0 | 0.4 | 0.4 | 0.7 | 0.8 | 1.0 | 1.2 | 1.3 |
| 1994 | 1.6 | 1.9 | 3.6 | 1.1 | 0.4 | 0.6 | 1.1 | 1.2 | 1.3 | 1.1 | 1.6 |
| 1993 | 1.5 | 2.4 | 3.2 | 0.9 | 0.4 | 0.5 | 0.8 | 1.0 | 1.2 | 1.3 | 1.2 |
| 1992 | 1.6 | 2.2 | 3.8 | 0.9 | 0.5 | 0.6 | 0.9 | 1.1 | 1.2 | 1.3 | 1.2 |
| 1991 | 1.6 | 2.0 | 3.5 | 1.3 | 0.6 | 0.7 | 1.0 | 1.1 | 1.4 | 1.2 | 1.3 |
| 1990 | 1.7 | 2.1 | 3.4 | 1.0 | 0.5 | 0.6 | 1.4 | 1.2 | 1.4 | 1.4 | 1.1 |
| 1989 | 1.9 | 1.5 | 3.6 | 1.4 | 0.8 | 0.9 | 1.2 | 1.3 | 1.4 | 1.4 | 1.5 |
| 1988 | 2.0 | 2.3 | 3.7 | 1.1 | 0.6 | 0.9 | 1.4 | 1.5 | 1.5 | 1.8 | 1.5 |
| 1987 | 1.9 | 2.1 | 4.2 | 1.4 | 0.5 | 0.7 | 1.4 | 1.3 | 1.3 | 1.4 | 1.4 |
| 1986 | 2.1 | 2.0 | 3.9 | 1.5 | 0.8 | 0.8 | 1.4 | 1.6 | 1.6 | 1.4 | 1.5 |
| 1985 | 2.2 | 2.2 | 3.7 | 1.3 | 0.7 | 0.8 | 1.4 | 1.6 | 1.7 | 1.4 | 1.4 |
| 1984 | 2.2 | 3.1 | 3.5 | 1.6 | 0.7 | 1.1 | 1.8 | 1.8 | 1.6 | 1.8 | 1.8 |
| 1983 | 2.2 | 2.1 | 3.7 | 1.2 | 0.8 | 0.8 | 1.4 | 1.8 | 1.6 | 1.7 | 1.5 |
| 1982 | 2.3 | 2.6 | 3.9 | 1.7 | 0.8 | 1.0 | 1.7 | 2.1 | 1.7 | 1.4 | 1.7 |
| 1981 | 2.5 | 2.7 | 4.4 | 1.5 | 0.7 | 1.2 | 1.9 | 1.8 | 1.6 | 1.5 | 1.9 |
| 1980 | 2.7 | 2.6 | 4.6 | 1.1 | 0.9 | 1.1 | 2.2 | 2.2 | 1.8 | 2.0 | 2.1 |
| 1979 | 2.8 | 2.4 | 4.4 | 1.6 | 0.9 | 1.2 | 2.3 | 2.2 | 1.8 | 2.1 | 2.2 |
| Accidental exposure to smoke, fire and flames (E890-E899) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.8 | * | 0.9 | 0.6 | 0.4 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.6 |
| 1997 | 0.8 | * | 1.3 | 0.6 | 0.4 | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 1996 | 0.9 | * | 1.4 | 0.6 | 0.4 | 0.3 | 0.5 | 0.5 | 0.4 | 0.6 | 0.5 |
| 1995 | 0.9 | 1.4 | 1.7 | 0.8 | 0.3 | * | 0.6 | 0.4 | 0.5 | 0.5 | 0.6 |
| 1994 | 0.9 | 2.1 | 2.0 | 0.8 | 0.3 | * | 0.6 | 0.6 | 0.4 | 0.4 | 0.3 |
| 1993 | 0.9 | 2.1 | 2.0 | 0.6 | 0.3 | 0.4 | 0.5 | 0.5 | 0.4 | 0.5 | 0.5 |
| 1992 | 0.9 | 2.0 | 2.0 | 0.7 | 0.5 | 0.4 | 0.5 | 0.5 | 0.4 | 0.4 | 0.3 |
| 1991 | 1.0 | 2.2 | 2.5 | 1.0 | 0.5 | 0.3 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |
| 1990 | 1.0 | 2.0 | 1.9 | 0.7 | 0.4 | 0.5 | 0.5 | 0.5 | 0.6 | 0.5 | 0.6 |
| 1989 | 1.2 | 1.7 | 2.5 | 1.2 | 0.8 | 0.4 | 0.6 | 0.7 | 0.7 | 0.6 | 0.5 |
| 1988 | 1.2 | 2.5 | 2.4 | 1.1 | 0.5 | 0.4 | 0.7 | 0.6 | 0.6 | 0.6 | 0.7 |
| 1987 | 1.2 | 2.0 | 2.9 | 1.0 | 0.4 | 0.4 | 0.6 | 0.6 | 0.6 | 0.5 | 0.6 |
| 1986 | 1.2 | 2.0 | 2.8 | 1.0 | 0.6 | 0.6 | 0.7 | 0.7 | 0.7 | 0.6 | 0.6 |
| 1985 | 1.3 | 2.0 | 2.6 | 1.1 | 0.7 | 0.5 | 0.8 | 0.7 | 0.5 | 0.7 | 0.7 |
| 1984 | 1.2 | 2.3 | 2.6 | 1.1 | 0.7 | 0.5 | 0.6 | 0.5 | 0.6 | 0.6 | 0.7 |
| 1983 | 1.2 | 2.0 | 2.7 | 1.1 | 0.6 | 0.4 | 0.9 | 0.6 | 0.6 | 0.6 | 0.7 |
| 1982 | 1.4 | 2.3 | 2.5 | 1.3 | 0.7 | 0.5 | 0.9 | 0.7 | 0.5 | 0.5 | 0.9 |
| 1981 | 1.5 | 3.1 | 3.3 | 1.4 | 0.7 | 0.6 | 0.8 | 0.9 | 0.6 | 0.9 | 0.9 |
| 1980 | 1.6 | 4.0 | 2.9 | 1.3 | 0.8 | 0.8 | 0.9 | 0.7 | 0.8 | 0.6 | 1.0 |
| 1979 | 1.6 | 1.9 | 2.9 | 1.2 | 0.9 | 0.8 | 1.2 | 0.6 | 0.7 | 0.8 | 1.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental exposure to smoke, fire and flames (E890-E899) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 1.9 | * | 3.8 | 2.0 | 0.7 | 0.6 | 0.7 | 0.6 | 0.9 | 1.3 | 1.5 |
| 1997 | 2.3 | * | 4.3 | 1.8 | 1.0 | 0.5 | 0.7 | 0.9 | 1.1 | 1.3 | 2.0 |
| 1996 | 2.4 | 3.1 | 5.3 | 1.9 | 1.0 | 0.6 | 0.8 | 0.8 | 1.2 | 1.3 | 1.8 |
| 1995 | 2.7 | 3.5 | 5.6 | 2.1 | 1.1 | 0.7 | 1.0 | 1.3 | 1.2 | 1.6 | 1.7 |
| 1994 | 2.9 | 4.1 | 7.4 | 2.7 | 1.1 | 0.7 | 0.9 | 1.2 | 1.4 | 1.8 | 2.0 |
| 1993 | 3.0 | 5.7 | 7.6 | 3.0 | 1.0 | 0.8 | 1.1 | 1.2 | 2.0 | 1.6 | 2.0 |
| 1992 | 3.0 | 3.8 | 6.5 | 2.5 | 1.0 | 0.7 | 0.8 | 1.1 | 1.7 | 1.9 | 1.6 |
| 1991 | 3.2 | 5.8 | 7.7 | 2.6 | 1.1 | 0.9 | 0.8 | 1.7 | 2.2 | 2.3 | 2.2 |
| 1990 | 3.3 | 5.7 | 7.7 | 2.8 | 0.9 | 1.0 | 0.9 | 1.6 | 2.1 | 2.4 | 2.5 |
| 1989 | 4.0 | 7.3 | 8.7 | 3.1 | 1.8 | 0.7 | 1.3 | 2.2 | 2.5 | 2.5 | 2.9 |
| 1988 | 4.3 | 6.4 | 10.5 | 3.7 | 1.9 | 0.9 | 1.8 | 1.7 | 2.4 | 2.3 | 2.9 |
| 1987 | 4.1 | 7.6 | 10.6 | 3.2 | 1.6 | 1.1 | 1.3 | 1.6 | 2.4 | 2.4 | 3.3 |
| 1986 | 4.2 | 8.6 | 9.6 | 3.5 | 1.6 | 1.3 | 1.8 | 2.7 | 2.6 | 3.0 | 2.6 |
| 1985 | 4.1 | 7.0 | 9.3 | 4.3 | 1.6 | 1.1 | 1.4 | 1.8 | 2.5 | 2.1 | 3.4 |
| 1984 | 4.5 | 8.6 | 9.7 | 4.3 | 1.6 | 1.3 | 1.7 | 2.0 | 2.3 | 2.9 | 3.3 |
| 1983 | 4.7 | 7.9 | 10.5 | 3.8 | 1.8 | 1.2 | 1.6 | 2.5 | 3.3 | 3.7 | 2.9 |
| 1982 | 4.6 | 10.2 | 11.1 | 4.2 | 1.7 | 0.9 | 2.0 | 1.9 | 2.4 | 3.1 | 3.2 |
| 1981 | 5.3 | 7.5 | 12.6 | 4.2 | 1.8 | 0.7 | 2.4 | 2.9 | 3.1 | 3.3 | 4.0 |
| 1980 | 5.3 | 10.5 | 12.6 | 4.7 | 1.5 | 1.2 | 2.1 | 2.2 | 2.8 | 3.5 | 4.8 |
| 1979 | 5.9 | 12.1 | 14.0 | 5.2 | 2.1 | 1.2 | 2.4 | 2.4 | 3.4 | 3.8 | 4.0 |
| Accidental exposure to smoke, fire and flames (E890-E899) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 2.4 | * | 3.9 | 2.0 | * | * | * | * | 1.3 | 1.6 | 2.3 |
| 1997 | 2.7 | * | 4.3 | 1.9 | 1.0 | * | * | 1.4 | 1.4 | 1.6 | 3.1 |
| 1996 | 2.9 | * | 5.8 | 2.0 | * | * | * | 1.1 | 1.8 | 1.7 | 2.6 |
| 1995 | 3.3 | * | 6.7 | 2.0 | 1.1 | * | * | 1.8 | 1.5 | 2.0 | 2.4 |
| 1994 | 3.6 | * | 8.7 | 2.8 | 1.1 | * | * | 1.6 | 1.7 | 2.2 | 3.2 |
| 1993 | 3.7 | 5.5 | 8.7 | 2.8 | * | * | 1.2 | 1.7 | 3.0 | 2.5 | 2.6 |
| 1992 | 3.9 | * | 8.3 | 2.5 | 1.1 | * | * | 1.8 | 2.4 | 2.9 | 2.6 |
| 1991 | 4.1 | 6.4 | 8.7 | 2.8 | 1.4 | 1.1 | * | 2.1 | 2.7 | 3.2 | 3.1 |
| 1990 | 4.2 | 6.0 | 8.7 | 2.6 | * | * | 1.3 | 2.5 | 3.1 | 4.0 | 3.9 |
| 1989 | 4.9 | 5.2 | 9.5 | 3.6 | 1.7 | * | 1.7 | 2.9 | 3.3 | 3.7 | 4.9 |
| 1988 | 5.7 | 6.9 | 12.4 | 4.1 | 2.0 | 1.2 | 2.5 | 1.9 | 3.5 | 3.2 | 4.9 |
| 1987 | 5.3 | 7.4 | 12.9 | 3.5 | 1.8 | 1.2 | 1.8 | 2.2 | 3.2 | 3.8 | 5.4 |
| 1986 | 5.4 | 6.5 | 10.0 | 3.6 | 1.8 | 1.4 | 2.4 | 4.2 | 3.6 | 4.8 | 4.0 |
| 1985 | 5.1 | 7.8 | 9.9 | 4.6 | 1.6 | 1.2 | 1.7 | 2.2 | 3.6 | 2.9 | 5.5 |
| 1984 | 5.7 | 8.6 | 10.7 | 5.4 | 2.0 | 1.3 | 1.8 | 3.4 | 3.2 | 4.1 | 5.5 |
| 1983 | 5.7 | 9.1 | 11.1 | 3.5 | * | 1.2 | 1.5 | 3.5 | 5.2 | 5.6 | 4.5 |
| 1982 | 5.8 | 11.6 | 12.0 | 4.2 | 1.7 | 1.3 | 2.9 | 3.0 | 4.0 | 4.8 | 4.6 |
| 1981 | 6.9 | 7.9 | 14.6 | 4.5 | 2.0 | * | 3.2 | 3.9 | 4.4 | 5.1 | 6.0 |
| 1980 | 6.7 | 10.6 | 13.9 | 5.4 | 1.3 | 1.3 | 2.6 | 3.1 | 4.2 | 4.7 | 8.0 |
| 1979 | 7.5 | 11.9 | 15.5 | 5.9 | 2.0 | 1.5 | 2.5 | 3.6 | 5.2 | 6.3 | 6.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental exposure to smoke, fire and flames (E890-E899) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.5 | * | 3.6 | 2.0 | * | * | * | * | * | 1.0 | * |
| 1997 | 1.8 | * | 4.4 | 1.7 | * | * | * | * | * | 1.1 | * |
| 1996 | 1.9 | * | 4.9 | 1.7 | 1.2 | * | * | * | * | 1.0 | 1.2 |
| 1995 | 2.1 | * | 4.5 | 2.2 | 1.2 | * | * | * | 1.0 | 1.3 | 1.1 |
| 1994 | 2.3 | * | 5.9 | 2.6 | 1.0 | * | * | * | 1.1 | 1.4 | * |
| 1993 | 2.4 | 5.9 | 6.5 | 3.2 | 1.1 | * | * | * | 1.2 | * | 1.5 |
| 1992 | 2.1 | * | 4.8 | 2.5 | * | * | * | * | 1.2 | 1.1 | * |
| 1991 | 2.4 | 5.1 | 6.7 | 2.4 | * | * | * | 1.3 | 1.8 | 1.5 | 1.4 |
| 1990 | 2.5 | 5.4 | 6.7 | 3.0 | * | * | * | * | 1.2 | * | * |
| 1989 | 3.1 | 9.4 | 7.8 | 2.5 | 2.0 | * | * | 1.4 | 1.8 | 1.5 | * |
| 1988 | 3.1 | 5.9 | 8.6 | 3.4 | 1.8 | * | * | 1.5 | 1.5 | 1.6 | * |
| 1987 | 3.1 | 7.9 | 8.2 | 2.8 | 1.4 | * | * | 1.1 | 1.6 | * | * |
| 1986 | 3.2 | 10.7 | 9.3 | 3.4 | 1.3 | * | 1.2 | 1.3 | 1.7 | 1.4 | * |
| 1985 | 3.2 | 6.2 | 8.7 | 4.0 | 1.6 | * | * | 1.5 | 1.4 | * | * |
| 1984 | 3.4 | 8.5 | 8.7 | 3.2 | 1.3 | 1.2 | 1.5 | * | 1.5 | 1.9 | * |
| 1983 | 3.8 | 6.6 | 9.8 | 4.1 | 2.4 | 1.2 | 1.7 | 1.6 | 1.6 | 2.0 | * |
| 1982 | 3.5 | 8.8 | 10.2 | 4.3 | 1.8 | * | * | * | * | * | * |
| 1981 | 3.9 | 7.1 | 10.6 | 3.9 | 1.6 | * | 1.7 | 2.1 | 2.0 | * | 2.4 |
| 1980 | 4.0 | 10.5 | 11.3 | 4.1 | 1.7 | 1.2 | 1.5 | 1.5 | 1.6 | 2.4 | * |
| 1979 | 4.4 | 12.5 | 12.4 | 4.4 | 2.2 | * | 2.2 | * | 1.9 | * | * |
| Accidental exposure to smoke, fire and flames (E890-E899) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.5 | * | 4.8 | 2.6 | 0.9 | 0.7 | 0.9 | * | 1.2 | 1.5 | 1.9 |
| 1997 | 2.8 | * | 5.1 | 2.1 | 1.1 | 0.7 | * | 0.9 | 1.3 | 1.6 | 2.4 |
| 1996 | 3.1 | 3.7 | 6.3 | 2.3 | 1.1 | 0.7 | 1.0 | 1.1 | 1.7 | 1.5 | 2.5 |
| 1995 | 3.3 | 4.5 | 6.4 | 2.6 | 1.5 | 0.7 | 1.1 | 1.6 | 1.6 | 2.0 | 2.1 |
| 1994 | 3.6 | 5.0 | 8.7 | 3.1 | 1.3 | 0.8 | 0.9 | 1.4 | 1.7 | 2.1 | 2.6 |
| 1993 | 3.8 | 7.1 | 9.2 | 3.7 | 1.0 | 0.9 | 1.3 | 1.3 | 2.6 | 2.1 | 2.5 |
| 1992 | 3.7 | 4.9 | 7.8 | 3.0 | 1.2 | 0.8 | * | 1.3 | 2.2 | 2.4 | 2.2 |
| 1991 | 4.0 | 6.9 | 9.5 | 3.2 | 1.5 | 1.1 | 0.9 | 2.0 | 2.8 | 3.0 | 2.9 |
| 1990 | 4.1 | 6.9 | 9.4 | 3.5 | 1.1 | 1.1 | 1.2 | 1.9 | 2.6 | 3.1 | 3.1 |
| 1989 | 4.9 | 8.8 | 10.1 | 3.8 | 2.2 | 0.9 | 1.4 | 2.6 | 3.2 | 3.4 | 3.6 |
| 1988 | 5.3 | 7.8 | 13.0 | 4.6 | 2.2 | 1.0 | 2.0 | 2.0 | 3.1 | 3.0 | 3.8 |
| 1987 | 5.0 | 9.3 | 12.7 | 3.7 | 1.9 | 1.2 | 1.5 | 1.9 | 2.9 | 2.9 | 3.9 |
| 1986 | 5.0 | 10.1 | 11.7 | 4.2 | 1.8 | 1.3 | 1.8 | 3.1 | 3.3 | 3.7 | 3.2 |
| 1985 | 4.9 | 8.4 | 11.0 | 5.2 | 2.0 | 1.2 | 1.4 | 2.2 | 3.0 | 2.3 | 4.3 |
| 1984 | 5.2 | 10.0 | 11.1 | 5.0 | 1.8 | 1.3 | 1.8 | 2.4 | 2.8 | 3.4 | 3.7 |
| 1983 | 5.5 | 9.6 | 12.3 | 4.5 | 2.1 | 1.3 | 1.8 | 3.0 | 4.0 | 4.2 | 3.4 |
| 1982 | 5.3 | 12.3 | 12.8 | 5.0 | 1.9 | 0.9 | 2.2 | 2.1 | 2.8 | 3.8 | 3.9 |
| 1981 | 6.2 | 8.8 | 14.8 | 4.9 | 2.0 | 0.8 | 2.7 | 3.1 | 3.5 | 4.1 | 4.9 |
| 1980 | 5.9 | 11.8 | 14.3 | 5.2 | 1.7 | 1.3 | 2.3 | 2.5 | 2.9 | 4.3 | 5.6 |
| 1979 | 6.5 | 13.4 | 15.2 | 5.7 | 2.4 | 1.2 | 2.4 | 2.7 | 4.0 | 4.3 | 4.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental exposure to smoke, fire and flames (E890-E899) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 3.0 | * | 4.9 | 2.6 | * | * | * | * | 1.7 | 1.7 | 2.9 |
| 1997 | 3.3 | * | 5.0 | 2.2 | * | * | * | * | 1.8 | 1.9 | 3.8 |
| 1996 | 3.8 | * | 6.8 | 2.4 | * | * | * | * | 2.4 | 1.9 | 3.6 |
| 1995 | 4.1 | * | 7.8 | 2.6 | 1.5 | * | * | 2.2 | 1.8 | 2.5 | 2.8 |
| 1994 | 4.5 | * | 10.2 | 3.4 | 1.4 | * | * | 1.8 | 2.1 | 2.6 | 4.4 |
| 1993 | 4.6 | 6.9 | 10.6 | 3.5 | * | * | 1.5 | 1.9 | 3.7 | 3.3 | 3.2 |
| 1992 | 4.8 | * | 9.8 | 3.0 | 1.4 | * | * | 2.0 | 3.1 | 3.7 | 3.6 |
| 1991 | 5.1 | 7.4 | 10.5 | 3.5 | 1.8 | * | * | 2.5 | 3.4 | 4.3 | 4.2 |
| 1990 | 5.2 | 7.4 | 10.4 | 3.1 | * | * | 1.6 | 2.9 | 4.0 | 4.8 | 4.8 |
| 1989 | 6.0 | * | 11.1 | 4.3 | 2.0 | * | 1.9 | 3.5 | 4.1 | 5.0 | 6.2 |
| 1988 | 7.0 | 8.1 | 15.0 | 5.1 | 2.3 | * | 2.9 | 2.3 | 4.4 | 4.2 | 6.4 |
| 1987 | 6.4 | 8.7 | 15.4 | 4.0 | 2.2 | * | 2.1 | 2.6 | 4.0 | 4.7 | 6.5 |
| 1986 | 6.4 | 7.9 | 11.9 | 4.2 | 2.0 | * | 2.5 | 4.9 | 4.5 | 6.1 | 5.1 |
| 1985 | 6.1 | 9.4 | 11.2 | 5.6 | 2.1 | * | 1.9 | 2.6 | 4.5 | 3.4 | 7.0 |
| 1984 | 6.6 | 9.7 | 12.3 | 6.3 | 2.2 | * | 1.9 | 4.1 | 4.0 | 4.8 | 6.3 |
| 1983 | 6.6 | 11.4 | 12.7 | 4.2 | * | * | 1.6 | 4.1 | 6.4 | 6.4 | 5.2 |
| 1982 | 6.8 | 13.9 | 14.0 | 4.7 | 1.8 | * | 3.2 | 3.3 | 4.7 | 6.1 | 5.7 |
| 1981 | 8.0 | 9.3 | 17.2 | 5.2 | 2.2 | * | 3.7 | 4.2 | 4.7 | 6.3 | 7.5 |
| 1980 | 7.6 | 12.3 | 15.6 | 5.8 | * | * | 2.9 | 3.6 | 4.6 | 6.0 | 9.3 |
| 1979 | 8.4 | 13.1 | 16.6 | 6.5 | 2.3 | 1.5 | 2.6 | 4.1 | 6.0 | 7.3 | 8.2 |
| Accidental exposure to smoke, fire and flames (E890-E899) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 1.9 | * | 4.8 | 2.5 | * | * | * | * | * | 1.3 | * |
| 1997 | 2.3 | * | 5.3 | 2.0 | * | * | * | * | * | 1.4 | * |
| 1996 | 2.4 | * | 5.9 | 2.1 | * | * | * | * | * | * | 1.6 |
| 1995 | 2.6 | * | 5.0 | 2.6 | 1.5 | * | * | * | 1.4 | 1.6 | * |
| 1994 | 2.8 | * | 7.2 | 2.9 | * | * | * | * | 1.3 | 1.8 | * |
| 1993 | 3.0 | 7.4 | 7.8 | 3.9 | * | * | * | * | 1.6 | * | 1.9 |
| 1992 | 2.6 | * | 5.8 | 3.0 | * | * | * | * | 1.5 | * | * |
| 1991 | 3.0 | 6.3 | 8.5 | 2.8 | * | * | * | 1.6 | 2.2 | 1.8 | 1.8 |
| 1990 | 3.1 | 6.3 | 8.4 | 3.9 | * | * | * | * | 1.5 | * | * |
| 1989 | 3.8 | 12.0 | 9.1 | 3.2 | 2.4 | * | * | 1.8 | 2.4 | 1.9 | * |
| 1988 | 3.8 | 7.6 | 10.9 | 4.0 | 2.1 | * | * | 1.7 | 1.9 | 1.9 | * |
| 1987 | 3.7 | 10.0 | 10.0 | 3.4 | 1.7 | * | * | * | 1.9 | * | * |
| 1986 | 3.8 | 12.4 | 11.5 | 4.2 | 1.6 | * | * | 1.4 | 2.2 | * | * |
| 1985 | 3.8 | 7.4 | 10.7 | 4.8 | 1.9 | * | * | 1.8 | 1.7 | * | * |
| 1984 | 3.9 | 10.3 | 9.8 | 3.7 | * | * | 1.6 | * | 1.9 | 2.3 | * |
| 1983 | 4.5 | 7.8 | 12.0 | 4.8 | 2.8 | * | 1.9 | 2.0 | 1.8 | 2.3 | * |
| 1982 | 4.0 | 10.7 | 11.6 | 5.2 | 2.0 | * | * | * | * | * | * |
| 1981 | 4.6 | 8.3 | 12.3 | 4.6 | 1.9 | * | 1.8 | 2.2 | 2.5 | * | 2.8 |
| 1980 | 4.5 | 11.3 | 13.0 | 4.6 | 1.9 | * | 1.7 | * | * | 2.9 | * |
| 1979 | 4.9 | 13.7 | 13.8 | 4.9 | 2.4 | * | 2.3 | * | 2.4 | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental poisoning and exposure to noxious substances (E850-E869,E924.1) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 3.9 | * | 0.2 | * | 0.1 | 1.3 | 3.3 | 4.1 | 6.4 | 8.7 | 10.3 |
| 1997 | 3.7 | * | 0.2 | * | 0.1 | 1.3 | 2.7 | 4.3 | 6.2 | 8.6 | 9.5 |
| 1996 | 3.5 | * | 0.3 | * | 0.2 | 1.0 | 2.5 | 4.0 | 5.9 | 8.0 | 8.7 |
| 1995 | 3.4 | * | 0.2 | * | 0.1 | 1.0 | 2.5 | 4.1 | 6.0 | 8.1 | 8.8 |
| 1994 | 3.4 | * | 0.2 | 0.1 | 0.2 | 0.8 | 2.2 | 4.1 | 6.7 | 8.2 | 8.5 |
| 1993 | 3.3 | 0.5 | 0.4 | 0.1 | 0.1 | 0.8 | 2.0 | 4.1 | 6.4 | 8.6 | 8.1 |
| 1992 | 2.8 | * | 0.3 | * | 0.1 | 0.9 | 2.1 | 3.7 | 5.4 | 7.0 | 5.8 |
| 1991 | 2.5 | 0.5 | 0.4 | * | 0.2 | 1.0 | 2.0 | 3.4 | 5.2 | 5.7 | 4.9 |
| 1990 | 2.3 | * | 0.4 | * | 0.2 | 1.1 | 1.7 | 3.2 | 4.7 | 5.4 | 4.0 |
| 1989 | 2.6 | 0.6 | 0.4 | * | 0.2 | 1.1 | 2.3 | 3.9 | 5.5 | 5.9 | 4.1 |
| 1988 | 2.5 | * | 0.4 | 0.1 | 0.2 | 1.0 | 2.2 | 4.0 | 5.6 | 5.3 | 3.7 |
| 1987 | 2.2 | * | 0.3 | 0.1 | 0.2 | 1.0 | 2.1 | 3.4 | 4.4 | 4.5 | 2.8 |
| 1986 | 2.4 | 0.6 | 0.5 | 0.1 | 0.2 | 1.2 | 2.2 | 4.2 | 5.1 | 4.3 | 3.3 |
| 1985 | 2.2 | * | 0.4 | 0.1 | 0.2 | 0.9 | 2.2 | 3.8 | 4.6 | 3.7 | 2.6 |
| 1984 | 2.1 | 0.6 | 0.5 | 0.1 | 0.2 | 1.0 | 2.4 | 3.8 | 4.3 | 3.1 | 2.5 |
| 1983 | 2.0 | 0.6 | 0.5 | * | 0.2 | 1.1 | 2.4 | 3.4 | 3.6 | 2.8 | 2.4 |
| 1982 | 2.0 | 0.5 | 0.6 | 0.1 | 0.1 | 1.1 | 2.6 | 3.8 | 3.6 | 2.7 | 2.4 |
| 1981 | 2.0 | * | 0.6 | 0.2 | 0.3 | 1.2 | 2.4 | 3.4 | 3.2 | 2.5 | 2.5 |
| 1980 | 1.9 | 0.6 | 0.6 | 0.1 | 0.2 | 1.4 | 2.6 | 3.5 | 2.9 | 2.2 | 2.5 |
| 1979 | 2.1 | 0.8 | 0.6 | 0.1 | 0.3 | 1.6 | 3.1 | 3.6 | 2.8 | 2.6 | 2.4 |
| Accidental poisoning and exposure to noxious substances (E850-E869,E924.1) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 5.9 | * | * | * | * | 1.9 | 5.3 | 6.4 | 9.6 | 12.9 | 15.6 |
| 1997 | 5.7 | * | 0.3 | * | * | 2.0 | 4.2 | 6.7 | 9.8 | 13.2 | 14.9 |
| 1996 | 5.3 | * | 0.3 | * | 0.2 | 1.5 | 4.1 | 6.1 | 9.0 | 12.4 | 13.5 |
| 1995 | 5.3 | * | 0.3 | * | * | 1.5 | 3.9 | 6.5 | 9.5 | 12.9 | 14.1 |
| 1994 | 5.3 | * | * | * | 0.2 | 1.3 | 3.4 | 6.6 | 10.6 | 12.8 | 13.8 |
| 1993 | 5.1 | * | 0.4 | * | * | 1.2 | 3.2 | 6.5 | 10.2 | 13.7 | 13.1 |
| 1992 | 4.3 | * | 0.3 | * | * | 1.2 | 3.2 | 5.9 | 8.4 | 11.3 | 9.6 |
| 1991 | 3.8 | * | 0.5 | * | 0.3 | 1.6 | 3.2 | 5.5 | 8.2 | 9.0 | 7.8 |
| 1990 | 3.5 | * | 0.4 | * | 0.3 | 1.6 | 2.7 | 4.7 | 7.5 | 8.7 | 6.4 |
| 1989 | 4.0 | * | 0.5 | * | * | 1.6 | 3.4 | 6.1 | 8.6 | 9.7 | 6.5 |
| 1988 | 3.7 | * | 0.5 | * | 0.2 | 1.5 | 3.2 | 6.1 | 9.1 | 8.4 | 5.5 |
| 1987 | 3.2 | * | 0.3 | * | * | 1.4 | 3.0 | 5.4 | 7.1 | 7.3 | 4.2 |
| 1986 | 3.5 | * | 0.5 | * | 0.2 | 1.6 | 3.2 | 6.8 | 8.1 | 6.8 | 4.9 |
| 1985 | 3.2 | * | 0.6 | * | 0.3 | 1.2 | 3.1 | 6.0 | 7.4 | 6.1 | 3.9 |
| 1984 | 3.0 | * | 0.6 | * | 0.3 | 1.2 | 3.4 | 5.9 | 6.8 | 5.0 | 3.5 |
| 1983 | 2.7 | * | 0.6 | * | * | 1.4 | 3.3 | 5.0 | 5.7 | 4.3 | 3.2 |
| 1982 | 2.9 | * | 0.7 | * | * | 1.4 | 4.1 | 5.9 | 5.8 | 4.1 | 3.1 |
| 1981 | 2.7 | * | 0.6 | 0.2 | 0.4 | 1.7 | 3.8 | 5.3 | 5.0 | 3.7 | 3.2 |
| 1980 | 2.6 | * | 0.8 | * | * | 1.9 | 3.8 | 5.4 | 4.5 | 3.2 | 3.5 |
| 1979 | 2.8 | * | 0.5 | * | 0.3 | 2.1 | 4.8 | 5.5 | 4.2 | 3.6 | 3.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental poisoning and exposure to noxious substances (E850-E869,E924.1) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 2.1 | * | * | * | * | 0.7 | 1.2 | 1.8 | 3.1 | 4.6 | 5.0 |
| 1997 | 1.8 | * | * | * | * | 0.5 | 1.1 | 1.9 | 2.6 | 3.9 | 4.2 |
| 1996 | 1.8 | * | * | * | * | 0.5 | 0.9 | 1.9 | 2.8 | 3.7 | 4.0 |
| 1995 | 1.6 | * | * | * | * | 0.4 | 1.0 | 1.6 | 2.5 | 3.4 | 3.6 |
| 1994 | 1.7 | * | 0.3 | * | * | 0.4 | 1.0 | 1.6 | 2.7 | 3.6 | 3.2 |
| 1993 | 1.6 | * | 0.4 | * | * | 0.5 | 0.8 | 1.7 | 2.6 | 3.5 | 3.2 |
| 1992 | 1.3 | * | * | * | * | 0.5 | 1.0 | 1.4 | 2.4 | 2.7 | 2.0 |
| 1991 | 1.3 | * | 0.3 | * | * | 0.4 | 0.8 | 1.4 | 2.1 | 2.4 | 2.0 |
| 1990 | 1.3 | * | 0.3 | * | * | 0.5 | 0.7 | 1.7 | 2.0 | 2.1 | 1.6 |
| 1989 | 1.4 | * | 0.3 | * | * | 0.6 | 1.0 | 1.7 | 2.5 | 2.2 | 1.7 |
| 1988 | 1.4 | * | 0.3 | * | * | 0.6 | 1.1 | 1.9 | 2.1 | 2.2 | 1.9 |
| 1987 | 1.2 | * | * | * | * | 0.6 | 1.2 | 1.5 | 1.8 | 1.7 | 1.5 |
| 1986 | 1.3 | * | 0.4 | * | * | 0.7 | 1.2 | 1.7 | 2.0 | 1.8 | 1.7 |
| 1985 | 1.2 | * | 0.3 | * | * | 0.6 | 1.2 | 1.5 | 1.7 | 1.4 | 1.4 |
| 1984 | 1.2 | * | 0.4 | * | * | 0.7 | 1.3 | 1.7 | 1.9 | 1.3 | 1.5 |
| 1983 | 1.3 | * | 0.3 | * | * | 0.8 | 1.4 | 1.7 | 1.6 | 1.3 | 1.6 |
| 1982 | 1.3 | * | 0.6 | * | * | 0.8 | 1.2 | 1.6 | 1.5 | 1.4 | 1.7 |
| 1981 | 1.3 | * | 0.5 | * | * | 0.7 | 1.1 | 1.5 | 1.4 | 1.4 | 1.8 |
| 1980 | 1.2 | * | 0.5 | * | * | 0.9 | 1.4 | 1.5 | 1.4 | 1.3 | 1.5 |
| 1979 | 1.4 | * | 0.7 | * | * | 1.0 | 1.5 | 1.7 | 1.4 | 1.6 | 1.8 |
| Accidental poisoning and exposure to noxious substances (E850-E869,E924.1) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 3.8 | * | 0.2 | * | 0.1 | 1.5 | 3.6 | 4.3 | 6.5 | 8.6 | 10.0 |
| 1997 | 3.6 | * | 0.2 | * | * | 1.5 | 2.9 | 4.5 | 6.5 | 8.3 | 8.8 |
| 1996 | 3.4 | * | 0.2 | * | 0.2 | 1.1 | 2.6 | 4.1 | 6.0 | 7.7 | 8.0 |
| 1995 | 3.2 | * | * | * | 0.1 | 1.1 | 2.6 | 4.1 | 5.9 | 7.6 | 7.7 |
| 1994 | 3.1 | * | 0.2 | * | 0.2 | 0.9 | 2.2 | 4.1 | 6.3 | 7.7 | 7.3 |
| 1993 | 3.0 | * | 0.3 | * | 0.2 | 0.9 | 2.0 | 4.1 | 6.1 | 7.8 | 7.1 |
| 1992 | 2.6 | * | 0.2 | * | * | 0.9 | 2.1 | 3.5 | 5.1 | 6.4 | 5.0 |
| 1991 | 2.3 | * | 0.2 | * | 0.2 | 1.1 | 1.9 | 3.2 | 4.8 | 4.8 | 4.0 |
| 1990 | 2.2 | * | 0.3 | * | 0.2 | 1.1 | 1.6 | 3.1 | 4.4 | 4.9 | 3.4 |
| 1989 | 2.4 | * | 0.3 | * | 0.1 | 1.2 | 2.2 | 3.7 | 5.2 | 5.1 | 3.5 |
| 1988 | 2.3 | * | 0.3 | * | 0.2 | 1.0 | 2.0 | 3.7 | 5.2 | 4.5 | 3.1 |
| 1987 | 2.0 | * | 0.2 | * | * | 1.1 | 2.1 | 3.2 | 4.1 | 3.7 | 2.3 |
| 1986 | 2.3 | * | 0.4 | * | 0.2 | 1.2 | 2.3 | 4.2 | 4.7 | 3.8 | 2.9 |
| 1985 | 2.1 | * | 0.3 | * | 0.2 | 0.9 | 2.3 | 3.8 | 4.3 | 3.3 | 2.3 |
| 1984 | 2.0 | * | 0.4 | * | 0.2 | 1.0 | 2.4 | 3.8 | 3.9 | 2.7 | 2.2 |
| 1983 | 1.9 | * | 0.4 | * | 0.2 | 1.2 | 2.4 | 3.3 | 3.5 | 2.5 | 2.1 |
| 1982 | 2.0 | * | 0.5 | * | 0.2 | 1.2 | 2.7 | 3.7 | 3.2 | 2.4 | 2.1 |
| 1981 | 1.9 | * | 0.4 | * | 0.3 | 1.3 | 2.5 | 3.2 | 2.9 | 2.1 | 2.1 |
| 1980 | 1.8 | * | 0.5 | * | 0.1 | 1.4 | 2.6 | 3.3 | 2.8 | 2.0 | 2.3 |
| 1979 | 2.0 | * | 0.5 | * | 0.2 | 1.7 | 3.2 | 3.3 | 2.5 | 2.2 | 2.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental poisoning and exposure to noxious substances (E850-E869,E924.1) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 5.7 | * | * | * | * | 2.2 | 5.8 | 6.8 | 9.8 | 12.8 | 15.2 |
| 1997 | 5.5 | * | * | * | * | 2.3 | 4.6 | 6.8 | 10.2 | 13.0 | 13.8 |
| 1996 | 5.1 | * | * | * | 0.3 | 1.7 | 4.2 | 6.3 | 9.3 | 12.2 | 12.6 |
| 1995 | 5.0 | * | * | * | * | 1.6 | 4.2 | 6.7 | 9.5 | 12.1 | 12.4 |
| 1994 | 4.9 | * | * | * | * | 1.4 | 3.4 | 6.6 | 10.1 | 12.2 | 12.2 |
| 1993 | 4.7 | * | 0.3 | * | * | 1.2 | 3.2 | 6.7 | 9.9 | 12.6 | 11.4 |
| 1992 | 4.0 | * | * | * | * | 1.3 | 3.2 | 5.7 | 8.0 | 10.5 | 8.4 |
| 1991 | 3.4 | * | * | * | * | 1.7 | 3.1 | 5.2 | 7.7 | 7.7 | 6.5 |
| 1990 | 3.2 | * | 0.3 | * | * | 1.6 | 2.7 | 4.7 | 7.1 | 7.9 | 5.5 |
| 1989 | 3.6 | * | 0.4 | * | * | 1.7 | 3.3 | 5.9 | 8.2 | 8.7 | 5.5 |
| 1988 | 3.4 | * | * | * | * | 1.5 | 3.1 | 5.7 | 8.6 | 7.2 | 4.6 |
| 1987 | 2.9 | * | * | * | * | 1.5 | 3.1 | 5.2 | 6.6 | 6.1 | 3.4 |
| 1986 | 3.4 | * | 0.5 | * | * | 1.7 | 3.3 | 6.8 | 7.7 | 6.0 | 4.4 |
| 1985 | 3.0 | * | 0.5 | * | 0.3 | 1.3 | 3.3 | 6.0 | 7.1 | 5.5 | 3.4 |
| 1984 | 2.8 | * | 0.4 | * | 0.3 | 1.4 | 3.6 | 5.9 | 6.2 | 4.2 | 3.1 |
| 1983 | 2.7 | * | 0.5 | * | * | 1.6 | 3.4 | 5.1 | 5.7 | 3.9 | 2.8 |
| 1982 | 2.7 | * | 0.5 | * | * | 1.6 | 4.3 | 5.9 | 5.2 | 3.5 | 2.6 |
| 1981 | 2.6 | * | 0.6 | * | 0.4 | 1.8 | 4.0 | 5.2 | 4.7 | 3.1 | 2.7 |
| 1980 | 2.5 | * | 0.6 | * | * | 2.0 | 3.8 | 5.3 | 4.3 | 2.9 | 3.2 |
| 1979 | 2.7 | * | * | * | 0.3 | 2.4 | 4.9 | 5.1 | 3.8 | 3.1 | 2.7 |
| Accidental poisoning and exposure to noxious substances (E850-E869,E924.1) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 2.0 | * | * | * | * | 0.7 | 1.2 | 1.8 | 3.1 | 4.4 | 4.7 |
| 1997 | 1.7 | * | * | * | * | 0.6 | 1.1 | 2.0 | 2.6 | 3.5 | 3.7 |
| 1996 | 1.7 | * | * | * | * | 0.5 | 0.9 | 1.8 | 2.7 | 3.2 | 3.5 |
| 1995 | 1.5 | * | * | * | * | 0.5 | 1.0 | 1.4 | 2.3 | 3.0 | 3.0 |
| 1994 | 1.5 | * | * | * | * | 0.3 | 1.0 | 1.6 | 2.4 | 3.2 | 2.4 |
| 1993 | 1.4 | * | * | * | * | 0.5 | 0.7 | 1.5 | 2.1 | 3.0 | 2.7 |
| 1992 | 1.2 | * | * | * | * | 0.5 | 0.9 | 1.2 | 2.0 | 2.3 | 1.6 |
| 1991 | 1.2 | * | * | * | * | 0.4 | 0.7 | 1.2 | 1.8 | 1.8 | 1.5 |
| 1990 | 1.2 | * | * | * | * | 0.5 | 0.6 | 1.5 | 1.6 | 1.9 | 1.3 |
| 1989 | 1.3 | * | * | * | * | 0.6 | 1.0 | 1.5 | 2.2 | 1.6 | 1.4 |
| 1988 | 1.3 | * | * | * | * | 0.5 | 0.9 | 1.7 | 1.8 | 1.7 | 1.6 |
| 1987 | 1.1 | * | * | * | * | 0.6 | 1.1 | 1.1 | 1.6 | 1.3 | 1.3 |
| 1986 | 1.3 | * | 0.4 | * | * | 0.7 | 1.2 | 1.6 | 1.7 | 1.7 | 1.5 |
| 1985 | 1.2 | * | * | * | * | 0.6 | 1.3 | 1.4 | 1.4 | 1.2 | 1.3 |
| 1984 | 1.2 | * | 0.4 | * | * | 0.7 | 1.2 | 1.6 | 1.5 | 1.2 | 1.4 |
| 1983 | 1.2 | * | * | * | * | 0.8 | 1.4 | 1.4 | 1.2 | 1.3 | 1.4 |
| 1982 | 1.2 | * | 0.5 | * | * | 0.8 | 1.1 | 1.4 | 1.3 | 1.3 | 1.7 |
| 1981 | 1.2 | * | * | * | * | 0.7 | 1.1 | 1.3 | 1.2 | 1.1 | 1.5 |
| 1980 | 1.2 | * | * | * | * | 0.9 | 1.4 | 1.3 | 1.3 | 1.2 | 1.4 |
| 1979 | 1.3 | * | 0.6 | * | * | 1.0 | 1.4 | 1.5 | 1.1 | 1.4 | 1.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental poisoning and exposure to noxious substances (E850-E869,E924.1) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 4.3 | * | * | * | * | 0.7 | 2.3 | 3.3 | 5.7 | 9.3 | 11.6 |
| 1997 | 4.4 | * | * | * | * | 0.6 | 1.9 | 3.6 | 5.1 | 9.7 | 13.0 |
| 1996 | 4.3 | * | 0.6 | * | * | 0.6 | 2.2 | 3.8 | 5.4 | 9.4 | 12.1 |
| 1995 | 4.5 | * | * | * | * | 0.6 | 1.9 | 4.1 | 6.2 | 10.8 | 14.3 |
| 1994 | 4.8 | * | * | * | * | 0.6 | 2.3 | 4.1 | 8.3 | 10.5 | 14.5 |
| 1993 | 4.5 | * | 0.7 | * | * | 0.8 | 2.2 | 4.1 | 8.0 | 12.2 | 13.4 |
| 1992 | 3.8 | * | 0.6 | * | * | 0.8 | 2.1 | 4.5 | 6.9 | 9.9 | 10.0 |
| 1991 | 3.9 | * | 1.1 | * | * | 0.8 | 2.5 | 4.4 | 6.9 | 10.2 | 9.7 |
| 1990 | 3.2 | * | 0.8 | * | * | 1.0 | 2.0 | 3.9 | 6.6 | 7.7 | 7.2 |
| 1989 | 3.8 | * | 0.8 | * | * | 0.9 | 2.7 | 4.9 | 7.0 | 10.1 | 7.7 |
| 1988 | 3.8 | * | 1.0 | * | * | 1.1 | 2.7 | 5.5 | 7.7 | 9.6 | 7.2 |
| 1987 | 3.2 | * | * | * | * | 0.7 | 2.0 | 4.6 | 6.2 | 8.9 | 5.9 |
| 1986 | 2.9 | * | * | * | * | 0.9 | 1.9 | 4.2 | 6.8 | 6.7 | 5.6 |
| 1985 | 2.7 | * | 0.8 | * | * | 0.7 | 1.7 | 4.0 | 6.2 | 6.3 | 4.4 |
| 1984 | 2.7 | * | 1.2 | * | * | 0.7 | 2.2 | 4.0 | 6.7 | 5.7 | 4.0 |
| 1983 | 2.4 | * | 0.9 | * | * | 0.7 | 2.0 | 4.0 | 4.3 | 4.4 | 4.3 |
| 1982 | 2.6 | * | 1.2 | * | * | 0.6 | 2.1 | 4.3 | 5.8 | 5.0 | 3.9 |
| 1981 | 2.6 | * | 1.2 | * | * | 0.9 | 1.8 | 4.1 | 4.8 | 5.1 | 4.8 |
| 1980 | 2.3 | * | 1.3 | * | * | 1.2 | 2.4 | 4.1 | 3.9 | 3.6 | 3.9 |
| 1979 | 2.8 | * | 1.4 | * | * | 1.0 | 2.9 | 5.4 | 5.2 | 4.7 | 3.9 |
| Accidental poisoning and exposure to noxious substances (E850-E869,E924.1) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 6.5 | * | * | * | * | 1.0 | 3.6 | 4.8 | 8.8 | 13.6 | 17.5 |
| 1997 | 6.7 | * | * | * | * | * | 2.9 | 5.9 | 7.9 | 14.4 | 20.1 |
| 1996 | 6.4 | * | * | * | * | * | 3.6 | 5.5 | 7.9 | 13.4 | 18.6 |
| 1995 | 6.9 | * | * | * | * | 1.0 | 2.7 | 5.8 | 9.4 | 16.7 | 23.2 |
| 1994 | 7.3 | * | * | * | * | * | 3.5 | 6.4 | 12.7 | 15.9 | 23.1 |
| 1993 | 7.0 | * | * | * | * | 1.2 | 3.5 | 5.9 | 11.7 | 19.5 | 22.4 |
| 1992 | 5.8 | * | * | * | * | 1.1 | 2.9 | 6.8 | 10.4 | 15.8 | 16.7 |
| 1991 | 5.7 | * | * | * | * | 1.2 | 3.7 | 6.9 | 10.8 | 15.7 | 15.8 |
| 1990 | 4.7 | * | * | * | * | 1.3 | 2.7 | 5.1 | 9.7 | 13.2 | 12.0 |
| 1989 | 5.7 | * | * | * | * | 1.4 | 4.2 | 7.2 | 10.8 | 15.6 | 12.9 |
| 1988 | 5.7 | * | 1.5 | * | * | 1.4 | 3.4 | 8.0 | 11.7 | 15.4 | 11.5 |
| 1987 | 4.7 | * | * | * | * | * | 2.7 | 6.4 | 9.9 | 14.7 | 9.7 |
| 1986 | 4.4 | * | * | * | * | 1.2 | 2.6 | 6.4 | 10.4 | 11.7 | 8.3 |
| 1985 | 3.9 | * | * | * | * | * | 2.3 | 6.0 | 9.3 | 10.4 | 7.3 |
| 1984 | 3.9 | * | 1.7 | * | * | * | 2.7 | 5.8 | 10.2 | 10.5 | 6.3 |
| 1983 | 3.1 | * | * | * | * | * | 2.5 | 5.0 | 5.5 | 7.5 | 6.1 |
| 1982 | 3.7 | * | 1.6 | * | * | * | 2.7 | 6.2 | 9.4 | 7.7 | 6.2 |
| 1981 | 3.5 | * | * | * | * | 1.1 | 2.6 | 5.8 | 7.3 | 7.8 | 6.5 |
| 1980 | 3.3 | * | * | * | * | 1.3 | 3.7 | 6.0 | 6.1 | 5.6 | 5.5 |
| 1979 | 3.8 | * | * | * | * | * | 4.0 | 8.3 | 7.3 | 7.4 | 5.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental poisoning and exposure to noxious substances (E850-E869,E924.1) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 2.3 | * | * | * | * | * | * | 1.8 | 3.0 | 5.5 | 6.4 |
| 1997 | 2.3 | * | * | * | * | * | * | 1.4 | 2.6 | 5.5 | 6.7 |
| 1996 | 2.4 | * | * | * | * | * | * | 2.2 | 3.2 | 5.9 | 6.5 |
| 1995 | 2.3 | * | * | * | * | * | 1.2 | 2.5 | 3.2 | 5.5 | 6.5 |
| 1994 | 2.5 | * | * | * | * | * | 1.1 | 2.0 | 4.3 | 5.8 | 7.0 |
| 1993 | 2.2 | * | * | * | * | * | * | 2.4 | 4.6 | 5.7 | 5.6 |
| 1992 | 1.9 | * | * | * | * | * | 1.3 | 2.3 | 3.8 | 4.8 | 4.2 |
| 1991 | 2.2 | * | * | * | * | * | 1.3 | 2.1 | 3.4 | 5.4 | 4.5 |
| 1990 | 1.8 | * | * | * | * | * | 1.4 | 2.8 | 3.8 | 2.9 | 3.1 |
| 1989 | 2.0 | * | * | * | * | * | 1.2 | 2.8 | 3.6 | 5.3 | 3.3 |
| 1988 | 2.1 | * | * | * | * | * | 2.1 | 3.2 | 4.1 | 4.5 | 3.4 |
| 1987 | 1.8 | * | * | * | * | * | 1.4 | 2.9 | 2.9 | 3.8 | 2.6 |
| 1986 | 1.6 | * | * | * | * | * | 1.2 | 2.1 | 3.6 | 2.5 | 3.3 |
| 1985 | 1.7 | * | * | * | * | * | 1.1 | 2.1 | 3.4 | 2.8 | 2.0 |
| 1984 | 1.6 | * | * | * | * | * | 1.7 | 2.3 | 3.5 | 1.7 | 2.0 |
| 1983 | 1.7 | * | * | * | * | * | 1.6 | 3.2 | 3.3 | 1.9 | 2.8 |
| 1982 | 1.6 | * | * | * | * | * | 1.6 | 2.6 | 2.6 | 2.6 | * |
| 1981 | 1.7 | * | * | * | * | * | * | 2.5 | 2.6 | 2.9 | 3.3 |
| 1980 | 1.5 | * | * | * | * | * | 1.3 | 2.5 | 2.1 | * | 2.5 |
| 1979 | 1.8 | * | * | * | * | * | 1.8 | 2.8 | 3.3 | 2.4 | 2.6 |
| Accidental poisoning and exposure to noxious substances (E850-E869,E924.1) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 5.3 | * | * | * | * | * | 2.4 | 4.0 | 6.8 | 11.8 | 15.4 |
| 1997 | 5.4 | * | * | * | * | * | 2.2 | 4.4 | 6.3 | 12.2 | 16.5 |
| 1996 | 5.3 | * | 0.8 | * | * | * | 2.5 | 4.8 | 6.7 | 12.1 | 16.0 |
| 1995 | 5.6 | * | * | * | * | 0.7 | 2.3 | 5.2 | 7.6 | 13.4 | 18.4 |
| 1994 | 5.9 | * | * | * | * | * | 2.8 | 5.1 | 10.4 | 13.4 | 19.1 |
| 1993 | 5.7 | * | 0.8 | * | * | 0.9 | 2.9 | 5.0 | 10.0 | 16.0 | 17.9 |
| 1992 | 4.7 | * | * | * | * | 0.8 | 2.5 | 5.6 | 8.5 | 12.8 | 13.3 |
| 1991 | 4.8 | * | 1.3 | * | * | 1.0 | 2.8 | 5.5 | 8.7 | 13.1 | 12.9 |
| 1990 | 3.8 | * | 0.9 | * | * | 1.1 | 2.4 | 4.7 | 8.1 | 9.7 | 9.5 |
| 1989 | 4.6 | * | 0.9 | * | * | 1.0 | 3.2 | 6.0 | 9.0 | 13.2 | 10.1 |
| 1988 | 4.6 | * | 1.2 | * | * | 1.2 | 3.1 | 6.6 | 9.8 | 12.2 | 9.3 |
| 1987 | 3.7 | * | * | * | * | 0.8 | 2.4 | 5.0 | 7.5 | 11.4 | 7.5 |
| 1986 | 3.4 | * | * | * | * | 0.8 | 2.1 | 4.9 | 8.2 | 8.6 | 6.6 |
| 1985 | 3.2 | * | 1.0 | * | * | * | 1.8 | 4.8 | 7.5 | 8.0 | 5.2 |
| 1984 | 3.1 | * | 1.4 | * | * | * | 2.3 | 4.8 | 8.0 | 7.1 | 4.9 |
| 1983 | 2.7 | * | 1.0 | * | * | * | 2.1 | 4.9 | 5.4 | 5.4 | 5.0 |
| 1982 | 2.9 | * | 1.4 | * | * | * | 2.4 | 5.0 | 6.6 | 6.0 | 4.7 |
| 1981 | 2.9 | * | 1.3 | * | * | 1.0 | 1.8 | 4.7 | 5.8 | 6.3 | 5.8 |
| 1980 | 2.6 | * | 1.4 | * | * | 1.3 | 2.6 | 4.8 | 4.6 | 4.2 | 4.7 |
| 1979 | 3.0 | * | 1.5 | * | * | 1.1 | 2.9 | 5.9 | 5.9 | 5.5 | 4.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Accidental poisoning and exposure to noxious substances (E850-E869,E924.1) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 8.1 | * | * | * | * | * | 4.2 | 5.8 | 10.2 | 17.3 | 23.3 |
| 1997 | 8.3 | * | * | * | * | * | 3.4 | 7.2 | 9.7 | 18.5 | 25.8 |
| 1996 | 8.0 | * | * | * | * | * | 4.4 | 7.0 | 9.6 | 17.1 | 24.5 |
| 1995 | 8.6 | * | * | * | * | * | 3.3 | 7.3 | 11.8 | 20.4 | 30.2 |
| 1994 | 9.1 | * | * | * | * | * | 4.4 | 8.1 | 16.0 | 20.5 | 30.8 |
| 1993 | 8.9 | * | * | * | * | * | 4.7 | 7.2 | 14.8 | 25.4 | 30.0 |
| 1992 | 7.3 | * | * | * | * | * | 3.7 | 8.8 | 12.9 | 20.4 | 22.3 |
| 1991 | 7.1 | * | * | * | * | 1.6 | 4.5 | 8.8 | 13.7 | 20.1 | 20.9 |
| 1990 | 5.7 | * | * | * | * | 1.5 | 3.2 | 6.3 | 12.2 | 16.5 | 15.8 |
| 1989 | 7.1 | * | * | * | * | 1.6 | 5.0 | 8.7 | 14.0 | 20.5 | 17.2 |
| 1988 | 6.9 | * | 1.8 | * | * | 1.7 | 3.9 | 9.6 | 15.0 | 19.8 | 15.0 |
| 1987 | 5.5 | * | * | * | * | * | 3.2 | 6.9 | 12.2 | 19.1 | 12.4 |
| 1986 | 5.2 | * | * | * | * | * | 2.8 | 7.6 | 12.7 | 14.8 | 10.1 |
| 1985 | 4.6 | * | * | * | * | * | 2.4 | 7.4 | 11.4 | 13.5 | 8.8 |
| 1984 | 4.5 | * | 2.0 | * | * | * | 2.7 | 7.1 | 12.2 | 13.1 | 8.1 |
| 1983 | 3.6 | * | * | * | * | * | 2.6 | 6.2 | 6.8 | 9.0 | 7.1 |
| 1982 | 4.2 | * | * | * | * | * | 3.0 | 7.4 | 10.5 | 9.7 | 7.5 |
| 1981 | 4.0 | * | * | * | * | * | 2.7 | 6.8 | 8.8 | 9.9 | 7.8 |
| 1980 | 3.6 | * | * | * | * | * | 3.9 | 6.8 | 7.0 | 6.8 | 6.7 |
| 1979 | 4.1 | * | * | * | * | * | 4.2 | 8.8 | 8.3 | 8.8 | 6.2 |
| Accidental poisoning and exposure to noxious substances (E850-E869,E924.1) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 2.9 | * | * | * | * | * | * | 2.4 | 3.7 | 6.9 | 8.5 |
| 1997 | 2.8 | * | * | * | * | * | * | 1.8 | 3.3 | 6.7 | 8.5 |
| 1996 | 3.0 | * | * | * | * | * | * | 2.8 | 4.1 | 7.7 | 8.6 |
| 1995 | 2.8 | * | * | * | * | * | 1.5 | 3.4 | 3.9 | 7.3 | 8.2 |
| 1994 | 3.1 | * | * | * | * | * | * | 2.4 | 5.3 | 7.1 | 9.1 |
| 1993 | 2.8 | * | * | * | * | * | * | 3.1 | 5.7 | 7.6 | 7.6 |
| 1992 | 2.3 | * | * | * | * | * | 1.4 | 2.8 | 4.6 | 6.0 | 5.5 |
| 1991 | 2.6 | * | * | * | * | * | * | 2.6 | 4.3 | 7.0 | 6.0 |
| 1990 | 2.1 | * | * | * | * | * | 1.7 | 3.3 | 4.6 | 3.9 | 4.1 |
| 1989 | 2.4 | * | * | * | * | * | * | 3.5 | 4.6 | 6.8 | 4.0 |
| 1988 | 2.6 | * | * | * | * | * | 2.3 | 3.8 | 5.3 | 5.7 | 4.4 |
| 1987 | 2.1 | * | * | * | * | * | 1.7 | 3.3 | 3.5 | 4.8 | 3.4 |
| 1986 | 1.9 | * | * | * | * | * | 1.4 | 2.4 | 4.3 | 3.2 | 3.7 |
| 1985 | 1.9 | * | * | * | * | * | * | 2.4 | 4.2 | 3.4 | * |
| 1984 | 1.8 | * | * | * | * | * | 1.9 | 2.7 | 4.4 | 2.1 | * |
| 1983 | 2.0 | * | * | * | * | * | 1.6 | 3.8 | 4.1 | 2.3 | 3.2 |
| 1982 | 1.8 | * | * | * | * | * | 1.9 | 2.8 | 3.2 | 3.0 | * |
| 1981 | 2.0 | * | * | * | * | * | * | 2.9 | 3.2 | 3.3 | 4.1 |
| 1980 | 1.7 | * | * | * | * | * | 1.5 | 3.0 | 2.6 | * | 3.1 |
| 1979 | 1.9 | * | * | * | * | * | 1.8 | 3.3 | 3.8 | 2.8 | 2.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other and unspecified nontransport accidents and their sequelae (Residual) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.7 | 11.3 | 1.9 | 0.8 | 0.9 | 1.4 | 2.1 | 2.1 | 2.5 | 2.7 | 3.3 |
| 1997 | 4.6 | 11.7 | 1.8 | 0.7 | 1.0 | 1.5 | 2.1 | 2.2 | 2.3 | 2.9 | 3.3 |
| 1996 | 4.5 | 11.0 | 1.9 | 0.7 | 0.9 | 1.5 | 2.1 | 2.2 | 2.6 | 2.7 | 3.2 |
| 1995 | 4.6 | 11.3 | 2.1 | 0.7 | 0.9 | 1.4 | 2.0 | 2.2 | 2.6 | 3.2 | 3.5 |
| 1994 | 4.5 | 12.2 | 1.9 | 0.8 | 0.9 | 1.4 | 2.2 | 2.2 | 2.6 | 3.0 | 3.3 |
| 1993 | 4.6 | 11.3 | 2.2 | 0.9 | 0.9 | 1.5 | 2.2 | 2.2 | 2.8 | 2.9 | 3.3 |
| 1992 | 4.3 | 9.8 | 2.0 | 0.9 | 0.9 | 1.4 | 2.1 | 2.6 | 2.7 | 3.0 | 3.2 |
| 1991 | 4.5 | 11.8 | 2.4 | 0.9 | 0.9 | 1.6 | 2.1 | 2.5 | 2.8 | 2.9 | 3.4 |
| 1990 | 4.6 | 12.1 | 2.1 | 1.0 | 1.0 | 1.6 | 2.3 | 2.9 | 3.0 | 3.3 | 3.2 |
| 1989 | 5.0 | 12.4 | 2.5 | 1.2 | 1.0 | 1.8 | 2.4 | 3.3 | 3.3 | 3.4 | 3.8 |
| 1988 | 5.3 | 11.1 | 2.5 | 1.1 | 1.1 | 2.1 | 2.8 | 3.0 | 3.3 | 3.3 | 4.1 |
| 1987 | 5.3 | 11.9 | 2.5 | 1.0 | 1.2 | 2.0 | 3.0 | 3.2 | 3.5 | 3.6 | 3.6 |
| 1986 | 5.3 | 11.2 | 2.7 | 0.8 | 1.3 | 2.2 | 3.1 | 3.4 | 3.5 | 3.4 | 3.9 |
| 1985 | 5.5 | 11.0 | 2.8 | 1.1 | 1.2 | 2.3 | 3.4 | 3.5 | 3.4 | 3.6 | 4.3 |
| 1984 | 5.4 | 10.6 | 2.9 | 1.1 | 1.4 | 2.4 | 3.4 | 3.4 | 3.5 | 4.0 | 4.4 |
| 1983 | 5.6 | 12.2 | 3.1 | 1.4 | 1.5 | 2.4 | 3.4 | 3.5 | 3.6 | 4.0 | 4.8 |
| 1982 | 5.5 | 12.7 | 3.1 | 1.2 | 1.5 | 2.8 | 4.0 | 3.9 | 3.9 | 4.1 | 4.8 |
| 1981 | 5.7 | 12.3 | 3.2 | 1.3 | 1.6 | 3.0 | 4.1 | 4.3 | 4.0 | 4.4 | 4.8 |
| 1980 | 6.5 | 15.8 | 3.6 | 1.4 | 1.7 | 3.2 | 4.5 | 4.3 | 3.9 | 4.7 | 5.0 |
| 1979 | 6.0 | 15.4 | 3.5 | 1.4 | 1.8 | 3.4 | 4.9 | 4.4 | 4.4 | 4.8 | 5.5 |
| Other and unspecified nontransport accidents and their sequelae (Residual) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 6.3 | 12.7 | 2.2 | 1.0 | 1.2 | 2.2 | 3.6 | 3.6 | 4.3 | 4.5 | 5.4 |
| 1997 | 6.2 | 13.2 | 2.2 | 1.0 | 1.5 | 2.4 | 3.6 | 3.8 | 3.8 | 4.7 | 5.6 |
| 1996 | 6.2 | 12.7 | 2.4 | 0.9 | 1.3 | 2.5 | 3.6 | 3.8 | 4.4 | 4.6 | 5.4 |
| 1995 | 6.4 | 12.4 | 2.4 | 0.9 | 1.3 | 2.3 | 3.4 | 3.9 | 4.5 | 5.4 | 6.0 |
| 1994 | 6.3 | 14.3 | 2.3 | 1.0 | 1.4 | 2.3 | 3.8 | 3.8 | 4.5 | 5.2 | 5.6 |
| 1993 | 6.4 | 12.6 | 2.6 | 1.2 | 1.4 | 2.4 | 3.8 | 4.0 | 4.7 | 5.0 | 5.8 |
| 1992 | 6.1 | 10.7 | 2.5 | 1.3 | 1.6 | 2.4 | 3.6 | 4.6 | 4.6 | 5.2 | 5.6 |
| 1991 | 6.4 | 14.0 | 2.7 | 1.3 | 1.5 | 2.6 | 3.6 | 4.4 | 4.9 | 5.1 | 5.9 |
| 1990 | 6.6 | 13.2 | 2.7 | 1.5 | 1.6 | 2.7 | 4.1 | 5.1 | 5.4 | 5.7 | 5.5 |
| 1989 | 7.2 | 13.4 | 3.2 | 1.6 | 1.5 | 3.0 | 4.4 | 5.9 | 5.9 | 6.0 | 6.5 |
| 1988 | 7.6 | 12.5 | 3.0 | 1.7 | 1.6 | 3.6 | 5.0 | 5.4 | 5.8 | 5.8 | 7.1 |
| 1987 | 7.6 | 13.5 | 3.1 | 1.4 | 2.0 | 3.5 | 5.3 | 5.7 | 6.4 | 6.4 | 6.1 |
| 1986 | 7.7 | 12.7 | 3.1 | 1.2 | 2.2 | 3.8 | 5.6 | 6.0 | 6.2 | 6.0 | 6.8 |
| 1985 | 8.0 | 11.7 | 3.5 | 1.5 | 2.0 | 4.0 | 6.0 | 6.2 | 6.1 | 6.3 | 7.6 |
| 1984 | 8.0 | 11.6 | 3.5 | 1.6 | 2.3 | 4.1 | 6.1 | 6.1 | 6.4 | 7.1 | 7.6 |
| 1983 | 8.3 | 14.4 | 3.8 | 1.9 | 2.3 | 4.2 | 6.2 | 6.2 | 6.3 | 7.1 | 8.4 |
| 1982 | 8.3 | 15.2 | 3.7 | 1.5 | 2.4 | 5.0 | 7.2 | 7.0 | 6.8 | 7.1 | 8.1 |
| 1981 | 8.7 | 13.8 | 4.0 | 1.8 | 2.5 | 5.3 | 7.3 | 7.7 | 7.2 | 7.7 | 8.4 |
| 1980 | 9.6 | 18.2 | 4.3 | 1.8 | 2.8 | 5.6 | 8.2 | 7.8 | 7.0 | 8.7 | 8.6 |
| 1979 | 9.2 | 18.0 | 4.3 | 1.9 | 2.9 | 5.9 | 9.0 | 7.8 | 7.8 | 8.4 | 9.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other and unspecified nontransport accidents and their sequelae (Residual) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 3.3 | 9.8 | 1.5 | 0.5 | 0.6 | 0.5 | 0.5 | 0.5 | 0.7 | 1.0 | 1.2 |
| 1997 | 3.0 | 10.1 | 1.4 | 0.5 | 0.4 | 0.6 | 0.6 | 0.6 | 0.8 | 1.1 | 1.0 |
| 1996 | 3.0 | 9.2 | 1.4 | 0.6 | 0.4 | 0.5 | 0.5 | 0.5 | 0.7 | 0.8 | 1.0 |
| 1995 | 3.0 | 10.2 | 1.7 | 0.5 | 0.4 | 0.5 | 0.4 | 0.6 | 0.7 | 0.9 | 1.1 |
| 1994 | 2.8 | 10.1 | 1.5 | 0.6 | 0.4 | 0.4 | 0.5 | 0.6 | 0.6 | 0.9 | 1.0 |
| 1993 | 2.9 | 10.0 | 1.9 | 0.5 | 0.4 | 0.5 | 0.5 | 0.4 | 0.8 | 0.8 | 0.9 |
| 1992 | 2.6 | 8.9 | 1.4 | 0.5 | 0.3 | 0.4 | 0.6 | 0.6 | 0.8 | 0.7 | 0.8 |
| 1991 | 2.7 | 9.5 | 2.1 | 0.6 | 0.3 | 0.6 | 0.6 | 0.7 | 0.7 | 0.8 | 1.0 |
| 1990 | 2.8 | 11.0 | 1.5 | 0.6 | 0.3 | 0.5 | 0.4 | 0.7 | 0.6 | 0.8 | 1.0 |
| 1989 | 2.9 | 11.3 | 1.8 | 0.7 | 0.4 | 0.5 | 0.4 | 0.7 | 0.8 | 0.8 | 1.2 |
| 1988 | 3.1 | 9.7 | 2.0 | 0.6 | 0.4 | 0.5 | 0.5 | 0.6 | 0.8 | 0.9 | 1.1 |
| 1987 | 3.0 | 10.3 | 1.9 | 0.6 | 0.4 | 0.5 | 0.6 | 0.7 | 0.7 | 0.8 | 1.1 |
| 1986 | 3.1 | 9.6 | 2.4 | 0.5 | 0.4 | 0.5 | 0.5 | 0.8 | 0.8 | 0.9 | 1.1 |
| 1985 | 3.0 | 10.2 | 2.1 | 0.6 | 0.3 | 0.6 | 0.7 | 0.8 | 0.6 | 0.9 | 1.1 |
| 1984 | 2.9 | 9.5 | 2.2 | 0.6 | 0.5 | 0.7 | 0.7 | 0.8 | 0.8 | 1.1 | 1.3 |
| 1983 | 3.1 | 9.9 | 2.3 | 0.9 | 0.6 | 0.6 | 0.7 | 0.8 | 0.9 | 1.1 | 1.2 |
| 1982 | 2.9 | 10.1 | 2.5 | 0.8 | 0.6 | 0.6 | 0.8 | 0.9 | 1.0 | 1.2 | 1.6 |
| 1981 | 2.8 | 10.8 | 2.4 | 0.8 | 0.6 | 0.7 | 0.8 | 1.0 | 0.9 | 1.3 | 1.4 |
| 1980 | 3.5 | 13.3 | 2.7 | 1.0 | 0.6 | 0.7 | 0.8 | 0.9 | 0.9 | 0.9 | 1.6 |
| 1979 | 2.9 | 12.7 | 2.7 | 0.9 | 0.6 | 0.8 | 0.9 | 1.0 | 1.0 | 1.2 | 1.3 |
| Other and unspecified nontransport accidents and their sequelae (Residual) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 4.9 | 9.4 | 1.8 | 0.8 | 0.9 | 1.5 | 2.3 | 2.3 | 2.6 | 2.8 | 3.2 |
| 1997 | 4.6 | 9.4 | 1.7 | 0.8 | 1.0 | 1.6 | 2.3 | 2.4 | 2.4 | 2.9 | 3.2 |
| 1996 | 4.6 | 9.1 | 1.8 | 0.7 | 0.9 | 1.7 | 2.2 | 2.3 | 2.6 | 2.7 | 3.2 |
| 1995 | 4.7 | 9.4 | 2.0 | 0.8 | 0.9 | 1.5 | 2.1 | 2.4 | 2.7 | 3.2 | 3.3 |
| 1994 | 4.5 | 10.0 | 1.8 | 0.8 | 1.0 | 1.5 | 2.4 | 2.3 | 2.6 | 3.0 | 3.1 |
| 1993 | 4.6 | 9.6 | 2.2 | 0.8 | 1.0 | 1.6 | 2.2 | 2.4 | 2.8 | 2.9 | 3.1 |
| 1992 | 4.4 | 7.4 | 1.9 | 1.0 | 1.0 | 1.5 | 2.3 | 2.7 | 2.6 | 2.9 | 3.1 |
| 1991 | 4.5 | 9.8 | 2.2 | 1.0 | 0.9 | 1.7 | 2.2 | 2.5 | 2.7 | 2.8 | 3.2 |
| 1990 | 4.6 | 9.4 | 2.1 | 1.1 | 1.0 | 1.6 | 2.4 | 3.0 | 2.9 | 3.1 | 3.0 |
| 1989 | 4.8 | 9.3 | 2.3 | 1.2 | 0.9 | 2.0 | 2.5 | 3.3 | 3.3 | 3.3 | 3.5 |
| 1988 | 5.2 | 8.7 | 2.3 | 1.2 | 1.2 | 2.3 | 2.9 | 3.0 | 3.1 | 3.1 | 3.7 |
| 1987 | 5.2 | 10.0 | 2.4 | 1.1 | 1.2 | 2.2 | 3.0 | 3.2 | 3.4 | 3.4 | 3.2 |
| 1986 | 5.2 | 9.1 | 2.6 | 0.9 | 1.3 | 2.4 | 3.1 | 3.4 | 3.4 | 3.3 | 3.7 |
| 1985 | 5.3 | 9.8 | 2.8 | 1.1 | 1.2 | 2.5 | 3.5 | 3.5 | 3.3 | 3.4 | 3.9 |
| 1984 | 5.3 | 9.1 | 2.7 | 1.2 | 1.4 | 2.6 | 3.6 | 3.5 | 3.5 | 3.9 | 4.2 |
| 1983 | 5.4 | 10.1 | 3.0 | 1.4 | 1.6 | 2.6 | 3.5 | 3.6 | 3.4 | 3.8 | 4.4 |
| 1982 | 5.4 | 11.1 | 3.0 | 1.1 | 1.6 | 3.0 | 4.2 | 4.0 | 3.8 | 3.8 | 4.5 |
| 1981 | 5.6 | 10.3 | 3.2 | 1.4 | 1.7 | 3.2 | 4.2 | 4.4 | 3.8 | 4.2 | 4.6 |
| 1980 | 6.0 | 12.9 | 3.4 | 1.4 | 1.8 | 3.4 | 4.6 | 4.2 | 3.7 | 4.3 | 4.5 |
| 1979 | 5.8 | 12.5 | 3.4 | 1.4 | 1.8 | 3.6 | 5.1 | 4.3 | 4.2 | 4.4 | 5.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other and unspecified nontransport accidents and their sequelae (Residual) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 6.5 | 10.7 | 2.2 | 1.1 | 1.2 | 2.4 | 4.0 | 4.1 | 4.4 | 4.6 | 5.3 |
| 1997 | 6.3 | 10.6 | 2.1 | 1.0 | 1.6 | 2.5 | 3.9 | 4.0 | 4.1 | 4.7 | 5.4 |
| 1996 | 6.3 | 10.7 | 2.2 | 0.8 | 1.4 | 2.8 | 3.9 | 4.0 | 4.5 | 4.6 | 5.5 |
| 1995 | 6.5 | 11.0 | 2.4 | 1.0 | 1.5 | 2.5 | 3.7 | 4.2 | 4.6 | 5.5 | 5.8 |
| 1994 | 6.3 | 11.8 | 2.1 | 1.0 | 1.5 | 2.5 | 4.2 | 3.9 | 4.6 | 5.0 | 5.4 |
| 1993 | 6.4 | 10.9 | 2.6 | 1.2 | 1.5 | 2.6 | 4.0 | 4.2 | 4.7 | 4.9 | 5.5 |
| 1992 | 6.2 | 8.8 | 2.4 | 1.4 | 1.6 | 2.6 | 4.0 | 4.8 | 4.5 | 5.1 | 5.5 |
| 1991 | 6.3 | 11.1 | 2.5 | 1.3 | 1.6 | 2.8 | 3.9 | 4.4 | 4.8 | 4.9 | 5.6 |
| 1990 | 6.5 | 10.0 | 2.7 | 1.5 | 1.6 | 2.7 | 4.2 | 5.3 | 5.3 | 5.5 | 5.2 |
| 1989 | 6.9 | 9.9 | 2.8 | 1.6 | 1.6 | 3.3 | 4.5 | 5.9 | 5.8 | 5.7 | 6.1 |
| 1988 | 7.3 | 10.0 | 2.8 | 1.7 | 1.8 | 3.9 | 5.3 | 5.4 | 5.4 | 5.4 | 6.4 |
| 1987 | 7.4 | 11.2 | 3.0 | 1.5 | 2.0 | 3.8 | 5.4 | 5.7 | 6.1 | 6.1 | 5.5 |
| 1986 | 7.5 | 10.4 | 3.0 | 1.2 | 2.3 | 4.2 | 5.7 | 6.0 | 6.1 | 5.7 | 6.5 |
| 1985 | 7.7 | 10.7 | 3.5 | 1.5 | 2.2 | 4.2 | 6.3 | 6.1 | 6.0 | 5.9 | 6.9 |
| 1984 | 7.9 | 9.9 | 3.4 | 1.7 | 2.2 | 4.4 | 6.5 | 6.2 | 6.4 | 6.7 | 7.2 |
| 1983 | 7.9 | 11.6 | 3.7 | 2.0 | 2.5 | 4.6 | 6.3 | 6.4 | 6.1 | 6.6 | 7.7 |
| 1982 | 8.1 | 13.6 | 3.7 | 1.5 | 2.7 | 5.2 | 7.5 | 7.1 | 6.7 | 6.6 | 7.5 |
| 1981 | 8.5 | 11.7 | 4.0 | 1.9 | 2.7 | 5.7 | 7.6 | 7.8 | 6.9 | 7.2 | 7.9 |
| 1980 | 9.1 | 15.4 | 4.3 | 1.9 | 2.9 | 5.9 | 8.4 | 7.5 | 6.6 | 7.9 | 7.9 |
| 1979 | 8.9 | 15.2 | 4.2 | 1.9 | 3.0 | 6.3 | 9.3 | 7.6 | 7.4 | 7.7 | 9.0 |
| Other and unspecified nontransport accidents and their sequelae (Residual) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 3.4 | 8.0 | 1.4 | 0.5 | 0.7 | 0.6 | 0.6 | 0.5 | 0.8 | 0.9 | 1.1 |
| 1997 | 3.1 | 8.2 | 1.3 | 0.5 | 0.4 | 0.6 | 0.6 | 0.7 | 0.7 | 1.1 | 0.9 |
| 1996 | 3.0 | 7.5 | 1.3 | 0.6 | 0.4 | 0.5 | 0.4 | 0.5 | 0.6 | 0.7 | 0.9 |
| 1995 | 3.0 | 7.7 | 1.6 | 0.5 | 0.4 | 0.5 | 0.4 | 0.6 | 0.7 | 0.8 | 0.9 |
| 1994 | 2.8 | 8.2 | 1.4 | 0.6 | 0.4 | 0.4 | 0.5 | 0.6 | 0.6 | 0.9 | 0.9 |
| 1993 | 2.9 | 8.2 | 1.7 | 0.5 | 0.5 | 0.5 | 0.4 | 0.5 | 0.8 | 0.8 | 0.8 |
| 1992 | 2.6 | 6.0 | 1.3 | 0.6 | 0.3 | 0.4 | 0.5 | 0.6 | 0.7 | 0.7 | 0.7 |
| 1991 | 2.7 | 8.4 | 1.9 | 0.6 | * | 0.5 | 0.5 | 0.6 | 0.6 | 0.7 | 0.9 |
| 1990 | 2.7 | 8.8 | 1.4 | 0.6 | 0.3 | 0.5 | 0.4 | 0.7 | 0.5 | 0.8 | 0.9 |
| 1989 | 2.9 | 8.7 | 1.7 | 0.7 | 0.3 | 0.5 | 0.4 | 0.6 | 0.7 | 0.8 | 1.0 |
| 1988 | 3.1 | 7.4 | 1.8 | 0.7 | 0.5 | 0.5 | 0.5 | 0.6 | 0.7 | 0.7 | 1.0 |
| 1987 | 3.0 | 8.7 | 1.9 | 0.7 | 0.4 | 0.5 | 0.6 | 0.6 | 0.7 | 0.7 | 0.9 |
| 1986 | 3.0 | 7.8 | 2.2 | 0.5 | 0.3 | 0.5 | 0.5 | 0.7 | 0.7 | 0.8 | 1.0 |
| 1985 | 2.9 | 8.9 | 2.1 | 0.6 | * | 0.6 | 0.6 | 0.8 | 0.5 | 0.9 | 1.0 |
| 1984 | 2.8 | 8.2 | 1.9 | 0.6 | 0.5 | 0.7 | 0.7 | 0.7 | 0.6 | 1.1 | 1.2 |
| 1983 | 3.0 | 8.4 | 2.2 | 0.8 | 0.7 | 0.6 | 0.7 | 0.7 | 0.8 | 1.0 | 1.1 |
| 1982 | 2.8 | 8.5 | 2.3 | 0.7 | 0.6 | 0.6 | 0.8 | 0.8 | 1.0 | 1.0 | 1.5 |
| 1981 | 2.7 | 8.8 | 2.4 | 0.8 | 0.6 | 0.7 | 0.8 | 0.9 | 0.7 | 1.1 | 1.4 |
| 1980 | 3.1 | 10.2 | 2.5 | 0.9 | 0.7 | 0.8 | 0.7 | 0.9 | 0.8 | 0.7 | 1.3 |
| 1979 | 2.8 | 9.7 | 2.6 | 0.9 | 0.6 | 0.9 | 0.8 | 0.9 | 0.9 | 1.1 | 1.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other and unspecified nontransport accidents and their sequelae (Residual) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 3.9 | 18.2 | 2.1 | 0.6 | 0.7 | 1.0 | 1.3 | 1.2 | 2.1 | 2.5 | 3.6 |
| 1997 | 4.1 | 20.2 | 2.2 | 0.7 | 0.8 | 1.2 | 1.6 | 1.7 | 2.0 | 2.6 | 3.9 |
| 1996 | 4.1 | 18.3 | 2.4 | 0.9 | 0.9 | 0.9 | 1.5 | 1.8 | 2.4 | 2.8 | 3.1 |
| 1995 | 4.3 | 18.5 | 2.4 | 0.6 | 0.6 | 1.0 | 1.3 | 1.5 | 2.1 | 2.9 | 4.1 |
| 1994 | 4.3 | 20.4 | 2.5 | 0.7 | 0.5 | 0.8 | 1.4 | 2.0 | 2.3 | 3.4 | 3.9 |
| 1993 | 4.4 | 17.6 | 2.4 | 0.9 | 0.6 | 1.0 | 1.8 | 1.6 | 2.8 | 3.0 | 4.3 |
| 1992 | 4.3 | 18.9 | 2.4 | 0.7 | 0.8 | 1.0 | 1.5 | 2.0 | 2.9 | 3.4 | 3.5 |
| 1991 | 4.8 | 19.6 | 3.1 | 0.8 | 0.7 | 1.2 | 1.8 | 2.5 | 3.0 | 3.5 | 4.5 |
| 1990 | 5.0 | 22.5 | 2.1 | 0.9 | 0.9 | 1.5 | 1.9 | 2.5 | 3.3 | 4.1 | 4.5 |
| 1989 | 6.0 | 24.1 | 3.5 | 1.2 | 1.0 | 1.3 | 2.3 | 3.2 | 3.5 | 3.9 | 5.3 |
| 1988 | 6.0 | 20.7 | 3.2 | 1.0 | 0.6 | 1.4 | 2.1 | 2.9 | 4.3 | 4.9 | 6.3 |
| 1987 | 5.8 | 19.9 | 2.9 | 0.7 | 1.1 | 1.4 | 2.5 | 3.3 | 4.2 | 4.6 | 6.0 |
| 1986 | 6.0 | 20.0 | 3.4 | 0.8 | 1.4 | 1.1 | 3.0 | 3.7 | 3.9 | 4.5 | 5.2 |
| 1985 | 6.5 | 16.0 | 3.0 | 1.2 | 0.8 | 1.7 | 2.5 | 3.8 | 3.8 | 4.7 | 6.6 |
| 1984 | 5.8 | 17.2 | 3.6 | 0.9 | 1.5 | 1.7 | 2.4 | 3.1 | 3.7 | 5.2 | 5.6 |
| 1983 | 6.9 | 21.7 | 3.5 | 1.1 | 0.7 | 1.4 | 2.9 | 3.3 | 4.5 | 5.6 | 7.2 |
| 1982 | 6.2 | 19.9 | 3.4 | 1.3 | 0.9 | 2.0 | 3.1 | 3.6 | 4.2 | 6.0 | 6.7 |
| 1981 | 6.3 | 21.8 | 3.2 | 1.1 | 1.2 | 2.0 | 3.2 | 4.0 | 5.3 | 6.0 | 6.2 |
| 1980 | 9.2 | 29.1 | 4.2 | 1.0 | 1.3 | 2.4 | 4.1 | 5.0 | 5.3 | 7.7 | 8.2 |
| 1979 | 7.2 | 29.0 | 4.0 | 1.5 | 1.4 | 2.3 | 4.0 | 5.2 | 5.8 | 7.4 | 8.4 |
| Other and unspecified nontransport accidents and their sequelae (Residual) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 5.4 | 20.0 | 2.5 | 0.9 | 1.2 | 1.6 | 2.2 | 1.9 | 3.8 | 3.9 | 5.7 |
| 1997 | 5.6 | 23.0 | 2.8 | * | * | 1.9 | 2.5 | 3.0 | 2.8 | 4.7 | 6.6 |
| 1996 | 5.7 | 20.4 | 3.1 | 1.0 | 1.2 | 1.3 | 2.6 | 3.2 | 3.8 | 4.5 | 5.2 |
| 1995 | 6.0 | 17.5 | 2.7 | * | * | 1.6 | 2.2 | 2.6 | 3.6 | 5.0 | 7.0 |
| 1994 | 6.1 | 23.5 | 3.1 | * | * | 1.4 | 2.5 | 3.2 | 4.0 | 6.2 | 6.8 |
| 1993 | 6.3 | 19.0 | 2.3 | 1.2 | * | 1.6 | 2.9 | 3.1 | 4.9 | 5.3 | 7.8 |
| 1992 | 6.1 | 18.2 | 2.8 | * | 1.3 | 1.6 | 1.9 | 3.6 | 4.8 | 6.1 | 6.1 |
| 1991 | 7.1 | 25.4 | 3.5 | 1.2 | 1.1 | 1.5 | 2.4 | 4.4 | 5.5 | 6.3 | 7.9 |
| 1990 | 7.3 | 25.6 | 2.5 | 1.4 | 1.5 | 2.5 | 3.3 | 4.3 | 6.1 | 7.3 | 7.6 |
| 1989 | 8.8 | 26.7 | 4.8 | 1.7 | 1.3 | 2.0 | 3.7 | 5.6 | 6.4 | 7.4 | 8.9 |
| 1988 | 9.1 | 22.4 | 3.8 | 1.5 | * | 2.2 | 3.8 | 5.3 | 7.8 | 8.6 | 11.5 |
| 1987 | 8.8 | 23.0 | 3.6 | * | 1.8 | 2.5 | 4.6 | 5.8 | 8.0 | 8.5 | 10.6 |
| 1986 | 8.8 | 22.8 | 3.8 | * | 2.1 | 1.7 | 5.4 | 6.4 | 6.9 | 8.2 | 9.0 |
| 1985 | 9.7 | 15.9 | 3.9 | 1.5 | 1.4 | 2.9 | 4.2 | 6.6 | 6.7 | 8.8 | 12.4 |
| 1984 | 8.7 | 19.0 | 4.0 | * | 2.6 | 2.7 | 4.0 | 5.0 | 5.9 | 9.7 | 9.9 |
| 1983 | 10.1 | 26.8 | 4.1 | * | 1.3 | 2.4 | 5.2 | 5.4 | 7.8 | 10.4 | 13.3 |
| 1982 | 9.5 | 22.6 | 3.6 | 1.6 | 1.4 | 3.6 | 5.3 | 6.2 | 7.7 | 10.4 | 12.2 |
| 1981 | 9.7 | 23.7 | 4.3 | 1.4 | 1.8 | 3.2 | 5.8 | 7.0 | 9.2 | 10.7 | 11.8 |
| 1980 | 12.8 | 31.3 | 4.5 | * | 2.0 | 4.1 | 7.0 | 9.6 | 9.8 | 14.3 | 13.7 |
| 1979 | 11.2 | 31.4 | 4.7 | 2.2 | 2.4 | 3.8 | 6.9 | 9.3 | 10.9 | 13.9 | 15.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other and unspecified nontransport accidents and their sequelae (Residual) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 2.6 | 16.4 | 1.8 | * | * | * | * | * | * | 1.2 | 1.8 |
| 1997 | 2.7 | 17.3 | 1.7 | * | * | * | * | * | 1.3 | * | 1.6 |
| 1996 | 2.7 | 16.0 | 1.7 | * | * | * | * | * | 1.0 | 1.3 | 1.3 |
| 1995 | 2.8 | 19.5 | 2.1 | * | * | * | * | * | * | 1.1 | 1.6 |
| 1994 | 2.6 | 17.2 | 1.8 | * | * | * | * | * | * | * | 1.3 |
| 1993 | 2.8 | 16.2 | 2.5 | * | * | * | * | * | * | * | 1.4 |
| 1992 | 2.7 | 19.7 | 2.0 | * | * | * | * | * | 1.1 | * | 1.3 |
| 1991 | 2.8 | 13.6 | 2.7 | * | * | * | 1.2 | * | * | * | 1.4 |
| 1990 | 2.9 | 19.3 | 1.8 | * | * | * | * | * | * | 1.2 | 1.9 |
| 1989 | 3.4 | 21.3 | 2.1 | * | * | * | * | 1.0 | * | * | 2.2 |
| 1988 | 3.3 | 18.9 | 2.5 | * | * | * | * | * | 1.2 | 1.6 | 1.9 |
| 1987 | 3.1 | 16.6 | 2.3 | * | * | * | * | 1.1 | * | 1.3 | 2.1 |
| 1986 | 3.5 | 17.1 | 3.1 | * | * | * | * | 1.2 | 1.2 | * | 2.0 |
| 1985 | 3.5 | 16.2 | 2.0 | * | * | * | * | 1.3 | 1.2 | * | * |
| 1984 | 3.2 | 15.2 | 3.1 | * | * | * | * | 1.3 | 1.8 | * | 2.0 |
| 1983 | 3.9 | 16.5 | 2.8 | * | * | * | * | 1.5 | 1.6 | * | * |
| 1982 | 3.3 | 17.2 | 3.1 | * | * | * | * | 1.2 | * | 2.3 | * |
| 1981 | 3.3 | 19.8 | 2.2 | * | * | * | * | 1.4 | 1.9 | 1.9 | * |
| 1980 | 6.1 | 26.9 | 3.8 | * | * | * | 1.3 | * | 1.6 | 2.0 | 3.5 |
| 1979 | 3.4 | 26.6 | 3.3 | * | * | * | 1.3 | 1.7 | * | * | 2.5 |
| Other and unspecified nontransport accidents and their sequelae (Residual) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 4.7 | 22.2 | 2.5 | * | 0.9 | 1.0 | 1.4 | 1.5 | 2.4 | 2.8 | 4.5 |
| 1997 | 4.8 | 25.0 | 2.2 | 0.8 | 0.8 | 1.3 | 1.8 | 1.9 | 2.2 | 3.0 | 4.4 |
| 1996 | 4.7 | 21.9 | 2.8 | 1.0 | 0.8 | 0.9 | 1.4 | 1.9 | 2.6 | 3.1 | 3.8 |
| 1995 | 5.1 | 22.0 | 2.4 | * | * | 1.1 | 1.3 | 1.5 | 2.4 | 3.5 | 4.9 |
| 1994 | 4.9 | 23.7 | 2.7 | 0.7 | * | 0.8 | 1.5 | 2.1 | 2.4 | 3.7 | 4.8 |
| 1993 | 5.1 | 20.6 | 2.8 | 1.0 | * | 1.0 | 1.8 | 1.7 | 3.0 | 3.5 | 5.5 |
| 1992 | 4.7 | 21.2 | 2.6 | * | * | 1.0 | 1.3 | 1.7 | 2.9 | 3.4 | 4.1 |
| 1991 | 5.5 | 21.7 | 3.4 | 0.9 | 0.8 | 1.2 | 1.9 | 2.6 | 3.5 | 3.9 | 5.0 |
| 1990 | 5.5 | 26.2 | 2.2 | 1.0 | 0.9 | 1.2 | 1.8 | 2.8 | 3.8 | 4.5 | 5.0 |
| 1989 | 6.8 | 27.4 | 4.1 | 1.4 | 1.0 | 1.3 | 2.1 | 3.5 | 3.7 | 4.5 | 5.9 |
| 1988 | 6.8 | 24.9 | 3.2 | 1.1 | * | 1.2 | 2.3 | 3.2 | 5.1 | 5.8 | 6.9 |
| 1987 | 6.4 | 22.7 | 3.0 | 0.8 | 1.1 | 1.4 | 2.5 | 3.6 | 4.6 | 5.3 | 7.4 |
| 1986 | 6.7 | 22.5 | 3.8 | * | 1.3 | 1.1 | 3.0 | 3.8 | 4.3 | 5.0 | 6.1 |
| 1985 | 7.1 | 18.1 | 3.1 | 1.1 | 0.8 | 1.5 | 2.5 | 4.1 | 4.0 | 5.5 | 7.6 |
| 1984 | 6.4 | 19.4 | 3.7 | 0.8 | 1.6 | 1.5 | 2.3 | 3.4 | 4.2 | 6.0 | 6.3 |
| 1983 | 7.5 | 25.7 | 3.7 | 1.1 | * | 1.4 | 2.8 | 3.6 | 5.0 | 6.4 | 7.8 |
| 1982 | 6.5 | 22.3 | 3.5 | 1.2 | 1.0 | 1.4 | 2.9 | 3.5 | 4.4 | 6.5 | 7.7 |
| 1981 | 6.8 | 24.1 | 3.3 | 1.1 | 1.1 | 2.0 | 3.1 | 4.2 | 5.7 | 6.6 | 7.2 |
| 1980 | 10.0 | 31.8 | 4.4 | 1.0 | 1.2 | 2.2 | 4.0 | 5.2 | 6.2 | 8.1 | 8.3 |
| 1979 | 7.4 | 31.3 | 4.3 | 1.6 | 1.3 | 2.2 | 3.7 | 5.2 | 6.3 | 8.2 | 8.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other and unspecified nontransport accidents and their sequelae (Residual) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 6.4 | 25.0 | 2.8 | * | 1.4 | 1.6 | 2.3 | 2.3 | 4.4 | 4.4 | 7.1 |
| 1997 | 6.5 | 29.4 | 2.6 | * | * | 2.0 | 2.9 | 3.6 | 3.1 | 5.6 | 7.4 |
| 1996 | 6.4 | 24.6 | 3.5 | * | * | * | 2.2 | 3.4 | 4.2 | 4.7 | 6.2 |
| 1995 | 7.1 | 21.0 | 2.7 | * | * | 1.8 | 2.2 | 2.6 | 4.2 | 6.1 | 8.1 |
| 1994 | 7.0 | 27.6 | 3.5 | * | * | * | 2.6 | 3.5 | 4.3 | 6.8 | 8.4 |
| 1993 | 7.2 | 22.5 | 2.7 | * | * | 1.7 | 2.8 | 3.3 | 5.3 | 6.2 | 9.9 |
| 1992 | 6.6 | 20.2 | 2.8 | * | * | 1.6 | 1.6 | 3.0 | 4.9 | 6.0 | 7.2 |
| 1991 | 8.0 | 29.5 | 3.7 | * | * | 1.5 | 2.7 | 4.5 | 6.5 | 7.0 | 9.4 |
| 1990 | 8.1 | 29.8 | 2.4 | 1.6 | 1.6 | 2.0 | 3.3 | 4.8 | 6.8 | 8.3 | 8.5 |
| 1989 | 10.1 | 30.8 | 5.8 | 1.9 | 1.5 | 2.0 | 3.5 | 6.2 | 6.8 | 8.8 | 10.1 |
| 1988 | 10.1 | 27.3 | 3.7 | 1.7 | * | 1.9 | 4.1 | 5.9 | 9.5 | 10.3 | 12.5 |
| 1987 | 9.7 | 25.8 | 3.6 | * | 1.9 | 2.3 | 4.5 | 6.1 | 8.8 | 9.7 | 12.9 |
| 1986 | 9.8 | 25.4 | 4.4 | * | 2.0 | 1.9 | 5.7 | 6.6 | 7.7 | 9.4 | 10.8 |
| 1985 | 10.8 | 18.1 | 4.1 | 1.6 | * | 2.7 | 4.2 | 7.4 | 7.2 | 10.6 | 14.8 |
| 1984 | 9.4 | 22.5 | 3.8 | * | 2.6 | 2.3 | 4.1 | 5.4 | 6.7 | 11.3 | 10.9 |
| 1983 | 11.0 | 31.9 | 4.5 | * | * | 2.4 | 4.9 | 5.7 | 9.2 | 11.6 | 14.4 |
| 1982 | 9.9 | 24.9 | 3.8 | 1.6 | 1.5 | 2.4 | 5.1 | 6.3 | 8.2 | 11.2 | 14.1 |
| 1981 | 10.4 | 26.3 | 4.3 | * | 1.6 | 3.3 | 5.7 | 7.4 | 10.0 | 12.0 | 13.9 |
| 1980 | 13.6 | 33.5 | 4.9 | * | 2.0 | 3.7 | 7.0 | 9.8 | 11.4 | 15.5 | 13.7 |
| 1979 | 11.6 | 34.6 | 5.0 | 2.4 | 2.3 | 3.7 | 6.4 | 9.4 | 11.8 | 15.3 | 16.1 |
| Other and unspecified nontransport accidents and their sequelae (Residual) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 3.1 | 19.3 | 2.2 | * | * | * | * | * | * | 1.4 | 2.3 |
| 1997 | 3.2 | 20.5 | 1.7 | * | * | * | * | * | 1.5 | * | 1.7 |
| 1996 | 3.2 | 19.1 | 2.1 | * | * | * | * | * | * | 1.6 | 1.7 |
| 1995 | 3.4 | 23.1 | 2.2 | * | * | * | * | * | * | * | 2.1 |
| 1994 | 2.9 | 19.7 | 2.0 | * | * | * | * | * | * | * | 1.6 |
| 1993 | 3.2 | 18.6 | 2.9 | * | * | * | * | * | * | * | 1.8 |
| 1992 | 3.1 | 22.2 | 2.3 | * | * | * | * | * | * | * | * |
| 1991 | 3.2 | 13.6 | 3.1 | * | * | * | * | * | * | * | * |
| 1990 | 3.2 | 22.5 | 1.9 | * | * | * | * | * | * | * | 2.0 |
| 1989 | 3.9 | 23.9 | 2.4 | * | * | * | * | * | * | * | 2.3 |
| 1988 | 3.8 | 22.3 | 2.6 | * | * | * | * | * | * | 1.9 | 2.2 |
| 1987 | 3.5 | 19.6 | 2.5 | * | * | * | * | * | * | * | 2.7 |
| 1986 | 3.9 | 19.6 | 3.2 | * | * | * | * | * | * | * | * |
| 1985 | 3.8 | 18.1 | 2.0 | * | * | * | * | * | * | * | * |
| 1984 | 3.6 | 16.3 | 3.5 | * | * | * | * | 1.5 | 2.1 | * | * |
| 1983 | 4.4 | 19.4 | 3.0 | * | * | * | * | 1.7 | * | * | * |
| 1982 | 3.5 | 19.6 | 3.3 | * | * | * | * | * | * | 2.7 | * |
| 1981 | 3.6 | 21.8 | 2.4 | * | * | * | * | * | 2.1 | * | * |
| 1980 | 6.8 | 30.1 | 4.0 | * | * | * | 1.4 | * | * | * | 3.8 |
| 1979 | 3.6 | 27.7 | 3.6 | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) (E950-E959) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 11.1 | --- | --- | * | 1.6 | 8.8 | 13.2 | 13.2 | 13.2 | 15.0 | 15.6 |
| 1997 | 11.2 | --- | --- | * | 1.5 | 9.3 | 13.3 | 13.6 | 13.8 | 14.9 | 15.6 |
| 1996 | 11.5 | --- | --- | * | 1.5 | 9.6 | 14.2 | 14.2 | 13.9 | 15.3 | 15.7 |
| 1995 | 11.7 | --- | --- | * | 1.7 | 10.3 | 15.8 | 14.6 | 15.3 | 14.8 | 15.5 |
| 1994 | 11.8 | --- | --- | * | 1.7 | 10.9 | 16.1 | 15.3 | 14.7 | 15.3 | 15.1 |
| 1993 | 12.0 | --- | --- | * | 1.7 | 10.8 | 15.6 | 14.8 | 14.7 | 14.9 | 15.2 |
| 1992 | 11.9 | --- | --- | * | 1.7 | 10.7 | 14.8 | 14.0 | 14.7 | 15.0 | 15.1 |
| 1991 | 12.2 | --- | --- | * | 1.5 | 11.0 | 14.8 | 14.7 | 15.4 | 15.0 | 14.3 |
| 1990 | 12.4 | --- | --- | * | 1.5 | 11.1 | 15.1 | 15.0 | 15.4 | 15.6 | 14.9 |
| 1989 | 12.2 | --- | --- | * | 1.4 | 11.1 | 14.9 | 15.3 | 15.1 | 15.1 | 14.1 |
| 1988 | 12.4 | --- | --- | * | 1.4 | 11.1 | 14.6 | 15.4 | 15.7 | 15.3 | 14.2 |
| 1987 | 12.7 | --- | --- | * | 1.5 | 10.2 | 15.0 | 15.4 | 15.6 | 15.0 | 14.9 |
| 1986 | 12.9 | --- | --- | * | 1.5 | 10.1 | 15.5 | 15.7 | 16.0 | 15.3 | 15.0 |
| 1985 | 12.4 | --- | --- | * | 1.6 | 9.9 | 15.4 | 15.5 | 15.0 | 14.4 | 14.9 |
| 1984 | 12.4 | --- | --- | * | 1.3 | 8.9 | 15.5 | 15.8 | 15.4 | 15.2 | 15.0 |
| 1983 | 12.1 | --- | --- | * | 1.1 | 8.6 | 14.6 | 15.9 | 15.6 | 14.4 | 15.0 |
| 1982 | 12.2 | --- | --- | * | 1.1 | 8.7 | 15.2 | 16.6 | 15.3 | 15.2 | 15.6 |
| 1981 | 12.0 | --- | --- | * | 0.9 | 8.6 | 15.7 | 17.0 | 15.5 | 15.9 | 16.0 |
| 1980 | 11.9 | --- | --- | * | 0.8 | 8.5 | 16.1 | 16.5 | 15.3 | 15.4 | 15.3 |
| 1979 | 12.1 | --- | --- | * | 0.8 | 8.4 | 16.4 | 17.1 | 15.2 | 15.4 | 15.5 |
| Intentional self-harm (suicide) (E950-E959) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 18.2 | --- | --- | * | 2.3 | 14.3 | 22.3 | 21.9 | 21.1 | 23.3 | 24.4 |
| 1997 | 18.3 | --- | --- | * | 2.3 | 14.9 | 22.7 | 22.6 | 22.5 | 23.4 | 24.2 |
| 1996 | 19.0 | --- | --- | * | 2.2 | 15.4 | 24.5 | 23.6 | 22.6 | 24.5 | 24.5 |
| 1995 | 19.5 | --- | --- | * | 2.6 | 17.1 | 27.0 | 24.7 | 24.8 | 23.6 | 24.4 |
| 1994 | 19.6 | --- | --- | * | 2.4 | 17.9 | 28.0 | 25.7 | 24.2 | 24.2 | 23.7 |
| 1993 | 19.7 | --- | --- | * | 2.4 | 17.4 | 26.5 | 24.8 | 24.0 | 23.8 | 24.0 |
| 1992 | 19.5 | --- | --- | * | 2.4 | 17.6 | 25.4 | 23.6 | 23.7 | 24.0 | 23.3 |
| 1991 | 20.1 | --- | --- | * | 2.3 | 17.9 | 25.4 | 24.4 | 25.1 | 23.7 | 22.2 |
| 1990 | 20.4 | --- | --- | * | 2.2 | 18.1 | 25.7 | 24.9 | 24.6 | 24.5 | 23.2 |
| 1989 | 20.0 | --- | --- | * | 2.1 | 17.6 | 25.2 | 25.3 | 24.1 | 23.9 | 21.6 |
| 1988 | 20.2 | --- | --- | * | 2.1 | 17.6 | 24.8 | 25.5 | 25.2 | 24.3 | 21.3 |
| 1987 | 20.6 | --- | --- | * | 2.4 | 16.0 | 25.3 | 25.4 | 24.8 | 23.5 | 22.3 |
| 1986 | 20.7 | --- | --- | * | 2.3 | 16.2 | 26.0 | 25.7 | 25.8 | 23.8 | 21.9 |
| 1985 | 20.0 | --- | --- | * | 2.3 | 15.8 | 25.7 | 25.4 | 23.9 | 22.4 | 22.2 |
| 1984 | 19.8 | --- | --- | * | 1.9 | 14.2 | 25.7 | 25.8 | 24.4 | 23.2 | 22.0 |
| 1983 | 19.2 | --- | --- | * | 1.6 | 13.9 | 24.0 | 25.3 | 24.8 | 21.9 | 22.2 |
| 1982 | 19.2 | --- | --- | * | 1.7 | 14.0 | 25.2 | 26.6 | 23.6 | 22.4 | 22.8 |
| 1981 | 18.7 | --- | --- | * | 1.2 | 13.5 | 25.7 | 26.6 | 24.0 | 23.5 | 22.9 |
| 1980 | 18.6 | --- | --- | * | 1.2 | 13.8 | 26.8 | 26.7 | 23.2 | 22.9 | 21.9 |
| 1979 | 18.6 | --- | --- | * | 1.1 | 13.4 | 26.5 | 27.3 | 22.9 | 21.8 | 21.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) (E950-E959) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 4.3 | --- | --- | * | 0.9 | 2.8 | 3.7 | 4.3 | 5.1 | 6.7 | 6.9 |
| 1997 | 4.3 | --- | --- | * | 0.8 | 3.3 | 3.6 | 4.5 | 5.1 | 6.4 | 7.2 |
| 1996 | 4.3 | --- | --- | * | 0.8 | 3.5 | 3.6 | 4.6 | 5.1 | 6.1 | 7.1 |
| 1995 | 4.3 | --- | --- | * | 0.8 | 3.1 | 4.2 | 4.4 | 5.6 | 6.1 | 6.9 |
| 1994 | 4.4 | --- | --- | * | 0.9 | 3.4 | 3.9 | 4.8 | 5.2 | 6.6 | 6.7 |
| 1993 | 4.6 | --- | --- | * | 0.9 | 3.8 | 4.4 | 4.8 | 5.4 | 6.2 | 6.7 |
| 1992 | 4.6 | --- | --- | * | 0.9 | 3.4 | 3.8 | 4.2 | 5.7 | 6.1 | 7.1 |
| 1991 | 4.7 | --- | --- | * | 0.7 | 3.7 | 3.9 | 5.0 | 5.6 | 6.5 | 6.5 |
| 1990 | 4.8 | --- | --- | * | 0.8 | 3.7 | 4.1 | 4.9 | 6.3 | 6.8 | 6.8 |
| 1989 | 4.8 | --- | --- | * | 0.7 | 4.2 | 4.1 | 5.2 | 6.1 | 6.5 | 6.9 |
| 1988 | 5.0 | --- | --- | * | 0.8 | 4.3 | 4.1 | 5.3 | 6.2 | 6.6 | 7.3 |
| 1987 | 5.2 | --- | --- | * | 0.7 | 4.1 | 4.4 | 5.4 | 6.6 | 6.7 | 7.8 |
| 1986 | 5.4 | --- | --- | * | 0.7 | 3.7 | 4.9 | 5.5 | 6.4 | 7.0 | 8.3 |
| 1985 | 5.2 | --- | --- | * | 0.9 | 3.7 | 4.9 | 5.6 | 6.3 | 6.6 | 7.8 |
| 1984 | 5.4 | --- | --- | * | 0.6 | 3.5 | 5.1 | 5.7 | 6.7 | 7.3 | 8.2 |
| 1983 | 5.4 | --- | --- | * | 0.6 | 3.2 | 5.2 | 6.5 | 6.6 | 7.2 | 8.1 |
| 1982 | 5.6 | --- | --- | * | 0.4 | 3.1 | 5.1 | 6.7 | 7.2 | 8.3 | 8.7 |
| 1981 | 5.8 | --- | --- | * | 0.5 | 3.5 | 5.6 | 7.5 | 7.2 | 8.5 | 9.4 |
| 1980 | 5.5 | --- | --- | * | 0.3 | 3.0 | 5.5 | 6.5 | 7.7 | 8.1 | 8.9 |
| 1979 | 6.0 | --- | --- | * | 0.5 | 3.2 | 6.3 | 7.1 | 7.8 | 9.2 | 9.5 |
| Intentional self-harm (suicide) (E950-E959) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 12.2 | --- | --- | * | 1.7 | 9.2 | 13.8 | 13.8 | 14.0 | 16.8 | 17.3 |
| 1997 | 12.3 | --- | --- | * | 1.6 | 9.8 | 13.7 | 14.4 | 14.8 | 16.3 | 17.2 |
| 1996 | 12.5 | --- | --- | * | 1.6 | 10.1 | 14.9 | 14.8 | 14.7 | 16.6 | 17.2 |
| 1995 | 12.8 | --- | --- | * | 1.9 | 10.9 | 16.6 | 15.3 | 16.2 | 16.0 | 16.9 |
| 1994 | 12.8 | --- | --- | * | 1.8 | 11.2 | 16.7 | 16.0 | 15.8 | 16.4 | 16.5 |
| 1993 | 13.0 | --- | --- | * | 1.7 | 11.4 | 16.0 | 15.3 | 15.8 | 16.1 | 16.6 |
| 1992 | 12.9 | --- | --- | * | 1.8 | 11.1 | 15.5 | 14.7 | 15.5 | 16.1 | 16.3 |
| 1991 | 13.2 | --- | --- | * | 1.6 | 11.8 | 15.7 | 15.3 | 16.4 | 16.3 | 15.5 |
| 1990 | 13.5 | --- | --- | * | 1.6 | 11.9 | 15.9 | 15.5 | 16.2 | 16.7 | 16.0 |
| 1989 | 13.2 | --- | --- | * | 1.5 | 11.9 | 15.2 | 15.9 | 15.7 | 16.1 | 15.1 |
| 1988 | 13.5 | --- | --- | * | 1.5 | 12.1 | 15.4 | 16.2 | 16.2 | 16.4 | 15.3 |
| 1987 | 13.8 | --- | --- | * | 1.7 | 11.0 | 15.9 | 16.1 | 16.5 | 16.0 | 16.0 |
| 1986 | 14.0 | --- | --- | * | 1.6 | 11.2 | 16.7 | 16.4 | 16.9 | 16.2 | 16.2 |
| 1985 | 13.4 | --- | --- | * | 1.8 | 10.7 | 16.2 | 16.4 | 15.8 | 15.3 | 16.0 |
| 1984 | 13.5 | --- | --- | * | 1.4 | 9.8 | 16.4 | 16.5 | 16.4 | 16.1 | 16.1 |
| 1983 | 13.1 | --- | --- | * | 1.1 | 9.3 | 15.4 | 16.9 | 16.6 | 15.3 | 16.2 |
| 1982 | 13.2 | --- | --- | * | 1.1 | 9.5 | 16.0 | 17.4 | 16.1 | 16.1 | 16.9 |
| 1981 | 12.9 | --- | --- | * | 1.0 | 9.4 | 16.5 | 17.8 | 16.1 | 16.7 | 17.1 |
| 1980 | 12.7 | --- | --- | * | 0.9 | 9.2 | 16.9 | 17.3 | 15.8 | 16.3 | 16.2 |
| 1979 | 12.9 | --- | --- | * | 0.9 | 8.9 | 16.7 | 17.5 | 15.5 | 16.1 | 16.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) (E950-E959) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 19.9 | --- | --- | * | 2.5 | 15.1 | 23.1 | 22.5 | 22.2 | 25.8 | 26.7 |
| 1997 | 20.0 | --- | --- | * | 2.4 | 15.8 | 23.2 | 23.6 | 23.8 | 25.2 | 26.3 |
| 1996 | 20.6 | --- | --- | * | 2.3 | 16.1 | 25.6 | 24.5 | 23.6 | 26.3 | 26.6 |
| 1995 | 21.1 | --- | --- | * | 2.8 | 18.1 | 28.1 | 25.7 | 26.1 | 25.3 | 26.2 |
| 1994 | 21.1 | --- | --- | * | 2.5 | 18.4 | 28.9 | 26.5 | 25.6 | 25.3 | 25.5 |
| 1993 | 21.2 | --- | --- | * | 2.4 | 18.3 | 27.1 | 25.3 | 25.4 | 25.3 | 25.6 |
| 1992 | 21.1 | --- | --- | * | 2.6 | 18.2 | 26.5 | 24.6 | 24.7 | 25.4 | 24.9 |
| 1991 | 21.7 | --- | --- | * | 2.4 | 19.0 | 26.5 | 25.1 | 26.4 | 25.4 | 23.8 |
| 1990 | 22.0 | --- | --- | * | 2.3 | 19.3 | 26.8 | 25.5 | 25.7 | 25.9 | 24.7 |
| 1989 | 21.5 | --- | --- | * | 2.2 | 19.0 | 25.7 | 26.1 | 24.8 | 25.2 | 22.8 |
| 1988 | 21.8 | --- | --- | * | 2.1 | 19.2 | 26.0 | 26.6 | 25.6 | 25.6 | 22.9 |
| 1987 | 22.2 | --- | --- | * | 2.6 | 17.3 | 26.7 | 26.2 | 25.9 | 24.6 | 23.5 |
| 1986 | 22.4 | --- | --- | * | 2.4 | 18.0 | 27.8 | 26.6 | 27.0 | 24.6 | 23.4 |
| 1985 | 21.6 | --- | --- | * | 2.5 | 17.1 | 26.9 | 26.5 | 24.7 | 23.7 | 23.7 |
| 1984 | 21.3 | --- | --- | * | 2.1 | 15.6 | 27.1 | 26.6 | 25.5 | 24.3 | 23.3 |
| 1983 | 20.7 | --- | --- | * | 1.7 | 15.0 | 25.2 | 26.5 | 25.8 | 22.9 | 23.8 |
| 1982 | 20.7 | --- | --- | * | 1.7 | 15.4 | 26.4 | 27.4 | 24.5 | 23.3 | 24.3 |
| 1981 | 20.0 | --- | --- | * | 1.4 | 14.8 | 26.9 | 27.5 | 24.7 | 24.4 | 24.3 |
| 1980 | 19.9 | --- | --- | * | 1.4 | 15.0 | 27.8 | 27.5 | 23.5 | 24.0 | 23.0 |
| 1979 | 19.6 | --- | --- | * | 1.2 | 14.3 | 26.8 | 27.5 | 23.0 | 22.3 | 22.6 |
| Intentional self-harm (suicide) (E950-E959) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 4.8 | --- | --- | * | 0.9 | 3.0 | 3.9 | 4.7 | 5.5 | 7.6 | 7.8 |
| 1997 | 4.8 | --- | --- | * | 0.8 | 3.5 | 3.7 | 4.9 | 5.6 | 7.2 | 8.1 |
| 1996 | 4.7 | --- | --- | * | 0.9 | 3.8 | 3.7 | 4.7 | 5.5 | 6.8 | 7.9 |
| 1995 | 4.8 | --- | --- | * | 0.9 | 3.2 | 4.5 | 4.6 | 6.0 | 6.7 | 7.6 |
| 1994 | 4.9 | --- | --- | * | 1.0 | 3.5 | 3.9 | 5.1 | 5.6 | 7.3 | 7.5 |
| 1993 | 5.0 | --- | --- | * | 1.0 | 4.2 | 4.3 | 5.0 | 5.8 | 6.8 | 7.5 |
| 1992 | 5.0 | --- | --- | * | 1.0 | 3.6 | 4.0 | 4.4 | 6.1 | 6.8 | 7.7 |
| 1991 | 5.1 | --- | --- | * | 0.8 | 4.1 | 4.3 | 5.2 | 6.2 | 7.1 | 7.2 |
| 1990 | 5.3 | --- | --- | * | 0.9 | 4.0 | 4.4 | 5.2 | 6.7 | 7.4 | 7.4 |
| 1989 | 5.3 | --- | --- | * | 0.7 | 4.5 | 4.2 | 5.4 | 6.6 | 6.9 | 7.4 |
| 1988 | 5.5 | --- | --- | * | 0.8 | 4.7 | 4.3 | 5.6 | 6.7 | 7.2 | 7.8 |
| 1987 | 5.8 | --- | --- | * | 0.7 | 4.4 | 4.7 | 5.8 | 7.1 | 7.3 | 8.6 |
| 1986 | 5.9 | --- | --- | * | 0.7 | 4.0 | 5.3 | 5.9 | 6.7 | 7.8 | 9.1 |
| 1985 | 5.6 | --- | --- | * | 0.9 | 4.1 | 5.2 | 6.1 | 6.8 | 7.1 | 8.5 |
| 1984 | 6.0 | --- | --- | * | 0.7 | 3.8 | 5.5 | 6.1 | 7.2 | 8.0 | 9.0 |
| 1983 | 5.9 | --- | --- | * | 0.4 | 3.5 | 5.4 | 7.1 | 7.3 | 7.8 | 8.8 |
| 1982 | 6.1 | --- | --- | * | 0.5 | 3.4 | 5.4 | 7.3 | 7.7 | 8.9 | 9.5 |
| 1981 | 6.2 | --- | --- | * | 0.6 | 3.8 | 5.9 | 8.0 | 7.4 | 9.1 | 10.1 |
| 1980 | 5.9 | --- | --- | * | 0.3 | 3.3 | 5.9 | 6.9 | 8.1 | 8.8 | 9.6 |
| 1979 | 6.5 | --- | --- | * | 0.6 | 3.4 | 6.5 | 7.4 | 8.1 | 10.0 | 10.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) (E950-E959) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 5.9 | --- | --- | * | 1.1 | 6.9 | 10.9 | 10.7 | 9.5 | 6.8 | 7.4 |
| 1997 | 6.3 | --- | --- | * | 1.2 | 7.2 | 11.7 | 10.2 | 9.5 | 8.4 | 7.7 |
| 1996 | 6.5 | --- | --- | * | 1.3 | 7.5 | 11.5 | 11.6 | 10.1 | 8.9 | 8.2 |
| 1995 | 6.7 | --- | --- | * | 1.2 | 8.0 | 12.8 | 11.6 | 10.9 | 8.9 | 8.3 |
| 1994 | 7.1 | --- | --- | * | 1.3 | 9.9 | 13.8 | 12.6 | 9.9 | 10.4 | 8.1 |
| 1993 | 7.0 | --- | --- | * | 1.5 | 8.2 | 14.0 | 12.7 | 9.9 | 9.4 | 8.3 |
| 1992 | 6.7 | --- | --- | * | 1.1 | 9.0 | 12.0 | 10.7 | 10.8 | 9.4 | 8.5 |
| 1991 | 6.8 | --- | --- | * | 1.0 | 7.8 | 11.2 | 12.2 | 10.2 | 8.6 | 7.3 |
| 1990 | 7.0 | --- | --- | * | 1.2 | 7.9 | 11.7 | 12.5 | 11.1 | 10.0 | 8.3 |
| 1989 | 7.1 | --- | --- | * | 1.2 | 7.6 | 13.2 | 12.3 | 11.6 | 10.0 | 8.4 |
| 1988 | 6.8 | --- | --- | * | 1.3 | 6.8 | 10.9 | 11.4 | 13.0 | 9.5 | 7.6 |
| 1987 | 6.9 | --- | --- | * | 1.0 | 6.4 | 10.6 | 12.1 | 11.1 | 9.9 | 8.2 |
| 1986 | 6.7 | --- | --- | * | 1.2 | 5.2 | 9.8 | 12.0 | 11.4 | 10.3 | 7.4 |
| 1985 | 6.6 | --- | --- | * | 1.0 | 6.1 | 11.5 | 11.0 | 10.9 | 8.4 | 7.7 |
| 1984 | 6.5 | --- | --- | * | 0.9 | 4.8 | 10.6 | 11.9 | 10.4 | 9.6 | 7.9 |
| 1983 | 6.2 | --- | --- | * | 1.0 | 5.4 | 10.6 | 10.7 | 10.1 | 9.0 | 7.5 |
| 1982 | 6.2 | --- | --- | * | 0.9 | 4.5 | 10.8 | 12.2 | 10.9 | 9.9 | 7.6 |
| 1981 | 6.5 | --- | --- | * | * | 4.7 | 11.0 | 12.6 | 12.2 | 10.3 | 9.1 |
| 1980 | 6.4 | --- | --- | * | * | 4.7 | 11.9 | 12.3 | 12.6 | 9.3 | 9.4 |
| 1979 | 7.3 | --- | --- | * | * | 5.4 | 14.6 | 15.0 | 13.2 | 11.0 | 9.0 |
| Intentional self-harm (suicide) (E950-E959) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 10.0 | --- | --- | * | 1.6 | 11.4 | 19.2 | 19.0 | 16.2 | 11.2 | 12.3 |
| 1997 | 10.7 | --- | --- | * | 1.8 | 11.6 | 20.7 | 18.0 | 16.7 | 14.6 | 13.1 |
| 1996 | 10.9 | --- | --- | * | 2.1 | 12.4 | 20.1 | 19.8 | 17.7 | 15.4 | 13.7 |
| 1995 | 11.5 | --- | --- | * | 1.7 | 13.3 | 22.5 | 20.2 | 18.7 | 15.1 | 14.1 |
| 1994 | 12.1 | --- | --- | * | 1.8 | 16.3 | 24.2 | 22.3 | 17.3 | 18.2 | 14.1 |
| 1993 | 11.9 | --- | --- | * | 2.4 | 13.8 | 23.7 | 22.1 | 17.0 | 16.0 | 14.8 |
| 1992 | 11.5 | --- | --- | * | 1.8 | 15.3 | 20.9 | 18.8 | 18.4 | 16.4 | 13.9 |
| 1991 | 11.7 | --- | --- | * | 1.8 | 13.5 | 20.2 | 20.7 | 18.3 | 14.5 | 12.3 |
| 1990 | 11.9 | --- | --- | * | 1.7 | 13.0 | 20.6 | 21.9 | 19.0 | 16.7 | 13.9 |
| 1989 | 12.0 | --- | --- | * | 1.8 | 11.9 | 22.9 | 21.2 | 20.3 | 16.6 | 13.7 |
| 1988 | 11.5 | --- | --- | * | 1.8 | 10.9 | 19.1 | 19.6 | 23.0 | 16.8 | 10.9 |
| 1987 | 11.7 | --- | --- | * | 1.5 | 9.8 | 18.3 | 21.1 | 19.0 | 17.2 | 14.0 |
| 1986 | 11.2 | --- | --- | * | 1.9 | 7.9 | 17.0 | 21.1 | 19.1 | 18.8 | 12.0 |
| 1985 | 11.1 | --- | --- | * | 1.3 | 9.9 | 19.8 | 19.7 | 19.0 | 13.9 | 12.4 |
| 1984 | 10.8 | --- | --- | * | * | 7.3 | 18.1 | 21.2 | 17.9 | 16.5 | 13.2 |
| 1983 | 10.3 | --- | --- | * | * | 8.7 | 17.8 | 18.7 | 18.3 | 14.8 | 11.4 |
| 1982 | 10.4 | --- | --- | * | 1.6 | 7.2 | 18.1 | 21.7 | 18.3 | 16.3 | 12.4 |
| 1981 | 10.5 | --- | --- | * | * | 7.1 | 18.6 | 21.4 | 19.6 | 16.9 | 13.4 |
| 1980 | 10.6 | --- | --- | * | * | 7.5 | 20.9 | 21.4 | 20.8 | 15.2 | 14.7 |
| 1979 | 12.0 | --- | --- | * | * | 8.5 | 24.6 | 25.8 | 22.2 | 18.7 | 14.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) (E950-E959) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 2.2 | --- | --- | * | * | 2.3 | 2.9 | 3.0 | 3.5 | 2.9 | 3.0 |
| 1997 | 2.3 | --- | --- | * | * | 2.8 | 3.0 | 3.1 | 3.0 | 2.9 | 3.0 |
| 1996 | 2.4 | --- | --- | * | * | 2.5 | 3.0 | 4.1 | 3.2 | 3.1 | 3.5 |
| 1995 | 2.4 | --- | --- | * | * | 2.5 | 3.2 | 3.7 | 3.8 | 3.4 | 3.3 |
| 1994 | 2.4 | --- | --- | * | * | 3.2 | 3.6 | 3.6 | 3.3 | 3.5 | 2.8 |
| 1993 | 2.6 | --- | --- | * | * | 2.4 | 4.5 | 4.1 | 3.5 | 3.6 | 2.7 |
| 1992 | 2.4 | --- | --- | * | * | 2.6 | 3.3 | 3.2 | 3.9 | 3.3 | 3.8 |
| 1991 | 2.3 | --- | --- | * | * | 2.0 | 2.3 | 4.4 | 2.9 | 3.5 | 3.0 |
| 1990 | 2.6 | --- | --- | * | * | 2.5 | 3.0 | 3.8 | 4.2 | 4.1 | 3.5 |
| 1989 | 2.7 | --- | --- | * | * | 3.1 | 3.8 | 4.1 | 3.9 | 4.2 | 3.8 |
| 1988 | 2.6 | --- | --- | * | * | 2.6 | 2.9 | 3.9 | 4.1 | 3.3 | 4.7 |
| 1987 | 2.5 | --- | --- | * | * | 2.9 | 3.0 | 3.9 | 4.1 | 3.7 | 3.3 |
| 1986 | 2.7 | --- | --- | * | * | 2.5 | 2.9 | 3.8 | 4.5 | 2.9 | 3.5 |
| 1985 | 2.5 | --- | --- | * | * | 2.2 | 3.4 | 3.1 | 3.7 | 3.8 | 3.7 |
| 1984 | 2.6 | --- | --- | * | * | 2.3 | 3.5 | 3.6 | 3.8 | 3.7 | 3.4 |
| 1983 | 2.5 | --- | --- | * | * | 2.1 | 3.8 | 3.5 | 3.0 | 4.1 | 4.2 |
| 1982 | 2.5 | --- | --- | * | * | 1.9 | 3.9 | 3.7 | 4.5 | 4.4 | 3.5 |
| 1981 | 2.9 | --- | --- | * | * | 2.2 | 3.8 | 4.7 | 5.8 | 4.8 | 5.4 |
| 1980 | 2.6 | --- | --- | * | * | 1.8 | 3.6 | 4.4 | 5.5 | 4.3 | 4.9 |
| 1979 | 3.1 | --- | --- | * | * | 2.3 | 5.3 | 5.5 | 5.6 | 4.6 | 4.0 |
| Intentional self-harm (suicide) (E950-E959) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 5.6 | --- | --- | * | 0.9 | 6.2 | 11.1 | 10.0 | 9.7 | 6.9 | 6.9 |
| 1997 | 6.0 | --- | --- | * | 1.3 | 7.0 | 11.4 | 10.2 | 10.2 | 8.4 | 8.0 |
| 1996 | 6.3 | --- | --- | * | 1.2 | 6.6 | 12.5 | 11.2 | 10.0 | 9.3 | 8.4 |
| 1995 | 6.6 | --- | --- | * | 1.0 | 8.0 | 12.0 | 12.1 | 10.8 | 9.4 | 9.1 |
| 1994 | 6.8 | --- | --- | * | 1.3 | 9.5 | 13.5 | 12.2 | 9.8 | 10.7 | 8.7 |
| 1993 | 6.9 | --- | --- | * | 1.3 | 7.9 | 14.5 | 13.0 | 10.4 | 9.9 | 8.2 |
| 1992 | 6.7 | --- | --- | * | 1.2 | 8.4 | 11.5 | 11.0 | 11.7 | 10.0 | 9.1 |
| 1991 | 6.7 | --- | --- | * | 1.1 | 6.9 | 11.0 | 12.4 | 10.8 | 9.6 | 7.4 |
| 1990 | 6.9 | --- | --- | * | 1.1 | 6.7 | 10.6 | 12.8 | 11.7 | 10.7 | 9.1 |
| 1989 | 7.1 | --- | --- | * | 1.2 | 6.4 | 13.0 | 12.2 | 13.0 | 10.6 | 9.4 |
| 1988 | 6.8 | --- | --- | * | 1.1 | 6.1 | 10.9 | 11.6 | 13.7 | 10.2 | 7.8 |
| 1987 | 6.7 | --- | --- | * | 1.0 | 5.9 | 9.4 | 12.3 | 12.2 | 10.6 | 8.1 |
| 1986 | 6.5 | --- | --- | * | 1.0 | 4.6 | 8.9 | 12.0 | 12.4 | 10.6 | 7.5 |
| 1985 | 6.3 | --- | --- | * | 0.8 | 4.9 | 10.1 | 10.8 | 11.0 | 9.2 | 7.8 |
| 1984 | 6.2 | --- | --- | * | * | 3.8 | 9.6 | 12.0 | 11.3 | 10.0 | 8.1 |
| 1983 | 5.8 | --- | --- | * | 1.0 | 4.2 | 9.8 | 10.4 | 10.6 | 8.7 | 7.8 |
| 1982 | 6.0 | --- | --- | * | 0.8 | 3.9 | 9.6 | 12.0 | 11.0 | 10.6 | 7.8 |
| 1981 | 6.1 | --- | --- | * | * | 3.5 | 10.1 | 12.9 | 12.2 | 10.0 | 8.5 |
| 1980 | 6.0 | --- | --- | * | * | 3.6 | 11.2 | 11.9 | 12.9 | 9.1 | 10.2 |
| 1979 | 6.9 | --- | --- | * | * | 4.4 | 13.1 | 14.9 | 13.9 | 10.5 | 9.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) (E950-E959) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 9.8 | --- | --- | * | 1.3 | 10.5 | 20.1 | 18.5 | 17.2 | 11.6 | 12.3 |
| 1997 | 10.6 | --- | --- | * | 1.8 | 11.2 | 21.4 | 18.8 | 18.6 | 14.8 | 14.3 |
| 1996 | 11.1 | --- | --- | * | 1.8 | 11.4 | 22.7 | 20.2 | 18.1 | 16.9 | 14.7 |
| 1995 | 11.7 | --- | --- | * | 1.6 | 13.6 | 22.5 | 21.6 | 19.3 | 16.5 | 15.6 |
| 1994 | 12.2 | --- | --- | * | 2.1 | 16.4 | 24.6 | 22.3 | 17.5 | 19.3 | 15.3 |
| 1993 | 12.3 | --- | --- | * | 2.3 | 14.2 | 25.7 | 23.8 | 18.7 | 17.3 | 14.9 |
| 1992 | 11.9 | --- | --- | * | 2.0 | 14.7 | 21.1 | 20.2 | 20.7 | 17.9 | 15.5 |
| 1991 | 12.0 | --- | --- | * | 1.9 | 12.2 | 20.7 | 21.4 | 20.4 | 16.8 | 13.3 |
| 1990 | 12.0 | --- | --- | * | 1.6 | 11.5 | 19.0 | 22.7 | 21.0 | 18.2 | 15.3 |
| 1989 | 12.4 | --- | --- | * | 1.8 | 10.5 | 23.1 | 21.5 | 23.5 | 18.5 | 16.1 |
| 1988 | 11.7 | --- | --- | * | * | 9.8 | 19.4 | 20.4 | 24.9 | 18.6 | 12.4 |
| 1987 | 11.8 | --- | --- | * | 1.7 | 9.0 | 16.9 | 21.7 | 21.3 | 19.4 | 14.7 |
| 1986 | 11.2 | --- | --- | * | 1.6 | 7.1 | 15.7 | 21.6 | 21.5 | 20.2 | 12.7 |
| 1985 | 11.0 | --- | --- | * | * | 8.2 | 18.3 | 19.7 | 20.1 | 15.5 | 13.4 |
| 1984 | 10.7 | --- | --- | * | * | 5.9 | 16.5 | 21.5 | 20.2 | 17.9 | 14.3 |
| 1983 | 10.0 | --- | --- | * | * | 6.6 | 16.6 | 18.6 | 19.6 | 15.4 | 12.2 |
| 1982 | 10.2 | --- | --- | * | 1.5 | 6.2 | 16.7 | 21.8 | 18.9 | 17.5 | 13.4 |
| 1981 | 10.3 | --- | --- | * | * | 5.4 | 17.5 | 22.7 | 20.5 | 17.4 | 13.2 |
| 1980 | 10.3 | --- | --- | * | * | 5.6 | 20.0 | 21.5 | 22.1 | 15.3 | 16.0 |
| 1979 | 11.5 | --- | --- | * | * | 6.7 | 22.5 | 25.7 | 23.8 | 17.9 | 15.8 |
| Intentional self-harm (suicide) (E950-E959) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 1.7 | --- | --- | * | * | 1.8 | 2.6 | 2.3 | 3.0 | 2.8 | 2.2 |
| 1997 | 1.8 | --- | --- | * | * | 2.7 | 1.9 | 2.5 | 2.7 | 2.9 | 2.6 |
| 1996 | 1.9 | --- | --- | * | * | 1.8 | 2.7 | 3.0 | 2.9 | 2.6 | 2.9 |
| 1995 | 2.0 | --- | --- | * | * | 2.3 | 2.0 | 3.4 | 3.3 | 3.2 | 3.5 |
| 1994 | 2.0 | --- | --- | * | * | 2.4 | 2.9 | 2.9 | 2.9 | 3.2 | 3.0 |
| 1993 | 2.1 | --- | --- | * | * | * | 3.8 | 3.2 | 3.0 | 3.4 | 2.5 |
| 1992 | 2.0 | --- | --- | * | * | 1.9 | 2.4 | 2.6 | 3.8 | 3.0 | 3.6 |
| 1991 | 1.9 | --- | --- | * | * | * | 1.8 | 4.2 | 2.4 | 3.3 | 2.4 |
| 1990 | 2.3 | --- | --- | * | * | 1.9 | 2.6 | 3.9 | 3.5 | 4.2 | 3.7 |
| 1989 | 2.4 | --- | --- | * | * | 2.3 | 3.4 | 3.8 | 3.8 | 3.9 | 3.7 |
| 1988 | 2.4 | --- | --- | * | * | 2.3 | 2.9 | 3.8 | 4.0 | 3.0 | 4.0 |
| 1987 | 2.1 | --- | --- | * | * | 2.7 | 2.4 | 3.8 | 4.3 | 3.0 | 2.6 |
| 1986 | 2.3 | --- | --- | * | * | 2.1 | 2.4 | 3.3 | 4.4 | 2.4 | 3.2 |
| 1985 | 2.1 | --- | --- | * | * | 1.5 | 2.4 | 2.8 | 3.2 | 3.9 | 3.1 |
| 1984 | 2.2 | --- | --- | * | * | 1.7 | 3.0 | 3.5 | 3.6 | 3.4 | 3.0 |
| 1983 | 2.1 | --- | --- | * | * | 1.8 | 3.6 | 3.0 | 2.8 | 3.0 | 4.1 |
| 1982 | 2.2 | --- | --- | * | * | 1.5 | 3.0 | 3.3 | 4.2 | 4.8 | 3.1 |
| 1981 | 2.4 | --- | --- | * | * | 1.6 | 3.2 | 4.2 | 5.0 | 3.9 | 4.5 |
| 1980 | 2.2 | --- | --- | * | * | 1.6 | 3.1 | 3.5 | 5.0 | 3.9 | 5.4 |
| 1979 | 2.8 | --- | --- | * | * | 2.1 | 4.6 | 5.4 | 5.4 | 4.4 | 3.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 6.3 | --- | --- | * | 0.8 | 5.5 | 7.8 | 7.2 | 6.5 | 7.3 | 7.5 |
| 1997 | 6.4 | --- | --- | * | 0.6 | 5.9 | 8.1 | 7.4 | 7.1 | 7.4 | 7.6 |
| 1996 | 6.7 | --- | --- | * | 0.8 | 6.1 | 8.8 | 8.0 | 7.0 | 7.8 | 7.9 |
| 1995 | 6.9 | --- | --- | * | 1.0 | 6.9 | 9.8 | 8.3 | 7.9 | 7.5 | 7.8 |
| 1994 | 7.1 | --- | --- | * | 1.0 | 7.7 | 10.5 | 8.9 | 7.9 | 7.8 | 7.8 |
| 1993 | 7.3 | --- | --- | * | 1.0 | 7.3 | 10.2 | 8.8 | 8.1 | 7.7 | 7.9 |
| 1992 | 7.1 | --- | --- | * | 0.9 | 7.3 | 9.5 | 8.0 | 7.6 | 7.7 | 7.7 |
| 1991 | 7.3 | --- | --- | * | 0.9 | 7.4 | 9.5 | 8.5 | 8.2 | 7.8 | 7.6 |
| 1990 | 7.6 | --- | --- | * | 0.8 | 7.4 | 9.6 | 9.0 | 8.5 | 8.1 | 8.2 |
| 1989 | 7.4 | --- | --- | * | 0.8 | 6.8 | 9.2 | 8.6 | 8.2 | 8.0 | 7.8 |
| 1988 | 7.4 | --- | --- | * | 0.8 | 6.8 | 8.9 | 8.8 | 8.4 | 8.1 | 7.8 |
| 1987 | 7.5 | --- | --- | * | 0.9 | 6.0 | 8.9 | 8.7 | 8.2 | 8.0 | 8.0 |
| 1986 | 7.6 | --- | --- | * | 0.9 | 6.1 | 9.4 | 8.6 | 8.5 | 7.9 | 8.4 |
| 1985 | 7.3 | --- | --- | * | 0.8 | 6.0 | 9.2 | 8.9 | 7.9 | 7.5 | 8.2 |
| 1984 | 7.3 | --- | --- | * | 0.7 | 5.3 | 9.2 | 9.0 | 8.4 | 8.0 | 8.3 |
| 1983 | 7.1 | --- | --- | * | 0.6 | 5.4 | 8.9 | 9.0 | 8.5 | 7.8 | 8.1 |
| 1982 | 7.1 | --- | --- | * | 0.6 | 5.5 | 9.4 | 9.4 | 8.1 | 8.6 | 8.8 |
| 1981 | 7.0 | --- | --- | * | 0.5 | 5.5 | 9.8 | 9.8 | 8.6 | 8.5 | 8.8 |
| 1980 | 6.8 | --- | --- | * | 0.4 | 5.4 | 10.0 | 9.2 | 8.2 | 8.6 | 8.2 |
| 1979 | 6.9 | --- | --- | * | 0.5 | 5.3 | 9.9 | 9.4 | 8.2 | 8.4 | 8.6 |
| Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 11.2 | --- | --- | * | 1.2 | 9.3 | 13.7 | 12.3 | 11.1 | 12.1 | 12.8 |
| 1997 | 11.4 | --- | --- | * | 1.0 | 9.8 | 14.3 | 12.8 | 12.1 | 12.4 | 12.5 |
| 1996 | 12.0 | --- | --- | * | 1.3 | 10.2 | 15.7 | 13.7 | 12.0 | 13.1 | 13.4 |
| 1995 | 12.3 | --- | --- | * | 1.4 | 11.9 | 17.3 | 14.5 | 13.4 | 12.8 | 13.2 |
| 1994 | 12.7 | --- | --- | * | 1.4 | 13.1 | 18.8 | 15.4 | 13.3 | 12.9 | 13.1 |
| 1993 | 12.9 | --- | --- | * | 1.5 | 12.3 | 18.0 | 15.2 | 13.8 | 12.8 | 13.4 |
| 1992 | 12.6 | --- | --- | * | 1.4 | 12.6 | 16.8 | 14.0 | 13.0 | 13.0 | 13.1 |
| 1991 | 13.1 | --- | --- | * | 1.4 | 12.7 | 17.0 | 14.6 | 13.9 | 13.0 | 12.9 |
| 1990 | 13.4 | --- | --- | * | 1.2 | 12.5 | 16.7 | 15.4 | 14.3 | 13.5 | 13.8 |
| 1989 | 13.0 | --- | --- | * | 1.3 | 11.6 | 16.1 | 15.0 | 13.7 | 13.5 | 12.9 |
| 1988 | 13.1 | --- | --- | * | 1.1 | 11.4 | 15.8 | 15.2 | 14.1 | 13.6 | 13.0 |
| 1987 | 13.2 | --- | --- | * | 1.5 | 10.1 | 15.3 | 14.7 | 13.9 | 13.5 | 13.2 |
| 1986 | 13.3 | --- | --- | * | 1.4 | 10.4 | 16.0 | 14.4 | 14.4 | 13.4 | 13.7 |
| 1985 | 12.8 | --- | --- | * | 1.3 | 10.0 | 15.8 | 14.9 | 13.4 | 12.7 | 13.6 |
| 1984 | 12.6 | --- | --- | * | 1.0 | 8.7 | 15.5 | 15.3 | 14.1 | 13.2 | 13.4 |
| 1983 | 12.3 | --- | --- | * | 0.9 | 8.9 | 14.9 | 14.9 | 14.4 | 12.8 | 13.3 |
| 1982 | 12.3 | --- | --- | * | 0.9 | 9.0 | 15.9 | 15.6 | 13.3 | 14.0 | 14.2 |
| 1981 | 12.0 | --- | --- | * | 0.7 | 8.8 | 16.5 | 16.0 | 14.1 | 13.9 | 14.0 |
| 1980 | 11.8 | --- | --- | * | 0.6 | 8.9 | 17.1 | 15.7 | 13.3 | 14.0 | 13.4 |
| 1979 | 11.8 | --- | --- | * | 0.6 | 8.9 | 16.5 | 15.6 | 13.6 | 13.6 | 13.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 1.6 | --- | --- | * | 0.4 | 1.4 | 1.7 | 2.0 | 2.0 | 2.6 | 2.4 |
| 1997 | 1.7 | --- | --- | * | 0.3 | 1.7 | 1.6 | 2.0 | 2.2 | 2.5 | 2.7 |
| 1996 | 1.7 | --- | --- | * | 0.3 | 1.7 | 1.7 | 2.1 | 2.0 | 2.5 | 2.6 |
| 1995 | 1.8 | --- | --- | * | 0.5 | 1.6 | 2.1 | 2.0 | 2.4 | 2.4 | 2.6 |
| 1994 | 1.8 | --- | --- | * | 0.5 | 2.0 | 2.0 | 2.2 | 2.4 | 2.8 | 2.6 |
| 1993 | 1.9 | --- | --- | * | 0.4 | 2.0 | 2.1 | 2.4 | 2.5 | 2.6 | 2.6 |
| 1992 | 1.8 | --- | --- | * | 0.4 | 1.6 | 1.9 | 1.9 | 2.3 | 2.4 | 2.5 |
| 1991 | 1.9 | --- | --- | * | 0.4 | 1.8 | 1.8 | 2.3 | 2.4 | 2.7 | 2.4 |
| 1990 | 2.0 | --- | --- | * | 0.4 | 2.1 | 2.2 | 2.6 | 2.7 | 2.9 | 2.7 |
| 1989 | 2.0 | --- | --- | * | 0.3 | 1.9 | 2.2 | 2.2 | 2.7 | 2.5 | 2.9 |
| 1988 | 2.0 | --- | --- | * | 0.3 | 2.0 | 1.8 | 2.4 | 2.7 | 2.7 | 2.8 |
| 1987 | 2.1 | --- | --- | * | 0.4 | 1.8 | 2.3 | 2.6 | 2.7 | 2.7 | 2.9 |
| 1986 | 2.1 | --- | --- | * | 0.3 | 1.7 | 2.6 | 2.7 | 2.7 | 2.6 | 3.2 |
| 1985 | 2.1 | --- | --- | * | 0.3 | 1.8 | 2.5 | 2.7 | 2.6 | 2.5 | 3.0 |
| 1984 | 2.2 | --- | --- | * | 0.4 | 1.7 | 2.7 | 2.6 | 2.8 | 3.0 | 3.4 |
| 1983 | 2.2 | --- | --- | * | 0.3 | 1.8 | 2.9 | 3.1 | 2.6 | 3.0 | 3.1 |
| 1982 | 2.3 | --- | --- | * | 0.3 | 1.8 | 2.9 | 3.2 | 3.0 | 3.3 | 3.6 |
| 1981 | 2.3 | --- | --- | * | 0.3 | 2.0 | 3.1 | 3.6 | 3.1 | 3.3 | 3.8 |
| 1980 | 2.1 | --- | --- | * | * | 1.7 | 2.8 | 2.8 | 3.2 | 3.4 | 3.2 |
| 1979 | 2.3 | --- | --- | * | 0.3 | 1.6 | 3.2 | 3.2 | 3.0 | 3.4 | 3.5 |
| Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 7.0 | --- | --- | * | 0.8 | 5.8 | 8.2 | 7.6 | 7.0 | 8.4 | 8.5 |
| 1997 | 7.1 | --- | --- | * | 0.7 | 6.2 | 8.3 | 7.8 | 7.7 | 8.3 | 8.6 |
| 1996 | 7.4 | --- | --- | * | 0.9 | 6.3 | 9.1 | 8.3 | 7.7 | 8.5 | 8.8 |
| 1995 | 7.7 | --- | --- | * | 1.0 | 7.2 | 10.3 | 8.8 | 8.5 | 8.3 | 8.7 |
| 1994 | 7.8 | --- | --- | * | 1.1 | 7.8 | 11.1 | 9.3 | 8.5 | 8.5 | 8.5 |
| 1993 | 8.0 | --- | --- | * | 1.0 | 7.7 | 10.5 | 9.2 | 8.9 | 8.4 | 8.8 |
| 1992 | 7.8 | --- | --- | * | 1.0 | 7.4 | 10.0 | 8.6 | 8.1 | 8.3 | 8.5 |
| 1991 | 8.0 | --- | --- | * | 1.0 | 8.0 | 10.0 | 8.8 | 8.8 | 8.5 | 8.4 |
| 1990 | 8.3 | --- | --- | * | 0.9 | 8.0 | 10.1 | 9.5 | 9.1 | 8.7 | 8.9 |
| 1989 | 8.0 | --- | --- | * | 0.9 | 7.4 | 9.5 | 9.2 | 8.7 | 8.5 | 8.4 |
| 1988 | 8.1 | --- | --- | * | 0.8 | 7.5 | 9.4 | 9.4 | 8.7 | 8.8 | 8.4 |
| 1987 | 8.2 | --- | --- | * | 1.1 | 6.5 | 9.6 | 9.1 | 8.8 | 8.5 | 8.6 |
| 1986 | 8.3 | --- | --- | * | 0.9 | 6.8 | 10.2 | 9.1 | 9.1 | 8.4 | 9.1 |
| 1985 | 8.0 | --- | --- | * | 0.9 | 6.5 | 9.8 | 9.5 | 8.4 | 8.1 | 8.8 |
| 1984 | 7.9 | --- | --- | * | 0.8 | 5.9 | 9.9 | 9.4 | 9.0 | 8.5 | 9.0 |
| 1983 | 7.8 | --- | --- | * | 0.6 | 6.0 | 9.6 | 9.7 | 9.0 | 8.4 | 8.8 |
| 1982 | 7.8 | --- | --- | * | 0.7 | 6.2 | 10.2 | 10.0 | 8.6 | 9.1 | 9.5 |
| 1981 | 7.6 | --- | --- | * | 0.6 | 6.0 | 10.5 | 10.3 | 8.9 | 9.1 | 9.4 |
| 1980 | 7.3 | --- | --- | * | 0.5 | 5.9 | 10.6 | 9.6 | 8.5 | 9.1 | 8.7 |
| 1979 | 7.4 | --- | --- | * | 0.5 | 5.8 | 10.1 | 9.6 | 8.4 | 8.8 | 9.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 12.4 | --- | --- | * | 1.3 | 9.8 | 14.2 | 12.8 | 11.7 | 13.7 | 14.3 |
| 1997 | 12.5 | --- | --- | * | 1.0 | 10.2 | 14.4 | 13.3 | 12.8 | 13.6 | 13.9 |
| 1996 | 13.2 | --- | --- | * | 1.3 | 10.5 | 16.1 | 14.2 | 12.9 | 14.2 | 14.6 |
| 1995 | 13.5 | --- | --- | * | 1.5 | 12.3 | 17.9 | 15.1 | 14.2 | 13.8 | 14.5 |
| 1994 | 13.8 | --- | --- | * | 1.5 | 13.1 | 19.6 | 15.9 | 14.3 | 13.8 | 14.1 |
| 1993 | 14.1 | --- | --- | * | 1.5 | 12.8 | 18.4 | 15.7 | 14.8 | 13.8 | 14.6 |
| 1992 | 13.7 | --- | --- | * | 1.5 | 12.7 | 17.5 | 14.8 | 13.6 | 13.9 | 14.2 |
| 1991 | 14.2 | --- | --- | * | 1.5 | 13.6 | 17.7 | 15.1 | 14.8 | 14.1 | 14.0 |
| 1990 | 14.6 | --- | --- | * | 1.2 | 13.4 | 17.5 | 16.1 | 15.2 | 14.3 | 14.9 |
| 1989 | 14.2 | --- | --- | * | 1.4 | 12.5 | 16.5 | 15.8 | 14.3 | 14.4 | 13.7 |
| 1988 | 14.3 | --- | --- | * | 1.2 | 12.4 | 16.6 | 16.0 | 14.4 | 14.6 | 13.9 |
| 1987 | 14.3 | --- | --- | * | 1.7 | 10.9 | 16.3 | 15.3 | 14.6 | 14.1 | 14.0 |
| 1986 | 14.5 | --- | --- | * | 1.5 | 11.6 | 17.2 | 15.1 | 15.2 | 14.0 | 14.7 |
| 1985 | 13.9 | --- | --- | * | 1.5 | 10.8 | 16.8 | 15.9 | 14.0 | 13.6 | 14.5 |
| 1984 | 13.8 | --- | --- | * | 1.1 | 9.6 | 16.7 | 15.9 | 14.9 | 13.8 | 14.3 |
| 1983 | 13.4 | --- | --- | * | 1.0 | 9.8 | 15.9 | 15.9 | 15.1 | 13.6 | 14.3 |
| 1982 | 13.4 | --- | --- | * | 1.0 | 10.2 | 17.0 | 16.4 | 13.9 | 14.6 | 15.1 |
| 1981 | 12.9 | --- | --- | * | 0.8 | 9.7 | 17.4 | 16.6 | 14.6 | 14.6 | 14.9 |
| 1980 | 12.6 | --- | --- | * | 0.7 | 9.8 | 18.0 | 16.1 | 13.6 | 14.6 | 14.1 |
| 1979 | 12.6 | --- | --- | * | 0.6 | 9.7 | 16.9 | 15.8 | 13.7 | 14.1 | 14.6 |
| Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 1.9 | --- | --- | * | 0.4 | 1.6 | 1.9 | 2.1 | 2.2 | 3.0 | 2.7 |
| 1997 | 1.9 | --- | --- | * | 0.3 | 1.8 | 1.8 | 2.2 | 2.5 | 2.9 | 3.2 |
| 1996 | 1.9 | --- | --- | * | 0.4 | 1.9 | 1.7 | 2.2 | 2.3 | 2.8 | 2.9 |
| 1995 | 2.0 | --- | --- | * | 0.6 | 1.7 | 2.3 | 2.2 | 2.6 | 2.7 | 3.0 |
| 1994 | 2.0 | --- | --- | * | 0.6 | 2.0 | 2.1 | 2.4 | 2.6 | 3.1 | 2.9 |
| 1993 | 2.1 | --- | --- | * | 0.5 | 2.3 | 2.2 | 2.6 | 2.8 | 2.9 | 3.0 |
| 1992 | 2.0 | --- | --- | * | 0.5 | 1.7 | 2.1 | 2.2 | 2.5 | 2.7 | 2.8 |
| 1991 | 2.1 | --- | --- | * | 0.4 | 2.1 | 2.0 | 2.4 | 2.8 | 3.0 | 2.8 |
| 1990 | 2.2 | --- | --- | * | 0.5 | 2.3 | 2.4 | 2.8 | 3.0 | 3.1 | 3.0 |
| 1989 | 2.2 | --- | --- | * | 0.3 | 2.1 | 2.2 | 2.4 | 3.0 | 2.7 | 3.2 |
| 1988 | 2.2 | --- | --- | * | 0.4 | 2.2 | 1.9 | 2.7 | 2.9 | 3.0 | 3.0 |
| 1987 | 2.3 | --- | --- | * | 0.4 | 1.9 | 2.5 | 2.8 | 2.9 | 3.0 | 3.2 |
| 1986 | 2.3 | --- | --- | * | 0.4 | 1.8 | 2.9 | 2.9 | 2.9 | 2.9 | 3.6 |
| 1985 | 2.3 | --- | --- | * | 0.4 | 2.0 | 2.7 | 3.0 | 2.9 | 2.8 | 3.3 |
| 1984 | 2.4 | --- | --- | * | 0.4 | 1.9 | 3.0 | 2.8 | 3.1 | 3.2 | 3.7 |
| 1983 | 2.4 | --- | --- | * | * | 2.0 | 3.1 | 3.5 | 2.9 | 3.3 | 3.5 |
| 1982 | 2.5 | --- | --- | * | 0.3 | 2.1 | 3.2 | 3.5 | 3.2 | 3.6 | 3.9 |
| 1981 | 2.5 | --- | --- | * | 0.4 | 2.2 | 3.4 | 4.0 | 3.2 | 3.6 | 4.2 |
| 1980 | 2.3 | --- | --- | * | * | 1.9 | 3.0 | 3.1 | 3.4 | 3.6 | 3.4 |
| 1979 | 2.4 | --- | --- | * | 0.4 | 1.7 | 3.3 | 3.3 | 3.1 | 3.6 | 3.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 3.0 | --- | --- | * | 0.5 | 4.3 | 6.4 | 5.6 | 4.5 | 2.5 | 3.0 |
| 1997 | 3.2 | --- | --- | * | 0.5 | 4.7 | 7.4 | 5.8 | 4.6 | 3.3 | 2.8 |
| 1996 | 3.5 | --- | --- | * | 0.7 | 5.1 | 7.7 | 6.4 | 4.1 | 4.3 | 3.8 |
| 1995 | 3.6 | --- | --- | * | 0.6 | 5.7 | 8.0 | 6.2 | 5.3 | 4.0 | 3.1 |
| 1994 | 3.9 | --- | --- | * | 0.6 | 7.5 | 8.5 | 7.1 | 4.8 | 4.6 | 4.0 |
| 1993 | 3.8 | --- | --- | * | 0.9 | 5.6 | 9.1 | 7.0 | 4.7 | 4.3 | 3.6 |
| 1992 | 3.7 | --- | --- | * | 0.7 | 6.8 | 7.6 | 5.3 | 5.3 | 4.3 | 3.6 |
| 1991 | 3.8 | --- | --- | * | * | 5.0 | 7.2 | 6.9 | 4.8 | 4.0 | 3.3 |
| 1990 | 3.9 | --- | --- | * | 0.7 | 5.2 | 7.2 | 6.5 | 5.2 | 4.8 | 3.8 |
| 1989 | 3.8 | --- | --- | * | * | 4.3 | 7.8 | 5.8 | 5.8 | 5.0 | 4.5 |
| 1988 | 3.8 | --- | --- | * | * | 4.1 | 6.6 | 5.8 | 6.7 | 4.5 | 4.0 |
| 1987 | 3.7 | --- | --- | * | * | 4.0 | 5.7 | 6.4 | 5.3 | 5.2 | 4.1 |
| 1986 | 3.6 | --- | --- | * | * | 3.0 | 5.5 | 6.0 | 5.5 | 5.0 | 3.7 |
| 1985 | 3.5 | --- | --- | * | * | 3.5 | 6.2 | 5.2 | 5.3 | 4.0 | 4.3 |
| 1984 | 3.4 | --- | --- | * | * | 2.6 | 5.1 | 6.5 | 5.1 | 4.7 | 4.1 |
| 1983 | 3.2 | --- | --- | * | * | 2.7 | 5.7 | 5.2 | 5.3 | 4.1 | 3.6 |
| 1982 | 3.2 | --- | --- | * | * | 2.1 | 5.6 | 6.0 | 5.3 | 5.0 | 4.6 |
| 1981 | 3.5 | --- | --- | * | * | 2.7 | 6.3 | 6.6 | 6.4 | 5.1 | 4.8 |
| 1980 | 3.5 | --- | --- | * | * | 2.6 | 6.5 | 6.9 | 6.3 | 5.4 | 5.0 |
| 1979 | 4.1 | --- | --- | * | * | 3.0 | 8.2 | 8.0 | 6.9 | 5.7 | 4.7 |
| Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 5.4 | --- | --- | * | * | 7.6 | 11.8 | 10.1 | 8.3 | 4.5 | 5.4 |
| 1997 | 6.0 | --- | --- | * | * | 8.0 | 14.1 | 10.7 | 8.8 | 6.4 | 5.3 |
| 1996 | 6.3 | --- | --- | * | 1.1 | 9.2 | 14.1 | 11.3 | 7.7 | 7.5 | 6.7 |
| 1995 | 6.6 | --- | --- | * | * | 10.0 | 14.6 | 11.6 | 9.6 | 7.5 | 6.0 |
| 1994 | 7.2 | --- | --- | * | 1.1 | 13.0 | 15.5 | 13.3 | 8.4 | 8.2 | 7.4 |
| 1993 | 7.0 | --- | --- | * | 1.4 | 10.1 | 16.4 | 12.7 | 8.9 | 7.6 | 6.5 |
| 1992 | 6.9 | --- | --- | * | 1.1 | 12.1 | 13.9 | 10.0 | 9.7 | 8.4 | 6.7 |
| 1991 | 7.0 | --- | --- | * | * | 9.2 | 13.6 | 12.4 | 9.4 | 7.2 | 6.2 |
| 1990 | 7.0 | --- | --- | * | * | 9.1 | 13.2 | 11.9 | 9.5 | 8.6 | 7.2 |
| 1989 | 6.9 | --- | --- | * | * | 7.6 | 13.9 | 10.8 | 10.6 | 8.8 | 7.8 |
| 1988 | 6.8 | --- | --- | * | * | 7.2 | 11.9 | 10.6 | 12.6 | 8.0 | 7.3 |
| 1987 | 6.7 | --- | --- | * | * | 6.5 | 10.2 | 11.6 | 9.6 | 9.9 | 7.9 |
| 1986 | 6.4 | --- | --- | * | * | 4.9 | 10.1 | 10.8 | 9.6 | 9.6 | 6.8 |
| 1985 | 6.2 | --- | --- | * | * | 5.9 | 10.8 | 9.3 | 9.8 | 7.3 | 7.7 |
| 1984 | 6.0 | --- | --- | * | * | 4.1 | 9.1 | 12.0 | 9.3 | 8.6 | 7.2 |
| 1983 | 5.8 | --- | --- | * | * | 4.7 | 9.6 | 9.4 | 10.2 | 7.4 | 6.9 |
| 1982 | 5.7 | --- | --- | * | * | 3.7 | 9.7 | 11.1 | 9.4 | 9.3 | 8.1 |
| 1981 | 6.2 | --- | --- | * | * | 4.0 | 11.3 | 12.0 | 11.2 | 9.2 | 8.4 |
| 1980 | 6.3 | --- | --- | * | * | 4.5 | 11.6 | 12.9 | 11.5 | 9.6 | 8.7 |
| 1979 | 7.1 | --- | --- | * | * | 4.8 | 14.2 | 14.1 | 12.6 | 10.5 | 8.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.7 | --- | --- | * | * | 1.0 | 1.1 | 1.3 | 1.0 | * | * |
| 1997 | 0.7 | --- | --- | * | * | 1.4 | * | 1.3 | * | * | * |
| 1996 | 0.9 | --- | --- | * | * | * | 1.4 | 1.8 | * | 1.3 | 1.2 |
| 1995 | 0.8 | --- | --- | * | * | 1.4 | 1.4 | 1.2 | 1.4 | 1.0 | * |
| 1994 | 0.9 | --- | --- | * | * | 1.8 | 1.5 | 1.5 | 1.6 | 1.4 | * |
| 1993 | 0.9 | --- | --- | * | * | * | 1.8 | 1.8 | 1.0 | 1.3 | * |
| 1992 | 0.8 | --- | --- | * | * | 1.3 | 1.3 | * | 1.2 | * | * |
| 1991 | 0.8 | --- | --- | * | * | * | * | 1.9 | * | 1.2 | * |
| 1990 | 1.0 | --- | --- | * | * | 1.2 | 1.4 | 1.5 | 1.5 | 1.5 | * |
| 1989 | 1.0 | --- | --- | * | * | * | 1.9 | 1.2 | 1.5 | 1.8 | 1.6 |
| 1988 | 1.0 | --- | --- | * | * | * | 1.4 | 1.3 | 1.5 | 1.5 | * |
| 1987 | 0.9 | --- | --- | * | * | 1.4 | 1.3 | 1.7 | 1.5 | * | * |
| 1986 | 1.1 | --- | --- | * | * | * | 1.1 | 1.7 | 1.9 | * | * |
| 1985 | 1.0 | --- | --- | * | * | * | 1.7 | 1.5 | 1.3 | * | * |
| 1984 | 1.0 | --- | --- | * | * | * | 1.3 | 1.6 | 1.3 | * | * |
| 1983 | 0.8 | --- | --- | * | * | * | 2.0 | 1.4 | * | * | * |
| 1982 | 0.9 | --- | --- | * | * | * | 1.7 | 1.6 | 1.6 | * | * |
| 1981 | 1.1 | --- | --- | * | * | 1.3 | 1.7 | 1.8 | 2.3 | * | * |
| 1980 | 1.0 | --- | --- | * | * | * | 1.7 | 1.6 | 1.9 | * | * |
| 1979 | 1.3 | --- | --- | * | * | 1.2 | 2.6 | 2.6 | 2.1 | * | * |
| Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 3.1 | --- | --- | * | * | 4.3 | 7.0 | 6.3 | 5.1 | 2.8 | 2.9 |
| 1997 | 3.5 | --- | --- | * | * | 4.9 | 8.1 | 6.4 | 5.3 | 3.4 | 3.1 |
| 1996 | 3.9 | --- | --- | * | 0.7 | 5.1 | 8.9 | 6.9 | 4.6 | 4.8 | 4.3 |
| 1995 | 3.9 | --- | --- | * | * | 6.1 | 8.4 | 6.8 | 5.7 | 4.3 | 3.5 |
| 1994 | 4.2 | --- | --- | * | 0.7 | 7.9 | 9.2 | 7.7 | 5.0 | 4.6 | 4.4 |
| 1993 | 4.2 | --- | --- | * | 0.8 | 6.1 | 10.5 | 7.6 | 5.4 | 4.6 | 4.0 |
| 1992 | 4.0 | --- | --- | * | * | 6.9 | 8.1 | 6.1 | 6.2 | 4.8 | 3.8 |
| 1991 | 4.0 | --- | --- | * | * | 4.9 | 7.4 | 7.3 | 5.2 | 4.6 | 3.4 |
| 1990 | 4.1 | --- | --- | * | 0.8 | 5.0 | 7.1 | 7.1 | 5.9 | 5.4 | 4.4 |
| 1989 | 4.1 | --- | --- | * | * | 4.0 | 8.1 | 5.7 | 6.5 | 5.5 | 5.3 |
| 1988 | 4.0 | --- | --- | * | * | 3.9 | 6.6 | 6.0 | 7.3 | 5.0 | 4.7 |
| 1987 | 3.9 | --- | --- | * | * | 3.9 | 5.5 | 6.6 | 6.1 | 5.9 | 4.5 |
| 1986 | 3.7 | --- | --- | * | * | 2.9 | 5.3 | 6.3 | 6.0 | 5.2 | 4.1 |
| 1985 | 3.6 | --- | --- | * | * | 3.0 | 5.8 | 5.4 | 5.8 | 4.6 | 4.9 |
| 1984 | 3.5 | --- | --- | * | * | 2.1 | 4.8 | 6.9 | 5.7 | 5.4 | 4.6 |
| 1983 | 3.3 | --- | --- | * | * | 2.2 | 5.4 | 5.3 | 5.9 | 4.2 | 4.2 |
| 1982 | 3.2 | --- | --- | * | * | 1.8 | 4.9 | 6.2 | 5.6 | 5.6 | 5.1 |
| 1981 | 3.5 | --- | --- | * | * | 2.2 | 5.9 | 6.8 | 6.7 | 5.3 | 5.2 |
| 1980 | 3.6 | --- | --- | * | * | 2.0 | 6.2 | 6.9 | 7.3 | 5.7 | 5.6 |
| 1979 | 4.0 | --- | --- | * | * | 2.3 | 7.4 | 8.1 | 7.4 | 5.3 | 5.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 5.8 | --- | --- | * | * | 7.5 | 13.2 | 11.9 | 9.7 | 5.2 | 5.3 |
| 1997 | 6.4 | --- | --- | * | * | 8.3 | 15.5 | 11.9 | 10.1 | 6.5 | 5.9 |
| 1996 | 7.1 | --- | --- | * | * | 9.1 | 16.8 | 12.5 | 8.8 | 8.9 | 7.8 |
| 1995 | 7.2 | --- | --- | * | * | 10.5 | 15.9 | 12.8 | 10.6 | 8.3 | 6.8 |
| 1994 | 7.8 | --- | --- | * | * | 13.8 | 17.3 | 14.5 | 9.0 | 8.6 | 8.1 |
| 1993 | 7.9 | --- | --- | * | * | 11.4 | 19.5 | 14.5 | 10.4 | 8.3 | 7.3 |
| 1992 | 7.6 | --- | --- | * | * | 12.5 | 15.2 | 11.7 | 11.4 | 9.4 | 7.5 |
| 1991 | 7.6 | --- | --- | * | * | 8.9 | 14.4 | 13.3 | 10.4 | 8.4 | 6.6 |
| 1990 | 7.6 | --- | --- | * | * | 8.8 | 13.2 | 13.2 | 11.3 | 9.7 | 8.3 |
| 1989 | 7.6 | --- | --- | * | * | 7.3 | 14.6 | 10.7 | 12.3 | 9.7 | 9.5 |
| 1988 | 7.2 | --- | --- | * | * | 6.8 | 12.0 | 10.9 | 14.0 | 9.1 | 8.6 |
| 1987 | 7.2 | --- | --- | * | * | 6.4 | 10.0 | 11.9 | 11.0 | 11.5 | 8.8 |
| 1986 | 6.7 | --- | --- | * | * | 4.7 | 9.9 | 11.7 | 10.8 | 10.2 | 7.3 |
| 1985 | 6.5 | --- | --- | * | * | 5.4 | 10.5 | 9.8 | 10.7 | 8.1 | 8.9 |
| 1984 | 6.3 | --- | --- | * | * | 3.4 | 8.3 | 12.6 | 10.5 | 10.0 | 8.3 |
| 1983 | 6.0 | --- | --- | * | * | 3.8 | 9.3 | 9.5 | 11.5 | 8.0 | 8.1 |
| 1982 | 5.9 | --- | --- | * | * | 3.2 | 8.7 | 11.5 | 10.0 | 10.3 | 9.3 |
| 1981 | 6.2 | --- | --- | * | * | 3.2 | 10.3 | 12.6 | 11.7 | 9.8 | 9.5 |
| 1980 | 6.5 | --- | --- | * | * | 3.4 | 11.4 | 13.1 | 13.2 | 10.7 | 9.7 |
| 1979 | 7.0 | --- | --- | * | * | 3.6 | 12.5 | 14.3 | 13.6 | 9.9 | 9.4 |
| Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.7 | --- | --- | * | * | * | * | * | * | * | * |
| 1997 | 0.8 | --- | --- | * | * | 1.5 | * | 1.4 | * | * | * |
| 1996 | 0.9 | --- | --- | * | * | * | * | 1.8 | * | * | * |
| 1995 | 0.8 | --- | --- | * | * | 1.6 | * | * | 1.4 | * | * |
| 1994 | 1.0 | --- | --- | * | * | 1.9 | 1.4 | 1.5 | 1.4 | * | * |
| 1993 | 0.9 | --- | --- | * | * | * | 1.9 | 1.4 | * | * | * |
| 1992 | 0.8 | --- | --- | * | * | * | * | * | 1.5 | * | * |
| 1991 | 0.8 | --- | --- | * | * | * | * | 1.9 | * | * | * |
| 1990 | 1.0 | --- | --- | * | * | * | * | 1.6 | * | 1.7 | * |
| 1989 | 1.0 | --- | --- | * | * | * | 1.8 | * | 1.4 | 1.8 | * |
| 1988 | 1.1 | --- | --- | * | * | * | 1.5 | 1.6 | 1.5 | * | * |
| 1987 | 0.9 | --- | --- | * | * | * | * | 1.8 | 1.7 | * | * |
| 1986 | 1.1 | --- | --- | * | * | * | * | 1.5 | 1.8 | * | * |
| 1985 | 1.0 | --- | --- | * | * | * | 1.4 | 1.5 | * | * | * |
| 1984 | 1.0 | --- | --- | * | * | * | 1.5 | 1.8 | 1.6 | * | * |
| 1983 | 0.8 | --- | --- | * | * | * | 1.8 | 1.5 | * | * | * |
| 1982 | 0.9 | --- | --- | * | * | * | 1.4 | 1.5 | 1.7 | * | * |
| 1981 | 1.1 | --- | --- | * | * | * | 1.8 | 1.8 | 2.4 | * | * |
| 1980 | 0.9 | --- | --- | * | * | * | 1.4 | * | 2.2 | * | * |
| 1979 | 1.3 | --- | --- | * | * | * | 2.7 | 2.6 | 2.2 | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.8 | --- | --- | * | 0.8 | 3.3 | 5.4 | 6.0 | 6.6 | 7.7 | 8.0 |
| 1997 | 4.8 | --- | --- | * | 0.9 | 3.4 | 5.2 | 6.2 | 6.7 | 7.4 | 8.0 |
| 1996 | 4.7 | --- | --- | * | 0.7 | 3.5 | 5.4 | 6.2 | 6.9 | 7.5 | 7.8 |
| 1995 | 4.8 | --- | --- | * | 0.8 | 3.4 | 6.0 | 6.4 | 7.3 | 7.3 | 7.7 |
| 1994 | 4.7 | --- | --- | * | 0.7 | 3.2 | 5.6 | 6.5 | 6.8 | 7.5 | 7.4 |
| 1993 | 4.7 | --- | --- | * | 0.7 | 3.5 | 5.4 | 6.0 | 6.6 | 7.3 | 7.3 |
| 1992 | 4.8 | --- | --- | * | 0.7 | 3.5 | 5.3 | 6.0 | 7.1 | 7.3 | 7.3 |
| 1991 | 4.9 | --- | --- | * | 0.6 | 3.6 | 5.3 | 6.2 | 7.2 | 7.2 | 6.7 |
| 1990 | 4.8 | --- | --- | * | 0.7 | 3.6 | 5.5 | 6.0 | 6.9 | 7.5 | 6.7 |
| 1989 | 4.9 | --- | --- | * | 0.6 | 4.2 | 5.6 | 6.7 | 6.9 | 7.1 | 6.3 |
| 1988 | 5.0 | --- | --- | * | 0.7 | 4.3 | 5.7 | 6.6 | 7.3 | 7.2 | 6.4 |
| 1987 | 5.2 | --- | --- | * | 0.6 | 4.1 | 6.1 | 6.7 | 7.4 | 7.0 | 7.0 |
| 1986 | 5.3 | --- | --- | * | 0.7 | 4.0 | 6.2 | 7.1 | 7.5 | 7.4 | 6.6 |
| 1985 | 5.1 | --- | --- | * | 0.8 | 3.9 | 6.2 | 6.7 | 7.1 | 6.8 | 6.7 |
| 1984 | 5.2 | --- | --- | * | 0.6 | 3.7 | 6.3 | 6.8 | 7.0 | 7.2 | 6.7 |
| 1983 | 5.0 | --- | --- | * | 0.5 | 3.3 | 5.7 | 6.9 | 7.1 | 6.6 | 6.9 |
| 1982 | 5.0 | --- | --- | * | 0.5 | 3.2 | 5.8 | 7.3 | 7.3 | 6.7 | 6.8 |
| 1981 | 5.0 | --- | --- | * | 0.4 | 3.2 | 5.8 | 7.3 | 7.0 | 7.3 | 7.2 |
| 1980 | 5.1 | --- | --- | * | 0.3 | 3.1 | 6.2 | 7.3 | 7.2 | 6.8 | 7.1 |
| 1979 | 5.2 | --- | --- | * | 0.4 | 3.1 | 6.5 | 7.8 | 7.0 | 7.0 | 6.9 |
| Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 7.0 | --- | --- | * | 1.2 | 5.0 | 8.6 | 9.6 | 10.1 | 11.2 | 11.5 |
| 1997 | 7.0 | --- | --- | * | 1.3 | 5.2 | 8.3 | 9.8 | 10.4 | 11.0 | 11.7 |
| 1996 | 7.0 | --- | --- | * | 0.9 | 5.2 | 8.7 | 9.9 | 10.6 | 11.4 | 11.2 |
| 1995 | 7.1 | --- | --- | * | 1.2 | 5.3 | 9.7 | 10.2 | 11.4 | 10.8 | 11.2 |
| 1994 | 6.9 | --- | --- | * | 0.9 | 4.8 | 9.2 | 10.3 | 10.9 | 11.2 | 10.6 |
| 1993 | 6.8 | --- | --- | * | 0.9 | 5.1 | 8.4 | 9.6 | 10.2 | 11.0 | 10.6 |
| 1992 | 6.9 | --- | --- | * | 1.0 | 5.0 | 8.6 | 9.6 | 10.7 | 10.9 | 10.2 |
| 1991 | 7.0 | --- | --- | * | 0.9 | 5.2 | 8.4 | 9.7 | 11.2 | 10.7 | 9.3 |
| 1990 | 7.0 | --- | --- | * | 1.0 | 5.5 | 9.0 | 9.5 | 10.3 | 11.1 | 9.4 |
| 1989 | 7.0 | --- | --- | * | 0.8 | 6.0 | 9.2 | 10.4 | 10.3 | 10.3 | 8.6 |
| 1988 | 7.1 | --- | --- | * | 0.9 | 6.2 | 9.0 | 10.3 | 11.1 | 10.6 | 8.3 |
| 1987 | 7.4 | --- | --- | * | 0.9 | 5.9 | 10.0 | 10.6 | 10.9 | 10.1 | 9.1 |
| 1986 | 7.5 | --- | --- | * | 1.0 | 5.8 | 9.9 | 11.3 | 11.4 | 10.5 | 8.2 |
| 1985 | 7.2 | --- | --- | * | 1.0 | 5.8 | 9.9 | 10.5 | 10.5 | 9.7 | 8.6 |
| 1984 | 7.1 | --- | --- | * | 1.0 | 5.5 | 10.2 | 10.5 | 10.3 | 10.1 | 8.6 |
| 1983 | 6.9 | --- | --- | * | 0.7 | 5.0 | 9.1 | 10.4 | 10.3 | 9.1 | 8.9 |
| 1982 | 6.9 | --- | --- | * | 0.8 | 5.0 | 9.3 | 11.0 | 10.3 | 8.4 | 8.5 |
| 1981 | 6.7 | --- | --- | * | 0.6 | 4.7 | 9.2 | 10.7 | 9.9 | 9.6 | 8.9 |
| 1980 | 6.9 | --- | --- | * | 0.6 | 4.9 | 9.7 | 11.0 | 9.9 | 8.9 | 8.5 |
| 1979 | 6.7 | --- | --- | * | 0.5 | 4.5 | 10.0 | 11.7 | 9.3 | 8.2 | 7.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 2.6 | --- | --- | * | 0.5 | 1.4 | 2.0 | 2.4 | 3.1 | 4.2 | 4.6 |
| 1997 | 2.6 | --- | --- | * | 0.5 | 1.6 | 2.0 | 2.5 | 2.9 | 3.9 | 4.4 |
| 1996 | 2.6 | --- | --- | * | 0.5 | 1.8 | 1.9 | 2.5 | 3.1 | 3.6 | 4.5 |
| 1995 | 2.6 | --- | --- | * | 0.3 | 1.4 | 2.1 | 2.4 | 3.3 | 3.7 | 4.3 |
| 1994 | 2.6 | --- | --- | * | 0.4 | 1.5 | 1.9 | 2.6 | 2.8 | 3.8 | 4.2 |
| 1993 | 2.7 | --- | --- | * | 0.5 | 1.8 | 2.3 | 2.4 | 2.9 | 3.6 | 4.1 |
| 1992 | 2.8 | --- | --- | * | 0.5 | 1.8 | 1.9 | 2.3 | 3.4 | 3.8 | 4.6 |
| 1991 | 2.8 | --- | --- | * | 0.3 | 1.9 | 2.1 | 2.7 | 3.2 | 3.8 | 4.1 |
| 1990 | 2.8 | --- | --- | * | 0.4 | 1.6 | 1.9 | 2.4 | 3.5 | 4.0 | 4.2 |
| 1989 | 2.9 | --- | --- | * | 0.4 | 2.4 | 2.0 | 3.0 | 3.4 | 4.0 | 4.0 |
| 1988 | 3.0 | --- | --- | * | 0.4 | 2.4 | 2.2 | 2.9 | 3.6 | 3.8 | 4.6 |
| 1987 | 3.2 | --- | --- | * | 0.3 | 2.3 | 2.1 | 2.8 | 3.9 | 4.0 | 4.9 |
| 1986 | 3.3 | --- | --- | * | 0.3 | 2.1 | 2.3 | 2.8 | 3.6 | 4.4 | 5.1 |
| 1985 | 3.1 | --- | --- | * | 0.5 | 1.9 | 2.4 | 2.8 | 3.7 | 4.0 | 4.8 |
| 1984 | 3.3 | --- | --- | * | 0.3 | 1.8 | 2.5 | 3.1 | 3.9 | 4.4 | 4.8 |
| 1983 | 3.2 | --- | --- | * | 0.3 | 1.5 | 2.3 | 3.4 | 4.0 | 4.3 | 5.0 |
| 1982 | 3.3 | --- | --- | * | * | 1.3 | 2.2 | 3.5 | 4.3 | 5.0 | 5.1 |
| 1981 | 3.4 | --- | --- | * | * | 1.5 | 2.5 | 3.9 | 4.1 | 5.2 | 5.6 |
| 1980 | 3.4 | --- | --- | * | * | 1.3 | 2.7 | 3.7 | 4.5 | 4.8 | 5.8 |
| 1979 | 3.7 | --- | --- | * | * | 1.6 | 3.1 | 3.9 | 4.8 | 5.8 | 6.0 |
| Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 5.2 | --- | --- | * | 0.9 | 3.5 | 5.6 | 6.2 | 7.0 | 8.4 | 8.8 |
| 1997 | 5.1 | --- | --- | * | 0.9 | 3.7 | 5.4 | 6.6 | 7.1 | 7.9 | 8.6 |
| 1996 | 5.1 | --- | --- | * | 0.7 | 3.8 | 5.8 | 6.5 | 7.0 | 8.1 | 8.5 |
| 1995 | 5.1 | --- | --- | * | 0.8 | 3.7 | 6.3 | 6.6 | 7.7 | 7.8 | 8.2 |
| 1994 | 5.0 | --- | --- | * | 0.7 | 3.4 | 5.6 | 6.7 | 7.2 | 7.9 | 8.0 |
| 1993 | 5.0 | --- | --- | * | 0.7 | 3.7 | 5.5 | 6.1 | 6.9 | 7.7 | 7.8 |
| 1992 | 5.1 | --- | --- | * | 0.8 | 3.8 | 5.5 | 6.1 | 7.4 | 7.8 | 7.8 |
| 1991 | 5.2 | --- | --- | * | 0.6 | 3.8 | 5.6 | 6.5 | 7.6 | 7.7 | 7.2 |
| 1990 | 5.1 | --- | --- | * | 0.7 | 3.9 | 5.8 | 6.0 | 7.1 | 7.9 | 7.1 |
| 1989 | 5.2 | --- | --- | * | 0.6 | 4.5 | 5.7 | 6.7 | 7.1 | 7.5 | 6.7 |
| 1988 | 5.4 | --- | --- | * | 0.7 | 4.7 | 6.0 | 6.8 | 7.5 | 7.6 | 6.8 |
| 1987 | 5.6 | --- | --- | * | 0.6 | 4.5 | 6.3 | 6.9 | 7.7 | 7.4 | 7.4 |
| 1986 | 5.7 | --- | --- | * | 0.7 | 4.3 | 6.5 | 7.3 | 7.8 | 7.8 | 7.1 |
| 1985 | 5.4 | --- | --- | * | 0.8 | 4.2 | 6.3 | 6.8 | 7.4 | 7.2 | 7.2 |
| 1984 | 5.5 | --- | --- | * | 0.6 | 4.0 | 6.5 | 7.0 | 7.4 | 7.6 | 7.1 |
| 1983 | 5.3 | --- | --- | * | 0.5 | 3.4 | 5.8 | 7.1 | 7.5 | 6.9 | 7.4 |
| 1982 | 5.4 | --- | --- | * | 0.5 | 3.3 | 5.9 | 7.5 | 7.5 | 7.0 | 7.4 |
| 1981 | 5.3 | --- | --- | * | 0.4 | 3.4 | 6.1 | 7.5 | 7.2 | 7.7 | 7.7 |
| 1980 | 5.4 | --- | --- | * | 0.4 | 3.3 | 6.3 | 7.6 | 7.3 | 7.2 | 7.5 |
| 1979 | 5.5 | --- | --- | * | 0.4 | 3.2 | 6.6 | 7.9 | 7.2 | 7.2 | 7.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 7.5 | --- | --- | * | 1.2 | 5.4 | 8.9 | 9.7 | 10.5 | 12.1 | 12.4 |
| 1997 | 7.4 | --- | --- | * | 1.4 | 5.6 | 8.7 | 10.4 | 11.0 | 11.5 | 12.4 |
| 1996 | 7.5 | --- | --- | * | 0.9 | 5.7 | 9.4 | 10.2 | 10.7 | 12.1 | 12.0 |
| 1995 | 7.6 | --- | --- | * | 1.3 | 5.7 | 10.2 | 10.6 | 11.9 | 11.5 | 11.8 |
| 1994 | 7.3 | --- | --- | * | 1.0 | 5.2 | 9.3 | 10.6 | 11.3 | 11.5 | 11.3 |
| 1993 | 7.2 | --- | --- | * | 0.9 | 5.4 | 8.7 | 9.7 | 10.7 | 11.5 | 11.0 |
| 1992 | 7.4 | --- | --- | * | 1.0 | 5.5 | 9.0 | 9.8 | 11.1 | 11.5 | 10.7 |
| 1991 | 7.4 | --- | --- | * | 0.9 | 5.4 | 8.8 | 10.0 | 11.7 | 11.3 | 9.9 |
| 1990 | 7.3 | --- | --- | * | 1.1 | 5.9 | 9.3 | 9.5 | 10.5 | 11.6 | 9.8 |
| 1989 | 7.4 | --- | --- | * | 0.8 | 6.4 | 9.2 | 10.4 | 10.4 | 10.8 | 9.1 |
| 1988 | 7.5 | --- | --- | * | 0.9 | 6.8 | 9.4 | 10.6 | 11.2 | 10.9 | 9.0 |
| 1987 | 7.8 | --- | --- | * | 0.9 | 6.4 | 10.4 | 10.8 | 11.2 | 10.5 | 9.5 |
| 1986 | 7.9 | --- | --- | * | 0.9 | 6.4 | 10.5 | 11.5 | 11.7 | 10.7 | 8.7 |
| 1985 | 7.6 | --- | --- | * | 1.1 | 6.2 | 10.1 | 10.5 | 10.8 | 10.1 | 9.2 |
| 1984 | 7.5 | --- | --- | * | 1.0 | 6.0 | 10.4 | 10.7 | 10.6 | 10.4 | 9.0 |
| 1983 | 7.3 | --- | --- | * | 0.7 | 5.2 | 9.2 | 10.6 | 10.7 | 9.3 | 9.5 |
| 1982 | 7.3 | --- | --- | * | 0.7 | 5.3 | 9.5 | 11.1 | 10.6 | 8.6 | 9.2 |
| 1981 | 7.0 | --- | --- | * | 0.7 | 5.1 | 9.5 | 10.9 | 10.1 | 9.8 | 9.4 |
| 1980 | 7.3 | --- | --- | * | 0.6 | 5.2 | 9.7 | 11.4 | 9.9 | 9.4 | 8.9 |
| 1979 | 7.0 | --- | --- | * | 0.6 | 4.6 | 9.9 | 11.7 | 9.3 | 8.2 | 8.0 |
| Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 2.9 | --- | --- | * | 0.5 | 1.4 | 2.0 | 2.6 | 3.3 | 4.6 | 5.1 |
| 1997 | 2.9 | --- | --- | * | 0.5 | 1.7 | 1.9 | 2.7 | 3.0 | 4.3 | 4.9 |
| 1996 | 2.8 | --- | --- | * | 0.5 | 1.9 | 2.0 | 2.6 | 3.3 | 4.0 | 5.0 |
| 1995 | 2.8 | --- | --- | * | 0.3 | 1.5 | 2.1 | 2.4 | 3.5 | 4.0 | 4.6 |
| 1994 | 2.8 | --- | --- | * | 0.4 | 1.5 | 1.8 | 2.7 | 3.0 | 4.2 | 4.6 |
| 1993 | 2.9 | --- | --- | * | 0.6 | 1.9 | 2.1 | 2.4 | 3.0 | 3.9 | 4.5 |
| 1992 | 3.0 | --- | --- | * | 0.6 | 1.9 | 1.9 | 2.3 | 3.6 | 4.0 | 4.9 |
| 1991 | 3.1 | --- | --- | * | 0.3 | 2.0 | 2.3 | 2.8 | 3.4 | 4.1 | 4.5 |
| 1990 | 3.0 | --- | --- | * | 0.4 | 1.7 | 2.0 | 2.4 | 3.7 | 4.3 | 4.5 |
| 1989 | 3.1 | --- | --- | * | 0.4 | 2.4 | 2.0 | 3.0 | 3.7 | 4.3 | 4.3 |
| 1988 | 3.3 | --- | --- | * | 0.4 | 2.5 | 2.4 | 2.9 | 3.8 | 4.2 | 4.7 |
| 1987 | 3.4 | --- | --- | * | * | 2.5 | 2.2 | 3.0 | 4.2 | 4.3 | 5.4 |
| 1986 | 3.6 | --- | --- | * | 0.4 | 2.2 | 2.4 | 3.0 | 3.8 | 4.9 | 5.6 |
| 1985 | 3.3 | --- | --- | * | 0.5 | 2.1 | 2.5 | 3.1 | 4.0 | 4.3 | 5.2 |
| 1984 | 3.6 | --- | --- | * | * | 1.9 | 2.5 | 3.3 | 4.1 | 4.7 | 5.3 |
| 1983 | 3.5 | --- | --- | * | * | 1.5 | 2.4 | 3.6 | 4.4 | 4.5 | 5.3 |
| 1982 | 3.6 | --- | --- | * | * | 1.3 | 2.2 | 3.8 | 4.5 | 5.3 | 5.6 |
| 1981 | 3.7 | --- | --- | * | * | 1.7 | 2.6 | 4.0 | 4.2 | 5.5 | 6.0 |
| 1980 | 3.6 | --- | --- | * | * | 1.4 | 2.9 | 3.8 | 4.7 | 5.1 | 6.2 |
| 1979 | 4.1 | --- | --- | * | * | 1.7 | 3.2 | 4.1 | 5.0 | 6.3 | 6.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 3.0 | --- | --- | * | 0.6 | 2.6 | 4.5 | 5.1 | 5.1 | 4.3 | 4.4 |
| 1997 | 3.1 | --- | --- | * | 0.7 | 2.5 | 4.3 | 4.4 | 4.9 | 5.1 | 4.9 |
| 1996 | 3.0 | --- | --- | * | 0.6 | 2.4 | 3.8 | 5.2 | 6.0 | 4.6 | 4.4 |
| 1995 | 3.2 | --- | --- | * | 0.6 | 2.3 | 4.8 | 5.5 | 5.6 | 4.9 | 5.2 |
| 1994 | 3.1 | --- | --- | * | 0.6 | 2.4 | 5.4 | 5.5 | 5.1 | 5.8 | 4.1 |
| 1993 | 3.2 | --- | --- | * | 0.6 | 2.6 | 4.9 | 5.7 | 5.2 | 5.2 | 4.8 |
| 1992 | 3.1 | --- | --- | * | * | 2.3 | 4.5 | 5.4 | 5.5 | 5.1 | 4.9 |
| 1991 | 3.1 | --- | --- | * | 0.6 | 2.8 | 4.0 | 5.3 | 5.4 | 4.6 | 4.1 |
| 1990 | 3.2 | --- | --- | * | * | 2.6 | 4.5 | 6.0 | 5.9 | 5.2 | 4.5 |
| 1989 | 3.3 | --- | --- | * | 0.7 | 3.2 | 5.4 | 6.5 | 5.9 | 4.9 | 3.9 |
| 1988 | 3.1 | --- | --- | * | 0.7 | 2.7 | 4.3 | 5.7 | 6.2 | 5.0 | 3.5 |
| 1987 | 3.2 | --- | --- | * | 0.7 | 2.4 | 4.9 | 5.6 | 5.8 | 4.7 | 4.1 |
| 1986 | 3.1 | --- | --- | * | 0.7 | 2.3 | 4.3 | 6.0 | 5.9 | 5.3 | 3.7 |
| 1985 | 3.1 | --- | --- | * | 0.7 | 2.6 | 5.3 | 5.8 | 5.6 | 4.4 | 3.4 |
| 1984 | 3.1 | --- | --- | * | 0.7 | 2.3 | 5.5 | 5.4 | 5.3 | 4.9 | 3.8 |
| 1983 | 3.0 | --- | --- | * | 0.7 | 2.7 | 4.9 | 5.5 | 4.8 | 4.9 | 3.9 |
| 1982 | 3.1 | --- | --- | * | * | 2.4 | 5.2 | 6.1 | 5.7 | 4.9 | 3.0 |
| 1981 | 3.0 | --- | --- | * | * | 2.0 | 4.6 | 6.0 | 5.8 | 5.3 | 4.3 |
| 1980 | 2.9 | --- | --- | * | * | 2.1 | 5.4 | 5.4 | 6.2 | 3.9 | 4.4 |
| 1979 | 3.2 | --- | --- | * | * | 2.4 | 6.4 | 7.0 | 6.3 | 5.3 | 4.3 |
| Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 4.7 | --- | --- | * | * | 3.8 | 7.4 | 8.9 | 7.9 | 6.7 | 6.9 |
| 1997 | 4.7 | --- | --- | * | 1.1 | 3.7 | 6.6 | 7.4 | 7.9 | 8.3 | 7.8 |
| 1996 | 4.6 | --- | --- | * | 1.0 | 3.2 | 6.0 | 8.5 | 10.0 | 7.9 | 7.0 |
| 1995 | 4.9 | --- | --- | * | * | 3.4 | 7.9 | 8.7 | 9.1 | 7.6 | 8.1 |
| 1994 | 4.9 | --- | --- | * | * | 3.4 | 8.7 | 9.1 | 8.9 | 9.9 | 6.7 |
| 1993 | 4.9 | --- | --- | * | * | 3.7 | 7.2 | 9.4 | 8.1 | 8.4 | 8.3 |
| 1992 | 4.6 | --- | --- | * | * | 3.2 | 7.0 | 8.8 | 8.7 | 8.0 | 7.2 |
| 1991 | 4.7 | --- | --- | * | * | 4.3 | 6.7 | 8.3 | 8.9 | 7.3 | 6.2 |
| 1990 | 4.9 | --- | --- | * | * | 3.9 | 7.4 | 10.0 | 9.5 | 8.1 | 6.7 |
| 1989 | 5.0 | --- | --- | * | * | 4.3 | 9.0 | 10.4 | 9.8 | 7.8 | 5.9 |
| 1988 | 4.6 | --- | --- | * | * | 3.7 | 7.2 | 9.0 | 10.4 | 8.8 | 3.6 |
| 1987 | 4.9 | --- | --- | * | * | 3.3 | 8.1 | 9.4 | 9.3 | 7.3 | 6.1 |
| 1986 | 4.8 | --- | --- | * | * | 3.0 | 6.9 | 10.3 | 9.5 | 9.2 | 5.2 |
| 1985 | 4.9 | --- | --- | * | * | 4.0 | 9.0 | 10.4 | 9.2 | 6.6 | 4.7 |
| 1984 | 4.8 | --- | --- | * | * | 3.2 | 9.0 | 9.2 | 8.6 | 7.9 | 5.9 |
| 1983 | 4.6 | --- | --- | * | * | 4.0 | 8.2 | 9.3 | 8.1 | 7.5 | 4.5 |
| 1982 | 4.7 | --- | --- | * | * | 3.5 | 8.4 | 10.6 | 8.8 | 7.0 | 4.3 |
| 1981 | 4.3 | --- | --- | * | * | 3.1 | 7.4 | 9.4 | 8.5 | 7.7 | 5.0 |
| 1980 | 4.4 | --- | --- | * | * | 3.0 | 9.2 | 8.5 | 9.3 | 5.6 | 6.0 |
| 1979 | 4.8 | --- | --- | * | * | 3.8 | 10.3 | 11.7 | 9.6 | 8.2 | 6.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.5 | --- | --- | * | * | 1.4 | 1.7 | 1.7 | 2.5 | 2.2 | 2.2 |
| 1997 | 1.6 | --- | --- | * | * | 1.4 | 2.0 | 1.8 | 2.2 | 2.3 | 2.3 |
| 1996 | 1.5 | --- | --- | * | * | 1.6 | 1.6 | 2.2 | 2.5 | 1.7 | 2.2 |
| 1995 | 1.6 | --- | --- | * | * | 1.1 | 1.8 | 2.5 | 2.4 | 2.4 | 2.6 |
| 1994 | 1.5 | --- | --- | * | * | 1.4 | 2.1 | 2.1 | 1.7 | 2.2 | 1.9 |
| 1993 | 1.7 | --- | --- | * | * | 1.5 | 2.7 | 2.3 | 2.5 | 2.3 | 1.7 |
| 1992 | 1.7 | --- | --- | * | * | 1.3 | 2.0 | 2.3 | 2.6 | 2.6 | 2.9 |
| 1991 | 1.5 | --- | --- | * | * | 1.2 | 1.4 | 2.5 | 2.2 | 2.3 | 2.3 |
| 1990 | 1.6 | --- | --- | * | * | 1.3 | 1.5 | 2.3 | 2.7 | 2.6 | 2.5 |
| 1989 | 1.7 | --- | --- | * | * | 2.1 | 1.9 | 2.9 | 2.4 | 2.5 | 2.2 |
| 1988 | 1.6 | --- | --- | * | * | 1.7 | 1.5 | 2.6 | 2.6 | 1.8 | 3.4 |
| 1987 | 1.6 | --- | --- | * | * | 1.5 | 1.7 | 2.2 | 2.6 | 2.5 | 2.4 |
| 1986 | 1.6 | --- | --- | * | * | 1.5 | 1.8 | 2.2 | 2.6 | 1.9 | 2.4 |
| 1985 | 1.6 | --- | --- | * | * | 1.2 | 1.7 | 1.6 | 2.4 | 2.6 | 2.3 |
| 1984 | 1.6 | --- | --- | * | * | 1.3 | 2.1 | 1.9 | 2.4 | 2.4 | * |
| 1983 | 1.7 | --- | --- | * | * | 1.4 | 1.9 | 2.1 | 2.0 | 2.8 | 3.3 |
| 1982 | 1.6 | --- | --- | * | * | 1.4 | 2.2 | 2.1 | 2.9 | 3.1 | * |
| 1981 | 1.8 | --- | --- | * | * | * | 2.1 | 2.9 | 3.5 | 3.2 | 3.6 |
| 1980 | 1.6 | --- | --- | * | * | 1.2 | 1.9 | 2.7 | 3.6 | 2.4 | 3.0 |
| 1979 | 1.8 | --- | --- | * | * | * | 2.7 | 2.8 | 3.5 | 2.9 | 2.7 |
| Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.4 | --- | --- | * | * | 2.0 | 4.1 | 3.7 | 4.7 | 4.1 | 4.0 |
| 1997 | 2.6 | --- | --- | * | 0.7 | 2.1 | 3.3 | 3.8 | 4.9 | 5.0 | 5.0 |
| 1996 | 2.4 | --- | --- | * | * | 1.5 | 3.6 | 4.3 | 5.5 | 4.5 | 4.1 |
| 1995 | 2.7 | --- | --- | * | * | 1.9 | 3.7 | 5.3 | 5.1 | 5.1 | 5.5 |
| 1994 | 2.6 | --- | --- | * | * | 1.6 | 4.3 | 4.5 | 4.8 | 6.1 | 4.3 |
| 1993 | 2.7 | --- | --- | * | * | 1.8 | 4.0 | 5.3 | 4.9 | 5.3 | 4.3 |
| 1992 | 2.7 | --- | --- | * | * | 1.4 | 3.5 | 4.9 | 5.6 | 5.1 | 5.2 |
| 1991 | 2.7 | --- | --- | * | * | 2.0 | 3.7 | 5.1 | 5.6 | 5.0 | 4.0 |
| 1990 | 2.8 | --- | --- | * | * | 1.7 | 3.5 | 5.8 | 5.8 | 5.3 | 4.7 |
| 1989 | 3.0 | --- | --- | * | * | 2.4 | 5.0 | 6.5 | 6.5 | 5.2 | 4.1 |
| 1988 | 2.8 | --- | --- | * | * | 2.1 | 4.3 | 5.7 | 6.4 | 5.2 | 3.1 |
| 1987 | 2.8 | --- | --- | * | * | 2.0 | 4.0 | 5.7 | 6.2 | 4.7 | 3.7 |
| 1986 | 2.8 | --- | --- | * | * | 1.8 | 3.6 | 5.7 | 6.4 | 5.5 | 3.5 |
| 1985 | 2.7 | --- | --- | * | * | 1.9 | 4.3 | 5.3 | 5.3 | 4.6 | 2.9 |
| 1984 | 2.7 | --- | --- | * | * | 1.7 | 4.8 | 5.1 | 5.6 | 4.6 | 3.5 |
| 1983 | 2.6 | --- | --- | * | * | 1.9 | 4.4 | 5.1 | 4.7 | 4.4 | 3.6 |
| 1982 | 2.7 | --- | --- | * | * | 2.1 | 4.6 | 5.8 | 5.4 | 5.0 | 2.7 |
| 1981 | 2.6 | --- | --- | * | * | 1.3 | 4.2 | 6.1 | 5.5 | 4.8 | 3.2 |
| 1980 | 2.5 | --- | --- | * | * | 1.6 | 5.0 | 5.1 | 5.6 | 3.3 | 4.6 |
| 1979 | 2.9 | --- | --- | * | * | 2.1 | 5.8 | 6.8 | 6.5 | 5.2 | 4.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 4.0 | --- | --- | * | * | 3.1 | 6.9 | 6.6 | 7.5 | 6.3 | 6.9 |
| 1997 | 4.2 | --- | --- | * | * | 3.0 | 6.0 | 6.9 | 8.4 | 8.2 | 8.4 |
| 1996 | 4.0 | --- | --- | * | * | 2.2 | 5.9 | 7.7 | 9.2 | 8.0 | 6.9 |
| 1995 | 4.5 | --- | --- | * | * | 3.1 | 6.6 | 8.8 | 8.8 | 8.3 | 8.8 |
| 1994 | 4.4 | --- | --- | * | * | 2.6 | 7.3 | 7.9 | 8.5 | 10.7 | 7.2 |
| 1993 | 4.4 | --- | --- | * | * | 2.9 | 6.2 | 9.3 | 8.4 | 9.0 | 7.6 |
| 1992 | 4.3 | --- | --- | * | * | 2.2 | 5.9 | 8.5 | 9.3 | 8.6 | 8.0 |
| 1991 | 4.4 | --- | --- | * | * | 3.3 | 6.3 | 8.1 | 10.1 | 8.4 | 6.6 |
| 1990 | 4.4 | --- | --- | * | * | 2.7 | 5.9 | 9.5 | 9.8 | 8.5 | 7.0 |
| 1989 | 4.9 | --- | --- | * | * | 3.2 | 8.5 | 10.8 | 11.2 | 8.8 | 6.6 |
| 1988 | 4.5 | --- | --- | * | * | 2.9 | 7.4 | 9.5 | 10.9 | 9.5 | 3.8 |
| 1987 | 4.6 | --- | --- | * | * | 2.6 | 6.8 | 9.8 | 10.3 | 7.9 | 5.9 |
| 1986 | 4.5 | --- | --- | * | * | 2.4 | 5.9 | 10.0 | 10.7 | 10.1 | 5.4 |
| 1985 | 4.4 | --- | --- | * | * | 2.9 | 7.7 | 9.8 | 9.4 | 7.3 | 4.5 |
| 1984 | 4.4 | --- | --- | * | * | 2.5 | 8.2 | 8.9 | 9.8 | 7.8 | 6.0 |
| 1983 | 4.1 | --- | --- | * | * | 2.8 | 7.2 | 9.2 | 8.1 | 7.5 | 4.1 |
| 1982 | 4.3 | --- | --- | * | * | 3.0 | 8.0 | 10.2 | 8.9 | 7.2 | 4.1 |
| 1981 | 4.0 | --- | --- | * | * | 2.3 | 7.2 | 10.1 | 8.9 | 7.6 | 3.7 |
| 1980 | 3.8 | --- | --- | * | * | 2.2 | 8.6 | 8.4 | 8.9 | 4.7 | 6.3 |
| 1979 | 4.5 | --- | --- | * | * | 3.1 | 9.9 | 11.4 | 10.2 | 8.0 | 6.4 |
| Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 1.0 | --- | --- | * | * | * | 1.5 | * | 2.2 | 2.1 | 1.5 |
| 1997 | 1.1 | --- | --- | * | * | * | * | * | 1.7 | 2.2 | 2.0 |
| 1996 | 1.0 | --- | --- | * | * | * | * | * | 2.2 | 1.4 | 1.6 |
| 1995 | 1.1 | --- | --- | * | * | * | * | 2.1 | 1.9 | 2.3 | 2.7 |
| 1994 | 1.0 | --- | --- | * | * | * | 1.4 | 1.4 | 1.5 | 2.0 | 1.8 |
| 1993 | 1.2 | --- | --- | * | * | * | 1.9 | 1.8 | 1.9 | 2.2 | * |
| 1992 | 1.2 | --- | --- | * | * | * | * | 1.7 | 2.3 | 2.1 | 2.9 |
| 1991 | 1.1 | --- | --- | * | * | * | * | 2.3 | 1.6 | 2.0 | 1.8 |
| 1990 | 1.3 | --- | --- | * | * | * | * | 2.3 | 2.3 | 2.5 | 2.7 |
| 1989 | 1.4 | --- | --- | * | * | 1.6 | 1.6 | 2.5 | 2.4 | 2.1 | * |
| 1988 | 1.3 | --- | --- | * | * | * | * | 2.2 | 2.5 | * | 2.5 |
| 1987 | 1.2 | --- | --- | * | * | * | * | 2.0 | 2.6 | 1.9 | * |
| 1986 | 1.3 | --- | --- | * | * | * | 1.4 | 1.8 | 2.6 | * | * |
| 1985 | 1.1 | --- | --- | * | * | * | * | * | 1.7 | 2.3 | * |
| 1984 | 1.2 | --- | --- | * | * | * | 1.6 | 1.7 | 1.9 | * | * |
| 1983 | 1.2 | --- | --- | * | * | * | 1.8 | 1.4 | 1.8 | * | 3.2 |
| 1982 | 1.3 | --- | --- | * | * | * | 1.6 | 1.9 | 2.4 | 3.2 | * |
| 1981 | 1.3 | --- | --- | * | * | * | 1.4 | 2.5 | 2.6 | 2.4 | 2.8 |
| 1980 | 1.3 | --- | --- | * | * | * | 1.7 | 2.1 | 2.8 | * | 3.2 |
| 1979 | 1.4 | --- | --- | * | * | * | 1.9 | 2.8 | 3.3 | 2.8 | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) (E960-E969) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 6.5 | 8.6 | 2.6 | 0.8 | 1.4 | 11.5 | 17.3 | 12.5 | 9.4 | 8.2 | 7.2 |
| 1997 | 7.1 | 8.5 | 2.4 | 0.9 | 1.4 | 13.4 | 19.4 | 13.6 | 10.5 | 8.7 | 7.4 |
| 1996 | 7.7 | 8.9 | 2.7 | 0.9 | 1.7 | 15.3 | 20.0 | 14.3 | 11.3 | 9.6 | 7.7 |
| 1995 | 8.5 | 8.2 | 2.9 | 0.8 | 2.1 | 17.8 | 21.5 | 16.2 | 12.8 | 10.1 | 8.7 |
| 1994 | 9.3 | 8.2 | 3.0 | 0.8 | 2.2 | 19.8 | 24.0 | 18.0 | 14.2 | 11.9 | 9.2 |
| 1993 | 9.9 | 8.8 | 2.9 | 1.0 | 2.5 | 20.3 | 25.2 | 18.7 | 15.1 | 12.0 | 9.6 |
| 1992 | 9.8 | 8.2 | 2.8 | 0.8 | 2.4 | 19.0 | 24.3 | 18.8 | 15.0 | 12.0 | 9.7 |
| 1991 | 10.4 | 9.5 | 2.8 | 0.8 | 2.1 | 19.3 | 24.7 | 19.6 | 16.1 | 12.9 | 9.9 |
| 1990 | 9.9 | 8.4 | 2.5 | 0.9 | 2.1 | 16.9 | 22.2 | 19.3 | 15.6 | 13.1 | 9.9 |
| 1989 | 9.1 | 8.7 | 2.7 | 1.0 | 1.9 | 13.3 | 19.2 | 17.6 | 14.8 | 11.9 | 9.6 |
| 1988 | 8.9 | 8.4 | 2.6 | 1.0 | 1.7 | 11.5 | 18.3 | 17.4 | 14.5 | 11.8 | 9.6 |
| 1987 | 8.6 | 7.4 | 2.3 | 0.8 | 1.6 | 9.7 | 17.2 | 16.1 | 13.8 | 11.8 | 9.4 |
| 1986 | 8.9 | 7.5 | 2.7 | 0.8 | 1.5 | 9.8 | 17.4 | 17.2 | 14.9 | 12.1 | 10.3 |
| 1985 | 8.2 | 5.4 | 2.5 | 1.0 | 1.5 | 8.4 | 14.6 | 15.3 | 13.8 | 11.8 | 10.4 |
| 1984 | 8.3 | 6.6 | 2.4 | 0.9 | 1.6 | 8.1 | 14.9 | 15.7 | 13.3 | 11.8 | 10.4 |
| 1983 | 8.5 | 5.3 | 2.3 | 0.9 | 1.2 | 8.4 | 15.5 | 16.1 | 14.2 | 12.0 | 11.3 |
| 1982 | 9.5 | 6.7 | 2.8 | 1.0 | 1.3 | 9.6 | 17.0 | 18.0 | 15.9 | 13.6 | 12.5 |
| 1981 | 10.2 | 6.0 | 2.6 | 1.0 | 1.5 | 10.0 | 18.7 | 19.4 | 16.9 | 15.0 | 13.4 |
| 1980 | 10.6 | 5.9 | 2.5 | 0.9 | 1.4 | 10.5 | 20.2 | 20.8 | 17.6 | 15.9 | 13.8 |
| 1979 | 9.9 | 5.0 | 2.5 | 1.0 | 1.2 | 10.0 | 18.4 | 19.1 | 16.4 | 14.7 | 13.4 |
| Assault (homicide) (E960-E969) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 10.1 | 8.9 | 2.8 | 0.8 | 1.7 | 19.1 | 29.2 | 20.1 | 14.2 | 11.8 | 10.5 |
| 1997 | 11.3 | 9.5 | 2.6 | 0.9 | 2.0 | 22.3 | 33.1 | 22.2 | 16.1 | 12.9 | 11.0 |
| 1996 | 12.1 | 8.8 | 2.7 | 0.9 | 2.2 | 25.5 | 34.1 | 23.2 | 17.2 | 14.3 | 11.8 |
| 1995 | 13.4 | 9.0 | 3.1 | 0.9 | 2.9 | 29.1 | 36.5 | 25.9 | 19.4 | 14.9 | 13.1 |
| 1994 | 15.0 | 9.1 | 3.2 | 0.8 | 2.9 | 33.5 | 40.5 | 28.9 | 22.0 | 18.1 | 14.7 |
| 1993 | 15.7 | 9.7 | 3.4 | 1.1 | 3.2 | 33.9 | 42.0 | 29.3 | 23.1 | 18.5 | 14.7 |
| 1992 | 15.8 | 8.9 | 3.0 | 0.8 | 3.2 | 32.0 | 40.6 | 29.9 | 23.5 | 18.8 | 15.2 |
| 1991 | 16.6 | 10.1 | 3.0 | 0.8 | 2.9 | 32.4 | 40.6 | 31.5 | 25.1 | 20.4 | 15.6 |
| 1990 | 15.9 | 8.8 | 2.7 | 0.8 | 2.6 | 27.8 | 36.9 | 31.2 | 24.4 | 20.9 | 16.0 |
| 1989 | 14.4 | 8.4 | 2.9 | 1.0 | 2.4 | 21.7 | 31.0 | 27.7 | 23.4 | 18.8 | 15.1 |
| 1988 | 13.8 | 7.9 | 2.9 | 1.1 | 2.0 | 18.2 | 29.0 | 26.7 | 22.4 | 18.7 | 15.2 |
| 1987 | 13.2 | 8.2 | 2.2 | 0.9 | 2.0 | 14.9 | 26.8 | 24.6 | 21.3 | 18.6 | 14.6 |
| 1986 | 14.0 | 8.0 | 3.1 | 0.8 | 1.7 | 14.7 | 27.3 | 26.8 | 23.8 | 19.3 | 16.3 |
| 1985 | 12.8 | 5.6 | 2.5 | 1.0 | 1.8 | 12.8 | 23.0 | 23.9 | 21.7 | 18.5 | 16.5 |
| 1984 | 12.9 | 7.3 | 2.4 | 0.8 | 1.7 | 11.9 | 22.5 | 24.7 | 21.4 | 19.0 | 16.5 |
| 1983 | 13.4 | 4.9 | 2.5 | 1.0 | 1.5 | 12.5 | 24.3 | 25.4 | 23.1 | 19.3 | 18.2 |
| 1982 | 15.1 | 7.5 | 3.0 | 1.1 | 1.4 | 14.4 | 26.8 | 28.9 | 26.4 | 22.1 | 20.0 |
| 1981 | 16.4 | 5.7 | 2.7 | 1.1 | 1.7 | 15.2 | 29.6 | 31.9 | 27.7 | 24.9 | 22.2 |
| 1980 | 17.1 | 6.3 | 2.7 | 0.9 | 1.6 | 15.9 | 32.2 | 34.1 | 29.4 | 25.8 | 22.9 |
| 1979 | 15.8 | 5.9 | 2.4 | 1.1 | 1.5 | 15.1 | 29.0 | 31.1 | 27.4 | 24.2 | 22.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Assault (homicide) (E960-E969) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 3.0 | 8.2 | 2.3 | 0.9 | 1.2 | 3.5 | 5.0 | 4.9 | 4.6 | 4.6 | 4.0 |
| 1997 | 3.2 | 7.4 | 2.2 | 0.8 | 0.9 | 4.0 | 5.3 | 4.8 | 5.0 | 4.6 | 3.8 |
| 1996 | 3.4 | 9.0 | 2.7 | 0.9 | 1.2 | 4.5 | 5.4 | 5.3 | 5.3 | 5.1 | 3.8 |
| 1995 | 3.8 | 7.4 | 2.6 | 0.7 | 1.3 | 5.8 | 6.0 | 6.4 | 6.2 | 5.3 | 4.4 |
| 1994 | 3.9 | 7.2 | 2.7 | 0.9 | 1.4 | 5.2 | 7.0 | 6.9 | 6.4 | 5.9 | 3.8 |
| 1993 | 4.3 | 8.0 | 2.5 | 1.0 | 1.7 | 5.8 | 7.7 | 8.0 | 7.0 | 5.5 | 4.6 |
| 1992 | 4.1 | 7.5 | 2.5 | 0.8 | 1.6 | 5.2 | 7.3 | 7.6 | 6.5 | 5.2 | 4.4 |
| 1991 | 4.4 | 8.9 | 2.6 | 0.8 | 1.3 | 5.5 | 8.2 | 7.6 | 7.2 | 5.6 | 4.4 |
| 1990 | 4.2 | 8.0 | 2.3 | 1.0 | 1.5 | 5.4 | 7.0 | 7.4 | 6.9 | 5.4 | 4.0 |
| 1989 | 4.1 | 9.0 | 2.5 | 1.1 | 1.4 | 4.6 | 7.1 | 7.4 | 6.3 | 5.2 | 4.2 |
| 1988 | 4.2 | 8.9 | 2.3 | 0.9 | 1.4 | 4.3 | 7.3 | 8.1 | 6.7 | 5.0 | 4.1 |
| 1987 | 4.2 | 6.5 | 2.4 | 0.7 | 1.2 | 4.3 | 7.4 | 7.5 | 6.5 | 5.2 | 4.3 |
| 1986 | 4.2 | 7.0 | 2.3 | 0.8 | 1.2 | 4.7 | 7.3 | 7.5 | 6.0 | 5.0 | 4.6 |
| 1985 | 3.9 | 5.2 | 2.4 | 1.0 | 1.1 | 3.9 | 6.1 | 6.8 | 6.0 | 5.2 | 4.4 |
| 1984 | 3.9 | 5.9 | 2.4 | 1.1 | 1.5 | 4.2 | 7.1 | 6.6 | 5.3 | 4.8 | 4.5 |
| 1983 | 3.9 | 5.7 | 2.0 | 0.8 | 0.8 | 4.1 | 6.6 | 6.8 | 5.4 | 4.9 | 4.6 |
| 1982 | 4.2 | 5.8 | 2.5 | 1.0 | 1.3 | 4.6 | 7.2 | 7.1 | 5.7 | 5.4 | 5.3 |
| 1981 | 4.3 | 6.4 | 2.4 | 0.9 | 1.4 | 4.5 | 7.6 | 7.0 | 6.2 | 5.3 | 5.0 |
| 1980 | 4.5 | 5.6 | 2.2 | 0.9 | 1.3 | 4.9 | 8.2 | 7.7 | 6.1 | 6.3 | 5.0 |
| 1979 | 4.3 | 3.9 | 2.6 | 0.9 | 0.9 | 4.9 | 7.8 | 7.1 | 5.7 | 5.5 | 5.2 |
| Assault (homicide) (E960-E969) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 4.0 | 6.3 | 1.7 | 0.6 | 1.1 | 6.3 | 8.7 | 6.6 | 5.8 | 5.3 | 4.9 |
| 1997 | 4.3 | 6.4 | 1.8 | 0.6 | 1.0 | 6.9 | 9.3 | 7.4 | 6.5 | 5.5 | 4.8 |
| 1996 | 4.5 | 6.8 | 1.8 | 0.7 | 1.2 | 7.6 | 9.7 | 7.3 | 6.8 | 6.1 | 5.0 |
| 1995 | 5.1 | 6.1 | 2.0 | 0.6 | 1.5 | 9.2 | 11.0 | 8.9 | 7.5 | 6.2 | 5.9 |
| 1994 | 5.4 | 5.6 | 2.1 | 0.6 | 1.3 | 9.3 | 11.6 | 9.5 | 8.3 | 7.3 | 5.9 |
| 1993 | 5.6 | 6.5 | 1.8 | 0.8 | 1.5 | 9.3 | 11.6 | 9.8 | 8.7 | 7.3 | 6.0 |
| 1992 | 5.7 | 6.0 | 1.8 | 0.5 | 1.5 | 9.4 | 11.8 | 10.0 | 8.7 | 7.6 | 6.3 |
| 1991 | 6.0 | 6.5 | 1.9 | 0.6 | 1.4 | 9.1 | 12.0 | 10.5 | 9.1 | 7.9 | 6.4 |
| 1990 | 5.7 | 5.8 | 1.6 | 0.6 | 1.3 | 8.1 | 11.3 | 10.4 | 8.7 | 7.7 | 6.6 |
| 1989 | 5.3 | 5.8 | 1.7 | 0.7 | 1.2 | 6.3 | 9.7 | 9.5 | 8.4 | 7.2 | 6.4 |
| 1988 | 5.3 | 6.0 | 1.9 | 0.8 | 1.0 | 5.4 | 9.5 | 9.4 | 8.3 | 6.9 | 6.5 |
| 1987 | 5.3 | 5.2 | 1.7 | 0.6 | 1.0 | 5.1 | 9.5 | 9.5 | 8.2 | 7.5 | 6.0 |
| 1986 | 5.7 | 5.3 | 1.7 | 0.5 | 1.2 | 5.9 | 10.3 | 10.0 | 9.0 | 7.5 | 7.3 |
| 1985 | 5.4 | 4.0 | 1.8 | 0.7 | 1.2 | 4.9 | 9.2 | 9.6 | 8.5 | 7.7 | 7.2 |
| 1984 | 5.5 | 4.6 | 1.8 | 0.6 | 1.2 | 5.2 | 9.5 | 9.6 | 8.2 | 7.8 | 7.0 |
| 1983 | 5.6 | 3.5 | 1.5 | 0.7 | 0.9 | 5.2 | 9.5 | 10.0 | 8.6 | 7.9 | 7.7 |
| 1982 | 6.2 | 4.9 | 1.8 | 0.8 | 1.0 | 6.3 | 10.8 | 10.8 | 9.2 | 8.8 | 8.9 |
| 1981 | 6.6 | 4.6 | 1.7 | 0.7 | 1.1 | 6.7 | 11.6 | 11.4 | 10.1 | 9.5 | 8.9 |
| 1980 | 6.9 | 4.3 | 1.7 | 0.7 | 1.1 | 7.4 | 12.5 | 12.1 | 10.6 | 10.0 | 9.2 |
| 1979 | 6.3 | 3.4 | 1.7 | 0.8 | 0.9 | 6.9 | 11.5 | 10.8 | 9.6 | 8.8 | 8.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) (E960-E969) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 5.8 | 6.7 | 1.7 | 0.5 | 1.2 | 9.9 | 13.9 | 10.0 | 8.3 | 7.4 | 6.7 |
| 1997 | 6.4 | 8.0 | 1.9 | 0.6 | 1.3 | 10.8 | 15.0 | 11.5 | 9.5 | 7.8 | 7.0 |
| 1996 | 6.7 | 6.6 | 1.9 | 0.8 | 1.5 | 12.0 | 15.5 | 11.1 | 10.1 | 8.7 | 7.3 |
| 1995 | 7.5 | 7.1 | 2.1 | 0.7 | 1.9 | 14.2 | 17.5 | 13.4 | 11.0 | 8.9 | 8.6 |
| 1994 | 8.2 | 6.1 | 2.3 | 0.5 | 1.7 | 14.9 | 18.5 | 14.8 | 12.4 | 10.9 | 9.0 |
| 1993 | 8.3 | 7.0 | 2.2 | 0.8 | 1.8 | 14.7 | 18.2 | 14.6 | 12.9 | 10.8 | 8.5 |
| 1992 | 8.8 | 6.5 | 2.1 | 0.5 | 1.9 | 14.9 | 18.9 | 15.5 | 13.5 | 11.5 | 9.4 |
| 1991 | 9.1 | 7.4 | 2.1 | 0.6 | 1.8 | 14.3 | 18.7 | 16.4 | 13.8 | 12.2 | 9.6 |
| 1990 | 8.8 | 6.4 | 1.8 | 0.5 | 1.7 | 12.3 | 17.8 | 16.3 | 13.1 | 12.0 | 10.1 |
| 1989 | 8.0 | 5.8 | 1.9 | 0.6 | 1.4 | 9.2 | 14.8 | 14.4 | 12.8 | 10.9 | 9.5 |
| 1988 | 7.8 | 5.8 | 2.2 | 0.8 | 1.2 | 7.8 | 14.1 | 13.8 | 12.4 | 10.4 | 9.9 |
| 1987 | 7.8 | 6.1 | 1.8 | 0.7 | 1.0 | 7.1 | 14.1 | 13.9 | 12.1 | 10.9 | 9.0 |
| 1986 | 8.5 | 5.5 | 1.9 | 0.5 | 1.2 | 8.4 | 15.2 | 15.0 | 14.1 | 11.6 | 11.2 |
| 1985 | 8.1 | 3.8 | 1.9 | 0.7 | 1.4 | 7.1 | 13.9 | 14.5 | 12.7 | 11.6 | 10.9 |
| 1984 | 8.2 | 5.0 | 2.0 | 0.5 | 1.2 | 7.2 | 13.8 | 14.9 | 12.9 | 12.0 | 10.9 |
| 1983 | 8.4 | 3.3 | 1.7 | 0.8 | 1.1 | 7.4 | 14.6 | 15.3 | 13.7 | 12.4 | 11.9 |
| 1982 | 9.4 | 5.6 | 1.9 | 0.8 | 0.9 | 9.0 | 16.2 | 16.7 | 14.8 | 13.7 | 13.8 |
| 1981 | 10.2 | 4.5 | 1.6 | 0.7 | 1.0 | 9.8 | 18.1 | 18.2 | 16.2 | 15.5 | 14.2 |
| 1980 | 10.7 | 4.3 | 2.0 | 0.7 | 1.1 | 10.8 | 19.4 | 19.5 | 17.5 | 15.9 | 14.5 |
| 1979 | 9.7 | 4.0 | 1.7 | 0.8 | 1.1 | 10.2 | 17.9 | 17.0 | 15.7 | 14.2 | 13.1 |
| Assault (homicide) (E960-E969) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 2.2 | 6.0 | 1.6 | 0.7 | 0.9 | 2.4 | 3.2 | 3.1 | 3.3 | 3.2 | 3.0 |
| 1997 | 2.2 | 4.7 | 1.6 | 0.6 | 0.6 | 2.8 | 3.4 | 3.1 | 3.4 | 3.2 | 2.5 |
| 1996 | 2.4 | 6.9 | 1.7 | 0.7 | 0.9 | 2.9 | 3.5 | 3.3 | 3.5 | 3.5 | 2.8 |
| 1995 | 2.7 | 5.1 | 1.8 | 0.6 | 0.9 | 3.9 | 4.1 | 4.3 | 4.0 | 3.5 | 3.3 |
| 1994 | 2.6 | 5.2 | 2.0 | 0.7 | 0.9 | 3.4 | 4.3 | 4.1 | 4.1 | 3.7 | 2.7 |
| 1993 | 2.9 | 5.9 | 1.4 | 0.8 | 1.1 | 3.6 | 4.7 | 4.8 | 4.4 | 3.8 | 3.4 |
| 1992 | 2.8 | 5.6 | 1.5 | 0.5 | 1.0 | 3.6 | 4.4 | 4.4 | 3.9 | 3.5 | 3.3 |
| 1991 | 3.0 | 5.6 | 1.6 | 0.5 | 0.9 | 3.6 | 5.0 | 4.4 | 4.3 | 3.7 | 3.2 |
| 1990 | 2.8 | 5.1 | 1.4 | 0.7 | 0.9 | 3.6 | 4.5 | 4.3 | 4.3 | 3.4 | 3.0 |
| 1989 | 2.8 | 5.8 | 1.5 | 0.7 | 1.0 | 3.3 | 4.3 | 4.5 | 4.0 | 3.4 | 3.2 |
| 1988 | 2.9 | 6.2 | 1.6 | 0.7 | 0.8 | 3.0 | 4.7 | 4.8 | 4.1 | 3.5 | 3.0 |
| 1987 | 3.0 | 4.3 | 1.6 | 0.6 | 1.0 | 2.9 | 4.6 | 5.0 | 4.3 | 4.0 | 3.0 |
| 1986 | 3.0 | 5.2 | 1.4 | 0.4 | 1.1 | 3.3 | 5.1 | 4.9 | 3.9 | 3.5 | 3.5 |
| 1985 | 2.9 | 4.3 | 1.7 | 0.7 | 0.9 | 2.7 | 4.3 | 4.6 | 4.1 | 3.7 | 3.5 |
| 1984 | 2.9 | 4.1 | 1.7 | 0.7 | 1.2 | 3.2 | 5.2 | 4.3 | 3.5 | 3.6 | 3.1 |
| 1983 | 2.8 | 3.7 | 1.3 | 0.7 | 0.7 | 2.8 | 4.4 | 4.6 | 3.5 | 3.4 | 3.5 |
| 1982 | 3.1 | 4.1 | 1.8 | 0.8 | 1.1 | 3.4 | 5.3 | 4.8 | 3.6 | 4.0 | 4.0 |
| 1981 | 3.1 | 4.7 | 1.9 | 0.7 | 1.2 | 3.5 | 5.0 | 4.6 | 4.0 | 3.6 | 3.7 |
| 1980 | 3.2 | 4.3 | 1.5 | 0.7 | 1.1 | 3.9 | 5.4 | 4.7 | 3.9 | 4.2 | 3.9 |
| 1979 | 3.0 | 2.8 | 1.7 | 0.7 | 0.7 | 3.6 | 5.1 | 4.5 | 3.4 | 3.4 | 3.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) (E960-E969) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 18.1 | 16.8 | 6.0 | 1.6 | 2.8 | 31.1 | 50.3 | 36.0 | 24.5 | 21.3 | 18.5 |
| 1997 | 20.4 | 16.3 | 4.8 | 1.7 | 3.2 | 37.9 | 58.0 | 38.8 | 28.1 | 23.8 | 19.9 |
| 1996 | 22.5 | 17.0 | 5.7 | 1.6 | 3.7 | 44.8 | 59.8 | 43.4 | 31.2 | 26.3 | 21.1 |
| 1995 | 24.9 | 16.1 | 6.1 | 1.5 | 4.6 | 50.7 | 62.7 | 47.1 | 37.2 | 28.5 | 22.5 |
| 1994 | 28.6 | 17.6 | 6.0 | 1.6 | 5.5 | 60.4 | 73.5 | 54.2 | 42.0 | 34.2 | 26.1 |
| 1993 | 31.1 | 17.6 | 7.1 | 2.0 | 6.2 | 63.2 | 80.6 | 57.8 | 45.2 | 35.0 | 28.5 |
| 1992 | 30.3 | 16.4 | 6.3 | 1.8 | 6.1 | 56.7 | 76.7 | 58.2 | 45.4 | 34.2 | 28.2 |
| 1991 | 32.9 | 20.8 | 6.4 | 1.6 | 5.2 | 60.0 | 80.0 | 61.6 | 50.9 | 38.5 | 29.6 |
| 1990 | 31.6 | 18.4 | 6.3 | 1.9 | 5.2 | 52.7 | 71.2 | 62.0 | 49.9 | 41.0 | 29.6 |
| 1989 | 29.2 | 19.7 | 6.6 | 2.4 | 4.8 | 42.4 | 62.2 | 57.1 | 47.1 | 37.1 | 28.7 |
| 1988 | 28.4 | 18.0 | 5.7 | 2.1 | 4.4 | 37.1 | 59.2 | 57.4 | 46.6 | 37.8 | 28.5 |
| 1987 | 26.3 | 16.3 | 5.1 | 1.6 | 4.1 | 30.2 | 53.6 | 49.5 | 43.2 | 36.0 | 30.5 |
| 1986 | 27.1 | 16.8 | 6.9 | 2.0 | 2.8 | 27.1 | 52.1 | 54.6 | 46.1 | 38.5 | 29.0 |
| 1985 | 24.0 | 11.5 | 5.4 | 2.3 | 2.7 | 24.3 | 42.0 | 45.4 | 43.0 | 36.4 | 30.2 |
| 1984 | 24.4 | 15.7 | 5.0 | 2.5 | 3.2 | 21.3 | 42.3 | 48.0 | 41.3 | 36.5 | 31.7 |
| 1983 | 25.7 | 13.2 | 6.0 | 1.6 | 2.4 | 23.3 | 46.6 | 49.4 | 45.5 | 38.2 | 34.2 |
| 1982 | 29.1 | 14.5 | 7.0 | 2.1 | 2.7 | 25.2 | 50.6 | 57.7 | 54.6 | 45.3 | 35.4 |
| 1981 | 31.9 | 12.4 | 6.3 | 2.1 | 3.6 | 25.9 | 57.0 | 64.6 | 58.3 | 50.3 | 42.3 |
| 1980 | 33.4 | 13.4 | 6.0 | 1.8 | 2.9 | 26.3 | 63.7 | 71.9 | 61.8 | 54.8 | 43.8 |
| 1979 | 32.6 | 12.3 | 6.2 | 2.0 | 2.7 | 26.2 | 57.6 | 68.9 | 61.7 | 55.2 | 46.5 |
| Assault (homicide) (E960-E969) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 30.5 | 17.3 | 7.0 | 1.7 | 3.5 | 54.0 | 90.0 | 62.9 | 40.9 | 33.1 | 30.2 |
| 1997 | 34.7 | 15.3 | 5.3 | 1.9 | 4.5 | 66.5 | 105.1 | 68.8 | 46.7 | 38.1 | 31.6 |
| 1996 | 38.3 | 17.1 | 5.3 | 1.5 | 4.9 | 78.1 | 108.3 | 76.5 | 51.0 | 42.1 | 35.5 |
| 1995 | 42.4 | 16.2 | 6.9 | 1.7 | 6.7 | 87.4 | 113.1 | 82.0 | 60.7 | 45.5 | 37.2 |
| 1994 | 49.2 | 20.6 | 6.8 | 1.8 | 7.3 | 107.4 | 130.8 | 93.3 | 70.1 | 55.1 | 46.2 |
| 1993 | 53.1 | 19.7 | 7.9 | 2.3 | 8.4 | 110.4 | 142.6 | 97.5 | 74.8 | 59.1 | 49.3 |
| 1992 | 51.9 | 18.2 | 6.6 | 2.0 | 8.1 | 100.6 | 135.1 | 97.7 | 75.3 | 57.9 | 48.7 |
| 1991 | 56.1 | 20.2 | 6.5 | 1.5 | 7.3 | 105.7 | 139.4 | 104.7 | 84.5 | 65.5 | 51.3 |
| 1990 | 54.2 | 18.1 | 6.6 | 1.8 | 6.5 | 91.4 | 125.3 | 105.9 | 84.4 | 70.8 | 52.7 |
| 1989 | 49.3 | 18.3 | 6.8 | 2.5 | 6.5 | 74.0 | 106.5 | 96.3 | 80.4 | 63.8 | 51.0 |
| 1988 | 47.2 | 16.4 | 6.1 | 2.4 | 5.2 | 63.4 | 100.2 | 94.3 | 77.5 | 66.6 | 49.5 |
| 1987 | 43.4 | 16.7 | 4.1 | 1.9 | 5.9 | 49.6 | 88.4 | 82.5 | 72.5 | 64.4 | 52.2 |
| 1986 | 45.3 | 19.2 | 7.9 | 1.8 | 3.9 | 43.1 | 87.5 | 92.2 | 79.7 | 68.0 | 49.9 |
| 1985 | 40.0 | 13.8 | 5.4 | 2.2 | 3.7 | 39.0 | 70.0 | 76.4 | 74.1 | 63.0 | 54.1 |
| 1984 | 40.4 | 17.6 | 4.3 | 2.3 | 3.6 | 33.5 | 69.2 | 81.0 | 72.4 | 65.2 | 54.2 |
| 1983 | 43.1 | 12.4 | 6.4 | 1.9 | 3.5 | 36.6 | 76.8 | 84.3 | 79.8 | 67.2 | 61.1 |
| 1982 | 49.6 | 15.7 | 7.9 | 2.4 | 3.5 | 40.3 | 86.2 | 101.2 | 98.4 | 81.5 | 61.7 |
| 1981 | 54.5 | 11.2 | 7.6 | 2.6 | 4.8 | 42.0 | 95.4 | 115.2 | 103.5 | 91.0 | 77.1 |
| 1980 | 57.0 | 15.6 | 6.4 | 1.7 | 3.6 | 42.4 | 107.4 | 125.7 | 111.2 | 96.7 | 81.7 |
| 1979 | 55.1 | 15.2 | 5.5 | 2.2 | 3.6 | 41.0 | 95.3 | 122.6 | 111.2 | 98.6 | 86.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) (E960-E969) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 6.7 | 16.4 | 4.9 | 1.4 | 2.2 | 7.6 | 11.7 | 11.3 | 9.7 | 10.7 | 8.2 |
| 1997 | 7.3 | 17.3 | 4.4 | 1.5 | 1.9 | 8.6 | 12.1 | 11.2 | 11.2 | 11.0 | 9.6 |
| 1996 | 8.0 | 16.8 | 6.1 | 1.6 | 2.6 | 10.6 | 12.5 | 12.9 | 13.2 | 12.1 | 8.5 |
| 1995 | 8.9 | 15.9 | 5.3 | 1.3 | 2.5 | 13.0 | 13.3 | 14.9 | 15.9 | 13.4 | 9.6 |
| 1994 | 9.8 | 14.5 | 5.3 | 1.5 | 3.6 | 12.0 | 17.2 | 18.2 | 16.6 | 15.6 | 8.7 |
| 1993 | 10.9 | 15.5 | 6.3 | 1.6 | 4.0 | 14.7 | 19.6 | 21.2 | 18.5 | 13.6 | 10.5 |
| 1992 | 10.6 | 14.6 | 6.0 | 1.6 | 4.0 | 11.5 | 19.2 | 21.5 | 18.5 | 13.2 | 10.4 |
| 1991 | 11.8 | 21.4 | 6.3 | 1.6 | 3.0 | 12.9 | 21.6 | 21.5 | 20.7 | 14.8 | 10.7 |
| 1990 | 11.1 | 18.8 | 6.1 | 2.0 | 3.9 | 12.8 | 18.1 | 21.3 | 19.1 | 15.0 | 9.5 |
| 1989 | 10.9 | 21.1 | 6.4 | 2.3 | 3.1 | 9.9 | 18.9 | 20.9 | 17.4 | 13.8 | 9.5 |
| 1988 | 11.2 | 19.7 | 5.3 | 1.7 | 3.6 | 10.0 | 19.2 | 23.4 | 19.0 | 12.8 | 10.5 |
| 1987 | 10.7 | 15.8 | 6.0 | 1.4 | 2.3 | 10.4 | 19.8 | 19.4 | 17.2 | 11.5 | 11.8 |
| 1986 | 10.5 | 14.5 | 6.0 | 2.2 | 1.7 | 10.7 | 17.6 | 20.5 | 16.4 | 13.1 | 11.1 |
| 1985 | 9.5 | 9.1 | 5.4 | 2.4 | 1.6 | 9.3 | 15.1 | 17.3 | 15.6 | 13.6 | 9.7 |
| 1984 | 9.8 | 13.7 | 5.7 | 2.6 | 2.8 | 8.9 | 16.7 | 18.4 | 14.1 | 12.1 | 12.4 |
| 1983 | 9.9 | 14.1 | 5.5 | 1.4 | 1.2 | 9.7 | 17.9 | 18.2 | 15.5 | 13.5 | 11.1 |
| 1982 | 10.6 | 13.3 | 6.0 | 1.9 | 1.8 | 9.9 | 17.2 | 18.8 | 16.7 | 14.4 | 12.8 |
| 1981 | 11.3 | 13.6 | 5.0 | 1.7 | 2.3 | 9.6 | 21.2 | 19.6 | 19.1 | 15.8 | 12.6 |
| 1980 | 12.1 | 11.1 | 5.7 | 1.8 | 2.1 | 10.1 | 23.3 | 24.5 | 19.3 | 19.1 | 11.7 |
| 1979 | 12.2 | 9.4 | 6.9 | 1.8 | 1.8 | 11.2 | 22.7 | 21.8 | 19.4 | 18.9 | 12.9 |
| Assault (homicide) (E960-E969) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 23.3 | 20.8 | 7.5 | 1.7 | 3.3 | 39.7 | 68.6 | 49.5 | 32.4 | 28.1 | 23.9 |
| 1997 | 26.1 | 18.9 | 5.8 | 1.9 | 3.8 | 47.6 | 78.6 | 53.2 | 37.3 | 30.7 | 25.6 |
| 1996 | 28.7 | 21.2 | 6.7 | 1.8 | 4.5 | 56.3 | 80.1 | 58.7 | 41.1 | 34.3 | 27.4 |
| 1995 | 31.6 | 20.2 | 7.3 | 1.7 | 5.4 | 62.8 | 83.2 | 62.7 | 48.5 | 36.9 | 28.9 |
| 1994 | 36.4 | 20.8 | 7.0 | 1.8 | 6.7 | 74.7 | 97.9 | 72.0 | 55.0 | 44.1 | 33.6 |
| 1993 | 39.3 | 20.9 | 8.3 | 2.3 | 7.7 | 78.8 | 106.1 | 75.4 | 58.4 | 45.4 | 36.5 |
| 1992 | 38.2 | 20.1 | 7.3 | 1.9 | 7.3 | 71.0 | 99.4 | 76.0 | 58.6 | 44.2 | 36.2 |
| 1991 | 41.1 | 24.9 | 7.5 | 1.8 | 6.4 | 75.0 | 103.0 | 78.5 | 64.7 | 48.5 | 38.2 |
| 1990 | 39.5 | 22.1 | 7.4 | 2.3 | 6.5 | 65.7 | 89.8 | 79.5 | 63.7 | 52.5 | 37.7 |
| 1989 | 36.0 | 22.8 | 7.7 | 2.4 | 5.7 | 52.7 | 77.3 | 71.8 | 59.4 | 47.0 | 36.4 |
| 1988 | 34.7 | 21.6 | 7.0 | 2.4 | 5.2 | 44.9 | 72.6 | 71.5 | 58.6 | 48.1 | 36.0 |
| 1987 | 32.0 | 19.2 | 6.1 | 1.8 | 4.8 | 36.3 | 65.1 | 61.3 | 55.1 | 45.5 | 38.1 |
| 1986 | 32.5 | 20.4 | 8.2 | 2.3 | 3.4 | 31.8 | 61.5 | 66.7 | 57.5 | 48.3 | 36.2 |
| 1985 | 28.7 | 13.7 | 6.4 | 2.4 | 3.0 | 28.2 | 49.8 | 54.9 | 54.3 | 45.2 | 37.4 |
| 1984 | 28.8 | 19.1 | 5.9 | 2.8 | 3.7 | 24.5 | 49.9 | 58.0 | 51.3 | 45.2 | 38.7 |
| 1983 | 30.1 | 15.0 | 6.8 | 1.8 | 2.7 | 26.4 | 54.1 | 58.4 | 56.5 | 47.8 | 41.4 |
| 1982 | 34.0 | 16.0 | 7.8 | 2.5 | 2.9 | 28.5 | 58.4 | 69.4 | 67.9 | 55.9 | 42.2 |
| 1981 | 36.9 | 13.2 | 7.3 | 2.3 | 3.9 | 29.1 | 65.5 | 77.4 | 71.9 | 61.4 | 50.4 |
| 1980 | 38.2 | 15.7 | 6.8 | 2.0 | 3.2 | 29.3 | 72.1 | 84.1 | 75.5 | 65.5 | 51.9 |
| 1979 | 36.7 | 13.6 | 7.0 | 2.2 | 3.0 | 28.9 | 64.7 | 79.6 | 72.7 | 65.1 | 53.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) (E960-E969) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 39.9 | 20.7 | 8.6 | 1.9 | 4.1 | 69.3 | 124.5 | 88.0 | 54.5 | 44.6 | 39.3 |
| 1997 | 45.1 | 17.3 | 6.5 | 2.0 | 5.3 | 84.1 | 144.3 | 95.3 | 62.8 | 49.6 | 41.1 |
| 1996 | 49.5 | 22.1 | 6.4 | 1.9 | 5.8 | 99.0 | 147.0 | 104.7 | 68.1 | 55.2 | 45.9 |
| 1995 | 54.5 | 20.3 | 8.2 | 2.0 | 7.9 | 108.4 | 152.7 | 110.9 | 80.4 | 59.8 | 49.0 |
| 1994 | 63.2 | 24.0 | 8.0 | 2.0 | 8.8 | 133.2 | 177.4 | 125.0 | 92.7 | 71.7 | 60.6 |
| 1993 | 68.0 | 23.7 | 9.3 | 2.6 | 10.3 | 138.2 | 190.4 | 129.3 | 98.2 | 77.6 | 63.4 |
| 1992 | 66.2 | 22.3 | 7.4 | 2.1 | 9.5 | 126.6 | 177.9 | 129.0 | 98.6 | 76.1 | 63.1 |
| 1991 | 71.1 | 23.9 | 7.9 | 1.8 | 9.0 | 133.2 | 182.3 | 135.2 | 109.4 | 83.9 | 67.7 |
| 1990 | 68.5 | 21.4 | 7.6 | 2.1 | 8.1 | 114.9 | 160.5 | 137.9 | 109.0 | 91.7 | 68.1 |
| 1989 | 61.6 | 21.9 | 8.0 | 2.6 | 7.7 | 93.0 | 134.4 | 122.9 | 103.0 | 81.8 | 65.7 |
| 1988 | 58.6 | 19.5 | 7.6 | 2.8 | 6.0 | 77.7 | 124.6 | 119.3 | 98.9 | 86.0 | 63.3 |
| 1987 | 53.5 | 19.5 | 4.9 | 2.1 | 7.0 | 60.3 | 109.2 | 102.8 | 93.6 | 82.1 | 66.4 |
| 1986 | 55.1 | 23.2 | 9.5 | 2.0 | 4.7 | 51.1 | 105.1 | 113.8 | 101.1 | 86.3 | 63.6 |
| 1985 | 48.3 | 16.7 | 6.6 | 2.3 | 4.2 | 45.9 | 83.7 | 92.8 | 95.4 | 79.2 | 67.2 |
| 1984 | 48.4 | 21.0 | 5.1 | 2.5 | 4.1 | 38.7 | 82.7 | 98.3 | 91.5 | 82.1 | 67.6 |
| 1983 | 51.0 | 14.3 | 7.3 | 2.1 | 4.0 | 42.2 | 90.1 | 100.9 | 99.9 | 85.2 | 75.4 |
| 1982 | 58.6 | 17.6 | 8.9 | 2.9 | 3.8 | 45.9 | 100.4 | 122.7 | 123.9 | 101.9 | 75.3 |
| 1981 | 63.9 | 12.2 | 8.9 | 2.9 | 5.2 | 47.4 | 111.5 | 138.7 | 128.9 | 113.3 | 93.7 |
| 1980 | 65.7 | 18.6 | 7.2 | 1.9 | 3.9 | 47.7 | 122.6 | 147.9 | 136.8 | 118.1 | 99.0 |
| 1979 | 62.6 | 16.5 | 6.3 | 2.3 | 4.0 | 45.7 | 108.3 | 142.5 | 131.5 | 117.1 | 100.7 |
| Assault (homicide) (E960-E969) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 8.3 | 21.0 | 6.3 | 1.5 | 2.4 | 9.5 | 15.4 | 14.6 | 12.6 | 13.4 | 10.3 |
| 1997 | 9.0 | 20.5 | 5.0 | 1.8 | 2.2 | 10.3 | 15.9 | 15.1 | 14.6 | 13.9 | 12.1 |
| 1996 | 9.9 | 20.2 | 7.0 | 1.7 | 3.0 | 12.7 | 16.1 | 17.0 | 17.1 | 15.9 | 11.3 |
| 1995 | 10.9 | 20.1 | 6.4 | 1.5 | 2.9 | 16.1 | 16.7 | 19.0 | 20.2 | 16.7 | 11.7 |
| 1994 | 12.1 | 17.4 | 6.1 | 1.4 | 4.5 | 14.9 | 21.8 | 23.8 | 21.6 | 19.8 | 10.4 |
| 1993 | 13.4 | 18.0 | 7.4 | 2.0 | 5.1 | 18.1 | 25.2 | 26.5 | 23.3 | 17.2 | 13.3 |
| 1992 | 13.0 | 17.8 | 7.2 | 1.7 | 5.0 | 14.1 | 23.9 | 27.6 | 23.3 | 16.3 | 13.1 |
| 1991 | 14.1 | 26.0 | 7.2 | 1.8 | 3.8 | 15.5 | 27.2 | 26.9 | 25.4 | 17.8 | 12.9 |
| 1990 | 13.4 | 22.8 | 7.2 | 2.5 | 4.8 | 15.6 | 22.1 | 26.5 | 23.9 | 18.6 | 11.7 |
| 1989 | 13.0 | 23.6 | 7.3 | 2.2 | 3.8 | 11.8 | 22.8 | 25.5 | 21.3 | 17.0 | 11.4 |
| 1988 | 13.3 | 23.7 | 6.3 | 1.9 | 4.5 | 11.6 | 23.3 | 28.3 | 23.3 | 15.6 | 12.7 |
| 1987 | 12.7 | 18.9 | 7.3 | 1.6 | 2.5 | 12.1 | 23.2 | 23.8 | 21.4 | 14.3 | 14.2 |
| 1986 | 12.2 | 17.5 | 6.8 | 2.6 | 2.1 | 12.2 | 20.1 | 24.3 | 19.7 | 15.9 | 13.0 |
| 1985 | 11.0 | 10.7 | 6.3 | 2.4 | 1.7 | 10.3 | 17.8 | 21.0 | 18.8 | 16.3 | 12.4 |
| 1984 | 11.3 | 17.1 | 6.8 | 3.1 | 3.2 | 10.2 | 19.2 | 22.0 | 16.6 | 14.2 | 14.4 |
| 1983 | 11.3 | 15.7 | 6.3 | * | * | 10.5 | 20.6 | 20.4 | 19.1 | 16.4 | 12.9 |
| 1982 | 12.0 | 14.4 | 6.6 | 2.0 | 2.0 | 11.1 | 19.6 | 22.1 | 19.7 | 17.4 | 14.6 |
| 1981 | 12.7 | 14.3 | 5.7 | 1.8 | 2.6 | 10.8 | 23.2 | 23.2 | 22.8 | 18.0 | 14.4 |
| 1980 | 13.5 | 12.8 | 6.4 | 2.0 | 2.4 | 11.0 | 26.0 | 28.1 | 23.0 | 21.8 | 12.9 |
| 1979 | 13.5 | 10.5 | 7.7 | 2.1 | 2.0 | 12.1 | 24.8 | 24.5 | 22.4 | 21.8 | 14.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) by discharge of firearms (E965.0-E965.4) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 4.3 | * | 0.4 | 0.3 | 1.0 | 9.4 | 14.4 | 9.6 | 6.4 | 5.0 | 4.3 |
| 1997 | 4.9 | * | 0.3 | 0.4 | 1.1 | 11.4 | 16.2 | 10.5 | 7.5 | 5.5 | 4.4 |
| 1996 | 5.2 | * | 0.4 | 0.3 | 1.3 | 13.0 | 16.6 | 11.2 | 7.8 | 6.1 | 4.6 |
| 1995 | 5.8 | * | 0.5 | 0.4 | 1.6 | 15.2 | 17.8 | 12.4 | 9.0 | 6.4 | 5.5 |
| 1994 | 6.7 | * | 0.4 | 0.4 | 1.7 | 17.4 | 20.2 | 13.9 | 10.3 | 8.0 | 6.1 |
| 1993 | 7.0 | * | 0.4 | 0.5 | 1.9 | 17.6 | 21.2 | 14.4 | 10.7 | 8.2 | 6.3 |
| 1992 | 6.8 | * | 0.4 | 0.3 | 1.9 | 16.5 | 20.0 | 14.1 | 10.4 | 7.9 | 6.2 |
| 1991 | 7.0 | * | 0.5 | 0.3 | 1.6 | 16.4 | 19.8 | 14.3 | 11.0 | 8.5 | 6.3 |
| 1990 | 6.5 | * | 0.4 | 0.3 | 1.5 | 13.8 | 16.8 | 13.7 | 10.3 | 8.4 | 6.4 |
| 1989 | 5.9 | * | 0.5 | 0.4 | 1.4 | 10.9 | 14.3 | 12.2 | 9.7 | 7.5 | 6.1 |
| 1988 | 5.6 | * | 0.3 | 0.4 | 1.1 | 8.9 | 13.0 | 12.0 | 9.5 | 7.7 | 6.0 |
| 1987 | 5.2 | * | 0.3 | 0.3 | 1.1 | 6.9 | 12.1 | 10.6 | 8.9 | 7.7 | 5.7 |
| 1986 | 5.4 | * | 0.4 | 0.3 | 0.9 | 6.6 | 11.9 | 11.4 | 9.8 | 7.7 | 6.5 |
| 1985 | 5.0 | * | 0.4 | 0.3 | 0.8 | 5.7 | 9.7 | 10.2 | 8.9 | 7.5 | 6.6 |
| 1984 | 5.0 | * | 0.4 | 0.3 | 0.8 | 5.4 | 9.9 | 10.2 | 8.8 | 7.9 | 6.6 |
| 1983 | 5.1 | * | 0.2 | 0.4 | 0.6 | 5.3 | 10.0 | 10.6 | 9.6 | 8.0 | 7.4 |
| 1982 | 6.0 | * | 0.4 | 0.4 | 0.7 | 6.2 | 11.3 | 12.3 | 11.2 | 9.4 | 8.3 |
| 1981 | 6.6 | * | 0.4 | 0.3 | 0.8 | 6.8 | 13.0 | 13.7 | 11.9 | 10.3 | 9.1 |
| 1980 | 6.8 | * | 0.4 | 0.3 | 0.8 | 7.0 | 14.0 | 14.9 | 12.3 | 11.0 | 9.6 |
| 1979 | 6.5 | * | 0.3 | 0.4 | 0.6 | 6.6 | 12.8 | 13.6 | 11.8 | 10.4 | 9.2 |
| Assault (homicide) by discharge of firearms (E965.0-E965.4) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 7.2 | * | 0.4 | 0.2 | 1.3 | 16.3 | 25.2 | 16.3 | 10.5 | 7.8 | 6.7 |
| 1997 | 8.4 | * | 0.4 | 0.4 | 1.6 | 19.8 | 28.6 | 18.3 | 12.5 | 8.9 | 6.9 |
| 1996 | 8.9 | * | 0.4 | 0.3 | 1.8 | 22.4 | 29.5 | 19.2 | 12.8 | 9.6 | 7.2 |
| 1995 | 10.0 | * | 0.6 | 0.4 | 2.5 | 25.9 | 31.5 | 21.2 | 14.7 | 10.2 | 8.7 |
| 1994 | 11.5 | * | 0.4 | 0.4 | 2.4 | 30.4 | 35.3 | 23.8 | 16.9 | 12.9 | 10.1 |
| 1993 | 12.0 | * | 0.5 | 0.6 | 2.8 | 30.5 | 36.8 | 23.9 | 17.6 | 13.5 | 9.9 |
| 1992 | 11.8 | * | 0.5 | 0.4 | 2.7 | 28.9 | 35.0 | 23.7 | 17.5 | 13.1 | 10.1 |
| 1991 | 12.1 | * | 0.5 | 0.3 | 2.4 | 28.5 | 34.4 | 24.5 | 18.1 | 14.0 | 10.2 |
| 1990 | 11.2 | * | 0.4 | 0.3 | 2.2 | 23.7 | 29.4 | 23.3 | 17.2 | 14.1 | 10.6 |
| 1989 | 10.0 | * | 0.5 | 0.4 | 2.0 | 18.7 | 24.4 | 20.4 | 16.2 | 12.7 | 10.0 |
| 1988 | 9.3 | * | 0.4 | 0.4 | 1.5 | 15.2 | 22.2 | 19.7 | 15.7 | 12.5 | 9.6 |
| 1987 | 8.6 | * | 0.3 | 0.4 | 1.5 | 11.6 | 20.4 | 17.4 | 14.4 | 12.6 | 9.1 |
| 1986 | 9.1 | * | 0.4 | 0.4 | 1.3 | 10.9 | 20.0 | 18.9 | 16.5 | 12.8 | 10.7 |
| 1985 | 8.2 | * | 0.4 | 0.4 | 1.2 | 9.5 | 16.2 | 16.8 | 14.5 | 12.3 | 10.9 |
| 1984 | 8.4 | * | 0.4 | 0.3 | 1.1 | 8.6 | 16.2 | 17.1 | 14.7 | 13.1 | 10.9 |
| 1983 | 8.7 | * | 0.3 | 0.4 | 0.9 | 8.6 | 16.8 | 17.7 | 16.1 | 13.2 | 12.4 |
| 1982 | 10.1 | * | 0.5 | 0.4 | 0.9 | 10.3 | 19.0 | 20.8 | 19.2 | 15.9 | 13.4 |
| 1981 | 11.3 | * | 0.4 | 0.4 | 1.0 | 11.2 | 21.8 | 23.5 | 20.4 | 17.6 | 15.5 |
| 1980 | 11.7 | * | 0.5 | 0.4 | 1.1 | 11.5 | 23.7 | 25.5 | 21.3 | 18.3 | 16.3 |
| 1979 | 11.0 | * | * | 0.5 | 1.0 | 10.7 | 21.5 | 23.2 | 20.4 | 17.5 | 15.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) by discharge of firearms (E965.0-E965.4) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 1.4 | * | 0.3 | 0.4 | 0.6 | 2.2 | 3.1 | 2.7 | 2.2 | 2.3 | 1.9 |
| 1997 | 1.5 | * | 0.3 | 0.3 | 0.5 | 2.6 | 3.2 | 2.7 | 2.5 | 2.2 | 2.0 |
| 1996 | 1.7 | * | 0.4 | 0.3 | 0.7 | 3.0 | 3.2 | 3.0 | 2.7 | 2.6 | 2.1 |
| 1995 | 1.9 | * | 0.4 | 0.3 | 0.7 | 3.8 | 3.6 | 3.4 | 3.3 | 2.6 | 2.3 |
| 1994 | 2.1 | * | 0.4 | 0.4 | 0.9 | 3.7 | 4.5 | 3.9 | 3.6 | 3.1 | 2.1 |
| 1993 | 2.3 | * | 0.4 | 0.5 | 1.0 | 4.1 | 5.1 | 4.7 | 3.7 | 3.0 | 2.7 |
| 1992 | 2.1 | * | 0.4 | * | 1.0 | 3.6 | 4.5 | 4.3 | 3.4 | 2.9 | 2.4 |
| 1991 | 2.2 | * | 0.5 | 0.2 | 0.8 | 3.6 | 4.7 | 3.9 | 3.9 | 3.0 | 2.4 |
| 1990 | 2.0 | * | 0.3 | 0.4 | 0.8 | 3.3 | 3.7 | 3.9 | 3.5 | 2.7 | 2.4 |
| 1989 | 1.9 | * | 0.4 | 0.4 | 0.6 | 2.8 | 3.7 | 3.9 | 3.2 | 2.5 | 2.3 |
| 1988 | 2.0 | * | 0.3 | 0.4 | 0.7 | 2.2 | 3.6 | 4.2 | 3.3 | 2.9 | 2.4 |
| 1987 | 2.0 | * | * | * | 0.6 | 2.1 | 3.7 | 3.8 | 3.4 | 3.0 | 2.4 |
| 1986 | 1.9 | * | 0.3 | 0.2 | 0.5 | 2.2 | 3.6 | 3.9 | 3.1 | 2.7 | 2.6 |
| 1985 | 1.9 | * | 0.3 | 0.3 | 0.4 | 1.8 | 3.0 | 3.7 | 3.4 | 2.9 | 2.5 |
| 1984 | 1.8 | * | 0.3 | 0.3 | 0.5 | 2.0 | 3.5 | 3.2 | 2.9 | 2.8 | 2.5 |
| 1983 | 1.8 | * | * | 0.3 | 0.3 | 1.9 | 3.1 | 3.5 | 3.1 | 2.9 | 2.6 |
| 1982 | 2.0 | * | 0.3 | 0.3 | 0.5 | 2.0 | 3.6 | 3.8 | 3.4 | 3.2 | 3.4 |
| 1981 | 2.2 | * | 0.3 | 0.3 | 0.6 | 2.2 | 4.2 | 4.0 | 3.5 | 3.3 | 3.0 |
| 1980 | 2.3 | * | * | * | 0.5 | 2.4 | 4.3 | 4.4 | 3.5 | 3.9 | 3.3 |
| 1979 | 2.1 | * | 0.4 | 0.3 | 0.3 | 2.5 | 4.1 | 4.0 | 3.4 | 3.5 | 3.2 |
| Assault (homicide) by discharge of firearms (E965.0-E965.4) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 2.4 | * | 0.3 | 0.3 | 0.7 | 4.7 | 6.4 | 4.6 | 3.7 | 3.1 | 2.9 |
| 1997 | 2.7 | * | 0.3 | 0.3 | 0.7 | 5.5 | 6.9 | 5.2 | 4.4 | 3.5 | 3.0 |
| 1996 | 2.8 | * | 0.2 | 0.2 | 0.9 | 5.9 | 7.3 | 5.2 | 4.5 | 3.8 | 3.0 |
| 1995 | 3.2 | * | 0.3 | 0.3 | 1.0 | 7.3 | 8.3 | 6.5 | 5.2 | 4.0 | 3.8 |
| 1994 | 3.6 | * | 0.3 | 0.3 | 1.0 | 7.7 | 8.9 | 6.9 | 5.9 | 4.9 | 3.9 |
| 1993 | 3.7 | * | 0.3 | 0.4 | 1.1 | 7.5 | 8.8 | 7.0 | 6.1 | 4.8 | 3.9 |
| 1992 | 3.7 | * | 0.2 | 0.2 | 1.1 | 7.7 | 8.9 | 7.1 | 5.9 | 5.0 | 4.1 |
| 1991 | 3.8 | * | 0.3 | 0.2 | 0.9 | 7.0 | 8.8 | 7.2 | 6.1 | 5.2 | 4.0 |
| 1990 | 3.5 | * | 0.3 | 0.2 | 0.9 | 5.8 | 7.5 | 7.0 | 5.9 | 4.9 | 4.2 |
| 1989 | 3.2 | * | 0.4 | 0.3 | 0.8 | 4.6 | 6.6 | 6.3 | 5.4 | 4.6 | 4.2 |
| 1988 | 3.1 | * | 0.2 | 0.3 | 0.6 | 3.7 | 6.1 | 6.3 | 5.3 | 4.5 | 4.1 |
| 1987 | 3.1 | * | 0.2 | 0.3 | 0.6 | 3.1 | 6.1 | 6.2 | 5.3 | 4.9 | 3.8 |
| 1986 | 3.3 | * | 0.2 | 0.2 | 0.7 | 3.6 | 6.6 | 6.4 | 5.8 | 4.9 | 4.6 |
| 1985 | 3.2 | * | 0.3 | 0.3 | 0.6 | 3.1 | 5.9 | 6.3 | 5.4 | 5.1 | 4.7 |
| 1984 | 3.2 | * | 0.4 | 0.2 | 0.6 | 3.3 | 6.0 | 6.2 | 5.5 | 5.2 | 4.6 |
| 1983 | 3.3 | * | 0.2 | 0.3 | 0.4 | 3.1 | 5.9 | 6.5 | 5.9 | 5.3 | 5.1 |
| 1982 | 3.8 | * | 0.3 | 0.3 | 0.5 | 3.9 | 6.9 | 7.3 | 6.6 | 6.2 | 6.1 |
| 1981 | 4.1 | * | 0.3 | 0.3 | 0.5 | 4.3 | 7.7 | 7.9 | 7.1 | 6.6 | 6.2 |
| 1980 | 4.2 | * | 0.3 | 0.2 | 0.6 | 4.5 | 8.2 | 8.3 | 7.4 | 7.1 | 6.5 |
| 1979 | 4.0 | * | 0.2 | 0.3 | 0.5 | 4.3 | 7.6 | 7.7 | 6.8 | 6.4 | 5.8 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) by discharge of firearms (E965.0-E965.4) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 3.8 | * | * | * | 0.9 | 7.8 | 10.9 | 7.5 | 5.7 | 4.5 | 4.3 |
| 1997 | 4.3 | * | 0.3 | 0.3 | 1.0 | 9.2 | 11.7 | 8.6 | 7.0 | 5.2 | 4.4 |
| 1996 | 4.5 | * | 0.3 | 0.3 | 1.2 | 9.9 | 12.3 | 8.4 | 7.3 | 5.7 | 4.4 |
| 1995 | 5.2 | * | 0.4 | 0.3 | 1.5 | 12.1 | 14.1 | 10.5 | 8.1 | 6.1 | 5.8 |
| 1994 | 5.8 | * | * | * | 1.5 | 12.7 | 15.0 | 11.2 | 9.3 | 7.7 | 6.3 |
| 1993 | 5.9 | * | * | 0.4 | 1.5 | 12.4 | 14.5 | 11.1 | 9.6 | 7.5 | 5.7 |
| 1992 | 6.1 | * | * | 0.3 | 1.6 | 12.8 | 15.0 | 11.6 | 9.7 | 7.9 | 6.3 |
| 1991 | 6.1 | * | 0.3 | * | 1.4 | 11.6 | 14.6 | 11.9 | 9.7 | 8.3 | 6.1 |
| 1990 | 5.8 | * | 0.4 | * | 1.3 | 9.4 | 12.5 | 11.6 | 9.3 | 8.1 | 6.7 |
| 1989 | 5.2 | * | 0.4 | 0.3 | 1.1 | 7.3 | 10.8 | 10.1 | 8.7 | 7.5 | 6.6 |
| 1988 | 5.0 | * | * | 0.3 | 0.9 | 5.9 | 9.8 | 10.0 | 8.5 | 7.1 | 6.4 |
| 1987 | 4.9 | * | * | 0.4 | 0.8 | 5.0 | 9.9 | 9.7 | 8.2 | 7.6 | 5.8 |
| 1986 | 5.3 | * | * | 0.3 | 1.0 | 5.7 | 10.7 | 10.3 | 9.6 | 7.9 | 7.3 |
| 1985 | 5.1 | * | * | 0.4 | 0.9 | 4.9 | 9.5 | 10.0 | 8.4 | 8.0 | 7.3 |
| 1984 | 5.2 | * | 0.4 | * | 0.9 | 5.0 | 9.5 | 10.2 | 8.8 | 8.2 | 7.4 |
| 1983 | 5.3 | * | * | 0.4 | 0.6 | 4.7 | 9.7 | 10.5 | 9.8 | 8.5 | 8.3 |
| 1982 | 6.2 | * | * | 0.3 | 0.6 | 6.2 | 11.1 | 11.8 | 10.9 | 10.1 | 9.6 |
| 1981 | 6.8 | * | * | 0.3 | 0.6 | 6.9 | 12.7 | 12.9 | 11.7 | 10.9 | 10.2 |
| 1980 | 7.1 | * | * | 0.3 | 0.7 | 7.2 | 13.8 | 14.1 | 12.6 | 11.4 | 10.3 |
| 1979 | 6.6 | * | * | 0.4 | 0.7 | 6.8 | 12.6 | 12.7 | 11.5 | 10.5 | 9.2 |
| Assault (homicide) by discharge of firearms (E965.0-E965.4) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 1.0 | * | * | 0.4 | 0.4 | 1.3 | 1.8 | 1.7 | 1.6 | 1.7 | 1.5 |
| 1997 | 1.1 | * | * | 0.3 | 0.3 | 1.6 | 1.9 | 1.7 | 1.8 | 1.7 | 1.5 |
| 1996 | 1.2 | * | * | * | 0.5 | 1.7 | 1.9 | 1.9 | 1.7 | 1.9 | 1.6 |
| 1995 | 1.3 | * | * | 0.3 | 0.4 | 2.2 | 2.2 | 2.3 | 2.2 | 1.8 | 1.8 |
| 1994 | 1.4 | * | * | 0.4 | 0.5 | 2.4 | 2.6 | 2.4 | 2.4 | 2.0 | 1.6 |
| 1993 | 1.5 | * | 0.3 | 0.4 | 0.6 | 2.2 | 2.8 | 2.8 | 2.5 | 2.1 | 2.1 |
| 1992 | 1.4 | * | * | * | 0.6 | 2.3 | 2.6 | 2.4 | 2.1 | 2.0 | 1.8 |
| 1991 | 1.5 | * | 0.3 | * | 0.5 | 2.1 | 2.7 | 2.3 | 2.4 | 2.1 | 1.9 |
| 1990 | 1.4 | * | * | 0.3 | 0.4 | 2.0 | 2.3 | 2.2 | 2.4 | 1.8 | 1.8 |
| 1989 | 1.3 | * | * | 0.4 | 0.4 | 1.7 | 2.1 | 2.4 | 2.0 | 1.7 | 1.9 |
| 1988 | 1.4 | * | * | 0.3 | 0.4 | 1.3 | 2.3 | 2.6 | 2.1 | 1.9 | 1.8 |
| 1987 | 1.4 | * | * | * | 0.4 | 1.2 | 2.3 | 2.5 | 2.4 | 2.3 | 1.8 |
| 1986 | 1.4 | * | * | * | 0.4 | 1.5 | 2.4 | 2.5 | 2.1 | 1.9 | 2.0 |
| 1985 | 1.4 | * | * | * | 0.4 | 1.2 | 2.2 | 2.6 | 2.4 | 2.2 | 2.0 |
| 1984 | 1.4 | * | * | * | 0.4 | 1.5 | 2.5 | 2.1 | 2.1 | 2.2 | 1.8 |
| 1983 | 1.3 | * | * | 0.3 | * | 1.3 | 2.0 | 2.5 | 2.1 | 2.1 | 2.0 |
| 1982 | 1.5 | * | * | 0.3 | 0.5 | 1.4 | 2.7 | 2.7 | 2.2 | 2.4 | 2.7 |
| 1981 | 1.5 | * | * | * | 0.4 | 1.6 | 2.6 | 2.8 | 2.4 | 2.3 | 2.3 |
| 1980 | 1.5 | * | * | * | 0.5 | 1.7 | 2.6 | 2.5 | 2.2 | 2.8 | 2.7 |
| 1979 | 1.5 | * | * | * | * | 1.7 | 2.6 | 2.6 | 2.1 | 2.3 | 2.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) by discharge of firearms (E965.0-E965.4) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 13.0 | * | 0.8 | * | 1.9 | 27.3 | 44.7 | 29.1 | 17.8 | 13.7 | 10.8 |
| 1997 | 15.0 | * | * | 0.6 | 2.5 | 33.7 | 51.4 | 32.1 | 20.9 | 15.2 | 11.7 |
| 1996 | 16.6 | * | 0.8 | 0.6 | 2.8 | 40.0 | 52.5 | 36.0 | 22.2 | 16.8 | 12.9 |
| 1995 | 18.3 | * | 1.0 | 0.6 | 3.9 | 45.5 | 54.8 | 37.6 | 26.3 | 18.0 | 14.1 |
| 1994 | 21.8 | * | 0.8 | 0.7 | 4.5 | 55.2 | 65.0 | 44.1 | 30.7 | 22.9 | 17.0 |
| 1993 | 23.6 | * | 0.9 | 1.1 | 5.2 | 57.6 | 71.9 | 46.3 | 32.5 | 25.1 | 18.6 |
| 1992 | 22.5 | * | 1.3 | 0.7 | 5.0 | 51.3 | 66.9 | 45.4 | 32.3 | 22.6 | 17.8 |
| 1991 | 23.7 | * | 1.0 | 0.6 | 4.3 | 53.5 | 67.9 | 46.9 | 35.2 | 25.1 | 19.1 |
| 1990 | 22.1 | * | 0.7 | 0.8 | 4.0 | 46.2 | 58.5 | 45.6 | 32.4 | 26.2 | 18.9 |
| 1989 | 19.7 | * | 0.9 | 0.9 | 3.7 | 37.4 | 49.0 | 40.6 | 31.1 | 23.0 | 17.7 |
| 1988 | 18.7 | * | 0.7 | 0.9 | 3.1 | 31.0 | 44.8 | 40.2 | 30.8 | 24.7 | 17.3 |
| 1987 | 16.7 | * | * | * | 2.8 | 23.5 | 40.4 | 33.5 | 27.8 | 23.3 | 17.7 |
| 1986 | 17.1 | * | 0.9 | 0.6 | 1.8 | 20.2 | 37.4 | 37.5 | 30.7 | 24.0 | 18.5 |
| 1985 | 14.9 | * | 0.8 | * | 1.6 | 17.6 | 28.5 | 30.8 | 27.6 | 22.2 | 18.9 |
| 1984 | 15.1 | * | * | 0.8 | 1.7 | 14.9 | 29.4 | 31.9 | 27.1 | 24.5 | 19.7 |
| 1983 | 15.9 | * | * | * | 1.4 | 15.7 | 31.5 | 32.8 | 30.0 | 25.3 | 21.7 |
| 1982 | 18.8 | * | * | * | 1.4 | 17.5 | 35.1 | 40.2 | 38.0 | 30.5 | 22.2 |
| 1981 | 21.4 | * | * | * | 2.1 | 19.0 | 41.9 | 46.9 | 41.0 | 34.5 | 27.8 |
| 1980 | 22.8 | * | * | * | 1.9 | 19.8 | 46.6 | 53.2 | 43.6 | 36.9 | 30.3 |
| 1979 | 22.2 | * | * | 0.8 | 1.6 | 18.8 | 42.5 | 49.1 | 44.9 | 37.8 | 31.8 |
| Assault (homicide) by discharge of firearms (E965.0-E965.4) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 23.6 | * | * | * | 2.5 | 48.8 | 82.2 | 53.7 | 32.2 | 23.6 | 18.9 |
| 1997 | 27.7 | * | * | * | 3.7 | 60.6 | 95.9 | 60.2 | 37.9 | 27.3 | 20.3 |
| 1996 | 30.3 | * | * | * | 4.1 | 71.0 | 97.9 | 67.1 | 39.0 | 29.2 | 22.5 |
| 1995 | 33.5 | * | 1.3 | * | 6.1 | 80.4 | 101.8 | 69.6 | 46.9 | 31.2 | 24.9 |
| 1994 | 39.8 | * | * | * | 6.3 | 100.3 | 119.0 | 81.3 | 54.9 | 39.6 | 31.4 |
| 1993 | 43.0 | * | * | 1.3 | 7.8 | 102.6 | 130.9 | 83.3 | 58.2 | 44.8 | 33.2 |
| 1992 | 41.0 | * | 1.3 | * | 7.2 | 93.1 | 121.9 | 80.8 | 58.2 | 40.6 | 31.9 |
| 1991 | 43.4 | * | * | * | 6.5 | 96.5 | 123.7 | 85.4 | 62.5 | 45.6 | 35.0 |
| 1990 | 40.5 | * | * | * | 5.5 | 82.6 | 107.8 | 82.3 | 59.2 | 48.1 | 34.6 |
| 1989 | 35.8 | * | * | * | 5.7 | 66.7 | 88.2 | 73.0 | 56.6 | 42.1 | 32.2 |
| 1988 | 33.4 | * | * | * | 4.0 | 55.4 | 81.0 | 70.7 | 55.3 | 43.9 | 30.4 |
| 1987 | 29.6 | * | * | * | 4.4 | 40.6 | 71.5 | 59.1 | 49.4 | 42.7 | 31.6 |
| 1986 | 30.7 | * | * | * | 2.7 | 34.3 | 66.4 | 66.7 | 55.9 | 43.6 | 33.0 |
| 1985 | 26.5 | * | * | * | 2.6 | 30.5 | 50.7 | 54.7 | 49.8 | 40.4 | 34.7 |
| 1984 | 26.8 | * | * | * | 2.1 | 25.3 | 51.9 | 57.1 | 49.5 | 45.7 | 34.8 |
| 1983 | 28.6 | * | * | * | 2.3 | 27.0 | 55.9 | 59.6 | 54.7 | 45.9 | 39.8 |
| 1982 | 34.1 | * | * | * | 2.2 | 30.2 | 63.4 | 74.5 | 70.8 | 57.0 | 39.0 |
| 1981 | 38.6 | * | * | * | 2.9 | 32.7 | 73.3 | 87.6 | 77.1 | 64.3 | 51.9 |
| 1980 | 40.8 | * | * | * | 2.8 | 33.8 | 82.3 | 96.9 | 80.8 | 67.8 | 57.9 |
| 1979 | 39.7 | * | * | * | 2.2 | 31.2 | 75.1 | 91.8 | 84.2 | 69.9 | 60.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) by discharge of firearms (E965.0-E965.4) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 3.2 | * | * | * | 1.4 | 5.2 | 8.2 | 6.5 | 4.8 | 4.8 | 3.6 |
| 1997 | 3.4 | * | * | * | 1.2 | 6.1 | 8.1 | 6.3 | 5.5 | 4.2 | 4.2 |
| 1996 | 4.0 | * | * | * | 1.4 | 8.1 | 8.2 | 7.5 | 7.0 | 5.6 | 4.4 |
| 1995 | 4.4 | * | * | * | 1.7 | 9.7 | 8.7 | 8.1 | 7.7 | 6.2 | 4.7 |
| 1994 | 5.2 | * | * | * | 2.6 | 8.8 | 12.0 | 9.9 | 8.9 | 7.9 | 4.5 |
| 1993 | 5.9 | * | * | * | 2.6 | 11.3 | 13.8 | 12.1 | 9.3 | 7.5 | 5.9 |
| 1992 | 5.5 | * | 1.2 | * | 2.7 | 8.3 | 12.6 | 12.6 | 9.0 | 6.7 | 5.6 |
| 1991 | 5.7 | * | * | * | 2.0 | 9.2 | 13.1 | 11.3 | 10.7 | 7.0 | 5.3 |
| 1990 | 5.3 | * | * | * | 2.5 | 8.6 | 10.0 | 11.6 | 8.4 | 7.0 | 5.4 |
| 1989 | 5.1 | * | * | * | 1.6 | 7.0 | 10.7 | 10.6 | 8.5 | 6.5 | 5.1 |
| 1988 | 5.2 | * | * | * | 2.1 | 6.0 | 9.6 | 12.1 | 9.0 | 7.9 | 6.1 |
| 1987 | 5.0 | * | * | * | * | 6.0 | 10.2 | 10.1 | 8.6 | 6.4 | 5.7 |
| 1986 | 4.8 | * | * | * | * | 5.8 | 9.2 | 10.9 | 8.4 | 7.2 | 6.0 |
| 1985 | 4.4 | * | * | * | * | 4.4 | 7.2 | 9.2 | 8.2 | 6.6 | 5.4 |
| 1984 | 4.4 | * | * | * | 1.3 | 4.5 | 8.0 | 9.1 | 7.4 | 6.4 | 6.7 |
| 1983 | 4.5 | * | * | * | * | 4.3 | 8.5 | 8.8 | 8.5 | 7.7 | 6.1 |
| 1982 | 4.9 | * | * | * | * | 4.7 | 8.6 | 9.5 | 9.7 | 8.0 | 7.8 |
| 1981 | 5.9 | * | * | * | 1.3 | 5.2 | 12.5 | 10.8 | 9.6 | 9.2 | 7.3 |
| 1980 | 6.5 | * | * | * | * | 5.7 | 13.5 | 14.8 | 11.6 | 10.6 | 6.9 |
| 1979 | 6.3 | * | * | * | * | 6.3 | 12.4 | 11.7 | 11.3 | 10.9 | 7.9 |
| Assault (homicide) by discharge of firearms (E965.0-E965.4) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 17.0 | * | 1.0 | * | 2.2 | 35.0 | 61.4 | 40.8 | 23.8 | 18.3 | 14.0 |
| 1997 | 19.5 | * | * | 0.7 | 2.9 | 42.5 | 70.3 | 44.7 | 28.3 | 19.8 | 15.2 |
| 1996 | 21.5 | * | 1.0 | 0.7 | 3.4 | 50.7 | 70.9 | 49.6 | 29.6 | 21.9 | 16.8 |
| 1995 | 23.4 | * | 1.1 | 0.6 | 4.6 | 56.8 | 73.3 | 50.4 | 34.6 | 23.6 | 18.1 |
| 1994 | 28.0 | * | 1.0 | 0.8 | 5.4 | 68.7 | 87.4 | 59.1 | 40.7 | 29.8 | 22.0 |
| 1993 | 30.1 | * | 1.0 | 1.3 | 6.5 | 72.2 | 95.1 | 61.0 | 42.3 | 32.5 | 24.1 |
| 1992 | 28.6 | * | 1.6 | 0.8 | 5.9 | 64.7 | 87.3 | 59.9 | 42.3 | 29.5 | 22.9 |
| 1991 | 29.8 | * | 1.1 | * | 5.4 | 67.2 | 88.1 | 60.2 | 44.8 | 32.0 | 24.7 |
| 1990 | 27.9 | * | * | 1.0 | 5.1 | 57.9 | 74.3 | 59.0 | 41.8 | 34.2 | 24.4 |
| 1989 | 24.6 | * | 0.9 | 0.9 | 4.3 | 46.9 | 61.7 | 51.1 | 40.0 | 29.6 | 22.4 |
| 1988 | 23.1 | * | * | 1.0 | 3.6 | 38.2 | 55.5 | 50.6 | 39.0 | 31.5 | 22.3 |
| 1987 | 20.6 | * | * | * | 3.2 | 28.6 | 49.6 | 41.8 | 35.8 | 29.6 | 22.8 |
| 1986 | 20.9 | * | 1.0 | * | 2.2 | 24.1 | 45.1 | 46.4 | 38.6 | 30.7 | 23.2 |
| 1985 | 18.0 | * | * | * | 1.8 | 20.8 | 34.4 | 37.7 | 35.3 | 27.7 | 23.3 |
| 1984 | 18.0 | * | * | 0.8 | 1.8 | 17.5 | 35.1 | 38.9 | 33.7 | 30.7 | 24.2 |
| 1983 | 18.8 | * | * | * | 1.6 | 18.3 | 37.0 | 39.4 | 37.3 | 31.8 | 26.5 |
| 1982 | 22.1 | * | * | * | 1.5 | 20.0 | 40.8 | 48.6 | 47.7 | 38.0 | 26.5 |
| 1981 | 25.1 | * | * | * | 2.5 | 21.6 | 48.8 | 56.4 | 50.8 | 42.7 | 33.5 |
| 1980 | 26.4 | * | * | * | 2.1 | 22.3 | 53.4 | 63.0 | 53.5 | 45.2 | 36.3 |
| 1979 | 25.2 | * | * | 0.8 | 1.7 | 20.8 | 48.4 | 57.6 | 53.3 | 45.2 | 37.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) by discharge of firearms (E965.0-E965.4) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 31.3 | * | * | * | 2.9 | 62.8 | 114.6 | 76.1 | 43.6 | 32.3 | 24.8 |
| 1997 | 36.4 | * | * | * | 4.3 | 77.0 | 133.0 | 84.6 | 51.7 | 36.0 | 26.7 |
| 1996 | 39.7 | * | * | * | 5.0 | 90.8 | 134.1 | 93.4 | 52.7 | 38.4 | 29.3 |
| 1995 | 43.5 | * | 1.5 | * | 7.2 | 100.5 | 138.6 | 94.7 | 62.6 | 41.5 | 32.9 |
| 1994 | 51.8 | * | * | * | 7.5 | 125.3 | 162.7 | 110.3 | 73.4 | 52.1 | 41.3 |
| 1993 | 55.4 | * | * | 1.5 | 9.6 | 129.0 | 175.6 | 111.2 | 76.7 | 59.1 | 43.1 |
| 1992 | 52.8 | * | 1.7 | * | 8.3 | 118.0 | 161.5 | 107.7 | 77.3 | 53.7 | 41.3 |
| 1991 | 55.4 | * | * | * | 8.1 | 122.3 | 162.9 | 110.8 | 81.0 | 58.9 | 46.3 |
| 1990 | 51.7 | * | * | * | 6.9 | 104.4 | 138.9 | 108.0 | 77.4 | 63.1 | 44.8 |
| 1989 | 45.2 | * | * | * | 6.8 | 84.5 | 112.7 | 93.7 | 73.6 | 54.3 | 41.5 |
| 1988 | 41.9 | * | * | * | 4.7 | 68.7 | 101.5 | 90.6 | 71.0 | 57.1 | 39.3 |
| 1987 | 36.9 | * | * | * | 5.3 | 49.7 | 89.0 | 74.2 | 64.3 | 54.8 | 40.9 |
| 1986 | 37.8 | * | * | * | 3.4 | 41.4 | 81.6 | 83.6 | 71.1 | 56.1 | 42.3 |
| 1985 | 32.3 | * | * | * | 3.0 | 36.6 | 61.7 | 67.2 | 64.4 | 51.0 | 42.8 |
| 1984 | 32.4 | * | * | * | 2.2 | 29.8 | 62.8 | 70.0 | 62.6 | 57.8 | 43.9 |
| 1983 | 34.1 | * | * | * | 2.6 | 31.8 | 66.2 | 72.4 | 68.4 | 58.4 | 49.6 |
| 1982 | 40.5 | * | * | * | 2.4 | 34.8 | 74.5 | 90.5 | 89.7 | 71.4 | 47.4 |
| 1981 | 45.6 | * | * | * | 3.4 | 37.3 | 86.5 | 105.8 | 96.4 | 80.6 | 63.9 |
| 1980 | 47.6 | * | * | * | 3.2 | 38.4 | 95.3 | 115.2 | 99.3 | 84.3 | 70.8 |
| 1979 | 45.4 | * | * | * | 2.4 | 34.8 | 86.3 | 107.9 | 100.2 | 84.1 | 71.1 |
| Assault (homicide) by discharge of firearms (E965.0-E965.4) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 4.0 | * | * | * | 1.4 | 6.5 | 10.8 | 8.8 | 6.1 | 6.0 | 4.6 |
| 1997 | 4.3 | * | * | * | 1.5 | 7.3 | 10.5 | 8.6 | 7.5 | 5.4 | 5.1 |
| 1996 | 5.1 | * | * | * | 1.8 | 9.7 | 10.5 | 9.9 | 9.1 | 7.4 | 6.0 |
| 1995 | 5.4 | * | * | * | 1.9 | 12.1 | 10.9 | 10.2 | 9.8 | 7.7 | 5.3 |
| 1994 | 6.5 | * | * | * | 3.3 | 11.0 | 15.4 | 12.7 | 11.7 | 10.2 | 5.4 |
| 1993 | 7.3 | * | * | * | 3.2 | 14.1 | 18.0 | 15.4 | 11.8 | 9.3 | 7.7 |
| 1992 | 6.8 | * | * | * | 3.4 | 10.4 | 16.1 | 16.3 | 11.4 | 8.4 | 7.0 |
| 1991 | 6.9 | * | * | * | 2.7 | 11.1 | 16.7 | 14.2 | 13.0 | 8.6 | 6.1 |
| 1990 | 6.5 | * | * | * | 3.2 | 10.4 | 12.4 | 14.6 | 10.6 | 9.1 | 6.9 |
| 1989 | 6.1 | * | * | * | 1.8 | 8.7 | 13.1 | 12.6 | 10.5 | 8.3 | 6.1 |
| 1988 | 6.3 | * | * | * | 2.6 | 7.2 | 11.8 | 14.4 | 11.0 | 9.6 | 7.8 |
| 1987 | 6.1 | * | * | * | * | 7.3 | 12.1 | 12.5 | 10.9 | 8.1 | 7.4 |
| 1986 | 5.7 | * | * | * | * | 6.6 | 10.6 | 12.8 | 10.2 | 9.0 | 7.1 |
| 1985 | 5.2 | * | * | * | * | 5.0 | 8.8 | 11.3 | 10.1 | 8.0 | 6.9 |
| 1984 | 5.1 | * | * | * | * | 5.2 | 9.1 | 11.1 | 8.8 | 7.9 | 7.7 |
| 1983 | 5.1 | * | * | * | * | 4.8 | 9.9 | 10.0 | 10.5 | 9.4 | 7.3 |
| 1982 | 5.7 | * | * | * | * | 5.3 | 9.7 | 11.3 | 11.6 | 9.9 | 9.1 |
| 1981 | 6.8 | * | * | * | 1.5 | 5.8 | 14.1 | 12.8 | 11.7 | 11.1 | 8.2 |
| 1980 | 7.4 | * | * | * | * | 6.2 | 15.2 | 17.2 | 14.3 | 12.8 | 7.7 |
| 1979 | 7.1 | * | * | * | * | 6.9 | 13.6 | 13.6 | 13.2 | 12.8 | 9.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 2.2 | 8.4 | 2.2 | 0.5 | 0.5 | 2.1 | 2.9 | 3.0 | 3.0 | 3.1 | 3.0 |
| 1997 | 2.3 | 8.2 | 2.1 | 0.5 | 0.4 | 2.0 | 3.3 | 3.0 | 3.0 | 3.2 | 2.9 |
| 1996 | 2.4 | 8.6 | 2.3 | 0.6 | 0.5 | 2.3 | 3.4 | 3.1 | 3.5 | 3.6 | 3.1 |
| 1995 | 2.6 | 8.0 | 2.4 | 0.4 | 0.5 | 2.6 | 3.7 | 3.8 | 3.9 | 3.7 | 3.2 |
| 1994 | 2.7 | 7.9 | 2.6 | 0.4 | 0.5 | 2.3 | 3.8 | 4.1 | 3.9 | 4.0 | 3.1 |
| 1993 | 2.8 | 8.5 | 2.5 | 0.5 | 0.6 | 2.6 | 4.0 | 4.4 | 4.4 | 3.8 | 3.3 |
| 1992 | 3.0 | 7.9 | 2.3 | 0.5 | 0.5 | 2.4 | 4.2 | 4.7 | 4.6 | 4.1 | 3.5 |
| 1991 | 3.4 | 9.2 | 2.3 | 0.5 | 0.5 | 3.0 | 4.9 | 5.4 | 5.1 | 4.5 | 3.6 |
| 1990 | 3.4 | 8.1 | 2.2 | 0.5 | 0.6 | 3.1 | 5.4 | 5.6 | 5.3 | 4.7 | 3.5 |
| 1989 | 3.3 | 8.4 | 2.2 | 0.6 | 0.6 | 2.4 | 5.0 | 5.4 | 5.1 | 4.4 | 3.4 |
| 1988 | 3.3 | 8.1 | 2.3 | 0.6 | 0.6 | 2.6 | 5.3 | 5.4 | 5.1 | 4.1 | 3.6 |
| 1987 | 3.4 | 7.2 | 2.0 | 0.5 | 0.6 | 2.8 | 5.0 | 5.4 | 4.9 | 4.1 | 3.7 |
| 1986 | 3.5 | 7.3 | 2.3 | 0.5 | 0.6 | 3.1 | 5.5 | 5.8 | 5.1 | 4.4 | 3.8 |
| 1985 | 3.3 | 5.3 | 2.1 | 0.7 | 0.6 | 2.8 | 5.0 | 5.1 | 5.0 | 4.3 | 3.7 |
| 1984 | 3.3 | 6.2 | 2.0 | 0.6 | 0.7 | 2.7 | 5.0 | 5.5 | 4.5 | 3.9 | 3.7 |
| 1983 | 3.4 | 5.1 | 2.1 | 0.5 | 0.6 | 3.1 | 5.5 | 5.5 | 4.6 | 4.0 | 3.9 |
| 1982 | 3.6 | 6.3 | 2.4 | 0.7 | 0.6 | 3.3 | 5.7 | 5.7 | 4.7 | 4.2 | 4.2 |
| 1981 | 3.6 | 5.7 | 2.2 | 0.6 | 0.7 | 3.2 | 5.6 | 5.7 | 5.0 | 4.6 | 4.3 |
| 1980 | 3.7 | 5.6 | 2.1 | 0.6 | 0.6 | 3.5 | 6.2 | 6.0 | 5.3 | 4.9 | 4.1 |
| 1979 | 3.4 | 4.8 | 2.2 | 0.6 | 0.6 | 3.4 | 5.6 | 5.5 | 4.6 | 4.3 | 4.2 |
| Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 2.9 | 8.8 | 2.4 | 0.6 | 0.4 | 2.8 | 4.0 | 3.8 | 3.7 | 4.0 | 3.8 |
| 1997 | 3.0 | 9.3 | 2.3 | 0.5 | 0.4 | 2.5 | 4.5 | 4.0 | 3.6 | 4.0 | 4.1 |
| 1996 | 3.2 | 8.5 | 2.3 | 0.6 | 0.4 | 3.1 | 4.6 | 4.0 | 4.5 | 4.7 | 4.5 |
| 1995 | 3.4 | 8.9 | 2.6 | 0.5 | 0.4 | 3.1 | 5.0 | 4.7 | 4.8 | 4.7 | 4.3 |
| 1994 | 3.6 | 8.8 | 2.9 | 0.4 | 0.4 | 3.2 | 5.2 | 5.1 | 5.1 | 5.2 | 4.6 |
| 1993 | 3.7 | 9.3 | 2.9 | 0.5 | 0.4 | 3.4 | 5.2 | 5.4 | 5.5 | 5.0 | 4.8 |
| 1992 | 4.0 | 8.6 | 2.6 | 0.4 | 0.4 | 3.2 | 5.6 | 6.2 | 6.0 | 5.8 | 5.1 |
| 1991 | 4.5 | 9.7 | 2.5 | 0.4 | 0.5 | 3.9 | 6.2 | 7.0 | 6.9 | 6.3 | 5.4 |
| 1990 | 4.7 | 8.5 | 2.3 | 0.4 | 0.5 | 4.1 | 7.5 | 7.8 | 7.1 | 6.7 | 5.5 |
| 1989 | 4.4 | 8.1 | 2.3 | 0.5 | 0.4 | 2.9 | 6.6 | 7.4 | 7.2 | 6.2 | 5.1 |
| 1988 | 4.5 | 7.6 | 2.5 | 0.6 | 0.5 | 3.0 | 6.8 | 7.0 | 6.8 | 6.1 | 5.6 |
| 1987 | 4.6 | 7.9 | 1.9 | 0.5 | 0.5 | 3.3 | 6.4 | 7.2 | 6.8 | 6.0 | 5.5 |
| 1986 | 4.9 | 7.9 | 2.7 | 0.4 | 0.4 | 3.8 | 7.3 | 7.9 | 7.4 | 6.5 | 5.6 |
| 1985 | 4.6 | 5.5 | 2.1 | 0.6 | 0.6 | 3.3 | 6.8 | 7.1 | 7.3 | 6.2 | 5.6 |
| 1984 | 4.5 | 6.7 | 2.0 | 0.5 | 0.6 | 3.2 | 6.4 | 7.6 | 6.7 | 5.9 | 5.6 |
| 1983 | 4.7 | 4.8 | 2.3 | 0.6 | 0.6 | 3.9 | 7.4 | 7.7 | 6.9 | 6.1 | 5.9 |
| 1982 | 5.0 | 6.9 | 2.5 | 0.7 | 0.5 | 4.0 | 7.8 | 8.1 | 7.2 | 6.3 | 6.6 |
| 1981 | 5.1 | 5.4 | 2.3 | 0.7 | 0.7 | 4.0 | 7.9 | 8.4 | 7.4 | 7.3 | 6.7 |
| 1980 | 5.4 | 5.9 | 2.3 | 0.5 | 0.5 | 4.4 | 8.5 | 8.6 | 8.1 | 7.5 | 6.7 |
| 1979 | 4.8 | 5.8 | 2.1 | 0.6 | 0.6 | 4.4 | 7.5 | 7.9 | 7.0 | 6.7 | 6.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 1.6 | 8.0 | 2.0 | 0.5 | 0.5 | 1.4 | 1.9 | 2.2 | 2.3 | 2.3 | 2.1 |
| 1997 | 1.6 | 7.0 | 1.9 | 0.5 | 0.4 | 1.5 | 2.0 | 2.1 | 2.4 | 2.4 | 1.8 |
| 1996 | 1.7 | 8.8 | 2.3 | 0.6 | 0.6 | 1.5 | 2.2 | 2.3 | 2.6 | 2.4 | 1.7 |
| 1995 | 1.9 | 7.0 | 2.2 | 0.4 | 0.6 | 2.0 | 2.4 | 3.0 | 2.9 | 2.7 | 2.1 |
| 1994 | 1.8 | 6.9 | 2.3 | 0.5 | 0.5 | 1.5 | 2.4 | 3.0 | 2.8 | 2.8 | 1.7 |
| 1993 | 2.0 | 7.6 | 2.0 | 0.5 | 0.7 | 1.8 | 2.7 | 3.4 | 3.3 | 2.5 | 1.9 |
| 1992 | 2.0 | 7.3 | 2.1 | 0.6 | 0.6 | 1.7 | 2.8 | 3.3 | 3.2 | 2.4 | 2.0 |
| 1991 | 2.3 | 8.7 | 2.1 | 0.5 | 0.5 | 1.9 | 3.5 | 3.7 | 3.3 | 2.7 | 1.9 |
| 1990 | 2.1 | 7.7 | 2.0 | 0.6 | 0.7 | 2.1 | 3.3 | 3.4 | 3.4 | 2.7 | 1.6 |
| 1989 | 2.2 | 8.6 | 2.1 | 0.6 | 0.8 | 1.8 | 3.3 | 3.5 | 3.1 | 2.6 | 1.8 |
| 1988 | 2.2 | 8.7 | 2.0 | 0.6 | 0.6 | 2.1 | 3.7 | 3.8 | 3.4 | 2.1 | 1.7 |
| 1987 | 2.2 | 6.4 | 2.2 | 0.5 | 0.7 | 2.3 | 3.6 | 3.7 | 3.1 | 2.3 | 1.9 |
| 1986 | 2.2 | 6.7 | 2.0 | 0.6 | 0.7 | 2.4 | 3.7 | 3.6 | 2.8 | 2.3 | 2.0 |
| 1985 | 2.1 | 5.0 | 2.1 | 0.7 | 0.6 | 2.1 | 3.1 | 3.1 | 2.7 | 2.4 | 1.9 |
| 1984 | 2.1 | 5.7 | 2.1 | 0.7 | 0.9 | 2.2 | 3.7 | 3.4 | 2.3 | 2.0 | 1.9 |
| 1983 | 2.1 | 5.4 | 1.8 | 0.5 | 0.5 | 2.2 | 3.5 | 3.3 | 2.3 | 2.0 | 2.1 |
| 1982 | 2.2 | 5.6 | 2.2 | 0.7 | 0.7 | 2.6 | 3.6 | 3.3 | 2.3 | 2.2 | 1.9 |
| 1981 | 2.1 | 6.0 | 2.1 | 0.6 | 0.8 | 2.3 | 3.4 | 2.9 | 2.7 | 2.1 | 2.0 |
| 1980 | 2.2 | 5.3 | 2.0 | 0.7 | 0.8 | 2.5 | 3.9 | 3.4 | 2.5 | 2.4 | 1.7 |
| 1979 | 2.1 | 3.6 | 2.2 | 0.6 | 0.6 | 2.4 | 3.7 | 3.2 | 2.3 | 2.0 | 1.9 |
| Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.6 | 6.2 | 1.4 | 0.3 | 0.4 | 1.6 | 2.2 | 2.0 | 2.1 | 2.2 | 2.0 |
| 1997 | 1.6 | 6.3 | 1.5 | 0.3 | 0.3 | 1.4 | 2.4 | 2.2 | 2.1 | 2.0 | 1.8 |
| 1996 | 1.7 | 6.6 | 1.6 | 0.5 | 0.3 | 1.6 | 2.4 | 2.1 | 2.3 | 2.3 | 2.1 |
| 1995 | 1.8 | 6.0 | 1.6 | 0.3 | 0.4 | 1.9 | 2.7 | 2.5 | 2.3 | 2.2 | 2.2 |
| 1994 | 1.8 | 5.5 | 1.9 | 0.3 | 0.3 | 1.6 | 2.7 | 2.7 | 2.4 | 2.4 | 1.9 |
| 1993 | 1.9 | 6.3 | 1.5 | 0.4 | 0.4 | 1.9 | 2.8 | 2.8 | 2.6 | 2.5 | 2.1 |
| 1992 | 2.0 | 5.9 | 1.6 | 0.3 | 0.4 | 1.7 | 2.9 | 2.9 | 2.8 | 2.6 | 2.2 |
| 1991 | 2.2 | 6.3 | 1.5 | 0.3 | 0.4 | 2.1 | 3.2 | 3.4 | 3.0 | 2.7 | 2.4 |
| 1990 | 2.2 | 5.6 | 1.3 | 0.4 | 0.4 | 2.3 | 3.8 | 3.4 | 2.8 | 2.8 | 2.3 |
| 1989 | 2.1 | 5.6 | 1.4 | 0.3 | 0.5 | 1.7 | 3.1 | 3.2 | 3.0 | 2.5 | 2.2 |
| 1988 | 2.1 | 5.8 | 1.7 | 0.5 | 0.4 | 1.8 | 3.3 | 3.0 | 3.0 | 2.4 | 2.3 |
| 1987 | 2.2 | 5.0 | 1.5 | 0.3 | 0.4 | 1.9 | 3.3 | 3.3 | 3.0 | 2.5 | 2.2 |
| 1986 | 2.4 | 5.2 | 1.4 | 0.3 | 0.4 | 2.3 | 3.6 | 3.6 | 3.2 | 2.6 | 2.7 |
| 1985 | 2.2 | 3.9 | 1.5 | 0.4 | 0.5 | 1.9 | 3.3 | 3.3 | 3.0 | 2.6 | 2.5 |
| 1984 | 2.2 | 4.3 | 1.4 | 0.4 | 0.6 | 1.9 | 3.5 | 3.5 | 2.8 | 2.6 | 2.4 |
| 1983 | 2.3 | 3.3 | 1.3 | 0.4 | 0.5 | 2.1 | 3.6 | 3.5 | 2.6 | 2.6 | 2.6 |
| 1982 | 2.4 | 4.6 | 1.5 | 0.5 | 0.5 | 2.4 | 3.9 | 3.6 | 2.7 | 2.6 | 2.8 |
| 1981 | 2.5 | 4.4 | 1.4 | 0.4 | 0.6 | 2.4 | 3.9 | 3.5 | 3.0 | 2.9 | 2.7 |
| 1980 | 2.6 | 4.0 | 1.5 | 0.5 | 0.5 | 2.9 | 4.2 | 3.8 | 3.3 | 2.9 | 2.7 |
| 1979 | 2.3 | 3.3 | 1.4 | 0.4 | 0.5 | 2.6 | 3.9 | 3.2 | 2.8 | 2.4 | 2.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 2.0 | 6.6 | 1.4 | 0.4 | 0.3 | 2.1 | 3.0 | 2.5 | 2.5 | 2.9 | 2.4 |
| 1997 | 2.1 | 7.9 | 1.6 | 0.3 | 0.3 | 1.6 | 3.3 | 2.9 | 2.5 | 2.6 | 2.7 |
| 1996 | 2.2 | 6.5 | 1.6 | 0.5 | 0.3 | 2.0 | 3.1 | 2.7 | 2.9 | 3.0 | 2.9 |
| 1995 | 2.2 | 7.0 | 1.7 | 0.3 | 0.4 | 2.2 | 3.4 | 2.9 | 2.9 | 2.8 | 2.9 |
| 1994 | 2.4 | 5.9 | 2.0 | 0.3 | 0.3 | 2.2 | 3.6 | 3.6 | 3.1 | 3.2 | 2.7 |
| 1993 | 2.5 | 6.8 | 1.9 | 0.4 | 0.4 | 2.3 | 3.7 | 3.5 | 3.3 | 3.3 | 2.8 |
| 1992 | 2.7 | 6.2 | 1.8 | * | 0.3 | 2.1 | 3.9 | 3.9 | 3.9 | 3.6 | 3.1 |
| 1991 | 3.0 | 7.1 | 1.8 | 0.3 | 0.4 | 2.6 | 4.1 | 4.5 | 4.1 | 3.9 | 3.6 |
| 1990 | 3.0 | 6.2 | 1.4 | 0.3 | 0.3 | 2.9 | 5.3 | 4.7 | 3.8 | 3.9 | 3.4 |
| 1989 | 2.8 | 5.7 | 1.5 | 0.3 | 0.3 | 1.9 | 4.0 | 4.3 | 4.1 | 3.4 | 2.9 |
| 1988 | 2.8 | 5.6 | 1.9 | 0.5 | 0.4 | 1.9 | 4.2 | 3.8 | 4.0 | 3.3 | 3.5 |
| 1987 | 2.9 | 5.8 | 1.6 | 0.3 | * | 2.1 | 4.2 | 4.2 | 4.0 | 3.3 | 3.3 |
| 1986 | 3.1 | 5.4 | 1.7 | * | * | 2.7 | 4.6 | 4.7 | 4.5 | 3.7 | 3.9 |
| 1985 | 3.0 | 3.7 | 1.6 | 0.3 | 0.5 | 2.2 | 4.4 | 4.5 | 4.3 | 3.7 | 3.6 |
| 1984 | 2.9 | 4.6 | 1.5 | 0.3 | 0.4 | 2.1 | 4.3 | 4.7 | 4.0 | 3.8 | 3.6 |
| 1983 | 3.1 | 3.1 | 1.4 | 0.4 | 0.5 | 2.7 | 4.9 | 4.8 | 3.9 | 3.9 | 3.6 |
| 1982 | 3.3 | 5.2 | 1.6 | 0.4 | 0.3 | 2.8 | 5.1 | 4.9 | 3.9 | 3.7 | 4.2 |
| 1981 | 3.4 | 4.3 | 1.3 | 0.4 | 0.4 | 2.9 | 5.4 | 5.2 | 4.5 | 4.5 | 4.0 |
| 1980 | 3.6 | 3.9 | 1.6 | 0.4 | 0.4 | 3.6 | 5.6 | 5.4 | 4.8 | 4.5 | 4.2 |
| 1979 | 3.2 | 3.9 | 1.5 | 0.4 | 0.4 | 3.4 | 5.3 | 4.4 | 4.2 | 3.7 | 3.9 |
| Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 1.2 | 5.8 | 1.4 | 0.3 | 0.5 | 1.1 | 1.4 | 1.5 | 1.7 | 1.5 | 1.6 |
| 1997 | 1.2 | 4.6 | 1.3 | 0.3 | 0.3 | 1.2 | 1.5 | 1.4 | 1.6 | 1.4 | 1.0 |
| 1996 | 1.3 | 6.8 | 1.6 | 0.4 | 0.4 | 1.2 | 1.6 | 1.5 | 1.7 | 1.6 | 1.2 |
| 1995 | 1.4 | 4.9 | 1.5 | 0.3 | 0.5 | 1.7 | 1.9 | 2.0 | 1.7 | 1.7 | 1.4 |
| 1994 | 1.2 | 5.0 | 1.7 | 0.3 | 0.4 | 1.0 | 1.7 | 1.7 | 1.6 | 1.7 | 1.1 |
| 1993 | 1.4 | 5.7 | 1.1 | 0.4 | 0.5 | 1.4 | 1.9 | 2.0 | 1.9 | 1.7 | 1.4 |
| 1992 | 1.4 | 5.5 | 1.3 | 0.4 | 0.4 | 1.3 | 1.9 | 2.0 | 1.8 | 1.5 | 1.4 |
| 1991 | 1.5 | 5.4 | 1.3 | 0.4 | 0.4 | 1.5 | 2.3 | 2.2 | 1.9 | 1.6 | 1.3 |
| 1990 | 1.4 | 4.9 | 1.2 | 0.4 | 0.5 | 1.6 | 2.2 | 2.1 | 1.9 | 1.6 | 1.2 |
| 1989 | 1.5 | 5.5 | 1.3 | 0.4 | 0.6 | 1.5 | 2.2 | 2.1 | 1.9 | 1.7 | 1.4 |
| 1988 | 1.5 | 6.1 | 1.4 | 0.5 | 0.4 | 1.7 | 2.4 | 2.2 | 2.0 | 1.5 | 1.2 |
| 1987 | 1.6 | 4.2 | 1.3 | 0.4 | 0.5 | 1.8 | 2.3 | 2.5 | 1.9 | 1.7 | 1.2 |
| 1986 | 1.6 | 4.9 | 1.2 | 0.3 | 0.6 | 1.9 | 2.7 | 2.4 | 1.8 | 1.6 | 1.5 |
| 1985 | 1.5 | 4.1 | 1.4 | 0.5 | 0.6 | 1.5 | 2.1 | 2.1 | 1.7 | 1.5 | 1.5 |
| 1984 | 1.5 | 4.0 | 1.3 | 0.4 | 0.8 | 1.7 | 2.7 | 2.2 | 1.5 | 1.4 | 1.3 |
| 1983 | 1.5 | 3.5 | 1.1 | 0.4 | 0.5 | 1.5 | 2.3 | 2.2 | 1.4 | 1.4 | 1.6 |
| 1982 | 1.6 | 3.9 | 1.4 | 0.5 | 0.6 | 2.0 | 2.6 | 2.1 | 1.4 | 1.6 | 1.4 |
| 1981 | 1.6 | 4.4 | 1.5 | 0.4 | 0.7 | 1.9 | 2.4 | 1.8 | 1.5 | 1.3 | 1.4 |
| 1980 | 1.6 | 4.1 | 1.3 | 0.6 | 0.7 | 2.2 | 2.8 | 2.2 | 1.7 | 1.3 | 1.2 |
| 1979 | 1.5 | 2.5 | 1.4 | 0.5 | 0.6 | 1.9 | 2.4 | 1.9 | 1.4 | 1.1 | 1.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 5.1 | 16.7 | 5.2 | 1.3 | 0.9 | 3.8 | 5.6 | 6.9 | 6.7 | 7.6 | 7.7 |
| 1997 | 5.4 | 15.5 | 4.3 | 1.1 | 0.8 | 4.2 | 6.6 | 6.7 | 7.2 | 8.7 | 8.2 |
| 1996 | 5.9 | 16.3 | 4.9 | 0.9 | 1.0 | 4.8 | 7.3 | 7.3 | 9.0 | 9.5 | 8.2 |
| 1995 | 6.6 | 15.6 | 5.1 | 0.9 | 0.7 | 5.2 | 7.9 | 9.5 | 10.8 | 10.5 | 8.4 |
| 1994 | 6.9 | 16.7 | 5.3 | 0.9 | 1.1 | 5.2 | 8.5 | 10.1 | 11.2 | 11.4 | 9.1 |
| 1993 | 7.4 | 16.7 | 6.2 | 0.9 | 1.0 | 5.6 | 8.7 | 11.5 | 12.7 | 10.0 | 10.0 |
| 1992 | 7.9 | 15.7 | 5.0 | 1.1 | 1.1 | 5.3 | 9.8 | 12.8 | 13.1 | 11.6 | 10.4 |
| 1991 | 9.2 | 20.4 | 5.4 | 1.0 | 0.9 | 6.5 | 12.1 | 14.6 | 15.7 | 13.4 | 10.5 |
| 1990 | 9.5 | 17.7 | 5.6 | 1.1 | 1.2 | 6.5 | 12.7 | 16.4 | 17.5 | 14.8 | 10.6 |
| 1989 | 9.5 | 19.1 | 5.7 | 1.5 | 1.2 | 5.1 | 13.2 | 16.5 | 15.9 | 14.0 | 11.1 |
| 1988 | 9.7 | 17.5 | 5.0 | 1.2 | 1.3 | 6.0 | 14.4 | 17.2 | 15.8 | 13.1 | 11.2 |
| 1987 | 9.5 | 16.1 | 4.4 | 1.1 | 1.3 | 6.7 | 13.2 | 16.0 | 15.4 | 12.7 | 12.8 |
| 1986 | 9.9 | 16.4 | 6.1 | 1.4 | 1.1 | 6.9 | 14.7 | 17.1 | 15.4 | 14.5 | 10.5 |
| 1985 | 9.1 | 11.2 | 4.6 | 1.7 | 1.1 | 6.7 | 13.4 | 14.5 | 15.3 | 14.2 | 11.3 |
| 1984 | 9.3 | 14.8 | 4.7 | 1.7 | 1.5 | 6.4 | 12.9 | 16.2 | 14.3 | 12.1 | 12.0 |
| 1983 | 9.8 | 13.1 | 5.6 | 1.1 | 1.0 | 7.6 | 15.0 | 16.6 | 15.4 | 12.9 | 12.5 |
| 1982 | 10.4 | 13.8 | 6.2 | 1.6 | 1.3 | 7.7 | 15.5 | 17.5 | 16.6 | 14.7 | 13.2 |
| 1981 | 10.4 | 11.7 | 5.7 | 1.5 | 1.4 | 6.9 | 15.2 | 17.7 | 17.3 | 15.8 | 14.5 |
| 1980 | 10.6 | 12.8 | 5.3 | 1.3 | 1.0 | 6.5 | 17.1 | 18.6 | 18.2 | 17.9 | 13.5 |
| 1979 | 10.4 | 11.8 | 5.5 | 1.2 | 1.1 | 7.4 | 15.1 | 19.7 | 16.8 | 17.4 | 14.7 |
| Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 6.9 | 17.3 | 6.0 | 1.4 | 1.0 | 5.2 | 7.7 | 9.2 | 8.8 | 9.4 | 11.3 |
| 1997 | 7.1 | 14.8 | 4.8 | 1.2 | * | 6.0 | 9.3 | 8.6 | 8.8 | 10.8 | 11.3 |
| 1996 | 8.0 | 16.3 | 4.6 | * | * | 7.1 | 10.5 | 9.4 | 12.0 | 12.9 | 13.0 |
| 1995 | 8.9 | 16.2 | 5.6 | 0.9 | * | 7.0 | 11.2 | 12.4 | 13.8 | 14.3 | 12.3 |
| 1994 | 9.3 | 19.4 | 5.9 | * | 1.0 | 7.1 | 11.8 | 12.0 | 15.2 | 15.5 | 14.8 |
| 1993 | 10.1 | 18.6 | 6.9 | * | * | 7.8 | 11.7 | 14.2 | 16.6 | 14.3 | 16.1 |
| 1992 | 10.9 | 17.5 | 5.2 | 1.1 | * | 7.5 | 13.2 | 16.9 | 17.1 | 17.3 | 16.9 |
| 1991 | 12.7 | 19.7 | 5.5 | * | * | 9.2 | 15.7 | 19.4 | 22.0 | 19.9 | 16.3 |
| 1990 | 13.7 | 17.4 | 5.9 | * | * | 8.8 | 17.5 | 23.5 | 25.2 | 22.7 | 18.2 |
| 1989 | 13.5 | 17.6 | 5.9 | 1.5 | * | 7.3 | 18.3 | 23.3 | 23.8 | 21.7 | 18.8 |
| 1988 | 13.7 | 15.8 | 5.2 | 1.3 | * | 8.0 | 19.3 | 23.6 | 22.3 | 22.7 | 19.2 |
| 1987 | 13.8 | 16.7 | 3.4 | 1.2 | 1.5 | 9.0 | 16.9 | 23.4 | 23.1 | 21.6 | 20.5 |
| 1986 | 14.6 | 18.6 | 6.7 | * | * | 8.8 | 21.1 | 25.5 | 23.7 | 24.4 | 16.8 |
| 1985 | 13.5 | 13.5 | 4.5 | 1.8 | * | 8.5 | 19.2 | 21.7 | 24.3 | 22.6 | 19.3 |
| 1984 | 13.6 | 16.4 | 4.1 | 1.4 | 1.5 | 8.2 | 17.3 | 23.9 | 22.9 | 19.6 | 19.4 |
| 1983 | 14.6 | 12.4 | 6.1 | 1.3 | 1.2 | 9.7 | 21.0 | 24.8 | 25.1 | 21.3 | 21.3 |
| 1982 | 15.6 | 14.5 | 6.9 | 1.7 | 1.3 | 10.1 | 22.8 | 26.7 | 27.6 | 24.5 | 22.7 |
| 1981 | 15.9 | 10.6 | 6.9 | 1.8 | 1.9 | 9.3 | 22.1 | 27.6 | 26.4 | 26.7 | 25.2 |
| 1980 | 16.2 | 15.0 | 5.5 | * | * | 8.6 | 25.1 | 28.8 | 30.4 | 28.9 | 23.8 |
| 1979 | 15.5 | 14.9 | 4.9 | * | 1.4 | 9.9 | 20.2 | 30.8 | 27.1 | 28.7 | 26.2 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 3.4 | 16.1 | 4.4 | 1.2 | * | 2.4 | 3.5 | 4.8 | 4.9 | 5.9 | 4.6 |
| 1997 | 3.8 | 16.3 | 3.8 | 0.9 | * | 2.5 | 4.1 | 4.9 | 5.7 | 6.8 | 5.4 |
| 1996 | 3.9 | 16.3 | 5.1 | 0.9 | 1.2 | 2.5 | 4.3 | 5.4 | 6.3 | 6.4 | 4.0 |
| 1995 | 4.4 | 14.9 | 4.7 | * | * | 3.3 | 4.7 | 6.8 | 8.1 | 7.2 | 5.0 |
| 1994 | 4.6 | 14.0 | 4.6 | * | 1.1 | 3.2 | 5.2 | 8.4 | 7.7 | 7.7 | 4.2 |
| 1993 | 5.0 | 14.7 | 5.5 | * | 1.4 | 3.4 | 5.7 | 9.1 | 9.2 | 6.1 | 4.6 |
| 1992 | 5.1 | 13.9 | 4.8 | 1.2 | 1.3 | 3.1 | 6.5 | 8.9 | 9.5 | 6.5 | 4.7 |
| 1991 | 6.1 | 21.2 | 5.4 | 1.2 | * | 3.7 | 8.6 | 10.2 | 10.0 | 7.7 | 5.5 |
| 1990 | 5.8 | 18.1 | 5.3 | 1.3 | 1.4 | 4.3 | 8.1 | 9.7 | 10.7 | 8.0 | 4.1 |
| 1989 | 5.9 | 20.6 | 5.5 | 1.6 | 1.5 | 2.8 | 8.2 | 10.3 | 8.9 | 7.3 | 4.4 |
| 1988 | 6.0 | 19.2 | 4.7 | * | 1.5 | 4.0 | 9.6 | 11.3 | 10.0 | 4.8 | 4.4 |
| 1987 | 5.6 | 15.5 | 5.5 | * | * | 4.4 | 9.6 | 9.3 | 8.5 | 5.0 | 6.1 |
| 1986 | 5.6 | 14.2 | 5.4 | 1.6 | * | 4.9 | 8.4 | 9.6 | 8.0 | 5.9 | 5.1 |
| 1985 | 5.1 | 8.8 | 4.7 | 1.6 | * | 4.9 | 7.9 | 8.1 | 7.4 | 7.0 | 4.3 |
| 1984 | 5.4 | 13.1 | 5.3 | 2.0 | 1.6 | 4.5 | 8.7 | 9.3 | 6.7 | 5.7 | 5.7 |
| 1983 | 5.5 | 13.8 | 5.0 | * | * | 5.4 | 9.4 | 9.3 | 7.0 | 5.8 | 5.0 |
| 1982 | 5.6 | 13.0 | 5.6 | 1.5 | 1.3 | 5.2 | 8.6 | 9.2 | 7.0 | 6.4 | 5.0 |
| 1981 | 5.4 | 12.7 | 4.5 | * | * | 4.4 | 8.7 | 8.8 | 9.4 | 6.5 | 5.3 |
| 1980 | 5.6 | 10.5 | 5.0 | 1.6 | * | 4.4 | 9.8 | 9.7 | 7.6 | 8.6 | 4.8 |
| 1979 | 5.9 | 8.8 | 6.0 | * | * | 4.9 | 10.4 | 10.0 | 8.1 | 7.9 | 5.0 |
| Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 6.3 | 20.7 | 6.5 | 1.3 | 1.1 | 4.8 | 7.2 | 8.7 | 8.6 | 9.7 | 9.8 |
| 1997 | 6.6 | 17.8 | 5.2 | 1.1 | 0.9 | 5.1 | 8.3 | 8.5 | 9.0 | 10.9 | 10.4 |
| 1996 | 7.2 | 20.3 | 5.7 | 1.1 | 1.1 | 5.6 | 9.2 | 9.1 | 11.5 | 12.4 | 10.6 |
| 1995 | 8.1 | 19.5 | 6.2 | 1.1 | 0.8 | 6.0 | 9.9 | 12.3 | 13.9 | 13.4 | 10.9 |
| 1994 | 8.4 | 19.6 | 6.1 | 0.9 | 1.3 | 6.0 | 10.5 | 12.8 | 14.3 | 14.3 | 11.6 |
| 1993 | 9.2 | 19.8 | 7.3 | 1.1 | 1.3 | 6.6 | 10.9 | 14.5 | 16.2 | 12.9 | 12.4 |
| 1992 | 9.6 | 19.1 | 5.7 | 1.2 | 1.4 | 6.2 | 12.1 | 16.1 | 16.3 | 14.7 | 13.3 |
| 1991 | 11.3 | 24.5 | 6.4 | 1.1 | 1.0 | 7.7 | 14.9 | 18.3 | 19.9 | 16.5 | 13.5 |
| 1990 | 11.6 | 21.2 | 6.6 | 1.3 | 1.4 | 7.8 | 15.6 | 20.5 | 21.9 | 18.3 | 13.3 |
| 1989 | 11.4 | 22.1 | 6.8 | 1.6 | 1.4 | 5.8 | 15.6 | 20.7 | 19.5 | 17.4 | 14.0 |
| 1988 | 11.6 | 21.0 | 6.1 | 1.4 | 1.6 | 6.8 | 17.1 | 20.9 | 19.6 | 16.6 | 13.7 |
| 1987 | 11.4 | 19.0 | 5.3 | 1.3 | 1.6 | 7.7 | 15.5 | 19.4 | 19.3 | 15.9 | 15.3 |
| 1986 | 11.6 | 19.8 | 7.2 | 1.6 | 1.2 | 7.7 | 16.3 | 20.3 | 19.0 | 17.6 | 13.0 |
| 1985 | 10.7 | 13.4 | 5.5 | 1.6 | 1.1 | 7.3 | 15.3 | 17.2 | 19.0 | 17.5 | 14.2 |
| 1984 | 10.8 | 18.1 | 5.5 | 2.0 | 1.8 | 7.0 | 14.8 | 19.1 | 17.6 | 14.5 | 14.5 |
| 1983 | 11.3 | 15.0 | 6.3 | 1.3 | 1.1 | 8.1 | 17.1 | 19.0 | 19.2 | 16.0 | 14.8 |
| 1982 | 11.9 | 15.1 | 7.0 | 1.9 | 1.4 | 8.5 | 17.5 | 20.9 | 20.1 | 18.0 | 15.7 |
| 1981 | 11.8 | 12.5 | 6.6 | 1.7 | 1.5 | 7.5 | 16.7 | 21.0 | 21.0 | 18.7 | 16.9 |
| 1980 | 11.8 | 15.0 | 5.9 | 1.4 | 1.1 | 7.0 | 18.7 | 21.1 | 22.0 | 20.3 | 15.7 |
| 1979 | 11.5 | 13.0 | 6.2 | 1.4 | 1.3 | 8.0 | 16.3 | 22.0 | 19.3 | 19.9 | 16.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 8.6 | 20.7 | 7.4 | 1.6 | 1.3 | 6.5 | 9.9 | 12.0 | 10.9 | 12.4 | 14.5 |
| 1997 | 8.7 | 16.6 | 6.0 | 1.2 | * | 7.1 | 11.3 | 10.8 | 11.1 | 13.6 | 14.4 |
| 1996 | 9.8 | 21.1 | 5.5 | * | * | 8.2 | 12.9 | 11.3 | 15.4 | 16.7 | 16.6 |
| 1995 | 11.1 | 20.3 | 6.7 | * | * | 7.9 | 14.1 | 16.2 | 17.7 | 18.3 | 16.1 |
| 1994 | 11.4 | 22.4 | 6.8 | * | * | 7.9 | 14.7 | 14.7 | 19.3 | 19.6 | 19.3 |
| 1993 | 12.5 | 22.5 | 8.1 | * | * | 9.2 | 14.8 | 18.2 | 21.5 | 18.5 | 20.3 |
| 1992 | 13.4 | 21.4 | 5.7 | * | * | 8.7 | 16.5 | 21.3 | 21.3 | 22.4 | 21.8 |
| 1991 | 15.8 | 23.3 | 6.7 | * | * | 11.0 | 19.4 | 24.4 | 28.4 | 25.0 | 21.5 |
| 1990 | 16.8 | 20.5 | 6.8 | * | * | 10.5 | 21.6 | 29.9 | 31.6 | 28.5 | 23.3 |
| 1989 | 16.4 | 21.3 | 7.0 | 1.6 | * | 8.4 | 21.7 | 29.3 | 29.4 | 27.5 | 24.2 |
| 1988 | 16.7 | 18.9 | 6.5 | 1.6 | * | 9.1 | 23.1 | 28.7 | 28.0 | 28.9 | 24.1 |
| 1987 | 16.6 | 19.5 | 4.1 | * | 1.7 | 10.6 | 20.2 | 28.6 | 29.3 | 27.3 | 25.5 |
| 1986 | 17.2 | 22.5 | 8.1 | * | * | 9.7 | 23.6 | 30.2 | 29.9 | 30.2 | 21.3 |
| 1985 | 16.0 | 16.3 | 5.4 | 1.9 | * | 9.3 | 22.0 | 25.6 | 31.0 | 28.2 | 24.4 |
| 1984 | 16.0 | 19.9 | 4.8 | 1.6 | 1.9 | 9.0 | 19.9 | 28.2 | 28.9 | 24.4 | 23.8 |
| 1983 | 16.9 | 14.3 | 6.9 | 1.6 | * | 10.4 | 23.9 | 28.5 | 31.5 | 26.8 | 25.8 |
| 1982 | 18.1 | 16.1 | 7.9 | 2.1 | * | 11.2 | 25.8 | 32.2 | 34.2 | 30.5 | 27.9 |
| 1981 | 18.3 | 11.9 | 8.1 | 1.9 | 1.8 | 10.1 | 25.0 | 32.9 | 32.5 | 32.7 | 29.8 |
| 1980 | 18.2 | 17.8 | 6.1 | * | * | 9.3 | 27.3 | 32.7 | 37.4 | 33.8 | 28.3 |
| 1979 | 17.2 | 16.2 | 5.7 | * | 1.6 | 10.9 | 22.0 | 34.7 | 31.2 | 33.0 | 29.6 |
| Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 4.2 | 20.6 | 5.6 | * | * | 3.0 | 4.5 | 5.8 | 6.5 | 7.4 | 5.7 |
| 1997 | 4.7 | 19.1 | 4.4 | * | * | 3.0 | 5.4 | 6.4 | 7.2 | 8.5 | 6.9 |
| 1996 | 4.9 | 19.5 | 5.9 | * | * | 3.0 | 5.6 | 7.1 | 8.0 | 8.5 | 5.3 |
| 1995 | 5.5 | 18.7 | 5.7 | * | * | 4.0 | 5.8 | 8.7 | 10.5 | 9.0 | 6.4 |
| 1994 | 5.7 | 16.8 | 5.2 | * | * | 3.9 | 6.4 | 11.1 | 9.9 | 9.7 | 5.0 |
| 1993 | 6.1 | 17.0 | 6.5 | * | 1.9 | 4.0 | 7.2 | 11.1 | 11.5 | 7.9 | 5.6 |
| 1992 | 6.2 | 16.8 | 5.7 | * | 1.7 | 3.7 | 7.8 | 11.3 | 11.9 | 8.0 | 6.1 |
| 1991 | 7.3 | 25.7 | 6.1 | * | * | 4.4 | 10.5 | 12.7 | 12.4 | 9.1 | 6.8 |
| 1990 | 6.9 | 21.9 | 6.3 | 1.6 | 1.6 | 5.1 | 9.7 | 11.9 | 13.3 | 9.5 | 4.8 |
| 1989 | 7.0 | 23.0 | 6.5 | 1.6 | 2.0 | 3.1 | 9.7 | 12.9 | 10.8 | 8.7 | 5.3 |
| 1988 | 7.1 | 23.0 | 5.7 | * | 1.9 | 4.5 | 11.4 | 13.9 | 12.2 | 6.1 | 4.9 |
| 1987 | 6.6 | 18.5 | 6.6 | * | * | 4.8 | 11.1 | 11.2 | 10.5 | 6.2 | 6.7 |
| 1986 | 6.5 | 17.1 | 6.3 | 1.9 | * | 5.6 | 9.5 | 11.5 | 9.5 | 6.9 | 5.9 |
| 1985 | 5.9 | 10.3 | 5.6 | * | * | 5.3 | 9.1 | 9.7 | 8.6 | 8.4 | 5.5 |
| 1984 | 6.2 | 16.3 | 6.2 | 2.4 | 1.8 | 4.9 | 10.1 | 10.9 | 7.8 | 6.3 | 6.7 |
| 1983 | 6.2 | 15.7 | 5.7 | * | * | 5.7 | 10.8 | 10.5 | 8.6 | 6.9 | 5.7 |
| 1982 | 6.3 | 14.1 | 6.1 | * | * | 5.8 | 9.9 | 10.8 | 8.1 | 7.5 | 5.4 |
| 1981 | 6.0 | 13.2 | 5.1 | * | * | 5.0 | 9.1 | 10.4 | 11.1 | 7.0 | 6.2 |
| 1980 | 6.1 | 12.0 | 5.7 | 1.7 | * | 4.8 | 10.8 | 10.9 | 8.7 | 9.0 | 5.2 |
| 1979 | 6.4 | 9.8 | 6.7 | * | * | 5.2 | 11.2 | 10.9 | 9.1 | 9.0 | 5.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Legal intervention (E970-E978) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |
| 1997 | 0.1 | * | * | * | * | * | 0.3 | 0.2 | 0.3 | 0.3 | 0.2 |
| 1996 | 0.1 | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | 0.2 |
| 1995 | 0.1 | * | * | * | * | 0.2 | 0.3 | 0.2 | 0.3 | 0.2 | 0.3 |
| 1994 | 0.1 | * | * | * | * | 0.2 | 0.4 | 0.3 | 0.3 | 0.3 | 0.1 |
| 1993 | 0.1 | * | * | * | * | 0.2 | 0.4 | 0.2 | 0.3 | 0.3 | 0.1 |
| 1992 | 0.1 | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 | 0.2 |
| 1991 | 0.1 | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 |
| 1990 | 0.1 | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 |
| 1989 | 0.1 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.3 | 0.2 | 0.2 |
| 1988 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | * |
| 1987 | 0.1 | * | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.2 | * |
| 1986 | 0.1 | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | * |
| 1985 | 0.1 | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.2 | 0.2 | * |
| 1984 | 0.1 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.3 | 0.2 | 0.2 |
| 1983 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 |
| 1982 | 0.1 | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 |
| 1981 | 0.1 | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.3 | 0.3 | * |
| 1980 | 0.1 | * | * | * | * | 0.1 | 0.4 | 0.3 | 0.3 | 0.2 | * |
| 1979 | 0.2 | * | * | * | * | 0.2 | 0.4 | 0.4 | 0.3 | 0.2 | * |
| Legal intervention (E970-E978) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | 0.3 | 0.5 | 0.5 | 0.6 | 0.5 | 0.6 |
| 1997 | 0.3 | * | * | * | * | * | 0.5 | 0.4 | 0.6 | 0.6 | 0.4 |
| 1996 | 0.2 | * | * | * | * | 0.3 | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 |
| 1995 | 0.3 | * | * | * | * | 0.3 | 0.5 | 0.4 | 0.6 | 0.5 | 0.5 |
| 1994 | 0.3 | * | * | * | * | 0.4 | 0.7 | 0.6 | 0.6 | 0.5 | 0.3 |
| 1993 | 0.3 | * | * | * | * | 0.4 | 0.7 | 0.5 | 0.6 | 0.5 | 0.3 |
| 1992 | 0.3 | * | * | * | * | 0.3 | 0.6 | 0.6 | 0.4 | 0.5 | 0.3 |
| 1991 | 0.2 | * | * | * | * | 0.3 | 0.5 | 0.5 | 0.4 | 0.3 | 0.2 |
| 1990 | 0.3 | * | * | * | * | 0.2 | 0.6 | 0.5 | 0.5 | 0.4 | 0.4 |
| 1989 | 0.3 | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.6 | 0.4 | 0.4 |
| 1988 | 0.2 | * | * | * | * | * | 0.4 | 0.4 | 0.5 | 0.4 | * |
| 1987 | 0.2 | * | * | * | * | * | 0.5 | 0.6 | 0.6 | 0.5 | * |
| 1986 | 0.2 | * | * | * | * | 0.2 | 0.4 | 0.5 | 0.5 | 0.4 | * |
| 1985 | 0.2 | * | * | * | * | 0.2 | 0.5 | 0.6 | 0.4 | 0.4 | * |
| 1984 | 0.2 | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.5 | 0.4 | 0.3 |
| 1983 | 0.2 | * | * | * | * | * | 0.4 | 0.5 | 0.5 | 0.4 | 0.4 |
| 1982 | 0.2 | * | * | * | * | 0.3 | 0.6 | 0.6 | 0.5 | 0.3 | 0.4 |
| 1981 | 0.3 | * | * | * | * | 0.2 | 0.6 | 0.6 | 0.6 | 0.5 | * |
| 1980 | 0.3 | * | * | * | * | 0.3 | 0.7 | 0.5 | 0.7 | 0.5 | * |
| 1979 | 0.3 | * | * | * | * | 0.4 | 0.8 | 0.8 | 0.6 | 0.4 | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Legal intervention (E970-E978) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Legal intervention (E970-E978) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | * | * | 0.2 | 0.3 | 0.2 | 0.3 |
| 1997 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 1996 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 |
| 1995 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 1994 | 0.1 | * | * | * | * | 0.1 | 0.3 | 0.2 | 0.3 | 0.3 | 0.1 |
| 1993 | 0.1 | * | * | * | * | * | 0.3 | 0.1 | 0.2 | 0.2 | * |
| 1992 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 1991 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | * | * |
| 1990 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 1989 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| 1988 | 0.1 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.2 | * |
| 1987 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | * |
| 1986 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | 0.1 | 0.1 | * |
| 1985 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | 0.1 | * | * |
| 1984 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | * |
| 1983 | 0.1 | * | * | * | * | * | 0.1 | 0.2 | 0.2 | * | * |
| 1982 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | * | * |
| 1981 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | * |
| 1980 | 0.1 | * | * | * | * | * | 0.3 | 0.2 | 0.2 | 0.2 | * |
| 1979 | 0.1 | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Legal intervention (E970-E978) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | 0.4 | 0.5 | 0.4 | 0.5 |
| 1997 | 0.2 | * | * | * | * | * | 0.3 | 0.4 | 0.4 | 0.5 | 0.3 |
| 1996 | 0.2 | * | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.4 | 0.3 |
| 1995 | 0.2 | * | * | * | * | * | 0.4 | 0.3 | 0.4 | 0.4 | 0.4 |
| 1994 | 0.2 | * | * | * | * | * | 0.6 | 0.4 | 0.5 | 0.5 | 0.2 |
| 1993 | 0.2 | * | * | * | * | * | 0.5 | 0.3 | 0.5 | 0.4 | * |
| 1992 | 0.2 | * | * | * | * | * | 0.4 | 0.5 | 0.4 | 0.4 | 0.3 |
| 1991 | 0.1 | * | * | * | * | * | 0.3 | 0.3 | 0.3 | * | * |
| 1990 | 0.2 | * | * | * | * | * | 0.4 | 0.3 | 0.5 | 0.3 | 0.4 |
| 1989 | 0.2 | * | * | * | * | * | 0.3 | 0.4 | 0.4 | 0.3 | 0.3 |
| 1988 | 0.2 | * | * | * | * | * | 0.2 | 0.4 | 0.3 | 0.3 | * |
| 1987 | 0.2 | * | * | * | * | * | 0.3 | 0.4 | 0.4 | 0.4 | * |
| 1986 | 0.2 | * | * | * | * | * | 0.4 | 0.3 | 0.3 | 0.3 | * |
| 1985 | 0.2 | * | * | * | * | * | 0.4 | 0.4 | 0.3 | * | * |
| 1984 | 0.2 | * | * | * | * | * | 0.3 | 0.3 | 0.3 | 0.3 | * |
| 1983 | 0.2 | * | * | * | * | * | 0.3 | 0.3 | 0.4 | * | * |
| 1982 | 0.2 | * | * | * | * | * | 0.5 | 0.4 | 0.4 | * | * |
| 1981 | 0.2 | * | * | * | * | * | 0.4 | 0.3 | 0.3 | 0.3 | * |
| 1980 | 0.2 | * | * | * | * | * | 0.5 | 0.4 | 0.4 | 0.4 | * |
| 1979 | 0.2 | * | * | * | * | 0.3 | 0.5 | 0.5 | 0.4 | * | * |
| Legal intervention (E970-E978) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Legal intervention (E970-E978) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | 0.9 | 0.6 | * | 0.5 | * |
| 1997 | 0.2 | * | * | * | * | * | 0.6 | * | 0.7 | 0.6 | * |
| 1996 | 0.2 | * | * | * | * | * | * | 0.7 | * | * | * |
| 1995 | 0.2 | * | * | * | * | * | 0.6 | * | 0.6 | * | * |
| 1994 | 0.3 | * | * | * | * | * | 0.6 | 0.6 | 0.6 | * | * |
| 1993 | 0.3 | * | * | * | * | 0.6 | 0.8 | 0.7 | 0.5 | * | * |
| 1992 | 0.3 | * | * | * | * | * | 0.6 | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | 0.6 | 0.6 | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | 0.8 | 0.8 | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | 0.7 | 0.7 | * | * |
| 1988 | 0.2 | * | * | * | * | * | * | * | 0.7 | * | * |
| 1987 | 0.3 | * | * | * | * | * | 0.6 | 1.0 | 0.7 | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | 0.8 | * | * |
| 1985 | 0.3 | * | * | * | * | * | 0.6 | 0.8 | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | 0.7 | 0.7 | * | * |
| 1983 | 0.3 | * | * | * | * | * | 0.6 | * | 0.7 | * | * |
| 1982 | 0.4 | * | * | * | * | * | 0.6 | 1.0 | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | 0.7 | 1.0 | 0.9 | * | * |
| 1980 | 0.4 | * | * | * | * | * | 1.0 | 0.7 | 1.0 | * | * |
| 1979 | 0.5 | * | * | * | * | * | 1.2 | 1.4 | 1.0 | * | * |
| Legal intervention (E970-E978) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.6 | * | * | * | * | * | 1.8 | 1.2 | * | 1.0 | * |
| 1997 | 0.5 | * | * | * | * | * | 1.1 | * | 1.4 | 1.1 | * |
| 1996 | 0.5 | * | * | * | * | * | * | 1.3 | * | * | * |
| 1995 | 0.5 | * | * | * | * | * | 1.1 | * | 1.3 | * | * |
| 1994 | 0.6 | * | * | * | * | * | 1.2 | 1.3 | 1.3 | * | * |
| 1993 | 0.7 | * | * | * | * | 1.1 | 1.6 | 1.4 | 1.1 | * | * |
| 1992 | 0.5 | * | * | * | * | * | 1.2 | * | * | * | * |
| 1991 | 0.5 | * | * | * | * | * | 1.2 | 1.3 | * | * | * |
| 1990 | 0.6 | * | * | * | * | * | 1.6 | 1.6 | * | * | * |
| 1989 | 0.6 | * | * | * | * | * | * | 1.4 | 1.5 | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | 1.6 | * | * |
| 1987 | 0.6 | * | * | * | * | * | * | 2.0 | 1.5 | * | * |
| 1986 | 0.6 | * | * | * | * | * | * | * | 1.7 | * | * |
| 1985 | 0.6 | * | * | * | * | * | 1.3 | 1.7 | * | * | * |
| 1984 | 0.6 | * | * | * | * | * | * | 1.6 | 1.6 | * | * |
| 1983 | 0.6 | * | * | * | * | * | 1.2 | * | * | * | * |
| 1982 | 0.7 | * | * | * | * | * | 1.2 | 2.0 | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | 1.4 | 2.0 | 2.0 | * | * |
| 1980 | 0.7 | * | * | * | * | * | 2.0 | 1.5 | 2.1 | * | * |
| 1979 | 1.1 | * | * | * | * | * | 2.5 | 2.9 | 2.2 | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---------------------------------------|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Legal intervention (E970-E978) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Legal intervention (E970-E978) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.4 | * | * | * | * | * | 1.1 | 0.8 | * | * | * |
| 1997 | 0.3 | * | * | * | * | * | * | * | 0.9 | 0.8 | * |
| 1996 | 0.3 | * | * | * | * | * | * | 0.8 | * | * | * |
| 1995 | 0.3 | * | * | * | * | * | * | * | 0.7 | * | * |
| 1994 | 0.3 | * | * | * | * | * | 0.8 | 0.9 | 0.8 | * | * |
| 1993 | 0.4 | * | * | * | * | * | 1.0 | 0.8 | * | * | * |
| 1992 | 0.3 | * | * | * | * | * | 0.8 | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | * | * | 0.8 | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | 0.8 | 1.0 | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | 0.8 | 0.9 | * | * |
| 1988 | 0.3 | * | * | * | * | * | * | * | 0.9 | * | * |
| 1987 | 0.4 | * | * | * | * | * | 0.7 | 1.2 | 0.9 | * | * |
| 1986 | 0.3 | * | * | * | * | * | * | * | 1.0 | * | * |
| 1985 | 0.3 | * | * | * | * | * | 0.7 | 1.0 | * | * | * |
| 1984 | 0.4 | * | * | * | * | * | * | 0.9 | 0.9 | * | * |
| 1983 | 0.4 | * | * | * | * | * | 0.7 | * | 0.9 | * | * |
| 1982 | 0.4 | * | * | * | * | * | * | 1.2 | * | * | * |
| 1981 | 0.4 | * | * | * | * | * | 0.8 | 1.2 | 1.2 | * | * |
| 1980 | 0.4 | * | * | * | * | * | 1.1 | * | 1.2 | * | * |
| 1979 | 0.6 | * | * | * | * | * | 1.3 | 1.6 | 1.2 | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|------------------------------------|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Legal intervention (E970-E978) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | 2.2 | 1.6 | * | * | * |
| 1997 | 0.6 | * | * | * | * | * | * | * | 1.9 | 1.5 | * |
| 1996 | 0.6 | * | * | * | * | * | * | 1.6 | * | * | * |
| 1995 | 0.6 | * | * | * | * | * | * | * | 1.5 | * | * |
| 1994 | 0.7 | * | * | * | * | * | 1.7 | 1.8 | 1.7 | * | * |
| 1993 | 0.8 | * | * | * | * | * | 2.1 | 1.6 | * | * | * |
| 1992 | 0.6 | * | * | * | * | * | 1.6 | * | * | * | * |
| 1991 | 0.7 | * | * | * | * | * | * | 1.7 | * | * | * |
| 1990 | 0.7 | * | * | * | * | * | 1.7 | 2.0 | * | * | * |
| 1989 | 0.7 | * | * | * | * | * | * | 1.6 | 1.8 | * | * |
| 1988 | 0.5 | * | * | * | * | * | * | * | 1.9 | * | * |
| 1987 | 0.7 | * | * | * | * | * | * | 2.4 | 1.9 | * | * |
| 1986 | 0.7 | * | * | * | * | * | * | * | 2.2 | * | * |
| 1985 | 0.7 | * | * | * | * | * | 1.4 | 2.0 | * | * | * |
| 1984 | 0.8 | * | * | * | * | * | * | 2.0 | 2.0 | * | * |
| 1983 | 0.8 | * | * | * | * | * | 1.5 | * | * | * | * |
| 1982 | 0.9 | * | * | * | * | * | * | 2.5 | * | * | * |
| 1981 | 0.9 | * | * | * | * | * | 1.6 | 2.4 | 2.5 | * | * |
| 1980 | 0.9 | * | * | * | * | * | 2.3 | * | 2.6 | * | * |
| 1979 | 1.2 | * | * | * | * | * | 2.8 | 3.4 | 2.5 | * | * |
| Legal intervention (E970-E978) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Events of undetermined intent (E980-E989) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.4 | 2.0 | 0.3 | * | 0.3 | 0.7 | 1.1 | 1.6 | 2.0 | 2.8 | 3.0 |
| 1997 | 1.3 | 1.5 | 0.3 | * | 0.2 | 0.8 | 1.2 | 1.3 | 2.1 | 2.9 | 3.0 |
| 1996 | 1.3 | 1.5 | 0.3 | 0.1 | 0.1 | 0.9 | 1.1 | 1.3 | 2.3 | 2.7 | 2.6 |
| 1995 | 1.2 | 1.5 | 0.3 | * | 0.2 | 0.8 | 1.1 | 1.4 | 2.2 | 2.8 | 2.5 |
| 1994 | 1.3 | 1.2 | 0.3 | 0.1 | 0.3 | 1.0 | 1.3 | 1.7 | 2.2 | 2.6 | 2.4 |
| 1993 | 1.3 | 1.6 | 0.2 | * | 0.2 | 0.9 | 1.4 | 1.6 | 2.5 | 2.5 | 2.4 |
| 1992 | 1.1 | 1.0 | 0.2 | * | 0.2 | 0.8 | 1.1 | 1.6 | 1.9 | 2.4 | 2.2 |
| 1991 | 1.0 | 1.2 | 0.3 | * | 0.2 | 0.9 | 0.9 | 1.2 | 1.7 | 1.9 | 1.4 |
| 1990 | 1.0 | 1.3 | 0.2 | * | 0.2 | 0.7 | 1.0 | 1.3 | 1.7 | 1.6 | 1.4 |
| 1989 | 1.1 | 1.3 | 0.4 | * | 0.3 | 0.7 | 1.1 | 1.6 | 1.9 | 2.0 | 1.6 |
| 1988 | 1.2 | 1.1 | 0.4 | 0.1 | 0.3 | 0.8 | 1.5 | 1.9 | 2.3 | 2.0 | 1.5 |
| 1987 | 1.2 | 1.5 | 0.5 | 0.1 | 0.3 | 0.8 | 1.3 | 1.9 | 2.2 | 2.1 | 1.6 |
| 1986 | 1.3 | 1.4 | 0.4 | * | 0.2 | 0.8 | 1.5 | 1.9 | 2.2 | 2.0 | 1.6 |
| 1985 | 1.2 | 1.5 | 0.5 | * | 0.2 | 0.7 | 1.2 | 1.8 | 2.0 | 1.8 | 1.5 |
| 1984 | 1.3 | 1.7 | 0.4 | 0.2 | 0.3 | 0.8 | 1.6 | 1.9 | 1.9 | 1.8 | 1.6 |
| 1983 | 1.3 | 1.5 | 0.5 | 0.2 | 0.3 | 0.8 | 1.6 | 2.0 | 2.0 | 1.7 | 1.7 |
| 1982 | 1.4 | 2.0 | 0.5 | 0.1 | 0.2 | 0.9 | 1.7 | 2.1 | 2.1 | 2.0 | 1.5 |
| 1981 | 1.6 | 2.2 | 0.6 | 0.1 | 0.3 | 1.2 | 1.9 | 2.2 | 2.1 | 2.1 | 1.9 |
| 1980 | 1.6 | 1.9 | 0.8 | 0.2 | 0.3 | 1.2 | 2.1 | 2.6 | 2.2 | 2.0 | 2.2 |
| 1979 | 1.7 | 2.5 | 0.8 | 0.2 | 0.4 | 1.3 | 2.3 | 2.6 | 2.2 | 2.1 | 2.2 |
| Events of undetermined intent (E980-E989) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 1.9 | 2.7 | 0.3 | * | 0.4 | 1.1 | 1.7 | 2.1 | 2.8 | 4.0 | 4.3 |
| 1997 | 2.0 | 1.9 | * | * | 0.3 | 1.2 | 1.9 | 2.0 | 3.1 | 4.4 | 4.5 |
| 1996 | 1.9 | 1.5 | 0.3 | * | 0.2 | 1.5 | 1.8 | 2.0 | 3.4 | 4.0 | 4.1 |
| 1995 | 1.9 | 1.4 | 0.3 | * | 0.3 | 1.4 | 1.9 | 2.1 | 3.3 | 4.4 | 3.9 |
| 1994 | 2.0 | 1.2 | 0.3 | * | 0.4 | 1.7 | 2.1 | 2.4 | 3.2 | 4.0 | 3.8 |
| 1993 | 2.0 | 1.9 | 0.3 | * | 0.4 | 1.3 | 2.2 | 2.4 | 3.8 | 3.9 | 3.7 |
| 1992 | 1.7 | 1.2 | * | * | 0.3 | 1.3 | 1.7 | 2.5 | 2.9 | 3.6 | 3.3 |
| 1991 | 1.4 | 1.4 | * | * | 0.3 | 1.3 | 1.3 | 1.8 | 2.5 | 3.0 | 2.0 |
| 1990 | 1.4 | 1.5 | 0.3 | * | 0.3 | 1.1 | 1.5 | 2.1 | 2.6 | 2.5 | 2.2 |
| 1989 | 1.6 | 1.5 | 0.4 | * | 0.4 | 1.2 | 1.8 | 2.3 | 3.0 | 3.2 | 2.2 |
| 1988 | 1.8 | 1.5 | 0.4 | * | 0.5 | 1.3 | 2.2 | 2.8 | 3.6 | 3.3 | 2.2 |
| 1987 | 1.9 | 1.7 | 0.6 | * | 0.4 | 1.2 | 1.8 | 2.8 | 3.6 | 3.3 | 2.4 |
| 1986 | 1.9 | 1.6 | 0.5 | * | 0.4 | 1.3 | 2.3 | 2.9 | 3.3 | 3.1 | 2.4 |
| 1985 | 1.7 | 1.6 | 0.6 | * | 0.3 | 1.0 | 1.8 | 2.7 | 3.3 | 2.8 | 2.2 |
| 1984 | 1.9 | 2.0 | 0.4 | * | 0.4 | 1.3 | 2.3 | 3.0 | 3.0 | 2.5 | 2.4 |
| 1983 | 1.9 | 1.4 | 0.6 | * | 0.5 | 1.3 | 2.3 | 3.0 | 3.1 | 2.4 | 2.6 |
| 1982 | 2.0 | 2.3 | 0.6 | * | 0.4 | 1.4 | 2.6 | 3.3 | 3.3 | 3.0 | 2.1 |
| 1981 | 2.3 | 2.0 | 0.7 | * | 0.4 | 1.8 | 2.9 | 3.4 | 3.3 | 3.0 | 2.7 |
| 1980 | 2.4 | 2.4 | 0.9 | 0.2 | 0.4 | 1.8 | 3.3 | 4.1 | 3.4 | 2.8 | 3.0 |
| 1979 | 2.4 | 2.1 | 0.9 | 0.2 | 0.5 | 1.9 | 3.7 | 3.9 | 3.3 | 2.9 | 3.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Events of undetermined intent (E980-E989) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.8 | 1.2 | * | * | * | 0.3 | 0.5 | 0.9 | 1.3 | 1.6 | 1.6 |
| 1997 | 0.7 | 1.1 | 0.3 | * | * | 0.3 | 0.5 | 0.6 | 1.1 | 1.4 | 1.6 |
| 1996 | 0.7 | 1.6 | 0.4 | * | * | 0.3 | 0.4 | 0.7 | 1.1 | 1.5 | 1.2 |
| 1995 | 0.6 | 1.6 | * | * | * | 0.2 | 0.4 | 0.7 | 1.2 | 1.1 | 1.1 |
| 1994 | 0.7 | 1.2 | 0.3 | * | * | 0.2 | 0.5 | 0.9 | 1.2 | 1.3 | 1.1 |
| 1993 | 0.7 | 1.2 | * | * | * | 0.3 | 0.6 | 0.8 | 1.2 | 1.2 | 1.2 |
| 1992 | 0.6 | * | * | * | * | 0.3 | 0.4 | 0.7 | 1.0 | 1.2 | 1.1 |
| 1991 | 0.6 | * | 0.3 | * | * | 0.4 | 0.5 | 0.7 | 0.8 | 0.9 | 0.9 |
| 1990 | 0.5 | 1.2 | * | * | * | 0.3 | 0.4 | 0.6 | 0.8 | 0.8 | 0.7 |
| 1989 | 0.6 | 1.1 | 0.3 | * | * | * | 0.4 | 0.9 | 0.8 | 0.9 | 1.0 |
| 1988 | 0.7 | * | 0.4 | * | * | 0.4 | 0.8 | 1.0 | 1.0 | 0.8 | 0.9 |
| 1987 | 0.7 | 1.4 | 0.5 | * | * | 0.4 | 0.8 | 0.9 | 0.9 | 0.9 | 0.8 |
| 1986 | 0.7 | 1.2 | 0.3 | * | * | 0.3 | 0.8 | 0.8 | 1.2 | 1.0 | 0.9 |
| 1985 | 0.7 | 1.3 | 0.4 | * | * | 0.4 | 0.7 | 0.8 | 0.8 | 0.9 | 0.8 |
| 1984 | 0.7 | 1.4 | 0.4 | * | * | 0.3 | 0.8 | 0.9 | 0.7 | 1.0 | 0.8 |
| 1983 | 0.8 | 1.6 | 0.4 | * | * | 0.4 | 0.9 | 1.0 | 0.9 | 1.0 | 1.0 |
| 1982 | 0.8 | 1.7 | 0.4 | * | * | 0.5 | 0.9 | 0.8 | 1.0 | 1.0 | 0.8 |
| 1981 | 0.9 | 2.6 | 0.6 | * | * | 0.5 | 1.0 | 1.0 | 1.0 | 1.2 | 1.2 |
| 1980 | 0.9 | 1.4 | 0.6 | * | * | 0.6 | 0.9 | 1.1 | 1.0 | 1.2 | 1.4 |
| 1979 | 1.0 | 2.9 | 0.6 | * | 0.3 | 0.7 | 1.0 | 1.3 | 1.2 | 1.4 | 1.5 |
| Events of undetermined intent (E980-E989) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.3 | 1.8 | 0.2 | * | 0.2 | 0.7 | 1.1 | 1.5 | 2.0 | 2.7 | 2.7 |
| 1997 | 1.3 | 1.3 | 0.2 | * | 0.2 | 0.7 | 1.1 | 1.2 | 2.0 | 2.8 | 2.8 |
| 1996 | 1.2 | 1.3 | 0.3 | * | 0.1 | 0.7 | 1.0 | 1.3 | 2.1 | 2.6 | 2.5 |
| 1995 | 1.1 | 1.1 | 0.2 | * | 0.2 | 0.7 | 1.0 | 1.3 | 2.1 | 2.6 | 2.3 |
| 1994 | 1.2 | 0.9 | 0.2 | * | 0.2 | 0.9 | 1.3 | 1.6 | 2.0 | 2.5 | 2.2 |
| 1993 | 1.2 | 1.0 | 0.2 | * | 0.2 | 0.8 | 1.4 | 1.4 | 2.3 | 2.2 | 2.1 |
| 1992 | 1.0 | 0.7 | * | * | 0.2 | 0.7 | 1.0 | 1.5 | 1.8 | 2.1 | 2.0 |
| 1991 | 0.9 | 0.9 | 0.2 | * | 0.2 | 0.8 | 0.8 | 1.2 | 1.5 | 1.8 | 1.3 |
| 1990 | 0.9 | 0.7 | * | * | 0.2 | 0.6 | 0.9 | 1.2 | 1.5 | 1.5 | 1.3 |
| 1989 | 0.9 | 0.8 | 0.3 | * | 0.3 | 0.7 | 1.1 | 1.3 | 1.7 | 1.6 | 1.4 |
| 1988 | 1.1 | 0.7 | 0.2 | * | 0.3 | 0.7 | 1.3 | 1.5 | 2.0 | 1.8 | 1.3 |
| 1987 | 1.1 | 1.3 | 0.3 | * | 0.3 | 0.7 | 1.1 | 1.6 | 1.9 | 1.6 | 1.3 |
| 1986 | 1.1 | 0.9 | * | * | 0.2 | 0.7 | 1.4 | 1.7 | 1.9 | 1.7 | 1.4 |
| 1985 | 1.1 | 0.9 | 0.4 | * | 0.2 | 0.7 | 1.2 | 1.6 | 1.7 | 1.5 | 1.3 |
| 1984 | 1.1 | 1.2 | 0.3 | * | 0.3 | 0.8 | 1.5 | 1.6 | 1.5 | 1.5 | 1.3 |
| 1983 | 1.2 | 0.7 | 0.3 | * | 0.2 | 0.8 | 1.4 | 1.8 | 1.8 | 1.5 | 1.5 |
| 1982 | 1.2 | 1.3 | 0.3 | * | 0.2 | 0.9 | 1.5 | 1.8 | 1.8 | 1.7 | 1.1 |
| 1981 | 1.4 | 1.6 | 0.4 | * | 0.3 | 1.1 | 1.7 | 2.0 | 1.7 | 1.8 | 1.5 |
| 1980 | 1.4 | 1.4 | 0.5 | * | 0.2 | 1.1 | 2.0 | 2.3 | 1.9 | 1.7 | 1.7 |
| 1979 | 1.5 | 1.5 | 0.5 | * | 0.4 | 1.2 | 2.1 | 2.2 | 1.9 | 1.8 | 1.9 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Events of undetermined intent (E980-E989) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 1.8 | 2.3 | * | * | 0.4 | 1.1 | 1.6 | 2.1 | 2.7 | 3.7 | 3.8 |
| 1997 | 1.8 | 1.6 | * | * | 0.3 | 1.0 | 1.7 | 1.8 | 3.0 | 4.2 | 4.1 |
| 1996 | 1.8 | 1.3 | * | * | 0.3 | 1.2 | 1.6 | 1.9 | 3.1 | 3.7 | 3.8 |
| 1995 | 1.7 | * | * | * | 0.3 | 1.2 | 1.6 | 2.0 | 3.2 | 4.1 | 3.5 |
| 1994 | 1.8 | * | * | * | 0.3 | 1.5 | 2.0 | 2.3 | 3.0 | 3.7 | 3.5 |
| 1993 | 1.8 | 1.3 | * | * | 0.4 | 1.2 | 2.2 | 2.1 | 3.5 | 3.3 | 3.1 |
| 1992 | 1.5 | * | * | * | 0.3 | 1.0 | 1.6 | 2.4 | 2.6 | 3.2 | 2.9 |
| 1991 | 1.3 | * | * | * | * | 1.2 | 1.2 | 1.7 | 2.3 | 2.8 | 1.9 |
| 1990 | 1.3 | * | * | * | 0.3 | 1.0 | 1.4 | 1.9 | 2.4 | 2.3 | 1.9 |
| 1989 | 1.4 | * | 0.4 | * | 0.4 | 1.1 | 1.7 | 1.9 | 2.6 | 2.4 | 1.9 |
| 1988 | 1.6 | * | * | * | 0.5 | 1.1 | 2.0 | 2.3 | 3.1 | 2.7 | 1.9 |
| 1987 | 1.6 | 1.6 | 0.4 | * | 0.4 | 1.1 | 1.6 | 2.2 | 3.0 | 2.5 | 1.9 |
| 1986 | 1.7 | * | * | * | 0.3 | 1.1 | 2.2 | 2.6 | 2.8 | 2.5 | 2.1 |
| 1985 | 1.6 | * | 0.4 | * | 0.3 | 1.0 | 1.7 | 2.5 | 2.8 | 2.3 | 1.9 |
| 1984 | 1.6 | 1.4 | * | * | 0.4 | 1.3 | 2.2 | 2.5 | 2.5 | 2.0 | 1.9 |
| 1983 | 1.7 | * | 0.4 | * | 0.4 | 1.2 | 2.0 | 2.6 | 2.7 | 2.1 | 2.0 |
| 1982 | 1.7 | 1.4 | 0.4 | * | 0.3 | 1.4 | 2.2 | 2.8 | 2.7 | 2.6 | 1.4 |
| 1981 | 2.0 | 1.5 | 0.5 | * | 0.3 | 1.8 | 2.5 | 3.0 | 2.7 | 2.4 | 2.0 |
| 1980 | 2.1 | 1.8 | 0.6 | * | 0.4 | 1.7 | 3.2 | 3.7 | 2.9 | 2.2 | 2.3 |
| 1979 | 2.1 | 1.4 | 0.6 | * | 0.4 | 1.7 | 3.4 | 3.3 | 2.8 | 2.3 | 2.5 |
| Events of undetermined intent (E980-E989) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.8 | * | * | * | * | 0.3 | 0.6 | 0.9 | 1.2 | 1.7 | 1.7 |
| 1997 | 0.7 | * | * | * | * | 0.3 | 0.4 | 0.6 | 1.1 | 1.3 | 1.6 |
| 1996 | 0.7 | * | * | * | * | * | 0.4 | 0.7 | 1.1 | 1.4 | 1.1 |
| 1995 | 0.6 | * | * | * | * | * | 0.3 | 0.7 | 1.1 | 1.0 | 1.1 |
| 1994 | 0.7 | * | * | * | * | * | 0.5 | 0.9 | 1.1 | 1.2 | 1.0 |
| 1993 | 0.6 | * | * | * | * | 0.3 | 0.6 | 0.7 | 1.1 | 1.1 | 1.1 |
| 1992 | 0.6 | * | * | * | * | * | 0.4 | 0.7 | 0.9 | 1.1 | 1.0 |
| 1991 | 0.5 | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.8 | 0.8 | 0.8 |
| 1990 | 0.5 | * | * | * | * | 0.3 | 0.4 | 0.5 | 0.7 | 0.7 | 0.8 |
| 1989 | 0.5 | * | * | * | * | * | 0.4 | 0.6 | 0.8 | 0.7 | 0.9 |
| 1988 | 0.6 | * | * | * | * | 0.4 | 0.6 | 0.8 | 0.9 | 0.8 | 0.8 |
| 1987 | 0.6 | * | * | * | * | 0.4 | 0.7 | 0.9 | 0.8 | 0.7 | 0.8 |
| 1986 | 0.6 | * | * | * | * | 0.3 | 0.7 | 0.8 | 1.0 | 0.9 | 0.8 |
| 1985 | 0.6 | * | * | * | * | 0.4 | 0.6 | 0.7 | 0.6 | 0.8 | 0.7 |
| 1984 | 0.6 | * | * | * | * | 0.3 | 0.8 | 0.7 | 0.6 | 0.9 | 0.8 |
| 1983 | 0.7 | * | * | * | * | 0.4 | 0.7 | 0.9 | 0.8 | 0.8 | 0.9 |
| 1982 | 0.7 | * | * | * | * | 0.5 | 0.8 | 0.7 | 0.9 | 0.9 | 0.8 |
| 1981 | 0.8 | 1.7 | * | * | * | 0.5 | 0.9 | 1.0 | 0.7 | 1.1 | 1.0 |
| 1980 | 0.8 | * | * | * | * | 0.5 | 0.9 | 0.9 | 0.8 | 1.1 | 1.1 |
| 1979 | 0.9 | 1.5 | 0.4 | * | 0.3 | 0.6 | 0.8 | 1.1 | 1.0 | 1.2 | 1.3 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Events of undetermined intent (E980-E989) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 1.6 | 2.8 | * | * | * | 0.7 | 1.1 | 1.6 | 2.3 | 3.2 | 4.1 |
| 1997 | 1.7 | * | * | * | * | 1.1 | 1.6 | 1.7 | 2.4 | 3.4 | 3.8 |
| 1996 | 1.7 | * | 0.6 | * | * | 1.4 | 1.6 | 1.4 | 3.0 | 3.4 | 3.5 |
| 1995 | 1.8 | 2.9 | * | * | * | 1.4 | 1.7 | 1.7 | 2.7 | 3.8 | 3.7 |
| 1994 | 1.8 | 2.5 | * | * | * | 1.3 | 1.5 | 1.9 | 2.9 | 3.3 | 3.6 |
| 1993 | 1.9 | 3.7 | * | * | * | 1.2 | 1.6 | 2.4 | 3.4 | 4.1 | 4.1 |
| 1992 | 1.6 | * | * | * | * | 1.3 | 1.3 | 1.9 | 2.7 | 3.5 | 3.1 |
| 1991 | 1.4 | 2.5 | * | * | * | 1.2 | 1.3 | 1.6 | 2.3 | 2.7 | 2.0 |
| 1990 | 1.4 | 3.8 | * | * | * | 0.9 | 1.3 | 2.0 | 2.3 | 2.3 | 2.2 |
| 1989 | 1.8 | 3.3 | * | * | * | 0.8 | 1.5 | 2.9 | 3.2 | 4.5 | 2.8 |
| 1988 | 2.0 | 2.7 | 0.9 | * | * | 1.3 | 2.4 | 3.7 | 3.6 | 3.5 | 2.6 |
| 1987 | 2.2 | * | 1.4 | * | * | 1.0 | 2.1 | 3.4 | 4.0 | 4.6 | 3.2 |
| 1986 | 2.2 | 3.4 | 1.3 | * | * | 1.0 | 2.0 | 2.7 | 4.0 | 3.8 | 2.9 |
| 1985 | 1.9 | 4.1 | 1.1 | * | * | 0.7 | 1.6 | 2.5 | 3.8 | 3.5 | 2.5 |
| 1984 | 2.1 | 3.9 | 1.0 | * | * | 0.9 | 1.9 | 3.4 | 3.7 | 3.6 | 3.1 |
| 1983 | 2.3 | 5.3 | 1.3 | * | * | 1.0 | 2.7 | 3.4 | 3.4 | 3.2 | 3.4 |
| 1982 | 2.4 | 5.2 | 1.2 | * | * | 0.9 | 2.8 | 3.9 | 4.2 | 3.9 | 4.0 |
| 1981 | 2.7 | 5.2 | 1.6 | * | * | 1.4 | 3.0 | 3.0 | 4.8 | 4.3 | 4.6 |
| 1980 | 2.8 | 4.4 | 2.0 | * | * | 1.6 | 2.7 | 4.3 | 4.4 | 4.0 | 5.3 |
| 1979 | 3.1 | 7.3 | 1.9 | * | * | 2.1 | 3.9 | 5.1 | 4.3 | 4.6 | 4.5 |
| Events of undetermined intent (E980-E989) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 2.6 | * | * | * | * | 1.3 | 2.0 | 2.2 | 3.2 | 5.3 | 7.0 |
| 1997 | 2.7 | * | * | * | * | 1.9 | 2.7 | 2.8 | 3.8 | 5.4 | 6.3 |
| 1996 | 2.7 | * | * | * | * | 2.5 | 2.7 | 2.4 | 5.1 | 5.4 | 5.7 |
| 1995 | 2.9 | * | * | * | * | 2.3 | 2.8 | 2.6 | 4.0 | 6.0 | 6.5 |
| 1994 | 2.9 | * | * | * | * | 2.4 | 2.5 | 3.2 | 4.2 | 5.5 | 6.0 |
| 1993 | 3.0 | * | * | * | * | 2.0 | 2.5 | 3.7 | 5.4 | 6.5 | 6.9 |
| 1992 | 2.5 | * | * | * | * | 2.2 | 2.3 | 2.9 | 4.2 | 5.7 | 5.0 |
| 1991 | 2.0 | * | * | * | * | 1.9 | 1.9 | 2.4 | 3.8 | 4.1 | 2.7 |
| 1990 | 2.2 | * | * | * | * | 1.4 | 2.3 | 2.8 | 3.6 | 3.7 | 4.1 |
| 1989 | 2.9 | * | * | * | * | 1.5 | 2.5 | 4.0 | 5.4 | 7.3 | 4.6 |
| 1988 | 3.2 | * | * | * | * | 2.3 | 3.2 | 5.5 | 6.1 | 6.5 | 4.1 |
| 1987 | 3.5 | * | * | * | * | 1.6 | 2.9 | 5.8 | 6.8 | 7.7 | 5.9 |
| 1986 | 3.4 | * | * | * | * | 1.8 | 2.8 | 4.6 | 6.3 | 6.3 | 4.4 |
| 1985 | 2.8 | * | * | * | * | * | 2.4 | 3.9 | 6.2 | 5.7 | 4.0 |
| 1984 | 3.2 | * | * | * | * | 1.5 | 2.8 | 5.4 | 6.5 | 5.5 | 5.7 |
| 1983 | 3.4 | * | 1.8 | * | * | 1.4 | 3.9 | 5.2 | 5.7 | 4.3 | 6.1 |
| 1982 | 3.8 | 6.5 | * | * | * | 1.1 | 4.4 | 6.4 | 7.0 | 6.1 | 7.0 |
| 1981 | 4.1 | * | 1.6 | * | * | 1.9 | 5.1 | 5.3 | 7.7 | 7.2 | 7.2 |
| 1980 | 4.3 | * | 2.2 | * | * | 2.1 | 4.4 | 6.7 | 7.1 | 7.1 | 7.8 |
| 1979 | 4.6 | * | 2.2 | * | * | 2.9 | 5.5 | 8.1 | 6.8 | 7.4 | 6.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Events of undetermined intent (E980-E989) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | 1.0 | 1.4 | 1.3 | 1.5 |
| 1997 | 0.8 | * | * | * | * | * | * | * | 1.2 | 1.5 | 1.6 |
| 1996 | 0.8 | * | * | * | * | * | * | * | 1.1 | 1.6 | 1.5 |
| 1995 | 0.8 | * | * | * | * | * | * | * | 1.6 | 1.8 | 1.3 |
| 1994 | 0.8 | * | * | * | * | * | * | * | 1.7 | 1.4 | 1.6 |
| 1993 | 0.9 | * | * | * | * | * | * | 1.1 | 1.6 | 1.9 | 1.6 |
| 1992 | 0.7 | * | * | * | * | * | * | * | 1.3 | 1.6 | 1.5 |
| 1991 | 0.8 | * | * | * | * | * | * | * | * | 1.5 | 1.4 |
| 1990 | 0.7 | * | * | * | * | * | * | 1.2 | 1.2 | * | * |
| 1989 | 0.9 | * | * | * | * | * | * | 1.9 | 1.3 | 2.0 | * |
| 1988 | 1.0 | * | * | * | * | * | 1.5 | 2.0 | 1.4 | * | * |
| 1987 | 1.0 | * | 1.5 | * | * | * | 1.3 | 1.3 | 1.5 | 2.0 | * |
| 1986 | 1.1 | * | * | * | * | * | 1.2 | * | 2.0 | 1.6 | * |
| 1985 | 1.0 | * | * | * | * | * | * | 1.2 | 1.8 | 1.7 | * |
| 1984 | 1.1 | * | * | * | * | * | 1.1 | 1.6 | 1.3 | 1.9 | * |
| 1983 | 1.3 | * | * | * | * | * | 1.6 | 1.7 | 1.4 | 2.2 | * |
| 1982 | 1.2 | * | * | * | * | * | 1.3 | 1.6 | 1.8 | 2.0 | * |
| 1981 | 1.4 | 6.2 | * | * | * | * | * | * | 2.3 | * | 2.5 |
| 1980 | 1.3 | * | 1.9 | * | * | * | * | 2.1 | 2.0 | * | 3.2 |
| 1979 | 1.8 | 9.4 | * | * | * | 1.3 | 2.4 | 2.5 | 2.2 | 2.1 | 2.7 |
| Events of undetermined intent (E980-E989) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 2.0 | * | * | * | * | 0.9 | 1.3 | 1.7 | 2.9 | 4.0 | 5.3 |
| 1997 | 2.1 | * | * | * | * | 1.3 | 1.9 | 2.2 | 3.3 | 4.2 | 4.8 |
| 1996 | 2.1 | * | * | * | * | 1.9 | 1.9 | 1.9 | 3.8 | 4.4 | 4.4 |
| 1995 | 2.2 | * | * | * | * | 1.4 | 1.8 | 2.1 | 3.5 | 4.8 | 4.7 |
| 1994 | 2.2 | * | * | * | * | 1.7 | 1.6 | 2.4 | 3.7 | 4.1 | 4.8 |
| 1993 | 2.3 | 4.6 | * | * | * | 1.3 | 1.8 | 2.9 | 4.0 | 5.2 | 5.3 |
| 1992 | 1.9 | * | * | * | * | 1.5 | 1.5 | 2.2 | 3.3 | 4.5 | 4.0 |
| 1991 | 1.6 | * | * | * | * | 1.5 | 1.5 | 1.8 | 2.9 | 3.4 | 2.5 |
| 1990 | 1.6 | 4.5 | * | * | * | 0.7 | 1.5 | 2.2 | 2.9 | 2.8 | 2.8 |
| 1989 | 2.2 | 3.8 | * | * | * | 0.8 | 1.6 | 3.6 | 4.1 | 5.6 | 3.6 |
| 1988 | 2.4 | * | 1.1 | * | * | 1.4 | 2.7 | 4.4 | 4.3 | 4.4 | 3.3 |
| 1987 | 2.6 | * | 1.8 | * | * | 1.2 | 2.4 | 4.0 | 5.0 | 5.7 | 3.8 |
| 1986 | 2.4 | 4.3 | 1.6 | * | * | 1.0 | 1.8 | 2.8 | 4.6 | 4.5 | 3.5 |
| 1985 | 2.1 | 4.8 | 1.2 | * | * | * | 1.5 | 2.6 | 4.6 | 4.2 | 3.1 |
| 1984 | 2.3 | 4.5 | 1.1 | * | * | 0.9 | 1.9 | 3.8 | 4.6 | 4.4 | 3.7 |
| 1983 | 2.5 | 6.3 | 1.4 | * | * | 1.1 | 2.7 | 3.7 | 3.9 | 3.7 | 3.8 |
| 1982 | 2.6 | 5.9 | 1.3 | * | * | 0.9 | 2.7 | 4.1 | 5.0 | 4.5 | 4.5 |
| 1981 | 2.9 | 5.8 | 1.8 | * | * | 1.3 | 3.1 | 3.6 | 5.4 | 5.1 | 5.3 |
| 1980 | 3.0 | 4.9 | 2.4 | * | * | 1.5 | 2.9 | 4.6 | 5.0 | 4.4 | 6.1 |
| 1979 | 3.3 | 8.0 | 2.2 | * | * | 2.1 | 4.2 | 5.3 | 5.0 | 5.1 | 4.7 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Events of undetermined intent (E980-E989) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 3.2 | * | * | * | * | 1.5 | 2.5 | 2.3 | 4.3 | 6.8 | 8.9 |
| 1997 | 3.3 | * | * | * | * | 2.3 | 3.4 | 3.6 | 5.1 | 7.0 | 7.9 |
| 1996 | 3.4 | * | * | * | * | 3.2 | 3.5 | 3.1 | 6.6 | 7.2 | 7.5 |
| 1995 | 3.5 | * | * | * | * | 2.2 | 3.1 | 3.1 | 5.2 | 8.0 | 8.4 |
| 1994 | 3.5 | * | * | * | * | 3.1 | 2.9 | 3.9 | 5.2 | 6.9 | 8.0 |
| 1993 | 3.6 | * | * | * | * | 2.1 | 2.9 | 4.4 | 6.4 | 8.4 | 9.2 |
| 1992 | 3.0 | * | * | * | * | 2.6 | 2.6 | 3.5 | 5.1 | 7.4 | 6.5 |
| 1991 | 2.4 | * | * | * | * | 2.2 | 2.1 | 2.9 | 4.8 | 5.2 | 3.5 |
| 1990 | 2.5 | * | * | * | * | * | 2.6 | 2.9 | 4.5 | 4.7 | 5.3 |
| 1989 | 3.4 | * | * | * | * | 1.7 | 2.6 | 4.8 | 6.9 | 9.2 | 6.0 |
| 1988 | 3.9 | * | * | * | * | 2.5 | 3.7 | 6.9 | 7.7 | 8.0 | 5.3 |
| 1987 | 4.1 | * | * | * | * | 1.7 | 3.3 | 6.7 | 8.4 | 9.5 | 7.0 |
| 1986 | 3.7 | * | * | * | * | 1.8 | 2.6 | 4.6 | 7.3 | 7.7 | 5.4 |
| 1985 | 3.2 | * | * | * | * | * | 2.2 | 4.0 | 7.6 | 6.8 | 4.9 |
| 1984 | 3.6 | * | * | * | * | 1.6 | 2.5 | 6.0 | 8.4 | 7.0 | 7.1 |
| 1983 | 3.7 | * | 2.0 | * | * | 1.4 | 3.7 | 5.8 | 6.4 | 5.1 | 7.0 |
| 1982 | 4.1 | 7.7 | * | * | * | * | 4.4 | 6.8 | 8.4 | 7.3 | 8.2 |
| 1981 | 4.5 | * | * | * | * | 1.8 | 5.5 | 6.4 | 8.6 | 8.8 | 8.5 |
| 1980 | 4.7 | * | 2.6 | * | * | 2.1 | 4.8 | 7.3 | 8.3 | 7.8 | 9.0 |
| 1979 | 4.9 | * | 2.5 | * | * | 2.9 | 5.8 | 8.7 | 7.8 | 8.3 | 7.3 |
| Events of undetermined intent (E980-E989) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.9 | * | * | * | * | * | * | * | 1.7 | 1.5 | 2.0 |
| 1997 | 0.9 | * | * | * | * | * | * | * | 1.7 | 1.8 | 2.0 |
| 1996 | 0.9 | * | * | * | * | * | * | * | 1.4 | 1.9 | 1.8 |
| 1995 | 0.9 | * | * | * | * | * | * | * | 2.0 | 1.9 | * |
| 1994 | 0.9 | * | * | * | * | * | * | * | 2.3 | 1.6 | 2.1 |
| 1993 | 1.1 | * | * | * | * | * | * | 1.5 | 1.8 | 2.5 | 1.8 |
| 1992 | 0.8 | * | * | * | * | * | * | * | 1.7 | 2.0 | 1.9 |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | 1.9 | * |
| 1990 | 0.8 | * | * | * | * | * | * | 1.4 | 1.5 | * | * |
| 1989 | 1.1 | * | * | * | * | * | * | 2.5 | 1.6 | 2.5 | * |
| 1988 | 1.1 | * | * | * | * | * | 1.9 | 2.3 | 1.4 | * | * |
| 1987 | 1.2 | * | 2.0 | * | * | * | 1.5 | 1.4 | 1.9 | 2.4 | * |
| 1986 | 1.1 | * | * | * | * | * | * | * | 2.2 | * | * |
| 1985 | 1.1 | * | * | * | * | * | * | 1.4 | 2.0 | 2.0 | * |
| 1984 | 1.2 | * | * | * | * | * | * | 1.8 | * | 2.2 | * |
| 1983 | 1.4 | * | * | * | * | * | 1.8 | 1.8 | 1.7 | 2.5 | * |
| 1982 | 1.2 | * | * | * | * | * | * | 1.7 | 2.2 | * | * |
| 1981 | 1.5 | * | * | * | * | * | * | * | 2.8 | * | * |
| 1980 | 1.4 | * | 2.2 | * | * | * | * | 2.3 | 2.2 | * | 3.8 |
| 1979 | 1.9 | 10.5 | * | * | * | * | 2.6 | 2.2 | 2.6 | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Discharge of firearms, undetermined intent (E985.0-E985.4) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | 0.3 | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 |
| 1997 | 0.1 | * | * | * | * | 0.3 | 0.3 | 0.2 | 0.2 | 0.1 | 0.1 |
| 1996 | 0.2 | * | * | * | * | 0.4 | 0.4 | 0.2 | 0.2 | 0.2 | 0.1 |
| 1995 | 0.1 | * | * | * | * | 0.5 | 0.4 | 0.2 | 0.2 | 0.1 | 0.1 |
| 1994 | 0.2 | * | * | * | 0.1 | 0.6 | 0.4 | 0.3 | 0.3 | 0.2 | 0.2 |
| 1993 | 0.2 | * | * | * | * | 0.5 | 0.5 | 0.3 | 0.3 | 0.2 | 0.1 |
| 1992 | 0.2 | * | * | * | * | 0.4 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 |
| 1991 | 0.1 | * | * | * | * | 0.5 | 0.3 | 0.2 | 0.2 | 0.1 | 0.2 |
| 1990 | 0.1 | * | * | * | * | 0.3 | 0.4 | 0.2 | 0.1 | 0.1 | 0.1 |
| 1989 | 0.1 | * | * | * | * | 0.3 | 0.3 | 0.2 | 0.2 | 0.1 | 0.1 |
| 1988 | 0.2 | * | * | * | 0.2 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 |
| 1987 | 0.2 | * | * | * | * | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | * |
| 1986 | 0.2 | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.3 | 0.2 | 0.2 |
| 1985 | 0.2 | * | * | * | * | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 | 0.2 |
| 1984 | 0.2 | * | * | * | 0.1 | 0.3 | 0.4 | 0.3 | 0.2 | 0.2 | 0.3 |
| 1983 | 0.2 | * | * | * | * | 0.3 | 0.4 | 0.4 | 0.3 | 0.3 | 0.2 |
| 1982 | 0.2 | * | * | * | * | 0.3 | 0.5 | 0.3 | 0.4 | 0.3 | 0.2 |
| 1981 | 0.3 | * | * | * | * | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 | 0.3 |
| 1980 | 0.3 | * | * | * | * | 0.4 | 0.5 | 0.6 | 0.4 | 0.3 | 0.3 |
| 1979 | 0.3 | * | * | * | * | 0.4 | 0.6 | 0.4 | 0.4 | 0.3 | 0.4 |
| Discharge of firearms, undetermined intent (E985.0-E985.4) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | 0.5 | 0.3 | 0.2 | 0.2 | 0.2 | * |
| 1997 | 0.2 | * | * | * | * | 0.6 | 0.5 | 0.4 | 0.3 | 0.2 | 0.2 |
| 1996 | 0.3 | * | * | * | * | 0.7 | 0.7 | 0.3 | 0.3 | 0.3 | 0.3 |
| 1995 | 0.2 | * | * | * | * | 0.9 | 0.7 | 0.3 | 0.2 | * | * |
| 1994 | 0.3 | * | * | * | 0.2 | 1.1 | 0.8 | 0.5 | 0.4 | 0.4 | 0.3 |
| 1993 | 0.4 | * | * | * | * | 0.8 | 0.9 | 0.4 | 0.5 | 0.4 | 0.2 |
| 1992 | 0.3 | * | * | * | * | 0.8 | 0.6 | 0.6 | 0.3 | 0.3 | 0.3 |
| 1991 | 0.2 | * | * | * | * | 0.9 | 0.4 | 0.4 | 0.3 | 0.2 | 0.3 |
| 1990 | 0.2 | * | * | * | * | 0.5 | 0.6 | 0.4 | 0.2 | * | 0.2 |
| 1989 | 0.2 | * | * | * | * | 0.5 | 0.5 | 0.3 | 0.3 | 0.2 | * |
| 1988 | 0.3 | * | * | * | 0.3 | 0.6 | 0.6 | 0.4 | 0.3 | 0.3 | * |
| 1987 | 0.3 | * | * | * | * | 0.6 | 0.4 | 0.4 | 0.4 | 0.3 | * |
| 1986 | 0.4 | * | * | * | * | 0.5 | 0.7 | 0.6 | 0.4 | 0.4 | 0.3 |
| 1985 | 0.3 | * | * | * | * | 0.5 | 0.5 | 0.5 | 0.4 | 0.5 | 0.3 |
| 1984 | 0.3 | * | * | * | 0.2 | 0.4 | 0.6 | 0.5 | 0.4 | 0.3 | 0.5 |
| 1983 | 0.4 | * | * | * | * | 0.5 | 0.6 | 0.7 | 0.5 | 0.4 | 0.4 |
| 1982 | 0.4 | * | * | * | * | 0.5 | 0.8 | 0.6 | 0.6 | 0.5 | 0.3 |
| 1981 | 0.5 | * | * | * | * | 0.8 | 0.9 | 0.8 | 0.7 | 0.6 | 0.5 |
| 1980 | 0.5 | * | * | * | * | 0.7 | 0.9 | 1.0 | 0.5 | 0.5 | 0.4 |
| 1979 | 0.5 | * | * | * | * | 0.7 | 1.0 | 0.7 | 0.6 | 0.5 | 0.6 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Discharge of firearms, undetermined intent (E985.0-E985.4) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | 0.2 | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | 0.2 | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | 0.2 | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | 0.2 | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | 0.2 | 0.2 | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | 0.2 | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | 0.2 | * | * | * | * |
| Discharge of firearms, undetermined intent (E985.0-E985.4) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | 0.2 | 0.2 | 0.1 | * | 0.2 | * |
| 1997 | 0.1 | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 |
| 1996 | 0.1 | * | * | * | * | 0.3 | 0.3 | 0.1 | 0.2 | 0.2 | 0.2 |
| 1995 | 0.1 | * | * | * | * | 0.3 | 0.3 | 0.2 | 0.2 | 0.1 | 0.1 |
| 1994 | 0.2 | * | * | * | * | 0.5 | 0.4 | 0.3 | 0.3 | 0.2 | 0.1 |
| 1993 | 0.2 | * | * | * | * | 0.3 | 0.5 | 0.3 | 0.3 | 0.2 | 0.1 |
| 1992 | 0.1 | * | * | * | * | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 |
| 1991 | 0.1 | * | * | * | * | 0.4 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 |
| 1990 | 0.1 | * | * | * | * | 0.3 | 0.3 | 0.2 | 0.1 | 0.1 | * |
| 1989 | 0.1 | * | * | * | * | 0.3 | 0.3 | 0.2 | 0.2 | 0.1 | * |
| 1988 | 0.2 | * | * | * | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 |
| 1987 | 0.2 | * | * | * | * | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | * |
| 1986 | 0.2 | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.3 | 0.2 | 0.2 |
| 1985 | 0.2 | * | * | * | * | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 | 0.2 |
| 1984 | 0.2 | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.2 | 0.2 | 0.2 |
| 1983 | 0.2 | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 |
| 1982 | 0.2 | * | * | * | * | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 |
| 1981 | 0.3 | * | * | * | * | 0.4 | 0.4 | 0.5 | 0.3 | 0.3 | 0.3 |
| 1980 | 0.3 | * | * | * | * | 0.4 | 0.5 | 0.6 | 0.3 | 0.3 | 0.3 |
| 1979 | 0.3 | * | * | * | * | 0.4 | 0.6 | 0.4 | 0.4 | 0.3 | 0.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Discharge of firearms, undetermined intent (E985.0-E985.4) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | 0.4 | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | 0.4 | 0.3 | 0.3 | 0.2 | * | * |
| 1996 | 0.2 | * | * | * | * | 0.5 | 0.5 | * | 0.3 | 0.3 | 0.3 |
| 1995 | 0.2 | * | * | * | * | 0.6 | 0.6 | * | 0.3 | * | * |
| 1994 | 0.3 | * | * | * | * | 0.9 | 0.6 | 0.5 | 0.4 | 0.3 | * |
| 1993 | 0.3 | * | * | * | * | 0.6 | 0.9 | 0.4 | 0.5 | 0.3 | * |
| 1992 | 0.2 | * | * | * | * | 0.6 | 0.5 | 0.6 | 0.3 | 0.2 | 0.3 |
| 1991 | 0.2 | * | * | * | * | 0.7 | 0.3 | 0.4 | 0.3 | 0.2 | 0.3 |
| 1990 | 0.2 | * | * | * | * | 0.4 | 0.5 | 0.3 | 0.2 | * | * |
| 1989 | 0.2 | * | * | * | * | 0.5 | 0.5 | 0.2 | 0.3 | * | * |
| 1988 | 0.3 | * | * | * | 0.3 | 0.4 | 0.5 | 0.3 | 0.3 | 0.3 | * |
| 1987 | 0.3 | * | * | * | * | 0.6 | 0.4 | 0.4 | 0.4 | 0.3 | * |
| 1986 | 0.3 | * | * | * | * | 0.5 | 0.7 | 0.5 | 0.4 | 0.3 | * |
| 1985 | 0.3 | * | * | * | * | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 | * |
| 1984 | 0.4 | * | * | * | * | 0.5 | 0.6 | 0.5 | 0.4 | 0.3 | 0.4 |
| 1983 | 0.4 | * | * | * | * | 0.5 | 0.6 | 0.6 | 0.5 | 0.5 | 0.4 |
| 1982 | 0.4 | * | * | * | * | 0.5 | 0.7 | 0.5 | 0.6 | 0.5 | * |
| 1981 | 0.5 | * | * | * | * | 0.8 | 0.7 | 0.8 | 0.6 | 0.6 | 0.4 |
| 1980 | 0.5 | * | * | * | * | 0.6 | 0.9 | 1.0 | 0.5 | 0.4 | 0.4 |
| 1979 | 0.4 | * | * | * | * | 0.6 | 1.0 | 0.6 | 0.6 | 0.4 | 0.6 |
| Discharge of firearms, undetermined intent (E985.0-E985.4) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.1 | * | * | * | * | * | 0.2 | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | 0.2 | * | * | * | * |
| 1982 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.1 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Discharge of firearms, undetermined intent (E985.0-E985.4) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 0.1 | * | * | * | * | 0.5 | * | * | * | * | * |
| 1997 | 0.2 | * | * | * | * | 0.6 | 0.6 | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | 0.9 | 0.7 | * | * | * | * |
| 1995 | 0.2 | * | * | * | * | 1.0 | 0.7 | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | 1.0 | 0.8 | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | 1.0 | 0.7 | * | * | * | * |
| 1992 | 0.2 | * | * | * | * | 0.8 | 0.5 | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | 0.9 | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.2 | * | * | * | * | 0.7 | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | 0.6 | 0.6 | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | 0.7 | 0.6 | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | 1.0 | 0.7 | 0.8 | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | 0.7 | * | * | * |
| 1979 | 0.4 | * | * | * | * | 0.7 | 0.8 | 0.7 | * | * | * |
| Discharge of firearms, undetermined intent (E985.0-E985.4) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.4 | * | * | * | * | 1.2 | 1.2 | * | * | * | * |
| 1996 | 0.5 | * | * | * | * | 1.7 | 1.5 | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | 1.9 | 1.2 | * | * | * | * |
| 1994 | 0.6 | * | * | * | * | 1.9 | 1.5 | * | * | * | * |
| 1993 | 0.5 | * | * | * | * | 1.7 | 1.2 | * | * | * | * |
| 1992 | 0.4 | * | * | * | * | 1.6 | * | * | * | * | * |
| 1991 | 0.3 | * | * | * | * | 1.3 | * | * | * | * | * |
| 1990 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.4 | * | * | * | * | 1.2 | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | 1.3 | * | * | * | * |
| 1981 | 0.7 | * | * | * | * | * | 1.9 | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | * | * | * | * | 1.3 | 1.3 | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Discharge of firearms, undetermined intent (E985.0-E985.4) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| Discharge of firearms, undetermined intent (E985.0-E985.4) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.3 | * | * | * | * | 0.8 | 0.8 | * | * | * | * |
| 1996 | 0.3 | * | * | * | * | 1.2 | 1.0 | * | * | * | * |
| 1995 | 0.3 | * | * | * | * | 1.0 | 0.9 | * | * | * | * |
| 1994 | 0.3 | * | * | * | * | 1.3 | 0.9 | * | * | * | * |
| 1993 | 0.3 | * | * | * | * | 1.0 | 0.9 | * | * | * | * |
| 1992 | 0.3 | * | * | * | * | 1.1 | * | * | * | * | * |
| 1991 | 0.2 | * | * | * | * | 1.1 | * | * | * | * | * |
| 1990 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.3 | * | * | * | * | 0.7 | * | * | * | * | * |
| 1987 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.3 | * | * | * | * | * | 0.7 | * | * | * | * |
| 1981 | 0.5 | * | * | * | * | * | 1.0 | * | * | * | * |
| 1980 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.4 | * | * | * | * | 0.7 | 0.8 | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Discharge of firearms, undetermined intent (E985.0-E985.4) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 0.5 | * | * | * | * | 1.5 | * | * | * | * | * |
| 1996 | 0.6 | * | * | * | * | 2.1 | 2.1 | * | * | * | * |
| 1995 | 0.4 | * | * | * | * | 1.9 | 1.5 | * | * | * | * |
| 1994 | 0.7 | * | * | * | * | 2.5 | 1.7 | * | * | * | * |
| 1993 | 0.6 | * | * | * | * | 1.8 | 1.6 | * | * | * | * |
| 1992 | 0.5 | * | * | * | * | 2.0 | * | * | * | * | * |
| 1991 | 0.4 | * | * | * | * | 1.6 | * | * | * | * | * |
| 1990 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 0.5 | * | * | * | * | 1.4 | * | * | * | * | * |
| 1987 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.4 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 0.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.8 | * | * | * | * | * | 1.9 | * | * | * | * |
| 1980 | 0.6 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.7 | * | * | * | * | * | * | * | * | * | * |
| Discharge of firearms, undetermined intent (E985.0-E985.4) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | 0.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | 0.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | 0.2 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.2 | 2.0 | 0.3 | * | 0.2 | 0.4 | 0.9 | 1.4 | 1.9 | 2.6 | 2.9 |
| 1997 | 1.2 | 1.5 | 0.2 | * | 0.1 | 0.4 | 0.9 | 1.1 | 1.9 | 2.7 | 2.9 |
| 1996 | 1.1 | 1.5 | 0.3 | 0.1 | * | 0.5 | 0.8 | 1.2 | 2.1 | 2.5 | 2.5 |
| 1995 | 1.1 | 1.5 | 0.3 | * | * | 0.3 | 0.7 | 1.2 | 2.1 | 2.6 | 2.4 |
| 1994 | 1.1 | 1.2 | 0.3 | * | 0.1 | 0.4 | 0.9 | 1.4 | 1.9 | 2.4 | 2.3 |
| 1993 | 1.1 | 1.6 | 0.2 | * | 0.1 | 0.4 | 0.9 | 1.3 | 2.2 | 2.3 | 2.3 |
| 1992 | 1.0 | 1.0 | 0.2 | * | * | 0.4 | 0.7 | 1.3 | 1.7 | 2.2 | 1.9 |
| 1991 | 0.8 | 1.2 | 0.3 | * | 0.2 | 0.4 | 0.6 | 1.0 | 1.5 | 1.8 | 1.3 |
| 1990 | 0.8 | 1.3 | 0.2 | * | 0.1 | 0.4 | 0.6 | 1.1 | 1.5 | 1.5 | 1.3 |
| 1989 | 1.0 | 1.3 | 0.4 | * | 0.1 | 0.4 | 0.9 | 1.4 | 1.8 | 1.9 | 1.5 |
| 1988 | 1.1 | 1.1 | 0.4 | 0.1 | 0.1 | 0.5 | 1.1 | 1.6 | 2.0 | 1.9 | 1.4 |
| 1987 | 1.1 | 1.5 | 0.5 | * | 0.2 | 0.5 | 1.0 | 1.6 | 2.0 | 1.9 | 1.5 |
| 1986 | 1.1 | 1.4 | 0.4 | * | 0.1 | 0.5 | 1.1 | 1.5 | 1.9 | 1.8 | 1.5 |
| 1985 | 1.0 | 1.5 | 0.5 | * | 0.1 | 0.4 | 0.9 | 1.4 | 1.8 | 1.5 | 1.3 |
| 1984 | 1.1 | 1.7 | 0.4 | 0.1 | 0.2 | 0.5 | 1.2 | 1.6 | 1.7 | 1.6 | 1.3 |
| 1983 | 1.1 | 1.5 | 0.5 | 0.1 | 0.2 | 0.6 | 1.2 | 1.6 | 1.7 | 1.4 | 1.5 |
| 1982 | 1.2 | 2.0 | 0.5 | 0.1 | 0.2 | 0.6 | 1.2 | 1.7 | 1.8 | 1.7 | 1.3 |
| 1981 | 1.3 | 2.2 | 0.6 | 0.1 | 0.2 | 0.7 | 1.4 | 1.7 | 1.7 | 1.7 | 1.6 |
| 1980 | 1.3 | 1.9 | 0.8 | 0.2 | 0.2 | 0.8 | 1.6 | 2.0 | 1.8 | 1.7 | 1.9 |
| 1979 | 1.4 | 2.5 | 0.7 | 0.1 | 0.3 | 0.9 | 1.7 | 2.1 | 1.8 | 1.8 | 1.9 |
| Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 1.7 | 2.7 | 0.3 | * | 0.3 | 0.6 | 1.4 | 1.9 | 2.6 | 3.7 | 4.2 |
| 1997 | 1.8 | 1.9 | * | * | * | 0.6 | 1.4 | 1.6 | 2.8 | 4.2 | 4.3 |
| 1996 | 1.6 | 1.5 | 0.3 | * | * | 0.7 | 1.1 | 1.7 | 3.1 | 3.7 | 3.8 |
| 1995 | 1.7 | 1.4 | 0.3 | * | * | 0.5 | 1.2 | 1.8 | 3.0 | 4.3 | 3.8 |
| 1994 | 1.6 | 1.2 | 0.2 | * | * | 0.6 | 1.3 | 1.9 | 2.7 | 3.6 | 3.6 |
| 1993 | 1.6 | 1.9 | 0.3 | * | * | 0.5 | 1.3 | 2.0 | 3.3 | 3.5 | 3.5 |
| 1992 | 1.4 | 1.2 | * | * | * | 0.5 | 1.2 | 1.9 | 2.6 | 3.3 | 2.9 |
| 1991 | 1.2 | 1.4 | * | * | * | 0.5 | 0.9 | 1.5 | 2.3 | 2.8 | 1.8 |
| 1990 | 1.2 | 1.5 | 0.3 | * | * | 0.6 | 0.9 | 1.7 | 2.3 | 2.3 | 1.9 |
| 1989 | 1.4 | 1.5 | 0.4 | * | * | 0.6 | 1.3 | 2.0 | 2.8 | 2.9 | 2.1 |
| 1988 | 1.5 | 1.5 | 0.4 | * | * | 0.7 | 1.6 | 2.4 | 3.3 | 3.0 | 2.0 |
| 1987 | 1.6 | 1.7 | 0.6 | * | 0.3 | 0.6 | 1.5 | 2.4 | 3.2 | 3.0 | 2.2 |
| 1986 | 1.6 | 1.6 | 0.5 | * | * | 0.8 | 1.6 | 2.3 | 2.9 | 2.7 | 2.1 |
| 1985 | 1.4 | 1.6 | 0.6 | * | * | 0.6 | 1.3 | 2.2 | 2.9 | 2.3 | 1.9 |
| 1984 | 1.5 | 2.0 | 0.4 | * | * | 0.9 | 1.7 | 2.4 | 2.7 | 2.2 | 1.9 |
| 1983 | 1.6 | 1.4 | 0.6 | * | 0.4 | 0.8 | 1.7 | 2.4 | 2.6 | 1.9 | 2.2 |
| 1982 | 1.6 | 2.3 | 0.6 | * | 0.3 | 0.8 | 1.8 | 2.8 | 2.6 | 2.5 | 1.8 |
| 1981 | 1.8 | 2.0 | 0.7 | * | 0.2 | 1.0 | 2.1 | 2.6 | 2.7 | 2.4 | 2.2 |
| 1980 | 1.9 | 2.4 | 0.9 | * | 0.3 | 1.1 | 2.4 | 3.1 | 2.9 | 2.4 | 2.6 |
| 1979 | 2.0 | 2.1 | 0.9 | * | 0.4 | 1.2 | 2.6 | 3.2 | 2.6 | 2.4 | 2.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 0.8 | 1.2 | * | * | * | 0.2 | 0.4 | 0.9 | 1.2 | 1.5 | 1.6 |
| 1997 | 0.7 | 1.1 | 0.3 | * | * | 0.3 | 0.4 | 0.6 | 1.0 | 1.3 | 1.5 |
| 1996 | 0.6 | 1.6 | 0.3 | * | * | * | 0.4 | 0.6 | 1.0 | 1.4 | 1.2 |
| 1995 | 0.6 | 1.6 | * | * | * | * | 0.3 | 0.6 | 1.1 | 1.0 | 1.0 |
| 1994 | 0.6 | 1.2 | 0.3 | * | * | * | 0.4 | 0.8 | 1.1 | 1.2 | 1.0 |
| 1993 | 0.6 | 1.2 | * | * | * | 0.2 | 0.5 | 0.6 | 1.1 | 1.1 | 1.2 |
| 1992 | 0.6 | * | * | * | * | 0.3 | 0.3 | 0.6 | 0.9 | 1.0 | 1.0 |
| 1991 | 0.5 | * | 0.3 | * | * | 0.3 | 0.4 | 0.6 | 0.8 | 0.8 | 0.8 |
| 1990 | 0.5 | 1.2 | * | * | * | * | 0.3 | 0.5 | 0.7 | 0.7 | 0.7 |
| 1989 | 0.5 | 1.1 | 0.3 | * | * | * | 0.4 | 0.8 | 0.7 | 0.9 | 0.9 |
| 1988 | 0.6 | * | 0.4 | * | * | 0.3 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 |
| 1987 | 0.6 | 1.4 | 0.5 | * | * | 0.3 | 0.6 | 0.8 | 0.8 | 0.8 | 0.8 |
| 1986 | 0.6 | 1.2 | 0.3 | * | * | 0.2 | 0.6 | 0.7 | 1.0 | 0.9 | 0.8 |
| 1985 | 0.6 | 1.3 | 0.4 | * | * | 0.3 | 0.5 | 0.7 | 0.7 | 0.8 | 0.7 |
| 1984 | 0.6 | 1.4 | 0.4 | * | * | 0.2 | 0.6 | 0.8 | 0.7 | 1.0 | 0.8 |
| 1983 | 0.7 | 1.6 | 0.4 | * | * | 0.3 | 0.7 | 0.9 | 0.7 | 0.9 | 0.9 |
| 1982 | 0.7 | 1.7 | 0.4 | * | * | 0.4 | 0.7 | 0.7 | 1.0 | 0.9 | 0.8 |
| 1981 | 0.8 | 2.5 | 0.6 | * | * | 0.4 | 0.7 | 0.8 | 0.8 | 1.1 | 1.0 |
| 1980 | 0.8 | 1.4 | 0.6 | * | * | 0.5 | 0.7 | 0.9 | 0.8 | 1.1 | 1.2 |
| 1979 | 0.9 | 2.9 | 0.6 | * | 0.2 | 0.6 | 0.8 | 1.1 | 1.0 | 1.2 | 1.3 |
| Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.2 | 1.8 | 0.2 | * | 0.1 | 0.5 | 1.0 | 1.4 | 1.9 | 2.5 | 2.6 |
| 1997 | 1.1 | 1.3 | 0.2 | * | 0.1 | 0.4 | 0.9 | 1.1 | 1.9 | 2.6 | 2.7 |
| 1996 | 1.1 | 1.3 | 0.3 | * | * | 0.5 | 0.7 | 1.2 | 1.9 | 2.4 | 2.3 |
| 1995 | 1.0 | 1.1 | 0.2 | * | * | 0.3 | 0.7 | 1.1 | 2.0 | 2.4 | 2.2 |
| 1994 | 1.0 | 0.9 | 0.2 | * | * | 0.4 | 0.9 | 1.3 | 1.8 | 2.3 | 2.1 |
| 1993 | 1.0 | 1.0 | 0.2 | * | 0.1 | 0.4 | 0.9 | 1.1 | 2.0 | 2.0 | 2.0 |
| 1992 | 0.9 | 0.7 | * | * | * | 0.4 | 0.7 | 1.2 | 1.6 | 2.0 | 1.8 |
| 1991 | 0.8 | 0.9 | 0.2 | * | 0.2 | 0.4 | 0.6 | 1.0 | 1.4 | 1.7 | 1.1 |
| 1990 | 0.7 | 0.7 | * | * | * | 0.4 | 0.6 | 1.0 | 1.4 | 1.4 | 1.2 |
| 1989 | 0.8 | 0.8 | 0.3 | * | * | 0.4 | 0.8 | 1.1 | 1.5 | 1.5 | 1.3 |
| 1988 | 0.9 | 0.7 | 0.2 | * | * | 0.5 | 1.0 | 1.3 | 1.8 | 1.6 | 1.2 |
| 1987 | 0.9 | 1.3 | 0.3 | * | 0.2 | 0.4 | 0.9 | 1.3 | 1.7 | 1.5 | 1.2 |
| 1986 | 0.9 | 0.9 | * | * | * | 0.5 | 1.0 | 1.4 | 1.6 | 1.5 | 1.3 |
| 1985 | 0.9 | 0.9 | 0.4 | * | * | 0.4 | 0.8 | 1.3 | 1.5 | 1.3 | 1.1 |
| 1984 | 0.9 | 1.2 | 0.3 | * | * | 0.5 | 1.1 | 1.3 | 1.3 | 1.3 | 1.1 |
| 1983 | 1.0 | 0.7 | 0.3 | * | 0.2 | 0.5 | 1.0 | 1.4 | 1.4 | 1.2 | 1.3 |
| 1982 | 1.0 | 1.3 | 0.3 | * | * | 0.6 | 1.1 | 1.5 | 1.4 | 1.4 | 0.9 |
| 1981 | 1.1 | 1.6 | 0.4 | * | 0.2 | 0.7 | 1.3 | 1.5 | 1.3 | 1.4 | 1.2 |
| 1980 | 1.2 | 1.4 | 0.5 | * | 0.2 | 0.7 | 1.5 | 1.7 | 1.5 | 1.4 | 1.4 |
| 1979 | 1.2 | 1.5 | 0.5 | * | 0.3 | 0.8 | 1.5 | 1.8 | 1.5 | 1.5 | 1.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 1.6 | 2.3 | * | * | * | 0.7 | 1.4 | 1.9 | 2.6 | 3.5 | 3.7 |
| 1997 | 1.7 | 1.6 | * | * | * | 0.6 | 1.4 | 1.5 | 2.7 | 4.0 | 3.9 |
| 1996 | 1.5 | 1.3 | * | * | * | 0.7 | 1.1 | 1.7 | 2.8 | 3.4 | 3.5 |
| 1995 | 1.5 | * | * | * | * | 0.6 | 1.1 | 1.7 | 2.9 | 3.9 | 3.3 |
| 1994 | 1.5 | * | * | * | * | 0.6 | 1.4 | 1.8 | 2.5 | 3.4 | 3.2 |
| 1993 | 1.4 | 1.3 | * | * | * | 0.6 | 1.3 | 1.7 | 3.0 | 3.0 | 2.9 |
| 1992 | 1.3 | * | * | * | * | 0.5 | 1.1 | 1.8 | 2.3 | 3.0 | 2.6 |
| 1991 | 1.1 | * | * | * | * | 0.4 | 0.8 | 1.4 | 2.0 | 2.6 | 1.6 |
| 1990 | 1.0 | * | * | * | * | 0.6 | 0.8 | 1.6 | 2.2 | 2.1 | 1.6 |
| 1989 | 1.1 | * | 0.4 | * | * | 0.6 | 1.2 | 1.7 | 2.3 | 2.2 | 1.7 |
| 1988 | 1.3 | * | * | * | * | 0.6 | 1.5 | 2.0 | 2.8 | 2.5 | 1.7 |
| 1987 | 1.3 | 1.6 | 0.4 | * | * | 0.5 | 1.2 | 1.9 | 2.5 | 2.3 | 1.7 |
| 1986 | 1.3 | * | * | * | * | 0.7 | 1.5 | 2.1 | 2.4 | 2.2 | 1.8 |
| 1985 | 1.2 | * | 0.4 | * | * | 0.6 | 1.2 | 2.0 | 2.4 | 1.9 | 1.6 |
| 1984 | 1.3 | 1.4 | * | * | * | 0.8 | 1.6 | 2.0 | 2.1 | 1.7 | 1.4 |
| 1983 | 1.3 | * | 0.4 | * | 0.3 | 0.8 | 1.4 | 2.1 | 2.2 | 1.6 | 1.7 |
| 1982 | 1.4 | 1.4 | 0.4 | * | * | 0.9 | 1.5 | 2.3 | 2.1 | 2.1 | 1.1 |
| 1981 | 1.5 | 1.5 | 0.5 | * | * | 1.0 | 1.9 | 2.3 | 2.1 | 1.8 | 1.6 |
| 1980 | 1.6 | 1.8 | 0.6 | * | 0.3 | 1.1 | 2.3 | 2.7 | 2.4 | 1.8 | 1.8 |
| 1979 | 1.7 | 1.4 | 0.6 | * | 0.4 | 1.2 | 2.4 | 2.6 | 2.2 | 1.9 | 2.0 |
| Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 0.8 | * | * | * | * | 0.3 | 0.5 | 0.9 | 1.2 | 1.6 | 1.6 |
| 1997 | 0.7 | * | * | * | * | 0.3 | 0.3 | 0.6 | 1.0 | 1.2 | 1.5 |
| 1996 | 0.6 | * | * | * | * | * | 0.3 | 0.7 | 1.0 | 1.3 | 1.1 |
| 1995 | 0.5 | * | * | * | * | * | * | 0.5 | 1.0 | 0.9 | 1.0 |
| 1994 | 0.6 | * | * | * | * | * | 0.4 | 0.8 | 0.9 | 1.2 | 0.9 |
| 1993 | 0.6 | * | * | * | * | * | 0.5 | 0.5 | 1.0 | 0.9 | 1.1 |
| 1992 | 0.5 | * | * | * | * | * | 0.3 | 0.6 | 0.8 | 1.0 | 0.9 |
| 1991 | 0.5 | * | * | * | * | 0.3 | 0.3 | 0.5 | 0.7 | 0.7 | 0.7 |
| 1990 | 0.4 | * | * | * | * | * | 0.3 | 0.4 | 0.6 | 0.6 | 0.7 |
| 1989 | 0.5 | * | * | * | * | * | 0.4 | 0.6 | 0.7 | 0.7 | 0.8 |
| 1988 | 0.5 | * | * | * | * | 0.4 | 0.5 | 0.6 | 0.7 | 0.7 | 0.6 |
| 1987 | 0.5 | * | * | * | * | 0.3 | 0.5 | 0.7 | 0.8 | 0.7 | 0.8 |
| 1986 | 0.6 | * | * | * | * | * | 0.5 | 0.7 | 0.8 | 0.8 | 0.7 |
| 1985 | 0.5 | * | * | * | * | 0.3 | 0.5 | 0.6 | 0.5 | 0.6 | 0.6 |
| 1984 | 0.6 | * | * | * | * | * | 0.6 | 0.6 | 0.5 | 0.9 | 0.8 |
| 1983 | 0.6 | * | * | * | * | 0.3 | 0.5 | 0.8 | 0.6 | 0.7 | 0.9 |
| 1982 | 0.6 | * | * | * | * | 0.3 | 0.6 | 0.6 | 0.8 | 0.7 | 0.7 |
| 1981 | 0.7 | 1.7 | * | * | * | 0.3 | 0.7 | 0.8 | 0.6 | 1.0 | 0.8 |
| 1980 | 0.7 | * | * | * | * | 0.4 | 0.7 | 0.7 | 0.6 | 1.0 | 1.0 |
| 1979 | 0.8 | 1.5 | 0.4 | * | * | 0.4 | 0.6 | 0.9 | 0.9 | 1.1 | 1.1 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 1.5 | 2.8 | * | * | * | * | 0.7 | 1.4 | 2.1 | 3.1 | 4.0 |
| 1997 | 1.5 | * | * | * | * | * | 1.0 | 1.3 | 2.2 | 3.2 | 3.7 |
| 1996 | 1.4 | * | 0.6 | * | * | * | 0.8 | 1.0 | 2.7 | 3.2 | 3.4 |
| 1995 | 1.6 | 2.9 | * | * | * | * | 1.0 | 1.5 | 2.7 | 3.6 | 3.6 |
| 1994 | 1.5 | 2.5 | * | * | * | * | 0.7 | 1.6 | 2.6 | 3.1 | 3.4 |
| 1993 | 1.7 | 3.7 | * | * | * | * | 0.9 | 2.1 | 3.0 | 3.8 | 4.0 |
| 1992 | 1.3 | * | * | * | * | * | 0.8 | 1.6 | 2.5 | 3.3 | 2.8 |
| 1991 | 1.2 | 2.5 | * | * | * | * | 0.9 | 1.4 | 2.2 | 2.6 | 2.0 |
| 1990 | 1.3 | 3.8 | * | * | * | * | 0.9 | 1.7 | 2.1 | 2.2 | 2.0 |
| 1989 | 1.7 | 3.3 | * | * | * | * | 1.1 | 2.7 | 3.1 | 4.3 | 2.6 |
| 1988 | 1.8 | * | 0.9 | * | * | 0.7 | 1.9 | 3.2 | 3.4 | 3.4 | 2.5 |
| 1987 | 2.0 | * | 1.4 | * | * | 0.8 | 1.8 | 3.1 | 3.8 | 4.3 | 3.1 |
| 1986 | 1.9 | 3.4 | 1.3 | * | * | 0.7 | 1.5 | 2.4 | 3.6 | 3.4 | 2.7 |
| 1985 | 1.7 | 4.1 | 1.0 | * | * | * | 1.2 | 2.1 | 3.5 | 3.1 | 2.3 |
| 1984 | 1.9 | 3.9 | 0.9 | * | * | 0.7 | 1.6 | 3.1 | 3.5 | 3.4 | 2.7 |
| 1983 | 2.0 | 5.2 | 1.3 | * | * | 0.7 | 2.1 | 2.8 | 3.2 | 3.0 | 3.2 |
| 1982 | 2.2 | 5.2 | 1.1 | * | * | 0.6 | 2.1 | 3.2 | 3.8 | 3.5 | 3.7 |
| 1981 | 2.3 | 5.1 | 1.5 | * | * | 0.9 | 2.0 | 2.4 | 3.9 | 3.7 | 4.0 |
| 1980 | 2.4 | 4.4 | 2.0 | * | * | 1.1 | 2.1 | 3.5 | 3.9 | 3.8 | 5.1 |
| 1979 | 2.7 | 7.2 | 1.9 | * | * | 1.4 | 3.1 | 4.4 | 3.8 | 3.9 | 4.1 |
| Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 2.3 | * | * | * | * | * | 1.5 | 1.9 | 2.8 | 5.0 | 6.8 |
| 1997 | 2.3 | * | * | * | * | * | 1.5 | 2.0 | 3.4 | 5.3 | 6.2 |
| 1996 | 2.2 | * | * | * | * | * | 1.2 | 1.5 | 4.5 | 5.0 | 5.6 |
| 1995 | 2.5 | * | * | * | * | * | 1.6 | 2.2 | 3.9 | 5.9 | 6.2 |
| 1994 | 2.3 | * | * | * | * | * | * | 2.6 | 3.7 | 5.0 | 5.4 |
| 1993 | 2.6 | * | * | * | * | * | 1.2 | 3.2 | 4.7 | 6.0 | 6.7 |
| 1992 | 2.1 | * | * | * | * | * | 1.3 | 2.2 | 3.8 | 5.4 | 4.6 |
| 1991 | 1.7 | * | * | * | * | * | 1.2 | 2.1 | 3.5 | 3.9 | 2.7 |
| 1990 | 1.9 | * | * | * | * | * | 1.4 | 2.4 | 3.4 | 3.6 | 3.7 |
| 1989 | 2.6 | * | * | * | * | * | 2.0 | 3.5 | 5.3 | 6.9 | 4.1 |
| 1988 | 2.8 | * | * | * | * | * | 2.4 | 4.7 | 5.7 | 6.2 | 3.8 |
| 1987 | 3.3 | * | * | * | * | 1.2 | 2.7 | 5.1 | 6.6 | 7.1 | 5.7 |
| 1986 | 2.9 | * | * | * | * | 1.2 | 2.1 | 3.9 | 5.7 | 5.6 | 4.0 |
| 1985 | 2.5 | * | * | * | * | * | 1.7 | 3.3 | 5.6 | 5.0 | 3.6 |
| 1984 | 2.9 | * | * | * | * | * | 2.3 | 5.1 | 6.1 | 5.2 | 5.0 |
| 1983 | 3.0 | * | 1.8 | * | * | * | 3.0 | 4.1 | 5.3 | 4.2 | 5.6 |
| 1982 | 3.4 | 6.5 | * | * | * | * | 3.2 | 5.2 | 6.2 | 5.6 | 6.5 |
| 1981 | 3.4 | * | * | * | * | * | 3.3 | 4.3 | 6.3 | 6.6 | 6.2 |
| 1980 | 3.8 | * | 2.2 | * | * | 1.2 | 3.3 | 5.4 | 6.2 | 6.5 | 7.6 |
| 1979 | 3.9 | * | 2.2 | * | * | 1.6 | 4.2 | 7.0 | 6.1 | 6.3 | 6.0 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 0.7 | * | * | * | * | * | * | 1.0 | 1.3 | 1.3 | 1.5 |
| 1997 | 0.7 | * | * | * | * | * | * | * | 1.2 | 1.4 | 1.4 |
| 1996 | 0.7 | * | * | * | * | * | * | * | 1.1 | 1.5 | 1.5 |
| 1995 | 0.7 | * | * | * | * | * | * | * | 1.6 | 1.6 | 1.3 |
| 1994 | 0.8 | * | * | * | * | * | * | * | 1.7 | 1.4 | 1.6 |
| 1993 | 0.8 | * | * | * | * | * | * | 1.0 | 1.5 | 1.9 | 1.6 |
| 1992 | 0.6 | * | * | * | * | * | * | * | 1.2 | 1.4 | 1.3 |
| 1991 | 0.7 | * | * | * | * | * | * | * | * | 1.5 | 1.4 |
| 1990 | 0.7 | * | * | * | * | * | * | 1.1 | 1.0 | * | * |
| 1989 | 0.8 | * | * | * | * | * | * | 1.9 | 1.2 | 1.9 | * |
| 1988 | 0.9 | * | * | * | * | * | 1.4 | 1.8 | 1.4 | * | * |
| 1987 | 0.9 | * | 1.5 | * | * | * | * | 1.2 | 1.3 | 1.8 | * |
| 1986 | 1.0 | * | * | * | * | * | * | * | 1.7 | 1.6 | * |
| 1985 | 0.9 | * | * | * | * | * | * | * | 1.7 | 1.5 | * |
| 1984 | 1.0 | * | * | * | * | * | * | 1.4 | 1.3 | 1.9 | * |
| 1983 | 1.2 | * | * | * | * | * | 1.3 | 1.5 | 1.3 | 2.0 | * |
| 1982 | 1.1 | * | * | * | * | * | * | 1.4 | 1.8 | 1.8 | * |
| 1981 | 1.2 | * | * | * | * | * | * | * | 1.9 | * | * |
| 1980 | 1.3 | * | 1.9 | * | * | * | * | 1.9 | 1.9 | * | 3.0 |
| 1979 | 1.6 | 9.1 | * | * | * | 1.2 | 2.1 | 2.1 | 1.9 | * | 2.6 |
| Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 1.8 | * | * | * | * | * | 0.9 | 1.6 | 2.7 | 3.8 | 5.1 |
| 1997 | 1.8 | * | * | * | * | * | 1.2 | 1.6 | 3.0 | 4.1 | 4.6 |
| 1996 | 1.7 | * | * | * | * | * | 0.9 | 1.3 | 3.4 | 4.1 | 4.3 |
| 1995 | 1.9 | * | * | * | * | * | 1.0 | 1.8 | 3.5 | 4.6 | 4.4 |
| 1994 | 1.8 | * | * | * | * | * | 0.7 | 1.9 | 3.3 | 3.8 | 4.5 |
| 1993 | 2.0 | 4.6 | * | * | * | * | 1.0 | 2.6 | 3.6 | 4.9 | 5.1 |
| 1992 | 1.6 | * | * | * | * | * | 0.8 | 1.9 | 3.0 | 4.2 | 3.7 |
| 1991 | 1.4 | * | * | * | * | * | 1.0 | 1.5 | 2.7 | 3.3 | 2.5 |
| 1990 | 1.4 | 4.5 | * | * | * | * | 1.0 | 1.9 | 2.6 | 2.7 | 2.7 |
| 1989 | 2.0 | 3.8 | * | * | * | * | 1.2 | 3.3 | 4.0 | 5.4 | 3.3 |
| 1988 | 2.1 | * | 1.1 | * | * | * | 2.2 | 3.9 | 4.1 | 4.2 | 3.2 |
| 1987 | 2.4 | * | 1.8 | * | * | 0.9 | 2.0 | 3.5 | 4.7 | 5.4 | 3.7 |
| 1986 | 2.1 | 4.3 | 1.6 | * | * | 0.7 | 1.5 | 2.3 | 4.0 | 4.0 | 3.3 |
| 1985 | 1.9 | 4.8 | 1.1 | * | * | * | 1.2 | 2.3 | 4.3 | 3.8 | 2.9 |
| 1984 | 2.2 | 4.5 | 1.1 | * | * | * | 1.6 | 3.6 | 4.3 | 4.2 | 3.2 |
| 1983 | 2.2 | 6.3 | 1.4 | * | * | * | 2.1 | 3.0 | 3.7 | 3.5 | 3.5 |
| 1982 | 2.3 | 5.9 | 1.2 | * | * | * | 2.0 | 3.4 | 4.6 | 4.1 | 4.2 |
| 1981 | 2.4 | 5.6 | 1.7 | * | * | 0.8 | 2.2 | 2.8 | 4.6 | 4.4 | 4.5 |
| 1980 | 2.7 | 4.9 | 2.4 | * | * | 1.1 | 2.3 | 3.9 | 4.5 | 4.1 | 5.9 |
| 1979 | 2.9 | 7.8 | 2.1 | * | * | 1.4 | 3.3 | 4.6 | 4.4 | 4.4 | 4.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 2.9 | * | * | * | * | * | 1.8 | 2.0 | 3.8 | 6.4 | 8.7 |
| 1997 | 2.9 | * | * | * | * | * | 1.9 | 2.5 | 4.5 | 6.8 | 7.8 |
| 1996 | 2.7 | * | * | * | * | * | * | 2.0 | 5.7 | 6.8 | 7.2 |
| 1995 | 3.1 | * | * | * | * | * | 1.6 | 2.5 | 5.2 | 8.0 | 7.9 |
| 1994 | 2.8 | * | * | * | * | * | * | 3.0 | 4.6 | 6.4 | 7.3 |
| 1993 | 3.1 | * | * | * | * | * | * | 3.9 | 5.6 | 7.8 | 8.9 |
| 1992 | 2.5 | * | * | * | * | * | * | 2.8 | 4.6 | 6.9 | 6.0 |
| 1991 | 2.1 | * | * | * | * | * | * | 2.5 | 4.5 | 5.0 | 3.5 |
| 1990 | 2.1 | * | * | * | * | * | 1.6 | 2.4 | 4.2 | 4.5 | 5.0 |
| 1989 | 3.1 | * | * | * | * | * | 2.0 | 4.2 | 6.8 | 8.9 | 5.4 |
| 1988 | 3.3 | * | * | * | * | * | 2.8 | 5.9 | 7.2 | 7.7 | 5.1 |
| 1987 | 3.8 | * | * | * | * | * | 3.0 | 5.9 | 8.2 | 9.1 | 6.7 |
| 1986 | 3.3 | * | * | * | * | * | 2.2 | 3.8 | 6.7 | 6.8 | 5.0 |
| 1985 | 2.8 | * | * | * | * | * | 1.7 | 3.6 | 7.0 | 6.0 | 4.5 |
| 1984 | 3.3 | * | * | * | * | * | 2.1 | 5.6 | 7.8 | 6.6 | 6.1 |
| 1983 | 3.3 | * | 2.0 | * | * | * | 2.8 | 4.5 | 6.1 | 5.0 | 6.3 |
| 1982 | 3.6 | 7.7 | * | * | * | * | 3.1 | 5.4 | 7.4 | 6.6 | 7.5 |
| 1981 | 3.7 | * | * | * | * | * | 3.7 | 5.1 | 7.2 | 7.9 | 7.3 |
| 1980 | 4.2 | * | 2.6 | * | * | * | 3.7 | 6.1 | 7.4 | 7.1 | 8.8 |
| 1979 | 4.2 | * | 2.5 | * | * | 1.6 | 4.5 | 7.6 | 6.8 | 7.1 | 6.7 |
| Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 0.8 | * | * | * | * | * | * | * | 1.6 | 1.5 | 2.0 |
| 1997 | 0.9 | * | * | * | * | * | * | * | 1.6 | 1.7 | 1.9 |
| 1996 | 0.8 | * | * | * | * | * | * | * | 1.3 | 1.8 | 1.8 |
| 1995 | 0.9 | * | * | * | * | * | * | * | 2.0 | 1.7 | * |
| 1994 | 0.9 | * | * | * | * | * | * | * | 2.2 | 1.6 | 2.1 |
| 1993 | 1.0 | * | * | * | * | * | * | * | 1.8 | 2.4 | 1.8 |
| 1992 | 0.8 | * | * | * | * | * | * | * | 1.6 | 1.9 | 1.7 |
| 1991 | 0.8 | * | * | * | * | * | * | * | * | 1.9 | * |
| 1990 | 0.8 | * | * | * | * | * | * | 1.4 | * | * | * |
| 1989 | 1.0 | * | * | * | * | * | * | 2.4 | 1.5 | 2.4 | * |
| 1988 | 1.0 | * | * | * | * | * | 1.7 | 2.1 | * | * | * |
| 1987 | 1.1 | * | 2.0 | * | * | * | * | 1.4 | 1.7 | 2.2 | * |
| 1986 | 1.0 | * | * | * | * | * | * | * | 1.8 | * | * |
| 1985 | 1.0 | * | * | * | * | * | * | * | 2.0 | 1.9 | * |
| 1984 | 1.1 | * | * | * | * | * | * | 1.8 | * | 2.2 | * |
| 1983 | 1.3 | * | * | * | * | * | 1.4 | 1.6 | * | 2.3 | * |
| 1982 | 1.2 | * | * | * | * | * | * | 1.6 | 2.2 | * | * |
| 1981 | 1.3 | * | * | * | * | * | * | * | 2.3 | * | * |
| 1980 | 1.3 | * | 2.2 | * | * | * | * | 2.0 | 2.0 | * | 3.5 |
| 1979 | 1.7 | 10.2 | * | * | * | * | 2.3 | 1.9 | 2.4 | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Operations of war and their sequelae (E990-E999) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Operations of war and their sequelae (E990-E999) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Operations of war and their sequelae (E990-E999) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Operations of war and their sequelae (E990-E999) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Operations of war and their sequelae (E990-E999) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | 0.0 | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Operations of war and their sequelae (E990-E999) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Operations of war and their sequelae (E990-E999) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Operations of war and their sequelae (E990-E999) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Operations of war and their sequelae (E990-E999) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Operations of war and their sequelae (E990-E999) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|-----------------|--------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Operations of war and their sequelae (E990-E999) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |
| Operations of war and their sequelae (E990-E999) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | * | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * | * |
| 1985 | * | * | * | * | * | * | * | * | * | * | * |
| 1984 | * | * | * | * | * | * | * | * | * | * | * |
| 1983 | * | * | * | * | * | * | * | * | * | * | * |
| 1982 | * | * | * | * | * | * | * | * | * | * | * |
| 1981 | * | * | * | * | * | * | * | * | * | * | * |
| 1980 | * | * | * | * | * | * | * | * | * | * | * |
| 1979 | * | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Complications of medical and surgical care (E870-E879,E930-E949) | | | | | | | | | | | |
| All races, both sexes | | | | | | | | | | | |
| 1998 | 1.3 | 0.9 | 0.2 | * | * | 0.1 | 0.2 | 0.2 | 0.3 | 0.3 | 0.5 |
| 1997 | 1.2 | 0.8 | 0.2 | 0.1 | * | 0.1 | 0.2 | 0.2 | 0.2 | 0.4 | 0.4 |
| 1996 | 1.2 | 0.7 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.3 | 0.4 | 0.5 |
| 1995 | 1.1 | 0.7 | 0.2 | * | * | 0.1 | 0.1 | 0.2 | 0.3 | 0.3 | 0.5 |
| 1994 | 1.1 | 0.8 | 0.2 | * | * | * | 0.1 | 0.1 | 0.2 | 0.3 | 0.4 |
| 1993 | 1.1 | 0.9 | 0.2 | 0.1 | * | * | 0.1 | 0.2 | 0.3 | 0.3 | 0.4 |
| 1992 | 1.1 | 1.0 | 0.2 | * | 0.1 | * | 0.1 | 0.2 | 0.3 | 0.3 | 0.4 |
| 1991 | 1.0 | 1.1 | 0.1 | 0.1 | * | * | 0.1 | 0.1 | 0.2 | 0.3 | 0.4 |
| 1990 | 1.1 | 0.6 | 0.2 | 0.1 | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 |
| 1989 | 1.2 | 1.3 | 0.2 | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.3 | 0.5 |
| 1988 | 1.2 | 1.0 | 0.2 | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 | 0.4 |
| 1987 | 1.3 | 0.9 | 0.2 | * | * | * | 0.1 | 0.2 | 0.3 | 0.3 | 0.3 |
| 1986 | 1.3 | 0.9 | 0.2 | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 | 0.5 |
| 1985 | 1.2 | 1.1 | * | 0.2 | * | * | 0.1 | 0.2 | 0.3 | 0.3 | 0.4 |
| 1984 | 1.1 | 1.2 | 0.2 | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 | 0.5 |
| 1983 | 1.1 | 1.0 | 0.2 | * | * | * | 0.2 | 0.2 | 0.2 | 0.3 | 0.4 |
| 1982 | 1.1 | 1.0 | 0.2 | * | * | * | 0.1 | 0.2 | 0.3 | 0.3 | 0.4 |
| 1981 | 1.1 | 0.7 | 0.2 | * | * | 0.1 | 0.1 | 0.2 | 0.3 | 0.3 | 0.6 |
| 1980 | 1.1 | 1.0 | 0.2 | * | * | 0.1 | 0.1 | 0.2 | 0.3 | 0.4 | 0.5 |
| 1979 | 1.2 | 0.9 | 0.2 | * | * | 0.1 | 0.2 | 0.2 | 0.2 | 0.4 | 0.5 |
| Complications of medical and surgical care (E870-E879,E930-E949) | | | | | | | | | | | |
| All races, male | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.4 |
| 1997 | 1.2 | * | 0.3 | * | * | * | * | 0.2 | 0.2 | 0.4 | 0.4 |
| 1996 | 1.1 | * | * | * | * | * | 0.2 | * | 0.2 | 0.4 | 0.6 |
| 1995 | 1.0 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 |
| 1994 | 1.0 | 1.0 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 |
| 1993 | 1.1 | 1.2 | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 |
| 1992 | 1.0 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 |
| 1991 | 0.9 | 1.2 | * | * | * | * | * | 0.2 | * | 0.3 | 0.3 |
| 1990 | 1.1 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 |
| 1989 | 1.2 | 1.5 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.5 |
| 1988 | 1.2 | 1.1 | 0.3 | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.5 |
| 1987 | 1.2 | * | 0.3 | * | * | * | * | 0.3 | 0.3 | 0.4 | 0.3 |
| 1986 | 1.2 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 |
| 1985 | 1.2 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 |
| 1984 | 1.1 | 1.2 | 0.3 | * | * | * | * | * | 0.2 | 0.3 | 0.5 |
| 1983 | 1.1 | 1.4 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 |
| 1982 | 1.2 | 1.2 | * | * | * | * | * | * | 0.2 | 0.3 | * |
| 1981 | 1.1 | * | * | * | * | * | * | 0.2 | 0.2 | * | 0.6 |
| 1980 | 1.1 | 1.1 | * | * | * | 0.2 | * | * | * | 0.3 | 0.4 |
| 1979 | 1.2 | * | * | * | * | * | 0.2 | * | 0.3 | 0.3 | 0.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Complications of medical and surgical care (E870-E879,E930-E949) | | | | | | | | | | | |
| All races, female | | | | | | | | | | | |
| 1998 | 1.3 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.6 |
| 1997 | 1.2 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.5 |
| 1996 | 1.2 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.5 |
| 1995 | 1.2 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.4 |
| 1994 | 1.1 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 |
| 1993 | 1.2 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 |
| 1992 | 1.2 | 1.1 | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 |
| 1991 | 1.1 | 1.1 | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1990 | 1.2 | * | * | * | * | * | * | * | 0.2 | 0.2 | 0.4 |
| 1989 | 1.2 | 1.1 | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 |
| 1988 | 1.3 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.4 |
| 1987 | 1.3 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 |
| 1986 | 1.3 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.5 |
| 1985 | 1.2 | 1.1 | * | * | * | * | * | 0.2 | 0.3 | 0.3 | 0.4 |
| 1984 | 1.1 | 1.2 | * | * | * | * | * | * | 0.2 | 0.4 | 0.4 |
| 1983 | 1.1 | * | 0.3 | * | * | * | 0.2 | 0.2 | 0.2 | 0.3 | 0.5 |
| 1982 | 1.1 | * | * | * | * | * | * | 0.2 | 0.3 | * | 0.5 |
| 1981 | 1.1 | * | * | * | * | * | * | 0.2 | 0.4 | 0.4 | 0.6 |
| 1980 | 1.0 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 | 0.5 |
| 1979 | 1.1 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.4 | 0.6 |
| Complications of medical and surgical care (E870-E879,E930-E949) | | | | | | | | | | | |
| White, both sexes | | | | | | | | | | | |
| 1998 | 1.3 | 0.8 | 0.2 | * | * | 0.1 | 0.1 | 0.2 | 0.3 | 0.3 | 0.4 |
| 1997 | 1.2 | 0.8 | 0.2 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 |
| 1996 | 1.2 | * | 0.2 | * | * | * | 0.2 | 0.1 | 0.2 | 0.4 | 0.5 |
| 1995 | 1.1 | * | 0.2 | * | * | * | * | 0.1 | 0.3 | 0.3 | 0.4 |
| 1994 | 1.0 | 0.7 | 0.2 | * | * | * | * | * | 0.2 | 0.2 | 0.3 |
| 1993 | 1.1 | 0.7 | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.4 |
| 1992 | 1.1 | 0.9 | 0.2 | * | 0.1 | * | * | * | 0.2 | 0.2 | 0.3 |
| 1991 | 1.0 | 1.1 | * | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.3 |
| 1990 | 1.1 | * | * | 0.1 | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 |
| 1989 | 1.2 | 1.0 | 0.2 | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.4 |
| 1988 | 1.2 | 1.0 | 0.2 | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.3 |
| 1987 | 1.2 | 0.7 | 0.2 | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.3 |
| 1986 | 1.3 | 0.9 | 0.2 | * | * | * | 0.1 | 0.1 | 0.2 | 0.3 | 0.4 |
| 1985 | 1.2 | 0.9 | * | * | * | * | * | 0.2 | 0.2 | 0.3 | 0.3 |
| 1984 | 1.1 | 1.1 | 0.2 | * | * | * | * | 0.1 | 0.2 | 0.3 | 0.4 |
| 1983 | 1.1 | 0.8 | 0.2 | * | * | * | 0.1 | 0.1 | 0.2 | 0.2 | 0.4 |
| 1982 | 1.1 | 0.8 | 0.2 | * | * | * | * | 0.1 | 0.2 | 0.2 | 0.3 |
| 1981 | 1.1 | * | * | * | * | * | * | 0.2 | 0.2 | 0.2 | 0.5 |
| 1980 | 1.1 | 0.8 | 0.2 | * | * | 0.1 | 0.1 | 0.1 | 0.2 | 0.3 | 0.4 |
| 1979 | 1.1 | 0.8 | * | * | * | * | 0.2 | * | 0.2 | 0.3 | 0.4 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Complications of medical and surgical care (E870-E879,E930-E949) | | | | | | | | | | | |
| White, male | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | 0.3 | 0.4 | 0.4 |
| 1997 | 1.2 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1996 | 1.1 | * | * | * | * | * | * | * | 0.2 | 0.4 | 0.6 |
| 1995 | 1.0 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 |
| 1994 | 1.0 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1993 | 1.1 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.4 |
| 1992 | 1.0 | * | * | * | * | * | * | * | * | 0.2 | 0.3 |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1988 | 1.2 | 1.3 | * | * | * | * | * | * | 0.2 | 0.3 | 0.4 |
| 1987 | 1.2 | * | * | * | * | * | * | 0.2 | * | 0.3 | * |
| 1986 | 1.2 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1985 | 1.2 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1984 | 1.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1983 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1980 | 1.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1979 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| Complications of medical and surgical care (E870-E879,E930-E949) | | | | | | | | | | | |
| White, female | | | | | | | | | | | |
| 1998 | 1.3 | * | * | * | * | * | * | * | 0.3 | 0.3 | 0.5 |
| 1997 | 1.3 | * | * | * | * | * | * | * | * | 0.4 | 0.4 |
| 1996 | 1.2 | * | * | * | * | * | * | * | * | 0.4 | 0.4 |
| 1995 | 1.2 | * | * | * | * | * | * | * | 0.2 | 0.3 | 0.3 |
| 1994 | 1.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1993 | 1.2 | * | * | * | * | * | * | * | 0.2 | * | 0.3 |
| 1992 | 1.1 | * | * | * | * | * | * | * | 0.3 | * | 0.3 |
| 1991 | 1.1 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1990 | 1.2 | * | * | * | * | * | * | * | * | * | 0.3 |
| 1989 | 1.2 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1988 | 1.2 | * | * | * | * | * | * | * | * | 0.3 | 0.3 |
| 1987 | 1.2 | * | * | * | * | * | * | * | 0.2 | * | 0.3 |
| 1986 | 1.3 | * | * | * | * | * | * | * | * | 0.3 | 0.4 |
| 1985 | 1.2 | * | * | * | * | * | * | * | * | 0.3 | * |
| 1984 | 1.1 | * | * | * | * | * | * | * | * | 0.3 | * |
| 1983 | 1.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1982 | 1.1 | * | * | * | * | * | * | * | * | * | 0.4 |
| 1981 | 1.1 | * | * | * | * | * | * | * | 0.2 | * | 0.5 |
| 1980 | 1.0 | * | * | * | * | * | * | * | 0.3 | 0.3 | * |
| 1979 | 1.1 | * | * | * | * | * | * | * | * | 0.3 | 0.5 |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Complications of medical and surgical care (E870-E879,E930-E949) | | | | | | | | | | | |
| All other, both sexes | | | | | | | | | | | |
| 1998 | 1.3 | * | * | * | * | * | * | * | * | * | 0.7 |
| 1997 | 1.2 | * | * | * | * | * | * | * | * | 0.7 | 0.7 |
| 1996 | 1.2 | * | * | * | * | * | * | * | * | 0.6 | 0.9 |
| 1995 | 1.1 | * | * | * | * | * | * | * | * | * | 0.6 |
| 1994 | 1.1 | * | * | * | * | * | * | * | * | 0.7 | 0.8 |
| 1993 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.2 | * | * | * | * | * | * | * | * | 0.7 | 0.9 |
| 1991 | 1.1 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | * | 0.9 |
| 1989 | 1.3 | * | * | * | * | * | * | * | * | 0.7 | * |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | 0.7 | 0.9 |
| 1987 | 1.4 | * | * | * | * | * | * | * | * | 0.9 | * |
| 1986 | 1.4 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1985 | 1.3 | * | * | * | * | * | * | * | 0.6 | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.3 | * | * | * | * | * | * | * | * | * | 1.2 |
| 1981 | 1.3 | * | * | * | * | * | * | * | 0.9 | * | 1.3 |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| Complications of medical and surgical care (E870-E879,E930-E949) | | | | | | | | | | | |
| All other, male | | | | | | | | | | | |
| 1998 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.0 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 0.9 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.5 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|---|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Complications of medical and surgical care (E870-E879,E930-E949) | | | | | | | | | | | |
| All other, female | | | | | | | | | | | |
| 1998 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| Complications of medical and surgical care (E870-E879,E930-E949) | | | | | | | | | | | |
| Black, both sexes | | | | | | | | | | | |
| 1998 | 1.6 | * | * | * | * | * | * | * | * | * | 0.9 |
| 1997 | 1.4 | * | * | * | * | * | * | * | * | 0.9 | 0.8 |
| 1996 | 1.5 | * | * | * | * | * | * | * | * | 0.8 | 1.2 |
| 1995 | 1.3 | * | * | * | * | * | * | * | * | * | 0.8 |
| 1994 | 1.4 | * | * | * | * | * | * | * | * | 0.8 | 1.0 |
| 1993 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.5 | * | * | * | * | * | * | * | * | 0.8 | 1.2 |
| 1991 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.4 | * | * | * | * | * | * | * | * | * | 1.1 |
| 1989 | 1.6 | * | * | * | * | * | * | * | * | 1.0 | * |
| 1988 | 1.6 | * | * | * | * | * | * | * | * | 0.9 | * |
| 1987 | 1.7 | * | * | * | * | * | * | * | * | 1.2 | * |
| 1986 | 1.6 | * | * | * | * | * | * | * | * | * | 1.4 |
| 1985 | 1.5 | * | * | * | * | * | * | * | 0.8 | * | * |
| 1984 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.4 | * | * | * | * | * | * | * | 1.0 | * | 1.5 |
| 1980 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002R_1. Death rates for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

[Death rates for 1991-1998 have been revised based on intercensal population estimates for those years and may differ from rates previously published]

| Cause of death, race, sex and year | All ages | Under 1 year | 1-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
|--|----------|--------------|-----------|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Complications of medical and surgical care (E870-E879,E930-E949) | | | | | | | | | | | |
| Black, male | | | | | | | | | | | |
| 1998 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.3 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.1 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| Complications of medical and surgical care (E870-E879,E930-E949) | | | | | | | | | | | |
| Black, female | | | | | | | | | | | |
| 1998 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1995 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1989 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1988 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 1.7 | * | * | * | * | * | * | * | * | * | * |
| 1986 | 1.6 | * | * | * | * | * | * | * | * | * | * |
| 1985 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1984 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1983 | 1.5 | * | * | * | * | * | * | * | * | * | * |
| 1982 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1981 | 1.4 | * | * | * | * | * | * | * | * | * | * |
| 1980 | 1.2 | * | * | * | * | * | * | * | * | * | * |
| 1979 | 1.6 | * | * | * | * | * | * | * | * | * | * |

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols