

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Total of all cities of 100,000 or more								
Number								
Low birthweight	105,642	52,872	47,096	492	5,182	22,523	30,385	46,130
Care beginning in first trimester	904,921	625,472	218,487	4,519	56,443	230,137	394,997	212,684
Late or no care	71,661	39,324	28,356	633	3,348	25,944	13,634	27,568
Percent								
Low birthweight	8.5	6.5	13.9	7.0	6.9	6.5	6.5	14.0
Care beginning in first trimester	75.5	78.6	67.6	66.3	77.6	68.5	85.8	67.7
Late or no care	6.0	4.9	8.8	9.3	4.6	7.7	3.0	8.8
Abilene, Texas								
Number								
Low birthweight	131	108	20	-	3	30	78	20
Care beginning in first trimester	1,333	1,226	92	1	14	269	959	90
Late or no care	116	95	19	-	2	51	44	19
Percent								
Low birthweight	7.0	6.5	11.9	*	*	6.5	6.5	12.1
Care beginning in first trimester	71.6	73.6	54.8	*	*	58.1	79.5	54.5
Late or no care	6.2	5.7	*	*	*	11.0	3.6	*
Akron, Ohio								
Number								
Low birthweight	344	173	165	1	5	1	172	165
Care beginning in first trimester	2,963	2,073	843	6	41	14	2,061	841
Late or no care	139	54	80	-	5	-	54	80
Percent								
Low birthweight	9.5	7.3	13.9	*	*	*	7.3	14.0
Care beginning in first trimester	82.8	88.4	72.4	*	66.1	*	88.5	72.4
Late or no care	3.9	2.3	6.9	*	*	*	2.3	6.9

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Albany, New York								
Number								
Low birthweight	143	63	80	-	-	6	36	66
Care beginning in first trimester	1,161	774	350	3	34	46	609	272
Late or no care	43	14	28	-	1	1	9	26
Percent								
Low birthweight	8.8	6.5	13.1	*	*	*	5.1	12.6
Care beginning in first trimester	87.7	93.1	77.6	*	87.2	83.6	93.5	74.5
Late or no care	3.2	*	6.2	*	*	*	*	7.1
Albuquerque, New Mexico								
Number								
Low birthweight	632	575	21	19	17	335	241	21
Care beginning in first trimester	5,326	4,869	115	228	114	2,478	2,417	108
Late or no care	461	414	20	21	6	319	97	20
Percent								
Low birthweight	8.2	8.2	10.3	*	*	8.6	7.7	10.7
Care beginning in first trimester	70.6	71.2	58.7	65.9	69.5	65.1	78.8	57.4
Late or no care	6.1	6.1	10.2	6.1	*	8.4	3.2	10.6
Alexandria city, Virginia								
Number								
Low birthweight	129	61	58	-	10	13	49	57
Care beginning in first trimester	1,254	833	350	3	68	155	690	338
Late or no care	145	62	69	-	14	35	33	66
Percent								
Low birthweight	7.3	5.7	10.2	*	*	*	6.0	10.5
Care beginning in first trimester	73.1	78.8	64.5	*	60.7	53.4	86.0	65.4
Late or no care	8.4	5.9	12.7	*	*	12.1	4.1	12.8

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Allentown, Pennsylvania								
Number								
Low birthweight	145	120	21	-	4	49	72	20
Care beginning in first trimester	1,116	1,014	70	2	30	199	819	66
Late or no care	67	49	15	-	3	20	31	13
Percent								
Low birthweight	8.4	7.8	14.8	*	*	11.3	6.5	15.9
Care beginning in first trimester	82.7	84.4	70.7	*	63.8	71.3	87.9	72.5
Late or no care	5.0	4.1	*	*	*	7.2	3.3	*
Amarillo, Texas								
Number								
Low birthweight	211	176	31	2	2	59	119	31
Care beginning in first trimester	2,080	1,902	121	11	46	484	1,421	119
Late or no care	163	131	28	2	2	62	69	28
Percent								
Low birthweight	7.5	7.0	15.0	*	*	7.6	6.8	15.3
Care beginning in first trimester	73.8	75.2	59.0	*	70.8	62.2	80.9	59.2
Late or no care	5.8	5.2	13.7	*	*	8.0	3.9	13.9
Anaheim, California								
Number								
Low birthweight	420	376	17	2	25	247	127	16
Care beginning in first trimester	5,428	4,713	136	18	561	3,073	1,647	131
Late or no care	383	349	13	2	19	257	92	13
Percent								
Low birthweight	5.8	5.9	*	*	3.8	5.7	6.4	*
Care beginning in first trimester	75.8	74.8	73.1	*	86.6	71.1	83.0	73.2
Late or no care	5.3	5.5	*	*	*	5.9	4.6	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Anchorage, coext. with Anchorage city, Alaska</b>								
Number								
Low birthweight	266	178	35	31	22	16	169	34
Care beginning in first trimester	4,110	3,193	282	422	213	265	2,986	275
Late or no care	94	58	11	21	4	8	52	10
Percent								
Low birthweight	5.7	5.0	10.8	6.1	9.2	*	5.1	10.8
Care beginning in first trimester	88.6	89.4	87.3	83.4	89.1	84.1	89.8	87.3
Late or no care	2.0	1.6	*	4.2	*	*	1.6	*
<b>Ann Arbor, Michigan</b>								
Number								
Low birthweight	89	53	29	-	7	4	43	26
Care beginning in first trimester	1,170	862	134	4	170	28	776	124
Late or no care	25	16	5	-	4	-	15	5
Percent								
Low birthweight	6.4	5.3	15.8	*	*	*	4.9	15.4
Care beginning in first trimester	92.0	93.6	82.7	*	91.9	84.8	93.7	83.2
Late or no care	2.0	*	*	*	*	*	*	*
<b>Arlington, Texas</b>								
Number								
Low birthweight	347	249	77	1	20	73	177	76
Care beginning in first trimester	4,186	3,445	491	7	243	558	2,880	485
Late or no care	283	214	52	3	14	101	112	52
Percent								
Low birthweight	6.6	5.8	11.6	*	6.3	7.8	5.3	11.6
Care beginning in first trimester	79.4	80.4	74.7	*	76.7	59.5	86.2	74.6
Late or no care	5.4	5.0	7.9	*	*	10.8	3.4	8.0

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Arlington, Virginia</b>								
Number								
Low birthweight	161	114	35	-	12	45	70	35
Care beginning in first trimester	1,933	1,543	226	4	160	434	1,114	220
Late or no care	158	110	31	-	17	59	50	29
Percent								
Low birthweight	6.1	5.6	9.9	*	*	6.0	5.3	10.1
Care beginning in first trimester	77.8	79.9	68.5	*	73.4	64.7	88.0	68.3
Late or no care	6.4	5.7	9.4	*	*	8.8	3.9	9.0
<b>Atlanta, Georgia</b>								
Number								
Low birthweight	970	147	814	-	9	28	114	813
Care beginning in first trimester	6,510	2,013	4,327	7	163	394	1,614	4,310
Late or no care	454	64	383	-	7	23	41	383
Percent								
Low birthweight	11.4	6.3	13.6	*	*	5.2	6.4	13.6
Care beginning in first trimester	78.3	88.6	74.0	*	84.5	77.1	91.8	74.0
Late or no care	5.5	2.8	6.6	*	*	4.5	2.3	6.6
<b>Aurora, Colorado</b>								
Number								
Low birthweight	442	313	107	1	21	49	268	104
Care beginning in first trimester	3,251	2,721	400	17	113	316	2,416	395
Late or no care	199	123	59	4	13	43	84	55
Percent								
Low birthweight	10.7	9.5	16.8	*	12.2	10.2	9.4	16.9
Care beginning in first trimester	81.0	84.6	66.4	*	68.5	69.3	86.7	67.8
Late or no care	5.0	3.8	9.8	*	*	9.4	3.0	9.4

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Austin, Texas</b>								
Number								
Low birthweight	573	406	141	1	25	201	208	140
Care beginning in first trimester	7,732	6,482	896	13	341	2,603	3,889	886
Late or no care	372	295	66	3	8	225	69	66
Percent								
Low birthweight	6.0	5.2	11.5	*	6.6	5.6	4.9	11.6
Care beginning in first trimester	81.7	82.7	73.3	*	90.0	72.2	91.6	73.3
Late or no care	3.9	3.8	5.4	*	*	6.2	1.6	5.5
<b>Bakersfield, California</b>								
Number								
Low birthweight	524	411	95	2	16	198	214	95
Care beginning in first trimester	5,158	4,520	465	42	131	1,949	2,579	459
Late or no care	637	535	85	5	12	305	229	85
Percent								
Low birthweight	6.9	6.2	13.2	*	*	6.3	6.3	13.3
Care beginning in first trimester	69.5	69.8	66.1	76.4	70.8	62.6	76.4	65.9
Late or no care	8.6	8.3	12.1	*	*	9.8	6.8	12.2
<b>Baltimore city, Maryland</b>								
Number								
Low birthweight	1,575	246	1,319	2	8	10	237	1,308
Care beginning in first trimester	8,217	2,655	5,431	20	111	62	2,605	5,365
Late or no care	730	102	617	3	8	7	97	611
Percent								
Low birthweight	13.6	7.5	16.2	*	*	*	7.4	16.3
Care beginning in first trimester	77.5	86.1	73.9	69.0	85.4	77.5	86.3	73.8
Late or no care	6.9	3.3	8.4	*	*	*	3.2	8.4

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Baton Rouge, Louisiana</b>								
Number								
Low birthweight	562	128	426	1	7	4	124	426
Care beginning in first trimester	3,842	1,905	1,819	5	113	63	1,851	1,816
Late or no care	150	27	121	-	2	1	26	120
Percent								
Low birthweight	11.4	6.0	15.8	*	*	*	6.0	15.9
Care beginning in first trimester	78.1	90.2	67.8	*	92.6	91.3	90.0	67.9
Late or no care	3.0	1.3	4.5	*	*	*	1.3	4.5
<b>Beaumont, Texas</b>								
Number								
Low birthweight	204	45	150	-	9	8	37	150
Care beginning in first trimester	1,570	713	802	1	54	101	611	798
Late or no care	98	25	72	-	1	7	18	72
Percent								
Low birthweight	10.3	5.4	13.9	*	*	*	5.2	13.9
Care beginning in first trimester	79.2	85.5	74.2	*	81.8	78.9	86.7	74.1
Late or no care	4.9	3.0	6.7	*	*	*	*	6.7
<b>Berkeley, California</b>								
Number								
Low birthweight	69	24	39	-	6	8	17	39
Care beginning in first trimester	902	577	189	2	134	119	472	178
Late or no care	18	3	10	-	5	3	1	10
Percent								
Low birthweight	6.9	3.9	17.0	*	*	*	*	17.9
Care beginning in first trimester	91.1	94.7	82.9	*	89.3	87.5	95.9	82.4
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Birmingham, Alabama</b>								
Number								
Low birthweight	514	67	444	1	2	3	64	443
Care beginning in first trimester	3,264	820	2,410	3	31	16	806	2,408
Late or no care	180	22	156	-	2	1	20	155
Percent								
Low birthweight	12.1	7.2	13.6	*	*	*	7.0	13.6
Care beginning in first trimester	77.4	88.4	74.2	*	86.1	*	88.9	74.2
Late or no care	4.3	2.4	4.8	*	*	*	2.2	4.8
<b>Boise City, Idaho</b>								
Number								
Low birthweight	139	132	1	1	5	7	125	1
Care beginning in first trimester	2,152	2,056	9	24	63	91	1,966	9
Late or no care	67	66	-	1	-	5	61	-
Percent								
Low birthweight	5.5	5.5	*	*	*	*	5.4	*
Care beginning in first trimester	85.7	85.7	*	75.0	88.7	76.5	86.3	*
Late or no care	2.7	2.8	*	*	*	*	2.7	*
<b>Boston, Massachusetts</b>								
Number								
Low birthweight	746	282	428	-	36	134	178	396
Care beginning in first trimester	7,179	3,839	2,837	15	488	1,442	2,794	2,422
Late or no care	255	67	174	-	14	35	39	166
Percent								
Low birthweight	8.8	6.6	12.0	*	6.2	7.9	5.9	12.8
Care beginning in first trimester	85.1	89.6	79.8	*	84.1	84.4	92.5	78.4
Late or no care	3.0	1.6	4.9	*	*	2.0	1.3	5.4



Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Bridgeport, Connecticut								
Number								
Low birthweight	231	121	104	-	6	71	50	104
Care beginning in first trimester	1,831	1,153	601	3	74	598	551	598
Late or no care	76	47	27	-	2	30	17	27
Percent								
Low birthweight	9.3	7.8	12.5	*	*	8.8	6.8	12.6
Care beginning in first trimester	83.8	84.8	82.1	*	81.3	83.6	86.2	82.4
Late or no care	3.5	3.5	3.7	*	*	4.2	*	3.7
Bronx borough, Bronx county, New York								
Number								
Low birthweight	2,540	1,227	1,231	3	79	1,168	142	1,083
Care beginning in first trimester	11,853	6,882	4,545	21	405	6,012	1,392	3,790
Late or no care	2,619	1,384	1,161	6	68	1,356	185	949
Percent								
Low birthweight	10.1	8.6	12.1	*	9.9	9.1	5.8	12.8
Care beginning in first trimester	56.8	58.2	54.2	63.6	62.5	55.6	66.7	55.1
Late or no care	12.5	11.7	13.9	*	10.5	12.5	8.9	13.8
Brooklyn borough, Kings county, New York								
Number								
Low birthweight	4,082	1,537	2,360	3	182	823	706	2,240
Care beginning in first trimester	24,024	12,732	9,587	16	1,689	6,027	6,738	9,068
Late or no care	3,451	1,472	1,791	4	184	900	589	1,666
Percent								
Low birthweight	9.4	6.9	12.9	*	7.0	7.8	6.0	13.0
Care beginning in first trimester	64.9	68.1	60.4	*	70.3	63.7	71.6	60.6
Late or no care	9.3	7.9	11.3	*	7.7	9.5	6.3	11.1

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Buffalo, New York</b>								
Number								
Low birthweight	584	271	309	1	3	28	204	268
Care beginning in first trimester	3,763	2,432	1,278	14	39	192	1,874	1,034
Late or no care	281	137	134	3	7	18	99	111
Percent								
Low birthweight	10.4	8.3	13.7	*	*	9.0	8.4	14.7
Care beginning in first trimester	72.5	78.7	63.7	*	60.0	67.1	80.1	63.2
Late or no care	5.4	4.4	6.7	*	*	*	4.2	6.8
<b>Cedar Rapids, Iowa</b>								
Number								
Low birthweight	114	106	6	-	2	1	105	6
Care beginning in first trimester	1,603	1,527	45	4	27	21	1,506	45
Late or no care	32	26	5	-	1	-	26	5
Percent								
Low birthweight	6.3	6.3	*	*	*	*	6.3	*
Care beginning in first trimester	89.6	90.5	71.4	*	81.8	95.5	90.5	71.4
Late or no care	1.8	1.5	*	*	*	*	1.6	*
<b>Charlotte, North Carolina</b>								
Number								
Low birthweight	714	314	375	3	22	13	301	375
Care beginning in first trimester	6,102	3,754	2,116	20	212	129	3,626	2,113
Late or no care	186	54	123	1	8	6	48	123
Percent								
Low birthweight	10.1	7.7	13.8	*	8.6	*	7.7	13.8
Care beginning in first trimester	86.4	92.3	78.0	80.0	83.1	76.8	92.9	77.9
Late or no care	2.6	1.3	4.5	*	*	*	1.2	4.5

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Chattanooga, Tennessee</b>								
Number								
Low birthweight	261	95	161	1	4	2	93	161
Care beginning in first trimester	1,766	1,069	664	3	30	23	1,047	663
Late or no care	149	48	99	1	1	2	46	99
Percent								
Low birthweight	10.6	7.0	15.1	*	*	*	7.1	15.1
Care beginning in first trimester	73.6	81.0	63.8	*	78.9	67.6	81.4	63.8
Late or no care	6.2	3.6	9.5	*	*	*	3.6	9.5
<b>Chesapeake city, Virginia</b>								
Number								
Low birthweight	226	106	118	-	2	3	103	118
Care beginning in first trimester	2,386	1,743	601	3	39	29	1,715	598
Late or no care	59	20	38	-	1	1	19	38
Percent								
Low birthweight	8.1	5.5	14.5	*	*	*	5.5	14.6
Care beginning in first trimester	85.9	91.0	73.8	*	84.8	80.6	91.2	73.7
Late or no care	2.1	1.0	4.7	*	*	*	*	4.7
<b>Chicago, Illinois</b>								
Number								
Low birthweight	6,245	1,846	4,224	6	169	1,104	751	4,212
Care beginning in first trimester	39,675	21,762	16,377	48	1,488	12,310	9,490	16,317
Late or no care	3,709	1,281	2,336	8	84	915	375	2,324
Percent								
Low birthweight	10.9	6.4	16.0	*	8.3	6.3	6.6	16.0
Care beginning in first trimester	72.2	77.5	65.8	62.3	76.6	72.5	84.9	65.9
Late or no care	6.7	4.6	9.4	*	4.3	5.4	3.4	9.4

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Chula Vista, California								
Number								
Low birthweight	198	161	20	-	17	109	49	19
Care beginning in first trimester	2,246	1,906	123	8	209	1,273	642	118
Late or no care	250	229	4	-	17	204	25	4
Percent								
Low birthweight	6.5	6.1	12.8	*	*	5.9	6.4	*
Care beginning in first trimester	74.6	73.4	79.9	*	82.6	69.1	83.9	79.2
Late or no care	8.3	8.8	*	*	*	11.1	3.3	*
Cincinnati, Ohio								
Number								
Low birthweight	680	215	458	1	6	4	211	458
Care beginning in first trimester	4,874	2,549	2,223	4	98	34	2,520	2,220
Late or no care	374	99	273	-	2	4	95	273
Percent								
Low birthweight	11.3	7.5	15.1	*	*	*	7.4	15.2
Care beginning in first trimester	81.1	88.7	73.5	*	90.7	79.1	88.8	73.5
Late or no care	6.2	3.4	9.0	*	*	*	3.3	9.0
Cleveland, Ohio								
Number								
Low birthweight	1,179	343	832	3	1	48	295	832
Care beginning in first trimester	6,825	3,288	3,457	20	60	404	2,900	3,441
Late or no care	825	244	577	2	2	47	201	573
Percent								
Low birthweight	12.0	8.1	15.2	*	*	8.5	8.0	15.2
Care beginning in first trimester	70.5	78.1	64.5	74.1	77.9	71.0	79.0	64.5
Late or no care	8.5	5.8	10.8	*	*	8.3	5.5	10.7

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Colorado Springs, Colorado								
Number								
Low birthweight	544	439	83	7	15	61	383	78
Care beginning in first trimester	5,221	4,579	458	43	141	571	4,030	444
Late or no care	253	196	40	6	11	57	143	38
Percent								
Low birthweight	8.6	8.1	13.6	*	*	8.1	8.1	13.2
Care beginning in first trimester	83.1	84.4	75.0	70.5	74.2	75.8	85.7	75.1
Late or no care	4.0	3.6	6.5	*	*	7.6	3.0	6.4
Columbus, Georgia								
Number								
Low birthweight	281	84	192	-	5	2	82	192
Care beginning in first trimester	1,775	892	850	2	31	30	866	847
Late or no care	213	55	154	-	4	5	52	154
Percent								
Low birthweight	10.1	6.7	12.9	*	*	*	6.8	12.9
Care beginning in first trimester	64.1	71.9	57.7	*	59.6	60.0	72.5	57.6
Late or no care	7.7	4.4	10.5	*	*	*	4.4	10.5
Columbus, Ohio								
Number								
Low birthweight	932	484	416	9	23	10	474	416
Care beginning in first trimester	8,727	6,044	2,369	25	289	97	5,952	2,363
Late or no care	358	157	182	2	17	7	152	181
Percent								
Low birthweight	8.9	7.0	13.1	*	6.6	*	7.0	13.2
Care beginning in first trimester	84.7	88.8	75.8	73.5	84.5	71.9	89.1	75.9
Late or no care	3.5	2.3	5.8	*	*	*	2.3	5.8

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Concord, California</b>								
Number								
Low birthweight	114	89	8	-	17	25	65	7
Care beginning in first trimester	1,450	1,255	38	3	154	293	967	35
Late or no care	96	84	5	-	7	45	40	5
Percent								
Low birthweight	6.1	5.5	*	*	*	5.2	5.7	*
Care beginning in first trimester	77.8	78.1	67.9	*	78.2	61.2	85.1	66.0
Late or no care	5.2	5.2	*	*	*	9.4	3.5	*
<b>Corpus Christi, Texas</b>								
Number								
Low birthweight	318	296	21	-	1	190	105	21
Care beginning in first trimester	3,399	3,221	135	5	38	2,027	1,195	133
Late or no care	247	227	15	2	3	173	55	15
Percent								
Low birthweight	6.8	6.7	10.4	*	*	6.6	7.0	10.6
Care beginning in first trimester	75.6	76.1	68.5	*	67.9	72.7	82.4	68.6
Late or no care	5.5	5.4	*	*	*	6.2	3.8	*
<b>Dallas, Texas</b>								
Number								
Low birthweight	1,890	982	854	3	51	617	371	845
Care beginning in first trimester	15,646	11,004	4,119	31	492	6,017	4,991	4,086
Late or no care	1,210	810	371	3	26	643	167	371
Percent								
Low birthweight	8.9	6.7	14.6	*	8.1	6.9	6.3	14.6
Care beginning in first trimester	75.4	76.1	73.0	67.4	80.5	69.1	86.8	72.9
Late or no care	5.8	5.6	6.6	*	4.3	7.4	2.9	6.6

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Dayton, Ohio								
Number								
Low birthweight	283	113	168	-	2	-	113	167
Care beginning in first trimester	2,138	1,254	873	1	10	12	1,242	871
Late or no care	248	66	182	-	-	-	66	182
Percent								
Low birthweight	9.3	7.2	11.6	*	*	*	7.2	11.6
Care beginning in first trimester	70.5	79.9	60.3	*	*	*	79.8	60.3
Late or no care	8.2	4.2	12.6	*	*	*	4.2	12.6
Denver, coext. with Denver city, Colorado								
Number								
Low birthweight	885	649	196	13	27	324	335	189
Care beginning in first trimester	6,017	5,069	714	56	178	1,959	3,148	692
Late or no care	690	553	98	12	27	430	126	97
Percent								
Low birthweight	10.3	9.1	17.4	*	9.7	9.4	9.0	17.2
Care beginning in first trimester	72.0	73.1	66.9	58.9	69.3	58.3	87.0	66.6
Late or no care	8.3	8.0	9.2	*	10.5	12.8	3.5	9.3
Des Moines, Iowa								
Number								
Low birthweight	239	180	41	2	16	7	175	39
Care beginning in first trimester	2,832	2,534	195	9	94	87	2,450	195
Late or no care	101	75	17	1	8	15	60	15
Percent								
Low birthweight	6.9	6.0	14.4	*	*	*	6.1	13.8
Care beginning in first trimester	86.6	88.2	73.3	*	80.3	63.0	89.5	73.9
Late or no care	3.1	2.6	*	*	*	*	2.2	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Detroit, Michigan								
Number								
Low birthweight	2,648	251	2,377	4	16	40	188	2,352
Care beginning in first trimester	12,456	2,103	10,153	37	163	382	1,577	10,096
Late or no care	1,519	191	1,308	1	19	47	128	1,297
Percent								
Low birthweight	13.7	8.4	14.8	*	*	6.2	8.8	14.8
Care beginning in first trimester	69.6	75.8	68.3	86.0	73.1	69.3	77.9	68.3
Late or no care	8.5	6.9	8.8	*	*	8.5	6.3	8.8
District of Columbia								
Number								
Low birthweight	1,403	79	1,294	2	28	52	68	1,266
Care beginning in first trimester	5,330	1,197	3,980	5	148	394	1,076	3,749
Late or no care	1,430	83	1,276	2	69	96	58	1,252
Percent								
Low birthweight	14.2	5.3	16.1	*	6.8	6.1	5.4	16.6
Care beginning in first trimester	57.3	84.3	53.1	*	39.7	49.9	88.7	52.7
Late or no care	15.4	5.8	17.0	*	18.5	12.2	4.8	17.6
Durham, North Carolina								
Number								
Low birthweight	254	72	175	-	7	9	65	175
Care beginning in first trimester	2,071	993	984	5	89	64	936	980
Late or no care	78	10	65	-	3	3	7	65
Percent								
Low birthweight	10.3	6.8	13.6	*	*	*	6.6	13.6
Care beginning in first trimester	84.6	94.1	76.5	*	88.1	84.2	94.9	76.4
Late or no care	3.2	*	5.1	*	*	*	*	5.1



Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
El Monte, California								
Number								
Low birthweight	184	163	1	-	20	152	11	1
Care beginning in first trimester	2,528	2,196	17	4	311	2,099	102	14
Late or no care	157	152	-	1	4	147	5	-
Percent								
Low birthweight	5.6	5.6	*	*	5.9	5.4	*	*
Care beginning in first trimester	76.7	75.0	*	*	91.5	74.7	82.9	*
Late or no care	4.8	5.2	*	*	*	5.2	*	*
El Paso, Texas								
Number								
Low birthweight	922	856	56	2	8	741	118	53
Care beginning in first trimester	7,794	7,439	274	11	70	6,317	1,140	258
Late or no care	1,587	1,544	35	2	6	1,489	60	30
Percent								
Low birthweight	6.6	6.3	14.0	*	*	6.2	7.2	14.3
Care beginning in first trimester	62.7	62.3	72.7	*	78.7	59.7	81.8	73.7
Late or no care	12.8	12.9	9.3	*	*	14.1	4.3	8.6
Elizabeth, New Jersey								
Number								
Low birthweight	199	110	81	-	8	78	35	78
Care beginning in first trimester	1,593	1,147	394	14	38	783	405	354
Late or no care	139	63	71	2	3	52	16	68
Percent								
Low birthweight	9.4	7.6	13.1	*	*	7.8	7.1	13.8
Care beginning in first trimester	76.8	81.0	66.6	*	79.2	79.4	83.7	65.2
Late or no care	6.7	4.4	12.0	*	*	5.3	*	12.5

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Erie, Pennsylvania</b>								
Number								
Low birthweight	177	126	49	-	2	5	121	49
Care beginning in first trimester	1,583	1,362	201	3	17	77	1,285	200
Late or no care	120	74	45	-	1	11	64	44
Percent								
Low birthweight	8.5	7.4	13.0	*	*	*	7.7	13.1
Care beginning in first trimester	77.5	82.0	56.0	*	*	72.6	82.6	56.0
Late or no care	5.9	4.5	12.5	*	*	*	4.1	12.3
<b>Escondido, California</b>								
Number								
Low birthweight	147	135	2	1	9	77	61	2
Care beginning in first trimester	2,045	1,924	36	14	71	802	1,116	35
Late or no care	240	231	3	1	5	197	36	3
Percent								
Low birthweight	5.2	5.0	*	*	*	5.6	4.7	*
Care beginning in first trimester	72.1	71.9	80.0	*	73.2	58.3	85.9	79.5
Late or no care	8.5	8.6	*	*	*	14.3	2.8	*
<b>Eugene, Oregon</b>								
Number								
Low birthweight	80	76	4	-	-	3	73	4
Care beginning in first trimester	1,219	1,147	17	8	47	68	1,081	16
Late or no care	46	40	1	3	2	9	31	1
Percent								
Low birthweight	5.3	5.4	*	*	*	*	5.6	*
Care beginning in first trimester	81.5	82.2	*	*	78.3	68.7	83.2	*
Late or no care	3.1	2.9	*	*	*	*	2.4	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Evansville, Indiana</b>								
Number								
Low birthweight	152	112	40	-	-	-	112	40
Care beginning in first trimester	1,526	1,340	173	1	12	8	1,331	173
Late or no care	125	86	38	1	-	1	84	38
Percent								
Low birthweight	7.8	6.7	14.7	*	*	*	6.8	14.8
Care beginning in first trimester	79.1	81.4	65.0	*	*	*	81.4	65.0
Late or no care	6.5	5.2	14.3	*	*	*	5.1	14.3
<b>Fayette, coext. with Lexington-Fayette, Kentucky</b>								
Number								
Low birthweight	268	195	70	-	3	5	191	69
Care beginning in first trimester	2,681	2,244	382	3	52	36	2,211	379
Late or no care	103	63	39	-	1	3	60	39
Percent								
Low birthweight	8.2	7.3	12.7	*	*	*	7.3	12.6
Care beginning in first trimester	84.0	86.6	71.0	*	91.2	78.3	86.7	70.8
Late or no care	3.2	2.4	7.2	*	*	*	2.4	7.3
<b>Flint, Michigan</b>								
Number								
Low birthweight	382	121	259	-	2	4	116	259
Care beginning in first trimester	2,465	1,148	1,297	8	12	44	1,077	1,295
Late or no care	156	35	119	1	1	1	31	119
Percent								
Low birthweight	12.0	8.8	14.4	*	*	*	9.1	14.4
Care beginning in first trimester	76.9	83.9	71.7	*	*	77.2	84.3	71.7
Late or no care	4.9	2.6	6.6	*	*	*	2.4	6.6

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fort Lauderdale, Florida								
Number								
Low birthweight	389	131	255	1	2	26	105	255
Care beginning in first trimester	2,974	1,711	1,224	2	37	334	1,385	1,217
Late or no care	189	49	139	-	1	15	34	139
Percent								
Low birthweight	9.8	6.5	13.3	*	*	6.1	6.6	13.4
Care beginning in first trimester	77.1	87.1	66.4	*	82.2	80.1	89.0	66.4
Late or no care	4.9	2.5	7.5	*	*	*	2.2	7.6
Fort Wayne, Indiana								
Number								
Low birthweight	307	189	113	1	4	9	177	111
Care beginning in first trimester	2,726	2,217	467	2	40	104	2,093	462
Late or no care	113	60	51	1	1	7	53	48
Percent								
Low birthweight	8.5	6.8	14.8	*	*	*	6.8	14.7
Care beginning in first trimester	80.1	84.3	65.0	*	85.1	74.3	84.9	65.2
Late or no care	3.3	2.3	7.1	*	*	*	2.2	6.8
Fort Worth, Texas								
Number								
Low birthweight	692	411	262	3	16	168	243	262
Care beginning in first trimester	5,769	4,560	1,033	18	158	1,683	2,879	1,028
Late or no care	763	479	254	4	26	336	142	254
Percent								
Low birthweight	7.9	6.2	13.8	*	*	5.7	6.7	13.9
Care beginning in first trimester	66.0	69.3	54.8	*	63.2	57.1	79.2	54.7
Late or no care	8.7	7.3	13.5	*	10.4	11.4	3.9	13.5

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Fremont, California</b>								
Number								
Low birthweight	181	95	17	-	69	16	79	16
Care beginning in first trimester	2,783	1,770	118	15	880	394	1,381	117
Late or no care	69	46	4	1	18	18	28	4
Percent								
Low birthweight	5.7	4.7	*	*	7.0	*	5.1	*
Care beginning in first trimester	88.9	88.7	81.4	*	90.3	82.9	90.4	82.4
Late or no care	2.2	2.3	*	*	*	*	1.8	*
<b>Fresno, California</b>								
Number								
Low birthweight	740	501	120	9	110	311	193	120
Care beginning in first trimester	7,968	5,837	644	59	1,428	3,374	2,484	639
Late or no care	432	341	51	2	38	243	99	50
Percent								
Low birthweight	7.3	6.8	13.7	*	6.0	7.0	6.7	13.8
Care beginning in first trimester	78.8	79.7	73.8	69.4	78.2	75.5	86.0	73.9
Late or no care	4.3	4.7	5.8	*	2.1	5.4	3.4	5.8
<b>Fullerton, California</b>								
Number								
Low birthweight	114	99	2	1	12	51	50	1
Care beginning in first trimester	1,633	1,410	29	5	189	677	731	28
Late or no care	79	71	2	-	6	46	26	1
Percent								
Low birthweight	5.5	5.5	*	*	*	5.4	5.8	*
Care beginning in first trimester	79.2	78.4	72.5	*	87.1	71.6	85.8	75.7
Late or no care	3.8	3.9	*	*	*	4.9	3.1	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Garden Grove, California</b>								
Number								
Low birthweight	152	106	3	1	42	72	34	2
Care beginning in first trimester	2,582	1,735	35	7	805	1,023	715	33
Late or no care	126	103	1	-	22	77	26	-
Percent								
Low birthweight	4.7	4.7	*	*	4.5	5.1	4.1	*
Care beginning in first trimester	80.0	77.3	83.3	*	86.0	72.3	85.7	86.8
Late or no care	3.9	4.6	*	*	2.4	5.4	3.1	*
<b>Garland, Texas</b>								
Number								
Low birthweight	222	153	55	-	14	58	95	55
Care beginning in first trimester	2,648	2,179	292	7	170	622	1,560	288
Late or no care	153	125	23	1	4	79	46	23
Percent								
Low birthweight	6.5	5.5	13.8	*	*	6.2	5.1	14.0
Care beginning in first trimester	78.5	78.6	75.1	*	85.9	67.9	83.9	74.8
Late or no care	4.5	4.5	5.9	*	*	8.6	2.5	6.0
<b>Gary, Indiana</b>								
Number								
Low birthweight	260	18	242	-	-	7	12	241
Care beginning in first trimester	1,453	287	1,163	2	1	87	202	1,158
Late or no care	207	32	173	1	1	9	23	173
Percent								
Low birthweight	11.7	*	13.3	*	*	*	*	13.3
Care beginning in first trimester	66.0	74.0	64.3	*	*	71.9	75.1	64.2
Late or no care	9.4	8.2	9.6	*	*	*	8.6	9.6

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Glendale, Arizona								
Number								
Low birthweight	240	214	19	2	5	55	155	19
Care beginning in first trimester	2,588	2,399	100	30	59	544	1,810	97
Late or no care	118	107	4	6	1	62	41	3
Percent								
Low birthweight	7.0	6.7	*	*	*	6.3	6.9	*
Care beginning in first trimester	80.0	80.5	78.7	53.6	80.8	66.8	85.9	79.5
Late or no care	3.6	3.6	*	*	*	7.6	1.9	*
Glendale, California								
Number								
Low birthweight	130	100	4	-	26	44	56	4
Care beginning in first trimester	2,093	1,677	30	6	380	703	978	27
Late or no care	72	59	-	-	13	42	18	-
Percent								
Low birthweight	5.1	4.9	*	*	5.6	4.8	5.0	*
Care beginning in first trimester	82.7	82.4	85.7	*	83.3	76.8	87.0	84.4
Late or no care	2.8	2.9	*	*	*	4.6	*	*
Grand Rapids, Michigan								
Number								
Low birthweight	337	194	137	2	4	21	173	137
Care beginning in first trimester	2,884	2,322	509	14	39	200	2,119	507
Late or no care	193	107	80	4	2	25	81	80
Percent								
Low birthweight	8.2	6.3	14.5	*	*	6.1	6.4	14.5
Care beginning in first trimester	71.7	76.8	55.8	*	62.9	59.0	79.1	55.7
Late or no care	4.8	3.5	8.8	*	*	7.4	3.0	8.8

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Greensboro, North Carolina</b>								
Number								
Low birthweight	239	79	154	1	5	5	74	154
Care beginning in first trimester	2,289	1,263	941	10	75	43	1,225	936
Late or no care	122	23	84	1	14	5	18	84
Percent								
Low birthweight	8.7	5.7	12.4	*	*	*	5.6	12.4
Care beginning in first trimester	83.2	91.6	75.6	*	65.2	81.1	92.0	75.5
Late or no care	4.4	1.7	6.8	*	*	*	*	6.8
<b>Hampton city, Virginia</b>								
Number								
Low birthweight	215	89	123	-	3	3	86	123
Care beginning in first trimester	1,826	1,089	703	4	30	37	1,056	699
Late or no care	94	23	68	-	3	3	21	68
Percent								
Low birthweight	9.1	7.0	11.8	*	*	*	7.0	11.8
Care beginning in first trimester	77.7	86.1	67.7	*	73.2	78.7	86.3	67.6
Late or no care	4.0	1.8	6.5	*	*	*	1.7	6.6
<b>Hartford, Connecticut</b>								
Number								
Low birthweight	321	156	157	3	5	150	9	126
Care beginning in first trimester	1,867	945	863	22	37	801	175	739
Late or no care	64	33	30	1	-	30	2	29
Percent								
Low birthweight	12.5	11.6	14.0	*	*	12.7	*	13.6
Care beginning in first trimester	83.6	83.6	83.5	81.5	90.2	82.6	91.1	83.5
Late or no care	2.9	2.9	2.9	*	*	3.1	*	3.3



Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Hayward, California								
Number								
Low birthweight	184	94	37	-	53	55	40	36
Care beginning in first trimester	2,299	1,485	355	11	448	804	708	343
Late or no care	80	54	13	-	13	29	27	12
Percent								
Low birthweight	6.7	5.2	8.7	*	9.9	5.5	4.8	8.7
Care beginning in first trimester	85.2	84.7	85.5	*	86.7	83.1	86.2	85.5
Late or no care	3.0	3.1	*	*	*	3.0	3.3	*
Hialeah, Florida								
Number								
Low birthweight	156	147	9	-	-	114	35	5
Care beginning in first trimester	2,252	2,179	64	-	9	1,772	432	37
Late or no care	48	44	3	-	1	40	6	1
Percent								
Low birthweight	5.8	5.7	*	*	*	5.4	6.9	*
Care beginning in first trimester	84.3	84.5	81.0	*	*	84.1	85.2	86.0
Late or no care	1.8	1.7	*	*	*	1.9	*	*
Hollywood, Florida								
Number								
Low birthweight	162	107	48	2	5	33	75	47
Care beginning in first trimester	1,535	1,171	308	13	43	323	856	296
Late or no care	119	66	52	1	-	23	45	50
Percent								
Low birthweight	8.3	7.5	10.4	*	*	8.0	7.3	10.6
Care beginning in first trimester	79.9	83.5	67.8	*	84.3	81.4	84.1	67.7
Late or no care	6.2	4.7	11.5	*	*	5.8	4.4	11.4

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Honolulu, Hawaii								
Number								
Low birthweight	381	98	20	2	261	30	87	19
Care beginning in first trimester	4,641	1,224	165	31	3,221	323	1,111	156
Late or no care	122	18	3	-	101	10	14	3
Percent								
Low birthweight	7.1	7.3	10.5	*	6.9	7.8	7.2	*
Care beginning in first trimester	88.1	91.4	87.8	91.2	86.9	86.8	92.1	87.6
Late or no care	2.3	*	*	*	2.7	*	*	*
Houston, Texas								
Number								
Low birthweight	3,160	1,682	1,332	1	145	1,107	577	1,331
Care beginning in first trimester	29,411	20,294	7,435	26	1,656	12,363	7,968	7,397
Late or no care	1,909	1,288	562	4	55	1,082	207	558
Percent								
Low birthweight	7.9	6.1	12.9	*	7.3	6.0	6.3	12.9
Care beginning in first trimester	76.4	76.5	74.6	76.5	84.0	70.6	87.8	74.6
Late or no care	5.0	4.9	5.6	*	2.8	6.2	2.3	5.6
Huntington Beach, California								
Number								
Low birthweight	169	144	5	1	19	45	101	5
Care beginning in first trimester	2,371	2,117	14	13	227	526	1,590	14
Late or no care	73	65	-	-	8	35	30	-
Percent								
Low birthweight	6.2	5.9	*	*	*	6.6	5.7	*
Care beginning in first trimester	87.0	87.0	*	*	87.6	77.2	90.7	*
Late or no care	2.7	2.7	*	*	*	5.1	1.7	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Huntsville, Alabama</b>								
Number								
Low birthweight	214	96	113	-	5	1	95	112
Care beginning in first trimester	1,984	1,293	627	3	61	37	1,257	625
Late or no care	89	30	57	-	2	-	30	56
Percent								
Low birthweight	9.1	6.7	13.5	*	*	*	6.8	13.4
Care beginning in first trimester	84.9	90.3	75.1	*	89.7	90.2	90.4	75.1
Late or no care	3.8	2.1	6.8	*	*	*	2.2	6.7
<b>Independence, Missouri</b>								
Number								
Low birthweight	106	99	4	1	2	2	97	4
Care beginning in first trimester	1,226	1,181	19	7	19	24	1,158	19
Late or no care	44	37	6	-	1	2	35	6
Percent								
Low birthweight	7.2	7.1	*	*	*	*	7.1	*
Care beginning in first trimester	84.3	85.4	*	*	*	72.7	85.7	*
Late or no care	3.0	2.7	*	*	*	*	2.6	*
<b>Indianapolis, Indiana</b>								
Number								
Low birthweight	1,093	673	412	-	8	17	656	412
Care beginning in first trimester	10,630	8,216	2,265	8	141	128	8,093	2,261
Late or no care	483	249	230	-	4	7	242	230
Percent								
Low birthweight	8.0	6.8	11.7	*	*	*	6.7	11.7
Care beginning in first trimester	80.6	85.4	66.7	*	86.0	75.3	85.6	66.7
Late or no care	3.7	2.6	6.8	*	*	*	2.6	6.8

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Inglewood, California</b>								
Number								
Low birthweight	213	107	104	1	1	99	8	104
Care beginning in first trimester	2,324	1,554	722	2	46	1,491	73	710
Late or no care	174	139	32	-	3	132	7	32
Percent								
Low birthweight	6.6	4.8	11.1	*	*	4.6	*	11.4
Care beginning in first trimester	74.4	72.5	78.7	*	76.7	72.0	82.0	79.1
Late or no care	5.6	6.5	3.5	*	*	6.4	*	3.6
<b>Irvine, California</b>								
Number								
Low birthweight	103	77	4	2	20	11	67	4
Care beginning in first trimester	1,706	1,348	48	3	307	154	1,193	48
Late or no care	18	12	-	-	6	1	12	-
Percent								
Low birthweight	5.6	5.3	*	*	5.9	*	5.2	*
Care beginning in first trimester	92.6	93.2	84.2	*	91.6	89.5	93.6	84.2
Late or no care	*	*	*	*	*	*	*	*
<b>Irving, Texas</b>								
Number								
Low birthweight	220	173	31	-	16	60	113	31
Care beginning in first trimester	2,202	1,818	228	8	148	674	1,146	225
Late or no care	191	167	19	-	5	87	78	18
Percent								
Low birthweight	7.0	6.7	8.9	*	*	5.8	7.3	9.0
Care beginning in first trimester	74.5	74.7	71.5	*	77.1	69.1	78.7	71.4
Late or no care	6.5	6.9	*	*	*	8.9	5.4	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Jackson, Mississippi</b>								
Number								
Low birthweight	446	50	394	1	1	1	49	394
Care beginning in first trimester	2,416	695	1,690	2	29	5	689	1,690
Late or no care	164	12	152	-	-	-	12	152
Percent								
Low birthweight	13.5	6.4	15.8	*	*	*	6.4	15.8
Care beginning in first trimester	73.2	89.6	67.8	*	96.7	*	89.7	67.8
Late or no care	5.0	*	6.1	*	*	*	*	6.1
<b>Jacksonville, Florida</b>								
Number								
Low birthweight	930	433	481	1	15	22	415	475
Care beginning in first trimester	8,425	5,850	2,389	11	175	233	5,667	2,339
Late or no care	471	179	278	1	13	16	166	275
Percent								
Low birthweight	8.5	6.2	13.1	*	*	7.1	6.2	13.2
Care beginning in first trimester	77.4	84.0	65.4	*	69.4	76.1	84.3	65.2
Late or no care	4.3	2.6	7.6	*	*	*	2.5	7.7
<b>Jersey City, New Jersey</b>								
Number								
Low birthweight	488	156	280	3	49	116	63	260
Care beginning in first trimester	2,531	1,224	950	24	333	794	549	830
Late or no care	189	75	87	1	26	52	37	75
Percent								
Low birthweight	11.6	8.7	15.0	*	9.7	8.9	8.3	16.1
Care beginning in first trimester	72.6	76.8	66.8	80.0	75.3	71.4	80.5	67.6
Late or no care	5.4	4.7	6.1	*	5.9	4.7	5.4	6.1

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Kansas City, Kansas</b>								
Number								
Low birthweight	195	83	111	-	1	14	71	109
Care beginning in first trimester	1,962	1,246	678	8	30	207	1,044	674
Late or no care	130	53	73	-	4	18	35	72
Percent								
Low birthweight	7.7	5.4	11.8	*	*	*	5.6	11.7
Care beginning in first trimester	77.4	81.0	72.2	*	58.8	73.4	82.7	72.3
Late or no care	5.1	3.4	7.8	*	*	*	2.8	7.7
<b>Kansas City, Missouri</b>								
Number								
Low birthweight	637	276	349	2	10	28	247	349
Care beginning in first trimester	5,119	3,209	1,784	19	107	307	2,909	1,772
Late or no care	291	101	186	1	3	19	82	185
Percent								
Low birthweight	9.8	7.2	13.9	*	*	6.8	7.2	14.0
Care beginning in first trimester	80.8	85.6	73.5	*	79.9	80.4	86.3	73.4
Late or no care	4.6	2.7	7.7	*	*	*	2.4	7.7
<b>Knoxville, Tennessee</b>								
Number								
Low birthweight	225	159	64	-	2	-	159	64
Care beginning in first trimester	2,123	1,728	354	1	40	16	1,710	354
Late or no care	80	46	33	-	1	2	45	32
Percent								
Low birthweight	8.9	7.9	13.4	*	*	*	8.0	13.5
Care beginning in first trimester	84.3	86.5	74.4	*	93.0	*	86.6	74.7
Late or no care	3.2	2.3	6.9	*	*	*	2.3	6.8

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Lakewood, Colorado								
Number								
Low birthweight	140	134	-	1	5	18	116	-
Care beginning in first trimester	1,466	1,396	11	9	50	156	1,244	9
Late or no care	64	59	2	1	2	17	43	2
Percent								
Low birthweight	8.1	8.2	*	*	*	*	8.1	*
Care beginning in first trimester	86.3	86.4	*	*	90.9	76.5	87.8	*
Late or no care	3.8	3.7	*	*	*	*	3.0	*
Lansing, Michigan								
Number								
Low birthweight	202	133	61	3	5	15	108	61
Care beginning in first trimester	1,951	1,505	369	8	69	143	1,230	363
Late or no care	96	54	33	2	7	12	37	32
Percent								
Low birthweight	8.3	7.5	11.4	*	*	*	7.6	11.6
Care beginning in first trimester	81.6	85.9	70.7	*	70.4	76.9	87.6	70.8
Late or no care	4.0	3.1	6.3	*	*	*	2.6	6.2
Laredo, Texas								
Number								
Low birthweight	296	295	-	-	1	281	14	-
Care beginning in first trimester	2,688	2,679	3	-	6	2,566	113	3
Late or no care	771	771	-	-	-	764	7	-
Percent								
Low birthweight	6.3	6.3	*	*	*	6.2	*	*
Care beginning in first trimester	57.4	57.3	*	*	*	56.6	79.0	*
Late or no care	16.5	16.5	*	*	*	16.9	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Las Vegas, Nevada</b>								
Number								
Low birthweight	644	449	155	2	38	115	330	153
Care beginning in first trimester	6,973	5,724	824	41	384	1,284	4,438	815
Late or no care	657	511	112	8	26	280	227	109
Percent								
Low birthweight	7.1	6.1	13.0	*	7.7	5.6	6.2	13.0
Care beginning in first trimester	77.3	78.4	69.4	70.7	79.3	63.2	84.3	69.7
Late or no care	7.3	7.0	9.4	*	5.4	13.8	4.3	9.3
<b>Leeds, Alabama</b>								
Number								
Low birthweight	9	5	4	-	-	1	5	3
Care beginning in first trimester	141	124	17	-	-	4	121	16
Late or no care	3	2	1	-	-	1	1	1
Percent								
Low birthweight	*	*	*	*	*	*	*	*
Care beginning in first trimester	88.1	90.5	*	*	*	*	91.0	*
Late or no care	*	*	*	*	*	*	*	*
<b>Lincoln, Nebraska</b>								
Number								
Low birthweight	163	135	17	1	10	4	130	17
Care beginning in first trimester	2,486	2,303	69	23	91	74	2,196	68
Late or no care	70	58	6	1	5	3	54	6
Percent								
Low birthweight	5.6	5.0	*	*	*	*	5.1	*
Care beginning in first trimester	85.0	86.1	72.6	65.7	75.8	77.1	86.4	72.3
Late or no care	2.4	2.2	*	*	*	*	2.1	*



Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Little Rock, Arkansas</b>								
Number								
Low birthweight	294	97	195	1	1	-	97	195
Care beginning in first trimester	2,103	1,162	910	8	23	29	1,134	907
Late or no care	237	63	172	-	2	6	57	172
Percent								
Low birthweight	10.1	6.7	13.6	*	*	*	6.9	13.6
Care beginning in first trimester	77.3	87.0	67.7	*	76.7	72.5	87.5	67.6
Late or no care	8.7	4.7	12.8	*	*	*	4.4	12.8
<b>Livonia, Michigan</b>								
Number								
Low birthweight	72	71	1	-	-	-	71	1
Care beginning in first trimester	1,190	1,158	8	3	21	26	1,112	8
Late or no care	10	10	-	-	-	1	9	-
Percent								
Low birthweight	5.6	5.7	*	*	*	*	6.0	*
Care beginning in first trimester	95.7	95.6	*	*	100.0	92.9	95.7	*
Late or no care	*	*	*	*	*	*	*	*
<b>Long Beach, California</b>								
Number								
Low birthweight	654	354	206	3	91	224	134	203
Care beginning in first trimester	7,339	4,952	1,329	22	1,036	3,079	1,898	1,314
Late or no care	498	328	111	2	57	241	89	110
Percent								
Low birthweight	6.7	5.4	11.6	*	6.8	5.1	6.1	11.5
Care beginning in first trimester	75.8	75.7	74.9	71.0	77.5	70.3	86.4	74.9
Late or no care	5.1	5.0	6.3	*	4.3	5.5	4.0	6.3

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Los Angeles, California</b>								
Number								
Low birthweight	4,920	3,402	1,196	8	314	2,771	650	1,178
Care beginning in first trimester	55,427	45,040	6,405	69	3,913	35,348	9,843	6,273
Late or no care	3,307	2,761	402	13	131	2,576	193	395
Percent								
Low birthweight	6.7	5.7	14.1	*	6.7	5.6	5.9	14.2
Care beginning in first trimester	76.1	75.4	76.5	67.6	84.1	72.3	89.2	76.5
Late or no care	4.5	4.6	4.8	*	2.8	5.3	1.7	4.8
<b>Louisville, Kentucky</b>								
Number								
Low birthweight	555	283	269	-	3	2	280	269
Care beginning in first trimester	5,035	3,564	1,387	8	76	36	3,527	1,381
Late or no care	225	71	151	1	2	1	70	151
Percent								
Low birthweight	8.9	6.9	13.3	*	*	*	6.9	13.3
Care beginning in first trimester	80.9	87.4	68.1	*	79.2	81.8	87.4	68.1
Late or no care	3.6	1.7	7.4	*	*	*	1.7	7.4
<b>Lowell, Massachusetts</b>								
Number								
Low birthweight	133	88	11	-	34	24	67	8
Care beginning in first trimester	1,330	1,040	76	2	212	226	841	49
Late or no care	50	31	6	1	12	14	21	2
Percent								
Low birthweight	8.0	7.1	*	*	10.3	8.1	6.9	*
Care beginning in first trimester	79.6	84.5	71.0	*	64.4	76.1	86.1	76.6
Late or no care	3.0	2.5	*	*	*	*	2.1	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Lubbock, Texas</b>								
Number								
Low birthweight	266	199	59	-	8	88	111	59
Care beginning in first trimester	2,358	2,134	167	2	55	707	1,422	167
Late or no care	180	143	37	-	-	96	46	37
Percent								
Low birthweight	8.2	7.0	18.7	*	*	7.6	6.6	18.8
Care beginning in first trimester	75.5	77.3	55.5	*	90.2	64.0	86.3	55.9
Late or no care	5.8	5.2	12.3	*	*	8.7	2.8	12.4
<b>Macon, Georgia</b>								
Number								
Low birthweight	246	50	196	-	-	2	48	196
Care beginning in first trimester	1,511	548	950	3	10	14	535	949
Late or no care	141	15	126	-	-	1	14	126
Percent								
Low birthweight	12.0	7.9	14.0	*	*	*	7.8	14.0
Care beginning in first trimester	74.4	87.1	68.4	*	*	*	87.3	68.4
Late or no care	6.9	*	9.1	*	*	*	*	9.1
<b>Madison, Wisconsin</b>								
Number								
Low birthweight	164	114	35	1	14	3	111	35
Care beginning in first trimester	2,211	1,871	182	10	148	62	1,811	181
Late or no care	63	32	20	1	10	7	25	20
Percent								
Low birthweight	6.5	5.5	13.3	*	*	*	5.6	13.4
Care beginning in first trimester	87.0	90.9	68.9	*	71.8	71.3	91.7	69.1
Late or no care	2.5	1.6	7.6	*	*	*	1.3	7.6

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Manhattan borough, New York county, New York</b>								
Number								
Low birthweight	1,917	1,084	724	1	108	708	368	668
Care beginning in first trimester	12,576	9,142	2,132	3	1,299	4,221	4,764	1,898
Late or no care	1,786	1,000	700	-	86	845	173	642
Percent								
Low birthweight	9.0	7.4	15.2	*	5.7	8.3	6.2	15.7
Care beginning in first trimester	66.1	69.8	51.6	*	73.0	55.3	87.7	51.9
Late or no care	9.4	7.6	16.9	*	4.8	11.1	3.2	17.6
<b>Memphis, Tennessee</b>								
Number								
Low birthweight	1,568	251	1,308	-	9	8	245	1,306
Care beginning in first trimester	8,457	2,841	5,483	8	125	84	2,762	5,480
Late or no care	728	60	660	1	7	8	53	659
Percent								
Low birthweight	13.6	7.7	16.0	*	*	*	7.8	16.0
Care beginning in first trimester	73.9	88.1	68.1	*	79.6	75.7	88.6	68.1
Late or no care	6.4	1.9	8.2	*	*	*	1.7	8.2
<b>Mesa, Arizona</b>								
Number								
Low birthweight	364	335	15	10	4	72	256	14
Care beginning in first trimester	4,533	4,303	101	57	72	763	3,443	93
Late or no care	276	246	11	15	4	116	126	10
Percent								
Low birthweight	6.1	6.0	*	*	*	5.9	6.0	*
Care beginning in first trimester	77.5	77.8	79.5	56.4	79.1	64.4	81.6	79.5
Late or no care	4.7	4.4	*	*	*	9.8	3.0	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Mesquite, Texas								
Number								
Low birthweight	114	92	21	-	1	17	75	21
Care beginning in first trimester	1,504	1,317	145	5	37	185	1,132	145
Late or no care	58	51	6	-	1	11	41	5
Percent								
Low birthweight	6.3	5.8	11.5	*	*	*	5.6	11.5
Care beginning in first trimester	83.6	83.7	81.5	*	88.1	73.7	85.6	81.9
Late or no care	3.2	3.2	*	*	*	*	3.1	*
Miami, Florida								
Number								
Low birthweight	1,477	595	870	-	12	500	112	849
Care beginning in first trimester	12,309	7,202	4,989	5	113	6,016	1,402	4,768
Late or no care	651	276	374	-	1	243	47	359
Percent								
Low birthweight	9.1	6.6	12.4	*	*	6.5	6.8	12.6
Care beginning in first trimester	76.5	80.1	71.8	*	83.7	78.8	85.2	71.6
Late or no care	4.0	3.1	5.4	*	*	3.2	2.9	5.4
Milwaukee, Wisconsin								
Number								
Low birthweight	1,226	392	807	6	21	90	304	805
Care beginning in first trimester	8,460	4,637	3,520	70	233	805	3,852	3,505
Late or no care	883	205	626	13	39	90	117	625
Percent								
Low birthweight	10.4	7.0	14.4	*	4.8	7.7	6.8	14.4
Care beginning in first trimester	72.0	82.8	62.7	71.4	53.8	68.6	86.6	62.6
Late or no care	7.5	3.7	11.1	*	9.0	7.7	2.6	11.2

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Minneapolis, Minnesota</b>								
Number								
Low birthweight	509	224	213	27	45	21	145	173
Care beginning in first trimester	3,840	2,676	799	118	247	108	1,956	599
Late or no care	410	126	203	48	33	19	92	179
Percent								
Low birthweight	8.6	6.4	13.6	8.8	8.3	9.3	5.9	13.9
Care beginning in first trimester	69.0	80.3	54.5	42.0	50.6	50.0	82.3	50.7
Late or no care	7.4	3.8	13.8	17.1	6.8	*	3.9	15.2
<b>Mobile, Alabama</b>								
Number								
Low birthweight	361	94	263	-	4	-	94	263
Care beginning in first trimester	2,815	1,469	1,305	2	39	17	1,454	1,302
Late or no care	239	46	191	-	2	4	42	191
Percent								
Low birthweight	9.7	5.6	13.2	*	*	*	5.7	13.3
Care beginning in first trimester	75.8	87.6	65.8	*	75.0	*	87.8	65.8
Late or no care	6.4	2.7	9.6	*	*	*	2.5	9.6
<b>Modesto, California</b>								
Number								
Low birthweight	270	219	16	3	32	90	130	15
Care beginning in first trimester	3,150	2,767	109	36	238	1,058	1,716	103
Late or no care	158	146	3	-	9	72	74	3
Percent								
Low birthweight	6.8	6.3	*	*	9.6	6.3	6.3	*
Care beginning in first trimester	79.2	79.6	86.5	80.0	71.7	73.9	83.5	85.8
Late or no care	4.0	4.2	*	*	*	5.0	3.6	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Montgomery, Alabama</b>								
Number								
Low birthweight	327	74	248	-	5	4	72	247
Care beginning in first trimester	2,574	1,238	1,292	1	43	32	1,217	1,288
Late or no care	157	29	127	-	1	1	29	127
Percent								
Low birthweight	10.0	5.4	13.4	*	*	*	5.4	13.4
Care beginning in first trimester	79.3	90.9	70.4	*	91.5	78.0	91.3	70.3
Late or no care	4.8	2.1	6.9	*	*	*	2.2	6.9
<b>Moreno Valley, California</b>								
Number								
Low birthweight	196	115	57	1	23	58	58	54
Care beginning in first trimester	1,917	1,386	330	21	180	654	755	318
Late or no care	131	94	28	1	8	57	39	24
Percent								
Low birthweight	8.0	6.4	13.3	*	10.6	6.5	6.3	13.1
Care beginning in first trimester	78.3	77.9	77.1	80.8	84.1	73.5	82.6	77.4
Late or no care	5.4	5.3	6.5	*	*	6.4	4.3	5.8
<b>Nashville-Davidson, Tennessee</b>								
Number								
Low birthweight	780	416	348	4	12	9	409	347
Care beginning in first trimester	6,946	4,845	1,921	10	170	98	4,749	1,918
Late or no care	249	119	125	1	4	14	105	125
Percent								
Low birthweight	9.8	7.7	14.4	*	*	*	7.8	14.4
Care beginning in first trimester	87.1	90.5	79.6	*	87.2	72.6	90.9	79.6
Late or no care	3.1	2.2	5.2	*	*	*	2.0	5.2

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
New Haven, Connecticut								
Number								
Low birthweight	199	79	116	-	4	50	29	81
Care beginning in first trimester	1,338	710	577	5	46	303	359	443
Late or no care	75	28	44	1	2	19	9	32
Percent								
Low birthweight	10.0	8.1	12.4	*	*	10.4	6.6	12.1
Care beginning in first trimester	78.1	82.4	73.0	*	86.8	76.1	87.3	76.0
Late or no care	4.4	3.2	5.6	*	*	*	*	5.5
New York, New York								
Number								
Low birthweight	11,543	5,296	5,444	13	790	3,397	1,966	5,072
Care beginning in first trimester	73,098	44,037	22,076	67	6,918	22,317	22,107	20,225
Late or no care	10,559	5,472	4,329	13	745	4,282	1,371	3,894
Percent								
Low birthweight	9.0	7.2	12.7	*	7.3	7.9	6.2	13.0
Care beginning in first trimester	65.3	68.2	59.4	58.8	69.2	58.7	79.1	60.0
Late or no care	9.4	8.5	11.6	*	7.4	11.3	4.9	11.5
Newark, New Jersey								
Number								
Low birthweight	743	172	565	3	3	141	40	556
Care beginning in first trimester	3,526	1,363	2,103	8	52	1,068	382	2,012
Late or no care	711	163	541	2	5	123	49	531
Percent								
Low birthweight	13.3	8.7	16.0	*	*	9.0	7.6	16.4
Care beginning in first trimester	64.4	70.0	60.9	*	80.0	68.5	74.5	60.6
Late or no care	13.0	8.4	15.7	*	*	7.9	9.6	16.0



Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Newport News city, Virginia								
Number								
Low birthweight	344	154	175	2	13	13	140	175
Care beginning in first trimester	3,403	2,273	1,026	7	97	98	2,177	1,019
Late or no care	143	37	102	-	4	5	34	101
Percent								
Low birthweight	8.1	5.9	11.7	*	*	*	5.6	11.8
Care beginning in first trimester	81.0	87.7	69.4	*	80.8	79.0	88.0	69.3
Late or no care	3.4	1.4	6.9	*	*	*	1.4	6.9
Norfolk city, Virginia								
Number								
Low birthweight	465	153	297	1	14	11	142	294
Care beginning in first trimester	3,204	1,767	1,322	8	107	97	1,678	1,310
Late or no care	291	76	205	2	8	6	70	203
Percent								
Low birthweight	10.2	6.7	14.0	*	*	*	6.6	14.0
Care beginning in first trimester	70.8	78.1	62.7	*	75.9	73.5	78.5	62.7
Late or no care	6.4	3.4	9.7	*	*	*	3.3	9.7
Oakland, California								
Number								
Low birthweight	664	150	424	2	88	91	62	421
Care beginning in first trimester	5,473	2,297	2,239	17	920	1,420	912	2,210
Late or no care	253	76	143	5	29	57	20	143
Percent								
Low birthweight	9.9	5.6	14.6	*	7.7	5.3	6.2	14.7
Care beginning in first trimester	82.5	86.9	78.3	*	83.8	83.8	91.8	78.2
Late or no care	3.8	2.9	5.0	*	2.6	3.4	2.0	5.1

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Oceanside, California</b>								
Number								
Low birthweight	246	183	46	2	15	85	92	38
Care beginning in first trimester	2,820	2,316	286	23	195	835	1,366	254
Late or no care	263	229	21	2	11	178	46	18
Percent								
Low birthweight	6.5	5.9	11.7	*	*	6.3	5.8	11.0
Care beginning in first trimester	74.9	75.4	73.0	71.9	72.0	62.0	86.3	73.4
Late or no care	7.0	7.5	5.4	*	*	13.2	2.9	*
<b>Oklahoma City, Oklahoma</b>								
Number								
Low birthweight	602	387	174	19	22	58	331	172
Care beginning in first trimester	4,344	3,370	683	157	134	232	3,145	682
Late or no care	524	307	162	42	13	87	218	162
Percent								
Low birthweight	8.5	7.7	11.6	*	9.1	8.0	7.6	11.5
Care beginning in first trimester	75.5	80.1	60.9	63.6	75.3	57.1	82.6	60.9
Late or no care	9.1	7.3	14.5	17.0	*	21.4	5.7	14.5
<b>Omaha, Nebraska</b>								
Number								
Low birthweight	390	251	131	5	3	29	221	131
Care beginning in first trimester	4,333	3,519	714	34	66	265	3,229	712
Late or no care	184	101	76	4	3	23	78	75
Percent								
Low birthweight	7.5	6.2	12.7	*	*	7.9	6.1	12.7
Care beginning in first trimester	83.4	87.2	69.4	66.7	81.5	71.8	88.7	69.4
Late or no care	3.5	2.5	7.4	*	*	6.2	2.1	7.3

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Ontario, California</b>								
Number								
Low birthweight	247	206	29	1	11	125	63	27
Care beginning in first trimester	2,669	2,360	191	11	107	1,569	705	173
Late or no care	267	239	20	1	7	170	38	16
Percent								
Low birthweight	6.4	6.1	10.2	*	*	5.4	7.1	10.8
Care beginning in first trimester	69.8	69.8	67.7	*	74.3	68.6	79.3	69.5
Late or no care	7.0	7.1	7.1	*	*	7.4	4.3	*
<b>Orange, California</b>								
Number								
Low birthweight	111	103	4	-	4	50	53	4
Care beginning in first trimester	1,853	1,660	32	2	159	741	923	30
Late or no care	140	133	-	1	6	107	25	-
Percent								
Low birthweight	4.5	4.6	*	*	*	4.2	5.1	*
Care beginning in first trimester	76.0	74.7	86.5	*	90.9	62.1	89.5	85.7
Late or no care	5.7	6.0	*	*	*	9.0	2.4	*
<b>Orlando, Florida</b>								
Number								
Low birthweight	528	279	226	1	22	78	202	224
Care beginning in first trimester	5,099	3,579	1,326	5	189	930	2,656	1,318
Late or no care	188	83	97	1	7	20	64	96
Percent								
Low birthweight	8.5	6.7	12.3	*	10.0	7.0	6.6	12.3
Care beginning in first trimester	82.4	86.1	73.4	*	86.3	83.3	87.1	73.4
Late or no care	3.0	2.0	5.4	*	*	1.8	2.1	5.3

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Orleans, coext. with New Orleans city, Louisiana								
Number								
Low birthweight	1,059	106	941	1	11	21	92	933
Care beginning in first trimester	6,472	1,316	4,942	9	205	164	1,201	4,915
Late or no care	503	31	463	1	8	10	25	461
Percent								
Low birthweight	12.2	7.2	13.6	*	*	9.5	6.9	13.5
Care beginning in first trimester	74.6	89.5	71.3	*	78.2	74.5	90.4	71.4
Late or no care	5.8	2.1	6.7	*	*	*	1.9	6.7
Overland Park, Kansas								
Number								
Low birthweight	107	100	3	-	4	3	96	2
Care beginning in first trimester	1,640	1,557	30	1	52	36	1,511	30
Late or no care	15	12	3	-	-	-	10	3
Percent								
Low birthweight	6.1	6.0	*	*	*	*	6.0	*
Care beginning in first trimester	94.3	94.7	78.9	*	92.9	83.7	95.2	81.1
Late or no care	*	*	*	*	*	*	*	*
Oxnard, California								
Number								
Low birthweight	240	213	13	-	14	163	30	13
Care beginning in first trimester	3,000	2,714	93	14	179	2,027	452	87
Late or no care	133	126	1	-	6	105	13	1
Percent								
Low birthweight	6.4	6.2	*	*	*	6.2	5.9	*
Care beginning in first trimester	81.3	80.5	90.3	*	88.6	78.9	90.2	89.7
Late or no care	3.6	3.7	*	*	*	4.1	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Pasadena, California</b>								
Number								
Low birthweight	228	133	73	1	21	97	36	72
Care beginning in first trimester	2,135	1,544	369	2	220	872	681	356
Late or no care	116	81	24	-	11	71	10	24
Percent								
Low birthweight	8.2	6.5	14.9	*	7.9	7.7	4.6	15.1
Care beginning in first trimester	76.9	76.4	76.2	*	83.0	69.7	87.3	75.6
Late or no care	4.2	4.0	5.0	*	*	5.7	*	5.1
<b>Pasadena, Texas</b>								
Number								
Low birthweight	172	163	4	-	5	87	77	3
Care beginning in first trimester	1,943	1,892	19	7	25	983	910	18
Late or no care	85	83	1	1	-	53	30	1
Percent								
Low birthweight	6.8	6.6	*	*	*	6.4	7.0	*
Care beginning in first trimester	77.7	77.6	*	*	89.3	73.1	83.1	*
Late or no care	3.4	3.4	*	*	*	3.9	2.7	*
<b>Paterson, New Jersey</b>								
Number								
Low birthweight	342	152	187	-	3	107	46	186
Care beginning in first trimester	2,069	1,383	674	2	10	1,052	356	650
Late or no care	267	121	143	-	3	88	34	142
Percent								
Low birthweight	10.6	7.5	15.6	*	*	6.9	9.1	16.2
Care beginning in first trimester	68.8	72.9	61.8	*	*	71.7	75.6	61.9
Late or no care	8.9	6.4	13.1	*	*	6.0	7.2	13.5

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Peoria, Illinois</b>								
Number								
Low birthweight	171	84	83	-	4	-	84	83
Care beginning in first trimester	1,607	1,122	445	2	38	28	1,096	443
Late or no care	77	24	53	-	-	2	22	53
Percent								
Low birthweight	8.4	6.5	11.7	*	*	*	6.7	11.8
Care beginning in first trimester	78.7	87.2	62.8	*	88.4	71.8	87.6	62.7
Late or no care	3.8	1.9	7.5	*	*	*	1.8	7.5
<b>Philadelphia, coext. with Phila. city, Pennsylvania</b>								
Number								
Low birthweight	2,970	799	2,071	10	90	247	568	2,053
Care beginning in first trimester	16,728	8,565	7,423	38	702	1,579	7,098	7,316
Late or no care	2,624	533	1,970	5	116	248	301	1,948
Percent								
Low birthweight	11.4	7.2	15.2	*	7.7	9.5	6.6	15.2
Care beginning in first trimester	67.2	79.5	57.4	67.9	62.0	63.1	84.1	57.4
Late or no care	10.5	4.9	15.2	*	10.2	9.9	3.6	15.3
<b>Phoenix, Arizona</b>								
Number								
Low birthweight	1,541	1,293	174	36	38	590	676	167
Care beginning in first trimester	14,701	13,259	821	334	287	4,782	8,269	778
Late or no care	1,477	1,261	119	75	22	924	339	109
Percent								
Low birthweight	7.2	6.8	13.2	5.7	9.5	6.9	6.6	13.5
Care beginning in first trimester	71.7	72.6	65.6	53.9	77.4	58.7	83.6	65.9
Late or no care	7.2	6.9	9.5	12.1	5.9	11.3	3.4	9.2

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Pittsburgh, Pennsylvania								
Number								
Low birthweight	514	200	300	-	14	1	199	285
Care beginning in first trimester	3,763	2,245	1,374	4	140	32	2,213	1,359
Late or no care	243	54	187	1	1	1	52	179
Percent								
Low birthweight	10.8	7.8	14.9	*	*	*	7.9	14.5
Care beginning in first trimester	80.9	88.6	70.2	*	90.3	80.0	88.8	70.6
Late or no care	5.2	2.1	9.6	*	*	*	2.1	9.3
Plano, Texas								
Number								
Low birthweight	146	126	6	-	14	18	108	6
Care beginning in first trimester	2,455	2,177	89	4	185	221	1,955	88
Late or no care	49	42	5	-	2	19	23	5
Percent								
Low birthweight	5.4	5.2	*	*	*	*	5.1	*
Care beginning in first trimester	91.6	91.7	84.8	*	94.4	74.4	94.2	84.6
Late or no care	1.8	1.8	*	*	*	*	1.1	*
Pomona, California								
Number								
Low birthweight	244	181	47	-	16	156	24	46
Care beginning in first trimester	2,738	2,294	255	6	183	1,895	372	244
Late or no care	233	212	16	1	4	184	22	15
Percent								
Low birthweight	6.4	5.6	13.2	*	*	5.7	5.1	13.6
Care beginning in first trimester	71.7	70.9	72.2	*	81.7	69.7	79.3	72.6
Late or no care	6.1	6.6	*	*	*	6.8	4.7	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Portland, Oregon								
Number								
Low birthweight	432	313	77	11	31	35	280	77
Care beginning in first trimester	5,436	4,467	505	58	406	329	4,145	502
Late or no care	291	218	45	6	22	32	187	45
Percent								
Low birthweight	6.2	5.6	10.7	*	5.4	7.0	5.5	10.8
Care beginning in first trimester	77.7	79.6	70.1	59.8	71.4	65.7	80.9	70.2
Late or no care	4.2	3.9	6.3	*	3.9	6.4	3.7	6.3
Portsmouth city, Virginia								
Number								
Low birthweight	207	61	145	-	1	1	60	145
Care beginning in first trimester	1,341	679	645	2	15	13	667	645
Late or no care	104	16	87	-	1	1	15	87
Percent								
Low birthweight	11.4	7.7	14.5	*	*	*	7.7	14.5
Care beginning in first trimester	74.0	85.8	64.6	*	*	*	86.0	64.6
Late or no care	5.7	*	8.7	*	*	*	*	8.7
Providence, Rhode Island								
Number								
Low birthweight	227	129	72	6	20	70	51	66
Care beginning in first trimester	2,204	1,615	391	32	166	765	741	337
Late or no care	74	45	19	1	9	26	15	16
Percent								
Low birthweight	7.9	6.4	12.9	*	8.1	6.8	6.0	14.1
Care beginning in first trimester	84.1	86.7	77.6	82.1	76.5	82.8	90.4	79.7
Late or no care	2.8	2.4	*	*	*	2.8	*	*



Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Queens borough, Queens county, New York								
Number								
Low birthweight	2,593	1,181	999	6	407	644	532	959
Care beginning in first trimester	19,813	11,207	5,263	25	3,318	5,539	5,672	4,960
Late or no care	2,476	1,493	592	3	388	1,137	343	557
Percent								
Low birthweight	8.1	6.6	11.5	*	7.7	6.2	7.0	11.8
Care beginning in first trimester	67.8	68.6	66.1	61.0	67.5	59.0	80.5	66.6
Late or no care	8.5	9.1	7.4	*	7.9	12.1	4.9	7.5
Raleigh, North Carolina								
Number								
Low birthweight	325	121	194	1	9	11	110	194
Care beginning in first trimester	3,083	1,991	971	6	115	79	1,914	968
Late or no care	178	64	109	-	5	22	41	109
Percent								
Low birthweight	8.8	5.5	14.3	*	*	*	5.3	14.3
Care beginning in first trimester	83.4	90.7	71.6	*	82.7	66.4	92.2	71.5
Late or no care	4.8	2.9	8.0	*	*	18.5	2.0	8.1
Rancho Cucamonga, California								
Number								
Low birthweight	88	71	11	-	6	26	39	10
Care beginning in first trimester	1,427	1,184	122	3	118	360	739	109
Late or no care	73	67	1	2	3	17	34	-
Percent								
Low birthweight	4.9	4.8	*	*	*	5.4	4.4	*
Care beginning in first trimester	80.3	79.9	83.6	*	84.3	75.5	84.1	86.5
Late or no care	4.1	4.5	*	*	*	*	3.9	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Reno, Nevada								
Number								
Low birthweight	202	177	11	6	8	43	134	11
Care beginning in first trimester	2,234	1,982	67	44	141	520	1,468	64
Late or no care	101	85	1	9	6	28	57	1
Percent								
Low birthweight	7.6	7.5	*	*	*	6.3	7.9	*
Care beginning in first trimester	83.7	83.9	87.0	69.8	84.4	75.8	87.2	86.5
Late or no care	3.8	3.6	*	*	*	4.1	3.4	*
Richmond city, Virginia								
Number								
Low birthweight	393	62	331	-	-	5	58	330
Care beginning in first trimester	2,231	752	1,451	3	25	19	734	1,447
Late or no care	163	16	147	-	-	1	15	147
Percent								
Low birthweight	13.2	7.3	15.8	*	*	*	7.1	15.8
Care beginning in first trimester	75.7	89.0	70.1	*	86.2	*	89.6	70.1
Late or no care	5.5	*	7.1	*	*	*	*	7.1
Riverside, California								
Number								
Low birthweight	395	316	59	6	14	168	151	55
Care beginning in first trimester	4,769	4,098	349	67	255	2,042	2,074	336
Late or no care	403	349	34	4	16	243	102	33
Percent								
Low birthweight	6.3	5.9	12.6	*	*	5.8	6.1	12.2
Care beginning in first trimester	77.2	77.2	75.4	70.5	81.7	71.4	84.0	75.3
Late or no care	6.5	6.6	7.3	*	*	8.5	4.1	7.4

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Rochester, New York</b>								
Number								
Low birthweight	470	194	262	1	13	47	136	250
Care beginning in first trimester	3,504	2,175	1,215	8	106	352	1,709	1,067
Late or no care	366	138	217	2	9	52	77	203
Percent								
Low birthweight	9.5	7.1	12.9	*	*	8.7	6.6	13.8
Care beginning in first trimester	74.6	82.6	63.6	*	74.6	69.7	86.2	62.9
Late or no care	7.8	5.2	11.4	*	*	10.3	3.9	12.0
<b>Rockford, Illinois</b>								
Number								
Low birthweight	223	143	78	-	2	12	131	77
Care beginning in first trimester	1,988	1,610	337	-	41	126	1,474	332
Late or no care	133	68	63	-	2	11	58	61
Percent								
Low birthweight	8.6	7.2	14.6	*	*	*	7.3	14.7
Care beginning in first trimester	77.0	80.8	63.2	*	74.5	66.0	82.3	63.5
Late or no care	5.2	3.4	11.8	*	*	*	3.2	11.7
<b>Sacramento, California</b>								
Number								
Low birthweight	833	428	253	9	143	139	293	250
Care beginning in first trimester	8,014	5,414	1,335	81	1,184	1,599	3,873	1,302
Late or no care	798	516	151	23	108	260	261	145
Percent								
Low birthweight	7.1	5.6	12.6	*	7.2	5.3	5.8	12.8
Care beginning in first trimester	69.0	72.0	67.2	56.6	60.3	61.3	77.4	67.4
Late or no care	6.9	6.9	7.6	16.1	5.5	10.0	5.2	7.5

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Salem, Oregon</b>								
Number								
Low birthweight	123	114	3	2	4	32	82	3
Care beginning in first trimester	1,810	1,702	20	33	55	253	1,448	20
Late or no care	123	112	1	3	7	53	59	1
Percent								
Low birthweight	5.3	5.3	*	*	*	7.4	4.7	*
Care beginning in first trimester	78.1	78.8	74.1	68.8	66.3	58.8	83.7	76.9
Late or no care	5.3	5.2	*	*	*	12.3	3.4	*
<b>Salinas, California</b>								
Number								
Low birthweight	196	178	4	1	13	147	31	4
Care beginning in first trimester	2,218	2,055	25	7	131	1,506	562	24
Late or no care	288	279	1	1	7	253	26	1
Percent								
Low birthweight	5.7	5.5	*	*	*	5.7	4.6	*
Care beginning in first trimester	65.2	64.5	80.6	*	76.2	59.5	83.6	82.8
Late or no care	8.5	8.8	*	*	*	10.0	3.9	*
<b>Salt Lake City, Utah</b>								
Number								
Low birthweight	390	352	7	6	25	52	301	7
Care beginning in first trimester	4,977	4,630	47	60	240	437	4,198	44
Late or no care	256	204	7	17	28	72	136	6
Percent								
Low birthweight	6.4	6.3	*	*	7.2	7.2	6.2	*
Care beginning in first trimester	81.8	83.4	62.7	54.5	69.6	61.0	86.6	62.9
Late or no care	4.2	3.7	*	*	8.1	10.1	2.8	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
San Antonio, Texas								
Number								
Low birthweight	1,407	1,221	164	3	19	916	304	158
Care beginning in first trimester	16,916	15,529	1,061	25	301	10,346	5,171	1,037
Late or no care	787	723	55	1	8	605	116	53
Percent								
Low birthweight	6.6	6.3	11.7	*	*	6.7	5.2	11.6
Care beginning in first trimester	80.2	80.3	76.1	78.1	89.1	76.4	89.5	76.2
Late or no care	3.7	3.7	3.9	*	*	4.5	2.0	3.9
San Bernardino, California								
Number								
Low birthweight	380	245	109	4	22	151	95	107
Care beginning in first trimester	3,011	2,310	526	25	150	1,470	849	506
Late or no care	515	415	78	8	14	288	127	77
Percent								
Low birthweight	7.6	6.3	12.9	*	9.2	5.8	7.4	13.0
Care beginning in first trimester	61.4	60.8	63.1	64.1	65.5	57.8	67.4	62.6
Late or no care	10.5	10.9	9.4	*	*	11.3	10.1	9.5
San Diego, California								
Number								
Low birthweight	1,311	844	263	4	200	423	413	257
Care beginning in first trimester	15,822	11,687	1,713	46	2,376	5,123	6,494	1,664
Late or no care	1,471	1,238	137	6	90	1,092	145	136
Percent								
Low birthweight	6.2	5.4	11.2	*	6.7	5.1	5.7	11.3
Care beginning in first trimester	76.3	75.8	74.9	66.7	80.6	63.0	89.9	74.9
Late or no care	7.1	8.0	6.0	*	3.1	13.4	2.0	6.1

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
San Francisco, coext. with San Fran. city, Califor								
Number								
Low birthweight	607	251	169	7	180	120	134	168
Care beginning in first trimester	7,400	3,795	821	20	2,764	1,463	2,346	808
Late or no care	395	174	126	4	91	126	49	125
Percent								
Low birthweight	6.7	5.4	14.3	*	5.5	5.9	5.2	14.5
Care beginning in first trimester	81.9	82.7	70.1	60.6	85.2	72.1	91.3	70.0
Late or no care	4.4	3.8	10.8	*	2.8	6.2	1.9	10.8
San Jose, California								
Number								
Low birthweight	957	650	64	3	240	380	265	59
Care beginning in first trimester	12,823	9,183	447	63	3,130	4,687	4,450	418
Late or no care	859	657	34	5	163	537	125	32
Percent								
Low birthweight	5.9	5.5	10.8	*	6.3	5.6	5.3	10.6
Care beginning in first trimester	79.1	78.1	76.4	77.8	82.7	69.5	89.3	76.7
Late or no care	5.3	5.6	5.8	*	4.3	8.0	2.5	5.9
Santa Ana, California								
Number								
Low birthweight	504	451	14	-	39	413	36	14
Care beginning in first trimester	7,300	6,660	79	11	550	5,898	759	73
Late or no care	497	475	8	1	13	448	27	8
Percent								
Low birthweight	5.1	4.9	*	*	5.9	5.0	4.2	*
Care beginning in first trimester	74.1	73.4	76.0	*	83.7	71.8	87.9	77.7
Late or no care	5.0	5.2	*	*	*	5.5	3.1	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Santa Clarita, California</b>								
Number								
Low birthweight	96	83	5	-	8	38	45	5
Care beginning in first trimester	1,397	1,205	84	7	101	573	630	84
Late or no care	60	58	-	-	2	39	19	-
Percent								
Low birthweight	5.8	5.8	*	*	*	5.0	6.6	*
Care beginning in first trimester	84.3	84.0	82.4	*	91.8	76.1	92.5	83.2
Late or no care	3.6	4.0	*	*	*	5.2	*	*
<b>Santa Rosa, California</b>								
Number								
Low birthweight	136	118	6	1	11	33	85	6
Care beginning in first trimester	2,021	1,835	62	32	92	528	1,304	61
Late or no care	81	66	5	4	6	40	29	5
Percent								
Low birthweight	5.7	5.5	*	*	*	4.6	5.8	*
Care beginning in first trimester	85.7	86.5	81.6	68.1	80.0	75.3	91.5	82.4
Late or no care	3.4	3.1	*	*	*	5.7	2.0	*
<b>Savannah, Georgia</b>								
Number								
Low birthweight	341	85	255	-	1	4	80	255
Care beginning in first trimester	2,114	924	1,140	1	49	34	893	1,135
Late or no care	140	29	111	-	-	-	28	111
Percent								
Low birthweight	11.5	7.6	14.1	*	*	*	7.5	14.2
Care beginning in first trimester	71.3	83.0	63.7	*	86.0	73.9	83.5	63.5
Late or no care	4.7	2.6	6.2	*	*	*	2.6	6.2

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Scottsdale, Arizona								
Number								
Low birthweight	126	118	3	3	2	21	95	3
Care beginning in first trimester	1,765	1,706	10	16	33	185	1,474	9
Late or no care	50	44	1	3	2	21	22	1
Percent								
Low birthweight	6.4	6.2	*	*	*	8.0	6.0	*
Care beginning in first trimester	90.5	90.9	*	*	86.8	71.7	93.9	*
Late or no care	2.6	2.3	*	*	*	8.1	1.4	*
Seattle, Washington								
Number								
Low birthweight	440	257	102	5	76	27	213	97
Care beginning in first trimester	5,258	3,726	584	80	868	283	3,394	558
Late or no care	226	101	61	10	54	21	78	60
Percent								
Low birthweight	6.1	5.4	11.2	*	5.5	5.8	5.2	11.3
Care beginning in first trimester	84.6	88.9	73.9	67.2	77.6	75.7	90.2	73.5
Late or no care	3.6	2.4	7.7	*	4.8	5.6	2.1	7.9
Shreveport, Louisiana								
Number								
Low birthweight	384	88	293	1	2	7	82	292
Care beginning in first trimester	2,535	1,204	1,302	5	24	38	1,177	1,292
Late or no care	167	19	146	-	2	2	18	145
Percent								
Low birthweight	11.8	6.6	15.7	*	*	*	6.3	15.7
Care beginning in first trimester	78.1	89.9	69.6	*	82.8	76.0	90.4	69.5
Late or no care	5.1	*	7.8	*	*	*	*	7.8



Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Simi Valley, California								
Number								
Low birthweight	105	97	1	-	7	19	77	1
Care beginning in first trimester	1,551	1,434	16	2	99	356	1,068	15
Late or no care	24	24	-	-	-	15	9	-
Percent								
Low birthweight	6.1	6.1	*	*	*	*	6.7	*
Care beginning in first trimester	90.4	90.4	*	*	94.3	83.2	93.0	*
Late or no care	1.4	1.5	*	*	*	*	*	*
Sioux Falls, South Dakota								
Number								
Low birthweight	108	99	3	4	2	1	98	3
Care beginning in first trimester	1,528	1,459	20	29	20	8	1,451	20
Late or no care	41	31	5	3	2	1	30	5
Percent								
Low birthweight	6.3	6.2	*	*	*	*	6.2	*
Care beginning in first trimester	90.1	91.3	58.8	76.3	76.9	*	91.8	58.8
Late or no care	2.4	1.9	*	*	*	*	1.9	*
South Bend, Indiana								
Number								
Low birthweight	145	72	72	-	1	8	67	69
Care beginning in first trimester	1,320	1,018	282	1	19	69	952	280
Late or no care	105	49	56	-	-	16	33	56
Percent								
Low birthweight	7.8	5.5	13.5	*	*	*	5.7	13.0
Care beginning in first trimester	70.8	78.2	52.5	*	*	53.5	80.9	52.6
Late or no care	5.6	3.8	10.4	*	*	*	2.8	10.5

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Spokane, Washington</b>								
Number								
Low birthweight	200	183	2	6	9	6	177	2
Care beginning in first trimester	2,882	2,728	40	40	74	47	2,681	39
Late or no care	55	50	1	-	4	1	49	1
Percent								
Low birthweight	6.0	5.8	*	*	*	*	5.7	*
Care beginning in first trimester	88.0	88.3	90.9	74.1	82.2	81.0	88.5	92.9
Late or no care	1.7	1.6	*	*	*	*	1.6	*
<b>Springfield, Illinois</b>								
Number								
Low birthweight	158	98	57	-	3	2	97	56
Care beginning in first trimester	1,592	1,320	248	2	22	21	1,300	247
Late or no care	71	30	39	-	2	1	29	39
Percent								
Low birthweight	8.3	6.6	14.7	*	*	*	6.6	14.4
Care beginning in first trimester	84.8	89.6	65.8	*	88.0	91.3	89.5	65.7
Late or no care	3.8	2.0	10.3	*	*	*	2.0	10.4
<b>Springfield, Massachusetts</b>								
Number								
Low birthweight	229	141	84	1	3	75	65	83
Care beginning in first trimester	2,015	1,505	471	3	36	588	916	467
Late or no care	124	80	41	-	3	46	35	40
Percent								
Low birthweight	8.4	7.2	11.9	*	*	8.9	5.8	11.9
Care beginning in first trimester	74.0	76.9	66.9	*	65.5	69.6	82.2	67.0
Late or no care	4.6	4.1	5.8	*	*	5.4	3.1	5.7

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Springfield, Missouri								
Number								
Low birthweight	157	143	8	2	4	2	141	8
Care beginning in first trimester	1,694	1,626	38	8	22	21	1,605	38
Late or no care	56	49	4	-	3	1	48	4
Percent								
Low birthweight	7.8	7.5	*	*	*	*	7.5	*
Care beginning in first trimester	84.3	85.2	63.3	*	73.3	72.4	85.4	63.3
Late or no care	2.8	2.6	*	*	*	*	2.6	*
St. Louis city, Missouri								
Number								
Low birthweight	756	136	613	2	5	5	131	612
Care beginning in first trimester	4,741	1,839	2,829	8	65	44	1,798	2,818
Late or no care	489	51	431	1	6	6	45	431
Percent								
Low birthweight	11.3	6.3	13.8	*	*	*	6.3	13.8
Care beginning in first trimester	72.6	87.5	65.4	*	73.0	68.8	88.1	65.4
Late or no care	7.5	2.4	10.0	*	*	*	2.2	10.0
St. Paul, Minnesota								
Number								
Low birthweight	348	194	84	9	61	18	170	81
Care beginning in first trimester	3,231	2,486	385	35	325	176	2,074	354
Late or no care	333	93	86	8	146	28	60	84
Percent								
Low birthweight	7.1	6.2	11.6	*	6.5	*	6.7	12.1
Care beginning in first trimester	69.2	81.7	57.0	46.7	37.0	58.3	83.6	55.8
Late or no care	7.1	3.1	12.7	*	16.6	9.3	2.4	13.2

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
St. Petersburg, Florida								
Number								
Low birthweight	337	163	166	1	7	6	157	166
Care beginning in first trimester	2,802	1,976	731	5	90	84	1,896	728
Late or no care	156	57	89	-	10	6	51	89
Percent								
Low birthweight	9.8	7.2	15.8	*	*	*	7.2	15.8
Care beginning in first trimester	81.5	87.1	70.2	*	73.2	80.8	87.4	70.2
Late or no care	4.5	2.5	8.5	*	*	*	2.4	8.6
Stamford, Connecticut								
Number								
Low birthweight	153	90	55	-	8	24	67	53
Care beginning in first trimester	1,419	1,080	272	2	65	190	892	262
Late or no care	66	36	28	-	2	22	14	28
Percent								
Low birthweight	8.4	6.9	12.7	*	*	7.9	6.7	12.7
Care beginning in first trimester	81.4	86.4	65.5	*	85.5	63.5	93.5	65.0
Late or no care	3.8	2.9	6.7	*	*	7.4	*	6.9
Staten Island borough, Richmond county, New York								
Number								
Low birthweight	411	267	130	-	14	54	218	122
Care beginning in first trimester	4,832	4,074	549	2	207	518	3,541	509
Late or no care	227	123	85	-	19	44	81	80
Percent								
Low birthweight	6.7	5.5	13.9	*	*	7.1	5.3	14.0
Care beginning in first trimester	84.3	87.7	66.5	*	79.0	74.9	89.7	66.1
Late or no care	4.0	2.6	10.3	*	*	6.4	2.1	10.4

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Sterling Heights, Michigan								
Number								
Low birthweight	92	83	2	3	4	1	75	2
Care beginning in first trimester	1,361	1,303	11	4	43	17	1,202	11
Late or no care	14	10	-	2	2	-	9	-
Percent								
Low birthweight	6.3	6.0	*	*	*	*	5.9	*
Care beginning in first trimester	94.8	95.2	*	*	91.5	*	95.2	*
Late or no care	*	*	*	*	*	*	*	*
Stockton, California								
Number								
Low birthweight	420	233	91	2	94	132	104	89
Care beginning in first trimester	3,791	2,550	382	32	827	1,319	1,273	374
Late or no care	419	294	53	5	67	205	95	52
Percent								
Low birthweight	7.5	6.4	15.3	*	7.2	6.3	6.4	15.3
Care beginning in first trimester	69.2	71.1	67.6	62.7	65.0	64.3	80.2	67.4
Late or no care	7.7	8.2	9.4	*	5.3	10.0	6.0	9.4
Sunnyvale, California								
Number								
Low birthweight	114	68	7	-	39	24	42	7
Care beginning in first trimester	1,701	1,130	63	6	502	340	777	58
Late or no care	61	42	2	1	16	26	17	1
Percent								
Low birthweight	5.7	5.1	*	*	6.6	5.1	4.9	*
Care beginning in first trimester	85.4	85.1	85.1	*	86.4	72.0	92.0	86.6
Late or no care	3.1	3.2	*	*	*	5.5	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Syracuse, New York</b>								
Number								
Low birthweight	236	112	114	1	9	14	100	111
Care beginning in first trimester	1,995	1,326	576	26	67	98	1,241	551
Late or no care	130	58	70	1	1	5	54	68
Percent								
Low birthweight	8.6	6.7	12.3	*	*	*	6.4	12.5
Care beginning in first trimester	74.6	80.5	64.2	59.1	77.0	67.6	81.4	64.1
Late or no care	4.9	3.5	7.8	*	*	*	3.5	7.9
<b>Tacoma, Washington</b>								
Number								
Low birthweight	168	114	28	2	24	4	105	28
Care beginning in first trimester	1,982	1,568	232	27	155	124	1,399	225
Late or no care	134	92	16	9	17	17	71	14
Percent								
Low birthweight	6.2	5.5	8.3	*	9.4	*	5.8	8.6
Care beginning in first trimester	74.6	77.7	70.3	45.0	62.2	70.9	78.8	70.3
Late or no care	5.0	4.6	*	*	*	*	4.0	*
<b>Tallahassee, Florida</b>								
Number								
Low birthweight	167	71	91	-	5	3	68	91
Care beginning in first trimester	1,666	951	674	2	39	34	918	673
Late or no care	42	9	33	-	-	1	8	33
Percent								
Low birthweight	8.8	6.9	10.9	*	*	*	6.9	10.9
Care beginning in first trimester	87.5	92.4	80.9	*	100.0	85.0	92.7	80.9
Late or no care	2.2	*	4.0	*	*	*	*	4.0

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Tampa, Florida</b>								
Number								
Low birthweight	651	315	319	2	15	83	236	316
Care beginning in first trimester	5,998	4,198	1,653	17	130	1,048	3,189	1,618
Late or no care	293	138	147	2	6	34	106	145
Percent								
Low birthweight	8.7	6.4	13.6	*	*	6.6	6.4	13.7
Care beginning in first trimester	80.5	85.3	70.4	*	79.8	82.8	86.0	70.3
Late or no care	3.9	2.8	6.3	*	*	2.7	2.9	6.3
<b>Tempe, Arizona</b>								
Number								
Low birthweight	116	103	5	2	6	27	75	5
Care beginning in first trimester	1,580	1,403	53	33	91	310	1,073	49
Late or no care	103	87	3	8	5	47	39	3
Percent								
Low birthweight	5.8	5.9	*	*	*	5.6	6.0	*
Care beginning in first trimester	79.9	81.1	67.1	57.9	82.0	65.7	87.0	67.1
Late or no care	5.2	5.0	*	*	*	10.0	3.2	*
<b>Thousand Oaks, California</b>								
Number								
Low birthweight	78	74	1	-	3	17	58	1
Care beginning in first trimester	1,280	1,178	18	4	80	254	923	16
Late or no care	28	27	-	-	1	21	6	-
Percent								
Low birthweight	5.5	5.7	*	*	*	*	6.0	*
Care beginning in first trimester	91.0	90.9	*	*	93.0	76.3	96.0	*
Late or no care	2.0	2.1	*	*	*	6.3	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Toledo, Ohio</b>								
Number								
Low birthweight	515	319	187	1	8	33	287	187
Care beginning in first trimester	4,748	3,687	993	9	59	272	3,415	988
Late or no care	247	90	155	1	1	17	73	155
Percent								
Low birthweight	9.0	7.6	12.7	*	*	9.2	7.5	12.8
Care beginning in first trimester	83.1	88.3	68.3	*	86.8	75.8	89.4	68.3
Late or no care	4.3	2.2	10.7	*	*	*	1.9	10.7
<b>Topeka, Kansas</b>								
Number								
Low birthweight	178	134	43	1	-	15	119	41
Care beginning in first trimester	1,729	1,452	233	27	17	144	1,291	228
Late or no care	41	27	13	1	-	8	20	11
Percent								
Low birthweight	9.0	8.3	14.5	*	*	*	8.4	14.1
Care beginning in first trimester	87.9	90.0	78.5	75.0	*	81.4	91.1	78.6
Late or no care	2.1	1.7	*	*	*	*	1.4	*
<b>Torrance, California</b>								
Number								
Low birthweight	147	97	11	1	38	46	51	11
Care beginning in first trimester	2,064	1,438	86	12	528	579	864	85
Late or no care	74	54	1	-	19	32	23	-
Percent								
Low birthweight	6.0	5.6	*	*	6.4	6.1	5.2	*
Care beginning in first trimester	84.2	83.1	78.9	*	88.4	76.4	88.3	79.4
Late or no care	3.0	3.1	*	*	*	4.2	2.3	*



Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Tucson, Arizona</b>								
Number								
Low birthweight	647	574	46	7	20	273	296	46
Care beginning in first trimester	5,890	5,397	221	129	143	2,323	3,059	207
Late or no care	824	758	31	18	17	558	199	31
Percent								
Low birthweight	7.3	7.0	14.5	*	9.4	6.6	7.4	15.3
Care beginning in first trimester	66.6	66.5	69.5	64.2	67.1	56.4	77.0	69.0
Late or no care	9.3	9.3	9.7	*	*	13.6	5.0	10.3
<b>Tulsa, Oklahoma</b>								
Number								
Low birthweight	449	269	149	19	12	17	253	148
Care beginning in first trimester	4,437	3,339	756	239	103	162	3,182	754
Late or no care	386	198	137	38	13	21	177	137
Percent								
Low birthweight	7.3	6.2	12.0	*	*	*	6.2	12.0
Care beginning in first trimester	73.2	77.4	62.0	61.4	74.6	55.9	78.9	62.1
Late or no care	6.4	4.6	11.2	9.8	*	7.2	4.4	11.3
<b>Vallejo, California</b>								
Number								
Low birthweight	159	55	64	3	37	19	37	63
Care beginning in first trimester	1,439	696	378	18	347	204	510	373
Late or no care	132	63	44	1	24	25	36	44
Percent								
Low birthweight	8.1	5.8	11.8	*	8.0	*	5.6	11.8
Care beginning in first trimester	74.7	75.6	71.2	*	76.9	68.5	78.8	71.2
Late or no care	6.9	6.8	8.3	*	5.3	8.4	5.6	8.4

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Virginia Beach city, Virginia								
Number								
Low birthweight	511	333	161	-	17	17	318	159
Care beginning in first trimester	5,747	4,524	1,016	13	194	201	4,331	1,004
Late or no care	192	104	75	2	11	8	96	75
Percent								
Low birthweight	7.2	6.2	11.2	*	*	*	6.2	11.2
Care beginning in first trimester	81.4	84.7	70.9	*	71.1	77.6	85.0	70.8
Late or no care	2.7	1.9	5.2	*	*	*	1.9	5.3
Waco, Texas								
Number								
Low birthweight	198	113	84	-	1	39	74	84
Care beginning in first trimester	1,501	1,189	302	-	10	340	849	302
Late or no care	196	113	83	-	-	74	39	83
Percent								
Low birthweight	8.2	6.3	13.7	*	*	5.9	6.6	13.8
Care beginning in first trimester	62.5	66.8	49.3	*	*	51.8	75.5	49.4
Late or no care	8.2	6.4	13.5	*	*	11.3	3.5	13.6
Warren, Michigan								
Number								
Low birthweight	125	118	5	1	1	1	103	4
Care beginning in first trimester	1,595	1,522	23	11	39	21	1,418	23
Late or no care	32	29	3	-	-	1	27	3
Percent								
Low birthweight	6.9	6.9	*	*	*	*	6.5	*
Care beginning in first trimester	90.3	90.5	85.2	*	86.7	77.8	91.1	85.2
Late or no care	1.8	1.7	*	*	*	*	1.7	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Waterbury, Connecticut</b>								
Number								
Low birthweight	156	97	53	3	3	34	66	46
Care beginning in first trimester	1,181	956	199	10	16	214	740	186
Late or no care	121	88	32	1	-	58	31	31
Percent								
Low birthweight	8.6	6.9	14.9	*	*	7.8	6.7	13.8
Care beginning in first trimester	70.0	72.1	61.8	*	*	54.3	79.5	61.2
Late or no care	7.2	6.6	9.9	*	*	14.7	3.3	10.2
<b>Wichita, Kansas</b>								
Number								
Low birthweight	442	311	116	4	11	28	282	116
Care beginning in first trimester	5,147	4,283	641	44	179	320	3,955	637
Late or no care	170	107	53	4	6	22	82	52
Percent								
Low birthweight	7.3	6.3	13.1	*	*	6.3	6.3	13.2
Care beginning in first trimester	84.8	87.2	72.7	75.9	82.1	72.6	88.7	72.6
Late or no care	2.8	2.2	6.0	*	*	5.0	1.8	5.9
<b>Winston-Salem, North Carolina</b>								
Number								
Low birthweight	297	97	197	-	3	5	92	197
Care beginning in first trimester	2,002	1,129	840	3	30	68	1,062	839
Late or no care	69	15	54	-	-	5	10	54
Percent								
Low birthweight	12.3	7.8	17.3	*	*	*	8.0	17.4
Care beginning in first trimester	83.3	91.5	74.3	*	85.7	73.1	93.0	74.3
Late or no care	2.9	*	4.8	*	*	*	*	4.8

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1994

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
<b>Worcester, Massachusetts</b>								
Number								
Low birthweight	211	168	31	-	12	48	122	29
Care beginning in first trimester	2,214	1,885	198	7	124	420	1,496	168
Late or no care	27	21	6	-	-	8	13	6
Percent								
Low birthweight	8.6	8.1	13.5	*	*	9.7	7.5	14.9
Care beginning in first trimester	89.7	90.5	86.5	*	83.8	84.5	92.3	86.6
Late or no care	1.1	1.0	*	*	*	*	*	*
<b>Yonkers, New York</b>								
Number								
Low birthweight	219	123	80	3	13	57	63	75
Care beginning in first trimester	1,731	1,323	303	2	103	427	877	269
Late or no care	312	175	118	-	19	103	70	115
Percent								
Low birthweight	7.7	6.2	11.9	*	*	6.9	5.5	12.2
Care beginning in first trimester	65.6	71.0	50.5	*	59.5	56.1	80.4	49.4
Late or no care	11.8	9.4	19.7	*	*	13.5	6.4	21.1

- Quantity zero.

\* Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

(1) Data not shown for non-Hispanic births of other races and births with origin not stated.

(2) Includes Aleuts and Eskimos.