

Instructions for Completion of Primary Bloodstream Infection (BSI) Form (CDC 57.108)

Data Field	Instructions for Data Collection
Facility ID	The NHSN-assigned facility ID will be auto-entered by the computer.
Event #	Event ID number will be auto-entered by the computer.
Patient ID	Required. Enter the alphanumeric patient ID number. This is the patient identifier assigned by the hospital and may consist of any combination of numbers and/or letters.
Social Security #	Optional. Enter the 9-digit numeric patient Social Security Number.
Secondary ID	Optional. Enter the alphanumeric ID number assigned by the facility.
Medicare #	Conditionally required. Enter the patient's Medicare number for all events reported as part of a CMS Quality Reporting Program.
Patient name	Optional. Enter the last, first, and middle name of the patient.
Gender	Required. Check Female, Male, or Other to indicate the gender of the patient.
Sex at Birth (Birth Sex)	Optional. Select the patient's sex assigned at birth. Male Female Unknown
Gender Identity	Optional. Specify the gender identity/identities which most closely matches how the patient self-identifies. Multiple selections are allowed, except when selecting "Asked but unknown." Male Female Male-to-female transgender Female-to-male transgender Identifies as non-conforming Other Asked but unknown
Date of Birth	Required. Record the date of the patient birth using this format: MM/DD/YYYY.
Ethnicity	Optional. Specify if the patient is either Hispanic or Latino, or Not Hispanic or Not Latino; otherwise select Declined to respond Unknown



Data Field	Instructions for Data Collection
	NOTE: Select "Unknown" in the rare circumstance when the patient is non-
	communicative and/or access to this information is not available.
Race	Optional. Specify one or more of the choices below to identify the patient's race:
	American Indian or Alaska Native (1002-5)
	Asian (2028-9)
	Black or African American (2054-5)
	Middle Eastern or North African (2118-8)
	Native Hawaiian or Other Pacific Islander (2076-8)
	White (2106-3)
	Declined to respond
	Unknown
	NOTE : Select "Unknown" in the rare circumstance when the patient in non-
	communicative and/or access to this information is not available.
	communicative and/or access to this information is not available.
Language	Optional. Specify the patient's preferred language from the NHSN abridged
	primary language list available at: https://www.cdc.gov/nhsn/pdfs/NHSN-
	Abridged-Primary-Language-List.xlsx
	Declined to respond
	Unknown
	NOTE : Select "Unknown" in the rare circumstance when the patient in non-
	communicative and/or access to this information is not available.
	communicative analy of decess to this information is not available.
Interpreter Needed?	Optional. Select YES if an interpreter is needed to communicate with the patient in
	their preferred language; otherwise, select NO.
	Declined to respond
	Unknown
	NOTE: Select "Unknown" in the rare circumstance when the patient in non-
	communicative and/or access to this information is not available.
Event type	Required. BSI.
Date of event	Required. The date when the first element used to meet the BSI infection criterion
	occurred for the first time, during the Infection Window Period. Enter date of this
	event using this format: MM/DD/YYYY.
	NOTE: If a device has been discontinued on the first day of the month in a location
	where there are no other device days in that month, and a device-associated
	infection develops after the device is discontinued, use the last day of the previous
	month as the Date of Event.
	inonth as the Date of Event.



Data Field	Instructions for Data Collection
Post-procedure BSI	Optional. Check Y if this event occurred after an NHSN-defined procedure but
	before discharge from the facility, otherwise check N.
NHSN procedure code	Conditionally required. If Post-procedure BSI = Y, enter the appropriate NHSN
	procedure code.
	NOTE: A BSI cannot be "linked" to an operative procedure unless that procedure
	has already been added to NHSN. If the procedure was previously added, and the
	"Link to Procedure" button is clicked, the fields pertaining to the operation will be
	auto-entered by the computer.
ICD-10-PCS and CPT procedure	Optional. The <u>ICD-10-PCS</u> or <u>CPT</u> code may be entered here instead of (or in
code	addition to) the NHSN Procedure Code.
	If the ICD-10-PCS or CPT code is entered, the NHSN procedure code will be auto-
	entered by the computer. If the NHSN code is entered first, you will have the
	option to select the appropriate ICD-10-PCS or CPT code. In either case, it is
	optional to select the ICD-10-PCS or CPT code. The NHSN ICD-10-PCS and CPT
	codes are found in the "Operative Procedure Code Documents" section of the
	Surgical Site Infection (SSI) Events page on the NHSN website.
MDRO Infection Surveillance	Required. Enter "Yes", if the pathogen is being followed for Infection Surveillance
	in the MDRO/CDI Module in that location as part of your Monthly Reporting Plan:
	MRSA, MSSA (MRSA/MSSA), VRE, CephR-Klebsiella, CRE (E. coli, Klebsiella
	pneumoniae, Klebsiella oxytoca, Klebsiella aerogenes, or Enterobacter), MDR-
	Acinetobacter, or C. difficile.
	If the pathogen for this infection happens to be an MDRO but your facility is not
	following the Infection Surveillance in the MDRO/CDI Module in your Monthly
	Reporting Plan, answer "No" to this question.
Location	Required. Enter the inpatient location to which the patient was assigned on the
Location	date of the BSI event.
	If the date of BSI occurs on the day of transfer or discharge from a location, or the
	next day, indicate the transferring/discharging location, not the current location of
	the patient, in accordance with the Transfer Rule (see Key Terms section).
Date admitted to facility	Required. Enter date patient is physically admitted to an inpatient location using
bate duffitted to facility	this format: MM/DD/YYYY. Do not use the date the admission order is written.
	If a patient is sent to an inpatient location as an "observation" patient, they are
	considered admitted for NHSN purposes.
	When reporting a BSI which occurs on the day of or day after discharge use the
	previous date of admission as admission date.



Data Field	Instructions for Data Collection
Risk Factors:	Required. Answer this question if the location is an intensive care unit (ICU) or
If ICU/Other locations, central	location other than a specialty care area (SCA) or neonatal intensive care unit
line	(NICU).
	Check Y if patient had a central line (CL) <u>present for more than 2 calendar days on</u> the date of event or the day before otherwise, check N. The day of device insertion equals day 1.
	If the patient is admitted or transferred into a facility with an implanted central line (port) in place, and that is the patient's only central line, day of first access in an inpatient location is considered Day 1.
Risk Factors:	Check all that apply. For hemodialysis catheter question choose Yes or No.

If Specialty Care Area/Oncology, Required. Answer these questions if the location is an SCA or oncology location:

Permanent central line Check box if patient had a tunneled or implanted central line (CL) present for more than 2 calendar days on the date of event or the day before otherwise, leave check box blank. The day of device insertion = Day 1.

If the patient is admitted or transferred into a facility with an implanted central line (port) in place, and that is the patient's only central line, day of first access in an inpatient location is considered Day 1.

Temporary central line Check box if patient had a non-tunneled or non-implanted central line (CL) present for more than 2 calendar days on the date of event or the day before, otherwise leave check box blank. The day of device insertion = Day 1.

If the patient is admitted or transferred into a facility with an implanted central line (port) in place, and that is the patient's only central line, day of first access in an inpatient location is considered Day 1.



Data Field	Instructions for Data Collection	
Risk Factors:	Required. Answer these questions if the location is an NICU:	
If NICU,		
Central line Check box if patient had a central line (CL) or umbilical catheter (UC) present for		
	more than 2 calendar days on the date of event or the day before otherwise leave	
	check box blank. The day of device insertion equals day 1. If the patient is admitted	
	or transferred into a facility with an implanted central line (port) in place, and that	
	is the patient's only central line, day of first access in an inpatient location is	
	considered Day 1.	
Rirth weight	Required. Enter patient's weight at the time of birth in grams, <u>not</u> the weight on	
Dil til Weight	the date of event.	
Any hemodialysis catheter	Required. Check Y if the patient had any central line in place for the purpose of	
present	hemodialysis. There is no requirement for this central line to have been accessed.	
ľ	Check N if the patient had no central line in place for the purpose of hemodialysis.	
Extracorporeal life support	Required. Check box if patient was on Extracorporeal life support (for example,	
present (ECLS)	extracorporeal membrane oxygenation [ECMO]) for more than 2 days on the date	
	of event and is still in place on the date of event or the day before, otherwise leave	
	check box blank.	
Ventricular assist device (VAD)	Required. Check box if patient had a VAD present for more than 2 days on the date	
present:	of event and is still in place on the date of event or the day before, otherwise leave check box blank.	
Munchausan's Syndroma By	Required. Check box if there was documentation or diagnosis of known or	
Munchausen's Syndrome By Proxy	suspected Munchausen's Syndrome By Proxy during the hospitalization also known	
PTOXY	as factitious disorder imposed on another, otherwise leave check box blank.	
Suspected/observed self IV	Required. Check box if there was documentation of observed or suspected	
injection	injection into an IV line by the patient during the BSI infection window period,	
	otherwise leave check box blank.	
Epidermolysis bullosa	Required. Check box if there was documentation of Epidermolysis bullosa during	
	the hospitalization associated with the BSI, otherwise leave check box blank. This	
	condition is limited to the genetic forms of EB in the pediatric population.	
Matching organism identified in	Required. Check box if there is an eligible central line, another vascular access	
blood and from site specific	device, pus at the site of one of the following vascular access devices, and a	
specimen(s) and pus is present	specimen collected from that site during the BSI infection window period with at	
at the vascular site from which	least one matching organism to an organism identified in blood, otherwise leave	
the specimen was collected:	check box blank.	
	Eligible Vascular Access Sites:	
	 Arterial catheters, unless in the pulmonary artery, aorta, or umbilical artery 	
	Arterial catheters, unless in the pullifoldry aftery, dorta, or unibilital aftery	



Data Field	Instructions for Data Collection
	Arteriovenous fistulae
	Arteriovenous grafts
	Hemodialysis reliable outflow (HERO) dialysis catheters
	Intra-aortic balloon pump (IABP) devices
	 Non-accessed CL (those neither inserted nor used during current admission) Peripheral IV or Midlines
Location of device insertion	Optional. Enter the patient location where the central line was inserted.
	 If the patient has more than one central line, enter the location where the first central line was inserted.
	If the patient has both a permanent and a temporary central line, enter the location where the temporary line was inserted.
Date of device insertion	Optional. Enter the date the central line was inserted. If the patient has more
	than one central line, facility may choose which insertion date to record.
Event Details:	Required. Check Laboratory-confirmed (LCBI).
Specific event	
Event Details:	Required. Check each of the elements of the criterion that were met.
Specify criteria used:	
COVID-19	Required. Check Y if the patient met the definition of confirmed COVID-19 on the date of event; otherwise, check N.
	Confirmed: A patient with a positive COVID-19 (SARS-CoV-2) laboratory viral test indicating current infection
	NOTE: this does not include serology testing for antibody.
	Answer COVID-19 as 'YES' if the patient's lab test confirmed COVID-19
	prior to or on the date of event. Keep in mind that patients may undergo repeat testing post-treatment and may move from a 'confirmed' to 'negative' COVID-19 status.
	 Answer COVID-19 as 'NO' if the most recent lab test prior to or on the date of event is negative.
Event Details: Died	Required. Check Y if patient died during the hospitalization, otherwise check N.
Event Details:	Conditionally required if patient died. Check Y if such evidence is available ((for
BSI contributed to death	example, death/discharge note, autopsy report, etc.) otherwise check N.
Event Details:	Optional. Date patient discharged from facility using this format: MM/DD/YYYY.
Discharge date	



Data Field	Instructions for Data Collection
Event Details:	Required. This field will be auto entered by the computer as Y. Specify pathogens
Pathogen identified	on reverse of form.
Pathogen # for specified Gram-	Up to three pathogens may be reported. If multiple pathogens are identified, enter
positive Organisms, Gram-	the pathogen judged to be the most important cause of infection as #1, the next
negative Organisms, Fungal	most as #2, and the least as #3 (usually this order will be indicated on the
Organisms, or Other Organisms	laboratory report). If the species is not given on the lab report or is not found on
	the NHSN drop down list, then select the genus (for example, Bacillus natto is not
	on the list so would be reported as <i>Bacillus</i>).
Antimicrobial agent and	Conditionally required if Pathogen Identified = Y.
susceptibility results	
	For those organisms shown on the back of an event form, susceptibility
	results are required only for the agents listed.
	 For organisms that are not listed on the back of an event form, the entry of susceptibility results is optional.
	Circle the pathogen's susceptibility result using the codes on the event forms.
	For each box listing several drugs of the same class, at least one drug susceptibility
	must be recorded.
Custom Fields	Optional. Up to 50 fields may be customized for local or group use in any
	combination of the following formats: date (MM/DD/YYYY), numeric, or
	alphanumeric.
	NOTE: Each custom field must be set up in the Facility/Custom Options section of
	the application before the field can be selected for use.
Comments	Optional. Enter any information on the event.

