

CBRN Respirator Standard Development Overview

Roland BerryAnn

NIOSH/NPPTL Public Meeting
Hilton Garden Inn, Canonsburg, Pa

Agenda – May 4, 2004

<u>Time</u>	<u>Topic</u>	<u>Presenter</u>
9:00–9:10	Welcome	R. Metzler, NIOSH
9:10–9:20	CBRN & Administration Overview	R. BerryAnn, NIOSH
9:20–9:45	PAPR Concept Development	J. Szalajda, NIOSH
9:45–10:00	Breathing Performance	T. Thornton, NIOSH
10:00–10:15	High Flow Study	D. Caretti, RDECOM
10:15–10:30	Canister Resistance/Service Life	G. Monahan, NIOSH
10:30–10:45	Break	

Agenda – May 4, 2004

<u>Time</u>	<u>Topic</u>	<u>Presenter</u>
10:45–11:10	Canister Testing	T. Thornton, NIOSH
11:10–11:30	Particulate Testing	T. Thornton, NIOSH
11:30–12:00	Battery Requirements	T. Klemetti, NIOSH
12:00–1:00	Lunch Break	
1:00–1:20	Human Factors Requirements	F. Palya, NIOSH
1:20–1:40	Durability Testing	F. Palya, NIOSH
1:40–2:30	CBRN testing (CWA & LRPL)	M. Bergman, NIOSH
2:30–2:45	Break	

Agenda – May 4, 2004

<u>Time</u>	<u>Topic</u>	<u>Presenter</u>
2:45—3:00	CWA Simulant Project	F. Palya, NIOSH
3:00 –3:15	Summary Standard Development Schedule CBRN APR Retrofit CBRN PAPR Activities	J. Szalajda, NIOSH
3:15—4:00	Attendee Presentations ISEA	J. Bradley
4:00—5:00	Open Comment Period	
5:00	Adjourn	

Meeting Logistics

- Sign In Sheets
- Meeting Recorded, Verbatim Transcript for Docket
- Presentation in accordance with the Agenda
- Q & A Period After Each Presentations
 - Comment at Microphone; Identify Name and Affiliation
 - Additional Presentations – Sign up at Registration Desk

Information Docket CBRN PAPR Respirator

- Mail:
 - NIOSH Docket Office
 - Robert A. Taft Laboratories, M/S C 34
 - PAPR – NIOSH 010
 - 4676 Columbia Parkway
 - Cincinnati, OH 45226
- Email: niocindocket@cdc.gov
- Fax: (513) 533-8285
- Phone: (513) 533-8303
- NPPTL Web Site: <http://www.cdc.gov/niosh/npptl>

CBRN Standards Development

Purpose of this Public Meeting

- Present Concepts for CBRN Powered Air Purifying Respirators Standard